

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		1,259,320	-	200	38,230	141,730	303,880	331,610	272,250	128,810	23,950	18,670
Head	0	81,530	-	80	2,790	11,660	21,750	20,610	14,500	6,950	1,820	1,370
Head, unspecified	00	16,300	-	70	570	2,160	3,890	3,650	3,590	1,750	490	110
Cranial region, including skull	01	9,600	-	-	440	1,380	2,250	2,700	1,620	840	230	120
Cranial region, unspecified	010	300	-	-	20	40	-	120	60	20	20	-
Brain	011	5,830	-	-	350	790	1,290	1,560	1,030	620	170	-
Scalp	012	2,650	-	-	-	360	850	760	400	150	-	70
Skull	013	600	-	-	-	150	80	200	90	40	20	-
Multiple cranial region locations	018	60	-	-	-	-	-	40	-	-	-	-
Cranial region, n.e.c.	019	160	-	-	-	50	-	-	-	-	-	-
Ear(s)	02	1,030	-	-	-	90	380	230	220	80	-	-
Face	03	52,780	-	-	1,770	7,900	14,560	13,400	8,780	4,220	1,060	1,080
Face, unspecified	030	4,070	-	-	220	370	1,110	990	800	460	80	-
Forehead	031	3,130	-	-	110	410	840	460	570	280	110	350
Eye(s)	032	36,680	-	-	1,100	5,860	10,400	9,660	5,760	2,730	540	620
Nose, nasal cavity	033	2,380	-	-	40	370	500	720	390	200	110	40
Nose, except internal location of diseases or disorders	0330	2,340	-	-	40	370	490	720	370	200	110	40
Cheek(s)	034	850	-	-	40	180	130	160	240	80	-	-
Jaw/chin	035	1,060	-	-	200	120	280	270	60	120	-	-
Mouth	036	1,950	-	-	50	200	710	450	400	100	-	-
Mouth, unspecified	0360	320	-	-	-	40	110	110	40	20	-	-
Lip(s)	0361	480	-	-	-	80	200	80	70	20	-	-
Tooth(teeth)	0363	900	-	-	40	50	250	220	270	60	20	-
Multiple mouth locations	0368	120	-	-	-	-	40	40	-	-	-	-
Mouth, n.e.c.	0369	110	-	-	-	-	100	-	-	-	-	-
Multiple face locations	038	2,490	-	-	20	390	550	630	530	240	140	-
Face, n.e.c.	039	180	-	-	-	-	60	60	40	-	-	-
Multiple head locations	08	1,690	-	-	-	70	650	600	250	50	-	20
Head, n.e.c.	09	130	-	-	-	50	-	-	40	-	-	-
Neck, including throat	1	21,130	-	-	370	2,090	5,690	6,010	4,850	1,400	180	540
Neck, except internal location of diseases or disorders	10	20,980	-	-	370	2,070	5,690	5,950	4,780	1,400	180	540
Multiple internal neck locations ..	18	70	-	-	-	-	-	-	-	-	-	-
Trunk	2	447,140	-	50	9,080	42,140	112,590	127,200	96,500	45,230	8,280	6,080
Trunk, unspecified	20	2,220	-	-	-	230	570	440	580	240	110	-
Shoulder, including clavicle, scapula	21	82,220	-	-	1,640	6,380	16,510	21,700	20,500	11,760	2,590	1,120
Chest, including ribs, internal organs	22	20,280	-	-	350	1,600	4,270	5,240	5,020	2,820	820	150
Chest, except internal location of diseases or disorders	220	17,800	-	-	310	1,380	3,870	4,570	4,360	2,370	820	130
Internal chest location, unspecified	221	230	-	-	-	-	-	110	60	40	-	-

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Heart	223	470	-	-	-	-	20	90	90	260	-	-
Bronchus	224	160	-	-	-	-	-	100	-	-	-	-
Lung(s), pleura	225	1,590	-	-	50	220	330	360	480	150	-	-
Internal chest location, n.e.c.	229	20	-	-	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	282,240	-	-	5,920	28,730	78,050	83,470	56,560	22,770	2,700	3,980
Back, including spine, spinal cord, unspecified	230	123,200	-	-	3,000	12,980	34,140	36,500	24,280	9,110	1,450	1,700
Lumbar region	231	137,210	-	-	2,360	12,820	37,870	41,060	28,010	12,020	1,150	1,910
Thoracic region	232	10,350	-	-	270	1,630	3,010	2,420	2,110	700	50	170
Sacral region	233	860	-	-	-	130	210	310	130	60	-	-
Coccygeal region	234	2,130	-	-	90	270	560	650	380	130	-	-
Multiple back regions	238	7,790	-	-	190	870	2,080	2,160	1,580	720	-	160
Back, including spine, spinal cord, n.e.c.	239	700	-	-	-	-	180	370	70	40	-	-
Abdomen	24	29,010	-	-	470	2,900	6,270	7,630	7,220	3,550	620	340
Abdomen, except internal location of diseases or disorders	240	7,540	-	-	230	1,550	1,630	1,780	1,590	560	110	100
Internal abdominal location, unspecified	241	9,670	-	-	80	690	2,250	2,540	2,500	1,350	180	90
Stomach organ	242	710	-	-	20	-	160	250	120	120	-	-
Urinary organs	244	20	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	245	10,990	-	-	150	640	2,210	3,040	2,960	1,520	330	140
Intestines, peritoneum, unspecified	2450	9,650	-	-	130	580	2,030	2,700	2,640	1,150	280	140
Peritoneum	2451	730	-	-	-	-	90	200	150	260	-	-
Small intestine	2452	210	-	-	-	-	20	-	80	80	-	-
Large intestine/colon, rectum	2453	330	-	-	20	-	50	100	70	40	-	-
Multiple intestinal locations	2458	20	-	-	-	-	-	-	-	-	-	-
Intestines, n.e.c.	2459	40	-	-	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	249	70	-	-	-	-	-	20	40	-	-	-
Pelvic region	25	22,390	-	-	530	1,770	5,110	5,950	4,470	2,990	1,300	280
Pelvic region, unspecified	250	290	-	-	-	20	70	100	60	40	-	-
Hip(s)	251	9,520	-	-	280	530	1,440	2,480	2,060	1,520	1,130	80
Pelvis	252	740	-	-	-	-	200	100	210	110	60	-
Buttock(s)	253	1,280	-	-	-	140	480	280	270	70	-	-
Groin	254	10,000	-	-	220	960	2,740	2,880	1,770	1,190	80	170
External reproductive tract structures	255	300	-	-	-	50	90	50	70	40	-	-
External reproductive tract structures, unspecified	2550	50	-	-	-	-	-	-	-	-	-	-
Scrotum	2551	210	-	-	-	-	60	40	60	-	-	-
Multiple pelvic region locations	258	150	-	-	-	-	50	-	20	-	-	-

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Pelvic region, n.e.c.	259	90	-	-	-	-	20	-	-	-	-	-	-
Multiple trunk locations	28	8,490	-	-	130	520	1,790	2,580	2,090	1,090	140	160	-
Trunk, n.e.c.	29	280	-	-	-	-	-	180	50	-	-	-	-
Upper extremities	3	290,460	-	40	13,010	38,640	71,350	72,220	59,570	26,990	3,930	4,710	-
Upper extremities, unspecified	30	480	-	-	-	20	310	60	70	20	-	-	-
Arm(s)	31	58,310	-	-	2,470	5,900	12,660	15,850	13,860	5,420	1,140	1,030	-
Arm(s), unspecified	310	21,290	-	-	1,210	2,230	5,060	4,780	5,140	1,900	460	520	-
Upper arm(s)	311	4,190	-	-	50	320	660	1,030	1,030	820	170	110	-
Elbow(s)	312	19,060	-	-	570	1,550	3,830	6,060	4,780	1,590	360	300	-
Forearm(s)	313	10,240	-	-	410	1,360	2,560	3,000	2,030	690	120	70	-
Multiple arm(s) locations	318	2,660	-	-	220	370	410	810	550	250	-	20	-
Arm(s), n.e.c.	319	870	-	-	-	70	130	170	310	170	-	-	-
Wrist(s)	32	58,510	-	-	1,640	5,330	12,880	15,770	13,720	7,470	900	800	-
Hand(s), except finger(s)	33	50,190	-	-	2,570	8,740	13,030	12,150	8,500	3,510	470	1,200	-
Finger(s), fingernail(s)	34	107,860	-	-	5,540	17,110	28,100	25,070	20,430	8,840	1,210	1,560	-
Multiple upper extremities locations	38	15,020	-	-	780	1,540	4,350	3,300	2,970	1,740	210	120	-
Multiple upper extremities locations, unspecified	380	250	-	-	-	70	-	60	50	-	-	-	-
Hand(s) and finger(s)	381	5,260	-	-	200	510	1,780	1,110	1,070	490	50	70	-
Hand(s) and wrist(s)	382	3,230	-	-	140	350	1,000	780	620	280	40	-	-
Hand(s) and arm(s)	383	1,680	-	-	120	210	250	370	370	330	-	-	-
Multiple upper extremities locations, n.e.c.	389	4,600	-	-	320	410	1,290	980	860	620	100	-	-
Upper extremities, n.e.c.	39	100	-	-	-	-	-	-	-	-	-	-	-
Lower extremities	4	269,490	-	-	9,200	33,660	62,350	66,250	60,220	28,310	5,660	3,820	-
Lower extremities, unspecified	40	250	-	-	-	-	40	100	60	-	-	-	-
Leg(s)	41	138,580	-	-	4,130	14,220	28,220	35,050	34,060	17,680	3,520	1,690	-
Leg(s), unspecified	410	18,890	-	-	430	2,300	3,740	5,310	4,190	2,180	460	290	-
Thigh(s)	411	4,820	-	-	280	720	1,050	1,010	990	600	130	50	-
Knee(s)	412	99,720	-	-	3,090	9,950	19,770	25,340	24,720	13,030	2,560	1,260	-
Lower leg(s)	413	10,840	-	-	280	970	2,800	2,750	2,500	1,330	140	70	-
Multiple leg(s) locations	418	3,450	-	-	-	170	700	540	1,470	460	50	-	-
Leg(s), n.e.c.	419	840	-	-	-	120	170	100	180	90	170	-	-
Ankle(s)	42	64,320	-	-	2,570	9,510	18,760	15,130	11,730	4,690	1,010	920	-
Foot(feet), except toe(s)	43	45,110	-	-	1,930	6,340	10,260	11,220	9,900	3,910	660	880	-
Foot(feet), except toe(s), unspecified	430	39,250	-	-	1,790	5,730	9,130	9,490	8,250	3,420	580	850	-
Instep(s)	431	990	-	-	40	80	260	230	290	50	40	-	-
Sole	432	3,830	-	-	90	330	700	1,120	1,140	380	-	-	-
Sole(s), unspecified	4320	680	-	-	60	160	120	220	-	80	-	-	-
Arch(es)	4322	180	-	-	-	-	-	-	120	-	-	-	-
Heel(s)	4323	2,900	-	-	-	160	520	890	970	290	20	-	-
Sole(s), n.e.c.	4329	-	-	-	-	-	20	-	-	-	-	-	-
Multiple foot(feet) locations	438	310	-	-	-	60	60	100	70	-	-	-	-
Foot(feet), n.e.c.	439	730	-	-	-	130	110	270	150	60	-	-	-
Toe(s), toenail(s)	44	12,840	-	-	430	2,750	3,150	2,450	2,760	990	200	100	-

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple lower extremities locations	48	8,350	-	-	130	820	1,920	2,310	1,720	1,010	230	220
Multiple lower extremities locations, unspecified	480	190	-	-	-	-	70	40	50	-	-	-
Foot(foot) and leg(s)	481	940	-	-	-	140	150	200	210	210	-	-
Foot(foot) and ankle(s)	482	2,630	-	-	20	200	650	670	660	250	170	20
Foot(foot) and toe(s)	483	1,260	-	-	-	210	260	460	60	70	-	150
Multiple lower extremities locations, n.e.c.	489	3,330	-	-	70	250	780	940	740	460	50	40
Lower extremities, n.e.c.	49	50	-	-	-	-	-	-	-	-	-	-
Body systems	5	14,300	-	-	610	1,330	3,630	3,970	2,870	1,470	190	220
Multiple body parts	8	126,530	-	-	2,880	10,890	24,720	33,240	31,840	17,580	3,810	1,550
Other body parts	9	110	-	-	-	-	-	-	50	-	-	-
Prosthetic devices	91	80	-	-	-	-	-	-	40	-	-	-
Nonclassifiable	9999	8,640	-	-	280	1,320	1,760	2,110	1,850	860	70	380

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies