

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Total		1,158,870	78,370	33,010	17,050	384,650	235,960	75,580	269,240	54,260	101,650	47,920	51,620
Contact with objects and equipment	0	317,550	47,260	23,500	3,000	22,450	9,270	5,710	149,810	16,510	89,620	31,420	7,490
Contact with objects and equipment, unspecified	00	10,000	530	410	20	650	190	210	7,170	380	5,000	1,390	230
Struck against object or equipment	01	75,730	8,880	1,030	880	5,070	2,340	1,150	32,600	6,540	16,120	7,270	1,750
Struck against object or equipment, unspecified	010	5,580	520	60	100	380	240	40	3,090	590	1,420	810	200
Stepped on object	011	10,130	20	-	-	420	310	30	130	-	20	-	90
Struck against stationary object or equipment	012	41,360	6,530	610	640	2,830	1,190	690	18,790	4,450	8,360	4,450	890
Struck against moving object or equipment	013	7,780	620	190	90	530	270	110	4,660	410	3,430	620	170
Struck against object or equipment, n.e.c.	019	10,880	1,190	160	40	910	330	280	5,930	1,080	2,880	1,390	410
Struck by object or equipment	02	162,840	27,190	11,800	1,910	13,310	5,130	3,800	67,340	7,130	37,820	15,880	4,380
Struck by object or equipment, unspecified	020	11,620	3,050	1,570	70	1,110	310	290	3,900	550	2,230	870	140
Struck by falling object or equipment	021	58,640	7,490	1,460	1,130	6,280	2,860	2,000	12,590	2,450	5,190	2,790	1,440
Struck by flying object	022	17,180	8,650	6,780	120	920	160	150	5,170	730	2,540	1,640	190
Struck by flying object, unspecified	0220	2,440	1,750	1,500	-	110	30	30	270	60	90	80	-
Struck by dislodged flying object, particle	0221	8,510	5,250	4,400	50	360	40	50	2,070	340	1,040	580	90
Struck by discharged object or substance	0222	4,450	720	370	20	330	50	50	2,390	180	1,290	870	40
Struck by flying object, n.e.c.	0229	1,780	930	510	30	130	40	-	430	150	120	100	50
Struck by swinging or slipping object	023	55,880	5,530	1,140	440	2,340	600	890	39,850	2,860	24,580	9,210	2,220
Struck by swinging or slipping object, unspecified	0230	1,100	120	40	-	110	50	20	480	80	150	160	70
Struck by or slammed in swinging door or gate	0231	10,380	1,530	50	70	750	250	290	6,970	940	3,820	1,730	260
Struck by slipping handheld object	0232	40,950	2,950	810	330	1,190	240	450	30,870	1,740	19,720	7,110	1,610
Struck by swinging or slipping object, n.e.c.	0239	3,450	930	240	30	290	50	120	1,520	100	900	210	280
Struck by rolling, sliding objects or equipment on floor or ground level	024	3,930	60	-	-	360	190	30	480	40	270	120	40
Struck by object or equipment, n.e.c.	029	15,570	2,410	840	150	2,290	1,020	440	5,360	500	3,010	1,240	360
Caught in or compressed by equipment or objects	03	53,590	360	20	70	1,900	420	340	41,350	2,370	30,020	6,450	990
Caught in or compressed by equipment or objects, unspecified	030	8,080	40	-	20	290	80	80	6,130	360	4,330	1,080	160
Caught in running equipment or machinery	031	20,290	160	-	-	190	30	100	18,450	930	13,750	2,600	400
Compressed or pinched by rolling, sliding, or shifting objects	032	11,020	60	-	30	780	120	60	6,340	530	4,300	1,070	220
Caught in or compressed by equipment or objects, n.e.c.	039	14,200	110	-	20	640	200	100	10,430	540	7,640	1,700	210
Caught in or crushed in collapsing materials	04	510	30	30	-	30	20	-	140	-	90	20	-
Caught in or crushed in collapsing materials, unspecified	040	110	-	-	-	-	-	-	90	-	80	-	-
Excavation or trenching cave-in	041	180	-	-	-	-	-	-	-	-	-	-	-
Landslide	043	20	-	-	-	-	-	-	-	-	-	-	-
Caught in or crushed in collapsing structure	044	70	20	20	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Total	260,580	94,500	62,660	55,600	17,710	120,950	10,330
Contact with objects and equipment	81,540	16,600	11,550	35,410	220	12,700	580
Contact with objects and equipment, unspecified	1,120	290	140	230	—	440	60
Struck against object or equipment	25,240	8,420	5,640	7,440	70	2,910	90
Struck against object or equipment, unspecified	1,280	400	180	390	—	190	30
Stepped on object	9,270	1,300	3,950	3,510	—	280	—
Struck against stationary object or equipment	10,560	5,310	970	2,140	70	1,910	40
Struck against moving object or equipment	1,690	390	210	780	—	190	—
Struck against object or equipment, n.e.c.	2,450	1,010	330	620	—	340	—
Struck by object or equipment	44,750	5,690	4,410	23,620	130	7,830	390
Struck by object or equipment, unspecified	2,750	430	370	1,220	—	710	30
Struck by falling object or equipment	25,910	2,110	2,330	15,760	100	4,960	180
Struck by flying object	1,920	620	110	370	—	380	20
Struck by flying object, unspecified	230	80	—	40	—	50	20
Struck by dislodged flying object, particle ...	650	230	50	60	—	120	—
Struck by discharged object or substance ...	880	240	50	260	—	110	—
Struck by flying object, n.e.c.	160	80	—	—	—	100	—
Struck by swinging or slipping object	6,670	1,650	410	2,460	—	950	100
Struck by swinging or slipping object, unspecified	190	30	20	70	—	200	—
Struck by or slammed in swinging door or gate	720	180	80	280	—	320	—
Struck by slipping handheld object	5,180	1,290	270	1,970	—	340	90
Struck by swinging or slipping object, n.e.c.	580	150	30	140	—	100	—
Struck by rolling, sliding objects or equipment on floor or ground level	2,900	150	560	1,630	—	120	—
Struck by object or equipment, n.e.c.	4,600	720	630	2,190	—	710	50
Caught in or compressed by equipment or objects	8,840	900	1,310	4,000	20	1,050	20
Caught in or compressed by equipment or objects, unspecified	1,370	190	150	510	—	230	—
Caught in running equipment or machinery	1,170	60	120	490	—	320	—
Compressed or pinched by rolling, sliding, or shifting objects	3,580	260	610	1,870	—	240	—
Caught in or compressed by equipment or objects, n.e.c.	2,720	390	440	1,130	20	260	—
Caught in or crushed in collapsing materials	120	60	—	20	—	170	—
Caught in or crushed in collapsing materials, unspecified	—	—	—	—	—	—	—
Excavation or trenching cave-in	60	40	—	—	—	80	—
Landslide	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure ...	—	—	—	—	—	30	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴											
			Head		Neck	Trunk			Upper extremities					
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist	
Caught in or crushed in collapsing materials, n.e.c.	049	110	—	—	—	—	—	—	—	20	—	—	—	—
Rubbed or abraded by friction or pressure	05	11,620	10,210	10,200	—	30	—	—	180	20	90	50	—	
Rubbed or abraded by friction or pressure, unspecified	050	80	—	—	—	—	—	—	40	—	20	—	—	
Rubbed or abraded by kneeling on surface	051	1,100	—	—	—	—	—	—	—	—	—	—	—	
Rubbed or abraded by objects being handled	052	160	30	30	—	—	—	—	120	—	60	40	—	
Rubbed or abraded by foreign matter in eye ...	053	10,160	10,160	10,160	—	—	—	—	—	—	—	—	—	
Rubbed or abraded by friction or pressure, n.e.c.	059	120	20	—	—	—	—	—	20	—	—	—	—	
Rubbed, abraded, or jarred by vibration	06	1,750	20	—	120	1,260	1,050	130	60	20	—	—	20	
Rubbed, abraded, or jarred by vibration, unspecified	060	80	—	—	20	40	30	—	—	—	—	—	—	
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	1,260	—	—	40	1,000	870	80	30	—	—	—	—	
Rubbed, abraded, or jarred by other machine or equipment vibration	062	260	—	—	40	140	100	30	30	—	—	—	—	
Rubbed, abraded, or jarred by vibration, n.e.c.	069	150	—	—	20	80	50	20	—	—	—	—	—	
Contact with objects and equipment, n.e.c.	09	1,520	50	20	—	200	110	70	960	40	480	340	80	
Falls	1	253,440	11,560	130	1,450	66,690	31,160	16,540	34,820	13,510	2,360	3,610	13,290	
Fall, unspecified	10	4,180	200	—	20	1,300	630	290	580	220	40	30	250	
Fall to lower level	11	77,300	2,380	20	490	21,020	10,890	4,710	8,240	3,500	390	570	3,230	
Fall to lower level, unspecified	110	1,660	50	—	—	560	230	130	180	30	—	—	120	
Fall down stairs or steps	111	19,300	450	—	40	3,830	2,620	590	1,920	1,060	120	180	460	
Fall from floor, dock, or ground level	112	5,350	60	—	20	1,560	840	500	440	280	—	40	100	
Fall from floor, dock, or ground level, unspecified	1120	960	20	—	—	270	160	70	110	40	—	40	30	
Fall through existing floor opening	1121	640	—	—	—	170	90	40	—	—	—	—	—	
Fall through floor surface	1122	1,140	—	—	—	280	40	230	80	70	—	—	—	
Fall from loading dock	1123	810	—	—	—	400	280	70	70	20	—	—	40	
Fall from ground level to lower level	1124	1,220	20	—	—	390	260	70	120	110	—	—	—	
Fall from floor, dock, or ground level, n.e.c.	1129	590	—	—	—	50	—	20	50	40	—	—	—	
Fall from ladder	113	21,710	640	—	30	6,630	3,070	1,250	2,320	840	70	150	1,110	
Fall from piled or stacked material	114	340	—	—	—	140	60	—	20	—	—	—	—	
Fall from roof	115	2,300	80	—	—	950	350	350	280	50	—	—	200	
Fall from roof, unspecified	1150	740	—	—	—	250	140	20	200	—	—	—	180	
Fall through existing roof opening	1151	50	—	—	—	—	—	—	—	—	—	—	—	
Fall through roof surface	1152	180	—	—	—	20	—	—	—	—	—	—	—	
Fall through skylight	1153	40	—	—	—	—	—	—	—	—	—	—	—	
Fall from roof edge	1154	1,110	70	—	—	660	190	330	30	20	—	—	—	
Fall from roof, n.e.c.	1159	190	—	—	—	—	—	—	30	30	—	—	—	
Fall from scaffold, staging	116	2,480	70	—	—	490	180	190	260	150	—	—	80	

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Caught in or crushed in collapsing materials, n.e.c.	30	—	—	—	—	50	—
Rubbed or abraded by friction or pressure	1,200	1,110	20	50	—	—	—
Rubbed or abraded by friction or pressure, unspecified	30	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	1,090	1,080	—	—	—	—	—
Rubbed or abraded by objects being handled	—	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye ...	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	70	—	20	30	—	—	—
Rubbed, abraded, or jarred by vibration	110	70	—	20	—	160	—
Rubbed, abraded, or jarred by vibration, unspecified	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	60	30	—	20	—	110	—
Rubbed, abraded, or jarred by other machine or equipment vibration	30	30	—	—	—	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	40	—
Contact with objects and equipment, n.e.c.	170	70	—	40	—	130	—
Falls	82,840	35,880	23,990	9,140	320	54,430	1,330
Fall, unspecified	1,230	660	370	70	—	840	20
Fall to lower level	26,690	7,970	9,170	5,120	30	18,040	410
Fall to lower level, unspecified	610	310	200	50	—	250	—
Fall down stairs or steps	8,490	2,650	3,170	1,470	—	4,490	70
Fall from floor, dock, or ground level	2,050	800	530	160	—	1,180	20
Fall from floor, dock, or ground level, unspecified	480	220	140	40	—	50	20
Fall through existing floor opening	140	30	20	—	—	310	—
Fall through floor surface	480	280	60	40	—	280	—
Fall from loading dock	230	60	70	—	—	100	—
Fall from ground level to lower level	450	60	190	40	—	230	—
Fall from floor, dock, or ground level, n.e.c.	270	150	60	30	—	220	—
Fall from ladder	6,400	1,490	1,990	1,790	20	5,460	200
Fall from piled or stacked material	110	30	50	—	—	40	—
Fall from roof	540	40	210	120	—	420	20
Fall from roof, unspecified	110	20	20	—	—	170	—
Fall through existing roof opening	—	—	—	—	—	—	—
Fall through roof surface	90	—	20	—	—	60	—
Fall through skylight	—	—	—	—	—	30	—
Fall from roof edge	290	—	120	90	—	60	—
Fall from roof, n.e.c.	50	—	40	—	—	90	—
Fall from scaffold, staging	970	260	530	50	—	680	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Fall from building girders or other structural steel	117	250	—	—	—	50	—	20	20	—	—	—	—
Fall from nonmoving vehicle	118	13,630	470	—	130	3,680	1,720	1,140	1,780	760	100	100	710
Fall to lower level, n.e.c.	119	10,290	540	—	260	3,110	1,820	510	1,020	300	70	70	430
Jump to lower level	12	4,560	—	—	—	590	410	70	210	150	—	—	30
Jump to lower level, unspecified	120	180	—	—	—	—	—	—	—	—	—	—	—
Jump from scaffold, platform, loading dock	121	670	—	—	—	50	—	20	20	—	—	—	—
Jump from structure, structural element, n.e.c.	122	470	—	—	—	60	20	—	—	—	—	—	—
Jump from nonmoving vehicle	123	1,760	—	—	—	280	230	30	40	20	—	—	—
Jump to lower level, n.e.c.	129	1,470	—	—	—	190	140	—	150	120	—	—	—
Fall on same level	13	166,560	8,950	110	940	43,450	19,010	11,400	25,750	9,620	1,920	2,990	9,780
Fall on same level, unspecified ⁶	130	1,490	190	—	—	290	100	90	180	80	—	20	60
Fall to floor, walkway, or other surface	131	142,740	6,610	50	850	35,850	16,790	9,340	21,690	7,570	1,210	2,470	9,160
Fall onto or against objects	132	20,860	2,130	60	90	6,740	1,790	1,830	3,710	1,900	680	490	510
Fall on same level, n.e.c.	139	1,470	30	—	—	580	340	130	170	70	20	—	50
Fall, n.e.c.	19	840	—	—	—	340	210	70	40	20	—	—	—
Bodily reaction and exertion	2	440,810	440	120	6,960	271,600	183,870	49,590	57,240	16,400	3,880	4,140	28,090
Bodily reaction and exertion, unspecified	20	9,070	—	—	190	4,550	2,950	1,000	1,660	470	120	150	500
Bodily reaction	21	127,200	170	50	1,520	51,870	40,140	6,220	4,700	1,450	400	440	2,050
Bodily reaction, unspecified ⁶	210	7,740	70	—	230	3,820	2,570	590	820	230	70	150	210
Bending, climbing, crawling, reaching, twisting	211	51,180	—	—	750	30,140	24,770	2,970	1,730	690	180	120	650
Sudden reaction when surprised, frightened, startled	212	1,590	—	—	70	710	450	240	70	30	—	—	40
Running without other incident	213	1,020	—	—	—	180	100	—	—	—	—	—	—
Sitting	214	540	—	—	—	280	230	—	—	—	—	—	—
Slip, trip, loss of balance without fall ⁶	215	37,780	70	—	190	10,690	7,820	1,420	700	230	30	50	320
Standing	216	930	—	—	—	330	320	—	—	—	—	—	—
Walking without other incident	217	5,620	—	—	—	570	380	40	—	—	—	—	—
Bodily reaction, n.e.c.	219	20,810	30	—	230	5,140	3,490	940	1,370	270	110	120	820
Overexertion	22	264,930	100	50	4,950	205,710	136,900	38,070	26,220	11,350	1,780	2,130	8,990
Overexertion, unspecified	220	18,810	—	—	310	14,180	9,270	2,750	2,290	770	190	310	910
Overexertion in lifting	221	140,330	80	50	2,640	115,420	80,320	17,550	10,800	5,290	620	650	3,490
Overexertion in pulling or pushing objects	222	45,730	—	—	700	32,230	18,540	8,150	5,690	2,550	400	530	1,590
Overexertion in holding, carrying, turning, or wielding objects	223	47,360	—	—	1,010	35,110	23,610	7,350	5,460	2,090	430	520	2,020
Overexertion in throwing objects	224	1,420	—	—	70	990	500	360	270	150	—	20	100
Overexertion, n.e.c.	229	11,280	—	—	220	7,780	4,660	1,910	1,710	490	130	110	890
Repetitive motion	23	36,700	30	—	300	8,800	3,760	4,250	24,550	3,110	1,540	1,410	16,520
Repetitive motion, unspecified	230	8,770	20	—	60	2,450	980	1,140	5,240	640	300	330	3,590
Typing or key entry	231	5,420	—	—	30	120	—	110	5,050	230	120	220	4,060
Repetitive use of tools	232	4,320	—	—	20	710	270	410	3,230	520	340	260	1,810
Repetitive placing, grasping, or moving objects, except tools	233	13,730	—	—	130	4,250	1,810	2,160	8,530	1,410	550	530	5,350
Repetitive motion, n.e.c.	239	4,470	—	—	70	1,270	690	430	2,510	300	220	70	1,710

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Fall from building girders or other structural steel	60	—	—	—	—	110	—
Fall from nonmoving vehicle	4,430	1,700	1,470	780	—	3,130	30
Fall to lower level, n.e.c.	3,030	680	1,020	690	—	2,270	40
Jump to lower level	3,530	1,230	1,320	350	—	220	—
Jump to lower level, unspecified	170	40	60	30	—	—	—
Jump from scaffold, platform, loading dock	590	150	120	30	—	20	—
Jump from structure, structural element, n.e.c.	370	120	130	60	—	50	—
Jump from nonmoving vehicle	1,380	640	510	140	—	50	—
Jump to lower level, n.e.c.	1,030	290	500	100	—	100	—
Fall on same level	51,180	25,900	13,080	3,590	290	35,090	900
Fall on same level, unspecified ⁶	400	170	100	50	—	420	—
Fall to floor, walkway, or other surface	46,160	23,550	12,150	3,260	140	30,740	710
Fall onto or against objects	4,140	1,940	660	250	140	3,730	180
Fall on same level, n.e.c.	470	230	170	30	—	210	—
Fall, n.e.c.	210	110	60	—	—	240	—
Bodily reaction and exertion	78,450	38,540	24,380	6,120	2,090	22,550	1,480
Bodily reaction and exertion, unspecified	1,820	1,020	150	160	80	660	100
Bodily reaction	62,320	28,850	22,920	4,820	190	5,790	630
Bodily reaction, unspecified ⁶	2,310	1,150	670	240	30	410	50
Bending, climbing, crawling, reaching, twisting	15,840	10,570	3,380	640	—	2,370	340
Sudden reaction when surprised, frightened, startled	630	130	380	40	—	90	—
Running without other incident	830	270	260	50	—	—	—
Sitting	100	80	—	—	30	70	—
Slip, trip, loss of balance without fall ⁶	23,940	9,080	10,800	1,890	—	2,040	150
Standing	550	270	80	140	—	30	—
Walking without other incident	4,930	1,600	2,060	860	20	90	—
Bodily reaction, n.e.c.	13,190	5,700	5,280	960	90	700	70
Overexertion	13,340	8,040	1,240	990	50	13,940	630
Overexertion, unspecified	980	550	180	60	20	970	60
Overexertion in lifting	4,520	2,790	280	160	20	6,520	330
Overexertion in pulling or pushing objects	4,440	2,660	430	340	—	2,570	80
Overexertion in holding, carrying, turning, or welding objects	2,680	1,580	260	400	—	2,970	110
Overexertion in throwing objects	60	—	—	—	—	40	—
Overexertion, n.e.c.	660	440	100	20	—	870	40
Repetitive motion	900	580	50	150	—	2,000	120
Repetitive motion, unspecified	380	280	20	30	—	570	50
Typing or key entry	—	—	—	—	—	220	—
Repetitive use of tools	20	—	—	—	—	320	—
Repetitive placing, grasping, or moving objects, except tools	170	120	20	—	—	620	20
Repetitive motion, n.e.c.	330	170	—	100	—	270	30

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Bodily conditions, n.e.c.	25	2,430	120	—	—	450	—	—	30	—	—	—	—
Bodily reaction and exertion, n.e.c.	29	470	—	—	—	220	110	50	90	—	40	—	30
Exposure to harmful substances or environments	3	52,950	11,360	8,350	290	3,240	110	60	14,870	4,630	2,280	6,300	480
Exposure to harmful substances or environments, unspecified	30	600	150	90	—	90	—	—	40	—	—	40	—
Contact with electric current	31	2,540	220	40	—	—	—	—	510	180	100	180	—
Contact with electric current, unspecified	310	490	160	—	—	—	—	—	70	30	—	20	—
Contact with electric current of machine, tool, appliance, or light fixture	311	810	—	—	—	—	—	—	140	—	40	90	—
Contact with wiring, transformers, or other electrical components	312	870	50	40	—	—	—	—	270	140	40	60	—
Contact with overhead power lines	313	40	—	—	—	—	—	—	—	—	—	—	—
Struck by lightning	315	120	—	—	—	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	200	—	—	—	—	—	—	20	—	—	—	—
Contact with temperature extremes	32	19,310	1,880	760	60	450	50	40	9,090	2,320	1,210	4,480	400
Exposure to environmental heat	321	2,550	20	—	—	—	—	—	—	—	—	—	—
Exposure to environmental cold	322	100	—	—	—	—	—	—	40	—	—	30	—
Contact with hot objects or substances	323	16,600	1,860	760	60	430	50	40	9,000	2,310	1,190	4,420	400
Contact with cold objects or substances	324	60	—	—	—	—	—	—	50	—	—	30	—
Exposure to air pressure changes	33	470	200	—	—	—	—	—	—	—	—	—	—
Exposure to air pressure changes, unspecified	330	70	30	—	—	—	—	—	—	—	—	—	—
Pressure changes underwater	331	230	—	—	—	—	—	—	—	—	—	—	—
Pressure changes in airplane, other aircraft	332	140	130	—	—	—	—	—	—	—	—	—	—
Exposure to air pressure change, n.e.c.	339	40	40	—	—	—	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	27,250	7,090	5,780	230	2,660	60	—	5,220	2,120	960	1,600	80
Exposure to caustic, noxious, or allergenic substances, unspecified	340	3,270	930	640	20	290	—	—	290	90	80	60	—
Inhalation of substance	341	5,660	40	—	30	1,250	—	—	—	—	—	—	—
Inhalation of substance, unspecified	3410	2,470	—	—	—	690	—	—	—	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	840	—	—	—	100	—	—	—	—	—	—	—
Inhalation in open or nonconfined space	3412	2,350	20	—	20	470	—	—	—	—	—	—	—
Contact with skin or other exposed tissue	342	11,460	5,390	4,930	—	330	—	—	2,920	1,260	240	1,020	30
Injections, stings, venomous bites	343	5,230	480	50	160	590	40	—	1,870	730	630	440	40
Injections, stings, venomous bites, unspecified	3430	490	20	—	—	—	—	—	230	70	90	50	—
Needle sticks	3431	380	—	—	—	—	—	—	310	20	230	70	—
Bee, wasp, hornet sting	3432	1,910	360	50	50	360	—	—	450	300	30	100	20

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Bodily conditions, n.e.c.	20	—	—	—	1,730	80	—
Bodily reaction and exertion, n.e.c.	50	40	—	—	20	80	—
Exposure to harmful substances or environments	3,830	160	300	1,470	12,940	5,140	1,270
Exposure to harmful substances or environments, unspecified	—	—	—	—	260	20	20
Contact with electric current	—	—	—	—	1,480	210	100
Contact with electric current, unspecified	—	—	—	—	180	60	—
Contact with electric current of machine, tool, appliance, or light fixture	—	—	—	—	530	30	90
Contact with wiring, transformers, or other electrical components	—	—	—	—	450	90	—
Contact with overhead power lines	—	—	—	—	30	—	—
Struck by lightning	—	—	—	—	120	—	—
Contact with electric current, n.e.c.	—	—	—	—	160	—	—
Contact with temperature extremes	2,490	70	220	1,130	2,520	2,530	300
Exposure to environmental heat	—	—	—	—	2,500	—	—
Exposure to environmental cold	30	—	—	30	—	—	—
Contact with hot objects or substances	2,450	70	220	1,100	—	2,510	290
Contact with cold objects or substances	—	—	—	—	—	—	—
Exposure to air pressure changes	—	—	—	—	260	—	—
Exposure to air pressure changes, unspecified	—	—	—	—	—	—	—
Pressure changes underwater	—	—	—	—	220	—	—
Pressure changes in airplane, other aircraft	—	—	—	—	—	—	—
Exposure to air pressure change, n.e.c.	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	1,310	90	80	330	7,530	2,380	820
Exposure to caustic, noxious, or allergenic substances, unspecified	120	—	—	80	1,150	390	80
Inhalation of substance	—	—	—	—	4,330	—	—
Inhalation of substance, unspecified	—	—	—	—	1,770	—	—
Inhalation in enclosed, restricted, or confined space	—	—	—	—	730	—	—
Inhalation in open or nonconfined space	—	—	—	—	1,830	—	—
Contact with skin or other exposed tissue	600	30	50	190	440	1,480	300
Injections, stings, venomous bites	570	60	30	50	800	350	410
Injections, stings, venomous bites, unspecified	120	20	—	—	40	50	20
Needle sticks	—	—	—	—	60	—	—
Bee, wasp, hornet sting	100	—	—	20	210	200	190

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Other stings or venomous bites	3433	1,450	90	—	110	160	30	—	600	210	240	120	—
Injections, stings, venomous bites, n.e.c. ...	3439	990	—	—	—	60	—	—	290	130	40	110	—
Ingestion of substance	344	300	—	—	—	70	—	—	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,340	260	160	—	130	—	—	140	40	—	90	—
Exposure to noise	35	130	130	—	—	—	—	—	—	—	—	—	—
Exposure to noise, unspecified	350	20	—	—	—	—	—	—	—	—	—	—	—
Exposure to noise over time	351	70	70	—	—	—	—	—	—	—	—	—	—
Exposure to noise in single incident	352	50	50	—	—	—	—	—	—	—	—	—	—
Exposure to radiation	36	1,690	1,650	1,650	—	—	—	—	—	—	—	—	—
Exposure to welding light	362	1,530	1,530	1,530	—	—	—	—	—	—	—	—	—
Exposure to radioactive material	363	50	50	50	—	—	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	369	90	60	60	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	880	—	—	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	70	40	20	—	—	—	—	—	—	—	—	—
Transportation accidents	4	53,320	2,820	40	4,500	12,440	7,540	2,260	2,950	1,110	610	340	570
Transportation accident, unspecified	40	2,620	120	—	140	770	560	140	40	—	—	—	—
Highway accident	41	33,360	1,890	—	3,880	8,340	5,190	1,580	1,560	800	90	210	310
Highway accident, unspecified	410	2,720	190	—	320	510	300	100	120	40	30	30	20
Collision between vehicles, mobile equipment	411	23,950	1,400	—	3,260	6,210	4,010	1,150	860	470	50	70	150
Collision between vehicles, mobile equipment, unspecified	4110	7,140	420	—	1,360	1,590	1,070	230	210	70	20	30	20
Re-entrant collision	4111	580	100	—	30	110	100	—	20	—	—	—	—
Moving in same direction	4112	5,640	230	—	620	1,880	1,300	210	180	30	20	40	80
Moving in opposite directions, oncoming	4113	1,260	150	—	30	320	180	80	50	40	—	—	—
Moving in intersection	4114	3,120	140	—	420	790	310	270	50	40	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	4,600	300	—	730	1,190	820	320	290	250	—	—	20
Moving and standing vehicle, mobile equipment side of road	4116	150	20	—	20	40	30	—	—	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	1,450	50	—	50	290	190	50	50	20	—	—	20
Vehicle struck object in roadway	412	400	—	—	40	140	90	20	30	—	—	—	—
Vehicle struck object on side of road	413	1,440	90	—	120	310	130	80	170	60	—	40	60
Noncollision accident	414	4,690	180	—	130	1,130	650	190	370	220	—	70	60
Noncollision accident, unspecified	4140	2,780	—	—	—	50	20	20	—	—	—	—	—
Jack-knifed or overturned no collision	4141	2,480	70	—	30	500	230	110	170	140	—	—	—
Ran off highway no collision	4142	590	20	—	20	130	80	—	60	50	—	—	—
Struck by shifting load	4143	130	—	—	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	450	—	—	50	150	80	20	80	—	—	50	30

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Other stings or venomous bites	320	40	—	20	20	40	120
Injections, stings, venomous bites, n.e.c.	30	—	—	—	460	60	80
Ingestion of substance	—	—	—	—	190	20	30
Exposure to caustic, noxious, or allergenic substances, n.e.c.	30	—	—	—	620	150	—
Exposure to noise	—	—	—	—	—	—	—
Exposure to noise, unspecified	—	—	—	—	—	—	—
Exposure to noise over time	—	—	—	—	—	—	—
Exposure to noise in single incident	—	—	—	—	—	—	—
Exposure to radiation	—	—	—	—	—	—	30
Exposure to welding light	—	—	—	—	—	—	—
Exposure to radioactive material	—	—	—	—	—	—	—
Exposure to radiation, n.e.c.	—	—	—	—	—	—	30
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	860	—	—
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	—	—
Transportation accidents	9,030	1,530	1,710	2,820	180	20,630	780
Transportation accident, unspecified	100	20	40	—	—	1,230	230
Highway accident	1,870	770	200	240	150	15,190	480
Highway accident, unspecified	250	100	30	20	80	1,140	100
Collision between vehicles, mobile equipment	1,050	470	80	110	50	10,790	320
Collision between vehicles, mobile equipment, unspecified	470	150	30	40	40	2,880	170
Re-entrant collision	—	—	—	—	—	320	—
Moving in same direction	200	100	—	20	—	2,510	20
Moving in opposite directions, oncoming	40	—	20	—	—	650	—
Moving in intersection	50	30	—	—	—	1,640	20
Moving and standing vehicle, mobile equipment in roadway	60	—	—	40	—	2,010	20
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	—	60	—
Collision between vehicles, mobile equipment, n.e.c.	220	170	20	—	—	710	70
Vehicle struck object in roadway	—	—	—	—	20	160	—
Vehicle struck object on side of road	80	20	—	30	—	650	30
Noncollision accident	440	160	50	70	—	2,410	30
Noncollision accident, unspecified	—	—	—	—	—	190	—
Jack-knifed or overturned no collision	80	20	—	—	—	1,620	—
Ran off highway no collision	80	—	—	—	—	290	—
Struck by shifting load	40	—	—	20	—	—	—
Sudden start or stop, n.e.c.	60	40	—	—	—	90	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Noncollision accident, n.e.c.	4149	770	—	—	20	280	240	30	50	20	—	—	—
Highway accident, n.e.c.	419	150	—	—	—	40	—	—	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	8,340	640	20	410	2,270	1,290	340	690	180	140	100	170
Nonhighway accident, unspecified	420	280	—	—	—	120	100	—	30	—	—	—	30
Collision between vehicles or mobile equipment	421	1,120	40	—	190	310	210	50	40	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	1,700	120	—	90	450	210	80	210	30	30	30	40
Noncollision accident	423	4,980	450	—	120	1,340	730	200	380	120	90	60	80
Noncollision accident, unspecified	4230	130	—	—	—	60	50	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	1,380	210	—	30	270	70	70	110	60	—	—	40
Fell from and struck by vehicle, mobile equipment	4232	240	—	—	—	20	—	—	—	—	—	—	—
Overtaken	4233	1,430	140	—	20	310	120	60	100	40	—	20	—
Loss of control	4234	470	20	—	—	50	—	30	50	—	—	30	—
Struck by shifting load	4235	130	—	—	—	20	—	—	20	—	—	—	—
Sudden start or stop, n.e.c.	4236	500	60	—	40	260	220	—	40	—	—	—	20
Noncollision accident, n.e.c.	4239	690	—	—	20	340	240	20	60	—	50	—	—
Nonhighway accident, n.e.c.	429	260	20	—	—	60	50	—	30	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	8,330	120	—	—	850	380	140	580	70	380	30	50
Pedestrian struck by vehicle, mobile equipment, unspecified	430	990	20	—	—	150	40	30	30	20	—	—	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	580	20	—	—	60	20	—	30	—	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	400	—	—	—	20	—	—	90	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	6,360	70	—	—	620	310	90	440	50	330	20	30
Railway accident	44	200	30	—	20	70	50	—	20	—	—	—	—
Derailment	445	40	—	—	—	20	—	—	—	—	—	—	—
Explosion, fire, n.e.c.	446	20	—	—	—	—	—	—	—	—	—	—	—
Railway accident, n.e.c.	449	130	30	—	20	50	40	—	—	—	—	—	—
Water vehicle accident	45	160	—	—	—	80	—	50	20	—	—	—	—
Fall from ship, boat, n.e.c.	453	30	—	—	—	—	—	—	—	—	—	—	—
Fall on ship, boat	454	80	—	—	—	50	—	40	—	—	—	—	—
Water vehicle accident, n.e.c.	459	50	—	—	—	20	—	—	—	—	—	—	—
Aircraft accident	46	260	—	—	30	50	50	—	50	—	—	—	—
During takeoff or landing	461	40	—	—	—	—	—	—	—	—	—	—	—
Aircraft accident, n.e.c.	469	220	—	—	30	50	50	—	50	—	—	—	—
Transportation accident, n.e.c.	49	40	—	—	—	—	—	—	—	—	—	—	—
Fires and explosions	5	1,870	380	90	—	70	20	—	460	100	110	180	—
Fire or explosion, unspecified	50	40	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Noncollision accident, n.e.c.	190	100	20	30	—	220	—
Highway accident, n.e.c.	50	—	—	—	—	40	—
Nonhighway accident, except rail, air, water	2,100	280	510	430	20	2,160	40
Nonhighway accident, unspecified	90	40	20	—	—	40	—
Collision between vehicles or mobile equipment	340	30	100	70	—	190	—
Vehicle, mobile equipment struck stationary object	480	40	110	140	20	320	20
Noncollision accident	1,110	160	270	170	—	1,560	—
Noncollision accident, unspecified	20	—	—	—	—	40	—
Fall from moving vehicle, mobile equipment	510	50	160	50	—	250	—
Fell from and struck by vehicle, mobile equipment	130	—	30	20	—	80	—
Overtaken	180	60	20	—	—	680	—
Loss of control	60	—	—	20	—	280	—
Struck by shifting load	60	—	—	20	—	30	—
Sudden start or stop, n.e.c.	50	20	—	—	—	50	—
Noncollision accident, n.e.c.	110	20	50	40	—	140	—
Nonhighway accident, n.e.c.	90	—	20	40	—	60	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	4,850	420	960	2,120	—	1,880	20
Pedestrian struck by vehicle, mobile equipment, unspecified	580	50	50	280	—	200	—
Pedestrian struck by vehicle, mobile equipment in roadway	110	—	—	40	—	360	—
Pedestrian struck by vehicle, mobile equipment on side of road	220	—	—	100	—	50	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	3,940	350	890	1,710	—	1,280	—
Railway accident	30	—	—	—	—	30	—
Derailment	—	—	—	—	—	—	—
Explosion, fire, n.e.c.	—	—	—	—	—	20	—
Railway accident, n.e.c.	20	—	—	—	—	—	—
Water vehicle accident	40	20	—	—	—	20	—
Fall from ship, boat, n.e.c.	—	—	—	—	—	—	—
Fall on ship, boat	—	—	—	—	—	—	—
Water vehicle accident, n.e.c.	—	—	—	—	—	—	—
Aircraft accident	30	—	—	—	—	90	—
During takeoff or landing	—	—	—	—	—	30	—
Aircraft accident, n.e.c.	30	—	—	—	—	60	—
Transportation accident, n.e.c.	—	—	—	—	—	40	—
Fires and explosions	80	—	—	—	120	740	—
Fire or explosion, unspecified	—	—	—	—	—	40	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Fire unintended or uncontrolled	51	890	60	—	—	20	20	—	240	20	50	140	—
Fire, unspecified	510	100	—	—	—	—	—	—	60	—	—	60	—
Fire in residence, building, or other structure ..	511	170	40	—	—	—	—	—	—	—	—	—	—
Forest, brush, or other outdoor fire	512	50	—	—	—	—	—	—	—	—	—	—	—
Ignition of clothing from controlled heat source	513	120	—	—	—	20	—	—	70	—	—	60	—
Fire, n.e.c.	519	460	20	—	—	—	—	—	90	—	40	20	—
Explosion	52	940	320	70	—	40	—	—	210	80	60	40	—
Explosion, unspecified	520	70	20	—	—	—	—	—	—	—	—	—	—
Explosion of battery	521	190	170	50	—	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	522	340	50	—	—	30	—	—	120	70	30	—	—
Explosion, n.e.c.	529	340	80	—	—	—	—	—	70	—	30	20	—
Assaults and violent acts	6	24,230	3,930	460	440	4,270	1,530	850	7,190	1,570	2,190	1,520	1,320
Assaults and violent acts, unspecified	60	70	—	—	—	—	—	—	20	—	20	—	—
Assaults and violent acts by person(s)	61	16,840	3,300	350	390	3,790	1,430	780	3,300	1,070	770	500	700
Assaults and violent acts by person(s), unspecified	610	2,690	210	30	40	590	340	100	290	70	80	70	50
Biting	611	480	—	—	—	—	—	—	450	190	40	160	—
Hitting, kicking, beating	612	6,910	2,120	240	100	1,950	430	370	630	180	190	90	120
Shooting	613	290	20	—	—	20	—	—	230	230	—	—	—
Squeezing, pinching, scratching, twisting	614	1,470	80	—	130	190	90	60	850	130	230	80	330
Stabbing	615	130	—	—	—	30	—	—	40	—	—	—	—
Threats or verbal assaults	617	140	—	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,730	850	70	130	990	560	230	820	270	220	110	180
Self-inflicted injury	62	40	—	—	—	—	—	—	—	—	—	—	—
Self-inflicted injury, unspecified	620	40	—	—	—	—	—	—	—	—	—	—	—
Assaults by animals	63	7,280	610	100	50	470	100	70	3,860	500	1,390	1,010	620
Assaults by animals, unspecified	630	220	50	—	—	50	—	—	60	20	20	—	—
Nonvenomous bites	631	5,520	360	20	30	160	20	40	3,270	320	1,280	790	590
Assaults by animals, n.e.c.	639	1,540	200	80	—	260	70	20	530	150	90	220	30

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Fire unintended or uncontrolled	60	—	—	—	90	400	—
Fire, unspecified	—	—	—	—	—	20	—
Fire in residence, building, or other structure ..	—	—	—	—	30	80	—
Forest, brush, or other outdoor fire	—	—	—	—	—	30	—
Ignition of clothing from controlled heat source ..	—	—	—	—	—	20	—
Fire, n.e.c.	40	—	—	—	60	250	—
Explosion	20	—	—	—	30	300	—
Explosion, unspecified	—	—	—	—	—	30	—
Explosion of battery	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	—	—	—	—	—	120	—
Explosion, n.e.c.	20	—	—	—	—	150	—
Assaults and violent acts	2,860	980	280	190	1,100	3,950	490
Assaults and violent acts, unspecified	20	—	—	—	—	20	—
Assaults and violent acts by person(s)	1,300	700	230	170	1,080	3,470	200
Assaults and violent acts by person(s), unspecified	340	220	40	50	480	600	140
Biting	—	—	—	—	—	20	—
Hitting, kicking, beating	440	270	90	—	130	1,510	30
Shooting	—	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	30	20	—	—	—	190	—
Stabbing	—	—	—	—	—	30	—
Threats or verbal assaults	—	—	—	—	120	—	—
Assaults and violent acts by person(s), n.e.c.	470	190	100	120	340	1,120	20
Self-inflicted injury	20	—	—	—	—	—	—
Self-inflicted injury, unspecified	20	—	—	—	—	—	—
Assaults by animals	1,530	270	50	20	20	470	280
Assaults by animals, unspecified	40	—	—	—	—	20	—
Nonvenomous bites	1,150	60	40	—	20	240	280
Assaults by animals, n.e.c.	340	200	—	—	—	200	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴										
			Head		Neck	Trunk			Upper extremities				
			Total	Eyes		Total	Back	Shoulder	Total	Arm	Finger	Hand, except finger	Wrist
Other events or exposures	9	70	—	—	—	20	20	—	—	—	—	—	—
Nonclassifiable	9999	14,620	620	310	390	3,870	2,440	580	1,890	450	590	420	380

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2007 — Continued

Event or exposure	Part of body affected by the injury or illness ⁴						
	Lower extremities				Body systems	Multiple body parts	All other body parts ⁵
	Total	Knee	Ankle	Foot, toe			
Other events or exposures	—	—	—	—	40	—	—
Nonclassifiable	1,950	810	440	440	700	810	4,390

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Arm = 31; Finger = 34; Hand, except finger = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Ankle = 42; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

⁶ Selected estimates for this category were affected by the March 2009 revision, see note below.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies