

5. List of References

- *ATSDR. 1992. Public health assessment guidance manual. Atlanta, GA: U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry.
- *ATSDR. 1995a. Toxicological profile for fuel oils. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 1995b. Toxicological profile for jet fuels (JP-4 and JP-7). Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 1997a. Toxicological profile for hydrazines. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 1997b. Toxicological profile for trichloroethylene. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 1998. Toxicological profile for JP-5 and JP-8. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 2000. Toxicological profile for arsenic. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 2001a. Draft guidance manual for the assessment of joint toxic action of chemical mixtures. Atlanta, GA: U.S. Department of Health and Human Services. Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 2001b. Draft guidance manual for preparation of an interaction profile. Atlanta, GA: U.S. Department of Health and Human Services. Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 2001c. Toxicological profile for strontium. Atlanta, GA: Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *Benjamin S, Yang RSH, Tessari JD, et al. 1999. Lack of promotional effects of groundwater contaminant mixtures on the induction of preneoplastic foci in rat liver. *Toxicology* 137:137-139.
- Chapin R. 1997. Chemical mixture. *Environ Health Perspect* 105(1):371-372.
- Chapin RE, Phelps JL, Schwetz BA, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. *Fundam Appl Toxicol* 13:388-398.
- *Constan AA, Benjamin SA, Tessari JD, et al. 1996. Increased rate of apoptosis correlates with hepatocellular proliferation in Fischer-344 rats following long-term exposure to a mixture of groundwater contaminants. *Toxicol Pathol* 24(3):315-322.

*Cited in text

*Constan AA, Yang RSH, Baker DC, et al. 1995. A unique pattern of hepatocyte proliferation in F344 rats following long-term exposures to low levels of a chemical mixture of groundwater contaminants. *Carcinogenesis* 16(2):303-310.

Dean BJ. 1972. The mutagenic effects of organophosphorus pesticides on micro-organisms. *Arch Toxicol* 30:67-74.

*De Kimp J, Cornelias R, Vanholder R. 1999. In vitro methylation of arsenite by rabbit liver cystol: Effect of metal ions, metal chelating agents, methyltransferase inhibitors and uremia toxins. *Drug Chem Toxicol* 22:613-628.

Edelfors S, Ravn-Jonsen A. 1991. Effect of organic solvents on nervous cell membranes as measured by changes in the (ca²⁺/mg²⁺) ATPase activity and fluid of synaptosomal membrane. *Pharmacol Toxicol* 70:181-187.

EPA. 1989. Risk assessment guidance for superfund. Volume 1. Human health evaluation manual (part A). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. EPA/540/1-89/002.

*EPA. 1997. Health effects assessment summary tables. Washington, DC: U.S. Environmental Protection Agency, Solid Waste and Emergency Response, EPA-540-R-97-036; PB97-92119.

*EPA. 2001. Trichloroethylene health risk assessment: synthesis and characterization. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. External Review Draft.

Germolec DR, Luster MI. 1994. Immune alterations resulting from exposure to chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures*. San Diego: Academic Press, 197-217.

Germolec DR, Yang RSH, Ackerman MF, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. *Fundam Appl Toxicol* 13:377-387.

Gomez-Arroyo S, Noriega-Aldana N, Juarez-Rodriguez D, et al. 1987. Sister chromatid exchanges induced by the organophosphorus insecticides methyl parathion, dimetoate, phoxim and methyl azinfos in cultured human lymphocytes. *Contam Ambiental* 3:63-70.

Grandjean P, Weihe P, Jorgensen PJ, et al. 1992. Impact of maternal seafood diet on fetal exposure to mercury, selenium, and lead. *Environ Health* 47(3):185-195.

Grandjean P, Weihe P, Needham LL, et al. 1995a. Relation of a seafood diet to mercury, selenium, and polychlorinated biphenyl and other organochlorine concentrations in human milk. *Environ Res* 71:29-38.

Grandjean P, Weihe P, White R. 1995b. Milestone development in infants exposed to methylmercury from human milk. *Neurotoxicology* 16:27-34.

Grandjean P, Weihe P, White R, et al. 1997. Cognitive deficit in 7-year-old children with prenatal exposure to methylmercury. *Neurotoxicol Teratol* 19(6):417-428.

Grandjean P, Weihe P, White RF, et al. 1998. Cognitive performance of children prenatally exposed to "safe" levels of methylmercury. *Environ Res* 77:165-172.

- Hadler HI, Cook GL. 1979. The mitochondrial activation of sulfate and arsenate and their role in carcinogenesis. *J Environ Pathol Toxicol* 2:601-612.
- Hard GC. 1998. Mechanisms of chemically induced renal carcinogenesis in the laboratory rodent. *Toxicol Pathol* 26(1):104-112.
- Harris DT, Sakiestewa D, Robledo R, et al. 1997a. Immunotoxicological effects of JP-8 jet fuel exposure. *Toxicol Ind Health* 13(5):43-55.
- Harris DT, Sakiestewa D, Robledo R, et al. 1997b. Protection from JP-8 jet fuel induced immunotoxicity by administration of aerosolized substance P. *Toxicol Ind Health* 13(5):571-588.
- Harris DT, Sakiestewa D, Robledo R, et al. 1997c. Short-term exposure to JP-8 jet fuel results in long-term immunotoxicity. *Toxicol Ind Health* 13(5):559-570.
- Heindel J, Chapin RE, George J, et al. 1995. Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. *Fundam Appl Toxicol* 25:9-19.
- Heindel J, George J, Fail P, et al. 1997. Chemical mixture. *Environ Health Perspect* 105(1):369-370.
- Hong HL, Yang RSH, Boorman GA. 1991. Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett* 57:101-111.
- Hong HL, Yang RSH, Boorman GA. 1992. Alterations in hematopoietic responses in B6B3F mice caused by drinking a mixture of 25 groundwater contaminants. *J Environ Pathol Toxicol Oncol* 11:65-74.
- Hong HL, Yang RSH, Boorman GA. 1993. Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. *Arch Toxicol* 67:353-364.
- *IARC. 1995. Monographs on the evaluation of carcinogenic risks to humans. Vol 63. Dry-cleaning, chlorinated solvent, and other industrial chemicals. Lyons, France: International Agency for Research on Cancer, 75-158.
- *IRIS. 2001. Integrated Risk Information System. <http://www.epa.gov/iris/>. September 04, 2001.
- *Kilburn KH. 1999. Neurobehavioral and respiratory findings in jet engine repair workers: Comparison of exposed and unexposed volunteers. *Ecol Res* 80:244-252.
- Kimpe JD, Cornelis R, Vanholder R. 1999. In vitro methylation of arsenite by rabbit liver cytosol: Effects of metal ions, metal chelating agents, methyltransferase inhibitors and uremia toxins. *Drug Chem Toxicol* 22(4):613-628.
- *Liu K, Wang G, Ma L, et al. 1999. Adverse effects of combined arsenic and fluoride on liver and kidney in rats. *Fluoride* 32(4):243-247.
- *NTP. 2001. 9th Report on carcinogens. Washington, DC: U.S. Department of Health and Human Services. National Toxicology Program. U.S. Public Health Service.
- Pleil JD, Smith LB, Zelnik S. 2000. Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. *Environ Health Perspect* 108:183-192.

- *Pott WA, Benjamin SA, Yang RSH. 1998. Antagonistic interactions of an arsenic-containing mixture in a multiple organ carcinogenicity bioassay. *Cancer Lett* 133:185-190.
- *Ritz B. 1999. Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med* 41:556-566.
- Rosenthal DS, Simbulan-Rosenthal CG, Liu WF, et al. 2001. Mechanisms of JP-8 jet fuel toxicity. 1. Induction of necrosis in skin fibroblasts and keratinocytes and modulation of levels of Bcl-2 family members. *Toxicol Appl Pharmacol* 171:107-116.
- Schiller CM. 1979. Chemical exposure and intestinal function. *Environ Health Perspect* 33:91-100.
- Shelby MD, Tice RR, Demarini DM, et al. 1990. Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. In: Vainio H, Sorsa M, McMichael AJ, eds. *Complex mixtures and cancer risk*. Oxford: IARC scientific publications, 314-332.
- Simmons JE. 1994. Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health* 43:305-325.
- *Spirtas R, Stewart PA, Lee JS, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility. I. Epidemiological results. *Br J Ind Med* 48:515-530.
- *Stewart PA, Lee JS, Marano DE, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility. II. Exposures and their assessment. *Br J Ind Med* 48:531-537.
- Stocia BA, Boulares AH, Rosenthal DS, et al. 2001. Mechanisms of JP-8 jet fuel. 1. Induction of apoptosis in rat lung epithelial cells. *Toxicol Appl Pharmacol* 171:94-106.
- Tripathy NK, Dey L, Das CC. 1987. Genotoxicity of metacid established through the somatic and germ line mosaic assays and the sex-linked recessive lethal test in drosophila. *Arch Toxicol* 61:53-57.
- Twerdok LE, Burton DT, Gardner HS, et al. 1996. The use of nontraditional assays in an integrated environmental assessment of contaminated ground water. *Environ Toxicol Chem* 16(9):1816-1820.
- *Vodela JK, Lenz SD, Renden JA, et al. 1997a. Drinking water (arsenic, cadmium, lead, benzene, and trichloroethylene) 2. Effects on reproductive performance, egg quality, and embryo toxicity in broiler breeders. *Poult Sci* 76:1493-1500.
- *Vodela JK, Renden JA, Lenz SD, et al. 1997b. Drinking water contaminants (arsenic, cadmium, lead, benzene, and trichloroethylene). 1. Interaction of contaminants with nutritional status on general performance and immune function in broiler chickens. *Poult Sci* 76:1474-1492.
- Waters MD, Claxton LD, Stack HF, et al. 1990a. Genetic activity profiles - Application in assessing potential carcinogenicity of complex environmental mixtures. In: Vainio H, Sorsa M, McMichael AJ, ed. *Complex mixtures and cancer risk*. Lyons, France: International Agency for Research on Cancer, 75-88.
- Waters MD, Claxton LD, Stack HF, et al. 1990b. Genetic activity profiles in the testing and evaluation of chemical mixtures. *Teratog Carcinog Mutagen* 10:147-164.

Xamena N, Velazquez A, Batiste-Alenton M, et al. 1998. Genotoxicity studies with four organophosphorus insecticides using the unstable white-zeste system of *Drosophila melanogaster*. *Mutat Res* 204:251-256.

*Yamamoto S, Konishi Y, Matsuda T, et al. 1995. Cancer induction by an organic arsenic compound, dimethylarsinic acid (cacodylic acid), in F344/DUCr rats after pretreatment with five carcinogens. *Cancer Res* 55:1271-1276.

Yang RH, Goehl TJ, Brown RD, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. *Fundam Appl Toxicol* 13:366-376.