

CATID	QTY_TYPE	LOCATION	QTY_IN_BIP	AUP	NAME	CAT_DESC	QA	STG	COMM	CODE
CKG592Q	AL	5-A-01-20'	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 24 IN (2 FT), ALLOY STEEL, 150 LB, RAISED FACE, ASTM A182 GR F22 CL1, B31.1, STD	3	C	4730P	SE
CKG592Q	AL	5-A-01-20'	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 24 IN (2 FT), ALLOY STEEL, 150 LB, RAISED FACE, ASTM A182 GR F22 CL1, B31.1, STD	3	C	4730P	SE
CKG592Q	AL	5-A-01-30'	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 24 IN (2 FT), ALLOY STEEL, 150 LB, RAISED FACE, ASTM A182 GR F22 CL1, B31.1, STD	3	C	4730P	SE
CKG592Q	AL	5-A-01-30'	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 24 IN (2 FT), ALLOY STEEL, 150 LB, RAISED FACE, ASTM A182 GR F22 CL1, B31.1, STD	3	C	4730P	SE
CKG335D	AL	5-A-03-20'	14	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, LONG RADIUS, 6 IN, 6 IN, SS, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG237D	AL	5-A-03-20'	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, LONG RADIUS, 4 IN, 4 IN, 59, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG350W	AL	5-A-03-20'	2	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 1, REDUCING, 4 IN, 3 IN, SS, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG362A	AL	5-A-03-20'	5	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, 4 IN, 4 IN, SS, BUTTWELD, BUTTWELD, 45, WROUGHT, B16.9, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG389M	AL	5-A-03-20'	8	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, 6 IN, 6 IN, SS, BUTTWELD, BUTTWELD, 45, WROUGHT, B16.9, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG597E	AL	5-A-03-20'	2	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 1, STRAIGHT, 3 IN, 3 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, SS, ASME SA403 WP 316NG, WROUGHT, B16.9, 1	1	C	4730P	SE
CKG601K	AL	5-A-03-20'	2	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 1, STRAIGHT, 4 IN, 4 IN, 4 IN, BUTTWELD, BUTTWELD, BUTTWELD, SS, ASME SA403 WP 316NG, WROUGHT, B16.9, 1	1	C	4730P	SE
CEA768B	AL	5-A-03-30'	6	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 4 IN, STAINLESS STEEL, 300 LB, 40S, RAISED FACE, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL SIZE: 04.1	3	C	4730P	SE
CEA773J	AL	5-A-03-30'	3	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: BLIND, NOMINAL SIZE: 04.000 IN ( 4), MATERIAL:	3	C	4730P	SE
CKG622A	AL	5-A-03-30'	7	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, WELDNECK, 3 IN, SS, 150 LB, 40S, RAISED FACE, ASME SA182 F316/316L	1	C	4730P	SE
CGX374J	AL	5-A-04-20'	6	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 12 IN (1 FT), CS, 150 LB, RAISED FACE, ASTM A105, B16.5	3	C	4730P	SE
CLK721J	AL	5-A-04-20'	12	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 6 IN, CS, 300 LB, 80, RAISED FACE, ASME SA105, BLACK, B16.5	0	C	4730P	SE
CEA768B	AL	5-A-04-30'	6	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 4 IN, STAINLESS STEEL, 300 LB, 40S, RAISED FACE, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL SIZE: 04.1	3	C	4730P	SE
CEA773J	AL	5-A-04-30'	3	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: BLIND, NOMINAL SIZE: 04.000 IN ( 4), MATERIAL:	3	C	4730P	SE
BNM963A	AL	5-A-04-30'	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, 3000 LB, ***	0		4730P	SE
BNN212K	AL	5-A-04-30'	93	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 7/8 IN, GR 2H, MK 17W925-128X	0		5305J	SE
BNN299C	AL	5-A-04-30'	5	\$0.00	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; INDICATING, RACK SETTING. ***	0		29100	SE
BNN555L	AL	5-A-04-30'	5	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 4 IN, 1 1/2 IN, REDUCER, ; CONCENTRIC, 4 X 1-1/2, S/160, WPB-JB6SB. ***	0		4730P	SE
BNN556J	AL	5-A-04-30'	10	\$0.00	CROSS	CROSS, PIPE, QA 0, 3/4 IN, 3/4 IN, 3/4 IN, 3/4 IN, ***	0		4730P	SE
BNT100N	AL	5-A-04-30'	4	\$0.00	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 4 IN, 2 1/2 IN, *** STYLE: ELBOLET	0		4730P	SE
BNT107W	AL	5-A-04-30'	5	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 36 - 20 IN, 20 IN, CARBON STEEL, SOCKETWELD, ASTM A105, OUTLET, PIPE; STYLE: SOCKOLE'	0		4730P	SE
BNT998W	AL	5-A-04-30'	12	\$0.00	INSERT	INSERT, TYPICAL, QA 0, TUBING, 1 IN, 2 IN, STAINLESS STEEL, INSERT, TUBE FITTING; MATERIAL: STAINLESS STEEL, OUTSIDE DIAMETER:	0		4730P	SE
BQK387J	AL	5-A-04-30'	1	\$0.00	HOLDER	HOLDER, TOOL, QA 0, ELECTRODE, FLANGE/4 PROBES, HOLDER, ELECTRODE WELDING; HOLDER, FLANGED WITH GROUND SCREW, 3" STD.	0		3439D	SE
BVA644L	AL	5-A-04-30'	156	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING ASSY, QUICK DISCONNECT; MATERIAL: CARBON STEEL, NOMINAL SIZE:	3		4730P	SE
BVW841M	AL	5-A-04-30'	6	\$0.00	PLUG	PLUG, HOSE, QA 0, PLUG, HOSE; LENGTH: 02.500000 ( 2 1/2) ***	0		4730P	SE
CDL056Q	AL	5-A-04-30'	10	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, LONG RADIUS, 6 IN, 6 IN, CS, BUTTWELD, BUTTWELD, 45, STANDARD MILL FINISH, B16.9, ASME SA234 GR W 1	0		4730P	SE
CET074H	AL	5-A-04-30'	3	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 1, 1-1/4 IN, 3-1/2 IN, 7, STAINLESS STEEL, ASME SA193 GR B8M, UNC, 2A, STANDARD MILL FINISH, *** REDUCED	1		5305J	SE
CKG297T	AL	5-A-05-20'	2	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 1, CONCENTRIC, 3 IN, 1-1/2 IN, BUTTWELD, BUTTWELD, SS, 80S, ASME SA403 WP 316NG	1	C	4730P	SE
CKG309F	AL	5-A-05-20'	2	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 1, CONCENTRIC, 4 IN, 3 IN, BUTTWELD, BUTTWELD, SS, 80S, ASME SA403 WP 316NG	1	C	4730P	SE
CKG318D	AL	5-A-05-20'	15	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, LONG RADIUS, 3 IN, 3 IN, SS, 90, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKG352D	AL	5-A-05-20'	3	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 1, CONCENTRIC, 6 IN, 4 IN, BUTTWELD, BUTTWELD, SS, 80S, ASME SA403 WP 316NG	1	C	4730P	SE
CKG379Q	AL	5-A-05-20'	2	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 1, ECCENTRIC, 6 IN, 3 IN, BUTTWELD, BUTTWELD, SS, 80S, ASME SA403 WP 316NG	1	C	4730P	SE
CKG395T	AL	5-A-05-20'	2	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 1, REDUCING, 6 IN, 3 IN, SS, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
CKH999L	AL	5-A-05-20'	1	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 1 IN, BLIND, CHROME MOLY, 6000 LB, SOCKETWELD, ASME SA182 GR F22 CL 3, STANDARD MILL FINISH, E	1	C	48200	SE
CKG327C	AL	5-A-05-20'	28	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, LONG RADIUS, 4 IN, 4 IN, SS, 90, ASME SA403 WP 316NG, 80S	1	C	4730P	SE
ABF216T	AL	5-A-05-30'	1	\$0.00	NUT	NUT, TYPICAL, QA 0, TURBINE, SLEEVE, REF 109, FOR VERTICAL TURBINE PUMP, SIZE 10QEBC-13VTF, RPM	0		4320U	SE
ABF516E	AL	5-A-05-30'	2	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 0, PUMP; REF 13, FOR VERTICAL TURBINE PUMP, SIZE	0		4320U	SE
ADE767D	AL	5-A-05-30'	4	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 0, RING, 2-1/4 IN, 3-1/4 IN, 9, NINE RINGS PER	0		5730H	SE
AGE162X	AL	5-A-05-30'	13	\$0.00	RING	RING, WEAR, QA 0, REF 402, INTERMEDIATE BOWL AND SUCTION, ON WORTHINGTON	0		4320U	SE
AHE756R	AL	5-A-05-30'	11	\$0.00	BEARING	BEARING, TYPICAL, QA 0, PUMP, BOWL, REF 35, FOR HEATER DRAIN PMP SIZE 10-QEBC-13VTF, SN 1543607	0		4320U	SE
AJE750B	AL	5-A-05-30'	2	\$0.00	BEARING	BEARING, TYPICAL, QA 0, PUMP, STUFFING BOX, REF 17A, FOR HEATER DRAIN PMP SIZE 10-QEBC-13VTF, SN	0		4320U	SE
AJE751X	AL	5-A-05-30'	1	\$0.00	BEARING	BEARING, TYPICAL, QA 0, PUMP, SUCTION CASE, REF 41, FOR HEATER DRAIN PMP SIZE 10-QEBC-13VTF, SN	0		4320U	SE
ALE054Y	AL	5-A-05-30'	15	\$0.00	COLLET	COLLET, TYPICAL, QA 0, IMPELLER LOCK, REF 39, FOR HEATER DRAIN PUMP, SIZE	0		4320U	SE
ART828B	AL	5-A-05-30'	2	\$0.00	BEARING	BEARING, SLEEVE, QA 0, PUMP, BRONZE, LOWER, FOR SIZE 8X16, 1680 GPM PUMP TYPE WY, SN 24920-23	0		4320U	SE
ART877X	AL	5-A-05-30'	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, BRONZE, PUMP, SUCTION, BRONZE, FOR PUMP, SIZE 8 X 16,	0		4320U	SE
ART880L	AL	5-A-05-30'	3	\$0.00	RING	RING, WEAR, QA 0, FIRST STAGE SUCTION SIDE IMPELLER, BRONZE, FOR PUMP,	0		4320U	SE
ART885Y	AL	5-A-05-30'	5	\$0.00	RING	RING, WEAR, QA 0, FIRST STAGE DISCHARGE SIDE IMPELLER, BRONZE, FOR PUMP,	0		4320U	SE
ART886W	AL	5-A-05-30'	1	\$0.00	RING	RING, WEAR, QA 0, LOWER BEARING, BRONZE, FOR PUMP SIZE 8 X 16, 1680 GPM	0		4320U	SE
ATC951E	AL	5-A-05-30'	6	\$0.00	LEVER	LEVER, TYPICAL, QA 0, PRECIPITATOR; LIFTING, UPPER,"H" BRACKET, REF 5, DWG 110P-954735-A, FOR	0		4460A	SE
CFW743Q	AL	5-A-05-30'	9	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 6 IN, SS, 150 LB, 10S, FLAT, ASME SA182 GR F304	0		4730P	SE
CBW429P	AL	5-A-06-20'	3	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 3 IN, CS, 150 LB, 40, RAISED FACE, ASTM A105, STANDARD MILL FINISH, FORGED, B16.5	3	S	4730P	SE
CGX310Q	AL	5-A-06-20'	4	\$0.00	FLANGE	FLANGE, PIPE, QA 3, BLIND, 12 IN (1 FT), CS, 150 LB, RAISED FACE, ASTM A105, B16.5	3	C	4730P	SE

CHH164M	AL	5-A-07-20	5	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 1, WELDNECK, 4 IN, SS, 900 LB, LARGE TONGUE AND GROOVE, ASME SA182 GR F316/316L, STANDARD MILL I 1	C	4730P SE
CHH166H	AL	5-A-07-20	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 1, BLIND, 4 IN, SS, 900 LB, LARGE TONGUE AND GROOVE, ASME SA182 GR F316/316L, STANDARD MILL FINISH	C	4730P SE
CHW627E	AL	5-A-07-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, BLIND, 12 IN (1 FT), SS, 150 LB, RAISED FACE, ASTM A182 GR F316	3	C 4730P SE
CKG390G	AL	5-A-07-20	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 6 IN, 6 IN, SS, BUTTWELD, BUTTWELD, 45, WROUGHT, B16.9, ASME SA403 WP 316/316L, 40S	1	C 4730P SE
CKG498G	AL	5-A-07-20	1	\$0.00	CAP	CAP, PIPE, QA 1, CLASS 2, 8 IN, BUTTWELD, SS, 40S, ASME SA403 WP 316/316L, B16.9	1	C 4730P SE
CKG578J	AL	5-A-07-20	10	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, SHORT RADIUS, 6 IN, 6 IN, SS, BUTTWELD, BUTTWELD, 90, WROUGHT, B16.9, ASME SA403 WP 316/316L, 4	1	C 4730P SE
CKG610W	AL	5-A-07-20	1	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 8 IN, 8 IN, 8 IN, BUTTWELD, BUTTWELD, BUTTWELD, SS, ASME SA403 WP 316/316L, WROUGHT, B16	1	C 4730P SE
ADG670X	AL	5-A-07-30	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 6 IN, 6 IN, 6 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, STANDARD MILL FINISH, 40	0	C 4730P SE
AGH767B	AL	5-A-07-30	4	\$0.00	DISC	DISC, VALVE, QA 0, 1 IN, 600 PSI, 444, FOR EDWARDS VALVE, 1 IN, 600 LB, FIG 444	0	C 48200 SE
AHC188F	AL	5-A-07-30	2	\$0.00	STEM	STEM, VALVE, QA 0, FOR 1/2 IN AIR INTAKE SK-1801-2, VACUUM BREAKERS UNIT	0	C 4450C SE
AJG967V	AL	5-A-07-30	1	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 10 IN, 8 IN, BUTTWELD, BUTTWELD, CS, 80, ASTM A234 GR WPB, BLACK, BUTTWELD	0	C 4730P SE
AJH767Y	AL	5-A-07-30	6	\$0.00	STEM	STEM, VALVE, QA 0, 32869, FOR 0.75 IN VALVE, FIG 444, 600 PSI	0	C 48200 SE
ARY435A	AL	5-A-07-30	2	\$0.00	SIGN	SIGN, IDENTIFICATION, QA 0, PREPRINTED, RED, EXIT, AUTOMATIC "EXIT" LIGHT, 6 INCH LETTERS ON RED	0	C 9905K SE
BCM952D	AL	5-A-07-30	6	\$0.00	UNION	UNION, TUBING, QA 0, 3/4 IN, CS, COMPRESSION, ASTM A108 GR 12L14, W/CTR WRENCH FAC	0	C 4730P SE
BGA789X	AL	5-A-07-30	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SLIP-ON WELDING, 4 IN, SS, 150 LB, RAISED FACE, ASTM A182 GR F304, 8-BOLT HOLES	0	C 4730P SE
BGD521R	AL	5-A-07-30	12	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, FNPT, FNPT, FNPT, BRASS, 125 LB	0	C 4730P SE
BNV042F	AL	5-A-07-30	9	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 1 IN, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, ASME SA182 GR F304L, 3000 LB	0	C 4730P SE
BYG981G	AL	5-A-07-30	1	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 10 IN, 10 IN, 10 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, STANDARD MILL FINISH, 40	0	C 4730P SE
CKC312E	AL	5-A-07-30	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, POWER SUPPLY, INGERSOLL-RAND CENTAC CONTROL AIR COMPRESSOR	0	C 5999D SE
CKC379D	AL	5-A-07-30	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CONTROL, INGERSOLL-RAND DRYER MICRO PROCESSOR, FOR HRD-75 S/N 459501057	0	C 5999D SE
CBD251L	AL	5-A-08-20	2	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 10 IN, FULL, IRON, 250 LB, MECHANICAL JOINT, BLACK, ***	0	C 4730P SE
CKG271D	AL	5-A-09-20	210	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, LONG RADIUS, 2-1/2 IN, 2-1/2 IN, SS, BUTTWELD, BUTTWELD, 90, ASME SA403 WP 316/316L, 40S	1	C 4730P SE
CKG244G	AL	5-A-09-20	39	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, LONG RADIUS, 3 IN, 3 IN, SS, 90, ASME SA403 WP 316/316L, 40S	1	C 4730P SE
CKG279W	AL	5-A-09-20	89	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, LONG RADIUS, 3 IN, 3 IN, SS, ASME SA403 WP 316/316L, 40S	1	C 4730P SE
CKG313P	AL	5-A-09-20	61	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, LONG RADIUS, 2-1/2 IN, 2-1/2 IN, SS, BUTTWELD, BUTTWELD, 45, WROUGHT, B16.9, ASME SA403 WP 316/	1	C 4730P SE
BQP763V	AL	5-A-10-20	2	\$0.00	ELBOW	ELBOW, TYPICAL, QA 0, ASSEMBLY, 6 IN, DUCTILE IRON, 150 LB, MECHANICAL JOINT, 90, ELBOW ASSY, PIPE; 90 DEG, 6-IN, DUCTILE IRON, A	0	C 4730P SE
BQP768H	AL	5-A-10-20	2	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 8 IN, 8 IN, 6 IN, MECHANICAL JOINT, MECHANICAL JOINT, MECHANICAL JOINT, IRON, ASPHALTIC, A21.11, 150 L	0	C 4730P SE
CKG670A	AL	5-A-11-20	25	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, 1 IN, 1 IN, SS, 3000 LB, SOCKETWELD, SOCKETWELD, 45, FORGED, B16.11, ASME SA182 F316/316L	1	C 4730P SE
CKG683M	AL	5-A-11-20	783	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, 1 IN, 1 IN, SS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, FORGED, B16.11, ASME SA182 F316/316L	1	C 4730P SE
CKG353B	AL	5-A-11-20	10	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 3, REDUCING, 4 IN, 4 IN, 3 IN, BUTTWELD, BUTTWELD, BUTTWELD, SS, ASME SA403 WP 316/316L, 40S	1	C 4730P SE
CKG604D	AL	5-A-11-20	2	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 3, STRAIGHT, 6 IN, 6 IN, 6 IN, BUTTWELD, BUTTWELD, BUTTWELD, SS, ASME SA403 WP 316/316L, FORGED, 40S	1	C 4730P SE
CBC927R	AL	5-A-13-20	1	\$0.00	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, CRANE; BRIDGE WHEEL - DRIVER, 30 IN DIA WHEEL, DWG B-10226	3	C 3950F SE
BWJ035M	AL	5-A-13-20	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 3, FLEXIBLE, FORGED STEEL, 2-7/8 IN, 2 IN, 3/4 IN X 3/8 IN, 1/2 IN X 1/4 IN, COUPLING, MOTOR; FLEXIBLE, WALDRO	3	C 6105D SE
CKG107V	AL	5-A-13-20	23	\$0.00	BOLT	BOLT, SQUARE, QA 3, 1-1/2 IN, 7-1/2 IN, 6, ALLOY STEEL, UNC, ASTM A193 GR B7, 2A, PLAIN, B18.2.1	3	C 5305J SE
CKP424A	AL	5-A-13-20	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, WELDNECK, 8 IN, SS, 600 LB, 40S, RAISED FACE, ASME SA182 GR F304, STANDARD MILL FINISH, B16.5	1	C 4730P SE
CLM745R	AL	5-A-13-20	4	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 3, QUICK CONNECT, 3/4 IN, SS, TYPE 316, FNPT	3	S 4730P SE
CKG595J	AL	5-A-14-30	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 3, WELDNECK ORIFICE, 12 IN (1 FT), CS, 300 LB, ASME SA105, STD	1	C 4730P SE
ACG684D	AL	5-A-16-20	5	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, **	0	C 4730P SE
BBT208T	AL	5-A-16-20	12	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 2 IN, 2 IN, PVC, SOCKET, SOCKET, 90, STANDARD MILL FINISH, 80, ELBOW, PIPE; STYLE: 90 DEG S	0	C 4730P SE
CEE455C	AL	5-A-16-20	9	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 4 IN, PVC, 80, SOCKET, ***	0	C 4730P SE
AJG150R	AL	5-A-16-20	1	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 3 IN, 3 IN, IRON, 125 LB, FLNG-FLAT FACE, FLNG-FLAT FACE, 90, BLACK, CAST, ELBOW, PIPE; STYI	0	P 4730P SE
ART268P	AL	5-A-16-20	3	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 4 IN, 4 IN, IRON, FLNG-RAISED FACE, FLNG-RAISED FACE, 90, CAST, SARAN/VINYLDENE CHLORIDE,	0	P 4730P SE
AGG999T	AL	5-A-17-20	25	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG STANDARD RADIUS, CLASS 3000, STAINLESS STEEL ASME	1	P 4730P SE
AHG897W	AL	5-A-17-20	38	\$0.00	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MILI	1	P 4730P SE
BTX186W	AL	5-A-17-20	5	\$0.00	COUPLING	COUPLING, HOSE, QA 3, VALVE; QUICK CONNECT/DISCONNECT, MALE ADAPTER FOR CAM AND	3	C 48200 SE
CHT357V	AL	5-A-17-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, COMPANION, 2-1/2 IN, BRONZE, 150 LB, STANDARD MILL FINISH, CAST, B16.24	3	C 4710Z SE
CJE106E	AL	5-A-17-20	9	\$0.00	ELBOW	ELBOW, PIPE, QA 3, REDUCING STANDARD, 2 IN, 1-1/2 IN, MALLEABLE IRON, 150 LB, FNPT, FNPT, 90, GALVANIZED, B16.3, ASTM A197	3	C 4730P SE
CKG460M	AL	5-A-17-20	48	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 1, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 F316/316L, 3000 LB	1	C 4730P SE
CKG612D	AL	5-A-17-20	36	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, WELDNECK, 1 IN, SS, 150 LB, 40S, RAISED FACE, ASME SA182 F316/316L	1	C 4730P SE
CKG670A	AL	5-A-17-20	119	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 3, 1 IN, 1 IN, SS, 3000 LB, SOCKETWELD, SOCKETWELD, 45, FORGED, B16.11, ASME SA182 F316/316L	1	C 4730P SE
AAK187Q	AL	5-A-17-20	4	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG STANDARD RADIUS, CLASS 3000, STAINLESS STEEL ASME	1	P 4730P SE
AGG096W	AL	5-A-17-20	8	\$0.00	ELBOW	ELBOW, PIPE, QA 1, SHORT RADIUS, 3/4 IN, 3/4 IN, SS, 6000 LB, SOCKETWELD, SOCKETWELD, 90, STANDARD MILL FINISH, FORGED, B16.1	1	P 4730P SE
AGG297V	AL	5-A-17-20	12	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 6000, STAINLESS STEEL ASME SA 182 GR F304	1	P 4730P SE
AGG399K	AL	5-A-17-20	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG STANDARD RADIUS, CLASS 3000, STAINLESS STEEL ASME	1	P 4730P SE
AHG097L	AL	5-A-17-20	8	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG STANDARD RADIUS, CLASS 3000, STAINLESS STEEL ASME	1	P 4730P SE
AJG091T	AL	5-A-17-20	5	\$0.00	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 3000, STAINLESS STEEL, END TYPE	1	P 4730P SE
AJG893Y	AL	5-A-17-20	13	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING, PIPE; HALF, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P 4730P SE

AJG980F	AL	5-A-17-20:	19	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P	4730P SE
AJG990C	AL	5-A-17-20:	2	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING, PIPE; STYLE: HALF, MATERIAL: STAINLESS STEEL, NOMINAL SIZE:	1	C	4730P SE
AKY984D	AL	5-A-17-20:	3	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; 45 DEG LONG RADIUS, CLASS 6000, STAINLESS STEEL ASME SA	1	D	4730P SE
ANG164A	AL	5-A-17-20:	5	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/4 IN, HALF/QUICK DISCONNECT, BRASS, PUSH-PULL X FNPT, INTER HALF	0	P	4730P SE
ANY474J	AL	5-A-17-20:	1	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, CLASS 3000, ASME SA-182, GRADE F304, STAINLESS	1	C	4730P SE
AQG083L	AL	5-A-17-20:	17	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: COUPLING, MATERIAL: STAINLESS STEEL, FIRST END	1	C	4730P SE
ATJ998L	AL	5-A-17-20:	31	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, COUPLING, PIPE; FULL, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	C	4730P SE
BJM030R	AL	5-A-17-20:	15	\$0.00	COUPLING	COUPLING, TYPICAL, QA 1, COUPLING, TUBE; STAINLESS STEEL ASME SA 479 TY 316 S31600, STANDARD	1	P	4730P SE
BVH634K	AL	5-A-17-20:	3	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN ( 1/2), SECOND END NOM SIZE:	1	C	4730P SE
CBR875F	AL	5-A-17-20:	1	\$0.00	TEE	TEE, PIPE, QA 3, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASTM A182 GR F316, STANDARD MILL FINISH,	3	C	4730P SE
CDJ267Y	AL	5-A-18-20:	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, LONG RADIUS, 12 IN (1 FT), 12 IN (1 FT), CS, BUTTWELD, BUTTWELD, 90, BLACK, B16.9, STD, ASTM A234 GR WPB	0	D	4730P SE
CEN917N	AL	5-A-18-20:	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 4 IN, 4 IN, DUCTILE IRON, MECHANICAL JOINT, MECHANICAL JOINT, 90, COAL TAR VARNISH, CAST, CEMENT, A21.53	3	C	4730P SE
CEN918L	AL	5-A-18-20:	3	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 4 IN, 4 IN, DUCTILE IRON, MECHANICAL JOINT, MECHANICAL JOINT, 45, COAL TAR VARNISH, CAST, CEMENT, A21.53	3	C	4730P SE
CEN919J	AL	5-A-18-20:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 4 IN, 4 IN, DUCTILE IRON, MECHANICAL JOINT, MECHANICAL JOINT, 22.5, COAL TAR VARNISH, CAST, CEMENT, A21.53	3	C	4730P SE
CEN937G	AL	5-A-18-20:	1	\$0.00	BOX	BOX, TYPICAL, QA 3, BOX, *TYPICAL; TYPE: VALVE; DEPTH: 2 FT; CONSTRUCTION: W/COVER ***	3	C	4710Z SE
CEP016F	AL	5-A-18-20:	3	\$0.00	GLAND	GLAND, SEALING, QA 3, GLAND, *TYPICAL; TYPE: MECHANICAL SEAL; MATERIAL: DUCTILE IRON; SIZE:	3	C	4730P SE
BGC001H	AL	5-A-21-20:	149	\$0.00	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASTM A 563 GR A K05802, PLAIN, THD	1	P	5305J SE
BGC011D	AL	5-A-21-20:	49	\$0.00	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASTM A 563 GR A K05802, PLAIN, THD	1	P	5305J SE
BHG074R	AL	5-A-21-20:	136	\$0.00	BOLT	BOLT, HEX, QA 2, 1/2 IN, 1-1/2 IN, 13, CS, ASTM A307 GR A, UNC, 2A, CADMIUM PLATED, BOLT, MACHINE; HEXAGON HEAD, CARBON STEEL	2	P	5305J SE
BHX273R	AL	5-A-21-20:	90	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, STRUCTURAL; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL	1	C	5305J SE
BJM176T	AL	5-A-21-20:	21	\$0.00	BOLT	BOLT, HEX, QA 1, BOLT, MACHINE; HEXAGON HEAD, CARBON STEEL ASTM A 307 GR B, NOMINAL DIA	1	P	5305J SE
BJN355M	AL	5-A-21-20:	873	\$0.00	CLAMP	CLAMP, TYPICAL, QA 3, CLAMP, LOOP; MOUNTING, 11 GAGE, 304 STAINLESS STEEL, FABRICATED PER	3	P	4710Y SE
BPY290T	AL	5-A-21-20:	25	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, VALVE; NUT, PLAIN, HEXAGON, HEAVY HEX, ASME SA-194 GR 2H, 1.75	1	C	48200 SE
BVF163B	AL	5-A-21-20:	20	\$0.00	END	END, BELL, QA 3, END BELL, CONDUIT; 4 INCH, FOR SCHEDULE 40 AND 80 PVC CONDUIT ***	3	D	59755 SE
CAA179P	AL	5-A-21-20:	54	\$0.00	NUT	NUT, HEX, QA 1, STANDARD, 1/4 IN, 20, CS, ASTM A563 GR A, UNC, 2B, STANDARD MILL FINISH, B18.2.2, BEARING SURFACE TYPE FINISH	1	C	5305J SE
CBV826J	AL	5-A-21-20:	21	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 0.625 IN ( 5/8), MATERIAL:	1	C	5305J SE
CBV827G	AL	5-A-21-20:	65	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 3/4 IN, 3-3/4 IN, 10, ALLOY STEEL, UNC, ASME SA193 GR B7, 2A	1	C	5305J SE
CJN356C	AL	5-A-21-20:	44	\$0.00	CLAMP	CLAMP, PIPE, QA 1, HANGER, 1 IN, CS, BOLTED, STANDARD MILL FINISH	1	C	4730P SE
BLK893V	AL	5-A-21-20:	60	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, MAXI-BOLT, 6 IN, SHIELD, EXPANSION; MAXI-BOLT, 0.375 (3/8) IN DIAMETER, 6.00 (6) IN	1	C	4710Y SE
BPG966P	AL	5-A-21-20:	10	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, CRIMP, STRAIGHT 1-HOLE, 2/0 AWG, 5/16 IN	2	P	5940I SE
BYM635A	AL	5-A-21-20:	3	\$0.00	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #6 AWG, TIN PLATED COPPER, BARE, BLUE, CRIMP, , TWO WAY, UL LISTED	2	C	5940I SE
BYM799B	AL	5-A-21-20:	9	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/8 IN, 3 IN, 11, HEAVY HEX, SS, ASME SA193 GR B8M, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYQ911W	AL	5-A-21-20:	100	\$0.00	WASHER	WASHER, FLAT, QA 3, #5, 13/32 IN, 0.141 IN, 0.040 IN, CS, ROUND/REGULAR, STANDARD MILL FINISH, B, B18.22.1	3	C	5305J SE
BYR494D	AL	5-A-21-20:	12	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/4 IN, 4 IN, 10, HEAVY HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, PLAIN, B18.2.1	1	C	5305J SE
CAL323P	AL	5-A-21-20:	21040	\$0.00	SCREW	SCREW, TAPPING, QA 3, PAN, #12, SS, CROSS RECESSED, B18.6.4, , FASTENER LENGTH: 1/2", THREAD PER INCH: 14, FOR USE ON DIAMON	3	C	5305J SE
CEJ050L	AL	5-A-21-20:	20	\$0.00	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: HEAVY/PLAIN; SIZE: 1-1/2 IN; MATERIAL: SS; TPI: 6;	3	C	5305J SE
BGC157R	AL	5-A-23-20:	68	\$0.00	NUT	NUT, HEX, QA 2, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASTM A 563 GR A K05802, PLAIN, SIZE	2	P	5305J SE
BGC165T	AL	5-A-23-20:	11	\$0.00	NUT	NUT, HEX, QA 2, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASTM A 563 GR A K05802, PLAIN, SIZE	2	P	5305J SE
BKN495Y	AL	5-A-23-20:	54	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 0.875 IN ( 7/8), MATERIAL:	1	C	5305J SE
CAL290P	AL	5-A-23-20:	54900	\$0.00	SCREW	SCREW, TAPPING, QA 1, SCREW, TAPPING; HEAD STYLE: HEXAGON WASHER, MATERIAL: STAINLESS STEEL	1	C	5305J SE
BKN928R	AL	5-A-23-20:	790	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BKN946P	AL	5-A-23-20:	178	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .5	1	C	5305J SE
BLP366Y	AL	5-A-23-20:	71	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/2 IN, 3 IN, 13, HEAVY HEX, ASME SA193 GR B8M CLASS 1	1	C	5305J SE
BLP635X	AL	5-A-23-20:	218	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEXAGON HEAD, STAINLESS STEEL, ASME SA 193, GR B8M CLASS	1	C	5305J SE
BMD885K	AL	5-A-23-20:	4	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; 0.25 IN, THREADED INTERNAL PIPE, 1500 LBS, STAINLESS	1	P	48200 SE
BQY149A	AL	5-A-23-20:	62	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BVQ902H	AL	5-A-23-20:	12	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
BWL751R	AL	5-A-23-20:	2	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1-1/4 IN, 16, FLAT COUNTERSUNK, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, SLOTTED, B18.6.2	1	C	5305J SE
BXT453W	AL	5-A-23-20:	1200	\$0.00	WASHER	WASHER, FLAT, QA 0, 1/8 IN, 1-1/2 IN, FENDER, ZINC PLATED, WASHER, FLAT; WASHER STYLE: FENDER, SURFACE TREATMENT: ZINC PLAT	0	C	5305J SE
AEN614P	AL	5-A-25-20:	16	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 0, ASSY/ARCING/STATIONARY, 500 MVA, 1200, CONTACT ASSY, ELECTRICAL; STATIONARY, ARCING, FOR GE	0	P	5925B SE
AQB545B	AL	5-A-25-20:	150	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNDCT SIZE 750.0	2	C	5940I SE
AQB569W	AL	5-A-25-20:	18	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 KCMIL, INSULATION FEATURE:	2	B	5940I SE
BKQ662V	AL	5-A-25-20:	46	\$0.00	ADAPTER	ADAPTER, CONDUIT, QA 3, ADAPTER, ELECTRICAL CONDUIT; COND TYPE ACCOM FIRST END RIGID METALLIC	3	P	5975B SE
BMD068B	AL	5-A-25-20:	20	\$0.00	BALLAST	BALLAST, LIGHTING, QA 0, FLUORESCENT, 120/277, 20/30/40, RAPID START	0	C	6250D SE
BNM474R	AL	5-A-25-20:	100	\$0.00	BOLT	BOLT, HEX, QA 1, 7/8 IN, 5 IN, 9, UNC, BOLT, ; BOLT, HEX HEAD, 0.875 IN-9 X 5IN ***	1	C	5305J SE
BPA793V	AL	5-A-25-20:	166	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 1-8 UNC X 3.250 IN LONG, ZINC	1	C	5305J SE
BPA794R	AL	5-A-25-20:	360	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 1-8 UNC X 2.5 INLONG, ZINC PLATED	1	C	5305J SE

BPA795P	AL	5-A-25-20:	326	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL, 1-8 UNC X 3.75 IN LONG, ZINC	1	C	5305J SE
BWN340G	AL	5-A-25-20:	3	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FLEXITALLIC, MSIV, 26 INCH VALVE, DWG 20851-H, I TEM	3	B	48200 SE
BJL662N	AL	5-A-27-20:	1021	\$0.00	WASHER	WASHER, FLAT, QA 0, CARBON STEEL, ***	0	P	4320U SE
APY027W	AL	5-A-27-20:	4	\$0.00	SHIM	SHIM, STOCK, QA 0, 6 IN, 100 IN, 0.001 IN, BRASS, SOLID	0	P	9520Z SE
BDE217A	AL	5-A-27-20:	75	\$0.00	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, BRASS, NOMINAL DIA .164 IN, THD 32, UNC	3	P	5305J SE
BHN987M	AL	5-A-27-20:	6	\$0.00	SCREW	SCREW, MACHINE, QA 1, #10, 1/2 IN, 24, HEX HEAD, SS, AISI 18-8, UNC, SLOTTED, SCREW, MACHINE; HEXAGON HEAD, STAINLESS STEEL,	1	C	5305J SE
BKN911B	AL	5-A-27-20:	898	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BKN946P	AL	5-A-27-20:	100	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .5	1	C	5305J SE
BKN964M	AL	5-A-27-20:	427	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .75	1	C	5305J SE
BLP315G	AL	5-A-27-20:	6	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	C	5305J SE
BLP366Y	AL	5-A-27-20:	328	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/2 IN, 3 IN, 13, HEAVY HEX, ASME SA193 GR B8M CLASS 1	1	C	5305J SE
BLP628T	AL	5-A-27-20:	62	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEXAGON HEAD, STAINLESS STEEL, ASME SA 193, GR B8M CLASS	1	C	5305J SE
BLT039M	AL	5-A-27-20:	588	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BNV573Q	AL	5-A-27-20:	839	\$0.00	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1 IN, 20, HEX WASHER, CS, UNC, ZINC PLATED, SLOTTED	0	C	5305J SE
BTG097M	AL	5-A-27-20:	10	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, STRUCTURAL; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL	1	C	5305J SE
BVH212E	AL	5-A-27-20:	196	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BWE800J	AL	5-A-27-20:	147	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
BXT453W	AL	5-A-27-20:	696	\$0.00	WASHER	WASHER, FLAT, QA 0, 1/8 IN, 1-1/2 IN, FENDER, ZINC PLATED, WASHER, FLAT; WASHER STYLE: FENDER, SURFACE TREATMENT: ZINC PLAT	0	C	5305J SE
AAQ377R	AL	5-A-34-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 1.5 IN, CARBON STEEL ASME SA 350 GR	1	P	4730P SE
ACG771J	AL	5-A-34-20:	12	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB	0	C	4730P SE
AEY353G	AL	5-A-34-20:	12	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASTM A 105 K03504	1	P	4730P SE
BTB349P	AL	5-A-34-20:	2	\$0.00	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; STYLE: CONCENTRIC, MATERIAL: CARBON STEEL, FIRST END	3	D	4730P SE
BWN340G	AL	5-A-34-20:	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; FLEXITALLIC, MSIV, 26 INCH VALVE, DWG 20851-H, I TEM	3	B	48200 SE
CBL424B	AL	5-A-34-20:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 3 IN, 3 IN, CARBON STEEL, 3000 LB, SOCKETWELD, SOCKETWELD, 90, BLACK, FORGED, B16.11, ASTM A105, ***	0	C	4730P SE
CDE520D	AL	5-A-34-20:	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 2 IN, 2 IN, CS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, STANDARD MILL FINISH, FORGED, B16.11, ASTM A105	0	C	4730P SE
CDR003M	AL	5-A-34-20:	1	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 1 1/2 IN, 1 1/2 IN, 125 LB, TEE, SPECIAL; REDUCING, 2"X1-1/2"X1-1/2", DURIRON, WITH 125# SPLIT	0	C	4730P SE
ALG881R	AL	5-A-34-20:	35	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, COUPLING, PIPE; FULL, CLASS 3000, CARBON STEEL, ASME SA105,K03504	1	B	4730P SE
ATJ902X	AL	5-A-34-20:	12	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING, PIPE; HALF, CLASS 6000, CARBON STEEL ASME SA 105 K03504	1	P	4730P SE
BWH721J	AL	5-A-34-20:	11	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG STAND RADIUS, MATERIAL: STAINLESS STEEL, 1	3	C	4730P SE
BBF236D	AL	5-A-36-20:	45	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT	3	C	4730P SE
BBF242J	AL	5-A-36-20:	9	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN SEAT	3	C	4730P SE
BBF384X	AL	5-A-36-20:	3	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID END .5 IN	3	C	4730P SE
BBF751W	AL	5-A-36-20:	26	\$0.00	CAP	CAP, TUBING, QA 3, CAP, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN SEAT TYPE 45	3	C	4730P SE
BBF767D	AL	5-A-36-20:	31	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, COUPLING, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .625 IN SEAT	3	C	4730P SE
BHJ259C	AL	5-A-36-20:	20	\$0.00	INDICATOR	INDICATOR, TEMPERATURE, QA 3, INDICATOR, SIGHT LIQUID; LUBE SIGHT, 1.375 IN SIGHT DIA, TYPE S2 PIPE	3	P	6695D SE
BYJ296M	AL	5-A-36-20:	65	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 3, NIPPLE, HYDRAULIC CNTRL UNIT; FOR USE ON CONTROL ROD DRIVE HYDRAULIC	3	C	4470C SE
AQM285P	AL	5-A-36-20:	19	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, CLASS 150, MALLEABLE IRON, OUTSIDE ZINC COATED	3	P	4730P SE
BBF232M	AL	5-A-36-20:	6	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT	3	C	4730P SE
BBF379N	AL	5-A-36-20:	5	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .5 IN	3	C	4730P SE
BCV511D	AL	5-A-36-20:	2	\$0.00	CAP	CAP, PROTECTIVE, QA 0, CAP, ANALYZER; PROBE PROTECTOR, SULFITE SOAKING, PVC, SCH 40, WITH	0	C	6630D SE
BFC486C	AL	5-A-36-20:	23	\$0.00	COUPLING	COUPLING, PIPE, QA 1, 1 IN, HALF, CS, 3000 LB, SOCKETWELD, ASME SA105, FORGED	1	P	4730P SE
BKP032R	AL	5-A-36-20:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3	D	4730P SE
BKR818H	AL	5-A-36-20:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	D	4730P SE
BKR825L	AL	5-A-36-20:	11	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3	D	4730P SE
BNP358H	AL	5-A-36-20:	3	\$0.00	UNION	UNION, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, STANDARD MILL FINISH	3	C	4730P SE
BTH121P	AL	5-A-36-20:	24	\$0.00	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 01.000 IN ( 1 )	3	C	4730P SE
BVT032Q	AL	5-A-36-20:	2	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2), SECOND END NOM	3	C	4730P SE
BVT431K	AL	5-A-36-20:	6	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 01.000 IN ( 1 )	3	C	4730P SE
BVT698A	AL	5-A-36-20:	1	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1-1/4 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3	3	D	4730P SE
CBX268G	AL	5-A-36-20:	2	\$0.00	CAP	CAP, PIPE, QA 0, 10 IN, BUTTWELD, CS, 40, ASTM A234 GR WPB, STANDARD MILL FINISH, B16.9, STD	0		4730P SE
AAG319H	AL	5-A-37-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; WELDNECK, NOM SIZE 2.5 IN, CARBON STEEL ASME SA 350 GR	1	P	4730P SE
AMY279N	AL	5-A-37-20:	1	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 02.000 IN ( 2 )	1	C	4730P SE
AQD582T	AL	5-A-37-20:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .75 IN, STAINLESS STEEL ASME SA 182	1	P	4730P SE
AQN337R	AL	5-A-37-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE; THREADED, NOM SIZE 4.0 IN, CARBON STEEL ASME SA 105	1	P	4730P SE
AQW913G	AL	5-A-37-20:	1	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 80S, STAINLESS STEEL ASME SA 403 WP 304	1	P	4730P SE
ATJ619P	AL	5-A-37-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE; SOCKETWELD, NOM SIZE 1.5 IN, STAINLESS STEEL ASME SA 182	1	P	4730P SE
AWY509M	AL	5-A-37-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; BLIND, NOM SIZE 1.5 IN, STAINLESS STEEL ASME SA 182 GR	1	P	4730P SE

BQB736W	AL	5-A-37-20	2	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: COUPLING, MATERIAL: STAINLESS STEEL, FIRST END	1	C	4730P SE
BTL437C	AL	5-A-37-20	3	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, STAINLESS STEEL, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM A182 GR F316, FORGE	0	C	4730P SE
BTL967E	AL	5-A-37-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 3 IN, 150 LB, BUTTWELD	0	C	4730P SE
BVM917J	AL	5-A-37-20	1	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: WELDOLET, MATERIAL: STAINLESS STEEL, RUN END NOM	1	C	4730P SE
BWF713V	AL	5-A-37-20	4	\$0.00	ADAPTER	ADAPTER, TUBING, QA 1, CLASS 2, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREAD INTERNAL NPT, TUBE END	1	C	4730P SE
CAJ072P	AL	5-A-37-20	3	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 1 X 3/8 IN, REDUCING, SS, 3000 LB, FNPT, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, B16.1	1	D	4730P SE
CAL436A	AL	5-A-37-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, BLIND, 4 IN, CS, 150 LB, RAISED FACE, ASME SA105, STANDARD MILL FINISH, B16.5	1	D	4730P SE
CAP641R	AL	5-A-37-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, THREADED, 1 IN, SS, 150 LB, FLAT, ASTM A182 GR F316	3	C	4730P SE
CBF193X	AL	5-A-37-20	5	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 2 IN, 3 IN, SS, LONG, 40S, ASME SA312 TP 316, STANDARD MILL FINISH, B36.19M, MNPT, , ANSI/ASTM SPEC:	1	C	4730P SE
AHG897W	AL	5-A-37-20	25	\$0.00	TEE	TEE, PIPE, QA 1, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDARD MIL	1	P	4730P SE
BLV424N	AL	5-A-37-20	8	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 1 IN, 1 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STANDAR	1	P	4730P SE
BTL608C	AL	5-A-37-20	14	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN ( 1/2), SECOND END NOM SIZE:	1	C	4730P SE
CEF525C	AL	5-A-37-20	21	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, BLIND, 1 IN, SS, 300 LB, RAISED FACE, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, B16.5	1	C	4730P SE
AMC862C	AL	5-A-38-20	2	\$0.00	UNION	UNION, PIPE, QA 0, UNION, ASH DISPOSAL; PIPE, C/O 1 EA 4894 MIDDLE RING, 2 EA 4892-1	0	C	4450C SE
AMY581P	AL	5-A-38-20	1	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; STRAIGHT, SCHEDULE 40, CARBON STEEL AS SA 234 GR WPB	1	P	4730P SE
BQQ046A	AL	5-A-38-20	5	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 X 3/8 IN, COPPER, MNPT X SWEAT, *** STYLE: COUPLING, SECOND END NOM SIZE: 01.000 IN ( 1), FIRST END	0	C	4730P SE
BRH164B	AL	5-A-38-20	11	\$0.00	REDUCER	REDUCER, TUBING, QA 3, REDUCER, TUBE; STYLE: CONCENTRIC, MATERIAL: COPPER, FIRST END NOM	3	C	4730P SE
BVT681V	AL	5-A-38-20	8	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, BUSHING, TUBE; TYPE: FLUSH, MATERIAL: COPPER, SIZE: 7/8" X 3/4", END	3	C	4730P SE
BRC816K	AL	5-A-38-20	9	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB	1	C	4730P SE
CBB464D	AL	5-A-38-20	8	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, REDUCING, 2 IN, 2 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, CS, ASME SA105, B16.11, 3000 LB	1	C	4730P SE
APX195M	AL	5-B-02-101	1	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: PLEXIGLASS, COLOR: CLEAR ***	0	C	47200 SE
BGR983L	AL	5-B-02-101	3	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, COUNTERTOP, 48 IN, 12 FT, FORMICA, WOODGRAIN/WALNUT, SHEET, PLASTIC; MATERIAL: FORMICA, WIDTH: 48.0	0	C	5680B SE
AGK429M	AL	5-B-02-102	2	\$0.00	GASKET	GASKET, BULK, QA 0, 3 FT (36 IN), 3 FT (36 IN), 3/16 IN, CORK/RUBBER	0	P	5730H SE
BJM968Q	AL	5-B-02-201	11	\$0.00	PAPER	PAPER, TYPICAL, QA 0, WATER SOLUBLE, 15-1/2 IN, 165 FT, WHITE, PURGE, RICE	0	C	7510U SE
BEM500H	AL	5-B-02-202	20	\$0.00	EXTINGUISHER	EXTINGUISHER, FIRE, QA 0, HAND, DRY CHEMICAL, A/B/C, EXTINGUISHER, FIRE, DRY CHEMICAL; HAND, CARTRIDGE, TYPE 2, CLASS1	0	C	4210N SE
BLW245H	AL	5-B-02-301	24	\$0.00	INSULATION	INSULATION, PIPE, QA 3, INSULATION SLEEVING, THERMAL; PIPE AND TUBE COVER, INSULATION	3	C	5640H SE
CJQ595F	AL	5-B-03-201	33	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 3, 0.045 IN, CHROMIUM MOLYBDENUM, A5.28, ER90S-B3, SFA 5.28, COPPER COATED, SPOOL APPR. 33 LBS, F -	3	C	3439D SE
BJP962T	AL	5-B-03-301	24	\$0.00	SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN50, 1 LB SPOOL, .125 IN ROUND WIRE, CORE-PLASTIC	2	C	3439D SE
BJP963Q	AL	5-B-03-301	21	\$0.00	SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN60, 1 LB SPOOL, .063 IN ROUND WIRE, CORE-PLASTIC	2	C	3439D SE
BKM948Q	AL	5-B-03-301	27	\$0.00	SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN63, 1 LB SPOOL, .125 IN ROUND, WIRE SOLID (WS)	2	C	3439D SE
BKM949N	AL	5-B-03-301	25	\$0.00	SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN63, 1 LB SPOOL, .093 IN ROUND, WIRE SOLID (WS)	2	C	3439D SE
BLN791L	AL	5-B-03-301	40	\$0.00	ROD	ROD, BRAZING, QA 2, BRAZING ALLOY, PHOSPHOR COPPER; LENGTH: 18.000000 ( 18), DIAMETER:	2	C	3439D SE
CHX634C	AL	5-B-04-101	1	\$0.00	BELT	BELT, CONVEYOR, QA 0, FLAT, 30 FT 10-1/4 IN, 8 MM, HEAVY DUTY PLYLON, 2, 3 MM TOLERANCE WD,210 DEG F,FLEXCO ALLIGATOR FAS	0	C	3910K SE
CHX640W	AL	5-B-04-102	1	\$0.00	BELT	BELT, CONVEYOR, QA 0, FLAT, 57 FT 2 IN, 8 MM, HEAVY DUTY PLYLON, 2, 3 MM TOLERANCE WD,210 DEG F, FLEXCO ALLIGATOR FASTENE	0	C	3910K SE
CMB235Y	AL	5-B-04-201	400	\$0.00	FILTER	FILTER, TYPICAL, QA 0, PRE-FILTER, SYNTHETIC, SOCK TYPE FILTER	0	C	
BEX006V	AL	5-B-04-202	1	\$0.00	CHAIN	CHAIN, TYPICAL, QA 0, CHAIN, ELEVATOR; GATE, FOR FREIGHT ELEVATOR ***	0	P	3960D SE
BYD942A	AL	5-B-04-202	97	\$0.00	ELEMENT	ELEMENT, TYPICAL, QA 0, ELEMENT, CONVEYOR; BLUE BLADE HOLER ELEMENT FOR BELT CLEANERS ON THE	0	C	3910K SE
BKR211Q	AL	5-B-06-201	3	\$0.00	CLAMP	CLAMP, PIPE, QA 0, 12 IN (1 FT), CLAMP, REPAIR PIPE; NOMINAL SIZE: 12.000 IN ( 12), LENGTH: 18.000 IN	0	P	4730P SE
CJA253L	AL	5-B-06-202	2	\$0.00	SUIT	SUIT, PROTECTIVE, QA 0, ARC FLASH SUIT (FLASHGUARD), MEDIUM, DUPONT NOMEX, PANTS W/SUSPENDERS & COAT, 31 CAL/CM2 PPE, MEI	0	C	8415B SE
CJA255G	AL	5-B-06-202	2	\$0.00	SUIT	SUIT, PROTECTIVE, QA 0, ARC FLASH SUIT (FLASHGUARD), LARGE, DUPONT NOMEX, PANTS W/SUSPENDERS & COAT, 31 CAL/CM2 PPE, MEI	0	C	8415B SE
CJA256E	AL	5-B-06-202	6	\$0.00	SUIT	SUIT, PROTECTIVE, QA 0, ARC FLASH SUIT (FLASHGUARD), X-LARGE, DUPONT NOMEX, PANTS W/SUSPENDERS & COAT, 31 CAL/CM2 PPE, MEI	0	C	8415B SE
CJA329D	AL	5-B-06-202	2	\$0.00	SUIT	SUIT, PROTECTIVE, QA 0, ARC FLASH SUIT (FLASHGUARD), LARGE, PANTS W/SUSPENDERS & COAT, 100 CAL/CM2 PPE, MEETS SPECS ANSI	0	C	8415B SE
CJA332Q	AL	5-B-06-202	1	\$0.00	SUIT	SUIT, PROTECTIVE, QA 0, ARC FLASH SUIT (FLASHGUARD), XX-LARGE, PANTS W/SUSPENDERS & COAT, 100 CAL/CM2 PPE, MEETS SPECS AI	0	C	8415B SE
CED131C	AL	5-B-07-201	1	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 1/8 IN, 36 IN (3 FT), CS, BARE, A5.18, ER70S-6, SFA 5.18	1	C	3439D SE
CJW811F	AL	5-B-07-201	60	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 3/32 IN, 36 IN (3 FT), ALUMINUM, BARE, A5.10, SFA 5.10, PF-5005, , AWS CLASS: R5356	1	C	3439D SE
ADC127W	AL	5-B-07-202	1	\$0.00	SOLDER	SOLDER, WELDING, QA 0, STRIP, 3/4 IN WD X 0.010 IN THK, COIL, BRAZEN ALLOY, 96/4% SILVER, BAG 3	0	C	3439D SE
CHQ061J	AL	5-B-07-202	5	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 0.035 IN, CHROMIUM MOLYBDENUM, BARE, A5.28, ER90S-B3, SFA 5.28, F NO. 6, A NO. 4, SPOOL: 8	1	C	3439D SE
CHQ119N	AL	5-B-07-202	19	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 3/32 IN, 36 IN (3 FT), CHROMIUM MOLYBDENUM, BARE, A5.28, ER90S-B3, SFA 5.28, F-NO. 6, A-NO	1	C	3439D SE
ARR763J	AL	5-B-08-202	2	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, FILTER ELEMENT, INTAKE AIR; FELT, RADIAL-FIN, FOR AIR INTAKE	0	P	29100 SE
BXB157E	AL	5-B-08-202	2	\$0.00	BOTTLE	BOTTLE, LABORATORY, QA 0, 15 GAL, SCREW CAP, BOTTLE, SCREW CAP; POLY, 15 GALLON ***	0	C	8125A SE
CFY005B	AL	5-B-08-202	1	\$0.00	DUCT	DUCT, TYPICAL, QA 0, FLEXIBLE, 14 IN, 25 FT, ** FLEXAUST, 14" DIAMETER, MODEL FSP-V, STANDARD COLOR: YELLOW WITH	0	C	4140U SE
CJW811F	AL	5-B-09-201	15	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 3/32 IN, 36 IN (3 FT), ALUMINUM, BARE, A5.10, SFA 5.10, PF-5005, , AWS CLASS: R5356	1	C	3439D SE
CHY721C	AL	5-B-20-201	9	\$0.00	COMPOUND	COMPOUND, TYPICAL, QA 3, FIREPROOF, PASTE, 5 GAL, BUCKET, SUBLIMING MATERIAL, TROWEL GRADE, 50-LB NET WEIGHT	3	C	9350L SE
ARH414M	AL	5-B-20-202	13	\$0.00	COMPOUND	COMPOUND, INSULATING, QA 3, COMPOUND, FIREPROOF COATING; MASTIC, FIRE RETARDANT, TROWEL GRADE, 5	3	S	8030W SE
CFD930L	AL	5-B-21-201	12	\$0.00	COMPOUND	COMPOUND, SEALING, QA 0, COATING, 5 GAL, PAIL, CHIL-ABATE, ASBESTOS ENCAPSULANT, YELLOW	0	C	8030W SE
AEX775T	AL	5-B-21-301	3	\$0.00	CLEANER	CLEANER, SKIN, QA 0, HAND/WATERLESS, 36 OZ, BAG	0	C	7920P SE
AKY073E	AL	5-B-21-301	105	\$0.00	CLEANER	CLEANER, TYPICAL, QA 0, DETERGENT, POWDER, 16 OZ, BAG, GENERAL PURPOSE	0	C	7920P SE

BTL061N	AL	5-B-22-202	2	\$0.00	EMULSION	EMULSION, ASPHALT, QA 3, COATING CMPD, PROTECTIVE; ASPHALT EMULSION, BREATHABLE MASTIC, WEATHER	3	C	5610V SE
BXD911V	AL	5-B-22-202	2	\$0.00	COMPOUND	COMPOUND, TYPICAL, QA 3, COMPOUND, FIREPROOF COATING; ALBI CLAD 900 (AC 900 T.G.), INTUMESCENT	3	C	8030W SE
CAH038W	AL	5-B-22-202	1	\$0.00	AGENT	AGENT, CURING, QA 3, CONCRETE CURING COMPOUND, WB150 IS A CLEARSEAL WITH LOW VISCOSITY,	3	C	8030W SE
CHY721C	AL	5-B-23-201	10	\$0.00	COMPOUND	COMPOUND, TYPICAL, QA 3, FIREPROOF, PASTE, 5 GAL, BUCKET, SUBLIMING MATERIAL, TROWEL GRADE, 50-LB NET WEIGHT	3	C	9350L SE
ANX376P	AL	5-B-24-201	20	\$0.00	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, GLOSS VERMILION, 1 GL, CAN, PAINT, ENAMEL; COLOR: VERMILION, BASIC MATERIAL: SYNTHETIC, 0	3	C	5610V SE
CAM250Y	AL	5-B-24-201	5	\$0.00	CLEANER	CLEANER, TYPICAL, QA 3, CLEANING COMPOUND, SOLVENT; TOUCH-IT-UP, LIQUID, BULK, 5 GAL.	3	C	6810H SE
AKX872X	AL	5-B-24-202	8	\$0.00	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, DARK GREEN, 1 GL, CAN, PAINT, ENAMEL; COLOR: DARK GREEN, CONTAINER SIZE: 1 GALLON	0	C	5610V SE
CDF570Q	AL	5-B-24-202	2	\$0.00	PAINT	PAINT, COATING, QA 3, CHEMICAL & CORROSION RESISTANCE, 2-PART, WHITE, 5 GAL KIT, PAIL, THERMO-LAG 311, WATER BASE, TOP COA	3	B	5640H SE
BVE792G	AL	5-B-25-201	16	\$0.00	GROUT	GROUT, FILLER, QA 1, PRE-BLENDED, 55 LB, NON-SHRINK, MEETING GENERAL ENGINEERING SPEC G51 FOR ASTM C 1107	1	C	5610J SE
BVE792G	AL	5-B-25-202	15	\$0.00	GROUT	GROUT, FILLER, QA 1, PRE-BLENDED, 55 LB, NON-SHRINK, MEETING GENERAL ENGINEERING SPEC G51 FOR ASTM C 1107	1	C	5610J SE
CKM101E	AL	5-B-26-201	29	\$0.00	ABRASIVE	ABRASIVE, TYPICAL, QA 0, 16, 55 LB, ALUMINUM OXIDE, BAG, WHITE FUSED ALUMINUM OXIDE (ALPHA ALUMINA), FOR PRESSURE BLASTING	0	C	6950A SE
BVE792G	AL	5-B-27-201	12	\$0.00	GROUT	GROUT, FILLER, QA 1, PRE-BLENDED, 55 LB, NON-SHRINK, MEETING GENERAL ENGINEERING SPEC G51 FOR ASTM C 1107	1	C	5610J SE
BVE792G	AL	5-B-27-202	9	\$0.00	GROUT	GROUT, FILLER, QA 1, PRE-BLENDED, 55 LB, NON-SHRINK, MEETING GENERAL ENGINEERING SPEC G51 FOR ASTM C 1107	1	C	5610J SE
BVE792G	AL	5-B-29-201	16	\$0.00	GROUT	GROUT, FILLER, QA 1, PRE-BLENDED, 55 LB, NON-SHRINK, MEETING GENERAL ENGINEERING SPEC G51 FOR ASTM C 1107	1	C	5610J SE
AKX294C	AL	5-B-29-202	3	\$0.00	LUBRICANT	LUBRICANT, ALL PURPOSE, QA 3, 1 QT, CONTAINER, TIP DRIVE MECHANISM GEAR OIL.	3	C	9150H SE
CAN460E	AL	5-B-29-202	5	\$0.00	LUBRICANT	LUBRICANT, GREASE, QA 2, GREASE, GEAR/WIRE ROPE; CONTAINER SIZE: 35 LB, CONTAINER TYPE: PAIL,	2	C	9150H SE
AEX889B	AL	5-B-33-201	2	\$0.00	SOLVENT	SOLVENT, THINNER, QA 0, LACQUER, LIQUID, 1 GAL, CAN, OPEX, PAINT PRODUCTS; LACQUER, OPEX	0	C	5610V SE
AMX171G	AL	5-B-33-201	1	\$0.00	PAINT	PAINT, COATING, QA 0, OIL, FLAT BROWN, PAINT, ENAMEL, ALKYD; COLOR: BROWN, DESIGNATION: SEMI GLOSS,	0	C	5610V SE
BHH374H	AL	5-B-33-201	1	\$0.00	PRIMER	PRIMER, COATING, QA 0, INTERIOR/EXTERIOR, LIQUID, BROWN, 1 GAL, CAN, PRIMER, COATING; TYPE: INTERIOR/EXTERIOR; SIZE: 1 GL; FORM: 0	0	C	5610V SE
BJH594W	AL	5-B-33-201	4	\$0.00	PRIMER	PRIMER, COATING, QA 0, 1 GAL	0	C	5610V SE
CBR335G	AL	5-B-33-202	36	\$0.00	PRIMER	PRIMER, COATING, QA 3, CLEAR AMBER, , SEALER KIT, KOLOR-POXY PRIMER/SEALER,TWO COMPONENT KIT CONSISTS OF:	3	B	8030W SE
CBR335G	AL	5-B-35-201	34	\$0.00	PRIMER	PRIMER, COATING, QA 3, CLEAR AMBER, , SEALER KIT, KOLOR-POXY PRIMER/SEALER,TWO COMPONENT KIT CONSISTS OF:	3	B	8030W SE
CKH954B	AL	5-B-35-202	8	\$0.00	SOLVENT	SOLVENT, THINNER, QA 1, EPOXY, LIQUID, 5 GAL, THINNER NO 2200	1	C	5610V SE
BVL498H	AL	5-B-37-201	5	\$0.00	SEALANT//	SEALANT// SEALANT/ADHESIVE, PENETRATION, QA 3, SEALANT/ADHESIVE, PENETRATION *** FOR CONDUIT, SILICONE COMPOUND	3	B	5975B SE
CHY721C	AL	5-B-37-202	7	\$0.00	COMPOUND	COMPOUND, TYPICAL, QA 3, FIREPROOF, PASTE, 5 GAL, BUCKET, SUBLIMING MATERIAL, TROWEL GRADE, 50-LB NET WEIGHT	3	C	9350L SE
BNQ066G	AL	5-C-01-202	90	\$0.00	INSULATION	INSULATION, JACKETING, QA 3, COVER/ELBOW, ALUMINUM, 90 DEG, ***	3	C	5640H SE
CAR724B	AL	5-C-01-202	6	\$0.00	INSULATION	INSULATION, FITTING, QA 3, ELBOW, ALUMINUM, 0.024 IN, 3 IN, 2-1/2 IN, SMOOTH, 90 DEG, EPOXY MOISTURE BARRIER LINING WITH WEATH	3	C	5640H SE
CAR957K	AL	5-C-01-202	52	\$0.00	INSULATION	INSULATION, FITTING, QA 3, ELBOW, ALUMINUM, 0.024 IN, 2 IN, 1 IN, SMOOTH, 45 DEG, , EPOXY MOISTURE BARRIER LINING WITH WEATHER	3	C	5640H SE
BJJ938H	AL	5-C-01-301	200	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.25 IN LONG, WITH CARBON	3	P	5305J SE
CAR716A	AL	5-C-01-301	50	\$0.00	INSULATION	INSULATION, FITTING, QA 3, ELBOW, ALUMINUM, 0.024 IN, 2 IN, 2-1/2 IN, SMOOTH, 90 DEG, EPOXY MOISTURE BARRIER WITH WEATHER-LO	3	C	5640H SE
CFH788T	AL	5-C-01-302	1	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 3, CONTAINMENT BOOM, ASSEMBLY, *TYPICAL *** SLIDER PLATE ASSY, FOR 36" DURA BOOM, MDL	3	C	4010G SE
CKL613N	AL	5-C-02-102	1	\$0.00	SOFTWARE	SOFTWARE, COMPUTER, QA 0, COMMUNICATION EQUIPMENT/SYSTEMS, CD ROM, FOR NETSTENDER 2060, NE SOFTWARE, R4.1	0	C	5840M SE
CKV370X	AL	5-C-02-102	5	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 1557.36 NM, SMALL FORM-FACTOR PLUGGABLE (SFP) WITH LC CONNECTORS, MULTIRATE, DWDM	0	C	5840M SE
CKV373C	AL	5-C-02-102	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 1554.94 NM, SMALL FORM-FACTOR PLUGGABLE (SFP) WITH LC CONNECTORS, MULTIRATE, DWDM	0	C	5840M SE
CKV596P	AL	5-C-02-102	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 1551.72 NM, SMALL FORM-FACTOR PLUGGABLE (SFP) WITH LC CONNECTORS, MULTIRATE, DWDM	0	C	5840M SE
CKV597M	AL	5-C-02-102	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 1550.92 NM, SMALL FORM-FACTOR PLUGGABLE (SFP) WITH LC CONNECTORS, MULTIRATE, DWDM	0	C	5840M SE
CKV598K	AL	5-C-02-102	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 1550.12 NM, SMALL FORM-FACTOR PLUGGABLE (SFP) WITH LC CONNECTORS, MULTIRATE, DWDM	0	C	5840M SE
CLB286K	AL	5-C-02-102	2	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, HOUSEKEEPING ALARM, 100 FT, 37 PIN, D-SUB CONNECTOR ON ONE END AND NO CONNECTOR ON THE OTHER	0	C	5825F SE
CLF674M	AL	5-C-02-102	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, DS3 INTERFACE, 3 PORT, FOR FLASHWAVE 4100	0	C	5840M SE
CLK307X	AL	5-C-02-102	24	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 850 NM, WITH LC CONNECTORS, FOR USE WITH 1 AND 2 GB/S FIBER	0	C	5840M SE
CLL667Q	AL	5-C-02-102	15	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1540.56 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL674V	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1539.77 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL676P	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1538.98 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL678K	AL	5-C-02-102	10	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1538.19 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL679H	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1535.82 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL680C	AL	5-C-02-102	18	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1535.04 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL681Y	AL	5-C-02-102	14	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1534.25 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL682W	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1533.47 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL683T	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1532.68 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL684Q	AL	5-C-02-102	14	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1531.90 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL685N	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1531.12 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CLL686L	AL	5-C-02-102	16	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, SMALL FORM-FACTOR PLUGGABLE (SFP), 1530.33 NM, 2.5GB/S DWDM TRANSCEIVER (MULTIRATE) WITH EXT	0	C	5840M SE
CHX635A	AL	5-C-03-101	1	\$0.00	BELT	BELT, CONVEYOR, QA 0, FLAT, 42 FT 9-1/2 IN, 8 MM, HEAVY DUTY PLYLON, 2, 3 MM TOLERANCE WD,210 DEG F, FLEXCO ALLIGATOR FAS	0	C	3910K SE
CKL608G	AL	5-C-03-102	3	\$0.00	SHELF	SHELF, COMMUNICATION, QA 0, DWDM, SHELF ASSEMBLY FOR NETSTENDER 2060, INCLUDES FILLER PANELS FOR MSI, CU	0	C	5840M SE
CLD552E	AL	5-C-03-102	10	\$0.00	SHELF	SHELF, TYPICAL, QA 0, CABLE MANAGEMENT, SLACK FIBER STORAGE PANEL/TRAY, FOR 23" RACK MOUNT WITH 2.2" RECESS	0	C	5840M SE
BDA381H	AL	5-C-03-301	2	\$0.00	CAP	CAP, TUBING, QA 3, 1/2 IN, BRASS, THREADED, STANDARD MILL FINISH, SAE STRAIGHT THREADS	3	C	4730P SE
BJP686Q	AL	5-C-03-301	25	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, FOR 0.5 AND 0.75IN, 400 LB GLOBE	3	P	4710Y SE

BTY999D	AL	5-C-03-301	200	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1	C	5305J SE
BYW843Y	AL	5-C-03-301	200	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/4 IN, 1 IN, 20, HEX, CS, ASME SA449 TY 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J SE
BYY588A	AL	5-C-03-301	30	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 4 IN, 16, HEX, CS, ASME SA307 GR A, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J SE
CAF133N	AL	5-C-03-301	1	\$0.00	SCREW	SCREW, TAPPING, QA 1, SCREW, TAPPING; HEAD STYLE: FLAT COUNTERSUNK, MATERIAL: CARBON STEEL	1	C	5305J SE
CAL433G	AL	5-C-03-301	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, BLIND, 3 IN, SS, 150 LB, RAISED FACE, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED, B16.5	1	D	4730P SE
CBD686G	AL	5-C-03-301	150	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: FLAT, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J SE
CBD688C	AL	5-C-03-301	150	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL	2	C	5305J SE
CBE288P	AL	5-C-03-301	212	\$0.00	SCREW	SCREW, TAPPING, QA 2, SCREW, TAPPING; HEAD STYLE: FLAT, MATERIAL: CARBON STEEL, NOMINAL	2	C	5305J SE
CBW565F	AL	5-C-03-301	468	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: STAINLESS STEEL, NOMINAL	2	C	5305J SE
CEM656X	AL	5-C-03-301	3	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, CAPACITOR, *** FOR GE 27L6000 SERIES CAPACITORS	0		4710Y SE
CEM657V	AL	5-C-03-301	3	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, CAPACITOR, *** MOUNTING ACCESSORIES FOR 28F5000 SERIES CAPACITOR	0		4710Y SE
CEM884G	AL	5-C-03-301	4	\$0.00	BASE	BASE, MOUNTING, QA 3, COUPLING, *** VIBRATION DAMPING MOUNT, DUROMETER 50, RUBBER WITH METAL BACKING	3		4710Y SE
CFA772E	AL	5-C-03-301	23	\$0.00	UNION	UNION, TYPICAL, QA 3, UNION, *TYPICAL *** CAST COPPER ALLOY, 3/4" TUBE SOLDER X 3/4" FNPT	3		4730P SE
CFA788Y	AL	5-C-03-301	23	\$0.00	ELBOW	ELBOW, TYPICAL, QA 3, 3/4 IN, 90, *** CAST COPPER ALLOY, 3/4" TUBE SOLDER X 3/4" FNPT	3		4730P SE
CF779M	AL	5-C-03-301	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, LONG RADIUS, 3 IN, 3 IN, CHROME MOLY STEEL, BUTT WELD, BUTT WELD, 90, STANDARD MILL FINISH, B16.9, ASTM A2	3		4730P SE
CFD845X	AL	5-C-03-301	1	\$0.00	COUPLING	COUPLING, PIPE, QA 3, 2 IN, HALF, CS, 6000 LB, SOCKETWELD, ASTM A350 GR LF2, STANDARD MILL FINISH, FORGED, B16.11	3		4730P SE
CFO23T	AL	5-C-03-301	25	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, STRAIGHT, 2 IN, , MATERIAL TYPE: LOW-CARBON NICKEL, UNS N02201, MATERIAL SPECIFICATION	3		4730P SE
CFE243M	AL	5-C-03-301	40	\$0.00	REDUCER	REDUCER, TUBING, QA 3, CONCENTRIC, 3/4 IN X 1/4 IN, COPPER, SOLDER, STANDARD MILL FINISH, B16.22, *** REDUCING COUPLING	3		4730P SE
AVK947T	AL	5-C-03-302	400	\$0.00	WIRE	WIRE, WELDING, QA 1, BARE, 0.045 IN, SS, AWS A5.9/ASME SFA-5.9, 2.5 LB, ELECTRODE, WELDING; STAINLESS STEEL, BARE WIRE, 0.045	1		3439D SE
BKR656H	AL	5-C-03-302	769	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, 1/2 IN, 2-3/4 IN, 13, CS, ASME SA449 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, RIGHT HAND, BOLT, M, 1	1		5305J SE
CBH560X	AL	5-C-03-302	2	\$0.00	STARTER	STARTER, TYPICAL, QA 2, STARTER, MOTOR; CONTACTOR, NEMA SIZE 3, WITH AMBIENT COMPENSATED	2	B	61100 SE
CGM753K	AL	5-C-03-302	1	\$0.00	COLLECTO	COLLECTOR, TYPICAL, QA 3, ASSEMBLY, LOWER COLLECTOR DISK CASTING FOR MODEL 85 ION TRACK EXPLOSIVE DETECTOR	3	C	6695D SE
CJA101D	AL	5-C-03-302	7	\$0.00	TAPE	TAPE, TYPICAL, QA 2, CASCADE, SETPOINT TAPE FOR GEMAC CONTROLLER MODEL 50-540017JALH SCALE 0-20 X 10	2		6105D SE
CJM427L	AL	5-C-03-302	1	\$0.00	KIT	KIT, PARTS, QA 1, REBUILD, KIT FOR CONTROL BAY CHILLER	1		48200 SE
CKP145E	AL	5-C-03-302	389	\$0.00	CLAMP	CLAMP, HOSE, QA 3, 1 IN, FOR 1" ID HOSE, VARIABLE FREQUENCY DRIVE	3		
CKY079K	AL	5-C-03-302	1	\$0.00	O-RING	O-RING, TYPICAL, QA 0, INGERSOLL-RAND CENTAC AIR COMPRESSOR, SEAL KIT, KIT FOR AFTERCOOLER MODEL 1CV14M2, S/N M96-8965	0		5330P SE
BVA779W	AL	5-C-04-201	16	\$0.00	COUPLING	COUPLING, HOSE, QA 3, 1/4 IN, COUPLING/QUICK CONNECT, SS, FNPT, 2000 PSI	3		4730P SE
BVA780P	AL	5-C-04-201	17	\$0.00	COUPLING	COUPLING, HOSE, QA 3, 1/4 IN, HALF/QUICK DISCONNECT, SS, FNPT, NIPPLE, 316 STAINLESS, 2000 PSIG	3	C	4730P SE
CAR701Q	AL	5-C-04-201	2	\$0.00	PLUG	PLUG, TUBING, QA 1, CLASS 2, HEX, 3/4 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH	1	C	4730P SE
CAX761G	AL	5-C-04-201	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 3/4 X 1/2, SS, MALE HEX, ASME SA479 TP 316, STANDARD MILL FINISH, MNPT	1	C	4730P SE
CAY072R	AL	5-C-04-201	1	\$0.00	VALVE	VALVE, NEEDLE, QA 0, 1/4 IN, SS, MNPT, 5000 PSI, AISI 316, IN-LINE, 1/4 INCH MALE NPT INLET AND OUTLET ENDS	0	C	48200 SE
CEV233V	AL	5-C-04-201	10	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, BULK HEAD, 3/8 IN, STAINLESS STEEL, TUBE X MNPT, STANDARD MILL FINISH	3	C	4730P SE
CHR910E	AL	5-C-04-201	1	\$0.00	VALVE	VALVE, NEEDLE, QA 2, 3/8 IN, SS, COMPRESSION	2	C	48200 SE
CKN222V	AL	5-C-04-201	2	\$0.00	ADAPTER	ADAPTER, TUBING, QA 3, PIPE TO TUBE, 3/4 IN, SS, THREADED, PIPE THREAD TO SAE STRAIGHT THREAD ADAPTER W/O-RING.	3	C	4730P SE
BHR900R	AL	5-C-04-202	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, MALE, 1.0 IN, BRASS, TUBE X MNPT, ***	0	P	4730P SE
BVV402N	AL	5-C-04-202	23	\$0.00	PLUG	PLUG, PIPE, QA 1, CLASS 2, 1/2 IN, HEX, MNPT, SS, ASME SA479 TP316, STANDARD MILL FINISH	1	C	4730P SE
BYV431V	AL	5-C-04-202	21	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 3, QUICK CONNECT, 3/8 IN, FNPT, BODY MATERIAL: AISI TYPE 316	3	C	5935B SE
BYV433P	AL	5-C-04-202	4	\$0.00	ELBOW	ELBOW, PIPE, QA 1, 3/8 IN, 3/8 IN, SS, MNPT, MNPT, 90, B1.20.1, , B31.1	1		4730P SE
CAG576E	AL	5-C-04-202	1	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, SURF TREATMENT: STANDARD MILL FINISH, STYLE: W/CTI	1	C	4730P SE
CAR698H	AL	5-C-04-202	15	\$0.00	PLUG	PLUG, TUBING, QA 1, CLASS 2, HEX, 1/2 IN, SS, ASME SA479 GR 316, STANDARD MILL FINISH	1	C	4730P SE
CAT116X	AL	5-C-04-202	10	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, STRAIGHT, 1/2 IN, SS, COMPRESSION, ASME SA479 TP 316, W/CTR WRENCH FAC, STANDARD MILL FINISH,	1	C	4730P SE
CEV233V	AL	5-C-04-202	4	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, BULK HEAD, 3/8 IN, STAINLESS STEEL, TUBE X MNPT, STANDARD MILL FINISH	3	C	4730P SE
CEV800Y	AL	5-C-04-202	5	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, 1/2 IN, CARBON STEEL, SWIVEL NUT END / MALE PIPE END	3	C	4730P SE
CHT813V	AL	5-C-04-202	3	\$0.00	VALVE	VALVE, CONTROL, QA 2, 1/2 IN, SS, COMPRESSION, STEM TYPE: NEEDLE, "T" BAR HANDLE	2	C	48200 SE
CJP852T	AL	5-C-04-202	6	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, BULK HEAD, SS, COMPRESSION X MNPT, STANDARD MILL FINISH, SIZE: 3/8 IN COMPRESSION X 3/8 IN MNPT.	3	C	4730P SE
BNQ067E	AL	5-C-05-201	75	\$0.00	INSULATION	INSULATION, JACKETING, QA 3, INSULATION COVER, ELBOW; JACKETING, ALUMINUM, 90 DEGREE ELBOW, #7 ***	3	C	5640H SE
CAR977D	AL	5-C-05-201	30	\$0.00	INSULATION	INSULATION, FITTING, QA 3, ELBOW, ALUMINUM, 0.024 IN, 8 IN, 2-1/2 IN, SMOOTH, 45 DEG, EPOXY MOISTURE BARRIER LINING WITH WEATH	3	C	5640H SE
CKJ824K	AL	5-C-05-202	5	\$0.00	INSULATION	INSULATION, FITTING, QA 3, TOP HAT, 26 IN, METAL REFLECTIVE ACCELEROMETER COVER.	3	C	4730P SE
ADC327L	AL	5-C-05-301	133	\$0.00	CONNECTO	CONNECTOR, HOSE, QA 0, 1/4 IN, BRASS, BARBED	0		4730P SE
AUG741N	AL	5-C-05-301	1	\$0.00	HOSE	HOSE, FLEXIBLE/METAL, QA 0, ASSEMBLY, 3 IN, 18 IN, T304 STAINLESS STEEL, 150 LB, FLANGE, HOSE ASSY, METALLIC; METAL, FLEXIBLE, 0	0		47200 SE
AMT776W	AL	5-C-05-301	56	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, STANDARD, S-6, DOUBLE CONTACT BAYONET CANDELABRA, 10, 250, LAMP, INCANDESCENT; VOLTAGE: 250 0	0	C	6210P SE
ANP115K	AL	5-C-05-301	5	\$0.00	LUG	LUG, COMPRESSION, QA 0, RING TONGUE, #22-#16 AWG, #4, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SIZE 0	0		5940I SE
ARF282N	AL	5-C-05-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, LAP JOINT, 1 IN, CARBON STEEL, 1500 LB, FLANGE, PIPE; STYLE: LAP JOINT, NOMINAL SIZE: 01.000 IN ( 1 ) MATERIAL: 0	0		4730P SE
ARQ515B	AL	5-C-05-301	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, ET-5, 140 DC, 3300, GREEN, LIGHT, INDICATOR; GREEN LENS, TYPE ET-5, 3300 OHM, 140 VDC, RESI 0	0		6210P SE
ATQ727M	AL	5-C-05-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1-1/4 IN, CS, 150 LB, FLAT, ASTM A181, BLACK, B16.5	0		4730P SE
BBF762P	AL	5-C-05-301	18	\$0.00	NUT	NUT, TUBING, QA 3, INVERTED NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID	3		4730P SE
BBT207W	AL	5-C-05-301	12	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 1/2 IN, 1 1/2 IN, PVC, SOCKET, SOCKET, 90, STANDARD MILL FINISH, 80, ELBOW, PIPE; STYLE: 9 0	0		4730P SE

BBT214Y	AL	5-C-05-301	10	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STREET, 1 1/2 IN, 1 1/2 IN, PVC, SOCKET, SOCKET, 45, STANDARD MILL FINISH, 80, ELBOW, PIPE; STYLE: 45 DEG STRE 0	4730P SE
BBT397V	AL	5-C-05-301	16	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 1 IN, PVC, 80, FLAT, STANDARD MILL FINISH, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 01.01 0	4730P SE
BDH305Y	AL	5-C-05-301	76	\$0.00	FERRULE	FERRULE, TYPICAL, QA 0, 0.470 IN, TUBE, BRASS, ***	0
BDN642H	AL	5-C-05-301	11	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 10 IN, 10 IN, 1 IN, FILTER ELEMENT, AIR CONDITIONER; PRE-FILTER, 1 THK X 10 WD X 10 IN LG 0	4520N SE
BFA332J	AL	5-C-05-301	31	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 18, BRASS, UNF, NUT, PLAIN, HEXAGON, ; LEFT HAND, BRASS, WELDING, 0.625-18 THD UNF, B 0	3439D SE
BHF995T	AL	5-C-05-301	6	\$0.00	MOP	MOP, TYPICAL, QA 0, MOP, DUSTING; SIZE: 04.000000 ( 4) ***	0
BKG049C	AL	5-C-05-301	3	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING HALF, QUICK DISCONNECT; END STYLE PUSH-PULL INTERNAL HALF	3
BKG052P	AL	5-C-05-301	4	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING HALF, QUICK DISCONNECT; END STYLE PUSH-PULL INTERNAL HALF	3
BKG053M	AL	5-C-05-301	5	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING HALF, QUICK DISCONNECT; END STYLE PUSH-PULL INTERNAL HALF	3 C
BLD713P	AL	5-C-05-301	24	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, PREFORMED, O-, ; 0.859 ID X 0.139 IN WALL, FOR SCBA KITS ***	0
BLF421T	AL	5-C-05-301	37	\$0.00	NOZZLE	NOZZLE, MECHANICAL, QA 3, SPRAY, 1 IN, FNPT, 0.39 IN, NOZZLE, ; CAST TYPE, FEMALE CONNECTION, .390 IN ORIFICE, SQUARE SPRAY, 3	4210N SE
BLL972T	AL	5-C-05-301	77	\$0.00	FERRULE	FERRULE, TYPICAL, QA 0, 0.527 IN, TUBE, BRASS, ***	0
BLL975L	AL	5-C-05-301	88	\$0.00	FERRULE	FERRULE, TYPICAL, QA 0, 3/4 IN, TUBE, BRASS, ***	0 C
BQJ720K	AL	5-C-05-301	3	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 1/2 IN, 3 IN, SS, HEX LONG, ASME SA479 TP 316, NIPPLE, PIPE; STYLE: MALE HEX LONG, MATERIAL: STAINLES 1	4730P SE
BTJ187K	AL	5-C-05-301	2	\$0.00	LEAD	LEAD, TEST, QA 0, LEAD, TEST; PATCH CORD, RETRACTABLE SHEATH STACKING BANANA PLUG, EACH	0
CLD783T	AL	5-C-05-301	2	\$0.00	AGENT	AGENT, ACTIVATING, QA 3, CIAGENT, FOR 27 IN CHEMICAL VALVE	3 B
BY872D	AL	5-C-06-201	40	\$0.00	ADAPTER	ADAPTER, TUBING, QA 1, CLASS 2, PIPE TO TUBE, 1/4 IN X 3/8 IN, SS, MNPT X COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH 1	C 4730P SE
CAF880V	AL	5-C-06-201	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, TUBE TO PIPE, 1/4 IN, SS, TUBE X MNPT, ASME SA479 TP316, STANDARD MILL FINISH	1 C
CAK178B	AL	5-C-06-201	16	\$0.00	TEE	TEE, TUBING, QA 1, CLASS 2, UNION, 3/8 IN, SS, COMPRESSION, ASME SA182 GR F316, , STANDARD MILL FINISH	1 C
CAN592H	AL	5-C-06-201	7	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, MALE, 3/8 IN X 1/2 IN, SS, COMPRESSION X MNPT, ASME SA479 TP316, STANDARD MILL FINISH	1 C
CBC229J	AL	5-C-06-201	22	\$0.00	PLUG	PLUG, TUBING, QA 1, CLASS 2, 1/4 IN, SS, INTERNAL THREADS, ASME SA479 GR 316, STANDARD MILL FINISH	1 C
CBC232X	AL	5-C-06-201	26	\$0.00	PLUG	PLUG, TUBING, QA 1, CLASS 2, 1/2 IN, SS, INTERNAL SAE THREADS, ASME SA479 TP 316, STANDARD MILL FINISH	1 C
CBC514K	AL	5-C-06-201	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 1/4 IN X 3/8 IN, MALE, SS, MNPT X COMPRESSION, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1 C
CBD010D	AL	5-C-06-201	2	\$0.00	TEE	TEE, TUBING, QA 1, CLASS 2, 1/2 IN, SS, COMPRESSION, ASME SA182 GR F316, STANDARD MILL FINISH	1 C
CBD241P	AL	5-C-06-201	2	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, REDUCING, 3/8 IN X 1/4 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC 1	C 4730P SE
CBD243K	AL	5-C-06-201	5	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, STRAIGHT, 3/4 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC 1	C 4730P SE
CBD402T	AL	5-C-06-201	8	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 1/4 IN X 3/8 IN, FEMALE, SS, FNPT X COMPRESSION, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1 C
CBD541B	AL	5-C-06-201	3	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 3/8 IN, UNION, SS, COMPRESSION, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1 C
CBF707R	AL	5-C-06-201	7	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, BULKHEAD, 3/8 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC 1	C 4730P SE
BAC256W	AL	5-C-06-202	4	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, SS, COMPRESSION, 5000 PSI, AISI 316, T, HANDWHEEL	0 C
BCD313R	AL	5-C-06-202	70	\$0.00	PLUG	PLUG, HOSE, QA 3, PLUG, QUICK DISCONNECT; BODY PROTECTOR, STAINLESS STEEL TYPE 316	3 P
CBD245F	AL	5-C-06-202	10	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, STRAIGHT, 1 IN, SS, COMPRESSION, ASME SA479 TP 316, STANDARD MILL FINISH, W/CTR WRENCH FAC 1	C 4730P SE
CBD290M	AL	5-C-06-202	2	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, FEMALE, 3/8 IN X 1/2 IN, SS, COMPRESSION X FNPT, ASME SA479 TP316, STANDARD MILL FINISH	1 C
CFM164D	AL	5-C-06-202	179	\$0.00	SNUBBER	SNUBBER, PRESSURE, QA 3, FLUID, 1/4 IN X 3/8 IN, BRASS, MNPT X TUBE, *** WATER SERVICE	3 C
CFM170X	AL	5-C-06-202	19	\$0.00	SNUBBER	SNUBBER, PRESSURE, QA 3, FLUID, 1/4 IN X 3/8 IN, BRASS, MNPT X TUBE, *** AIR SERVICE	3 C
CFY271X	AL	5-C-06-202	15	\$0.00	TEE	TEE, TUBING, QA 3, UNION, 1 IN, SS, COMPRESSION	3 C
CHT797Y	AL	5-C-06-202	86	\$0.00	PLUG	PLUG, PIPE, QA 1, CLASS 2, 1/4 IN, SS, GR TP316	1 C
CJF063N	AL	5-C-06-202	18	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 1/4 IN, SS, MALE NPT.	1 C
CLL749N	AL	5-C-06-202	1	\$0.00	VALVE	VALVE, NEEDLE, QA 2, 1/2 IN, SS, FNPT, BODY MATERIAL: 316 SS/A479; GRAFOIL PACKING	2 C
AMG835T	AL	5-C-06-302	1	\$0.00	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, 1-1/2 IN, CS, RANDOM, 40, PLAIN, ASME SA106 GR B, STANDARD MILL FINISH, B36.10M	1 D
BQV977K	AL	5-C-06-302	6	\$0.00	NUT	NUT, EYE, QA 1, WELDLESS, CS, 1 IN, 8, BLACK, RH	1 C
CEE242X	AL	5-C-06-302	1	\$0.00	NUT	NUT, TYPICAL, QA 3, PIPE HANGER, 5/8 IN, RIGHT HAND, WELDLESS EYE NUT, MATERIAL: FORGED STEEL, FINISH: BLACK	3 C
CGY626C	AL	5-C-06-302	4	\$0.00	TURNBUCKI	TURNBUCKLE, TYPICAL, QA 3, PIPE HANGER, 3/8 IN, CS, FORGED, BLACK FINISH	3 C
CHH879B	AL	5-C-06-302	6	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/4 IN, CIRCULAR, ASTM F436 TYPE 1, B18.22.1	3 C
CHJ036G	AL	5-C-06-302	1	\$0.00	TURNBUCKI	TURNBUCKLE, TYPICAL, QA 1, FOR 1 INCH ROD, FORGED STEEL, GALVANIZED, FIGURE 132	1 C
CJM815B	AL	5-C-06-302	2	\$0.00	CLAMP	CLAMP, PIPE, QA 1, HEAVY DUTY, 3/4 IN, CS, BOLTED, STANDARD MILL FINISH	1 C
BNN185V	AL	5-C-06-302	1	\$0.00	CLAMP	CLAMP, PIPE, QA 1, ANCHOR/REINFORCEMENT, 2-1/2 IN, CS, BOLTED, STANDARD MILL FINISH	1 C
BPJ168A	AL	5-C-06-302	3	\$0.00	CLAMP	CLAMP, PIPE, QA 1, ANCHOR/REINFORCEMENT, 2 IN, CS, BOLTED, STANDARD MILL FINISH	1 C
CED707H	AL	5-C-06-302	1	\$0.00	CLAMP	CLAMP, PIPE, QA 1, HANGER, 3 IN, CS, 3 BOLT, BLACK, , MAX LOAD 1500 LBS	1 C
CHA069A	AL	5-C-06-302	42	\$0.00	WASHER	WASHER, BEVEL, QA 3, 5/8 IN, CS, ASTM F436, SQUARE, 1:6 DEGREE, PLAIN, , 1-3/4 IN. X 1-3/4 IN. NOMINAL	3 C
CLB393J	AL	5-C-06-302	1	\$0.00	BRACKET	BRACKET, MOUNTING, QA 3, CIRCUIT BREAKER, Y RELAY, FABRICATE AND PROVIDE BRACKET FOR AK BREAKER WITH SURE TRIP DEVICE.	3 C
AMG530W	AL	5-C-06-302	1	\$0.00	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, 1 IN, CS, RANDOM, 80, PLAIN, ASME SA106 GR B, STANDARD MILL FINISH, B36.10M	1 C
BNM942J	AL	5-C-06-302	10	\$0.00	BOLT	BOLT, HEX, QA 1, 1 IN, 4-1/2 IN, 8, UNC, BOLT, MACHINE; HEX HEAD, 1 IN-8 X 4-1/2 IN	1 C
BWY126X	AL	5-C-06-302	20	\$0.00	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, 1/2 IN, CS, STANDARD MILL FINISH, B18.21.1	3 C
CHV997H	AL	5-C-06-302	1	\$0.00	PIPE	PIPE, SEAMLESS, QA 1, CLASS 2, 1/2 IN, SS, RANDOM, 40S, PLAIN, ASME SA312 TP 316, STANDARD MILL FINISH, B36.19M	1 C
BQH015R	AL	5-C-06-302	203	\$0.00	CLAMP	CLAMP, PIPE, QA 1, 1 IN, CS, 14 GA., , UNISTRUT, ELECTROGALVANIZED	1 C
BQL691A	AL	5-C-06-302	24	\$0.00	CLAMP	CLAMP, PIPE, QA 3, CLAMP, PIPE ANCHOR&REINFORC; T-BOLT BAND FABRICATED FROM 5/8" WIDE	3 C



BTN709V	AL	5-C-06-302	94	\$0.00	NUT	NUT, TYPICAL, QA 1, 1/4 IN, 20, CS, UNC, , W/SPRING, CASE HARDENED, ELECTROGALVANIZED,	1	C	5975B SE
BYK020W	AL	5-C-06-302	97	\$0.00	FITTING	FITTING, CHANNEL, QA 1, PIPE/TUBE CLAMP, CS, 1, ELECTROGALVANIZED, 1/2 IN	1	C	5975B SE
BYQ574L	AL	5-C-06-302	20	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1/2 IN, 13, CS, ASME SA194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
CAQ707H	AL	5-C-06-302	22	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT, 1/2 IN X 5-1/2 IN, CS, ZINC PLATED, THREAD LENGTH 1.25 IN, W/NUT AND WASHER, TEST 1	1	C	4710Y SE
CAQ708F	AL	5-C-06-302	21	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT, 5/8 IN X 6 IN, CS, ZINC PLATED, THREAD LENGTH: 1.50 IN, W/NUT AND WASHER, TEST 1	1	C	4710Y SE
CAQ716F	AL	5-C-06-302	11	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT II, 5/8 IN X 8-1/2 IN, ZINC PLATED CS, W/NUT AND WASHER, THREAD LENGTH: 3.50 IN	1	C	4710Y SE
CFV953J	AL	5-C-06-302	96	\$0.00	FITTING	FITTING, CHANNEL, QA 0, PIPE/TUBE CLAMP (STRAP), 1/4 IN, CS	0	C	4710Y SE
CHF355Q	AL	5-C-06-302	1	\$0.00	ATTACHME	ATTACHMENT, BEAM, QA 1, WELDED, BLACK, , CS, RESTRAINT END ATTACHMENT	1	C	4710Y SE
CJW634B	AL	5-C-06-302	14	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT II, 3/4 IN, ZINC PLATED CS, 10 IN, W/NUT AND WASHER, THREAD LENGTH: 4-1/2 IN, TEST 1	1	C	4710Y SE
CKA022Q	AL	5-C-06-302	2	\$0.00	ROD	ROD, PIPE SUPPORT, QA 3, HANGER, 1/2 IN, 24 IN (2 FT), CS, BLACK, RIGHT/LEFT HAND	3	C	4710Y SE
CKE626C	AL	5-C-06-302	1	\$0.00	KIT	KIT, MOUNTING, QA 0, POSITIONER, FOR MOUNTING POSITIONER TO A 667 SIZE 50 ACTUATOR WITHOUT A SIDE MOUNT	0	C	48200 SE
CKH550F	AL	5-C-06-302	6	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, DROP-IN, ZINC PLATED CS, 0.50 IN. (1/2"), HDI SERIES, INTERNALLY THREADED, FLUSH MOUNTED	1	C	4710Y SE
BJW140P	AL	5-C-06-302	25	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/2 IN, CS, CIRCULAR, ASTM F436, 1, HARDENED, SUPPLEMENTARY REQUIREMENT S1 APPLIES	3	C	5305J SE
CAA863A	AL	5-C-06-302	38	\$0.00	NUT	NUT, HEX, QA 1, 1/2 IN, CS, ELECTRO-GALVANIZED	1	C	5975B SE
ARE709J	AL	5-C-06-302	30	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, CS, ASME SA194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BLP216J	AL	5-C-06-302	12	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/4 IN, 3 IN, 10, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A	1	C	5305J SE
BTN709V	AL	5-C-06-302	76	\$0.00	NUT	NUT, TYPICAL, QA 1, 1/4 IN, 20, CS, UNC, , W/SPRING, CASE HARDENED, ELECTROGALVANIZED,	1	C	5975B SE
BYL877N	AL	5-C-06-302	100	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/2 IN, 1 IN, 13, HEAVY HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYM781Y	AL	5-C-06-302	24	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/8 IN, 2-1/2 IN, 11, HEAVY HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BYM786L	AL	5-C-06-302	10	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 5/8 IN, 2-3/4 IN, 11, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
CAQ707H	AL	5-C-06-302	35	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT, 1/2 IN X 5-1/2 IN, CS, ZINC PLATED, THREAD LENGTH 1.25 IN, W/NUT AND WASHER, TEST 1	1	C	4710Y SE
CAQ712P	AL	5-C-06-302	12	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, KWIK BOLT, 3/4 IN X 8 IN, CS, ZINC PLATED, THREAD LENGTH: 1.5 IN, W/NUT AND WASHER, TEST 1	1	C	4710Y SE
CDH180V	AL	5-C-06-302	52	\$0.00	NUT	NUT, HEX, QA 1, HEAVY, 5/8 IN, 11, CS, ASTM A194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
CEE920N	AL	5-C-06-302	35	\$0.00	BOLT	BOLT, TYPICAL, QA 3, BOLT, TUBETRACK; ZINC PLATED STEEL	3	C	4710Y SE
BDP323W	AL	5-C-06-302	7	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 3/4 IN, 10, CS, ASME SA194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BLF090R	AL	5-C-06-302	49	\$0.00	WASHER	WASHER, FLAT, QA 3, 7/8 IN, ASTM F436 TYPE 1, HARDENED	3	C	5305J SE
BYF075C	AL	5-C-06-302	60	\$0.00	BOLT	BOLT, TYPICAL, QA 3, 1/2 IN, 1 IN, 13, TRUSS, TUBETRACK, STEEL/ZINC PLATED	3	C	4710Y SE
BYL940M	AL	5-C-06-302	9	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/2 IN, 1-1/2 IN, 13, HEAVY HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
CAA440J	AL	5-C-06-302	41	\$0.00	SCREW	SCREW, MACHINE, QA 1, 1/4 IN, 1 IN, HEX HEAD, CS, ELECTROGALVANIZED, SLOTTED, UNISTRUT	1	C	5305J SE
CAA447Q	AL	5-C-06-302	20	\$0.00	SCREW	SCREW, MACHINE, QA 1, 1/4 IN, 3/4 IN, HEX HEAD, CARBON STEEL, ELECTROGALVANIZED, SLOTTED, UNISTRUT	1	C	5305J SE
CAA557H	AL	5-C-06-302	100	\$0.00	SCREW	SCREW, MACHINE, QA 1, 1/4 IN, 1-1/4 IN, HEX HEAD, CS, ELECTROGALVANIZED, SLOTTED, UNISTRUT	1	C	5305J SE
CAA565J	AL	5-C-06-302	40	\$0.00	SCREW	SCREW, MACHINE, QA 1, 3/8 IN, 1-1/4 IN, CS, ELECTROGALVANIZED, HEX SLOTTED UNISTRUT SCREW	1	C	5305J SE
CAA808K	AL	5-C-06-302	26	\$0.00	SCREW	SCREW, CAP, QA 1, 1/2 IN, 1-1/2 IN, HEX, CS, ELECTROGALVANIZED, UNISTRUT	1	C	5305J SE
CAK747X	AL	5-C-06-302	40	\$0.00	WASHER	WASHER, FLAT, QA 0, 3/4 IN, CS, ROUND, ASTM F436, STANDARD MILL FINISH, HARDENED	0	C	5305J SE
CBC177B	AL	5-C-06-302	3	\$0.00	CAP	CAP, TUBING, QA 1, CLASS 2, 1/2 IN, SS, COMPRESSION, ASME SA479 TP316, STANDARD MILL FINISH	1	C	4730P SE
CB2229J	AL	5-C-06-302	2	\$0.00	PLUG	PLUG, TUBING, QA 1, CLASS 2, 1/4 IN, SS, INTERNAL THREADS, ASME SA479 GR 316, STANDARD MILL FINISH	1	C	4730P SE
CDH180V	AL	5-C-06-302	24	\$0.00	NUT	NUT, HEX, QA 1, HEAVY, 5/8 IN, 11, CS, ASTM A194 GR 2H, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
CHG384C	AL	5-C-07-201	15	\$0.00	MESH	MESH, TYPICAL, QA 3, SS, , WIRE, 60 X 60 MESH, WIRE DIAMETER 0.0075 INCH, 304SS, PLAIN WEAVE,	3	C	4730P SE
CHG384C	AL	5-C-07-202	15	\$0.00	MESH	MESH, TYPICAL, QA 3, SS, , WIRE, 60 X 60 MESH, WIRE DIAMETER 0.0075 INCH, 304SS, PLAIN WEAVE,	3	C	4730P SE
BCT946E	AC	5-C-07-302	28	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, CS, PUSH-PULL X BARBED, STANDARD MILL FINISH	0	C	4730P SE
AAX097W	AL	5-C-07-302	1	\$0.00	TUBING	TUBING, INSTRUMENT, QA 0, 8 IN OD, 500 FT, 0.004 IN, POLYETHYLENE, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE, SIZE ID: 08.00	0	C	47200 SE
ADR760E	AL	5-C-07-302	30	\$0.00	BODY	BODY, CONDUIT, QA 0, LR, 1-1/2 IN, CAST ALUMINUM, **	0	P	5975B SE
BAH836G	AL	5-C-07-302	30	\$0.00	CAP	CAP, PIPE, QA 0, 3 IN, THREADED, ALUMINUM, CAP, FILLER OPENING; ALUMINUM, THREADED, 3.00 IN DIA, WITH RED	0	P	4710Y SE
BJE807N	AL	5-C-07-302	80	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEX HEAD, 1.375 OD X 3.5 IN LG, FOR CENTRIFUGAL PUMP	3	P	4320U SE
BK749D	AL	5-C-07-302	700	\$0.00	SCREW	SCREW, CAP, QA 3, 5/16 IN, 1/2 IN, 18, HEX, BRASS, UNC, B18.2.1	3	C	5305J SE
BLE175L	AL	5-C-07-302	47	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN, HEXAGON, ; PLAIN, HEAVY HEX, 1-1/8", ASTMA563 GR D, 8	1	C	5305J SE
CBW313B	AL	5-C-07-302	50	\$0.00	TUBING	TUBING, TYPICAL, QA 3, TUBE, COPPER; OUTSIDE DIAMETER: 00.5000 IN ( 1/2), WALL THICKNESS:	3	C	4710Z SE
CFA260M	AL	5-C-07-302	3	\$0.00	TEE	TEE, TUBING, QA 3, STRAIGHT, 2 IN, COPPER, SOLDER JOINT, STANDARD MILL FINISH, B16.22, *** USED WITH SILVER BRAZING, C X C X C, V 3	3	C	4730P SE
BLY295P	AL	5-C-08-201	13	\$0.00	BOLT	BOLT, HEX, QA 2, 1/2 IN, 1-1/2 IN, CS, ASTM A307, UNC, HEX	2	P	5305J SE
BLY296M	AL	5-C-08-201	1	\$0.00	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; ROUND, CADMIUM, 0.375 IN ***	2	C	5305J SE
BLY619P	AL	5-C-08-201	1	\$0.00	BOLT	BOLT, HEX, QA 2, BOLT, MACHINE; CARBON STEEL ASTM A307, HEX HEAD, 0.25 X 1.5 IN LG, UNC	2	P	5305J SE
BLY736K	AL	5-C-08-201	5	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1-1/2 IN, 1-1/2 IN, CS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, ASME SA105	0	C	4730P SE
BLY737H	AL	5-C-08-201	5	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, CARBON STEEL, ASME SA105, ***	0	P	4730P SE
BLY739D	AL	5-C-08-201	4	\$0.00	REDUCER	REDUCER, TYPICAL, QA 0, REDUCER, INSERT; 1 ST END NOM SIZE: 02.000 IN ( 2 ) 2 ND END NOM SIZE:	0	C	4730P SE
BLY742Q	AL	5-C-08-201	5	\$0.00	CAP	CAP, PIPE, QA 0, 2.0 IN, 3000 LB, ASME SA105, ***	0	C	4730P SE
BLY745J	AL	5-C-08-201	14	\$0.00	INSERT	INSERT, PIPE, QA 0, 1.0 IN X 3/4 IN, CS, 3000 LB, ASME SA105, ***	0	C	4730P SE
BLY821W	AL	5-C-08-201	10	\$0.00	FLANGE	FLANGE, PIPE, QA 0, BLIND, 3 IN, SS, 300 LB, RAISED FACE, AISI 304, B16.5, SPECTABLE-300 LSS, SERRATED 304 SS	0	C	4730P SE

BMA369M	AL	5-C-08-201	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 4 IN, CS, 300 LB, 80, RAISED FACE	0	C	4730P SE
BPB355F	AL	5-C-08-201	1	\$0.00	SPOOLPIECI	SPOOLPIECE, PIPE, QA 0, ASSY, TAG# MK-D35.	0	C	4730P SE
AYE549E	AL	5-C-08-202	3252	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, ALLOY STEEL, ASME SA194 GR 7, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BBA085Q	AL	5-C-08-202	3	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, BOX CONNECTOR, ELECTRICAL; COND TYPE ACCOM FIRST END FLEXIBLE	3	P	5975B SE
BGD949J	AL	5-C-08-202	2069	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN, HEXAGON, ; CARBON STEEL, ASTM A563, GR A, 0.75-10 UNC, ANSI	1	P	5305J SE
BLT588W	AL	5-C-08-202	63	\$0.00	NUT	NUT, HEX, QA 2, HEAVY, 1-1/4 IN, 8, SS, ASME SA194 GR 6, 8-UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BTF899Y	AL	5-C-08-202	529	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/2 IN, 6, ALLOY STEEL, ASME SA194 GR 7, UNC, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BLY290D	AL	5-C-08-202	100	\$0.00	NUT	NUT, HEX, QA 2, STANDARD, 3/8 IN, CS, ASTM A307, PLAIN	2	P	5305J SE
BLY294R	AL	5-C-08-202	50	\$0.00	BOLT	BOLT, HEX, QA 2, BOLT, MACHINE; CARBON STEEL ASTM A307, HEX HEAD, 1/2" X 1" LG, UNC THD	2	C	5305J SE
BLY296M	AL	5-C-08-202	100	\$0.00	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; ROUND, CADMIUM, 0.375 IN ***	2	C	5305J SE
BLY297K	AL	5-C-08-202	101	\$0.00	WASHER	WASHER, FLAT, QA 2, 1/2 IN, ROUND, CADMIUM PLATED	2	P	5305J SE
BLY741T	AL	5-C-08-202	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 2 IN, 2 IN, CARBON STEEL, 3000 LB, SOCKETWELD, SOCKETWELD, 90, ASME SA105, ***	0	C	4730P SE
BNG822N	AL	5-C-08-202	11	\$0.00	SCREW	SCREW, TYPICAL, QA 0, PAN	0	C	4470C SE
BNG823L	AL	5-C-08-202	10	\$0.00	SCREW	SCREW, CAP, QA 0, (269A077-003), (C6816)	0	C	4470C SE
BNJ195D	AL	5-C-08-202	258	\$0.00	WASHER	WASHER, FLAT, QA 0, 5/16 IN, CADMIUM PLATED	0	C	5305J SE
BNJ200V	AL	5-C-08-202	1066	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, WAT-902, WAT-CNWDP	0	C	5305J SE
BNJ337K	AL	5-C-08-202	1	\$0.00	RING	RING, BACKING, QA 0, WELDING, WELDING, PIPE JOINT; WELD RING (3), 460B943-004, TG00187.	0	C	4730P SE
BNK902A	AL	5-C-08-202	1	\$0.00	BOX	BOX, ELECTRICAL, QA 0, CONDUIT, TG00957.	0	C	2825G SE
BNK919P	AL	5-C-08-202	2	\$0.00	WASHER	WASHER, TYPICAL, QA 0, TG00951	0	C	5305J SE
BNK929L	AL	5-C-08-202	18	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 3-1/4 IN, 10, UNC, TG00994.	0	C	4470C SE
BNK930F	AL	5-C-08-202	2	\$0.00	ELBOW	ELBOW, TYPICAL, QA 0, 1/2 IN, 90, TG00992.	0	C	4470C SE
BNK935R	AL	5-C-08-202	13	\$0.00	COVER	COVER, BODY, QA 0, OUTLET, CONDUIT, TG-00982.	0	C	5975B SE
BNK936P	AL	5-C-08-202	1	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN, 20, TG-00985.	0	C	4470C SE
BNK946L	AL	5-C-08-202	3	\$0.00	FLANGE	FLANGE, TYPICAL, QA 0, 1/2 IN, BLIND, TG00976.	0	C	4470C SE
BNK954M	AL	5-C-08-202	4	\$0.00	WASHER	WASHER, TYPICAL, QA 0, TG00821	0	C	5305J SE
BNL044F	AL	5-C-08-202	4	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 2-3/4 IN, 10, UNC	0	C	5305J SE
BNL137H	AL	5-C-08-202	633	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN, NO 1213E85, WBT-902, WBT-CNHDM	0	C	4470C SE
BNL138F	AL	5-C-08-202	253	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 1 IN, 20, NO 1213E85	0	C	4470C SE
BNL144L	AL	5-C-08-202	18	\$0.00	STRAP	STRAP, PIPE, QA 0, CL50M NO 3703-1-47, 546C2H197835, WBT-902, WBT-CNHAD	0	C	4470C SE
BNL299N	AL	5-C-08-202	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 2-1/2 IN	0	C	4730P SE
BNL313P	AL	5-C-08-202	8	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 1-3/4 IN, 627C232-014	0	C	5925B SE
BNT566T	AL	5-C-08-202	6	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 460B196.	0	C	5305J SE
BNT579H	AL	5-C-08-202	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 397A528-037.	0	C	4470C SE
BNT581Y	AL	5-C-08-202	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 397A386-061	0	C	4470C SE
BNT583T	AL	5-C-08-202	1	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, 398A728-001	0	C	4470C SE
BNT660E	AL	5-C-08-202	1	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, NO 30H0745-001	0	C	4470C SE
BNT666N	AL	5-C-08-202	4	\$0.00	CAP	CAP, PROTECTIVE, QA 0, DUST, DUST, NO 14H0247-005	0	C	48200 SE
BNT667L	AL	5-C-08-202	427	\$0.00	HOLDER	HOLDER, TOOL, QA 0, TWO PIECE BRACKET, SOLDERING IRON HOLDER, 9800, FOR MICRO SIZE IRONS	0	C	3439D SE
BNT679D	AL	5-C-08-202	50	\$0.00	RELAY	RELAY, TYPICAL, QA 0, ELECTRONIC, MOTOR, GE MULTILIN, FOR US IDF MOTOR MANAGEMENT--SR469	0	C	5945D SE
BNT696D	AL	5-C-08-202	6	\$0.00	PLUG	PLUG, TYPICAL, QA 0, NO 270A365-005	0	C	4470C SE
BPA988C	AL	5-C-08-202	1	\$0.00	RESTRICTO	RESTRICTOR, TYPICAL, QA 0, ORIFICE PLATE, TAG# S-1-15-46	0	C	4730P SE
BPB361L	AL	5-C-08-202	1	\$0.00	PLATE	PLATE, ORIFICE, QA 0, PLATE, ; ORIFICE PLATE, TAG# 5-1-15-53. ***	0	C	5975B SE
BPB363G	AL	5-C-08-202	1	\$0.00	PLATE	PLATE, ORIFICE, QA 0, PLATE, ; ORIFICE PLATE, TAG# 5-1-15-47. ***	0	C	5975B SE
BPD105X	AL	5-C-08-202	16	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 3 IN, 10, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C	5305J SE
BPD106V	AL	5-C-08-202	17	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN	0	C	5305J SE
BPD134M	AL	5-C-08-202	15	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 2 IN, 1/16 IN, RUBBER, GASKET, SINGLE; 2 IN RING GASKET, 0.0625 IN THICK BLACK RUBBER, L-438	0	C	5730H SE
BPD135K	AL	5-C-08-202	13	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 3 IN, 1/16 IN, RUBBER, GASKET, SINGLE; 3 IN RING GASKETS, 0.0625 IN THICK BLACK RUBBER, L-438	0	C	5730H SE
BPD136H	AL	5-C-08-202	8	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 1 IN, 1/16 IN, RUBBER, GASKET, SINGLE; 1 IN RING GASKETS, 0.0625 IN THICK BLACK RUBBER, L-438	0	C	5730H SE
BPD137F	AL	5-C-08-202	40	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 4 IN, 1/16 IN, RUBBER, GASKET, SINGLE; 4 IN RING GASKETS, 0.0625 IN THICK BLACK RUBBER, L-438	0	C	5730H SE
BPD138D	AL	5-C-08-202	8	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 3/4 IN, 1/16 IN, RUBBER, GASKET, SINGLE; 0.75 IN RING GASKETS, 0.0625 IN THICK BLACK RUBBER	0	C	5730H SE
BPD179Y	AL	5-C-08-202	12	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1-1/2 IN, BRASS, MACHINE, 4-40	0	C	5305J SE
BPD204V	AL	5-C-08-202	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, BLIND, 1 IN	0	C	4730P SE
BPD465X	AL	5-C-08-202	2	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 2-1/4 IN, HEX	0	C	5305J SE
BPD468P	AL	5-C-08-202	8	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 2-1/4 IN, 10, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C	5305J SE
BPD477N	AL	5-C-08-202	8	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 3-3/4 IN, HEX	0	C	5305J SE
BPE011P	AL	5-C-08-202	1	\$0.00	STRIP	STRIP, TYPICAL, QA 0, 1-1/2 IN, 8 FT (96 IN), 1/4 IN, FOAM RUBBER	0	C	5680B SE
BNK942W	AL	5-C-08-202	17	\$0.00	NUT	NUT, HEX, QA 0, 1/2 IN, 13, TG-00978	0	C	4470C SE

BNK944Q	AL	5-C-08-202	8	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 7/8 IN, 2-3/4 IN, 9, TG-00964.	0	C	4470C SE
BNK953P	AL	5-C-08-202	18	\$0.00	BOLT	BOLT, TYPICAL, QA 0, TG00968	0	C	4470C SE
BNL149A	AL	5-C-08-202	398	\$0.00	NUT	NUT, LOCK, QA 0, 1/4 IN, NO 1462F08, WBT-902, WBT-CNHDUD	0	C	3110B SE
BNL153K	AL	5-C-08-202	284	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 2-1/2 IN	0	C	4470C SE
BNL238B	AL	5-C-08-202	3	\$0.00	HANDLE	HANDLE, TYPICAL, QA 0, VALVE, NYLON, OVAL, YELLOW NYLON HANDLE FOR 44 SERIES VALVE	0	C	48200 SE
BNL242L	AL	5-C-08-202	10	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 1-7/16 IN, 1-1/2 IN, SLOTTED, TG00816	0	C	2825G SE
BPD678C	AL	5-C-08-202	12	\$0.00	BOLT	BOLT, HEX, QA 0, 3/8 IN, 1-3/4 IN	0	C	5305J SE
BAR967P	AL	5-C-08-301	7	\$0.00	VALVE	VALVE, BALL, QA 0, 3/4 IN, CS, CS, FNPT, 150 PSI, LEVER OPERATED, **	0	P	48200 SE
BCR433H	AL	5-C-08-301	9000	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, TYPE 304, POP, DOMED HEAD, 0.125 DIA X	3	P	5305J SE
BDB883K	AL	5-C-08-301	12096	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL TYPE 304, POP, DOMED HEAD, 0.125 DIA X	3	P	5305J SE
BDX885J	AL	5-C-08-301	1	\$0.00	RING	RING, SEAL, QA 0, SEAL RING, METAL; CAGE, STEEL, FOR CENTRIFUGAL PUMP, 48X47SV, S/N	0	P	4320U SE
BJJ937K	AL	5-C-08-301	3000	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.125 IN LONG, WITH CARBON	3	P	5305J SE
BJJ938H	AL	5-C-08-301	2800	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; STAINLESS STEEL, 0.156 DIA X 0.25 IN LONG, WITH CARBON	3	P	5305J SE
BJJ990T	AL	5-C-08-301	5400	\$0.00	RIVET	RIVET, TYPICAL, QA 3, RIVET, BLIND; ALUMINUM, 0.187 DIA X 0.75 IN LONG, WITH CARBON STEEL	3	P	5305J SE
BJN122D	AL	5-C-08-301	10	\$0.00	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D LEFTHAND, EIGHT WIRE CONDUCTOR	3	C	4710Y SE
BJN123B	AL	5-C-08-301	8	\$0.00	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; 24 VAC, 4.5 X 4 IN, US26D RIGHT HAND, EIGHT WIRE	3	C	4710Y SE
BPT240Y	AL	5-C-08-301	20	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET, SPARE PART; SEVEN RINGS PER SET, 1.000 X 2.125 X 7 ***	3	A	5730H SE
BTX231J	AL	5-C-08-301	97	\$0.00	CLIP	CLIP, TYPICAL, QA 3, CLIP, RETAINING; MATERIAL: STEEL ***	3	B	4710Y SE
BWC046F	AL	5-C-08-301	8	\$0.00	HINGE	HINGE, TYPICAL, QA 3, HINGE, ELECTRIC; HINGE, LEFT HAND, ELECTRIC, US26D SATIN CHROME	3	C	4710Y SE
BYA386X	AL	5-C-08-301	29	\$0.00	ROD	ROD, TYPICAL, QA 1, ROD, SUPPORT; 1/4" X 24" LG, ASTM A479, TYPE 304, FOR INSTALLATION ON	1	C	4710Y SE
BNJ226W	AL	5-C-08-302	2	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 4 IN, WAT-902, WAT-CNHDAD, 3703-1-64	0	C	5975B SE
BNK933X	AL	5-C-08-302	1	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, TG00862	0	C	4470C SE
BNK938K	AL	5-C-08-302	2	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 1/4 IN, TG-00980.	0	C	4470C SE
BNK941Y	AL	5-C-08-302	4	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 1/2 IN, 1-3/4 IN, HEX, 13 TPI, TG-00971	0	C	4470C SE
BNK943T	AL	5-C-08-302	4	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/2 IN, 2 IN, 13, CS, A307 WITH NUT A563A	0	C	4730P SE
BNL241N	AL	5-C-08-302	4	\$0.00	PLUG	PLUG, TYPICAL, QA 0, CONDENSER, 1 IN, STEAM TURBINE, BUNA-N-RUBBER BODY WITH SOLID BRASS	0	C	2825G SE
BPD189V	AL	5-C-08-302	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 IN X 1-1/2 IN, REDUCING, STEEL, 6000 LB, SOCKETWELDED, FORGED	0	C	4730P SE
BNJ196B	AL	5-C-08-302	2	\$0.00	SLEEVE	SLEEVE, TYPICAL, QA 0, BRASS, *** NO 3703-1-45, WAT-902, WAT-CNHDAD, 546C2H197835	0	C	4470C SE
BNJ218V	AL	5-C-08-302	18	\$0.00	STRAP	STRAP, TYPICAL, QA 0, WAT-902, WAT-CNNDAD, 3703-1-47	0	C	4470C SE
BNJ249G	AL	5-C-08-302	6	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, ; 111, (COE92730-001) ***	0	P	4470C SE
BNK934V	AL	5-C-08-302	2	\$0.00	CLIP	CLIP, TYPICAL, QA 0, ELECTRICAL, NYLON, TG-00984	0	C	5999D SE
BNK937M	AL	5-C-08-302	6	\$0.00	COVER	COVER, TYPICAL, QA 0, COMP, TG-00963	0	C	4470C SE
BNK945N	AL	5-C-08-302	2	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 2-1/2 IN, 2-3/4 IN, SOCKETWELDED, TG00962	0	C	4470C SE
BNK947J	AL	5-C-08-302	2	\$0.00	GRIP	GRIP, TYPICAL, QA 0, SEALING, TG-00967	0	C	4470C SE
BNL029B	AL	5-C-08-302	2	\$0.00	PLUG	PLUG, PIPE, QA 0, PLUG, PIPE; PIPE PLUG, TG00913 ***	0	C	4730P SE
BNL031Q	AL	5-C-08-302	12	\$0.00	SCREW	SCREW, SOCKET, QA 0, #1, 2 IN, 8, UNC, SCREW, MACHINE; HEAD STYLE: SOCKET, NOMINAL DIAMETER: NO 1 (0.073 IN)	0	C	5305J SE
BNL035G	AL	5-C-08-302	6	\$0.00	WIRE	WIRE, TYPICAL, QA 0, WIRE, ; WIRE, 059, 6 PIECES, TG00903 ***	0	C	4470C SE
BNL037C	AL	5-C-08-302	2	\$0.00	NUT	NUT, TYPICAL, QA 0, #10, 32, *** UNF, TG00904	0	C	5305J SE
BNL043H	AL	5-C-08-302	1	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/8 IN, 1-3/4 IN, 16, *** THREAD SERIES: UNC	0	C	5305J SE
BNL132V	AL	5-C-08-302	19	\$0.00	NUT	NUT, TYPICAL, QA 0, 5/16 IN, *** 1195E54, WAT-902, WAT-CNHDLD	0	C	5305J SE
BNL245E	AL	5-C-08-302	4	\$0.00	GASKET	GASKET, TYPICAL, QA 0	0	C	2825G SE
BNL783H	AL	5-C-08-302	8	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, BUSHING, ; BUSHING, (626C073-005) ***	0	C	4470C SE
BNT582W	AL	5-C-08-302	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, THREADED, BOTH ENDS, 397A528	0	C	4470C SE
BNT585N	AL	5-C-08-302	44	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 1-3/4 IN	0	C	5305J SE
BPA930P	AL	5-C-08-302	1	\$0.00	KIT	KIT, MOUNTING, QA 0, RECORDER CASE, MARK II	0	C	6695D SE
BPD806Y	AL	5-C-08-302	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, LEADED	0	C	4470C SE
BPE168Y	AL	5-C-08-302	6	\$0.00	BOLT	BOLT, SQUARE, QA 0, 3/4 IN, 4 IN, *** HEAD STYLE: SQUARE	0	P	5305J SE
BNG683A	AL	5-C-08-302	8	\$0.00	GASKET	GASKET, TYPICAL, QA 0, SINGLE (270A318-040)	0	C	2825G SE
BNG689X	AL	5-C-08-302	8	\$0.00	PIN	PIN, COTTER, QA 0, 3/16 IN, 1-1/2 IN	0	C	5305J SE
BNG691B	AL	5-C-08-302	16	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 1-1/8 IN, NITREDED STEEL, (363B413-007)	0	C	5305J SE
BNG697Y	AL	5-C-08-302	2	\$0.00	FITTING	FITTING, CONNECTION, QA 0, TUBE, TUBE FITTING (270A337-110)	0	C	4730P SE
BNG699T	AL	5-C-08-302	2	\$0.00	ELBOW	ELBOW, TYPICAL, QA 0, 1/8 IN, 90, (460B429-001)	0	C	4730P SE
BNG770T	AL	5-C-08-302	8	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 3-1/2 IN, CS	0	C	5305J SE
BNG797T	AL	5-C-08-302	80	\$0.00	BOLT	BOLT, HEX, QA 0, 1/2 IN, 2-1/2 IN, 13, CS, SAE GR 5, ZINC PLATED, HEX	0	C	5305J SE
BNG798Q	AL	5-C-08-302	4	\$0.00	WASHER	WASHER, FLAT, QA 0, 5/8 IN	0	C	5305J SE
BNG821Q	AL	5-C-08-302	7	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 3/4 IN, (270A365-005)	0	P	4470C SE
BNG842G	AL	5-C-08-302	2	\$0.00	REDUCER	REDUCER, TYPICAL, QA 0, 4 IN X 3 IN, PVC	0	C	4730P SE

BNG843E	AL	5-C-08-302	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/8 IN, 3/4 IN	0	C	4730P SE
BNG844C	AL	5-C-08-302	5	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, (460B508-004)	0	C	5305J SE
BNG845A	AL	5-C-08-302	5	\$0.00	SCREW	SCREW, CAP, QA 0, SOCKET, (626C957-006)	0	C	5305J SE
BNG850W	AL	5-C-08-302	2	\$0.00	STOP	STOP, MECHANICAL, QA 0, SPRING, SPRING, (274A 380-001)	0	C	4470C SE
BNG851F	AL	5-C-08-302	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1/2 IN, 1/2 IN, 90	0	C	4730P SE
BNJ057G	AL	5-C-08-302	2	\$0.00	UNION	UNION, TYPICAL, QA 0, 7/8 IN	0	C	4470C SE
BNJ209X	AL	5-C-08-302	4	\$0.00	TEE	TEE, TYPICAL, QA 0, 1/4 IN, WBT-902, WBT-CNHDDAD, 3703-1-59, 546C2H197835	0	C	4470C SE
BNJ254P	AL	5-C-08-302	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, ; 0.5 IN, (626C095-004) ***	0	C	4470C SE
BNJ257H	AL	5-C-08-302	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/4 IN, 1-1/2 IN	0	C	4730P SE
BNJ258F	AL	5-C-08-302	18	\$0.00	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, ; SPRAY, (823A407-001) ***	0	C	4470C SE
BNJ259D	AL	5-C-08-302	18	\$0.00	BODY	BODY, CONNECTOR, QA 0, CONNECTOR, ; FEMALE, (270A338-210) ***	0	C	4470C SE
BNJ262Q	AL	5-C-08-302	10	\$0.00	PIN	PIN, COTTER, QA 0, PIN, COTTER; SIZE DIAMETER: 0.375 IN ( 3/8), SIZE LENGTH: 4.000 IN ***	0	C	5305J SE
BNJ265J	AL	5-C-08-302	1	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 3/4 IN, *** SOLID, (270A365)	0	C	4470C SE
BNJ315X	AL	5-C-08-302	5	\$0.00	ELBOW	ELBOW, TYPICAL, QA 0, 90, (270A339-107).	0	C	4470C SE
BNJ316V	AL	5-C-08-302	16	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 1-1/8 IN, NITREDED STEEL, (363B414-007)	0	C	5305J SE
BNJ317R	AL	5-C-08-302	2	\$0.00	CAP	CAP, TYPICAL, QA 0, 3/4 IN, (270A367-005).	0	C	48200 SE
BNJ318P	AL	5-C-08-302	4	\$0.00	SCREW	SCREW, SET, QA 0	0	C	4470C SE
BNJ324W	AL	5-C-08-302	5	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN, (627C386-006).	0	C	4470C SE
BNJ407R	AL	5-C-08-302	8	\$0.00	ROD	ROD, THREADED, QA 0, 3/4 IN, 4 IN, CONTINUOUS, ROD, CONTINUOUS THREAD; NOMINAL DIAMETER: 0.750 IN ( 3/4), ROD LENGTH:	0	C	5305J SE
BNK927Q	AL	5-C-08-302	8	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; SCREW, TGO0977. ***	0	C	4470C SE
BNK939H	AL	5-C-08-302	1	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 1/2 IN, TG-00981.	0	C	4470C SE
BNK948G	AL	5-C-08-302	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, TG-00961.	0	C	4470C SE
BNK955K	AL	5-C-08-302	4	\$0.00	WASHER	WASHER, TYPICAL, QA 0, TG-00822	0	C	5305J SE
BNL034J	AL	5-C-08-302	33	\$0.00	SCREW	SCREW, SOCKET, QA 0, 1/2 IN, 1-1/4 IN, 13, UNC	0	C	5305J SE
BNL051J	AL	5-C-08-302	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, 1/4 IN X 1/8 IN	0	C	4730P SE
BNL052G	AL	5-C-08-302	5	\$0.00	UNION	UNION, PIPE, QA 0, 1-1/4 IN, SS, THREADED, AISI 304, FORGED, GROUND JOINT	0	C	6115F SE
BNL053E	AL	5-C-08-302	6	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1-1/4 IN X 1 IN, SS, THREADED, AISI 304, FORGED	0	C	6115F SE
BNL054C	AL	5-C-08-302	78	\$0.00	SCREW	SCREW, CAP, QA 0, 5/8 IN, 3-1/2 IN, HEX, CS, SAE GR 5, ZINC PLATED	0	C	4730P SE
BNL055A	AL	5-C-08-302	8	\$0.00	UNION	UNION, PIPE, QA 0, 1 IN, SS, THREADED, AISI 304, FORGED, GROUND JOINT	0	C	6115F SE
BNL060W	AL	5-C-08-302	8	\$0.00	BOLT	BOLT, HEX, QA 0, BOLT, MACHINE; HEAD STYLE: HEXAGON ***	0	C	5305J SE
BNL061F	AL	5-C-08-302	4	\$0.00	GUIDE	GUIDE, TYPICAL, QA 0, PLUG, PLUG, 491C069-009	0	C	4470C SE
BNL063B	AL	5-C-08-302	23	\$0.00	NUT	NUT, TYPICAL, QA 0, NUT, ; NUT, 460B496-212 ***	0	C	5305J SE
BNL069Y	AL	5-C-08-302	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 2-1/2 IN X 2 IN, SWIVEL RETAINING, 270A358-039	0	C	4730P SE
BNL070R	AL	5-C-08-302	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/4 IN	0	C	48200 SE
BNL071C	AL	5-C-08-302	6	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 397A388-013	0	C	4470C SE
BNL106X	AL	5-C-08-302	1	\$0.00	DISC	DISC, TYPICAL, QA 0, NAME DISC, NP38759-001	0	C	4470C SE
BNL107V	AL	5-C-08-302	1	\$0.00	BODY	BODY, CONNECTOR, QA 0, FEMALE, 270A338-107	0	C	5935B SE
BNL110H	AL	5-C-08-302	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, CONNECTOR, ; CONNECTOR, 30H0745-001 ***	0	C	5935B SE
BNL116R	AL	5-C-08-302	24	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 5/8 IN, 5/8 IN, STAINLESS STEEL, ***	0	P	4730P SE
BNL117P	AL	5-C-08-302	4	\$0.00	SPACER	SPACER, TYPICAL, QA 0, 4455D29-009	0	C	4470C SE
BNL118M	AL	5-C-08-302	10	\$0.00	NUT	NUT, TYPICAL, QA 0, 460B496-212	0	C	5305J SE
BNL119K	AL	5-C-08-302	52	\$0.00	NUT	NUT, TYPICAL, QA 0, 5/8 IN, 460B496-210	0	C	5305J SE
BNL128J	AL	5-C-08-302	2	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, MALE, 3703-1-62, WBT-902, WBT-CNHDDAD8-4FBTXB	0	C	4730P SE
BNL133R	AL	5-C-08-302	1	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 7250D50-04, WBT-902,WBT-CNSSTS	0	C	5305J SE
BNL134P	AL	5-C-08-302	2	\$0.00	PAD	PAD, TYPICAL, QA 0, 3 IN, 5 IN, 1/4 IN, NO 7249D55-H08, WBT-CNHDM	0	C	4470C SE
BNL135M	AL	5-C-08-302	8	\$0.00	WASHER	WASHER, BEVEL, QA 0, WASHER, BEVEL; 0.75 IN, NO 1196E65, WBT-902, WBT-CNHDL	0	C	5305J SE
BNL139D	AL	5-C-08-302	4	\$0.00	PLATE	PLATE, TYPICAL, QA 0, FILLER, NO 1213E85, WAT-902, WAT-CNHDM	0	C	5975B SE
BNL141T	AL	5-C-08-302	4	\$0.00	PLATE	PLATE, TYPICAL, QA 0, FILLER, FILLER, NO 1213E85, WAT-902, WAT-CNHDM	0	C	5975B SE
BNL152M	AL	5-C-08-302	4	\$0.00	NUT	NUT, LOCK, QA 0, BEARING, 5/8 IN, 11, NO 3703-1-33, WBT-902, WBT-CNHDDAD	0	C	3110B SE
BNL302X	AL	5-C-08-302	15	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, SPACER, PIPE; SPACER, PIPE, 1.00-1.25 ***	0	C	5925B SE
BNL306M	AL	5-C-08-302	1	\$0.00	WASHER	WASHER, TYPICAL, QA 0, RING, 4455D29-007	0	C	5305J SE
BNL709Y	AL	5-C-08-302	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, HINGE PIN, HINGE PIN, #1193E14, WAT-902, WAT-CNHDM	0	C	4470C SE
BNL711B	AL	5-C-08-302	80	\$0.00	WIRE	WIRE, TYPICAL, QA 0, 18 GAUGE, #3703-1-68, WAT- CNHDDAD, WAT-902	0	C	6145G SE
BNL717Y	AL	5-C-08-302	10	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, #3703-1-44, WBT-902,WBT-CNHDDAD	0	C	5925B SE
BNL719T	AL	5-C-08-302	2	\$0.00	COVER	COVER, BODY, QA 0, OUTLET, 4 IN, CONDUIT, #3703-1-65, WAT- CNHDDAD, WAT-902	0	C	5975B SE
BNL744V	AL	5-C-08-302	1	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1-1/4 IN, 2-1/4 IN	0	C	5305J SE
BNL752W	AL	5-C-08-302	48	\$0.00	WASHER	WASHER, FLAT, QA 0, 94-#1196E65, WBT-902, WBT-CNHDL	0	C	5305J SE

BNT665Q	AL	5-C-08-302	3	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 1/2 IN	0	C	5305J SE
BPD108P	AL	5-C-08-302	1	\$0.00	SCREW	SCREW, CAP, QA 0, 1-3/4 IN, SOCKET	0	C	5305J SE
BPD165A	AL	5-C-08-302	55	\$0.00	WASHER	WASHER, FLAT, QA 0, 1/2 IN, CS, HEAVY, HIGH STRENGTH	0	C	5305J SE
BPD196Y	AL	5-C-08-302	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, 1-1/4 IN X 1-1/2 IN, 2-7/8 IN	0	C	3110B SE
BPD474W	AL	5-C-08-302	6	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 3-1/2 IN, 11, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C	5305J SE
BPD478L	AL	5-C-08-302	7	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 2-1/2 IN, 10, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C	5305J SE
BPD489F	AL	5-C-08-302	12	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, STEEL	0	C	5305J SE
BPD491W	AL	5-C-08-302	8	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, STEEL	0	C	5305J SE
BNJ074G	AL	5-C-08-302	6	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1-3/4 IN, 4-1/4 IN	0	C	5305J SE
BNJ103E	AL	5-C-08-302	18	\$0.00	STUD	STUD, TYPICAL, QA 0, BOLT, 3/4 IN, 4-1/2 IN	0	C	5305J SE
BNJ217X	AL	5-C-08-302	3	\$0.00	INSERT	INSERT, TYPICAL, QA 0, WBT-902, WBT-CNSSTS, 1213E80-17	0	C	4470C SE
BNL062D	AL	5-C-08-302	7	\$0.00	NUT	NUT, TYPICAL, QA 0, 5/8 IN, 460B496-210	0	C	5305J SE
BNL127L	AL	5-C-08-302	2	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 3703-1-64, WBT-902, WBT-CNHDDAD	0	C	5975B SE
BNL129G	AL	5-C-08-302	55	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 1/2 IN, WBT-902, WBT-CNHDMO	0	C	5305J SE
BNL143N	AL	5-C-08-302	4	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 3/4 IN, 5/8 IN, 10, 3703-1-40, WBT-902, WBT-CNHDDAD	0	C	4470C SE
BNL146G	AL	5-C-08-302	10	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, THREADLESS, 3703-1-44, WBT-902, WBT-CNHDDAD	0	C	4470C SE
BNL170Y	AL	5-C-08-302	73	\$0.00	NUT	NUT, TYPICAL, QA 0, 3/4 IN, 1196E65, WBT-902, WBT-CNHDL	0	C	4470C SE
BNL703B	AL	5-C-08-302	20	\$0.00	NUT	NUT, TYPICAL, QA 0, 7/8 IN, *** #1196E65, WBT-902, WBT-CNHDL	0	P	5305J SE
BNL710Q	AL	5-C-08-302	489	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 3/4 IN, #1195E79, WBT-902, WBT-CNINDP	0	C	5305J SE
BNL736T	AL	5-C-08-302	695	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN	0	C	5305J SE
BNL750C	AL	5-C-08-302	879	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/8 IN, PLAIN, #1191E57, WAT-CNHDI, WAT-902	0	C	5305J SE
BNL751Y	AL	5-C-08-302	622	\$0.00	WASHER	WASHER, FLAT, QA 0, 3/8 IN	0	C	5305J SE
BNL757J	AL	5-C-08-302	728	\$0.00	WASHER	WASHER, LOCKING, QA 0, 3/8 IN, #1191E57, WAT-902, WAT-CNHDI	0	C	3110B SE
BNT577M	AL	5-C-08-302	6	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1 IN, 4-1/4 IN, 627C234-034.	0	C	5305J SE
BPD190N	AL	5-C-08-302	6	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 IN, STEEL, 6000 LB, SOCKETWELD, FORGED	0	C	4730P SE
BPD197W	AL	5-C-08-302	13	\$0.00	UNION	UNION, PIPE, QA 0, REDUCING, 3/4 IN, 1/2 IN, SS	0	C	4730P SE
BPD208K	AL	5-C-08-302	19	\$0.00	CAP	CAP, PIPE, QA 0, 1-1/4 IN, METAL	0	C	4730P SE
BPD458T	AL	5-C-08-302	8	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 3-1/4 IN, *** HEAD STYLE: HEXAGON	0	C	5305J SE
BPD459Q	AL	5-C-08-302	8	\$0.00	BOLT	BOLT, HEX, QA 0, 9/16 IN, 1-3/4 IN, HEX	0	C	5305J SE
BPD467R	AL	5-C-08-302	8	\$0.00	PIN	PIN, TYPICAL, QA 0, VALVE, STEEL, VALVE, KM1146808; USED WITH STEM AND PLUG	0	C	5305J SE
BPD486M	AL	5-C-08-302	12	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, STEEL	0	C	5305J SE
BPD488H	AL	5-C-08-302	8	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, STEEL, ***	0	C	5305J SE
BPD493Q	AL	5-C-08-302	20	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, STEEL, ***	0	C	5305J SE
BPD547V	AL	5-C-08-302	7	\$0.00	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 1 IN, 4-3/4 IN	0	C	5305J SE
BPD556T	AL	5-C-08-302	4	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 1-3/4 IN, PLAIN, 4-1/2 IN OD	0	C	5305J SE
BPD558N	AL	5-C-08-302	2	\$0.00	BOLT	BOLT, EYE, QA 0, 5/8 IN	0	C	5305J SE
BPE161D	AL	5-C-08-302	6	\$0.00	BOLT	BOLT, SQUARE, QA 0, 3/4 IN, 4 IN	0	C	5305J SE
CHG384C	AL	5-C-09-201	10	\$0.00	MESH	MESH, TYPICAL, QA 3, SS, , WIRE, 60 X 60 MESH, WIRE DIAMETER 0.0075 INCH, 304SS, PLAIN WEAVE,	3	C	4730P SE
CHG384C	AL	5-C-09-202	10	\$0.00	MESH	MESH, TYPICAL, QA 3, SS, , WIRE, 60 X 60 MESH, WIRE DIAMETER 0.0075 INCH, 304SS, PLAIN WEAVE,	3	C	4730P SE
ARJ872H	AL	5-C-09-301	18	\$0.00	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, STEAM TURBINE; OIL SEAL RING, STEEL, REF 7, ITEM 3, 4, 7	0	C	2825G SE
ATP914V	AL	5-C-09-301	6	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CASE TO COVER, 0.175 THICK X 36.1875 ID X 37.5625 IN	0	P	4320U SE
BRB815T	AL	5-C-09-301	1	\$0.00	THERMOCO	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, ; TYPE:T,SHEALTH MTL:COPPER,THERMOCOUPLE MTL:COPPER/	3	B	6695D SE
CAX363W	AL	5-C-09-301	2	\$0.00	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; LUBE OIL COOLER HEADER TO CORE, CAT 381 PLATE	1	C	29100 SE
BFM835Y	AL	5-C-09-302	54	\$0.00	TELEPHONE	TELEPHONE, COMMUNICATION, QA 0, TOUCH TONE, IVORY, DESK, TELEPHONE, ; DESK SET, TOUCH TONE, STRIGHT LINE RINGER, COMMON B.	0	C	5805M SE
BRA127M	AL	5-C-09-302	90	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: SINGLE-EYE, CABLE RANGE DIAMETER:	3	C	5120M SE
BTC434V	AL	5-C-09-302	4	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: CLOSED MESH, CABLE RANGE DIAMETER:	3	C	5120M SE
BXT831N	AL	5-C-09-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 3/4 IN, STAINLESS STEEL, 150 LB, FLAT, ASTM A182 GR F304, B16.5, FLANGE, PIPE; STYLE: THREADED, 10	0	C	4730P SE
BNJ063M	AL	5-C-10-301	1	\$0.00	FLANGE	FLANGE, TYPICAL, QA 0, 2-1/2 IN, CARBON STEEL, 300 LB, FLANGE, ; 2.5 IN, 300 LB, A105 ***	0	P	4470C SE
BNJ066F	AL	5-C-10-301	4	\$0.00	VALVE	VALVE, CONTROL, QA 0, (1) RH GOV END,(1) RH GOV END, (1) LH GOV END, (1) LH GEN END	0	C	4470C SE
BNL221W	AL	5-C-10-301	1	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN, 627C386-006	0	P	2825G SE
BNL254D	AL	5-C-10-301	1	\$0.00	NUT	NUT, TYPICAL, QA 0, NUT, ; NUT 460B496-010 ***	0	P	2825G SE
BNJ063M	AL	5-C-10-301	5	\$0.00	FLANGE	FLANGE, TYPICAL, QA 0, 2-1/2 IN, CARBON STEEL, 300 LB, FLANGE, ; 2.5 IN, 300 LB, A105 ***	0	P	4470C SE
ANF718X	AL	5-C-10-301	11	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, OIL, POSIPORE TM, WITH VITON RUBBERO-RINGS, MUST BE	0	P	4330N SE
BNJ240E	AL	5-C-10-301	8	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 0, 1/2 IN, 270A246-002	0	C	4470C SE
BNJ242Y	AL	5-C-10-301	8	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 0, 1/2 IN, 270A247-002	0	C	4470C SE
BNJ243W	AL	5-C-10-301	4	\$0.00	FITTING	FITTING, GREASE, QA 0, 270A267-010	0	C	4730P SE
BNJ250B	AL	5-C-10-301	40	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 3 IN, (270A318-024)	0	C	2825G SE

BNJ251X	AL	5-C-10-301	2	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 1/4 IN, (24H0299-001)	0	C	4470C SE
BNJ253R	AL	5-C-10-301	4	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, 1 IN, 6-9/16 IN	0	C	4730P SE
BNJ255M	AL	5-C-10-301	4	\$0.00	UNION	UNION, TYPICAL, QA 0, 1 IN, 300 LB	0	C	4470C SE
BNJ308V	AL	5-C-10-301	4	\$0.00	PIN	PIN, RETAINING, QA 0, TAPERED, TAPERED PLAIN; TAPER, 460B932-010, TG00176	0	C	5305J SE
BNJ400K	AL	5-C-10-301	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN	0	C	48200 SE
BNJ414V	AL	5-C-10-301	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, (822805)	0	P	59300 SE
BNL154H	AL	5-C-10-301	91	\$0.00	CABLE	CABLE, INSULATED, QA 0, CONDUCTOR, WIRE, 3705-1-63, WBT-902, WBT-CNHAD	0	C	4470C SE
BNL278Y	AL	5-C-10-301	8	\$0.00	NUT	NUT, TYPICAL, QA 0, 460B496-212	0	C	5925B SE
BNL281A	AL	5-C-10-301	1	\$0.00	CAP	CAP, TYPICAL, QA 0, 4 IN, 270A367-013	0	C	48200 SE
BNL763P	AL	5-C-10-301	3	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 6 IN, CS, LONG, 80, ASTM A106, THREADED BOTH ENDS	0	C	4730P SE
BNL776E	AL	5-C-10-301	3	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, 1000, 20	0	C	5905I SE
BNT638V	AL	5-C-10-301	1	\$0.00	PLUG	PLUG, TYPICAL, QA 0, GUIDE, NO 491C069-009	0	C	4470C SE
BNT640L	AL	5-C-10-301	8	\$0.00	TAPE	TAPE, TYPICAL, QA 0, 5 FT (60 IN), SODER-WICK DESOLDERING BRAID 80-3-5, WIDTH 0.080 IN	0	C	3439D SE
BNT664T	AL	5-C-10-301	5	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, NO 460B496-010	0	P	5305J SE
BNT668J	AL	5-C-10-301	28	\$0.00	TUBE	TUBE, TYPICAL, QA 0, COLLECTOR, COLLECTOR TUBE SHEET	0	C	4410C SE
BNT697B	AL	5-C-10-301	1	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 3/8 IN, NO 270A365-003	0	C	4470C SE
BNT700X	AL	5-C-10-301	28	\$0.00	TAPE	TAPE, TYPICAL, QA 0, MARKED, 5 FT (60 IN), SODER-WICK DESOLDERING BRAID 80-4-5, WIDTH 0.110 IN,	0	C	3439D SE
BNJ319M	AL	5-C-10-301	10	\$0.00	DRAIN	DRAIN, TYPICAL, QA 0, 2-1/2 IN X 3-1/2 IN, BOSS, 10H0553-006	0	C	4470C SE
BNJ320G	AL	5-C-10-301	11	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 3/4 IN, SOLID, 270A365-005.	0	C	4470C SE
BNL326E	AL	5-C-10-301	16	\$0.00	NUT	NUT, TYPICAL, QA 0, 1-1/2 IN, 460B497-024	0	C	5925B SE
BNL685H	AL	5-C-10-301	2	\$0.00	ORIFICE	ORIFICE, TYPICAL, QA 0, BLOCK, 650B673-A02	0	C	4470C SE
BNL687D	AL	5-C-10-301	2	\$0.00	ORIFICE	ORIFICE, TYPICAL, QA 0, BLOCK, (5COC486-G04)	0	C	4470C SE
BNL816W	AL	5-C-10-301	4	\$0.00	VALVE	VALVE, CONTROL, QA 0, SERVO, 390A893	0	C	48200 SE
BNJ094A	AL	5-C-10-301	12	\$0.00	KIT	KIT, PARTS, QA 0, CONSISTING OF 3 EA HEX HEAD BOLTS, 0.375 X 1 IN, 4 EA	0	C	4470C SE
BNJ105A	AL	5-C-10-301	8	\$0.00	BLADE	BLADE, TYPICAL, QA 0, 48 IN CONVEYOR, BELT SCRAPPER, XHD QC#1, PRIMARY ONE PIECE MAXIMIZER REPLACEMENT BLADE	0	C	5305J SE
BNJ145W	AL	5-C-10-301	1	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 5/8 IN, 3-1/2 IN	0	C	5305J SE
BNJ192K	AL	5-C-10-301	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 2.120 IN X 1/2 IN, 0.147 IN, TGO0872	0	C	4470C SE
BNL172F	AL	5-C-10-301	1	\$0.00	THERMOME	THERMOMETER, LOCAL READING, QA 0, LIQUID, GLASS	0	C	2825G SE
BNL183A	AL	5-C-10-301	45	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 5/16 IN, 1 IN, TG00865	0	C	2825G SE
BNL214R	AL	5-C-10-301	48	\$0.00	WASHER	WASHER, LOCKING, QA 0, 5/8 IN, 10H0556-009	0	C	6115F SE
BNL728R	AL	5-C-10-301	20	\$0.00	CLEAT	CLEAT, TYPICAL, QA 0, TG-00867	0	C	61100 SE
BPA938V	AL	5-C-10-301	3	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN	0	C	5305J SE
BPD087T	AL	5-C-10-301	3	\$0.00	STUD	STUD, TYPICAL, QA 0	0	C	4470C SE
BPD198T	AL	5-C-10-301	1	\$0.00	SLEEVE	SLEEVE, COUPLING, QA 0, 1-1/2 IN, 3-1/2 IN	0	C	3040D SE
BPE102Y	AL	5-C-10-301	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, RIGID/SHAFT, SLEEVE, FOR 7/8 AND 5/8 NEMA IMPELLER ADJUSTMENT	0	C	3040D SE
BPE125H	AL	5-C-10-301	2	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY/NONMETALLIC, 5/8 IN, WITH FITTINGS	0	C	47200 SE
BNJ054N	AL	5-C-10-301	1	\$0.00	TAPE	TAPE, TYPICAL, QA 0, 7/8 IN, 0.065 IN, GLASS	0	C	7510U SE
BNJ055L	AL	5-C-10-301	1	\$0.00	LOCKPLATE	LOCKPLATE, MECHANICAL, QA 0	0	C	4470C SE
BNJ065H	AL	5-C-10-301	8	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, 1/2 IN, 4-1/2 IN, 4-1/2 IN, WELD	0	C	4470C SE
BNJ071N	AL	5-C-10-301	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, CS	0	C	4470C SE
BNJ072L	AL	5-C-10-301	3	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 3/8 IN, 32, FILLISTER HEAD, UNF	0	C	5305J SE
BNJ073J	AL	5-C-10-301	6	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 3/8 IN, 32, FILLISTER HEAD, BRASS, UNF	0	C	5305J SE
BNJ075E	AL	5-C-10-301	1	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 1-1/2 IN	0	C	5305J SE
BNJ076C	AL	5-C-10-301	4	\$0.00	BOLT	BOLT, HEX, QA 0, 3/8 IN, 7/8 IN	0	C	5305J SE
BNJ077A	AL	5-C-10-301	1	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 1-1/2 IN	0	C	5305J SE
BNJ081K	AL	5-C-10-301	2	\$0.00	SCREW	SCREW, TYPICAL, QA 0, JACK, 1-1/4 IN, 6 IN	0	C	5305J SE
BNJ083F	AL	5-C-10-301	2	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 2 IN	0	C	5305J SE
BNJ084D	AL	5-C-10-301	2	\$0.00	WASHER	WASHER, FLAT, QA 0, 2 IN	0	C	5305J SE
BNJ090X	AL	5-C-10-301	8	\$0.00	SCREW	SCREW, SOCKET, QA 0, 1 IN, 2 IN, 8, STEEL, OVAL POINT	0	C	5305J SE
BNJ091G	AL	5-C-10-301	6	\$0.00	SCRAPER	SCRAPER, BELT, QA 0, BELT CLEANER, 48 IN, 60 IN, STEEL, 60 IN PRIMARY BELT CLEANER FOR BELT FEEDER NO 1	0	C	5305J SE
BNJ092E	AL	5-C-10-301	3	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 13 IN, PUMP, JACK	0	C	5305J SE
BNJ093C	AL	5-C-10-301	1	\$0.00	SCREW	SCREW, MACHINE, QA 0, FILLISTER HEAD, STEEL	0	C	5305J SE
BNJ101J	AL	5-C-10-301	7	\$0.00	BOLT	BOLT, HEX, QA 0, 1/2 IN, 1-3/4 IN	0	C	5305J SE
BNJ102G	AL	5-C-10-301	12	\$0.00	SCREW	SCREW, SET, QA 0, 1/2 IN, 1 IN	0	C	5305J SE
BNJ104C	AL	5-C-10-301	1	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN	0	C	5305J SE
BNJ110V	AL	5-C-10-301	4	\$0.00	METER	METER, ELECTRICAL, QA 0, ELECTRICAL, SCREW, FLUKE T5100, TESTER	0	C	5305J SE
BNJ136X	AL	5-C-10-301	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/4 IN, 3-1/2 IN	0	C	4730P SE

BNJ137V	AL	5-C-10-301	4	\$0.00	REDUCER	REDUCER, TYPICAL, QA 0, INSERT, 2 IN X 1-1/2 IN, SS, ASTM A 182 GR F304	0	C	4730P SE
BNJ138R	AL	5-C-10-301	2	\$0.00	BOLT	BOLT, EYE, QA 0, REACTOR COMPONENT, .75 - .752	0	C	4470C SE
BNJ139P	AL	5-C-10-301	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, REGULATE FLUID PRESS, PRESSURE REDUCING	0	C	48200 SE
BNJ140J	AL	5-C-10-301	2	\$0.00	MARKER	MARKER, TYPICAL, QA 0, TAG	0	C	9905K SE
BNJ144Y	AL	5-C-10-301	1	\$0.00	INSERT	INSERT, TYPICAL, QA 0	0	C	4730P SE
BNJ146T	AL	5-C-10-301	17	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 5/8 IN, 3 IN, W/O NUT	0	C	5305J SE
BNJ147Q	AL	5-C-10-301	29	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 5/8 IN, 3-1/2 IN, W/O NUT	0	C	5305J SE
BNJ159H	AL	5-C-10-301	1	\$0.00	KIT	KIT, PARTS, QA 0, VALVE, 1/4 IN	0	C	48200 SE
BNJ161Y	AL	5-C-10-301	3	\$0.00	PIN	PIN, TYPICAL, QA 0, STRAIGHT/HEADLESS, 1/2 IN, 3/4 IN, STEEL	0	C	5305J SE
BNJ286A	AL	5-C-10-301	8	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN	0	P	5305J SE
BNJ290Y	AL	5-C-10-301	4	\$0.00	LOCKPLATE	LOCKPLATE, MECHANICAL, QA 0, (PANTS LEG WASHER).	0	C	4470C SE
BNJ291H	AL	5-C-10-301	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, MALE CONNECTOR	0	C	4730P SE
BNJ292F	AL	5-C-10-301	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, MALE	0	C	4730P SE
BNJ294B	AL	5-C-10-301	4	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 2-1/4 IN	0	C	5305J SE
BNJ300P	AL	5-C-10-301	4	\$0.00	WASHER	WASHER, TYPICAL, QA 0, BLACK, SPHERICAL, FOR SCREW SIZE 3/4"; NICKEL-IRON; RADIUS 2-1/4"; MALE	0	C	5305J SE
BNJ301A	AL	5-C-10-301	38	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 5/8 IN	0	C	5305J SE
BPE031H	AL	5-C-10-301	1	\$0.00	KIT	KIT, PARTS, QA 0, SPARE PARTS	0	C	4470C SE
AGW271G	AL	5-C-10-302	146	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-10 UNC	1	P	5305J SE
BBL307P	AL	5-C-10-302	299	\$0.00	NUT	NUT, HEX, QA 3, MACHINE, #10, 24, BRASS, UNC, 2B, STANDARD MILL FINISH, B18.6.3	3	P	5305J SE
BEV340D	AL	5-C-10-302	8	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.0 IN, 8, UNC	1	P	4320U SE
BFH611A	AL	5-C-10-302	125	\$0.00	BOLT	BOLT, SQUARE, QA 2, BOLT, MACHINE; SQUARE HEAD, CARBON STEEL ASTM A 307 GR A, NOMINAL DIA	2	P	5305J SE
BGE219K	AL	5-C-10-302	298	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASTM A 307 GR A, NOMINAL DIA .375	2	P	5305J SE
BJK793C	AL	5-C-10-302	28	\$0.00	CLAMP	CLAMP, PIPE, QA 3, CLAMP, ; SPLIT 1-1/4 IN NOMINAL PIPE SIZE, FOR USE WITH 3/8 IN	3	P	4710Y SE
BLH164A	AL	5-C-10-302	300	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; SCREW, MACHINE, CARBON STEEL, CROSS RECESSED, TYPE 1	1	C	5305J SE
BLH171D	AL	5-C-10-302	500	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; SCREW, MACHINE, CARBON STEEL, CROSS RECESSED, TYPE 1	1	P	5305J SE
BLK970F	AL	5-C-10-302	1194	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, GALVANIZED, CARBON STEEL ASTM	2	P	5305J SE
BLM226R	AL	5-C-10-302	100	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.375-16UNC X 1.50 IN	3	P	5305J SE
BLM309N	AL	5-C-10-302	400	\$0.00	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; MACHINE, BRASS, ROUND HEAD, 0.375-16 UNC 1.25 IN ***	3	P	5305J SE
BLM314W	AL	5-C-10-302	4137	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 0.5 IN ***	3	P	5305J SE
BLM315T	AL	5-C-10-302	2164	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 0.75 IN ***	3	P	5305J SE
BLM316Q	AL	5-C-10-302	400	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 1 IN ***	3	P	5305J SE
BLM317N	AL	5-C-10-302	1900	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW,CAP,HEXAGON H, ; CAP, BRASS, HEX HEAD, 0.25-20 UNC X 1.5 IN ***	3	P	5305J SE
BLN655W	AL	5-C-10-302	510	\$0.00	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL ASTM F844, CADMIUM PLATED, 0.75 IN ***	3	P	5305J SE
BPW904H	AL	5-C-10-302	650	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BTW449V	AL	5-C-11-201	6	\$0.00	INSULATION	INSULATION, JACKETING, QA 3, COVER, ALUMINUM, 0.016 IN, 36 IN (3 FT), 100 FT, EMBOSSED, ASTM B209	3		5640H SE
CLQ206A	AL	5-C-11-202	1	\$0.00	CLOTH	CLOTH, SCREEN, QA 3, WIRE/FABRIC, SS, 7/16 IN, 1/16 IN, MESH SIZE #2, PRODUCT GROUP TYPE: MARKET.	3	C	46109 SE
CLQ220T	AL	5-C-11-202	1	\$0.00	CLOTH	CLOTH, SCREEN, QA 3, WIRE/FABRIC, SS, 1/64 IN, 0.010 IN, MESH # 40, PRODUCT GROUP TYPE: MARKET.	3	C	46109 SE
AJG280C	AL	5-C-11-301	11	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 45 DEG, CLASS 2000, STAINLESS STEEL, ASME SA182, GR F304	1		4730P SE
BDM969M	AL	5-C-11-301	50	\$0.00	GLASSES	GLASSES, SAFETY, QA 0, INDUSTRIAL, POLYCARBONATE, CLEAR, 50 MM, SPECTACLES, INDUSTRIAL; EYELET SIZE: 50.000 MM, COLOR: CLEAR	0		4240P SE
BGV476V	AL	5-C-11-301	1	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 15 KW, 480, HEATER, SPACE ELECTRIC; VOLTAGE: 480, WATTAGE: 15 KW ***	0		4520N SE
BNR680D	AL	5-C-11-301	12	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; DOUBLE EYE, SPLIT MESH, 2-FCV-73-16 REF. ***	3		5120M SE
BPM100A	AL	5-C-11-301	1	\$0.00	FILM	FILM, PHOTOGRAPHIC, QA 0, 25 TWIN PACKS PER	0	C	6750J SE
BTQ366L	AL	5-C-11-301	2	\$0.00	COUPLING	COUPLING, CONDUIT, QA 3, ADAPTER, ELECTRICAL CONDUIT; FIRST END SIZE: 04.000000 ( 4), SECOND	3		5975B SE
BTW618Y	AL	5-C-11-301	2	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: LAP JOINT, NOMINAL SIZE: 06.000 IN ( 6)	3		4730P SE
BVJ679P	AL	5-C-11-301	18	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER, D SUBMINIATURE, 9 PIN PLUG, SOLDER POT	0		7021A SE
BYA100P	AL	5-C-11-301	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 8 IN, SS, 150 LB, 40, RAISED FACE, ASTM A182 GR F304L, STANDARD MILL FINISH, FORGED	0		4730P SE
BYT330J	AL	5-C-11-301	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, OUTDOOR, 120, 250, WALL, BRONZE PAINT FINISH, FIXTURE, EXTERIOR; OUTDOOR, WALL PACK II, 250W, HPS, 120V 0	B		6210P SE
CDG142X	AL	5-C-11-301	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, 500, ALUMINUM/COVEX/9-1/8 IN, FIXTURE, LIGHTING; SHAPE: CONVEX, LENGTH: 9.125 IN ( 9 1/8), 0			6210P SE
AEV321D	AL	5-C-11-302	10	\$0.00	BEAKER	BEAKER, LABORATORY, QA 0, PYREX, 400 ML, 25 ML, GRIFFIN, LOW FORM, 25 TO 325 ML GRAD RANGE,	0	P	6630D SE
AQE031J	AL	5-C-11-302	5	\$0.00	BALLAST	BALLAST, LIGHTING, QA 0, MERCURY VAPOR, 400, 400, BALLAST, LAMP; LAMP TYPE: MERCURY VAPOR, VOLTAGE: 400 VAC, WATTAGE: 0	0		6250D SE
BGR709A	AL	5-C-11-302	6	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BHP011E	AL	5-C-11-302	43	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEXAGON HEAD, STAINLESS STEEL ASTM A 276 TY 304 S30400	3		5305J SE
BKN969B	AL	5-C-11-302	13	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J SE
BKP110L	AL	5-C-11-302	75	\$0.00	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5 3			4210N SE
BKP115Y	AL	5-C-11-302	75	\$0.00	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 212 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5 3			4210N SE
BKR331E	AL	5-C-11-302	41	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 0, FLEXIBLE, 3/4 IN, THREADED, *** CONNECTOR STYLE: SHEATHED, CONDUIT TYPE ACCEPT: FLEXIBLE METALLI 0			5975B SE
BKY873F	AL	5-C-11-302	6	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3		4730P SE

BLE632J	AL	5-C-11-302	4	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; 150 LB FORGED CARBON STEEL, ASTM A105, FLAT FACED AND	3	4730P SE
BPC360W	AL	5-C-11-302	29	\$0.00	NUT	NUT, LOCK, QA 0, NUT,SELF-LOCKING,GAN, ; SPRING NUTS ***	0	5305J SE
BQA938M	AL	5-C-11-302	9	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, COUPLING, PIPE; STYLE: FEMALE HEX, MATERIAL: STAINLESS STEEL, MATERIAL	1	4730P SE
CDF936W	AL	5-C-11-302	4	\$0.00	ABSORBER	ABSORBER, SHOCK, QA 3, DAMPENR, VIBRATION; MATERIAL: RUBBER, STYLE: ROUND WASHER, FUNCTION:	3	4710Y SE
CDV466A	AL	5-C-11-302	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE, SPECIAL APPLICATION; FIELDBUS EXTENSION, MOUNTING STRUCTURE	3	6145G SE
BEL898H	AL	5-C-12-302	5	\$0.00	NUT	NUT, HEX, QA 1, HEAVY, 2 IN, 8, ALLOY STEEL, ASME SA194 GR 7, UNC, NUT,PLAIN,HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400,1	1	P 5305J SE
BFH572R	AL	5-C-12-302	44	\$0.00	BOLT	BOLT, SQUARE, QA 0, 1.0 IN, 2 IN, 8, CARBON STEEL, UNC, ASTM A307 GR A, B18.2.1, *** HEAD STYLE: SQUARE	0	P 5305J SE
BFV785L	AL	5-C-12-302	150	\$0.00	SCREW	SCREW, SET, QA 0, 3/4 IN, 3.0 IN, 10, CUP, CARBON STEEL, SQUARE HEAD, UNC, CASE HARDENED, B18.6.2, ***	0	P 5305J SE
BLY200A	AL	5-C-12-302	1	\$0.00	TRANSMITT	TRANSMITTER, TYPICAL, QA 0, MULTIPLEX SIGNAL,TRA, ; MODULAR, 2800 HZ OPERATION, FOR TRANSMISSION	0	C 5840M SE
BNJ220L	AL	5-C-12-302	1005	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN	0	P 5305J SE
BPB019N	AL	5-C-12-302	17	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, 10, UNC, ***	0	P 5305J SE
BPD475T	AL	5-C-12-302	8	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 1-3/4 IN, *** HEAD STYLE: HEXAGON	0	P 5305J SE
BNJ184J	AL	5-C-12-302	32	\$0.00	BOLT	BOLT, HEX, QA 0, BOLT, ; HEX HEAD, 0.75 X 1.75 IN, TG00932 ***	0	C 4470C SE
BNJ203A	AL	5-C-12-302	54	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; WBT-902, WBT-CNHAD, 90064D490, 3703-1-79 ***	0	C 4470C SE
BNJ227T	AL	5-C-12-302	465	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, *** WBT-902, WBT-CNSSTS, NO 1193E14	0	C 5305J SE
BNJ399W	AL	5-C-12-302	18	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, ***	0	C 48200 SE
BNJ406V	AL	5-C-12-302	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1/2 IN, ***	0	C 48200 SE
BNL155F	AL	5-C-12-302	295	\$0.00	BOLT	BOLT, TYPICAL, QA 0, BOLT, ; 0.5 X 3.25 IN, NO 1210E45, WBT-902, WBT-CNINDP, 2 BAGS ***	0	C 4470C SE
BNL157B	AL	5-C-12-302	335	\$0.00	NUT	NUT, TYPICAL, QA 0, 1/4 IN, *** NO 1213E85, WBT-902, WBT-CNNMDM	0	C 4470C SE
BNL161L	AL	5-C-12-302	52	\$0.00	BOLT	BOLT, TYPICAL, QA 0, BOLT, ; 0.75 X 2.5 IN, NO 1195E53, WBT-902, WBT-CNHDL D ***	0	C 4470C SE
BNL730J	AL	5-C-12-302	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, ***	0	C 48200 SE
BNL759E	AL	5-C-12-302	14	\$0.00	PLUG	PLUG, PIPE, QA 0, 2 IN, THREADED, CS, 3000 LB, ASTM A105	0	C 4730P SE
BPB017T	AL	5-C-12-302	6	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 11, UNC, ***	0	P 5305J SE
BPB038J	AL	5-C-12-302	99	\$0.00	NUT	NUT, HEX, QA 0, 3/4 IN, CS, ASTM A194 GR 2H, ZINC PLATED	0	C 5305J SE
BPD430W	AL	5-C-12-302	8	\$0.00	BOLT	BOLT, HEX, QA 0, 1/2 IN, 2-3/4 IN, *** HEAD STYLE: HEXAGON	0	C 5305J SE
BPD473Y	AL	5-C-12-302	7	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 3 IN, 11, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C 5305J SE
BPD476Q	AL	5-C-12-302	6	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 4 IN, 11, CS, ASTM A325, UNC, GALVANIZED, RIGHT HAND, HEX, WITH ONE HEX NUT	0	C 5305J SE
BPD480D	AL	5-C-12-302	40	\$0.00	PLUG	PLUG, VALVE, QA 0, 1-1/2 IN, STEEL, KM1146184, USED WITH A STEM AND PIN	0	C 5305J SE
BPD490A	AL	5-C-12-302	12	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, STEEL, ***	0	C 5305J SE
BPE171A	AL	5-C-12-302	3	\$0.00	REDUCER	REDUCER, PIPE, QA 0, 1 3/4 IN, 3/4 IN, SOCKET WELD, SOCKETWELD X THREADED, REDUCER, PIPE; FIRST END NOM SIZE: 00.750 IN ( 3/4 ) :	0	C 4730P SE
BWY103B	AL	5-C-13-201	6	\$0.00	GASKET	GASKET, BULK, QA 3, 3 FT (36 IN), 1/4 IN, ETHYLENE PROPYLENE, ROLL, BLACK, SMOOTH FINISH, 60 DUROMETER, PEROXIDE CURED TO REI 3	3	B 5730H SE
BYB506A	AL	5-C-13-201	66	\$0.00	TAPE	TAPE, ADHESIVE, QA 3, DUCT, 2 IN, 180 FT, , PRESSURE SENSITIVE, NUCLEAR GRADE, COLOR: SILVER/GRAY	3	S 7510U SE
BWY103B	AL	5-C-13-202	9	\$0.00	GASKET	GASKET, BULK, QA 3, 3 FT (36 IN), 1/4 IN, ETHYLENE PROPYLENE, ROLL, BLACK, SMOOTH FINISH, 60 DUROMETER, PEROXIDE CURED TO REI 3	3	B 5730H SE
CHA717A	AL	5-C-13-202	21	\$0.00	GROUT	GROUT, FILLER, QA 0, GENERAL PURPOSE, PRE-BLENDED, NON-SHRINK, 50-LB BAG	0	C 6810H SE
AMG701H	AL	5-C-13-301	3	\$0.00	TAPE	TAPE, HEAT, QA 0, FLEXIBLE, 60 FT, 120, 420, TAPE, HEATING,ELECTRICAL; HEATING, FLEXIBLE, EASY HEAT, 60 FT 120 V,	0	5966A SE
AMX898Y	AL	5-C-13-301	5	\$0.00	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 10-3/8 IN, 9/16 IN, ROUND, TUBING, GLASS; ROUND, GAUGE, INTERCOOLER WATER LEVEL, FOR NORDBERG #	0	5680B SE
ANG969Y	AL	5-C-13-301	4	\$0.00	SPUD	SPUD, HOSE, QA 0, COUPLING, 1-1/2 IN, STEEL, MALE/DOUBLE	0	C 48200 SE
BCY146T	AL	5-C-13-301	12	\$0.00	HINGE	HINGE, TYPICAL, QA 0, TEE, 1-1/4 IN, 3-5/32 IN, ALLOY STEEL, ZINC PLATED, HINGE, TEE; MATERIAL: ALLOY STEEL, LENGTH: 03.156250 (	0	P 4710Y SE
BFP494L	AL	5-C-13-301	12	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, 2 FT, 30 FT, SCOTCHAL, WHITE, ENGINEER, SHEET, PLASTIC; MATERIAL: SCOTCHAL, WIDTH: 24.0 IN, LENGTH: 110	0	5680B SE
BJH513P	AL	5-C-13-301	3	\$0.00	DOOR	DOOR, ACCESS, QA 3, DOOR, ACCESS; STEEL, 15 WIDE X 18 IN HIGH, FOR MOTOR CONTROL CENTER,	3	5670A SE
BJN139V	AL	5-C-13-301	196	\$0.00	NUT	NUT, LOCK, QA 1, NUT, STRUCT CHANNEL,LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER:	1	5305J SE
BKY570D	AL	5-C-13-301	2	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, SCHEDULE 40S, STAINLESS STEEL ASME SA 403 WP 304	1	4730P SE
BLD653F	AL	5-C-13-301	4	\$0.00	UNION	UNION, CONDUIT, QA 3, RIGID, 4 IN, ALUMINUM ALLOY, UNION, ELECTRICAL CONDUIT; SIZE: 04.000000 ( 4 ), MATERIAL: COPPER FREE	3	5975B SE
BLM691X	AL	5-C-13-301	1	\$0.00	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; PIPE CONCENTRIC, CS SCH 40, SA105 BUTT-WELD, 5 X 4 IN	1	4730P SE
BNB263T	AL	5-C-13-301	4	\$0.00	CLAMP	CLAMP, C, QA 0, LOCKNUT, MALLEABLE IRON, 3/8 IN, CLAMP, C; MATERIAL: MALLEABLE IRON, MAX OPENING: 00.375000 ( 3/8 ),	0	5120M SE
BNH425V	AL	5-C-13-301	160	\$0.00	NUT	NUT, TYPICAL, QA 1, 1/2 IN, 13, CS, UNISTRUT, THREAD CLASS 2B, ASTM A 576 GRADE 1015 "MODIFIED",	1	5975B SE
BNR584X	AL	5-C-13-301	3	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***	0	47200 SE
BPV286M	AL	5-C-13-301	13	\$0.00	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; 5" X 4 1/2", US26D FINISH ***	3	4710Y SE
BRG460P	AL	5-C-13-301	6	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; STYLE: FEMALE (INSTRUMENT), MATERIAL: STAINLESS STEEL, 1	1	4730P SE
BRW253K	AL	5-C-13-301	6	\$0.00	COUPLING	COUPLING, TYPICAL, QA 1, TUBING, 5/8 IN, COPPER, SOLDER, STYLE: ROLLED STOP, ANSI SPEC: ANSI B16.22, FEMALE CONNECTIONS	1	4730P SE
BRW667P	AL	5-C-13-301	5	\$0.00	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN ( 1/4 ), SECOND END NOM SIZE:	1	4730P SE
BRW736Y	AL	5-C-13-301	10	\$0.00	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.625 IN ( 5/8 ), SECOND END NOM SIZE:	1	4730P SE
BRW760D	AL	5-C-13-301	5	\$0.00	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.750 IN ( 3/4 ), SECOND END NOM SIZE:	1	4730P SE
BRW781R	AL	5-C-13-301	8	\$0.00	TEE	TEE, TUBING, QA 1, TEE, TUBE; FIRST END NOM SIZE: 00.500 IN ( 1/2 ), SECOND END NOM SIZE:	1	4730P SE
BTJ988G	AL	5-C-13-301	1	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.500 IN ( 1/2 ), SECOND END NOM SIZE:	3	4730P SE
BTK030J	AL	5-C-13-301	1	\$0.00	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 3-1/2 - 3 IN, 1 IN, CS, 300 LB, THREADED INTERNAL, ASTM A105, FORGED, THREADLET	3	4730P SE
BTW960Y	AL	5-C-13-301	1	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 1, COUPLING, PIPE; STYLE: HALF, MATERIAL: FORGED STEEL, NOMINAL SIZE:	1	4730P SE



BVD227M	AL	5-C-13-301	8	\$0.00	NAMEPLATE NAMEPLATE, IDENTIFICATION, QA 3, ESCUTCHEON, PLATE; TARGET, BLANK, FOR SB SWITCHES ***	3	4710Y SE
BVJ433Q	AL	5-C-13-301	2	\$0.00	TEE	3	4730P SE
BVJ698K	AL	5-C-13-301	10	\$0.00	BODY	0	7021A SE
BVR174J	AL	5-C-13-301	45	\$0.00	PLUG	3	5975B SE
BWA697Q	AL	5-C-13-301	1	\$0.00	METER	3	5210S SE
BWN883X	AL	5-C-13-301	8	\$0.00	SHIM	3	5670A SE
BWN884V	AL	5-C-13-301	8	\$0.00	SHIM	3	5670A SE
BXR602C	AL	5-C-13-301	2	\$0.00	SCREEN	0	4730P SE
CAB382M	AL	5-C-13-301	1	\$0.00	OUTLET	0	4730P SE
CAB384H	AL	5-C-13-301	1	\$0.00	OUTLET	0	4730P SE
CAV564W	AL	5-C-13-301	7	\$0.00	REDUCER	0	4730P SE
CBA433X	AL	5-C-13-301	97	\$0.00	SCREW	0	5305J SE
AAK367N	AL	5-C-13-302	4	\$0.00	FLANGE	1	4730P SE
AAK397D	AL	5-C-13-302	4	\$0.00	FLANGE	1	4730P SE
AAP327E	AL	5-C-13-302	4	\$0.00	FLANGE	1	4730P SE
AJG850W	AL	5-C-13-302	5	\$0.00	ELBOW	0	4730P SE
AQT528X	AL	5-C-13-302	74	\$0.00	ELBOW	0	4730P SE
ATY497D	AL	5-C-13-302	10	\$0.00	FLANGE	0	4730P SE
AXJ607D	AL	5-C-13-302	65	\$0.00	HANGER	3	5975B SE
BAG308G	AL	5-C-13-302	8	\$0.00	LUBRICANT	3	9150H SE
BBT398R	AL	5-C-13-302	10	\$0.00	FLANGE	0	4730P SE
BEA698D	AL	5-C-13-302	9	\$0.00	ELBOW	0	4730P SE
BEQ800M	AL	5-C-13-302	6	\$0.00	FLANGE	0	4730P SE
BFL802L	AL	5-C-13-302	4	\$0.00	ELBOW	0	4730P SE
BXJ090X	AL	5-C-13-302	3	\$0.00	BUSHING	3	5305J SE
BLC561R	AL	5-C-13-302	6	\$0.00	ELBOW	3	4730P SE
BMF650G	AL	5-C-13-302	4	\$0.00	BUSHING	3	5730H SE
BNT172G	AL	5-C-13-302	5	\$0.00	ELBOW	0	4730P SE
BLT899B	AL	5-C-14-201	1	\$0.00	GRIP	3	P 5120M SE
BLV075C	AL	5-C-14-201	4	\$0.00	CONTACT	1	S 5999D SE
BVF872D	AL	5-C-14-201	43	\$0.00	GRIP	3	B 5120M SE
BVT820K	AL	5-C-14-201	4	\$0.00	GRIP	3	B 5120M SE
AYM360A	AL	5-C-14-202	4	\$0.00	PLATE	0	C 59300 SE
AYW776T	AL	5-C-14-202	1	\$0.00	TESTER	3	C 6695D SE
BBX655G	AL	5-C-14-202	62	\$0.00	SCREW	0	C 5305J SE
BDP323W	AL	5-C-14-202	3	\$0.00	NUT	1	C 5305J SE
BLY637M	AL	5-C-14-202	15	\$0.00	HOLDER	2	C 5920K SE
BNB245W	AL	5-C-14-202	4	\$0.00	BOARD	1	P 5940I SE
BNG914H	AL	5-C-14-202	1	\$0.00	BREAKER	1	C 5925B SE
BPF340K	AL	5-C-14-202	1	\$0.00	PLUG	3	C 5935B SE
BQY405K	AL	5-C-14-202	1	\$0.00	BOLT	1	C 4710Y SE
BTJ108B	AL	5-C-14-202	39	\$0.00	BARRIER	3	C 3960D SE
BTN512E	AL	5-C-14-202	1	\$0.00	SWITCH	1	C 59300 SE
BTN709V	AL	5-C-14-202	22	\$0.00	NUT	1	C 5975B SE
BVR509E	AL	5-C-14-202	4	\$0.00	GRIP	3	C 5120M SE
BWF987M	AL	5-C-14-202	1	\$0.00	BASE	3	C 5975B SE
BYK078H	AL	5-C-14-202	2	\$0.00	FITTING	1	C 5975B SE
BYK452W	AL	5-C-14-202	2	\$0.00	NUT	1	C 5975B SE
BYL636D	AL	5-C-14-202	4	\$0.00	SCREW	1	C 5305J SE
BYL940M	AL	5-C-14-202	14	\$0.00	SCREW	1	C 5305J SE
BYM850H	AL	5-C-14-202	35	\$0.00	SCREW	1	C 5305J SE
BYR646G	AL	5-C-14-202	1	\$0.00	PANEL	3	C 5975B SE
CAA440J	AL	5-C-14-202	10	\$0.00	SCREW	1	C 5305J SE
CAA563N	AL	5-C-14-202	18	\$0.00	SCREW	1	C 5305J SE
CAA565J	AL	5-C-14-202	6	\$0.00	SCREW	1	C 5305J SE
CAA854B	AL	5-C-14-202	144	\$0.00	NUT	1	C 5975B SE
CAA861E	AL	5-C-14-202	50	\$0.00	NUT	1	C 5975B SE

CAB286H	AL	5-C-14-202	6	\$0.00	RECEPTAC	RECEPTACLE, ELECTRICAL, QA 2, LAMPHOLDER, , INDICATOR RECEPTACLE, FOR GENERAL ELECTRIC TYPE ET-16	2	B	6210P SE
CAC693Y	AL	5-C-14-202	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 1/2 IN, 1/2 IN, CS, 3000 LB, FNPT, FNPT, 90, STANDARD MILL FINISH, FORGED, B16.11, ASME SA105	1	D	4730P SE
CAP933C	AL	5-C-14-202	100	\$0.00	WASHER	WASHER, FLAT, QA 3, 3/8 IN, 1 IN, 0.438 IN, 0.083 IN, CS, ROUND/WIDE, ASTM F844, ZINC COATED/MECH DEPOSIT, A, B18.22.1	3	C	5305J SE
CBL483T	AL	5-C-14-202	2	\$0.00	CLEVIS	CLEVIS, TYPICAL, QA 0, CLEVIS, PIPE HANGER; 3/8 INCH FORGED STEEL ***	0		4710Y SE
CDK552T	AL	5-C-14-202	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 120, CONTACT RATING AND WITH MAGNETIC BLOWOUT DEVICE	1	C	5945D SE
CEH397G	AL	5-C-14-202	3	\$0.00	BODY	BODY, CONDUIT, QA 3, BLB, 1-1/2 IN, COPPER FREE ALUMINUM, THREADED, **	3	C	5975B SE
CER621W	AL	5-C-14-202	5	\$0.00	CLAMP	CLAMP, PIPE, QA 1, 2 BOLT, 1 IN, CARBON STEEL, ** SINGLE PIECE PIPE STRAP, ELECTRO-GALVANIZED, WITHOUT HARDWARE	1	C	4730P SE
CEV804B	AL	5-C-14-202	1	\$0.00	NUT	NUT, TUBING, QA 3, 2 IN, STAINLESS STEEL, FLARE, FLARE TUBE END NUT	3	C	4730P SE
CHG019T	AL	5-C-14-202	5	\$0.00	BLOCK	BLOCK, TERMINAL, QA 3, BARRIER, 4, STANDARD STRIPS	3	C	59300 SE
CHH527B	AL	5-C-14-202	6	\$0.00	NUT	NUT, HEX, QA 1, 1/2 IN, ASTM A563 GR A, , HEAVY HEX	1	C	5305J SE
CHH879B	AL	5-C-14-202	49	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/4 IN, CIRCULAR, ASTM F436 TYPE 1, B18.22.1	3	C	5305J SE
CHK380G	AL	5-C-14-202	1	\$0.00	GUIDE	GUIDE, MECHANICAL, QA 1, FABRICATED, UNIT PRICE PER "EACH" FOR GUIDES, SHIM PLATES & MISCELLANEOUS ITEMS	1	C	4710Y SE
CHN808A	AL	5-C-14-202	2	\$0.00	TUBE	TUBE, GUIDE, QA 3, ASSEMBLY, MATING CONNECTOR, FOR TIP SYSTEM	3	C	4470C SE
CHP084B	AL	5-C-14-202	2	\$0.00	PLATE	PLATE, ESCUTCHEON, QA 3, CLOSE, EXTRA-LARGE, COLOR: BLACK	3	C	59300 SE
CHP138P	AL	5-C-14-202	18	\$0.00	BLOCK	BLOCK, TERMINAL, QA 2, 12-24 AC/DC, 30, #24-#10 AWG, FUSE, UL RECOGNIZED	2	C	59300 SE
CHT918D	AL	5-C-14-202	18	\$0.00	BASE	BASE, TYPICAL, QA 1, MOLDED, RELAY SOCKET FOR EGP, EML, ETR RELAYS	1	C	5945D SE
CJB756L	AL	5-C-14-202	2	\$0.00	HINGE	HINGE, DOOR, QA 3, STEEL, LEFT HAND, DOOR HINGES USE ON A GE 7700 SERIES MOTOR CONTROL CABINET.	3	C	5621D SE
CJE619F	AL	5-C-14-202	4500	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, BLACK, FOR TERMINAL BLOCK	0	C	5950N SE
CJE623Q	AL	5-C-14-202	500	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, WHITE, BLACK, CLIP-ON	0	C	5950N SE
CKB114P	AL	5-C-14-202	10	\$0.00	BLOCK	BLOCK, TERMINAL, QA 3, FEED THROUGH, 600, 30, #24-#10 AWG, DIN RAIL MOUNT, COLOR: GREY	3	C	59300 SE
CKG588F	AL	5-C-14-202	22	\$0.00	CAP	CAP, PROTECTIVE, QA 3, DUST/MOISTURE, 2-1/2 IN, GALVANIZED STEEL, GREY, WITH OIL RESISTANT GASKET	3	C	5975B SE
CKG681R	AL	5-C-14-202	1	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 3/4 IN, 3/4 IN, SS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, FORGED, B16.11, ASME SA182 F316/316L	1	C	4730P SE
CLB393J	AL	5-C-14-202	1	\$0.00	BRACKET	BRACKET, MOUNTING, QA 3, CIRCUIT BREAKER, Y RELAY, FABRICATE AND PROVIDE BRACKET FOR AK BREAKER WITH SURE TRIP DEVICE.	3	C	5925B SE
CLE505K	AL	5-C-14-202	5	\$0.00	SCREW	SCREW, CAP, QA 1, #10, 1 IN, 24, SOCKET, ALLOY STEEL, ASTM A574, UNC, 3A, CADMIUM PLATED, HEX SOCKET, B18.3, THREADED FULL	1	C	6695D SE
CLX188N	AL	5-C-14-202	1	\$0.00	NUT	NUT, LOCK, QA 3, CONDUIT, 1/4 IN, CORD CONNECTOR ACCESSORY, NON-METALLIC, PK50 = 50 PER PACK.	3	C	5999D SE
ADV374X	AL	5-C-14-301	2	\$0.00	PIN	PIN, LOCK, QA 0, GROOVED/HEADLESS, 1/16 IN, 1/4 IN, ZINC PLATED STEEL, PIN, GROOVED HEADLESS; GROOVE, STL B1112 ZNPL, FOR FI	0		48200 SE
BFK930T	AL	5-C-14-301	6	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; 90 DEG STREET, CLASS 150, MALLEABLE IRON, OUTSIDE BLACK	3		4730P SE
BGR268D	AL	5-C-14-301	14	\$0.00	WASHER	WASHER, LOCKING, QA 3, WASHER, KEY; SERIES W, STEEL, LOCK, BEARINGBORE, NOMINAL 1.77 IN ***	3		5305J SE
BGR643D	AL	5-C-14-301	14	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3		4730P SE
BLD804M	AL	5-C-14-301	50	\$0.00	SCREW	SCREW, CAP, QA 1, 7/8 IN, 2-1/2 IN, 9, HEX, CS, ASME SA307 GR A, UNC, 2A, ZINC PLATED, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASM	1		5305J SE
BLP334C	AL	5-C-14-301	74	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/2 IN; TPI: 8; MATERIAL: SS;	1		5305J SE
BLP457V	AL	5-C-14-301	65	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLP458R	AL	5-C-14-301	60	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLQ464R	AL	5-C-14-301	37	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLQ467K	AL	5-C-14-301	80	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BMF676J	AL	5-C-14-301	8	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, ANALYZER; SILICONE, 3/16 IN ID, FOR PROCS SAMPLING, ON	0		6695D SE
BNP335X	AL	5-C-14-301	3	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; STYLE: FULL, MATERIAL: MALLEABLE IRON, NOMINAL SIZE:	3		4730P SE
BPM805P	AL	5-C-14-301	33	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BPM823L	AL	5-C-14-301	35	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BVK785K	AL	5-C-14-301	6	\$0.00	BATTERY	BATTERY, TYPICAL, QA 3, RECORDER, MEMORY CARD, JYC MODEL 4082 HR2400	3		6695D SE
BYG082A	AL	5-C-14-301	2	\$0.00	BATTERY	BATTERY, WET CELL, QA 3, BATTERY, RECHARGEABLE; ELECTROLYTE: LEAD ACID, VOLTAGE: 6 VDC ***	3		6140C SE
CDW053M	AL	5-C-14-301	1	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; STYLE: 90 DEG LONG RADIUS, MATERIAL: CARBON STEEL, 1 ST	1		4730P SE
AET087N	AL	5-C-14-302	2	\$0.00	LAMP	LAMP, HID, QA 0, LAMP, OSCILLOGRAPH; MERCURY-GALVO, FOR VISCORDER OSCILLOGRAPH, MODEL	0		6625D SE
AET677A	AL	5-C-14-302	4	\$0.00	HANGER	HANGER, TYPICAL, QA 0, HANGER, LIGHTING FIXTURE; FIXTURE, FLEXIBLE, SURFACE MTG ***	0	P	6210P SE
AEW983Q	AL	5-C-14-302	3	\$0.00	HEAD	HEAD, PRINT, QA 0, WHEEL ASSY, RECORDER; INK, MULTI-COLOR, FOR RECORDER, TEMPERATURE	0	P	6695D SE
AKV121N	AL	5-C-14-302	7	\$0.00	FLASK	FLASK, CONTAINER, QA 0, VOLUMETRIC, GLASS, 500 ML, FLASK, VOLUMETRIC; CLASS A, 500 ML, CALIBRATED TO CONTAIN, WITH	0		6630D SE
AKV824K	AL	5-C-14-302	20	\$0.00	FORCEPS	FORCEPS, HAND, QA 0, FILTER, 4-1/2 IN, STAINLESS STEEL, FORCEPS, GENERAL PURPOSE; FILTER, STAINLESS STEEL, SMOOTH TIP, 4.5 IN	0		6505C SE
ARD295F	AL	5-C-14-302	1	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 750, 120, HEATER, SPACE ELECTRIC; VOLTAGE: 120, WATTAGE: 750 ***	0		4520N SE
AVX715W	AL	5-C-14-302	24	\$0.00	BLOCK	BLOCK, TERMINAL, QA 0, TERMINAL, JUNCTION BLOCK,SECT; PLASTIC, DUAL-ELEMENT ***	0		5940I SE
AWQ218Y	AL	5-C-14-302	10	\$0.00	HEAD	HEAD, THERMOCOUPLE, QA 0, 1/2 IN, ALUMINUM, NPT, HEAD, ; THERMOCOUPLE, ALUMINUM TAPPED, 000.500 IN NPT OPENINGS, FOR	0		6695D SE
BDH306W	AL	5-C-14-302	89	\$0.00	FERRULE	FERRULE, TYPICAL, QA 0, 19/32 IN, TUBE, BRASS, ***	0		4730P SE
BEF490N	AL	5-C-14-302	20	\$0.00	HANGER	HANGER, CONDUIT, QA 3, RIGHT ANGLE, 1-1/2 IN, GALVANIZED CS, PIPE, CONDUIT	3		5975B SE
BFX388L	AL	5-C-14-302	3	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1-1/2 IN, SS, 150 LB, RAISED FACE, ASME SA182 GR F316, NOMINAL SIZE: 01.500 IN ( 1 1/2)	0		4730P SE
BGH657B	AL	5-C-14-302	5	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, 150, FIXTURE, LIGHTING; LAMP TYPE: INCANDESCENT, WATTS: 150 ***	0		6210P SE
BGR533L	AL	5-C-14-302	35	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3		4730P SE
BLL974N	AL	5-C-14-302	176	\$0.00	FERRULE	FERRULE, TYPICAL, QA 0, 11/16 IN, TUBE, BRASS, ***	0		4730P SE
BMA396J	AL	5-C-14-302	6	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 3/4 IN, 3/4 IN, CARBON STEEL, ASME SA105, ***	0		4730P SE

BNN552T	AL	5-C-14-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 3/4 IN, STAINLESS STEEL, 150 LB, FLAT, AISI 304, FLANGE, ; 3/4 IN, 150 LBS ASA, TYPE 304 STAINLE 0	4470C	SE
BNT506E	AL	5-C-14-302	3	\$0.00	FLANGE	FLANGE, PIPE, QA 0, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL SIZE: 04.000 IN ( 4) ***	0	4730P SE
BPB885H	AL	5-C-14-302	15	\$0.00	BUSHING	BUSHING, PIPE, QA 3, BUSHING, PIPE; 2 IN GALV ***	3	4730P SE
BPV283V	AL	5-C-14-302	1	\$0.00	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; US26D FINISH, 5 IN X 4-1/2 INCH, FOR APPENDIX 'R' FIRE	3	4710Y SE
BRA127M	AL	5-C-14-302	85	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: SINGLE-EYE, CABLE RANGE DIAMETER:	3	5120M SE
BRM883M	AL	5-C-14-302	4	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, GROUNDED, 5 IN, MALLEABLE IRON, STRAIGHT, THREADED, ,END TYPE: GLAND NUT W/EXT THD, FEATURES: F 3	3	5975B SE
BRW452D	AL	5-C-14-302	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: SHORT 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BRW470N	AL	5-C-14-302	4	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: SHORT 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BRW490G	AL	5-C-14-302	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: SHORT 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BRW498L	AL	5-C-14-302	4	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: LONG 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
AVX822V	AL	5-C-15-201	1	\$0.00	JOINT	JOINT, EXPANSION, QA 0, 16 IN, PIPE, RUBBER, 125 PSIG, EXPANSION JOINT, PIPE; NOMINAL SIZE: 16.000 IN ( 16), BODY MATERIAL:	0	B 4730P SE
BK6909X	AL	5-C-15-201	4	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 48.00 X 22.00 IN, FIN TYPE, DOUBLE DEFLECTION ***	3	5670A SE
BLA479L	AL	5-C-15-201	2	\$0.00	EXTENSION	EXTENSION, TYPICAL, QA 3, FIRE HYDRANT, 6 IN, EXTENSION, ROLLER HANDLE; BARREL, 6 IN, FOR FIRE HYDRANT ***	3	8020F SE
BYB506A	AL	5-C-15-201	106	\$0.00	TAPE	TAPE, ADHESIVE, QA 3, DUCT, 2 IN, 180 FT, , PRESSURE SENSITIVE, NUCLEAR GRADE, COLOR: SILVER/GRAY	3	S 47510U SE
ACW153F	AL	5-C-15-202	3	\$0.00	HEAD	HEAD, PRINT, QA 3, WHEEL, RECORDER; NUMERIC ASSY, REV 0, FOR GE RECORDER MULTIPLE	3	6695D SE
AEN798J	AL	5-C-15-202	8	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, POWER, 125/250, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE 0	0	5935B SE
AFG253N	AL	5-C-15-202	7	\$0.00	ELBOW	ELBOW, PIPE, QA 0, REDUCING STANDARD, 3 IN, 2 IN, MALLEABLE IRON, 150 LB, FNPT, FNPT, 90, BLACK, ***	0	4730P SE
AFN697J	AL	5-C-15-202	37	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, QUICK DISCONNECT, 1/0-3/0, MALE END ONLY, FOR 1/0 THRU 3/0 CABLE	0	C 5935B SE
AVG055B	AL	5-C-15-202	6	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 4 IN, 4 IN, MALLEABLE IRON, 150 LB, FNPT, FNPT, 45, GALVANIZED, ASTM A197, ***	0	4730P SE
AKM430K	AL	5-C-15-202	5	\$0.00	FILTER	FILTER, ELECTRONIC, QA 0, 250, FILTER ASSY, 2 X 3	0	5915E SE
ALN599K	AL	5-C-15-202	4	\$0.00	GRIP	GRIP, CABLE, QA 0, DOUBLE EYE, 1 IN-1-1/4 IN, WOVEN	0	5120M SE
APG108F	AL	5-C-15-202	35	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, QUICK DISCONNECT, 3/4 IN, ***	0	5940I SE
AWV212V	AL	5-C-15-202	9	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, ASSEMBLY, #22-#20 AWG, PIN X SOCKET, 20 CONTACT, CONNECTOR ASSY, ELECTRICAL; MINIATURE PIN AND S 0	0	5935B SE
BEF804G	AL	5-C-15-202	3	\$0.00	COUPLING	COUPLING, PIPE, QA 3, REDUCER, PIPE; STYLE: COUPLING, MATERIAL: MALLEABLE IRON, FIRST END	3	4730P SE
BGR676X	AL	5-C-15-202	41	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BGR730X	AL	5-C-15-202	24	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
BGR734A	AL	5-C-15-202	8	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
BKR656H	AL	5-C-15-202	6	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, 1/2 IN, 2-3/4 IN, 13, CS, ASME SA449 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, RIGHT HAND, BOLT, M, 1	1	5305J SE
BRW557Y	AL	5-C-15-202	4	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: LONG 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BTY631W	AL	5-C-15-202	10	\$0.00	ELBOW	ELBOW, CONDUIT, QA 3, RIGID, 1 IN, 90 DEG, MALLEABLE IRON, , ELBOW STYLE: PULLING, FIRST END TYPE: THREAD INTERNAL, SECOND ENI 3	2	5975B SE
BVB767Y	AL	5-C-15-202	11	\$0.00	HINGE	HINGE, TYPICAL, QA 2, HINGE, BUTT; MATERIAL: BRASS, WIDTH: 04.500000 ( 4 1/2), LENGTH:	2	4710Y SE
BVJ328M	AL	5-C-15-202	3	\$0.00	TEE	TEE, TUBING, QA 3, TEE, TUBE; FIRST END NOM SIZE: 00.375 IN ( 3/8), SECOND END NOM SIZE:	3	4730P SE
BVL483Y	AL	5-C-15-202	3	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, BOLT, STRUCTURAL; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BYM435J	AL	5-C-15-202	2	\$0.00	HANGER	HANGER, PIPE, QA 0, BRONZE ALLOY, ASTM B22, PIPE ASSY, REACTOR FEEDWATER; PIPE SUPPORT ASSEMBLIES CONSISTING OF:	0	4470C SE
CAL255E	AL	5-C-15-202	8	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
CBD686G	AL	5-C-15-202	9	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: FLAT, MATERIAL: STAINLESS STEEL, NOMINAL	2	C 5305J SE
CFC770K	AL	5-C-15-202	1	\$0.00	COUPLING	COUPLING, PIPE, QA 3, 1/2 IN, HALF, CS, 3000 LB, SOCKETWELD, ASTM A350 GR LF2, STANDARD MILL FINISH, FORGED, B16.11	3	4730P SE
CFE018K	AL	5-C-15-202	88	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, STRAIGHT, 3/8 IN, , MATERIALTYPE: LOW-CARBON NICKEL, UNS N02201, MATERIAL SPECIFICATION	3	4730P SE
CFE019H	AL	5-C-15-202	88	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, STRAIGHT, 1 IN, , MATERIAL TYPE: LOW-CARBON NICKEL, UNS N02201, MATERIAL SPECIFICATION	3	4730P SE
CHA717A	AL	5-C-15-202	21	\$0.00	GROUT	GROUT, FILLER, QA 0, GENERAL PURPOSE, PRE-BLENDED, NON-SHRINK, 50-LB BAG	0	C 6810H SE
CJB774J	AL	5-C-15-202	2	\$0.00	STEM	STEM, VALVE, QA 1, GATE, MATERIAL: A564-630-1075, FOR 1 INCH 900 LB SOCKET ENDS DOUBLE DISC	1	48200 SE
CKT661C	AL	5-C-15-202	2	\$0.00	KIT	KIT, PARTS, QA 1, ACTUATOR, 1-1/2 IN, BALL VALVE REPAIR KIT, MODEL # A411B.R8, 300 WOG, 4 BOLT STYLE	1	3110B SE
BBN484M	AL	5-C-15-302	28	\$0.00	GASKET	GASKET, TYPICAL, QA 3, COVER, 1-1/2 IN, NEOPRENE, FORM 8, (FOR CROUSE-HINDS CONDUIT OUTLET BODIES ONLY) UL LISTED	3	C 5975B SE
BRK443W	AL	5-C-15-302	3	\$0.00	SPRING	SPRING, TYPICAL, QA 3, LOAD, , SS, LIVE LOAD, BELLEVILLE WASHER, (17-7 PH), ASTM A564, TYPE 631	3	C 5975B SE
BRN013X	AL	5-C-15-302	11	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 2, CERAMIC, 460, 51.1 K, 5, +/- 1 %, WIRE WOUND, (2) AXIAL LEADS, SILICONE-CERAMIC COATED. 18 , 2	2	C 5905I SE
BYR737D	AL	5-C-15-302	2	\$0.00	PANEL	PANEL, TYPICAL, QA 3, BLANK, 8-7/8 IN, 10-3/4 IN, STEEL, 14 GAUGE WITH A WHITE FINISH.	3	C 5975B SE
BVY201E	AL	5-C-15-302	19	\$0.00	GASKET	GASKET, TYPICAL, QA 3, CELLULOSE, SINGLE, , FOR 12 INCH TYPE PTC & PTB PULL BOX, P/N: 1200,1202 & 1251, 1252.	3	C 5975B SE
CAB286H	AL	5-C-15-302	150	\$0.00	RECEPTAC	RECEPTACLE, ELECTRICAL, QA 2, LAMPHOLDER, , INDICATOR RECEPTACLE, FOR GENERAL ELECTRIC TYPE ET-16	2	B 6210P SE
CBV708R	AL	5-C-15-302	1000	\$0.00	SPLICE	SPLICE, CABLE, QA 2, INSULATED, #16-#14 AWG, TEFLON, BLUE, CRIMP, , BUTT TYPE, UL LISTED	2	C 5940I SE
CFD381E	AL	5-C-15-302	34	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, FIBER OPTIC, TYPE 'ST', STRAIGHT, , UNICAM SERIES.	3	C 5975B SE
CHF726F	AL	5-C-15-302	140	\$0.00	BLOCK	BLOCK, TERMINAL, QA 3, 600, 25, #12-#22 AWG, , TYPE WDU 2.5, TS-35 DIN RAIL MOUNT, SCREW CLAMP, SINGLE LEVEL,	3	C 59300 SE
CHK129D	AL	5-C-15-302	3	\$0.00	LUBRICANT	LUBRICANT, GREASE, QA 3, SPECIAL, NI DETECTOR THREAD LUBRICANT	3	C 9150H SE
CHQ386Y	AL	5-C-15-302	55	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, FIBER OPTIC, TYPE 'ST', STRAIGHT, , MULTIMODE, 125 MICRO-METER FIBER SIZE, ZIRCONIA FERRULE.	3	C 5935B SE
CHX971R	AL	5-C-15-302	74	\$0.00	JACK	JACK, BANANA, QA 1, ADAPTER, BLACK, #8-32, 1.13 IN, 1600 VRMS MAX, 25 AMPS MAX, 0.320 IN LONG MALE STUD, ALLOY 360 1/2 HA 1	1	C 6625D SE
CJK915H	AL	5-C-15-302	46	\$0.00	COVER	COVER, PLATE, QA 3, BLANK	3	C 5945D SE
CJP494T	AL	5-C-15-302	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, FLANGE, 2 IN, 1/8 IN, ETHYLENE PROPYLENE RUBBER, ROUND, 150 PSI, FULL FACE, FOR 2" 150 LB RF FLANGE	3	C 4730P SE
CJP495Q	AL	5-C-15-302	9	\$0.00	GASKET	GASKET, TYPICAL, QA 3, FLANGE, 2-1/2 IN, 1/8 IN, ETHYLENE PROPYLENE RUBBER, ROUND, 150 PSI, FULL FACE, FOR 2-1/2" 150 LB RF FL 3	3	C 4730P SE

CJP522G	AL	5-C-15-302	2	\$0.00	GASKET	GASKET, BULK, QA 3, 1/8 IN, RED RUBBER/SILICA, SHEET, TYPE SRB W/ FULL FACE CUT FOR STANDARD 150 LB 12" RAISED FACE FLANGE	3	C	4730P SE
CJP650J	AL	5-C-15-302	1	\$0.00	GASKET	GASKET, TYPICAL, QA 3, 10 IN, 10 IN, 16 IN, 1/16 IN, ROUND, 150 PSI, FLANGE, FULL FACE, SBR RUBBER	3	C	4730P SE
CJQ999N	AL	5-C-15-302	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/4 IN, 2-1/8 IN, 4 IN, CARBON, STYLE 5010, HALVED WITH DRILLED AND TAPPED HOLES	3	C	48200 SE
CJR033C	AL	5-C-15-302	120	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, FIBER OPTIC, COMPRESSION, STRAIGHT, PRE-POLISHED FIBER CONNECTOR, TYPE: SC, SINGLE MODE FIBER.	3	C	6695D SE
CJR048Y	AL	5-C-15-302	225	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, FIBER OPTIC, STRAIGHT, TYPE: SC FOR MULTIMODE FIBER, PRE-POLISHED FIBER CONNECTOR.	3	C	6695D SE
CKX089M	AL	5-C-15-302	126	\$0.00	JACK	JACK, BANANA, QA 1, ADAPTER, BLACK, #6-32, 1.04 IN, 1100 VRMS MAX, 25 AMPS MAX, 0.250 IN LONG MALE STUD, ALLOY 360 1/2 HA	1	C	66235D SE
CKX097N	AL	5-C-15-302	99	\$0.00	JACK	JACK, BANANA, QA 1, ADAPTER, ORANGE, #6-32, 1.04 IN, 1100 VRMS MAX, 25 AMPS MAX, 0.250 IN LONG MALE STUD, ALLOY 360 1/2 H	1	C	6625D SE
CKX126K	AL	5-C-15-302	53	\$0.00	JACK	JACK, BANANA, QA 1, ADAPTER, RED, #8-32, 1.13 IN, 1600 VRMS MAX, 25 AMPS MAX, 0.320 IN LONG MALE STUD, ALLOY 360 1/2 HARD	1	C	6625D SE
CKY023F	AL	5-C-15-302	20	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, COUPLING RECEPTACLE, STRAIGHT, BODY STYLE: BULKHEAD, BNC CONNECTOR,	3	C	5935B SE
CKY041D	AL	5-C-15-302	92	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, BAYONET, STRAIGHT, CONNECTOR TYPE: CAP & CHAIN, SERIES: 953, FOR USE WITH: ST ADAPTERS,	3	C	5935B SE
CLP843F	AL	5-C-15-302	1	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, ELECTRICAL PENETRATION, #16 AWG, THREADED, STRAIGHT, 48 PIN, INSERT READS RIGHT TO LEFT, SHELL/PO	3	C	5935B SE
CLR626D	AL	5-C-15-302	8	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, COAXIAL, FEMALE, STRAIGHT, TRIAX, MATING THREAD 11/16-24	3	C	5999D SE
CLR901J	AL	5-C-15-302	12	\$0.00	RECEPTA	RECEPTACLE, ELECTRICAL, QA 3, 24-10, 7 PIN, BOX MOUNTING, CONNECTOR, FEMALE.	3	C	5975B SE
CLW960W	AL	5-C-15-302	15	\$0.00	CAP	CAP, PROTECTIVE, QA 3, 8 PIN LEMO CONNECTOR, FOR VALVE SMART STEM INSTRUMENTATION, LEMO PART NUMBER-BRE.1S.200.NAS	3	C	48200 SE
CMB177J	AL	5-C-15-302	75	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, FIBER OPTIC, SMA905, FOR CABLE (CC-ST-230-2.2), PRODUCT CODE CC-SMA-230-2.2.	3	C	5935B SE
CME838G	AL	5-C-15-302	20	\$0.00	SPLICE	SPLICE, KIT, QA 3, IN-LINE, 1, THERMOCOAX COLD LEAD CONNECTION, MAX WORKING TEMP: 100 DEG. C, MAX AMPS	3	C	
BDM976Q	AL	5-C-16-201	100	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 12 IN, 120 FT, 10-10 X 6, 0.1-1000, 3 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 10 TO 10 X 6	0		75300 SE
BHG715N	AL	5-C-16-201	53	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, SANITARY, 10 IN DIA, COTTON, BRUSH, SANITARY; MATERIAL: COTTON, NOMINAL SIZE: 10.000000 ( 10)	0		7920P SE
BNM090E	AL	5-C-16-201	155	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 0, ASSEMBLY, *** MK CED-7	0		5975B SE
BTT424N	AL	5-C-16-201	5	\$0.00	BODY	BODY, CONDUIT, QA 3, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.000000 ( 2), MATERIAL:	3		5975B SE
ARJ730H	AL	5-C-16-202	46	\$0.00	SCREW	SCREW, TURBINE, QA 0, SCREW, STEAM TURBINE; RETAINING, D03, LEVELING LINK, REF 2, FOR THRUST	0	P	2825G SE
ARJ918K	AL	5-C-16-202	50	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, STEAM TURBINE; NOZZLE BLOCK, REF 1, IL 1250- 4012 FOR MAIN	0	P	2825G SE
BAL850J	AL	5-C-16-202	10	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY/FIRE, 3/8 IN, 5/8 IN, 10 IN, RUBBER, BLACK, HOSE ASSY, NONMTL, FIRE FIGHTING; RUBBER, 0.375 ID X 0.6	0	B	4210N SE
BBN108K	AL	5-C-16-202	3	\$0.00	ROD	ROD, TYPICAL, QA 0, ROD, TURBINE; CONNECTING, REF 36, IL1250-4153, REF 36, IL1250-4267	0	C	2825G SE
BLM470R	AL	5-C-16-202	22	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP, SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BYA746R	AL	5-C-16-202	3	\$0.00	LINER	LINER, TYPICAL, QA 0, STEAM TURBINE; FOR LOW PRESSURE TURBINE	0	C	2825G SE
BNJ267E	AL	5-C-16-301	2	\$0.00	BRACKET	BRACKET, TYPICAL, QA 0, 2 IN, 4-1/4 IN, 3/8 IN, BRACKET, ; 2 X 4-1/4 X 3/8, 4477D62-011, TG00160. ***	0	P	4470C SE
BNJ274H	AL	5-C-16-301	5	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, 7/16 IN X 9/16 IN, REDUCING, 660B904, 4491-233.	0	P	4470C SE
BNL221W	AL	5-C-16-301	5	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 3/4 IN, 627C386-006	0	P	2825G SE
BNL254D	AL	5-C-16-301	12	\$0.00	NUT	NUT, TYPICAL, QA 0, NUT, ; NUT 460B496-010 ***	0	P	2825G SE
BNV321L	AL	5-C-16-301	4	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN	0	P	5305J SE
BPE013K	AL	5-C-16-301	171	\$0.00	LUG	LUG, COMPRESSION, QA 0, TERMINAL, 11/16 IN, 2	0	P	5940I SE
BNJ194F	AL	5-C-16-301	495	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 1/2 IN, 1196E76	0	P	5305J SE
ARD871D	AL	5-C-16-302	107	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
AYL144A	AL	5-C-16-302	2	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN, HEXAGON, ; HEAVY, ALLOY STEEL, ASME SA 194 GR 7, 1.375- 8	1	C	5305J SE
BAY845C	AL	5-C-16-302	98	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT CRIMP, CNCT SIZE 250 KCMIL	2	P	5940I SE
BCX842B	AL	5-C-16-302	2	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 3/4 IN, 10, SS, ASME SA194 GR 6, UNC, 2B, B18.2.2	1	C	5305J SE
BDR523A	AL	5-C-16-302	24	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP, HEXAGON H, ; HEXAGON HEAD, ANSI B18, 2.1 SIZE 0.750 IN - 10	1	B	5305J SE
BEOK078L	AL	5-C-16-302	148	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BET178M	AL	5-C-16-302	13	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN, HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.875	1	C	4320U SE
BFH630H	AL	5-C-16-302	31	\$0.00	BOLT	BOLT, SQUARE, QA 2, BOLT, MACHINE; SQUARE HEAD, CARBON STEEL ASTM A 307 GR A, NOMINAL DIA	2	P	5305J SE
BGD961W	AL	5-C-16-302	294	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN, HEXAGON, ; CARBON STEEL, ASTM A563, GR A, 0.875-9 UNC, NUT	1	P	5305J SE
BGE323Q	AL	5-C-16-302	194	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP, HEXAGON H, ; ALLOY STEEL ASME SA 354 GR BD , NOMINAL DIA	1	P	5305J SE
BGH529L	AL	5-C-16-302	1	\$0.00	SCREW	SCREW, CAP, QA 0, 5/8 IN, 3-1/4 IN, HEX, BRONZE, *** FOR H2 SEAL RING, ON 1183 MEGA WATT GENERATOR	0	P	6115F SE
BKE753C	AL	5-C-16-302	62	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; UNINSULATED, BUTT TYPE, 6-2/0 AWG, COPPER	2	P	5940I SE
BLJ056Y	AL	5-C-16-302	34	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, 7/8 IN, 1-1/2 IN, 9, CS, ASME SA307 GR A, UNC, ZINC PLATED	1	P	5305J SE
BLJ231G	AL	5-C-16-302	3804	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/2 IN, CS, ROUND/NARROW, ASTM F844, CADMIUM PLATED, A, B18.22.1	3	P	5305J SE
BLM334N	AL	5-C-16-302	3498	\$0.00	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 0.437 IN (	3	P	5305J SE
BLM469Y	AL	5-C-16-302	44	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; CAP, SOCKET HEAD, SELF-LOCKING ASME SA574 ALLOY STEEL, PER	1	P	5305J SE
BLM472A	AL	5-C-16-302	22	\$0.00	SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW, CAP, SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P	5305J SE
BLM488T	AL	5-C-16-302	24	\$0.00	SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW, CAP, SOCKET HEA, ; CAP, HEX SOCKET HEAD, ASME SA574 ALLOY STEEL	1	P	5305J SE
BLN450T	AL	5-C-16-302	8	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 15/16 IN, CARBON STEEL, *** FOR 747 RED HEAD ROTO HAMMER	0	P	5305J SE
BLT336Q	AL	5-C-16-302	2391	\$0.00	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CARBON STEEL, HELICAL SPRING, CADMIUM PLATED, 0.375 IN	3	P	5305J SE
BLV517F	AL	5-C-16-302	555	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASTM F593-86, ALLOY 316	2	P	5305J SE
BNQ506Q	AL	5-C-16-302	578	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASTM F593-86, ALLOY 304/316	2	P	5305J SE
BQR286R	AL	5-C-16-302	142	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J SE
BQX909V	AL	5-C-16-302	250	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE

BRE911F	AL	5-C-16-302	97	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	C	5305J SE
BTH623Y	AL	5-C-16-302	593	\$0.00	NUT	NUT, HEX, QA 1, MACHINE, #4, 40, SS, UNC, 2B, B18.6.3	1	C	5305J SE
BVK126W	AL	5-C-16-302	260	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BVK128Q	AL	5-C-16-302	399	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BVP361X	AL	5-C-16-302	1723	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J SE
BWV338X	AL	5-C-16-302	4820	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BXH118R	AL	5-C-16-302	10	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/8 IN, 8, SS, ASME SA194 GR 6, UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BLE954V	AL	5-C-17-301	1	\$0.00	PANEL	PANEL, TYPICAL, QA 3, BLANK, 12-7/8 IN, 14-3/4 IN, JUNCTION BOX, MATERIAL: SS,	3	C	5975B SE
BWW360B	AL	5-C-17-301	3	\$0.00	CLOSER	CLOSER, DOOR, QA 3, AUTOMATIC, SIZE: NON-SIZED FULL ADJUSTABILITY FROM SIZE 1 - 6, MOUNTING:	3	C	4710Y SE
BXQ041M	AL	5-C-17-301	5	\$0.00	EDGING	EDGING, PROTECTIVE, QA 3, 0.099 IN - 0.144 IN, 100 FT, GROMMET, BLACK POLY, 100 FOOT ROLL	3	C	5305J SE
BYV240E	AL	5-C-17-301	22	\$0.00	GASKET	GASKET, TYPICAL, QA 3, 24 IN (2 FT), CELLULOSE, , SINGLE, FOR 24 INCH TYPE PTC & PTB PULL BOX P/N: 1223 & 1273.	3	C	5975B SE
CAC950G	AL	5-C-17-301	27	\$0.00	BELT	BELT, DRIVE, QA 2, V, 38.000 IN, 0.500 IN, 5/16 IN, , MATERIAL: RUBBER, STRENGTH FEATURE: POLYESTER CORD, BELT STYLE:	2	C	3030B SE
CEK091M	AL	5-C-17-301	13	\$0.00	SPRING	SPRING, TYPICAL, QA 3, TYPE: TURBINE *** SHAFT SEAL ASSEMBLY (GE DWG	3	C	2825G SE
CKV611N	AL	5-C-17-301	2	\$0.00	CABINET	CABINET, ELECTRICAL EQUIPMENT, QA 3, POWER DISTRIBUTION, STEEL, SHELF ASSEMBLY, CONNECTION: SCREWS, APPLICATION: 7700 LINE 3	3	C	5975B SE
CLB393J	AL	5-C-17-301	2	\$0.00	BRACKET	BRACKET, MOUNTING, QA 3, CIRCUIT BREAKER, Y RELAY, FABRICATE AND PROVIDE BRACKET FOR AK BREAKER WITH SURE TRIP DEVICE.	3	C	5925B SE
CLV701G	AL	5-C-17-301	1	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, MORTISE, 1-3/4 IN, LEFT HAND	3	C	5621D SE
CMF250R	AL	5-C-17-301	2	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 3, DUAL Y-MOUSE ADAPTER, TYPE: PS/2, CONVERTS FROM TWO 6 PIN FEMALE TO ON	3	C	5995A SE
ABF695K	AL	5-C-17-302	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, BASE ASSY, VALVE; LAMPHOLDER, FOR INDICATING LIGHT 110/125 VAC/DC ***	0		48200 SE
ALG409K	AL	5-C-17-302	2	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 500, 240, HEATER, SPACE ELECTRIC; VOLTAGE: 240, VOLTAGE TYPE: AC, WATTAGE: 500	0		4520N SE
ALG686P	AL	5-C-17-302	12	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG SHORT RADIUS, CLASS 3000, CARBON STEEL ASTM A 105	1		4730P SE
AQW616N	AL	5-C-17-302	27	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
AQW617L	AL	5-C-17-302	7	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, FIRST ID .375 IN ASSEMBLED	3		4730P SE
AQW618J	AL	5-C-17-302	9	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, FIRST ID .5 IN ASSEMBLED FITTING	3		4730P SE
AQW622V	AL	5-C-17-302	12	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; 90 DEG, BRASS, FIRST ID .312 IN SEAT TYPE 37 DEG FLARED	3		4730P SE
BBE504L	AL	5-C-17-302	15	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE506G	AL	5-C-17-302	7	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE507E	AL	5-C-17-302	10	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE508C	AL	5-C-17-302	8	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE509A	AL	5-C-17-302	49	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE512L	AL	5-C-17-302	48	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE595M	AL	5-C-17-302	4	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; STAINLESS STEEL AISI 316 S31600	3		4730P SE
BBE621F	AL	5-C-17-302	9	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, MALE, CARBON STEEL, TUBE X MNPT, CADMIUM PLATED, ** PIPE TO TUBE, FIRST/IDENT END NOM SIZE 3/8", PI	3	C	4730P SE
BBE646Y	AL	5-C-17-302	9	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE655X	AL	5-C-17-302	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; CARBON STEEL, OUTSIDE CADMIUM PLATED	3		4730P SE
BBE656V	AL	5-C-17-302	10	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; CARBON STEEL, OUTSIDE CADMIUM PLATED	3		4730P SE
BBE785G	AL	5-C-17-302	16	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST ID .5	3		4730P SE
BBE836R	AL	5-C-17-302	12	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST ID	3		4730P SE
BBE839K	AL	5-C-17-302	16	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST ID .5	3		4730P SE
BBF095V	AL	5-C-17-302	4	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE TO BOSS; 90 DEG, STAINLESS STEEL ASME SA 182 GR F316	3		4730P SE
BBF105X	AL	5-C-17-302	8	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, CARBON STEEL ASTM A 576 GR 12L14	3		4730P SE
BBF116P	AL	5-C-17-302	44	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST ID .25	3		4730P SE
BBF118K	AL	5-C-17-302	6	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; 90 DEG, STAINLESS STEEL, ASTM A 479 GR F316 S31600	3		4730P SE
BBF129E	AL	5-C-17-302	22	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; STYLE: 90 DEG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	3		4730P SE
BBF691L	AL	5-C-17-302	28	\$0.00	FERRULE	FERRULE, TYPICAL, QA 3, FERRULE, SWAGE, TUBE COUPLING; CARBON STEEL, FIRST ID .5 IN FERULOK ***	3		4730P SE
BBF743V	AL	5-C-17-302	48	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, COUPLING, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT TYPE	3		4730P SE
BBF752T	AL	5-C-17-302	83	\$0.00	CAP	CAP, TUBING, QA 3, CAP, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .625 IN SEAT TYPE 45	3		4730P SE
BBY989D	AL	5-C-17-302	9	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1/2 IN X 5/8 IN, COPPER, SWEAT, 90, ***	0		4730P SE
BFD064Q	AL	5-C-17-302	3	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1/2 IN, 1/2 IN, NICKEL ALLOY, 3000 LB, SOCKETWELD, SOCKETWELD, 90, ASTM B462 CARPENTEI 0	0		4730P SE
BFD065N	AL	5-C-17-302	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 IN, 1 IN, NICKEL ALLOY, 3000 LB, SOCKETWELD, SOCKETWELD, 90, ASTM B462 CARPENTER, *** 0	0		4730P SE
BFL801N	AL	5-C-17-302	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 3/4 IN, 3/4 IN, NICKEL ALLOY, 3000 LB, SOCKETWELD, SOCKETWELD, 90, ASTM B462 CARPENTEI 0	0		4730P SE
BHX013B	AL	5-C-17-302	6	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, BUSHING, PIPE; REDUCING, HEX HEAD, STAINLESS STEEL, ASME SA479, TYPE	1		4730P SE
BJT288M	AL	5-C-17-302	12	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, 1/4 IN, STAINLESS STEEL, O-RING BOSS X MNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED INTERNA 0	0		4730P SE
BNB993L	AL	5-C-17-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-3/8 IN, 1-7/8 IN, 4 IN, CARBON, PACKING; SPLIT, SPACER, #5005,	3	B	5730H SE
BNP165W	AL	5-C-17-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 3/8 IN, 3/4 IN, 4 IN, CARBON, BUSHING, SLEEVE; SPLIT, CARBON # 5005, SPACER, HALVED WITH DRILLED AND	3	B	3110B SE
BNV303P	AL	5-C-17-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 2 IN, ALUMINUM, 150 LB, FLANGE, PIPE; NOMINAL SIZE: 02.000 IN ( 2), MATERIAL: ALUMINUM CLASS:	0		4730P SE
BPB949H	AL	5-C-17-302	10	\$0.00	HEATER	HEATER, ELECTRIC, QA 1, HEATER, THERMAL RELEASE; MAX MOTOR FULL LOAD CURRENT, (1OCFR21	1		61100 SE
BPC794F	AL	5-C-17-302	12	\$0.00	GRIP	GRIP, CABLE, QA 3, WOVEN/SUPPORT, TIN COATED BRONZE, STRAIGHT, SINGLE EYE/SPLIT MESH, CABLE DIA: .62" - .74", BREAKING STRENI 3	3		5120M SE

BPC852V	AL	5-C-17-302	6	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; BRASS, FIRST END 0.5 IN NPT, MALE, SECOND END 0.5	3	4730P SE
BPF339Q	AL	5-C-17-302	62	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, CONNECTOR, ; CONNECTOR PACKAGE P/N 88601, WITH CONNECTOR TONG P/N	0	4470C SE
BPF383M	AL	5-C-17-302	1	\$0.00	GRIP	GRIP, CABLE, QA 3, WOVEN, 1-1/4 IN-1.490 IN, 13 IN, TIN COATED BRONZE, STRAIGHT, SINGLE WEAVE/ROD CLOS, BREAKING STRENGTH: 13	3	5120M SE
BQL437Q	AL	5-C-17-302	3	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: STAINLESS STEEL	1	4730P SE
BRE516M	AL	5-C-17-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/2 IN, 2-1/2 IN, 4 IN, SPLIT, SPACER, CARBON #5005, HALVED WITH DRILLED AND TAPPED HOLES	3	B 5730H SE
BRV554A	AL	5-C-17-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 5/8 IN, 1 IN, 4 IN, CARBON	3	4730P SE
BTY381R	AL	5-C-17-302	4	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; STYLE: 45 DEG, MATERIAL: COPPER ALLOY, 1 ST END NOM SIZE:	3	4730P SE
BTY409Y	AL	5-C-17-302	10	\$0.00	CAP	CAP, TUBING, QA 3, 1-1/2 IN, COPPER, SOLDER, B16.22	3	4730P SE
BVB932A	AL	5-C-17-302	10	\$0.00	COUPLING	COUPLING, HOSE, QA 3, 1/2 IN, HALF/QUICK DISCONNECT, FNPT, MATERIAL: STAINLESS STEEL, MATERIAL SPEC: AISI 316	3	4730P SE
BVB986J	AL	5-C-17-302	10	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, ADAPTER, CONNECTOR; CONNECTOR TYPE: COAXIAL, BODY STYLE: TEE, VOLTAGE	3	5935B SE
BVB993M	AL	5-C-17-302	2	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 1, ADAPTER, CONNECTOR; CONNECTOR TYPE: COAXIAL, BODY STYLE: STRAIGHT	1	5935B SE
BVT739N	AL	5-C-17-302	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
CAX931H	AL	5-C-17-302	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, REDUCING STANDARD, 1 IN, 3/4 IN, STAINLESS STEEL, 3000 LB, SOCKETWELD, SOCKETWELD, 90, B16.11, ASTM A18;0	0	4730P SE
CEC004G	AL	5-C-17-302	2	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 5/8 IN, COPPER, SWEAT, 45, *** FOR 5/8" OD COPPER TUBE.	0	4730P SE
AQW288D	AL	5-C-18-301	6	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, FILTER, W/ QUICK DISCONNECT, HOLDER, ; FILTER, W/QUICK DISCONNECT FOR 47 MM PARTICULATE AIR FILTER	0	C 4240P SE
BEE526N	AL	5-C-18-301	55	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1 IN, 4-1/2 IN, 8, SS, UNC, ASME SA193 GR B6, 2A, STANDARD MILL FINISH, B1.1	1	C 5305J SE
BGE030A	AL	5-C-18-301	18	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, SECURITY SYSTEM; KYNAR COATED, TENSION, FOR E-FIELD SECURITY	0	6350B SE
BGF475V	AL	5-C-18-301	4	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, 2 IN, CAST IRON/STAINLESS STEEL, 150 PSIG, THREADED, STRAINER, SEDIMENT; BODY MATERIAL: CA	0	4730P SE
BHF707V	AL	5-C-18-301	3564	\$0.00	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; CARBON STEEL, THREAD SHANK DIAMETER 0.145 IN	3	P 5305J SE
BJC361E	AL	5-C-18-301	16	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, DOOR, CAST IRON, ALUMINUM FINISH, HOLDER, DOOR; MATERIAL: CAST IRON, SURFACE TREATMENT: ALUMINUM FI	0	4710Y SE
BJN535K	AL	5-C-18-301	2	\$0.00	CLAMP	CLAMP, PIPE, QA 1, CLAMP, PIPE ANCHOR&REINFORC; SIZE 6.0 IN, THREE BOLT, ALLOY STEEL ASTM	1	C 4730P SE
BJN679T	AL	5-C-18-301	5	\$0.00	ATTACHME	ATTACHMENT, BEAM, QA 0, WELDED, 1 IN, CARBON STEEL, 4150 LB/750 DEG F MAX, BEAM ATTACHMENT, WELDED; CARBON STEEL, 1 IN, 0	0	4710Y SE
BJP515L	AL	5-C-18-301	6	\$0.00	NUT	NUT, LOCK, QA 3, NUT,SELF-LOCKING,HEX, ; STEEL, MILD, 0.50 IN, DWG 3037-3, REF 3, FOR	3	5670A SE
BJR564W	AL	5-C-18-301	3	\$0.00	BASKET	BASKET, TYPICAL, QA 3, BASKET, ; STRAINER, CARBON STEEL, 6.00 X 13.00 IN LONG, FOR ROLAIRTROL	3	4730P SE
BJY763W	AL	5-C-18-301	1	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; SLEEVE, SCH 40, CS A120, PE, DWG 2084-5 REV 2 ***	3	4730P SE
BLH634Y	AL	5-C-18-301	1273	\$0.00	BOLT	BOLT, HEX, QA 2, BOLT, MACHINE; CARBON STEEL, ASTM A449, TYPE 1, CADMIUM PLATED, HEX	2	P 5305J SE
BLM511T	AL	5-C-18-301	36	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, CARBON STEEL, ASTM A449,CL	1	C 5305J SE
AAB143N	AL	5-C-19-301	4	\$0.00	ELBOW	ELBOW, PIPE, QA 1, STANDARD RADIUS, 2 IN, 2 IN, SS, 3000 LB, SOCKETWELD, FNPT, 45, STANDARD MILL FINISH, FORGED, B16.11, ASME	1	C 4730P SE
AAE367G	AL	5-C-19-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 1.5 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AHG389G	AL	5-C-19-301	6	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, STANDARD RADIUS, 1/2 IN, 1/2 IN, SS, 2000 LB, FNPT, FNPT, 45, STANDARD MILL FINISH, FORGED, B16.11,	1	4730P SE
AJG680V	AL	5-C-19-301	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 45 DEG STANDARD RADIUS, CLASS 3000, STAINLESS STEEL ASTM	1	4730P SE
AJG980F	AL	5-C-19-301	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEG, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	P 4730P SE
AJV828H	AL	5-C-19-301	12	\$0.00	FLASK	FLASK, CONTAINER, QA 0, ERLENMEYER, PYREX, 250 ML, FLASK, ERLENMEYER; PYREX, 250.000 MILLILITER, DRIPLESS, TEFLON NECK	0	6630D SE
ANF492X	AL	5-C-19-301	3	\$0.00	BEARING	BEARING, ROLLER, QA 0, *** FOR CONTROLS	0	3110B SE
APT499G	AL	5-C-19-301	2	\$0.00	ALARM	ALARM, TYPICAL, QA 0, BELL, ELECTRICAL; 120 VAC, 4 IN GONG. ***	0	6350B SE
ATY040X	AL	5-C-19-301	14	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 250, MEDIUM SCREW, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, VOLTAGE: 250.00, LAMP BASE	0	6250D SE
BBE479P	AL	5-C-19-301	8	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, MALE, 1/4 IN, BRASS, TUBE X MNPT, STANDARD MILL FINISH, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTS	3	4730P SE
BBE480J	AL	5-C-19-301	21	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3	4730P SE
BBE486T	AL	5-C-19-301	6	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3	4730P SE
BBE615A	AL	5-C-19-301	10	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: COUPLING, MATERIAL: STAINLESS STEEL, FIRST END	1	4730P SE
BBE623B	AL	5-C-19-301	2	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; CARBON STEEL, OUTSIDE CADMIUM PLATED	3	4730P SE
BBE658P	AL	5-C-19-301	8	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, MALE, 1/2 IN, CARBON STEEL, TUBE X MNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXTERNAL,	0	4730P SE
BBF100K	AL	5-C-19-301	11	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, CARBON STEEL ASTM A 576 GR 12L14	3	4730P SE
BKR331E	AL	5-C-19-301	18	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 0, FLEXIBLE, 3/4 IN, THREADED, *** CONNECTOR STYLE: SHEATHED, CONDUIT TYPE ACCEPT: FLEXIBLE METALLI	0	5975B SE
BKR376P	AL	5-C-19-301	6	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; 45 DEG, CLASS 150, MALLEABLE IRON ASTM A 197 F22000, END	3	4730P SE
BKY660C	AL	5-C-19-301	20	\$0.00	LENS	LENS, CAP, QA 0, LENS, LIGHT; STYLE: SQUARE, MATERIAL: PLASTIC, COLOR: GREEN ***	0	6210P SE
BLA449X	AL	5-C-19-301	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; THREADED, NOM SIZE 1.0 IN, CARBON STEEL, RAISED FACE	3	4730P SE
BLC555L	AL	5-C-19-301	5	\$0.00	BUSHING	BUSHING, PIPE, QA 3, 4 IN X 3 IN, MALLEABLE IRON, HEXAGON, 150 LB, MNPT X FNPT, ASTM A197, B16.3	3	4730P SE
BLC556J	AL	5-C-19-301	4	\$0.00	COUPLING	COUPLING, PIPE, QA 3, REDUCER, PIPE; COUPLING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BMC923B	AL	5-C-19-301	1	\$0.00	BLOCK	BLOCK, CONTACT, QA 1, SWITCH, 2, SBM SWITCH; ADD-A-STAGE UNIT, BOTH CONTACTS CLOSED IN POSITION 4.	1	59300 SE
BPQ696H	AL	5-C-19-301	6	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 4, DAYLIGHT, 6 IN, LAMP, FLUORESCENT; WATTAGE: 4.000, LAMP SIZE: T-5, LAMP BASE: MINI	0	6210P SE
BPV359L	AL	5-C-19-301	7	\$0.00	ELBOW	ELBOW, TUBING, QA 2, ELBOW, PIPE TO TUBE; 37 DEG, FLARED, 1/4 IN, TUBE X 1/8 IN MALE PIPE	2	4730P SE
BRD626K	AL	5-C-19-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 01.000 IN ( 1 )	1	4730P SE
BRD633N	AL	5-C-19-301	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; STYLE: SLIP ON, NOMINAL SIZE: 01.000 IN ( 1 ), MATERIAL:	1	4730P SE
BTN389J	AL	5-C-19-301	20	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, FEMALE, 1/4 IN, BRASS, TUBE X FNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED INTERNAL, TUBE EN	0	4730P SE
BVV043E	AL	5-C-19-301	13	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: STREET (INSTRUMENT), MATERIAL: STAINLESS STEEL, 1	3	4730P SE
CAJ949N	AL	5-C-19-301	11	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAINLESS STEEL, NOMINAL	3	4730P SE

CDD401G	AL	5-C-19-301	2	\$0.00	CONNECTO CONNECTOR, CABLE, QA 0, 10 BASE-T/UNSHIELDED, *** TWISTED PAIR WITH RJ45 CONNECTOR, CABLETRON SYSTEM P/N EPIM-T	0	5975B SE
CDY782G	AL	5-C-19-301	3	\$0.00	ELBOW ELBOW, TYPICAL, QA 0, ELBOW, PUMP; PIPE ELBOW, DRESSER STYLE 65-0095-001. DRAWING NO.	0	4730P SE
CEG884A	AL	5-C-19-301	20	\$0.00	CONNECTO CONNECTOR, TUBING, QA 0, 1/4 IN, *** 1/4" POLY-FLO TO 1/4" FEMALE PIPE THROUGH, STYLE # 266-P-04X04	0	4730P SE
CEJ340L	AL	5-C-19-301	1	\$0.00	CONNECTO CONNECTOR, CABLE, QA 1, COAXIAL, *** PLUG	1	5975B SE
CEJ816H	AL	5-C-19-301	4	\$0.00	BUSHING BUSHING, PIPE, QA 1, CLASS 2, BUSHING, PIPE; TYPE: INSERT; NOMINAL SIZE: 1-1/2 IN X 1/4 IN;	1	4730P SE
CEJ817F	AL	5-C-19-301	2	\$0.00	ELBOW ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; PIPE SIZE: 1-1/2 IN; MATERIAL: SS; RATING: 3000 LB;	1	4730P SE
CEJ834F	AL	5-C-19-301	5	\$0.00	ELBOW ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; PIPE SIZE: 1-1/4 IN; MATERIAL: SS; RATING: 3000 LB;	1	4730P SE
CHG541N	AL	5-C-19-301	4	\$0.00	PLATE PLATE, SEAL, QA 0, STRAINER	0	C 4730P SE
BAD876Q	AL	5-C-19-302	6	\$0.00	SPROCKET SPROCKET, DRIVE, QA 0, WHEEL, STEEL, 58, SPROCKET, WHEEL; TROLLEY, GEARED, STEEL, 58 TEETH, FOR HOIST 460 VAC	0	P 3040D SE
BCX825B	AL	5-C-19-302	7	\$0.00	ROD ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 0.875-9	1	C 5305J SE
BCX830X	AL	5-C-19-302	3	\$0.00	ROD ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.000-8	1	C 5305J SE
BEK002P	AL	5-C-19-302	1	\$0.00	STUD STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193, GR B7, 1-8 UNC X	1	P 4320U SE
BRW445A	AL	5-C-19-302	20	\$0.00	HEAD HEAD, SPRINKLER, QA 3, HEAD, SPRINKLER, FIRE PROT; PROTECTOSPRAY, NON-AUTOMATIC, FIXED	3	C 4210N SE
BVK343L	AL	5-C-19-302	399	\$0.00	SCREW SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
BVT139F	AL	5-C-19-302	50	\$0.00	COUPLING COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, STEEL, SOCKET, ** FIRST END TYPE: THREADED INTERNAL	0	B 4730P SE
BYF668R	AL	5-C-19-302	79	\$0.00	RING RING, TYPICAL, QA 3, STEEL, , SHOCK ARRESTOR, O-TYPE, FOR HYDRAULIC SNUBBER, 1110 KIP CAPACITY	3	B 4410C SE
BYH900J	AL	5-C-19-302	34	\$0.00	BOLT BOLT, HEAVY HEX, QA 1, CLASS 2, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL	1	C 5305J SE
CAV781L	AL	5-C-19-302	4	\$0.00	GASKET GASKET, TYPICAL, QA 0, GASKET, KIT; FOR KOP FLEX INC FLEXIBLE SHAFT COUPLING, GEAR TYPE	0	B 3040D SE
CBW808G	AL	5-C-19-302	2	\$0.00	FLANGE FLANGE, PIPE, QA 3, FLANGE, PIPE, ORIFICE ASSY; STYLE: SLIP ON, NOMINAL SIZE: 01.500 IN ( 1	3	C 4730P SE
CEA743V	AL	5-C-19-302	6	\$0.00	FLANGE FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 02.000 IN ( 2)	3	C 4730P SE
CEP643W	AL	5-C-19-302	1	\$0.00	FLANGE FLANGE, PIPE, QA 3, FLANGE, PIPE; TYPE: ORIFICE; PIPE SIZE: 2 IN; RATING: 300 LB;	3	C 4730P SE
CFH449H	AL	5-C-19-302	28	\$0.00	WASHER WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN \ 3	3	C 5305J SE
CJT142B	AL	5-C-19-302	116	\$0.00	BOLT BOLT, HEAVY HEX, QA 1, STRUCTURAL, 3/4 IN, 3 IN, 10, ALLOY STEEL, ASTM A490 TP 1, UNC, 2A, STANDARD MILL FINISH, , SPECIAL USE; 1	1	5305J SE
BXW240F	AL	5-C-20-301	1144	\$0.00	CABLE CABLE, INSULATED, QA 0, THERMOCOUPLE, #18 AWG, COPPER-CONSTANTAN, MAGNESIUM OXIDE, STAINLESS STEEL, WIRE, THERMOCOUPLE	0	6145G SE
AAAX748N	AL	5-C-20-302	2	\$0.00	BRIDGE BRIDGE, TYPICAL, QA 0, BRIDGE, ; RESISTANCE TEMPERATURE DETECTOR, FOR WESTGHOUSE P-250	0	7021A SE
AAAX922B	AL	5-C-20-302	1	\$0.00	STRAPPING STRAPPING, SHIPPING, QA 0, BANDING, 3/8 IN, 0.025 IN, SS, TYPE 201, BAND-IT,	0	C 8135F SE
AEY677M	AL	5-C-20-302	2	\$0.00	PEN PEN, INSTRUMENT, QA 0, RECORDER, RED, 3/PACK, METAL, FOR MODEL 220S, 121RE & 123RE RECORDER, STYLE C,	0	7510U SE
AJD127Q	AL	5-C-20-302	6	\$0.00	LINK LINK, CHAIN, QA 0, COLD SHUT, CARBON STEEL, 3/8 IN LINK DIA, LINK, CHAIN COLD SHUT; MATERIAL: CARBON STEEL, LINK DIAMETER:	0	4010G SE
AJX168P	AL	5-C-20-302	9	\$0.00	CHART CHART, TYPICAL, QA 0, PAPER, RECORDING INSTRUMENT, HIGH CONTRAST, FOR BRUSH RECORDER, TYPE 8/6,	0	P 75300 SE
AJX664B	AL	5-C-20-302	44	\$0.00	TAPE TAPE, ADHESIVE, QA 0, EMBOSSEING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSSEING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LO	0	7510U SE
AJX969L	AL	5-C-20-302	13	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, COMPUTING MACHINE, BLACK, 1/2 IN, 18 YD, NYLON, RIBBON, COMPUTING MACHINE; MATERIAL: NYLON, RIBBON T	0	P 7510U SE
AJY177H	AL	5-C-20-302	3	\$0.00	CARTRIDGE CARTRIDGE, TYPICAL, QA 0, CARTRIDGE, ; DATA, MEMORY, DC300A, FOR MODEL PDP11/05 ***	0	7021A SE
AMX235G	AL	5-C-20-302	11	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, RIBBON, TYPEWRITER; NYLON, RED AND BLACK, FOR SELECTRIC I/O	0	7510U SE
APV724Y	AL	5-C-20-302	20	\$0.00	STOPPER STOPPER, TYPICAL, QA 0, BOTTLE, 9, 45 MM, 37 MM, RUBBER, SOLID	0	P 6630D SE
AQB325R	AL	5-C-20-302	50	\$0.00	RING RING, TYPICAL, QA 0, RING, LENS; LENS, FOR ULTRAVUE RESPIRATOR ***	0	4240P SE
AQD207N	AL	5-C-20-302	17	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, TELETYPEWRITER, BLACK, 1 IN, 3 YD, NYLON, RIBBON, TELETYPEWRITER; NYLON, BLACK, 1 IN WIDE X 3 YARDS LO	0	P 7510U SE
AQE853G	AL	5-C-20-302	16	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, CALCULATOR, BLACK, 1/2 YD, 40 YD, RIBBON, CALCULATOR; TYPE: DECWRIER, SIZE: 0.5 X 40 YARDS, COLOR:	0	7510U SE
AQR844Q	AL	5-C-20-302	1	\$0.00	HANDLE HANDLE, TOOL, QA 0, HANDLE ASSY, SOLDERING IRON; ALUMINUM, REF 59, FOR CHAIN HOIST	0	C 3439D SE
AQW320P	AL	5-C-20-302	14	\$0.00	KIT KIT, PARTS, QA 0, PARTS KIT, SAFETY EQUIPMENT; LENS RING, REPL, FOR ULTRAVUE MSA PN	0	4240P SE
ARG984G	AL	5-C-20-302	15	\$0.00	BUCKLE BUCKLE, TYPICAL, QA 0, BUCKLE ASSY, RESPIRATOR; FOR ULTRA-FILTER AND ULTRA TWIN RESPIRATOR	0	P 4240P SE
ARH130F	AL	5-C-20-302	50	\$0.00	SPIDER SPIDER, TYPICAL, QA 0, SPIDER, ; GASKET AND VALVE, FOR ULTRA FILTER RESPIRATOR ***	0	P 4240P SE
ARL189J	AL	5-C-20-302	18	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, RIBBON, TYPEWRITER; RIBBON STYLE: SINGLE SPOOLE ***	0	7510U SE
ARP419C	AL	5-C-20-302	15	\$0.00	BUCKLE BUCKLE, TYPICAL, QA 0, BUCKLE ASSY, RESPIRATOR; W/D RING, 000.750 IN WIDE, FORULTRA-FILTER	0	P 4240P SE
ARR382Y	AL	5-C-20-302	2	\$0.00	LABEL LABEL, IDENTIFICATION, QA 0, LABEL, IDENTIFICATION; HUMIDITY INDICATOR, FOR MODEL 735 DISSOLVED	0	75300 SE
ATD527N	AL	5-C-20-302	6	\$0.00	DEVICE DEVICE, TYPICAL, QA 0, LOCKING DEVICE, ; ITEM 56, C/O ALLEN SET SCREW, AND NYLON PLUG, FOR	0	5130U SE
ATE491C	AL	5-C-20-302	18	\$0.00	BRUSH BRUSH, CLEANING, QA 0, BOILER TUBE, 3/16 IN DIA, STAINLESS STEEL, BRUSH, TUBE CLEANING; MATERIAL: STAINLESS STEEL, BRUSH APPLI	0	7920P SE
ATH718T	AL	5-C-20-302	1	\$0.00	UNIT, TYPICAL, QA 0, TRANSPORT, MAGNETIC TAPE; ITH AUTOMATIC HEAD ASSEMBLY, FOR INCREMENTAL	0	7020R SE
ATR729C	AL	5-C-20-302	10	\$0.00	PEN PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, VIOLET, FIBER TIP, 6/PACKAGE, NIB LENGTH 0.6 IN,	0	P 7510U SE
AYX249D	AL	5-C-20-302	6	\$0.00	TAPE TAPE, TYPICAL, QA 0, RECORDER, LOOSELEAF, BLANK, WHITE, FOR GE TERMI-NET 200 PRINTER,	0	C 7510U SE
AYX251T	AL	5-C-20-302	2	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, COMPUTING MACHINE, CARTRIDGE, PRINTER, FOR GE TERMI-NET 200	0	P 7510U SE
BBN816N	AL	5-C-20-302	10	\$0.00	RIBBON RIBBON, TYPICAL, QA 0, RIBBON, COMPUTING MACHINE; RIBBON TYPE: DIGITAL EQUIPMENT, COLOR:	0	7510U SE
BCV366V	AL	5-C-20-302	4	\$0.00	TOOL TOOL, TYPICAL, QA 0, TOOL, QUICK CONNECTIO, ; WIRE TERMINATING, COMCODE 102 803 160, FOR	0	5120M SE
BHL504G	AL	5-C-20-302	11	\$0.00	CHART CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 100, FOR PRIMELINE	0	75300 SE
BLF139K	AL	5-C-20-302	594	\$0.00	LABEL LABEL, IDENTIFICATION, QA 0, GUIDE, 6 IN, 6 IN, HAZARDOUS MATERIAL (HMIG), LABEL, IDENTIFICATION; IDENTIFICATION GUIDE HAZARDOU	0	75300 SE
BLM412W	AL	5-C-20-302	1	\$0.00	TONGS TONGS, GRIPPING, QA 0, WELDING, 12 IN (1 FT), TONGS, WELDING; STANDARD, 12 IN, FOR PORTABLE SPOT WELDER, MODEL	0	3439D SE
BLT641K	AL	5-C-20-302	1	\$0.00	COVER COVER, TYPICAL, QA 0, COVER, FIRE HYDRANT; CAST IRON, FOR FIRE HYDRANT, MODEL B-62-B, 5.25	0	4210N SE
BNC255L	AL	5-C-20-302	1	\$0.00	TONGS TONGS, GRIPPING, QA 0, TONGS, WELDING; COPPER ***	0	3439D SE

BQ668N	AL	5-C-20-30z	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0	5120M SE
BQ675R	AL	5-C-20-30z	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0	5120M SE
BQ683T	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***	0	C 5120M SE
BQ687J	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***	0	C 5120M SE
BQ849J	AL	5-C-20-30z	2	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 0, CONTACT, POSN,TERM CR, FOR CRIMPING TOOL NO. 11-7295, USED ON CONTROL	0	C 5120M SE
BQ853V	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVES ***	0	C 5120M SE
BQ855P	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***	0	C 5120M SE
BQ857K	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; METALLIC, FOR CONTROL ROD DRIVE ***	0	C 5120M SE
BQ861W	AL	5-C-20-30z	1	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 0, CONTACT POSN,TERM CR, ; FOR CRIMPING TOOL NO. 11-7295 USED ON CONTROL	0	C 5120M SE
BQ864N	AL	5-C-20-30z	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0	C 5120M SE
BQ867G	AL	5-C-20-30z	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL, CONTROL ROD, CONN ELECT CONT	0	C 5120M SE
BQ871R	AL	5-C-20-30z	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL TOOL, CONN ELECT CONT; TYPE: CONTROL ROD ***	0	5120M SE
BRH376V	AL	5-C-20-30z	1	\$0.00	PLUG	PLUG, TYPICAL, QA 0, PLUG, DRUM; POLYETHYLENE/STAINLESS STEEL, FOR VERTICAL DRUMS,	0	C 8110L SE
AAR942F	AL	5-C-21-201	140	\$0.00	TIE	TIE, CABLE, QA 0, STRAP, 0.184 IN, 7-5/16 IN, NYLON, 1-3/4 IN, NATURAL, TENSILE STRENGTH 50 LBS	0	C 5975B SE
BMW243F	AL	5-C-21-201	18	\$0.00	PAINT	PAINT, COATING, QA 0, ENAMEL, LIQUID, ALUMINUM, 11 OZ	0	C 5610V SE
AFB650H	AL	5-C-21-20z	1	\$0.00	CHAIN	CHAIN, DRIVE, QA 0, ROLLER/RIVETED, #41, 1/2 IN, CHAIN, ROLLER; RIVETED, STD DUTY, SINGLE WIDTH, NICKLE PLATED, 6280	0	P 3040D SE
ALT274V	AL	5-C-21-20z	40	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, B-3-1/2, MINIATURE FLANGED, 4.75, 0.5, **	0	C 6210P SE
ANJ284M	AL	5-C-21-20z	6	\$0.00	BLADE	BLADE, CUTTING, QA 0, BAND SAW, 1/2 IN, 100 FT, 0.025 IN, 18	0	C 6945B SE
BNH092K	AL	5-C-21-20z	6	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MEDIUM SCREW, 75, 120, LAMP, INCANDESCENT; VOLTAGE: 120.00, LAMP BASE: MEDIUM SCREW, WATTAGE: 0	0	C 6210P SE
CGK677K	AL	5-C-21-20z	6	\$0.00	JACK	JACK, HYDRAULIC, QA 0, RAM, 20 TON, BOTTLE TYPE	0	C 5120M SE
ACY777X	AL	5-C-21-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; INCANDESCENT LAMP, GREEN LENS ***	0	6210P SE
AET088L	AL	5-C-21-301	7	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-2, TELE-SLIDE #5, 28, 0.040, LAMP, INCANDESCENT(MINI); VOLTAGE: 28.00, VOLTAGE TYPE: /	0	C 6210P SE
AET189P	AL	5-C-21-301	2	\$0.00	LAMP	LAMP, NEON, QA 0, CARTRIDGE, CLEAR, 125, LAMP, NEON; TYPE: CARTRIDGE; VOLTS: 125; COLOR: CLEAR *** PLUG-IN	0	6210P SE
AET289K	AL	5-C-21-301	1	\$0.00	LAMP	LAMP, NEON, QA 0, GLOW, BI-PIN, RED, LAMP, CARTRIDGE; GLOW, NEON, RED, BI PIN BASE, FOR HACH SILICA	0	6210P SE
AET388H	AL	5-C-21-301	7	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; 500.0 WATTS, BI-PIN PREFOCUS BASE, PROJECTION ***	0	6210P SE
AET488D	AL	5-C-21-301	42	\$0.00	LAMP	LAMP, NEON, QA 0, CARTRIDGE, BI-PIN, RED, LAMP, CARTRIDGE; NEON, RED LENS, BIPIN BASE ***	0	6210P SE
AFT494C	AL	5-C-21-301	7	\$0.00	LENS	LENS, COVER, QA 0, LENS, LIGHT; COLOR: AMBER ***	0	6210P SE
AGT471J	AL	5-C-21-301	6	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-9, 4 PIN CIRCLINE, 22, DELUXE COOL WHITE, 8 IN, LAMP, FLUORESCENT; WATTAGE: 22.000, LAMP SIZE: T-9, 0	0	6210P SE
AHT480N	AL	5-C-21-301	12	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 4, 6 IN, 135, 6000, LAMP, FLUORESCENT; WATTAGE: 4.000, LAMP SIZE: T-5, LAMP BASE: MIN 0	0	6210P SE
AJT973D	AL	5-C-21-301	30	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-1, SUB-MIDGET FLANGED, 28, 0.024, LAMP, INCANDESCENT(MINI); VOLTAGE: 28.00, VOLTAGE 10	0	6210P SE
AKT775B	AL	5-C-21-301	9	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-1-3/4, MIDGET GROOVED, 14, 0.08, LAMP, INCANDESCENT(MINI); VOLTAGE: 14.00, VOLTAGE 10	0	P 6210P SE
AKX264M	AL	5-C-21-301	10	\$0.00	INK	INK, TYPICAL, QA 0, RECORDER, 2.700 CC, CARTRIDGE, BLUE, 4 EA PER PACK	0	C 6695D SE
ALT170K	AL	5-C-21-301	2	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, T-5, SINGLE CONTACT PRE-FOCUS, 7, 0.2, LAMP, INCANDESCENT; INCANDESCENT, SOUND REPRODUCER, SC P 0	0	6210P SE
ALT571M	AL	5-C-21-301	76	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, MINIATURE, T-3-1/4, MINIATURE SCREW, 6.3, 0.25, LAMP, INCANDESCENT(MINI); VOLTAGE: 6.30, VOLTAGE T 0	0	6210P SE
AMD067L	AL	5-C-21-301	3	\$0.00	GASKET	GASKET, TYPICAL, QA 0, *** FOR 13-120 AFTER COOLER ON WORTHINGTON CORP SOOT BLOWING AIR	0	P 4310I SE
ANT370Y	AL	5-C-21-301	8	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PAR-36, 2 SCREW TERMINAL, 25, 6	0	6210P SE
APY678V	AL	5-C-21-301	10	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, T-1-3/4, MIDGET SCREW, CLEAR, 6, LAMP, INCANDESCENT; VOLTAGE: 6.00, LAMP BASE: MIDGET SCREW, LAM 0	0	6210P SE
AQE025D	AL	5-C-21-301	7	\$0.00	LAMP	LAMP, NEON, QA 0, CARTRIDGE, 0.33, WHITE, 125, LAMP, CARTRIDGE; VOLTAGE: 125.00, TYPE: NEON, COLOR: WHITE, WATTAGE:	0	6210P SE
AQW321A	AL	5-C-21-301	9	\$0.00	RESPIRATOR	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, MEDIUM, ULTRA TWIN MASK, SIZE MEDIUM, WITHOUT CARTRIDGE OR FILTERS	0	4240P SE
ARE166X	AL	5-C-21-301	4	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, T-12, MEDIUM PREFOCUS, 400, 65, LAMP, INCANDESCENT; VOLTAGE: 65.00, LAMP BASE: MEDIUM PREFOCUS 0	0	6210P SE
ARE186P	AL	5-C-21-301	10	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PILOT, FOR LEEDS & NORTHRUP MONITOR 7070-5 AND/OR SODIUM ION MONITOR	0	6210P SE
AWH706N	AL	5-C-21-301	5	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; CENTER HOUSING, TWO EACH PER SET, FOR TAVOR MACHINE	0	P 3910K SE
AWH707L	AL	5-C-21-301	5	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VEGETABLE FIBER, SEAL PLATE, FOR VIBRATION SCREEN	0	P 3910K SE
AWL827R	AL	5-C-21-301	8	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, LAMP, INCANDESCENT; BASE SINGLE CONTACT BAYONET CANDELABRA, CLEAR BULB	0	6210P SE
AYE364T	AL	5-C-21-301	14	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; PAPER, FOR STRIP CHART RECORDER, MODEL	0	P 75300 SE
AYK118G	AL	5-C-21-301	2	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, MR-16, BI-PIN, 250, 24, LAMP, INCANDESCENT; 250.0 WATTS, SIZE MR-16, 24.0 VOLTS, BI-PIN 0	0	6210P SE
AYV799K	AL	5-C-21-301	12	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, DOUBLE CONTACT BAYONET CANDELABRA, 15, CLEAR, 110 DC, LAMP, INCANDESCENT; VOLTAGE: 110.00, V 0	0	6210P SE
BCY891Q	AL	5-C-21-301	2	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, T-4, MINIATURE BI-PIN, 175, 24, LAMP, INCANDESCENT; 175.0 WATTS, SIZE T-4, BASE MINIATUI 0	0	C 6210P SE
BEP701H	AL	5-C-21-301	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; ROUND, RUBBER, 0.125 IN THICK,CASING-STUDDING COVER	0	P 4320U SE
BKN007Y	AL	5-C-21-301	4	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, TWIN TUBE, PL13, 13, 2700 K, LAMP, FLUORESCENT; TWIN TUBE, 13 WATTS ***	0	6210P SE
BLT538C	AL	5-C-21-301	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, 6, GREEN, LIGHT, INDICATOR; GREEN PILOT, 120 VOLTS, 6 WATT, EXPLOSION-PROOF, 8	0	6210P SE
BLT539A	AL	5-C-21-301	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, 6, RED, LIGHT, INDICATOR; RED PILOT, 120 VOLTS, 6 WATTS, EXPLOSION-PROOF, 8 IN	0	6210P SE
BNQ634E	AL	5-C-21-301	6	\$0.00	BAG	BAG, FILTER, QA 0, BAG, ; FILTER, DISPOSABLE, FOR HAKO BACK PACK CRITICAL VACUUM. ***	0	4310I SE
BQR111X	AL	5-C-21-301	49	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SET,SPARE PART; GRAPHITE 0.312 TK X 1.25 IDX 1.875 OD	3	48200 SE
BRJ299E	AL	5-C-21-301	1	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, CUSTOMIZED, 6 IN, 6 IN, VINYL, TVA WATTS BAR NUCLEAR, PLANT ADDRESS: P.O. BOX, ADHESIVE BACK, LA 0	0	B 75300 SE
BRK418V	AL	5-C-21-301	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-1-3/4, 120, GREEN, LIGHT, INDICATOR; INCANDESCANT LAMP,120V, GREEN LENS, T-1 3/4 BULB 0	0	B 6210P SE
BWE845F	AL	5-C-21-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; GREEN FILTER,ENGRAVING "NO RECTIFIER INPUT" ***	0	6210P SE



BWP529B	AL	5-C-21-301	2	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, LAMP, RADIOLOGICAL CONTROL; BULB, RADIOLOGICAL CONTROL ***	0	6210P SE
CAL329B	AL	5-C-21-301	985	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, STYRENE, YELLOW, MAGENTA, TAG, MARKER; YELLOW STYRENE, 3-3/4 IN X 8 IN, TWO SIDED PI	0	B 9905K SE
AGF010J	AL	5-C-21-302	2	\$0.00	CUP	CUP, GREASE, QA 0, CUP, OIL,LUBRICATING; MATERIAL: GLASS ***	0	4730P SE
AKV526V	AL	5-C-21-302	15	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, FUNNEL, FILTERING,LABORATORY; POLYPROPYLENE, 090.000 MM DIA, CHEMICAL	0	6630D SE
AKV924F	AL	5-C-21-302	1	\$0.00	FORCEPS	FORCEPS, HAND, QA 0, GENERAL PURPOSE, 8 IN, STEEL, FORCEPS, GENERAL PURPOSE; SPECIMEN, STEEL, NICKEL-PLATED, W/GUIDE PIN	0	6630D SE
AQW212F	AL	5-C-21-302	30	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 6 IN, 15 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, CARDBOARD FR	0	4520N SE
ARN776Q	AL	5-C-21-302	4	\$0.00	NUT	NUT, TUBING, QA 0, 0.830 IN, BRASS, FEMALE NGO, *** END TYPE: THD INTERNAL SNG	0	4730P SE
AVH294Q	AL	5-C-21-302	9	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 8 IN, 8 IN, 1 IN, FILTER ELEMENT, AIR CONDITIONER; AMER-GLAS, 1 X 8 X 8 IN ***	0	4520N SE
BDL714W	AL	5-C-21-302	7	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 2 IN, PVC, 80, RAISED FACE, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 02.000 IN ( 2 )	0	4730P SE
BEB325G	AL	5-C-21-302	3	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, SEPARATORY, PYREX, 2000 ML, 65 MM STEM LENGTH, FUNNEL, SEPARATORY; SQUIBB, PEAR SHAPED, PYREX, 2000	0	6630D SE
BFA270R	AL	5-C-21-302	20	\$0.00	COUPLING	COUPLING, CONDUIT, QA 3, COUPLING, ELECTRICAL CONDUIT; SIZE: 00.500000 ( 1/2), MATERIAL: STEEL	3	5975B SE
BGA567G	AL	5-C-21-302	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, REDUCING STANDARD, 2 IN, 1-1/2 IN, CS, 150 LB, FLNG-RAISED FACE, FLNG-RAISED FACE, 90, ELBOW, PIPE; STYLE: 90	0	4730P SE
BGA568E	AL	5-C-21-302	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 1/2 IN, 1 1/2 IN, CARBON STEEL, 150 LB, FLNG-RAISED FACE, FLNG-RAISED FACE, 90, ELBOW, F	0	4730P SE
BGA569C	AL	5-C-21-302	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 1/2 IN, 1 1/2 IN, CARBON STEEL, 150 LB, FLNG-RAISED FACE, FLNG-RAISED FACE, 45, ELBOW, F	0	4730P SE
BGE613F	AL	5-C-21-302	3	\$0.00	BEND	BEND, TUBE, QA 0, BOILER, 5/8 IN OD, COPPER, *** FIRST END TYPE: SOLDER	0	4730P SE
BGG584H	AL	5-C-21-302	1	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 25 FT, THERMOPLASTIC, DOUBLE, TUBING ASSY, METALLIC; SIZE ID: 00.250 IN ( 1/4), SIZE LENGTH: 25 FT	0	4720O SE
BGJ750V	AL	5-C-21-302	5	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST/IDENT	3	4730P SE
BGN404G	AL	5-C-21-302	1	\$0.00	HANGER	HANGER, PIPE, QA 0, HANGER, PIPE; ALUMINUM, 0.75 IN, ONE HOLE ***	0	5975B SE
BGN637P	AL	5-C-21-302	6	\$0.00	CROSS	CROSS, TUBING, QA 0, 1/4 IN, CARBON STEEL, COMPRESSION, ***	0	4730P SE
BKA777J	AL	5-C-21-302	2	\$0.00	COUPLING	COUPLING, CONDUIT, QA 3, COUPLING, ELECTRICAL CONDUIT; METALLIC, RIGID, THICKWALL, THREADED	3	5975B SE
BKB665Q	AL	5-C-21-302	134	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, CONNECTOR, RECEPTACLE ELECT; STRAIGHT,TNC, TWIST ON TYPE, THREADED ***	0	5935B SE
BNB949P	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 1/4 IN, 1/4 IN, TOOL STEEL, GRADE 76, ***	0	9520Z SE
BNB950J	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/16 IN, 5/16 IN, TOOL STEEL, GRADE 76, ***	0	9520Z SE
BNB956T	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/8 IN, 5/8 IN, TOOL STEEL, GRADE 76, ***	0	9520Z SE
BNB957Q	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/4 IN, 3/4 IN, TOOL STEEL, GRADE 76, ***	0	9520Z SE
BNB958N	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 1/4 IN, 1/4 IN, TOOL STEEL, GRADE 95, ***	0	9520Z SE
BNB959L	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/16 IN, 5/16 IN, TOOL STEEL, GRADE 95, ***	0	9520Z SE
BNB960F	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/8 IN, 3/8 IN, TOOL STEEL, GRADE 95, ***	0	9520Z SE
BNB964V	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 5/8 IN, 5/8 IN, TOOL STEEL, GRADE 95, ***	0	9520Z SE
BNB965R	AL	5-C-21-302	1	\$0.00	STOCK	STOCK, BAR, QA 0, BLANK/TOOL, 3/4 IN, 3/4 IN, TOOL STEEL, GRADE 95, ***	0	9520Z SE
BNQ634E	AL	5-C-21-302	120	\$0.00	BAG	BAG, FILTER, QA 0, BAG, ; FILTER, DISPOSABLE, FOR HAKO BACK PACK CRITICAL VACUUM. ***	0	4310I SE
BNT095Y	AL	5-C-21-302	12	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 2 IN, 2 IN, CAST IRON, FNPT, FNPT, 90, STANDARD MILL FINISH, MOLDED, ***	0	4730P SE
BQT720A	AL	5-C-21-302	8	\$0.00	REDUCER	REDUCER, TYPICAL, QA 0, HOSE, 1/2 IN X 1/4 IN, PLASTIC, REDUCER, HOSE; PLASTIC, SLIP-ON, 1/2 X 1/4 IN ***	0	4730P SE
BTE398T	AL	5-C-21-302	34	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SOLDER, COUPLING, TUBE; STYLE: ROLLED STOP, MATERIAL: COPPER, NOMINAL SIZE: 0	0	4730P SE
BVA471R	AL	5-C-21-302	5	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; GRIP STYLE: CLOSED MESH, CABLE RANGE DIAMETER:	3	5120M SE
BVF898T	AL	5-C-21-302	4	\$0.00	GRIP	GRIP, CABLE, QA 3, WOVEN, 2 IN-2.490 IN, SPLIT MESH/LACE CLOS, , WOVEN, BREAKING POINT: 3260 LBS	3	5120M SE
BVG321E	AL	5-C-21-302	10	\$0.00	GRIP	GRIP, CABLE, QA 3, SPLIT/ROD, 2-1/2 IN-2.990 IN, CONDUIT RISER/RING, 4 IN, WOVEN, SPLIT MESH/ROD CLOS	3	5120M SE
BWQ035N	AL	5-C-21-302	9	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAINLESS STEEL, FIRST END	3	4730P SE
CAC367C	AL	5-C-21-302	3	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 3/4 IN, 3/4 IN, CS, 6000 LB, SOCKETWELD, SOCKETWELD, 45, STANDARD MILL FINISH, FORGED, B16.11, ASI	1	4730P SE
CBP102K	AL	5-C-21-302	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	1	4730P SE
AEK216K	AL	5-C-22-201	926	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/8 IN, 2-1/2 IN, 16, BUTTON, CARBON STEEL, BOLT,SQUARE NECK, ; BUTTON HEAD, CARBON STEEL, BLACK, NOMIN	0	5305J SE
ALG779G	AL	5-C-22-201	10	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	1	4730P SE
ALG784P	AL	5-C-22-201	12	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; COUPLING, CLASS 3000, CARBON STEEL ASME SA-105 K03504	1	4730P SE
BDJ891G	AL	5-C-22-201	42	\$0.00	BOLT	BOLT, HEX, QA 0, 5/8 IN, 6 IN, 11, CS, UNC, 2A, ZINC PLATED, HEAD STYLE: HEXAGON, NUT FEATURE: W/HEX NUT	0	5305J SE
BKR852H	AL	5-C-22-201	3	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING ASSY, HOSE; UNIVERAL HOSE COUPLING ASSY. DIXON VALVE AND	3	4730P SE
BLD803P	AL	5-C-22-201	131	\$0.00	NUT	NUT, HEX, QA 1, HEAVY, 1/8 IN, 7, CS, ASME SA194 GR 2H, UNC, 2B, ZINC PLATED, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA 194 C	1	5305J SE
BNN364V	AL	5-C-22-201	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 1-1/4 IN, 150 LB, RAISED FACE, FLANGE, ; R/F, 1-1/4 IN, 150 LBS. ***	0	3040D SE
BNP902M	AL	5-C-22-201	19	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 3, SHUTOFF, 3/8 IN, , NOZZLE, NUCLEAR GRADE	3	4730P SE
BRW639W	AL	5-C-22-201	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: LONG 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BRW640P	AL	5-C-22-201	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: LONG 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BTM470L	AL	5-C-22-201	4	\$0.00	BODY	BODY, CONDUIT, QA 3, BLB, 1 IN, MALLEABLE IRON, THREADED HUB, RIGID, CONDUIT OUTLET,	3	5975B SE
BVM745M	AL	5-C-22-201	4	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREAD INTERNAL NPT, TUBE END	3	4730P SE
BVW169V	AL	5-C-22-201	3	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 2-1/2 IN, 2-1/2 IN, CS, BUTTWELD, BUTTWELD, 90, GALVANIZED, SEAMLESS, B16.9, ASTM A234 GR WPB, ELBOW, PIP	3	4730P SE
BWC328E	AL	5-C-22-201	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 3 IN, 3 IN, CS, BUTTWELD, BUTTWELD, 90, GALVANIZED, SEAMLESS, B16.9, ASTM A234 GR WPB, 40	3	4730P SE
BWC770A	AL	5-C-22-201	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 2-1/2 IN, 2-1/2 IN, CS, BUTTWELD, BUTTWELD, 45, GALVANIZED, SEAMLESS, B16.9, ASTM A234 GR WPB, 40	3	4730P SE
BYH123T	AL	5-C-22-201	1	\$0.00	LAMP	LAMP, FLUORESCENT, QA 3, BULB, REFUEL PLATFORM; F15T8 HOFFMAN. ***	3	4470C SE
BYY619R	AL	5-C-22-201	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, REDUCING STANDARD, 3 IN, 2 IN, CS, BUTTWELD, BUTTWELD, BLACK, ASTM A234 GR WPB	0	4730P SE

CAD281H	AL	5-C-22-201	8	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: STAINLESS STEEL	1		4730P SE
CAG125G	AL	5-C-22-201	7	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 3/4 IN, FULL, SS, 3000 LB, SOCKETWELD, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, B16.1	1	D	4730P SE
CAK169C	AL	5-C-22-201	6	\$0.00	CAP	CAP, TUBING, QA 1, CLASS 2, HEX, 3/8 IN, SS, COMPRESSION, ASME SA479 TP316, STANDARD MILL FINISH	1		4730P SE
CAQ518K	AL	5-C-22-201	5	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 2 IN, 3 IN, DOUBLE ACTING, NON-CUSHIONED AIR CYLINDER X	0	C	3040D SE
CDH515B	AL	5-C-22-201	10	\$0.00	ADAPTER	ADAPTER, TUBING, QA 1, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXTERNAL, TUBE END	1		4730P SE
CDV628A	AL	5-C-22-201	2	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE, SPECIAL APPLICATION; ADAPTER, CONNECTS 51 PROCESSORS TO	3		6145G SE
CEC995M	AL	5-C-22-201	93	\$0.00	CAP	CAP, TUBING, QA 0, 3/8 IN, PVC-POLY, *** POLY-FLO TO POLYETHYLENE CAPS	0		4710Y SE
CFH449H	AL	5-C-22-201	26	\$0.00	WASHER	WASHER, FLAT, QA 3, 1-3/4 IN, 1-1/32 IN, 3/16 IN, BRONZE, GRAPHITE IMPREGNATED, ROUND, ** SELF LUBRICATING WASHER, HINGE PIN	3	C	5305J SE
CLG420V	AL	5-C-22-201	1	\$0.00	RING	RING, TYPICAL, QA 3, SEAT, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321	3		48100 SE
AHK660Q	AL	5-C-22-202	100	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, WIRE/FABRIC, STAINLESS STEEL, 48 IN WD, 60 X 60, 0.0075 IN, WIRE, FABRIC; MATERIAL: STAINLESS STEEL 304, W	0		5680B SE
AMX013R	AL	5-C-22-202	2	\$0.00	SCALE	SCALE, TYPICAL, QA 0, DIAL, 4 FT 10 IN, 1/8 IN, DIAL, SCALE; 304 STAINLESS STEEL, 0.125 IN GRADUATIONS, ENGRAVED, 4 FT	0		6695D SE
ARL402E	AL	5-C-22-202	6	\$0.00	ALARM	ALARM, TYPICAL, QA 0, BELL, 120, 0.10, BELL, ELECTRICAL; SINGLE STROKE, GREY, 115 VAC, 0.085 AMPS, 10 INCH	0		6350B SE
BLA477Q	AL	5-C-22-202	1	\$0.00	EXTENSION	EXTENSION, TYPICAL, QA 3, FIRE HYDRANT, 12 IN (1 FT), EXTENSION, ROLLER HANDLE; BARREL, 12 IN, FOR FIRE HYDRANT ***	3		8020F SE
BLA478N	AL	5-C-22-202	1	\$0.00	EXTENSION	EXTENSION, TYPICAL, QA 3, FIRE HYDRANT, 18 IN, EXTENSION, ROLLER HANDLE; BARREL, 18 IN, FOR FIRE HYDRANT ***	3		8020F SE
BLL436K	AL	5-C-22-202	23	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEAVY HEX HEAD, STRUCTURAL STEEL, ASTM A490, TYPE 1	1		5305J SE
BLL491B	AL	5-C-22-202	7	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; 0.625-11 UNC-2A X 2.25 IN LG, ALLOY STEEL, NORMALIZED	1		5305J SE
BTD001E	AL	5-C-22-202	100	\$0.00	CLAMP	CLAMP, TUBE, QA 1, UNISTRUT, 1-1/2 IN, CS, , 14 GA THICK, ELECTROGALVANIZED	1	C	5975B SE
BVH335X	AL	5-C-22-202	3	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BXE898K	AL	5-C-22-202	1	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, STRUCTURAL, 3/4 IN, 2-1/4 IN, 10, ALLOY STEEL, ASTM A490 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J SE
CDV424T	AL	5-C-22-202	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE, SPECIAL APPLICATION; FBM05 TERMINATION, WIRE, ONE TERMINATION	3		6145G SE
CEC674A	AL	5-C-22-202	86	\$0.00	NUT	NUT, TYPICAL, QA 3, NUT, DOOR HARDWARE; TYPE: JACK NUT, SIZE: 1/4-20, FOR USE WITH OVERLY	3		5670A SE
CHF158T	AL	5-C-22-301	480	\$0.00	SLEEVE	SLEEVE, REINFORCING, QA 1, , MECHANICAL, ALLOY 800, FOR REPAIRING STEAM GENERATOR TUBING, 25 IN	1	C	4730P SE
ACT875J	AL	5-C-22-302	3	\$0.00	PENDANT	PENDANT, MOUNTING, QA 0, PENDANT, MOUNTING; LIGHTING FIXTURE, RELAMP CHAMP 11, FOR CROUSE-HINDS	0	P	6210P SE
AEL804X	AL	5-C-22-302	4	\$0.00	RIBBON	RIBBON, TYPICAL, QA 0, TELETYPEWRITER, BLACK, 1/2 YD, 12 YD, CLOTH/NYLON, RIBBON, TELETYPEWRITER; MATERIAL: CLOTH/NYLON, R	0		7510U SE
AEY647Y	AL	5-C-22-302	6	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, PLUS, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, BL	0	B	75300 SE
AEY777H	AL	5-C-22-302	11	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; METAL, BLUE, FOR MODEL 220S SERIES RECORDERS AND MODEL	0		7510U SE
AFT093M	AL	5-C-22-302	13	\$0.00	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; VOLTAGE: 230.00, LAMP BASE TYPE: WIRE LEAD LENS	0		6250D SE
AFT098B	AL	5-C-22-302	18	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 600, 600, MEDIUM, LAMPHOLDER, ELECTRIC; FLOURESCENT LAMP, MEDIUM BI-PIN 660 W, 600 V ***	0		6250D SE
AFT199E	AL	5-C-22-302	7	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, RED, LIGHT, INDICATOR; RED LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0		6210P SE
AFT278J	AL	5-C-22-302	3	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-5, MINI BI-PIN, 6, DELUXE COOL WHITE, 9 IN, LAMP, FLUORESCENT; WATTAGE: 6.000, LAMP SIZE: T-5, LAMP	0		6210P SE
AFX346C	AL	5-C-22-302	1	\$0.00	CLUTCH	CLUTCH, TYPICAL, QA 0, CLUTCH, ; PAPER FEED, CODE 5441, FOR TERMINET MODEL 300 PRINTER ***	0	C	7021A SE
ALW631K	AL	5-C-22-302	2	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, RED, 2/PACKAGE, FOR FISCHER RECORDER, SERIES 51-1340, 6 IN X 6 IN, AND/OR SERIES	0	C	7510U SE
AMT345Q	AL	5-C-22-302	4	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, NON-RECHARGEABLE, MERCURY, FLAT, 4.05, BATTERY, DRY CELL; TYPE: NON-RECHARGEABLE; CELL: MERCURY;	0		6135A SE
AMY842M	AL	5-C-22-302	12	\$0.00	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 7/16 IN, 1.16, 7/16 IN, GALVANIZED FORGED STEEL, 1-1/2 TON	0	C	4030C SE
AND742B	AL	5-C-22-302	47	\$0.00	COVER	COVER, PROTECTIVE, QA 0, RESPIRATOR, PLASTIC, BLACK, FOR PAINT SPRAY RESPIRATOR 459439	0	P	4240P SE
APD225R	AL	5-C-22-302	5	\$0.00	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 3/16 IN, 0.60, 3/16 IN, GALVANIZED FORGED STEEL, 1/3 TON	0		4030C SE
AQC310D	AL	5-C-22-302	1	\$0.00	EXTRACTOR	EXTRACTOR, INTEGRATED CIRCUIT, QA 0, EXTRACTOR, ELECTRICAL; BOARD, NO 1057E57H43, FOR SOLID STATE	0		5120M SE
ARE909A	AL	5-C-22-302	8	\$0.00	CRAYON	CRAYON, MARKING, QA 0, CRAYON, MARKING; ENGRAVOCOLOR STICK, WHITE ***	0	C	7510U SE
ARH641A	AL	5-C-22-302	6	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER/PLOTTER, RED, 3/PACKAGE, PEN, RECORDER; PLOTTER, RED, 3 PER PACK, FOR 7035B X-Y PLOTTER	0		7510U SE
AWH028Y	AL	5-C-22-302	1	\$0.00	HOOK	HOOK, TYPICAL, QA 0, HOIST, W/ THREADED LATCH, UPPER, FOR 3/4 TON COME-ALONG, MODEL B	0	C	4030C SE
AYF301F	AL	5-C-22-302	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, DISPLAY UN, ; VIDEO AND POWER SUPPLY, FOR PRIME CRT	0		7021A SE
AYV056R	AL	5-C-22-302	4	\$0.00	NOZZLE	NOZZLE, MECHANICAL, QA 0, NOZZLE, FIRE PROTECTION; BRASS, 0.75" MALE NPT THREADS, FOR FIRE	0		4210N SE
AYX249D	AL	5-C-22-302	28	\$0.00	TAPE	TAPE, TYPICAL, QA 0, RECORDER, LOOSELEAF, BLANK, WHITE, FOR GE TERMI-NET 200 PRINTER,	0	C	7510U SE
BEE805K	AL	5-C-22-302	17	\$0.00	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; LAMP TYPE: INCANDESCENT ***	0		6250D SE
BJP987A	AL	5-C-22-302	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, VALVE, ; BRASS, FOR AUXILIARY CLAPPER VALVE ADJUSTMENT, ON 4 IN	0		5120M SE
BLL676Y	AL	5-C-22-302	12	\$0.00	CHART	CHART, TYPICAL, QA 0, PAPER, 4-1/2 IN, 0-150, CHART, RECORDING INSTRUMENT; PAPER, 4.5 IN WIDE, CHART NO 150, FOR	0		75300 SE
BLQ268R	AL	5-C-22-302	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, PRINTER; LN03 TONER, FOR PRINTER ***	0		7021A SE
BLQ544V	AL	5-C-22-302	7	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; SCALE 10 TO 10-7 CPM, LOG SCALE, FOR	0	B	75300 SE
BND835W	AL	5-C-22-302	4	\$0.00	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: LIVE LOAD, LENGTH: 10.000000 (	0		5120M SE
BNF288M	AL	5-C-22-302	41	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, ; COLOR COMPARISON, SILICONE FOAMS. ***	0	B	7640J SE
BPQ679H	AL	5-C-22-302	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, INSERTION; CONTACT, FOR USE ON CONTROL ROD DRIVE ***	0		5120M SE
BQP607B	AL	5-C-22-302	3	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER, RED	0	C	7510U SE
BRC322D	AL	5-C-22-302	1	\$0.00	TOOL	TOOL, SPECIAL, QA 0, TOOL, INSTALLATION; SENSOR BELLOWS WRENCH, SPECIAL TOOL FOR RVLIS,	0	C	5120M SE
BRN919M	AL	5-C-22-302	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, REMOVAL; CONNECTOR REMOVER ***	0		5120M SE
BTN399F	AL	5-C-22-302	1	\$0.00	LOCK	LOCK, SECURING, QA 0, LOCK ASSY, ; COMBINATION WITH TUBE RELOCK AND REGULAR CHANGE ***	0	C	4240P SE
BVC201E	AL	5-C-22-302	25	\$0.00	TIP	TIP, TOOL, QA 0, TIP, TOOL, REMOVAL; CORKSCREW, FOR F&S, 2&3 ***	0		5120M SE
BVP075M	AL	5-C-22-302	1	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, HYDRANT, FIRE; OPERATING, IT 5, DWG 51974 ON ZURN MODEL Z-1315	0		4210N SE

BVP077H	AL	5-C-22-302	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, HYDRANT,FIRE; OPERATING,IT 7, DWG 51974 ON ZURN MODEL Z-1315	0	4210N SE
BVP081T	AL	5-C-22-302	1	\$0.00	WASHER	WASHER, TYPICAL, QA 0, WASHER, HYDRANT,FIRE; NEOPRENE, IT 11,DWG 51974 ON ZURN MODEL Z-1315	0	4210N SE
BVV635X	AL	5-C-22-302	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 120, 150, MEDIUM SCREW, LAMPHOLDER, ELECTRIC; MATERIAL: PORCELAIN, LAMP TYPE: INCANDESC	0	6250D SE
BXD600R	AL	5-C-22-302	10	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; COLOR: GREEN ***	0	B 7510U SE
AHX772E	AL	5-C-23-201	3	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, BRUSH, POLISHER-SCRUBBER; SCRUB ***	0	P 79101 SE
AE6617G	AL	5-C-23-202	32	\$0.00	ELEMENT	ELEMENT, TYPICAL, QA 0, ELEMENT, DEMINERALIZER; STAINLESS STEEL, 060.000 IN, FOR POWDEX UNITS	0	C 46109 SE
ADR433J	AL	5-C-23-301	2	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 0, 50 FT, 0.106 IN, 0.016 IN, CLEAR, INSULATION SLEEVING, ELECTRICAL; TYPE: SPOOL, INSIDE DIAMETER: 00.1	0	5970B SE
AEY247F	AL	5-C-23-301	5	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, T1/T2/T3, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VIN	0	75300 SE
AEY347B	AL	5-C-23-301	1	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, L1/L2/L3, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINY	0	75300 SE
AEY747T	AL	5-C-23-301	1	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, WIRE MARKER, VINYL, WHITE, BLACK, MINUS, MARKER, IDENTIFICATION; WIRE, PRESSURE SENSITIVE, VINYL, E	0	75300 SE
AFG868G	AL	5-C-23-301	24	\$0.00	PLUG	PLUG, PIPE, QA 0, 1/2 IN, SQUARE, MNPT, IRON, ASTM A197, BLACK, *** SOLID, MALLEABLE	0	4730P SE
AFX263G	AL	5-C-23-301	3	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; PURPLE, ONE PER PACK ***	0	7510U SE
AJX744D	AL	5-C-23-301	10	\$0.00	LAMP	LAMP, TYPICAL, QA 0, LAMP UNIT, PHOTOFLASH; FLASHBAR, 10 LAMPS, FOR POLAROID SX-70 CAMERA	0	6750J SE
AQQ705D	AL	5-C-23-301	79	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, RECHARGEABLE, NICKEL CADMIUM, 1.3, BATTERY, RECHARGEABLE; ELECTROLYTE: NICKEL CADMIUM, VOLTAGE: 0	0	6140C SE
AVL410D	AL	5-C-23-301	2	\$0.00	SHIM	SHIM, STACK, QA 0, 12 IN (1 FT), 50 IN, 0.012 IN, SS	0	C 9520Z SE
BJQ756Q	AL	5-C-23-301	20	\$0.00	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; MINI FLEXIBLE, STEEL, ZINC PLATED	0	5120M SE
BNL956C	AL	5-C-23-301	58	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 1.0 IN, SOCKETWELDED, SOCKETWELDED, SOCKETWELDED, STAINLESS STEEL, *** SECOND END NOM SIZE: 00.250 IN (	0	4730P SE
BNM565N	AL	5-C-23-301	4	\$0.00	DRAIN	DRAIN, TYPICAL, QA 0, DRAIN, ; 2 IN, 90 DEG OFFSET, BLN DRAIN ***	0	4710W SE
BNM583L	AL	5-C-23-301	1	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 10 - 6 IN, 1 IN, CARBON STEEL, SOCKETWELDED, FORGED, *** STYLE: SOCKOLET	0	4730P SE
BNN799P	AL	5-C-23-301	1	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 0	0	4730P SE
BNR869D	AL	5-C-23-301	2	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 0, SS, **	0	5935B SE
BNR917W	AL	5-C-23-301	1	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1.0 IN, ***	0	4730P SE
BNT047A	AL	5-C-23-301	59	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, ALLOY STEEL, ASME SA193 GR B6, BOLT, ; STUDS, ALLOY STEEL ASME SA193, GRADE B6, TI	0	5305J SE
BNT495P	AL	5-C-23-301	115	\$0.00	BODY	BODY, CONNECTOR, QA 0, CONNECTOR, ; FEMALE, FOR RG-596L CABLE ***	0	4470C SE
BNT507C	AL	5-C-23-301	14	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 3 IN, 3/4 IN, SOCKETWELDED, BLACK, OUTLET, PIPE; STYLE: WELDOLET, RUN END NOM SIZE: 03.0	0	4730P SE
BNV470E	AL	5-C-23-301	225	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, STAINLESS STEEL, ***	0	4730P SE
BNV558L	AL	5-C-23-301	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, ***	0	4730P SE
BPB902D	AL	5-C-23-301	6	\$0.00	WASHER	WASHER, LOCKING, QA 0, WASHER, ; D500, KEY ***	0	5305J SE
BPC398P	AL	5-C-23-301	1	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, CS, **	0	4730P SE
BPX173Q	AL	5-C-23-301	2	\$0.00	RODEND	RODEND, TYPICAL, QA 0, WELDED EYE, 3/8 IN, 8 IN, THREADED, ROD, WELDED EYE; SIZE: 00.375000 ( 3/8), LENGTH: 08.000000 ( 8)	0	4710Y SE
BPX175L	AL	5-C-23-301	2	\$0.00	TURNBUCKLE	TURNBUCKLE, TYPICAL, QA 0, METALLIC, FORGED GALVANIZED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, SURFACE TREA	0	4710Y SE
BQQ890T	AL	5-C-23-301	1	\$0.00	CAP	CAP, RADIATOR, QA 0, FILLER, FILLER OPENING, FOR CATERPILLAR DIESEL GENERATOR, FOR	0	29100 SE
BRL596X	AL	5-C-23-301	1	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, NUMERAL/SET, 1/4 IN, 0-9, NUMERAL, SET; CHARACTER 0-9, 1/4 IN, EHMCB(N/LS) ***	0	75300 SE
BTJ922F	AL	5-C-23-301	1	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 00.750 IN ( 3/4), SECOND END NOM SIZE:	3	4730P SE
BVA030T	AL	5-C-23-301	196	\$0.00	SCREW	SCREW, CAP, QA 1, 7/16 IN, 1 IN, 14, HEX, BRASS, UNC, 2A, B18.2.1	1	5305J SE
BVJ679P	AL	5-C-23-301	18	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER, D SUBMINIATURE, 9 PIN PLUG, SOLDER POT	0	7021A SE
BVJ685W	AL	5-C-23-301	14	\$0.00	BODY	BODY, CONNECTOR, QA 0, SUB-MINIATURE, 9 PIN, CONNECTOR, COMPUTER; D SUBMINIATURE, 9 PIN SOCKET, SOLDER POT. ***	0	7021A SE
BVJ721K	AL	5-C-23-301	13	\$0.00	BODY	BODY, CONNECTOR, QA 0, SUB-MINIATURE, 37 PIN, CONNECTOR, COMPUTER; D SUBMINIATURE, 37 PIN SOCKET, INSULATION	0	7021A SE
BVL839H	AL	5-C-23-301	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT ASSY, INDICATOR; POSITION,EPCO LIE TAMPERPROOF,HALL CALL ***	0	6210P SE
BWQ399Q	AL	5-C-23-301	5	\$0.00	WASHER	WASHER, LOCKING, QA 0, EXTERNAL TOOTH, 3/4 IN, 7/8 IN, ***	0	5305J SE
BWT358W	AL	5-C-23-301	34	\$0.00	KIT	KIT, PARTS, QA 1, HARDWARE, MONITOR; GUIDE PRINTED CIRCUIT BOARD ***	1	7020R SE
BWT360M	AL	5-C-23-301	84	\$0.00	KIT	KIT, PARTS, QA 1, HARDWARE, MONITOR; TAB, CARD, GUIDE, LOCKING ***	1	7020R SE
BXF368C	AL	5-C-23-301	2	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, 1/4 IN, FNPT, FNPT, FNPT, BRASS, *** STYLE: STREET	0	4730P SE
BXX501X	AL	5-C-23-301	1	\$0.00	CLAMP	CLAMP, PIPE, QA 1, CLAMP, PIPE HANGER; SIZE 3 IN, ALLOY STEEL, FIG. 295A/ FIG. 295A-N	1	4710Y SE
CAA585C	AL	5-C-23-301	2	\$0.00	REDUCER	REDUCER, TUBING, QA 0, 3/8 IN X 1/4 IN, STAINLESS STEEL, COMPRESSION X PLAIN, ASME SA479 TP316, STANDARD MILL FINISH, *** STY	0	4730P SE
CAC164T	AL	5-C-23-301	1	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 1/2 IN, 1/2 IN, CS, 3000 LB, FNPT, FNPT, 45, STANDARD MILL FINISH, FORGED, B16.11, ASME SA105	1	4730P SE
CAH112L	AL	5-C-23-301	1	\$0.00	CAP	CAP, PIPE, QA 1, CLASS 2, 3/8 IN, FNPT, SS, 3000 LB, ASME SA182 F304, STANDARD MILL FINISH, FORGED, B16.11	1	4730P SE
CEM381B	AL	5-C-23-301	8	\$0.00	PLUG	PLUG, PIPE, QA 0, 1-1/2 IN, SQUARE, MNPT, 125 LB, STANDARD MILL FINISH, CAST, PLUG, PIPE; NOMINAL SIZE: 1-1/2 IN; RATING: 125 LB; I	0	4730P SE
CEM388W	AL	5-C-23-301	25	\$0.00	TEE	TEE, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/BRONZE, COMPRESSION, *** TYPE: STRAIGHT; TEE, 3/4" NOM. SWEAT X 3/4" SWEAT X 3/4" O	0	4730P SE
CEM390M	AL	5-C-23-301	10	\$0.00	UNION	UNION, TUBING, QA 0, 3/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 3/4" NOM. SWEAT X 3/4" MPT	0	4730P SE
CEM468Y	AL	5-C-23-301	2	\$0.00	UNION	UNION, TUBING, QA 0, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X MNPT, *** UNION, 1-1/2" NOM. COPPER SWEAT X 1-1/2" M	0	4730P SE
CEM469W	AL	5-C-23-301	2	\$0.00	UNION	UNION, TUBING, QA 0, STRAIGHT, 1-1/2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** UNION, 1-1/2" NOMINAL COPPER SWEAT, STRAIGHT	0	4730P SE
CEY168W	AL	5-C-23-301	9	\$0.00	FLANGE	FLANGE, TYPICAL, QA 3, 150 LB, ** SOLDER JOINT DIMENSIONED PER ANSI B16.22, NOMINAL 1 1/4", CAST	3	4730P SE
CEY266W	AL	5-C-23-301	4	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELDED, SOCKETWELDED, SOCKETWELDED, STAINLESS STEEL, ASME SA182	1	4730P SE
APN898N	AL	5-C-23-302	110	\$0.00	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #22-#16 AWG, SOLID/STRANDED, CRIMP, ***	2	5940I SE
BKV284J	AL	5-C-23-302	20	\$0.00	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: HOOK, BITSIZE: 00.312500 (	0	5120M SE
BPH055K	AL	5-C-23-302	1	\$0.00	BOX	BOX, TYPICAL, QA 3, RADIATION MONITOR, SYSTEM 90, INTERFACE, FOR CONTINUOUS AIR MONITOR	3	6630D SE

BPK042J	AL	5-C-23-302	7	\$0.00	FILM	FILM, PHOTOGRAPHIC, QA 0, FILM, PHOTOGRAPHIC; INSTANT, HIGH SPEED AUTO., 2 PACKS PER BOX. ***	0	6750J SE
BPM350H	AL	5-C-23-302	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 250 VDC, DESIGNATED "X", FOR MODEL AK-15/25	1	5945D SE
BRV649Y	AL	5-C-23-302	2	\$0.00	BOLT	BOLT, EYE, QA 1, 1-1/2 IN, 8, 12 IN (1 FT), ALLOY STEEL, 2A, ASTM A193 GR B7, 8 UN, PACKING; GLAND STUDS, LIVE LOAD, ROD END TY 1	C	5730H SE
BTN736P	AL	5-C-23-302	5	\$0.00	TAPE	TAPE, LABELING, QA 0, IDENTIFICATION, 2 IN, 180 FT, YELLOW, VINYL, TAPE, IDENTIFICATION; MATERIAL: VINYL, TAPE SIZE: 2 IN X 60 YDS 0	0	7510U SE
BVW486F	AL	5-C-23-302	44	\$0.00	SPARE PART	SPARE PART, ENGINE, QA 1, BUSHING, STARTER MOTOR & MOUNTING, 47, ,CAT 302 PARTS LIST B25 PAGE 20, SLEEVE:BRONZE,0.75" ID X 1	B	29100 SE
CAE498J	AL	5-C-23-302	1919	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, CONDITIONALLY DEDICATED, TAG, STOCK MARKING; CONDITIONALLY DEDICATED MATERIAL TAGS. FURNISHEI 0	B	9905K SE
CEC267P	AL	5-C-23-302	12	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 3, THERMOSTATIC, 125, 5, NO, CONTACT CLOSSES AT 225 DEGREE F INCREASING,	3	59300 SE
CHB162Q	AL	5-C-23-302	2	\$0.00	BRACKET	BRACKET, SUPPORT, QA 3, ASSEMBLY, STEEL, 12 INCH CHANNEL ARM, FOR USE WITH UNISTRUT CHANNEL	3	5445F SE
CJE973W	AL	5-C-23-302	6	\$0.00	KIT	KIT, PARTS, QA 3, TUFLINE 166BW PLUG VALVE, 3 IN, UHMWP SLEEVE W/O RELIEF HOLES, UHMWP DIAPHRAGM, UHMWP DELTA RING, MET/ 3	3	48200 SE
BME488Q	AL	5-C-24-201	90	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, 1-1/4 IN, *** 822A599-001, 13A4501.	0	P 4470C SE
BMY613X	AL	5-C-24-201	2	\$0.00	OILER	OILER, AUTOMATIC, QA 0, TRICO OPTO-MATIC, WBT-205, WBT-CSAPBA, WHO-0740	0	C 5120M SE
BMY614V	AL	5-C-24-201	5	\$0.00	VALVE	VALVE, BALL, QA 0, 1/4 IN	0	C 48200 SE
BMY800B	AL	5-C-24-201	1	\$0.00	LOCK	LOCK, SECURING, QA 0, LOCK BAR #1462E63-SUB2, CRD SHAFT HANDLING FIXTURE	0	C 4470C SE
BMY897L	AL	5-C-24-201	2	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, FLEXIBLE/SHAFT, FOR AUXILIARY SYSTEMS PUMP, WBT-205, WBT-CSAPBA, WHO-0745	0	D 3040D SE
BMY988H	AL	5-C-24-201	383	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; 1213E79 IT 44, S.O. WB902 CNSSTS. ***	0	P 5305J SE
BNA607T	AL	5-C-24-201	585	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; 1213E09, IT 41, SO WAT 902, CNSSSL ***	0	P 5305J SE
BNA817E	AL	5-C-24-201	1	\$0.00	GASKET	GASKET, SPIRAL WOUND, QA 0, 2 IN, 2-1/2 IN, 3/4 IN, SINGLE, FLEXITALLIC, RA52RDB, 590964, 2-8034 WBT-220, WBT-ASVANS	0	C 48200 SE
BNC531N	AL	5-C-24-201	2	\$0.00	ADAPTER	ADAPTER, PIPE, QA 0, 3/8 IN X 1/4 IN, SS, THREADED	0	C 4730P SE
BNC532L	AL	5-C-24-201	1	\$0.00	ADAPTER	ADAPTER, TUBING, QA 0, PIPE TO TUBE, 3/8 IN, SS, FNPT X MNPT	0	C 4730P SE
BNC669Q	AL	5-C-24-201	160	\$0.00	PLATE	PLATE, TYPICAL, QA 0, FILLER, DWG 120BE31408 SD WAT 902 CNINDP	0	C 4470C SE
BNC822B	AL	5-C-24-201	1	\$0.00	GAUGE	GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, DIAL, FOR VACUUM PURGE, S.O. WAT 9050 WDWEVF.	0	C 6695D SE
AQT440P	AL	5-C-24-202	11	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316L 0	0	4730P SE
AQT469K	AL	5-C-24-202	12	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, SS, ASME SA182 GR F316L, STANDARD MILL FINIS 0	0	4730P SE
BKP037F	AL	5-C-24-202	14	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN ( 4), SECOND END NOM SIZE:	3	4730P SE
BRC827E	AL	5-C-24-202	4	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2), SECOND END NOM	1	4730P SE
BRC832M	AL	5-C-24-202	7	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2), SECOND END NOM	1	4730P SE
BTY993R	AL	5-C-24-202	635	\$0.00	SCREW	SCREW, CAP, QA 1, 1/4 IN, 1-1/2 IN, 20, HEX, BRASS, UNC, 2A, B18.6.3	1	5305J SE
BVP318Y	AL	5-C-24-202	4	\$0.00	ROPE	ROPE, WIRE, QA 3, REGULAR LAY, 5/8 IN, 161 FT, IMPROVED PLOW STEEL, 6 X 37, ROPE, HEAVY EQUIPMENT; WIRE ROPE, EXTRA IMPROVED 3	3	29100 SE
BVT766K	AL	5-C-24-202	1	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 6 IN, 6 IN, 4 IN, BUTTWELD, BUTTWELD, BUTTWELD, CS, ASTM A234 GR WPB, HOT DIPPED GALVANIZED, B16.9 3	3	4730P SE
BWV871B	AL	5-C-24-202	16	\$0.00	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, 500 KCMIL, TIN PLATED COPPER, BROWN, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEAT 2	2	5940I SE
BNJ067D	AL	5-C-24-301	1	\$0.00	TUBE	TUBE, TYPICAL, QA 0, ASSEMBLY, 2 FT (24 IN), 1/2 IN, W/ FITTING/90 DEG BEND, WITH TWO PARKER FITTINGS	0	C 4470C SE
BNT648Q	AL	5-C-24-301	6	\$0.00	PLATE	PLATE, TYPICAL, QA 0, 4 IN, 4 IN, 1/2 IN, NO 398A326-017	0	C 5975B SE
BNT692M	AL	5-C-24-301	2	\$0.00	WASHER	WASHER, BELLEVILLE, QA 0, FOR HYDROGEN SEAL BRACKET	0	C 5305J SE
BPD228C	AL	5-C-24-301	97	\$0.00	WASHER	WASHER, LOCKING, QA 0, PANTLEG, 1 IN	0	C 5305J SE
BPD261E	AL	5-C-24-301	5	\$0.00	STUD	STUD, TYPICAL, QA 0, BOLT, 3/4 IN, 5 IN, (2) HEX, WITH TWO HEX NUTS	0	C 5305J SE
BPD263A	AL	5-C-24-301	40	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 5/16 IN, 3/4 IN, HEX	0	C 5305J SE
BPD294Y	AL	5-C-24-301	1	\$0.00	WASHER	WASHER, LOCKING, QA 0, 7/8 IN	0	C 3110B SE
BPD300B	AL	5-C-24-301	40	\$0.00	BOLT	BOLT, HEX, QA 0, 1-1/8 IN, 2-1/8 IN	0	C 5305J SE
BPD301X	AL	5-C-24-301	13	\$0.00	CARTRIDGE	CARTRIDGE, TYPICAL, QA 0, VALVE, 3/8 IN, W/ VITON RINGS, CARTRIDGE ASSY, ; 0.375 IN, WITH VITON RINGS (CHECK VALVE) ***	0	P 48200 SE
BPD305M	AL	5-C-24-301	3	\$0.00	TAPE	TAPE, TYPICAL, QA 0, 3/4 IN, 180 FT, GLASS	0	C 7510U SE
BPD313M	AL	5-C-24-301	1	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 4-1/4 IN	0	C 5730H SE
BPD314K	AL	5-C-24-301	1	\$0.00	COVER	COVER, BOX, QA 0, BLANK, SCREW, FOR BREAKER SIEMENS TYPE QP	0	C 3950F SE
BPD318B	AL	5-C-24-301	2	\$0.00	SPACER	SPACER, TYPICAL, QA 0, 2-1/2 IN, NO 13A4491-357A699	0	C 5730H SE
BPD369R	AL	5-C-24-301	1	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 3 IN, 24 IN (2 FT), 1/16 IN, METAL	0	C 5730H SE
BPD421J	AL	5-C-24-301	1	\$0.00	BOLT	BOLT, HEX, QA 0, 3/8 IN, 1 IN	0	C 5305J SE
BPD889Y	AL	5-C-24-301	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, ORIFICE, 6 IN, FLAT	0	C 4730P SE
BPE008D	AL	5-C-24-301	2	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; SWITCH ASSY (USE FOR SPARE) ***	0	P 59300 SE
BPE203Q	AL	5-C-24-301	2	\$0.00	PROPELLER	PROPELLER, TYPICAL, QA 0, TURBO, BRASS, 5, TURBO	0	C 3895E SE
BPE205L	AL	5-C-24-301	1	\$0.00	KIT	KIT, PARTS, QA 0, C/O 3 BOLTS 5/8 X 3 1/4, 1 ANGLE, 3 FLAT BARS, SPLIT RING FLANGE KEYED	0	C 4470C SE
BBP461W	AL	5-C-24-302	19191	\$0.00	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; ROUND, BRASS, SIZE .25 IN, FED SPEC FF-W-92B, GRD I	3	P 5305J SE
BDG054Q	AL	5-C-24-302	8800	\$0.00	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 0.190000 (	3	P 5305J SE
BJM645H	AL	5-C-24-302	30	\$0.00	SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: SOCKET, MATERIAL: STAINLESS STEEL, NOMINAL	1	P 5305J SE
BLH578E	AL	5-C-24-302	71000	\$0.00	NUT	NUT, HEX, QA 1, STANDARD, 1/4 IN, 20, CS, ASTM A563 GR A, UNC, PLAIN, B18.2.2	1	P 5305J SE
BLJ030W	AL	5-C-24-302	56	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CAP, HEX HEAD, CARBON STEEL, CADMIUM PLATED	1	P 5305J SE
BLM471C	AL	5-C-24-302	22	\$0.00	SCREW	SCREW, SOCKET, QA 1, CLASS 2, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P 5305J SE
BLM480N	AL	5-C-24-302	49	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; CAP, SOCKET HEAD, ALLOY STEEL ASME SA574, PER	1	P 5305J SE
BLM489Q	AL	5-C-24-302	48	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW,CAP,SOCKET HEA, ; CAP, HEX SOCKET HEAD, ALLOY STEEL ASME SA574	1	P 5305J SE

BNQ505T	AL	5-C-24-302	180	\$0.00	SCREW	SCREW, CAP, QA 2, 1/4 IN, 1-1/4 IN, 20, HEX, SS, ASTM F593, UNC, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 3 2	P	5305J SE
BNQ511Y	AL	5-C-24-302	500	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASTM F593-86,ALLOY 304	2	C 5305J SE
BQX909V	AL	5-C-24-302	60	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
BTD251Y	AL	5-C-24-302	617	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
BTG682K	AL	5-C-24-302	1300	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
AE6617G	AL	5-C-25-201	31	\$0.00	ELEMENT	ELEMENT, TYPICAL, QA 0, ELEMENT, DEMINERALIZER; STAINLESS STEEL, 060.000 IN, FOR POWDEX UNITS	0	C 46109 SE
ACT092A	AL	5-C-25-301	1	\$0.00	LENS	LENS, CAP, QA 0, LENS, INDICATOR; INDICATING LAMP, CLEAR ***	0	C 6210P SE
ADT695E	AL	5-C-25-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, INDICATOR; PILOT, 3 EA PER PACKAGE ***	0	6210P SE
ADY171W	AL	5-C-25-301	35	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6, GREEN, LIGHT, INDICATOR; 6 VOLTS, GREEN LENS, 200 MA ***	0	6210P SE
ADY271Q	AL	5-C-25-301	35	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 6, RED, LIGHT, INDICATOR; 6 VOLTS, RED LENS, 200 MA ***	0	6210P SE
AFT299A	AL	5-C-25-301	4	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, WHITE, LIGHT, INDICATOR; WHITE BLANK LENS, SERIES 90K, FOR INVERTER, 120	0	6210P SE
AFT492G	AL	5-C-25-301	35	\$0.00	LENS	LENS, COVER, QA 0, LENS, LIGHT; USAGE DESIGN: TRRANSLUCENT, COLOR: RED ***	0	P 6210P SE
AFT591E	AL	5-C-25-301	6	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-2, (2) SOLDER LUG TERMINALS, PANEL, WITHOUT LENS, PILOT LIGHT, LESS LAMP & LENS.	0	P 6210P SE
AFT898K	AL	5-C-25-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, AMBER, LIGHT, INDICATOR; AMBER LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0	6210P SE
AFT998F	AL	5-C-25-301	3	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, GREEN, LIGHT, INDICATOR; GREEN LENS, SERIES 90K, FOR INVERTER, 120 VOLTS ***	0	6210P SE
AHT472A	AL	5-C-25-301	24	\$0.00	LAMP	LAMP, NEON, QA 0, GLOW, T-1-3/4, MIDGET FLANGED, 0.143, 115, LAMP, GLOW; LAMP SIZE: T-1 3/4, LAMP BASE: MIDGET FLANGED, VOL 0	C	6210P SE
ANT283E	AL	5-C-25-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 120, RED, LIGHT, INDICATOR; 120 VAC, RED LENS, TRANSFORMERTYPE, OIL TIGHT, STYLE	0	6210P SE
AQD096T	AL	5-C-25-301	4	\$0.00	RECEPTACL	RECEPTACLE, ELECTRICAL, QA 0, LAMPHOLDER, 120, W/ MOUNTING CAP/100 W, STRAIGHT THREAD TYPE, 3-3/4 IN	0	6210P SE
AQQ771Y	AL	5-C-25-301	3	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 115, 60 HZ, LIGHT, INDICATOR; ALARM, HUMISTAT, 115 V, 60 HZ, MOUNTED IN METAL	0	6210P SE
AWC963T	AL	5-C-25-301	7	\$0.00	WASHER	WASHER, TYPICAL, QA 0, SS, ***	0	6695D SE
AXY281J	AL	5-C-25-301	2	\$0.00	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, AMBER, GLOBE, ELECTRIC LIGHT; GLASS, AMBER, FOR LAMPHOLDER VHX15, ON	0	6210P SE
AYD773E	AL	5-C-25-301	18	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, SOLDER, RED/NEON, LIGHT, INDICATOR; NEON, RED, SOLDER CONNECTORS ***	0	6210P SE
AYF096B	AL	5-C-25-301	40	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, T-3/4, WIRE LEADS, 5, 1000, LAMP, INCANDESCENT; VOLTAGE: 5.00, LAMP BASE: WIRE LEADS (DOWN) LAM 0	0	6210P SE
AYG503X	AL	5-C-25-301	11	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, SOLDER, GREEN/NEON, LIGHT, INDICATOR; NEON, GREEN, SOLDER CONNECTORS ***	0	6210P SE
AYQ957B	AL	5-C-25-301	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, 130, WHITE, W/ 2 LAMPS/BLNK NAMEPLATE, LIGHT, INDICATOR; 130 VOLTS, WHITE LENS, WITH TV 0	0	6210P SE
AYT070G	AL	5-C-25-301	2	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 X 1/2 IN, CPVC, 80, SOCKET X FNPT, *** STYLE: COUPLING, FIRST END NOM SIZE: 02.000 IN ( 2), FIRST END	0	4730P SE
BAG459R	AL	5-C-25-301	4	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PROJECTION, BI-PIN, 80, 19, LAMP, INCANDESCENT; 80.0 WATTS, 19.0 VOLTS, BI-PIN BASE, SLIDE	0	6210P SE
BAN863K	AL	5-C-25-301	6	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, T-6, BI-PIN PREFOCUS, 600, 120, LAMP, INCANDESCENT; VOLTAGE: 120.00, VOLTAGE TYPE: AC, LAMP BASE: 0	0	6210P SE
BBN288M	AL	5-C-25-301	60	\$0.00	SLEEVE	SLEEVE, COMPRESSION, QA 0, SLEEVE, CLINCH TUBE FITTING; MATERIAL: PE POLY, SIZE: 00.250000 (	0	4730P SE
BDM742J	AL	5-C-25-301	1449	\$0.00	RIVET	RIVET, TYPICAL, QA 0, BLIND, 3/16 IN, 0.565 IN, DOME, ALUMINUM, 0.251 - 3/8 IN, 250/BOX, RIVET, BLIND; 5052 ALUMINUM BODY W/CO, 0	0	5305J SE
BJY855P	AL	5-C-25-301	3	\$0.00	LENS	LENS, COVER, QA 0, CYLINDRICAL, PLASTIC, RED, THREADED, LENS, LIGHT; STYLE: CYLINDRICAL, MATERIAL: PLASTIC, MOUNTING METHOD: 0	0	6210P SE
BKV285G	AL	5-C-25-301	20	\$0.00	HOOK	HOOK, PACKING, QA 0, EXTRACTOR, STUFF BOX/PUMP PKG; STYLE: HOOK, BITSIZE: 00.250000 ( 1/4)	0	5120M SE
BLJ216C	AL	5-C-25-301	19	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; SIZE: 00.375000, TYPE: ROUND ***	0	48200 SE
BLN521J	AL	5-C-25-301	90	\$0.00	SPRING	SPRING, AIR, QA 0, SPRING, POWER TOOL; FOR AIR GRINDER ***	0	5130U SE
BLP997T	AL	5-C-25-301	10	\$0.00	RUNNER	RUNNER, TYPICAL, QA 3, LEAD JOINT, 2-1/2 FT, FITS PIPE 4 IN-6 IN, RUNNER, LEAD JOINT; RUNNING ROPE, JOINT RUN 0.75 IN DIA, LENGTH 3	P	5120M SE
BLV605K	AL	5-C-25-301	11	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, SINGLE CONTACT BAYONET CANDELABRA, 2.5, 36, LAMP, INCANDESCENT; VOLTAGE: 36.00, LAMP BASE: 1 ( 0	0	6210P SE
BNN895V	AL	5-C-25-301	19	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; PAPER. ***	0	75300 SE
BNP037W	AL	5-C-25-301	8	\$0.00	LENS	LENS, TYPICAL, QA 0, LENS, INDICATOR; GREEN, FOR LAMP HOLDER, INDICATING, P/N S530004. ***	0	6210P SE
BNP054W	AL	5-C-25-301	24	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, INDICATOR, T-1-3/4, 14, MINIATURE, LIGHT, INDICATOR; MINIATURE, SIZE T 1-3/4, BASE MIDGET FLANGED, 14	0	6210P SE
BQJ217H	AL	5-C-25-301	75	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, LABEL, IDENTIFICATION; PRE-ADDRESSED MAILERS, SINGLE, ON 8 OZ	0	75300 SE
BQP602M	AL	5-C-25-301	6	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER, BLUE, PEN, RECORDER; COLOR: BLUE	0	C 7510U SE
BTE390N	AL	5-C-25-301	36	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, FEMALE, 5/8 IN, COPPER, SOLDER, COUPLING, TUBE; STYLE: ROLLED STOP, MATERIAL: COPPER, NOMINAL SIZE: 0	0	4730P SE
BTX639H	AL	5-C-25-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 2 IN, CPVC, 80, FLAT, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 02.000 IN ( 2)	0	4730P SE
BVB424X	AL	5-C-25-301	2	\$0.00	REDUCER	REDUCER, PIPE, QA 0, 2.0 IN, 1 IN, FNPT, CPVC, 80, SWEAT X FNPT, *** STYLE: STRAIGHT	0	4730P SE
BVB434T	AL	5-C-25-301	12	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, 1-1/2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0	4730P SE
BVC365E	AL	5-C-25-301	6	\$0.00	UNION	UNION, TUBING, QA 0, 1 IN, COPPER, SOLDER, B16.22, UNION, TUBE; FIRST END NOM SIZE: 01.000 IN ( 1), SECOND END NOM SIZE:	0	4730P SE
BVH966R	AL	5-C-25-301	1	\$0.00	DISC	DISC, TYPICAL, QA 0, DISK, AIR MASK; FOR HYDRO-PNEUMATIC LOW PRESSURE ACCUMULATOR ***	0	B 4240P SE
BXF159M	AL	5-C-25-301	600	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-3/8 IN, 3-3/4 IN, GREEN, BLACK, CONTAMINATION AND, RADIATION CLEARAN 0	0	9905K SE
BXF160G	AL	5-C-25-301	600	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, STOCK MARKING/TWO-SIDED, 2-5/8 IN, 4-1/4 IN, WHITE, BLACK, CONDITIONAL RELEASE, TAG, STOCK MARKIN 0	0	9905K SE
BXP290R	AL	5-C-25-301	22	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER; RATING,STAINLESS STEEL, DWG 66-1-11, IT 15, FOR 3/4 IN	0	9905K SE
BYE202F	AL	5-C-25-301	1	\$0.00	STRIP	STRIP, SEAL, QA 0, WEATHER STRIP, SEAL; WEATHER SHIELD, RUBBER, FOR 5 1/4" B-62-B FIRE	0	4210N SE
ACY778V	AL	5-C-25-302	11	\$0.00	LAMP	LAMP, HID, QA 0, MERCURY VAPOR, BT-37, MOGUL SCREW, 400, WHITE, 135, LAMP, MERCURY VAPOR; LAMP BASE: MOGUL SCREW, LAMP S 0	C	6210P SE
AET571T	AL	5-C-25-302	6	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, 200, FIXTURE, LIGHTING; WATTS: 200 ***	0	6210P SE
AGT670P	AL	5-C-25-302	21	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-12, MEDIUM BI PIN, 15, WARM WHITE, 18 IN, 780, 9000, LAMP, FLUORESCENT; WATTAGE: 15.000, LAMP SIZ 0	0	6210P SE
AXF105M	AL	5-C-25-302	3	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 120, 175, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, VOLTS: 120, WATTS: 175	0	6210P SE
AXF106K	AL	5-C-25-302	6	\$0.00	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, GLASS, GLOBE, ELECTRIC LIGHT; GLASS, FOR LIGHTING FIXTURES, CAT IH-175-120	0	6210P SE
BJW868Q	AL	5-C-26-201	151	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, PRESSURE SENSITIVE, 4-1/4 IN, 5-1/2 IN, YELLOW, BLACK, ADHESIVE BACK, LABEL, IDENTIFICATION; ADHES 0	0	75300 SE

BKR395K	AL	5-C-26-201	100	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL, STRAPPING; BUCKLE, STAINLESS STEEL, 0.75 IN WD, FOR 0.75 IN WD	0	8135F SE
BKR467L	AL	5-C-26-201	2	\$0.00	TOOL	TOOL, SPECIAL, QA 0, REMOVAL/CARTRIDGE, 36 IN, W/ NON STANDARD JAW, TOOL, REMOVAL; CARTRIDGE, POSIGRIP, 36 IN, WITH NON-ST	0	5120M SE
BLR452V	AL	5-C-26-201	7	\$0.00	TOOL	TOOL, TYPICAL, QA 0, CREVICE, 2-1/2 IN, 14-1/2 IN, TOOL, ; CREVICE, 2-1/2 IN DIA X 14-1/2 IN, ATTACHMENT FOR HEPA VACUUM.	0	79101 SE
BLR455M	AL	5-C-26-201	12	\$0.00	NOZZLE	NOZZLE, MECHANICAL, QA 0, DRY, 2-1/2 IN, 14 IN, NOZZLE, ; DRY, 2-1/2 IN DIA X 14 IN LONG ATTACHMENT, FOR HEPA VACUUM.	0	79101 SE
BNB988D	AL	5-C-26-201	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/4 IN, 1-7/8 IN, 4 IN, CARBON, SPLIT, SPACER, #5005, HALVED WITH DRILLED AND TAPPED HOLES,	3	B 5730H SE
BNC244R	AL	5-C-26-201	9	\$0.00	CRIMPER	CRIMPER, TOOL, QA 0, CRIMPING TOOL, TERMINAL HAND; FOR 3/8 IN LONG X 1/4 IN THICKMICROPRESS	0	5120M SE
BND398Q	AL	5-C-26-201	5	\$0.00	TAPE	TAPE, DATA, QA 0, CARTRIDGE, ; DATA, FOR HP9144A TAPE DRIVE, 600 FT LENGTH, 1/4 IN	0	7021A SE
BNH896K	AL	5-C-26-201	10	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, IDENTIFICATION; WIRE MARKING KIT, HANDI PAK ***	0	75300 SE
BNH897H	AL	5-C-26-201	53	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, IDENTIFICATION; WIRE MARKING KIT, HANDI PAK ***	0	75300 SE
BPL007G	AL	5-C-26-201	37	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, EYEGLASS; EYEWEAR, B-BLUE, CROAKIES, GLASS-GUARD, NEOPRENE	0	4240P SE
BPB695X	AL	5-C-26-201	4	\$0.00	CARTRIDGE	CARTRIDGE, INK, QA 0, CARTRIDGE, ; IMAGE, FOR LASER PRINTER ***	0	7021A SE
BQB165E	AL	5-C-26-201	1	\$0.00	TOOL	TOOL, SPECIAL, QA 0, MACHINE, TUBE CLEANING; INCLUDING AIR DRIVE UNIT, 15 FOOT WATER SUPPLY	0	5130U SE
BQK454X	AL	5-C-26-201	3	\$0.00	ELECTRODE	ELECTRODE, TYPICAL, QA 0, ELECTRODE ASSY, ; STAINLESS STEEL, WITH SHIELDS ***	0	3439D SE
BRE068D	AL	5-C-26-201	3	\$0.00	HANDLE	HANDLE, TYPICAL, QA 0, HOUSING, 1/2 IN, 3 IN, 5-1/2 IN, MANUAL TURNING, HANDLE, HOUSING; 3 IN X 5.5 IN X .5 IN SHAFT, MANUAL TUR	0	5120M SE
BTL293A	AL	5-C-26-201	20	\$0.00	VISOR	VISOR, SAFETY, QA 0, FACESHIELD, FIREFIGHTER'S; 4" FACESHIELD TO FIT MORNING PRIDE	0	4240P SE
BVA386G	AL	5-C-26-201	6	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 2 IN X 1/2 IN, STAINLESS STEEL, HEXAGON, MNPT X FNPT, ASTM A182 GR F316, BUSHING, PIPE; STYLE: HEX HEAD, L	0	4730P SE
BJ689L	AL	5-C-26-201	20	\$0.00	SHELL	SHELL, TYPICAL, QA 0, SHELL, COMPUTER; D SUBMINIATURE, FOR 9 PIN CONNECTOR. ***	0	7021A SE
BVL337A	AL	5-C-26-201	117	\$0.00	CLAMP	CLAMP, TYPICAL, QA 3, CLAMP, GRATING; TOP CLIP, FOR EPI (ENGINEERED PRODUCT, INC.) GRATE CLAM	3	C 5670A SE
BVQ176K	AL	5-C-26-201	1	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: PIPET, MATERIAL: CARBON STEEL, RUN END NOM SIZE:	1	4730P SE
BGQ874Y	AL	5-C-26-202	6	\$0.00	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 16 IN DIA, TAN, PAD, FLOOR POLISHING; BUFFING, 16 IN DIA, TAN, THICKLINE ***	0	79101 SE
BGY011G	AL	5-C-26-202	4	\$0.00	COMPOUND	COMPOUND, SEALING, QA 3, SEALING, COMPOUND; WHITE, FLEXIBLE MEMBRANE ***	3	C 8030W SE
BHC994C	AL	5-C-26-202	1	\$0.00	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 20 IN DIA, 1 IN, PAD, FLOOR POLISHING; BURNISHING, 1 IN THK X 20 IN DIA ***	0	79101 SE
BJP966J	AL	5-C-26-202	48	\$0.00	SOLDER	SOLDER, WELDING, QA 2, SOLDER, TIN LEAD; SN60, 1 LB SPOOL, .093 IN ROUND, WIRE SOLID (WS)	2	3439D SE
BVG818E	AL	5-C-26-202	120	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, ELECTRODE, WELDING; DIAMETER: 0.125 IN ( 1/8 ), LENGTH: 36.000 IN	1	3439D SE
AJX769W	AL	5-C-26-301	69	\$0.00	CHART	CHART, TYPICAL, QA 0, RECORDING INSTRUMENT, 10 ROLL MINIMUM ORDER, FOR RECORDER, MODEL 220	0	P 75300 SE
AKX463F	AL	5-C-26-301	28	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, TAPE, PRESS SENSITIVE ADH; COLOR: BLACK ***	0	7510U SE
AND642F	AL	5-C-26-301	196	\$0.00	FILTER	FILTER, TYPICAL, QA 0, PREFILTER, ; FOR PAINT SPRAY RESPIRATOR MODEL 459439 ***	0	C 4230E SE
AQP448B	AL	5-C-26-301	50	\$0.00	PAPER	PAPER, TYPICAL, QA 0, THERMAL/PRINTER, 8-1/2 IN, 100 FT, PAPER, THERMAL; PRINTER, 8.5 IN WIDE X 100 FT ROLL FOOT ROLL ***	0	75300 SE
ARB704C	AL	5-C-26-301	4	\$0.00	PAD	PAD, TYPICAL, QA 0, CLEANING/TAPE HEAD, 2-1/2 IN, 3 IN, 91% ISOPROPYL ALCOHOL, CLEANING PAD, MAGNETIC TAPE HD; 91 PERCENT IS	0	7920P SE
ARH128N	AL	5-C-26-301	50	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, RESPIRATOR; SPEAKING, FOR ULTRA FILTER ANDULTRA TWIN	0	P 4240P SE
ARP541F	AL	5-C-26-301	14	\$0.00	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT FIXTURE; DOME, 30 DEGREE ANGLE, FIBERGLASS REINFORCED	0	C 6210P SE
BFG962H	AL	5-C-26-301	73	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BFH315E	AL	5-C-26-301	80	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	5305J SE
BXY824Y	AC	5-C-26-302	2	\$0.00	CANISTER	CANISTER, TYPICAL, QA 0, STORAGE, 6 IN, 37 IN, POLYETHYLENE, CANISTER, STORAGE; POLYETHYLENE, BRIGHT SAFETY ORANGE, 6.0 IN O.	0	8115A SE
AWR242W	AL	5-C-26-302	90	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 0, 3/32 IN, 9 IN, CAST IRON, BARE, ELECTRODE, WELDING; DIAMETER: 0.093 IN ( 3/32 ), LENGTH: 9.000 IN	0	3439D SE
BLV527C	AL	5-C-26-302	24	\$0.00	CORD	CORD, TYPICAL, QA 0, TWINE, FIBROUS; MATERIAL: NYLON, COMMERCIAL SIZE: 15 ***	0	4020W SE
BLV542G	AL	5-C-26-302	23	\$0.00	CORD	CORD, TYPICAL, QA 0, TWINE, FIBROUS; MATERIAL: NYLON, COMMERCIAL SIZE: 72 ***	0	4020W SE
BNB822G	AL	5-C-26-302	3	\$0.00	TUBE	TUBE, TIRE, QA 0, INNER TUBE, PNEUMATIC TIRE; RUBBER, 15 IN, TEMPORARY PLUGSFOR RCS COLD	0	26107 SE
BWP944Y	AL	5-C-26-302	20	\$0.00	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, RESPIRATORY EQUIP; BREATHING, 30" ***	0	B 4240P SE
BGQ867V	AL	5-C-27-201	35	\$0.00	PAD	PAD, TYPICAL, QA 0, PAD, FLOOR POLISHING; STRIPPER, 20 IN DIA, BLACK, THICK LINE ***	0	C 79101 SE
BLH729K	AL	5-C-27-201	12	\$0.00	RING	RING, SEAL, QA 3, SEAL RING, VALVE; SEAL RING, TEFLON, P/N 2224-301 OR 111351-330 ***	3	48200 SE
AKH598M	AL	5-C-27-202	18	\$0.00	SOCKET	SOCKET, HOSE, QA 0, SOCKET, ; VALVE, 8HF8, FOR PERFECTING SERVICE CO QUICK DISCONNECT	0	5120M SE
BAT712L	AL	5-C-27-202	3	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, HYPODERMIC; SCC, FOR DIONEX ION CHROMATOGRAPH ***	0	6505C SE
BDA047L	AL	5-C-27-202	72	\$0.00	PIN	PIN, TYPICAL, QA 0, PIN, TAPERED PLAIN; MATERIAL: ALUMINUM ***	0	5305J SE
BKP034M	AL	5-C-27-202	27	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BKY676H	AL	5-C-27-202	61	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; PIPE FLANGE, 0.75-1.0UNC X 3.25IN LONG, FOR	1	29100 SE
BQA903A	AL	5-C-27-202	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 4.0 IN, FULL, MALLEABLE IRON, 150 LB, FNPT, ASTM A197, BLACK, ***	0	4730P SE
BRJ223G	AL	5-C-27-202	2	\$0.00	RODEND	RODEND, TYPICAL, QA 0, WELDED EYE, 7/8 IN, 24 IN, CARBON STEEL, THREADED, ROD, WELDED EYE; MATERIAL: CARBON STEEL, SIZE: 0.0	0	4710Y SE
BVH028X	AL	5-C-27-202	2	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1/2 IN, 1 IN, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 15i	0	4730P SE
CGR228J	AL	5-C-27-202	1	\$0.00	REEL	REEL, TYPICAL, QA 3, CRD CHARGING CART, COMPLETE HOSE REEL WITH LOCKING DEVICES, COX HOSE REELS,	3	C 4470C SE
CGX141A	AL	5-C-27-202	1	\$0.00	REEL	REEL, HOSE, QA 3, AIR, W/O HOSE, MFG: COX REEL, MODEL: TSHL-N-375	3	C 5130U SE
AAT573F	AL	5-C-27-301	2	\$0.00	GLOBE	GLOBE, FIXTURE, QA 0, HEAT RESISTANT, GLASS, CLEAR, ELECTRIC LIGHT; GLASS, CLEAR, HEAT RESISTANT, MAX LAMP SIZE 200	0	6210P SE
AHG989P	AL	5-C-27-301	7	\$0.00	ELBOW	ELBOW, PIPE, QA 1, STANDARD RADIUS, 3/4 IN, 3/4 IN, SS, 2000 LB, FNPT, FNPT, 45, STANDARD MILL FINISH, FORGED, B16.11, ASTM A11	1	4730P SE
BBE329B	AL	5-C-27-301	1	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, ADAPTER, STRAIGHT, PIPE TO TUBE; STAINLESS STEEL ASME SA 479 TP 316	1	4730P SE
BFH052B	AL	5-C-27-301	29	\$0.00	WASHER	WASHER, FLAT, QA 3, WASHER, FLAT; CARBON STEEL, ROUND, NOMINAL DIA .875 IN, ZINC PLATED	3	5305J SE
BJB830M	AL	5-C-27-301	2	\$0.00	FAUCET	FAUCET, PLUMBING, QA 0, DOUBLE, 8 IN CENTER, BRASS, CHROME PLATED, 2-1/2 IN SPOUT/3/4 IN HOS, FAUCET, DOUBLE; BRASS CHROMI	0	4710W SE
BKR115L	AL	5-C-27-301	5	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 3 IN, 2 IN, CS, 3000 LB, THREADED INTERNAL, ASME SA105, FORGED, MSS SP-97, OL 1	0	4730P SE

BLA855J	AL	5-C-27-301	87	\$0.00	SCREW	SCREW, SOCKET, QA 0, #10, 1 IN, 24, STEEL, UNC, NOMINAL DIA .19 IN	0	5305J SE
BLL371M	AL	5-C-27-301	40	\$0.00	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, 300 KCMIL, 600 AC, COPPER, WHITE, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP	1	5940I SE
BMA455W	AL	5-C-27-301	6	\$0.00	HOLDER	HOLDER, LAMP, QA 3, INDICATING, LAMPHOLDER, ELECTRIC; INDICATING LIGHT, WHITE. ***	3	6250D SE
BMA724V	AL	5-C-27-301	3	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINKABLE, 2-LEG ***	1	5970B SE
BNF180M	AL	5-C-27-301	1	\$0.00	BLOCK	BLOCK, CONTACT, QA 1, TEST BLOCK, ELECTRICAL; 4 POLE, TYPE PK-2, WITH 0.25 IN MOUNTING HOLES	1	6625D SE
BNJ046M	AL	5-C-27-301	3	\$0.00	ADAPTER	ADAPTER, CONDUIT, QA 0, 2-1/8 IN, RIGID, CAST ALUMINUM, **	0	5975B SE
BNJ047K	AL	5-C-27-301	2	\$0.00	ADAPTER	ADAPTER, CONDUIT, QA 0, 2-1/8 IN, CAST ALUMINUM, ** SECOND END SIZE: 02.125000 ( 2 1/8)	0	5975B SE
BNL946F	AL	5-C-27-301	1	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASTM A182 GR F316, 3000 LB, **	0	4730P SE
BNM581Q	AL	5-C-27-301	4	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; ID PLATES-UP OR DOWN ***	0	9905K SE
BNN206F	AL	5-C-27-301	6	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PLATE, IDENTIFICATION; MARKER PLATE, (TURB STOPVLV CLOS SCRAM TRIP)	0	9905K SE
BNN331B	AL	5-C-27-301	10	\$0.00	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, ; PISTON COOLING OIL PIPE. ***	0	29100 SE
BNN360F	AL	5-C-27-301	10	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 0, WEDGE, 3/4 IN, 8-1/2 IN, ANCHOR, WEDGE, SELF-DRILLING; 3/4 IN X 8-1/2 IN. ***	0	4710Y SE
BNN368K	AL	5-C-27-301	2	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, 3000 LB, **	0	4470C SE
BNN581K	AL	5-C-27-301	160	\$0.00	CLAMP	CLAMP, HOSE, QA 0, STIERMAN, 1/4 IN, BRASS, CLAMP, HOSE; STYLE: STIERMAN, NOMINAL SIZE: 00.250 IN ( 1/4) MATERIAL:	0	4730P SE
BNN804T	AL	5-C-27-301	1	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 36 - 20 IN, 2-1/2 IN, CS, THREADED INTERNAL, OUTLET, PIPE; STYLE: THREAOLET, MATERIAL:	0	4730P SE
BNP752D	AL	5-C-27-301	7	\$0.00	SCREW	SCREW, SOCKET, QA 1, SOCKET, 1-1/8 IN, 3-1/2 IN, 7, UNC, 3A, SOCKET, ALLOY STEEL, ASTM A540, GR B23, CLASS 5,	1	C 5305J SE
BNV567K	AL	5-C-27-301	5	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, STAINLESS STEEL, ASME SA182 GR F316, 3000 LB	0	4730P SE
BNW296K	AL	5-C-27-301	114	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; 0.25 IN DIA, 20 UNC, 10, FOR SMB-2 ***	1	48200 SE
BPA865W	AL	5-C-27-301	6	\$0.00	SCREW	SCREW, SOCKET, QA 1, 3/4 IN, 28 IN, 10, UNC, SCREW, CAP, SOCKET HEA, ; 0.75-10 UNC X 28 IN LG	1	48200 SE
BPA868N	AL	5-C-27-301	43	\$0.00	SCREW	SCREW, CAP, QA 1, 3/8 IN, 28 IN, 16, UNC, SCREW, CAP; 0.375-16 UNC X 28, FOR SMB-00	1	48200 SE
BPC411T	AL	5-C-27-301	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1.0 IN, 1 IN, MALLEABLE IRON, 150 LB, 45, BLACK, ***	0	4730P SE
BPC615A	AL	5-C-27-301	62	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, SHOULDER; SOCKET HEAD, SHOULDER, SMB-2, 3,4, 3/8 IN-16 X 8 ***	1	48200 SE
BPC648T	AL	5-C-27-301	4	\$0.00	CLAMP	CLAMP, TYPICAL, QA 0, CLAMP, ; CLAMP, REF ITEM #23 ON DWG #729E755-2, SECTION G-G ***	0	4710Y SE
BPP237P	AL	5-C-27-301	1	\$0.00	LAMP	LAMP, HID, QA 0, LAMP, MERCURY VAPOR; WATTAGE: 100.000 ***	0	6210P SE
BQM572D	AL	5-C-27-301	6	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 0.100 IN-0.270 IN, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 2 LEG,	1	5970B SE
BRX847G	AL	5-C-27-301	3	\$0.00	BODY	BODY, CONNECTOR, QA 0, 2 PIN, CONNECTOR, RECEPTACLE ELECT; NUMBER CONTACTS: 2 ***	0	5935B SE
BTX040V	AL	5-C-27-301	1	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 1, 3/4 IN, 3/4 IN, CS, 6000 LB, SOCKETWELD, SOCKETWELD, 45, FORGED, B16.11, ASME SA105, ELBOW, PIPE;	1	4730P SE
BVB938X	AL	5-C-27-301	8	\$0.00	COUPLING	COUPLING, HOSE, QA 3, 1/2 IN, HALF/QUICK DISCONNECT, 316 SS, FNPT X MNPT	3	4730P SE
BVD217Q	AL	5-C-27-301	3	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, ESCUTCHEON, PLATE; STANDARD, BLANK, FOR SBM SWITCHES	3	4710Y SE
BVK110P	AL	5-C-27-301	4	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BVT710T	AL	5-C-27-301	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, 4 IN, 4 IN, CS, BUTTWELD, BUTTWELD, 90, GALVANIZED, SEAMLESS, B16.9, ASTM A234 GR WPB, ELBOW, PIPE; STYLE:	3	4730P SE
BWA787P	AL	5-C-27-301	1	\$0.00	BODY	BODY, CONNECTOR, QA 0, TWISTLOCK, CONNECTOR, RECEPTACLE ELECT; LOCKING METHOD: TWISTLOCK ***	0	5935B SE
BXD132L	AL	5-C-27-301	8	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 1/4 IN, 1-3/4 IN, 20, CS, ROUND, SLOTTED, , ZINC PLATED	0	48200 SE
BXK087N	AL	5-C-27-301	1	\$0.00	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 3 IN, 2-1/2 IN, BUTTWELD, BUTTWELD, CS, 40, ASTM A234 GR WPB, BLACK, SEAMLESS, B16.9	0	4730P SE
BYM889A	AL	5-C-27-301	17	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/4 IN, 1-1/2 IN, 10, HEX, SS, ASME SA193 GR B8, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	5305J SE
CAC037Q	AL	5-C-27-301	24	\$0.00	SCREW	SCREW, CAP, QA 1, 3/8 IN, 3-1/2 IN, 16, HEX, CS, ASTM A307 GR A, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	5305J SE
CBW832J	AL	5-C-27-301	168	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL	2	5305J SE
CEE867L	AL	5-C-27-301	13	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, STRUCTURAL, 5/8 IN, 5-1/4 IN, 11, CS, ASTM A325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	5305J SE
CEG572X	AL	5-C-27-301	6	\$0.00	BOLT	BOLT, TYPICAL, QA 3, 3/8 IN, 1-9/16 IN, 20, BRASS, , SEX, NOMINAL, SURFACE TREATMENT, CHROME PLATED	3	5305J SE
CEL066F	AL	5-C-27-301	3	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/4 IN, CARBON STEEL, CIRCULAR, ZINC PLATED, A, B18.22.1, ***	3	5305J SE
CEL068B	AL	5-C-27-301	1	\$0.00	SCREW	SCREW, SET, QA 3, #10, 1/2 IN, 24, CUP, ALLOY STEEL	3	5305J SE
CEL072L	AL	5-C-27-301	1	\$0.00	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: PLAIN; SIZE: #10; MATERIAL: CS; TPI: 32; SURF	3	5305J SE
CEL643C	AL	5-C-27-301	5	\$0.00	NUT	NUT, HEX, QA 3, NUT, HEX; TYPE: HEAVY/PLAIN; SIZE: 7/8 IN; MATERIAL: ALLOY STEEL; TPI:	3	5305J SE
CEM361H	AL	5-C-27-301	1	\$0.00	UNION	UNION, TUBING, QA 0, 2 IN, WROUGHT COPPER/CAST BRZ, SWEAT, *** TYPE: FEMALE; UNION, FEMALE, 2" NOM., C-C SWEAT	0	4730P SE
CFA223G	AL	5-C-27-301	6	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 1, ASSEMBLY, *TYPICAL *** HOSE, OD: 0.68" ID: 0.31", SYNTHETIC RUBBER	1	29100 SE
BDE845C	AL	5-C-27-301	29	\$0.00	TEE	TEE, TUBING, QA 1, TEE, TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600, ASSEMBLED	1	P 4730P SE
BDP966H	AL	5-C-27-301	4388	\$0.00	WASHER	WASHER, SPECIAL, QA 3, WASHER, LOCK; MATERIAL: SILICON BRONZE, NOMINAL DIAMETER: 00.250000 (	3	P 5305J SE
BDP969B	AL	5-C-27-301	5068	\$0.00	WASHER	WASHER, LOCKING, QA 3, HELICAL SPRING - REGULAR, #8, SILICON BRONZE, B18.21.1	3	C 5305J SE
BGE219K	AL	5-C-27-301	150	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW, CAP, HEXAGON H, ; CARBON STEEL ASTM A 307 GR A, NOMINAL DIA .375	2	P 5305J SE
BJQ493Y	AL	5-C-27-301	44	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P 5940I SE
BJQ495T	AL	5-C-27-301	49	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P 5940I SE
BJQ507F	AL	5-C-27-301	32	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, UNINSULATED	2	P 5940I SE
BLV517F	AL	5-C-27-301	5	\$0.00	SCREW	SCREW, CAP, QA 2, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASTM F593-86, ALLOY 316	2	P 5305J SE
BPM337X	AL	5-C-27-301	4	\$0.00	SPLICE	SPLICE, CABLE, QA 2, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULATED	2	C 5940I SE
BTN388L	AL	5-C-27-301	1388	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 5/8 IN, 11, CS, ASME SA194 GR 2H, UNC, 2B, ZINC COATED MECHANICAL DEPOSITED, B18.2.2	1	C 5305J SE
BTQ591D	AL	5-C-27-301	300	\$0.00	BOLT	BOLT, HEX, QA 1, BOLT, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: SILICON BRONZE, NOMINAL	1	C 5305J SE
BVC967H	AL	5-C-27-301	254	\$0.00	NUT	NUT, TYPICAL, QA 1, CLASS 2, NUT, HEAT EXCHANGER; 1-1/8 IN-8 UN, ASME SA194 GR 6, ANSI B18.2.2, CLASS	1	B 4420B SE

BVK126W	AL	5-C-27-302	139	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BWH333V	AL	5-C-27-302	4607	\$0.00	NUT	NUT, HEX, QA 1, MACHINE, #8, 32, SS, AISI 18-8, UNC, 2B, STANDARD MILL FINISH, B18.6.3	1	C	5305J SE
BWV826G	AL	5-C-27-302	72	\$0.00	SCREW	SCREW, SOCKET, QA 1, CLASS 2, HEX, #10, 1-1/4 IN, 24, SS, UNC, ASME SA193 GR B8M, B18.3	1	C	5305J SE
BXP108Y	AL	5-C-27-302	37	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET HEAD, 7/16-20 X 1 1/4 IN, ALLOY STEEL ASTM A574	1	B	5305J SE
AWK431Q	AL	5-C-28-201	3	\$0.00	BELT	BELT, SAFETY, QA 0, WEBBED, 1-3/4 IN, NYLON, 11500 LB, D-RINGS/LEATHER WEAR PADS, BELT, SAFETY INDUSTRIAL; YELLOW LATEX TRE. 0	P		4240P SE
BMA888W	AL	5-C-28-301	8	\$0.00	SCREW	SCREW, CAP, QA 0, #10, 1/2 IN, 32, DWG 1224E33, SUB 3, ITEM 73,	0	C	5305J SE
BMB040P	AL	5-C-28-301	13	\$0.00	NUT	NUT, TYPICAL, QA 0, 3/8 IN, STD, DWG 1224E33, SUB 3, IT 72, SD WAT-185 FHVWTV	0	C	4470C SE
BMB131J	AL	5-C-28-301	26	\$0.00	WASHER	WASHER, FLAT, QA 0, 3/8 IN	0	C	5305J SE
BMB132G	AL	5-C-28-301	16	\$0.00	WASHER	WASHER, FLAT, QA 0, 0.190 IN	0	C	5305J SE
BMB133E	AL	5-C-28-301	16	\$0.00	WASHER	WASHER, FLAT, QA 0, 3/8 IN	0	C	5305J SE
BMB134C	AL	5-C-28-301	15	\$0.00	WASHER	WASHER, FLAT, QA 0, 0.190 IN, DWG 1224E33, SUB 3, IT 75, S.O. WBT-185 FHVWTV	0	C	5305J SE
BMB176V	AL	5-C-28-301	13	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/8 IN, PLAIN, DWG 1224E33, SUB 3, ITEM 72, WBT-185 FHVWTV	0	C	5305J SE
BMB177R	AL	5-C-28-301	8	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, #10, 32, UNF, PLAIN, DWG 1224E33, SUB 3, ITEM 74, WBT-185 FHVWTV	0	C	5305J SE
BMB178P	AL	5-C-28-301	8	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, #10, 32, PLAIN, DWG 1224E33, SUB 3, ITEM 74, WAT-185 FHVWTV	0	C	5305J SE
BMB186Q	AL	5-C-28-301	13	\$0.00	SCREW	SCREW, CAP, QA 0, 3/8 IN, 1 IN, 16, HEX, DWG 1224E33 SUB 3, ITEM 70, WAT-185-FHVWTV	0	C	5305J SE
BMB187N	AL	5-C-28-301	13	\$0.00	SCREW	SCREW, CAP, QA 0, 3/8 IN, 1 IN, 16, HEX, UNC1A DWG1224E33 SUB3 IT-70 SO WBT-185 FHVWTV	0	C	5305J SE
BMB188L	AL	5-C-28-301	8	\$0.00	SCREW	SCREW, CAP, QA 0, #10, 1/2 IN, 32, HEX, DWG 1224E33 SUB 3, IT 73 SD WBT-185 FHSWTV	0	C	5305J SE
BME047E	AL	5-C-28-301	1	\$0.00	BRACKET	BRACKET, TYPICAL, QA 0, DWG 1224E33 SUB 3 IT 69 SO WBT-185 FHVWTV	0	C	4470C SE
BME048C	AL	5-C-28-301	1	\$0.00	BRACKET	BRACKET, TYPICAL, QA 0, DWG 1224E33 SUB 3 IT 69 WAT-185 FHVWTV	0	C	4470C SE
BMY884X	AL	5-C-28-301	66	\$0.00	RING	RING, SEAL, QA 0, TRU-SEAL RINGS NPT 1/2-14 IN S.O WBT-902 ASVANS	0	C	4470C SE
BMY885V	AL	5-C-28-301	76	\$0.00	RING	RING, SEAL, QA 0, TRU-SEAL RINGS, PIPE THD NPT 1/2-14 INCH TSE01-50, S.O. WAT 902 CNAU	0	C	4470C SE
BMY998E	AL	5-C-28-301	9	\$0.00	BOLT	BOLT, TYPICAL, QA 0, BOLT, ; 1-1/2 IN X 5-3/4 IN, WITH NUT AND WASHER, S.O. WBT 902	0	P	5305J SE
BNC694R	AL	5-C-28-301	49	\$0.00	SPACER	SPACER, TYPICAL, QA 0, SPACER, ; THREADED, S.O. WBT-902, CNSSTS ***	0	P	4470C SE
BNC704J	AL	5-C-28-301	1	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, 53175, S.O. WAT 310RMELFD	0	C	4470C SE
BNE279V	AL	5-C-28-301	3	\$0.00	PLATE	PLATE, TYPICAL, QA 0, MOCKUP, METAL WELD, 7243P66H01,SUB 2, SO WBT-90, RC1C1C	0	C	5475B SE
ACT697G	AL	5-C-28-302	2	\$0.00	HOLDER	HOLDER, LAMP, QA 0, ELECTRIC, LAMPHOLDER, ELECTRIC; FEATURE: W/RESISTOR ***	0	C	6250D SE
BEK770W	AL	5-C-28-302	25	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, MALE, 1/4 IN, BRASS, TUBE X MNPT, STANDARD MILL FINISH, FLARELESS, ADAPTER, PIPE TO TUBE; PIPE END T 0	0		4730P SE
BGL110N	AL	5-C-28-302	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 4 IN, PVC-POLY, 150 LB, RAISED FACE, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 04.000 IN ( 0	0		4730P SE
BHH731K	AL	5-C-28-302	33	\$0.00	BLOCK	BLOCK, TERMINAL, QA 3, TERMINAL STRIP, ; 20 CONTACTS, 1 IN WIDE, 9.5 IN LONG, HARD PLASTIC	3		5940I SE
BKR104T	AL	5-C-28-302	3	\$0.00	FAUCET	FAUCET, PLUMBING, QA 0, SINGLE, 1 IN, THREADED, FROST PROOF, FAUCET, SINGLE; 1.00 IN FROST PROOF, THREADED 8.00 X.075 IN ***	0		4710W SE
BKY730H	AL	5-C-28-302	7	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; KELLEMS, FOR CONDUIT SUPPORT, PIPE SIZE 3.5 IN	3		5120M SE
BKY734X	AL	5-C-28-302	3	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE WEAVE, 4 IN, 2.50 IN-2.99 IN, 18 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3		5120M SE
BNM537V	AL	5-C-28-302	6	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, LAMP, FLUORESCENT; WATTAGE: 150.000, VOLTAGE: 55.00 ***	0		6210P SE
BNP108A	AL	5-C-28-302	14	\$0.00	GRIP	GRIP, CABLE, QA 3, OFFSET EYE, 3/4 IN-0.99 IN, 13 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3		5120M SE
BQQ314L	AL	5-C-28-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 13 IN, CARBON STEEL, 150 LB, RAISED FACE, BLACK, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL SIZE: 1: 0	0		4730P SE
BTB634Q	AL	5-C-28-302	5	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, BUSHING, PIPE; STYLE: HEX HEAD, FIRST END NOM SIZE: 02.000 IN ( 2)	1		4730P SE
BTk254R	AL	5-C-28-302	2	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, BUSHING, PIPE; STYLE: HEXAGON, LARGER END NOM SIZE: 01.000 IN ( 1)	1		4730P SE
BVC863X	AL	5-C-28-302	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 1, COUPLING, TUBE; STYLE: ROLLED STOP, MATERIAL: COPPER, NOMINAL SIZE:	1		4730P SE
BXR561Y	AL	5-C-28-302	100	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 0, FLEXIBLE, *** CONDUIT TYPE ACCEPT: FLEXIBLE METALLIC; ENVIRONMENT PROTECT:	0		5975B SE
BYR648C	AL	5-C-28-302	12	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, BAYONET, *** 3M "ST", 3M PART NUMBER 6100	0		5825F SE
CBQ694Q	AL	5-C-28-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 5 IN, STAINLESS STEEL, 150 LB, RAISED FACE, ASTM A182 GR F304, FORGED, B16.5, FLANGE, PIPE; STYLE: BUTTWELD 0	0		4730P SE
CBX035Y	AL	5-C-28-302	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, BLIND, 10 IN, SS, 150 LB, ASTM A182 GR F316	0		4730P SE
CDQ195Y	AL	5-C-28-302	8	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: STAINLESS STEEL	3		4730P SE
CDX297W	AL	5-C-28-302	2	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, CONNECTOR, CABLE; GROUP B, STRAIGHT CONNECTOR, FOR USE WITH AIRPAX	3		5975B SE
CEE864T	AL	5-C-28-302	3	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, REDUCING STANDARD, 1 IN, 1/2 IN, CS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, STANDARD MILL FINISH, 1	1		4730P SE
CEE882Q	AL	5-C-28-302	1	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 1-1/2 X 1, REDUCING, CS, 3000 LB, FNPT X SOCKETWELD, ASME SA105, STANDARD MILL FINISH, FORGED, 1	1		4730P SE
AQT009E	AL	5-C-29-201	20	\$0.00	CLOTH	CLOTH, TYPICAL, QA 0, CLEANING, RAYON/POLYESTER, 24 IN (2 FT), 2 FT (24 IN), YELLOW, TREATED, PACKAGING: 50/PK 4 PK PER CS	0	C	7920P SE
AYL143C	AL	5-C-29-201	164	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, HEAVY, 1-1/2 IN, 8, ALLOY STEEL, ASME SA194 GR 7, 8-UN, 2B, STANDARD MILL FINISH, B18.2.2	1	C	5305J SE
BWH016Y	AL	5-C-29-201	26	\$0.00	BOTTLE	BOTTLE, LABORATORY, QA 0, BOTTLE, SPRAY; GRIP AND GO ***	0	C	8125A SE
BJJ450V	AL	5-C-29-202	2	\$0.00	MAT	MAT, FLOOR, QA 0, CONTAMINATION, 24 IN X 36 IN, PLASTIC, 30 SHTS/MAT / 4 MATS/CASE, MAT, FLOOR; PLASTIC, 24 X 36 IN, DRY, CON 0	S		7220G SE
BLH732Y	AL	5-C-29-301	600	\$0.00	BOLT	BOLT, HEX, QA 1, 1/2 IN, 2-1/4 IN, 13, CS, ASTM A307 GR A, UNC, B18.2.1, FINISHED	1	P	5305J SE
BRC099C	AL	5-C-29-301	643	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, STRUCTURAL, 3/4 IN, 1-1/2 IN, 10, CS, ASTM A325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, BOLT, STRL 1	C		5305J SE
BRL775X	AL	5-C-29-301	1636	\$0.00	BOLT	BOLT, HEX, QA 1, 7/16 IN, 2 IN, 14, CS, ASTM A307 GR A, UNC, CADMIUM PLATED, B18.2.1, BOLT, MACHINE; HEAD STYLE: HEXAGON, MAT 1	C		5305J SE
BRL776V	AL	5-C-29-301	1700	\$0.00	BOLT	BOLT, HEX, QA 1, BOLT, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C	5305J SE
BVK171P	AL	5-C-29-301	874	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, STRUCTURAL, 3/4 IN, 3-1/2 IN, 10, CS, ASTM A325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
BVK174H	AL	5-C-29-301	856	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, STRUCTURAL, 5/8 IN, 2-3/4 IN, 11, CS, ASTM A325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	C	5305J SE
AAH279X	AL	5-C-29-302	7	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; BLIND, NOM SIZE 4.0 IN, CARBON STEEL ASME SA 105 K03504	1	P	4730P SE



AQN721Q	AL	5-C-29-302	18	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SLIP ON, NOM SIZE 2.0 IN, CARBON STEEL ASME SA 105	1	P	4730P SE
AQN802R	AL	5-C-29-302	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; WELDNECK, NOM SIZE 3.0 IN, CARBON STEEL ASME SA 105	1	P	4730P SE
ATJ728J	AL	5-C-29-302	8	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; WELDNECK, NOM SIZE 4.0 IN, STAINLESS STEEL ASME SA 182	1	P	4730P SE
BQG209V	AL	5-C-29-302	3	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 3 IN, SS, 300 LB, RAISED FACE, ASTM A182 GR F304	0	C	4730P SE
BXG609C	AL	5-C-29-302	12	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 1-1/2 IN, CS, 150 LB, RAISED FACE, ASME SA105, BLACK, B16.5	0	C	4730P SE
CBX067H	AL	5-C-29-302	2	\$0.00	FLANGE	FLANGE, PIPE, QA 3, SOCKETWELD, 3 IN, SS, 150 LB, RAISED FACE, ASTM A182 GR F316, STANDARD MILL FINISH, FORGED, B16.5	3	C	4730P SE
CEL166L	AL	5-C-29-302	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1 IN X 5 IN, CS, 150 LB, FLAT, ASTM A105, B16.5, REDUCING	0	C	4730P SE
BNM032H	AL	5-C-30-101	4	\$0.00	REFLECTOR	REFLECTOR, TYPICAL, QA 0, ASSEMBLY, HIGH BAY MERCURY, 1000 WATTS, REFLECTOR ASSY, ; HIGH BAY MERCURY UNIT, 1000 WATT, COM	0		6210P SE
ADD344F	AL	5-C-30-201	115	\$0.00	COVERALLS	COVERALLS, PERSONAL, QA 0, PROTECTIVE/RADIOACTIVE, 44, COTTON, YELLOW, COVERALLS, RADIOACTIVE PROT; MATERIAL: COTTON, S O	0	P	8415B SE
CDE956V	AL	5-C-30-202	172	\$0.00	HARNES	HARNES, SAFETY, QA 0, INDUSTRIAL, UNIVERSAL (LARGE/EXTRA LARGE), LIGHTWEIGHT, DURABLE NYLON WEBBING, FRONT	0	C	4240P SE
APF987V	AL	5-C-30-301	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, PROGRAMMER, PRECIPITATOR; FOR PRECIPITATOR ***	0	P	6625D SE
BXT410T	AL	5-C-30-301	7	\$0.00	HINGE	HINGE, TYPICAL, QA 3, HINGE, BUTT; 4 1/2" X 4 1/2", US32D FINISH, STAINLESS STEEL, SATIN	3	B	4710Y SE
BBE318G	AL	5-C-30-302	3	\$0.00	NOZZLE	NOZZLE, MECHANICAL, QA 0, SPRAY, 1-1/2 IN, BRASS, FNPT, MULTIPLE FULL CONE, NOZZLE, SPRAY,FLUID EMULSION; BRASS, MULTIPLE FUI	0	P	4730P SE
BNN828B	AL	5-C-30-302	2	\$0.00	RECEPTA	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; CONNECTOR ***	0		5935B SE
BWY238J	AL	5-C-30-302	1	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 4 IN, 4 IN, STAINLESS STEEL, BUTT WELD, ASTM A403 WP 304, 40S, MSS SP-97, OUTLET, PIPE 0	0		4730P SE
BXG928T	AL	5-C-30-302	2	\$0.00	BOLT	BOLT, HEX, QA 0, 1/4 IN, 1 IN, 20, ALLOY STEEL, ASTM A193 GR B8, UNC, HEAD STYLE: HEXAGON	0		5305J SE
BXG940G	AL	5-C-30-302	2	\$0.00	BOLT	BOLT, HEX, QA 0, 1/4 IN, 2-1/4 IN, 20, ALLOY STEEL, ASTM A193 GR B8, UNC, HEAD STYLE: HEXAGON	0		5305J SE
BXX961R	AL	5-C-30-302	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 4.0 IN X 1-1/2 IN, CS, 40, BUTT WELD, ASTM A234 GR WPB, B16.9, *** STYLE: COUPLING, FIRST END NOM SIZE: 04.0	0		4730P SE
CEG406G	AL	5-C-30-302	3	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, HYDRAULIC JACK; P/N 500012, MODEL NO. 100-12-120 ***	0		5120M SE
CFA259T	AL	5-C-30-302	4	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 1, ASSEMBLY, *TYPICAL *** HOSE, OD: 0.68" ID: 0.31", SYNTHETIC RUBBER	1		2910O SE
BGJ130T	AL	5-C-30-302	6	\$0.00	SOLDER	SOLDER, WELDING, QA 0, NON-ELECTRICAL, 1 LB, 22 GA, COIL, IRON, WIRE, NONELECTRICAL; MATERIAL: IRON, CROSS SECTION WIDTH: 0.0	0		9505N SE
BGJ131D	AL	5-C-30-302	6	\$0.00	SOLDER	SOLDER, WELDING, QA 0, NON-ELECTRICAL, 1 LB, 0.0181 IN, COIL, IRON, WIRE, NONELECTRICAL; MATERIAL: IRON, CROSS SECTION WIDTH: 0	0		9505N SE
BNN322C	AL	5-C-30-302	100	\$0.00	SCREW	SCREW, CAP, QA 0, 7/8 IN, 2-3/4 IN, 9, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; 7/8-9 NC X 2-3/4 IN, GRADE 2 LOW CARBON 0	0		5305J SE
BNN564K	AL	5-C-30-302	2	\$0.00	CAP	CAP, PIPE, QA 0, 2.0 IN, CARBON STEEL, 3000 LB, ***	0		4730P SE
BNN806N	AL	5-C-30-302	1	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 4 - 3 1/2 IN, 1 1/2 IN, THREADED INTERNAL, OUTLET, PIPE; STYLE: THREADOLET, RUN END NO 0	0		4730P SE
BNQ897D	AL	5-C-30-302	1	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, PIPE, 1 IN, PORCELAIN, SUPPORT, PIPE; MATERIAL: PORCELAIN, PIPE SIZE: 01.000 IN ( 1 ) ***	0		4710Y SE
BNR855Q	AL	5-C-30-302	100	\$0.00	SCREW	SCREW, CAP, QA 0, 7/8 IN, 2-1/2 IN, 9, HEX, CS, UNC, SCREW,CAP,HEXAGON H, ; LOW CARBON, GRADE 2, 7/8-9 NCX 2-1/2.	0		5305J SE
BNT046C	AL	5-C-30-302	2	\$0.00	CROSS	CROSS, PIPE, QA 0, 2-1/2 IN, 2-1/2 IN, 2-1/2 IN, ***	0		4730P SE
BNT097T	AL	5-C-30-302	1	\$0.00	ELBOW	ELBOW, PIPE, QA 0, CLASS 2, LONG RADIUS, 2 IN, 2 IN, CARBON STEEL, BEVELED, BEVELED, 90, XS, ASME SA234 GR WPB, 80, ***	0		4730P SE
BNT099N	AL	5-C-30-302	9	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 3 IN, 1/2 IN, SOCKETWELD, *** STYLE: SOCKOLET	0		4730P SE
BNT106Y	AL	5-C-30-302	6	\$0.00	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 36-3 IN, 1 IN, OUTLET, PIPE; STYLE: ELBOLET, RUN END NOM SIZE: 04.000 IN ( 4 ) OU	0		4730P SE
BQA421V	AL	5-C-30-302	3	\$0.00	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, MANUAL CONTROL; HANDLE FOR DEZURIK 2 INCH THROT VALVE PART	0		4710Y SE
BRC485C	AL	5-C-30-302	4	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB, TEE, PIPE; FIRST END NOM SI; 1	0		4730P SE
BVL415G	AL	5-C-30-302	6	\$0.00	SPRINKLER	SPRINKLER, FIRE PROTECTION, QA 3, 1/2 IN, NPT, SPRINKLER, FIRE PROTECTION; SPRINKLER, FIRE PROTECTION, SIDEWALL,	3		4210N SE
BXH057A	AL	5-C-30-302	4	\$0.00	BOLT	BOLT, U, QA 0, PIPE HANGER, CS, BLACK, ** BEND TYPE: LONG TANGENT	0		4710Y SE
BYB656M	AL	5-C-30-302	17	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 1/2 IN, COPPER FREE ALUMINUM, THREADED, RIGID	3		5975B SE
CAT975C	AL	5-C-30-302	6	\$0.00	TEE	TEE, TUBING, QA 1, CLASS 2, MALE RUN, 1/2 IN X 3/8 IN X 1/2 IN, SS, COMP X MNPT X COMP, ASME SA182 GR F316, STANDARD MILL FINI	1		4730P SE
CEM351L	AL	5-C-30-302	10	\$0.00	UNION	UNION, TUBING, QA 0, 1-1/4 IN, WROUGHT COPPER/CAST BRZ, COMPRESSION X FNPT, *** UNION, COPPER TO FPT, 1-1/4 X 1-1/4	0		4730P SE
CEM372C	AL	5-C-30-302	15	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1-1/2 IN, STRAIGHT, WROUGHT COPPER/CAST BRZ, SOLDER, 45, ** ELBOW, 45 DEG., 1-1/2" NOM. SWEAT	0		4730P SE
CEM387Y	AL	5-C-30-302	10	\$0.00	TEE	TEE, TUBING, QA 0, FEMALE BRANCH, 1-1/2 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X FNPT, *** TEE, FEMALE REDUCING BRANCH 0	0		4730P SE
CEM389T	AL	5-C-30-302	10	\$0.00	TEE	TEE, TUBING, QA 0, MALE BRANCH, 3/4 IN, WROUGHT COPPER/BRONZE, SWEAT X SWEAT X MNPT, *** TEE, 3/4" NOM. SWEAT X 3/4" NOM 0	0		4730P SE
CEM399P	AL	5-C-30-302	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN X 3/4 IN, BRASS, FNPT, *** TYPE: REDUCING/HEX; HEX HEAD REDUCING COUPLING, 1" FPT X 3/4" FPT	0		4730P SE
CEY277P	AL	5-C-30-302	6	\$0.00	NUT	NUT, LOCK, QA 0, 1-1/2 IN, STEEL, CADMIUM PLATED, *** TEFLON LINED PIPE THREAD LOCKNUTS, WIDTH ACROSS FLATS 2 1/4"	0		5305J SE
CFH788T	AL	5-C-30-302	2	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 3, CONTAINMENT BOOM, ASSEMBLY, *TYPICAL *** SLIDER PLATE ASSY, FOR 36" DURA BOOM, MDL	3		4010G SE
CKC385J	AL	5-C-30-302	1	\$0.00	DISK	DISK, TYPICAL, QA 1, CLASS 3, VALVE, , MATERIAL: STELLITE, MATERIAL SPECIFICATION: A732 GR 21,	1		4820O SE
BBA534Y	AL	5-C-31-102	2	\$0.00	KIT	KIT, PARTS, QA 0, CONVERSION KIT, ANALYZER; PREAMPLIFIER, INDICATOR, FOR SODIUM	0	P	6630D SE
BXA029K	AL	5-C-31-102	150	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 54, COTTON, YELLOW, SNAP, COAT, LABORATORY; MATERIAL: COTTON, SIZE: 54, COLOR: YELLOW 0	0	C	8415B SE
BXT932G	AL	5-C-31-102	1	\$0.00	SLEEVE	SLEEVE, TYPICAL, QA 1, , ACTUATOR, DRIVE, FOR USE ON LIMITORQUE SB-4 OPERATORS, REF. 11	1	C	4820O SE
BYB839D	AL	5-C-31-102	3	\$0.00	GUIDE	GUIDE, VALVE, QA 0, GUIDE, VALVE; ASTM A217 GR WC6, FOR 10" PRESSURE SEAL GATE VALVE	0	C	4820O SE
BGK218V	AL	5-C-31-201	1	\$0.00	SHIM	SHIM, STOCK, QA 3, SHIM STOCK, SOLID; STAINLESS STEEL, FED SPEC QQ-S-766, SERIES 300	3	C	9520Z SE
BFC656D	AL	5-C-31-202	288	\$0.00	GLOVES	GLOVES, SAFETY, QA 0, CHEMICAL/OIL PROTECTIVE, 7, LATEX, GLOVES, CHEMICAL/OIL PROT; MATERIAL: LATEX, SIZE: 7.0, COLOR: BLACK 0	0	C	8415B SE
BFV901E	AL	5-C-31-301	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 2 IN, NICKEL ALLOY, 150 LB, 40S, RAISED FACE, ASTM B462, FLANGE, PIPE; STYLE: SOCKETWELD, NOM 0	0		4730P SE
BGA572P	AL	5-C-31-301	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1-1/2 IN, CARBON STEEL, 150 LB, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 01.500 IN ( 1 1/2 ) 0	0		4730P SE
ADJ470V	AL	5-C-31-301	1	\$0.00	HANGER	HANGER, TYPICAL, QA 0, VALVE, HANGER, ; VALVE, FOR 004.000IN,900 PSI, SWING CHECK PRESSURE SEAL	0	C	4820O SE
BEQ807V	AL	5-C-31-301	5	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1-1/2 IN, PVC-POLY, 80, RAISED FACE, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 01.500 IN ( 1 1/2 ) 0	0		4730P SE
BEQ808R	AL	5-C-31-301	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 2 IN, PVC-POLY, 80, RAISED FACE, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 02.000 IN ( 2 ) MATER 0	0		4730P SE
BGR667Y	AL	5-C-31-301	10	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE

BRH479H	AL	5-C-31-301	5	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: STAINLESS STEEL	1	4730P SE
AJV628R	AL	5-C-31-301	2	\$0.00	FLASK	FLASK, CONTAINER, QA 0, ERLENMEYER, GLASS, 250 ML, FLASK, ERLENMEYER; GLASS, 250.000 MILLILITER, 084.000 DIA X 120.000 MM	0	6630D SE
APT7781P	AL	5-C-31-301	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 600, 660, MEDIUM SCREW, MATERIAL: PORCELAIN, RIGHT HAND THREAD	0	C 6250D SE
BLJ140Y	AL	5-C-31-301	65	\$0.00	FERRULE	FERRULE, TYPICAL, QA 1, FERRULE, SWAGE,TUBE COUPLING; 316 SST ASME SA-479, BACK FERRULE, 3/8	1	4730P SE
BLJ141H	AL	5-C-31-301	38	\$0.00	FERRULE	FERRULE, TYPICAL, QA 1, FERRULE, SWAGE, TUBE COUPLING; SST 316, ASME SA-479, FRONT FERRULE 3/8	1	4730P SE
BNP371R	AL	5-C-31-301	5	\$0.00	BUSHING	BUSHING, PIPE, QA 3, BUSHING, PIPE; HEX HEAD, MALLEABLE IRON, ASTM A197, OUTSIDE ZINC	3	4730P SE
BNR692T	AL	5-C-31-301	12	\$0.00	FORCEPS	FORCEPS, HAND, QA 0, FORCEPS, GENERAL PURPOSE; WITH TFE COATED TIPS, FOR GENERAL LAB	0	6505C SE
CEH633Y	AL	5-C-31-301	7	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, ASSEMBLY, PLUG-IN, CRIMP, STRAIGHT, *** DB-25, MALE W/25 PINS	3	5975B SE
AAE337R	AL	5-C-31-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 3/4 IN, CS, 600 LB, 80, RAISED FACE, ASME SA105, STANDARD MILL FINISH, FORGED, B16.5	1	P 4730P SE
AAJ387M	AL	5-C-31-301	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .75 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AQE421E	AL	5-C-31-301	6	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 45 DEG, CLASS 3000, CARBON STEEL, ASME SA 105 K03504	1	4730P SE
ATM767Q	AL	5-C-31-301	9	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; COUPLING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	4730P SE
BLD531X	AL	5-C-31-301	149	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, RECEPTACLE, TWIST LOCK, STRAIGHT, *** THREADED, FOR COAXIAL CABLE, RG59 AND RG62	0	5935B SE
BLD636F	AL	5-C-31-301	150	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, BAYONET, TWIST LOCK, *** FOR COAXIALCABLE, RG59 AND RG62	0	5935B SE
BNF221N	AL	5-C-31-301	4	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING, PIPE; BRONZE, EXTRA HEAVY, THREADED, 400 LB, 3.00 IN, FIG.	1	4730P SE
BRH478K	AL	5-C-31-301	12	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: STAINLESS STEEL	1	4730P SE
BWG120X	AL	5-C-31-301	8	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, BUSHING, TUBE; STYLE: EXTENDED, FIRST END NOM SIZE 3/8", SECOND END	1	4730P SE
BEB325G	AL	5-C-31-302	6	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, SEPARATORY, PYREX, 2000 ML, 65 MM STEM LENGTH, FUNNEL, SEPARATORY; SQUIBB, PEAR SHAPED, PYREX, 2000	0	6630D SE
BGT778G	AL	5-C-32-101	18	\$0.00	GRILL	GRILL, TYPICAL, QA 0, 24 IN, 24 IN, METAL, GRILLE, METAL; RETURN, 24 X 24 IN, LAY IN TYPE ***	0	5670A SE
BLD087D	AL	5-C-32-101	3	\$0.00	EXTENSION	EXTENSION, TYPICAL, QA 3, FIRE HYDRANT, 5-1/4 IN, 12 IN (1 FT), EXTENSION, ROLLER HANDLE; 5.25 X 12 IN LONG, FOR MUELLERFIRE HY 3	3	8020F SE
BLF194B	AL	5-C-32-101	5	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, CLAMP PIPE; 10 IN STYLE 38 COUPLING WITH DRESSER SHOP COAT	3	4730P SE
ABD334Y	AL	5-C-32-102	26	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 8 IN, 27-1/2 IN, 1/2 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, DUST, 0.0	0	4520N SE
AXB776Q	AL	5-C-32-102	5	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 16 IN, 25 IN, 2 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 2 THK X 16 W 0	0	4520N SE
BNM094T	AL	5-C-32-102	3	\$0.00	HANGER	HANGER, PIPE, QA 0, HANGER, ; VARIABLE SPRING HANGER, SIZE 120 ***	0	4470C SE
BNM095Q	AL	5-C-32-102	3	\$0.00	HANGER	HANGER, PIPE, QA 0, HANGER, ; VARIABLE SPRING HANGER, SIZE 120 ***	0	4470C SE
BNP408X	AL	5-C-32-102	24	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 19 IN, 30 IN, 2 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, WITH CARDBO 0	0	4520N SE
BPW047R	AL	5-C-32-102	3	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, HIGH PRESSURE SODIUM, FIXTURE, LIGHTING; LAMP TYPE: HIGH PRESSURE SODIUM ***	0	6210P SE
CJV036V	AL	5-C-33-101	92	\$0.00	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, LARGE, ULTRAVUE, FACEPIECE	0	C 4240P SE
AET577E	AL	5-C-33-102	5	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, 120, 150, FIXTURE, LIGHTING; WATTS: 150, HUB SIZE: 0.500 IN ( 1/2) ***	0	6210P SE
BPC386A	AL	5-C-33-102	4	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, GROUND, 1/2 IN X 2 IN X 23-3/4 IN, W/ BOLT HOLES, CONNECTOR, GROUND; COPPER, 0.50 THICK X 2 WIDE X 2 0	0	C 5975B SE
BTk071Q	AL	5-C-33-102	132	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 12 IN, 30 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 12 IN X 30 IN 0	0	4520N SE
BYV500F	AL	5-C-33-102	3	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, T-12, MEDIUM BI PIN, 40, DELUXE COOL WHITE, 48 IN (4 FT)	0	6210P SE
CBL676F	AL	5-C-33-201	12	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, AIR CONDITIONER, 24 IN (2 FT), 24 IN (2 FT), 15 IN, , TYPE: BAG, FOR CAMBRIDGE HI-CAP FRAME, EFFICIENCY: 30-: 3	3	C 4520N SE
CFN833N	AL	5-C-33-202	15	\$0.00	TUBING	TUBING, TYPICAL, QA 3, 3/8 IN, TYGON R-3603, 5/8 IN, 1/8 IN, VACUUM PVC TUBING	3	C 4710Z SE
BCA624P	AL	5-C-33-301	9	\$0.00	LUBRICANT	LUBRICANT, OIL, QA 3, LUBRICATING OIL, GEAR; GRADE: AGMA-8EP, CONTAINER SIZE: 1 QUART	3	9150H SE
BDK235E	AL	5-C-33-301	1	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 0, 12, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 8, (LP-B), TE, NEW STYLE,	0	C 2825G SE
BKR414A	AL	5-C-33-301	6	\$0.00	LUBRICANT	LUBRICANT, GREASE, QA 0, VALVE, FLUID, STICK, GREASE, PLUG VALVE; TYPE: C, CONTAINER SIZE: 24 EA, CONTAINER TYPE:	0	9150H SE
CKG999R	AL	5-C-33-301	1	\$0.00	PACKING	PACKING, PREFORMED, QA 0, RING, TURBINE END, FOR TURBINE 170 X 374, 170 X 375, 170 X 425, SQN 2431	0	2825G SE
CLD784Q	AL	5-C-33-301	10	\$0.00	AGENT	AGENT, ACTIVATING, QA 3, CIAGENT, FOR 18 IN CHEMICAL VALVE	3	B 6810H SE
ALG183J	AL	5-C-33-302	28	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; 45 DEG, CLASS 3000, CARBON STEEL ASME SA105 K03504	1	4730P SE
ALG785M	AL	5-C-33-302	6	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	4730P SE
AMY438W	AL	5-C-33-302	4445	\$0.00	SIGN	SIGN, CAUTION, QA 0, INSERT, 1-1/2 IN, 8 IN, RECTANGLE, MAGENTA ON YELLOW, RADIATION AREA, INSERT, SIGN; SIGN, "RADIATION AREA 0	0	P 9905K SE
BFE119X	AL	5-C-33-302	5	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, ENGRAVING, 12 IN (1 FT), 4 FT (48 IN), 1/16 IN, LAMINATED PLASTIC, RED/WHITE	0	P 5680B SE
BFK924A	AL	5-C-33-302	6	\$0.00	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, BLACK, B16.3, 150 LB	3	4730P SE
BKP038D	AL	5-C-33-302	14	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN ( 4), SECOND END NOM SIZE:	3	4730P SE
BLR752F	AL	5-C-33-302	24	\$0.00	SIGN	SIGN, IDENTIFICATION, QA 0, BLANK, 8 IN, 12-1/4 IN, PLASTIC, YELLOW, SIGN, BLANK; PLASTIC, YELLOW, 3-POCKETS, 8 X 12.25 IN, FOR IN 0	0	9905K SE
BVT769D	AL	5-C-33-302	10	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB 3	3	4730P SE
BVT791L	AL	5-C-33-302	6	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 2 IN, 1-1/2 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 L 3	3	4730P SE
BVT819Q	AL	5-C-33-302	5	\$0.00	CROSS	CROSS, PIPE, QA 3, CROSS, PIPE; STYLE: BUSHED, MATERIAL: MALLEABLE IRON(GALV), MATERIAL	3	4730P SE
BJK062B	AL	5-C-33-302	7	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJK095V	AL	5-C-33-302	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BTY258Q	AL	5-C-33-302	3	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 01.250 IN ( 1 1/4), SECOND END NOM	3	4730P SE
BVA060H	AL	5-C-33-302	60	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BVB526M	AL	5-C-33-302	97	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW (METRIC), MACHINE; HEAD STYLE: PAN, MATERIAL: CARBON STEEL	1	5305J SE
BVB679T	AL	5-C-33-302	139	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, 1 PIN, CRIMP, PLUG, ELECTRICAL; STANDARD SINGLE CRIMP BNC SERIES ***	3	5935B SE
BVC537B	AL	5-C-33-302	2	\$0.00	CLAMP	CLAMP, PIPE, QA 1, CLAMP, PIPE ANCHOR&REINFORC; STYLE: TWO BOLT, NOMINAL SIZE: 03.500 IN	1	4710Y SE
BVT842X	AL	5-C-33-302	3	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3	4730P SE

BVW150W	AL	5-C-33-302	6	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 LB	3	4730P SE
AET075X	AL	5-C-34-102	2	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR ***	0	6210P SE
AJD632B	AL	5-C-34-102	36	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 10 IN, 30 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 1 X 10 X 30 IN	0	4520N SE
BNM498B	AL	5-C-34-102	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, WELDNECK, 2 IN, CARBON STEEL, 600 LB, ASME SA105, FORGED, FLANGE, ; FLANGE, CARBON STEEL, FORGED, ASME	0	4710Y SE
BPA723H	AL	5-C-34-102	11	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 240, 175, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, VOLTS: 240, WATTS: 175	0	6210P SE
BYT310Q	AL	5-C-34-102	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, OUTDOOR, 240, 150, WALL, BRONZE PAINT FINISH, FIXTURE, EXTERIOR; OUTDOOR, WALL PACK II, 150W, HPS, 240V	0	6210P SE
BBJ441W	AL	5-C-34-201	4	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 24 IN, 30 IN, 11-1/2 IN, FILTER ELEMENT, AIR CONDITIONER; HEPA, SIZE GN-F, 11.5 X 24 X 30 IN	0	C 4520N SE
AWY483C	AL	5-C-34-202	50	\$0.00	HOOD	HOOD, TYPICAL, QA 0, RESPIRATOR, 11 IN, PLASTIC, CLEAR, W/ DOUBLE YELLOW BIB, HOOD, RESPIRATOR; C/O HOOD, P/N SAR221HA, AIR	0	P 4240P SE
AFT191Y	AL	5-C-34-301	5	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 125, 75, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, WATTAGE: 75.000 ***	0	P 6250D SE
ANP108H	AL	5-C-34-301	2	\$0.00	BODY	BODY, CONNECTOR, QA 0, COAXIAL, 1 PIN, CONNECTOR, PLUG ELECTRICAL; COAXIAL, FEMALE BOTH ENDS, SINGLE CONTACT,	0	5935B SE
AXV713Y	AL	5-C-34-301	5	\$0.00	PROTECTOF	PROTECTOR, SURGE, QA 0, ABSORBER/OVERVOLTAGE, 28, 25, 32.2MIN-35.8V/-20-75DEG C, SILICON CARBIDE ELEMENT, ABSORBER, OVER	0	5920K SE
AYQ566T	AL	5-C-34-301	10	\$0.00	NUT	NUT, TYPICAL, QA 0, PIPE HANGER, 1/2 IN, *** TIE ROD, SPECIAL THREAD SIZE, FOR HYDRAULIC SNUBBER, MODEL HSSA-10	0	4710Y SE
BAE210N	AL	5-C-34-301	6	\$0.00	BODY	BODY, CONNECTOR, QA 0, STRAIGHT, 25 PIN, CONNECTOR, RECEPTACLE ELECT; GENERAL PURPOSE, STRAIGHT, 25 CONTACTS,	0	5935B SE
BGA558H	AL	5-C-34-301	3	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1-1/2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 ( 1 1/2) THICKNESS:	0	4730P SE
BGA559F	AL	5-C-34-301	3	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 ( 2) THICKNESS:	0	4730P SE
BGA560A	AL	5-C-34-301	3	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 3 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 03.000000 ( 3) THICKNESS:	0	4730P SE
BGA561W	AL	5-C-34-301	3	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 1 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.000000 ( 1) SIZE ID:	0	4730P SE
BKM689N	AL	5-C-34-301	3	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, TAG, MARKER, IMPRESS-O-TAG, ALUMINUM, PERMANENT ALL WEATHER TAG, 250	0	9905K SE
BLD377D	AL	5-C-34-301	1	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; 0.25 FPT, FOR DIESEL GENERATOR ***	1	29100 SE
BNP903K	AL	5-C-34-301	6	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 3, ADAPTER, ; SHUTOFF, 0.75 IN, NUCLEAR GRADE ***	3	4730P SE
BNQ896F	AL	5-C-34-301	1	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, PIPE; MATERIAL: PORCELAIN ***	0	4710Y SE
BPJ856L	AL	5-C-34-301	1	\$0.00	TESTER	TESTER, TYPICAL, QA 0, WATER FLOW, 110-1600 GPM, 40-160 PSI, TESTER, ; WATER FLOW TEST KIT, UL CLASSIFIED, 110 TO 1600 GPM,	0	6695D SE
BVH028X	AL	5-C-34-301	2	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1/2 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150	3	4730P SE
BVP908A	AL	5-C-34-301	5	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 3, CONNECTOR, COMPUTER; STANDARD DB-25 CONNECTOR EACH END, MALE TO	3	7021A SE
ABY321G	AL	5-C-34-302	2	\$0.00	STOCK	STOCK, BAR, QA 0, FLAT, 4 IN, 1 FT 6 IN, 3/8 IN, TOOL STEEL, AISI 0-1, OIL HARDENED, METAL BAR, ; FLAT, TOOL STEEL, ALLOY AISI 0-1,	0	9520Z SE
AFH063D	AL	5-C-34-302	21	\$0.00	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; BONNET, HT, PT 2-10, 001.750-8 UNC IN, FOR	1	C 48200 SE
AHB542W	AL	5-C-34-302	275	\$0.00	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; SPIDER ***	0	46109 SE
BKQ691L	AL	5-C-34-302	37	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; CARBON STEEL ASME SA 307 GR A, DIA .5 IN	1	5305J SE
BLA759E	AL	5-C-34-302	20	\$0.00	CLOTH	CLOTH, SCREEN, QA 3, WIRE, FABRIC; CLOTH, MESH, PLAIN WOVEN, 0.0035 IN DIA., MONEL WIRE	3	5680B SE
BLP187Y	AL	5-C-34-302	5	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.75-10 UNC	1	5305J SE
BLP200E	AL	5-C-34-302	44	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLP204T	AL	5-C-34-302	80	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLP232L	AL	5-C-34-302	42	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLP335A	AL	5-C-34-302	60	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-3/4 IN; TPI: 8; MATERIAL: SS;	1	5305J SE
BLQ459J	AL	5-C-34-302	80	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 7/8 IN; LENGTH: 1 IN; TPI: 9; MATERIAL: CS;	1	5305J SE
BNR711H	AL	5-C-34-302	3	\$0.00	TUBING	TUBING, TYPICAL, QA 0, PUMP, #19, SILICONE, TUBING, PUMP; SILICONE, SIZE 19, FOR MASTERFLEX PUMP ***	0	6630D SE
BNV413F	AL	5-C-34-302	8	\$0.00	PLUG	PLUG, HOSE, QA 0, QUICK DISCONNECT, ***	0	4730P SE
BQE368G	AL	5-C-34-302	15	\$0.00	BOLT	BOLT, TYPICAL, QA 3, 1/2 IN, 2-1/2 IN, ROUND, TOGGLE, CS, BOLT, TOGGLE; HEAD STYLE: ROUND, MATERIAL: CARBON STEEL, NOMINAL	3	5305J SE
BTH709M	AL	5-C-34-302	331	\$0.00	SCREW	SCREW, MACHINE, QA 1, #6, 1/2 IN, 32, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, CROSS RECESS, B18.6.3	1	5305J SE
BVH591B	AL	5-C-34-302	17	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.125000 ( 1 1/8)	1	5305J SE
BVN726L	AL	5-C-34-302	175	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	5305J SE
BVN731V	AL	5-C-34-302	58	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: STAINLESS STEEL, NOMINAL	1	5305J SE
BKM877M	AL	5-C-35-102	30	\$0.00	WRENCH	WRENCH, TYPICAL, QA 3, WRENCH, ; OFFSET SPRINKLER, FOR INSTALLATION OF NATURAL BRASS OR	3	5120M SE
BKN345J	AL	5-C-35-102	22	\$0.00	BOX	BOX, TYPICAL, QA 0, BOX, SHIPPING; DOUBLE WALL, CARTON, FOR COLLAPSIBLE CONTAINER ***	0	6630D SE
BTF020A	AL	5-C-35-102	7	\$0.00	GRAVEL	GRAVEL, CONSTRUCTION, QA 0, AGGREGATE/KOLOR QUARTZ, 50 LB, AGGREGATE, CONSTRUCTION; KOLOR QUARTZ, PREMIXED WITH 2 PAR	0	5610J SE
BTW449V	AL	5-C-35-102	2	\$0.00	INSULATION	INSULATION, JACKETING, QA 3, COVER, ALUMINUM, 0.016 IN, 36 IN (3 FT), 100 FT, EMBOSSED, ASTM B209	3	5640H SE
BVG822P	AL	5-C-35-102	100	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 1, CLASS 1, 3/32 IN, 36 IN (3 FT), SS, BARE, A5.9, ER308, SFA 5.9	1	3439D SE
CAD101F	AL	5-C-35-102	96	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; MATERIAL: CALCIUM SILICATE, INSULATION	3	5640H SE
BDJ946H	AL	5-C-35-201	72	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 14-1/2 IN, 22 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, CARDBOA	0	P 4520N SE
BGX134E	AL	5-C-35-201	20	\$0.00	COMPOUND	COMPOUND, TYPICAL, QA 3, SURFACER, LIQUID, 5 LT, CAN, POROUS SURFACE CONDITIONER	3	5610V SE
BK8476V	AL	5-C-35-201	18	\$0.00	PAPER	PAPER, TYPICAL, QA 0, PAPER, WRAPPING,WAXED; WAXTEX, 100 FT ROLL ***	0	8135F SE
BNH898C	AL	5-C-35-201	2	\$0.00	PENETRANT	PENETRANT, TYPICAL, QA 3, INSPECTION PENETRANT, WATER WASHABLE; WATER WASHABLE, 5 GALLON CAN	3	6810H SE
BPM201Q	AL	5-C-35-201	4	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER,FL POLISHING, ; MACHINE PAD, PERMA GRIP DRIVE PAD ASSEMBLY, FOR	0	79101 SE
BVQ240G	AL	5-C-35-201	8	\$0.00	SOLUTION	SOLUTION, CHEMICAL, QA 0, ANALYZER, 500 ML, SOLUTION, ANALYZER; AQUASTAR C2000 COULOMAT A ANODE SOLUTION, 500 ML	0	6630D SE
CHQ126R	AL	5-C-35-201	383	\$0.00	SOCK	SOCK, TYPICAL, QA 3, DRAIN CONTAMINANT CONTROL, 8 IN, NYLON 6, 200 MICRON RATING WITH STEEL RING,	3	C 4730P SE
ABD736A	AL	5-C-35-202	12	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 10 IN, 10 IN, 1 IN, FIBERGLASS	0	P 4520N SE
BCT113Y	AL	5-C-35-202	47	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 14 IN, 25 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 1 THK X 14 X 0	0	4520N SE

CHC646W	AL	5-C-35-202	36	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, PLEATED, PAPER, HIGH CAPACITY, DISPOSABLE, 1" X 16" X 30"	0	C	4520N SE
CBN347Q	AL	5-C-35-301	6	\$0.00	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 21 FT, HOSE: FLEXIBLE (P/N 1503-4)	1		29100 SE
CBN363T	AL	5-C-35-301	3	\$0.00	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 3 FT, HOSE: FLEXIBLE (P/N 1503-4),	1		29100 SE
CBY862Y	AL	5-C-35-301	2	\$0.00	BOLT	BOLT, HEX, QA 0, SHIELD, EXPANSION; MAXI-BOLT, 0.750 INCH DIA., 18-1/2 INCH LONG, 13	0		4710Y SE
CDC479E	AL	5-C-35-301	1	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, FIRE PROTECTION; 12 INCH, DUCTILE IRON, MECHANICAL JOINTS,	3		4210N SE
CEH398E	AL	5-C-35-301	36	\$0.00	BODY	BODY, CONDUIT, QA 3, BLB, 2 IN, COPPER FREE ALUMINUM, THREADED, **	3		5975B SE
BCV555Q	AL	5-C-35-302	1	\$0.00	ROPE	ROPE, WIRE, QA 0, 5/16 IN, EXTRA IMPROVED PLOW STEEL, 7 X 19 STEEL, 9800 LB	0	C	4010G SE
BDD012Q	AL	5-C-35-302	1	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, 36 IN WD X 100 FT LG, 6 X 6, WIRE, FABRIC; MESH SIZE: 6 X 6, WIDTH: 36.000 IN, LENGTH: 100 FT ***	0		5680B SE
BHV737K	AL	5-C-35-302	2	\$0.00	CAN	CAN, SAFETY, QA 0, CAN, SAFETY; CAPACITY: 1 GAL, CAN TYPE: STORAGE ***	0		7240T SE
BHV738H	AL	5-C-35-302	7	\$0.00	CAN	CAN, SAFETY, QA 0, CAN, SAFETY; CAPACITY: 1 QT, CAN TYPE: STORAGE ***	0		7240T SE
BPK108Q	AL	5-C-35-302	2	\$0.00	HOLDER	HOLDER, DISC, QA 0, HOLDER, ; SANDING DISK, FOR CLARK FLOOR BUFFER, MODEL 1700HD ***	0		5130U SE
BNP697R	AL	5-C-35-302	4	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, PIN FEED, 1-15/16 IN, 3-1/2 IN, WHITE, ADHESIVE BACK, LABEL, IDENTIFICATION; SELF ADHESIVE, WHITE, P	0		75300 SE
BVQ974N	AL	5-C-35-302	3	\$0.00	PAPER	PAPER, TYPICAL, QA 0, PAPER, PRINTER; CH, (A-SIZE), 4 ROLLS PER BOX, FOR SEIKO INSTRUMENTS	0		75300 SE
BWP877K	AL	5-C-35-302	1	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, CLOTH, FILTER; "NAINSOOK" BLEACHED MUSLIN, 45" X 50 YD ROLL ***	0	B	8415B SE
AJK964J	AL	5-C-36-101	2	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, STAINLESS STEEL, 100 FT LG, 0.008 IN, WIRE, FABRIC; MATERIAL: STAINLESS STEEL 304, WIRE DIAMETER: 0.008 IN	0		5680B SE
AMX497H	AL	5-C-36-101	16	\$0.00	TUBE	TUBE, TYPICAL, QA 0, GAUGE, 2 FT, 1/2 IN, PYREX, ROUND, TUBING, GLASS; ROUND, GAUGE, PYREX, HIGH PRESSURE, RED LINE 1/2 OD X	0		5680B SE
AQW866Y	AL	5-C-36-101	2	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, SEDIMENT; INTERNAL, 1.875 IN DIA, WITH 0.5 X 0.875 IN LG	0		4730P SE
BGA556M	AL	5-C-36-101	3	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 2 IN, 1 1/2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, 150 LB, TEE, PIPE; FIRST END	0		4730P SE
BHV757D	AL	5-C-36-101	3	\$0.00	SCREEN	SCREEN, WIRE, QA 0, STRAINER, SS, 100 X 100, FOR HAYWARD STRAINER	0		4730P SE
BJW865Y	AL	5-C-36-101	5	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; ALUMINUM WITH SATIN FINISH, 28LONG X 36 IN HIGH	3		5670A SE
BJY678K	AL	5-C-36-101	138	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, WATER, SPIN-ON, FLUID; WATER *** 8" CANISTER, SPIN ON TYPE	0	C	4330N SE
BRL698M	AL	5-C-36-101	14	\$0.00	TUBE	TUBE, BOILER, QA 0, 2 IN, 1 IN, 0.134 IN, TUBE, BOILER, PREFORMED; TUBE MATERIAL, 2 IN. OD X 0.134 THICK X 1 FT	0		4410C SE
BTR363M	AL	5-C-36-101	3	\$0.00	SPOOL	SPOOL, TYPICAL, QA 3, SLEEVE, TAPPING; JCM 412 TAPPING SLEEVE, SIZE: 14 INCH X 14 INCH X 6	3		4730P SE
BBJ441W	AL	5-C-36-201	4	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 24 IN, 30 IN, 11-1/2 IN, FILTER ELEMENT, AIR CONDITIONER; HEPA, SIZE GN-F, 11.5 X 24 X 30 IN	0	C	4520N SE
ACD531N	AL	5-C-36-202	5	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 16 IN, 25 IN, 2 IN, COTTON, CARDBOARD FRAME, PLEATED, STYLE 300E NOTE: THIS ITEM MUST	0	C	4520N SE
BLV266E	AL	5-C-36-202	120	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 15 IN, 31 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, WITH CARBO	0	C	4520N SE
BPK182B	AL	5-C-37-202	12	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOUND CONTROLLING, 24 IN (2 FT), 4 FT (48 IN), SONEL NATURAL, SOUND CONTROLLING, BATT; SONEL NATURAL	0	P	5640H SE
CBL335A	AL	5-C-38-201	8	\$0.00	ELEMENT	ELEMENT, FILTER, QA 1, ELEMENT, FILTER; TYPE: AIR/FILTER; MATERIAL: CHARCOAL; FORM: FLAT BED	1	C	4520N SE
BGR982N	AL	5-C-38-301	1	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, COUNTERTOP, 48 IN, 8 FT, FORMICA, BROWN, SHEET, PLASTIC; MATERIAL: FORMICA, WIDTH: 48.0 IN, LENGTH: 9	0	C	5680B SE
BKR330V	AL	5-D-01-101	18	\$0.00	KIT	KIT, PARTS, QA 0, SPILL KIT, EMERGENCY; C/O GLOVE HOLDERS, POLYBAG HOLDERS, PROTECTIVE	0	C	6810H SE
BLE264M	AL	5-D-01-101	10	\$0.00	PAD	PAD, TYPICAL, QA 0, ASSEMBLY/SHOULDER, ASSY, LEFT SHOULDER, FOR SCUBA CUSTOM 4500 II	0	C	4220I SE
BLE265K	AL	5-D-01-101	10	\$0.00	PAD	PAD, TYPICAL, QA 0, ASSEMBLY/SHOULDER, ASSY, RIGHT SHOULDER, FOR SCUBA CUSTOM 4500 II	0	C	4220I SE
BNH179G	AL	5-D-01-101	20	\$0.00	HAT	HAT, HARD, QA 0, ADJUSTABLE, TAN	0	C	4240P SE
BNN573J	AL	5-D-01-101	3	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN, CS, SOCKETWELD, ASTM A105	0	C	4730P SE
BVM128E	AL	5-D-01-101	1	\$0.00	STOCK	STOCK, BAR, QA 1, ROUND, 3/4 IN, NAVAL BRASS, QQ-B-637A	1	C	9520Z SE
BHL882E	AL	5-D-01-102	3	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, HALF, 1/2 IN, SHAFT, FLEXIBLE, MODEL B, SIZE 2, C/WSLEEVE WITH ROUGH	0	C	3040D SE
BNM647L	AL	5-D-01-102	40	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2-1/2 IN, ALUMINUM	0	C	4730P SE
BTM494T	AL	5-D-01-102	2	\$0.00	BODY	BODY, CONDUIT, QA 3, OUTLET, 1-1/2 IN	3	C	5975B SE
BVA710D	AL	5-D-01-102	91	\$0.00	CHART	CHART, TYPICAL, QA 3, PAPER, 0-300 PSI, RECORDING INSTRUMENT; PAPER, FOR SPEEDOMAX 100, 0 TO 300 PSIG	3	C	75300 SE
CAJ177J	AL	5-D-01-102	3	\$0.00	COMPOUND	COMPOUND, INSULATING, QA 0, HEATSINK, 1 LB, JAR, CRONASOLV F21, GENERAL PURPOSE FLUX, FOR ALL	0	C	8030W SE
BYT984N	AL	5-D-01-201	33	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 18 IN, 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC PULL BC	3	C	5975B SE
BYV062P	AL	5-D-01-202	50	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 2-1/2 IN, RECTANGULAR, , SPECIAL APPLICATION, TY	3	C	5975B SE
BYJ384Q	AL	5-D-01-301	90	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 3, 4 FT (48 IN), 3/0-400, CROSSLINKED POLYOLEFIN, WRAPAROUND REPAIR SLEEVE, CABLE USE RANGE 0.60 - (3	3	C	5970B SE
CHF866Y	AL	5-D-01-301	95	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 3, 4 FT (48 IN), #8-2/0, CROSSLINKED POLYOLEFIN, WRAPAROUND REPAIR SLEEVE, CABLE USE RANGE 0.25 - 0.3	3	C	5970B SE
BTM673T	AL	5-D-01-302	24	\$0.00	COVER	COVER, BODY, QA 3, BLANK, 4 IN, MALLEABLE IRON, CONDULET OUTLET COVER WITH GASKET, CONNECTION TYPE: SCREWS.	3	C	5975B SE
BYV064K	AL	5-D-01-302	18	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 3 IN, RECTANGULAR, , SPECIAL APPLICATION; PTC PU	3	C	5975B SE
ABD834A	AL	5-D-02-101	144	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 11-1/2 IN, 22 IN, 1/2 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 0.5 X 1	0	C	4520N SE
ATT282P	AL	5-D-02-101	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, 1000, FIXTURE, LIGHTING; WATTS: 1000 ***	0		6210P SE
BBJ441W	AL	5-D-02-101	4	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 24 IN, 30 IN, 11-1/2 IN, FILTER ELEMENT, AIR CONDITIONER; HEPA, SIZE GN-F, 11.5 X 24 X 30 IN	0	C	4520N SE
BLY828E	AL	5-D-02-102	2	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; RANGE 0 TO 100, TAG NO. 3-XR-64-50	0		75300 SE
BNR883K	AL	5-D-02-102	34	\$0.00	ATTACHME	ATTACHMENT, BEAM, QA 0, WELDED, 1/2 IN, CS, BEAM ATTACHMENT, WELDED; NOMINAL SIZE: 00.50000 ( 1/2) ***	0		4710Y SE
BPA690H	AL	5-D-02-102	1	\$0.00	STATION	STATION, TYPICAL, QA 0, STATION, ; BREATHING AIR BOTTLE CHARGING STATION ***	0		4240P SE
BVK071J	AL	5-D-02-102	2	\$0.00	STRUT	STRUT, TYPICAL, QA 1, STRUT, PIPE HANGER; ADJUSTABLE RIGID, SIZE - .7 KIP., LENGTH P TO P -	1	C	4710Y SE
CLA638K	AL	5-D-02-201	100	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, EXTRA HIGH/LOW TEMPERATURE, 3 IN, 25 FT, PVC, GRAY, UL LISTED, ALL TEMPERATURE SEALTITE, FLEXIBLE ST	3	C	5975D SE
CFQ276J	AL	5-D-02-202	40	\$0.00	BODY	BODY, CONDUIT, QA 3, LBD, 3 IN, MALLEABLE IRON, THREADED	3	C	5975B SE
CKJ708N	AL	5-D-02-202	100	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, HIGH TEMPERATURE, 3 IN, BLACK, THERMO-PLASTIC RUBBER JACKET, TYPE: ATX-18, TEMP: 150 DEG C TO -60 D	3	C	5975B SE
BTM673T	AL	5-D-02-301	24	\$0.00	COVER	COVER, BODY, QA 3, BLANK, 4 IN, MALLEABLE IRON, CONDULET OUTLET COVER WITH GASKET, CONNECTION TYPE: SCREWS.	3	C	5975B SE

AAD337Y	AL	5-D-03-10	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .5 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAE357K	AL	5-D-03-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 2.0 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAJ397J	AL	5-D-03-10	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .5 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAV970B	AL	5-D-03-10	3	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; ORIFICE, FOR INTEGRATOR, PNEUMATIC, FLOW, MODEL 14A-EPF MODEL	0	6695D SE
ACE489M	AL	5-D-03-10	13	\$0.00	KEY	KEY, TYPICAL, QA 0, KEY, MACHINE; SHAFT, FOR DUPLEX WASTE SUMP PUMP, FIG 4511-13306999	0	4320U SE
AFG083C	AL	5-D-03-10	2	\$0.00	ELBOW	ELBOW, PIPE, QA 1, STANDARD RADIUS, 1 IN, 1 IN, CS, 3000 LB, SOCKETWELD, SOCKETWELD, 45, B16.9, ELBOW, PIPE; 45 DEG STANDARD	1	4730P SE
AFG872R	AL	5-D-03-10	8	\$0.00	UNION	UNION, TUBING, QA 0, 1-1/4 IN, COPPER, SWEAT, UNION, TUBE; FIRST END NOM SIZE: 01.250 IN ( 1 1/4), SECOND END NOM	0	4730P SE
AJW340N	AL	5-D-03-10	12	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X1, FOR RECORDER ***	0	7510U SE
AKY639Y	AL	5-D-03-10	2	\$0.00	STOCK	STOCK, BAR, QA 1, METAL BAR, ; ROUND WITH CORE, BRONZE, CAST,FED SPEC QQ-C-390A OR LATER	1	9520Z SE
APG571N	AL	5-D-03-10	5	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, CARBON STEEL/STAINLESS STEEL, 3000 PSIG, STRAINER, SEDIMENT; BODY MATERIAL: CARBON STEEL	0	4730P SE
APG671J	AL	5-D-03-10	5	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, SEDIMENT, CAST IRON, 3000 PSIG, STRAINER, SEDIMENT; BODY MATERIAL: CAST IRON, NOMINAL SIZE: 01.000 IN	0	4730P SE
ATE057K	AL	5-D-03-10	18	\$0.00	SCREW	SCREW, CAP, QA 0, 1/4 IN, 1 IN, 20, HEX, *** ITEM 35, FOR ACB, 0.250-20THD X 1.00 INCH	0	5925B SE
AVY734K	AL	5-D-03-10	400	\$0.00	CABLE	CABLE, BARE, QA 0, THERMOCOUPLE, #20 AWG, COPPER, WIRE, THERMOCOUPLE; MATERIAL: COPPER-CONSTANTAN, CONDUCTOR SIZE: 20	0	6145G SE
BAA881F	AL	5-D-03-10	78	\$0.00	SPLICE	SPLICE, CABLE, QA 2, #1 AWG, 15 KV, COPPER, GREEN, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; CRIMP, STRAIGHT, GREEN, 1	2	5940I SE
BBF484R	AL	5-D-03-10	12	\$0.00	STUD	STUD, TYPICAL, QA 3, STUD, CONTINUOUS THREAD; ALLOY STEEL ASME SA 193 GR B7 G41400, DIA 1.0	3	5305J SE
BJK094X	AL	5-D-03-10	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BKD349Q	AL	5-D-03-10	3	\$0.00	SCOOP	SCOOP, TYPICAL, QA 0, SCOOP, LABORATORY; POLYPROPYLENE, 5 X 2 X 2 IN, BOWL, 12 EA PER	0	6630D SE
BKG261P	AL	5-D-03-10	3	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAINLESS STEEL, FIRST END	1	4730P SE
BLL449A	AL	5-D-03-10	11	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEX HEAD CAP, TRACE: 3GB, MATERIAL: 4140, HARDNESS 37RC	1	5305J SE
BLP233J	AL	5-D-03-10	50	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1	5305J SE
BMY745C	AL	5-D-03-10	35	\$0.00	REDUCER	REDUCER, TUBING, QA 0, 1/2 IN X 3/8 IN, SS, ***	0	4730P SE
BNB423Y	AL	5-D-03-10	49	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; ALLOY STEEL, ASTM A193, GR B7,1-8 UNC-2A X 1.25 IN LG	1	5305J SE
BNC285B	AL	5-D-03-10	8	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/4 IN, 2 IN, 4 IN, CARBON, BUSHING, SLEEVE; SPLIT, CARBON # 5005, SPACER, HALVED WITH DRILLED AND	3	B 3110B SE
BNP340G	AL	5-D-03-10	3	\$0.00	TEE	TEE, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, 150 LB	3	4730P SE
BPT505A	AL	5-D-03-10	2	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, BUSHING, ; REDUCING, HEX, 1.50 IN NPT EXTERNAL THREAD, 1.0 IN NPT	1	4730P SE
BQC218E	AL	5-D-03-10	2	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 3/8 - 8 IN, 2 IN, CARBON STEEL, 3000 LB, SOCKETWELD, ASME SA105, *** FIRST END	1	4730P SE
BQK196R	AL	5-D-03-10	1	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 3/8 - 10 IN, 1/2 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, SOCKOLET	1	4730P SE
BRH217G	AL	5-D-03-10	16	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; STYLE: 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	3	4730P SE
BRP172D	AL	5-D-03-10	2	\$0.00	PLUG	PLUG, PIPE, QA 3, STYLE: SQ HD SOLID, MATERIAL: CARBON STEEL, NOMINAL:	3	4730P SE
BXF887K	AL	5-D-03-10	22	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, FIBER OPTIC, 100/140 MICRON, *** SMA 905, TYPE 905-150-5002	0	5825F SE
BYQ962B	AL	5-D-03-10	1	\$0.00	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 00.750 IN ( 3/4)	3	C 4730P SE
CAL053H	AL	5-D-03-10	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, BLIND, 3/4 IN, CS, 1500 LB, RAISED FACE, ASME SA105, STANDARD MILL FINISH, B16.5	1	D 4730P SE
CAX761G	AL	5-D-03-10	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, 3/4 X 1/2, SS, MALE HEX, ASME SA479 TP 316, STANDARD MILL FINISH, MNPT	1	C 4730P SE
CDH504H	AL	5-D-03-10	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXTERNAL, TUBE END	1	C 4730P SE
CDK933E	AL	5-D-03-10	4	\$0.00	COUPLING	COUPLING, TYPICAL, QA 1, COUPLING, TUBE; STYLE: NO STOP, MATERIAL: COPPER, NOMINAL SIZE: 00.250	1	4730P SE
C DN990X	AL	5-D-03-10	15	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 3, SEAL KIT, HEAT TRACE; CABLE END SEAL, RAYCHEM CHEMELEX TYPE PMK-LE-M.	3	5975B SE
CEG289Q	AL	5-D-03-10	5	\$0.00	KEY	KEY, WOODRUFF, QA 3, KEY, WOODRUFF; DRIVE SHAFT TO SPROCKETS (POTENTIOMETER & COUNTER), PAR	3	C 4470C SE
CET984J	AL	5-D-03-10	2	\$0.00	TEE	TEE, PIPE, QA 3, STREET, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, MNPT, FNPT, STAINLESS STEEL, STANDARD MILL FINISH	3	4730P SE
CET995D	AL	5-D-03-10	4	\$0.00	PROTECTOF	PROTECTOR, TYPICAL, QA 3, QUICK DISCONNECT, 1/2" COUPLER PROTECTORS, POLYURETHANE	3	4730P SE
CEV800Y	AL	5-D-03-10	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, 1/2 IN, CARBON STEEL, SWIVEL NUT END / MALE PIPE END	3	4730P SE
CFC202F	AL	5-D-03-10	1	\$0.00	ELBOW	ELBOW, TUBING, QA 1, 3/8 IN X 1/4 IN, BRASS, TUBE X FNPT, 90, STANDARD MILL FINISH, ***	1	4730P SE
CFD822A	AL	5-D-03-10	3	\$0.00	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; NOMINAL SIZE: 1/4 IN; MATERIAL: BRASS; HEAD: SQUARE;	3	4730P SE
CFD963P	AL	5-D-03-10	1	\$0.00	TEE	TEE, PIPE, QA 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, SOCKETWELD, SOCKETWELD, CS, ASTM A350 GR LF2, STANDARD	3	4730P SE
AJF774C	AL	5-D-03-10	7	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA-193 GRADEB7, 1.5-8 UN-2A	1	C 4420B SE
AQN789M	AL	5-D-03-10	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, BLIND, 8 IN, CARBON STEEL, 150 LB, RAISED FACE, ASME SA105, BLACK, B16.5	1	C 4730P SE
BGG860Y	AL	5-D-03-10	4	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, 2.9375 IN, 2 BOLT, BEARING UNIT, ROLLER; PILLOW BLOCK, TYPE E, TWO BOLT GRAY IRON BAS	0	P 3110B SE
BGN331G	AL	5-D-03-10	2	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVEING, ELECTRICAL; HEAT SHRINKABLE, BLA	1	B 5970B SE
BPC193A	AL	5-D-03-10	94	\$0.00	WASHER	WASHER, LOCKING, QA 1, 1/2 IN, WASHER, LOCK; HI COLLAR, 0.5 IN APPLICATION,SMB-2	1	48200 SE
BQL073V	AL	5-D-03-10	30	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, COVER, 2 FT, 4 FT, PLASTIC, SHEET, PLASTIC; MATERIAL: PLASTIC, WIDTH: 24.0 IN, LENGTH: 48.0 IN	0	C 5680B SE
BTY268M	AL	5-D-03-10	30	\$0.00	BODY	BODY, CONDUIT, QA 3, LL, 2 IN, MALLEABLE IRON, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.000000 ( 2), MATERIAL:	3	B 5975B SE
BYM490M	AL	5-D-03-10	10	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 3 IN, 0.30-0.50 IN, 1E LOCA/HEL, , 10 CFR50.49, SEALING KIT, ELEC WIRE/CABLE, RAYCHEM TEST REPORTS 1	B	5970B SE
BYQ478G	AL	5-D-03-10	15	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1-3/8 IN, 1 1/4 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, 2A, STUD, CONTINUOUS	1	C 5305J SE
CAQ955W	AL	5-D-03-10	11	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, MAXI-BOLT, 3/4 IN, 9-1/2 IN, , 6-1/2 IN SLEEVE, CONICAL NUT AND STUD - ASTM A193 GRADE B7	1	C 4710Y SE
CBN350F	AL	5-D-03-10	4	\$0.00	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; LENGTH: 4 FT, HOSE: FLEXIBLE (P/N 1503-4)	1	29100 SE
BYT972X	AL	5-D-03-20	253	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-3/16 IN, 12 IN (1 FT), 2-1/8 IN, STEEL, 1 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC PUL	3	C 5975B SE
CJN244P	AL	5-D-03-20	2	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION, 16 GA STEEL, RECTANGULAR, HINGED 3/16" CLEAR POLYCARBONATE W/NDOW COVER WITH REMOVEA	3	C 5975B SE
BTM504K	AL	5-D-03-30	107	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 2 IN, MALLEABLE IRON, THREADED, , ENTRANCE TYPE: HUB, WITH COVER AND GASKET	3	C 5975B SE

BYV064K	AL	5-D-03-30	24	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 3 IN, RECTANGULAR, , SPECIAL APPLICATION; PTC PU 3	C	5975B SE
BWY139L	AL	5-D-03-30	66	\$0.00	BODY	BODY, CONDUIT, QA 3, BC, 1 IN, MALLEABLE IRON, THREADED, RIGID, , OUTLET TYPE: MOGUL, ENTRANCE TYPE: HUB, ZINC COATED ELECTRI 3	C	5975B SE
BYE802N	AL	5-D-03-30	43	\$0.00	BUSHING	BUSHING, CONDUIT, QA 3, REDUCING, 4 IN X 3 IN, MALLEABLE IRON, PLAIN, ADAPTER, ADAPTER BODY STYLE: THD TO THD REDUCER, FIRST 3	C	5975B SE
BY889V	AL	5-D-03-30	23	\$0.00	NIPPLE	NIPPLE, CONDUIT, QA 3, RIGID, 4 IN, 2-7/8 IN, STEEL, , STYLE: CLOSE, SURFACE TREATMENT: GALVANIZED, U.L LISTED	3	C 5975B SE
CBW970H	AL	5-D-03-30	75	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 1 IN, MALLEABLE IRON, STRAIGHT, COMPRESSION, LIQUIDTIGHT, , FEATURES: INSULATED WITH GROUNDING SI 3	C	5975B SE
AEV220Y	AL	5-D-04-10	261	\$0.00	BEAKER	BEAKER, LABORATORY, QA 0, PYREX, 250 ML, 25 ML, BEAKER, LABORATORY; PYREX, GRIFFIN, LOW FORM, 250 ML CAPACITY, 25 TO 0	C	6630D SE
ART914J	AL	5-D-04-10	1	\$0.00	BEARING	BEARING, ASSEMBLY, QA 0, THRUST, 5.0000 IN, 10.5000 IN, BEARING ASSY, ; THRUST, 10.500 OD X 5 IN BORE, C/O 10.500 IN BASE	0	P 6105D SE
BGQ467C	AL	5-D-04-10	50	\$0.00	BAG	BAG, FILTER, QA 0, BAG, VACUUM CLEANER; 1.3 GAL CAPACITY, YELLOW, 10 PER PKG, FOR VACUUM	0	79101 SE
BKR494H	AL	5-D-04-10	7	\$0.00	BAG	BAG, FILTER, QA 0, BAG, VACUUM CLEANER; REPLACEMENT, FOR MINUTEMAN VACUUM CLEANER, TYPE	0	79101 SE
BNB887K	AL	5-D-04-10	5000	\$0.00	ANCHOR	ANCHOR, TYPICAL, QA 3, ANCHOR, INSULATION; MATERIAL: CARBON STEEL, LENGTH: 04.500 IN, SURFACE	3	5640H SE
BJN400P	AL	5-D-04-20	8	\$0.00	MIRROR	MIRROR, INSPECTION, QA 0, MIRROR, GLASS; PLASTIC, 26 IN DIA, INDUSTRIALQUALITY, ROUND ***	0	5680B SE
CHB370W	AL	5-D-04-20	22	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 4 IN, MALLEABLE IRON, CONNECTION: THREADED, ENTRANCE TYPE; THREADED HUB	3	C 5975B SE
BTM504K	AL	5-D-04-20	107	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 2 IN, MALLEABLE IRON, THREADED, , ENTRANCE TYPE: HUB, WITH COVER AND GASKET	3	C 5975B SE
BYA762V	AL	5-D-04-30	4	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 2-1/2 IN, MALLEABLE IRON, THREADED, RIGID, , ENTRANCE TYPE: HUB	3	C 5975B SE
BYB343B	AL	5-D-04-30	7	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 2-1/2 IN, MALLEABLE IRON, THREADED HUB, RIGID	3	C 5975B SE
BTR798H	AL	5-D-04-30	141	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; CABLE SPLICING KIT,RAYCHEM ***	1	B 5970B SE
BJM641R	AL	5-D-05-10	10	\$0.00	CLAMP	CLAMP, PIPE, QA 1, ANCHOR/REINFORCEMENT, 6 IN, CS, 2 BOLT/2 PIECE/BLACK, ASME SECTION III, CLASS NF	1	C 4730P SE
BJP683Y	AL	5-D-05-10	25	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 3.5 IN OD, FOR 0.5 IN, 300 LB GATE	3	P 4710Y SE
BJP684W	AL	5-D-05-10	25	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4 IN OD, FOR 0.75 IN, 300 LB GATE	3	P 4710Y SE
BJP685T	AL	5-D-05-10	25	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; CARBON STEEL, 4.5 IN OD, FOR 1IN, 300 LB GATE VALVE	3	P 4710Y SE
BLC600N	AL	5-D-05-10	17	\$0.00	UNION	UNION, CONDUIT, QA 3, UNION, ELECTRICAL CONDUIT; SIZE: 01.500000 ( 1 1/2), MATERIAL: COPPER	3	C 5975B SE
BQP672Y	AL	5-D-05-10	15	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 1-1/2 IN, 150 LB, FLAT, STANDARD MILL FINISH, CAST, ** TYPE: SOLDER JOINT, MATERIAL: BRASS	0	4730P SE
BQY107V	AL	5-D-05-10	500	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, 3-3/4 IN, 8 IN, RADIOACTIVE MATERIAL, TAG, MARKER; RADIOACTIVE MATERIAL, 3-3/4" X 8" SIZE, WITH LAMIN 0	0	9905K SE
CEV804B	AL	5-D-05-10	2	\$0.00	NUT	NUT, TUBING, QA 3, 2 IN, STAINLESS STEEL, FLARE, FLARE TUBE END NUT	3	C 4730P SE
CEV810T	AL	5-D-05-10	2	\$0.00	SLEEVE	SLEEVE, TYPICAL, QA 3, 2 IN, SS, TYPE: TUBE, FLARE TUBE END SLEEVE, 2 IN OD TUBE	3	C 4730P SE
ABC301L	AL	5-D-05-10	6	\$0.00	BEARING	BEARING, ROLLER, QA 0, CYLINDRICAL	0	P 3110B SE
ACC604V	AL	5-D-05-10	2	\$0.00	BEARING	BEARING, ROLLER, QA 0, CYLINDRICAL, DOUBLE & MULTI ROW, 8.5000 IN, 42083, 11.2500 IN, 1.8125 IN, STEEL	0	P 3110B SE
AGG646W	AL	5-D-05-10	150	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 3/16 IN, 50 FT, GUM RUBBER, 1/16 IN, AMBER	0	C 47200 SE
BVA050L	AL	5-D-05-10	150	\$0.00	SCREW	SCREW, CAP, QA 1, 9/16 IN, 1 IN, 12, HEX, BRASS, UNC, 2A, B18.2.1	1	C 5305J SE
BVA055Y	AL	5-D-05-10	150	\$0.00	SCREW	SCREW, CAP, QA 1, 9/16 IN, 1-1/2 IN, 12, HEX, BRASS, UNC, 2A, B18.2.1	1	C 5305J SE
BVA068M	AL	5-D-05-10	148	\$0.00	SCREW	SCREW, CAP, QA 1, 3/4 IN, 2 IN, 10, HEX, BRASS, UNC, 2A, B18.2.1	1	C 5305J SE
CFA267V	AL	5-D-05-10	25	\$0.00	REDUCER	REDUCER, TUBING, QA 3, 2 IN X 1-1/2 IN, COPPER, STANDARD MILL FINISH, B16.22, FITTING REDUCER, WROT COPPER PRESSURE FITTING, F1 3	C	4730P SE
BYT972X	AL	5-D-05-20	57	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-3/16 IN, 12 IN (1 FT), 2-1/8 IN, STEEL, 1 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC PUL 3	C	5975B SE
CBR433G	AL	5-D-05-20	36	\$0.00	BODY	BODY, CONDUIT, QA 3, LBD, 2 IN, MALLEABLE IRON, THREADED, RIGID, OUTLET, W/ COVER AND GASKET	3	C 5975B SE
BWD564W	AL	5-D-05-20	136	\$0.00	CLAMP	CLAMP, GROUND/TD, QA 3, 2-1/2 IN-3-1/2 IN, MALLEABLE IRON, BOLTED, WIRE SIZE: NO.6 TO 2 AWG, WATER PIPE GROUNDING CLAMP.	3	C 5935B SE
CBR154L	AL	5-D-05-20	4	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 3 IN, MALLEABLE IRON, 45 DEG, THREADED, LIQUIDTIGHT, BOX CONNECTOR, CONNECTOR STYLE: COMPRESSION 3	C	5975B SE
CKE900Y	AL	5-D-05-30	500	\$0.00	CONNECTO	CONNECTOR, GROUNDING, QA 3, FENCE POST, MECHANICAL, 2/0 - 250KCMIL, 2 - 2-3/8 IN	3	C 5975H SE
BTM592T	AL	5-D-05-30	96	\$0.00	BODY	BODY, CONDUIT, QA 3, C, 1-1/2 IN, MALLEABLE IRON, THREADED, RIGID	3	C 5975B SE
APD622F	AL	5-D-06-10	5	\$0.00	KIT	KIT, PARTS, QA 0, (1) LATCH, (1) SPRING, (1) PIN, ASSY, HOOK; TYPE: STANDARD SAFETY, MATERIAL: CARBON STEEL, WORK	0	4030C SE
AQP832A	AL	5-D-06-10	364	\$0.00	SCREW	SCREW, MACHINE, QA 0, 1/4 IN, 1-1/2 IN, 20, ROUND HEAD, BRASS, UNC, SLOTTED, B18.6.3, ***	0	5305J SE
ARB560L	AL	5-D-06-10	35	\$0.00	COUPLER	COUPLER, HOSE, QA 0, COUPLER, ; AIR LINE,SAMPLER,STAINLESS STEEL,3 PER PACKAGE ***	0	4730P SE
ATQ602B	AL	5-D-06-10	2	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 6.0 IN, 1 1/2 IN, SOCKET WELD, SOCKET WELD, CARBON STEEL, 3000 LB, ASTM A105, BLACK, SOCKET 0	0	4730P SE
AVG761Q	AL	5-D-06-10	5	\$0.00	ADAPTER	ADAPTER, ELECTRICAL, QA 0, LAMPHOLDER, BAYONET BASE, *** SCREW	0	6250D SE
AYC585L	AL	5-D-06-10	173	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 0, SELF-DRILLING, 5/16 IN, CARBON STEEL, SHIELD, EXPANSION; CARBON STEEL, HEAT TREATED, SEL 0	0	4710Y SE
BBP459F	AL	5-D-06-10	248	\$0.00	SCREW	SCREW, MACHINE, QA 3, 1/4 IN, 1-1/2 IN, 20, ROUND HEAD, BRASS, UNC, SLOTTED, B18.6.3	3	5305J SE
BBT373A	AL	5-D-06-10	6	\$0.00	CAP	CAP, PIPE, QA 0, 3/4 IN, SOCKET, CPVC, 80, STANDARD MILL FINISH, ***	0	4730P SE
BBT379X	AL	5-D-06-10	11	\$0.00	CAP	CAP, PIPE, QA 0, 1.0 IN, SOCKET, CPVC, 80, STANDARD MILL FINISH, ***	0	4730P SE
BBT380Q	AL	5-D-06-10	4	\$0.00	CAP	CAP, PIPE, QA 0, 1-1/2 IN, SOCKET, PVC, 80, ** SURFACE TREATMENT: STANDARD MILL FINISH	0	4730P SE
BBX904N	AL	5-D-06-10	850	\$0.00	SCREW	SCREW, SET, QA 0, 1/4 IN, 5/16 IN, 28, CUP, ALLOY STEEL, HEX SOCKET, UNF, HEAT TREATED, SCREW, SET; INTERNAL DRIVE STYLE: HEXA 0	0	5305J SE
BGW422E	AL	5-D-06-10	1	\$0.00	BEARING	BEARING, MOUNTED, QA 0, FLANGE, 1.1875 IN, FL-3352, 4 BOLT, BEARING UNIT, BALL; CARTRIDGE, STANDARD SERIES, FLANGED, FOUR BC 0	0	3110B SE
BJR254C	AL	5-D-06-10	178	\$0.00	SCREW	SCREW, SET, QA 3, 5/16 IN, 3/8 IN, 18, CUP, ALLOY STEEL, HEX SOCKET, UNC, B18.3	3	5305J SE
BJR263B	AL	5-D-06-10	145	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3	5305J SE
BJR309E	AL	5-D-06-10	183	\$0.00	SCREW	SCREW, SET, QA 3, 5/8 IN, 1-1/4 IN, 11, CUP, ALLOY STEEL, UNC, SCREW, SET; ALLOY STEEL, NOMINAL DIA .625 IN, THD 11, UNC, FASTEN 3	3	5305J SE
BJW556C	AL	5-D-06-10	1	\$0.00	SPIDER	SPIDER, TYPICAL, QA 3, SPIDER ASSY, HATCH; MILD STEEL, WITH WELDMENT, DWG3037-3, REV 2 ***	3	4710Y SE
BLA666M	AL	5-D-06-10	7	\$0.00	WASHER	WASHER, LOCKING, QA 1, WASHER, LOCK; FOR VALVE, MODEL V526-529-2	1	48200 SE
BLP464Y	AL	5-D-06-10	6	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 1-8 UNC 2A X	1	5305J SE
BNH655A	AL	5-D-06-10	4	\$0.00	PIN	PIN, DOWEL, QA 3, PIN, STRAIGHT HEADLESS; DOWEL PIN, 0.25 DIAMETER X 0.5IN LONG, FOR	3	5305J SE

BNR584X	AL	5-D-06-10	4	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, NEBULIZER; NEBULIZER CAPILLARY ***	0	47200 SE
BPB840K	AL	5-D-06-10	13	\$0.00	ATTACHME	ATTACHMENT, BEAM, QA 0, WELDED, 5/8 IN, CS, BEAM ATTACHMENT, WELDED; NOMINAL SIZE: 00.625000 ( 5/8) ***	0	4710Y SE
BXG972P	AL	5-D-06-10	144	\$0.00	BOLT	BOLT, HEX, QA 0, 7/8 IN, 3 IN, 9, CS, ASTM A307 GR A, UNC, ZINC PLATED, B18.2.1, HEAD STYLE: HEXAGON	0	5305J SE
BXG981N	AL	5-D-06-10	86	\$0.00	BOLT	BOLT, HEX, QA 0, 7/8 IN, 2-1/4 IN, 9, CS, ASTM A307 GR A, UNC, ZINC PLATED, B18.2.1, HEAD STYLE: HEXAGON	0	5305J SE
BXG986C	AL	5-D-06-10	88	\$0.00	BOLT	BOLT, HEX, QA 0, 7/8 IN, 2-3/4 IN, 20, CS, ASTM A307 GR A, UNC, ZINC PLATED, *** HEAD STYLE: HEXAGON	0	5305J SE
ABT891T	AL	5-D-06-10	14	\$0.00	STARTER	STARTER, TYPICAL, QA 0, LAMP/FLUORESCENT, 13/30/40	0	6250D SE
ABW670C	AL	5-D-06-10	19	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSABLE, RED, FOR X-Y RECORDER, MODEL 9035B, AND/OR	0	7510U SE
ABX775D	AL	5-D-06-10	39	\$0.00	BAG	BAG, FILTER, QA 0, PAPER, BAG, VACUUM CLEANER; FILTER, PAPER, FOR DUST EVACUATOR, MODEL 911, 1	0	79101 SE
ACG275Y	AL	5-D-06-10	5	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***	0	4730P SE
ADG472N	AL	5-D-06-10	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, WALL THICKNESS NOT RATED, STAINLESS STEEL AISI	3	4730P SE
AE208D	AL	5-D-06-10	1	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, STRAINER, CAST IRON, FOR PUMP, SIZE 1-1/4 S, FIG	0	4730P SE
AEY252N	AL	5-D-06-10	30	\$0.00	PLUG	PLUG, PIPE, QA 0, 3/8 IN, MNPT, BRASS, ***	0	4710Y SE
AFE799K	AL	5-D-06-10	4	\$0.00	RING	RING, RETAINING, QA 0, RING, PUMP; PREFORMED, CRANE LAST, FOR JOHN CRANE TYPE 8B1, 2 IN DIA	0	4320U SE
AGG567Q	AL	5-D-06-10	12	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/4 IN, FNPT, FNPT, MALLEABLE IRON, 150 LB, ASTM A197, BLACK, FNPT, ***	0	4730P SE
AJD143T	AL	5-D-06-10	2	\$0.00	VENT	VENT, AIR, QA 0, RELIEF, BRASS, 2 IN OPENING, VENT UNIT, RELIEF; BRASS, DRUM, 2 IN OPENING VENT, AUTOMATIC PRESSURE	0	C 5120M SE
AJG583E	AL	5-D-06-10	2	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, STANDARD MILL	1	4730P SE
ALB298T	AL	5-D-06-10	2	\$0.00	BEARING	BEARING, BALL, QA 0, 5.5118 IN, 9.8425 IN, 15410, RADIAL, SINGLE ROW, ANGULAR, 1.6535 IN, *** BRG SERIES: LIGHT	0	3110B SE
ALB361E	AL	5-D-06-10	8	\$0.00	BEARING	BEARING, BALL, QA 0, 0.1575 IN, 0.6299 IN, 10015, CONRAD, 0.1969 IN, *** ECCENTRIC SHAFT, NCR 097-001-6955, FOR PAPER TAPE PL	0	3110B SE
AMG144N	AL	5-D-06-10	4	\$0.00	CAP	CAP, PIPE, QA 0, 1-1/2 IN, FNPT, IRON, 150 LB, BLACK, ***	0	4730P SE
AMG441G	AL	5-D-06-10	3	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 4 IN X 2-1/2 IN, MALLEABLE IRON, HEXAGON, MNPT X FNPT, ***	0	4730P SE
ANY741M	AL	5-D-06-10	6	\$0.00	HEAD	HEAD, SPRINKLER, QA 0, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, MNPT, HEAD, SPRINKLER, FIRE PROT; BRASS, FUSIBLE LINK TYPE, 0.5	0	4210N SE
AVH791A	AL	5-D-06-10	7	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 0, LIGHT, CONTROL, ELECTRIC LIGHT; STYLE: LIGHT ADJUSTMENT, TYPE: WIRE-IN ***	0	6210P SE
AVH797X	AL	5-D-06-10	4	\$0.00	SWIVEL	SWIVEL, TYPICAL, QA 0, ASSEMBLY, 1/2 IN, WEATHERPROOF, SWIVEL ASSY, ; T, WITH WEATHERPROOF HOUSING, SWIVEL MOUNT, AND 0.50	0	6210P SE
AXF691C	AL	5-D-06-10	9	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 2 IN, HALF/QUICK DISCONNECT, ALUMINUM ALLOY, MNPT X SOCKET	0	P 4730P SE
BBF096R	AL	5-D-06-10	10	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE TO BOSS; 90 DEG, STAINLESS STEEL ASME SA 182 GR F316	3	4730P SE
BBF323J	AL	5-D-06-10	5	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .5 IN	3	4730P SE
BBF335B	AL	5-D-06-10	15	\$0.00	TEE	TEE, TUBING, QA 3, TEE, PIPE TO TUBE; BRASS, STANDARD MILL FINISH, FIRST IDENT END .25 IN	3	4730P SE
BBF350T	AL	5-D-06-10	8	\$0.00	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID	3	4730P SE
BBF730G	AL	5-D-06-10	20	\$0.00	UNION	UNION, TUBING, QA 3, UNION, TUBE; UNION, TUBE W/CENTER WRENCHING FACILITY, STAINLESS STEEL	3	4730P SE
BBT217Q	AL	5-D-06-10	28	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, ***	0	4730P SE
BBT232W	AL	5-D-06-10	10	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, SOCKETWELD, SOCKETWELD, 80, STANDARD MILL FINISH, ***	0	4730P SE
BBW463Y	AL	5-D-06-10	112	\$0.00	SCREW	SCREW, TAPPING, QA 0, 3/4 IN, #7, CARBON STEEL, SLOTTED, SCREW, TAPPING, THD FO, ; FLAT HEAD, CARBON STEEL, NOMINAL DIA .151 I	0	5305J SE
BDM610F	AL	5-D-06-10	33	\$0.00	LENS	LENS, COVER, QA 3, LENS, LIGHT; GREEN, PLASTIC ***	3	C 6210P SE
BEN526D	AL	5-D-06-10	165	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, GREEN, 5/PACKAGE, PEN, RECORDER; DISPOSABLE, GREEN, 0.562 IN NIB LENGTH, UNIVEF	0	7510U SE
BFC086K	AL	5-D-06-10	12	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, RESPIRATOR, RESPIRATOR AIR FILTER, COMBINATION, TYPE GMD-H, APPROVAL	0	P 4240P SE
BFL799D	AL	5-D-06-10	4	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1/4 IN, 2 IN, 1 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 ( 2) SIZE ID:	0	4730P SE
BFM844X	AL	5-D-06-10	20	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, RESPIRATOR; PRESSURE DEMAND-REGULATOR, FORSELF-CONTAINED	0	P 4240P SE
BGA804X	AL	5-D-06-10	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, GENERAL PURPOSE, 10 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE, STRAIGHT 10 PIN ***	3	5935B SE
BGB573G	AL	5-D-06-10	16	\$0.00	CAPSULE	CAPSULE, TYPICAL, QA 0, INDICATOR/MOISTURE, COLOR CHANGE/BLEED-OFF, CAPSULE, MOISTURE INDICATOR; COLOR CHANGE, BLEED-OFF	0	4220I SE
BGB712W	AL	5-D-06-10	20	\$0.00	COVER	COVER, PROTECTIVE, QA 0, COVER, PROTECTIVE; PLASTIC, FOR SELF CONTAINED BREATHING APPARATUS	0	4240P SE
BGJ688T	AL	5-D-06-10	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, FNPT, FNPT, FNPT, STAINLESS STEEL, ASME SA182 GR F316, 2000 LB, *** THREAD SER	0	4730P SE
BGR751A	AL	5-D-06-10	23	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 300, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BGY619G	AL	5-D-06-10	4	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; BROACH SIZE 0.343 IN X 0.437 IN, FOR VALVE, GLOBE	3	4710Y SE
BJL288L	AL	5-D-06-10	8	\$0.00	DIAL	DIAL, TYPICAL, QA 3, DIAL, SCALE; LINEAR, 0 TO 100, INCREMENTS OF 10, FOR TRANSMITTER	3	6695D SE
BJX668V	AL	5-D-06-10	1	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2.0 IN, PVC, FNPT, SOCKETWELD, 80, ASTM D1784, ***	0	4730P SE
BKC398G	AL	5-D-06-10	1	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; DIA .625 IN, LENGTH 6.75 IN, NUT END 11, UNC	1	5305J SE
BPL995V	AL	5-D-06-10	4	\$0.00	BODY	BODY, CONNECTOR, QA 0, SOCKET, 12 PIN, RECEPTACLE, SOLDER CONNECTION	0	5935B SE
BTV230A	AL	5-D-06-10	3	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; STYLE: COUPLING, MATERIAL: STAINLESS STEEL, NOMINAL	3	4730P SE
BVA084P	AL	5-D-06-10	91	\$0.00	SCREW	SCREW, MACHINE, QA 1, #6, 7/8 IN, 32, PAN HEAD, CS, UNC, 2A, ZINC PLATED, SLOTTED, B18.6.3	1	5305J SE
CKK814H	AL	5-D-06-20	45	\$0.00	BODY	BODY, CONDUIT, QA 3, BUB, 2-1/2 IN, MALLEABLE IRON, THREADED HUB, RIGID	3	C 5975B SE
CDC006J	AL	5-D-06-20	13	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 3 IN, MALLEABLE IRON, THREADED, RIGID, , OUTLET TYPE: MOGUL, ENTRANCE TYPE: HUB, WITH COVER AND GAS	3	C 5975B SE
CKK813K	AL	5-D-06-30	8	\$0.00	BODY	BODY, CONDUIT, QA 3, BT, 4 IN, MALLEABLE IRON, THREADED HUB, RIGID	3	C 5975B SE
CKF434G	AL	5-D-06-30	13	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 3-1/2 IN, MALLEABLE IRON, THREADED, TYPE: MOGUL CONDULET, THREADED HUB BOTH ENDS.	3	C 5999D SE
BCW655F	AL	5-D-07-10	25	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 50, COTTON SATEEN, YELLOW, SNAP, FULL CUT/KNLG/3PKT, HEALTH PHYS SPEC 17	0	C 8415B SE
BDA256L	AL	5-D-07-10	87	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 46, COTTON SATEEN, YELLOW, SNAP	0	C 8415B SE
BDB155M	AL	5-D-07-10	34	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 44, COTTON, YELLOW, SNAP	0	C 8415B SE
BDB156K	AL	5-D-07-10	50	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 52, COTTON SATEEN, YELLOW, SNAP, COAT, LABORATORY; MATERIAL: 100% COTTON SATEEN, SI; 0	0	C 8415B SE

BNV202X	AL	5-D-07-10	2	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 12 IN (1 FT), 6 IN, RECTANGULAR	0	C	5975B SE
BNV203V	AL	5-D-07-10	3	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 12 IN (1 FT), 8 IN, NEMA 3R	0	C	5975B SE
BPR252H	AL	5-D-07-10	50	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 56, COTTON SATEEN, YELLOW, SNAP	0	C	8415B SE
BYV056J	AL	5-D-07-10	28	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 24 IN (2 FT), 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE 3	3	C	5975B SE
CJW964M	AL	5-D-07-20	92	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 12 IN (1 FT), 18 IN, 10 IN, SS, SURFACE, NEMA 4X, SCREW COVER, ASTM: A240 TP304.	3	C	5975B SE
CHJ341L	AL	5-D-07-20	3	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 24 IN (2 FT), 2-7/16 IN, 1-1/2 IN	3	C	5975B SE
CHJ344E	AL	5-D-07-20	61	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 18 IN, 2-7/16 IN, 1-1/2 IN	3	C	5975B SE
BYV056J	AL	5-D-07-30	72	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 24 IN (2 FT), 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE 3	3	C	5975B SE
BYV056J	AL	5-D-07-30	28	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 24 IN (2 FT), 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE 3	3	C	5975B SE
CJF534J	AL	5-D-07-30	5	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION, 12 IN (1 FT), 20 IN, 8 IN, 14 GA STEEL, WALL, NEMA 12, PAINT: ANSI 61 GRAY.	3	C	5925B SE
CJQ578F	AL	5-D-07-30	2	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION, 10 IN, 12 IN (1 FT), 6 IN, FIBERGLASS, NEMA 4X, RECT W/HINGED COVER.	3	S	5970B SE
ABV631G	AL	5-D-08-10	3	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT, 25 MILLILITER, SERIES 1025TLL ***	0		6505C SE
ACP015C	AL	5-D-08-10	1	\$0.00	GRIP	GRIP, CABLE, QA 3, GRIP, CABLE WOVEN; KELLEMS, SUPPORT, CABLE, SPLIT, SINGLE EYE, FOR	3		5120M SE
ACR069A	AL	5-D-08-10	1	\$0.00	BODY	BODY, CONDUIT, QA 0, T, 1/2 IN, CAST ALUMINUM, **	0		5975B SE
ADV129B	AL	5-D-08-10	19	\$0.00	BEAKER	BEAKER, LABORATORY, QA 0, GLASS, 50 ML, 10 ML, BEAKER, LABORATORY; PYREX, GRIFFIN, LOW FORM, 50 ML CAPACITY, 10 TO 40	0		6630D SE
ADV629N	AL	5-D-08-10	12	\$0.00	BEAKER	BEAKER, LABORATORY, QA 0, POLYPROPYLENE, 150 ML, BEAKER, LABORATORY; POLYPROPYLENE, 150.000 MILLILITER, GRIFFIN, LOW	0		6630D SE
AFG165K	AL	5-D-08-10	2	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, CARBON STEEL, FNPT, COUPLING HALF, QUICK DISCONNECT; MATERIAL: CARBON	0		4730P SE
AFX315P	AL	5-D-08-10	5	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, BRUSH, BOTTLE/BURETTE; NOMINAL SIZE: 00.250000 ( 1/4), DIAMETER:	0		7920P SE
AJR054J	AL	5-D-08-10	1	\$0.00	BODY	BODY, CONDUIT, QA 0, FS, 3/4 IN, COPPER FREE ALUMINUM	0	C	5975B SE
AKD026F	AL	5-D-08-10	13	\$0.00	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 5/16 IN, SS, HEAVY DUTY	0		4030C SE
AKD325E	AL	5-D-08-10	6	\$0.00	SWIVEL	SWIVEL, TYPICAL, QA 0, 5/16 IN, GALVANIZED FORGED STEEL, REGULAR	0		4030C SE
AKD825R	AL	5-D-08-10	12	\$0.00	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, SS, HEAVY DUTY	0		4030C SE
AKD925M	AL	5-D-08-10	8	\$0.00	THIMBLE	THIMBLE, WIRE ROPE, QA 0, 1/4 IN, GALVANIZED STEEL, STANDARD PATTERN	0		4030C SE
ALY884B	AL	5-D-08-10	7	\$0.00	CAP	CAP, PIPE, QA 1, CLASS 2, CAP, PIPE; NOMINAL SIZE: 01.125 IN ( 1 1/8), MATERIAL: CARBON STEEL	1		4730P SE
AMG143Q	AL	5-D-08-10	4	\$0.00	CAP	CAP, PIPE, QA 0, 1/2 IN, FNPT, IRON, ASTM A197, GALVANIZED, *** CLASS: CLASS 150	0	P	4730P SE
AMW263G	AL	5-D-08-10	5	\$0.00	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, MANUAL CONTROL; KNOB, RELIEF VALVE, FOR TESTER, DEAD WEIGHT	0	P	4710Y SE
ANV629Y	AL	5-D-08-10	1	\$0.00	SCOOP	SCOOP, TYPICAL, QA 0, SCOOP, KITCHEN; STAINLESS STEEL, 9.5 IN LONG, ONE PIECE CONSTRUCTION.	0		5120M SE
APE570E	AL	5-D-08-10	1	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, STRAINER, PERFORATIONS: 00.046875 ( 3/64)	0		4730P SE
AQN736B	AL	5-D-08-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .5 IN, CARBON STEEL ASME SA 105	1		4730P SE
ARP014X	AL	5-D-08-10	2	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, BLOCK, CONTROLLER; TEST, CALIBRATION, 2.125 IN X 1.5 IN, 3 TAPS, 2	0		6695D SE
ARV375H	AL	5-D-08-10	2	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, CYLINDER/GAS, 1/4 IN, 3 IN, BRASS, NIPPLE, GAS CYLINDER; BRASS, 000.250 IN NPT X 003.000 IN LONG, LEFT	0		4730P SE
AVM503N	AL	5-D-08-10	13	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, STANDARD WEIGHT, FIRST/IDENT END NOM SIZE .125	3		4730P SE
AYJ495N	AL	5-D-08-10	65	\$0.00	INSERT	INSERT, TYPICAL, QA 0, TUBING, 1/4 IN, 3/8 IN, STAINLESS STEEL, INSERT, TUBE FITTING; MATERIAL: STAINLESS STEEL, OUTSIDE DIAMETE	0		4730P SE
AYP210K	AL	5-D-08-10	29	\$0.00	ADAPTER	ADAPTER, HOSE, QA 0, SWIVEL, 3/8 IN X 1/2 IN, STAINLESS STEEL, TUBE X HOSE, ADAPTER, TUBE TO HOSE; FIRST END TYPE: THD INTERN	0		4730P SE
BBE487Q	AL	5-D-08-10	23	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE511N	AL	5-D-08-10	45	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBF099K	AL	5-D-08-10	6	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; 90 DEG, CARBON STEEL ASTM A 576 GR 12L14, ASSEMBLED	3		4730P SE
BBF124Q	AL	5-D-08-10	11	\$0.00	ELBOW	ELBOW, TUBING, QA 3, 1/4 IN X 3/8 IN, CS, MNPT X TUBE, 90, ASTM A576 GR 12L14, STANDARD MILL FINISH, 90 DEG, CARBON STEEL AS	3		4730P SE
BBF200F	AL	5-D-08-10	130	\$0.00	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, TUBE OD 0.312 IN, END	3		4730P SE
BBF334D	AL	5-D-08-10	10	\$0.00	TEE	TEE, TUBING, QA 3, PIPE TO TUBE, 1/4 IN X 1/8 IN X 1/4 IN, BRASS, COMP X FNPT X COMP, STANDARD MILL FINISH	3		4730P SE
BBF749F	AL	5-D-08-10	18	\$0.00	CAP	CAP, TUBING, QA 3, CAP, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT TYPE 37	3		4730P SE
BBT227M	AL	5-D-08-10	3	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN, FULL, PVC, 80, SOCKET, STANDARD MILL FINISH, ***	0		4730P SE
BBV727V	AL	5-D-08-10	762	\$0.00	SCREW	SCREW, SET, QA 0, 1/4 IN, 1/4 IN, 20, CUP, SS, UNC, INTERNAL DRIVE STYLE: HEXAGON, HEAD STYLE: SOCKET	0		5305J SE
BBV729P	AL	5-D-08-10	44	\$0.00	SCREW	SCREW, SET, QA 0, #8, 5/16 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	0		5305J SE
BDE405A	AL	5-D-08-10	10	\$0.00	PLUG	PLUG, TUBING, QA 0, 1/2 IN, COPPER, SWEAT, ***	0		4730P SE
BEF807A	AL	5-D-08-10	2	\$0.00	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: COUPLING, FIRST END NOM SIZE: 00.500 IN ( 1/2)	3		4730P SE
BEK159X	AL	5-D-08-10	10	\$0.00	LOCKSET	LOCKSET, SECURING, QA 0, LOCK SET, MORTISE; DRAWER, DESK SERIES 400, MODELW4027236R ***	0		7195B SE
BEQ775D	AL	5-D-08-10	6	\$0.00	CAP	CAP, PIPE, QA 0, 1.0 IN, FNPT, CPVC, 80, ***	0		4730P SE
BFA558P	AL	5-D-08-10	2	\$0.00	FITTING	FITTING, GREASE, QA 0, LUBRICATION, 1/8 IN, 45 DEG, FITTING, LUBRICATION; NOMINAL SIZE: 00.125 IN ( 1/8), STYLE: 45 DEG	0		4730P SE
BGA808M	AL	5-D-08-10	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 1, COAXIAL, 1 PIN, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, BODY STYLE:	1		5935B SE
BGR707E	AL	5-D-08-10	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3		4730P SE
BGR780E	AL	5-D-08-10	2	\$0.00	BUSHING	BUSHING, PIPE, QA 3, 1 IN X 3/4 IN, MALLEABLE IRON, HEXAGON, 300 LB, MNPT X FNPT, ASTM A197 GR F22, B16.3, BUSHING, PIPE; HEX HI	3		4730P SE
BHB330G	AL	5-D-08-10	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 40S, STAINLESS STEEL ASME SA 312 TP 316	1		4730P SE
BHF673H	AL	5-D-08-10	7	\$0.00	BOLT	BOLT, HEX, QA 1, BOLT, MACHINE; HEXAGON HEAD, NOMINAL DIA .25 IN, THD 20, UNC, FASTENER	1		5305J SE
BHH959L	AL	5-D-08-10	5	\$0.00	BUSHING	BUSHING, PIPE, QA 3, BUSHING, PIPE; HEX HEAD, STAINLESS STEEL ASME SA 403 WP 316 S31600	3		4730P SE
BHH963X	AL	5-D-08-10	1	\$0.00	BUSHING	BUSHING, PIPE, QA 3, BUSHING, PIPE; HEX HEAD, STAINLESS STEEL ASME SA 403 WP 316 S31600	3		4730P SE
BHP011E	AL	5-D-08-10	21	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEXAGON HEAD, STAINLESS STEEL ASTM A 276 TY 304 S30400	3		5305J SE



BJC927M	AL	5-D-08-10	4	\$0.00	CLAMP	CLAMP, HOSE, QA 3, CLAMP, HOSE; WORM GEAR, CARBON STEEL, STANDARD MILL FINISH, MIN INSIDE	3	4730P SE
BJK034G	AL	5-D-08-10	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJK035E	AL	5-D-08-10	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJK037A	AL	5-D-08-10	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJR286Y	AL	5-D-08-10	73	\$0.00	SCREW	SCREW, SET, QA 3, 3/8 IN, 3/8 IN, 16, CUP, ALLOY STEEL, UNC	3	5305J SE
BJY126V	AL	5-D-08-10	4	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BKG098Y	AL	5-D-08-10	455	\$0.00	RIVET	RIVET, TYPICAL, QA 3, BLIND, 1/8 IN, 0.337 IN, PROTRUDING, CS, 0.094 - 3/16 IN, PLATED, CHERRY Q,	3	5305J SE
BKN209V	AL	5-D-08-10	51	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, CONDENSER TUBE, 0.960 IN DIA, POLYETHYLENE, BLUE, HARD, FOR CLEANING TUBES 0.902-0.956 IN DIA	0	5120M SE
BKP006V	AL	5-D-08-10	2	\$0.00	BOLT	BOLT, EYE, QA 3, BOLT, EYE; CARBON STEEL, NOMINAL DIA .312 IN, FASTENER LG 2.25 IN, FOR	3	29100 SE
BKY673P	AL	5-D-08-10	6	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STEEL, 0.4375 X 1 IN LONG, MANIFOLD BLOCK, FOR	1	29100 SE
BLC559C	AL	5-D-08-10	4	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3	4730P SE
BLP333E	AL	5-D-08-10	10	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/4 IN; TPI: 8; MATERIAL: SS;	1	5305J SE
BNB988D	AL	5-D-08-10	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/4 IN, 1-7/8 IN, 4 IN, CARBON, SPLIT, SPACER, #5005, HALVED WITH DRILLED AND TAPPED HOLES,	3	B 5730H SE
BPK962G	AL	5-D-08-10	1	\$0.00	LEVEL	LEVEL, HAND, QA 0, LEVEL, CROSS TEST; CROSS TEST:EDP50569, FOR SEISMIC MONITORING SYSTEM	0	5210S SE
BQA901E	AL	5-D-08-10	2	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, 1/2 IN X 1/8 IN, SS, HEXAGON, MNPT X FNPT, ASME SA479 TP316, STANDARD MILL FINISH	1	4730P SE
BTB491L	AL	5-D-08-10	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 2, 3 PIN, #22-#16 AWG, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; STRAIGHT, MS/STANDARD, SOCKET TYPE, 3	2	B 5935B SE
BTB493G	AL	5-D-08-10	2	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BTW053C	AL	5-D-08-10	3	\$0.00	FASTENER	FASTENER, TYPICAL, QA 3, FASTENER, LATCH TYPE; CAST ALUMINUM, DULL BRASS FINISH, WITH RIM	3	4710Y SE
BVJ846Y	AL	5-D-08-10	13	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, 5000, 1 PIN, 5, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: COAXIAL, BODY STYLE:	3	5935B SE
BWE269R	AL	5-D-08-10	5	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: SUBMINIATURE, BODY STYLE:	3	5935B SE
CAH483G	AL	5-D-08-10	1	\$0.00	BRACKET	BRACKET, MOUNTING, QA 3, BRACKET, COMMUNICATION EQPT; STANDOFF FOR CONNECTING BLOCK, SHIFT	3	4710Y SE
CDC144E	AL	5-D-08-10	1	\$0.00	NUT	NUT, TYPICAL, QA 1, NUT, TUBE COUPLING; MATERIAL: BRASS, STYLE: UNION SHORT, NOMINAL SIZE:	1	4730P SE
ARV295F	AL	5-D-08-10	9	\$0.00	HOSE	HOSE, TYPICAL, QA 0, RESPIRATOR, HOSE, RESPIRATOR; BREATHING, FOR PRESSURE DEMAND RESPIRATOR ***	0	C 4240P SE
ATJ638K	AL	5-D-08-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; WELDNECK, NOM SIZE 4.0 IN, CARBON STEEL ASME SA 105	1	P 4730P SE
BKR870T	AL	5-D-08-10	1	\$0.00	CLAMP	CLAMP, PIPE, QA 1, ANCHOR/REINFORCEMENT, 4 IN, CS, 3 BOLT/2 PIECE/BLACK, CLAMP, PIPE ANCHOR&REINFORC; TWO-PIECE, THREE BOLT	1	4710Y SE
BXG910R	AL	5-D-08-10	500	\$0.00	BOLT	BOLT, HEX, QA 0, 7/8 IN, 2-1/2 IN, 9, CS, ASTM A307 GR A, UNC, ZINC PLATED, HEAD STYLE: HEXAGON	0	5305J SE
CAQ954Y	AL	5-D-08-10	15	\$0.00	HOSE	HOSE, TYPICAL, QA 1, HOSE ASSY, NONMETALLIC; FOR DIESEL GENERATORS, 1-1/2" DIA. X 29" LONG	1	29100 SE
CDW517E	AL	5-D-08-10	1	\$0.00	FIXTURE	FIXTURE, HARDWARE, QA 3, DOOR, FIXTURE; BREAKER BAR ASSEMBLIES FOR USE ON HOLLOW METAL FIRE	3	5670A SE
CDW518C	AL	5-D-08-10	1	\$0.00	FIXTURE	FIXTURE, HARDWARE, QA 3, DOOR, FIXTURE; BREAKER BAR ASSEMBLIES FOR USE ON HOLLOW METAL FIRE	3	5670A SE
CEJ868X	AL	5-D-08-10	4	\$0.00	PLUG	PLUG, PIPE, QA 1, CLASS 2, PLUG, PIPE; NOMINAL SIZE: 1-1/2 IN; MATERIAL: SS; HEAD: HEX;	1	4730P SE
BYV055L	AL	5-D-08-20	204	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 24 IN (2 FT), 2-7/16 IN, 14 GA STEEL, 1-1/2 IN, RECTANGULAR, , SPECIAL APPLICATIO	3	C 5975B SE
BYV056J	AL	5-D-08-20	56	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 24 IN (2 FT), 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE	3	C 5975B SE
CHF132D	AL	5-D-08-30	66	\$0.00	TERMINATI	TERMINATION, CABLE, QA 3, KIT, 5-8 KV, , HIGH VOLTAGE.	3	B 5970B SE
CHF532W	AL	5-D-08-30	359	\$0.00	LAMP	LAMP, HID, QA 0, HIGH PRESSURE SODIUM, E-17, MEDIUM SCREW, 100, CLEAR, 120, 24000, HIGH PRESSURE SODIUM, 100 WATT,E26 MED E	0	C 6250D SE
AAE347N	AL	5-D-09-10	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, SOCKETWELD, 1/2 IN, CS, 600 LB, 80, RAISED FACE, ASME SA105, STANDARD MILL FINISH, B16.5, NORMALIZED, FLAI	1	P 4730P SE
AAL557C	AL	5-D-09-10	2	\$0.00	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, SCHEDULE 160, CARBON STEEL ASME SA 234 GR	1	4730P SE
AAL794X	AL	5-D-09-10	15	\$0.00	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	4730P SE
AAV668Y	AL	5-D-09-10	2	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; CAM FOLLOWER ARM, FOR HONEYWELL PNEUMATIC VALVE POSITIONER,	0	5305J SE
AAW609B	AL	5-D-09-10	2	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, 1/8 IN, *** FOR LARSON-LANE CONDENSATE ANALYZER, MODEL CH-16A	0	4730P SE
AAY664P	AL	5-D-09-10	5	\$0.00	KNOB	KNOB, CONTROL, QA 0, KNOB, ; BAKELITE, BLACK, CONTROL ***	0	48200 SE
ABP415B	AL	5-D-09-10	7	\$0.00	BODY	BODY, CONNECTOR, QA 0, 16 PIN, CONNECTOR, RECEPTACLE ELECT; 16 CONTACTS, FEMALE, ***	0	5935B SE
ABW745V	AL	5-D-09-10	4	\$0.00	CORD	CORD, TYPICAL, QA 3, CORD, FIBROUS; DRIVE, LONG, FOR RECORDER, MULTIPLE PURPOSE, SPEEDOMAX	3	4020W SE
ABX014M	AL	5-D-09-10	2	\$0.00	POINTER	POINTER, INSTRUMENT, QA 0, POINTER ASSY, ; DWG 933635, PRIMARY, FOR YARWAY REACTOR WATER LEVEL	0	6695D SE
ACP818E	AL	5-D-09-10	8	\$0.00	BODY	BODY, CONNECTOR, QA 0, CONNECTOR, RECEPTACLE ELECT; FEMALE, ***	0	5935B SE
ACW911Y	AL	5-D-09-10	1	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 1/2 IN, 32, FILLISTER HEAD, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, NOMINAL DIAMETER: NO 10 (0.	0	5305J SE
ACX102W	AL	5-D-09-10	6	\$0.00	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; FOR DURAGUAGES 4-1/2 IN, NO 1279A ***	0	6695D SE
ACX103T	AL	5-D-09-10	3	\$0.00	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; GAGE, ADJUSTABLE, FOR ASHCROFT MODEL 1383 TEST GAGE	0	6695D SE
AGW208Q	AL	5-D-09-10	27	\$0.00	FASTENER	FASTENER, TYPICAL, QA 0, FASTENER, ; PLASTIC, FOR HOLDING COVER PLATE ON THE ELECTRONIC	0	6630D SE
AGW403T	AL	5-D-09-10	1	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, DIAL, 6 IN, GLASS, WINDOW, DIAL; GLASS, CURVE, 6 IN, FOR TRIDENT 1-1/2 IN COLD WATER	0	5680B SE
AHV675N	AL	5-D-09-10	2	\$0.00	TUBING	TUBING, TYPICAL, QA 0, ROTOMETER, 0.310 IN, 9-1/2 IN, GLASS, TUBING, GLASS; ROTAMETER, BLANK, WITH ZERO LINES, 0.312 OD X 0.12	0	5680B SE
AHW078T	AL	5-D-09-10	2	\$0.00	CHAIN	CHAIN, DRIVE, QA 3, CHAIN, ; SINGLE SPEED, FOR LEEDS AND NORTHRUP SPEEDOMAX W RECORDER ***	3	4010G SE
AJW440J	AL	5-D-09-10	12	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X2 ***	0	7510U SE
AJW540E	AL	5-D-09-10	10	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X3 ***	0	7510U SE
AKW070A	AL	5-D-09-10	9	\$0.00	TUBING	TUBING, TYPICAL, FITTING, ; INLET TUBE, FOR MODEL T-50, TYPICAL S/N 6752 ***	0	4730P SE
AKW170F	AL	5-D-09-10	8	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, TUBE/INLET, *** INLET TUBE, FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL D-50 S/N 6752	0	4730P SE
AMV068A	AL	5-D-09-10	2	\$0.00	KNOB	KNOB, CONTROL, QA 0, KNOB, ; POINTER, PLASTIC, FOR SUB- PANEL ASSY, STYLE B, MODEL	0	6695D SE
AMW154M	AL	5-D-09-10	1	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; STYLUS, INNER, FOR RECORDER, STRIP CHART, ELECTRONIC, 4	0	7510U SE

AMW165G	AL	5-D-09-10	1	\$0.00	WRENCH	WRENCH, HEX KEY, QA 0, 3/16 IN, WRENCH, ; HEX TEE, 0.187 IN, FOR CALIBRATORS, PRESSURE. ***	0	5120M	SE
AMW839L	AL	5-D-09-10	2	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, GLASS; METERING, UNGRADUATED, FOR MODEL FV-1114 ***	0	5680B	SE
ANW028B	AL	5-D-09-10	2	\$0.00	BRACKET	BRACKET, TYPICAL, QA 0, BRACKET, EXTRACTOR; FOR EXTRACTOR, SQUARE ROOT, PNEUMATIC, MODEL 557	0	6695D	SE
APG449K	AL	5-D-09-10	27	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, BRONZE, FNPT X 2 LUG UNIVERSAL	0	4730P	SE
APT144N	AL	5-D-09-10	2	\$0.00	TESTER	TESTER, TYPICAL, QA 0, SYRINGE, 1 - 1.3, BATTERY ELECT SOLUTI; SYRINGE, EXIDE TYPE V-2-B, COMPLETE,	0	P 6630D	SE
APT740H	AL	5-D-09-10	7	\$0.00	TESTER	TESTER, TYPICAL, QA 0, BATTERY, 0-160 DEG F, SPECIFIC GRAVITY 1100 TO 1300	0	6630D	SE
APV762N	AL	5-D-09-10	2	\$0.00	POINTER	POINTER, INSTRUMENT, QA 0, POINTER ASSY, ; BLACK, FOR FOXBORO CONSOTROL CONTROLLER, MODEL	0	6695D	SE
AQW612Y	AL	5-D-09-10	12	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3	4730P	SE
ARN858N	AL	5-D-09-10	4	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 5/8 IN, 32, FILLISTER HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: FILLISTER, MATERIAL: CAR	0	5305J	SE
ATW305W	AL	5-D-09-10	16	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, SPRING; CHART ROLL,ON MULTI-RITER RECORDER,MODEL FMWST6C,FOR	0	6695D	SE
AYT935B	AL	5-D-09-10	90	\$0.00	SPLICE	SPLICE, CABLE, QA 0, #4 AWG, 15 KV, COPPER, GRAY, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; NON-INSULATED, CRIMP, STRAIGHT, TWO-0	0	5940I	SE
BAR445N	AL	5-D-09-10	2	\$0.00	WASHER	WASHER, LOCKING, QA 0, WASHER, LOCK; TIE ROD, FOR AIR CYLINDER, SERIES B, SINGLE END ROD	0	5305J	SE
BBE640N	AL	5-D-09-10	3	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; CARBON STEEL, OUTSIDE CADMIUM PLATED	3	4730P	SE
BBF358Y	AL	5-D-09-10	8	\$0.00	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .625 IN SEAT TYPE 37	3	4730P	SE
BBQ011E	AL	5-D-09-10	8	\$0.00	NUT	NUT, TYPICAL, QA 0, 5 IN, 20, STAINLESS STEEL, UNF, NUT, PLAIN; STAINLESS STEEL, SIZE .5 IN, THD 20, UNF, 2B, RIGHT HAND	0	5305J	SE
BCF730A	AL	5-D-09-10	999	\$0.00	EYELET	EYELET, TD, QA 0, FLAT, 1/16 IN, EYELET, ; FLAT, 0.062 IN, 1000 PER PACKAGE ***	0	5305J	SE
BCT735V	AL	5-D-09-10	8	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0	4730P	SE
BJY560N	AL	5-D-09-10	2	\$0.00	TESTER	TESTER, TYPICAL, QA 0, SMOKE DETECTOR, TESTER, SMOKE DETECTOR; MODEL NO TM-13,FOR AIR DUCT DECTOR TYPE SA-31	0	6630D	SE
BKG968C	AL	5-D-09-10	2	\$0.00	KEY	KEY, MECHANICAL, QA 3, KEY, MACHINE; COUPLING, STEEL, 0.375 SQ X 2.5 IN LG, FOR CENTRIFUGAL	3	4320U	SE
BLA206R	AL	5-D-09-10	10	\$0.00	SPLICE	SPLICE, CABLE, QA 1, UNINSULATED, 750 KCMIL, COPPER, BLACK, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE BUTT TYPE CRIMP, CNDC	1	5940I	SE
BMF755N	AL	5-D-09-10	17	\$0.00	BODY	BODY, CONNECTOR, QA 0, COAXIAL, CONNECTOR, RECEPACLE ELECT; CONNECTOR TYPE: COAXIAL ***	0	5935B	SE
BPL651W	AL	5-D-09-10	1	\$0.00	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; ASTM A-564, TYPE 630, 0.375 IN SQUARE X 4.625 IN. LG.	1	48200	SE
BQA791R	AL	5-D-09-10	23	\$0.00	HANDLE	HANDLE, DOOR, QA 3, HANDLE, DOOR; FLUSH, FOR HOFFMAN ENCLOSURES, UNID# VARIOUS SAFETY AND	3	4710Y	SE
BGD748W	AL	5-D-09-20	104	\$0.00	STRAP	STRAP, TYPICAL, QA 1, STRAP, RETAINING; CARBON STEEL ASTM A570 GR 33, ELECTRO GALVANIZED	1	P 5975B	SE
BLQ555N	AL	5-D-09-20	86	\$0.00	HANGER	HANGER, PIPE, QA 1, 6 IN, CS, W/ SCREW/NUT, ELECTRO-GALVANIZED, ASTM A570, HANGER, PIPE; CARBON STEEL, ASTM A570, GRADE 33	1	P 5975B	SE
BLQ556L	AL	5-D-09-20	87	\$0.00	HANGER	HANGER, PIPE, QA 1, HANGER, PIPE; CARBON STEEL, ASTM A570, GRADE 33, ELECTRO-GALVANIZED	1	P 5975B	SE
BLQ557J	AL	5-D-09-20	67	\$0.00	HANGER	HANGER, PIPE, QA 1, HANGER, PIPE; CARBON STEEL, ASTM A570, GRADE 33, ELECTRO-GALVANIZED, 3	1	P 5975B	SE
BLQ860W	AL	5-D-09-20	98	\$0.00	HANGER	HANGER, PIPE, QA 2, HANGER, PIPE; PIPE CLAMP FOR 2 1/8 INCH OD TUBING A570 GRADE 33	2	P 5975B	SE
BYT984N	AL	5-D-09-20	55	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 18 IN, 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC PULL BC	3	C 5975B	SE
CKF029G	AL	5-D-09-30	22	\$0.00	BODY	BODY, CONDUIT, QA 3, C, 2-1/2 IN, MALLEABLE IRON, RIGID, TYPE: MOGUL CONDULET, THREADED HUBS BOTH ENDS.	3	C	
AFT771C	AL	5-D-09-30	5	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, METAL HALIDE, 1000, RECTANGULAR, FIXTURE, LIGHTING; LAMP TYPE: METAL HALIDE, WATTS: 1000	0	C 6210P	SE
ADR162P	AL	5-D-10-10	2	\$0.00	COUPLING	COUPLING, CONDUIT, QA 0, RIGID, *** COUPLING STYLE: THREADLESS, CONDUIT TYPE ACCEPT: RIGID METAL	0	5975B	SE
AJN704Y	AL	5-D-10-10	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,2-POLE,70 AMP, 120/240 VAC,IEEE 323/344	1	5925B	SE
AKN604W	AL	5-D-10-10	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, 240 AC/125/250 DC, 50, 2, CIRCUIT BREAKER, ; MOLDED CASE,2-POLE,240 VAC, 125/250VDC,50 AMPS TYPE	1	5925B	SE
ALG349A	AL	5-D-10-10	5	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 3 IN X 1-1/2 IN, MALLEABLE IRON, HEXAGON, MNPT X FNPT, ASTM A197, BUSHING, PIPE; STYLE: HEX HEAD, LARGER E	0	4730P	SE
ALG649X	AL	5-D-10-10	3	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 3 IN X 2 IN, MALLEABLE IRON, HEXAGON, MNPT X FNPT, ASTM A197, BLACK, BUSHING, PIPE; STYLE: HEX HEAD, LARGI	0	4730P	SE
AMG541C	AL	5-D-10-10	7	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 4 IN X 2-1/2 IN, MALLEABLE IRON, HEXAGON, MNPT X FNPT, ASTM A197, BUSHING, PIPE; STYLE: HEX HEAD, LARGER E	0	4730P	SE
APG845B	AL	5-D-10-10	19	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, BRONZE, MNPT, FIRST END TYPE: 2 LUG UNIVERSAL	0	4730P	SE
AQN893T	AL	5-D-10-10	50	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 0, RESPIRATOR, AIR, CHEMICAL, PERMISSIBLE, TYPE GMD,	0	P 4240P	SE
ARE975V	AL	5-D-10-10	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 240, 20, 1, BOLTED, CIRCUIT BREAKER, ELECTRICAL; QUICKLAG,BOLT-ON,20 AMPERES 1	0	5925B	SE
ARE976R	AL	5-D-10-10	5	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 240, 30, 1, BOLTED, CIRCUIT BREAKER, ELECTRICAL; QUICKLAG,BOLT-ON,30 AMPERES,1	0	5925B	SE
AVM675P	AL	5-D-10-10	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 240, 40, 3, CIRCUIT BREAKER, ; 3-POLE, 240 VAC, 40 AMPS ***	0	5925B	SE
BCT700V	AL	5-D-10-10	10	\$0.00	BOLT	BOLT, EYE, QA 0, 7/8 IN, 2-1/4 IN, CS, NOMINAL DIAMETER: 00.875000 ( 7/8),	0	5305J	SE
BDF556E	AL	5-D-10-10	2	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3/4 IN, FULL, PVC, 80, SLIP JOINT, STANDARD MILL FINISH, *** END TYPE: COMPRESSION NUT	0	4730P	SE
BDF557C	AL	5-D-10-10	5	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN, FULL, PVC, 80, SLIP JOINT, STANDARD MILL FINISH, *** END TYPE: COMPRESSION NUT	0	4730P	SE
BDL699X	AL	5-D-10-10	4	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 IN, FULL, PVC, 80, FNPT, ***	0	4730P	SE
BEQ620N	AL	5-D-10-10	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,3-POLE,240 VAC 15AMPS, 10000 AMP	1	5925B	SE
BFD072R	AL	5-D-10-10	4	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 1/2 X 1, NICKEL ALLOY, 3000 LB, SOCKETWELD, ASTM B462 CARPENTER, REDUCER, PIPE; STYLE: COUPLING, MAT	0	4730P	SE
BKF211C	AL	5-D-10-10	6	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 220, 40, 2, CIRCUIT BREAKER, ; 2-POLE, 220 VAC, 40 AMPS ***	0	5925B	SE
BLD349J	AL	5-D-10-10	68	\$0.00	COUPLING	COUPLING, HOSE, QA 0, HALF/QUICK DISCONNECT, ZINC PLATED CARBON STEEL, MNPT, ***	0	4730P	SE
BLD350D	AL	5-D-10-10	65	\$0.00	COUPLING	COUPLING, HOSE, QA 0, HALF/QUICK DISCONNECT, ZINC PLATED CARBON STEEL, MNPT, ***	0	4730P	SE
BLD352X	AL	5-D-10-10	79	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, ZINC PLATED CARBON STEEL, FNPT, ***	0	4730P	SE
BLD357K	AL	5-D-10-10	30	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, COUPLING, CARBON STEEL/ZINC PLATED, THREADED, ***	0	4730P	SE
BLL970A	AL	5-D-10-10	67	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, MENDER, BRASS, BARBED, ***	0	4730P	SE
BLL971W	AL	5-D-10-10	44	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, MENDER, BRASS, BARBED, ***	0	4730P	SE
BLL977G	AL	5-D-10-10	40	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 5/8 IN, BRASS, FNPT	0	C 4730P	SE
BLL978E	AL	5-D-10-10	23	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 5/8 IN, BRASS, FNPT, ***	0	4730P	SE

BLL982P	AL	5-D-10-10	50	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/8 IN, HALF/QUICK DISCONNECT, CARBON STEEL, COUPLING HALF, QUICK DISCONNECT; MATERIAL: CARBON STEEL	0	4730P SE
BTG243E	AL	5-D-10-10	8	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, STAINLESS STEEL, QUICK CONNECT X FNPT, COUPLING HALF, QUICK DISCONNECT	0	4730P SE
BVA347T	AL	5-D-10-10	1	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 2 IN X 1/4 IN, STAINLESS STEEL, HEXAGON, MNPT X FNPT, ASME SA403 WP316, BUSHING, PIPE; STYLE: HEX HEAD, LUG	0	4730P SE
AAV161J	AL	5-D-10-10	7	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, DOOR, *** CHROME SATIN FINISH	0	4710Y SE
ABV331W	AL	5-D-10-10	3	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT 5 ML ***	0	6505C SE
AFCS04D	AL	5-D-10-10	10	\$0.00	BEARING	BEARING, BALL, QA 0, 3.5433 IN, 7.4803 IN, 14926, RADIAL, SINGLE ROW, 1.6929 IN, *** MATERIAL: STEEL	0	3110B SE
AHK669T	AL	5-D-10-10	1	\$0.00	BOLT	BOLT, TYPICAL, QA 3, BOLT, DOOR HARDWARE; ELECTRIC, 24 VAC, FACEPLATE US4 FINISH, UL LISTED	3	4710Y SE
AJD222Y	AL	5-D-10-10	16	\$0.00	CLAMP	CLAMP, WIRE ROPE, QA 0, U-BOLT, 3/4 IN, GALVANIZED FORGED STEEL, THREADED	0	4030C SE
ANV035K	AL	5-D-10-10	17	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, COMPUTER; CHIN STYLE, FOR ATI NUCLEAR PARTICULATE DETECTION	0	P 7021A SE
APG645K	AL	5-D-10-10	20	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/4 IN, HALF/QUICK DISCONNECT, BRONZE, 2 LUG UNIVERSAL	0	4730P SE
BDJ021X	AL	5-D-10-10	348	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 3/8 IN, 1 IN, 16, CARBON STEEL, UNC, BOLT, SQUARE NECK, ; CARBON STEEL, NOMINAL DIA .375	0	5305J SE
BDJ035J	AL	5-D-10-10	94	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 7/16 IN, 3-1/2 IN, 14, CARBON STEEL, UNC, BOLT, SQUARE NECK, ; CARBON STEEL, NOMINAL DIA 0	0	5305J SE
BJK060T	AL	5-D-10-10	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJR312Q	AL	5-D-10-10	160	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .625 IN, THD 18, UNF, FASTENER LG	3	5305J SE
BKR823Q	AL	5-D-10-10	10	\$0.00	CROSS	CROSS, PIPE, QA 3, CROSS, PIPE; STYLE: STRAIGHT, MATERIAL: MALLEABLE IRON, MATERIAL SPEC:	3	4730P SE
BLH772J	AL	5-D-10-10	4	\$0.00	HANDLE	HANDLE, DOOR, QA 3, HANDLE, DOOR; DOOR PULL, 26D FINISH, FOR AUTOMATIC FIRE DOOR ***	3	4710Y SE
BQD527V	AL	5-D-10-10	621	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: ROUND, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BQL367K	AL	5-D-10-10	25	\$0.00	BRACKET	BRACKET, ANGLE/TD, QA 0, 90 DEG, 1/8 IN, 12 IN, CARBON STEEL, BRACKET, ANGLE; MATERIAL: CARBON STEEL, STYLE: 90 DEG, NOMINAL DIA	0	4710Y SE
BVW113P	AL	5-D-10-10	40	\$0.00	DISKETTE	DISKETTE, COMPUTER, QA 0, FLOPPY, 1.44 MB, 3-1/2 IN, DISK, MEMORY UNIT; DRIVE, FLOPPY, 1.44 MB 3 1/2" ***	0	7202R SE
BYV056J	AL	5-D-10-20	84	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 3-11/32 IN, 24 IN (2 FT), 3-5/16 IN, STEEL, 2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE 3	C	5975B SE
BYT982T	AL	5-D-10-20	188	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 18 IN, 2-7/16 IN, 14 GA STEEL, 1-1/2 IN, RECTANGULAR, , SPECIAL APPLICATION, TYPE 3	C	5975B SE
BYJ386L	AL	5-D-10-10	50	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 3, 4 FT (48 IN), 1000-2000, CROSSLINKED POLYOLEFIN, WRAPAROUND REPAIR SLEEVE, CABLE USE RANGE 1.3C 3	3	5970B SE
CKK652H	AL	5-D-10-30	13	\$0.00	COVER	COVER, BODY, QA 3, 3 IN, MALLEABLE IRON, SCREWS, TYPE: BLANK, CONDULET OUTLET COVER WITH GASKET.	3	C 5975B SE
CLC931B	AL	5-D-11-20	3	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 3, ASSEMBLY, HIGH PRESSURE SODIUM, 100, PENDANT, CAST ALUMINUM HOUSING, VOLTAGE: MULTI-TAP, WITH GUARD 3	C	6210P SE
CLE534B	AL	5-D-11-20	4	\$0.00	LAMP	LAMP, INCANDESCENT, QA 3, INDUSTRIAL SERVICE, MOGUL SCREW, 100, 120, PENDANT MOUNT FIXTURE.	3	C 6210P SE
CDR023E	AL	5-D-11-20	36	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, HALOGEN, PAR-38, MEDIUM SCREW, 90, 130, 2500, LAMP, HALOGEN; NOMINAL WATTS: 90, VOLTAGE: 130, 0	C	6210P SE
CMG286K	AL	5-D-11-20	2	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 3, HIGH PRESSURE SODIUM, 120, 100, CEILING, FIXTURE RK, WITHOUT GLOBE AND GUARD, WITH STANDARD DOME REFL 3	C	6210P SE
BKQ738L	AL	5-D-11-30	12	\$0.00	LAMP	LAMP, HID, QA 0, MERCURY VAPOR, BT-56, MOGUL SCREW, 1000, CLEAR, LAMP, MERCURY VAPOR; LAMP BASE: MOGUL BASE, LAMP SIZE: B 0	C	6210P SE
BNM032H	AL	5-D-11-30	9	\$0.00	REFLECTOR	REFLECTOR, TYPICAL, QA 0, ASSEMBLY, HIGH BAY MERCURY, 1000 WATTS, REFLECTOR ASSY, ; HIGH BAY MERCURY UNIT, 1000 WATT, COM 0	0	6210P SE
BNM032H	AL	5-D-11-30	20	\$0.00	REFLECTOR	REFLECTOR, TYPICAL, QA 0, ASSEMBLY, HIGH BAY MERCURY, 1000 WATTS, REFLECTOR ASSY, ; HIGH BAY MERCURY UNIT, 1000 WATT, COM 0	0	6210P SE
AEK219D	AL	5-D-12-10	25	\$0.00	NAIL	NAIL, METAL, QA 0, 6D, STEEL, CEMENT COATED, DIAMOND, SMOOTH, 10 LB BOXES	0	5305J SE
AGD642L	AL	5-D-12-10	4	\$0.00	OVERALLS	OVERALLS, PERSONAL, QA 0, PROTECTIVE/OIL/CHEMICAL, LARGE, RUBBER/VULTEX, BLACK, OVERALLS, CHEMICAL/OIL PROT; MATERIAL: R 0	0	8415B SE
AJY186G	AL	5-D-12-10	23	\$0.00	HOSE	HOSE, TYPICAL, QA 0, 6 IN, 25 FT, RUBBER, HOSE, NONMETALLIC; SIZE ID: 6.000 IN, SIZE LENGTH: 25.000 FT ( 25 FT)	0	C 47200 SE
ARA721G	AL	5-D-12-10	48	\$0.00	HEAD	HEAD, MOP, QA 0, DUSTING, 24 IN (2 FT), COTTON	0	7920P SE
BCW492H	AL	5-D-12-10	2	\$0.00	CABINET	CABINET, STORAGE, QA 0, KEY, GREY, 16-1/4 IN, 12-1/8 IN, 5 IN, WALL MOUNT, CABINET, KEY; STEEL, HEAVY DUTY, WALL MOUNT, 40 KEY 0	0	7125E SE
BGQ870J	AL	5-D-12-10	4	\$0.00	PAD	PAD, TYPICAL, QA 0, FLOOR POLISHING, 22 IN DIA, TAN, PAD, FLOOR POLISHING; BUFFING, 22 IN, TAN, THICK LINE ***	0	7910I SE
AAV730G	AL	5-D-12-10	8	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SF 0	0	9520Z SE
AVC638C	AL	5-D-12-10	1	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 5/16 IN, 65-1/2 FT, PLASTIC, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.250 IN ( 1/4)	0	47200 SE
BDQ614C	AL	5-D-12-10	90	\$0.00	RING	RING, BACKING, QA 0, WELDING, 6 IN, CARBON STEEL, RING, WELDING, PIPE JOINT; MATERIAL: CARBON STEEL, NOMINAL SIZE:	0	4730P SE
BLR654F	AL	5-D-12-10	54	\$0.00	ROD	ROD, TYPICAL, QA 0, NON-METALLIC/ROUND, 1/8 IN, 6 FT, NYLON, ***	0	5680B SE
BQW613M	AL	5-D-12-10	2	\$0.00	KIT	KIT, PARTS, QA 0, ACCESSORY KIT, MECHANICAL JOINT; C/O GLAND, BOLTS, NUTS AND RUBBER	0	4730P SE
BRQ842L	AL	5-D-12-10	4	\$0.00	KIT	KIT, PARTS, QA 0, CONNECTOR KIT, HOSE; ACTION CONTROL CONNECTION KIT, CONSISTING OF 4 EA	0	C 4730P SE
BVJ055M	AL	5-D-12-10	1	\$0.00	HOSE	HOSE, TYPICAL, QA 0, CRYOGENIC LIQUIDS, 3/8 IN, 6 FT, HOSE, NONMETALLIC; SIZE ID: 0.375 IN ( 3/8), SIZE LENGTH: 6 FT MEDIA	0	47200 SE
BVQ112E	AL	5-D-12-10	2	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/4 IN, HALF/QUICK DISCONNECT, BRONZE, MNPT X MNPT, PLUG	0	4730P SE
CHJ341L	AL	5-D-12-20	25	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 24 IN (2 FT), 2-7/16 IN, 1-1/2 IN	3	C 5975B SE
BYV062P	AL	5-D-12-20	37	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 2-1/2 IN, RECTANGULAR, , SPECIAL APPLICATION, TY 3	C	5975B SE
CKK812M	AL	5-D-12-30	8	\$0.00	BODY	BODY, CONDUIT, QA 3, BT, 2-1/2 IN, MALLEABLE IRON, THREADED HUB, RIDG	3	C 5975B SE
CKK238V	AL	5-D-12-30	215	\$0.00	SCREW	SCREW, CAP, QA 0, 1-1/2 IN, 4-1/2 IN, 8, HOOD HORZ. JOINT, U1 LP-A TURBINE, S/N 170 X 374	0	C 2825G SE
BKG910P	AL	5-D-13-10	4	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 42.00 X 20.00 IN, FIN TYPE, STRAIGHT VOLUME CONTROLLER	3	P 5670A SE
BKG918V	AL	5-D-13-10	2	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 30 X 28 IN, FIN TYPE, STRAIGHT, VOLUME CONTROLLER	3	P 5670A SE
BK6919R	AL	5-D-13-10	4	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 46 X 14 IN, FIN TYPE, DOUBLE DEFLECTION ***	3	P 5670A SE
BKG925Y	AL	5-D-13-10	2	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 24 X 44 IN, FIN TYPE, STRAIGHT, VOLUME CONTROLLER	3	P 5670A SE
CAM151M	AL	5-D-13-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, WELDNECK, 6 IN, CS, 150 LB, 40, RAISED FACE REMOVED, ASME SA105, STANDARD MILL FINISH, B16.5	1	D 4730P SE
AAV868N	AL	5-D-13-10	4	\$0.00	SCREW	SCREW, TYPICAL, QA 0, SCREW, ; PILOT ASSY, FOR HONEYWELL PNEUMATIC VALVE POSITIONER, SIDE	0	5305J SE
ABC502A	AL	5-D-13-10	2	\$0.00	BEARING	BEARING, BALL, QA 3, 6.6929 IN, 12.2047 IN, CONRAD, ANGULAR, 4.0945 IN, BEARING, BALL ANNULAR; STEEL ***	0	3110B SE
ACG078P	AL	5-D-13-10	7	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, FNPT, FNPT, MALLEABLE IRON, BLACK, 150 LB, ***	3	4730P SE
ADW719G	AL	5-D-13-10	3	\$0.00	TUBE	TUBE, TYPICAL, QA 0, TUBING, METER; INK, REF 5, FOR REPUBLIC FLOW METER, BECKMAN, RECORDER	0	47200 SE

AEK261E	AL	5-D-13-10:	1	\$0.00	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0	9505N SE
AEK424C	AL	5-D-13-10:	7	\$0.00	SCREW	SCREW, CAP, QA 1, 3/4 IN, 5 IN, 10, HEX, ALLOY STEEL, ASME SA193 GR B7, UNC, 2A, SCREW,CAP,HEXAGON H, ; ALLOY STEEL ASME SA 1	1	5305J SE
AET277T	AL	5-D-13-10:	2	\$0.00	CONTROL	CONTROL, PHOTOELECTRIC, QA 0, CONTROL, ELECTRIC LIGHT; STYLE: PHOTO ELECTRIC ***	0	6210P SE
AKW071W	AL	5-D-13-10:	9	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, PUMP, *** PUMP CONNECTING, FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL T-50	0	4730P SE
AKW970E	AL	5-D-13-10:	14	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, GLAND/MALE, *** FOR DEADWEIGHT TESTER, DUAL RANGE, MODEL T-50 S/N 6752	0	4730P SE
APG760Y	AL	5-D-13-10:	6	\$0.00	SPUD	SPUD, HOSE, QA 0, COUPLING, 1-1/2 IN, STEEL, FEMALE/SINGLE	0	48200 SE
ARJ820G	AL	5-D-13-10:	2	\$0.00	BEARING	BEARING, ROLLER, QA 0, SPHERICAL, SELF ALIGNING, 5.1181 IN, 9.0551 IN, 2.5197 IN, BEARING, ROLLER SELF-ALIGNING; OUTSIDE DIAMET	0	P 3110B SE
AWD611M	AL	5-D-13-10:	8	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 5/8 IN, 1/2 IN, 1/2 IN, MNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT	0	4730P SE
AXL584K	AL	5-D-13-10:	2	\$0.00	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; REF 60, SEQ 0000-028, FOR COMBINED REHEAT VALVE, DWG	0	2825G SE
AYY352F	AL	5-D-13-10:	12	\$0.00	TAPE	TAPE, TYPICAL, QA 0, COMPUTER, 2-1/4 IN, TAPE, PAPER COMP MACH; WIDTH: 2.250 IN (2 1/4) ***	0	7420T SE
AYY361E	AL	5-D-13-10:	2	\$0.00	DIAL	DIAL, TYPICAL, QA 0, DIAL, SCALE; PLASTIC, CLEAR, LINEAR 0 TO 2 RANGE, FOR RECORDER	0	6695D SE
BBB177P	AL	5-D-13-10:	4	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/2 IN, 1/2 IN, FNPT, FNPT, STAINLESS STEEL, 3000 LB, ASME SA182 GR F316, STANDARD MILL FIN	0	4730P SE
BBF164C	AL	5-D-13-10:	26	\$0.00	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; CARBON STEEL, STANDARD MILL FINISH, FIRST ID .5 IN	3	4730P SE
BBF678C	AL	5-D-13-10:	8	\$0.00	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .125	3	4730P SE
BBV718W	AL	5-D-13-10:	1117	\$0.00	SCREW	SCREW, SET, QA 0, 1/4 IN, 5 IN, 20, CUP, SS, HEX SOCKET, UNC	0	5305J SE
BDC565W	AL	5-D-13-10:	8	\$0.00	SCREW	SCREW, WOOD, QA 0, #6, 3/4 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0	5305J SE
BDC566T	AL	5-D-13-10:	11	\$0.00	SCREW	SCREW, WOOD, QA 0, #7, 3/4 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0	5305J SE
BDV924D	AL	5-D-13-10:	12	\$0.00	HINGE	HINGE, TYPICAL, QA 0, TEE, 2-7/8 IN, 8 IN, HINGE, TEE; LENGTH: 08.000000 ( 8), WIDTH: 02.875000 ( 2 7/8) ***	0	4710Y SE
BGM031Q	AL	5-D-13-10:	30	\$0.00	PIN	PIN, RETAINING, QA 3, PIN, TAPERED BLAIN; CARBON STEEL, LENGTH 4.0 IN, TAPER MAJOR DIA .25	3	5305J SE
BHH123B	AL	5-D-13-10:	7	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, TUBE, 3/8 IN WD, STEEL, BRUSH, TUBE CLEANING; MATERIAL: STEEL, BRUSH LENGTH: 02.000000 ( 2)	0	7920P SE
BHM800J	AL	5-D-13-10:	22	\$0.00	LENS	LENS, COVER, QA 3, PLASTIC, RED, , FOR PUSH BUTTON STATION	3	P 6210P SE
BHN566E	AL	5-D-13-10:	16	\$0.00	KEY	KEY, MECHANICAL, QA 1, KEY, MACHINE; CLUTCH, REF 14, FOR VALVE ACTUATOR, TYPE SMB-00 ***	1	48200 SE
BJG169H	AL	5-D-13-10:	14	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL 300 SERIES, 3" X 3" X 0.015" THICK, 3/4"	3	5305J SE
BJG170C	AL	5-D-13-10:	24	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; PRECUT, STAINLESS STEEL 304, 3 IN X 3 IN X 0.125 IN THICK,	3	5305J SE
BJK024K	AL	5-D-13-10:	4	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BJL476K	AL	5-D-13-10:	59	\$0.00	SCREW	SCREW, MACHINE, QA 1, #8, 5/8 IN, 32, ROUND HEAD, CS, UNC, STANDARD MILL FINISH, SLOTTED, B18.6.3	1	5305J SE
BJP782W	AL	5-D-13-10:	6	\$0.00	CHAIN	CHAIN, TYPICAL, QA 0, FIRE HYDRANT, CHAIN, FIRE HYDRANT; CAP, FOR MUELLER FIRE HYDRANT,NO A-436 ***	0	4210N SE
BJQ622E	AL	5-D-13-10:	14	\$0.00	TAPE	TAPE, TYPICAL, QA 0, COVER/SEALBAR, 10 FT, FIBERGLASS, TAPE, ; FIBREGLASS, SEALBAR COVER, FOR AUDION SEALMASTER 10 FT ROLL	0	8030W SE
BJR270R	AL	5-D-13-10:	147	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3	5305J SE
BJV760X	AL	5-D-13-10:	30	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, BLACK, FIBER TIP, 3/PACKAGE, PEN, RECORDER; DISPOSABLE, FIBER TIP, BLACK, 3 PER PI	0	7510U SE
BKD380A	AL	5-D-13-10:	6	\$0.00	PEN	PEN, INSTRUMENT, QA 3, ,RECORDER,DISPOSABLE, GREEN, 3 PER PKG,FOR SPEEDOMAX RECORDER, MODEL M	3	7510U SE
BKD381W	AL	5-D-13-10:	7	\$0.00	PEN	PEN, INSTRUMENT, QA 3, RECORDER/DISPOSABLE, BLUE, 3/PACKAGE, , DISPOSABLE, FOR SPEEDMAX RECORDER, MODEL M	3	B 7510U SE
BKG967E	AL	5-D-13-10:	11	\$0.00	KEY	KEY, MECHANICAL, QA 3, IMPELLER, 3/8 IN, 1-3/4 IN, STEEL, SQUARE, , FOR CENTRIFUGAL PUMP, MODEL 2CNR82, 2.5 IN, S/N Y399219A	3	P 4320U SE
BKY827N	AL	5-D-13-10:	8	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BLC616T	AL	5-D-13-10:	13	\$0.00	CABLE	CABLE, INSULATED, QA 1, WIRE, ELECTRICAL; SILICONE FIBERGLASS, INSULATED, 18 AWG, FOR SOLENOID	1	6145G SE
BLT622P	AL	5-D-13-10:	2	\$0.00	NOSE	NOSE, TYPICAL, QA 3, NOSE, ; PLUNGER NOSE, TO FIT A 3 IN STAR VALVE ***	3	4210N SE
BNP366J	AL	5-D-13-10:	2	\$0.00	REDUCER	REDUCER, PIPE, QA 3, REDUCER, PIPE; CONCENTRIC, CLASS 150, MALLEABLE IRON, ASTM A197, END	3	4730P SE
BTH305E	AL	5-D-13-10:	1	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, TUBE; STYLE: SHORT 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	3	4730P SE
BVB806G	AL	5-D-13-10:	5	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 3/4 IN, 3 IN, STAINLESS STEEL, HEX LONG, ASME SA182 GR F316, NIPPLE, PIPE; STYLE: HEX, MATERIAL: STAINLESS STE	0	4730P SE
BVL337A	AL	5-D-13-10:	5	\$0.00	CLAMP	CLAMP, TYPICAL, QA 3, CLAMP, GRATING; TOP CLIP, FOR EPI (ENGINEERED PRODUCT,INC.) GRATE CLAM	3	C 5670A SE
AET278Q	AL	5-D-13-20:	29	\$0.00	HOUSING	HOUSING, TYPICAL, QA 0, BALLAST, W/O MOUNTING COVER, HOUSING, ; BALLAST, LESS MOUNTING COVER ***	0	P 6210P SE
AWE005V	AL	5-D-13-20:	3	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, HIGH PRESSURE SODIUM, 480, 100, ALUMINUM, FIXTURE, LIGHTING; MATERIAL: ALUMINUM, LAMP TYPE: HIGH PRESSU	0	P 6210P SE
ABT685X	AL	5-D-13-20:	8	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, PS-52, MOGUL SCREW, 750, INSIDE FROSTED, 125	0	C 6210P SE
ABT789H	AL	5-D-13-20:	2	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, STANDARD, PS-52, MOGUL SCREW, 1000, INSIDE FROSTED, 120/130, LAMP, INCANDESCENT; TYPE: STANDAI	0	C 6210P SE
ACY977M	AL	5-D-13-20:	30	\$0.00	LAMP	LAMP, FLUORESCENT, QA 0, RAPID START, T-12, MEDIUM BI PIN, 40, 48 IN (4 FT)	0	6210P SE
BCE924N	AL	5-D-13-20:	6	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, 200, A-23, FIXTURE, LIGHTING; LAMP TYPE: INCANDESCENT, WATTS: 200, LAMP	0	P 6210P SE
BLE256L	AL	5-D-13-20:	5	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 3, EMERGENCY, W/ OUT BATTERIES, *** INPUT: 120/277 VAC. OUTPUT: 6 VDC, DISCHARGE TIME: 8.0 HOURS @ 24	3	C 6210P SE
BPT201Y	AL	5-D-13-20:	210	\$0.00	LAMP	LAMP, FLUORESCENT, QA 3, RAPID START, T-12, MEDIUM BI PIN, 40, 48 IN (4 FT), CRI: GE =82, PHILLIPS = 85, COLOR: 3500K, DESIGN LUM	3	B 6210P SE
AFT771C	AL	5-D-13-30:	5	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, METAL HALIDE, 1000, RECTANGULAR, FIXTURE, LIGHTING; LAMP TYPE: METAL HALIDE, WATTS: 1000	0	C 6210P SE
APD233T	AL	5-D-14-10:	1	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; VOLTAGE: 230/208 VAC, PHASE: 1 PH ***	0	4520N SE
BCD033N	AL	5-D-14-10:	2	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR UNIT, REFRIGERATION; VOLTAGE: 230 VAC ***	0	4520N SE
BCY271P	AL	5-D-14-10:	1	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, 2, 14,000 BTU, 3 PH, 230/208	0	4520N SE
BDF020T	AL	5-D-14-10:	2	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, 1.5, 16,000 BTU, 230/208	0	4520N SE
BEG183G	AL	5-D-14-10:	50	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 7-3/16 IN, 0-150 DEG C, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 150 DEG C, 7.187 IN	0	75300 SE
BEG252P	AL	5-D-14-10:	100	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-1/2 IN, 0-5 / 0-25% O2, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 5, 0 TO 25, PCT OXYGEN	0	75300 SE
BEH654X	AL	5-D-14-10:	100	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 11 IN, 90 FT, 0-600 DEG F, 60 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 60 DEG F, TIME	0	75300 SE
CEH397G	AL	5-D-14-20:	56	\$0.00	BODY	BODY, CONDUIT, QA 3, BLB, 1-1/2 IN, COPPER FREE ALUMINUM, THREADED, **	3	C 5975B SE

CEH397G	AL	5-D-14-202	3	\$0.00	BODY	BODY, CONDUIT, QA 3, BLB, 1-1/2 IN, COPPER FREE ALUMINUM, THREADED, **	3	C	5975B SE
CHR045B	AL	5-D-14-202	4	\$0.00	CHASSIS	CHASSIS, INSTRUMENT, QA 3, CHANNEL BANK, VIKING CHASSIS, WITH POWER SUPPLY AND COMMON COMMUNICATIONS CARD	3	C	7020R SE
BYV064K	AL	5-D-14-302	39	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 3 IN, RECTANGULAR, , SPECIAL APPLICATION; PTC PU 3	3	C	5975B SE
BYT978H	AL	5-D-14-302	54	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 12 IN (1 FT), 2-7/16 IN, STEEL, 1-1/2 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC 3	3	C	5975B SE
AFF698L	AL	5-D-15-102	1	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; EVERDUR, 000.375 X 001.250 IN LG, FOR CONTROL	1	C	4470C SE
AGA231R	AL	5-D-15-102	6	\$0.00	WASHER	WASHER, TYPICAL, QA 0, WASHER, ; CAMSHAFT SPACER, FOR AXLE, SERIES C, 020.000IN WHEEL AND	0		5305J SE
AHX662M	AL	5-D-15-102	50	\$0.00	LABEL	LABEL, WARNING, QA 0, SHIPPING, 4 IN, 4 IN, YELLOW III, RADIOACTIVE, LABEL, IDENTIFICATION; SHIPPING, RADIOACTIVE, YELLOW III, 4 X 4 0	0	P	75300 SE
AJV482V	AL	5-D-15-102	3	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, BLOCK, ; CARRIAGE, PEN ARM, FOR X-Y PLOTTER ON HEWLETT-PACKARD PULSE	0		6630D SE
AJY688P	AL	5-D-15-102	6	\$0.00	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, CLASS 6000, CARBON STEEL ASME SA 105	1	P	4730P SE
AKT188T	AL	5-D-15-102	1	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INDICATING, LAMPHOLDER, METER; INDICATING LAMP (PILOT LIGHT), W/RED LENS, BECKMAN	0		6250D SE
AQC750G	AL	5-D-15-102	17	\$0.00	KNOB	KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0		5680B SE
AQQ705D	AL	5-D-15-102	97	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, RECHARGEABLE, NICKEL CADMIUM, 1.3, BATTERY, RECHARGEABLE; ELECTROLYTE: NICKEL CADMIUM, VOLTAGE: 0	0		6140C SE
AQR232Q	AL	5-D-15-102	4	\$0.00	PIN	PIN, LOCK, QA 0, ROLL, 5/16 IN, 1 IN, STEEL, PIN, SPRING; MATERIAL: STEEL, DIAMETER: 00.312500 ( 5/16) LENGTH:	0		5305J SE
AQW660Y	AL	5-D-15-102	91	\$0.00	CLAMP	CLAMP, HOSE, QA 0, 4 IN, GALVANIZED STEEL, ***	0		4730P SE
ARE619J	AL	5-D-15-102	10	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, BLOCK, VALVE; EXHAUST, FOR FISHER CONTROL VALVE POSITIONER ***	0		48200 SE
ARE620D	AL	5-D-15-102	3	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, BLOCK, VALVE; BY-PASS, FOR FISHER CONTROL VALVE POSITIONER ***	0		48200 SE
ARL753F	AL	5-D-15-102	27	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 1/2 IN, 13, STEEL, UNC, *** SLOTTED, FOR AIR COMPRESSOR, MODEL VH-75, SIZE 14.5 X 9 X 6.5	0	P	4310I SE
AWY435P	AL	5-D-15-102	4	\$0.00	ALARM	ALARM, TYPICAL, QA 0, BUZZER, ; ELECTRICAL, 020.000 OHMS, 006.000 VDC ***	0	P	6350B SE
AXP588V	AL	5-D-15-102	22	\$0.00	WASHER	WASHER, SEALING, QA 0, WASHER, ; CASING NUT SEALING, FOR CONTAINMENT INERTING SYSTEM 76A, ON	0		4470C SE
AYK649G	AL	5-D-15-102	1	\$0.00	SCREW	SCREW, SET, QA 0, 3/8 IN, 1-1/4 IN, 24, CARBON STEEL, UNF, *** THD SERIES/DIRECTION: UNF-RIGHT	0		5305J SE
BAG620Q	AL	5-D-15-102	58	\$0.00	LAMP	LAMP, INCANDESCENT, QA 3, LAMP, INCANDESCENT; SIZE T-1 3/4, BASE MIDGET FLANGED, 10.0 VOLTS	3		6210P SE
BAQ457L	AL	5-D-15-102	42	\$0.00	PEN	PEN, INSTRUMENT, QA 3, PEN, RECORDER; GREEN, CARTRIDGE DISPOSABLE 1.375 X 0.6250 X 0.1250 IN	3		7510U SE
BDB272H	AL	5-D-15-102	25	\$0.00	RECEPTAC	RECEPTACLE, ELECTRICAL, QA 0, CONNECTOR, RECEPTACLE ELECT; SINGLE FIBER OPTIC, INTER CONNECTION ***	0	P	5825F SE
BEG963M	AL	5-D-15-102	92	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; STAINLESS STEEL, ASTM F880, TYPE-300 SERIES, CW, CUP POINT	3		5305J SE
BEQ891B	AL	5-D-15-102	4	\$0.00	VISOR	VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, LARGE, ULTRAVUE	0	C	4240P SE
BET388A	AL	5-D-15-102	7	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 0, 1/16 IN, 7 IN, PURE TUNGSTEN, A5.12, EWP, SFA 5.12, PF-1078, ELECTRODE, WELDING; DIAMETER: 0.062 IN 0	0		3439D SE
BEY226G	AL	5-D-15-102	43	\$0.00	HOLDER	HOLDER, LAMP, QA 3, FLUORESCENT, 250, 75, BI-PIN, LAMPHOLDER, ELECTRIC; FLUORESCENT, BI-PIN BASE 75 WATT, 250 VOLTS,	3		6250D SE
BFB321J	AL	5-D-15-102	30	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 0, 3/32 IN, 7 IN, PURE TUNGSTEN, EWP, SFA 5.12, PF-1078, 10 PER PKG	0		3439D SE
BFB907L	AL	5-D-15-102	19	\$0.00	ELECTRODE	ELECTRODE, WELDING, QA 0, 1/8 IN, 7 IN, PURE TUNGSTEN, A5.12, EWP, SFA 5.12, PF-1078, ELECTRODE, WELDING; DIAMETER: 0.125 IN ( 0	0		3439D SE
BGN862G	AL	5-D-15-102	18	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 3, LIGHT, INDICATOR; RED LENS, ZONE ALARM ***	3		6210P SE
BHR027L	AL	5-D-15-102	9	\$0.00	CLAMP	CLAMP, HOSE, QA 3, CLAMP, HOSE; BAND, CARBON STEEL, MIN INSIDE DIA 3.75, WIDTH .75 IN ***	3		4730P SE
BJP462F	AL	5-D-15-102	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ; STEEL, AISI 1018, 1.00 IN DIA,DWG 3037-3, REV2, FOR WATER	3		4710Y SE
BJP479X	AL	5-D-15-102	1	\$0.00	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; STEEL, MILD, DWG 2084-5, REV 2FOR WATER TIGHT	3	C	4710Y SE
BJR221V	AL	5-D-15-102	137	\$0.00	SCREW	SCREW, SET, QA 3, #6, 3/8 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J SE
BJR222R	AL	5-D-15-102	150	\$0.00	SCREW	SCREW, SET, QA 3, #6, 1/2 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J SE
BJR226H	AL	5-D-15-102	149	\$0.00	SCREW	SCREW, SET, QA 3, #8, 5/8 IN, 32, CUP, ALLOY STEEL, HEX SOCKET, UNC	3		5305J SE
BJR244F	AL	5-D-15-102	35	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .25 IN, THD 28, UNF, FASTENER LG	3		5305J SE
BJR245D	AL	5-D-15-102	172	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .25 IN, THD 28, UNF, FASTENER LG	3		5305J SE
BJR272A	AL	5-D-15-102	170	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .312 IN, THD 24, UNF, FASTENER LG	3		5305J SE
BJR295X	AL	5-D-15-102	172	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; ALLOY STEEL, NOMINAL DIA .375 IN, THD 24, UNF, FASTENER LG	3		5305J SE
BJR331L	AL	5-D-15-102	188	\$0.00	SCREW	SCREW, SET, QA 3, SCREW, SET; STAINLESS STEEL, NOMINAL DIA .375 IN, THD 16, UNC	3		5305J SE
BKR726N	AL	5-D-15-102	2	\$0.00	ALARM	ALARM, TYPICAL, QA 0, BELL, 240, 0.31/7.4 VA, BELL, ELECTRICAL; AC ADAPTABLES, VIBRATING TYPE, 240 VAC, 0.31 AMP	0		6350B SE
BLD355P	AL	5-D-15-102	85	\$0.00	COUPLING	COUPLING, PIPE, QA 0, HALF, CARBON STEEL, *** SECOND END TYPE: BARBED, SURFACE TREATMENT: ZINC PLATED	0		4730P SE
BLL436K	AL	5-D-15-102	5	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEAVY HEX HEAD, STRUCTURAL STEEL, ASTM A490, TYPE 1	1		5305J SE
BLR770Q	AL	5-D-15-102	8	\$0.00	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "RADIOACTIVE MATERIALS AREA", ( 5 EACH PER PACK ) ***	0		9905K SE
BMF540P	AL	5-D-15-102	4	\$0.00	PLUG	PLUG, PIPE, QA 0, STAINLESS STEEL, ***	0		4730P SE
BPX265K	AL	5-D-15-102	2	\$0.00	BODY	BODY, CONNECTOR, QA 0, 12 PIN, CONNECTOR, RECEPTACLE ELECT; NUMBER CONTACTS: 12 ***	0		5935B SE
BTP653N	AL	5-D-15-102	70	\$0.00	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.125 IN ( 1/8)	3		47200 SE
BVA357P	AL	5-D-15-102	8	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAINLESS STEEL, FIRST END	3		4730P SE
BVA360E	AL	5-D-15-102	48	\$0.00	COUPLING	COUPLING, HOSE, QA 3, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAINLESS STEEL, FIRST END	3		4730P SE
BWP767T	AL	5-D-15-102	2	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, MORTISE; ELECTRIC MODIFIED, TVA SPECIAL, 24 VAC/DC, LHR, UL	3		4710Y SE
BXG373E	AL	5-D-15-102	3	\$0.00	NUT	NUT, TYPICAL, QA 3, NUT, DOOR HARDWARE; ADJUSTING, FOR USE ON RUSSWIN SERIES 5000 / CORBIN	3		4710Y SE
CDR346Y	AL	5-D-15-102	10	\$0.00	CAP	CAP, PIPE, QA 0, 1/4 IN, THREADED, BRASS, PLAIN, CAP, PIPE; NOMINAL SIZE: 00.250 IN ( 1/4), MATERIAL: BRASS, END TYPE:	0		4730P SE
CEJ852D	AL	5-D-15-102	1	\$0.00	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, PIPE; TYPE: INSERT; MATERIAL: SS; CONNECTION: THREADED;	1	C	4730P SE
ADR361H	AL	5-D-15-102	13	\$0.00	BODY	BODY, CONDUIT, QA 0, T, 2 IN, CAST ALUMINUM, ** CONDUIT TYPE ACCEPT: OBLONG, SURFACE TREATMENT: AL CELLULOSE	0		5975B SE
ANB376L	AL	5-D-15-102	2	\$0.00	BEARING	BEARING, BALL, QA 0, 5.9055 IN, 10.6299 IN, RADIAL, SINGLE ROW, ANGULAR, 1.7717 IN, BEARING, BALL ANNULAR; SINGLE ROW, ANGUL 0	0		3110B SE
APT299Q	AL	5-D-15-102	4	\$0.00	ALARM	ALARM, TYPICAL, QA 0, ALARM, ; WARNING DEVICE, BELL TYPE, TWO-WAY, MOUNTS ON WHEEL ***	0		6350B SE

ARA993E	AL	5-D-15-10:	2	\$0.00	BEARING	BEARING, BALL, QA 2, BEARING, BALL ANNULAR; SINGLE ROW, ANGULAR CONTACT, LIGHT SERIES, 40	2	3110B SE
ATF080Y	AL	5-D-15-10:	23	\$0.00	BEARING	BEARING, MOUNTED, QA 0, FLANGE, FL-3709, 4 BOLT, 1.8750 IN, ***	0	3110B SE
AXN556E	AL	5-D-15-10:	10	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLLOW BLOCK, 2.4375 IN, ***	0	3110B SE
BCB462J	AL	5-D-15-10:	9	\$0.00	BELT	BELT, TYPICAL, QA 0, BELT, AIR RESPIRATOR; WAIST, FOR BREATHING APPARATUS SELF-CONTAINED	0	4240P SE
BEH771R	AL	5-D-15-10:	5	\$0.00	BAG	BAG, STORAGE, QA 0, 1/2 IN X 1-1/2 IN, 6 MIL, BLACK, DOSIMETER/PANASONI, BAG, PLASTIC; BAG WIDTH: 00.500 IN, BAG LENGTH: 1.500	0	8105A SE
BHF049X	AL	5-D-15-20:	36	\$0.00	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT; REFLECTOR STYLE: DOME, MATERIAL: PORCELAIN ***	0	P 6210P SE
BYR303G	AL	5-D-15-20:	800	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE	1	C 5970B SE
AFT771C	AL	5-D-15-30:	8	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, METAL HALIDE, 1000, RECTANGULAR, FIXTURE, LIGHTING; LAMP TYPE: METAL HALIDE, WATTS: 1000	0	C 6210P SE
AFT771C	AL	5-D-15-30:	2	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, METAL HALIDE, 1000, RECTANGULAR, FIXTURE, LIGHTING; LAMP TYPE: METAL HALIDE, WATTS: 1000	0	C 6210P SE
ACW574N	AL	5-D-16-10:	1	\$0.00	TUBE	TUBE, TYPICAL, QA 0, RECORDER, 9-1/2 IN, 1/16 IN, 3/16 IN, TYGON, TUBING, NONMETALLIC; TYGON, 0.1875 OD X 0.0625 ID X9.50 IN LC	0	47200 SE
ADP211F	AL	5-D-16-10:	4	\$0.00	BODY	BODY, CONNECTOR, QA 0, 37 PIN, CONNECTOR, RECEPTACLE ELECT; 37 PIN, FEMALE CONTACTS ***	0	5935B SE
AJT488L	AL	5-D-16-10:	19	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, MEDIUM, 600, 660, MEDIUM SCREW BASE, WITH PIGTAILS,	0	P 6250D SE
ARH129L	AL	5-D-16-10:	18	\$0.00	HOUSING	HOUSING, FILTER, QA 0, ASSEMBLY/DIAPHRAGM, HOUSING ASSY, RESPIRATOR; SPEAKING DIAPHRAGM, FOR ULTRA FILTER AND	0	4240P SE
AWQ376C	AL	5-D-16-10:	4	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 3/32 IN X 6 IN, POLYOLEFIN/ SHRINKABLE, RED, INSULATION SLEEVING, ELECTRICAL; IRRADIATED	0	5970B SE
AYY346R	AL	5-D-16-10:	10	\$0.00	NUT	NUT, TYPICAL, QA 0, PIPE HANGER, *** TIE ROD, FOR HYDRAULIC SNUBBERMODEL HSSA-20	0	4710Y SE
BGT954N	AL	5-D-16-10:	11	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, PENETRATION, WIRE SIZE 16	1	5970B SE
BHB291L	AL	5-D-16-10:	18	\$0.00	CLAMP	CLAMP, CONDUIT, QA 3, STRAP, RETAINING; MALLEABLE IRON, BLACK, ONE HOLE, 0.375 IN, MAXIMUM	3	4710Y SE
BJC530W	AL	5-D-16-10:	1	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 1, ELECTRICAL, 1-3/16 IN, 1.325 IN, 40 IN, INSULATION SLEEVING, ELECTRICAL; (HEAT SHRINK TUBING), RUBBER,	1	5970B SE
BNR770C	AL	5-D-16-10:	4	\$0.00	RING	RING, ADJUSTING, QA 3, RING, ALIGNMENT,PIPE; 1-1/2 IN ADJUSTABLE PIPE RING ***	3	4730P SE
BQJ781K	AL	5-D-16-10:	1	\$0.00	HOUSING	HOUSING, GEAR, QA 0, HOUSING, GEAR; VELOCITY TRANSDUCER HOUSING, STAINLESS STEEL WITH	0	4710Y SE
BTY558C	AL	5-D-16-10:	10	\$0.00	TAPE	TAPE, DATA, QA 0, MINI, 120 MB, CARTRIDGE, COMPUTER; MINI DATA, P/N DC 2120, 120 MBYTES, FOR COLORADO	0	6695D SE
BWC868D	AL	5-D-16-10:	1	\$0.00	HOSE	HOSE, TYPICAL, QA 3, HOSE, NONMETALLIC; MATL (INTER LINER): TEFLON, SIZE ID: 0.406 IN	3	47200 SE
CAA900B	AL	5-D-16-10:	30	\$0.00	STUD	STUD, TYPICAL, QA 3, STUD, WELDING; NOMINAL DIAMETER: 00.625000 ( 5/8), MATERIAL: CARBON	3	5305J SE
CAL639V	AL	5-D-16-10:	8	\$0.00	STRIP	STRIP, SEAL, QA 3, WEATHER STRIP, SEAL; AUTOMATIC DOOR BOTTOM, ALUMINUM ALLOY AND	3	5680B SE
BCR351K	AL	5-D-16-10:	2	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; VOLTAGE: 400/460 VAC, PHASE: 3 PH ***	0	C 4520N SE
BCT555X	AL	5-D-16-10:	1	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; 5 TON, FOR CARRIER HEAT PUMP ***	0	4520N SE
BCV595C	AL	5-D-16-10:	1	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; VOLTAGE: 460 VAC, HORSEPOWER: 84, PHASE: 3	0	4520N SE
BGT045K	AL	5-D-16-10:	10	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION BOX, ELECTRICAL; FLOOR TYPE, UL LISTED ***	0	C 5975B SE
BK6083C	AL	5-D-16-10:	2	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; VOLTAGE: 460 VAC, PHASE: 3 PH ***	0	4520N SE
BYY212Q	AL	5-D-16-20:	100	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, LIQUID TIGHT, 4 IN, STEEL, POLYVINYL COVERED, GALVANIZED, METAL, UL LISTED	3	C 5975B SE
BYR303G	AL	5-D-16-30:	1300	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVING, ELECTRICAL; TYPE: HEATSHRINKABLE, INSIDE	1	C 5970B SE
BYV064K	AL	5-D-16-30:	40	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 4-13/16 IN, 36 IN (3 FT), 4-3/4 IN, STEEL, 3 IN, RECTANGULAR, , SPECIAL APPLICATION; PTC PU 3	3	C 5975B SE
BCR453B	AL	5-D-17-30:	10	\$0.00	REFLECTOR	REFLECTOR, LIGHTING, QA 0, REFLECTOR, LIGHT; PORCELAIN, 30 DEG ANGLE ***	0	C 6210P SE
AA4439Y	AL	5-D-18-10:	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A, BAR, ROUND W/HOLLOW CORE; MA	0	P 9520Z SE
AA4735T	AL	5-D-18-10:	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SF	0	9520Z SE
AA4931T	AL	5-D-18-10:	4	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAND CAST, FED SF	0	9520Z SE
AB4636N	AL	5-D-18-10:	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1-1/2 IN ID X 4 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A	0	9520Z SE
AJ4631M	AL	5-D-18-10:	3	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1/2 IN ID X 1-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A CDA 836, METAL BAR, ; ROUND W	0	9520Z SE
AJ4731H	AL	5-D-18-10:	126	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 2 IN ID X 4-3/4 IN OD, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, I	0	9520Z SE
AJ4831D	AL	5-D-18-10:	79	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 2 IN ID X 5-1/4 IN OD, BRONZE, QQ-C-390A, METAL BAR, ; ROUND WITH CORE, BRONZE, SAN	0	P 9520Z SE
AK4830L	AL	5-D-18-10:	4	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1 IN, 1 FT 1 IN, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND, BRONZE, SAND CAST, SOLID, FED SPE	0	9520Z SE
AK4930G	AL	5-D-18-10:	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1-1/4 IN, 1 FT 1 IN, BRONZE, SAND CAST, QQ-C-390A, METAL BAR, ; ROUND, BRONZE, SAND CAST, SOLID, FED	0	9520Z SE
BF4674D	AL	5-D-18-10:	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 1 IN ID X 3 IN OD, BRONZE, ALLOY 932, CAST	0	9520Z SE
BHE016J	AL	5-D-18-10:	20	\$0.00	BAG	BAG, STORAGE, QA 0, POLYETHYLENE, 36 IN X 60 IN, 6 MIL, CLEAR, STORE ASBESTOS MATERIAL, BAG, PLASTIC; MATERIAL: POLYETHYLENE	0	C 8105A SE
CK4624E	AL	5-D-18-20:	150	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, HIGH TEMPERATURE, 2 IN, THERMOPLASTIC COVER, LIQUITITE ATX-16	3	C 5975B SE
CJP738Q	AL	5-D-18-20:	250	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, EXTRA HIGH/LOW TEMPERATURE, 1-1/2 IN, 50 FT, STEEL, THERMO-PLASTIC RUBBER JACKET, TYPE LIQUATITE A	3	C 5975B SE
CJP738Q	AL	5-D-18-30:	75	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, EXTRA HIGH/LOW TEMPERATURE, 1-1/2 IN, 50 FT, STEEL, THERMO-PLASTIC RUBBER JACKET, TYPE LIQUATITE A	3	C 5975B SE
BL4628B	AL	5-D-19-10:	73	\$0.00	SEAL	SEAL, FEEDTHROUGH, QA 1, ELECTRICAL CONDUCTOR, #14 AWG, 18 IN X 300 IN, 8, MNPT FITTING ON BOTH ENDS, , ASSY, 0.75 IN FEED TI	1	B 5975B SE
AQE022K	AL	5-D-19-10:	7	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 240, 100, FIXTURE, LIGHTING; LIGHTING, MERCURY VAPOR, 100 W, 240 V ***	0	C 6210P SE
BL4628B	AL	5-D-19-10:	160	\$0.00	SEAL	SEAL, FEEDTHROUGH, QA 1, ELECTRICAL CONDUCTOR, #14 AWG, 18 IN X 300 IN, 8, MNPT FITTING ON BOTH ENDS, , ASSY, 0.75 IN FEED TI	1	B 5975B SE
BB4558N	AL	5-D-19-20:	10	\$0.00	CONNECTOR	CONNECTOR, CONDUIT, QA 3, BOX CONNECTOR, ELECTRICAL; COND TYPE ACCOM FIRST END STYLE "HUB" TYPE	3	P 5975B SE
BLA247A	AL	5-D-19-20:	15	\$0.00	CONNECTOR	CONNECTOR, CONDUIT, QA 3, 2 IN, MALLEABLE IRON, 45 DEG, LIQUIDTIGHT, , COND TYPE ACCOM FIRST END FLEXIBLE METALLIC, ZINC COA	3	C 5975B SE
CG4611H	AL	5-D-19-20:	72	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, HALOGEN, PAR-38, 90, CLEAR, 130, 4000, 90 WATT HALOGEN CAPSYLITE FLOODLITE	0	C 6210P SE
BY4341F	AL	5-D-19-20:	50	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 2 IN, MALLEABLE IRON, THREADED, RIGID, CONDUIT OUTLET	3	C 5975B SE
CG4670F	AL	5-D-19-30:	7	\$0.00	CONDUIT	CONDUIT, RIGID, QA 3, THICKWALL, 4 IN, STEEL, FACTORY 90 DEG BEND, GALVANIZED, THREADED	3	C 5975B SE
CAN150X	AL	5-D-19-30:	28	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, THERMAL, 5/8 IN, 3/4 IN, RUBBER, USED FOR FREEZE SEALS ON PIPE REPAIR	0	B 5640H SE
BNT414J	AL	5-D-20-30:	2	\$0.00	HOSE	HOSE, FLEXIBLE/METAL, QA 1, HOSE ASSY, METALLIC; FLEXIBLE, 6 IN, 90 DEGREE, S/N 005 AND 006. ***	1	P 47200 SE

CDX980W	AL	5-D-21-10	3	\$0.00	BOX	BOX, ELECTRICAL, QA 0, TERMINAL BOX, SPLICING; TERMINAL BOXES MOUNTED ON 6 FOOT TALL SQUARE	0	C	5975B SE
BKH133V	AL	5-D-21-20	55	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 3 IN, MALLEABLE IRON, STRAIGHT, THREADED, ,END TYPE: GLAND NUT W/EXT THD, FEATURES: ROTATABLE (3	3	C	5975B SE
CBW970H	AL	5-D-21-20	71	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 1 IN, MALLEABLE IRON, STRAIGHT, COMPRESSION, LIQUIDTIGHT, , FEATURES: INSULATED WITH GROUNDING SI	3	C	5975B SE
BTM492Y	AL	5-D-21-20	45	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 1-1/2 IN, MALLEABLE IRON, THREADED, RIGID, , ENTRANCE: HUB, WITH COVER AND GASKET	3	C	5975B SE
BYV090X	AL	5-D-21-20	22	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 6-5/16 IN, 48 IN (4 FT), 6-3/16 IN, STEEL, 4 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC PU 3	3	C	5975B SE
BLV075C	AL	5-D-21-30	74	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 1, BLOCK, 600, 10, 1 NO 1 NC, FOR CR2940 PUSHBUTTON STATION.	1	S	5999D SE
CLE534B	AL	5-D-21-30	4	\$0.00	LAMP	LAMP, INCANDESCENT, QA 3, INDUSTRIAL SERVICE, MOGUL SCREW, 100, 120, PENDANT MOUNT FIXTURE.	3	C	6210P SE
CLT418F	AL	5-D-21-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, SINGLE EYE, 1-1/2 IN-1.99 IN, 34 IN, TIN COATED BRONZE, CLOSED MESH	3	C	5120M SE
CLT460V	AL	5-D-21-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 4 IN-4.49 IN, 46 IN, TIN COATED BRONZE, DOUBLE WEAVE/CLOSED MESH	3	C	5120M SE
CLT462C	AL	5-D-21-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 4-1/2 IN-4.99 IN, 68 IN, TIN COATED BRONZE, DOUBLE WEAVE/CLOSED MESH	3	C	5120M SE
CLT490J	AL	5-D-21-30	6	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 3 IN-3.490 IN, 40 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
CLT495W	AL	5-D-21-30	4	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 3.50 IN-3.99 IN, 44 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
ADK766M	AL	5-D-22-10	8	\$0.00	TURNBUCKI	TURNBUCKLE, EYE/EYE, QA 0, 3/4 IN, 17 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DIAMET	0	P	4710Y SE
ADY447D	AL	5-D-22-10	2	\$0.00	LABEL	LABEL, WARNING, QA 0, MARKER, 1 IN, YELLOW, MAGENTA, CAUTION RADIOACTIVE, MATERIAL, MARKER, IDENTIFICATION; PERFORATED MA	0		75300 SE
AEN499W	AL	5-D-22-10	3	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, POWER, 250/600, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYL	0		5935B SE
AEP810X	AL	5-D-22-10	4	\$0.00	BODY	BODY, CONNECTOR, QA 0, 6 PIN, CONNECTOR, RECEPTACLE ELECT; SIX CONTACTS, FEMALE, ***	0		5935B SE
AEX867M	AL	5-D-22-10	6	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; BLACK, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AEY551C	AL	5-D-22-10	3	\$0.00	TRAP	TRAP, STEAM, QA 0, BUCKET, 3/4 IN 460C AND 461C, 150 PSIG, FNPT, CARBON STEEL, TRAP, STEAM; SIZE: 00.750000 ( 3/4), MATERIAL: 0	0		4730P SE
AEY884G	AL	5-D-22-10	1	\$0.00	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT, 3 DOOR, ELECTRIC, LEFT HAND, 4.5 X 4.5 IN, US-26D FINISH	3		4710Y SE
AFX062H	AL	5-D-22-10	6	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; GREEN, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX065B	AL	5-D-22-10	6	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; RED, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX263G	AL	5-D-22-10	5	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; PURPLE, ONE PER PACK ***	0		7510U SE
AFX760D	AL	5-D-22-10	6	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTR; BROWN, 24 PER PACKAGE, FOR MULTI-RITER	0		7510U SE
AFX965F	AL	5-D-22-10	6	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; VIOLET, 24 PER PACKAGE, FOR	0		7510U SE
AHE983E	AL	5-D-22-10	5	\$0.00	TRAP	TRAP, STEAM, QA 0, TRAP, MOISTURE; EXHAUST FILTER & OIL, FOR VACUUM PUMP, MODEL 0211-V36A	0	P	4730P SE
AHH398A	AL	5-D-22-10	5	\$0.00	WASHER	WASHER, THRUST, QA 0, TEFLON, *** PT 11, FOR NORRIS BUTTERFLY VALVE, 6", ON GRAVER DEMINERALIZER	0		5305J SE
AHW000D	AL	5-D-22-10	8	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; MICROMIL, 003.000 IN DIA, 3 PER SET, RING	0		5680B SE
AND946T	AL	5-D-22-10	13	\$0.00	PIPE	PIPE, TYPICAL, QA 0, PIPE, FIRE PROTECTION; DISCHARGE, MODEL H HORN, FOR MODEL R-51 FIRE	0		4210N SE
APP301H	AL	5-D-22-10	4	\$0.00	BODY	BODY, CONNECTOR, QA 0, 50 POLE, CONNECTOR, RECEPTACLE ELECT; FEMALE, 50 POLE ***	0		5935B SE
ARL804R	AL	5-D-22-10	9	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, GAS TIGHT, 1 ML, SYRINGE, ; SERIES D,PRESSURE LOK,GAS VOLUMN 0 TO 1 MILLILITER ***	0		6505C SE
ATK464M	AL	5-D-22-10	9	\$0.00	TURNBUCKI	TURNBUCKLE, TYPICAL, QA 0, TURNBUCKLE, METALLIC; MATERIAL: CARBON STEEL, TYPE: STANDARD ***	0		4710Y SE
AVX751Q	AL	5-D-22-10	6	\$0.00	CAP	CAP, TYPICAL, QA 0, FILLER OPENING, STEEL, *** FIG 21, FOR MODEL 20 EXTINGUISHER, PURPLE K, P/N K-20E	0		4710Y SE
AWH294J	AL	5-D-22-10	4	\$0.00	TERMINATC	TERMINATOR, CABLE/TD, QA 0, 350-1000 FT FIELD, TERMINATOR, ; 350.000 TO 1000.000 FEET FIELD, FOR E FIELD INTRUSION	0	P	6350B SE
AWQ382H	AL	5-D-22-10	1	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 1/4 IN X 6 IN, POLYOLEFIN, BLACK, INSULATION SLEEVING, ELECTRICAL; IRRADIATED POLYOLEFIN	0		5970B SE
AXL611B	AL	5-D-22-10	2	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, STRAINER, 5 IN, STEEL, STRAINER, 5 IN OD DRYER, FIGURE 52, REF 8, FOR MODEL V2A4-754	0		4730P SE
AYT413A	AL	5-D-22-10	1	\$0.00	RATCHET	RATCHET, MECHANICAL, QA 0, RATCHET, ; STEEL, FOR COUNTERCLOCKWISE GATEHOUSE TURNSTILE, MODEL	0		5660E SE
BAY599G	AL	5-D-22-10	5	\$0.00	HANDWHEE	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ACTUATOR; FOR VALVE ACTUATOR, MDT-1, DWG E1312 ***	0		48200 SE
BBY628E	AL	5-D-22-10	7	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0		4730P SE
BBY629C	AL	5-D-22-10	7	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0		4730P SE
BFD061Y	AL	5-D-22-10	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 LB, 0	0		4730P SE
BGQ059J	AL	5-D-22-10	4	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL, FACEPIECE; RUBBER, INFLATIBLE, SMALL, PERIAHERAL, FOR RESPRIATOR	0		4240P SE
BGT801H	AL	5-D-22-10	10	\$0.00	RIBBON	RIBBON, TYPICAL, QA 0, BLACK, 2 IN, NYLON, RIBBON, COMPUTING MACHINE; MATERIAL: NYLON, RIBBON TYPE: OKIDATA	0		7510U SE
BJR564W	AL	5-D-22-10	1	\$0.00	BASKET	BASKET, TYPICAL, QA 3, BASKET, ; STRAINER, CARBON STEEL, 6.00 X 13.00 IN LONG, FOR ROLAIRTROL	3		4730P SE
BKR587A	AL	5-D-22-10	3	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/4 IN, 1-1/4 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FOR 1	0		4730P SE
BLG933R	AL	5-D-22-10	16	\$0.00	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; HANDLE, FOR CPI TYPE STAINLESS STEEL VALVE	3		4710Y SE
ABG251K	AL	5-D-22-10	7	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3/4 IN, HALF, BRONZE, QUICK DISCONNECT, SECOND END TYPE: PUSH-PULL INTER HALF	0		4730P SE
ABG451B	AL	5-D-22-10	7	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/4 IN, HALF/QUICK DISCONNECT, BRONZE, FNPT, FIRST END TYPE: 2 LUG UNIVERSAL	0		4730P SE
ADG274T	AL	5-D-22-10	7	\$0.00	TEE	TEE, TUBING, QA 0, FEMALE, 3/4 IN, COPPER, SWEAT, ***	0		4730P SE
ADK566X	AL	5-D-22-10	2	\$0.00	TURNBUCKI	TURNBUCKLE, EYE/EYE, QA 0, 5/8 IN, 15-1/2 IN, GALVANIZED FORGED STEEL, MATERIAL: FORGED STEEL, HOLE DIAMETER: 00.625000	0		4710Y SE
ADR665W	AL	5-D-22-10	20	\$0.00	BUSHING	BUSHING, CONDUIT, QA 0, INSULATED, 1-1/2 IN, ALUMINUM, BUSHING, ELECTRICAL CONDUIT; CONDUIT, INSULATED	0		5975B SE
AEG697P	AL	5-D-22-10	9	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1-1/2 IN, MENDER, CS	0	C	4730P SE
AEK661X	AL	5-D-22-10	3	\$0.00	WIRE	WIRE, MUSIC, QA 0, 0.035 IN, ALLOY STEEL, 15 GAUGE	0		9505N SE
AEK862K	AL	5-D-22-10	2	\$0.00	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0		9505N SE
AFG072H	AL	5-D-22-10	10	\$0.00	UNION	UNION, TUBING, QA 0, 3/8 IN, COPPER, SWEAT, UNION, TUBE; COPPER ALLOY, FIRST ID .375 IN END STYLE SOLDER SECOND ID	0		4730P SE
AFG964L	AL	5-D-22-10	18	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/4 IN, HALF/QUICK DISCONNECT, STAINLESS STEEL, FNPT, COUPLING HALF, QUICK DISCONNECT; MATERIAL: STAI	0		4730P SE
AFH063D	AL	5-D-22-10	2	\$0.00	NUT	NUT, HEX, QA 1, NUT,PLAIN,HEXAGON, ; BONNET, HT, PT 2-10, 001.750-8 UNC IN, FOR	1	C	48200 SE
AGP118J	AL	5-D-22-10	9	\$0.00	BODY	BODY, CONNECTOR, QA 0, QUICK DISCONNECT, RECEPTACLE ELECT, FEMALE	0	C	5935B SE

AGX669D	AL	5-D-22-10:	24	\$0.00	CARTRIDGE	CARTRIDGE, INK, QA 0, INK, RECORDING INSTRUMENT; RED, CARTRIDGE, FOR RECORDER, MODEL 2550	0	7510U SE
AJY452M	AL	5-D-22-10:	13	\$0.00	CLAMP	CLAMP, C, QA 0, 0 - 2 IN, MALLEABLE IRON, BLACK	0	5120M SE
ALC503G	AL	5-D-22-10:	1	\$0.00	NUT	NUT, LOCK, QA 3, NUT, PLAIN; BEARING, SERIES N-AN ***	3	5305J SE
ALG680F	AL	5-D-22-10:	2	\$0.00	CAP	CAP, PIPE, QA 1, CLASS 2, 3/8 IN, SOCKETWELD, CS, 3000 LB, ASME SA105, PLAIN, FORGED, B16.11, CAP, PIPE; NOMINAL SIZE: 00.375 IN	1	4730P SE
AMG246E	AL	5-D-22-10:	1	\$0.00	CAP	CAP, PIPE, QA 0, 3 IN, FNPT, IRON, 150 LB, ASTM A197, GALVANIZED	0	4730P SE
AMX290K	AL	5-D-22-10:	7	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, 2-13/32 IN, 3/16 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, 0.187 IN THICK X 2.406 IN, FOR	0	5680B SE
AND543H	AL	5-D-22-10:	4	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, 3 FT (36 IN), 75 A, WIRE ASSY, ; BONDING, FLEX CABLE, TYPE C, 3 FT 75 AMP ***	0	4210N SE
ATW346D	AL	5-D-22-10:	2	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, ; PRINT, ON MULTI-RITER RECORDER, MODEL FMWST6C, FOR TURBO	0	6695D SE
AXD498G	AL	5-D-22-10:	3	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 5/8 IN, 5-3/8 IN, 11, ALLOY STEEL, UNC, ASTM A193 GR B7	0	48200 SE
BAG151N	AL	5-D-22-10:	1	\$0.00	WASHER	WASHER, LOCKING, QA 3, WASHER, BEARING; FOR BEARING WITH BORE NO.12, DIMENSION: 2.413" I.D.	3	3110B SE
BAG209J	AL	5-D-22-10:	1	\$0.00	NUT	NUT, LOCK, QA 3, NUT, PLAIN; BEARING, SERIES N-AN, 2.3622 IN BORE, 18 THREADS PER INCH	3	5305J SE
BAW754R	AL	5-D-22-10:	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 120/240, 20, 1, 60, CU/AL PLUG-IN, VOLTS: 120/240 AC; AMPS: 20; HERTZ: 60; POLE: 1;	0	5925B SE
BBY627G	AL	5-D-22-10:	5	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, STANDARD MILL FINISH, ***	0	4730P SE
BDE691D	AL	5-D-22-10:	13	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 1 IN X 3/4 IN, COPPER ALLOY, FLUSH, MNPT X FNPT, ***	0	4730P SE
BDE692B	AL	5-D-22-10:	17	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 1-1/4 IN X 1 IN, COPPER ALLOY, FLUSH, MNPT X FNPT, ***	0	4730P SE
BDE699W	AL	5-D-22-10:	15	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 2 IN X 1-1/2 IN, COPPER ALLOY, FLUSH, MNPT X FNPT, ***	0	4730P SE
BDE745G	AL	5-D-22-10:	14	\$0.00	UNION	UNION, TUBING, QA 0, 1/4 IN, COPPER, SWEAT, STANDARD MILL FINISH, UNION, TUBE; FIRST END NOM SIZE: 00.250 IN ( 1/4) SECOND END 0	0	4730P SE
BDL083W	AL	5-D-22-10:	1	\$0.00	CROSS	CROSS, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, CS, SOCKETWELD, SOCKETWELD, SOCKETWELD, SOCKETWELD, 3000	0	4730P SE
BDX822B	AL	5-D-22-10:	13	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-3/4 IN, 0-10 US/CM, 1 IN/CM PER HOUR, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 10 US/CM, 0	0	75300 SE
BFT600D	AL	5-D-22-10:	6	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 1-1/2 IN X 1 IN, PVC, HEXAGON, MNPT X FNPT, 80, BUSHING, PIPE; STYLE: HEX HEAD, LARGER END NOM SIZE: 01.500 0	0	4730P SE
BGQ073Q	AL	5-D-22-10:	10	\$0.00	COUPLING	COUPLING, HOSE, QA 0, COUPLING, HOSE; 0.25 IN, MALE TIP, FOR STUD TENSIONER ***	0	4730P SE
BJE204M	AL	5-D-22-10:	63	\$0.00	SHIM	SHIM, TYPICAL, QA 3, 0.075 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.075 IN THICK	3	5305J SE
BJE206H	AL	5-D-22-10:	19	\$0.00	SHIM	SHIM, TYPICAL, QA 3, 0.025 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.025 IN THICK	3	5305J SE
BJE211P	AL	5-D-22-10:	32	\$0.00	SHIM	SHIM, TYPICAL, QA 3, 0.004 IN, SS, 2 IN, 2 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 2 IN X 2 IN X 0.004 IN THICK	3	5305J SE
BJN139V	AL	5-D-22-10:	1	\$0.00	NUT	NUT, LOCK, QA 1, NUT, STRUCT CHANNEL LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER:	1	5305J SE
BJP488W	AL	5-D-22-10:	8	\$0.00	NUT	NUT, HEX, QA 3, NUT, PLAIN, HEXAGON, ; JAM, STEEL, MILD, 0.75 IN, STANDARD THREAD, DWG	3	5305J SE
BJQ023V	AL	5-D-22-10:	6	\$0.00	WASHER	WASHER, LOCKING, QA 0, STAINLESS STEEL, ***	0	5305J SE
BKN780B	AL	5-D-22-10:	16	\$0.00	NUT	NUT, HEX, QA 3, NUT, PLAIN, HEXAGON, ; CARBON STEEL, NOMINAL DIA .25 IN, FOR SHUTDOWN	3	4520N SE
BLC565H	AL	5-D-22-10:	2	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, OUTLET, PIPE; STYLE: REINFORCED BRANCH, MATERIAL: CARBON STEEL, RUN	1	4730P SE
BLD354R	AL	5-D-22-10:	44	\$0.00	COUPLING	COUPLING, HOSE, QA 0, COUPLING, CARBON STEEL, BARBED, ***	0	4730P SE
BLD356M	AL	5-D-22-10:	53	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, ZINC PLATED CARBON STEEL, MNPT, ***	0	4730P SE
BLN973E	AL	5-D-22-10:	2	\$0.00	STRAINER	STRAINER, Y, QA 3, 1/2 IN, SS, STRAINER, SEDIMENT; STRAINER, SEDIMENT, 1/2 INCH, BRASS BODY, 'Y'	3	4730P SE
BLT427M	AL	5-D-22-10:	12	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 IN, FULL, PVC, 40, ***	0	4730P SE
BLV342Q	AL	5-D-22-10:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 1, ELBOW, PIPE; 90 DEGREE ELL, 1 INCH, TVA MARK 47W600-1554, ASME SA 182	1	4730P SE
BMD677T	AL	5-D-22-10:	2	\$0.00	WASHER	WASHER, TYPICAL, QA 0, *** FOR HYPOCHLORITE SYSTEM.	0	5305J SE
BPF356Q	AL	5-D-22-10:	141	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/4 IN, 6 IN, 20, CARBON STEEL, BOLT, MACHINE; HEAD STYLE: SLOTTED, MATERIAL: CARBON STEEL NOMINAL	0	5305J SE
BQA901E	AL	5-D-22-10:	5	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, 1/2 IN X 1/8 IN, SS, HEXAGON, MNPT X FNPT, ASME SA479 TP316, STANDARD MILL FINISH	1	4730P SE
BTJ901Q	AL	5-D-22-10:	3	\$0.00	TEE	TEE, TUBING, QA 0, FEMALE, 1 IN X 1 IN X 1/2 IN, COPPER, SOLDER, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN ( 1 ), SECOND END NOM SIZ 0	0	4730P SE
BTK697N	AL	5-D-22-10:	2	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, GROUNDING, 125, 5-15P, NYLON, 15, 2 POLE/3 WIRE, PLUG, ELECTRICAL; 2 POLE, 3 WIRE, GROUNDING, 15A, MAI 3	0	5935B SE
BVA388C	AL	5-D-22-10:	24	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, CONNECTOR, FIBER OPTIC; 1006A MULTIMODE BICONIC ***	3	5825F SE
BVJ699H	AL	5-D-22-10:	6	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, 9 CONTACTS, CONNECTOR, COMPUTER; D SUBMINIATURE, 9 PIN PLUG, INSULATION	0	7021A SE
BVQ636B	AL	5-D-22-10:	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE: STR	1	5935B SE
BWK220A	AL	5-D-22-10:	19	\$0.00	KIT	KIT, MOUNTING, QA 3, BOLT, DOOR HARDWARE; STEEL, SEX BOLT/MACHINE SCREW, 1/2" X 1-9/16"	3	4710Y SE
BXH053J	AL	5-D-22-10:	47	\$0.00	BOLT	BOLT, U, QA 0, BOLT, U; NUT FEATURE: W/NUT ***	0	5305J SE
BXV582C	AL	5-D-22-10:	15	\$0.00	BODY	BODY, CONNECTOR, QA 0, AUDIO, 3 PIN, XLR STYLE, CONNECTOR, RECEPTACLE ELECT; AUDIO, XLR STYLE, 3 PIN, FEMALE ***	0	5935B SE
CAB552N	AL	5-D-22-10:	4	\$0.00	CAP	CAP, PIPE, QA 0, 1-1/2 IN, SOCKETWELD, CS, 6000 LB, ASME SA105, **	0	4730P SE
CAT364A	AL	5-D-22-10:	2	\$0.00	SEAL	SEAL, TYPICAL, QA 0, PISTON SEAL KIT, DOOR; SKR551205 ***	0	5670A SE
CAV303T	AL	5-D-22-10:	1	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 24 IN, 1 1/2 IN, CARBON STEEL, 6000 LB, ASTM A105, ***	0	4730P SE
CBP346M	AL	5-D-22-10:	1	\$0.00	HANDLE	HANDLE, DOOR, QA 0, HANDLE, DOOR; LATCH, WITHOUT THE KEY LOCK ***	0	4710Y SE
CDD267Q	AL	5-D-22-10:	3	\$0.00	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: SQ HD CORED, MATERIAL: MALLEABLE IRON, NOMINAL	3	4730P SE
CDL442W	AL	5-D-22-10:	5	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, REINFORCED BRANCH CONNECTION, 1-1/2 IN, 1 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, FORGED, STAI 1	0	4730P SE
CDV045R	AL	5-D-22-10:	3	\$0.00	PLUG	PLUG, PIPE, QA 0, 1/2 IN, HEX, MNPT, BRASS, ***	0	4730P SE
CDV094C	AL	5-D-22-10:	2	\$0.00	BRANCH	BRANCH, PIPE, QA 3, OUTLET, PIPE; STYLE: REINFORCED BRANCH, MATERIAL: CARBON STEEL, RUN	3	4730P SE
AAG667R	AL	5-D-22-20:	4	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1	4730P SE
ABV630X	AL	5-D-22-20:	2	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT, INTEREX CORP 10 MILLILITER ***	0	6505C SE
ACT797C	AL	5-D-22-20:	2	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 115, LAMP HOLDER, ELECTRIC; VOLTAGE: 115.00, FEATURE: W/RESISTOR, LENS	0	6250D SE
ALD222J	AL	5-D-22-20:	2	\$0.00	ROPE	ROPE, WIRE, QA 3, 3/16 IN, 40 FT, SS, 7 X 19, ROPE, WIRE; STAINLESS STEEL, 0.187 IN, 7 X19 STRANDS, 480 IN LG,	3	4010G SE



ATQ023H	AL	5-D-22-20	1	\$0.00	TONER	TONER, COPIER, QA 0, TONER, PRINTER/COPIER; TYPE: CONCENTRATE, CONTAINER SIZE: 8.0 OZ ***	0	6810H SE
BBG934F	AL	5-D-22-20	2	\$0.00	TAPE	TAPE, ADHESIVE, QA 1, TAPE, PRESS SENSITIVE ADH; 0.017 THICK X 2.0 IN WIDE X 5.0 FEET LONG	1	7510U SE
BCT944J	AL	5-D-22-20	10	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, HALF, CS, QUICK DISCONNECT. STANDARD MILL FINISH, IST END: PUSH-PULL EXTER HALF, 2ND END: BARBED O	C	4730P SE
BFL806C	AL	5-D-22-20	4	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	4730P SE
BJN138X	AL	5-D-22-20	31	\$0.00	NUT	NUT, LOCK, QA 1, SELF-LOCKING, 1/4 IN, CS, 20, UNC, GALVANIZED, WITHOUT SPRING, USE WITH P3300, P4000 & P4100 CHANNELS	1	5305J SE
BKN973L	AL	5-D-22-20	10	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; CARBON STEEL, ASME SA307, GR A, ZINC COATED, 1-8 UNC-2A X	1	5305J SE
BLD811P	AL	5-D-22-20	25	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BLL431X	AL	5-D-22-20	25	\$0.00	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: FLAT FILLISTER, MATERIAL: ALLOY STEEL, NOMINAL	1	5305J SE
BND532F	AL	5-D-22-20	5	\$0.00	CLAMP	CLAMP, TUBE, QA 1, CLAMP, TUBE; MATERIAL: STAINLESS STEEL, NOMINAL SIZE: 00.500000 (	1	4730P SE
BPM959T	AL	5-D-22-20	10	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.625000 ( 5/8), MATERIAL:	1	5305J SE
BPP713H	AL	5-D-22-20	12	\$0.00	BOLT	BOLT, TYPICAL, QA 3, BOLT, SEX; MATERIAL: BRASS, NOMINAL DIAMETER: 00.312500 ( 5/16)	3	5305J SE
BQV802Q	AL	5-D-22-20	21	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, ELBOW, PIPE TO TUBE; FITTING STYLE: 90, MATERIAL: STAINLESS STEEL, 1	1	4730P SE
BTH710F	AL	5-D-22-20	499	\$0.00	SCREW	SCREW, MACHINE, QA 1, #6, 3/4 IN, 32, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, CROSS RECESS, B18.6.3	1	5305J SE
BTH753H	AL	5-D-22-20	326	\$0.00	SCREW	SCREW, MACHINE, QA 1, #12, 3/4 IN, 24, FLAT COUNTERSUNK, SS, AISI 18-8, UNC, 2A, SLOTTED, B18.6.3	1	5305J SE
BTk599N	AL	5-D-22-20	1	\$0.00	CAP	CAP, TUBING, QA 1, CLASS 2, CAP, TUBE; NOMINAL SIZE: 00.375 IN ( 3/8), MATERIAL: STAINLESS STEEL	1	4730P SE
BTY995M	AL	5-D-22-20	200	\$0.00	SCREW	SCREW, MACHINE, QA 1, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BVA004H	AL	5-D-22-20	97	\$0.00	SCREW	SCREW, MACHINE, QA 1, 5/16 IN, 1 IN, 18, HEX HEAD, BRASS, UNC, 2A, STANDARD MILL FINISH, B18.6.3	1	5305J SE
BVA013F	AL	5-D-22-20	299	\$0.00	SCREW	SCREW, CAP, QA 1, 5/16 IN, 1-1/2 IN, 18, HEX, BRASS, UNC, 2A, B18.6.3	1	5305J SE
BVA080B	AL	5-D-22-20	297	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BVA082V	AL	5-D-22-20	200	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BVE016L	AL	5-D-22-20	43	\$0.00	HANDLE	HANDLE, SWITCH, QA 3, HANDLE, MANUAL CONTROL; OVAL STYLE, GE TYPE SB MODIFIED TO FIT SBM	3	4710Y SE
BVR552C	AL	5-D-22-20	24	\$0.00	CAP	CAP, TUBING, QA 1, CLASS 2, CAP, TUBE; NOMINAL SIZE: 00.375 IN ( 3/8), MATERIAL: STAINLESS STEEL	1	4730P SE
BVV076Y	AL	5-D-22-20	6	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, ADAPTER, TUBE TO BOSS; FIRST END TYPE: COMPRESSION NUT TYPE, SECOND	1	4730P SE
BXH047D	AL	5-D-22-20	22	\$0.00	BOLT	BOLT, U, QA 0, BOLT, U; NUT FEATURE: W/NUT ***	0	5305J SE
CAA041C	AL	5-D-22-20	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 1 IN, SS, 150 LB, 80, RAISED FACE, ASME SA182 GR F316L, STANDARD MILL FINISH, B16.5	1	4730P SE
CAH082R	AL	5-D-22-20	1	\$0.00	PROTECTOF	PROTECTOR, SURGE, QA 0, LIGHTNING, PROTECTOR, ELECTRICAL; LIGHTNING PROTECTION DEVICE, POLYPHASE 1SB50	0	5975B SE
CAP123G	AL	5-D-22-20	20	\$0.00	SCREW	SCREW, TAPPING, QA 1, HEX, 3/4 IN, #10, CS, ASTM A548 GR 1022, ZINC PLATED, SLOTTED, B18.6.4, POINT STYLE: GIMLET TYPE AB, SUR	C	5305J SE
CAP340K	AL	5-D-22-20	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, CARBON STEEL, 6000 LB, SOCKETWELD, ASTM A181 GR 1, *** STYLE: COUPLING	0	4730P SE
CDF935Y	AL	5-D-22-20	8	\$0.00	ABSORBER	ABSORBER, SHOCK, QA 3, DAMPENER, VIBRATION; MATERIAL: RUBBER, STYLE: ROUND WASHER TYPE	3	4710Y SE
CDK923H	AL	5-D-22-20	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, FIBER OPTIC; SMA/SMA ***	0	5825F SE
CDQ197T	AL	5-D-22-20	8	\$0.00	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; HOSE ID: 1/4 INCH, HOSE TYPE: H43504 SAE100R7	3	47200 SE
CDV641J	AL	5-D-22-20	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE, SPECIAL APPLICATION; FMB06 TERMINATION, WIRE. ***	3	6145G SE
CDX130D	AL	5-D-22-20	9	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, PIPE TO TUBE; FITTING STYLE: MALE, MATERIAL: BRASS, PIPE END	1	4730P SE
CDX630Q	AL	5-D-22-20	2	\$0.00	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FIRST END: 1/4" FLARE TUBE FEMALE SWIVEL	3	47200 SE
CDX637Y	AL	5-D-22-20	2	\$0.00	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FIRST END: 1/4" FLARE TUBE FEMALE SWIVEL	3	47200 SE
CDX961M	AL	5-D-22-20	1	\$0.00	HOSE	HOSE, TYPICAL, QA 3, HOSE ASSY, NONMETALLIC; FEMALE JIC #4 SIZE ENDS, PLATED ENDS, 1/4"	3	47200 SE
CEH863D	AL	5-D-22-20	10	\$0.00	PLUG	PLUG, HOSE, QA 0, 1/4 IN, *** FEMALE Q.C., ST/ST	0	4730P SE
CEJ357P	AL	5-D-22-20	2	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, QUICK DISCONNECT, BARBED, *** HOSE BARB INSERT, CAT # P-06360-87	0	6630D SE
ACG771J	AL	5-D-22-20	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2-1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB	0	4730P SE
ADR062J	AL	5-D-22-20	13	\$0.00	COUPLING	COUPLING, CONDUIT, QA 0, RIGID, STEEL, *** COUPLING STYLE: THREADLESS, CONDUIT TYPE ACCEPT: RIGID METAL	0	5975B SE
APG463R	AL	5-D-22-20	12	\$0.00	PLUG	PLUG, HOSE, QA 0, STEM, HOSE; MALE, 1.520 IN, NO CLAMP, FOR BOSS COUPLINGS, STYLE X-34 AND	0	4730P SE
ATT357J	AL	5-D-22-20	1	\$0.00	REDUCER	REDUCER, PIPE, QA 1, REDUCER, PIPE; CONCENTRIC, EXTRA STRONG, CARBON STEEL ASME SA 234 GR	1	4730P SE
AVC699P	AL	5-D-22-20	3	\$0.00	CONTROL	CONTROL, PHOTOELECTRIC, QA 0, LIGHT, 105-285, 1000, CONTROL, ELECTRIC LIGHT; STYLE: PHOTO ELECTRIC, VOLTAGE: 105-285,	0	6210P SE
BBY614R	AL	5-D-22-20	11	\$0.00	TEE	TEE, TUBING, QA 0, 2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 02.000 IN ( 2), SECOND END N	0	4730P SE
BDJ016N	AL	5-D-22-20	2	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 5/16 IN, 3-1/4 IN, 18, CARBON STEEL, UNC, BOLT, SQUARE NECK, ; CARBON STEEL, NOMINAL DI	0	5305J SE
BDJ044H	AL	5-D-22-20	90	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 1/2 IN, 3-3/4 IN, 13, CARBON STEEL, UNC, BOLT, SQUARE NECK, ; CARBON STEEL, NOMINAL DIA	0	5305J SE
BEW919T	AL	5-D-22-20	5	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, CONNECTOR, MALE; UHF, MALE, SUITABLE FOR 30 AND 150 MHZ ***	0	4730P SE
BGN635V	AL	5-D-22-20	4	\$0.00	UNION	UNION, TUBING, QA 0, BULKHEAD, 3/8 IN, CARBON STEEL, SAE STRAIGHT, ASTM A108 GR 12L14, UNION, TUBE; FIRST END NOM SIZE: 00.3	0	4730P SE
BHP654C	AL	5-D-22-20	10	\$0.00	UNION	UNION, TUBING, QA 0, 1/2 IN, STAINLESS STEEL, THREADED, ASTM A182 GR F316, 37 DEG FLARED, *** SECOND END NOM SIZE: 00.500 IN O	0	4730P SE
BJE195T	AL	5-D-22-20	23	\$0.00	SCREW	SCREW, CAP, QA 3, 3/8 IN, 4 IN, HEX, CS, SCREW, CAP, HEXAGON H, ; CARBON STEEL, 0.375 X 4 IN LONG, 1.25 IN	3	29100 SE
BKN969B	AL	5-D-22-20	10	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1	5305J SE
BLC638G	AL	5-D-22-20	3	\$0.00	HANDLE	HANDLE, TYPICAL, QA 3, HANDLE, MANUAL CONTROL; METAL, FOR PLUG VALVE, 3 IN ***	3	4710Y SE
BLD348L	AL	5-D-22-20	119	\$0.00	COUPLING	COUPLING, HOSE, QA 0, HALF/QUICK DISCONNECT, ZINC PLATED CARBON STEEL, ***	0	4730P SE
BLD687X	AL	5-D-22-20	6	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 0, FILTER, RESPIRATOR AIR FILTE; SPARKFOE TYPE H, FOR BREATHINGAIR MASKS	0	4240P SE
BLP200E	AL	5-D-22-20	25	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLP204T	AL	5-D-22-20	15	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLP221R	AL	5-D-22-20	100	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1	5305J SE

BLP232L	AL	5-D-22-20	20	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	5305J SE
BLQ459J	AL	5-D-22-20	18	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 7/8 IN; LENGTH: 1 IN; TPI: 9; MATERIAL: CS;	1	5305J SE
BLQ467K	AL	5-D-22-20	18	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	5305J SE
BLQ468H	AL	5-D-22-20	25	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, STRUCTURAL, 1 IN, 2 IN, 8, ASME SA325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1	5305J SE
BRM512R	AL	5-D-22-20	3096	\$0.00	SPLICE	SPLICE, CABLE, QA 2, UNINSULATED, #22-#16 AWG, METALLIC, CRIMP, CONDUCTOR ELECTRICAL; INSULATION, FEATURE: UNINSULATED, 2	2	5940I SE
BVE942P	AL	5-D-22-20	14	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 3/8 IN, 3/8 IN, STAINLESS STEEL, FNPT, FNPT, 3000 LB, STANDARD MILL FINISH, ***	0	4730P SE
BME451G	AL	5-D-22-30	14	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, ; SEISMIC FIELD KIT, DWG 2383A45REV 6, WAT-330, WBT-NIELCA	0	P 4470C SE
BNC814A	AL	5-D-22-30	29	\$0.00	PIN	PIN, TYPICAL, QA 0, PIN, ; MALE AND FEMALE, WAT-902 CNHDCP, FOR PLUG EXT ***	0	P 4470C SE
ANG144G	AL	5-D-22-30	12	\$0.00	CLAMP	CLAMP, HOSE, QA 0, HIGH PRESSURE, MALLEABLE IRON, BOLTED, 4 BOLT	0	C 4730P SE
AQB541K	AL	5-D-22-30	97	\$0.00	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, 250 KCMIL, 600 AC, COPPER, YELLOW, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIM	1	5940I SE
AVY330P	AL	5-D-22-30	127	\$0.00	SPLICE	SPLICE, CABLE, QA 1, CONDUCTOR, #4/0 AWG, 600 AC, WROUGHT COPPER, PURPLE, 2-WAY, SPLICE, CONDUCTOR ELECTRICAL; STYLE PAR. 1	1	5940I SE
BGR715E	AL	5-D-22-30	45	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
BKP023T	AL	5-D-22-30	9	\$0.00	CLOSER	CLOSER, DOOR, QA 0, CLOSER, DOOR; TYPE: AUTOMATIC, FEATURE 1: ADJUST CLOSE SPEED ***	0	4710Y SE
BLA387R	AL	5-D-22-30	2	\$0.00	TAPE	TAPE, LABELING, QA 3, MARKER, IDENTIFICATION; POLYMER COATED CLOTH TAPE WITH INK RECEPTIVE	3	75300 SE
BLE390V	AL	5-D-22-30	7	\$0.00	RESPIRATOI	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, FILTER TYPE: CARTRIDGE	0	4240P SE
BVQ972T	AL	5-D-22-30	2	\$0.00	INK	INK, TYPICAL, QA 0, SHEET, COLOR INK; 3 COLOR SHEET, 4 PER BOX, FOR SEIKO INSTRUMENTS	0	75300 SE
BYE793V	AL	5-D-23-10	97	\$0.00	ADAPTER	ADAPTER, CONDUIT, QA 3, REDUCER, 3 IN X 2 IN, MNPT X FNPT, RIGID/THICK, MALLEABLE IRON, , SURFACE TREATMENT: ZINC COATED ELEC	3	C 5975B SE
AWQ374G	AL	5-D-23-10	100	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL, 3/64 IN X 6 IN, POLYOLEFIN/ SHRINKABLE, BLACK, INSULATION SLEEVING, ELECTRICAL; IRRADIAT	0	P 5970B SE
BGY199C	AL	5-D-23-10	180	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT TWO HOLE	2	B 5940I SE
BPG966P	AL	5-D-23-10	480	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, CRIMP, STRAIGHT 1-HOLE, 2/0 AWG, 5/16 IN	2	P 5940I SE
BYE793V	AL	5-D-23-10	97	\$0.00	ADAPTER	ADAPTER, CONDUIT, QA 3, REDUCER, 3 IN X 2 IN, MNPT X FNPT, RIGID/THICK, MALLEABLE IRON, , SURFACE TREATMENT: ZINC COATED ELEC	3	C 5975B SE
BYM887E	AL	5-D-23-10	36	\$0.00	KIT	KIT, PARTS, QA 1, SPLICING KIT, ELECTRICAL; HEAT SHRINKABLE, 2 CONDUCTORS, CABLE JACKET	1	B 5970B SE
BYP962G	AL	5-D-23-10	50	\$0.00	SLEEVE	SLEEVE, TYPICAL, QA 1, RETAINER; BRAIDED, DIAMETER (INCHES) NOMINAL 2.3" DIA, NOMINAL	1	B 5970B SE
ACG684D	AL	5-D-23-20	1	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 4 IN, 4 IN, 4 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 80, **	0	C 4730P SE
CLT397W	AL	5-D-23-20	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 1 IN-1.240 IN, 14 IN, TIN COATED BRONZE, SPLIT MESH/LACE CLOS	3	C 5120M SE
CLT470Q	AL	5-D-23-20	8	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 1 IN-1.240 IN, 28 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C 5120M SE
CLT477Y	AL	5-D-23-20	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 1-1/4 IN-1.490 IN, 30 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C 5120M SE
CLT497Q	AL	5-D-23-20	8	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 4-1/2 IN-4.99 IN, 68 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C 5120M SE
CLT499L	AL	5-D-23-20	10	\$0.00	GRIP	GRIP, CABLE, QA 3, UNIVERSAL EYE, 0.630 IN-0.740 IN, 10 IN, TIN COATED BRONZE, SINGLE WEAVE/CLOSED MESH	3	C 5120M SE
CLT550T	AL	5-D-23-20	9	\$0.00	GRIP	GRIP, CABLE, QA 3, OFFSET EYE, 1-1/2 IN-1.740 IN, 17 IN, TIN COATED BRONZE, SINGLE WEAVE/CLOSED MESH	3	C 5120M SE
CLT558Y	AL	5-D-23-20	10	\$0.00	GRIP	GRIP, CABLE, QA 3, OFFSET EYE, 1-3/4 IN-1.990 IN, 19 IN, TIN COATED BRONZE, SINGLE WEAVE/CLOSED MESH	3	C 5120M SE
CLT560P	AL	5-D-23-20	10	\$0.00	GRIP	GRIP, CABLE, QA 3, OFFSET EYE, 2.50 IN-2.99 IN, 23 IN, TIN COATED BRONZE, SINGLE WEAVE/CLOSED MESH	3	C 5120M SE
CEP528W	AL	5-D-23-20	81	\$0.00	FITTING	FITTING, CHANNEL, QA 3, CONNECTOR, ELECTROGALVANIZED CS, *** TEE WITH 3 IN. RADIUS, 2 IN. WIDE X 2 IN. DEPTH TUBE TRACK.	3	C 4710Y SE
BCE924N	AL	5-D-23-30	6	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, 200, A-23, FIXTURE, LIGHTING; LAMP TYPE: INCANDESCENT, WATTS: 200, LAMP	0	P 6210P SE
BTM592T	AL	5-D-23-30	40	\$0.00	BODY	BODY, CONDUIT, QA 3, C, 1-1/2 IN, MALLEABLE IRON, THREADED, RIGID	3	C 5975B SE
ABD551N	AL	5-D-24-10	6	\$0.00	NUT	NUT, TYPICAL, QA 0, PACKING NUT, ; PACKING, BRZ, ITEM 0, FOR 5 IN FIRE HYDRANT, DWG	0	4730P SE
ACF504G	AL	5-D-24-10	4	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; SIGHT, FOR SIGHTFLOW BOX 1-1/2 IN, ON REACTOR	0	5680B SE
ACG985Y	AL	5-D-24-10	3	\$0.00	SCREEN	SCREEN, WIRE, QA 0, STEAM TRAP, SS, FOR YARWAY STEAM TRAP	0	4730P SE
AEG092H	AL	5-D-24-10	8	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, STEAM TRAP; REPAIR, QCT 1/2-3/4 IN, 440 A-441 A-430 A-415 A	0	4730P SE
AEG891V	AL	5-D-24-10	8	\$0.00	TRAP	TRAP, STEAM, QA 0, 3/8 IN, 600 PSIG, CAST IRON, TRAP, STEAM; SIZE: 00.375000 ( 3/8), MATERIAL: CAST IRON OPERATING	0	4730P SE
AFG195A	AL	5-D-24-10	5	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 IN, 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0	4730P SE
AGF092A	AL	5-D-24-10	49	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, 1/4 IN, 2-3/4 IN, SILICONE/FIBERGLASS, SLEEVE, ; INSULATION W/WIRE, SIZE #3(1/4 OD) X 2-3/4 LG, GRADE I	0	5970B SE
AHF991A	AL	5-D-24-10	9	\$0.00	WASHER	WASHER, LOCKING, QA 3, WASHER, LOCK; CADMIUM PLATED, FOR 000.625 INBOLT, WITHDRAWAL OUTLET	3	4470C SE
AHK062Q	AL	5-D-24-10	2	\$0.00	LOCKSET	LOCKSET, SECURING, QA 0, RIM, BRASS, RIGHT HAND, LOCK SET, RIM; DOOR, BRASS MECHANISM, RIGHT HAND (RIGHT & LEFT HAND	0	4710Y SE
AHL703H	AL	5-D-24-10	3	\$0.00	DIAL	DIAL, TYPICAL, QA 0, DIAL, ; TELEPHONE, TYPE 51-A, FOR HAND TEST TELEPHONE TYPE 800 ***	0	5805M SE
AKR037C	AL	5-D-24-10	2	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, 1/16 IN, WHITE, INSULATION SLEEVING, ELECTRICAL; HEATSHRINKABLE, WHITE, 0.0625IN DIA X	0	5970B SE
APG485F	AL	5-D-24-10	1	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 3/4 IN, 1/2 IN, SOCKETWELDED, SOCKETWELDED, CS, 3000 LB, ASTM A105, BLACK, FORGED, SOCKETWELD	0	4730P SE
APN298F	AL	5-D-24-10	75	\$0.00	SPLICE	SPLICE, CABLE, QA 0, INSULATED, VIOLET, COAXIAL, **	0	5940I SE
APX898J	AL	5-D-24-10	4	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, 3 IN, 1/4 IN, PYREX, WINDOW, OBSERVATION; PYREX GLASS, FLAT, 0.25 IN THICK X 3 IN DIAMETER	0	5680B SE
AQC754W	AL	5-D-24-10	11	\$0.00	KNOB	KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0	5680B SE
AQX525L	AL	5-D-24-10	460	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 3/8 IN, FIBER, *** EXTRUDED FIBER, FOR SOUND POWER PHONES 3/8 IN	0	5305J SE
ARL754D	AL	5-D-24-10	6	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 5/8 IN, 11, UNC, *** SUCTION VALVE COVER CAP, FOR AIR COMPRESSOR, MODEL VH-75, SIZE	0	4310I SE
ATY350P	AL	5-D-24-10	70	\$0.00	LAMP	LAMP, INCANDESCENT, QA 0, TUBULAR, T-3, MINIATURE BAYONET, 13, 0.33, LAMP, INCANDESCENT; TUBULAR, SIZE T-3 1/4, BASE MINIATL	0	P 6210P SE
AXL618W	AL	5-D-24-10	5	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, STRAINER, 5 IN, STEEL, 5 IN OD WITH SMALL PERFORATED HOLES, DRYER, FIGURE 52, REF	0	4730P SE
AXN459C	AL	5-D-24-10	1	\$0.00	WASHER	WASHER, SPRING, QA 0, WASHER, SPLIT NON LOCKING; SPLIT (SPRING TYPE), CARBON STEEL, SIZE	0	4730P SE
AXT280L	AL	5-D-24-10	3	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, REF 7, FOR SAFETY RELIEF VALVE, SIZE 000.750 IN	0	48200 SE
AXT285Y	AL	5-D-24-10	3	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; STEEL, PISTON, REF 19, FOR SAFETY RELIEF VALVE, SIZE	0	48200 SE

BEQ767C	AL	5-D-24-10:	5	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT	0	4730P SE
BFR321A	AL	5-D-24-10:	2	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, 1 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3000 L 0	0	4730P SE
BFR349K	AL	5-D-24-10:	3	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, NICKEL ALLOY, ASTM B462 CARPENTER, 3I 0	0	4730P SE
BHL403N	AL	5-D-24-10:	16	\$0.00	SPLICE	SPLICE, CABLE, QA 0, FIBER OPTIC, THREADED, SS/NICKEL PLATED BRASS, SPLICE, FIBER OPTIC CONDUCTO; NICKEL PLATED, THREADED, BF 0	0	5825F SE
BHN381T	AL	5-D-24-10:	19	\$0.00	PIN	PIN, LOCK, QA 3, PIN, SPRING; REF 79, FOR VALVE ACTUATOR TYPE SMB-000 ***	3	48200 SE
BJB757R	AL	5-D-24-10:	3	\$0.00	TEE	TEE, TUBING, QA 0, 1/2 IN X 1/4 IN X 1/4 IN, STAINLESS STEEL, COMPRESSION, ASME SA182 GR F316, TEE, TUBE; FIRST END NOM SIZE: 0C 0	0	4730P SE
BJW364M	AL	5-D-24-10:	4	\$0.00	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; INDICATING, FOR PORTER WALKER MAGNETIC INDICATING	0	5680B SE
BKB570F	AL	5-D-24-10:	79	\$0.00	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; FILLISTER HEAD, CARBON STEEL, NUMBER SIZE 10, NOMINAL	3	4710Y SE
BKH332M	AL	5-D-24-10:	1	\$0.00	OUTLET	OUTLET, PIPE, QA 1, LATERAL, PIPE; 45 DEG, SCHEDULE 40S, STAINLESS STEEL ASME SA 182 GR	1	4730P SE
BKH333K	AL	5-D-24-10:	1	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; STRAIGHT, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	4730P SE
BLA174B	AL	5-D-24-10:	6	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT	0	4730P SE
BLM083C	AL	5-D-24-10:	44	\$0.00	NUT	NUT, TUBING, QA 1, NUT, TUBE COUPLING; 0.375 IN, STAINLESS STEEL, FORMOD TO RESIDUAL HEAT	1	4730P SE
BLN631B	AL	5-D-24-10:	3	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; PIPE, 0.125 IN FPT, FOR STANDBY DIESEL GENERATOR, MODEL	1	29100 SE
BLP226F	AL	5-D-24-10:	5	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	5305J SE
BNC121A	AL	5-D-24-10:	3	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 1/2 IN, PVC, 80, FNPT, MOLDED, *** STYLE: COUPLING, THREAD SERIES: NPT	0	4730P SE
BNQ040E	AL	5-D-24-10:	3	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW, CAP; CAPSCREW, FOR HANDWHEEL COLLAR FOR ADAPTO GEAR OPERATOR	3	48200 SE
BVA080B	AL	5-D-24-10:	4	\$0.00	NUT	NUT, HEX, QA 1, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1	5305J SE
BJN187G	AL	5-D-24-20:	3	\$0.00	RESPIRATOI	RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, SMALL, AIR FILTERING	0	4240P SE
BJT731Y	AL	5-D-24-20:	6	\$0.00	TEE	TEE, TUBING, QA 0, MALE, 1/4 IN, CARBON STEEL, MNPT, 37 DEG FLARED, TEE, TUBE; FIRST END NOM SIZE: 00.250 IN ( 1/4), SECOND END 0	P	4730P SE
BKB318E	AL	5-D-24-20:	3	\$0.00	TAPE	TAPE, SEALING, QA 3, TAPE, SEALING,WOVEN FIBER; WOVEN FIBER IMPREGNATED WITH A MINERAL	3	8030W SE
BKR489A	AL	5-D-24-20:	3	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, VACUUM CLEANER; VACUUM, HEPA, FOR MINUTEMAN VACUUM CLEANER	0	P 79101 SE
BLD722N	AL	5-D-24-20:	2	\$0.00	KIT	KIT, PARTS, QA 0, TOOL KIT, GENERAL MECHANICS; LEVEL 3, FOR SCBA KITS ***	0	5120M SE
BRB951J	AL	5-D-24-20:	1	\$0.00	SHOES	SHOES, FOOTWEAR, QA 0, MENS, 8-1/2 WIDE, BLACK, NO SLIP/OIL RESISTANT, SHOES, MEN'S; SHOE SIZE: 8 1/2, SHOE WIDTH: WIDE, COLC 0	0	8415B SE
BWN271X	AL	5-D-24-20:	109	\$0.00	NIPPLE	NIPPLE, PIPE, QA 3, 1-1/4 IN, 3 IN, CS, LONG, 40, ASTM A733, ZINC COATED HOT DIP GALV, SEAMLESS	3	4730P SE
BWW327X	AL	5-D-24-20:	72	\$0.00	LAMP	LAMP, FLUORESCENT, QA 3, LAMP, FLUORESCENT; WATTAGE: 32.000, LAMP SIZE: T-8, LAMP BASE: MEDIUM	3	6210P SE
BLV516H	AL	5-D-24-30:	152	\$0.00	CLAMP	CLAMP, TUBE, QA 0, CLAMP, TUBE; SWIVEL, FOR SCAFFOLDING EQUIPMENT ***	0	D 4730P SE
BMB002M	AL	5-D-24-30:	2	\$0.00	UNION	UNION, TUBING, QA 0, BULKHEAD, SO WBT 902 SPIN WBT-CNHDL D WHO-4088	0	C 4730P SE
BMB121M	AL	5-D-24-30:	5	\$0.00	NUT	NUT, HEX, QA 0, JAM, 2-1/4 IN, FOR 2.25 IN DIAMETER ROD TO FIT HANGER FDH-9	0	C 5305J SE
BMB152A	AL	5-D-24-30:	8	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/8 IN, 16, UNC, PLAIN, WBT-902, SPIN WBT-CNHDL D	0	C 5305J SE
BMD991L	AL	5-D-24-30:	1	\$0.00	WELL	WELL, PIPE, QA 0, 1 IN, SS, 316, V= 2-1/2 IN, 260	0	C 6695D SE
BNC770F	AL	5-D-24-30:	31	\$0.00	TEE	TEE, TYPICAL, QA 0, ICE LOADING, ICE LOADING, SO WBT-902 CNSTIC	0	C 4470C SE
AQX820X	AL	5-D-24-30:	49	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, SINGLE RING; RING, SPLIT, 0.5 THICK X 3 ID X 4 IN OD, C/O	3	B 5730H SE
BKG192G	AL	5-D-24-30:	10	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 46 X 8 X 0.005 IN THK CF STAINLESS STEEL, FOR	0	P 2825G SE
BKG193E	AL	5-D-24-30:	10	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 45 X 8 X 0.005 IN THK CF STAINLESS STEEL, FOR	0	P 2825G SE
BKG194C	AL	5-D-24-30:	15	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 31 X 8 X 0.005 IN THK CF STAINLESS STEEL, ITEM 5 AND	0	P 2825G SE
BKG208W	AL	5-D-24-30:	10	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 46 X 8 X 0.018 IN THK,CF STAINLESS STEEL,ITEM 12 ON	0	P 2825G SE
BKG209T	AL	5-D-24-30:	10	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 45 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 13 ON	0	P 2825G SE
BKG210L	AL	5-D-24-30:	15	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 31 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 14 AND	0	P 2825G SE
BKG215Y	AL	5-D-24-30:	8	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, ; SPACER, 50 X 8 X 0.018 IN THK CF STAINLESS STEEL, ITEM 15 AND	0	P 2825G SE
BXF946X	AL	5-D-24-30:	1	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL,SLOTTED,3 X 3 X 13/16 IN ***	3	C 5305J SE
CDX980W	AL	5-D-25-10:	2	\$0.00	BOX	BOX, ELECTRICAL, QA 0, TERMINAL BOX, SPLICING; TERMINAL BOXES MOUNTED ON 6 FOOT TALL SQUARE	0	C 5975B SE
BTW449V	AL	5-D-25-20:	9	\$0.00	INSULATION	INSULATION, JACKETING, QA 3, COVER, ALUMINUM, 0.016 IN, 36 IN (3 FT), 100 FT, EMBOSSED, ASTM B209	3	5640H SE
BYK464M	AL	5-D-25-20:	20	\$0.00	COUPLING	COUPLING, CONDUIT, QA 3, RIGID, 4 IN, MALLEABLE IRON, THREADED, 3 PIECE, , STRAIGHT, UL LISTED	3	C 5975B SE
BYT978H	AL	5-D-25-20:	21	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION/PULL, 2-1/2 IN, 12 IN (1 FT), 2-7/16 IN, STEEL, 1-1/2 IN, RECTANGULAR, , SPECIAL APPLICATION: PTC 3	C	5975B SE
CHW842A	AL	5-D-25-20:	4	\$0.00	BRACKET	BRACKET, TYPICAL, QA 1, CS, UNISTRUT BRACKET ASSY, 36 IN LONG, PRE-GALVANIZED	1	C 5411G SE
BTM596J	AL	5-D-25-30:	112	\$0.00	BODY	BODY, CONDUIT, QA 3, C, 2 IN, MALLEABLE IRON, THREADED HUB, RIGID, , WITH COVER AND NEOPRENE GASKET	3	C 5975B SE
CEP530M	AL	5-D-25-30:	100	\$0.00	FITTING	FITTING, CHANNEL, QA 3, CONNECTOR, ELECTROGALVANIZED CS, *** CROSS WITH 3 IN. RADIUS, 2 IN. WIDE X 2 IN. DEPTH TUBE TRACK.	3	C 4710Y SE
AJA072X	AL	5-D-26-30:	1	\$0.00	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7,(GE), FOR TURBINE, S/N	0	P 2825G SE
AJA272Y	AL	5-D-26-30:	2	\$0.00	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, G-1 & G-2, INNER & OUTER, FOR TURBINE	0	P 2825G SE
AJA870M	AL	5-D-26-30:	15	\$0.00	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-3, T-5 & T-7 (GE), FOR TURBINE, S/N	0	C 2825G SE
AJA371W	AL	5-D-26-30:	9	\$0.00	TOOTH	TOOTH, MECHANICAL, QA 0, TOOTH STOCK, ; OIL DEFLECTOR, T-4 & T-8, (GE&TE), FOR TURBINE, S/N	0	C 2825G SE
BNQ084E	AL	5-D-27-10:	4	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 12 FT, 150 PSI/200 PSI, FLANGE, HOSE ASSY, NONMETALLIC; RUBBER, MULTI-PURPOSE, 200 PSI80 0	P	47200 SE
CDX980W	AL	5-D-27-10:	3	\$0.00	BOX	BOX, ELECTRICAL, QA 0, TERMINAL BOX, SPLICING; TERMINAL BOXES MOUNTED ON 6 FOOT TALL SQUARE	0	C 5975B SE
BLW444B	AL	5-D-27-20:	99	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, FLEXIBLE, 1/2 IN, MALLEABLE IRON, 90 DEG, THREADED, LIQUIDTIGHT, UL LISTED	3	C 5975B SE
BYB135J	AL	5-D-27-20:	6	\$0.00	BODY	BODY, CONDUIT, QA 3, LR, 1-1/2 IN, MALLEABLE IRON, THREADED, RIGID, , ENTRANCE TYPE: HUB	3	C 5975B SE
CKK652H	AL	5-D-27-20:	14	\$0.00	COVER	COVER, BODY, QA 3, 3 IN, MALLEABLE IRON, SCREWS, TYPE: BLANK, CONDULET OUTLET COVER WITH GASKET.	3	C 5975B SE
BLA335D	AL	5-D-27-20:	100	\$0.00	BUSHING	BUSHING, CONDUIT, QA 3, GROUNDING, 2 IN, MALLEABLE IRON, THREADED	3	C 5975B SE

BYA762V	AL	5-D-27-20	6	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 2-1/2 IN, MALLEABLE IRON, THREADED, RIGID, , ENTRANCE TYPE: HUB	3	C	5975B SE
BYB341F	AL	5-D-27-20	10	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 2 IN, MALLEABLE IRON, THREADED, RIGID, CONDUIT OUTLET	3	C	5975B SE
BYT642K	AL	5-D-27-20	1	\$0.00	BOX	BOX, ELECTRICAL, QA 3, JUNCTION, 14 IN, 16 IN, 10 IN, 14 GA STEEL, NEMA 12, WEATHERPROOF,FINISH: ANSI 61 GRAY POLY PWD, STYLE: 3	3	C	5975B SE
CAT235M	AL	5-D-27-20	32	\$0.00	NIPPLE	NIPPLE, CONDUIT, QA 3, CHASE, 3 IN, MALLEABLE IRON	3	C	5975B SE
CBR155J	AL	5-D-27-20	7	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, FLEXIBLE, 4 IN, MALLEABLE IRON, 45 DEG, COMPRESSION, LIQUIDTIGHT, CONDUIT TYPE ACCEPT: FLEXIBLE ME 3	3	C	5975B SE
CKA675K	AL	5-D-27-20	5	\$0.00	CONDUIT	CONDUIT, RIGID, QA 3, FITTING, 2 IN, MALLEABLE IRON, THREADED BOTH ENDS, MOGULE BODY, FITTING WITH COVER & GASKET.	3	C	5975B SE
CLT442J	AL	5-D-27-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 2.50 IN-2.99 IN, 38 IN, TIN COATED BRONZE, DOUBLE WEAVE/CLOSED MESH	3	C	5120M SE
CLT445C	AL	5-D-27-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 3.50 IN-3.99 IN, 44 IN, TIN COATED BRONZE, DOUBLE WEAVE/CLOSED MESH	3	C	5120M SE
CLT470Q	AL	5-D-27-30	2	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 1 IN-1.240 IN, 28 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
CLT495W	AL	5-D-27-30	2	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 3.50 IN-3.99 IN, 44 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
CLT497Q	AL	5-D-27-30	2	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE EYE, 4-1/2 IN-4.99 IN, 68 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
CLT612K	AL	5-D-27-30	5	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE WEAVE, 3 IN, 2 IN-2.490 IN, 17 IN, TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
BXK518Y	AL	5-D-27-30	50	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, FLEXIBLE, 1 IN, MALLEABLE IRON, 90 DEG, COMPRESSION, BOX CONNECTOR, END TYPE: GLAND NUT W/EXT T 3	3	C	5975B SE
BYB341F	AL	5-D-27-30	19	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 2 IN, MALLEABLE IRON, THREADED, RIGID, CONDUIT OUTLET	3	C	5975B SE
CBR152Q	AL	5-D-27-30	16	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 2 IN, MALLEABLE IRON, 45 DEG, THREADED, BOX CONNECTOR, CONNECTOR STYLE: COMPRESSION TYPE, ENV 3	B	5975B SE	
CLT399Q	AL	5-D-27-30	10	\$0.00	GRIP	GRIP, CABLE, QA 3, DOUBLE WEAVE, 1.25 IN-1.49 IN, 12 IN (1 FT), TIN COATED BRONZE, LACE CLOSING/SPLIT MESH	3	C	5120M SE
AAE387A	AL	5-D-28-10	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .75 IN, STAINLESS STEEL ASME SA 182	1		4730P SE
AAQ366Y	AL	5-D-28-10	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 1-1/2 IN, SS, 150 LB, 80, RAISED FACE, ASME SA182 GR F316L, STANDARD MILL FINISH, B16.1	1		4730P SE
AAQ386Q	AL	5-D-28-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 3/4 IN, SS, 150 LB, 80, RAISED FACE, ASME SA182 GR F316L, STANDARD MILL FINISH, B16.1	1		4730P SE
AAW503V	AL	5-D-28-10	11	\$0.00	PAD	PAD, INK, QA 0, INKING PAD, RECORDING INSTRUMENT; INK PAD, 24 POINT, WHEEL TYPE, FOR	0	B	7510U SE
ABW071E	AL	5-D-28-10	7	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER/DISPOSABLE, BLACK, 5/PACKAGE, PEN, RECORDER; DISPOSABLE, BLACK, 5 PER PKG, FOR X-Y RECORDER 0			7510U SE
ADR560N	AL	5-D-28-10	10	\$0.00	BODY	BODY, CONDUIT, QA 0, LB, 1-1/2 IN, ALUMINUM, THREADED, ** ENTRANCE TYPE: THREADED RIGID HUB, CONDUIT TYPE ACCEPT: OBLONG 0			5975B SE
AFY846J	AL	5-D-28-10	6	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, MARKER, PLASTIC, 1-120, ADHESIVE BACK, MARKER, IDENTIFICATION; CELL (BATTERY) PLASTIC, SELF-STICK 0			75300 SE
AJX564F	AL	5-D-28-10	10	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, EMBOSING, 1/2 IN, 12 FT, VINYL, OPAQUE/GREEN, TAPE, EMBOSING; MATERIAL: VINYL, TAPE SIZE: 1/2 IN, COLOF 0			7510U SE
AJX664B	AL	5-D-28-10	16	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, EMBOSING, 1/2 IN, 12 FT, VINYL, OPAQUE/RED, TAPE, EMBOSING; VINYL, OPAQUE, RED, 0.5 IN WIDE X 144 IN LO 0			7510U SE
AKY683V	AL	5-D-28-10	4	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, 1 IN, 1 IN, SS, 3000 LB, SOCKETWELD, SOCKETWELD, 90, STANDARD MILL FINISH, FORGED, B16.11, ASME SA 1	P		4730P SE
ARF011D	AL	5-D-28-10	21	\$0.00	NUT	NUT, TYPICAL, QA 0, NUT, BREATHING APPARATUS; RETAIN, FOR P-D VALVE ***	0		4240P SE
ARY892D	AL	5-D-28-10	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; SCHEDULE 80, CARBON STEEL, AMSE SA 106 GR B K03006	1	B	4730P SE
ATJ609V	AL	5-D-28-10	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .5 IN, STAINLESS STEEL ASME SA 182	1		4730P SE
ATL092J	AL	5-D-28-10	1	\$0.00	TAPE	TAPE, BARRICADE, QA 0, 3 IN, 1000 FT, PLASTIC, YELLOW, TAPE, WARNING; PLASTIC BANNER, 3" WD X 1000' LG, YELLOW WITH BLACK 0			7510U SE
AYD846D	AL	5-D-28-10	1	\$0.00	HANGER	HANGER, TYPICAL, QA 0, LIGHTING FIXTURE, 1/2 IN, BALL TYPE, HANGER, LIGHTING FIXTURE; FLEXIBLE, BALL TYPE, SIZE, 0.500 IN, FOR 0			6210P SE
AYJ164E	AL	5-D-28-10	4	\$0.00	PLUG	PLUG, PIPE, QA 0, 3/8 IN, HEX, MNPT, BRASS, PLUG, PIPE; STYLE: HEX HEAD, MATERIAL: BRASS, NOMINAL SIZE: 00.375 IN	0		4730P SE
BAR300X	AL	5-D-28-10	19	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, HEX, 3/8 IN X 1/4 IN, BRASS, FNPT X TUBE, STANDARD MILL FINISH, COMPRESSION, , PIPE TO TUBE ADAPTER, 3			4730P SE
BBT292A	AL	5-D-28-10	19	\$0.00	NAIL	NAIL, METAL, QA 0, NAIL SET, ASSORTMENT; C/O 4 SIZES, 0.062, 0.093, 0.125 AND 0.156 IN	0		5120M SE
BBV166A	AL	5-D-28-10	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; INST PIPE 90 DEG, BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBV756L	AL	5-D-28-10	52	\$0.00	TIP	TIP, TYPICAL, QA 0, CANE/CRUTCH, 7/8 IN, RUBBER, TIP, CANE AND CRUTCH; RUBBER, BLACK, 0.875 IN DIA X 1.875 IN OVERALL	0		6505C SE
BCF401K	AL	5-D-28-10	9	\$0.00	CORD	CORD, TYPICAL, QA 0, WEED TRIMMER, 0.095 IN, 285 FT, NYLON, HEAVY DUTY, 1 LB BOX	0		5120M SE
BDD476N	AL	5-D-28-10	6	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 1 1/2 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0		4730P SE
BDE690T	AL	5-D-28-10	19	\$0.00	TEE	TEE, TUBING, QA 0, 1-1/2 IN, COPPER ALLOY, SWEAT, STANDARD MILL FINISH, TEE, TUBE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2), SECON 0			4730P SE
BEF731G	AL	5-D-28-10	5	\$0.00	BODY	BODY, CONNECTOR, QA 0, ADAPTER, CONNECTOR; CONNECTOR END TYPE: FEMALE-PLUG ***	0		5975B SE
BEJ627V	AL	5-D-28-10	2	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80, CARBON STEEL ASME SA 106 GR B K03006	1	C	4730P SE
BEQ921W	AL	5-D-28-10	2	\$0.00	GLASS	GLASS, GAUGE, QA 0, 1/4 IN, 8-1/2 IN, TUBULAR, TUBING, GLASS; 8.5 LONG X 0.25 IN DIA TUBE, 0.5 END OPENINGS, MODEL	0		5680B SE
BER066W	AL	5-D-28-10	6	\$0.00	WASHER	WASHER, FLAT, QA 0, 1-7/32 IN, 1-23/32 IN, 1/16 IN, CONICAL, WASHER, FLAT; NOMINAL DIAMETER: 1.218 IN (1 7/32), WASHER STYLE: 0			6695D SE
BER068Q	AL	5-D-28-10	4	\$0.00	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; PRECISION BORE, FOR METER, FLOW RATE IND, FLOAT TYPE	0		5680B SE
BER116H	AL	5-D-28-10	12	\$0.00	WASHER	WASHER, FLAT, QA 0, 1/2 IN, STAINLESS STEEL, ***	0		6695D SE
BFK897J	AL	5-D-28-10	28	\$0.00	BASE	BASE, MOUNTING, QA 0, RESILIENT, 1/2 IN DIA, 5/8 IN, MOUNT, RESILIENT; RUBBER, BALL, SILICONE, COLOR BLUE, 0.625 IN LONG X	0		4710Y SE
BFN853P	AL	5-D-28-10	15	\$0.00	PLUNGER	PLUNGER, VALVE, QA 3, PLUNGER, DETENT; DIFFERENTIAL UNIT, FOR 3.00 INCH HIDROMATIC DELUGE	3		4710Y SE
BFW470L	AL	5-D-28-10	20	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW480H	AL	5-D-28-10	20	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW484X	AL	5-D-28-10	20	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; COLOR: BLACK, BACKGROUND COLOR: BLACK ***	0		7510U SE
BFW485V	AL	5-D-28-10	16	\$0.00	SHEETING	SHEETING, TYPICAL, QA 0, DRY TRANSFER, SHEET; MATERIAL: PLASTIC, COLOR: BLACK ***	0		7510U SE
BFW508B	AL	5-D-28-10	4	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, RED, TAPE, PRESS SENSITIVE ADH; COLOR: RED, TAPE SIZE: 1/16 IN X 18 YD: 0			7510U SE
BFW513H	AL	5-D-28-10	10	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, GREEN, TAPE, PRESS SENSITIVE ADH; COLOR: GREEN, TAPE SIZE: 1/80 IN X 9 Y 0			7510U SE
BFW514F	AL	5-D-28-10	10	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, WHITE, TAPE, PRESS SENSITIVE ADH; COLOR: WHITE, TAPE SIZE: 1/16 IN X 1 0			7510U SE
BFW516B	AL	5-D-28-10	5	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, YELLOW, TAPE, PRESS SENSITIVE ADH; COLOR: YELLOW, TAPE SIZE: 1/16 IN X 0			7510U SE
BFW530W	AL	5-D-28-10	20	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/32 IN, 54 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/32 IN X 0			7510U SE
BFW531F	AL	5-D-28-10	19	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/8 IN, 27 FT, BROWN, TAPE, PRESS SENSITIVE ADH; COLOR: BROWN, TAPE SIZE: 1/8 IN X 9 0			7510U SE

BFW532D	AL	5-D-28-10	7	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1/16 IN, 54 FT, BLUE, TAPE, PRESS SENSITIVE ADH; COLOR: BLUE, TAPE SIZE: 1/16 IN X 18 Y 0	7510U SE	
BFW541C	AL	5-D-28-10	10	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 0.162 IN, 54 FT, ORANGE, TAPE, PRESS SENSITIVE ADH; COLOR: ORANGE, TAPE SIZE: 0.162 I 0	7510U SE	
BGE167C	AL	5-D-28-10	3	\$0.00	KEY	KEY, MECHANICAL, QA 0, 3/16 IN, 1-3/8 IN, 3/16 IN, KEY, MACHINE; TAPE WIDTH: 00.187500 ( 3/16), LENGTH: 01.375 IN SIZE	0	5305J SE
BGK643C	AL	5-D-28-10	8	\$0.00	GLASS	GLASS, GAUGE, QA 0, BLANK INDICATOR, 1 IN, 1-1/8 IN, 8-3/4 IN, TUBULAR, TUBING, GLASS; BLANK INDICATOR, 0 TO 200 GPM, 1.125 IN 0	0	5680B SE
BGM032N	AL	5-D-28-10	76	\$0.00	PIN	PIN, RETAINING, QA 3, PIN, TAPERED PLAIN; CARBON STEEL, LENGTH 4.0 IN, TAPER MAJOR DIA .25	3	5305J SE
BJE808L	AL	5-D-28-10	2	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEX HEAD, 0.5 OD X 2.25 IN LG, FOR CENTRIFUGAL PUMP	3	4320U SE
BKN874N	AL	5-D-28-10	4	\$0.00	RING	RING, SEAL, QA 3, RING, DOOR; OUTER RING & INTERLOCKING ASSY VERTICAL MOUNT, DLR W/2 TURN	3	4710Y SE
BKN877G	AL	5-D-28-10	6	\$0.00	RING	RING, SEAL, QA 3, RING, DOOR; OUTER RING & INTERLOCK ASSY, HORIZONTAL MOUNT, RING SIZE	3	4710Y SE
BTB323A	AL	5-D-28-10	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	3	4730P SE
BWG471L	AL	5-D-28-10	3	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2), SECOND END NOM	1	4730P SE
AEK564V	AL	5-D-28-10	1	\$0.00	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH:	0	9505N SE
AFN364E	AL	5-D-28-10	4	\$0.00	STRIKE	STRIKE, DOOR, QA 0, CATCH, CHROME, 24 V/0.582 A/4.1 W, STRIKE, CATCH; 024.000 VAC, 000.582 AMPERE, 004.100 WATT, (ELECTRIC 0	0	4710Y SE
AHK969E	AL	5-D-28-10	6	\$0.00	STRIKE	STRIKE, DOOR, QA 0, STRIKE, CATCH; US4 W/3/4 IN KEEPER, FOR RS-40 ACCESS CONTROL SYSTEM 24	0	4710Y SE
AJK360Y	AL	5-D-28-10	1	\$0.00	STRIKE	STRIKE, DOOR, QA 0, STRIKE, CATCH; US4 W/1/2 IN KEEPER, FOR RS-40 ACCESS CONTROL SYSTEM 24	0	4710Y SE
AJK868E	AL	5-D-28-10	3	\$0.00	BOLT	BOLT, TYPICAL, QA 0, DOOR, *** CHROME SATIN FINISH	0	4710Y SE
ARH246G	AL	5-D-28-10	1	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 3/8 IN, 12-1/2 FT, HOSE ASSY, NONMETALLIC; GAS, 12 1/2 FT LENGTH, WITH 0.375 IN MALE FITTINGS	0	P 4720U SE
BAM323R	AL	5-D-28-10	150	\$0.00	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, W/CTR WRENCH FAC, LENGTH: 1 1/4 IN, NGO-RIGHT HAND THREAD, OXYGEN HOSE	0	3439D SE
BAM324P	AL	5-D-28-10	130	\$0.00	UNION	UNION, TUBING, QA 0, 9/16 IN, BRASS, MNPT, W/CTR WRENCH FAC, LENGTH 1-1/4 IN, THREAD NGO LEFT HAND, ACETYLENE HOSE	0	3439D SE
BET533V	AL	5-D-28-10	11	\$0.00	STRIKE	STRIKE, DOOR, QA 0, CATCH, CHROME, 24, SATIN FINISH, STRIKE, CATCH; 24 VAC X LCBMA, DPDT SIGNAL SWITCH, CHROME SATIN US26D 0	0	4710Y SE
BFV008V	AL	5-D-28-10	5	\$0.00	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ACTUATOR; FOR VALVE ACTUATOR, MODEL 3325SERIES 3300, SIZE	0	4820U SE
BJE190G	AL	5-D-28-10	2	\$0.00	SCREW	SCREW, CAP, QA 3, SCREW, CAP, HEXAGON H, ; CARBON STEEL, 0.375 X 0.5 IN LONG, FOR DIESEL	3	29100 SE
BKP028G	AL	5-D-28-10	8	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	P 4730P SE
BVA382Q	AL	5-D-28-10	2	\$0.00	GUIDE	GUIDE, TYPICAL, QA 3, GUIDE, FIBER OPTIC; LIGHTGUID INTERCONNECTION UNIT ***	3	5825F SE
AJD321W	AL	5-D-28-20	38	\$0.00	CLAMP	CLAMP, WIRE ROPE, QA 0, U-BOLT, 7/16 IN, GALVANIZED FORGED STEEL, THREADED	0	4030C SE
AJJ696N	AL	5-D-28-20	10	\$0.00	GRIP	GRIP, CABLE, QA 0, GRIP, ; STEEL, GALVANIZED, 6 ACSR 4/0 7-STRAND COPPER, MAXIMUM SAFE	0	5120M SE
ANJ091P	AL	5-D-28-20	6	\$0.00	PULLER	PULLER, FUSE, QA 0, PLIER, 0-600 A, FUSE; STYLE: PLIER TYPE, TYPE: NO 2-DRY PLACES, FUSE SIZE:	0	5120M SE
APD549Y	AL	5-D-28-20	420	\$0.00	GLOVES	GLOVES, SAFETY, QA 0, LARGE, NYLON, GLOVES, WORK CLOTH; MATERIAL: NYLON, SIZE: LARGE ***	0	8415B SE
ARB569N	AL	5-D-28-20	10	\$0.00	PAPER	PAPER, TYPICAL, QA 0, PHOTOGRAPHIC, 8 IN, 100 FT, STANDARD THICKNESS, (10 MINIMUM)	0	75300 SE
ARG897B	AL	5-D-28-20	2	\$0.00	LENS	LENS, CAP, QA 3, PUSHBUTTON, AMBER, PLASTIC, , LIGHT	3	6210P SE
ARH251P	AL	5-D-28-20	38	\$0.00	MAT	MAT, FLOOR, QA 0, MATTING, FLOOR; MATERIAL: RUBBER, THICKNESS: 00.125 IN, WIDTH: 26.000	0	7220G SE
ARY785E	AL	5-D-28-20	14	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, HYPODERMIC/DISPOSABLE, 1 ML, PLASTIC, 1-1/2 IN, SYRINGE, HYPODERMIC; DISPOSABLE, PLASTIC, 1 ML, WITH 1: 0	0	6505C SE
BCL827M	AL	5-D-28-20	47	\$0.00	CLEANER	CLEANER, TYPICAL, QA 0, ALL PURPOSE, AEROSOL, 20 OZ, CAN, SD20, 12 CANS PER CASE	0	7920P SE
BEB324J	AL	5-D-28-20	5	\$0.00	SYRINGE	SYRINGE, TYPICAL, QA 0, HYPODERMIC/DISPOSABLE, 3 CC, PLASTIPAK, LEUR-LOK, 100, SYRINGE, HYPODERMIC; PLASTIPAK, LEUR-LOK TIP, I 0	0	6505C SE
BGQ060D	AL	5-D-28-20	11	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, RESPIRATOR AIR FILTE; DUST, FUMES & MIST, FOR TDA- 100 AEROSOL	0	4240P SE
BJC530W	AL	5-D-28-20	1	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 1, ELECTRICAL, 1-3/16 IN, 1.325 IN, 40 IN, INSULATION SLEEVING, ELECTRICAL; (HEAT SHRINK TUBING), RUBBER, 1	1	5970B SE
ANT066D	AL	5-D-28-20	14	\$0.00	PLATE	PLATE, TYPICAL, QA 0, FACE, PLEXIGLASS, FACEPLATE ASSY, ; PLEXIGLASS, FOR CRAFTSWELD EQUIPMENT CORP GENERAL	0	6210P SE
BCT944J	AL	5-D-28-20	150	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, HALF, CS, QUICK DISCONNECT, STANDARD MILL FINISH, 1ST END: PUSH-PULL EXTER HALF, 2ND END: BARBED 0	0	C 4730P SE
BHN559B	AL	5-D-28-20	4	\$0.00	HANGER	HANGER, CONDUIT, QA 1, HANGER, PIPE; STEEL, 11 GA, ASTM A570, GR 33, ELECTRO-GALVANIZED, 4 IN	1	5975B SE
BNJ174M	AL	5-D-28-20	3	\$0.00	BODY	BODY, CONNECTOR, QA 0, 100, 1-3/8 IN-1-7/8 IN, 4 POLE/WATERPROOF, CONNECTOR, RECEPTACLE ELECT; 100 AMPS, 4-POLE, 1.375 TO 0	0	5935B SE
BPC443D	AL	5-D-28-20	12	\$0.00	NUT	NUT, ACORN, QA 1, NUT, PLAIN; 1-5/8-8, CARBON STEEL ASME SA 194, GRADE 2H, MARKED 2H	1	5305J SE
BQC855F	AL	5-D-28-20	40	\$0.00	CLAMP	CLAMP, PIPE, QA 1, 1 IN, CS, , UNISTRUT, ASTM A570 GRADE 33, ELECTROGALVANIZED	1	C 5975B SE
BQG314X	AL	5-D-28-20	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 3, EMERGENCY, 9, FIXTURE, LIGHTING; EMERGENCY, EMERGI-LITE CATALOG NO. EF18D (II)-9	3	6210P SE
BTM521J	AL	5-D-28-20	1	\$0.00	BODY	BODY, CONDUIT, QA 3, 1-1/2 IN, COPPER FREE ALUMINUM, THREADED, OUTLET STYLE: T, ENTRANCE TYPE: THREADED HUB, TYPE ACCEPT: 3	3	5975B SE
BTQ066P	AL	5-D-28-20	9	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 3/4 IN, MALLEABLE IRON, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 00.750000 ( 3/4), MATERIAL 3	3	5975B SE
BTY269K	AL	5-D-28-20	5	\$0.00	BODY	BODY, CONDUIT, QA 3, LL, 2 IN, COPPER FREE ALUMINUM, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.000000 ( 2), MATER 3	3	5975B SE
BVR181M	AL	5-D-28-20	95	\$0.00	PLUG	PLUG, CONDUIT, QA 3, BUTTON, PLUG; MATERIAL: STEEL, SIZE: 01.500000 ( 1 1/2), STYLE:	3	5975B SE
CAN455V	AL	5-D-28-20	12	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 0, KWIK BOLT, 3/4 IN, CS, 8 IN, BOLT, FOUNDATION; CARBON STEEL, 3/4 INCH DIAMETER X 8 INCH LC 0	0	5445F SE
CDE038R	AL	5-D-28-20	1	\$0.00	KNOB	KNOB, TYPICAL, QA 0, KNOB, DOOR; PART NUMBER B4M10-626 ***	0	4710Y SE
CEC656C	AL	5-D-28-20	1	\$0.00	OPERATOR	OPERATOR, TYPICAL, QA 0, SIDE, GATE OPERATOR; CAVE, FOR MODEL NO. 570. ***	0	5660E SE
CEC657A	AL	5-D-28-20	1	\$0.00	OPERATOR	OPERATOR, TYPICAL, QA 0, SIDE, GATE OPERATOR; PULLEY, FOR MODEL NO. 570. ***	0	5660E SE
BGG576G	AL	5-D-28-30	17	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 16 IN, BOTTOM, RADIATION, CATCH CONTAINMENT	0	C 4230E SE
BWG998B	AL	5-D-28-30	10	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 24 IN (2 FT), BOTTOM, RADIATION, CATCH CONTAINMENT	0	C 4230E SE
CBH823C	AL	5-D-28-30	6	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 36 IN (3 FT), BOTTOM, RADIATION, CATCH CONTAINMENT	0	C 4230E SE
CBH850L	AL	5-D-28-30	6	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 36 IN (3 FT), RADIATION, CATCH CONTAINMENT	0	C 4230E SE
AKD924P	AL	5-D-28-30	6	\$0.00	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 1-1/4 IN, 3-1/4 IN, 1-1/4 IN, GALVANIZED FORGED STEEL, 12 TON	0	C 4030C SE
AMJ467K	AL	5-D-28-30	12	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; VALVE, ITEM 18, FOR WALWORTH GATE VALVE, SIZE 20 IN	0	P 48200 SE
ANA663N	AL	5-D-28-30	26	\$0.00	RING	RING, SEGMENT, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 13.(GE)(DFB), FOR	0	P 2825G SE

APD126V	AL	5-D-28-30:	1	\$0.00	SHACKLE	SHACKLE, CHAIN, QA 0, SCREW PIN, 1-3/4 IN, 5 IN, 1-3/4 IN, GALVANIZED FORGED STEEL, 25 TON (50000 LBS)	0	C	4030C SE
ATD631V	AL	5-D-28-30:	3	\$0.00	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, INNER, FIRST STAGE, ITEM 62, FOR REACTOR	0	P	4470C SE
ATD632R	AL	5-D-28-30:	3	\$0.00	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, INNER, 2ND STAGE, ITEM 63, FOR REACTOR PRESSURE	0	P	4470C SE
ATD633P	AL	5-D-28-30:	3	\$0.00	RING	RING, RETAINING, QA 0, RING, RETAINING; SNAP, ITEM 22, FOR REACTOR PRESSURE VESSEL STUD	0	P	4470C SE
AVM496P	AL	5-D-28-30:	10	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL, VALVE; SEGMENT, STRIP, BEARING, 17.188 IN ID, DWG IT 49, FOR	0	B	48200 SE
AWC536E	AL	5-D-28-30:	26	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 3, PACKING, O-RING; PACKING SET, C/O SIX DIE FORMED SPLIT RINGS, 4 IN ID	3	C	4730H SE
AYD752N	AL	5-D-28-30:	3	\$0.00	SHIM	SHIM, SET, QA 0, SHIM SET, ; REF 4-2, C/O 5 EA SHIMS, P/N U12-126910XP, 0.010 IN THK, 2	0	P	4310I SE
BNG852D	AL	5-D-28-30:	2	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 1.0 IN, 56.0 IN, CAST IRON, BLACK, ***	0	P	4710Z SE
BNR612K	AL	5-D-28-30:	12	\$0.00	SWIVEL	SWIVEL, TYPICAL, QA 3, SWIVEL, ; SAFETY HOIST RING, HEAVY DUTY, PIVOTS 180 DEG AND SWIVELS	3	P	4030C SE
BNQ686T	AL	5-D-29-10:	200	\$0.00	HOSE	HOSE, TYPICAL, QA 0, AIR, 2 IN, 300 PSIG, GREEN, HOSE, NONMETALLIC; SIZE ID: 2.000 IN, WORKING PRESSURE: 300 PSIG	0	P	47200 SE
AET677A	AL	5-D-29-20:	28	\$0.00	HANGER	HANGER, TYPICAL, QA 0, HANGER, LIGHTING FIXTURE; FIXTURE, FLEXIBLE, SURFACE MTG ***	0	P	6210P SE
BJE667B	AL	5-D-29-30:	145	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLP222P	AL	5-D-29-30:	460	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP223M	AL	5-D-29-30:	400	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLQ466M	AL	5-D-29-30:	62	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
AJK765Q	AL	5-D-30-20:	25	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, WIRE/FABRIC, STAINLESS STEEL, 24 IN WD, 0.008 IN, WIRE, FABRIC; MATERIAL: STAINLESS STEEL 304, WIRE DIAMET	0	C	5680B SE
BWG986J	AL	5-D-30-20:	6	\$0.00	RACK	RACK, TYPICAL, QA 0, BARREL, RACK, STORAGE, BARREL; ACTION ***	0		7125E SE
AAG677N	AL	5-D-30-20:	6	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
AQB550X	AL	5-D-30-20:	4	\$0.00	SPLICE	SPLICE, CABLE, QA 1, UNINSULATED, 1000 KCMIL, 600 AC, COPPER, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; STYLE PARALLEL CRIMP, CNC	1		5940I SE
BJX194F	AL	5-D-30-20:	53	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEXAGON HEAD, ALLOY STEEL ASTM A 490 TP 1 K03900	1		5305J SE
BLD812M	AL	5-D-30-20:	63	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BLL431X	AL	5-D-30-20:	38	\$0.00	SCREW	SCREW, MACHINE, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: FLAT FILLISTER, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLL441T	AL	5-D-30-20:	61	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLN687F	AL	5-D-30-20:	44	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLN691Q	AL	5-D-30-20:	56	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLP226F	AL	5-D-30-20:	131	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLP441B	AL	5-D-30-20:	41	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BPM477D	AL	5-D-30-20:	150	\$0.00	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, 250 KCMIL, BARE, YELLOW, CRIMP, SPLICE, CONDUCTOR ELECTRICAL; INSULATION FEATURE: UNINSULA	2		5940I SE
BPM787X	AL	5-D-30-20:	23	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.500000 ( 1/2), MATERIAL:	1		5305J SE
BPM932F	AL	5-D-30-20:	31	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.750000 ( 3/4), MATERIAL:	1		5305J SE
BPM942C	AL	5-D-30-20:	34	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.750000 ( 3/4), MATERIAL:	1		5305J SE
BTY293N	AL	5-D-30-20:	5000	\$0.00	ANCHOR	ANCHOR, TYPICAL, QA 3, ANCHOR, INSULATION; CARBON STEEL WELD PIN, 12 GA X 2.5 IN LONG, 1000	3		5640H SE
BTY979K	AL	5-D-30-20:	16	\$0.00	BOLT	BOLT, HEX, QA 1, BOLT, STRUCTURAL; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BVA620E	AL	5-D-30-20:	44	\$0.00	CLAMP	CLAMP, TUBE, QA 1, CLAMP, TUBE; MATERIAL: STAINLESS STEEL, NOMINAL SIZE: 01.000000 ( 1)	1	C	4730P SE
BNC777M	AL	5-D-30-30:	8	\$0.00	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; RETROFIT WEIGHING KIT, SO WAT ASVANS, WAT-220 ***	0	P	4470C SE
BXN094A	AL	5-D-30-30:	2	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, GRE, LHR, CORBIN RUSSWIN P/N 5251GRE ***	3	C	4710Y SE
BXN111E	AL	5-D-30-30:	5	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LH, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN119X	AL	5-D-30-30:	5	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN145W	AL	5-D-30-30:	5	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5251	3	C	4710Y SE
BXN147Q	AL	5-D-30-30:	2	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN148N	AL	5-D-30-30:	4	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN154V	AL	5-D-30-30:	4	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LHR, CORBIN RUSSWIN P/N UT5255	3	C	4710Y SE
BXN158K	AL	5-D-30-30:	4	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LH, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN160C	AL	5-D-30-30:	3	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RH, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN164Q	AL	5-D-30-30:	1	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, RHR, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
BXN169E	AL	5-D-30-30:	3	\$0.00	LOCKSET	LOCKSET, SECURING, QA 3, LOCK SET, UNIT TYPE; DOOR, MONO, GRE, LHR, CORBIN RUSSWIN P/N UT5257	3	C	4710Y SE
AET774C	AL	5-D-31-10:	4	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 250, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, WATTS: 250 ***	0		6210P SE
AFT070D	AL	5-D-31-10:	4	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, FIXTURE, LIGHTING; APPLICATION: OUTDOOR ***	0		6210P SE
AVD910W	AL	5-D-31-10:	6	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, GLOBE, WHITE, SURFACE OR FLUSH, CHROME PLATED/SATIN FINIS, FIXTURE, LIGHTING; SURFACE UNIT, CHROME PLAT	0		6210P SE
BLE860G	AL	5-D-31-10:	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE; STYLE: SLIP ON, NOMINAL SIZE: 06.000 IN ( 6), MATERIAL:	1		4730P SE
APA568A	AL	5-D-31-10:	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, STEAM TURBINE; LPCV VALVE SEAT, REF 10, FOR VALVE GEAR ASSY DWG	0	C	2825G SE
ATY792B	AL	5-D-31-10:	94	\$0.00	MOLDING	MOLDING, TRIM, QA 0, MOLDING, METAL; TUBE SOCKET, FLOOR SHOE, ADJUSTABLE, CAST IRON, TO	0		5670A SE
AWB941A	AL	5-D-31-10:	17	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BDH524H	AL	5-D-31-10:	1	\$0.00	BOLT	BOLT, EYE, QA 0, 2 IN, 4, 4 IN, CARBON STEEL, UNC, BOLT, EYE; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 02.000000 ( 2)	0		5305J SE
CKR609L	AL	5-D-31-10:	10	\$0.00	DEVICE	DEVICE, TYPICAL, QA 0, SWITCHGEAR, EXIT DEVICE, STAINLESS STEEL WITH MORTISE LOCK, MFR VON DUPRIN	0	B	
BPA722K	AL	5-D-31-20:	71	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, 200, FIXTURE, LIGHTING; WATTS: 200 ***	0	C	6210P SE
CHN463H	AL	5-D-31-20:	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, INPUT/OUTPUT, 16 POINT	3	C	5963B SE

CHN579X	AL	5-D-31-20	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, DIGITAL INPUT, NUMAC ATCU	3	C	5963B SE
CHN581B	AL	5-D-31-20	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, GEDAC RS-232, NUMAC ATCU	3	C	5963B SE
CHP245N	AL	5-D-31-20	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, DISPLAY, CONTROL MODULE FOR TIP SYSTEM	3	C	5963B SE
CKM217R	AL	5-D-31-20	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, CARD/PRINTED, DIODE	3	C	5840M SE
BNM799W	AL	5-D-31-20	1	\$0.00	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
BNM814V	AL	5-D-31-20	12	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 4 IN, GALVANIZED, *** STYLE: COUPLING	0		4730P SE
BNN437T	AL	5-D-31-20	32	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1 IN, 7-1/2 IN, (2) HEX, **	0		5305J SE
BTD778M	AL	5-D-31-20	2	\$0.00	THRESHOLD	THRESHOLD, DOOR, QA 3, THRESHOLD, DOOR; THRESHOLD, ALUMINUM, CAST, ABRASIVE, 4" WIDE X 36"	3		5670A SE
BY1171C	AL	5-D-31-20	25	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, LIQUID TIGHT, 1-1/2 IN, GALVANIZED STEEL, UL LISTED, POLYVINYL COVER, METAL, STEEL CORE	3	C	5975B SE
BY1199M	AL	5-D-31-20	25	\$0.00	CONDUIT	CONDUIT, FLEXIBLE, QA 3, LIQUID TIGHT, 2-1/2 IN, GALVANIZED STEEL, UL LISTED, POLYVINYL COVER, METAL, STEEL CORE	3	C	5975B SE
CEN241N	AL	5-D-31-20	2	\$0.00	CLAMP	CLAMP, PIPE, QA 3, REPAIR, *** UNIVERSAL CLAMP COUPLINGS, 14 INCH DIAMETER, 12 INCH LONG	3		4730P SE
BAP304L	AL	5-D-31-30	20	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, OIL, 3-5/8 IN, 9.063 IN, FILTER ELEMENT, FLUID; OIL, SPINON, METAL WIRE MESH, 3.625 DIA X	0	P	4330N SE
BCL709W	AL	5-D-31-30	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, MECHANICAL SEAL; C/O 1 EA NO 615993-1GT U-CUP, 1 EA NO	0	C	4320U SE
BKH079X	AL	5-D-31-30	4	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, OIL, 12 IN (1 FT), CARTRIDGE, FILTER ELEMENT, FLUID; CARTRIDGE, ZETA PLUS, 12 IN DIA, 5 MIL, FOR	0	C	4330N SE
APT861R	AL	5-D-31-30	8	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, FIXTURE, LIGHTING; 300 TO 500 WATTS, LOW BAY REFLECTOR ***	0	P	6210P SE
AQE018A	AL	5-D-31-30	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 480, 400, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, VOLTS: 480, WATTS: 400	0	C	6210P SE
ATB595F	AL	5-D-31-30	2	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, INCANDESCENT, FIXTURE, LIGHTING; LAMP TYPE: INCANDESCENT, ENVIRONMENT PROTECT:	0		6210P SE
BGR724D	AL	5-D-31-30	8	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3		4730P SE
BTM533B	AL	5-D-31-30	100	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 1 IN, MALLEABLE IRON, THREADED HUB, RIGID, , WITH COVER AND NEOPRENE GASKET	3	C	5975B SE
BTM542A	AL	5-D-31-30	33	\$0.00	BODY	BODY, CONDUIT, QA 3, T, 2 IN, MALLEABLE IRON, THREADED, , ENTRANCE TYPE: HUB, WITH COVER AND GASKET	3	C	5975B SE
AEF409X	AL	5-D-32-20	7	\$0.00	WASHER	WASHER, SEALING, QA 0, WASHER, PUMP; SEAL, FOR 16 IN X HVCN REACTOR FEEDWATER PUMP, ONE	0	C	4320U SE
AEK861M	AL	5-D-32-20	2	\$0.00	WIRE	WIRE, TIE, QA 0, SOLID, 18 GA, ALLOY STEEL, 0.041 IN DIA	0		9505N SE
AEK863H	AL	5-D-32-20	1	\$0.00	WIRE	WIRE, MUSIC, QA 0, WIRE, NONELECTRICAL; MATERIAL: ALLOY STEEL, CROSS SECTION WIDTH: 0.094	0		9505N SE
APG370C	AL	5-D-32-20	4	\$0.00	DISC	DISC, RUPTURE, QA 0, DISK, RUPTURABLE; MATERIAL: SS/SILVER, NOMINAL SIZE: 01.500 IN ( 1	0		4730P SE
AQX964R	AL	5-D-32-20	25	\$0.00	CLAMP	CLAMP, TYPICAL, QA 0, RESPIRATOR, STEEL, CLAMP, LOOP; STEEL, FOR ULTRA FILTER RESPIRATOR WITH ULTRAVUE	0	P	4710Y SE
ARB817X	AL	5-D-32-20	4	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, 3/4 IN, 3 IN, CARBON STEEL, BRACKET, MOUNTING; MATERIAL: CARBON STEEL, WIDTH: 00.750000 ( 3/4)	0		4710Y SE
ARQ815Y	AL	5-D-32-20	3	\$0.00	POINTER	POINTER, INSTRUMENT, QA 0, POINTER, DIAL; INDICATING, FOR TYPE T1150, PNEUMATIC CONTROLLER, 0-20	0		6695D SE
ARY377X	AL	5-D-32-20	5	\$0.00	TAPE	TAPE, HEAT, QA 0, 40 IN, 115, 145, TAPE, HEATING,ELECTRICAL; RAMA-FLEX, 145 WATT, 115 VOLT,40 IN LONG X	0		5966A SE
ATJ134G	AL	5-D-32-20	4	\$0.00	ATTACHME	ATTACHMENT, BEAM, QA 0, WELDED, 3/4 IN, CARBON STEEL, BEAM ATTACHMENT, WELDED; MATERIAL: CARBON STEEL, NOMINAL SIZE:	0		4710Y SE
AWB549A	AL	5-D-32-20	15	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 1/2 IN, 6 IN, PLASTIC, MNPT X FNPT, TUBING, NONMETALLIC; PLASTIC, VENTURI, 000.500 TO 003.000 CFM, 000.5	0	P	47200 SE
AWB941A	AL	5-D-32-20	3	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
AYE222F	AL	5-D-32-20	9	\$0.00	KNOB	KNOB, CONTROL, QA 0, KNOB, ; CONTROL, FOR SIMULATORS ***	0		7022F SE
BAT859M	AL	5-D-32-20	21	\$0.00	BASE	BASE, MOUNTING, QA 0, MOUNT, RESILIENT; MATERIAL: RUBBER ***	0		4710Y SE
BBF360P	AL	5-D-32-20	8	\$0.00	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, ASSEMBLED FITTING, FIRST ID	3		4730P SE
BBW961E	AL	5-D-32-20	2	\$0.00	TUBE	TUBE, METERING, QA 3, TUBING, GLASS; BOROSILICATE, 0 TO 10 SCALE, FOR METER, FLOW RATE IND	3		5680B SE
BEQ771M	AL	5-D-32-20	6	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, PVC, 80, *** THREAD SERIES: NPT	0		4730P SE
BFH863E	AL	5-D-32-20	3	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, PVC, 40, TEE, PIPE; FIRST END NOM SIZE: 01.000 IN	0		4730P SE
BFL805E	AL	5-D-32-20	5	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1.0 IN, 1 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	P	4730P SE
BHB300T	AL	5-D-32-20	20	\$0.00	FASTENER	FASTENER, TYPICAL, QA 3, FASTENER, PAWL; CASEMENT, WROUGHT STEEL, 2.875 IN CAST STEEL HANDLE	3		4710Y SE
BHP010V	AL	5-D-32-20	18	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEXAGON HEAD, STAINLESS STEEL ASTM A 276 T1 304 S30400	3		5305J SE
BJP480Q	AL	5-D-32-20	2	\$0.00	SPINDLE	SPINDLE, TYPICAL, QA 3, SPINDLE, DOOR ACCESS; STEEL, MILD, DWG 0-2084-5, REV 000, FOR WATER	3	C	4710Y SE
BKN967F	AL	5-D-32-20	15	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J SE
BKT070D	AL	5-D-32-20	18	\$0.00	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; VALVE MALLEABLE IRON, 3.0625 IN HOLE, 0.40 IN HOLE	3		4710Y SE
BLP202Y	AL	5-D-32-20	19	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP223M	AL	5-D-32-20	25	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP227D	AL	5-D-32-20	24	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; ALLOY STEEL, ASME SA193, GR B7, 0.875-9 UNC 2A	1		5305J SE
BLP439X	AL	5-D-32-20	1	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1		5305J SE
BLR760V	AL	5-D-32-20	8	\$0.00	SIGN	SIGN, CAUTION, QA 0, INSERT, SIGN; "NOTIFY RADCON PRIOR TO ENTRY", ( 5 EACH PER PACK ) ***	0		9905K SE
BLV055J	AL	5-D-32-20	2	\$0.00	CLAMP	CLAMP, HOSE, QA 1, CLAMP, HOSE; 1/2 IN WIDE, FOR NITROGEN AND WATER ACCUMULATORS ***	1	C	4730P SE
BND775L	AL	5-D-32-20	29	\$0.00	STUD	STUD, TYPICAL, QA 3, STUD, CONTINUOUS THREAD; 0.375-16 UNC X 2.25 IN LG, FORNORDBERG VH75	3		4310I SE
BVV343B	AL	5-D-32-20	16	\$0.00	UNION	UNION, TUBING, QA 1, CLASS 2, 1/8 IN, SS, COMPRESSION, ASME SA479 TP 316, UNION, TUBE; FIRST END NOM SIZE: 00.125 IN ( 1/8), SEC 1	1		4730P SE
CEL101J	AL	5-D-32-20	2	\$0.00	RING	RING, TYPICAL, QA 3, RING, *TYPICAL *** SEAT RING, FOR ANCHOR DARLING 4" 600 LB CONTROL	3	C	48200 SE
ADX270B	AL	5-D-32-20	13	\$0.00	ABSORBEN	ABSORBENT, OIL/GREASE, QA 0, CELLULOSE, 18 LB BAG, 3-5 GAL, EXPANDED PERLITE AND CELLULOSIC FIBER, WATER	0		7920P SE
BHT362A	AL	5-D-32-30	499	\$0.00	STUD	STUD, TYPICAL, QA 3, STUD, POWDER ACTUATED; STEEL, TYPE W6-20-27-D12, 100 PER BOX ***	3	P	5305J SE
BQB412P	AL	5-D-32-30	379	\$0.00	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, EXPANSION; DROP IN ANCHOR, CARBON STEEL, ZINC PLATED, HDI	1	C	4710Y SE
BVH879L	AL	5-D-32-30	10	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, MAXI-BOLT, 1-1/4 IN, 23 IN, , 18.00 IN SLEEVE, CONICAL NUT AND STUD - ASTM A193 GRADE B7, 1	1	C	4710Y SE
BGV486Q	AL	5-D-33-10	1	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, SCRUB, 5 IN WD, 9 IN, PLASTIC, BRUSH, SCRUB; MATERIAL: PLASTIC, OVERALL LENGTH: 09.000000 ( 9)	0		7920P SE

BLD302E	AL	5-D-33-10	575	\$0.00	PROTECTOR PROTECTOR, HEARING, QA 0, PLUG, EAR; SMALL ***	0	6505C SE
BLN786D	AL	5-D-33-10	75	\$0.00	ROD ROD, BRAZING, QA 2, BRAZING ALLOY, PHOSPHOR COPPER; LENGTH: 18.000000 ( 18), DIAMETER:	2	3439D SE
BNM617X	AL	5-D-33-10	1	\$0.00	WRENCH WRENCH, TYPICAL, QA 0, WRENCH, ; WATER PUMP MOUNTING BOLT ***	0	5120M SE
BNN175Y	AL	5-D-33-10	23	\$0.00	CHART CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; PAPER, ZM-2 ***	0	75300 SE
BPC390K	AL	5-D-33-10	10	\$0.00	BIT BIT, DRILL, QA 0, DRILL, TWIST; DRILL BIT ***	0	6945B SE
BQL116D	AL	5-D-33-10	2	\$0.00	SIPHON SIPHON, AIR, QA 0, EDUCTOR, 1-1/2 IN X 1-1/2 IN, BRASS, 95 GPM, EDUCTOR, ; BY PASS FOAM, 1.50 INCH INLET 1.50 INCH OUTLET, 95 GF	0	4210N SE
BWE286R	AL	5-D-33-10	150	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 1, CLASS 1, 3/32 IN, SS, COVERED, A5.4, E316L-16, SFA 5.4, PF-5001	1	3439D SE
BWE287P	AL	5-D-33-10	60	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 1, CLASS 1, 1/8 IN, SS, COVERED, A5.4, E316L-16, SFA 5.4, PF-5001	1	3439D SE
BXB090N	AL	5-D-33-10	20	\$0.00	PAN PAN, TYPICAL, QA 0, DRIP POCKET, DECONTAMINATION UNIT; CATCH CONTAINMENTS, FUNNEL SHAPED	0	4230E SE
BXB149D	AL	5-D-33-10	20	\$0.00	PAN PAN, TYPICAL, QA 0, DRIP POCKET, DECONTAMINATION UNIT; 18 INCH DIAMETER, CATCH CONTAINMENT	0	4230E SE
ADR061L	AL	5-D-33-10	17	\$0.00	BODY BODY, CONDUIT, QA 0, C, 2.0 IN, CAST ALUMINUM, ***	0	5975B SE
ADR860A	AL	5-D-33-10	25	\$0.00	BODY BODY, CONDUIT, QA 0, T, 1-1/2 IN, CAST ALUMINUM, ***	0	5975B SE
BNT523D	AL	5-D-33-10	2	\$0.00	ALARM ALARM, TYPICAL, QA 0, ALARM, ; 4 TO 20 MAD C SIGNAL, POWER SUPPLY 117 VAC, 50/60 HZ, TAG	0	6350B SE
CBY090W	AL	5-D-33-10	10	\$0.00	DIAPHRAGM DIAPHRAGM, ACTUATOR, QA 0, 60, 26-1/4 IN, DIAPHRAGM, ACTUATOR; SIZE 255, DIAMETER 26.25 INCH, FOR ACTUATOR YOKE	0	B 48200 SE
CKL446F	AL	5-D-33-10	1	\$0.00	ANALYZER ANALYZER, WATER, QA 0, WATER IN OIL, AQUA OIL 400	0	B 5999D SE
BLC582H	AL	5-D-33-20	14	\$0.00	ROD ROD, TYPICAL, QA 0, STRAIGHT/HEADLESS, 5 FT (60 IN), SS, **	0	C 4710Y SE
BTPO21K	AL	5-D-33-20	1	\$0.00	PANEL PANEL, TYPICAL, QA 3, FIRE, FIRE PROTECTION SYST, MAJOR COMPONENT; FIRE PANEL FOR REACTOR BUILDING	3	C 4210N SE
AYE007B	AL	5-D-33-20	2	\$0.00	SPRING SPRING, COMPRESSION, QA 1, HELICAL, STEEL, ASSY, REF 8, C/O SPRING P/N	1	C 48200 SE
ABG171H	AL	5-D-33-30	5	\$0.00	TEE TEE, PIPE, QA 0, REDUCING, 2-1/2 IN, 2 1/2 IN, 1 1/2 IN, FNPT, MNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0	4730P SE
ABG972E	AL	5-D-33-30	4	\$0.00	TEE TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3.0 IN, 2 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, ***	0	4730P SE
ACG470C	AL	5-D-33-30	8	\$0.00	TEE TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0	4730P SE
ACG871E	AL	5-D-33-30	5	\$0.00	TEE TEE, PIPE, QA 0, STRAIGHT, 2-1/2 IN, 2 1/2 IN, 2 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0	4730P SE
ADG755A	AL	5-D-33-30	4	\$0.00	COUPLING COUPLING, PIPE, QA 0, 4-1/2 IN, DRESSER, 138, CS, BOLTED, PIPE OD 5 IN, 4 BOLTS 5/8 IN DIA X 8 IN LONG	0	4730P SE
ADK866H	AL	5-D-33-30	8	\$0.00	TURNBUCKLE TURNBUCKLE, CLEVIS/EYE, QA 0, 3/4 IN, 20 IN, GALVANIZED FORGED STEEL, TURNBUCKLE, METALLIC; MATERIAL: FORGED STEEL, HOLE DI	0	4710Y SE
AWC236T	AL	5-D-33-30	42	\$0.00	SCREW SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1	5305J SE
AXE821Y	AL	5-D-33-30	10	\$0.00	COUPLING COUPLING, PIPE, QA 0, 4 IN, CARBON STEEL, *** END TYPE: PLAIN, CLASS: STANDARD WEIGHT	0	4730P SE
BFL803J	AL	5-D-33-30	4	\$0.00	UNION UNION, PIPE, QA 0, STRAIGHT, 3/4 IN, 3/4 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	4730P SE
BFL804G	AL	5-D-33-30	4	\$0.00	UNION UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, *** FIRST END TYPE: SOCKI	0	4730P SE
BFL806C	AL	5-D-33-30	4	\$0.00	UNION UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	4730P SE
BFL807A	AL	5-D-33-30	4	\$0.00	UNION UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, NICKEL ALLOY, SOCKETWELD, SOCKETWELD, 3000 LB, ASTM B462 CARPENTER, ***	0	4730P SE
BGB843D	AL	5-D-33-30	4	\$0.00	BEARING BEARING, MOUNTED, QA 0, PILLOW BLOCK, 1.1875 IN, PB-1298, 4 BOLT, BEARING UNIT, BALL; DOUBLE PILLOW BLOCK, TYPE DRNR, FOUR I	0	3110B SE
BJE251B	AL	5-D-33-30	14	\$0.00	SHIM SHIM, TYPICAL, QA 3, 0.075 IN, SS, 5 IN, 5 IN, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 5 IN X 5 IN X 0.075 IN THICK	3	5305J SE
BJG176L	AL	5-D-33-30	92	\$0.00	SHIM SHIM, TYPICAL, QA 3, 0.050 IN, SS, 5 IN, 5 IN, SHIM, ; PRECUT, STAINLESS STEEL, 5 IN X 5 IN X 0.050 IN THICK ***	3	5305J SE
ACV037D	AL	5-D-33-30	2	\$0.00	SYRINGE SYRINGE, TYPICAL, QA 0, SYRINGE, ; GAS TIGHT 10 ML ***	0	6505C SE
ADY444K	AL	5-D-33-30	97	\$0.00	SIGN SIGN, CAUTION, QA 0, PREPRINTED, 4 IN, 6 IN, MAGENTA/YELLOW, HOT SPOT MREM/HR, SIGN, PREPRINTED; PRESSURE SENSITIVE, W/WORD	0	9905K SE
AEF990A	AL	5-D-33-30	3	\$0.00	KNOB KNOB, CONTROL, QA 0, KNOB, ; CONTROL, MS91 528-0N1B, FOR AREA RADIATION MONITORING SYSTEM	0	6695D SE
AJE493R	AL	5-D-33-30	1	\$0.00	KEY KEY, MECHANICAL, QA 0, MACHINE, 1/4 IN, 1-3/4 IN, 1/4 IN, STAINLESS STEEL, KEY, MACHINE; MATERIAL: STAINLESS STEEL, SIZE WIDTH:	0	4320U SE
ALV920W	AL	5-D-33-30	3	\$0.00	HANDLE HANDLE, TOOL, QA 0, HANDLE, SURGICAL KNIFE; SCALPEL ***	0	6505C SE
AQC749M	AL	5-D-33-30	22	\$0.00	KNOB KNOB, CONTROL, QA 0, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0	5680B SE
AQC753Y	AL	5-D-33-30	9	\$0.00	KNOB KNOB, TYPICAL, QA 0, POINTER, 1/4 IN, PHENOLIC, BLACK, KNOB, ; POINTER, BLACK PHENOLIC, W/WHITE INDICATOR LINE 1/4 IN ***	0	5680B SE
AWX965Y	AL	5-D-33-30	68	\$0.00	SCREW SCREW, CAP, QA 0, 3/8 IN, 1.188 IN, 24, HEX, BRASS, UNF, *** FOR COUPLING SERIES HL, SIZE 10-10	0	3040D SE
AXX375E	AL	5-D-33-30	2	\$0.00	HANDWHEEL HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, VALVE; PLASTIC AND STEEL, FOR MICROPAK GLOBE VALVE, MODEL	0	48200 SE
AYG973N	AL	5-D-33-30	30	\$0.00	SCREW SCREW, CAP, QA 0, 1/2 IN, 1-3/4 IN, 13, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; CARBON STEEL, NOMINAL DIA .5 IN, THREA	0	6105D SE
AYK647L	AL	5-D-33-30	12	\$0.00	SCREW SCREW, TURBINE, QA 0, HEX, 1/2 IN, 1-1/2 IN, 13, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H, ; CARBON STEEL, SIZE 0.500 IN-13UNC,	0	2825G SE
AYT908F	AL	5-D-33-30	1	\$0.00	SCREW SCREW, CAP, QA 0, #8, 3/8 IN, 32, HEX, CS, UNC, FOR FLOW METER, MODEL MARK V-72P5YD, S/N 7988	0	6695D SE
BBR670L	AL	5-D-33-30	1	\$0.00	LATCH LATCH, MECHANICAL, QA 0, LATCH, ; DOOR, FOR HYDROGEN IGNITER CONTROL CABINET, DWG NO	0	4710Y SE
BCM131N	AL	5-D-33-30	10	\$0.00	TEE TEE, TYPICAL, QA 0, HOSE, 1/4 IN, PLASTIC, COMPRESSION, TEE, HOSE; NOMINAL SIZE: 00.250 IN ( 1/4), MATERIAL: PLASTIC END TYPE:	0	4730P SE
BDA081L	AL	5-D-33-30	6	\$0.00	SCREW SCREW, SOCKET, QA 0, 1/2 IN, 1 IN, NYLON, SCREW,CAP,SOCKET HEA, ; NOMINAL DIA .5 IN, FASTENER 1.0 IN, MOTOR	0	3950F SE
BFD966Q	AL	5-D-33-30	2	\$0.00	UNION UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, PVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, ***	0	4730P SE
BFV919R	AL	5-D-33-30	30	\$0.00	REDUCER REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/8 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGED, FNPT, ***	0	4730P SE
BFV920L	AL	5-D-33-30	9	\$0.00	REDUCER REDUCER, PIPE, QA 0, CONCENTRIC, 3/8 IN, 1/4 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, FNPT, ***	0	4730P SE
BGT561A	AL	5-D-33-30	5	\$0.00	GROMMET GROMMET, TYPICAL, QA 0, NONMETALLIC, RUBBER, BLACK	0	6695D SE
BGW816Q	AL	5-D-33-30	8	\$0.00	ELBOW ELBOW, TUBING, QA 0, 3/8 IN X 1/4 IN, PVC, MNPT X THREADED, 90, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: PVC PIPE F	0	4730P SE
BGW817N	AL	5-D-33-30	10	\$0.00	ELBOW ELBOW, TUBING, QA 0, 1/2 IN X 3/8 IN, PVC, MNPT X THREADED, 90, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG, MATERIAL: PVC PIPE F	0	B 4730P SE
BGW820D	AL	5-D-33-30	5	\$0.00	TEE TEE, TUBING, QA 0, MALE BRANCH, 3/8 IN X 3/8 IN X 1/2 IN, PVC, PLAIN X PLAIN X MNPT, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375	0	4730P SE
BGW823V	AL	5-D-33-30	5	\$0.00	TEE TEE, TUBING, QA 0, MALE, 3/8 IN, PVC, MNPT X PLAIN X PLAIN, TEE, PIPE TO TUBE; FIRST END NOM SIZE: 00.375 IN ( 3/8) SECOND END NO	0	4730P SE
BGW824R	AL	5-D-33-30	10	\$0.00	TEE TEE, TUBING, QA 0, 3/8 IN, PVC, PLAIN, *** SECOND END NOM SIZE: 00.375 IN ( 3/8), THIRD END NOM SIZE: 00.375	0	4730P SE



BHN176V	AL	5-D-33-30:	13	\$0.00	HANGER	HANGER, PIPE, QA 0, CLEVIS, 1/2 IN, STEEL, ADJUSTABLE, HANGER, PIPE; STEEL, CLEVIS TYPE, ADJUSTABLE.0.50 IN PIPE, WITH 0.250	0		4710Y SE
BHR216T	AL	5-D-33-30:	25	\$0.00	RING	RING, TYPICAL, QA 0, RING, LENS; SMALL, GRAY, FOR ULTRAVUE FACEPIECE ***	0	P	4240P SE
BHR217Q	AL	5-D-33-30:	25	\$0.00	RING	RING, TYPICAL, QA 0, RING, LENS; LARGE, GOLD, FOR ULTRAVUE FACEPIECE ***	0	P	4240P SE
BHT557T	AL	5-D-33-30:	2	\$0.00	SPACER	SPACER, TYPICAL, QA 0, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 ( 1 1/2) THICKNESS:	0		4730P SE
BHT558Q	AL	5-D-33-30:	3	\$0.00	SPACER	SPACER, TYPICAL, QA 0, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.000000 ( 1) THICKNESS:	0		4730P SE
BJS24K	AL	5-D-33-30:	4	\$0.00	PIN	PIN, TYPICAL, QA 3, STRAIGHT/HEADED, 1/2 IN, STEEL, SPIDER, , VENDOR DWG. NO. 3037-3, FOR WATER TIGHT EQUIPMENT, ON ACCESS D	3		5670A SE
BKN256H	AL	5-D-33-30:	12	\$0.00	INTERLOCK	INTERLOCK, TYPICAL, QA 3, INTERLOCK ASSY, ; DOOR RING, FOR FIRE RATED DOORS ***	3		4710Y SE
BLD021C	AL	5-D-33-30:	12	\$0.00	SCREW	SCREW, THUMB, QA 3, SCREW, FINGER; STAINLESS STEEL, KNURLED HEAD,0.25-20 UNC X 1.1875 IN	3		5305J SE
BLN183C	AL	5-D-33-30:	3	\$0.00	KIT	KIT, PARTS, QA 0, REPAIR KIT, ; FOR ACCELERATOR, MODEL D-1, P/N 05503-D ON SYS 26 ***	0		4210N SE
BLP701C	AL	5-D-33-30:	57	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BMD218V	AL	5-D-33-30:	3	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; TEE, PIPE, STRAIGHT, SCH 80, SOCKET TYPE, PVC, 2 INCH ***	3		4730P SE
BNN816J	AL	5-D-33-30:	1	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, IRON, FNPT, FNPT, GROUND JOINT, ***	0		4730P SE
BQC206N	AL	5-D-33-30:	2	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 4 - 3 1/2 IN, 2 IN, CARBON STEEL, 3000 LB, ASME SA105, FORGED, STD MILL FINISH	1		4730P SE
BRL036V	AL	5-D-33-30:	6	\$0.00	TAPE	TAPE, ADHESIVE, QA 0, PRESSURE SENSITIVE, 1 IN, 216 FT, MYLAR, SILVER, TAPE, PRESS SENSITIVE ADH; COLOR: SILVER, TAPE SIZE: 1 IN V	0		7510U SE
BRW686K	AL	5-D-33-30:	11	\$0.00	TEE	TEE, TUBING, QA 1, FEMALE, 5/8 IN, COPPER, SOLDER, UNS C12200, B16.22	1		4730P SE
BVM666H	AL	5-D-33-30:	3	\$0.00	INSERT	INSERT, PIPE, QA 1, CLASS 2, CS, 3000 LB, ASME SA105, , 1 ST END NOM SIZE: 02.000 IN, 2 ND END NOM SIZE: 00.750 IN, FIRST	1		4730P SE
BNQ685W	AL	5-D-34-10:	600	\$0.00	HOSE	HOSE, TYPICAL, QA 0, AIR, 2 IN, 300 PSIG, RED, HOSE, NONMETALLIC; SIZE ID: 2.000 IN, WORKING PRESSURE: 300 PSIG	0	P	47200 SE
AGK529H	AL	5-D-34-20:	4	\$0.00	GASKET	GASKET, BULK, QA 0, 3 FT (36 IN), 3 FT (36 IN), 1/4 IN, CORK/RUBBER, MUST BE ABLE TO BEND 180 DEG WITHOUT BREAKING	0		5730H SE
BGK803H	AL	5-D-34-20:	11	\$0.00	TAPE	TAPE, BARRICADE, QA 0, WARNING, 3 IN, 1000 FT, YELLOW/BLACK, ASBESTOS REMOVAL, DO NOT ENTER, TAPE, WARNING; YELLOW W/ BI	0		7510U SE
BQG138P	AL	5-D-34-30:	40	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 2 IN, 2 IN, STAINLESS STEEL, 6000 LB, SOCKETWELD, SOCKETWELD, 90, ASTM A182 GR F304, **	0	C	4730P SE
BVE730J	AL	5-D-34-30:	2	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 10 IN, 6 IN, BUTT WELD, BUTT WELD, STAINLESS STEEL, 40S, ASTM A403 TP304L, BUTT WELD, ***	0	C	4730P SE
BVK764V	AL	5-D-34-30:	12	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 6 IN, VICTAULIC, 78, CARBON STEEL, ***	0	C	4730P SE
BWP156Q	AL	5-D-34-30:	21	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 8 IN, 4 IN, BUTTWELD, BUTTWELD, CHROME MOLY ALLOY, 40, ASTM A234 GR WP11, SEAMLESS, BUTT	0	C	4730P SE
AVM530X	AL	5-D-34-30:	3	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, STRAINER, FOR PORTABLE DIESEL PUMP, MODEL 200CCD-1, 10 X	0	C	4320U SE
AXC380Q	AL	5-D-35-10:	100	\$0.00	ABSORBENT	ABSORBENT, OIL/GREASE, QA 0, BOOMS, PVC, 18 IN WD, 18 OZ, SORBENT, OIL; MATERIAL: PVC, TYPE: BOOMS, WIDTH: 18.0 IN CONTAINER	0	C	7920P SE
ADC927V	AL	5-D-35-20:	26	\$0.00	COUPLING	COUPLING, HOSE, QA 0, MENDER, HOSE; MATERIAL: BRASS, NOMINAL SIZE: 00.250 IN ( 1/4) ***	0		4730P SE
BDX805C	AL	5-D-35-20:	50	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 11-3/16 IN, 100 FT, 0-300 DEG F, VARIABLE, CHART, RECORDING INSTRUMENT; STRIP, VARIABLE SPEED, SC	0		75300 SE
BGT044M	AL	5-D-35-20:	30	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION BOX, ELECTRICAL; FLOOR TYPE, TWO STANDARD RECEPTACLES BACK TO	0		5975B SE
BHL655R	AL	5-D-35-20:	100	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-11/32 IN, 65 FT, 0-3 MILS VIB, 30 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 3 MILS VIB	0		75300 SE
BJM719E	AL	5-D-35-20:	15	\$0.00	BOLT	BOLT, HEX, QA 0, 1-3/8 IN, 5 IN, CARBON STEEL, *** HEAD STYLE: HEXAGON	0		4320U SE
BJP918X	AL	5-D-35-20:	20	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 5-31/32 IN, 112 FT, 0-200, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 200, 5.96875IN WIDE X	0		75300 SE
BJP943Y	AL	5-D-35-20:	24	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; STRIP, RANGE 50 TO 100 DEG F ***	0		75300 SE
BKM955V	AL	5-D-35-20:	15	\$0.00	BUSHING	BUSHING, CONDUIT, QA 3, GROUNDING, 1/2 IN, MALLEABLE IRON, THREADED, INSULATED THROAT, CONDUIT TYPE ACCEPT: RIGID, U.L LISTE	3		5975B SE
BKN853Y	AL	5-D-35-20:	47	\$0.00	BOLT	BOLT, HEX, QA 0, 3/4 IN, 5.0 IN, *** HEAD STYLE: HEXAGON	0		5305J SE
BLA062D	AL	5-D-35-20:	57	\$0.00	BOLT	BOLT, HEX, QA 0, 1-3/8 IN, 6 IN, CARBON STEEL, *** HEAD STYLE: HEXAGON	0		4320U SE
BLA333H	AL	5-D-35-20:	1	\$0.00	BUSHING	BUSHING, CONDUIT, QA 3, GROUNDING, 3 IN, MALLEABLE IRON, INSULATED THROAT, FEATURES: STEEL SET SCREW WITH LUG, ACCEPT: RIGI	3		5975B SE
BLE524M	AL	5-D-35-20:	11	\$0.00	BOLT	BOLT, SQUARE, QA 1, BOLT, MACHINE; ALLOY STEEL, ASME SA 193, GRADE B7, 1-1/8-7 UNC X 8-1/2	1		5305J SE
BNN566F	AL	5-D-35-20:	2	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2 IN, CARBON STEEL, 6000 LB, ASTM A115, COUPLING, ; 2 IN, 6000 LBS, CARBON STEEL, A115, 47W468-115. ***	0		4730P SE
BNN818E	AL	5-D-35-20:	5	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 2-1/2 IN, COPPER, WROUGHT, *** STYLE: COUPLING	0		4730P SE
BNR000N	AL	5-D-35-20:	41	\$0.00	BOTTLE	BOTTLE, LABORATORY, QA 0, BOTTLE, ; LIQUID SERIUM, GLASS, FOR POST ACCIDENT SAMPLING SYSTEM, GAS	0		6630D SE
BNV473W	AL	5-D-35-20:	18	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, 3000 LB, *** STYLE: COUPLING	0		4730P SE
BNV498C	AL	5-D-35-20:	78	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN, STAINLESS STEEL, *** STYLE: COUPLING	0		4730P SE
BVR412W	AL	5-D-35-20:	4	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL	1		5305J SE
BVR414Q	AL	5-D-35-20:	4	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, 1-3/8 IN, 5 IN, 8, ALLOY STEEL, ASME SA193 GR B7, UNC, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAC	1		5305J SE
BXV358H	AL	5-D-35-20:	3	\$0.00	BOLT	BOLT, EYE, QA 3, BOLT, EYE; MATERIAL: DROP FORGED STEEL, NOMINAL DIAMETER: 0.375 IN (	3		5305J SE
BLD808D	AL	5-D-35-20:	55	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1		5305J SE
BLL442Q	AL	5-D-35-20:	89	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL, NOMINAL	1		5305J SE
BLM983G	AL	5-D-35-20:	11	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, STRUCTURAL, 1 IN, 3 IN, 8, ASME SA325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, BOLT, STRUC	1	C	5305J SE
BLP203W	AL	5-D-35-20:	46	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1		5305J SE
BLP280L	AL	5-D-35-20:	75	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1		5305J SE
BLQ468H	AL	5-D-35-20:	69	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, STRUCTURAL, 1 IN, 2 IN, 8, ASME SA325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J SE
BPM789R	AL	5-D-35-20:	31	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BPM798Q	AL	5-D-35-20:	35	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BPM824J	AL	5-D-35-20:	35	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BPM828A	AL	5-D-35-20:	33	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.000000 ( 1), MATERIAL:	1		5305J SE
BPM851F	AL	5-D-35-20:	34	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.875000 ( 7/8), MATERIAL:	1		5305J SE
BPM923G	AL	5-D-35-20:	36	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.875000 ( 7/8), MATERIAL:	1		5305J SE

BTY259N	AL	5-D-35-20	5	\$0.00	BODY	BODY, CONDUIT, QA 3, LB, 2 IN, MALLEABLE IRON, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.000000 ( 2), MATERIAL:	3	5975B SE
BTY270E	AL	5-D-35-20	4	\$0.00	BODY	BODY, CONDUIT, QA 3, LL, 2-1/2 IN, MALLEABLE IRON, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.500000 ( 2 1/2), MATI	3	5975B SE
ABG771Q	AL	5-D-35-30	1	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 3.0 IN, 3 IN, 2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0	4730P SE
ACT598J	AL	5-D-35-30	2	\$0.00	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; LENS COLOR: RED ***	0	6250D SE
ADT892C	AL	5-D-35-30	6	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 250, LAMPHOLDER, ELECTRIC; VOLTAGE: 250.00 ***	0	6250D SE
AET896X	AL	5-D-35-30	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, MINIATURE BAYONET, LAMPHOLDER, ELECTRIC; LAMP BASE TYPE: MINIATURE BAYONET, LENS COLOR:	0	6250D SE
AKH057F	AL	5-D-35-30	1	\$0.00	INDICATOR	INDICATOR, FLOW, QA 0, VALVE, 3/4 IN, 4 IN, PROTECTOR ASSY, ; INDICATOR, (SIGHT GLASS), 3-1/4" LONG W/3/4" PIPE	0	5680B SE
AKT387L	AL	5-D-35-30	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, GREEN, LAMPHOLDER, ELECTRIC; LENS COLOR: GREEN ***	0	6250D SE
ANW253D	AL	5-D-35-30	15	\$0.00	CLAMP	CLAMP, TUBE, QA 0, CLAMP, TUBE; FOR (BECKMAN) PNEUMATIC CONTROL STATION, MODEL 4330-5	0	4730P SE
APT498J	AL	5-D-35-30	2	\$0.00	ALARM	ALARM, TYPICAL, QA 0, BUZZER, 10-30, BUZZER, ; ELEC, TELEPHONE INTERCOM, FOR TYPE 186 TELEPHONE 10-30 VAC	0	6350B SE
AQC517B	AL	5-D-35-30	29	\$0.00	UNION	UNION, TUBING, QA 0, REDUCING, 1/4 IN X 1/8 IN, BRASS, COMPRESSION X MNPT, ADAPTER, PIPE TO TUBE; PIPE END TYPE: THREADED EXT	0	4730P SE
AQD089P	AL	5-D-35-30	3	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, NON-RECHARGEABLE, NICKEL CADMIUM, 2.4, BATTERY, NONRECHARGEABLE; CELL SIZE: 2.4 V, ELECTROLYTE: N	0	6135A SE
AQE816N	AL	5-D-35-30	22	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INDICATING, 1/4 W, PLUG-IN, LAMPHOLDER, ELECTRIC; INDICATING LAMP, PLUG-IN TYPE, LESS LENS AND	0	6250D SE
AQX605P	AL	5-D-35-30	1	\$0.00	RIVET	RIVET, TYPICAL, QA 0, RIVET, BLIND; DIAPHRAGM PACKING, SEQUENCE 2444, FOR 1100 MW TURBINE	0	2825G SE
ARB811A	AL	5-D-35-30	3	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, 5/8 IN, 3 IN, CARBON STEEL, BRACKET, MOUNTING; MATERIAL: CARBON STEEL, WIDTH: 00.625000 ( 5/8)	0	4710Y SE
ARF651H	AL	5-D-35-30	32	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 1.030 IN, 1.620 IN, 0.120 IN, *** FOR BEARING RING INSULATION, 1.620IN OD X 1.030IN ID X 0.120IN	0	5305J SE
ARK601D	AL	5-D-35-30	6	\$0.00	ALARM	ALARM, TYPICAL, QA 0, ALARM, ; AUDIBLE, FOR PMC-4B AND PMC-4CPORAL MONITOR ***	0	6350B SE
ATJ998L	AL	5-D-35-30	16	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, COUPLING, PIPE; FULL, CLASS 3000, STAINLESS STEEL ASME SA 182 GR F304	1	C 4730P SE
ATQ601D	AL	5-D-35-30	1	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 4.0 IN, 1 1/2 IN, SOCKET WELD, SOCKET WELD, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGEI	0	4730P SE
ATY093W	AL	5-D-35-30	12	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, 7/8 IN, 1-1/8 IN, 1-3/4 IN, BRASS, FLANGED, BEARING, SLEEVE; FLANGED, OILITE, 1.125 OD X 0.875 ID X 1.750	0	3110B SE
AWK517E	AL	5-D-35-30	7	\$0.00	TEE	TEE, PIPE, QA 1, STRAIGHT, 1/2 IN, 1/2 IN, 1/2 IN, SOCKETWELD, SOCKET TYPE, SOCKETWELD, SS, ASME SA182 GR F316, STANDARD MILI	1	4730P SE
AXB423T	AL	5-D-35-30	3	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, 31 CONTACTS, CONNECTOR, RECEPTACLE ELECT; 31 CONTACTS, SHELL SIZE 20 MALE ***	3	5935B SE
AXF430L	AL	5-D-35-30	2	\$0.00	SCALE	SCALE, TYPICAL, QA 0, DIAL, SCALE; TAPE, CASCADE, FOR CONTROLLER ***	0	6695D SE
BBF246A	AL	5-D-35-30	13	\$0.00	TEE	TEE, TUBING, QA 3, TEE, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT TYPE	3	4730P SE
BBX682D	AL	5-D-35-30	284	\$0.00	SCREW	SCREW, MACHINE, QA 0, #4, 1/4 IN, 40, BINDING HEAD, CARBON STEEL, UNC, SLOTTED, SCREW, MACHINE; HEAD STYLE: BINDING, MATERIA	0	5305J SE
BBX756A	AL	5-D-35-30	99	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 5/16 IN, 3/4 IN, CARBON STEEL, *** CARRIAGE	0	5305J SE
BBY777W	AL	5-D-35-30	52	\$0.00	KNOB	KNOB, TYPICAL, QA 3, KNOB, ; PLASTIC, BLACK, FOR CO2 SYSTEM ***	3	P 4210N SE
BCA916A	AL	5-D-35-30	91	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3/8 IN, HALF, CS, MNPT, FIRST END TYPE: PUSH-PULL EXTER HALF, SECOND END TYPE: CAMLOCKING	0	C 4730P SE
BDC569L	AL	5-D-35-30	9	\$0.00	SCREW	SCREW, WOOD, QA 0, #10, 1.0 IN, FLAT COUNTERSUNK, BRASS, *** INTERNAL DRIVE STYLE: CROSS RECESS	0	5305J SE
BDD469K	AL	5-D-35-30	20	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/2 IN, 3/4 IN, SOCKET, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0	4730P SE
BDD472Y	AL	5-D-35-30	13	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/2 IN, 1 1/4 IN, SOCKET, PVC, 80, STANDARD MILL FINISH, SOCKET, ***	0	4730P SE
BFA037B	AL	5-D-35-30	20	\$0.00	LENS	LENS, COVER, QA 3, LENS, LIGHT; RED, FACETED, SCREW-TYPE, UNFROSTED ***	3	6210P SE
BFD912G	AL	5-D-35-30	4	\$0.00	SCREW	SCREW, WOOD, QA 0, #7, 1 IN, FLAT COUNTERSUNK, BRASS, SCREW, WOOD; HEAD STYLE: FLAT, INTERNAL DRIVE STYLE: CROSS RECESS	0	5305J SE
BFJ615W	AL	5-D-35-30	2	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE/FULL FACE, 1 IN, 1/2 IN, CARBON STEEL/SARAN, SPACER, PIPE; CARBON STEEL,SARAN 150 LB 1.00 IN, I	0	4730P SE
BGG545V	AL	5-D-35-30	6	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PIPE, 1-1/2 IN, 1/2 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 ( 1 1/2) THICKNESS:	0	4730P SE
BGJ687W	AL	5-D-35-30	2	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1-1/4 IN, 3/4 IN, FNPT, FNPT, STAINLESS STEEL, 3000 LB, ASTM A182 GR F316, FORGED, FNPT, ***	0	4730P SE
BJC989Y	AL	5-D-35-30	1	\$0.00	WASHER	WASHER, LOCKING, QA 3, 3/8 IN, STEEL, WASHER, LOCK; STEEL, 0.375 IN, FOR DIESEL ENGINE, MODEL NT-855-F2	3	29100 SE
BJH687M	AL	5-D-35-30	45	\$0.00	WASHER	WASHER, TYPICAL, QA 0, CARBON STEEL, *** SPLIT (SPRING TYPE), FOR HENRY GRINDER, MODEL 44GL, 36G, 40BLS	0	5130U SE
BJL459K	AL	5-D-35-30	388	\$0.00	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, CARBON STEEL SAE GRADE 1, ZINC PLATED	3	5305J SE
BLA906W	AL	5-D-35-30	11	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAGON, MATERIAL: ALLOY STEEL	1	5305J SE
BNH021B	AL	5-D-35-30	1	\$0.00	CLIP	CLIP, TYPICAL, QA 1, CLIP, SPRING TENSION; APPROXIMATELY 0.6875 WIDE X 1.25 IN LONG, HOLE	1	C 4710Y SE
BTP647H	AL	5-D-35-30	100	\$0.00	TUBING	TUBING, TYPICAL, QA 3, TUBING, NONMETALLIC; MATERIAL: URETHANE, SIZE ID: 00.09375 IN ( 3/32)	3	47200 SE
BWD655R	AL	5-D-35-30	1	\$0.00	CAP	CAP, PROTECTIVE, QA 3, CAP, PROT,DUST AND MOIST; MATERIAL: RUBBER ***	3	6695D SE
BWK219F	AL	5-D-35-30	13	\$0.00	KIT	KIT, MOUNTING, QA 3, BOLT, DOOR HARDWARE; STEEL, SEX BOLT/MACHINE SCREW, 5/16" X 1-9/16"	3	4710Y SE
CAC642G	AL	5-D-35-30	38	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 3, NUCLEAR, 3/16 IN, 2200 DEG C, SLEEVING, NUCLEAR BRAID; PIPE SIZE: 00.1875 IN (3/16), TEMP RATING:	3	5970B SE
CDD041A	AL	5-D-36-10	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG LONG RADIUS, MATERIAL: CARBON STEEL, 1 ST	3	C 4730P SE
BEE850Q	AL	5-D-36-10	19	\$0.00	THERMOME	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; SELF-IND, 50 TO 400 DEG F, 5 IN DIAL, 0.5 IN	3	C 6695D SE
BBF954E	AL	5-D-36-20	68	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 9 IN, 15-7/8 IN, 7/16 IN, CHARCOAL, FILTER ELEMENT, AIR CONDITIONER; CHARCOAL, 0.437 X	0	4520N SE
BHY470X	AL	5-D-36-20	38	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 21-1/2 IN, 21-1/2 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 1 X 2	0	4520N SE
BJN186J	AL	5-D-36-20	15	\$0.00	CONNECTO	CONNECTOR, CABLE TRAY, QA 1, CONNECTOR, CABLE TRAY; STEEL, 11 GA, 6 LONG X 4 IN WIDE, EIGHT HOLES	1	5975B SE
BKP116W	AL	5-D-36-20	75	\$0.00	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER,FIRE PROT; BRASS, 0.5 IN ORIFICE, 0.5	3	4210N SE
BLH575L	AL	5-D-36-20	6	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 12 IN, 24 IN, FILTER ELEMENT, AIR CONDITIONER; VARICELL TYPE DISPOSABLE, 12 WIDE X	0	4520N SE
BBF486M	AL	5-D-36-20	44	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, 1 IN, 7-1/2 IN, 8, ASME SA325 TP 1, UNC, B18.2.1, , MACHINE, PLAIN, C/W TWO HEX NUTS, ASME SA-194 GR ;	1	5305J SE
BDG082K	AL	5-D-36-20	6	\$0.00	SPATULA	SPATULA, LABORATORY, QA 0, LAB/STERILE/DISPOSABLE, STYRENE, SPATULA, LABORATORY; STYRENE, WHITE, STERILE, DISPOSABLE, 10	0	6630D SE
BGT777J	AL	5-D-36-20	144	\$0.00	NAIL	NAIL, METAL, QA 0, GUTTER SPIKE, STEEL, ***	0	5305J SE
BLF193D	AL	5-D-36-20	4	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, CLAMP PIPE; 8 IN STYLE 38 COUPLING WITH DRESSER SHOP COAT	3	B 4730P SE
CDD002M	AL	5-D-36-30	2	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 20 IN, CS, 150 LB, RAISED FACE, ASTM A105, BLACK, FORGED, B16.5, FLANGE, PIPE; STYLE: WELDNECK, 3	C	4730P SE

BNJ228Q	AL	5-D-36-302	13	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1/2 IN, WBT-902, WBT-CNINPP, NO 1217E05	0	C	4470C SE
BNJ229N	AL	5-D-36-302	58	\$0.00	NUT	NUT, TYPICAL, QA 0, 5/8 IN, WBT-902, WBT-CNINDP, NO 1195E79	0	P	4470C SE
BNJ230H	AL	5-D-36-302	42	\$0.00	NUT	NUT, TYPICAL, QA 0, 1/2 IN, WAT-902, WAT-CNHDDUD, NO 1462F08	0	C	4470C SE
BNJ234X	AL	5-D-36-302	21	\$0.00	RING	RING, RETAINING, QA 0, WAT-902, WAT-CNHDDUD, NO 1193E14	0	C	5305J SE
BNJ235V	AL	5-D-36-302	416	\$0.00	WASHER	WASHER, FLAT, QA 0, 1/4 IN, CADMIUM PLATED	0	C	5305J SE
BNJ236R	AL	5-D-36-302	699	\$0.00	WASHER	WASHER, LOCKING, QA 0, 3/8 IN	0	C	5305J SE
BNJ237P	AL	5-D-36-302	4	\$0.00	WASHER	WASHER, SPRING, QA 0, SPLIT NON LOCKING	0	C	5305J SE
BNJ238M	AL	5-D-36-302	10	\$0.00	SHIM	SHIM, TYPICAL, QA 0, WBT-902, WBT-CNHDDUD, 1212E82	0	C	5305J SE
BNJ239K	AL	5-D-36-302	4	\$0.00	WASHER	WASHER, TYPICAL, QA 0, 5/8 IN, WBT-902, WBT-CNHDDAD, 3703-1-17	0	C	5305J SE
BNJ410F	AL	5-D-36-302	8	\$0.00	SPACER	SPACER, TYPICAL, QA 0, (4455D-043)	0	C	2825G SE
BNK926T	AL	5-D-36-302	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, DIRECTIONAL CONTROL VALVE, TAG #2-FSV-47-23.	0	C	48200 SE
BNK949E	AL	5-D-36-302	4	\$0.00	PLATE	PLATE, TYPICAL, QA 0, TG00825.	0	C	5975B SE
BNK951V	AL	5-D-36-302	4	\$0.00	LINER	LINER, TYPICAL, QA 0, PLATE, PLATE LINER, TG-00826.	0	C	4470C SE
BNK985A	AL	5-D-36-302	2	\$0.00	CLAMP	CLAMP, TYPICAL, QA 0, DISC, 887C244-003	0	C	4470C SE
BNL125Q	AL	5-D-36-302	260	\$0.00	CLIP	CLIP, TYPICAL, QA 0, ELECTRICAL, ELECTRICAL, 1462F08, WBT-902, WBT-CNHDDUD	0	C	5999D SE
BNL162J	AL	5-D-36-302	456	\$0.00	SCREW	SCREW, TYPICAL, QA 0, 5/8 IN, 10 IN, NO 1213E85, WBT-902, WBT-CNHDDUD	0	C	4470C SE
BNL163G	AL	5-D-36-302	99	\$0.00	WASHER	WASHER, LOCKING, QA 0, 5/16 IN	0	C	5305J SE
BNL164E	AL	5-D-36-302	44	\$0.00	NUT	NUT, TYPICAL, QA 0, 1/2 IN, NO 1217E08, WBT-902, WBT-CNINPP	0	C	4470C SE
BNL244G	AL	5-D-36-302	1	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, STEAM TURBINE, TG00827	0	C	5975B SE
BNL295Y	AL	5-D-36-302	4	\$0.00	NUT	NUT, LOCK, QA 0, 1 IN, TG00814	0	C	3110B SE
BNL738N	AL	5-D-36-302	76	\$0.00	BOLT	BOLT, HEX, QA 0, 3/8 IN, 1-3/4 IN, HEX	0	P	5305J SE
BNT341K	AL	5-D-36-302	8	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, THREADED INTERNAL, THREAOLET	0	C	4730P SE
BNT342H	AL	5-D-36-302	1	\$0.00	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 1 IN, 7 IN, STEEL	0	C	2825G SE
BNT343F	AL	5-D-36-302	2	\$0.00	NUT	NUT, TYPICAL, QA 0, TURBINE, 1-3/4 IN, 3-1/2 IN, 627C665-028.	0	C	2825G SE
BNT354A	AL	5-D-36-302	160	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1-1/4 IN, SS, THREADED, AISI 304, FORGED	0	C	5305J SE
BNT360T	AL	5-D-36-302	100	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/8 IN, CS, THREADED, FORGED	0	C	5305J SE
BNT361D	AL	5-D-36-302	150	\$0.00	REDUCER	REDUCER, PIPE, QA 0, 1/2 IN, 1/8 IN, CS, FORGED	0	C	5305J SE
BNT362B	AL	5-D-36-302	50	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, CS, THREADED, FORGED	0	C	5305J SE
BNT368Y	AL	5-D-36-302	50	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CS, THREADED, THREADED, FORGED, HEAVY, GROUND JT	0	C	5305J SE
BNT369W	AL	5-D-36-302	292	\$0.00	BLOWER	BLOWER, TYPICAL, QA 0, AIR MONITORS, ARI MOVERS,	0	C	5305J SE
BNT370P	AL	5-D-36-302	174	\$0.00	CAP	CAP, PIPE, QA 0, 1/2 IN, THREADED, CS, FORGED	0	C	5305J SE
BNT371A	AL	5-D-36-302	2	\$0.00	TUBE	TUBE, TYPICAL, QA 0, INSULATING	0	C	5970B SE
BNT490D	AL	5-D-36-302	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 11 IN, THREADED	0	C	4470C SE
BNT567Q	AL	5-D-36-302	8	\$0.00	LEVEL	LEVEL, HAND, QA 0, 8 IN, 8 X 2 X 0.25 INCH	0	C	4470C SE
BNT570F	AL	5-D-36-302	2	\$0.00	NUT	NUT, TYPICAL, QA 0, 1-1/2 IN, 460B497-024.	0	C	4470C SE
BNT573X	AL	5-D-36-302	1	\$0.00	NUT	NUT, TYPICAL, QA 0, 1-3/4 IN, 460B497-008.	0	C	4470C SE
BNT574V	AL	5-D-36-302	2	\$0.00	SEGMENT	SEGMENT, TYPICAL, QA 0, INNER CORNER, INNER CORNER, 870C495-001	0	C	2825G SE
BNT576P	AL	5-D-36-302	6	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1 IN, 4-1/4 IN, 627C234-034.	0	C	5305J SE
BNT584Q	AL	5-D-36-302	24	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 3-1/2 IN, CS	0	C	5305J SE
BNT586L	AL	5-D-36-302	9	\$0.00	NUT	NUT, TYPICAL, QA 0, 10 IN, 24, 460B506-008.	0	C	5305J SE
BNT587J	AL	5-D-36-302	4	\$0.00	SHIM	SHIM, TYPICAL, QA 0, 871C511-004	0	C	5305J SE
BNT588G	AL	5-D-36-302	4	\$0.00	SHIM	SHIM, TYPICAL, QA 0, 871C511-003.	0	C	5305J SE
BNT591V	AL	5-D-36-302	6	\$0.00	SHIM	SHIM, TYPICAL, QA 0, 871C511-005.	0	C	5305J SE
BNT593P	AL	5-D-36-302	4	\$0.00	SHIM	SHIM, TYPICAL, QA 0, 871C511-002.	0	C	5305J SE
BNT670B	AL	5-D-36-302	32	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 3/4 IN, 4 IN	0	C	5305J SE
BNT672V	AL	5-D-36-302	2	\$0.00	NUT	NUT, HEX, QA 0, 5/8 IN, 11, CS, ASTM A194 GR 2H, CADMIUM PLATED, YCD	0	C	4730P SE
BNT673R	AL	5-D-36-302	2	\$0.00	CONTROLLER	CONTROLLER, ELECTRICAL, QA 0, DIGITAL, 4X, PH/ORP CONTROLLER, NEMA 4X ENCLOSURE,	0	C	4730P SE
BNT674P	AL	5-D-36-302	25	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 7/8 IN, 4-3/4 IN	0	C	5305J SE
BNT675M	AL	5-D-36-302	5	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 1 IN, 4-1/4 IN	0	C	5305J SE
BNT677H	AL	5-D-36-302	24	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 3/4 IN, 3-1/4 IN	0	C	5305J SE
BNT687E	AL	5-D-36-302	1	\$0.00	TAPE	TAPE, TYPICAL, QA 0, 5 FT (60 IN), NATURAL, SODER-WICK DESOLDERING BRAID 80-5-5, WIDTH 0.145 IN,	0	C	3439D SE
BNT688C	AL	5-D-36-302	150	\$0.00	SCREW	SCREW, CAP, QA 0, 3/4 IN, 2-1/4 IN, 10, SOCKET, SS, AISI 304, UNC	0	C	5305J SE
BNT710R	AL	5-D-36-302	58	\$0.00	SCREW	SCREW, CAP, QA 0, 1-1/8 IN, HEX, NO 10H0667-007	0	C	5305J SE
BNT720N	AL	5-D-36-302	1	\$0.00	BOLT	BOLT, EYE, QA 0, 3/4 IN, 10 IN	0	C	5305J SE
BNT726Y	AL	5-D-36-302	16	\$0.00	NUT	NUT, TYPICAL, QA 0, CS, 460B496-012	0	C	4470C SE
BNT727W	AL	5-D-36-302	12	\$0.00	BOLT	BOLT, TYPICAL, QA 0, 5/8 IN, 3-1/4 IN, 11, 210C172-003.	0	C	5305J SE
BNV086T	AL	5-D-36-302	1	\$0.00	PIPE	PIPE, TYPICAL, QA 0, TURBINE, GLAND DRAIN, NO 397A317-A01	0	C	4470C SE

BPA937X	AL	5-D-36-30	72	\$0.00	SCREW	SCREW, MACHINE, QA 0, 5/8 IN, 3 IN	0	C	5305J SE
BPD479J	AL	5-D-36-30	34	\$0.00	NUT	NUT, HEX, QA 0, HEAVY, 1-1/8 IN, SS, GR 2H, RIGHT HAND, FOR B7 STUDS	0	C	5305J SE
BPD496J	AL	5-D-36-30	12	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 3/4 IN, STEEL	0	C	5305J SE
BPD547V	AL	5-D-36-30	8	\$0.00	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 1 IN, 4-3/4 IN	0	C	5305J SE
BPD557Q	AL	5-D-36-30	6	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, 1-3/4 IN, 4 IN, 4 IN, METAL, SQUARE	0	C	4470C SE
BPD682M	AL	5-D-36-30	4	\$0.00	WASHER	WASHER, LOCKING, QA 0, 5/8 IN	0	C	5305J SE
BPD696A	AL	5-D-36-30	3	\$0.00	FLANGE	FLANGE, PIPE, QA 0, ID 180678	0	C	4730P SE
BPD747K	AL	5-D-36-30	30	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 11-1/2 IN, 1/8 IN	0	C	4470C SE
BPD814Y	AL	5-D-36-30	7	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, FLEXIBLE, 2-1/2 IN, PLASTIC COATED	0	C	4470C SE
BPD882D	AL	5-D-36-30	82	\$0.00	WASHER	WASHER, LOCKING, QA 0, PANTLEG	0	C	5305J SE
BPE104T	AL	5-D-36-30	1	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 0, PROCEDURE FOR REMOVAL OF, EXPLOSION PROOF COOLER, COVER, TG00812	0	C	9905K SE
BPE109G	AL	5-D-36-30	8	\$0.00	PIPE	PIPE, TYPICAL, QA 0, 2 IN, 3-1/4 IN, CS	0	C	4470C SE
BPE110A	AL	5-D-36-30	4	\$0.00	ADAPTER	ADAPTER, PIPE, QA 0, 1-3/4 IN X 2-1/4 IN, THREADED, REDUCER, HEXHEAD	0	C	4730P SE
BPE116J	AL	5-D-36-30	27	\$0.00	SPRING	SPRING, TYPICAL, QA 0, WITH RETAINING CUP ONE END	0	C	5305J SE
BPE142H	AL	5-D-36-30	10	\$0.00	REDUCER	REDUCER, PIPE, QA 0, 2-1/4 IN, 1-3/4 IN, MALLEABLE IRON, THREADED	0	C	4730P SE
BPE206J	AL	5-D-36-30	50	\$0.00	WASHER	WASHER, LOCKING, QA 0, PANTLEG	0	C	5305J SE
BDL556L	AL	5-D-38-10	3	\$0.00	ROPE	ROPE, WIRE, QA 0, HOIST, 1/2 IN, 263 FT 5 IN, 20000 LB, CABLE ASSY, HOIST; WIRE, 0.5 IN X 263 FT 5 IN, FOR ELECTRIC HOIST	0	P	3950F SE
BNM460G	AL	5-D-38-20	14	\$0.00	BOX	BOX, ELECTRICAL, QA 0, DISTRIBUTION, BOX, ; ALARM, SNV1006 ***	0	C	4240P SE
AQD208L	AL	5-D-38-20	24	\$0.00	RIBBON	RIBBON, TYPICAL, QA 0, CALCULATOR, BLACK, 10 YD, 3 YD, NYLON, RIBBON, CALCULATOR; MATERIAL: NYLON, SIZE: 14 X 10 YARDS, COLC	0	C	7510U SE
ARV273R	AL	5-D-38-20	15	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, RESPIRATOR; INHALATION SPEAKING, FOR ULTRAVUE FACEPIECE	0	C	4240P SE
BFH059W	AL	5-D-38-20	39	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 00.500000 ( 1/2), MATERIAL:	1	C	5305J SE
BKH659L	AL	5-D-38-20	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1-1/2 IN, TOOL STEEL/CARBON, DRILL ROD, METAL BAR, ; ROUND, TOOL STEEL, CARBON, DRILL ROD, 1.5 IN DI	0	C	9520Z SE
BKH664V	AL	5-D-38-20	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 3 FT, 1-1/4 IN, TOOL STEEL/CARBON, 4.170, AISI 0-1, ALLOY TREATED, DRILL ROD, METAL BAR, ; ROUND, TOC	0	C	9520Z SE
BKN967F	AL	5-D-38-20	60	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; CARBON STEEL ASME SA 307 GR A, NOMINAL DIA .875	1	C	5305J SE
BLP198R	AL	5-D-38-20	13	\$0.00	SCREW	SCREW, CAP, QA 1, 3/4 IN, 3-1/4 IN, 10, HEX, SS, ASME SA193 GR B8, UNC, 2A, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA19	1	C	5305J SE
BLP202Y	AL	5-D-38-20	40	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 0.875-9 UNC	1	C	5305J SE
BLP439X	AL	5-D-38-20	61	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1	C	5305J SE
BLP440Q	AL	5-D-38-20	60	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW,CAP,HEXAGON H, ; STAINLESS STEEL, ASME SA193, GR B8, 1-8 UNC 2A	1	C	5305J SE
ARJ921Y	AL	5-D-38-30	4	\$0.00	SPRING	SPRING, TYPICAL, QA 0, VALVE/THROTTLE, STEAM TURBINE; INNER, REFERENCE 51, THROTTLE VALVE, IL	0	C	2825G SE
BME305W	AL	5-D-38-30	15	\$0.00	SCREW	SCREW, TYPICAL, QA 0, JACK, 1-1/2 IN, 3-3/8 IN, 12, *** FOR REACTORCOOLANT PUMP ELECTRIC MOTOR, S/N 3582P192 AND 3A82P192	0	P	6105D SE
BYJ732V	AL	5-D-40-10	6	\$0.00	MAT	MAT, FLOOR, QA 0, ANTI-FATIGUE/RIBBED, 2 FT X 105 FT X 1/8 IN, LIGHT GREY, ANDERSEN, #FRH900-1/8	0	B	7220G SE
BYJ735M	AL	5-D-40-10	4	\$0.00	MAT	MAT, FLOOR, QA 0, ANTI-FATIGUE/RIBBED, 3 FT X 105 FT X 1/8 IN, LIGHT GREY, ANDERSEN, 1/8 IN THICK 3 FT	0	B	7220G SE
AHX662M	AL	5-D-40-20	600	\$0.00	LABEL	LABEL, WARNING, QA 0, SHIPPING, 4 IN, 4 IN, YELLOW III, RADIOACTIVE, LABEL, IDENTIFICATION; SHIPPING, RADIOACTIVE, YELLOW III, 4 X 4	0	P	75300 SE
ARN811H	AL	5-D-40-20	6	\$0.00	LABEL	LABEL, WARNING, QA 0, PRESSURE SENSITIVE, 5 IN, 6 IN, FLOURESCENT, MAGENTA, CAUTION RADIOACTIVE, MATERIALS, ADHESIVE BACK, 10	0	P	75300 SE
ATL599Q	AL	5-D-40-20	128	\$0.00	LABEL	LABEL, WARNING, QA 0, IDENTIFICATION, 4-1/4 IN, 4-1/2 IN, YELLOW II, LABEL, IDENTIFICATION; RADIOACTIVE WARNING,4.500IN X 4.250I	0	P	75300 SE
ATL600F	AL	5-D-40-20	300	\$0.00	LABEL	LABEL, WARNING, QA 0, IDENTIFICATION, 4-1/4 IN, 4-1/2 IN, WHITE I, LABEL, IDENTIFICATION; RADIOACTIVE WARNING,4.500IN X 4.250IN,I	0	P	75300 SE
BKN238K	AL	5-D-40-20	70	\$0.00	MOP	MOP, TYPICAL, QA 0, REFILL, RADN PARTICLE MOP; TACKY ROLLS REFILLS, 9 IN LG, 10 TACKY	0	P	4230E SE
BPM118A	AL	5-D-40-20	150	\$0.00	SIGN	SIGN, CAUTION, QA 0, CUSTOM PRINTED, 12 IN, 12 IN, TRIANGLE, MAGENTA/YELLOW, ENTRY, SIGN, ; CUSTOM PRINTED, CENTER LETTERING	0	C	9905K SE
BT A979T	AL	5-D-40-20	40	\$0.00	SIGN	SIGN, CAUTION, QA 0, SIGN, PREPRINTED; 5 POCKET, LEXON RAD HAZARD SIGNS WITH GROMMETS ON	0	C	9905K SE
BXB590B	AL	5-D-40-20	10	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 14 IN, BOTTOM, RADIATION, CATCH CONTAINMENT	0	C	4230E SE
BXB746T	AL	5-D-40-20	4	\$0.00	FUNNEL	FUNNEL, TYPICAL, QA 0, DECONTAMINATION, POLYETHYLENE, 18 IN, FUNNEL, RADIATION DECONTAMIN; CATCH CONTAINMENT, 18" FUNNE	0	C	4230E SE
BYT330J	AL	5-D-40-20	1	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, OUTDOOR, 120, 250, WALL, BRONZE PAINT FINISH, FIXTURE, EXTERIOR; OUTDOOR, WALL PACK II, 250W, HPS, 120V	0	B	6210P SE
AGB710K	AL	5-D-40-20	4	\$0.00	PAD	PAD, TYPICAL, QA 0, THRUST, SHOES, C/W THERMOCOUPLES AND THERMOCOUPLE EXTENSION WIRE	0	C	2825G SE
BKG617A	AL	5-D-40-20	2	\$0.00	BOTTLE	BOTTLE, LABORATORY, QA 0, POLYETHYLENE, 5 GAL, WITH RADIOACTIVE MAGENTA SYMBOL	0	C	8125A SE
BTF776F	AL	5-D-40-20	1	\$0.00	SCREEN	SCREEN, TYPICAL, QA 3, TOUCH DISPLAY, MMI, SPIN XIELEP, FOR EAGLE 21, PROCESS CONTROL SYSTEM.	3	C	7021A SE
BWF941E	AL	5-D-40-20	274	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, FLUID, PLASTIC, FILTER SAND, FOR USE WITH FILTER SAND	0	C	4310I SE
CBE412H	AL	5-D-40-20	59	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 1, LIGHT, INDICATOR; 30.5 MM HEAVY DUTY, OIL TIGHT, TRANSFORMER TYPE, 50	1	C	6210P SE
BYJ735M	AL	5-D-40-30	2	\$0.00	MAT	MAT, FLOOR, QA 0, ANTI-FATIGUE/RIBBED, 3 FT X 105 FT X 1/8 IN, LIGHT GREY, ANDERSEN, 1/8 IN THICK 3 FT	0	B	7220G SE
BKN238K	AL	5-D-40-30	14	\$0.00	MOP	MOP, TYPICAL, QA 0, REFILL, RADN PARTICLE MOP; TACKY ROLLS REFILLS, 9 IN LG, 10 TACKY	0	P	4230E SE
BLP843N	AL	5-D-40-30	462	\$0.00	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; PLATE, AISI 1018 PLATED IN ACCORDANCE WITH FEDERAL SPEC	2	B	5305J SE
BVG826F	AL	5-D-40-30	50	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 1, SHIELD, EXPANSION; MAXI-BOLT, FLUSH MOUNT, 0.750 (3/4) IN DIAMETER	1	C	4710Y SE
BVG828B	AL	5-D-40-30	88	\$0.00	COUPLER	COUPLER, MECHANICAL, QA 1, COUPLER, SCREW ANCHOR; FOUNDATION BOLT, CARBON STEEL, 0.75 IN DIA FOR	1	C	5975B SE
CMQ453H	AL	6-A-01-10	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 16 IN, IRON, PURE GUM RUBBER, 75 PSI, DUCTILE IRON HOUSING, FULL 16 IN ROUND PORT DUAL PINCH ON C/L,150	0	C	48200 SE
BLW761Y	AL	6-A-01-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, PNEUMATIC OPERATED, 30 IN, IRON, SS, CAST, WAFER BODY, WITH 79B-270 ACTUATOR, LP LIMIT SWITCH, AND	0	C	48104 SE
BLW761Y	AL	6-A-01-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, PNEUMATIC OPERATED, 30 IN, IRON, SS, CAST, WAFER BODY, WITH 79B-270 ACTUATOR, LP LIMIT SWITCH, AND	0	C	48104 SE
BRC289G	AL	6-A-01-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 4 INCH, CAST CARBON STEEL, ASTM A216, GR WCB OS & Y	3	C	48200 SE
BRC289G	AL	6-A-01-30	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 4 INCH, CAST CARBON STEEL, ASTM A216, GR WCB OS & Y	3	C	48200 SE

BFR058M	AL	6-A-02-10	1	\$0.00	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; PEDISTAL BEARING, INBOARD, 280MM, TYPE EGZLA	0	4140U SE
BFR059K	AL	6-A-02-10	1	\$0.00	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; PEDISTAL BEARING, OUTBOARD, 280 MM, TYPE EGZLQ	0	4140U SE
CMJ930K	AL	6-A-02-20	2	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, CYLINDER, IGV, SIZE 100 TYPE 481	0	C
CMJ936V	AL	6-A-02-20	1	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, CYLINDER, IGV, SIZE 100 TYPE 481, CYLINDER ONLY	0	C
CMJ956M	AL	6-A-02-20	1	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, SN 14471448N UNIT 3	0	C
AVW369T	AL	6-A-02-20	2	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, ASTM-A182,GR F6A MOD (HARDNESS LIMITED	1	C 48200 SE
AVX620K	AL	6-A-02-20	1	\$0.00	ROD	ROD, TYPICAL, QA 3, ROD, VALVE; SPINDLE, STAINLESS STEEL, WITHPLUG, P/N 232-0026-060, FOR	3	P 48200 SE
BAT661B	AL	6-A-02-20	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, FOR ASME SECTION III CLASS 2 GLOBE	1	B 48200 SE
BDW376D	AL	6-A-02-20	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 2 IN, 75-170 PSI, 400 PSIG, FNPT, BRONZE BODY/SET 130 PSIG, REGULATOR, PRESSURE; 2.0 IN, END TYPE T	0	P 6695D SE
BHA256V	AL	6-A-02-20	1	\$0.00	GEAR	GEAR, WORM, QA 0, GEAR, WORM; WITHOUT DRIVE SLEEVE, FOR VALVE ACTUATOR, TYPE HBC-6, S/N	0	P 48200 SE
BHE719Q	AL	6-A-02-20	2	\$0.00	SOLENOID	SOLENOID, ELECTRICAL, QA 1, SOLENOID ASSY, ELECTRICAL; 125 VDC, FOR SOLENOID VALVE, MODEL 82UU-001	1	B 5945D SE
BJB631G	AL	6-A-02-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P 48200 SE
BJD232L	AL	6-A-02-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P 48200 SE
BJD233J	AL	6-A-02-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3.0 IN, STEEL, RAISED FACE FLANGED, 200 PSI, T, HANDWHEEL, ***	0	P 48200 SE
BXK405D	AL	6-A-02-20	1	\$0.00	GUIDE	GUIDE, MECHANICAL, QA 1, GUIDE, ; STEEL,DISK,SPIN ASVANS,REF 4, FOR 18 IN 300 LB MOTOR OPERATED	1	C 5835D SE
CEP845G	AL	6-A-02-20	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE *** CONSIST OF 2 PIECES STEM/DISC HOLDER ASSEMBLY, STEM	1	C 48200 SE
AJJ948M	AL	6-A-02-30	1	\$0.00	KIT	KIT, PARTS, QA 0, VALVE, (1) SEAT, (3) SEALS, (1) GASKET, SEAL KIT, VALVE; VALVE, C/O 1 EA SEAT, 3 EA SEALS & 1 EA GASKET, FOR	0	B 48200 SE
APD839M	AL	6-A-02-30	4	\$0.00	HOUSING	HOUSING, BEARING, QA 0, HOUSING, ; LINE, BEARING, REF 2.1, FOR SENTRY CENTRIFUGAL	0	P 4520N SE
AXD506D	AL	6-A-02-30	1	\$0.00	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STAINLESS STEEL TYPE 420, C/O STEM, PLUG, AND GROOVE PIN	0	C 48200 SE
BJQ325L	AL	6-A-02-30	5	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, COVER; VALVE, FOR 3 IN STAR, MODEL G,HYDROMATIC DELUGE VALVE	3	P 4210N SE
BNB885P	AL	6-A-02-30	6	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, 1-1/8 IN, 1-5/8 IN, 4 IN, CARBON, PACKING; SPLIT, SPACER, #5005, HALVED WITH DRILLED AND TAPPED HOLES, 3	B	5730H SE
BNB886M	AL	6-A-02-30	1	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 3, SPLIT-RING, 1-1/16 IN, 1-5/8 IN, 1/4 IN, GRAPHITE, CONSISTING OF THREE BRAIDED AND THREE DIE-FOR	3	B 5730H SE
BQX589J	AL	6-A-02-30	5	\$0.00	SEAT	SEAT, TYPICAL, QA 1, GOVERNOR LEVER, SEAT, STEAM TURBINE; GOVERNOR LEVER, FOR: CONTROLS STEAM SUPPLY TO	1	C 2825G SE
BRJ629K	AL	6-A-02-30	10	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, BUSHING, PACKING; CARBON 5005, SPACER, HALVED WITH DRILLED AND TAPPED	3	C 5730H SE
BTL550V	AL	6-A-02-30	1	\$0.00	NUT	NUT, TYPICAL, QA 3, VALVE, APPLICATION: GLOBE VALVE, TYPE: YOKE NUT (STEM NUT), VALVE SIZE:	3	C 48200 SE
BYN886B	AL	6-A-02-30	1	\$0.00	KIT	KIT, PARTS, QA 1, SERVICE KIT, ACTUATOR; FOR G.H. BETTIS MODEL NO. 301C-SR11 ***	1	B 48200 SE
CBN202L	AL	6-A-02-30	2	\$0.00	BUSHING	BUSHING, VALVE, QA 0, BUSHING, VALVE; HINGE PIN, FOR 6 INCH 300 LB CHECK VALVE, ANCHOR	0	C 48200 SE
CEB867R	AL	6-A-02-30	14	\$0.00	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C 29100 SE
CEE590H	AL	6-A-02-30	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; ELASTAGRAPH GASKETS, 304 STAINLESS STEEL, FOR 150 LB	3	C 4730P SE
CEH852J	AL	6-A-02-30	1	\$0.00	DISC	DISC, TYPICAL, QA 0, DISC, *TYPICAL *** DISC, DIAPHRAGM, P/N KM1181009, ITEM 28, FOR	0	B 48200 SE
CFL614D	AL	6-A-02-30	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, VALVE, *** BONNET, MATERIAL: TEFLON, FOR 6 INCH 300 LBS SOLID WEDGE GATE BUTT	3	B 48200 SE
CFW129B	AL	6-A-02-30	1	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 3, VALVE, 4 IN, ADTRIM ELEMENT PLATES, MATERIAL: STAINLESS STEEL,	3	C 4730P SE
CJR763F	AL	6-A-02-30	1	\$0.00	ORIFICE	ORIFICE, FLUID, QA 3, SS, RAISED FACE FLANGE, 1/4 IN, 3 IN FLANGE, ORIFICE ID 0.981 IN, ASTM A240 TYPE 304, PADDLE TYPE	3	C 4730P SE
CKJ060J	AL	6-A-02-30	15	\$0.00	NUT	NUT, LOCK, QA 3, VALVE, PANEL LOCKING, 300 SERIES SS	3	C 48200 SE
ANY455N	AL	6-A-02-30	1	\$0.00	SEAT	SEAT, VALVE, QA 1, GATE, FORGED MONEL SB564, 12 IN (1 FT), 300 PSI, 5206WE, SEAT, VALVE; COMPOSITION A PER FED SPEC QQ-N-28	1	P 48200 SE
BCD700Y	AL	6-A-02-30	1	\$0.00	BODY	BODY, VALVE, QA 0, BODY, VALVE; 10 IN, ANSI CLASS 150, STAINLESS STEEL TYPE 316	0	P 48200 SE
BTB952A	AL	6-A-02-30	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL, 24 INCH OD, STAINLESS STEEL, FOR 24	3	C 48200 SE
CBY335N	AL	6-A-02-30	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; 2" STEM ASSEMBLY, FOR MODIFIED 26" MSIV'S, ATWOOD &	1	C 48200 SE
CMQ453H	AL	6-A-03-10	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 16 IN, IRON, PURE GUM RUBBER, 75 PSI, DUCTILE IRON HOUSING, FULL 16 IN ROUND PORT DUAL PINCH ON C/L,150:0	C	48200 SE
CGG050J	AL	6-A-03-20	1	\$0.00	VALVE	VALVE, GATE, QA 3, 12 IN, IRON, FLANGED, T, HANDWHEEL, PRESSURE RATING: 125-LB WSP, 200-LB WOG, RISING STEM	3	C 48200 SE
AFH021X	AL	6-A-03-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2 IN, ALLOY STEEL, SOCKETWELD, 2500 PSI, ASME SA182 GR F22, Y, T-HANDLE, FORGED	0	P 48200 SE
AGH716W	AL	6-A-03-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, STEEL, CAST STELLITE, BUTTWELD, 4500 PSI, Y, HANDWHEEL, 100 DEG F, WELDED	0	P 48200 SE
AHH114K	AL	6-A-03-20	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 4500 PSI, Y	0	C 48200 SE
AYK537V	AL	6-A-03-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, CS, BUTTWELD, 600 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, CAST	0	C 48200 SE
CHF753C	AL	6-A-03-30	1	\$0.00	PIPING	PIPING, TYPICAL, QA 1, REACTOR WATER CLEAN-UP SYSTEM 69; ASME SECTION III CLASS 1	1	C 4715D SE
CHF790H	AL	6-A-03-30	2	\$0.00	PIPING	PIPING, TYPICAL, QA 1, CLASS 1, RHR PIPING, SYSTEM 74; MATERIAL 316NG/316/316L	1	C 4715D SE
ARB477V	AL	6-A-03-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3 IN, ALLOY STEEL, CAST STELLITE, BUTTWELD, 4500 PSI, ASTM A182 GR F22, Y, HANDWHEEL, 1050 DEG F, WELDE	0	C 48200 SE
ARE817E	AL	6-A-03-30	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; CONSTANT CURRENT, MODEL TP-135, 115 VAC	0	B 61100 SE
CMT212X	AL	6-A-04-10	6	\$0.00	VALVE	VALVE, GATE, QA 0, 8 IN, FLANGED, 150 PSI, RAISED FACE	0	C 48200 SE
AHH340M	AL	6-A-04-20	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 3.0 IN, *** REF 8, FOR BLACK, SIVALLS ANDBRYSON CONTROL VALVE, SIZE 003.000	0	C 48200 SE
BLA800Q	AL	6-A-04-20	3	\$0.00	FLANGE	FLANGE, TYPICAL, QA 1, FLANGE, VALVE; BOTTOM, ALLOY STEEL ASTM A351 GRADE CF8M, REF 28, FOR	1	P 48200 SE
BNR657W	AL	6-A-04-20	1	\$0.00	VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE, CHECK; 1 IN PISTON, WITH SPRING, 1500 LB, KEROTEST (BW/IP), DWG	1	C 48200 SE
BPT303N	AL	6-A-04-20	1	\$0.00	GAUGE	GAUGE, TYPICAL, QA 0, GAGE, VALVE; EQUAL PERCENTAGE, FOR 1.5 IN VALVE, BODY TYPE ES, STYLE	0	C 48200 SE
BQA275C	AL	6-A-04-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, *** FOR BACKWASH DEMINERALIZER AIR COMPRESSOR 'A', FOR W.D. NO	0	C 4310I SE
BQJ831Y	AL	6-A-04-20	1	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; DISC FOR 6"(INCH) CRANE/CHAPMAN TITLING DISC CHECK VALVE	1	C 48200 SE
BQQ180T	AL	6-A-04-20	3	\$0.00	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; FOR A 6" POWELL, BUTT WELD GLOBE VALVE 150 LB, FIG NO.	1	C 48200 SE
BQR206K	AL	6-A-04-20	4	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; 0 TO 300 PSI OUTPUT, BASIC FIG 10928-E-P2-A	0	C 6695D SE

BRC638H	AL	6-A-04-20	4	\$0.00	SPRING	SPRING, TYPICAL, QA 1, ASSEMBLY/PACK, , ACTUATOR; BELLEVILLE SPRING PACK, REF. 46, HEAVY RATING,	1	C	48200 SE
BRL668Y	AL	6-A-04-20	1	\$0.00	BEARING	BEARING, THRUST, QA 1, BEARING, VALVE; THRUST, 1 SET COMPLETE WITH 2 EACH BEARING AND 2 EACH	1	C	48200 SE
BWE383V	AL	6-A-04-20	7	\$0.00	STUD	STUD, TYPICAL, QA 1, COVER, 1-1/2 IN, ALLOY STEEL, ASTM A193 GR B7, FOR 24 IN WE CHECK VALVE, ATWOOD & MORRILL DWG 20788-1	1	C	48200 SE
AEH144W	AL	6-A-04-20	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; FOR 002.000 IN DIAPHRAGM VALVE TYPE 73-53-3, ***	0	C	48200 SE
AER474X	AL	6-A-04-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 1/3, 56, 250, 1.7, *** TYPE 152D	0	C	6105D SE
ANJ122G	AL	6-A-04-20	4	\$0.00	SEAT	SEAT, VALVE, QA 0, TOP, 4 IN, SS/STELLITE, 4 IN, SEAT, VALVE; 316 STAINLESS STEEL-STELLITE 6, TOP, 004.000 IN, FOR	0	P	48200 SE
BJB342P	AL	6-A-04-20	18	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, VALVE, ISOLATI, ; ARMCO-IRON, SILVER PLATED, 90 BHN MAXIMUM	0	B	48200 SE
BKC236B	AL	6-A-04-20	1	\$0.00	PIN	PIN, RETAINING, QA 0, TAPERED, PIN, VALVE; TAPER, FOR BUTTERFLY VALVE, 96 IN ***	0	C	48200 SE
BRN016P	AL	6-A-04-20	1	\$0.00	VALVE	VALVE, CONTROL, QA 1, VALVE, DIRECTIONAL CONTROL; SYSTEM 085, FOR BFN CRD HCU GE P/N 729E950	1	C	48200 SE
CAJ963W	AL	6-A-04-20	1	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, MSS	1	C	4730P SE
CEM090Q	AL	6-A-04-20	3	\$0.00	PLUG	PLUG, TYPICAL, QA 0, PLUG, *TYPICAL; TYPE: ASSEMBLY *** PLUG/STEM ASSEMBLY FOR FISHER	0	B	48104 SE
CFK773X	AL	6-A-04-20	1	\$0.00	KIT	KIT, PARTS, QA 0, VALVE, *** cylinder valve repair kit	0	B	48200 SE
CHY867F	AL	6-A-04-20	1	\$0.00	HANGER	HANGER, TYPICAL, QA 1, DISC HOLDER, CS, MATERIAL SPEC: A216 GR WCB, FOR 3 INCH 300 POUND SWING CHECK VALVE,	1		48200 SE
CJQ987X	AL	6-A-04-20	1	\$0.00	VALVE	VALVE, CHECK, QA 3, PISTON, 1 IN, SS, SOCKETWELD, FOR HYDROGEN GAS SERVICE, ASME/ANSI B31.1, (VOGT) CLASS 800	3	C	48200 SE
CKY764D	AL	6-A-04-20	1	\$0.00	OUTLET	OUTLET, PIPE, QA 3, 3 IN, 1 IN, CS, 6000 LB, BUTT WELD X THREADED, ASTM A105, 160, FORGED, STANDARD MILL FINISH, MSS SP-97, TH	3	C	4730P SE
CLJ884T	AL	6-A-04-20	1	\$0.00	BONNET	BONNET, VALVE, QA 3, DIAPHRAGM, 4 IN, SS, ITEM 54 W/ VENT PLUG ITEM 55 (P/N 4581) FOR ITT ENGINEERED FIGURE	3	C	48200 SE
ARH162N	AL	6-A-04-30	65	\$0.00	VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR	0		4240P SE
BJP579R	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER JOINT, 'T' PATTERN, CWP 200 PSIG	1	C	48200 SE
BLJ092T	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11	0	P	4210N SE
BPG725E	AL	6-A-04-30	1	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 1, MANIFOLD, VALVE; COMPLETE WITH SOLENOID VALVES, SOLENOID NO. 1 250 VDC,	1	C	48200 SE
CAK830N	AL	6-A-04-30	6	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, VALVE; MANIFOLD, DUAL BLEED ORIFICE, 10419B-8-4, SOLID	0		48200 SE
CEC011J	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, ACTUATOR OPERATOR, 4 IN, CARBON STEEL, STAINLESS, ASME B31-1, 150 PSI, VALVE ASSY, ACTUATOR; BUTTERFLY, 0	0		48200 SE
CFJ939T	AL	6-A-04-30	2	\$0.00	RING	RING, TYPICAL, QA 1, RING, *TYPICAL *** SEAT RING, FOR 3 INCH WELD ENDS CARBON STEEL SWING	1	C	48200 SE
CGM031H	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, 2 IN, SOCKETWELD, 1690 PSI, ASTM A182 GR F22, T, FOR HANCOCK VALVE, FIG 7150W	3	C	48200 SE
CGY184J	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 1, 2 IN, SS, 1500 PSI, ASME SA351 GR CF8M, T-HANDLE, DOUBLE DISC GATE VALVE, FLOWSERVE DRAWING: V	1	C	48200 SE
CJB234K	AL	6-A-04-30	2	\$0.00	RING	RING, VALVE, QA 1, SEAT, STEEL, MATERIAL SPEC: SA105 WITH NOREM, FOR 3 INCH 300 # WELD END CARBON	1		48200 SE
CJE607P	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, PLUG, QA 3, WRENCH OPERATOR, 3 IN, SS, BUTTWELD, 150 PSI, ASTM A351 GR CF8M, SCHEDULE 40, UHMWP SLEEVE AND SEALS, 3	3		48200 SE
CLA658D	AL	6-A-04-30	1	\$0.00	DISC	DISC, VALVE, QA 3, 8 IN, , WILLIAM POWELL SWING CHECK VALVE, MODEL NO. 6061 WE, 600 LB, SYSTEM	3		4730P SE
CLG470C	AL	6-A-04-30	1	\$0.00	WEDGE	WEDGE, TYPICAL, QA 3, ALLOY STEEL, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321,	3		48100 SE
AJH727B	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 1, VALVE, BUTTERFLY; TYPE: MANUAL OPERATED; SIZE: 6 IN; BODY MATERIAL:	1	C	48200 SE
AVH021K	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** DISCHARGE, FOR SPARE SERVICE AIR COMPRESSOR, SIZE 14.500 X 8.250 X	0	P	4310I SE
AYC971F	AL	6-A-04-30	2	\$0.00	RETAINER	RETAINER, TYPICAL, QA 2, RETAINER, VALVE; STAINLESS STEEL, 2 PER SET, REF 51, FOR 4 IN 200	2	P	48200 SE
BLD047R	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, REGULATE FLUID PRESS; 0.25 IN, 0 TO 35 PSIG, TVA ID	0	P	48200 SE
BLD048P	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, FNPT, 3000 PSI, VALVE, REGULATE FLUID PRESS; REDUCING, 3000 MAX INLET, 0.25 IN FNPT	0	P	48200 SE
BNH245X	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP	0	P	48200 SE
BPX660Q	AL	6-A-04-30	1	\$0.00	KIT	KIT, PARTS, QA 0, TOOL KIT, CONTROL ROD DRIVE; DRIVE, DWG 284X404G001, REV 1, C/O	0		5120M SE
BQH116W	AL	6-A-04-30	1	\$0.00	KIT	KIT, PARTS, QA 0, ACTUATOR, REPAIR KIT, ACTUATOR; COMPREHENSIVE KIT-, O-RING, SEALS & TOOLS,	0	B	48200 SE
BQM859Q	AL	6-A-04-30	1	\$0.00	RING	RING, RETAINING, QA 0, RING, VALVE; RETAINING, ITEM 13 ON ATWOOD & MORRILL DRAWING 13565-01-H	0	C	48200 SE
BTM862P	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, TEMPERATURE CONTROL; CONSISTING OF 1/2 IN SBRA VALVE, WITH A	0	B	6695D SE
BTB836Y	AL	6-A-04-30	1	\$0.00	GASKET	GASKET, TYPICAL, QA 3, , BONNET, ARMCO IRON, SILVER PLATED, FOR 4 IN 900 LB GATE VALVE,	3	B	48200 SE
BVJ536E	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, 100 PSI, SET PRESSURE 100 PSIG FUEL OIL, WITH	0	B	48200 SE
BVJ544F	AL	6-A-04-30	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, 170 PSI, SET PRESSURE 170 PSIG LUBE OIL, WITH	0	C	48200 SE
BXJ945G	AL	6-A-04-30	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, VALVE, PUMP; RELIEF VALVE ASSEMBLY, FOR TYPE C OIL PUMP ON INGERSOLL	0	C	4320U SE
CFE784J	AL	6-A-05-10	1	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 1, 10 IN, CS, BUTTWELD, 900 PSI, ASME SA216 GR WCB, T, FOR INBOARD ISOLATION VALVE (BFN-2-FCV-073-1	1	C	48200 SE
BXH477W	AL	6-A-05-20	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, VALVE, RELIEF PRESS/TEMP; BELLOW CONSTRUCTION, CARBON STEEL, 150 LB	3	C	6695D SE
BFP952G	AL	6-A-05-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, CHROME MOLY, STELLITE, BUTT WELD, 2500 PSI, T, HANDWHEEL, 100 DEG F, VERTICAL PRESSURE SEALED, VAL	0	P	48200 SE
BKM992M	AL	6-A-05-30	2	\$0.00	VALVE	VALVE, CHECK, QA 1, TILTING DISC, 18 IN, CS, RAISED FACE FLANGED, 150 PSI, VALVE, CHECK, TILTING, ; 18.0 IN, END TYPE RAISED FACE F	1	P	48200 SE
BKM992M	AL	6-A-05-30	1	\$0.00	VALVE	VALVE, CHECK, QA 1, TILTING DISC, 18 IN, CS, RAISED FACE FLANGED, 150 PSI, VALVE, CHECK, TILTING, ; 18.0 IN, END TYPE RAISED FACE F	1	P	48200 SE
AKJ874J	AL	6-A-06-10	1	\$0.00	DISC	DISC, VALVE, QA 0, STOP, 24 IN (2 FT), FOR STOP VALVE, 24 IN, REF 63-04-201-V, DWG 62-XA-15	0	C	48200 SE
AKJ974E	AL	6-A-06-10	1	\$0.00	DISC	DISC, VALVE, QA 0, CONTROL, 24 IN (2 FT), FOR CONTROL VALVE, 24 IN, REF 63-04-199-V, DWG	0	C	48200 SE
BCY000T	AL	6-A-06-10	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, 25-240 PSI, 250 AC/125 DC, 1/4 IN FNPT, OVERRANGE=1500PSI, CONTACTS= SPDT, DIAPHRAGM= WELDED SS, 1	1	B	5930D SE
BDC041N	AL	6-A-06-10	9	\$0.00	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 24 DC, 4PDT, PNEUMATIC	0	C	5945D SE
BVA278K	AL	6-A-06-10	6	\$0.00	STARTER	STARTER, TYPICAL, QA 1, MOTOR/CONTROL, 1, 600, 27, 3, 120 V COIL/FVNR, NON REVERSING,	1	C	61100 SE
CPD241D	AL	6-A-06-10	3	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, 25 PSI, DAMPER, SPAN 10 PSI	0	C	48200 SE
CPD410V	AL	6-A-06-10	3	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, PRESSURE, MWP 1250 PSIG @ 100 DEG F, TITANIUM, C4401 GASKET, MODEL TW2.9A-1725	0	C	48200 SE
CPM606N	AL	6-A-06-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, CARBON STEEL, 600 PSI, ASME SA216 GR WCB, 900 DEG F, DISC: STELLITE, STEM: 11-13CH, SEAT: STELLITE, SE	0	C	48200 SE
BJB342P	AL	6-A-06-20	1	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, VALVE, ISOLATI, ; ARMCO-IRON, SILVER PLATED, 90 BHN MAXIMUM	0	B	48200 SE

BKN685R	AL	6-A-06-20	2	\$0.00	DISC	DISC, VALVE, QA 0, DISK, VALVE; FOR 6 IN GLOBE VALVE,DWG B4281SW ***	0	C	48200 SE
BTR138W	AL	6-A-06-20	2	\$0.00	GEAR	GEAR, TYPICAL, QA 3, GEAR, ; DWG A-7650, FOR REFUEL FLOOR OVERHEAD CRANE, MODEL E-5589 ***	3	C	3950F SE
BTT026R	AL	6-A-06-20	2	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 3, GEAR ASSY, SPEED DECREASER; CONE DRIVE GEARS, P/N SVM-401600-EUU, FOR	3	C	3950F SE
BXF598T	AL	6-A-06-20	1	\$0.00	KIT	KIT, PARTS, QA 0, REPAIR KIT, ACTUATOR; FOR CONTROL VALVE ACTUATOR ***	0	C	48200 SE
CBN167T	AL	6-A-06-20	3	\$0.00	DISC	DISC, VALVE, QA 0, CHECK, 6 IN, 300 PSI, DISK, VALVE; W/NOREM, FOR 6 INCH 300 LB CHECK VALVE, FOR ANCHOR	0	C	48200 SE
CDJ163B	AL	6-A-06-20	5	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, COUPLING, ACTUATOR; FOR CRANE VALVE, 18" SLUICE GATE VALVE, CRANE	3	C	48200 SE
CEG131W	AL	6-A-06-20	3	\$0.00	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; ARMS, FOR 8", 300# WILLIAM POWELL GATE VALVE, FIG NO.	0	C	48200 SE
AWE120F	AL	6-A-06-20	2	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, LINEAR, 80-170 PSI, 240 PSI, STEEL, ACTUATOR, PNEUMATIC,LINEAR; STEEL, NORMAL WORKING PRESSURE	0	P	48104 SE
BNP047Q	AL	6-A-06-20	1	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; DISC WLDT, FOR 16 IN CHECK VALVE, MODEL 3222-FW ***	1	C	48200 SE
BXG339E	AL	6-A-06-20	2	\$0.00	ACTUATOR	ACTUATOR, ELECTRICAL, QA 1, ACTUATOR, ELECT-MECH,ROTARY; SINGLE PHASE, 120VAC, 0.80 AMP, NEMA 4	1	B	48104 SE
AVC094H	AL	6-A-06-30	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 12 IN, STEEL, 150 PSI, DISK, VALVE; STEEL,WEDGE,DWG 19,FOR 012.000 IN,150.000 PSI GATE	0	P	48200 SE
AVQ889L	AL	6-A-06-30	1	\$0.00	DISC	DISC, VALVE, QA 0, GLOBE, 2-1/2 IN, STAINLESS STEEL, 300 PSI, DISK, VALVE; STAINLESS STEEL, REF 7, FOR 300 PSI, 002.500IN T PATTI	0	P	48200 SE
AVX121T	AL	6-A-06-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; W/PIN, ITEM 5 & 8, FOR 3-WAY CONTROL VALVE, 004.000 IN	0	P	48200 SE
AXW813M	AL	6-A-06-30	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/4 IN, 300 PSIG, FNPT, SET AT 117 PSIG, REGULATOR, PRESSURE; .750 IN, END TYPE THREADED INTERNAL,	0	P	6695D SE
BPQ863Q	AL	6-A-06-30	1	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, SS, 1-1/4 IN NPT, TYPE 316 STAINLESS, REMOVABLE GATE VALVE TYPE,	0	B	66300 SE
BXL593B	AL	6-A-06-30	1	\$0.00	STEM	STEM, VALVE, QA 3, STEM, FLUID VALVE; STEEL,REF 17, FOR KNIFE TYPE GATE VALVE,MODEL	3	C	48200 SE
BYA819Q	AL	6-A-06-30	1	\$0.00	RING	RING, TYPICAL, QA 0, RING, STEAM TURBINE; EXPANSION ***	0	C	2825G SE
CAK101G	AL	6-A-06-30	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; TOP AND STUD, FOR 18" BUTTERFLY VALVE, MODEL NSL2FII ***	1	C	48200 SE
CAK102E	AL	6-A-06-30	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, VALVE; 2-1/4 X 11-1/16, FOR 18" BUTTERFLY VALVE MODEL NSL2FII	1	C	48200 SE
CBN278H	AL	6-A-06-30	1	\$0.00	DISC	DISC, VALVE, QA 0, BUTTERFLY, 10 IN, STAINLESS STEEL, DISK, VALVE; STAINLESS STEEL, A351 GRADE CF8M, REF 2, FOR 10IN MK II	0	C	48200 SE
CFG260N	AL	6-A-06-30	8	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, CS, 160, ASME SA234 GR WPB	1	C	4730P SE
ALJ841V	AL	6-A-06-30	1	\$0.00	SEAT	SEAT, VALVE, QA 0, CONTROL, 8 IN, SEAT, VALVE; C/O 1 EA UPPER AND 1 EA LOWER, FOR CONTROL VALVE, TYPE	0	C	48200 SE
AVE208W	AL	6-A-06-30	3	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, BUTTERFLY VALVE; TYPE B, FOR FIG 8022-MT-MOD-A, 016.000 IN	0	P	48200 SE
BCQ785N	AL	6-A-06-30	2	\$0.00	TRIM	TRIM, VALVE, QA 3, STEM ASSY, ; STEEL, W/DISK, REF 3, 4, AND 5FOR GLOBE VALVE, 1 IN	3	P	48200 SE
BFV168D	AL	6-A-06-30	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 250 DC, 200 PSI, BRASS, 35.1, VALVE, SOLENOID; THREE-WAY, NORMALLY OPEN, :	0	C	48104 SE
BFV749Q	AL	6-A-06-30	5	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2.0 IN, *** FOR DIAPHRAGM VALVE, 2 IN, TYPE 73-53-3	0		48200 SE
BJK116P	AL	6-A-06-30	1	\$0.00	SPRING	SPRING, TYPICAL, QA 1, ASSEMBLY, LIGHT, ; BELLEVILLE SPRING PACK, REF. 85, WITHOUT TORQUE LIMITER PLATE, FOR	1	C	48200 SE
BQC376V	AL	6-A-06-30	2	\$0.00	VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE,CHECK,SWING, ; 1"(INCH), 200 LB.,SOCKETWELD, BODY ASTM A351 GR	1		48200 SE
BQM698N	AL	6-A-06-30	5	\$0.00	KIT	KIT, PARTS, QA 3, SERVICE KIT, ; BIOFILM PROBE 5 1/4" 316 STAINLESS STEEL BODY, C/W TOOL	3		4710Y SE
BRK899G	AL	6-A-06-30	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 1, DISK, VALVE; MAIN, FOR TARGET ROCK SOLENOID VALVE, 1/2 IN. SW, MODEL	1	B	48200 SE
BVG968T	AL	6-A-06-30	3	\$0.00	COLLAR	COLLAR, TYPICAL, QA 1, COLLAR, VALVE; SPHERICAL, PILOT ROD, FOR SAFETY RELIEF VALVE BASE	1	C	48200 SE
BVL791K	AL	6-A-06-30	1	\$0.00	GASKET	GASKET, TYPICAL, QA 1, GASKET, SINGLE; BONNET SEAL, PATT 9520-21-1, REF. DWG. D-9520-21, REF.	1	C	48200 SE
BWA624L	AL	6-A-06-30	2	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; FOR 1 INCH HANCOCK 558W1XMY26 CHECK VALVE, AMSS387 SOLID	1		48200 SE
BWC910L	AL	6-A-06-30	1	\$0.00	SPRING	SPRING, TYPICAL, QA 1, FOR ACTUATOR TYPE SMB-4 & SMB-4T, , BELLEVILLE SPRING ASSEMBLY, WITHOUT TORQUE LIMITER PLATE	1		48200 SE
BXW714G	AL	6-A-06-30	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, VALVE, PUMP; INTERNAL RELIEF,SET AT 35 PSIG,FOR MODEL Q4125R PUMP, S/N	3	C	4320U SE
BYT240K	AL	6-A-06-30	2	\$0.00	DISC	DISC, VALVE, QA 1, CHECK, 4 IN, 3065WE, , FOR 4" WILLIAM POWELL LIFT CHECK VALVE, MATERIAL SPECIFICATION:	1	C	48200 SE
CBG850R	AL	6-A-06-30	23	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, CHECK VALVE, FUEL OIL MANIFOLD, 75 PSI, 3, 16-645E4/20-645E4, CAT. 302 PLATE A48-10	1	C	29100 SE
CBL658H	AL	6-A-06-30	4	\$0.00	DISC	DISC, VALVE, QA 0, DISK, VALVE; ITEM NO. 2, FOR A 4 INCH BUTTERFLY VALVE, TYPE A31A	0	B	48200 SE
CBV798W	AL	6-A-06-30	14	\$0.00	WASHER	WASHER, SEALING, QA 1, WASHER, VALVE; ROD SEAL, FOR ATWOOD AND MORRILL MAIN STEAM ISOLATION	1	B	48200 SE
CBW481M	AL	6-A-06-30	14	\$0.00	WASHER	WASHER, TYPICAL, QA 1, WASHER, VALVE; BACK UP, FOR MAIN STEAM ISOLATION VALVE, MODEL	1		48200 SE
CDE590P	AL	6-A-06-30	3	\$0.00	VALVE	VALVE, CHECK, QA 2, VALVE, ACCUMULATOR; PIPE ENDED CHECK VALVE, 316 SS POPPET AND BODY,	2	C	48200 SE
CED867R	AL	6-A-06-30	4	\$0.00	VALVE	VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	1	C	29100 SE
CEE803G	AL	6-A-06-30	1	\$0.00	KIT	KIT, PARTS, QA 3, VALVE, 4 IN, REBUILD CONVERSION KIT TO BE USED TO CONVERT	3		48200 SE
CEM126V	AL	6-A-06-30	4	\$0.00	VALVE	VALVE, TYPICAL, QA 2, VALVE, *TYPICAL; TYPE: MANIFOLD; SIZE: 1/2 IN; BODY MATERIAL: SS;	2	C	48200 SE
CFJ937Y	AL	6-A-06-30	1	\$0.00	DISC	DISC, VALVE, QA 1, DISC, VALVE *** FOR 3 INCH WELD ENDS CARBON STEEL SWING CHECK VALVE	1	C	48200 SE
CHG891T	AL	6-A-06-30	1	\$0.00	YOKE	YOKE, TYPICAL, QA 3, VALVE, YOKESLEEVE FOR 10" GLOBE VALVE, PACIFIC FIG. NO. 160-U-WE	3		48200 SE
CHH859H	AL	6-A-06-30	1	\$0.00	RING	RING, SEAL, QA 1, VALVE, SEAL PROTECTOR RING, ITEM #20, FOR 4" 150-LB VEE-BALL TYPE FISHER	1		48200 SE
CHX505Q	AL	6-A-06-30	1	\$0.00	NUT	NUT, TYPICAL, QA 1, SMART STEM, , MATERIAL UNS-C86300, FOR 3" - 900 LB DOUBLE DISC GATE VALVE WITH	1		48200 SE
CHX577X	AL	6-A-06-30	3	\$0.00	SPRING	SPRING, TYPICAL, QA 1, WEDGE, , MATERIAL INCONEL X, FOR 3" - 900 LB DOUBLE DISC GATE VALVE, BW/IP	1		48200 SE
CHY867F	AL	6-A-06-30	1	\$0.00	HANGER	HANGER, TYPICAL, QA 1, DISC HOLDER, CS, MATERIAL SPEC: A216 GR WCB, FOR 3 INCH 300 POUND SWING CHECK VALVE,	1		48200 SE
CJB225L	AL	6-A-06-30	1	\$0.00	HINGE	HINGE, TYPICAL, QA 1, CS, MATERIAL: A216 WCB, FOR 3 INCH 300 # WELD ENDS CARBON	1		48200 SE
CJB785D	AL	6-A-06-30	4	\$0.00	DISC	DISC, VALVE, QA 1, GATE, 900 PSI, DISC SET, MATERIAL: SA182-F316L WITH COCR-A, FOR 1 INCH SOCKET ENDS	1		48200 SE
CLA657F	AL	6-A-06-30	1	\$0.00	HANGER	HANGER, TYPICAL, QA 3, VALVE, , FOR WILLIAM POWELL 8 INCH SWING CHECK VALVE, VALVE MODEL NO. 6061WE,	3		4730P SE
CPD259R	AL	6-A-07-10	2	\$0.00	ACTUATOR	ACTUATOR, TYPICAL, QA 0, VALVE, GGG 40, GGG403, CF8M A, SU00608, F12248	0	D	48200 SE
ABH017D	AL	6-A-07-20	5	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, SCREWED	0	P	48200 SE
ALH400C	AL	6-A-07-20	2	\$0.00	VALVE	VALVE, ANGLE, QA 0, 3/4 IN, CARBON STEEL, THREADED, VALVE, ANGLE; SIZE: 00.750 IN ( 3/4), END TYPE: THREADED BODY	0	P	48200 SE
ANH305E	AL	6-A-07-20	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/4 IN X 1 IN, STEEL, 200 PSIG, VALVE, SAFETY RELIEF; 001.000 IN, STEEL, WITH SST TRIM, 200.000 PSIG	0	P	48200 SE

ANH904P	AL	6-A-07-20	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/4 IN X 1 IN, STEEL, 2900 PSI, VALVE, SAFETY RELIEF, 2900 PSIG SET, STEEL BODY, 550 DEG	0	C	48200 SE
CGC764W	AL	6-A-07-20	2	\$0.00	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, CARBON STEEL, BODY A105, BALL & STEM 316 SS, SEAT UHPW, CWP 3000 AT 100F	0	N	48200 SE
CKC366N	AL	6-A-07-20	3	\$0.00	VALVE	VALVE, BALL, QA 0, 1 IN, CHROME MOLY, SOCKETWELD, 3100 PSI, LEVER OPERATED, ASTM A182 GR F22	0	C	48200 SE
AWE951P	AL	6-A-07-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, IRON, FLAT FACE FLANGED, 150 PSI, T, PNEUMATIC ACTUATOR, 152 DEG F, CAST, ***	0	C	48200 SE
BEE231A	AL	6-A-07-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 4 IN, IRON, STAINLESS STEEL, RAISED FACE FLANGED, 125 PSI, T, CAST, VALVE, GLOBE; SIZE: 04.000 IN ( 4 ), PRESSI	0	P	48200 SE
AHH813Q	AL	6-A-07-30	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, ALLOY STEEL, SOCKETWELD, 1500 PSI, ASME SA182 GR F22, Y, T-HANDLE, FORGED	0	C	48200 SE
AXX318T	AL	6-A-07-30	3	\$0.00	VALVE	VALVE, GATE, QA 0, 10 IN, IRON, WAFER FLANGED, 150 PSI, T, CAST, WITH 8 INCH AIR TO AIR CYLINDER ACTUATOR	0	C	48104 SE
CPB125R	AL	6-A-08-10	7	\$0.00	VALVE	VALVE, SOLENOID, QA 0, CLASS 2, 1 IN, SOCKETWELD, 120, 150 PSI, SS, ASME SA479 GR 316L, ENERGIZE TO OPEN, S/N 6, PRESS RATING 0	0	C	48104 SE
CPL329T	AL	6-A-08-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 10 IN, 1000 DEG F, ASME B16.34, HAND OPERATOR, ANSI: 300, 750 @ 100 F, BODY: WC6,	0	C	48200 SE
ATT711T	AL	6-A-08-20	3	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR GATE VALVE,016.000 IN, 300.000 PSI,ITEM CODE	0	P	48200 SE
AVC530C	AL	6-A-08-20	1	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,DWG 16,FOR GATE VALVE,018.000 IN,300.000	0	C	48200 SE
AWE673R	AL	6-A-08-20	2	\$0.00	SEAT	SEAT, VALVE, QA 0, GATE, A105 CS, 10 IN, 900 LB, SEAT, VALVE; STEEL, ASTM A 105, RING, FOR 010.000 IN, 900 LB, GATE	0	P	48200 SE
BBJ047P	AL	6-A-08-20	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 10 IN, CS, 900 PSI, WEDGE DISK, VALVE; CARBON STEEL, REF 11, FOR GATE VALVE,10 IN, 900	0	P	48200 SE
BLV630Y	AL	6-A-08-20	1	\$0.00	CAGE	CAGE, MECHANICAL, QA 3, CAGE, VALVE; SPACER, CORROSION RESISTANT ASTM A743 GR CA-15, FOR 12 IN	3	C	48200 SE
BNL142Q	AL	6-A-08-20	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, NO 3703-1-76, WAT-902, WAT-CNHAD	0	C	48104 SE
BPD685F	AL	6-A-08-20	5	\$0.00	SCREW	SCREW, SOCKET, QA 0, SOCKET, 1/2 IN, 1 IN, CAP	0	C	5305J SE
BPD820F	AL	6-A-08-20	10	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 0-60 PSI, 2 IN	0	C	6695D SE
BPD823X	AL	6-A-08-20	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 0-30 PSI, 2 IN	0	C	6695D SE
BPE204N	AL	6-A-08-20	3	\$0.00	CONTROLLI	CONTROLLER, PNEUMATIC, QA 0, 3-60 PSI, AIRMATE, RANGE 3-60, CLASS AF-2	0	C	6695D SE
BQC468N	AL	6-A-08-20	2	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, 13.6875 DIA X 0.0625 IN THICK, FOR	3	C	4320U SE
BRL752A	AL	6-A-08-20	12	\$0.00	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, ACTUATOR; BELLEVILLE SPRING PACK, WITH OUT TORQUE LIMITER	1	B	48200 SE
BRQ806R	AL	6-A-08-20	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 3, DISK, VALVE; MATERIAL: SA105, STELLITE #6 HARDFACED, FOR MODEL 5341 WE	1	B	48200 SE
ANJ040L	AL	6-A-08-20	1	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG ASSY, VALVE; VALVE, C/O PLUG 010138-011-163, PLUG STEM	0		48200 SE
ARY954H	AL	6-A-08-20	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 1, DISK ASSY, VALVE; STAINLESS STEEL, TYPE 316, ANNEALED, CENTERLESS	1	C	48200 SE
ATN550Q	AL	6-A-08-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, THREADED, 300 PSI, DIAPHRAGM ACTUATOR, *** TRIM MATERIAL: BRONZE, SEAT MATERIAL: TEFLON	0	P	48200 SE
ATN749M	AL	6-A-08-20	2	\$0.00	ROD	ROD, PISTON, QA 0, CONNECTING ROD,PISTO, ; COMPLETE,FOR CONTROL AIR COMPRESSOR,SIZE	0	C	4310I SE
AVC530C	AL	6-A-08-20	2	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; STAINLESS STEEL,DWG 16,FOR GATE VALVE,018.000 IN,300.000	0	C	48200 SE
AVY813P	AL	6-A-08-20	1	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STAINLESS STEEL, FOR 004.000 IN, 900 LB, GLOBE VALVE, AIR	0	C	48200 SE
BJA455F	AL	6-A-08-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 1 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST	0	P	48200 SE
BJA456D	AL	6-A-08-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 1/2 IN, IRON, FNPT, *** SEAT MATERIAL: HI-CAR RUBBER, CAST	0	P	48200 SE
BXY787A	AL	6-A-08-20	3	\$0.00	PLUG	PLUG, ELECTRICAL, QA 1, CONNECTOR, PLUG ELECTRICAL; ELECTRICAL, COAXIAL, BNC TYPE, MALE ***	1	B	5935B SE
BYD823J	AL	6-A-08-20	1	\$0.00	SOLENOID	SOLENOID, ELECTRICAL, QA 1, ELECTRICAL ASSY, VALVE; DC ELECTRICAL ASSEMBLY, MODEL 82KK-003-1 ***	1	B	48200 SE
BYD826C	AL	6-A-08-20	1	\$0.00	SOLENOID	SOLENOID, ELECTRICAL, QA 1, ELECTRICAL ASSY, VALVE; AC ELECTRICAL ASSEMBLY, MODEL 82KK-002 ***	1	B	48200 SE
CEJ318V	AL	6-A-08-20	1	\$0.00	KIT	KIT, PARTS, QA 1, REPAIR KIT, ACTUATOR; CONSISTING OF ITEM 6 STEM BEARING 1-1/2"-2"(2	1	B	48200 SE
CHW536H	AL	6-A-08-30	1	\$0.00	HOUSING	HOUSING, SEAL, QA 3, FOR 20" DANIEL CHEXTER CHECK VALVE, MODEL 1600, TYPE: DE, RATING: 150	3		48200 SE
ADB352T	AL	6-A-08-30	1	\$0.00	BEARING	BEARING, THRUST, QA 3, BEARING, ; THRUST, FOR TYPE S-231-BJ, 250 HP, 1770/4210 RPM, SN 138704	3	P	6105D SE
AMW863P	AL	6-A-08-30	6	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD ASSY, ; FOR TESTER ***	0	P	6695D SE
AYA155Q	AL	6-A-08-30	1	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, SUCTION; GAS, FOR GLYCOL CHILLER PACKAGE COMPRESSOR, MODEL	0	P	4730P SE
BCY186E	AL	6-A-08-30	1	\$0.00	HEAD	HEAD, TYPICAL, QA 0, HEAD, CONDENSER; R-FLAT, FOR CONDENSER, CDS-289,MATERIAL BD-154-069	0	P	4520N SE
BLT841B	AL	6-A-08-30	1	\$0.00	CONTROLLI	CONTROLLER, PNEUMATIC, QA 0, CONTROLLER, POSITIONER; PNEUMATIC VALVE, REVERSE ACTING, RANGE 3 TO 15	0	P	6695D SE
BQC857B	AL	6-A-08-30	30	\$0.00	O-RING	O-RING, TYPICAL, QA 3, 1/8 IN, 5-1/4 IN, 5-1/2 IN, PACKING, O-RING,SPARE PART; METAL	3	C	5730H SE
BXN506P	AL	6-A-08-30	1	\$0.00	SEAL	SEAL, LABYRINTH, QA 0, SEAL, LABYRINTH; OIL, HIGH SPEED, REF 744, FOR MODEL 4110HS, RATIO	0	B	5730H SE
CBM464R	AL	6-A-08-30	1	\$0.00	NUT	NUT, LOCK, QA 1, CS, FOR CRANE'S GLOBE VALVE MODEL 5281WE-12"-300 #	1		48200 SE
CFY623Q	AL	6-A-08-30	11	\$0.00	PIN	PIN, TYPICAL, QA 1, PIN, *TYPICAL *** TAPERED LOAD PIN, NOMINAL DIAMETER: 1 1/2 INCH	1	C	3040D SE
CHH317N	AL	6-A-08-30	1	\$0.00	SEAL	SEAL, TYPICAL, QA 3, PROTECTOR, FOR 12" FISHER CONTROL VEE-BALL VALVE, MODEL: V150, SERIES B	3		48200 SE
BCN230T	AL	6-A-09-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 175 PSI, F-607-0 40888, VGDO17-7-AQWBX-H, SPEC 121 ASM	0	C	48200 SE
CPD347W	AL	6-A-09-10	2	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, ALLOY STEEL, 275 PSI, ASME SA351 GR CF8M, 100 DEG F, B16.34, TYPE SW/CH, GASKET GRAPHITE, FIG 103RF	0	C	48200 SE
CPD349Q	AL	6-A-09-10	2	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, ALLOY STEEL, ASME SA351 GR CF8M, 800 DEG F, B16.34, GASKET GRAPHITE,FIG 101RF0912,CLASS 150,SEAT	0	C	48200 SE
CPD364W	AL	6-A-09-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, ALLOY STEEL, 275 PSI, ASME SA351 GR CF8M, 100 DEG F, B16.34, 800 DEG F MAX, STEM F316, DISC HF, SEAT	0	C	48200 SE
CPL291R	AL	6-A-09-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 12 IN (1 FT), CS, 1500 PSI, ASME SA216 GR WCB, PNEUMATIC ACTUATOR, SN 16203227, TYPE: 585C, SIZE: 60 TRA	0	C	48200 SE
BYE882W	AL	6-A-09-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 24.0 IN, *** DOUBLE SHAFT, CERAMIC COATED WITH OPERATOR, DWG # D-80039	0	C	4410C SE
BYE882W	AL	6-A-09-20	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 24.0 IN, *** DOUBLE SHAFT, CERAMIC COATED WITH OPERATOR, DWG # D-80039	0	C	4410C SE
BGV841Y	AL	6-A-09-30	2	\$0.00	VALVE	VALVE, CHECK, QA 0, 2.0 IN, IRON, RAISED FACE FLANGED, 125 PSI, CAST, ***	0	C	48200 SE
BKP119N	AL	6-A-09-30	16	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CARBON STEEL, FNPT, 800 PSI, ASTM A105, HANDWHEEL, ROUND BOLTED, FORGED, ***	0	C	48200 SE
BNR657W	AL	6-A-09-30	1	\$0.00	VALVE	VALVE, CHECK, QA 1, CLASS 3, VALVE, CHECK; 1 IN PISTON, WITH SPRING, 1500 LB, KEROTEST (BW/IP), DWG	1	C	48200 SE
BPV419W	AL	6-A-09-30	7	\$0.00	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 0.375 IN, MAXIMUM DIFFERENTIAL PRESSURE 275 PSIG, 100	1	C	48104 SE
BRC379F	AL	6-A-09-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, ASTM A182 GR F316, ***	0	C	48200 SE



BTK605P	AL	6-A-09-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 00.750 IN ( 3/4), PRESSURE RATING: CLASS 600, END	1	C	48200 SE
CKB112V	AL	6-A-09-30	1	\$0.00	VALVE	VALVE, BALL, QA 0, 3 IN, BUTTWELD, 4500 PSI, MOGAS UNI-DIRECTIONAL, F22 BODY MATERIAL INCONEL DIFFUSED BORIDE	0	C	48104 SE
CDC005L	AL	6-A-10-10	2	\$0.00	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; 420 SST, FOR 8 IN COPES-VULCAN MODEL D-100-160,900	0	B	48200 SE
CPD266W	AL	6-A-10-10	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 10 IN, CLOW, 11075 175 FM 10161, SPEC - 121ASM	0	C	48200 SE
ALY548V	AL	6-A-10-20	1	\$0.00	DISC	DISC, BRAKE, QA 0, DISK, BRAKE; MOTOR, STATIONARY, FOR SIDEWINDER TROLLEY, 3 PHASE	0	P	29100 SE
BRD426V	AL	6-A-10-20	8	\$0.00	BEARING	BEARING, BALL, QA 1, BEARING, PUMP; BALL,INPELLER END ***	1	C	29100 SE
BRD427R	AL	6-A-10-20	8	\$0.00	BEARING	BEARING, BALL, QA 1, BEARING, PUMP; BALL,GEAR END ***	1	C	29100 SE
CHH327K	AL	6-A-10-20	1	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 3, FISHER CONTROL MODEL 1052, SIZE: 60, (SIMILAR TO ACTUAL S/N 16099804)	3		48200 SE
CKY079K	AL	6-A-10-20	2	\$0.00	O-RING	O-RING, TYPICAL, QA 0, INGERSOLL-RAND CENTAC AIR COMPRESSOR, SEAL KIT, KIT FOR AFTERCOOLER MODEL 1CV14M2, S/N M96-8965	0		5330P SE
ABP358W	AL	6-A-10-20	3	\$0.00	RELAY	RELAY, PNEUMATIC, QA 0, RELAY, PNEUMATIC; ADV TRANSMITTER, FOR PNEUMATIC PRESSURE	0	P	6695D SE
AJV663P	AL	6-A-10-20	50	\$0.00	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; G-M, COUNTER GEIGER-MUELLER, END WINDOW, FOR PROBE	0	P	5960C SE
BLN606B	AL	6-A-10-20	4	\$0.00	RING	RING, RETAINING, QA 0, RING,LOCKING, ; BRASS, ON SEPARATOR, S/N 2937050, FOR LAB OIL SYSTEM	0	P	4330N SE
BLV769K	AL	6-A-10-20	8	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, VALVE; TWO PER SET, C/O ONE EACH UPPER, P/N 005933-009-003	0	P	48200 SE
BMF189X	AL	6-A-10-20	7	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, STAINLESS STEEL, 0-500 PSIG, 4-1/2 IN, STAINLESS STEEL, BOTTOM, INCONEL, GAGE, PRESSURE,DIA	0	P	6695D SE
BQW528C	AL	6-A-10-20	6	\$0.00	STUD	STUD, TYPICAL, QA 0, MOTOR, 5/8 IN, COPPER, UNC, ***	0	B	6105D SE
BRK465J	AL	6-A-10-20	8	\$0.00	SPRING	SPRING, TYPICAL, QA 3, PACKING, BELLEVILLE; LIVE LOAD, STAINLESS STEEL (17-7 PH) , ASTM A564 TYPE 631,	3	C	5730H SE
BTB159W	AL	6-A-10-20	4	\$0.00	STATION	STATION, PUSHBUTTON, QA 0, CONTROL STATION, ; CURRENT-OUTPUT,MANUAL 0-50 GPM,OUTPUT 4 TO 20 MADC	0	B	6695D SE
BTJ987J	AL	6-A-10-20	4	\$0.00	GAUGE	GAUGE, FLOW, QA 0, GAGE, HEAVY EQUIPMENT; LIQUID FLOW, FOR LUBE OIL PUMP SUPPLIED WITH GE	0	B	29100 SE
BXW617E	AL	6-A-10-20	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, RING; ASTM A105, MODEL 5206-WE, DWG 1968-22-C, ITEM CODE	0	C	48200 SE
BYE597V	AL	6-A-10-20	1	\$0.00	PIN	PIN, RETAINING, QA 1, CLASS 1, VALVE, STEEL, , DISK, FOR WESTINGHOUSE MANUAL AND MOTOR OPERATED GATE VALVES	1	C	48200 SE
ACH116E	AL	6-A-10-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, ALLOY STEEL, SS, SOCKETWELD, 4500 PSI, ASTM A182 GR F22, T, HANDWHEEL, 1100 DEG F, FORGED	0	C	48200 SE
AMG494T	AL	6-A-10-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1/4 IN, STEEL, SOCKETWELD, 600 PSI, T, RISING, FORGED	0	C	48200 SE
ARE257T	AL	6-A-10-30	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 9/16 IN X 1-1/4 IN, IRON, FNPT, FLOAT; MALLEABLE IRON, VACUUM PRIMING	0	C	4310I SE
AYF147X	AL	6-A-10-30	1	\$0.00	CLAMP	CLAMP, PIPE, QA 0, 10 IN, SS, REPAIR PIPE	0	C	4730P SE
BCC604L	AL	6-A-10-30	1	\$0.00	KIT	KIT, PARTS, QA 0, BALL VALVE; FOR VALVE, 6 IN, 300 PSIG, MODEL 530S-31-220TT	0	C	48200 SE
BGB562M	AL	6-A-10-30	4	\$0.00	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; FOR LUBE OIL TANK ON TURBINE ***	0	P	2825G SE
CLP304C	AL	6-A-11-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 6 IN, 1500 PSI, PNEUMATIC ACTUATOR, SN 16202032, TYPE 667, SIZE 70, BENCH SET15-30, TRANEL:	0	C	48200 SE
CPD364W	AL	6-A-11-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, ALLOY STEEL, 275 PSI, ASME SA351 GR CF8M, 100 DEG F, B16.34, 800 DEG F MAX, STEM F316, DISC HF, SEAT O	0	C	48200 SE
CPD367N	AL	6-A-11-10	2	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, CARBON STEEL, 285 PSI, ASME SA216 GR WCB, 100 DEG F, B16.34, 800 DEG F MAX, CLASS 150, FIG 151RF00E	0	C	48200 SE
CPE329R	AL	6-A-11-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, CS, 285 PSI, ASTM A216 GR WCB, 100 DEG F, B16.34, TYPE SW/CH, GASKET GRAPHITE, CLASS 150, DISC CR13, O	0	C	48200 SE
BYE882W	AL	6-A-11-20	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 24.0 IN, *** DOUBLE SHAFT, CERAMIC COATED WITH OPERATOR, DWG # D-80039	0	C	4410C SE
ADH939T	AL	6-A-11-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, STEEL, SOCKETWELD, 1500 PSI, DIAPHRAGM ACTUATOR	0	B	48200 SE
CGP381L	AL	6-A-11-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, SS, 150 PSI, 150 # CLASS, EPDM SEAT, SS DISC AND SHAFT, FACE TO FACE DIMENSION 2.5"	0	C	48104 SE
CHY005Y	AL	6-A-11-30	2	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, ALLOY STEEL, BUTTWELD, 2500 PSI, PRESSURE SEALED, FORGED, F91 BODY AND BONNET, FULL STELLITE TRIM, O	0	C	48200 SE
CEX639L	AL	6-A-11-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 6 IN, SS, FLANGED, 300 PSI, SOLENOID OPERATED, 250 DC, TYPE: SOLENOID OPERATED; SIZE: 6 IN; DISC MATERIA	0	C	48200 SE
ARJ645W	AL	6-A-12-10	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE, GOVERNOR; REF 30, ILLUSTRATION 1250-4103-A, FOR MAIN TURBINE	0	P	2825G SE
ATP728Q	AL	6-A-12-10	1	\$0.00	BUSHING	BUSHING, COUPLING, QA 0, BUSHING, PUMP; STUFFING BOX, COUPLING END, REF 233, ITEM 8, FOR	0	C	4320U SE
ATP729N	AL	6-A-12-10	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, BUSHING, PUMP; STUFFING BOX, THRUST END, REF 233-1, ITEM 9, FOR	0	C	4320U SE
AWG870Q	AL	6-A-12-10	1	\$0.00	TRIM	TRIM, VALVE, QA 0, DISK ASSY, ; STEEL, C/O 1 EACH DISK REF 2, 1 EACH STEM REF 3, 2 EACH	0	P	48200 SE
BDE720C	AL	6-A-12-10	15	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/4 IN, 6-1/2 IN, 8, ALLOY STEEL, ASME SA193 GR B7, ***	0	P	4320U SE
BDE722W	AL	6-A-12-10	24	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/4 IN, 5-1/4 IN, 7, ALLOY STEEL, UNC, ASME SA193 GR B7, ***	0	P	4320U SE
BDE723T	AL	6-A-12-10	35	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1 IN, 5-1/2 IN, 8, ALLOY STEEL, UNC, ASME SA193 GR B7, ***	0	P	4320U SE
BDE726L	AL	6-A-12-10	8	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/2 IN, 9-5/8 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDE727J	AL	6-A-12-10	4	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 1-1/2 IN, 11-1/4 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDE731V	AL	6-A-12-10	3	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 2-1/2 IN, 9-1/4 IN, 8, ALLOY STEEL, UN, ASME SA193 GR B7, ***	0	P	4320U SE
BDE734M	AL	6-A-12-10	22	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 1-1/4 IN, 7, CARBON STEEL, ASME SA194 GR 2/2H/2M, UNC, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA	0	P	4320U SE
BDE737F	AL	6-A-12-10	3	\$0.00	NUT	NUT, HEX, QA 0, STANDARD, 2-1/2 IN, 8, CARBON STEEL, ASME SA194 GR 2/2H/2M, NUT,PLAIN,HEXAGON, ; CARBON STEEL ASME SA 194	0	P	4320U SE
BEK001R	AL	6-A-12-10	6	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 3, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 193 GR B7, 2.250-8 UN X	1	C	4320U SE
BGN690Y	AL	6-A-12-10	12	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, DOUBLE END; ALLOY STEEL, ASME SA540, GR B23, CLASS 5, VALVE	1	C	48200 SE
BLA946F	AL	6-A-12-10	2	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1 IN, 5-1/2 IN, 8, SS, UNC, ASME SA564 GR 630, 2A, B1.1	1	C	5305J SE
BLA947D	AL	6-A-12-10	54	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.000-8	1	C	5305J SE
BLA951N	AL	6-A-12-10	24	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630	1	C	5305J SE
BLA952L	AL	6-A-12-10	34	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1-1/4 IN, 7 IN, 7, SS, UNC, ASME SA564 GR 630, 2A, B1.1	1	C	5305J SE
BLA956C	AL	6-A-12-10	42	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.250-7	1	C	5305J SE
BLA961K	AL	6-A-12-10	34	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.375-6	1	C	5305J SE
BLA962H	AL	6-A-12-10	34	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 1.375-6	1	C	5305J SE
BTX743N	AL	6-A-12-10	3	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 01.375000 ( 1 3/8)	1	C	5305J SE

CEP743Q	AL	6-A-12-10;	4	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 1, 1-1/4 IN, 11.120 IN, 8, *** FOR SECONDARY MANWAY ON STEAM GENERATOR	1	C	4410C SE
AVV223W	AL	6-A-12-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, STEEL, FLANGED, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	P	48200 SE
BLR821N	AL	6-A-12-20	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 2, SHAFT, PUMP; STEEL, TOP COLUMN, REF 403, FOR ESSENTIAL RAW COOLING	2	P	4320U SE
BPK116Q	AL	6-A-12-20	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; STEEL, ASTM A582, TYPE 416, REF 660, DWG D-2081, FOR	1	P	4320U SE
BQC470F	AL	6-A-12-20	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; 416 STAINLESS STEEL, FOR VERTICAL RAW COOLING WATER PUMP	3	C	4320U SE
BTG439W	AL	6-A-12-20	1	\$0.00	STEM	STEM, VALVE, QA 3, STEM, VALVE; ASTM A564 T630 CH1150 FOR 24" 600# WALWORTH GATE VALVE	3	B	48200 SE
CAQ920V	AL	6-A-12-20	5	\$0.00	CASING	CASING, PUMP, QA 3, HOUSING, PUMP; FOR VACUUM PUMP, MODEL 3040-101B AND MODEL 3040-V115A	3	B	4320U SE
BHD254G	AL	6-A-12-20;	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, ROCKER-LEVER TYPE SNAP ACTION, 2 NO 2 NC, CW ACTUATOR ROTATION SPRING RETURN, , SENSITIVE , WIDE MOUN	1		59300 SE
BQR136D	AL	6-A-12-20;	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, CRANE; DRIVER COORDINATION, FOR 125 TON AUXILIARY	3	B	5999D SE
BWP505T	AL	6-A-12-20;	7	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 0, AMPLIFIER, RADIATION MONITOR; DISC CARD CAGE ***	0		6630D SE
BXA614H	AL	6-A-12-20;	16	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, FUSE, CARTRIDGE; OVERLOAD INTERRUPTION: TIME DELAY, VOLTAGE RATING:	2	B	5920K SE
BXM430E	AL	6-A-12-20;	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, DETECTOR, BANK OVERLAP, FOR FULL LENGTH ROD CONTROL SYSTEM, SPIN CPCLRC	3	B	5999D SE
CDD905K	AL	6-A-12-20;	14	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, ELECTROLYTIC, 18000 MFD, -10/+75% , WVDC: 7.5VDC, STUD MOUNT.	2	B	5910E SE
CDX868B	AL	6-A-12-20;	5	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 1, RESISTOR, CONTROLLER; SENSITIVITY AUX. PIN FOR 15 DEGREE SENSITIVITY	1		5905I SE
CGJ611P	AL	6-A-12-20;	245	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, ELECTROLYTIC, ALUMINUM, 100, 110 MFD, -10/+50%, (2) AXIAL LEADS, CYLINDER	2	B	5910E SE
CHJ792J	AL	6-A-12-20;	2	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, FIBER OPTIC, 36 FT, SINGLE FIBER OPTIC CABLE WITH CONNECTORS FOR TERMINATION BETWEEN APRM	3	B	5825F SE
CHQ622D	AL	6-A-12-20;	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, CONTROLLER/MODULE, MAIN CONTROL BOARD FOR LDM 101 T-DOSIMETRY/TURNSTILE	0	B	6695D SE
CKK265Q	AL	6-A-12-20;	2	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 1, FIXED, 330 AC/600 DC, 12 MFD, EXTERNAL CAPACITOR FOR IAV51K1A RELAY	1		5910E SE
CKL093D	AL	6-A-12-20;	1	\$0.00	CARD	CARD, TYPICAL, QA 0, PD, T-MAP 3100	0	B	5935P SE
CLE164J	AL	6-A-12-20;	1	\$0.00	TRANSMITT	TRANSMITTER, TYPICAL, QA 1, HUMIDITY, COMPLETE WITH MOISTURE ELEMENT/SENSOR, MODIFIED FOR CREVS INSTALLATION	1	B	5935P SE
AJT333J	AL	6-A-12-30;	2	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; FOR COOLER PUMP, DWG P9835188G6 ON COOLER	0	P	4320U SE
ARV239R	AL	6-A-12-30;	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, SOLENOID VALVE; FOR VALVE, P/N U8342A2M0, MODEL 8342A1M0	0	P	48200 SE
AYX034R	AL	6-A-12-30;	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; FOR MOISTURE SEPARATOR DRAIN PUMP, TYPE 6X10A, S/N	0	C	4320U SE
BJP163R	AL	6-A-12-30;	24	\$0.00	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; MATERIAL: STEEL, SIZE: 02.000000 ( 2), TYPE: ROUND	0		48200 SE
BLD319V	AL	6-A-12-30;	8	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 0, HANDWHEEL, *** STANDARD SCBA, FOR AIR CHARGING UNIT	0		4730P SE
BLD723L	AL	6-A-12-30;	2	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, REGULATOR, AIR PRESSURE DEMAND; FOR SCBA KITS ***	0	C	4240P SE
BQA541H	AL	6-A-12-30;	4	\$0.00	SHAFT	SHAFT, TYPICAL, QA 1, SHAFT, PUMP; WATER, FOR STANDARD ROTATION TANDEM DIESEL ENGINE, BGMD	1	C	29100 SE
BWD491X	AL	6-A-12-30;	2	\$0.00	SEAL	SEAL, TYPICAL, QA 3, SEAL, VALVE; PLAIN,TEFZEL,FLUOROPOLYMER RESIN,REF 10,FOR BUTTERFLY	3	B	48200 SE
BXM130T	AL	6-A-12-30;	1	\$0.00	VALVE	VALVE, CHECK, QA 1, 3/4 IN, SS, FNPT, 25 PSI, AISI 303, , MAX OPR TEMP 250.0 DEG F	1	C	48200 SE
BXP939H	AL	6-A-12-30;	3	\$0.00	BEARING	BEARING, TYPICAL, QA 1, BUTTERFLY VALVE, BRONZE, UPPER AND LOWER, ORIGINAL CONTRACT # 76K35-83215.	1	C	48200 SE
BYE561H	AL	6-A-12-30;	1	\$0.00	FOLLOWER	FOLLOWER, PACKING, QA 3, FOLLOWER, VALVE; STEEL, FOLLOWER, FOR WESTINGHOUSE MOTOR OPERATED AND	3	C	48200 SE
CPL310V	AL	6-A-13-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 12 IN (1 FT), PNEUMATIC ACTUATOR, SN #1, ROBOT ARM 2, MODEL: G42030 SR4CW, MAX	0	C	48200 SE
CGB371M	AL	6-A-13-20	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, CARBON STEEL, RAISED FACE FLANGED, SAFETY, 4 IN, 600 LB RAISED FACED FLANGED INLET, 6 IN 150 LB RAISED 0	C		48200 SE
BPM198H	AL	6-A-13-20;	8	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, CS, BUTTWELD, 150 PSI, ASTM A105 GR WCB, BOLTED, FORGED, ** SEAT MATERIAL: CHROME	0		48200 SE
BJM291T	AL	6-A-13-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; 0.75 IN, ASME SA105 CARBON STEEL, 1500 PSI AT 1020 DEG	1	C	48200 SE
BLF220G	AL	6-A-13-30	2	\$0.00	VALVE	VALVE, GATE, QA 3, 2 IN, BRONZE, FNPT, 150 PSI, ASTM B62, T, RISING, HANDWHEEL, UNION, , SOLID WEDGE	3	C	48200 SE
BQT125D	AL	6-A-13-30	1	\$0.00	VALVE	VALVE, PETCOCK, QA 0, 3/4 IN, THREADED, 1500 PSI, CS, ASTM A105, FORGED, GAGE: 3/4 INCH, UPPER & LOWER, WITH 3/4 INCH NPT	0	C	6695D SE
CHY282C	AL	6-A-13-30	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, BUNA N, FLANGED, 150 PSI, CAST, TEMPERATURE REGULATING, ADJUSTABLE TEMP RANGE 160 TO 200	0	C	48200 SE
AEH334P	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 75 PSI, BRASS, 50/60, 20	3	C	48104 SE
AEH504R	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1/2 IN, BRASS, FNPT, 600 PSI, ** SEAT MATERIAL: TEFLON	0	C	48200 SE
AKH828Y	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, STAINLESS STEEL, STAINLESS STEEL, SOCKETWELD, 200 PSI, AISI 316, T, RISING, HANDWHEEL, BOLTED, VALV	0	P	48200 SE
BAC256W	AL	6-A-13-30;	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, SS, COMPRESSION, 5000 PSI, AISI 316, T, HANDWHEEL	0	C	48200 SE
BJE360H	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, PLUG, QA 0, 2-WAY, 1/4 IN, BRASS, BRASS, COMPRESSION, 3000 PSI, VALVE, PLUG; .25 IN, END TYPE COMPRESSION, BODY MATL	0	C	48200 SE
BJP579R	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, GATE, QA 1, VALVE, GATE; 1.5 IN, END TYPE SOLDER JOINT, 'T' PATTERN, CWP 200 PSIG	1	C	48200 SE
BJY403W	AL	6-A-13-30;	2	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .75 IN, END TYPE SOCKETWELD, BODY MATL STAINLESS STEEL	1	C	48200 SE
BVP553L	AL	6-A-13-30;	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1/2 IN, BRONZE, FNPT, 200 PSI, T, HANDWHEEL, VALVE, GLOBE; SIZE: 00.500 IN ( 1/2), PRESSURE RATING: 200 SWI	3	C	48200 SE
BXM849W	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, 3/4 IN X 1 IN, SS, SOCKETWELD, 100 PSI, PRESS/TEMP; CAP: 164 CFM, ORIFICE AREA: 0.074 SQ IN., SEAT MATERIAL:	3	C	6695D SE
BYW580G	AL	6-A-13-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 2 WAY NORMALLY CLOSED SOLENOID, NO MANUAL STEM LIQUID	0	C	48104 SE
CDQ061B	AL	6-A-13-30;	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1/2 IN, CS, CR13, SOCKETWELD, 800 PSI, T, HANDWHEEL, BOLTED, BODY/BONNET MATERIAL SA/A105	3	C	48200 SE
CEM091B	AL	6-A-13-30;	2	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL; TYPE: ACTUATOR *** FOR FISHER CONTROL VALVE	0	B	48104 SE
CHP935W	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, NEEDLE, QA 3, 1/4 IN, SS, FNPT, 600 PSI, MATERIAL TYPE 316 STAINLESS STEEL	3	C	48200 SE
CHR910E	AL	6-A-13-30;	2	\$0.00	VALVE	VALVE, NEEDLE, QA 2, 3/8 IN, SS, COMPRESSION	2	C	48200 SE
CHT730B	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, 1500 LB, T-HANDLE, 600 DEG F, BODY SA 182 GR 316	1	C	48200 SE
CHX789E	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 3, 1/2 IN, SS, SS, SOCKETWELD, ASME SA182 GR F316, T, T-HANDLE/HANDWHEEL, ASME B16.34, TUBE SW	1	C	48200 SE
CJQ849A	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 3/4 IN, CS, SOCKETWELD, 800 PSI, T, HANDWHEEL, ASME B16.34, PER FLOWSERVE DRAWING 45714-2	3	C	48200 SE
CLL242R	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, 3/4 IN X 1 IN, CS, SS, FLANGED, 100 PSI, , MEDIUM: WATER & ETHYLENE GLYCOL (33% BY WEIGHT) & MAX TEMP 60	3	C	48200 SE
CLN100G	AL	6-A-13-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 2, 1-1/2 IN, STEEL, SS, FNPT X FNPT, OIL PUMP, SET PRESSURE 105-110 PSIG, STAINLESS STEEL TRIM, FULFLO V-SERIE: 2	C		48200 SE

CMC218R	AL	6-A-13-30	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, 1 IN, CS, SS, FLANGED, 1500 PSI, 250 PSI, PRESSURE, ASME SEC VIII (UV) LIQUID CERTIFIED, W/ 1" 300 LB RAISED F/ 3	C	48200 SE
AFH765M	AL	6-A-14-10	51	\$0.00	STUD	STUD, TYPICAL, QA 1, VALVE, 1-3/4 IN, 12 IN (1 FT), 8, ALLOY STEEL, UNC, ASME SA540 GR B23, 2A, STUD, VALVE; BONNET, REF 2-1, AI 1	C	48200 SE
BNH124A	AL	6-A-14-10	1	\$0.00	SEAL	SEAL, TYPICAL, QA 2, SEAL, ASSEMBLY; FOR COMPRESSOR IN CONTROL BAY CHILLERS, SN 84K68F006A	2	4520N SE
BTY478A	AL	6-A-14-10	7	\$0.00	CONTROLLI	CONTROLLER, TYPICAL, QA 0, CONTROLLER, SUPPRESSOR; SELF-GENERATING, SRC-1 ***	0	C 6630D SE
CBJ884J	AL	6-A-14-10	8	\$0.00	PULLEY	PULLEY, SHEAVE, QA 2, CAST IRON, 3, , FAN, GRIPBELT SHEAVE, WITHOUT BUSHING, 5.3 INCH O.D., TYPE 13-SOL	2	C 4140U SE
CFM336A	AL	6-A-14-10	4	\$0.00	LAMP	LAMP, TYPICAL, QA 3, ASSEMBLY, 24, SERIES LB2100 LAMP CABINET ASSEMBLY, WITH 20 BLANK WINDOWS	3	C 6210P SE
CGR928M	AL	6-A-14-10	3	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, ROTARY, 6, SPRING RETURN TO CENTER, LATERAL CONTACTS CLOSED IN PULLOUT POSITION,	1	59300 SE
CLG420V	AL	6-A-14-10	1	\$0.00	RING	RING, TYPICAL, QA 3, SEAT, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321	3	48100 SE
AMA664T	AL	6-A-14-20	1	\$0.00	STRIP	STRIP, TYPICAL, QA 0, SPILL, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 11, (DFB), (TE),	0	2825G SE
BLR584A	AL	6-A-14-20	2	\$0.00	METER	METER, FLOW, QA 0, INDICATING, 0-31 X 10 GPM, 1/2 IN, STAINLESS STEEL, THREADED, 10 IN, METER, FLOW RATE IND,FLT TY; SCALE 0-3 0	P	6695D SE
BXN794N	AL	6-A-14-20	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, FAN; 1-1/2 IN X 25 IN LONG, FOR GREENHECK MODEL CBE-36-30, S/N	3	C 4140U SE
CAD030D	AL	6-A-14-20	1	\$0.00	TUBE	TUBE, TYPICAL, QA 1, TUBE, HEAT EXCHANGER; EXPANSION JOINT, STAINLESS STEEL, 1.50"ID X	1	C 4420B SE
CBQ934Y	AL	6-A-14-20	3	\$0.00	HOLDER	HOLDER, TYPICAL, QA 1, HOLDER, SPRING,PUMP; FOR CURRENT DESIGN N-7500 MECHANICAL SEAL	1	B 4320U SE
CDH947D	AL	6-A-14-20	5	\$0.00	THERMOCO	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CAST IRON HEAD; TYPE T, COPPER-CONSTANTAN, 6-WIRE	3	C 6695D SE
CEB808B	AL	6-A-14-20	2	\$0.00	PACKING	PACKING, MECHANICAL, QA 0, PACKING, PUMP; OUTER, FOR BIACH EPN PUMP, ON REACTOR HEAD TENSIONING	0	C 5730H SE
CGE138C	AL	6-A-14-20	3	\$0.00	SPRING	SPRING, TYPICAL, QA 2, VALVE, SS, ITEM # 6, FOR 18" DANIEL CHEXTER VALVE, (TYPE: A, AC, AF, C, D,	2	48200 SE
CLG429X	AL	6-A-14-20	1	\$0.00	STEM	STEM, VALVE, QA 3, GATE, FOR 8" GATE VALVE, FIG NO. 25023WE, WILLIAM POWELL DWG 041321,	3	48100 SE
CPE176Q	AL	6-A-15-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, SS, SS, 200 DEG F, SS PLUG AND SEAT, ACTUATOR SIZE 40, TRAVEL 0.75, 20-4 MA, CLOSE PORT,	0	C 48200 SE
CPE176Q	AL	6-A-15-10	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, SS, SS, 200 DEG F, SS PLUG AND SEAT, ACTUATOR SIZE 40, TRAVEL 0.75, 20-4 MA, CLOSE PORT,	0	C 48200 SE
AHH628K	AL	6-A-15-20	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 6 IN, CARBON STEEL, VALVE, LIN DIRECT CONTROL; 6 IN, CARBON STEEL THREE-WAY VALVE, AIR TO	0	C 48200 SE
BNC912A	AL	6-A-15-20	225	\$0.00	VALVE	VALVE, GLOBE, QA 1, 1/4 IN, SS, SS, FNPT, 1500 PSI, ASTM A182 GR F316, ROUND HANDLE, DRAGON VALVES DRAWING NUMBER 8920	1	C 48200 SE
AVG979W	AL	6-A-15-30	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, ALUMINIUM, THREADED, 100 PSI, T, ***	0	P 48200 SE
AXM897Q	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, STAINLESS STEEL, FNPT, 300 PSI, ASME SA479 GR 316, T, ***	0	P 48200 SE
AXQ380T	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, BRONZE, FNPT, T, ***	0	P 48200 SE
AYM048P	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 2-1/2 IN, IRON, FNPT, 150 PSI, CAST, VALVE, PLUG; SIZE: 02.500 IN ( 2 1/2), PRESSURE R 0	P	48200 SE
BPG725E	AL	6-A-15-30	1	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 1, MANIFOLD, VALVE; COMPLETE WITH SOLENOID VALVES,SOLENOID NO. 1 250 VDC,	1	C 48200 SE
BTH566G	AL	6-A-15-30	10	\$0.00	VALVE	VALVE, PETCOCK, QA 0, 2 IN, FNPT, BRASS, WRENCH, COCK, DRAIN; SIZE: 02.000 IN ( 2), PRESSURE RATING: NOT SHOWN, END	0	B 48200 SE
BXF984M	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/2 IN, THREADED, VALVE, SOLENOID; SCRAM SOLENOID PILOT VALVE, 3 WAY, NORMALLY CLOSED,	1	B 48104 SE
CBD639R	AL	6-A-15-30	5	\$0.00	VALVE	VALVE, TYPICAL, QA 1, 1-1/2 IN, FNPT, TWO-WAY, AIR START SYSTEM, DIESEL ENGINE, PLATE B1079-DR-3, REF 1,	1	B 29100 SE
DD713V	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 03.000 IN ( 3), PRESSURE RATING: 150 PSI, END TYPE:	3	C 48200 SE
CEH215H	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1/2 IN, CARBON STEEL, FNPT, 2500 PSI, VALVE, BALL; SIZE: 00.500 IN ( 1/2), PRESSURE RATING: 2500 PSI, END	0	C 48200 SE
CGD405M	AL	6-A-15-30	4	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 2, 2 IN, CARBON STEEL, SOCKETWELD, 800 PSI, ASME SA216 GR WCB, HANDWHEEL, SEAT MATERIAL: NOREM,	1	C 48200 SE
AFH337B	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; 8.000 IN, FIRST OR IDENTICAL END BUTTWELD PIPE	0	P 48200 SE
AWY824C	AL	6-A-15-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 3, 3 IN, FLANGED, 175 PSI, VALVE, CNTRL,AUTO SPRINKLER; DELUGE, 003.000 IN, FLG, 175.000 PSIG,	3	P 4210N SE
AWY825A	AL	6-A-15-30	1	\$0.00	BODY	BODY, VALVE, QA 3, BODY, VALVE; CAST IRON, FOR DELUGE VALVE, MODEL D-5, SIZE 003.000 IN	3	P 48200 SE
CJE752D	AL	6-A-16-10	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, ACTUATOR OPERATOR, 12 IN (1 FT), CAST IRON, DUCTILE IRON, WAFER, 150 PSI, W/90-160 BRAY ACTUATOR / 0	C	44500 SE
AMC988M	AL	6-A-16-30	2	\$0.00	BODY	BODY, VALVE, QA 0, BODY, ASH DISPOSAL; VALVE, DWG 1-5511	0	P 4450C SE
ATW583Y	AL	6-A-16-30	1	\$0.00	GATE	GATE, SLIDE, QA 0, DUMP, STEEL, DUMP, ON FLY ASH DISPOSAL SYSTEM	0	P 4450C SE
BET444T	AL	6-A-16-30	2	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD, VALVE; STEEL, SPRAY PIPE, FOR FLY ASHDISPOSAL SYSTEM ***	0	P 4450C SE
BHK363C	AL	6-A-17-10	1	\$0.00	VALVE	VALVE, CHECK, QA 0, TILTING DISC, 20 IN, IRON, WAFER FLANGED, 150 PSI, CAST, ***	0	S 48200 SE
BFA851R	AL	6-A-17-10	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, SS, 2485 PSI, AISI 316, 650 DEG F, MANIFOLD, 1500 ANSI, TRIM 316, TYPE M1SH-4-N, SPIN WAT-1/2X78M,	0	C 48200 SE
BKE013C	AL	6-A-17-10	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; TWO-WAY, MAX DIFF PRESS 200 PSIG, DESIGNED FOR GAS	3	P 48104 SE
BMA718N	AL	6-A-17-10	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, SOCKETWELD, 600 PSI	0	C 48200 SE
BMA735N	AL	6-A-17-10	10	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, CS, SOCKETWELD, 600 PSI, ASTM A105	0	C 48200 SE
BNM469J	AL	6-A-17-10	1	\$0.00	VALVE	VALVE, TYPICAL, QA 1, VALVE, SPARE PART; VALVE, HAND, SOCKET WELD, 0.75IN ***	1	P 48200 SE
BVL703C	AL	6-A-17-10	4	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 00.750 IN ( 3/4), PRESSURE RATING: CLASS 800, END	3	C 48200 SE
BYE274L	AL	6-A-17-10	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, ON RECYCLE PUMP SUCTION VALVE IN THE ABSORBER,	0	C 4320U SE
CAB386D	AL	6-A-17-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, CS, SOCKETWELD, ASTM A105, Y, 13% CHROMIUM SS, HANDWHEEL, BONNETLESS, ASME B16.34, LTD, CL/ 0	C	48200 SE
CPL337V	AL	6-A-17-10	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, 2580 PSI, 650 DEG F, MANIFOLD, SN: N15346, MI HS-4-N,	0	C 48200 SE
AQX171X	AL	6-A-17-20	3	\$0.00	VALVE	VALVE, RELIEF, QA 0, 2 IN, BRONZE, THREADED, 400 PSI, 85 PSI, VALVE, RELIEF PRESS/TEMP; BRONZE BODY, 70 DEG F, WATER, RANGE 75 0	C	48200 SE
BCJ971Q	AL	6-A-17-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, BRONZE, STAINLESS STEEL, FNPT, 200 PSI, ASTM B61/AISI 416, T, RISING, HANDWHEEL, 550 DEG F, UNION, 0	C	48200 SE
BHX841E	AL	6-A-17-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1/2 IN, SS, FNPT, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED	0	P 48200 SE
BKY782J	AL	6-A-17-20	6	\$0.00	VALVE	VALVE, BALL, QA 1, VALVE, BALL; 1.25 IN, END TYPE THREADED INTERNAL, NPT, BODY MATL	1	C 29100 SE
BLL383E	AL	6-A-17-20	1	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; FOR WILLIAM POWELL 10 IN GATE VALVE, MIN 3013 NWE, S/N	0	P 48200 SE
BLV345J	AL	6-A-17-20	3	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 3, VALVE, GATE; CARBON STEEL BODY, STAINLASS STEEL STEM, CO-CR DISK,	1	C 48200 SE
BNC912A	AL	6-A-17-20	8	\$0.00	VALVE	VALVE, GLOBE, QA 1, 1/4 IN, SS, SS, FNPT, 1500 PSI, ASTM A182 GR F316, ROUND HANDLE, DRAGON VALVES DRAWING NUMBER 8920	1	C 48200 SE
BRC925E	AL	6-A-17-20	3	\$0.00	VALVE	VALVE, TYPICAL, QA 0, STAINLESS STEEL, AISI 316, *** 3-VALVE ISOLATION, FOR ABB KENT-TAYLOR TRANSMITTER, P/N	0	C 48200 SE

BVT558T	AL	6-A-17-20	6	\$0.00	VALVE	VALVE, BALL, QA 3, 1 IN, BRONZE, CHROME-PLATED BRASS, FNPT, LEVER OPERATED, TFE, FIRE PROTECTION, UL LISTED	3	C	48200 SE
BXQ663V	AL	6-A-17-20	1	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, 3-VALVE, MANIFOLD, VALVE; 3-VALVE, FOR TAYLOR DIFF., PRESSURE TRANSMITTERS PART	0	C	48200 SE
CAX889M	AL	6-A-17-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, BRONZE, SILICON BRONZE, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, , ACCUMUL	0	C	48200 SE
CFJ456F	AL	6-A-17-20	1	\$0.00	DISC	DISC, VALVE, QA 1, DISC, VALVE *** FOR SAFETY RELIEF CROSBY VALVE, INLET SIZE: 3/4"	1	C	48200 SE
CFV028D	AL	6-A-17-20	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1/2 IN, CS, FNPT, 800 PSI, ASME SA105, BOLTED, FORGED	3	C	48200 SE
CHT813V	AL	6-A-17-20	11	\$0.00	VALVE	VALVE, CONTROL, QA 2, 1/2 IN, SS, COMPRESSION, STEM TYPE: NEEDLE, "T" BAR HANDLE	2	C	48200 SE
CJF532N	AL	6-A-17-20	1	\$0.00	VALVE	VALVE, NEEDLE, QA 1, 1/2 IN, SS, SOCKETWELD, ASME SEC III: CLASS 2, WITH ANTI SURGE TIP	1	C	48200 SE
AFB010D	AL	6-A-17-20	2	\$0.00	SEAT	SEAT, TYPICAL, QA 0, SEAT, STEAM TURBINE; STAINLESS STEEL, 41.5 IN OD, REF 25 ***	0	P	2825G SE
AHH012J	AL	6-A-17-30	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, BRONZE, BRONZE, FNPT, 125 PSI, ASTM B62, T, RISING, HANDWHEEL, THREADED	0	C	48200 SE
AKH020J	AL	6-A-17-30	3	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, BRONZE, FNPT, 300 PSI, ASTM B61, T, RISING, HANDWHEEL, UNION, *** SEAT MATERIAL: STAINLESS STEEL	0	C	48200 SE
AWT028G	AL	6-A-17-30	4	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, CARBON STEEL, STAINLESS STEEL, FNPT, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, (	0	P	48200 SE
AXQ380T	AL	6-A-17-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, BRONZE, FNPT, T, ***	0	P	48200 SE
BLP163D	AL	6-A-17-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 2 IN, ALLOY STEEL, FNPT, 800 PSI, ASTM A182 GR F316L, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORG	0	P	48200 SE
BWH301A	AL	6-A-17-30	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, 300 PSI, *** TRIM MATERIAL: STAINLESS STEEL	0	C	48200 SE
BWH317R	AL	6-A-17-30	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, 300 PSI, ASTM A182 GR F316L, *** TRIM MATERIAL: STAINLESS STEEL, SEAT MATERIAL:	0	C	48200 SE
BXQ663V	AL	6-A-17-30	1	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, 3-VALVE, MANIFOLD, VALVE; 3-VALVE, FOR TAYLOR DIFF., PRESSURE TRANSMITTERS PART	0	C	48200 SE
CAN652R	AL	6-A-17-30	20	\$0.00	VALVE	VALVE, CONTROL, QA 3, VALVE, SHUT OFF; AIR, 0.50 IN - 14 NPT, END TYPE: THREADED INTERNAL	3	C	48200 SE
CBV132L	AL	6-A-17-30	6	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 20-180 PSIG, 250, 15, SPDT, 4, 1/4 IN FNPT, 316 STAINLESS STEEL, SWITCH, PRESSURE; VOLTAGE: 250 VAC, A	0	C	59300 SE
CDD020X	AL	6-A-17-30	1	\$0.00	VALVE	VALVE, TYPICAL, QA 2, VALVE, EXPANSION; FOR DUNHAM BUSH CHILLER , MODEL # PCX-120-OQ, S/N	2	C	48200 SE
CEX861K	AL	6-A-17-30	3	\$0.00	VALVE	VALVE, NEEDLE, QA 1, VALVE, NEEDLE *** FLOW CONTROL VALVE, AUTO PONEAT MODEL, FOR 26" MAIN	1	C	48200 SE
CFJ438H	AL	6-A-17-30	2	\$0.00	VALVE	VALVE, ANGLE, QA 3, VALVE, ANGLE *** INLET SIZE: 3/4", OUTLET SIZE: 3/4", MATERIAL:	3	C	48200 SE
AVC534Q	AL	6-A-17-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 8 IN, CS, FLAT FACE FLANGED, 75 PSI, VALVE, FLOAT	0		48200 SE
BVE749H	AL	6-A-18-30	2	\$0.00	VALVE	VALVE, BALL, QA 0, 2 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASTM A182 GR F22, 1-1/16 IN, METAL SEATED, ZER	0	C	48200 SE
CEF568R	AL	6-A-18-30	2	\$0.00	VALVE	VALVE, BALL, QA 0, 3/4 IN, CHROME MOLY, SOCKETWELD, 2500 PSI, LEVER OPERATED, ASME SA182 GR F22, BORE SIZE: 3/4 IN, METAL S	0	B	48200 SE
ALJ727R	AL	6-A-19-30	1	\$0.00	PLATE	PLATE, TYPICAL, QA 1, PLATE, VALVE; STAINLESS STEEL, ASTM A240, TYPE 347, FOR SWING CHECK	1	P	48200 SE
BCV464V	AL	6-A-19-30	1	\$0.00	DISC	DISC, VALVE, QA 0, DISK ASSY, ; STEEL, REF 10 AND 12, FOR CHECK VALVE, 14 IN, ANSI CLASS	0	C	48200 SE
ATR553P	AL	6-A-20-10	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; BOOSTER, SERIES 100, 1/12 HP, MAXIMUM LIQUID	0	P	4320U SE
BAD905D	AL	6-A-20-10	2	\$0.00	BUSHING	BUSHING, VALVE, QA 0, BUSHING, VALVE; BRASS, REF 11, FOR BUTTERFLY VALVE, 16 IN, WAFER ENDS	0	P	48200 SE
BEH675M	AL	6-A-20-10	2	\$0.00	RELAY	RELAY, OVERLOAD, QA 0, 0.2-2, ELECTROMAGNETIC, 50/60, OVERCURRENT, VERY INVERSE, TYPE IAC	0	C	5945D SE
BKN597N	AL	6-A-20-10	6	\$0.00	MOP	MOP, TYPICAL, QA 0, RADIOLOGICAL CONTROL, 18 IN, 6 FT (72 IN), TACKY ROLLER, 18 IN WIDTH (PH18), 6FT HANDLE (PH18), EXTPOLE (I	0	P	4230E SE
BQW704K	AL	6-A-20-10	2	\$0.00	VALVE	VALVE, CONTROL, QA 2, REGULATE FLUID PRESS; MAX CONDENSER WATER SUPPLY PRESSURE: 150	2	C	48200 SE
BQY679C	AL	6-A-20-10	4	\$0.00	NUT	NUT, TYPICAL, QA 0, TURBINE, *** SOCKET HD, FOR #1 BLADE RING GEN END, DWG. 731J502G01, ON	0	C	2825G SE
CAK517F	AL	6-A-20-10	1	\$0.00	KIT	KIT, PARTS, QA 0, UPGRADE KIT, CLEANING SYSTEM; KIT CONSISTING OF, 1 EA A/B SLC500 PLC	0	B	5130U SE
CEE237N	AL	6-A-20-10	1	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, FILTER ELEMENT, FLUID; 2 MICRON ABSOLUTE, NUCLEAR ELEMENT, GLASS FIBER	3	C	4330N SE
BVE875C	AL	6-A-20-10	1	\$0.00	HEAD	HEAD, TYPICAL, QA 3, SUCTION PIECE, PUMP; HEAD, FOR RBCCW PUMP, MODEL #6-CNR-104, SERIAL	3		4320U SE
CGW877W	AL	6-A-20-10	2	\$0.00	STRAINER	STRAINER, Y, QA 3, 4 IN, SS, 150 LB, FLANGED, 80 MESH STAINLESS SCREEN, FLANGED BLOW OFF CONNECTION WITH 2" NPT	3		4730P SE
CHH316Q	AL	6-A-20-10	1	\$0.00	BALL	BALL, VALVE, QA 3, VEE BALL , FOR 12" FISHER VEE-BALL TYPE VALVE, MODEL: V150, SERIES B	3		48200 SE
CJF694V	AL	6-A-20-10	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 3, 6 IN, CAST IRON, SS, 200 PSI, , SERIES 200 WAFER STYLE RESILENT SEATED, 316 SS SHAFT, PTFE BUSHING,	3		48200 SE
CKK965V	AL	6-A-20-10	2	\$0.00	VALVE	VALVE, GATE, QA 3, 14 IN, MECHANICAL JOINT, NON-RISING, , DOUBLE DISK, WITH 2 INCH SQUARE NUT FOR SOCKET WRENCH OPERATION, 3	C		48100 SE
AVY649A	AL	6-A-20-20	1	\$0.00	STARTER	STARTER, TYPICAL, QA 0, MAGNETIC/NON-REVERSING, 5, 115/460, 3, W/ COIL, STARTER, MOTOR; SIZE 5, OPEN, 460 VAC, 3 PHASE, 115 '0	0		61100 SE
BJL152E	AL	6-A-20-20	1	\$0.00	SPRING	SPRING, TYPICAL, QA 1, ACTUATOR, LIGHT, , ASSEMBLY W/O TORQUE LIMITER PLATE, BELLEVILLE SPRING PACK, REF. 56,	1		48200 SE
BYQ486H	AL	6-A-20-20	1	\$0.00	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPTECTOR FOR 600 AMP GE AK-6A-25	1		5925B SE
CDT028Y	AL	6-A-20-20	8	\$0.00	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL, HOIST; AXLE AND AND BUSHING ASSEMBLY, ITEM 13, LOUDEN PART #	0		3950F SE
CEV176D	AL	6-A-20-20	2	\$0.00	KIT	KIT, PARTS, QA 1, KIT, REPAIR; TYPE: ACTUATOR *** FOR WORCESTER ACTUATOR B34SHM2, SERIES	1		48104 SE
CEX162E	AL	6-A-20-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/4 IN, SS, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316L, T, HANDWHEEL, OUTSIDE SCREW YOKE/B	1		48200 SE
CJN203R	AL	6-A-20-20	1	\$0.00	DAMPER	DAMPER, MECHANICAL, QA 1, BACKDRAFT, 12 IN X 12 IN, *** BACKDRAFT DAMPER REPLACEMENT KIT, FOR OFF-GAS SYSTEM, PREFERRED	1		4520N SE
CJM027V	AL	6-A-20-20	1	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 3, 1 IN, CS, FNPT, 800 PSI, ASME SA216 GR WCB, T, HANDWHEEL	1		48104 SE
CJM899A	AL	6-A-20-20	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, SWITCH, 240 AC/250 DC, 100, 2, E150, CU/AL LINE-LOAD LUGS, TEB122Y100 DRILLED FOR MECH. INTERLOCK C	1		5925B SE
CJY875A	AL	6-A-20-20	2	\$0.00	PLATE	PLATE, MOUNTING, QA 1, SWITCH, 52STA SWITCH ACTUATOR, DWG D980122 ITEM 18	1		5975B SE
CKJ170L	AL	6-A-20-20	10	\$0.00	KIT	KIT, PARTS, QA 0, INTERIM POINT	0		5925B SE
CKK250H	AL	6-A-20-20	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, OVERVOLTAGE, 5.4-20, 1 NO, TIME DELAY 0.75 - 7.5 SEC AT 200% OF TAP SETTING OR 4 SEC @ 10X DIAL	1		5945D SE
ARA325Q	AL	6-A-20-20	2	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, VALVE, SS, 2 CM, 1-1/4 IN NPT, TYPE 316 STAINLESS, 1-1/4 IN NPT, 72 IN CABLE, REMOVABLE GATE VALVE	0	P	6630D SE
ARH162N	AL	6-A-20-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, RUBBER, *** INHALATION, FOR ULTRA-TWIN RESPIRATOR	0		4240P SE
BHR244M	AL	6-A-20-20	17	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, RESPIRATOR; EXHALATION, FOR ULTRA RESPIRATORS ***	0		4240P SE
BKQ243G	AL	6-A-20-20	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, *** FOR MONITOR, CHLORIDE, LOW LEVEL, MODEL 1517.	0	P	48104 SE
BLF239F	AL	6-A-20-20	5	\$0.00	VALVE	VALVE, PLUG, QA 0, 1-1/2 IN, BRONZE, THREADED, 150 PSI, VALVE, PLUG; SIZE: 01.50 IN ( 1 1/2), PRESSURE RATING: CLASS 150 END	0	P	48200 SE
BPX830R	AL	6-A-20-20	7	\$0.00	VALVE	VALVE, CHECK, QA 0, 4.0 IN, STEEL, FLANGED, 175/200 PSI, ***	0	C	48200 SE

BXY371A	AL	6-A-20-20;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, FNPT, 120, 200 PSI, BRASS, 28.2, FORGED, VALVE, SOLENOID; GENERAL PURPOSE ENCLOSURE 0	B	48104	SE
CHH668Q	AL	6-A-20-20;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 2 IN, CS, SOCKETWELD, 1878 PSI, ASME SA216 GR WCB, T-HANDLE, ASME B16.34, NON COBALT SEAT MA 1	C	48200	SE
CKJ170L	AL	6-A-20-20;	8	\$0.00	KIT	KIT, PARTS, QA 0, INTERIM POINT	0	5925B	SE
BNW607X	AL	6-A-20-30'	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3/4 IN, 3/4 IN, THREADED, 240, 5-300 PSI, 10, **	1	C	48104 SE
BTR994H	AL	6-A-20-30'	1	\$0.00	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; FOR 3 IN GATE VALVE, FIGURE 3003, 300 PSIG, DWG 035951-	1		48200 SE
BWQ876G	AL	6-A-20-30'	1	\$0.00	STEM	STEM, VALVE, QA 1, GATE, 3 IN, 150 PSI, 1503WE, , CONSIST OF 2 PIECES (STEM/DISC HOLDER) ASSEMBLY, STEM MATERIAL ASTM	1		48200 SE
CAJ158N	AL	6-A-20-30'	3	\$0.00	SEAT	SEAT, VALVE, QA 3, GLOBE, 8 IN, 8-3/4 IN, CS, 8 IN, 150 PSI, 5312WE, WALWORTH 8 IN STOP GLOBE VALVE, DWG A-12381-M-1-D, BFN \ 3	3		48200 SE
CDH467V	AL	6-A-20-30'	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 3, DISK, VALVE; SWING CHECK, SIZE: 6 INCH, A/D DWG: W9524565, A/D	1	C	48200 SE
CDN435F	AL	6-A-20-30'	1	\$0.00	VALVE	VALVE, CHECK, QA 3, STOP, 12 IN, IRON, FLAT FACE FLANGED, 125 PSI, CAST, *** DANIEL MODEL # 1600-D	3	C	48200 SE
CHB382A	AL	6-A-20-30'	1	\$0.00	DISC	DISC, VALVE, QA 1, CHECK, ALLOY STEEL A217 GR CA15, FOR 4" TILTING DISC BUTT ENDS CHECK VALVE, CHAPMAN MODEL: 123A	1		48200 SE
CHH849L	AL	6-A-20-30'	1	\$0.00	BALL	BALL, VALVE, QA 1, VEE, 4 IN, MATERIAL: STAINLESS STEEL, ITEM #2, FOR 4" 150-LB VEE-BALL TYPE	1		48200 SE
CHN146X	AL	6-A-20-30'	1	\$0.00	RING	RING, KIT/SET, QA 3, SEAT RING SUBASSEMBLY, CONSIST OF SEAT RING P/N 013 AND	3		48200 SE
CHX498R	AL	6-A-20-30'	2	\$0.00	DISC	DISC, VALVE, QA 1, 3 IN, , MATERIAL SA105 WITH COCR, FOR 900 LB DOUBLE DISC GATE VALVE WITH	1		48200 SE
CJE786V	AL	6-A-20-30'	1	\$0.00	STRAINER	STRAINER, Y, QA 1, 2 IN, CAST CS, 150 LB, BUTT WELDED, BODY MATERIAL ASTM A216 GR. WCB, LIQUID SERVICE	1		46109 SE
CKV061N	AL	6-A-20-30'	2	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 2, 2 IN, 1500 PSI, GLC SILENT CHECK VALVE, MATERIAL: SA479 TYPE 316L W/NOREM,	1		48100 SE
AGH529V	AL	6-A-21-10'	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, STEEL, 600 PSI, Y, ***	0	P	48200 SE
AJH123C	AL	6-A-21-10'	5	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 0, 1 IN, FLANGED, *** POLYPROPYLENE LINED 1 IN, FLG	0	C	48200 SE
AQX064M	AL	6-A-21-10'	1	\$0.00	STRAINER	STRAINER, TYPICAL, QA 2, STRAINER ASSY, ; VALVE, 000.500 IN INLET AND OUTLET, FOR WATER LEVEL	2	P	4730P SE
BVC156P	AL	6-A-21-10'	2	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 1 IN, SOCKETWELD, 150 PSI, SS, ASME SA182 GR 316L, POSITION SWITCH ASSEMBLY CONTAINS FOUR (4) SPST : 1	1	C	48104 SE
BWK232P	AL	6-A-21-10'	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, BRONZE, SS, FNPT, 200 PSI, ASTM B61, T, RISING, HANDWHEEL, 550 DEG F, UNION, 200 SWP/400 WOG, TRIM 0	3	C	48200 SE
BYM828Y	AL	6-A-21-10'	2	\$0.00	VALVE	VALVE, CONTROL, QA 3, 1-1/2 IN, FLANGED, 100-150 PSI, PRESSURE REGULATING, CAPILLARY TUBING LENGTH: 30 IN.	3	C	48200 SE
BYP232N	AL	6-A-21-10'	1	\$0.00	VALVE	VALVE, GATE, QA 1, CLASS 3, 3/4 IN, CS, SOCKETWELD, 1400 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLTED, 1	1	B	48200 SE
CDM382F	AL	6-A-21-10'	1	\$0.00	CONTROLLI	CONTROLLER, TYPICAL, QA 3, FLOW, KATES MODEL FB955-BEFM FLOW CONTROLLER, DWG. 9700806, RECIRCULATION	3	C	6695D SE
CFN108K	AL	6-A-21-10'	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1 IN, BRONZE, FNPT, T, RISING, HANDWHEEL, *** FAIRBANKS MORSE MODEL 0503-P, FOR USE ON REACTOR WATER 3	3	C	48200 SE
ATC066W	AL	6-A-21-10;	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END	1	C	48200 SE
ATC070H	AL	6-A-21-10;	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, VALVE, RELIEF; TYPE: SAFETY; SIZE: 3 IN X 4 IN; BODY MATERIAL: CS; END	1	C	48200 SE
AQX158M	AL	6-A-21-20'	2	\$0.00	THERMOST	THERMOSTAT, CONTROL, QA 0, REGULATOR, TEMPERATURE; THERMOSTATIC, FOR EMERGENCY DIESEL GENERATOR	0	C	6695D SE
AMH942L	AL	6-A-21-20;	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 14 IN, STEEL, DISK, VALVE; PT F6, FOR CHAPMAN GATE VALVE, STEEL, 014.000 IN, LIST 300	0		48200 SE
BEH532C	AL	6-A-21-20;	1	\$0.00	VALVE	VALVE, CHECK, QA 0, TILTING DISC, 8 IN, STEEL, CR13, FLANGED, 150 PSI, ASTM A217 GR C5, CAST, 13% CHROMIUM SEATING TRIM, CLAS 0	0		48200 SE
BGG727M	AL	6-A-21-20;	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 12.0 IN, IRON, WAFER FLANGED, 200 PSI, CAST, *** TEMPERATURE: 180 DEG F	0	P	48200 SE
BKA414P	AL	6-A-21-20;	2	\$0.00	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, WELDED, 150 PSI, ASTM A216 GR WCB, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, C 0	0	P	48200 SE
CEL679N	AL	6-A-21-30'	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3.0 IN, CARBON STEEL, 150 PSI, *** TYPE: PNEUMATIC OPERATED; OPERATOR TYPE: ACTUATOR; VACUUM DRAG FOR 0	0	C	48200 SE
AWR863V	AL	6-A-21-30;	1	\$0.00	VALVE	VALVE, GATE, QA 0, 12.0 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126 CL B, T, NON-RISING, CAST, ***	0	P	48200 SE
ABJ554N	AL	6-A-22-10'	1	\$0.00	BONNET	BONNET, VALVE, QA 1, CLASS 3, ASSEMBLY, 3 IN, SS, , ASME SA -351 GR CF8, AS DEPICTED ON ITT ENGINEERED DIAPHRAGM VALVE	1	B	48200 SE
AEJ470M	AL	6-A-22-10'	1	\$0.00	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; FOR WH 3/4-RV54SWB RELIEF VALVE, SPIN GAVBSRAA, G SPEC	1	C	48200 SE
AEJ736X	AL	6-A-22-10'	1	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; EXCELLOY, ASTM A182, GRF6, ITEM 8, FOR CRANECO GATE VALVE	0	P	48200 SE
AJY454H	AL	6-A-22-10'	8	\$0.00	VALVE	VALVE, BALL, QA 0, 3/8 IN, SS, COMPRESSION, 1500 PSI, LEVER OPERATED, ** TEMPERATURE: 70 DEG F	0	P	48200 SE
AKY682X	AL	6-A-22-10'	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 2.0 IN, SCHEDULE 40, CARBON STEEL	1	D	4730P SE
APB293J	AL	6-A-22-10'	2	\$0.00	BEARING	BEARING, BALL, QA 2, BEARING, BALL DUPLEX; SINGLE ROW, ANGULAR CONTACT, HEAVY SERIES, 40	2	P	3110B SE
AQC037G	AL	6-A-22-10'	12	\$0.00	BEARING	BEARING, ROLLER, BEARING, PLAIN SPHERICAL; SPHERICAL, 1-9/16 IN OD X 7/8 IN ID, FOR	2	P	3110B SE
AQC431M	AL	6-A-22-10'	2	\$0.00	CLEVIS	CLEVIS, TYPICAL, QA 1, CLEVIS, SHOCK ARRESTOR; C/W REAR BRACKET, PIN, AND ATTACHMENT FOR	1	B	4710Y SE
AQT897X	AL	6-A-22-10'	3	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, STREET, 3/8 IN, 3/8 IN, SS, 3000 LB, FNPT, MNPT, 90, STANDARD MILL FINISH, FORGED, B16.11, ASME SA11 1	1	P	4730P SE
ARX226Q	AL	6-A-22-10'	1	\$0.00	HOLDER	HOLDER, TYPICAL, QA 1, CLASS 2, HOLDER ASSY, VALVE; SOFT SEAT HOLDER ASSEMBLY, INCLUDES: SEAT HOLDER -	1	B	48200 SE
ATR553P	AL	6-A-22-10'	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; BOOSTER, SERIES 100, 1/12 HP, MAXIMUM LIQUID	0	P	4320U SE
ATY755H	AL	6-A-22-10'	1	\$0.00	VALVE	VALVE, CHECK, QA 2, LIFT, 1-1/4 IN, COPPER ALLOY, TEFLON, THREADED, 400 PSI, CAST, ; HORIZONTAL CHECK VALVE; TEMP RANGE -25C 2	0	C	48200 SE
AVB413A	AL	6-A-22-10'	1	\$0.00	GUIDE	GUIDE, VALVE, QA 0, STEM, *** SEAT RETAINING, REF 48, FOR GLOBE VALVE, CLASS DDOS, 1-1/4 IN, AND	0	C	48200 SE
AVH286P	AL	6-A-22-10'	1	\$0.00	GAUGE	GAUGE, COMPOUND, QA 3, PRESSURE/VACUUM, 1/4 IN NPT, 4-1/2 IN, BRASS, BACK, 0-300 PSI, 0-30 IN HG, BRASS, , FLUSH MOUNT, APPLI 3	3	B	6695D SE
AVQ609N	AL	6-A-22-10'	1	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 2, HEATING ELEMENT, ELEC, IMMERSION TYPE; 3 PHASE, 15/20 KW, 480/550 V, FOR	2	P	5966A SE
AWQ473E	AL	6-A-22-10'	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 1, ASSEMBLY, 3/4 IN, C/O DISC CAP, P/N A-9915-13, PIN, P/N A-9915-51,	1	C	48200 SE
AWR165L	AL	6-A-22-10'	1	\$0.00	COVER	COVER, TYPICAL, QA 1, CLASS 2, VALVE, *** STAINLESS STEEL, ASME SA 479 Y1 316, FOR 1/2 INCH 600 LB ASME	1	C	48200 SE
AXE836H	AL	6-A-22-10'	1	\$0.00	STOCK	STOCK, BAR, QA 1, METAL BAR, ; ROUND, STAINLESS STEEL, ASME SA193, GRADE B6, TYPE 410	1	P	9520Z SE
AXY432P	AL	6-A-22-10'	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, 2, FLEXIBLE/SHAFT, UNFINISHED, COUPLING, SHAFT FLEXIBLE; SELF ALIGNING, UNFINISHED BORE, SIZE 2 ***	0	P	3040D SE
BHE152K	AL	6-A-22-10'	21	\$0.00	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	48200 SE
BHQ195D	AL	6-A-22-10'	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL ASME SA479 TYPE 316, FOR SAFETY RELIEF	1	P	48200 SE
BHX318X	AL	6-A-22-10'	1	\$0.00	BASE	BASE, MOUNTING, QA 1, BASE ASSY, VALVE; BASE, ASME SA-479 TYPE 316 STAINLESS STEEL, FOR	1	C	48200 SE
BHY642F	AL	6-A-22-10'	187	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP, HEXAGON H, ; STAINLESS STEEL ASME SA 193 GR B6 S41000	1	P	5305J SE
BJK578G	AL	6-A-22-10'	200	\$0.00	SCREW	SCREW, TYPICAL, QA 3, SCREW, CAP; HEAD STYLE: FLAT COUNTERSUNK, MATERIAL: STAINLESS STEEL,	3	C	5305J SE

BKD724Q	AL	6-A-22-10	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, TUBE, LUBE OIL SYSTEM, 1, ,CAT 302 PARTS LIST B34 PAGE 16, ASSY, PISTON COOLING, S/N 1202 THRU	1	C	29100 SE
BMD633F	AL	6-A-22-10	1	\$0.00	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; FOR REGULATING VALVE, 1 IN, MODEL 40C, 200 TO 450 PSIG	3	P	48200 SE
BMD634D	AL	6-A-22-10	1	\$0.00	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, ORFICE, FOR REGULATING VALVE, 1 IN, MODEL 40C, 200	3	P	48200 SE
BMD635B	AL	6-A-22-10	1	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 3, DIAPHRAGM, VALVE; FOR REGULATING VALVE, 1 IN, MODEL 40C, 200 TO 450	3	P	48200 SE
BNQ561F	AL	6-A-22-10	4	\$0.00	BOLT	BOLT, EYE, QA 3, BOLT, EYE; GLAND STUD, ALLOY STEEL, ASME SA193, GR B7, 0.625 DIA X 12	3	P	5305J SE
BPP272M	AL	6-A-22-10	1	\$0.00	COIL	COIL, COOLING, QA 1, COOLING COIL, AIR DUCT TYPE; REF 490, DWG SE032-X11-1,R2, FOR	1	C	4320U SE
BPY951W	AL	6-A-22-10	1	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 2 IN, 2 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F304, MSS SP-83	1	C	4730P SE
BQW704K	AL	6-A-22-10	2	\$0.00	VALVE	VALVE, CONTROL, QA 2, REGULATE FLUID PRESS; MAX CONDENSER WATER SUPPLY PRESSURE: 150	2	C	48200 SE
BRC942E	AL	6-A-22-10	11	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, BRIDGE ASSEMBLY, EXHAUST VALVE BRIDGE, ROCKER ARMS & OIL LINES, 16, ,CAT 302 PARTS LIST A13 PAGE 1	1	C	29100 SE
BVX078G	AL	6-A-22-10	1	\$0.00	GUIDE	GUIDE, VALVE, QA 1, RELIEF, 3/4 IN X 1 IN, M/N LCT-13/S4, J.E. LONERGAN SAFETY RELIEF VALVE, STAINLESS	1	C	48200 SE
BYF519B	AL	6-A-22-10	24	\$0.00	TAPE	TAPE, BARRICADE, QA 0, WARNING, 2 IN, 180 FT, VINYL/PEERFERATED, YELLOW/MAGNETA, CAUTION, RADIO-ACTIVE MATERIAL, TAPE, WA	0	C	7510U SE
BYF738Y	AL	6-A-22-10	1	\$0.00	PLUG	PLUG, VALVE, QA 1, PLUG ASSY, VALVE; PLUG/STEM ASSEMBLIES, PINNED ASSEMBLIES, PLUG - ASTM	1	C	48200 SE
BYN909T	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 3/8 IN, SS, FNPT, TYPE: PANEL, REF. ORIGINAL DRAGON CONTRACT 83574	3	C	48200 SE
CAA994T	AL	6-A-22-10	2	\$0.00	RELAY	RELAY, OVERLOAD, QA 2, THERMAL OVERLOAD RELAY, SIZE 3, NON-COMPENSATED, FOR TYPE SE STARTER,	2	B	5945D SE
CAB822K	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, BALL, QA 3, 1 IN, SS, COMPRESSION, 2500 PSI, LEVER OPERATED	3	C	48200 SE
CCA604P	AL	6-A-22-10	1	\$0.00	PACKING	PACKING, MECHANICAL, QA 3, PACKING, PUMP; STUFFING BOX, FOR DELAVAL M/N 350 M-P 16/14D, COMPONENT	3	C	5730H SE
CDH458W	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; PILOT VALVE ASSEMBLY FOR 16Z220 CROSBY VALVE, TYPE: JPV,	0	C	48104 SE
CDR898N	AL	6-A-22-10	2	\$0.00	PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; ACTUATOR, ALUMINUM, FOR 1 INCH ITT GRINNELL DIAPHRAGM	3	C	48200 SE
CDR900B	AL	6-A-22-10	1	\$0.00	COMPRESSOR	COMPRESSOR, TYPICAL, QA 3, COMPRESSOR, VALVE; CAST IRON, FOR 1 INCH ITT GRINNELL DIAPHRAGM VALVE	3	C	48200 SE
CDR902V	AL	6-A-22-10	1	\$0.00	PIN	PIN, TYPICAL, QA 3, PIN, COMPRESSOR; STAINLESS STEEL, FOR 1 INCH ITT DIAPHRAGM VALVE	3	C	48200 SE
CDR904P	AL	6-A-22-10	1	\$0.00	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; STAINLESS STEEL WITH STOP COLLAR, FOR 1 INCH ITT	3	C	48200 SE
CDR905M	AL	6-A-22-10	1	\$0.00	BUSHING	BUSHING, VALVE, QA 3, BUSHING, VALVE; ADAPTOR, BRASS, FOR 1 INCH ITT GRINNELL DIAPHRAGM	3	C	48200 SE
CDR907H	AL	6-A-22-10	1	\$0.00	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; ADJUSTABLE TRAVEL, STEEL, FOR 1 INCH ITT GRINNELL	3	C	48200 SE
CDR908F	AL	6-A-22-10	1	\$0.00	PLATE	PLATE, TYPICAL, QA 3, PLATE, VALVE; FINGER, STEEL, FOR 1 INCH ITT GRINNELL DIAPHRAGM VALVE	3	C	48200 SE
CDR909D	AL	6-A-22-10	1	\$0.00	O-RING	O-RING, TYPICAL, QA 3, PACKING, O-RING, SPARE PART; EPT, DASH #112, FOR 1 INCH ITT GRINNELL	3	B	48200 SE
CED168L	AL	6-A-22-10	1	\$0.00	CONDENSER	CONDENSER, TYPICAL, QA 2, CONDENSING UNIT, REFRIGERATING; CONDENSER/RECEIVER, 1.0" NPTF WATER	2	C	4520N SE
CED268G	AL	6-A-22-10	1	\$0.00	CAGE	CAGE, VALVE, QA 0, CAGE, VALVE; ITEM 32, FOR 3 INCH GLOBE VALVE, ITT HAMMEL DAHL, MODEL	0	C	48200 SE
CEF056C	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 3/4 IN, BRONZE, 0-80 PSI, PRESSURE REDUCER, 29-87 PSI RANGE, (SETPOINT 40 PSI) , MODEL 990	0	C	48200 SE
CEJ509V	AL	6-A-22-10	1	\$0.00	SPRING	SPRING, TYPICAL, QA 3, SPRING, *TYPICAL; TYPE: ACTUATOR *** XL 1370 25 LB OUTERSPRING AS	3	C	48200 SE
CEM056D	AL	6-A-22-10	4	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, SS, 160, ASME SA403 WP 304, STANDARD MILL FINISH, S	1	C	4730P SE
AAH378V	AL	6-A-22-10	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; THREADED, NOM SIZE 1.0 IN, STAINLESS STEEL ASME SA 182	1	P	4730P SE
AEE675C	AL	6-A-22-10	2	\$0.00	SEAL	SEAL, MECHANICAL, QA 0, SEAL, MECHANICAL; MECHANICAL, BASIC, U-4500, DWG 207383, FOR	0	P	4320U SE
APT124W	AL	6-A-22-10	2	\$0.00	VALVE	VALVE, RELIEF, QA 2, VALVE ASSY, ; RELIEF, FOR STANDARD ROTATION TANDEM DIESEL GENERATOR	2	P	29100 SE
ARH165G	AL	6-A-22-10	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; DRIVEN, 1272, FOR DOUBLE HELICAL ROTARY PUMP, SYMBOL 4	0	P	4320U SE
ATE806E	AL	6-A-22-10	1	\$0.00	ROD	ROD, THREADED, QA 1, 7 IN, 64.57 IN, CONTINUOUS, RPV HEAD, COMPLETE WITH MK-28 NUT, P/N 30616-1050-32, AND	1	P	4470C SE
AVR066K	AL	6-A-22-10	1	\$0.00	STEM	STEM, VALVE, QA 0, BUTTERFLY, 4 IN, 300 PSI, L300-CS-CS-6, SS, ; 17-4 PH SS, A564 TYPE 630, REF: ITEM-3 ON PARTS LIST; FOR USE IN	0	C	48200 SE
AWG743L	AL	6-A-22-10	1	\$0.00	ARMATURE	ARMATURE, TYPICAL, QA 3, ARMATURE, CRANE; SOLENOID POT ASSY, REF22, FOR GEAR CASE COVER AND	3	B	3950F SE
BAH676C	AL	6-A-22-10	1	\$0.00	TEE	TEE, TUBING, QA 1, CLASS 2, STRAIGHT, 1 IN, SS, COMPRESSION, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
BCN572J	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1 IN X 2 IN, CARBON STEEL, RAISED FACE FLANGED, 600 PSI, 1200 PSIG, VALVE, SAFETY RELIEF; 1"-600 LB INLET X	0	C	48200 SE
BDC594M	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1/4 IN, SS, FNPT, 1500 PSI, LEVER OPERATED, AISI 316, CLASS 1500	0	P	48200 SE
BDE349Q	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, CONTROL, QA 2, VALVE, REGULATE FLUID PRESS; 2.0 IN, END TYPE THREADED INTERNAL, NPT	2	P	48200 SE
BDR135K	AL	6-A-22-10	1	\$0.00	PULLEY	PULLEY, DRIVE, QA 0, 1-3/8 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.375 IN ( 1	0	C	3040D SE
BEG255H	AL	6-A-22-10	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; RING, STAINLESS STEEL, FOR VALVE, 6 IN, MODEL 35-35400	0	P	48200 SE
BFF771X	AL	6-A-22-10	1	\$0.00	DISC	DISC, VALVE, QA 1, SOLENOID, SA564 630 SS, DISK, VALVE; MAIN, STAINLESS STEEL ASME SA564 TYPE 630, W/STAINLESS	1	P	48200 SE
BHE146E	AL	6-A-22-10	1	\$0.00	RING	RING, PISTON, QA 1, VALVE, FOR SOLENOID VALVE, MODEL 82KK-001, ANSI CLASS 2158,	1	P	48200 SE
BHE148A	AL	6-A-22-10	1	\$0.00	PLUNGER	PLUNGER, VALVE, QA 1, PLUNGER, DETENT; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	4710Y SE
BHE151M	AL	6-A-22-10	1	\$0.00	ROD	ROD, TYPICAL, QA 1, DISK ASSY, ; ROD, FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158,DWG	1	P	48200 SE
BHE152K	AL	6-A-22-10	1	\$0.00	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 82KK-001, CLASS 2158, DWG	1	P	48200 SE
BWV276R	AL	6-A-22-10	1	\$0.00	BEARING	BEARING, SLEEVE, QA 1, BEARING, SLEEVE; BEARING, SLEEVE, STEEL BABBETTED TYPE, TWO BEARINGS	1	B	3110B SE
BXA722E	AL	6-A-22-10	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, VALVE, DRIER; RELIEF, SPARE PART FOR ELECTRODRYER MODEL BAC-50 (SN	0	B	4440E SE
CAK049D	AL	6-A-22-10	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE; STYLE: SLIP ON, NOMINAL SIZE: 01.000 IN ( 1), MATERIAL:	1	C	4730P SE
CAK119V	AL	6-A-22-10	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE,REDUCING; STYLE: SLIP ON, FIRST END SIZE: 01.000 IN ( 1)	1	C	4730P SE
CAM340X	AL	6-A-22-10	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, SOCKETWELD, 3/4 IN, SS, 150 LB, 40S, RAISED FACE, ASME SA182 GR F304, STANDARD MILL FINISH, FORG I	D	4730P SE	
CAV164D	AL	6-A-22-10	16	\$0.00	FASTENER	FASTENER, TYPICAL, QA 1, CLASS 1, STUD TENSIONING, 1-5/8 IN, ALLOY STEEL, W/ WASHER, FASTENER, HEAVY EQUIPMENT; ASSEMBLY, S	1	C	29100 SE
CAV181D	AL	6-A-22-10	9	\$0.00	FASTENER	FASTENER, TYPICAL, QA 1, CLASS 1, STUD TENSIONING, 1-1/4 IN, ALLOY STEEL, W/NUT BODY, WASHER & JACKBOLT, . NUT BODY MATL S	1	C	29100 SE
CBF366Q	AL	6-A-22-10	20	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 1 IN, UNION, SS, COMPRESSION, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CDH214R	AL	6-A-22-10	2	\$0.00	TEE	TEE, TUBING, QA 1, CLASS 2, TEE, TUBE; FIRST END NOM SIZE: 01.000 IN ( 1), SECOND END NOM SIZE:	1	C	4730P SE

CDP485T	AL	6-A-22-10:	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; FOR CO2 FIRE PROTECTION SYSTEM. ***	3	B	48104 SE
CDT213D	AL	6-A-22-10:	2	\$0.00	PIN	PIN, DOWEL, QA 3, DOWEL, ELECTRIC MOTOR; WITH WASHER, NUT, MICARTA WASHER AND TUBE FOR	3	B	6105D SE
CEA755L	AL	6-A-22-10:	32	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 1, 2 IN, SS, 160, 6000 LB, SLIP JOINT, ASME SA182 GR F316, STANDARD MILL FINISH, FORGED	1	C	4730P SE
CED272R	AL	6-A-22-10:	1	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; ITEM 6, FOR 3 INCH GLOBE VALVE, ITT HAMMEL DAHL, MODEL	0	C	48200 SE
CEG846J	AL	6-A-22-10:	1	\$0.00	RING	RING, WEAR, QA 3, PUMP CASE, SS, ; NITRONIC 60 STAINLESS STEEL; FOR PUMP CASING, OF GOULDS PUMP MODEL	3	C	4320U SE
CEM056D	AL	6-A-22-10:	4	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, CONCENTRIC, 3 IN, 2 IN, BUTTWELD, BUTTWELD, SS, 160, ASME SA403 WP 304, STANDARD MILL FINISH, S	1	C	4730P SE
CEP144F	AL	6-A-22-10:	32	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; TYPE: FITTING; PIPE SIZE: 3/4 IN; MATERIAL: SS; RATING:	3	C	4730P SE
CFE441C	AL	6-A-22-10:	2	\$0.00	GUIDE	GUIDE, VALVE, QA 0, SEAT RETAINING, 1-1/4 IN, *** GUIDE, VALVE STEM; SEAT RETAINING, REF. 48, FOR GLOBE VALVE 1.25	0	C	48200 SE
ANG491T	AL	6-A-22-20:	20	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/4 IN, SS, 5000 PSI, AISI 316, T	0	C	48200 SE
BJF615R	AL	6-A-22-20:	10	\$0.00	VALVE	VALVE, CHECK, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, 1500 PSI, AISI F316, ***	0		48200 SE
BJL280G	AL	6-A-22-20:	1	\$0.00	SPRING	SPRING, TYPICAL, QA 1, SPRING ASSY, ACTUATOR; W/LIMITER PLATE, P/N 61-710-0085-1, FOR VALVE	1		48200 SE
BQP684P	AL	6-A-22-20:	1	\$0.00	DISC	DISC, VALVE, QA 2, DISK, VALVE; ITEM 4, FOR 12" MOTOR OPERATED GLOBE VALVE, 300 PSI, FI G	2		48200 SE
CAJ956R	AL	6-A-22-20:	2	\$0.00	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; TYPE: 3-WAY; SIZE: 1/4 IN; ORIFICE SIZE: 1/8 IN;	1	C	48104 SE
CAR067C	AL	6-A-22-20:	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/64 IN, THREADED, 120, BRASS, 60, VALVE, SOLENOID; THREE WAY, BRASS BODY, 120VAC/60 I	1	B	48104 SE
CDJ163B	AL	6-A-22-20:	3	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, COUPLING, ACTUATOR; FOR CRANE VALVE, 18" SLUICE GATE VALVE, CRANE	3	C	48200 SE
CDK987N	AL	6-A-22-20:	1	\$0.00	VALVE	VALVE, BALL, QA 1, CLASS 3, VALVE, BALL; TYPE: LEVER HANDLE; SIZE: 1 IN; BODY MATERIAL: CS; END	1		48200 SE
CEY438R	AL	6-A-22-20:	1	\$0.00	DISC	DISC, VALVE, QA 1, GATE, *** PART NUMBER 4, FOR 4"-900 # FLEX WEDGE GATE VALVE, BW/IP DRAWING:	1	C	48200 SE
CHV205F	AL	6-A-22-20:	1	\$0.00	KIT	KIT, PARTS, QA 1, INSTALLATION, TRAVEL STOP, FOR TYPE 657-8, SIZE 46 IN. FISHER ACTUATOR,	1	B	6695D SE
CJF184K	AL	6-A-22-20:	10	\$0.00	VALVE	VALVE, GLOBE, QA 2, 1/4 IN, SS, COMPRESSION, 1500 PSI, AISI 316, T, 600 DEG F	2	C	48200 SE
CJJ845H	AL	6-A-22-20:	1	\$0.00	ACTUATOR	ACTUATOR, ELECTRICAL, QA 3, ROTARY, 120, 0.9, , INPUT WATTS: 70 RUNNING AND 25 HOLDING, RATED TORQUE: 60, TWO	3		5975B SE
BJH964M	AL	6-A-22-20:	1	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 0, CYLINDER, ACTUATING LINEAR; MODEL NO 64A30LA STYLE FS155, SERIES 115A	0		48200 SE
BJM293N	AL	6-A-22-20:	30	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 3/8 IN, CS, SS, SOCKETWELD, 600 PSI, ASME SA105, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE/BOLT 1	1		48200 SE
BTL550V	AL	6-A-22-20:	1	\$0.00	NUT	NUT, TYPICAL, QA 3, VALVE, APPLICATION: GLOBE VALVE, TYPE: YOKE NUT (STEM NUT), VALVE SIZE:	3	C	48200 SE
BNA360D	AL	6-A-22-30:	4	\$0.00	YOKE	YOKE, TYPICAL, QA 0, 16FA37RG, WAT-220, WAT-ASVANS,WHO-02782	0	C	4470C SE
AFD374R	AL	6-A-22-30:	1	\$0.00	CROSSHEAD	CROSSHEAD, TYPICAL, QA 0, BARE, CROSSHEAD, P/N 3165E1P1, COMPRESSION; BARE, REF 2-59,	0	C	4310I SE
BCY000T	AL	6-A-22-30:	3	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, 25-240 PSI, 250 AC/125 DC, 1/4 IN FNPT, OVERRANGE=1500PSI, CONTACTS= SPDT, DIAPHRAGM= WELDED SS, 1	1	B	59300 SE
BPG177K	AL	6-A-22-30:	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, STEAM TURBINE, SHUT OFF VALVE ASSEMBLY FOR TURBINE EHC SYSTEM.	0		48200 SE
BXM536J	AL	6-A-22-30:	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, STEEL, STEEL, 720 PSI, VALVE, SHUT OFF; ROCKWELL NORDSTROM 2", MULTPPORT VALVE; ARRANGEMENT 0	1	C	48200 SE
CAN396H	AL	6-A-22-30:	4	\$0.00	RING	RING, SEAL, QA 0, GLAND, RING, PUMP; GLAND SEAL, FOR REACTOR FEEDWATER PUMP. PUMP TYPE HVCN ***	0		4320U SE
CBG410B	AL	6-A-22-30:	1	\$0.00	VALVE	VALVE, BALL, QA 0, 2 IN, CARBON STEEL, STAINLESS STEEL, THREADED, PNEUMATIC OPERATED, VALVE, BALL; 2 IN NPT BALL VALVE, CAI 0	1	C	48200 SE
CEN263C	AL	6-A-22-30:	3	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 1/2 IN; BODY MATERIAL: CS; PRESSURE RATING: 800	1		48200 SE
CGC877F	AL	6-A-22-30:	2	\$0.00	CAM	CAM, TYPICAL, QA 1, VALVE, STAINLESS STEEL LIMIT SWITCH OPERATOR CAM, DRAWING KN45-0262, ITEM 28,	1		59300 SE
CJB215P	AL	6-A-22-30:	1	\$0.00	DISC	DISC, VALVE, QA 1, CHECK, DISC MATERIAL: SA105 WITH NOREM, FOR 3 INCH 300 # WELD ENDS CARBON	1		48200 SE
CKJ404B	AL	6-A-22-30:	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 2 IN, CS, SOCKETWELD, 800 PSI, T, HANDWHEEL	3		48100 SE
BWN445N	AL	6-A-23-10:	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, BRONZE, MNPT, 300 PSI, 125 PSI, SAFETY	0	C	48200 SE
CDV276F	AL	6-A-23-10:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE,ORIFICE ASSY; STYLE: WELDNECK, NOMINAL SIZE: 06.000 IN (	3	C	4730P SE
CKA312Q	AL	6-A-23-10:	2	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1 IN, SS, SS, SOCKETWELD, 1878 PSI, ASME SA351 GR CF8M, T, T-HANDLE/HANDWHEEL, REFERENCE FLOV 1	1		48200 SE
CPL349L	AL	6-A-23-10:	6	\$0.00	VALVE	VALVE, CHECK, QA 0, 1/2 IN, THREADED, 200 PSI, UNITED, RANDLEMAN, N.C., 125 WSP, 200 LBS WOG, CONTRACT #21042-M-0284Q	0	C	48200 SE
CPL361Y	AL	6-A-23-10:	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, 150 PSI, ASTM A105, ASME B16.34, S/N:15141, 1500, DWG B-52849, 42 PSI @ 100F,	0	C	48200 SE
AVY608R	AL	6-A-23-10:	16	\$0.00	BEARING	BEARING, ASSEMBLY, QA 0, TAPERED ROLLER, C/O 2 EA 67720-200247 AND 1 EA 67720-40024	0	C	3110B SE
CPD398B	AL	6-A-23-10:	24	\$0.00	VALVE	VALVE, GLOBE, QA 0, CLASS 1, 1 IN, CS, 1500 PSI, ASTM A105, 3705 CWP-2665, STEM CR13, DISK 616HF, BONNET SA696CRC, S/N BG 40	1	C	48200 SE
ABH822W	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, LEVER OPERATED, 4 IN, IRON, CAST, *** SEAT MATERIAL: BUNA-N	0	P	48200 SE
ADH407X	AL	6-A-23-20:	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 115, 14, VALVE, SOLENOID; THREE WAY, TYPE K-13-C, PORT 000.125 IN, 3/8 IN, 14	0	P	48104 SE
ADH608K	AL	6-A-23-20:	4	\$0.00	VALVE	VALVE, SOLENOID, QA 0, PILOT, 3/8 IN, 110, 150 PSI, VALVE, SOLENOID; PILOT OPERATED, STRAIGHT-WAY, AIR ENERGIZE, 3/8 IN	0		48104 SE
AKF257T	AL	6-A-23-20:	4	\$0.00	VALVE	VALVE, CONTROL, QA 0, LIN DIRECT CONTROL, MOTOR CONTROL, GROUP 1, 040, FOR DIAMOND	0		4410C SE
AKF755A	AL	6-A-23-20:	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/8 IN, FOR DIAMOND POWER TYPE IK SOOTBLOWER, 1-2 (GAF), & MOD G9B, ELECTRIC	0		4410C SE
ALV982T	AL	6-A-23-20:	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 1/4 IN, FPT, REGULATOR, PRESSURE; "AIRSET",000.250 IN FPT BOTH ENDS, W/DRAIN COCK	0	P	6695D SE
ANF648Q	AL	6-A-23-20:	1	\$0.00	MECHANISM	MECHANISM, TYPICAL, QA 0, MECHANISM, SOOTBLOWER; SNAP ACTION, GRP-2, FOR SOOT BLOWER, TYPE IK	0		4410C SE
ART170L	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, SS, COMPRESSION, AISI 316, T, **	0	P	48200 SE
BKF865V	AL	6-A-23-20:	10	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 3-WAY, 1/2 IN, 8-11 PSIG, FLARED, REGULATOR, PRESSURE; 0.5 IN, FLARE, RANGE 8 TO 11 PSIG, 3-WAY, CV 0	1	C	6695D SE
BKY783G	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; 1.0 IN, END TYPE SOCKETWELD, SCHEDULE 40, CLASS 150	3	C	48200 SE
BLD708H	AL	6-A-23-20:	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, SS, RAISED FACE FLANGED, 150 PSI, 55 PSI, , 0.75 IN, OUTLET 1.0 IN, END TYPE RAISED FACE	1	C	48200 SE
BNC237N	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, GLOBE, QA 2, 1/4 IN, BRASS, THREADED X FLARED, 500 PSI, FORGED, VALVE, CONTROL; 0.25 IN NPT BOTTOM INLET X FLARE SIDE 2	1	P	48200 SE
BVM112X	AL	6-A-23-20:	11	\$0.00	VALVE	VALVE, TYPICAL, QA 1, VALVE, INSTRUMENT; UNION BONNET, 1/4" FEMALE NPT, STANDARD MATERIAL:	1	C	48200 SE
BVP575A	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 00.750 IN ( 3/4), PRESSURE RATING: CLASS 150, END	3	C	48200 SE
BYH118K	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, NEEDLE, QA 3, 3/8 IN, SS, SS, COMPRESSION, 6000 PSI, T-PATTERN, RISING STEM	3	C	48200 SE
BYY494K	AL	6-A-23-20:	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, STAINLESS STEEL, MNPT X FNPT, 40-400 PSI, 400 PSIG, VALVE, SAFETY RELIEF; CARBON STEEL CYLIN 0	1	C	48200 SE

CEF220E	AL	6-A-23-20	3	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: SOCKETWELD;	1	C	48200 SE
BWJ184D	AL	6-A-23-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, CARBON STEEL, RAISED FACE FLANGED, 300 PSI, VALVE ASSY, PUMP; 1 INCH, 300#, RF FLANGED GLOBE VALV	0	C	48200 SE
AVE135W	AL	6-A-23-30	1	\$0.00	DISC	DISC, VALVE, QA 0, BUTTERFLY, 16 IN, CARBON STEEL, DISK, VALVE; CARBON STEEL, COMPLETE WITH SHAFT, DISK ITEM 3, SHAFT ITEM 4	0	P	48200 SE
AVM939F	AL	6-A-23-30	1	\$0.00	VALVE	VALVE, PLUG, QA 0, 2-1/2 IN, FLANGED, 300 PSI, VALVE, PLUG; SIZE: 02.500 IN ( 2 1/2 ), PRESSURE RATING: 300 PSI END	0	P	48200 SE
AVX879X	AL	6-A-23-30	1	\$0.00	VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 4 IN, STEEL, FLANGED, VALVE, PLUG; SIZE: 04.000 IN ( 4 ), END TYPE: FLANGED BODY MATERIAL	0	P	48200 SE
BBH691A	AL	6-A-23-30	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 8.0 IN, CARBON STEEL, WAFER FLANGED, 150 PSI, ***	0	P	48200 SE
AQM329X	AL	6-A-23-30	4	\$0.00	VALVE	VALVE, GLOBE, QA 0, CLASS 3, 1-1/2 IN, 1500 PSI, S/N BF727	0	C	48200 SE
AXT891B	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 3, BUTTERFLY, 16 IN, SA351 SS, GRADE CF8M, REF 2, FOR 16 IN	1	C	48200 SE
AXY233X	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 1, STAINLESS STEEL SA 351 GR CF8M REF 2, FOR MK II BUTTERFLY	1	C	48200 SE
BMYS92B	AL	6-A-24-10	2	\$0.00	JOINT	JOINT, EXPANSION, QA 0, 14 IN, FLEX/TEMP, S/N K-6490	0	C	4410C SE
ATN216R	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 14 IN, 300 PSI, 5206WE, WEDGE, REF 21	0	C	48200 SE
AVH107K	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 16 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, WEDGE TYPE, FOR 016.000IN, 600 PSI, GATE VALVE	0	P	48200 SE
AVH109F	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 16 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, WEDGE TYPE, FOR 016.000IN, 600 PSI, GATE VALVE	0	P	48200 SE
AVH111V	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 10 IN, STEEL, 600 PSI, WEDGE TYPE, REF 20, IT CODE 5-5232-57-100-63A, MK	0	C	48200 SE
AVW971F	AL	6-A-24-10	1	\$0.00	DISC	DISC, VALVE, QA 0, SWING CHECK, 8 IN, 300 PSI, TILTING, DWG ITEM 4 AND 5, DWG 13568-03D, MK	0	C	48200 SE
BEV000X	AL	6-A-24-20	2	\$0.00	TRIM	TRIM, VALVE, QA 0, TRIM ASSY, VALVE; C/O VARI-SEAL, STEM, ROLL PIN, PLUG, SEAT RING	0		48200 SE
BPP259D	AL	6-A-24-20	1	\$0.00	STUD	STUD, TYPICAL, QA 1, PUMP, ALLOY STEEL, ASTM A193 GR B7, STUD, PUMP; METRIC, ALLOY STEEL, M20X65, DWG	1		4320U SE
BNA526R	AL	6-A-24-30	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, ; AIR SHUT OFF, TYPE III, SD WBT 220 ASVANS ***	0	P	48200 SE
BNA997H	AL	6-A-24-30	2	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; 2 IN 250 PSIG INLET ***	0	P	6695D SE
CPB125R	AL	6-A-25-10	5	\$0.00	VALVE	VALVE, SOLENOID, QA 0, CLASS 2, 1 IN, SOCKETWELD, 120, 150 PSI, SS, ASME SA479 GR 316L, ENERGIZE TO OPEN, S/N 6, PRESS RATING	0	C	48104 SE
CPB125R	AL	6-A-25-10	6	\$0.00	VALVE	VALVE, SOLENOID, QA 0, CLASS 2, 1 IN, SOCKETWELD, 120, 150 PSI, SS, ASME SA479 GR 316L, ENERGIZE TO OPEN, S/N 6, PRESS RATING	0	C	48104 SE
ACH741N	AL	6-A-25-20	1	\$0.00	BODY	BODY, VALVE, QA 0, BODY, VALVE; 4-WAY VALVE, FIG 200,002.000 IN ***	0	P	48200 SE
BCV666F	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, BALL, QA 0, 2.0 IN, STAINLESS STEEL, RAISED FACE FLANGED, 150 PSI, LEVER OPERATED, AISI 316, ***	0	P	48200 SE
BRF606G	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, PILOT, QA 0, VALVE, PILOT; WITH STEM; PC #20; C1N #L3620-1 FOR INVERTED VALVE PARTS	0	C	48104 SE
CKV863T	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, CS, FLANGED, 300 PSI, SINGLE PORT, FLOW DIRECTION: UP, TRIM NO.: 101C, PACKING: ENVIRO PTFEC	0	C	48104 SE
CKV895D	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 1 IN, CS, FLANGED, 300 PSI, SINGLE PORT, FLOW DIRECTION: UP, TRIM NO.: 101C, PACKING: ENVIRO PTFEC	0	C	6830G SE
ACH524Y	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, CHECK, QA 0, TILTING DISC, 6 IN, STEEL, 150 PSI	0	P	48200 SE
BXD428Y	AL	6-A-25-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 10 IN, STEEL, 250 PSI	0	C	4450C SE
CAA517X	AL	6-A-25-30	3	\$0.00	VALVE	VALVE, CONTROL, QA 1, VALVE, CHILLER; DIRECT ACTING WATER REGULATING, FLOW CONTROL VALVE	1	C	4520N SE
APH010W	AL	6-A-25-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3 IN, CS, BUTTWELD, 1500 PSI, ASTM A216 GR WCB, T, CAST STEAL PRESSURE SEAL, SCH 160 BORE	0	C	48200 SE
CDX414K	AL	6-A-26-10	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, CLASS 3, 24 IN, CARBON STEEL, 150 PSI, VALVE, BUTTERFLY; 24 INCH, 150 LB, CARBON STEEL, POSI-SEAL MOI	0	C	48200 SE
ATJ472V	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 10 IN, STEEL, 150 PSI, 5202WE, WEDGE, REF 19, DWG SK-1940-80-D	0	C	48200 SE
ATJ474P	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 16 IN, STEEL, 150 PSI, 5202WE, DISK, VALVE; WEDGE, STEEL, FOR 016.000 IN, 150.000 PSI GATE VALVE	0	P	48200 SE
AVC531Y	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 12 IN (1 FT), STEEL, 300 PSI, WEDGE, DWG 21,	0	C	48200 SE
AVH112R	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 3 IN, STEEL, 600 PSI, WEDGE TYPE, REF 20, IT CODE 5-5232-57-030-67A, MK	0	C	48200 SE
AVV055E	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 10 IN, CS, 5206WE, T-TYPE	0	C	48200 SE
AYD990H	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 10 IN, BRONZE, 150 PSI, A252, WEDGE DISK, VALVE; BRONZE FACE AND NUT, FOR GATE VALVE, SIZE 10 IN	0	P	48200 SE
AYD994X	AL	6-A-26-10	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 12 IN, BRONZE, 150 PSI, A252, WEDGE DISK, VALVE; BRONZE FACE AND NUT, FOR GATE VALVE, SIZE 12 IN	0	P	48200 SE
ARN392B	AL	6-A-26-20	10	\$0.00	HANDWHEEL	HANDWHEEL, OPERATOR, QA 0, HANDWHEEL, ROUND; SIZE: 04.750000 ( 4 3/4 ), TYPE: ROUND ***	0	P	4710Y SE
AVB212L	AL	6-A-26-20	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; REF 3, FOR 1.500 INCH, GLOBE VALVE, TYPE 5500W-1-XNC035	1	P	48200 SE
BLM363F	AL	6-A-26-20	12	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE, ; WITH GAGE, ITEM 174, SUCTION, FOR NORDBERG TYPE VH-100, AIR	0	P	4310I SE
BXH478T	AL	6-A-26-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, ALLOY STEEL, 150 PSI, ANSI CLASS 150, DESIGN CODE 15, 250 DEG F, ASME SA351 GR CF8M	0	C	48200 SE
AWN359N	AL	6-A-26-20	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, STUD, FOR 048.000 IN BUTTERFLY VALVE,	0	P	48200 SE
AWN364X	AL	6-A-26-20	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT, VALVE; STEEL, FOR 048.000 IN BUTTERFLY VALVE, 125.000 PSIG	0	P	48200 SE
AKJ159B	AL	6-A-26-30	10	\$0.00	DISC	DISC, VALVE, QA 0, BUTTERFLY, 12 IN, 316 STAINLESS STEEL, DISK, VALVE; STAINLESS STEEL TY 316, FOR NORRIS BUTTERFLY VALVE, 01	0	P	48200 SE
AWH530C	AL	6-A-26-30	1	\$0.00	DISC	DISC, VALVE, QA 0, SWING CHECK, 24 IN (2 FT), STEEL, 300 PSI, REF 2,	0	C	48200 SE
BAT869J	AL	6-A-26-30	1	\$0.00	SCREEN	SCREEN, TYPICAL, QA 0, VALVE, FOR LOW PRESSURE STOP VALVE, ON BFP TURBINE, S/N 122593, 122715	0	C	2825G SE
BHD371C	AL	6-A-27-10	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 125 DC, 100 PSI, BRASS, 35.1	1	B	48104 SE
CPD921N	AL	6-A-27-10	28	\$0.00	VALVE	VALVE, SOLENOID, QA 0, AIR, 3/8 IN, 125 DC, 125 PSI, 35.1, INERT GAS, S/N 45253N-6, W/ REBUILT KIT #210107	0	C	48104 SE
AXT481Y	AL	6-A-27-10	2	\$0.00	VALVE	VALVE, GATE, QA 0, 3 IN, CS, 150 PSI, ASTM A216 GR WCB	0	C	48200 SE
BHB898D	AL	6-A-27-10	2	\$0.00	VALVE	VALVE, CHECK, QA 0, 4 IN, 200 PSI	0	C	48200 SE
CPE260F	AL	6-A-27-10	4	\$0.00	VALVE	VALVE, CONTROL, QA 0, 4 IN, STEEL, SS, 300 PSI, SHAFT SS, SEAT COMP, TYPE A41, CLASS 300, S/N 17086943	0	C	48200 SE
AHH716N	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN X 2-1/2 IN, THREADED, 250 PSI, VALVE, SAFETY RELIEF; 1.5 IN INLET, 2.5 IN OUTLET, THREADED, 250 PSIG	0	P	48200 SE
AKF359J	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, *** FOR IK AND IR SOOT BLOWER (48)	0		4410C SE
AKJ684P	AL	6-A-27-20	1	\$0.00	DISC	DISC, VALVE, QA 1, GLOBE, 8 IN, CS, 150 PSI, MATERIAL: ASTM A 216 WCB,	1	C	48200 SE
ARK493L	AL	6-A-27-20	5	\$0.00	VALVE	VALVE, GATE, QA 0, 2.0 IN, CARBON STEEL, BUTT WELD, 300 PSI, ASTM A105, T, ELECTRIC MOTOR ACTUATOR, 100 DEG F, ROUND BOLTE	0	C	48200 SE
ATN621G	AL	6-A-27-20	20	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, SOCKETWELD, T, ***	0	C	48200 SE



BBF332H	AL	6-A-27-20	3	\$0.00	VALVE	VALVE, TYPICAL, QA 0, PLASTIC, *** INJECT, BLACK, DUAL STACK AIR ACTUATED, THREE PASSAGES PER STACK	0	P	48200 SE
BDY623C	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, CLASS 2, 2-WAY, 2 IN, RAISED FACE FLANGED, 120, 150 PSI, SS, 50/60, ASME SA479 GR 316, VALVE, SOLENOI	1	C	48104 SE
BLE149M	AL	6-A-27-20	3	\$0.00	VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; CARBON STEEL, BUTTWELD ENDS, FOR SCH 40 PIPE, ANG NUT	3	C	48200 SE
CDX845P	AL	6-A-27-20	2	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; VOLTAGE 115VAC, TYPE: 2 WAY N.C., OPERATING PRESSURE:	3	C	48104 SE
CGQ895F	AL	6-A-27-20	3	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/4 IN, SS, AMMONIA, HYDROSTATIC RELIEF VALVE; SPARE AMMONIA FACILITY	0	C	48200 SE
CKC366N	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1 IN, CHROME MOLY, SOCKETWELD, 3100 PSI, LEVER OPERATED, ASTM A182 GR F22	0	C	48200 SE
ADH112G	AL	6-A-27-20	3	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, INLET/OUTLET, 1 IN, 0-100 PSI, 100-125 PSI, NEOPRENE-BRONZE TRIM, IRON BODY,TYPE D	0	C	6695D SE
ATT029T	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, CHECK, QA 0, 4 IN, STEEL, FLANGED, 125 PSI, ***	0	P	48200 SE
AVE519A	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 600 PSI, ASTM A105, T, FORGED, ***	0	P	48200 SE
BPJ800W	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, VALVE, GLOBE; 1 IN, SOCKETWELD, 900 PSIG, CARBON STEEL, Y-PATTERN	1	C	48200 SE
CGV478G	AL	6-A-27-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 3, 6 IN, CS, WAFER, 150 PSI, ASTM A216 GR WCB, STEM MATERIAL: ASTM A564, GR 630, SEAT MATERIAL: TEFLO	3	C	48200 SE
BCH391G	AL	6-A-27-30	7	\$0.00	VALVE	VALVE, GLOBE, QA 0, CLASS 2, 4 IN, 100 PSI, DIFF PRESS: 673, DSGN PRESS: 358, 720 PSI, S/N E6318-65-12	0	C	48200 SE
BCH391G	AL	6-A-27-30	7	\$0.00	VALVE	VALVE, GLOBE, QA 0, CLASS 2, 4 IN, 100 PSI, DIFF PRESS: 673, DSGN PRESS: 358, 720 PSI, S/N E6318-65-12	0	C	48200 SE
AYX092B	AL	6-A-28-10	2	\$0.00	VALVE	VALVE, CHECK, QA 0, 3 IN, BRONZE, *** MODEL 909, C/W TEST COCKS AND TWO EA GATE VALVE, SIZE 3 IN	0	P	48200 SE
ATR083R	AL	6-A-28-10	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, INNER; MAIN, STAINLESS STEEL, TYPE 316, HARD FACED WITH COBALT-	0	P	48200 SE
AVJ229Y	AL	6-A-28-10	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, CARBON STEEL, MNPT, 50 PSI, VALVE, SAFETY RELIEF; CARBON STEEL, 0.500 IN MPT INLET, 1 IN OUTLET	0	P	48200 SE
AXQ400G	AL	6-A-28-10	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFFOR EXPANSION TANK ON 500.000 KV	0	P	5950N SE
BBH733L	AL	6-A-28-10	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, MNPT, VALVE, SAFETY RELIEF; 1.5 IN, SCREWED, MALE ENDS, BRONZE, VACUUM, FOR	0	P	48200 SE
BDX502Y	AL	6-A-28-10	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2-1/2 IN, CARBON STEEL, FLANGED, 260 PSI, VALVE, REGULATE FLUID PRESS; 2.5 IN, BODY MATL CARBON STEEL	0	P	48200 SE
BEF194G	AL	6-A-28-10	4	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; ORIFICE, METALLIC, FOR DRY CLEANER, MODEL 270 ***	0	P	48200 SE
CBT686D	AL	6-A-28-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3 IN, SS, BUTTWELD, 150 PSI, T, HANDWHEEL	0	C	48200 SE
AWB149T	AL	6-A-28-20	2	\$0.00	SEAT	SEAT, VALVE, QA 0, STOP, CARBON STEEL, 10 IN, 300 LB, SEAT, VALVE; CARBON STEEL, FOR 010.000 IN, 300 LB, STOP VALVE, IL	0	C	48200 SE
AXC019K	AL	6-A-28-20	5	\$0.00	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, STAINLESS STEEL ASTM ASTM A182 GR F304, 12 OD X	1	C	48200 SE
BKM698M	AL	6-A-28-20	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, BUSHING, SLEEVE; BALL, SELF-ALIGNING, FOR SNUBER ***	1	C	3110B SE
ATW054H	AL	6-A-28-20	1	\$0.00	BODY	BODY, VALVE, QA 1, BODY ASSY, VALVE; C/O BODY, CARBON STEEL ASTM A516 GR 70, P/N 651832	1	C	48200 SE
AWH394E	AL	6-A-28-20	1	\$0.00	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; ALLOY STEEL, ASME SA 351 GR CF8M, C/O DISK	1	C	48200 SE
AXX982Q	AL	6-A-28-20	2	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, VALVE; HEX HEAD, STEEL ASME SB164 CLASS A, REF 10, FOR 6X10 IN	1	P	48200 SE
AYV160K	AL	6-A-28-20	2	\$0.00	HANDWHEEL	HANDWHEEL, OPERATOR, QA 3, HANDWHEEL, ROUND; STEEL, 12 IN, SIDE MOUNTED, PC#99, FOR VALVE	3	C	48200 SE
BRF046J	AL	6-A-28-20	1	\$0.00	BONNET	BONNET, VALVE, QA 3, BONNET, VALVE; CAST CARBON STEEL, ASTM A216, GRADE WCB, FOR 150 LB	3	C	48200 SE
BVL302Y	AL	6-A-28-20	2	\$0.00	RING	RING, SEAL, QA 3, RING, SEAL; STEEL, REF 9, FOR GATE VALVE, 4 IN, DWG 15159-01 ***	3	B	48200 SE
BYA387V	AL	6-A-28-20	1	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; SA 216 W/STELLITE, FOR ANCHOR-DARLING 4 IN VALVE MDL#	1	C	48200 SE
AVH104R	AL	6-A-28-30	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 24 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, WEDGE TYPE, FOR 024.000IN, 600 PSI, GATE VALVE	0	P	48200 SE
AVH105P	AL	6-A-28-30	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 20 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, FOR 020.000IN, 600 PSI, GATE VALVE, ITEM CODE	0	P	48200 SE
AVH108H	AL	6-A-28-30	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 8 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, WEDGE TYPE, REF 20, FOR 008.000IN, 600 PSI, GATE	0	P	48200 SE
AWL851W	AL	6-A-28-30	1	\$0.00	DISC	DISC, VALVE, QA 0, 24 IN, STEEL, 600 PSI, DISK, VALVE; STEEL, C/W POST, REF 4 AND 5, FOR 024.000 IN, 600.000	0	P	48200 SE
AFL905H	AL	6-A-29-10	4	\$0.00	ENCLOSURE	ENCLOSURE, ELECTRICAL, QA 0, FOR T675, T678 AND T991	0	C	5975B SE
APN179P	AL	6-A-29-10	9	\$0.00	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 55-175 DEG F, 5-5/8 IN, 125, 8, REMOTE, W/ BULB HOLDER, 200 DEG F, 60 IN (5 FT), ADJ 3.0	0	C	6695D SE
ATL531V	AL	6-A-29-10	4	\$0.00	THERMOMETER	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 5 IN, 2-1/2 IN, THREADED, MODEL 50 AI 60E	0	C	6695D SE
AWP679Y	AL	6-A-29-10	1	\$0.00	TRANSDUCER	TRANSDUCER, PRESSURE, QA 3, ELECTRO-PNEUMATIC, 10-50 MA, 3-15 PSI, 20 PSI, , INTERNAL RESISTANCE 90 OHMS, TYPE 546, EXPLOSIC	3	C	6625D SE
BBJ612V	AL	6-A-29-10	40	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 5/8 IN, FNPT, 125, 175 PSI, 17.4, , NORMALLY CLOSED, ORIFICE VITON ELASTOMERS,INSTRUMEN	1	C	48104 SE
BXB224R	AL	6-A-29-10	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 0-200 PSI, MODEL 358	0	C	59300 SE
CPE030P	AL	6-A-29-10	3	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, TEST, 0-5000 PSI	0	C	6695D SE
CPE031A	AL	6-A-29-10	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 0-30 IN HG, VAC, TYPE H300	0	C	59300 SE
CPE038V	AL	6-A-29-10	8	\$0.00	INDICATOR	INDICATOR, PRESSURE, QA 0, 0-100 PSI	0	C	6695D SE
BBW934H	AL	6-A-29-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3 IN, SS, 3705 PSI, 100 DEG F, B16.34, CLASS 1500, WCB/SS431, HF, S/N 50063	0	C	48200 SE
BJA774Y	AL	6-A-29-10	5	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2 IN, CS, SOCKETWELD, 600 PSI, ASME SA105, 13% CHROMIUM SS, MODEL 5500W, PRESS 1480 & 1065 PSI, TEMP 10	0	C	48200 SE
CHE738D	AL	6-A-29-10	8	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, CS, CR13, SOCKETWELD, 600 PSI, ASTM A105, 100 DEG F, FORGED, CLASS 800, ANSI B31.1, STEM CR13, SE	0	C	48200 SE
CPC839C	AL	6-A-29-10	2	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1 IN, SS, CR13, 600 PSI, ASME SA182 GR F316L, 1200 DEG F, SEAT HF, STEM CR 13, DWG B-48317 & B48480R6, S	0	C	48200 SE
CPD141H	AL	6-A-29-10	1	\$0.00	EXCHANGER	EXCHANGER, HEAT, QA 0, SHELL+TUBE, MAX WP 75 PSI AT 300 DEG F, MODEL SX-2000	0	C	4520N SE
CPE271Y	AL	6-A-29-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 6 IN, IRON, 200 PSI, ASTM A126 CL B, CAST	0	C	48200 SE
CFV864H	AL	6-A-29-20	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, FIRE PROTECTION, 8 IN, IRON, FLANGED, *** PISTON OPERATED; CHECK VALVES - IRON BODY, ALUMINUM PISTON	0	C	48200 SE
CDP932V	AL	6-A-29-20	9	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; SIZE: 01.500 IN ( 1 1/2), PRESSURE RATING: 800 PSI, END	1	C	48200 SE
BJC044H	AL	6-A-29-30	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 1, 18 IN, CS, SS, WAFER FLANGED, 150 PSI, ASME SA516/SA351 70/CF8M, VALVE, BUTTERFLY; 18.0 IN, END TYP	1	C	48200 SE
ALH315N	AL	6-A-29-30	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, WATER, 2 IN, 160-260 PSI, 260 PSI, FLANGED, WATER, MODEL 1500, S/N CA54	0	P	48200 SE
BXD655K	AL	6-A-29-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, 100 DEG F, ROUND BOLTED, **	0	C	48200 SE
CAB240M	AL	6-A-29-30	3	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1/2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL	3	C	48200 SE
CAR153W	AL	6-A-29-30	3	\$0.00	VALVE	VALVE, GLOBE, QA 3, 3/4 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL	3	C	48200 SE

CAR156N	AL	6-A-29-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 02.000 IN ( 2 ), PRESSURE RATING: 800 PSI, END	3	C	48200 SE
CAR160B	AL	6-A-29-30;	2	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: 800 PSI, END TYPE:	3	C	48200 SE
CAR162V	AL	6-A-29-30;	1	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 01.500 IN ( 1 1/2 ), PRESSURE RATING: 800 PSI, END	3	C	48200 SE
CAR163R	AL	6-A-29-30;	1	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 02.000 IN ( 2 ), PRESSURE RATING: 800 PSI, END TYPE:	3	C	48200 SE
CAR171T	AL	6-A-29-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, HANDWHEEL, ROUND BOLTED, FORGED, VALVE, GLOBE; SIZE: 01.00	3	C	48200 SE
CDE574A	AL	6-A-29-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, VALVE, GLOBE; SIZE: 04.000 IN ( 4 ), PRESSURE RATING: 150 PSI, END	0	B	48200 SE
BAP898T	AL	6-A-30-10	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110/120, 250 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, SIZE .25 II	0	P	48104 SE
BBF333F	AL	6-A-30-10	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, PLASTIC, *** 4-WAY, FLOW, INJECT, DUAL STACK AIR ACTUATED, BLACK, FOR ANALYZE	0	P	48200 SE
BKM859P	AL	6-A-30-10	4	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 8.0 IN, IRON, IRON, WAFER FLANGED, 125 PSI, ASTM A126 CL B, CAST, *** OPERATOR TYPE: HANDWHEEL	0	C	48200 SE
BTT963P	AL	6-A-30-10	3	\$0.00	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, CARBON STEEL, FLAT FACE FLANGED, 600 PSI, T, HANDWHEEL, ***	0	B	48200 SE
AXX517L	AL	6-A-30-10;	1	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 1, VALVE, DIAPHRAGM; 4.000 IN, END TYPE SOCKETWELD, BODY MATL ALLOY STEEL	1	P	48200 SE
ARK950X	AL	6-A-30-20	2	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, VALVE, 2-1/4 IN, 3-5/16 IN, STAINLESS STEEL, DIAPHRAGM, VALVE; STAINLESS STEEL,003.312 IN OD X 002.0	0	P	48200 SE
ARK962B	AL	6-A-30-20	1	\$0.00	COLLAR	COLLAR, THRUST, QA 0, COLLAR, VALVE; THRUST,STAINLESS STEEL,2.250 IN OD X 1.250IN ID,9	0	P	48200 SE
ARK989N	AL	6-A-30-20	4	\$0.00	RING	RING, SEAL, QA 0, RING, ; SEAL,DELTA,TEFLON,1.375IN OD X1.250IN ID,ITEM 10,FOR TUFLINE	0	P	48200 SE
ARN897C	AL	6-A-30-20	4	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, VALVE; TEFLON, PART 4, FOR WRENCH OPERATED PLUG VALVE	0	P	48200 SE
AVC743F	AL	6-A-30-20	4	\$0.00	RING	RING, TYPICAL, QA 3, RING, ; DISC STEM STAINLESS STEEL ASTM A182, EXELLOY, 002.500 IN, GLOBE	3	P	48200 SE
AVT052R	AL	6-A-30-20	2	\$0.00	PIN	PIN, TYPICAL, QA 2, PIN, VALVE; STEEL, FOR SOLENOID OPERATED GLOBE VALVE, Y PATTERN	2	C	48200 SE
AWC053R	AL	6-A-30-20	4	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; COVER, DWG ITEM 9, FOR VALVE, PLUG, 2 IN, SW, 150 PSI	1	P	48200 SE
AYM077G	AL	6-A-30-20	1	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, VALVE, 3 IN, TFE FACED, BACKED WITH ETHYLENE PROPYLENE COPOLYMER, CODE O-4, FOR CENTURY ACTUAT	0	C	48200 SE
BAA496J	AL	6-A-30-20	5	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; STEEL, FOR GLOBE VALVE, 0.750 IN, 600 PSIG, CAT NO	1	P	48200 SE
BAL706F	AL	6-A-30-20	3	\$0.00	KIT	KIT, PARTS, QA 3, PILOT VALVE, 1/4 IN, PAUL TRINITY PILOT VALVE (P/N V-703-1), 0 TO 500, PSIG, BRONZE BODY,	3	C	48200 SE
BAY569A	AL	6-A-30-20	1	\$0.00	COVER	COVER, TYPICAL, QA 1, COVER, VALVE; STAINLESS STEEL, FOR CHECK VALVE, 1.5 IN, 600 PSIG, DWG	1	P	48200 SE
BBV097R	AL	6-A-30-20	10	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; STEEL, REF 3, FOR SWING CHECK VALVE, 1 IN, ANSI CLASS	1	P	48200 SE
BEJ000C	AL	6-A-30-20	2	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; STEEL, REF 3, FOR GLOBE VALVE,1.5 IN, BELLOW SEALS, DWG	1	P	48200 SE
BKH423J	AL	6-A-30-20	3	\$0.00	PIN	PIN, HINGE, QA 1, PIN, HINGE VALVE; ALLOY STEEL, ASTM A479-410-3, FOR SWING CHECK VALVE	1	C	48200 SE
BPQ363D	AL	6-A-30-20	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, BUSHING, VALVE; COVER,ASTM A564, TY 1030, IT 10 ATWDMORILL	3	A	48200 SE
BPW510H	AL	6-A-30-20	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; PILOT CONTROL VALVE, FOR VALVE, 0.5 IN, 0 TO 500	0	C	48200 SE
CAV595H	AL	6-A-30-20	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; CORROSION RESIST. STEEL ASME SA564 TYPE 630, FOR 3" 150	1	C	48200 SE
CBG850R	AL	6-A-30-20	2	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, CHECK VALVE, FUEL OIL MANIFOLD, 75 PSI, 3, 16-645E4/20-645E4, CAT. 302 PLATE A48-10	1	C	29100 SE
CEL046M	AL	6-A-30-20	1	\$0.00	BELLOWS	BELLOWS, TYPICAL, QA 1, VALVE, SS, BELLOWS ASSEMBLY INCLUDES: DISC HOLDER & BELLOWS, STAINLESS STEEL, FOR	1	C	48200 SE
BVN486E	AL	6-A-30-20;	3	\$0.00	DISC	DISC, VALVE, QA 3, DISK, VALVE; STAINLESS STEEL, FOR 10" NIBCO BUTTERFLY VALVE. ***	3	C	48200 SE
BVQ054Q	AL	6-A-30-20;	1	\$0.00	BODY	BODY, VALVE, QA 1, BODY, VALVE; MACHINED, REF. BOM SB-7901 ITEM 4B, MODEL AD498-S1-3-MO	1	C	48200 SE
BWY388Y	AL	6-A-30-20;	2	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, SPACER, VALVE; BONNET, FOR FISHER MODEL 657ET GLOBE VALVE. ***	0	C	48200 SE
BXJ199R	AL	6-A-30-20;	3	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; 3" SWING CHECK, CARBON STEEL BODY, BOLTED CAP, BUTTWELD	1	C	48200 SE
BXJ923T	AL	6-A-30-20;	2	\$0.00	RING	RING, TYPICAL, QA 3, RING, ACTUATOR; STAINLESS STEEL, FOR 16 IN FLOW CONTROL VALVE, TYPE	3	C	48200 SE
BXV278F	AL	6-A-30-20;	2	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; FOR 4 INCH POWELL FIG. 3061-A, 300 LB., SWING CHECK	1	C	48200 SE
CBB197A	AL	6-A-30-20;	22	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 0, ACTUATING/LINEAR, 2-1/2 IN, 6 IN, CYLINDER, ACTUATING LINEAR; PISTON, FOR REXNORD-HANNA CYLINDER ON	0	C	4710Y SE
BLM183H	AL	6-A-30-30	1	\$0.00	VALVE	VALVE, CHECK, QA 3, TILTING DISC, 12 IN (1 FT), STEEL, 150 PSI, CAST, MODEL 1601-A	3	P	48200 SE
AXQ381D	AL	6-A-30-30;	5	\$0.00	VALVE	VALVE, CONTROL, QA 0, STEEL, *** MANIFOLD TYPE, SHUT-OFFREF 33, 34, 35, FOR COOLER, ON 500.000 KV	0	P	5950N SE
CPL923E	AL	6-A-31-10	1	\$0.00	VALVE	VALVE, CHECK, QA 0, SWING, 8 IN, SS, 2500 PSI, 650 DEG F, 4285 PSI AT 100 DEG F, PRESSURE CLASS 1500, ID 08000, MODEL	0	C	48200 SE
BKD084R	AL	6-A-31-20	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 1, HANDWHEEL OPERATED, 6 IN, CS, SS, SPAN WAFER FLANGED, 150 PSI, ASTM A216 GR WCB, CAST, END TYPE S	1	B	48200 SE
BBE575V	AL	6-A-31-20;	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 4.0 IN, IRON, WAFER FLANGED, 150 PSI, ASTM A126 CL B, CAST, *** SEAT MATERIAL:	0	P	48200 SE
CPB192A	AL	6-A-31-20;	18	\$0.00	VALVE	VALVE, CHECK, QA 0, CLASS 1, 1/4 IN, SS, 1500 PSI, ASME SA182 GR F316, BONNET ASME SA479 GR 316, STEM 17-4PH, DISK 616, CWP	0	C	48200 SE
BWB693V	AL	6-A-31-30	1	\$0.00	VALVE	VALVE, GATE, QA 1, 2-1/2 IN, SS, BUTTWELD, 200 PSI, ASTM A351 GR CF8M, T, HANDWHEEL, VALVE, GATE; SIZE: 02.500 IN ( 2 1/2 ), PR	1	C	48200 SE
AEH526E	AL	6-A-31-30;	3	\$0.00	VALVE	VALVE, GLOBE, QA 3, 3/4 IN, CS, SS, FNPT, 600 PSI, ASTM A105 GR 420, T, RISING, HANDWHEEL, 100 DEG F, OUTSIDE SCREW YOKE/BOLT	3	P	48200 SE
AGH529V	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, STEEL, 600 PSI, Y, ***	0	P	48200 SE
AKA579X	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, TURBINE, QA 0, STEAM TURBINE; FOR BOILER FEED PUMP TURBINE, S/N 122071-72 AND	0	C	2825G SE
AKH328K	AL	6-A-31-30;	6	\$0.00	VALVE	VALVE, GATE, QA 0, 3/8 IN, BRONZE, SWEAT, 125 PSI, ASTM B62, T, TRAVELING, HANDWHEEL, -20 TO 150 DEG F, SCREWED, ***	0	P	48200 SE
ARC979X	AL	6-A-31-30;	3	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, ; DISCHARGE,DESIGN SEQUENCE F-G,FOR TRANE AIR	0	P	48200 SE
BEQ612A	AL	6-A-31-30;	1	\$0.00	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; INLET, STEM, SEAT AND GASKET, FOR PRESSURE POWDERED PUMP	0	P	4320U SE
BEQ618X	AL	6-A-31-30;	1	\$0.00	HEAD	HEAD, TYPICAL, QA 0, HEAD, PUMP; EXHAUST, SEAT WITH GASKET, FORPRESSURE POWDERED PUMP, TYPE	0	P	4320U SE
BKB475X	AL	6-A-31-30;	15	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 0, CARTRIDGE, VALVE; ADMISSION, FOR RESPIRATOR ***	0	P	48200 SE
BLW119N	AL	6-A-31-30;	2	\$0.00	VALVE	VALVE, CONTROL, QA 3, 1/4 IN, VALVE, ; PRESSURE REDUCING, 1/4 IN, FISHER TYPE 67SSR-1. ***	3	C	48200 SE
BLY394M	AL	6-A-31-30;	2	\$0.00	VALVE	VALVE, GATE, QA 0, 3/4 IN, 1500 PSI, **	0	C	48200 SE
BTQ491H	AL	6-A-31-30;	6	\$0.00	SPACER	SPACER, MECHANICAL, QA 3, SPACER, MECHANICAL SEAL; BRASS, HPFP JOCKEY PUMP, SERIAL NO 453297	3	C	5730H SE
BWE384R	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; EXHAUST, REF C-17, FOR VACUUM PRIMING PUMP, MODEL	0	C	4320U SE
BWE386M	AL	6-A-31-30;	4	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; INTAKE, REF C-22, FOR VACUUM PRIMING PUMP, MODEL	0	C	4320U SE

BXJ970W	AL	6-A-31-30;	11	\$0.00	VALVE	VALVE, GATE, QA 3, VALVE, GATE; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: 100 PSI, END TYPE:	3	C	48200 SE
CAE414K	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, TYPICAL, QA 2, VALVE, MANIFOLD; 5-VALVE, 1/2" FNPT PROCESS CONNECTION, 1/4" FNPT TEST	2	B	48200 SE
CBJ351N	AL	6-A-31-30;	4	\$0.00	VALVE	VALVE, SOLENOID, QA 1, 3-WAY, 3/8 IN, 5/8 IN, 125 DC, BRASS, 17.4, FORGED, , NORMALLY CLOSED, NEMA TYPE 6 ENCLOSURE, VENDOR 1	1	B	48104 SE
CBL558M	AL	6-A-31-30;	2	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, CYLINDER, ACTUATING LINEAR; AIR, FOR CONTROL ROD LATCH TOOL, NO.	0	C	4470C SE
CEC607T	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 8 INCH, DUO-CHECK, FOR ASSEMBLY CL-2003	3	C	4310I SE
CEC631W	AL	6-A-31-30;	2	\$0.00	VALVE	VALVE, CHECK, QA 3, VALVE, CONDENSER; CHECK, 1 INCH, INTERNAL THREADS NPT, FOR ASSEMBLY	3	C	4310I SE
CEF325L	AL	6-A-31-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, PILOT, 3/8 IN, FNPT, 250 DC, 150 PSI, BRASS, 26.6	0	C	48104 SE
CET974M	AL	6-A-31-30;	2	\$0.00	VALVE	VALVE, BALL, QA 3, 3/4 IN, STAINLESS STEEL, STAINLESS STEEL, FNPT, 1000 PSI, TFE SEALS AND SEAT MATERIAL	3	C	48200 SE
CJF179C	AL	6-A-31-30;	3	\$0.00	VALVE	VALVE, GLOBE, QA 3, 1 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, T-HANDLE/HANDWHEEL, ASME B16.34, PER VALVE DATA	3	C	48200 SE
ARK639J	AL	6-A-32-10	2	\$0.00	VALVE	VALVE, ANGLE, QA 1, VALVE, ANGLE; STEEL, WELBOND, 1.500 IN, SW, 2665 LB, 700 DEG F, CLASS	1	P	48200 SE
ATR557F	AL	6-A-32-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3.0 IN, BRONZE, THREADED, 150 PSI, T, ***	0	P	48200 SE
AVX556N	AL	6-A-32-10	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 6 IN, IRON, ALUMINUM BRONZE, WAFER, 200 PSI, ASTM A126/B148, CAST, VALVE, BUTTERFLY; SIZE: 06.000 IN 0	0	P	48200 SE
BMF657N	AL	6-A-32-10	1	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 0, 2 IN, STEEL, POLYTETRAFLUOROETHYLENE, RAISED FACE FLANGED, 150 PSI, CAST, VALVE, DIAPHRAGM; 2 IN, FL 0	0	P	48200 SE
BTW649K	AL	6-A-32-10	2	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, ANGLE; SIZE: 02.500 IN ( 2 1/2 ), PRESSURE RATING: 300 PSI, END	3	B	48200 SE
BXW043W	AL	6-A-32-10	2	\$0.00	VALVE	VALVE, BUTTERFLY, QA 3, VALVE, BUTTERFLY; SIZE: 06.000 IN ( 6 ), PRESSURE RATING: 150 PSI, END	3	C	48200 SE
ARH252M	AL	6-A-32-10;	2	\$0.00	TRAP	TRAP, STEAM, QA 0, THERMOSTATIC, 1/2 IN, 250 PSI/400 DEG F, FNPT, CAST IRON, TRAP, STEAM; SIZE: 00.500000 ( 1/2 ), MATERIAL: CA 0	0	P	4730P SE
AVE622H	AL	6-A-32-10;	3	\$0.00	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 1-1/2 IN, THREADED, 300 PSI, VALVE, PLUG; SIZE: 01.500 IN ( 1 1/2 ), PRESSURE RATING: 0	0	P	48200 SE
AVT704J	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 4 IN, THREADED, 100 PSI, VALVE, SAFETY RELIEF; PRESSURE, 4 IN, THD, 100 PSIG, ***	0	P	48200 SE
AWE109Q	AL	6-A-32-10;	2	\$0.00	VALVE	VALVE, CHECK, QA 0, 1 IN, RAISED FACE FLANGED, 500 PSI, *** TEMPERATURE: 220 DEG F	0	P	48200 SE
AWM316E	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/4 IN, STAINLESS STEEL, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, SCREWED, ***	0	P	48200 SE
AWM317C	AL	6-A-32-10;	2	\$0.00	VALVE	VALVE, GATE, QA 0, 1 IN, ALUMINUM, THREADED, 100 PSI, ASTM B26, T, RISING, HANDWHEEL, SCREWED, VALVE, GATE; ALUMINUM, 001.0	0	P	48200 SE
AWM563W	AL	6-A-32-10;	2	\$0.00	VALVE	VALVE, BALL, QA 0, 2.0 IN, ALUMINUM, SOCKETWELD, 850 PSI, *** SEAT MATERIAL: TEFLON, TEMPERATURE: 450 DEG F	0	P	48200 SE
AXJ343L	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, CHECK, QA 1, CLASS 2, VALVE,LIFT-CHECK, ; 2.000 IN, END TYPE SOCKETWELD, CLASS 1500, BODY	1	C	48200 SE
BAD888H	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1.0 IN, BRASS, FNPT X MNPT, 3500 PSI, T, RISING, T-HANDLE, ***	0	P	48200 SE
BBY387A	AL	6-A-32-10;	2	\$0.00	VALVE	VALVE, CHECK, QA 0, VALVE,LIFT-CHECK, ; 2.0 IN, END TYPE THREADED INTERNAL, NPT, CLASS	0	P	48200 SE
BCX434T	AL	6-A-32-10;	11	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; .375 IN, CLASS 1500, BODY MATL STAINLESS STEEL, 'T'	1	P	48200 SE
BDP173M	AL	6-A-32-10;	12	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1/2 IN, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.5 IN PIPE SV 1	1	C	48200 SE
BEB599A	AL	6-A-32-10;	4	\$0.00	VALVE	VALVE, CHECK, QA 0, 1-1/4 IN, STAINLESS STEEL, AISI 316, ***	0	P	48200 SE
BEC127F	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, VALVE, GLOBE; .5 IN, END TYPE SOCKETWELD, CLASS 900, BODY MATL	1	C	48200 SE
BJA848V	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, CS, MNPT, 100 PSI, DISK LOADED BY SPRING, CAPACITY 17 GPM WATER, SPRING AA16	0	P	48200 SE
BKB739M	AL	6-A-32-10;	7	\$0.00	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING, ; .5 IN, END TYPE THREADED INTERNAL, NPT, MAX OPR	0	P	48200 SE
BLD940P	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 3/16 IN, 125, VALVE, SOLENOID; 00.25 IN, NPT, 125.00 VDC COILORIFICE 0.187 ***	0	P	48104 SE
BNP868R	AL	6-A-32-10;	1	\$0.00	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, BRONZE, FNPT X MNPT, 175 PSI, ***	0	P	48200 SE
BRE500H	AL	6-A-32-10;	16	\$0.00	VALVE	VALVE, TYPICAL, QA 3, VALVE, COMPRESSOR; SUCTION, COMPLETE WITH VALVE AND GASKET, FOR START	3	B	4310I SE
BRL418N	AL	6-A-32-10;	9	\$0.00	VALVE	VALVE, BALL, QA 0, 1 IN, SS, SS, SOCKETWELD, 800 PSI, AISI 316, ** OPERATOR TYPE: LEVER HANDLE	0	C	48200 SE
ATX964D	AL	6-A-32-20	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, CHECK VALVE; REPAIR, FOR MODEL 329-740270, FIG 329,008.000	0	P	48200 SE
AWP537K	AL	6-A-32-20	1	\$0.00	TRIM	TRIM, VALVE, QA 1, CLASS 2, DISK ASSY, VALVE; DWG 2601-376, CONSISTING OF DISC, P/N 2108-301, REF	1	B	48200 SE
AXJ298Y	AL	6-A-32-20	1	\$0.00	BONNET	BONNET, VALVE, QA 1, BONNET ASSY, VALVE; METAL, WITH ARM AND DISC, REF 39, FOR SWING CHECK	1	P	48200 SE
BKB795B	AL	6-A-32-20	1	\$0.00	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, VALVE; STEEL, CAST, DWG ITEMS 2A,2B, 2C,2D, C/W 1 EA BRG- P/N	3	B	48200 SE
BKB801C	AL	6-A-32-20	2	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 3, ADAPTER, ACTUATOR; STEEL, REF 29, FOR MANUAL VALVE ACTUATOR, SIZE	3	C	48200 SE
BKB802A	AL	6-A-32-20	2	\$0.00	HOUSING	HOUSING, TYPICAL, QA 3, HOUSING, ACTUATOR; CAST STEEL, REF 1, FOR MANUAL VALVE ACTUATOR, SIZE	3	C	48200 SE
BKB868A	AL	6-A-32-20	4	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, RIGHT-HAND, STEEL, REF 16, FOR MANUAL VALVE	3	B	48200 SE
BKB871M	AL	6-A-32-20	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, ACTUATOR; SCREW, STEEL, REF 19, FOR MANUAL VALVE ACTUATOR, SIZE	3	C	48200 SE
BKB875D	AL	6-A-32-20	2	\$0.00	LEVER	LEVER, TYPICAL, QA 3, LEVER, ACTUATOR; STEEL, REF 9, FOR MANUAL VALVEACTUATOR, SIZE MDT-3	3	C	48200 SE
BKB881J	AL	6-A-32-20	2	\$0.00	LEVER	LEVER, TYPICAL, QA 3, LEVER, ACTUATOR; FINGER, STEEL, REF 12, FOR MANUAL VALVE ACTUATOR	3	C	48200 SE
AGJ657D	AL	6-A-32-20;	1	\$0.00	RING	RING, TYPICAL, QA 0, RING, ; BRONZE, BODY, DRESER STYLE 416018, FOR 016.000IN GATE VALVE	0	P	48200 SE
ANJ056R	AL	6-A-32-20;	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, VALVE, 1-5/8 IN, 49-1/8 IN, STEEL, ROCKSHAFT, VALVE; STEEL, FOR SWING CHECK VALVE, 024.000 IN,150 PSI	0	P	48200 SE
ATF705F	AL	6-A-32-20;	5	\$0.00	SPINDLE	SPINDLE, VALVE, QA 1, SPINDLE ASSY, VALVE; C/O SPINDLE POINT, ASME SA193,GR B6; SPINDLE	1		48200 SE
BLR627J	AL	6-A-32-20;	16	\$0.00	VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; DISCHARGE, FOR RECIPROCATING COMPRESSOR, MODEL 3F5B80	1	P	48200 SE
BPH498R	AL	6-A-32-20;	2	\$0.00	MECHANISM	MECHANISM, TYPICAL, QA 1, TRIP MECHANISM, ; HOOK, FOR TOP MECHANISM THROTTLE TRIP, 3 IN VALVE	1		48200 SE
BQC482W	AL	6-A-32-20;	4	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, CONSISTING OF COVER, COVER O-RINGS, SPRING	0	B	48200 SE
BQC483T	AL	6-A-32-20;	4	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; RUBBER, CONSISTING OF COVER, RELIEF VALVE ASSY	0	B	48200 SE
BYF677Q	AL	6-A-32-20;	18	\$0.00	SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT, ASTM A564, GR 630 COND H900, STAINLESS, TO REPLAC E	1		48200 SE
AYV159Q	AL	6-A-32-30	4	\$0.00	COVER	COVER, TYPICAL, QA 1, COVER, ACTUATOR; STEEL, FOR LIMIT SWITCH, ON VALVE ACTUATOR, TYPE	1	P	48200 SE
ATN207V	AL	6-A-32-30;	1	\$0.00	DISC	DISC, VALVE, QA 0, WEDGE, 18 IN, 300 PSI, 5206WE, DISK, VALVE; WEDGE, FOR 018.000 IN 300.000 PSI,FIG 5206WE ***	0	P	48200 SE
AVW996Y	AL	6-A-32-30;	1	\$0.00	DISC	DISC, VALVE, QA 0, DISK ASSY, ; STEEL, W/PORT, 016.000IN, DWG 4 & 5, FOR 016.000IN, 300	0	P	48200 SE
CPL923E	AL	6-A-33-10	1	\$0.00	VALVE	VALVE, CHECK, QA 0, SWING, 8 IN, SS, 2500 PSI, 650 DEG F, 4285 PSI AT 100 DEG F, PRESSURE CLASS 1500, ID 08000, MODEL	0	C	48200 SE

BXD307C	AL	6-A-33-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 10.0 IN, BUTT WELD, 300 PSI, *** FOR SCHEDULE 40 PIPE, BODY MATERIAL WCB WITH CR13 TRIM, EQUIPPED	0	C	48104 SE
BVP590R	AL	6-A-33-30	20	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, 1/2 IN, SS, 1513 PSI, ASME SA182 GR F316, VALVE, GLOBE; NOMINAL SIZE 1/2 IN, STAINLESS STEEL, ASME	1	B	48200 SE
ARV001K	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; STAINLESS STEEL, Y TYPE, SOCKET WELD, 1 IN, 2485 PSI AT	1	P	48200 SE
AVD607K	AL	6-A-33-30	2	\$0.00	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE, N CLASS I, SW, 2 IN, 1500 LB ***	1	P	48200 SE
AWW381Y	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRASS, THREADED, 15 PSIG, *** FOR STANDLEY MAIN FEED PUMP	0	P	48200 SE
BMB469C	AL	6-A-33-30	3	\$0.00	VALVE	VALVE, BALL, QA 0, FLANGED, *** TEMPERATURE: 180 DEG F	0	P	48200 SE
BTQ073T	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, BALL, QA 0, 4 IN, CS, RAISED FACE FLANGED, 150 PSI, ASTM A216 GR WCB	0		48200 SE
BWK920D	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: 1500 PSI, END	1	C	48200 SE
BXN798E	AL	6-A-33-30	11	\$0.00	VALVE	VALVE, SOLENOID, QA 0, VALVE, SOLENOID; 3/8 IN PIPE, 5/16 IN ORIFICE, ***	0	B	48104 SE
BYA218K	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, GATE, QA 0, 2 IN, SS, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, VALVE, C	0	C	48200 SE
CEA548R	AL	6-A-33-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, 3/4 IN, SS, SOCKETWELD, 1500 PSI, VALVE PATTERN, Y;	3	C	48200 SE
ART998H	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; 1.5 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASME	1	B	48200 SE
AVD693Y	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, CS, SOCKETWELD, 800 PSI, ASTM A105, T, RISING, HANDWHEEL, 100 DEG F, ROUND BOLTED, FORGED	0	P	48200 SE
AVX070K	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, PLUG, QA 0, VALVE, PLUG; SIZE: 04.000 IN ( 4 ), PRESSURE RATING: 150 PSI ***	0	P	48200 SE
AWE942Q	AL	6-A-34-10	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, IRON, FLANGED, 100 PSI, CAST, VALVE, SAFETY RELIEF; FLANGED, 100 PSI, CAST IRON, INTERNAL RELIEF	0	P	48200 SE
AXX536G	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 275 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 II 0	0	P	48200 SE
AXX538C	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, BALL, QA 0, 1-1/2 IN, STAINLESS STEEL, STAINLESS STEEL, FLAT FACE FLANGED, 150 PSI, AISI 316, VALVE, BALL; SIZE: 01.500 II 0	0	P	48200 SE
BBF847F	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 6 IN, CS, MONOFLANGED, 150 PSI, ** SEAT MATERIAL: RUBBER	0	P	48200 SE
BVP058M	AL	6-A-34-10	36	\$0.00	VALVE	VALVE, BALL, QA 3, VALVE, BALL; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: CLASS 150, END	3	C	48200 SE
CDE384F	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 0, VALVE, DIAPHRAGM; COMPLETE VALVE ASSEMBLY, 3 INCH HILLS MCCANNA	0	B	48200 SE
CED706K	AL	6-A-34-10	16	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: 800 PSI, END	3	C	48200 SE
BCQ341V	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, CHECK, QA 0, SWING, 10 IN, RAISED FACE FLANGED, END TYPE RAISED FACE FLANGE, CLASS 150,	0	P	48200 SE
BXE330N	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, PLUG, QA 3, VALVE, PLUG; SIZE: 03.000 IN ( 3 ), PRESSURE RATING: 150 PSI, END TYPE:	3	C	48200 SE
CEE253Q	AL	6-A-34-10	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 1, VALVE, GLOBE; SIZE: 01.500 IN ( 1 1/2 ), PRESSURE RATING: 1700 PSI, END	1	C	48200 SE
ACJ574A	AL	6-A-34-20	1	\$0.00	TRIM	TRIM, VALVE, QA 1, DISK ASSY, ; VALVE, C/W STEM 103700, DISK 103701 & GUIDE 103699, FOR	1	P	48200 SE
ADJ084C	AL	6-A-34-20	1	\$0.00	DISC	DISC, VALVE, QA 1, CLASS 1, DISK, VALVE; MAIN, STAINLESS STEEL ASME SA182, AND/OR SA479 TYPE 304L,	1	P	48200 SE
AEJ459X	AL	6-A-34-20	4	\$0.00	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING, LOWER, FOR MASONILAN VALVE, 6 IN, MODEL 37-10132	1	P	48200 SE
ALF642H	AL	6-A-34-20	20	\$0.00	DISC	DISC, VALVE, QA 0, DISK, SOOTBLOWER; TEFLON, VALVE, FOR DIAMOND POWER IK-300 SERIES	0		4410C SE
ARW162X	AL	6-A-34-20	1	\$0.00	LEVER	LEVER, TYPICAL, QA 0, LEVER, ; VALVE, FOR AUTOMATIC PILOT VALVE, ON CLOWCORP SEWAGE EJECTOR	0	P	4630Y SE
BGF015M	AL	6-A-34-20	1	\$0.00	BONNET	BONNET, VALVE, QA 0, BONNET, VALVE; BRONZE, FOR AUTOMATIC PILOT VALVE ON SEWAGE EJECTOR ***	0	P	48200 SE
BJK511H	AL	6-A-34-20	1	\$0.00	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STAINLESS STEEL, 10 ID X 13 INOD, EXTERNAL THREADED, FOR	3	P	48200 SE
BQQ008K	AL	6-A-34-20	1	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; METALLIC, 0.6875 X 3.23 ID X 3.875 IN OD, PRESSURE	3	C	48200 SE
BQX522K	AL	6-A-34-20	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, VALVE; METAL, KEY-9, FOR: PRESSURE CONTROL VALVE TO JET STEAM	0	C	48200 SE
BRL957P	AL	6-A-34-20	14	\$0.00	BLOCK	BLOCK, TYPICAL, QA 1, VALVE, , BEARING, FOR USE ON A ASME SEC III CLASS 1, WESTINGHOUSE CHECK VALVE	1	C	48200 SE
BRQ804X	AL	6-A-34-20	2	\$0.00	TRIM	TRIM, VALVE, QA 1, CLASS 1, STEM ASSY, VALVE; STEM/WEDGE ASSY, SOLID STELLITE AMS5387, FOR 1 INCH	1	B	48200 SE
BRX576M	AL	6-A-34-20	2	\$0.00	SPOOL	SPOOL, TYPICAL, QA 0, SPOOL, VALVE ROTARY D; SPOOL PIECE COUPLING, FOR 2B FAST COUPLING, FOR	0	C	48200 SE
BVN567E	AL	6-A-34-20	1	\$0.00	VENT	VENT, AIR, QA 0, VENT, VALVE; RING, ITEM #26, FOR BOILER FEED PUMP RECIRC. VALVE	0	C	48200 SE
BWE383V	AL	6-A-34-20	1	\$0.00	STUD	STUD, TYPICAL, QA 1, COVER, 1-1/2 IN, ALLOY STEEL, ASTM A193 GR B7, FOR 24 IN WE CHECK VALVE, ATWOOD & MORRILL DWG 20788-	1	C	48200 SE
BWQ944R	AL	6-A-34-20	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; FOR WM POWELL FIG. 1503WE GATE VALVE, 2-1/2", 150 LB, M	1	C	48200 SE
BWR130C	AL	6-A-34-20	1	\$0.00	RING	RING, SEAL, QA 3, RING, SEAL; PRESSURE, FOR 10 IN PRESSURE SEAL GATE VALVE, MODEL L90	3	C	48200 SE
BWR131Y	AL	6-A-34-20	2	\$0.00	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; TYPE: CHECK; MATERIAL: 410 STAINLESS STEEL; VALVE SIZE: 2	3	C	48200 SE
CAW413D	AL	6-A-34-20	4	\$0.00	RING	RING, PISTON, QA 1, RING, VALVE; PISTON, VALVE ASSEMBLY NO. 7567F-000, PARTS LIST PL7567	1	C	48200 SE
CAW420V	AL	6-A-34-20	4	\$0.00	RING	RING, SEAL, QA 1, RING, SEAL; MAIN, VALVE ASSEMBLY NO. 7567F-000, PARTS LIST PL7567F-	1	C	48200 SE
CDC537T	AL	6-A-34-20	5	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; FOR TILTING DISK CHECK VALVE, CARBON STEEL, CRANE MODEL S	1	C	48200 SE
CDH474Y	AL	6-A-34-20	2	\$0.00	SEAT	SEAT, VALVE, QA 1, SEAT RING, VALVE; SWING CHECK, SIZE: 6 INCH, P/N: 013, A/D DWG:	1	C	48200 SE
CEA595G	AL	6-A-34-20	1	\$0.00	STEM	STEM, VALVE, QA 3, STEM, VALVE; MATERIAL STAINLESS STEEL, ASTM A 473 TYPE 416, FOR 3" 3	3	C	48200 SE
CEE696M	AL	6-A-34-20	1	\$0.00	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, VALVE; SEAT RETAINER, FOR BW/IP (ANCHOR DARLING) 4 INCH, 900	1	C	48200 SE
CFJ454K	AL	6-A-34-20	1	\$0.00	BASE	BASE, TYPICAL, QA 1, BASE, *TYPICAL *** FOR SAFETY RELIEF CROSBY VALVE, INLET SIZE: 3/4"	1	C	48200 SE
AEJ370R	AL	6-A-34-20	2	\$0.00	NOZZLE	NOZZLE, VALVE, QA 1, NOZZLE, VALVE; FOR WH 3-RV56LWB RELIEF VALVE, SPIN GAVASRAD, E	1	P	48200 SE
ARL564J	AL	6-A-34-20	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, COUPLING, SHAFT, FLEXI, ; FOR COMPRESSOR MODEL LTD-95 ***	0	C	4310I SE
AWB147Y	AL	6-A-34-20	2	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; CARBON STEEL, W/PILOT, FOR 010.000 IN, 300 LB, STOP VALVE	0		48200 SE
BGF222R	AL	6-A-34-20	1	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; STEEL, REF 6, FOR GATE VALVE, MODEL 47W401-10 ***	0	P	48200 SE
BJH740P	AL	6-A-34-20	2	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 1, DRIVE, STEEL, , VALVE ACTUATOR, TYPE SMB-000 TO TYPE HBC-0, ORDER NO 390251F AND/OR	1	C	48200 SE
BKR194X	AL	6-A-34-20	3	\$0.00	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, PIN, PC NO 6, 8,10 PER REF.DWG	1		48200 SE
BLQ664H	AL	6-A-34-20	20	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, FLUSH VALVE; COMPLETE WITH 1 HANDLE SEAL, 1 PLASTIC WASHER	0	C	4710W SE
BND697E	AL	6-A-34-20	4	\$0.00	TRIM	TRIM, VALVE, QA 1, DISK ASSY, VALVE; C/O DISK, STEM, AND PIN, FOR BUTTERFLY VALVE, 8 IN	1		48200 SE
BTF893B	AL	6-A-34-20	2	\$0.00	RING	RING, TYPICAL, QA 3, RING, VALVE; RING FOR 8" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE

BTG053A	AL	6-A-34-20;	1	\$0.00	SEAT	SEAT, VALVE, QA 3, RING, VALVE; RING, SEAT FOR 12" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BWF556H	AL	6-A-34-20;	1	\$0.00	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; STEEL, ITEM 17, FOR GATE 12.0" 150 PSI, FIG 5202WE, DWG	3	B	48200 SE
BYR328Y	AL	6-A-34-30	19	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; BONNET, VALVE, AND HEX NUTS, 20 STUDS AND NUTS PER SET;	1	C	48200 SE
AEB918V	AL	6-A-34-30;	1	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, STEAM TURBINE; IL 1250-4103, COMPLETE WITH ONE SET OF ROTATION	0		2825G SE
CPL923E	AL	6-A-35-10	1	\$0.00	VALVE	VALVE, CHECK, QA 0, SWING, 8 IN, SS, 2500 PSI, 650 DEG F, 4285 PSI AT 100 DEG F, PRESSURE CLASS 1500, ID 08000, MODEL	0	C	48200 SE
BNC767Q	AL	6-A-35-10;	1	\$0.00	HOSE	HOSE, TYPICAL, QA 0, FOR PURGE VACUUM PUMP, WAT 9050 WAT-WDWEVF	0	C	4320U SE
CPM709C	AL	6-A-35-10;	1	\$0.00	ELIMINATOR	ELIMINATOR, TYPICAL, QA 0, MIST, OIL, FOR WAT-9050 OR WAT-WDWEVF FOR PURGE VACUUM PUMP	0	C	4310I SE
CPM711Q	AL	6-A-35-10;	1	\$0.00	FILTER	FILTER, TYPICAL, QA 0, 15 PSI, MODEL GP-123-10, WITH ELEMENT P/N 49-397-K5	0	C	5915E SE
CPM713L	AL	6-A-35-10;	1	\$0.00	BRAKE	BRAKE, ELECTRIC, QA 0, ASSEMBLY/MOTOR, 230/460, 6 FT/LBS, MAGNETIC, TYPE OLDA, S/N 966356B1, MODEL 29B6, 3 PH, 60 HZ, INS :	0	C	61100 SE
CPM714J	AL	6-A-35-10;	1	\$0.00	BRAKE	BRAKE, ELECTRIC, QA 0, ASSEMBLY/MOTOR, 230/460, 6 FT/LBS, MAGNETIC, TYPE OLDA, S/N 966356A1, MODEL 29B6, 3 PH, 60 HZ, INS :	0	C	6110A SE
BXD307C	AL	6-A-35-20	1	\$0.00	VALVE	VALVE, GATE, QA 0, 10.0 IN, BUTT WELD, 300 PSI, *** FOR SCHEDULE 40 PIPE, BODY MATERIAL WCB WITH CR13 TRIM, EQUIPPED	0	C	48104 SE
ATW167D	AL	6-A-35-30	3	\$0.00	VALVE	VALVE, ANGLE, QA 0, 3/8 IN, THREADED, 400 PSI, VALVE, ANGLE; SIZE: 00.375 IN ( 3/8), PRESSURE RATING: 400 PSI END	0	P	48200 SE
AVB815M	AL	6-A-35-30	3	\$0.00	VALVE	VALVE, BALL, QA 0, 1/2 IN, PVC, SOCKETWELD, *** SEAT MATERIAL: TEFLON	0	P	48200 SE
AWC019R	AL	6-A-35-30	8	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/32 IN, THREADED, 120, BRASS, 6, VALVE, SOLENOID; 000.125 IN, THREADED, 6 W, 120 VAC, 0	0	P	48104 SE
BAX929B	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 9/32 IN, FNPT, 110/120, 105 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, NORMALLY O	0	P	48104 SE
BAX931Q	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1-1/4 IN, 1-1/4 IN, FNPT, 110/120, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALL O	0	P	48104 SE
BBP194R	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/4 IN, 3/4 IN, FNPT, 110, 125 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOSE O	0	P	48104 SE
BCE556R	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 3/16 IN, FNPT, 120, 125 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; FOUR-WAY, SIZE .375 IN, OR O	0	P	48104 SE
BCP267J	AL	6-A-35-30	5	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE ASSY, PUMP; BODY, 0.75 IN, FOR AIR OPERATED RECIPROCATING PUMP	0	P	4320U SE
BDP172P	AL	6-A-35-30	31	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 3/8 IN, SS, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, HANDWHEEL, VALVE, GLOBE; 0.37 IN, CLA: 1	1	P	48200 SE
BDY580F	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, PETCOCK, QA 0, VALVE ASSY, ; DRAIN, 4 IN, N.O., AIR OPERATED, FOR DRY CLEANER, MODEL	0	P	48200 SE
BHY950F	AL	6-A-35-30	3	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1 IN, CS, FNPT, 225 PSI, ORIFICE 0.226 IN, DISK LOADED BY SPRING, 2569 LB/HR STEAM,	0	P	48200 SE
BJM998F	AL	6-A-35-30	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 175 PSI, BRASS, 9, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, END T O	0	P	48104 SE
BNC140H	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, BRONZE, THREADED, VALVE, CONTROL; TEMPERATURE REGULATING, SIZE 2IN, CV 25, CONTROL RANGE 0	0	P	48200 SE
BRX405J	AL	6-A-35-30	2	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/2 INCH N.C., 2 WAY SET, FOR RADIATION MONITORS ***	3	B	48104 SE
BTV380N	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, SOLENOID, QA 1, VALVE, SOLENOID; 2-WAY,AIR OPERATED, 1/2 IN, NITROGEN SERVICE,BRASS	1	B	48104 SE
BVH345T	AL	6-A-35-30	3	\$0.00	VALVE	VALVE, GLOBE, QA 1, 1/2 IN, SS, SOCKETWELD, 600 PSI, ASTM A182 GR F316, Y, HANDWHEEL, 400 DEG F, VALVE, GLOBE; SIZE: 00.500 I 1	0	C	48200 SE
BXK486H	AL	6-A-35-30	1	\$0.00	VALVE	VALVE, CHECK, QA 0, 1/4 IN, STAINLESS STEEL, SOCKETWELD, 1100 PSI, *** CHECK TYPE: BACKFLOW PREVENTION	0	C	48200 SE
ATR082V	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, STAINLESS STEEL, COMPRESSION, 1500 PSI, ASME SA182 GR F316, T, 650 DEG F, ***	0	P	48200 SE
ATR338V	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 9/32 IN, FNPT, 250 DC, 10-200 PSI, BRASS, 13.3, NORMALLY CLOSED, SIZE .25 IN, END TYPE O	0	P	48104 SE
AVL337H	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 1/4 IN, 5/32 IN, 120, 10.5, VALVE, SOLENOID; 0.250IN PIPE,0.1562IN ORFICE, 10.500W,120VAC,FOR	0	P	48104 SE
AVL338F	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, THREADED, 480, BRASS, 16.7, FORGED, VALVE, SOLENOID; 0.500IN PIPE,0.625IN ORFICE, 0	0	P	48104 SE
AVN629R	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, PLUG, QA 0, LEVER HANDLE OPERATOR, 3/4 IN, STAINLESS STEEL, THREADED, 150 PSI, AISI 316, VALVE, PLUG; SIZE: 00.750 IN ( 0	0	P	48200 SE
AVT045N	AL	6-A-35-30;	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 1/2 IN, 60 PSIG, THREADED, PVC, REGULATOR, PRESSURE; PLASTIC, 0.500 IN THD PVC, 60 LB INLET, MODEL O	0	P	6695D SE
AWH867W	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 1/2 IN, *** 53, FOR AIR COMPRESSOR, AFTERCOLLER TEMPERATURE CONTROL, TVA	0	P	48104 SE
AWK162R	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 2 IN, PVC, THREADED, 60-100 PSI, 70 PSIG, VALVE, SAFETY RELIEF; 002.000 IN, THREADED INTERNAL,RANGE 60-10 0	0	P	48200 SE
AWM315G	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING ; 1.0 IN, END TYPE THREADED INTERNAL, NPT, BODY	0	P	48200 SE
AWN292W	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 1/4 IN, 120, BRASS, 20, ***	0	P	48104 SE
AWN581M	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 1/4 IN, 3/64 IN - 1/16 IN, 120, 150 PSI, 60, 12, VALVE, SOLENOID; 4 WAY ORIFICE 000.046 TO 000.06 0	0	P	48104 SE
AWQ239N	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1.0 IN, BRONZE, THREADED, 165 PSIG, *** WITH PLAIN LIFT LEVER	0	P	48200 SE
AWQ240H	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, BRONZE, THREADED, 50 PSIG, *** LIFT, SIZE 001.500 IN SEAT, BLOW DOWN	0	P	48200 SE
AWT852V	AL	6-A-35-30;	4	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 1/4 IN, STAINLESS STEEL, ***	0	P	4520N SE
AXQ391A	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/4 IN, CARBON STEEL, FNPT, VALVE, SAFETY RELIEF; .250 IN, END TYPE THREADED INTERNAL, NPT BODY	0	P	48200 SE
AXR477T	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 1/4 IN, FNPT, 110/120, 110 PSI, BRASS, 15.4, ** TWO-WAY	0	P	48104 SE
AXW869R	AL	6-A-35-30;	5	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1 IN, 1 IN, THREADED, 24, 300 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; TWO-WAY, SIZE 1.000 IN, ENC 0	0	P	48104 SE
AXX356J	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, STAINLESS STEEL, FNPT, 2500 PSI, AISI 316, T, T-HANDLE, ***	0	P	48200 SE
AXX363M	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/8 IN, THREADED, 240 DC, 25 PSI, BRASS, 11.2, VALVE, SOLENOID; THREE-WAY, SIZE .250 IN, C 0	0	P	48104 SE
AXX587Y	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, CHECK, QA 0, VALVE,CHECK,SWING ; 1.000 IN, END TYPE SOCKETWELD, CLASS 150, BODY	0	P	48200 SE
BAG298P	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/8 IN, ALLOY STEEL, FNPT, 6000 PSI, T, HANDWHEEL, 400 DEG F, ***	0	P	48200 SE
BAN740F	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1-1/2 IN, SS, SS, FNPT, 200 PSI, ASTM A351 GR CF3M, T, RISING, HANDWHEEL, BOLTED FLANGED YOKE, **	0	P	48200 SE
BAP225F	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/32 IN, FNPT, 120, 100 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNI 0	0	P	48104 SE
BAT972R	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, CHECK, QA 3, VALVE, CHECK; 1.0 IN, END TYPE SOCKETWELD, BODY MATL CARBON STEEL ASTM	3	C	48200 SE
BAX924M	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOS 0	0	P	48104 SE
BBA359N	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 3/16 IN, FNPT, 110, 150 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY UNI 0	0	P	48104 SE
BBN510T	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/4 IN, FNPT, 120, 190 PSI, BRASS, 50/60, 20, VALVE, SOLENOID; THREE-WAY, NORMALLY CLOS 0	0	P	48104 SE
BBP453V	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 120, 300 PSI, STAINLESS STEEL, 50/60, 9, VALVE, SOLENOID; THREE-WAY, NORM O	0	P	48104 SE
BBP999E	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, FNPT, 125, 100 PSI, BRASS, 23, VALVE, SOLENOID; THREE-WAY, NORMALLY UNIVERSAL, SIZE .37 0	0	P	48104 SE

BCA707L	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/8 IN, 3/16 IN, FLARED, 208/240, 300 PSI, STEEL, 50/60, 10, VALVE, SOLENOID; TWO-WAY, NORMALI	0	P	48104 SE
BCC680E	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 7/16 IN, FNPT, 240, 4 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSED, 0	0	P	48104 SE
BCN363V	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 1/8 IN, 3/64 IN, FNPT, 110/120, 275 PSI, BRASS, 10, VALVE, SOLENOID; THREE-WAY, SIZE .125 IN, ORIF	0	P	48104 SE
BCN886T	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/4 IN, 3/4 IN, FNPT, 120, 250 PSI, BRASS, 50/60, 6, VALVE, SOLENOID; TWO-WAY, NORMALLY CLOSE	0	P	48104 SE
BCW671H	AL	6-A-35-30;	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, ADJUSTABLE, 1/4 IN, 300-3000 PSIG, REGULATOR, PRESSURE; 0.25 IN, 300 TO 3000 PSIG, ADJUSTABLE ***	0	P	6695D SE
BDG438F	AL	6-A-35-30;	3	\$0.00	VALVE	VALVE, CONTROL, QA 0, 5/8 IN X 1-1/8 IN, BRASS, SOLDER JOINT, VALVE, EXPANSION; .625 IN, OUTLET 1.125 IN, END TYPE SOLDER JOIN	0	P	48200 SE
BDN722K	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 1/4 IN, BRONZE, FNPT, 160-300 PSI, VALVE, REGULATE FLUID PRESS; 0.250 IN, THREAD INTERNAL, 300 PSIG	0	P	48200 SE
BDN723H	AL	6-A-35-30;	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/8 IN, 130-200 PSIG, 400 PSIG, FNPT, BRONZE BODY/SET 150 PSIG, REGULATOR, PRESSURE; .37 IN, END T	0	P	6695D SE
BEC084X	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, BRASS, SOLDER JOINT, VALVE, EXPANSION; .625 IN, OUTLET 1.125 IN, END TYPE SOLDER JOIN	0	P	48104 SE
BEY458T	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 110/120, BRONZE, 9, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, BODY MATL BRONZE, 9.0 WATTS	0	P	48104 SE
BGC471K	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, CHECK, QA 0, 3/4 IN, BRASS, COMPRESSION, ***	0	P	48200 SE
BGN440N	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 0.5 IN, 5000 PSIG, 2-WAY, PILOT ACTUATOR	0	P	48200 SE
BHT209K	AL	6-A-35-30;	8	\$0.00	VALVE	VALVE, CHECK, QA 0, POPPET, 1/2 IN, BRONZE, 300 PSI, VALVE, CHECK; .5 IN, BODY MATL BRONZE, CWP 300 PSIG, POPPET STYLE ***	0	P	48200 SE
BHX510H	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, TYPICAL, QA 0, STAINLESS STEEL, *** WITH 3 IN FLEXITALLIC GASKET, FOR AUXILIARY BOILER AND/OR AUX	0	P	4410C SE
BKC513B	AL	6-A-35-30;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 3-WAY, 3/8 IN, 9/32 IN, FNPT, 110/120, 200 PSI, BRASS, 50/60, VALVE, SOLENOID; THREE-WAY, NORMALLY CL	0	P	48104 SE
BVN482N	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 3, VALVE, GLOBE; SIZE: 01.000 IN ( 1 ), PRESSURE RATING: CLASS 125, END	3	B	48200 SE
BWW230Q	AL	6-A-35-30;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4", 120 VOLT, ***	3	C	48104 SE
AAAX992B	AL	6-A-36-20	1	\$0.00	STRAPPING	STRAPPING, SHIPPING, QA 0, BANDING, 3/8 IN, 0.025 IN, SS, TYPE 201, BAND-IT,	0	C	8135F SE
ACF557R	AL	6-A-36-20	7	\$0.00	PLUNGER	PLUNGER, VALVE, QA 0, PLUNGER, SOOTBLOWER; VALVE, 3-WAY, FOR DIAMOND POWER SPECIALTY CORP	0		4410C SE
ACF783G	AL	6-A-36-20	1	\$0.00	BOOSTER	BOOSTER, TYPICAL, QA 0, BOOSTER, DAMPER DRIVE; VOLUME, GOVENAIRE CAT 2012 FOR DAMPER DRIVES	0		4140U SE
AED441B	AL	6-A-36-20	2	\$0.00	GLAND	GLAND, PACKING, QA 0, O-RING, W/IT5C LUBRICATION FTG, FOR AWWA NEW STYLE	0	C	4210N SE
AHF352D	AL	6-A-36-20	6	\$0.00	STEM	STEM, VALVE, QA 0, STEM, SOOTBLOWER; FOR AC-040-P VALVE, ON TYPE IKAND IR SOOT BLOWER	0		4410C SE
ALF342X	AL	6-A-36-20	6	\$0.00	DISC	DISC, VALVE, QA 0, DISK, SOOTBLOWER; VALVE, FOR TYPE G9B SOOT BLOWER ***	0	P	4410C SE
ALH468W	AL	6-A-36-20	3	\$0.00	BUSHING	BUSHING, VALVE, QA 0, GUIDE, UPPER AND/OR LOWER, 10 IN, 17-4PH/H925, FOR	0		48200 SE
ATG901A	AL	6-A-36-20	3	\$0.00	VALVE	VALVE, TYPICAL, QA 3, FIRE PROTECTION, 5-1/4 IN, RUBBER, MAIN, RUBBER, REF 30, FOR M AND H VALVE CO FIRE HYDRANT,	0	C	4210N SE
ATV423T	AL	6-A-36-20	1	\$0.00	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; POSITION, FOR SIZE 024.000IN, CHECK TYPE ***	3	C	48200 SE
AVH569B	AL	6-A-36-20	6	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 1, STUD, VALVE; DRILLED, REF 83, FOR BASE ASSY, ON TARGET ROCK SAFETY	1	C	48200 SE
AXD506D	AL	6-A-36-20	1	\$0.00	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STAINLESS STEEL TYPE 420, C/O STEM, PLUG, AND GROOVE PIN	0	C	48200 SE
AXJ682X	AL	6-A-36-20	2	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, VALVE; RUBBER, FOR HYDRANT, FIRE, DUCTILE IRON BARREL, 5.5	0	P	48200 SE
B DY673W	AL	6-A-36-20	5	\$0.00	TRIM	TRIM, VALVE, QA 1, GLOBE, 2 IN, 600 PSI, 5500W, DISC, STEM, DISC NUT, LOCKING RING, STEM ASSY, ; C/O STEM, DISK, P/N 7062401-0S	1	C	48200 SE
BEQ926J	AL	6-A-36-20	2	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL, 16.625 IN LG, FOR GLOBE VALVE, 2 IN	1	C	48200 SE
BHE126L	AL	6-A-36-20	4	\$0.00	SCREW	SCREW, TYPICAL, QA 1, SCREW, VALVE; FOR SOLENOID VALVE, MODEL 79AB-003, ANSI CLASS 1680, DWG	1	P	48200 SE
BHE128G	AL	6-A-36-20	2	\$0.00	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; FOR SOLENOID VALVE, MODEL 79AB-003, ANSI CLASS 1680, DWG	1	P	48200 SE
BHE138D	AL	6-A-36-20	6	\$0.00	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; FOR SOLENOID VALVE, MODEL 82KK-001, ANSI CLASS 2158, DWG	1	P	48200 SE
BHE171F	AL	6-A-36-20	7	\$0.00	SCREW	SCREW, TYPICAL, QA 1, SCREW, VALVE; FOR SOLENOID VALVE, MODEL 77DD-040, ANSI CLASS 2357, DWG	1	P	48200 SE
BLQ398C	AL	6-A-36-20	2	\$0.00	SEAT	SEAT, VALVE, QA 1, SEAT, VALVE; RING SEAT, FOR POWELL GATE VALVE, SIZE 10 IN ASTM A217	1	C	48200 SE
BLT082L	AL	6-A-36-20	3	\$0.00	SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; SEAL HOUSING, USE FOR METAL TO METAL SEAL, 10-5/8 X 7-5/8	1	B	48200 SE
BLT083J	AL	6-A-36-20	3	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; MATL SPEC ASTM A743-CA6NM-83, 8" INLET, FOR 8" CHECK	1	C	48200 SE
BMD062P	AL	6-A-36-20	4	\$0.00	SEAT	SEAT, VALVE, QA 3, SEAT, VALVE; RING, FOR GLOBE VALVE, 6 IN, 150 PSIG, FIG 1531WE	3	C	48200 SE
BMD064K	AL	6-A-36-20	2	\$0.00	DISC	DISC, VALVE, QA 3, DISK, VALVE; FOR GLOBE VALVE, 6 IN, 150 PSIG, FIG 1531WE, MATEIAL CR	3	C	48200 SE
BPW123D	AL	6-A-36-20	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 3/2-WAY, FOR POLYMETRON SILICA	0	C	48104 SE
BPW132C	AL	6-A-36-20	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, VALVE, SOLENOID; VALVE, SOLENOID, 2/2-WAY, FOR POLYMETRON SILICA	0	C	48104 SE
BQN177E	AL	6-A-36-20	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, VALVE, GASKET, SET; FOR A 4.00 FISHER GATE VALVE, FISHER M/N 657-ET S/N	0	C	48200 SE
BVL032P	AL	6-A-36-20	1	\$0.00	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, R.H. ASSEMBLY, MATERIAL: ASTM A182 TY F316, REF.	1	C	48200 SE
BVN567E	AL	6-A-36-20	1	\$0.00	VENT	VENT, AIR, QA 0, VENT, VALVE; RING, ITEM #26, FOR BOILER FEED PUMP RECIRC. VALVE	0	C	48200 SE
BWQ431P	AL	6-A-36-20	1	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, SINGLE; BONNET, DWG C-9521-21, FOR WALWORTH GATE VALVE, FIG	3	C	48200 SE
BYT245X	AL	6-A-36-20	1	\$0.00	HOLDER	HOLDER, DISC, QA 1, HOLDER, DISK; VALVE, FOR 4", FIG. 3065WE WILLIAM POWELL LIFT CHECK, G	1	C	48200 SE
CBN195M	AL	6-A-36-20	1	\$0.00	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; FOR 6 INCH 300 LB CHECK VALVE, FOR ANCHOR DARLING DWG	0	C	48200 SE
CBP631N	AL	6-A-36-20	1	\$0.00	GASKET	GASKET, TYPICAL, QA 3, GASKET, VALVE; BONNET SEAL, MATERIAL: GRAPHITE PRESSURE SEAL RING AND	3	B	48200 SE
CDN024V	AL	6-A-36-20	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; FOR 4-WAY, 4 PORT VALVE, KAHN PART NUMBER KC6077-11	0	C	48200 SE
CDW027N	AL	6-A-36-20	2	\$0.00	DISC	DISC, VALVE, QA 1, CHECK, 1-1/2 IN, CAST STEEL, 150 PSI, ASTM A351 GR CF3M, FOR USE ON POWELL MODEL 2341SWE, 1.5" SWING CH	1	C	48200 SE
CEB145B	AL	6-A-36-20	2	\$0.00	HOLDER	HOLDER, DISC, QA 1, HOLDER, DISK; FOR USE ON POWELL MODEL 2341SWE, 1.5" SWING CHECK VALVE	1	C	48200 SE
CEP206L	AL	6-A-36-20	1	\$0.00	BALL	BALL, VALVE, QA 1, BALL, VALVE *** FOR 1 1/4" BALL VALVE, NELES JAMESBURY FIGURE NUMBER	1	C	48200 SE
AAW876J	AL	6-A-36-20;	3	\$0.00	STEM	STEM, VALVE, QA 0, ASSY, PILOT VALVE	0	P	6630D SE
AEH048F	AL	6-A-36-20;	1	\$0.00	SEAT	SEAT, VALVE, QA 0, CONTROL, STELLITE 316 SS, RING, SMALLER, FOR BLACK	0	P	48200 SE
AEH847R	AL	6-A-36-20;	1	\$0.00	SEAT	SEAT, VALVE, QA 0, CONTROL, STELLITE 316 STAINLESS STEEL RING, LARGER, FOR HEATER DRAIN	0	P	48200 SE
ALJ142N	AL	6-A-36-20;	4	\$0.00	STEM	STEM, VALVE, QA 0, CONTROL, 8 IN, 150 PSI, STEM, VALVE; LOWER, FOR CONTROL VALVE, TYPE 1400, SIZE 008.000 IN	0	P	48200 SE

AVN547V	AL	6-A-36-20:	10	\$0.00	SPRING	SPRING, AIR, QA 0, SPRING, ; AIR OPERATOR,ITEM 80,FOR SAFETY RELIEF VALVE BASE	0	P	48200 SE
AXD504H	AL	6-A-36-20:	1	\$0.00	SEAT	SEAT, VALVE, QA 0, GLOBE, 17-4 PH/630 SS SA564, 3 IN, SEAT RING, VALVE; STAINLESS STEEL, ASME SA 564- 630-17-4 PH, FOR GLOBE 0	1	C	48200 SE
BDY673W	AL	6-A-36-20:	5	\$0.00	TRIM	TRIM, VALVE, QA 1, GLOBE, 2 IN, 600 PSI, 5500W, DISC, STEM, DISC NUT, LOCKING RING, STEM ASSY, ; C/O STEM, DISK, P/N 7062401-054	1	C	48200 SE
BHE171F	AL	6-A-36-20:	7	\$0.00	SCREW	SCREW, TYPICAL, QA 1, SCREW, VALVE; FOR SOLENOID VALVE, MODEL 77DD-040, ANSI CLASS 2357, DWG	1	P	48200 SE
BHK210H	AL	6-A-36-20:	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 6 IN, CHROME MOLY F22, 2500 PSI, 14-4054P-06TS, WEDGE DISK, VALVE; FOR GATE VALVE, 6 IN, ANSI CLASS 0	1	C	48200 SE
BJL641Y	AL	6-A-36-20:	6	\$0.00	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; FOR VALVE, 0.5 IN, 3-WAY, CAT NO NP831664E	1	C	48200 SE
BJM444V	AL	6-A-36-20:	1	\$0.00	SEAT	SEAT, VALVE, QA 0, GATE, 316 STAINLESS STEEL A182, 5 IN, 4500 PSI, SEAT, VALVE; RING, W/STELLITE, AS A182 F22, FOR DOUBLE DIS 0	1	P	48200 SE
BJN722L	AL	6-A-36-20:	2	\$0.00	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; FOR VALVE, 0.5 IN, 3-WAY, NORMALLY OPEN	1	C	48200 SE
BJN723J	AL	6-A-36-20:	3	\$0.00	KIT	KIT, PARTS, QA 1, PARTS KIT, SOLENOID VALVE; FOR VALVE, 0.25 IN, 3-WAY, NORMALLY CLOSED	1	C	48200 SE
BLH367V	AL	6-A-36-20:	1	\$0.00	YOKE	YOKE, TYPICAL, QA 0, YOKE, VALVE; STEEL, FOR SAFETY RELIEF VALVE6 IN, TYPE 19060/PI-1 ***	0	P	48200 SE
BLT702T	AL	6-A-36-20:	1	\$0.00	SPINDLE	SPINDLE, VALVE, QA 3, SPINDLE, VALVE; VALVE SPINDLE, STAINLESS STEEL, FOR 3 IN, FIG	3	P	48200 SE
BMD065H	AL	6-A-36-20:	2	\$0.00	STEM	STEM, VALVE, QA 3, STEM, VALVE; FOR GLOBE VALVE, 6 IN, 150 PSIG, FIG 1531WE, MATERIAL CR	3	C	48200 SE
BRK109A	AL	6-A-36-20:	1	\$0.00	NUT	NUT, TYPICAL, QA 3, NUT, VALVE; YOKE, FOR VELAN 4 IN. 900 LB. PRESSURE SEAL GATE VALVE FIG	3	B	48200 SE
BWR130C	AL	6-A-36-20:	3	\$0.00	RING	RING, SEAL, QA 3, RING, SEAL; PRESSURE, FOR 10 IN PRESSURE SEAL GATE VALVE, MODEL L90	3	C	48200 SE
BYT655A	AL	6-A-36-20:	1	\$0.00	VALVE	VALVE, TYPICAL, QA 3, ACTUATOR, SNUBBER, FOR G.H. BETTIS ACTUATOR, SEVERAL MODELS, PART NUMBER 11967	3	C	48200 SE
CBN195M	AL	6-A-36-20:	3	\$0.00	HINGE	HINGE, VALVE, QA 0, HINGE, VALVE; FOR 6 INCH 300 LB CHECK VALVE, FOR ANCHOR DARLING DWG	0	C	48200 SE
CBN196K	AL	6-A-36-20:	5	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, SUPPORT, VALVE; HINGE, FOR 6 INCH 300 LB CHECK VALVE, ANCHOR DARLING	0	C	48200 SE
CDE493A	AL	6-A-36-20:	1	\$0.00	KIT	KIT, PARTS, QA 3, PARTS KIT, SAFETY RELIEF VLV; KIT TO INCLUDE: BASE AND NIPPLE	3	C	48200 SE
CEA861M	AL	6-A-36-20:	1	\$0.00	STEM	STEM, VALVE, QA 3, STEM, ACTUATOR; FLOWMATICS VALVE OPERATOR ON 1 INCH, 900 LB, GLOBE	3	C	48200 SE
CEE696M	AL	6-A-36-20:	1	\$0.00	RETAINER	RETAINER, TYPICAL, QA 1, RETAINER, VALVE; SEAT RETAINER, FOR BW/IP (ANCHOR DARLING) 4 INCH, 900	1	C	48200 SE
BYT531W	AL	6-A-36-30:	2	\$0.00	ROD	ROD, TYPICAL, QA 1, ROD, VALVE; YOKE, REPLACEMENTS FOR MAIN STEAM ISOLATION VALVES, VALVE	1	C	48200 SE
BYT554G	AL	6-A-36-30:	2	\$0.00	INSERT	INSERT, TYPICAL, QA 1, INSERT, VALVE; THREADED, WITH KEY, 1.2 X 1.7, REPLACEMENTS FOR MAIN	1	C	48200 SE
CPL923E	AL	6-A-37-10:	1	\$0.00	VALVE	VALVE, CHECK, QA 0, SWING, 8 IN, SS, 2500 PSI, 650 DEG F, 4285 PSI AT 100 DEG F, PRESSURE CLASS 1500, ID 08000, MODEL	0	C	48200 SE
ADH801R	AL	6-A-37-10:	6	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 1/4 IN, FNPT, 120, 10-250 PSI, 17.1, VALVE, SOLENOID; FOUR-WAY, ORIFICE 000.250 IN	0	C	48104 SE
AKY957G	AL	6-A-37-10:	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, BUTTERFLY VALVE; REPAIR, SEAT, WAFER STYLE VALVE, W/SEAT	0	P	48200 SE
AVR420G	AL	6-A-37-10:	3	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 4-WAY, 3/8 IN, 3/16 IN, FNPT, 120, 125 PSI, BRASS, 50/60, EXPLOSION PROOF, FOR WATER, OIL, OR GAS	0	C	48104 SE
AVW014P	AL	6-A-37-10:	3	\$0.00	SEAT	SEAT, VALVE, QA 0, EQUALIZER, 2 IN, FOR 2 IN EQUALIZER VALVE ASSEMBLY, ON BAGHOUSE DRY ASH	0	P	4450C SE
AVW384Y	AL	6-A-37-10:	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 3/8 IN, *** MODEL S-37, FOR BAGHOUSE DRY ASH DISPOSAL	0	C	48200 SE
AXW813M	AL	6-A-37-10:	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, 3/4 IN, 300 PSIG, FNPT, SET AT 117 PSIG, REGULATOR, PRESSURE; .750 IN, END TYPE THREADED INTERNAL,	0	P	6695D SE
BBJ424W	AL	6-A-37-10:	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/2 IN, 5/8 IN, FNPT, 110/120, 100 PSI, STEEL, 11, VALVE, SOLENOID; TWO-WAY, SIZE .5 IN, ORIFICE .6	0	C	48104 SE
BCE086V	AL	6-A-37-10:	5	\$0.00	DISC	DISC, VALVE, QA 0, DISK, VALVE; RUBBER, FOR 2 IN EQUALIZER VALVE, ON BAGHOUSE DRY ASH	0	P	4450C SE
BCE089M	AL	6-A-37-10:	6	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, VALVE; FOR DIAPHRAGM VALVE, R-M14909,ON BAGHOUSE DRY ASH	0	P	4450C SE
BCY705H	AL	6-A-37-10:	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN, BRONZE, THREADED, 10 PSI, *** 10 PSIG SET, FOR DRY FLY ASH SYSTEM	0	P	4450C SE
BFM426G	AL	6-A-37-10:	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 8 IN	0	C	48200 SE
BVL480G	AL	6-A-37-10:	3	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 1, DIAPHRAGM, VALVE; VALVE, SILICONE-NOMEX, FOR AIR OPERATED SAFETY	1	B	48200 SE
BWW867W	AL	6-A-37-10:	1	\$0.00	GAG	GAG, VALVE, QA 0, GAG, VALVE; MAIN STEAM SAFETY VALVE, MODEL 3787 ***	0	B	48200 SE
CAG065Y	AL	6-A-37-10:	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, HANDWHEEL OPERATED, 10 IN, IRON, STAINLESS STEEL, WAFER MONOFLANGED, 150 PSI, CAST, VALVE, BUTTEI 0	1	C	29100 SE
CBG850R	AL	6-A-37-10:	4	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, CHECK VALVE, FUEL OIL MANIFOLD, 75 PSI, 3, 16-645E4/20-645E4, CAT. 302 PLATE A48-10	1	C	29100 SE
CDC269R	AL	6-A-37-10:	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, CLASS 2, FNPT X FNPT, , BASE MAT'L: SS, BASE MAT'L SPEC: ASME SA479 TYPE 316, CROSBY 900	1		6695D SE
CFF415D	AL	6-A-37-10:	2	\$0.00	TRIM	TRIM, VALVE, QA 0, TRIM, VALVE *** BADGER METER, VALVE TRIM ASSEMBLIES (P/N 542328-0003)	0		48200 SE
CHG302A	AL	6-A-37-10:	1	\$0.00	RING	RING, VALVE, QA 3, SEAT, FOR 10 INCH GLOBE VALVE, PACIFIC FIG. NO. 160-U-WE	3		48200 SE
CJA608A	AL	6-A-37-10:	2	\$0.00	STEM	STEM, VALVE, QA 1, GATE, 1 IN, FOR 900# DOUBLE DISC, , REACTOR HEAD VENT VALVE, PART # 24, MAT'L TYPE A564-630-1075, ANCH 1	1		48200 SE
CKC724N	AL	6-A-37-10:	1	\$0.00	RING	RING, VALVE, QA 3, BODY SEAT RING, FOR 2 1/2 INCH SWING CHECK VALVE, CRANE FIGURE #	3		48200 SE
CKP640F	AL	6-A-37-10:	2	\$0.00	DISC	DISC, VALVE, QA 3, GATE, FOR 4" WILLIAM POWELL 900 # GATE VALVE, FIGURE: 19023WE	3		
CLD434L	AL	6-A-37-10:	2	\$0.00	GATE	GATE, TYPICAL, QA 0, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
ARK638L	AL	6-A-37-20:	2	\$0.00	VALVE	VALVE, ANGLE, QA 1, 1 IN, CS, SOCKETWELD, 3600 PSI, ASME SA105, Y, RISING, T-HANDLE, 100 DEG F, FORGED	1	C	48200 SE
AVE519A	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 600 PSI, ASTM A105, T, FORGED, ***	0	P	48200 SE
AWF844K	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, CHECK, QA 0, 2.0 IN, CARBON STEEL, SOCKETWELD, 150 PSI, ***	0	P	48200 SE
AWR866M	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, GATE, QA 0, 4 IN, IRON, MECHANICAL JOINT, 200 PSI, ASTM A126, T, NON-RISING, CAST, BODY MATL CAST IRON,	0	P	48200 SE
BTF914X	AL	6-A-37-20:	1	\$0.00	DISC	DISC, VALVE, QA 3, WEDGE, VALVE; TO BE USED FOR 8" 600# WALWORTH GATE VALVE, ITEM CODE	3	B	48200 SE
BTQ141D	AL	6-A-37-20:	1	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; 2 INCH, SEMISTEEL, TAPERED PLUG, WITH 2-INCH SQUARE HEAD	0	C	48200 SE
ALD872A	AL	6-A-37-20:	4	\$0.00	VALVE	VALVE, TYPICAL, QA 0, COMPRESSOR, 100 PSI, *** INLET, FOR AIR COMPRESSOR MODEL XLE-NL, PACKAGED "L" DESIGN, SIZE	0	P	4310I SE
ARP427D	AL	6-A-37-20:	9	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, STAINLESS STEEL, COMPRESSION, AISI 316, T, ***	0	P	48200 SE
ATY756F	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, ANGLE, QA 0, 2-1/2 IN, BRONZE, THREADED, 200 PSI, VALVE, ANGLE; SIZE: 02.500 IN ( 2 1/2), PRESSURE RATING: 200 PSI END	0	P	48200 SE
AVD605P	AL	6-A-37-20:	4	\$0.00	VALVE	VALVE, CHECK, QA 1, VALVE, CHECK; TYPE T,N-CLASS,1 ,IN,SW, 1500 LB ***	1	P	48200 SE
AVD904D	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, GATE, QA 0, 2-1/2 IN, IRON, FLANGED, 150 PSI, T, RISING, CAST, ***	0	P	48200 SE
BHN097E	AL	6-A-37-20:	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, LIN DIRECT CONTROL; 120 VAC,27 WATTS,SOLENIOD OPERATED,C/W G.W.	0	P	48200 SE

BLM411Y	AL	6-A-37-20;	3	\$0.00	VALVE	VALVE, RELIEF, QA 3, VALVE ASSY, DIESEL ENGINE; RELIEF, FOR LUBE OIL SYSTEM, ON STANDBY	3	P	29100 SE
BNH245X	AL	6-A-37-20;	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, 2 IN, IRON, 5-60 PSI, CAST, VALVE, CONTROL; CONTROL, CAST IRON BODY, MAX OP INLET: 60 PSIG, MAX OP	0	P	48200 SE
BVW373W	AL	6-A-37-20;	2	\$0.00	VALVE	VALVE, CONTROL, QA 2, VALVE, CONTROL; REFRIGERANT PRESSURE ACTUATED, DOUBLE DIAPHRAGM	2	B	48200 SE
CDX768F	AL	6-A-37-20;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 3, VALVE, GLOBE; SIZE: 1 IN; BODY MATERIAL: CS; END STYLE: FNPT; PRESSURE	1	C	48200 SE
CEN019E	AL	6-A-37-20;	2	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: HANDWHEEL OPERATED; SIZE: 1 IN; BODY MATERIAL:	3	C	48200 SE
ARP427D	AL	6-A-37-30'	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/8 IN, STAINLESS STEEL, COMPRESSION, AISI 316, T, ***	0	P	48200 SE
AVB115J	AL	6-A-37-30'	8	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, 4 IN, 150 PSI, *** OPERATOR TYPE: W/O OPERATOR	0	P	48200 SE
AXY495Y	AL	6-A-37-30'	1	\$0.00	VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; CONSISTING OF DRAIN VALVE, P/NN-29017-01, 0.125 TUBE TO	1	P	48200 SE
BLJ092T	AL	6-A-37-30'	1	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 11	0	P	4210N SE
BLJ094N	AL	6-A-37-30'	3	\$0.00	VALVE	VALVE, TYPICAL, QA 0, 2-1/2 IN, BRASS, *** HYDRO-LOC APPARATUS, POSITION 14	0	P	4210N SE
BNH319T	AL	6-A-37-30'	4	\$0.00	VALVE	VALVE, BALL, QA 0, 2.0 IN, CPVC, SOCKETWELD, ***	0	P	48200 SE
BNP989D	AL	6-A-37-30'	5	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 0.5 IN, FOR VIKING VALVES, ITEM 17 ON MODEL B-1 AS	3	P	48104 SE
BRK002K	AL	6-A-37-30'	8	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, STAINLESS STEEL, SOCKETWELD, 800 PSI, ASTM A182 GR F316, T, HANDWHEEL, ROUND BOLTED, ***	0	C	48200 SE
CEP023J	AL	6-A-37-30'	7	\$0.00	VALVE	VALVE, DIAPHRAGM, QA 3, VALVE, DIAPHRAGM; TYPE: MANUAL OPERATED; SIZE: 1 IN; BODY MATERIAL:	3	C	48200 SE
BCY614K	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN, CS, 150 PSI, ASME SA216 GR WCB, TYPE 1970C, S/N TJ93590	0	C	48200 SE
CHE206G	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 1, CLASS 2, 1 IN, SS, SOCKETWELD, 600 PSI, ASME SA182 GR F316L, FORGED, VOGT DRAWING B48317, S/N 375-216 1	1	C	48200 SE
CPC836J	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 1/2 IN, BRONZE, THREADED, 100 PSI, 100 DEG F, NORM OPER TEMP 50-100 DEG F, CLASS 150, AIR/WATER SERVICE 0	0	C	48200 SE
CPC837G	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, CLASS 2, 2 IN, SS, SOCKETWELD, 600 PSI, ASME SA182 GR F316L, SEISMIC 1, NONACTIVE, DWG B-48739, S/N 542-0	0	C	48200 SE
CPC986Y	AL	6-A-37-30;	5	\$0.00	VALVE	VALVE, GATE, QA 0, CLASS 2, 3/4 IN, SS, SOCKETWELD, 1500 PSI, ASME SA105, SEISMIC I NONACTIVE, FIG DWG B-53347, S/N 904-21672C 0	0	C	48200 SE
CPC988T	AL	6-A-37-30;	3	\$0.00	VALVE	VALVE, GATE, QA 0, 1-1/2 IN, SS, SOCKETWELD, 1500 PSI, ASME SA182 GR F316L, DWG B-53348, ITEM 69, S/N 1075-216720	0	C	48200 SE
CPC990K	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, GATE, QA 0, 3/4 IN, SS, SOCKETWELD, 100 PSI, ASME SA182 GR F316L, 600 LBS, STEM CR13, DISC CR13	0	C	48200 SE
CPC995X	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, GATE, QA 0, CLASS 2, 3/4 IN, SS, SOCKETWELD, 600 PSI, ASME SA182 GR F316L, SEISMIC I NONACTIVE, FIG DWG B 48738, S/N 8 0	0	C	48200 SE
CPD258V	AL	6-A-37-30;	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3/4 IN, BRONZE, FNPT, 300 PSI, ASTM B61, ANGLE, SEAT & DISC, ANSI B31.155, MRR 6417	0	C	48200 SE
CPD280E	AL	6-A-37-30;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, CLASS 2, 3/4 IN X 1 IN, ALLOY STEEL, 1030 PSI, 160 PSI, ASME SA351 GR CF3M, 5 SGPM, 110% SET PRESSURE, 60C 0	0	C	48200 SE
CPL841G	AL	6-A-39-10'	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 14 IN, CS, CR13, 1480 PSI, ASTM A105 GR WCB, 13% CHROMIUM SS, 100 DEG F, ANSI 600, SEAT HF, MAX TEMP 80C 0	0	C	48200 SE
ADH339K	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 1/8 IN, 110/120, 140 PSI, 165, VALVE, SOLENOID; TWO WAY, 000.125 IN ORIFICE	0	P	48104 SE
ADH632M	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, GATE, QA 0, 2.0 IN, BRASS, SOLDER JOINT, 125 PSI, T, ***	0	C	48200 SE
ADJ375A	AL	6-A-39-20'	1	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 3, VALVE, *** BELLOW ASSEMBLY, COMPLETE WITH DISC HOLDER AND BELLOW, FOR	3	C	48200 SE
AYD921R	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 1/4 IN, 5/16 IN, FNPT, 240 DC, 400 PSI, BRASS, VALVE, SOLENOID; TYPE: 2-WAY; SIZE: 1/4 IN; ORIFICE S 0	0	C	48104 SE
BBX233B	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, 3.0 IN, IRON, BRONZE, FLAT FACE FLANGED, 200 PSI, ASTM A126, T, RISING, HANDWHEEL, OUTSIDE SCREW YOKE, C, 0	0	C	48200 SE
BDY489M	AL	6-A-39-20'	1	\$0.00	STRAINER	STRAINER, Y, QA 3, 2-1/2 IN, SS, 150 DEG F, FNPT, STRAINER, SEDIMENT; SIZE 2.5 IN, MAX OPR TEMP 150.0 DEG F, MAX OPR	3	C	4730P SE
BLH376T	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, RELIEF, QA 3, BRASS, THREADED, 357 PSI, CO2 FIRE PROTECTION SYS, , SAFETY RELIEF; 0.75 IN. MALE X 1 IN. FEMALE	3	C	48200 SE
BLQ250Q	AL	6-A-39-20'	3	\$0.00	VALVE	VALVE, RELIEF, QA 0, 2-1/2 IN, IRON, FLANGED, 300 PSI, 140 PSI, CAST, SAFETY, INLET FLANGE SET AT	0	P	48200 SE
BRR117B	AL	6-A-39-20'	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, VALVE, SAFETY RELIEF; COMPLETE, SIZE 2H3, SHOP# 72547, STYLE:	0	C	48200 SE
BTE776L	AL	6-A-39-20'	2	\$0.00	VALVE	VALVE, PLUG, QA 0, T-HANDLE OPERATOR, 1-1/2 IN, IRON, FLAT FACE FLANGED, 150 PSI, VALVE, PLUG; SIZE: 01.500 IN ( 1 1/2), PRESSU 0	0	C	48200 SE
BXN910T	AL	6-A-39-20'	1	\$0.00	HOLDER	HOLDER, DISC, QA 1, HOLDER, VALVE; DISK, COMPLETE WITH DISK HOLDER, PC 5A, DISK RING PC	1	B	48200 SE
CAK306X	AL	6-A-39-20'	1	\$0.00	SEAT	SEAT, VALVE, QA 1, GATE, 4 IN, SEAT, VALVE; IT 3.FOR 4 IN GATE VALVE,IT CODE 6-5247-57-040-01N,ASME	1	B	48200 SE
CEJ547J	AL	6-A-39-20'	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, CHECK VALVE, LUBE OIL COOLER, , TYPE: SWING; SIZE: 1/2 IN, BODY MATERIAL: BRASS, RATING: 200 PSI,	1	C	29100 SE
ALV982T	AL	6-A-39-20;	8	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 1/4 IN, FPT, REGULATOR, PRESSURE; "AIRSET",000.250 IN FPT BOTH ENDS, W/DRAIN COCK	0	P	6695D SE
AQN355P	AL	6-A-39-20;	3	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 001.125 IN, 300.000 PSIG, LESS COIL, FOR USE WITH	3	C	48104 SE
ATB766E	AL	6-A-39-20;	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, 2735 PSI, VALVE, SAFETY RELIEF; 0.75 X 1 IN, SET POINT 2735 PSIG, COMPLETE ASSY	1		48200 SE
AXN859V	AL	6-A-39-20;	4	\$0.00	VALVE	VALVE, TURBINE, QA 0, VALVE, STEAM TURBINE; SERVO, FOR MAIN TURBINE ***	0		2825G SE
BAV551D	AL	6-A-39-20;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 0, 2-WAY, 5/8 IN X 3/4 IN, 0.313 IN, COMPRESSION, 300 PSI, BRASS, VALVE, SOLENOID; TWO-WAY, NORMALLY CLC 0	0	C	48104 SE
BKF898C	AL	6-A-39-20;	2	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 0.6250 ODF X 0.8750 ODM IN, LESS COIL, FOR ICE	3	C	48104 SE
BLQ396G	AL	6-A-39-20;	3	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1.125 IN, 300 PSIG, LESS COIL ***	3	C	48104 SE
BNJ398Y	AL	6-A-39-20;	30	\$0.00	VALVE	VALVE, TYPICAL, QA 0, VALVE, ; CONAX BUFFALO CORP, P/N N-49017-01 ***	0	C	48200 SE
BNP377D	AL	6-A-39-20;	1	\$0.00	VALVE	VALVE, RELIEF, QA 1, 3/4 IN X 1 IN, FLANGED, VALVE, SAFETY RELIEF; 0.75 IN INLET X 1 IN, NOZZLE TYPE RELIEF BODY	1		48200 SE
BRX394V	AL	6-A-39-20;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, VALVE, SOLENOID; 1/4 INCH, FOR RADIATION MONITORS ***	3	B	48104 SE
BRX620Q	AL	6-A-39-20;	1	\$0.00	VALVE	VALVE, SOLENOID, QA 3, 2-WAY, 1/2 IN, N.C., FOR RADIATION MONITORS	3	A	48104 SE
BWH595W	AL	6-A-39-20;	8	\$0.00	VALVE	VALVE, CHECK, QA 3, VALVE, STEAM TURBINE; CHECK, .500", 1500 LB. STAINLESS STEEL, ASTM	3		2825G SE
CEL245Q	AL	6-A-39-20;	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1-1/2 IN X 2 IN, FLANGED, 150 PSI, ** TYPE: SAFETY; (1 1/2 F 2), MODEL JB25-3(TD)TYPE "A", SET PRESSURE	0	C	48200 SE
BPR331M	AL	6-A-39-30'	4	\$0.00	VALVE	VALVE, BALL, QA 0, 4 IN, ALUMINUM, FLANGED, 125 PSI, TEFLON (PTFE), TEMPERATURE: 120 DEG F	0	C	48200 SE
ANH420Q	AL	6-A-39-30;	1	\$0.00	VALVE	VALVE, BUTTERFLY, QA 0, LEVER OPERATED, 6 IN, IRON, FLAT FACE FLANGED, 125 PSI, CAST, VALVE, BUTTERFLY; SIZE: 06.000 IN ( 6 ), PI 0	0	C	48200 SE
AVR363N	AL	6-A-39-30;	1	\$0.00	BELLOWS	BELLOWS, TYPICAL, QA 0, BELLOWS, VALVE; BRASS, FLANGE TYPE WITH SPRING ATTACHED, 9.5 IN,	0	P	48200 SE
BFL176J	AL	6-A-39-30;	1	\$0.00	VALVE	VALVE, CONTROL, QA 0, 4 IN, IRON, FLAT FACE FLANGED, 30-300 PSIG, CAST, VALVE, PRESSURE REGULATOR; 4.0 IN, END TYPE FLAT FAC 0	0	C	48200 SE
BJD162F	AL	6-A-39-30;	11	\$0.00	VALVE	VALVE, GLOBE, QA 1, VALVE, GLOBE; :375 IN, CLASS 1500, BODY MATL STAINLESS STEEL AISI 316	1	C	48200 SE
BJH239H	AL	6-A-39-30;	2	\$0.00	VALVE	VALVE, RELIEF, QA 0, 1/2 IN X 1 IN, MNPT X FNPT, 100 PSI, VALVE, SAFETY RELIEF; .5 IN, ORIFICE .029 IN, OUTLET 1.0 IN, END TYPE	0	P	48200 SE



CBY144X	AL	6-A-39-30	1	\$0.00	VALVE	VALVE, GLOBE, QA 0, VALVE, PRESSURE REDUCER; AUTOMATIC CONTROL GLOBE VALVE, 150-LB, 2 INCH	0	C	48200 SE
BPG654B	AL	6-B-01-101	1	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 0, GEAR ASSY, SPEED DECREASER; PARALLEL SHAFT, 4.25 HP INPUT, 70 RPM	0	C	30400 SE
CGY589P	AL	6-B-01-102	1	\$0.00	PULLEY	PULLEY, SHEAVE, QA 3, GROOVE, 28 IN, 27.900 IN, CAST IRON, 8	3	C	30400 SE
ABF522K	AL	6-B-01-201	4	\$0.00	BEARING	BEARING, TYPICAL, QA 0, BEARING, ACTUATOR; RACK, FOR OHIO OSCILLATOR CO DAMPER ACTUATOR, NEW	0	P	48200 SE
ADB179E	AL	6-B-01-201	1	\$0.00	BEARING	BEARING, BALL, QA 0, 2.3622 IN, 4.3307 IN, 14043, RADIAL, DOUBLE ROW, 1.4375 IN, BEARING, BALL; IBI NO.: 14043; TYPE: RADIAL, DOI	0	C	3110B SE
AME252X	AL	6-B-01-201	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, COVER, *** BEARING COVER, REF 91C, FOR SCREEN WASH PUMP, MODEL 6LR-16, DOUBLE	0	P	4320U SE
ANF157C	AL	6-B-01-201	6	\$0.00	PISTON	PISTON, MECHANICAL, QA 0, DAMPER OPERATOR; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG	0	C	4410C SE
ANF557V	AL	6-B-01-201	4	\$0.00	RACK	RACK, TYPICAL, QA 0, RACK, BOILER; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON	0	C	4410C SE
ANF656R	AL	6-B-01-201	4	\$0.00	RETAINER	RETAINER, TYPICAL, QA 0, BEARING, FOR DAMPER OPERATOR, MODEL HA-133-300	0	C	4530F SE
ANF657P	AL	6-B-01-201	4	\$0.00	TUBE	TUBE, TYPICAL, QA 0, CYLINDER, FURNACE; FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON	0	C	6630D SE
ANF956D	AL	6-B-01-201	7	\$0.00	GEAR	GEAR, TYPICAL, QA 0, PINION, FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON BABCOCK	0	C	4520N SE
AQQ938L	AL	6-B-01-201	15	\$0.00	BEARING	BEARING, TYPICAL, QA 0, FOR DAMPER OPERATOR, MODEL HA-133-300, DWG SH-5101, ON BANDW	0	P	4520N SE
CDC575J	AL	6-B-01-201	1	\$0.00	SEAL	SEAL, MECHANICAL, QA 0, PUMP, 3-1/4 IN, STEEL, BOLTED, AS1585-2SC/CAR, W/VITON O-RINGS 222152 A-01AB8S, U8 HOT WATER REH	0	C	5730H SE
CPM701W	AL	6-B-01-201	1	\$0.00	BEARING	BEARING, TYPICAL, QA 0, 1.2500 IN, 3.0000 IN, BRASS, NAVAL, QQB 367, ASTM B21, ALLOY 364, 1/2 HARD	0	C	3110B SE
BBN481V	AL	6-B-01-202	1	\$0.00	GEARMOTO	GEARMOTOR, TYPICAL, QA 0, 1725, 36:1, 230/460, 3, 5, GEARCASE, MOTOR; 5 HP, 1725 RPM, 230/460 VAC, 3PH, 13.8/6.9 AMPS	0	P	6105D SE
ADJ732C	AL	6-B-01-301	2	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG ASSY, VALVE; VALVE, C/O PLUG 3C2929X0032, GROOVE PIN 1B600735072	0	P	48200 SE
BRA298R	AL	6-B-01-301	2	\$0.00	BRACKET	BRACKET, SUPPORT, QA 0, BRACKET, SUPPORT; MOTOR, BRACKET REFERENCE 1, FOR A DEMING 4511	0	B	4320U SE
CEH562V	AL	6-B-01-301	1	\$0.00	NUT	NUT, TYPICAL, QA 1, CLASS 1, NUT, *TYPICAL; TYPE: ASSEMBLY; SIZE: 2 IN; TPI: 8 *** SUPERBOLT TORQUE	1	C	48200 SE
AQG274N	AL	6-B-01-302	2	\$0.00	BEARING	BEARING, ROLLER, QA 0, BEARING, ROLLER SELF-ALIGNING; MATERIAL: STEEL ***	0	P	3110B SE
BHQ977E	AL	6-B-01-302	1	\$0.00	HOSE	HOSE, FLEXIBLE/METAL, QA 2, HOSE ASSY, METALLIC; FLEXIBLE, CORRUGATED, BRONZE, 2.00 ID X 20.00 IN	2	C	47200 SE
BNP573D	AL	6-B-01-302	1	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 0, LIQUID LEVEL, HIGH TEMPERATURE AND INTERFACE, 2 IN. 1500 LB	0	C	59300 SE
BWQ884H	AL	6-B-01-302	3	\$0.00	BEARING	BEARING, TYPICAL, QA 1, SPEED CHANGER FOR HPCI PUMPS, , BEARINGS FOR LOW SPEED SHAFT, NO. OF BEARINGS REQ'D PER SHAFT:	1	C	4320U SE
CAH665A	AL	6-B-01-302	2	\$0.00	CABLE	CABLE, ASSEMBLY, QA 1, CABLE ASSY, SPECIAL PURPOSE, ELEC; LPRM UNDERVESSEL SIGNAL CABLE, 35	1	B	6150E SE
CDP629W	AL	6-B-01-302	2	\$0.00	BEARING	BEARING, ROLLER, QA 2, BEARING, DIESEL GENERATOR; ROLLER, FOR USE ON A.C. SYNCHRONOUS	2	B	6115F SE
BQQ144K	AL	6-B-02-101	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 1-1/2 IN, 1 IN, 5 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 5, DESIGN MEDIUM: CHEMICAL	0	B	4320U SE
CPC931Q	AL	6-B-03-101	2	\$0.00	TROLLEY	TROLLEY, TYPICAL, QA 0, HOIST, 16 TON, HIGH CAPACITY, LOW HEARDROOM, ASME B30.16, ASME HST-2.M, ZLP-ZLG,	0	C	3950F SE
BFRO57P	AL	6-B-03-201	3	\$0.00	LINER	LINER, TYPICAL, QA 0, LINER, BEARING HOUSING; OUTBOARD, TYPE EGZLQ, 280 MM ID, FOR FAN	0	C	4140U SE
BWM655G	AL	6-B-03-201	1	\$0.00	AFTERCOOL	AFTERCOOLER, TYPICAL, QA 0, AFTERCOOLER, AIR COMPRESSOR; COMPLETE, AIR, M/N DAR-8406-2, SERVICE	0	C	4310I SE
BFRO55V	AL	6-B-03-202	2	\$0.00	LINER	LINER, TYPICAL, QA 0, LINER, BEARING HOUSING; INBOARD, TYPE EGZLA, FOR LIGHTWEIGHT	0	C	4140U SE
ART914J	AL	6-B-03-301	2	\$0.00	BEARING	BEARING, ASSEMBLY, QA 0, THRUST, 5.0000 IN, 10.5000 IN, BEARING ASSY, ; THRUST, 10.500 OD X 5 IN BORE, C/O 10.500 IN BASE	0	P	6105D SE
AWX255Y	AL	6-B-03-301	1	\$0.00	ROTOR	ROTOR, PUMP, QA 0, 28-1/2 IN, *** COMPLETE WITH BEARING HOUSING PN 206B159AX1-K AND IMPELLER, DWG	0	P	4320U SE
BFJ632W	AL	6-B-03-302	1	\$0.00	INDICATOR	INDICATOR, TEMPERATURE, QA 0, INDICATOR, SIGHT LIQUID; DESIGN PRESSURE 35 PSIG, TEST PRESSURE 92	0	P	6695D SE
AQF055Y	AL	6-B-04-101	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 2, PUMP, CENTRIFUGAL; 31.2 GPM, 217 FT HD, 460 VAC, 3 PH, 11 KW, 15.8 AMP	2	B	4320U SE
BPG959L	AL	6-B-04-101	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 10, REVOLUTIONS PER MIN: 3550, INLET	0	P	4320U SE
BTK960D	AL	6-B-04-102	2	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY: 300, PRESSURE RATING: 15 PSI, DESIGN	0	C	4320U SE
BQY575Q	AL	6-B-04-201	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 3, 2-1/2 IN, 1-1/2 IN, 10 IN, 3, 40 GPM, *** PUMP UNIT, CENTRIFUGAL; PUMP: TYPE H2, SIZE 2.5 (2-1/2) X 1.5	3	C	4320U SE
BBJ654B	AL	6-B-04-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 3 IN, 3 IN, 300 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 300, DESIGN MEDIUM: WATER, INLET	0	P	4320U SE
CPE538G	AL	6-B-04-301	1	\$0.00	PUMP	PUMP, SUMP, QA 0, WATER, 25, SUBMERSIBLE, 36 IN LG X 28 IN WD X 22 IN HGT, 908 LBS	0	C	4320U SE
CPD861E	AL	6-B-05-101	1	\$0.00	SHOCK ARR	SHOCK ARRESTOR, MECHANICAL, QA 0, 38.1 MM, MEAN LOAD 1100 KN, CHARGE # 250000 LBS, COURSE 1.5 IN, OIL AP280, HULE	0	C	4710Y SE
BHD282B	AL	6-B-05-201	1	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 1, HEATING/NON-IMMERSION, 20 KW, HEATING ELEMENT, ELEC, NONIMMERSION TY; 20 KW, FOR CONTAINMENT I	1	P	5966A SE
AGB298K	AL	6-B-05-202	4	\$0.00	CUP	CUP, BEARING, QA 3, CUP, TAPERED ROLLER BRG; SINGLE ROW, STRAIGHT BORE TYPE TS, 12.5 IN OD	3	P	3110B SE
ARY793F	AL	6-B-05-202	2	\$0.00	CONE	CONE, BEARING, QA 3, CONE, TAPERED ROLLER BRG; SINGLE ROW, STRAIGHT BORE, TYPE TS, 7.0855	3	C	3110B SE
BQD322E	AL	6-B-05-301	2	\$0.00	HOSE	HOSE, FLEXIBLE/METAL, QA 1, CLASS 3, ASSEMBLY, 3 IN, 304/321 SS SA240/479/403, THREADED, HOSE ASSY, METALLIC; FLEXIBLE, C/O 1	0	C	47200 SE
CAW109H	AL	6-B-06-101	1	\$0.00	PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
BGT017Q	AL	6-B-06-201	2	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 2, VOLTAGE: 250 ***	0	C	4320U SE
BTQ451X	AL	6-B-06-201	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, METERING; SIMPLEX, 5/8" PLUNGER, ALLOY 20 MATERIAL, 117 STOKES	0	C	4320U SE
CJH771R	AL	6-B-06-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, PUMP, MAIN TURBINE SHAFT DRIVEN OIL PUMP	3	C	2825G SE
AWJ003B	AL	6-B-06-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, SUBMERSIBLE, PUMP, CENTRIFUGAL; SUBMERSIBLE, DRAINAGE, 13 HP, 3 PH, 3400 RPM,	0	C	4320U SE
BXF598T	AL	6-B-06-202	1	\$0.00	KIT	KIT, PARTS, QA 0, REPAIR KIT, ACTUATOR; FOR CONTROL VALVE ACTUATOR ***	0	C	48200 SE
BHK606D	AL	6-B-06-302	2	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 0, CYLINDER, VACUUM PUMP; CAST STEEL, HOUSING, FWJ-M-405, FOR VACUUM PUMP	0	B	4310I SE
AAV838G	AL	6-B-07-101	4	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN ID X 2-1/2 IN OD, BRONZE, SAND CAST, QQ-C-390A CDA 836, BAR, ROUND W/HOLL	0	P	9520Z SE
ACY483F	AL	6-B-07-101	1	\$0.00	REDUCER	REDUCER, PIPE, QA 1, CLASS 2, REDUCER, PIPE; CONCENTRIC, SCHEDULE 80, STAINLESS STEEL ASME SA 403 WP	1	P	4730P SE
BEK223F	AL	6-B-07-101	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, ; ALLOY 20, 1.5 X 84 IN LONG, W/COUPLING WASHER, HEX HEAD	0	P	5130U SE
BNP805K	AL	6-B-07-101	12	\$0.00	GOVERNOR	GOVERNOR, CONTROL, QA 0, GOVERNOR, POWER TOOL; GOVERNOR ***	0	C	5130U SE
BNP806H	AL	6-B-07-101	6	\$0.00	NUT	NUT, TYPICAL, QA 0, NUT, ; FLANGE ***	0	P	5130U SE
BNP809B	AL	6-B-07-101	6	\$0.00	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; RING ***	0	P	3040D SE
ARE079F	AL	6-B-07-102	1	\$0.00	DIAPHRAGM	DIAPHRAGM, TURBINE, QA 0, DIAPHRAGM, STEAM TURBINE; GLAND, IL 1250-4013A, FIG 1, FOR MAIN	0	P	2825G SE

BJW899D	AL	6-B-07-201	4	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, FILTER ELEMENT, AIR CONDITIONER; PRE-FILTER, DWG 40-Q, 4 X 24 X24 IN	3	P	4520N SE
BXV547E	AL	6-B-07-202	1	\$0.00	SNUBBER	SNUBBER, HYDRAULIC, QA 1, SHOCK ARRESTOR, MECHANICAL; SNUBBER, DESIGN LOAD 50,000 LBS, 12 IN.	1	B	4710Y SE
BDR756J	AL	6-B-07-302	1	\$0.00	GEARMOTO	GEARMOTOR, TYPICAL, QA 0, 1725/29, 230/460, 3, 2, GEARCASE, MOTOR; GEAR, RIGHT ANGLE, FRAME K47, 2 HP, 230/460 VAC, 60	0	C	3040D SE
APE962H	AL	6-B-08-101	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; DESIGN MEDIUM: WATER ***	0	C	4320U SE
AQW358J	AL	6-B-08-101	2	\$0.00	PUMP	PUMP, HAND, QA 0, HYDRAULIC, PUMP, HYDRAULIC, RAM, HAND D; DESIGN MEDIUM: ACID ***	0	C	4320U SE
BNB359D	AL	6-B-08-101	3	\$0.00	PUMP	PUMP, TYPICAL, QA 1, PUMP, FUEL, ELECTRICAL; ASM FUEL OIL, FLANGED CONNECTIONS 3.6 GPM @	1	C	29100 SE
BNR706B	AL	6-B-08-101	3	\$0.00	PUMP	PUMP, HAND, QA 0, HYDRAULIC, HIGH, PUMP, HYDRAULIC, RAM, HAND D; MASTERFLEX, HIGH CAPACITY, WITH BRACKET	0	P	6630D SE
BPQ264F	AL	6-B-08-101	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP ASSY, ANALYZER; AIR, FOR ANALYZER, SODIUM, MODEL 1811 LL ***	0	C	4320U SE
BRD680Q	AL	6-B-08-101	2	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: CHEMICAL ***	0	B	4320U SE
BVD760E	AL	6-B-08-101	1	\$0.00	PUMP	PUMP, HAND, QA 0, PUMP, HAND OPERATED; MASTERFLEX L/S HAND PUMP, ACCEPTS ONLY MASTERFLEX	0		6630D SE
BYJ421D	AL	6-B-08-201	1	\$0.00	PUMP	PUMP, VACUUM, QA 0, ROTARY, 5 IN, 5 IN, 310 CFM, PUMP, VACUUM, ROTARY; BARE, MECHANICAL, MODEL 250, 310 CFM, TYPE RP	0	B	4310I SE
AWG022G	AL	6-B-08-202	1	\$0.00	ROTOR	ROTOR, PUMP, QA 0, ROTOR, PUMP; METAL, COMPLETE, FOR AUXILIARY BOILER FEED PUMP, TYPE	0	C	4320U SE
AVQ746B	AL	6-B-08-301	3	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 01.250 IN ( 1 1/4), OUTLET SIZE: 01.500	0	P	4320U SE
BBG379H	AL	6-B-08-301	2	\$0.00	COMPRESS	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; VOLTAGE: 208/230 VAC, HORSEPOWER: 3 ***	0	P	4520N SE
CJQ335A	AL	6-B-08-302	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 3 IN, 4 IN, 9-1/2 IN, 200 GPM, IRON, CARVER DESIGN, CONDENSER TUBE CLEANING SYSTEM PUMP, 90 TDH, 175	0	C	4330N SE
BLT049J	AL	6-B-09-101	1	\$0.00	DIAPHRAG	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, HIGH PRESS HEATER; SEAL WELDED, CARBON STEEL, 20.625 IN OD,	0	C	4520N SE
CAB064T	AL	6-B-09-101	15	\$0.00	FASTENER	FASTENER, TYPICAL, QA 2, STUD TENSIONING, 1-1/4 IN X 8 IN, ALLOY STEEL, FASTENER, HEAVY EQUIPMENT; ASSEMBLY, STUD TENSIONING	2	C	29100 SE
CAB069G	AL	6-B-09-101	33	\$0.00	FASTENER	FASTENER, TYPICAL, QA 2, FASTENER, HEAVY EQUIPMENT; ASSEMBLY, STUD TENSIONING, ALLOY STEEL	2	C	29100 SE
CAG481R	AL	6-B-09-101	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, VACUUM PUMP; FOR NASH VACUUM PUMP MODEL NO. CL-2003, TEST	0	B	4310I SE
BME249B	AL	6-B-09-102	4	\$0.00	PLUG	PLUG, TYPICAL, QA 0, 7-1/2 IN, 9 IN, ASSEMBLY, SPIN WBT RCPCSG WHO 1696	0	C	4470C SE
BME371E	AL	6-B-09-102	4	\$0.00	COVER	COVER, TYPICAL, QA 0, GENERATOR, WITH 8 HOLES, FOR STEAM GENERATOR WET LAYUP HOLES MODIF,	0	C	4470C SE
BME405Q	AL	6-B-09-102	3	\$0.00	TOOL	TOOL, TYPICAL, QA 0, STUD HOLE PLUG, STUD HOLE PLUG HANDLING TOOL, WBT-185, SPIN WBT-EHMEPE,	0	C	5120M SE
AXY154R	AL	6-B-09-201	1	\$0.00	BOWL	BOWL, TYPICAL, QA 0, BOWL ASSY, OIL PURIFIER; C/W INSERT, O-RINGS, AND PLATES, FOR	0	P	4330N SE
ARW158L	AL	6-B-09-202	2	\$0.00	COMPRESS	COMPRESSOR, TYPICAL, QA 3, RECIPROCATING, 1725/1425, 0.750, MOTOR 8-140744-01, FRAME K56Y, TYPE S/C, HP	3	P	4310I SE
CJA729W	AL	6-B-09-301	1	\$0.00	COMPRESS	COMPRESSOR, REFRIGERATION, QA 1, R-22, 460, FOR CONTROL BAY CHILLER, TRANE HELIOTOR COMPRESSOR,	1	C	4310I SE
AVG691K	AL	6-B-09-302	2	\$0.00	COMPRESS	COMPRESSOR, REFRIGERATION, QA 0, 2, 7,500 BTU, 3 PH, 220	0	P	4520N SE
CPG971C	AL	6-B-10-101	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, 48.6 GPH, INJECTION, 2900 PSI, S/N 23082 3-1A, WITH INTERNAL RELIEF VALVE SET AT 3335 PSI	0	C	4320U SE
AQV807M	AL	6-B-10-201	2	\$0.00	PUMP	PUMP, TYPICAL, QA 2, PUMP, ; INTERNAL LUB, FOR ELECTRO-MOTIVE DIV, GENERAL MOTORS CORP	2	C	29100 SE
AFY790Y	AL	6-B-10-202	1	\$0.00	PUMP	PUMP, RECIPROCATING, QA 0, UNIT, DIAPHRAGM, OXYGEN DETECTOR, C/W D/C MOTOR,	0	P	6695D SE
APD292A	AL	6-B-10-202	1	\$0.00	CASING	CASING, PUMP, QA 0, HOUSING, LIQUID PUMP; PUMP, C/W STOP PIN S836AEX8/0219, SNAP RING	0	C	4320U SE
BBL281E	AL	6-B-10-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 100 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 100, DESIGN MEDIUM: WATER ***	0	P	4320U SE
BDJ957C	AL	6-B-10-202	2	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 19, HORSEPOWER: 1.5 ***	0	P	4320U SE
BFR048Q	AL	6-B-10-202	5	\$0.00	PUMP	PUMP, TYPICAL, QA 0, 11-1/2 IN, 3/4 IN, 16 GPM, PUMP, ROTARY; CAPACITY: 16, DESIGN MEDIUM: OIL, HORSEPOWER: 1.5	0	C	4320U SE
BGE306R	AL	6-B-10-202	5	\$0.00	PUMP	PUMP, TYPICAL, QA 0, 1-1/4 IN, 1, 11 GPM, FNPT, PUMP, ROTARY; DESIGN MEDIUM: OIL ***	0	P	4320U SE
BGG855C	AL	6-B-10-202	1	\$0.00	PLUNGER	PLUNGER, TYPICAL, QA 1, PLUNGER, PUMP; STAINLESS STEEL, ASTM A276, TYPE 304L, HARD GROUND	1	C	4320U SE
BNB368C	AL	6-B-10-202	9	\$0.00	PUMP	PUMP, TYPICAL, QA 1, PUMP, FUEL, ELECTRICAL; OIL, FLANGED CONNECTION, 3.6 GPM AT 1200 RPM	1	C	29100 SE
APE162J	AL	6-B-10-301	8	\$0.00	PUMP	PUMP, SUMP, QA 0, 30 GPM, 1/3, SUBMERSIBLE, HEAVY DUTY, 20 FT/HD, 110/115 VAC, 1750 RPM, 10 FT VENTED CABLE	0	C	4320U SE
CPB161M	AL	6-B-10-302	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1755, 3, 182TC, 460, 3.8, 60, 3, TEFC, F, 1.15, 40 DEG C, DESIGN B, TYPE P, CODE K, DUTY CONT., DR END I	0	C	6105D SE
BPE395K	AL	6-B-11-101	2	\$0.00	DAMPER	DAMPER, MECHANICAL, QA 0, CONTROL, 50 X 50	0	C	4520N SE
BME966E	AL	6-B-11-102	3	\$0.00	KIT	KIT, PARTS, QA 1, TRANSITION TUBE, FOR PSA-10 SNUBBER	1	C	4710Y SE
BMF602H	AL	6-B-11-102	1	\$0.00	BRACKET	BRACKET, MOUNTING, QA 1, REAR, SHOCK ARRESTOR MECH; REAR, FOR PSA-100 SNUBBERS	1	C	4710Y SE
BRC633V	AL	6-B-11-102	4	\$0.00	PIN	PIN, RETAINING, QA 1, SHOCK ARRESTOR MECH; PIVOT.1.5 X 6.0 IN LG, FOR PSA-35 SNUBBER	1	B	4710Y SE
BRC646J	AL	6-B-11-102	1	\$0.00	PIN	PIN, RETAINING, QA 1, SHOCK ARRESTOR MECH; PIVOT.2.5 X 8.5 IN LG, FOR PSA-100 SNUBBER	1	C	4710Y SE
BWF941E	AL	6-B-11-102	25	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, FLUID, PLASTIC, FILTER SAND, FOR USE WITH FILTER SAND	0	C	4310I SE
BRA674P	AL	6-B-11-201	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, POWER ASSY, DIESEL GENERATOR; FORK, FOR ELECTRO-MOTIVE DIV, GENERAL	1	B	6115F SE
BWJ032V	AL	6-B-11-202	1	\$0.00	PLATE	PLATE, LEVELING, QA 3, PLATE, ELECTRIC MOTOR; LEVELING PLATE, UPPER, PT 3, KINGSBURY DWG	3	C	6105D SE
CEH484M	AL	6-B-11-301	2	\$0.00	JOINT	JOINT, EXPANSION, QA 0, AC, 1760, 20, 256TC, 460, 24, 60, 3, TEFC, F, 1.15, 40 DEG C, TYPE P, CODE G, CONT. DUTY, DESIGN B, POWER	0	C	4410C SE
BNQ946T	AL	6-B-12-101	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 06.000 IN ( 6), OUTLET SIZE: 06.000 IN	0	P	4320U SE
CPD889P	AL	6-B-12-102	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735, 5, 60, 3, DE BEARING 50BC02JPP30A AND ODE BEARING 25BC02JPP301	0	C	6105D SE
CPB174C	AL	6-B-12-201	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1760, 20, 256TC, 460, 24, 60, 3, TEFC, F, 1.15, 40 DEG C, TYPE P, CODE G, CONT. DUTY, DESIGN B, POWER	0	C	6105D SE
CPB158A	AL	6-B-12-202	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 5, L184TC, 460, 6.1, 60, P, F, 1.15, 40 DEG C, DESIGN B, DR END BRG: 30BC02J30X, OPP END BRG: 21	0	C	6105D SE
CPB161M	AL	6-B-12-202	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1755, 3, 182TC, 460, 3.8, 60, 3, TEFC, F, 1.15, 40 DEG C, DESIGN B, TYPE P, CODE K, DUTY CONT., DR END I	0	C	6105D SE
CAJ708E	AL	6-B-12-301	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, AC, PUMP, CENTRIFUGAL; WITH RELIEF VALVE, MIN CAPACITY 200 GPM, DESIGN PRESS	0	B	4320U SE
BYF798C	AL	6-B-13-101	1	\$0.00	FAN	FAN, TYPICAL, QA 0, CIRCULATING, FOR AIR COOLING, TYPE L-31, HOUSING ONLY ***	0	C	4140U SE
AFP265E	AL	6-B-13-102	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, 97/139, 15, 46/65, 23.5 V +/- 2 V, POWER SUPPLY, ELECTRICAL; VOLTAGE 23.5 PLUS OR MINUS 2 V	0	B	61100 SE
BNP834B	AL	6-B-13-102	1	\$0.00	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, TRANSIENT; MODEL 160-2 HAS TWO (2) KITS,	1	C	6130S SE
BRA674P	AL	6-B-13-102	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, POWER ASSY, DIESEL GENERATOR; FORK, FOR ELECTRO-MOTIVE DIV, GENERAL	1	B	6115F SE

CHM902P	AL	6-B-13-201	1	\$0.00	PULLEY	PULLEY, SHEAVE, QA 3, GROOVE, 28 IN, 8	3	C	3040D SE
AJG072Y	AL	6-B-13-202	1	\$0.00	GEAR	GEAR, TYPICAL, QA 0, GEAR, ; DRIVEN, 24 IN PITCH DIA, C I, ITEM 43, FOR AUTOMATIC WATER	0	P	3040D SE
AKD392Y	AL	6-B-13-202	1	\$0.00	RING	RING, WEAR, QA 0, PUMP, *** CASE, DWG IF-586-1-2, FOR REACTOR RECIRCULATING PUMP, MODEL DVSS	0	C	4320U SE
ALD517Y	AL	6-B-13-202	1	\$0.00	ROD	ROD, TYPICAL, QA 0, ROD, ; C/W SPRING, FOR HATCH DOOR CLOSER ***	0	P	3960D SE
CGY048H	AL	6-B-13-301	2	\$0.00	GASKET	GASKET, BULK, QA 3, 39.400 IN, 39.400 IN, 1/16 IN, GRAPHITE, SHEET, STYLE: 6500 NUCLEAR GRADE, FLEXIBLE, SS INSERT	3	C	5730H SE
ABD638A	AL	6-B-13-302	12	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 16 IN, 25 IN, 1 IN, FIBERGLASS, CARDBOARD FRAME, 12 EACH PER CARTON	0	C	4520N SE
CAW109H	AL	6-B-14-101	1	\$0.00	PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
AWT055D	AL	6-B-14-201	2	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 750 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 750, DESIGN MEDIUM: WATER ***	0	C	4320U SE
BDH612L	AL	6-B-14-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, 3 IN, 3 IN, 100 GPM, PUMP, CENTRIFUGAL; CAPACITY (GPM): 100, INLET SIZE: 03.000 IN ( 3)	0	B	4320U SE
BFX531A	AL	6-B-14-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; THREADED, WITH GE ELECTRIC JETPUMP MOTOR, 1/2	0	C	4320U SE
BFX921W	AL	6-B-14-202	2	\$0.00	PUMP	PUMP, TYPICAL, QA 0, 2-1/2 IN, 3 IN, MNPT X HOSE, PUMP UNIT, PNEUMATIC; SLUDGE, MUD HEN, AIR OPERATED, 2.5 IN MPT ON ONE	0	P	4320U SE
BYE619C	AL	6-B-14-202	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, 12 IN, 12 IN, 16 IN, PUMP, LUBRICANT TRANSFER; OIL, SHAFT DRIVEN, CCW ROTATION, CAST STEEL	0	C	5120M SE
AJE487L	AL	6-B-14-301	2	\$0.00	RING	RING, WEAR, QA 0, BRONZE, DISCHARGE, REF 127, METAL 1104, PATTERN 51204,	0	C	4320U SE
ALE681C	AL	6-B-14-301	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP/CENTRIFUGAL, 5-1/8 IN, BRONZE, REF 101 MATL 1103,	0	C	4320U SE
AXF925D	AL	6-B-14-301	2	\$0.00	RING	RING, WEAR, QA 0, SS, 11 TO 13 PCT CHROME, SB COVER,	0	C	4320U SE
AXF931J	AL	6-B-14-301	2	\$0.00	RING	RING, WEAR, QA 0, PUMP, SS, 3.937 IN DIA, FOR CENTRIFUGAL PUMP,	0	C	4320U SE
AXF942D	AL	6-B-14-301	2	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 0, PUMP, 5-1/2 IN, SS, 1.062 IN ID ONE END, 1.437 IN ID OTHER END, FOR	0	C	4320U SE
BBL602M	AL	6-B-14-301	2	\$0.00	RING	RING, RETAINING, QA 0, PUMP, SS, IMPELLER, FOR CENTRIFUGAL PUMP, MODEL	0	C	4320U SE
BTR156T	AL	6-B-14-301	2	\$0.00	SPRING	SPRING, TYPICAL, QA 2, ASSEMBLY, BELLEVILLE; FOR HANGER, MARK NO. 47A450-2-110A	2	C	4710Y SE
BTR158N	AL	6-B-14-301	2	\$0.00	SPRING	SPRING, TYPICAL, QA 2, ASSEMBLY, BELLEVILLE; FOR HANGER, MARK NO. 47A450-3-100E	2	C	4710Y SE
BTR254T	AL	6-B-14-301	2	\$0.00	SPRING	SPRING, TYPICAL, QA 2, ASSEMBLY, BELLEVILLE; FOR HNAGER, MARK NO. 671ERCW-R348-3	2	C	4710Y SE
BXN309R	AL	6-B-14-301	10	\$0.00	CASING	CASING, PUMP, QA 0, HOUSING, LIQUID PUMP; IMPELLER, ASTM A278 CL 35, FOR PUMP PH206, 1 X	0	C	4320U SE
BXN660P	AL	6-B-14-301	1	\$0.00	CASING	CASING, PUMP, QA 3, CASING, PUMP; STAINLESS STEEL, TYPE 316, FOR CENTRIFUGAL PUMP, MODEL	3	C	4320U SE
ABF698D	AL	6-B-14-302	4	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, BUSHING, ; BABCOCK & WILCOX DWG 1805-109-5, MK-63, 006.812 OD X	1	P	4470C SE
ANB097F	AL	6-B-14-302	3	\$0.00	CONE	CONE, BEARING, QA 0, 22123, TAPERED ROLLER, 8.5000 IN, 1.8125 IN, 0.1400 IN, CONE, TAPERED ROLLER BRG; UPPER, SINGLE ROW-STR/0	0	C	3110B SE
BGF466W	AL	6-B-14-302	8	\$0.00	BEARING	BEARING, TYPICAL, QA 0, BEARING, DOCK LEVELER; VERTICAL, FOR DOCK LEVELER, MODEL RU-800, 6 FT	0	P	3960D SE
BHJ526F	AL	6-B-14-302	1	\$0.00	DISPENSER	DISPENSER, TYPICAL, QA 0, DISPENSER, DRINK WTR., ; STATIONARY, WALL MOUNT, STYLE 44719, BEIGE	0	P	4710W SE
CDC298J	AL	6-B-14-302	10	\$0.00	BEARING	BEARING, BALL, QA 2, 1.3780 IN, 2.8346 IN, 12456, RADIAL, SINGLE ROW, C3 RADIAL CLEARANCE, OPEN, 0.6693 IN, CS, ANNULAR, DEEP 2	C	3110B SE	
CFC170C	AL	6-B-14-302	3	\$0.00	BEARING	BEARING, BALL, QA 2, 0.9843 IN, 2.0472 IN, SINGLE ROW, DEEP GROOVED, 0.5906 IN, NON-CONTACT SEALS BOTH SIDES, LUBRICATED WI 2	C	3110B SE	
BYL101N	AL	6-B-15-101	1	\$0.00	BLADE	BLADE, TURBINE/SET, QA 0, BLADE SET, STEAM TURBINE; RIGHT HAND, ROW 7, LOW PRESSURE SPINDLE, 101	0	C	2825G SE
CPC929B	AL	6-B-15-102	1	\$0.00	ICE	ICE, TYPICAL, QA 0, MAKER, 1 PH, 60 HZ, 2 WIRES, 115 AC, MIN CIRCUIT AMPS 29.5, MAX FUSE 30 AMPS,	0	C	3405L SE
ARN801M	AL	6-B-15-201	4	\$0.00	PACKING	PACKING, PREFORMED, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE 14, DFA, (TE), & STAGE 14	0	C	2825G SE
AYG286A	AL	6-B-15-201	1	\$0.00	PACKING	PACKING, BULK, QA 0, 3/16 IN, 3/16 IN, GRAPHITE/TEFLON, 550 DEG F, *** SHAPE: SQUARE, CONTAINER SIZE: 1 LB	0	P	5730H SE
CED987F	AL	6-B-15-201	5	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 0, PUMP, 5-1/2 IN, 6-11/16 IN, GRAFOIL/LEAD, 9, *** TO FIT A STUFFING BOX SIZE 6-11/16"(6.687) OUTS 0	C	5730H SE	
CFX739A	AL	6-B-15-201	1	\$0.00	PACKING	PACKING, BULK, QA 0, BRAIDED, 1600R, 3/16 IN, 3/16 IN, GRAPHITE, 2 LB, REINFORCED TAPE, SLEEVE NUT PACKING, FOR BOILER FEED PU 0	C	5730H SE	
ARN796G	AL	6-B-15-202	2	\$0.00	PACKING	PACKING, PREFORMED/SET, QA 0, RING, PACKING STEAM TURBIN; DIAPHRAGM, STAGE, 11 & 13, DFB, DFC, GE, 12	0	C	2825G SE
AJB706K	AL	6-B-15-301	48	\$0.00	NUT	NUT, TYPICAL, QA 0, COUPLING, *** FOR TURBINE, S/N 170X374 (5600), SEQ 0815 LPA GE	0	C	2825G SE
ATW855P	AL	6-B-15-301	6	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, STEAM TURBINE, *** CROSSHEAD GUIDE, FOR CONTROL VALVES 1 TO 4, ON TURBINE, S/N	0	C	2825G SE
APF399D	AL	6-B-15-302	5	\$0.00	HANGER	HANGER, TYPICAL, QA 3, HANGER, ; FOR SERVICE & HANDLING SYSTEM REFUELING PLATFORM FUEL	3	P	4470C SE
CAW109H	AL	6-B-16-101	1	\$0.00	PUMP	PUMP, SUMP, QA 3, 35 GPM, PUMP, SUMP; VERTICAL, CAPACITY (GPM): 35, TOTAL HEAD: 50 FT, TYPICAL	3	C	4320U SE
CAW481V	AL	6-B-16-101	2	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, PUMP, LUBE OIL SCAVENGING & FUEL OIL PUMP, 8, , CAT 302 PARTS LIST B40 PAGE 1, W/FLANGED FUEL PUMF 1	C	2910U SE	
BNE857D	AL	6-B-16-102	2	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, UNIT, AUX DUPLEX, B/F 1732-22-9813, S/N 42449-4 AND 42449-5	0	C	4320U SE
AHE070Y	AL	6-B-16-201	4	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; VOLTAGE: 115 ***	0	P	4320U SE
AXP783X	AL	6-B-16-201	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; HORSEPOWER: 0.25 ***	0	P	4520N SE
BCR972J	AL	6-B-16-201	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; CAPACITY (GPM): 85, TOTAL DISCHARGE: 15 FT OUTLET	0	P	4320U SE
BTP969T	AL	6-B-16-201	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, FLUID DRIVE; CHEMICAL, 4 AMP, 115V AC, 50/60 HZ ***	0	B	6630D SE
AYY431K	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP, CENTRIFUGAL; INLET SIZE: 04.000 IN ( 4), OUTLET SIZE: 04.000 IN	0	P	4320U SE
BCL907Q	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 3, PUMP, CENTRIFUGAL; 3 LOBE ROTARY BLOWER, TOP DRIVE, WITH CASE TO INLET	3	P	4320U SE
BLH107P	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, LUBRICANT TRANSFER; STAINLESS STEEL POLYPROPYLENE, 40 IN, DRUM	0	P	5120M SE
BND460R	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: FUEL OIL ***	0	P	4320U SE
BXX054J	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, WATER SAMPLING; REPLACEMENT, FOR PACESETTER DRAWDOWN ASSY, P/N	0	B	4320U SE
CBH899A	AL	6-B-16-202	1	\$0.00	PUMP	PUMP, SCREW, QA 0, OIL, 4 IN, 4 IN, AIR SIDE SEAL OIL, S/N 589124,	0	C	4320U SE
AGC879R	AL	6-B-16-301	3	\$0.00	WIPER	WIPER, TYPICAL, QA 0, ROD, FOR 5 IN AIR ELECTRIC SEGREGATING SLIDE VALVE,	0	P	4450C SE
AJB195H	AL	6-B-16-301	3	\$0.00	WASHER	WASHER, LOCKING, QA 0, BEARING, 1.5831 IN, 2 IN, 0.053 IN, CS, W-08, BEARING LOCKWASHER WITH INTERNAL KEY	0	P	3110B SE
ALC060R	AL	6-B-16-301	2	\$0.00	BODY	BODY, VALVE, QA 0, HALF, 4 IN, FLANGED, BODY HALF, ASH DISPOSAL; VALVE, REF 1, FOR 004.000 IN AIR ELECTRIC	0	P	4450C SE
ANC987H	AL	6-B-16-301	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 7 IN, ASSEMBLY, COUPLING ASSY, PIPE, PIPE SIZE 7 IN, C/O TWO EA GASKETS, P/N	0	C	4450C SE
APC282J	AL	6-B-16-301	3	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 4-1/2 IN, ACTUATING/LINEAR, AIR, ASH DISPOSAL, REF 8, FOR 12 X 6 IN MATERIAL HANDLING VALVE,	0	C	4450C SE

ATQ390A	AL	6-B-16-301	2	\$0.00	WIPER	WIPER, TYPICAL, QA 0, ROD, FOR AIR CYLINDER, MODEL GNAA-SL, 004.000 IN	0	P	4450C SE
ATQ392T	AL	6-B-16-301	2	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 4 IN, ACTUATING/LINEAR, 100 PSI, AIR, MODEL GNAA-SL,	0	C	4450C SE
ATQ397G	AL	6-B-16-301	2	\$0.00	PACKING	PACKING, PREFORMED, QA 0, RING, 3-3/4 IN, 4 IN, 1/8 IN, RUBBER, PISTON, FOR AIR CYLINDER, MODEL GNAA-SL, 4 IN BORE, 100 PSI WP,	0	P	4450C SE
ATW570K	AL	6-B-16-301	3	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 4-1/2 IN, ACTUATING/LINEAR, 100 PSI, ; AIR, MOD B-17517 REV 1, BORE 004.500 IN,	0	P	4450C SE
ATW578P	AL	6-B-16-301	4	\$0.00	GATE	GATE, SLIDE, QA 0, VALVE, METAL, ASH DISPOSAL; SLIDE, METAL, FOR VACUUM BREAKER AND	0	C	4450C SE
ATW584W	AL	6-B-16-301	1	\$0.00	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; SLIDE, FOR 7 INCH SLIDE VALVE,A-15138-34, ON	0	P	4450C SE
ATW605G	AL	6-B-16-301	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, ASH DISPOSAL, ROD, FOR AIR CYLINDER ASSEMBLY, 15111-3, DWG 2-4442, ON FLY ASH	0	P	4450C SE
ATW665W	AL	6-B-16-301	4	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, PISTON, FOR AIR CYLINDER ASSEMBLY	0	P	4450C SE
AVM764Q	AL	6-B-16-301	4	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 6 IN, 7 IN, ACTUATING/LINEAR, AIR, 6 IN BORE, 7 STROKE, 500 PSI, MODEL	0	P	3040D SE
AYQ620T	AL	6-B-16-301	2	\$0.00	PIN	PIN, LOCK, QA 0, SPRING, 1/2 IN, 1-1/2 IN, CS	0	C	4450C SE
BCL686D	AL	6-B-16-301	2	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 3-1/4 IN, ACTUATING/LINEAR, 100 PSI, AIR, DWG 4-4490H,	0	C	4450C SE
BCL692J	AL	6-B-16-301	5	\$0.00	O-RING	O-RING, TYPICAL, QA 0, RUBBER, PISTON SEAL, FOR AIR CYLINDER 15212-1 BAGHOUSE ON FLY ASH DISPOSAL	0	P	4450C SE
BEL639A	AL	6-B-16-301	1	\$0.00	RING	RING, RETAINING, QA 0, 3/8 IN, BOLTED, 9-1/8 IN, 12-1/8 IN, STEEL, RING, RETAINING; STEEL, EIGHT BOLT HOLES, 12.125 OD X 9.125 ID >	0	C	4450C SE
BEY610T	AL	6-B-16-301	1	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG, VALVE; STEEL, FOR DRY FLY ASH SYSTEM,REF A5394, TAG 814J ***	0	P	4450C SE
BEY932Q	AL	6-B-16-301	1	\$0.00	PIN	PIN, TYPICAL, QA 0, PIN, ASH DISPOSAL; PIVOT, STAINLESS STEEL, HOLE THRU EACH END, FOR FLY	0	P	4450C SE
BLB267Y	AL	6-B-16-301	14	\$0.00	GASKET	GASKET, TYPICAL, QA 0, 4-1/2 IN, 4-3/4 IN, 0.031 IN, NON-ASBESTOS, SINGLE, COMPRESSED, END COVER, FOR AIR CYLINDER	0	P	4450C SE
CLD436G	AL	6-B-16-301	2	\$0.00	SPRING	SPRING, TYPICAL, QA 0, VALVE, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
CLD437E	AL	6-B-16-301	2	\$0.00	SEAT	SEAT, VALVE, QA 0, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
ADW214F	AL	6-B-16-302	3	\$0.00	STEM	STEM, VALVE, QA 0, FOR PILOT VALVE ASSY Z-3206-88	0	C	48200 SE
AGF506K	AL	6-B-16-302	3	\$0.00	CONE	CONE, TYPICAL, QA 0, CONE, VACUUM PUMP; SHAFT, IRON, PT 104, FOR VACUUM PRIMING PUMP, SIZE	0		4310I SE
AMY855C	AL	6-B-16-302	2	\$0.00	BODY	BODY, VALVE, QA 0, DIAPHRAGM, 1-1/2 IN, FLANGED, CAST IRON, SARAN LINED, CODE 64, FOR MODEL 5, DIAPHRAGM VALVE	0	C	48200 SE
ARR671P	AL	6-B-16-302	1	\$0.00	KIT	KIT, PARTS, QA 0, COMPRESSOR; VALVE PLATE, FOR CONDENSING UNIT D AND E	0	C	4310I SE
ATB546W	AL	6-B-16-302	1	\$0.00	UNIT	UNIT, TYPICAL, QA 0, RENEWAL UNIT, VALVE; CONSISTING OF SEAT CONE 155-76-4-07393-00, VALVE	0	C	48200 SE
ATP730H	AL	6-B-16-302	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, PUMP, *** STUFFING BOX, THRUST END, FOR TURBINE DRIVEN MAIN FEED PUMPS SIZE	0	C	4320U SE
ATP734X	AL	6-B-16-302	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, PUMP, *** STUFFING BOX, RADIAL END, FOR TURBINE DRIVEN MAIN FEED PUMP, SIZE	0	C	4320U SE
ATR540C	AL	6-B-16-302	2	\$0.00	BASE	BASE, MOUNTING, QA 0, DIAPHRAGM, FOR CONTROLLER, PNEUMATIC, 13 TO 20 PSIG, MODEL	0	C	6695D SE
AVH011N	AL	6-B-16-302	1	\$0.00	DISC	DISC, VALVE, QA 0, GATE, 4 IN, STEEL, REF 4, FOR 4 IN GATE VALVE, 47.5 XUF, DWG	0	C	48200 SE
AVP944C	AL	6-B-16-302	1	\$0.00	DISC	DISC, VALVE, QA 0, RELIEF, 6 IN, STEEL, 160 PSI, DISK, VALVE; STEEL, FOR 006.000IN, THD, TYPE 19060/P1-1 SAFETY RELIEF	0	P	48200 SE
AXP247N	AL	6-B-16-302	4	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, BUSHING, STEAM TURBINE; BRASS, REF 18, FIG 2, INTERCEPTOR VALVE	0	C	2825G SE
AXY495Y	AL	6-B-16-302	7	\$0.00	VALVE	VALVE, TYPICAL, QA 1, VALVE ASSY, ; CONSISTING OF DRAIN VALVE, P/NN-29017-01, 0.125 TUBE TO	1	P	48200 SE
AYN714G	AL	6-B-16-302	4	\$0.00	STEM	STEM, VALVE, QA 0, STEEL, FOR GAGE VALVE, 0.50 IN FPT, 4000 PSIG AT 100	0	C	48200 SE
AYN967J	AL	6-B-16-302	2	\$0.00	VALVE	VALVE, CHECK, QA 0, 1/2 IN, CS, FNPT, 150 PSI	0	C	48200 SE
BLR816F	AL	6-B-16-302	2	\$0.00	COLLAR	COLLAR, THRUST, QA 2, COLLAR, THRUST; BRASS, THRUST, 1ST STAGE, REF 226, DWG IF-7879, FOR	2	P	4320U SE
BNM799W	AL	6-B-16-302	1	\$0.00	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
BPW814H	AL	6-B-16-302	3	\$0.00	VALVE	VALVE, PETCOCK, QA 0, 1/2 IN, THREADED, 150 PSI, VALVE, GAGE; COCK, BYPASS, SHUTOFF, SCREW STEM, 0.50 IN NPT, 150 LB	0	C	4310I SE
BYA265A	AL	6-B-16-302	12	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; .625-11 X 2.75 LG, SA 453 GR 660, YOKE TO BONNET STUD	1	C	48200 SE
BYA270W	AL	6-B-16-302	8	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, VALVE; .625-11 X 5.75 LG, SA-453 GR 660 PACKING GLAND STAND FOR	1	C	48200 SE
BYA282A	AL	6-B-16-302	4	\$0.00	PIN	PIN, TYPICAL, QA 1, PIN, VALVE; DISC, ASTM A637 GR 718, FOR WESTINGHOUSE MANUAL AND MOTOR	1	C	48200 SE
BYA289V	AL	6-B-16-302	10	\$0.00	BLOCK	BLOCK, TYPICAL, QA 1, BEARING,VALVE; SA-564 GR 630, FOR WESTINGHOUSE MANUAL AND MOTOR	1	C	48200 SE
BYA423J	AL	6-B-16-302	14	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, VALVE; HEAVY HEX, 0.625-11 UNC, ASME SA-194 GR 2H, FOR 3" X 4"	1	C	48200 SE
BYK232B	AL	6-B-16-302	3	\$0.00	KIT	KIT, PARTS, QA 0, VACUUM PUMP, MODEL AT-2004E, 1ST STAGE, 1 EA LOCKNUT-	0	B	4310I SE
BYX847H	AL	6-B-16-302	1	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 1, PUMP, HOOK TYPE, ASTM A479 CF8M W/CHROMIUM OXIDE COATING, P/N F 4000 221 N	1	B	4320U SE
CAH761E	AL	6-B-16-302	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, PUMP; MATERIAL: ASTM A564 TYPE 630 CONDITION H1150, FOR INGER	3	B	4320U SE
CBA141B	AL	6-B-16-302	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, PUMP, ELECTRIC OPERATED ENGINE SHUTDOWN, 2, 16-645E4, , SERVO-BOOSTER, CAT 302 PLATE B33-10	1	B	29100 SE
CBA361W	AL	6-B-16-302	1	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, PUMP; SOCKET HEAD CAP, STAINLESS STEEL, IMPELLER NUT LOCK	1	C	4320U SE
CBC864P	AL	6-B-16-302	1	\$0.00	SEAT	SEAT, VALVE, QA 1, VALVE, 4 IN, 150 LB, , RING; FOR MASONEILAN SS VALVE, MATERIAL: ASTM A479 TP 316 WITH NO.	1	B	48200 SE
AXC171N	AL	6-B-17-301	1	\$0.00	COIL	COIL, COOLING, QA 0, COIL, ; TYPE W, 12 WD X 45 IN LG, EXTENDED SURFACE, COLD WATER, FOR	0	P	4520N SE
AHB993T	AL	6-B-18-302	2	\$0.00	NUT	NUT, LOCK, QA 0, BEARING, STEEL, N-08, RIGHT HAND, ROUND BEARING LOCKNUT	0	C	3110B SE
ANC987H	AL	6-B-18-302	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 7 IN, ASSEMBLY, COUPLING ASSY, PIPE, PIPE SIZE 7 IN, C/O TWO EA GASKETS, P/N	0	C	4450C SE
ARP317L	AL	6-B-18-302	2	\$0.00	KIT	KIT, PARTS, QA 0, DRYER; AQUADEX, REF 1171213, C/O ONE EA DOME, BOTTLE OF	0	P	4440E SE
ATQ391W	AL	6-B-18-302	1	\$0.00	LINER	LINER, TYPICAL, QA 0, WEAR PIECE, ASH DISPOSAL; PISTON, FOR AIR CYLINDER, MODEL GNAA-SL	0	P	4450C SE
ATQ394N	AL	6-B-18-302	2	\$0.00	BEARING	BEARING, TYPICAL, QA 0, FOR AIR CYLINDER, MODEL GNAA-SL, 4 IN BORE, 100 LB WP, STP-6, DWG	0	C	4450C SE
ATQ396J	AL	6-B-18-302	1	\$0.00	PACKING	PACKING, PREFORMED, QA 0, RING, 7/8 IN, 1-1/4 IN, 3/16 IN, RUBBER, ROD, FOR AIR CYLINDER, MODEL GNAA-SL, 4 IN BORE, 100 LB WP, S	0	P	4450C SE
ATQ928B	AL	6-B-18-302	2	\$0.00	SEAL	SEAL, TYPICAL, QA 0, RUBBER, SEAL, PLAIN; MATERIAL: RUBBER	0	P	4450C SE
ATV961X	AL	6-B-18-302	2	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL KIT, CYLINDER; METAL, RUBBER AND TEFLON ROD, FOR AIR CYLINDER	0	P	4450C SE
ATW604J	AL	6-B-18-302	3	\$0.00	BEARING	BEARING, SLEEVE, QA 0, FOR AIR CYLINDER ASSEMBLY, 15787, ON FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
ATW659P	AL	6-B-18-302	5	\$0.00	PACKING	PACKING, BULK, QA 0, PACKING, MATERIAL,SPARE PART; FIBER, PISTON, STRIP-WEAR, FORCYLINDER	0	C	4450C SE

ATW667Q	AL	6-B-18-302	6	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; VEGETABLE FIBER, PISTON BACK-UP, FOR AIR	0	P	4450C SE
ATW675R	AL	6-B-18-302	3	\$0.00	RING	RING, RETAINING, QA 0, SNAP, ROD BEARING, FOR AIR CYLINDER 14594-4, 15787,	0	P	4450C SE
AVE417J	AL	6-B-18-302	5	\$0.00	BEARING	BEARING, SLEEVE, QA 0, 0.7500 IN, ASH DISPOSAL, 1.0000 IN, 0.6250 IN, BRONZE, FLANGED, FOR DECK PLATE ASSEMBLY ON DRY FLY AS	0	P	4450C SE
AVF700Y	AL	6-B-18-302	1	\$0.00	O-RING	O-RING, TYPICAL, QA 0, 223, 1/8 IN, RUBBER, 1-5/8 IN, 1-7/8 IN, BUNA, ROD BEARING, FOR DRY FLYASH COLLECTOR AIR CYLINDER, 5 EACI	0	P	5730H SE
AVF786D	AL	6-B-18-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, MOLDED CARBON-GRAPHITE ( GRAPHITAR ),WITH	0	P	4450C SE
AVV908W	AL	6-B-18-302	2	\$0.00	PACKING	PACKING, MECHANICAL, QA 0, BACK ASSY, ASH DISPOSAL; ROD BEARING, AIR CYLINDER 15111-3, FOR	0	P	4450C SE
AVW143M	AL	6-B-18-302	6	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; RUBBER, FOR AIR CYLINDER ROD BEARING	0	P	4450C SE
AVW181D	AL	6-B-18-302	2	\$0.00	RING	RING, TYPICAL, QA 0, ASH DISPOSAL; SLEEVE, CARBON, 2.375 ID X 3.25 IN OD, FOR	0	C	4450C SE
AVW603E	AL	6-B-18-302	2	\$0.00	KIT	KIT, PARTS, QA 0, STAINLESS STEEL, AISI TYPE 316 C/O TWO EACH	0	P	6695D SE
AYQ650H	AL	6-B-18-302	1	\$0.00	WIPER	WIPER, TYPICAL, QA 0, WIPER, ASH DISPOSAL; ROD, DOUBLE LIPPED, FOR CYLINDER 14594-4, ON ASH	0	P	4450C SE
BBE668L	AL	6-B-18-302	3	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; FOR LINEAR ACTUATING CYLINDER,6 X 8.75 IN, MODEL	0	P	4450C SE
BCL687B	AL	6-B-18-302	3	\$0.00	O-RING	O-RING, TYPICAL, QA 0, RUBBER, FOR AIR CYLINDER 15212-1 ON FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
BCL691L	AL	6-B-18-302	5	\$0.00	O-RING	O-RING, TYPICAL, QA 0, RUBBER, ROD BEARING, FOR AIR CYLINDER 15212-1 BAGHOUSE ON FLY ASH DISPOSAL	0	P	4450C SE
BCN896P	AL	6-B-18-302	3	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; ROD SEAL, FOR AIR CYLINDER, P/N 101780, ON BAG	0	P	4450C SE
BCN897M	AL	6-B-18-302	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, CYLINDER; PISTON SEAL, FOR AIR CYLINDER,P/N 101780, ON BAG	0	P	4450C SE
BCR253K	AL	6-B-18-302	1	\$0.00	ROD	ROD, PISTON, QA 0, ROD, ASH DISPOSAL; STEEL, FOR AIR CYLINDER, DWG 4-4751B, ON BAGHOUSE	0	C	4450C SE
BCR254H	AL	6-B-18-302	1	\$0.00	ROD	ROD, TYPICAL, QA 0, ROD, ASH DISPOSAL; STEEL, FOR AIR CYLINDER, DWG 2-4419A, ON BAGHOUSE	0	P	4450C SE
BEP234M	AL	6-B-18-302	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, PLASTIC, DUMP GATE, FOR DRY FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
BET443W	AL	6-B-18-302	1	\$0.00	PIN	PIN, TYPICAL, QA 0, PIN, ASH DISPOSAL; STEEL, ACTUATING, FOR DRY FLY ASH DISPOSAL SYSTEM	0	P	4450C SE
BET665A	AL	6-B-18-302	2	\$0.00	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; STEEL, FOR DRY FLY ASH DISPOSAL SYSTEM ***	0	P	4450C SE
BET670W	AL	6-B-18-302	1	\$0.00	GATE	GATE, SLIDE, QA 0, GATE, SLIDE,ASH DISPOSAL; STEEL, FOR DRY FLY ASH DISPOSAL SYSTEM ***	0	P	4450C SE
BEX089V	AL	6-B-18-302	1	\$0.00	KIT	KIT, PARTS, QA 0, INSERT, ROUND PLASTIC SLEEVE, SEAT, SEAL, 7.5625 ID X 9.1875 OD X 2.5625 IN WD,	0	P	4450C SE
BEY313M	AL	6-B-18-302	5	\$0.00	PACKING	PACKING, PREFORMED, QA 0, VALVE, TEFLON, *** U-RING, SEAL	0	P	4450C SE
BEY611D	AL	6-B-18-302	8	\$0.00	WASHER	WASHER, TYPICAL, QA 0, *** FOR DRY FLY ASH SYSTEM, REF A5394, TAG 814J	0	P	4450C SE
BEY612B	AL	6-B-18-302	1	\$0.00	WASHER	WASHER, FLAT, QA 0, WASHER, FLAT; PREFORMED, FIBER, FOR DRY FLY ASH SYSTEM, REF A5394, TAG	0	P	4450C SE
BEY618Y	AL	6-B-18-302	1	\$0.00	GUIDE	GUIDE, MECHANICAL, QA 0, GUIDE, ASH DISPOSAL; TEFLON, PISTON, FOR DRY FLY ASH SYSTEM, REF	0	P	4450C SE
BFF982G	AL	6-B-18-302	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, COUPLING, 7 IN, SINGLE, FIBERGLASS, REINFOCED, DWG 1-19000, FOR COUPLING	0	P	4450C SE
CLD433N	AL	6-B-18-302	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, VALVE, FOR STYLE IV ROTARY VALVE	0	C	4450C SE
CBP130Q	AL	6-B-19-101	1	\$0.00	BLOWER	BLOWER, TYPICAL, QA 2, FAN; ELLIS & WATTS UNIT ACH-481	2	C	4140U SE
BCY950E	AL	6-B-19-201	2	\$0.00	SPROCKET	SPROCKET, DRIVE, QA 0, WHEEL, 3-15/16 IN, MANGANESE STEEL, 8, SPROCKET, WHEEL; MANGANESE STEEL, 8 TEETH, TWO PER SET, WITH	0	C	4420A SE
BHA804P	AL	6-B-19-201	2	\$0.00	LINER	LINER, TYPICAL, QA 0, LINER, CYCLONE; SILICON CARBIDE, CYLINDER, FOR CLEAN COAL & MAGNETITE	0	P	4460A SE
BED642R	AL	6-B-19-202	1	\$0.00	COMPRESS	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; 460 VAC, 3 PH, 60 HZ, TYPE 2 ***	0	C	4520N SE
ACB975V	AL	6-B-19-301	1	\$0.00	BEARING	BEARING, BALL, QA 0, 1.9685 IN, 4.3307 IN, 13537, RADIAL, SINGLE ROW, 1.0630 IN, ANNULAR; MATERIAL: STEEL, BORE DIAMETER: 01.9	0	C	3110B SE
ACE615B	AL	6-B-19-301	8	\$0.00	BEARING	BEARING, TYPICAL, QA 0, BEARING, PUMP; SLIDE, REF 13, DWG 5370-03, FOR REACTOR WATER CLEANUP	0	P	4320U SE
AFE628F	AL	6-B-19-301	1	\$0.00	ROTOR	ROTOR, PUMP, QA 0, ROTOR, PUMP; FOR MULTI-VANE SUMP PUMP, SIZE 251, S/N 2128 ***	0	P	4320U SE
AFJ003V	AL	6-B-19-301	1	\$0.00	LEVER	LEVER, TYPICAL, QA 0, LEVER, ; VALVE, REF 11, FOR MDT-2 OPERATOR, CYLINDER OPERATION, DWG	0	P	4820U SE
AGD180C	AL	6-B-19-301	1	\$0.00	RING	RING, TYPICAL, QA 0, RING, COMPRESSOR; COMPRESSION, FOR TYPE 2HBC20, MODEL CASFFHVXX, PT	0	P	4310I SE
AKB181N	AL	6-B-19-301	1	\$0.00	RODEND	RODEND, TYPICAL, QA 3, BEARING, PLAIN,ROD END; MALE, RIGHT HAND THREAD, WITH LUBE FITTING	3	P	3110B SE
AKD970V	AL	6-B-19-301	1	\$0.00	COVER	COVER, TYPICAL, QA 0, COVER END, COMPRESSOR; CRANKSHAFT END, FOR TYPE 30, MODEL 235HNLXS	0	C	4310I SE
AKG579Y	AL	6-B-19-301	4	\$0.00	RING	RING, PISTON, QA 1, RING,PISTON, ; FOR BERGEN-PATERSON HYDRAULIC SNUBBER, MODEL HSSA-20	1	P	4710Y SE
ALD436Y	AL	6-B-19-301	1	\$0.00	INDICATOR	INDICATOR, LEVEL, QA 0, INDICATOR, CHILLER; LIQUID, FOR "SENTRY" CENTRIFUGAL UNIT, NC 175	0	P	4520N SE
ANE479T	AL	6-B-19-301	1	\$0.00	GLAND	GLAND, PACKING, QA 0, GLAND, PUMP; PUMP, CI, FOR CENTRIFUGAL PUMP, SIZE 3 IN, MODEL 5874A	0	P	4320U SE
AQB068A	AL	6-B-19-301	1	\$0.00	BEARING	BEARING, BALL, QA 3, 2.7559 IN, 4.9213 IN, 14405, RADIAL, SINGLE ROW, 0.9449 IN, BEARING, BALL ANNULAR; SINGLE ROW RADIAL, LIG	3	P	3110B SE
ARD105Q	AL	6-B-19-301	1	\$0.00	PLUG	PLUG, PIPE, QA 0, 1-1/4 IN, SQUARE, MNPT, CARBON STEEL, 3000 LB, *** SOLID	0	C	4730P SE
ATF952W	AL	6-B-19-301	1	\$0.00	RACE	RACE, BEARING, QA 0, RING, BEARING OUTER; J SERIES, 3.2283 IN, 82 MM OD ***	0	P	3110B SE
AVR277F	AL	6-B-19-301	2	\$0.00	SEAL	SEAL, OIL/GREASE, QA 0, 2.375 IN, 3.543 IN, SINGLE LIP, 0.438 IN, RUBBER, SEAL, PLAIN ENCASED; ELEMENT MATERIAL: RUBBER, STYLE: S	0	B	3110B SE
AXY412X	AL	6-B-19-301	4	\$0.00	RING	RING, SEAL, QA 0, RING, SEAL; REF 29, FOR STOP VALVES 1 THRU4, DWG 754E264, ON TURBINE	0	P	2825G SE
BHF394M	AL	6-B-19-301	3	\$0.00	ROD	ROD, TYPICAL, QA 3, CONNECTING ROD, VALVE; STEEL, GRADE 1018, ENDURION COAT, FOR CHECK	3	P	4820U SE
BKC087Q	AL	6-B-19-301	7	\$0.00	PIN	PIN, DOWEL, QA 3, PIN, PUMP; TAPER, CASING DOWEL, STEEL, MATERIAL CODE 056, FOR	3	P	4320U SE
BLH882B	AL	6-B-19-301	1	\$0.00	GLAND	GLAND, SEALING, QA 3, GLAND, PUMP; CAST IRON, FOR HPCI GLAND SEAL CONDENSATE PUMP ***	3	C	4320U SE
BLH890P	AL	6-B-19-301	1	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SS, , PRECUT, LINER, FOR HPCI GLAND SEAL CONDENSATE PUMP	3	C	4320U SE
BNP228Y	AL	6-B-19-301	1	\$0.00	CAGE	CAGE, VALVE, QA 0, CAGE, AIR COMPRESSOR; DELIVERY VALVE RETAINING, REF 96, FOR AIR	0	P	4310I SE
BNP260E	AL	6-B-19-301	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, BRASS, 0-100 PSI, BACK, BRONZE, GAGE, PRESSURE,DIAL INDICA; 0 TO 100 PSIG, BACK CONNECTION, BRONZE	0	P	6695D SE
BRT539B	AL	6-B-19-301	2	\$0.00	BEARING	BEARING, MOUNTED, QA 2, FLANGE, 1.0000 IN, FOUR-BOLT, CASE IRON HOUSING, 2 3/4 IN SQUARE BOLT PATTERN, SELF	2	C	3110B SE
BVM827K	AL	6-B-19-301	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 1, SHAFT, PUMP; STRAIGHT, FOR COMPONENT COOLING PUMP, DELAVAL TYPE	1	C	4320U SE
BVX101T	AL	6-B-19-301	117	\$0.00	KEY	KEY, TYPICAL, QA 3, KEY, PUMP; KEY, IMPELLER, REF 23, FOR VERTICAL SUMP PUMP, STANDBY GAS	3	C	4320U SE
BXF193M	AL	6-B-19-301	1	\$0.00	BEARING	BEARING, BALL, QA 2, 1.9685 IN, 4.3307 IN, 1.0630 IN, SINGLE ROW DEEP GROOVE, OPEN NO-SEAL/SHIELD, DYNAMIC LOAD RATING 6180	2	C	3110B SE

BXJ408C	AL	6-B-19-301	3	\$0.00	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, COMPANION; 6 GROOVE, C/W TYPE Q3 BUSHING, FOR MOTOR SHAFT	3	C	3040D SE
BYC051A	AL	6-B-19-301	1	\$0.00	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, MOTOR; PURGE UNIT DRIVE MOTOR, FOR WORTHINGTON CHILLER MODEL	3	B	6105D SE
CBV384Q	AL	6-B-19-301	3	\$0.00	RING	RING, SPACER, QA 3, RING, COMPRESSOR; SPLIT, FRONT SPACER, FOR UNIT MODEL NC-175	3	C	4310I SE
CBV387J	AL	6-B-19-301	7	\$0.00	WASHER	WASHER, THRUST, QA 2, WASHER, CHILLER; THRUST WASHER, GEAR MOUNT ASSEMBLY, FIG 4.5, FOR USE	2	C	4520N SE
CEC638E	AL	6-B-19-301	2	\$0.00	VENT	VENT, AIR, QA 3, VENT, CONDENSER; LOBE, FOR ASSEMBLY CL-2003 HOGGING UNIT, NASH	3	C	4310I SE
CEG287W	AL	6-B-19-301	39	\$0.00	KEY	KEY, WOODRUFF, QA 3, KEY, WOODRUFF; DRIVE SHAFT TO CLUTCH/COLLAR, PART LIST 885D698 ITEM 01	3	C	4470C SE
CEH430Q	AL	6-B-19-301	1	\$0.00	BEARING	BEARING, THRUST, QA 0, *** FOR KIELLY & MUELLER INC ACTUATOR MODEL 60RN2555P172. S/N	0	C	48200 SE
AGG394X	AL	6-B-19-302	1	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
BPM273X	AL	6-B-19-302	1	\$0.00	STRUT	STRUT, TYPICAL, QA 1, PIPE HANGER; SHOCK AND SWAY WITH SNUBBER, S/N 5509, HNP MK#	1	C	4710Y SE
BPQ550R	AL	6-B-19-302	2	\$0.00	STRUT	STRUT, TYPICAL, QA 1, ASSEMBLY/PIPE HANGER, CS, P-P=1FT-7-3/4 IN W/SNUB, SHORT, LOAD	1	C	4710Y SE
BRJ984Y	AL	6-B-19-302	2	\$0.00	STRUT	STRUT, TYPICAL, QA 1, ASSEMBLY, W/SNUBBER, PIPE HANGER; LCDS R/2 PAINTED WITH CARBO	1	C	4710Y SE
BJL659B	AL	6-B-20-101	182	\$0.00	STUD	STUD, TYPICAL, QA 0, PUMP, 2-1/4 IN, 10 IN, CS, DISCHARGE FLANGE, FOR	0	C	4320U SE
BJL659B	AL	6-B-20-102	181	\$0.00	STUD	STUD, TYPICAL, QA 0, PUMP, 2-1/4 IN, 10 IN, CS, DISCHARGE FLANGE, FOR	0	C	4320U SE
AHF215P	AL	6-B-20-202	1	\$0.00	FRAME	FRAME, TYPICAL, QA 0, BEARING, HOUSING, 20 IN LG, FOR WASTE COLLECTOR PUMP,	0	C	4320U SE
AKJ162N	AL	6-B-20-202	1	\$0.00	DISC	DISC, VALVE, QA 1, GATE, 10 IN, 150 PSI, 1503WE, WEDGE	1	C	48200 SE
AQG275L	AL	6-B-20-202	8	\$0.00	BEARING	BEARING, ROLLER, QA 0, CUP & CONE, 6.629 IN, 42050.8, 9.4488 IN, 1.8110 IN, STEEL, TAPERED, MEDIUM J, 2ND TYPE: TS	0	C	3110B SE
ATK633Q	AL	6-B-20-202	3	\$0.00	BUSHING	BUSHING, VALVE, QA 0, STEAM TURBINE, FOR CONTROL VALVE STAND, VALVES(INNER)1	0	C	2825G SE
CKJ070F	AL	6-B-20-302	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, SUBMERSIBLE, 2 IN, 2 IN, SLURRY, STD MATERIALS INCLUDE: ASTM A532 CLASS 3 TYPE A (600+BHN)	0	C	4320U SE
BAF884F	AL	6-B-21-101	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 2, SHAFT, GEAR REDUCER; STEEL, LOW SPEED, REF 5, C/W GEAR 224C366H01, REF	2	P	4320U SE
BTW181C	AL	6-B-21-102	1	\$0.00	BRAKE	BRAKE, ELECTRIC, QA 3, BRAKE, ELECTRIC; TORQUE MAX 120 FTLB AND 60 FTLB MIN, 460 VAC, 3PH	3	C	61100 SE
AGG915V	AL	6-B-21-201	326	\$0.00	ROLLER	ROLLER, TYPICAL, QA 0, ROLLER, TRAVELING WATER SCRUB; COLD FINISHED STEEL, CASE HARDENED	0	C	46109 SE
AVV433H	AL	6-B-21-201	1	\$0.00	BLOWER	BLOWER, TYPICAL, QA 0, 120, 2950/3450, 1.3 A, BLOWER, ; DENSITY, WITH MOTOR, 1.3 AMP, SINGLE PHASE, 120 VAC, 2950/	0	P	6630D SE
AAV033J	AL	6-B-21-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 6-1/2 IN, 3/4 IN ID X 1-1/2 IN OD, BRONZE, CAST, BAR, ROUND W/HOLLOW CORE; MATERIAL: BRONZE,	0	C	9520Z SE
AAV134M	AL	6-B-21-202	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 7/8 IN ID X 1-5/8 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A CDA 932, BAR, ROUND W/	0	C	9520Z SE
AAV232M	AL	6-B-21-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 3/4 IN ID X 1-1/4 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A, BAR, ROUND W/HOLLOW	0	C	9520Z SE
ACV339N	AL	6-B-21-202	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 5 IN ID X 7-1/2 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A CDA 932, BAR, ROUND W/H	0	C	9520Z SE
ACV436Q	AL	6-B-21-202	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 4-3/4 IN ID X 6 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A CDA 932, BAR, ROUND W/H	0	C	9520Z SE
ADY236T	AL	6-B-21-202	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 1 FT 1 IN, 9-3/16 ID X 10-1/16 IN OD, BRONZE, CONTINUOUS CAST, QQ-C-390A CDA 932, BAR, ROUNI	0	C	9520Z SE
AEY133Y	AL	6-B-21-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1 FT 1 IN, 1/2 IN, BRONZE, SAND CAST, QQ-C-390A CDA 836, BAR, ROUND; MATERIAL: BRONZE, OUTSIDE DIAM	0	C	9520Z SE
AJY337M	AL	6-B-21-202	1	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND/CORED, 6-1/2 IN, 1-1/4 IN ID X 2 IN OD, BRONZE, SINTERED, BAR, ROUND W/HOLLOW CORE; MATERIAL: BRONZ	0	C	9520Z SE
APX795W	AL	6-B-21-202	1	\$0.00	STRIP	STRIP, TYPICAL, QA 0, 6 IN, 50 FT, 1/4 IN, RUBBER, CHUTE LINING	0	C	5680B SE
BET712V	AL	6-B-21-202	3	\$0.00	DOOR	DOOR, ACCESS, QA 0, RIGHT HAND, 6-1/4 IN, 7-3/4 IN, DOOR, ACCESS; TYPE: RIGHT HAND, WIDTH: 06.250000 ( 6 1/4), HEIGHT:	0	C	5670A SE
BFD170E	AL	6-B-21-202	4	\$0.00	STUD	STUD, TYPICAL, QA 0, CONTINUOUS THREAD, 2-1/2 IN, 24 IN, 8, ALLOY STEEL, UN, ASTM A193 GR B16, ***	0	C	5305J SE
BQK479D	AL	6-B-21-301	1	\$0.00	DAMPER	DAMPER, MECHANICAL, QA 3, DAMPER ASSY, CONTROL; MANUAL, OPPOSED BLADES WITH BLADE SEALS, BLADE	3	B	4520N SE
BMY582E	AL	6-B-21-302	1	\$0.00	DAMPER	DAMPER, MECHANICAL, QA 0, 8-1/2 X 9-1/2, AIR VENT, AR-1Z	0	C	4520N SE
BMY583C	AL	6-B-21-302	1	\$0.00	DAMPER	DAMPER, MECHANICAL, QA 0, 30 IN, AIR VENT, AR-34, MK 47A372-36	0	C	4520N SE
BNA193T	AL	6-B-21-302	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, VALVE, MALE TY N3	0	C	48200 SE
BNA198G	AL	6-B-21-302	22	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, MOTOR, ELECTRIC MOTOR; MOTOR END BELLE REAR 447021RD	0	C	4470C SE
BND760D	AL	6-B-22-101	1	\$0.00	BELL	BELL, SUCTION, QA 0, BELL, PUMP; SUCTION, ITEM 16, REF NO 441, ASTM SPEC A-48, CL 30, WITH	0	P	4320U SE
BJL659B	AL	6-B-22-102	181	\$0.00	STUD	STUD, TYPICAL, QA 0, PUMP, 2-1/4 IN, 10 IN, CS, DISCHARGE FLANGE, FOR	0	C	4320U SE
AWH713Q	AL	6-B-22-202	1	\$0.00	CAP	CAP, TYPICAL, QA 0, CAP, COAL VIBRATOR; STEEL, HOOD COVER, DRIVE SHAFT, FOR VIBRATION	0	P	3910K SE
BDE359M	AL	6-B-22-202	7	\$0.00	BEARING	BEARING, ROLLER, QA 3, SPHERICAL, SELF ALIGNING, 6.2992 IN, 11.4173 IN, 3.1494 IN, BEARING, ROLLER SELF-ALIGNING; DOUBLE ROW, S	3	C	3110B SE
BNM440N	AL	6-B-22-202	25	\$0.00	CLAMP	CLAMP, PIPE, QA 0, ANCHOR/REINFORCEMENT, 3 IN, GALVANIZED STEEL, CLAMP, PIPE ANCHOR&REINFORC; NOMINAL SIZE: 03.000 IN ( 3), I	0	C	4730P SE
BNM953D	AL	6-B-22-202	100	\$0.00	CLAMP	CLAMP, PIPE, QA 0, ANCHOR/REINFORCEMENT, 2-1/2 IN, GALVANIZED STEEL, CLAMP, PIPE ANCHOR&REINFORC; NOMINAL SIZE: 02.500 IN ( 0	0	C	4730P SE
BLP588C	AL	6-B-23-101	1	\$0.00	COLUMN	COLUMN, TYPICAL, QA 1, COLUMN ASSY, ; ITEM 20, REF 511, MATERIAL A-36, A-515/516 GR 70 PLATE	1	C	4320U SE
ARC377T	AL	6-B-23-201	3	\$0.00	SWITCH	SWITCH, DISCONNECT, QA 0, 500 KV, AUXILIARY, COMPLETE WITH NECESSARY	0	P	61100 SE
ATG307N	AL	6-B-23-201	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, COMPRESSOR; COMPLETE, FOR AIR COMPRESSOR, MODEL XLE, SIZE	0	P	4310I SE
ACF036D	AL	6-B-23-202	1	\$0.00	CONE	CONE, BEARING, QA 0, DIFFUSER, BURNER, DWG B-780-055-4, FOR COMBUSTION	0	P	3110B SE
ARW160D	AL	6-B-23-202	1	\$0.00	ROD	ROD, PISTON, QA 0, ROD, ; PISTON, FOR AUTOMATIC PISTON VALVE, SO 251928, ON CLOWCORP	0	P	4630Y SE
ATY530M	AL	6-B-23-202	6	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR CONDITIONER, 6-3/8 IN, 21-5/8 IN, 1/2 IN, FILTER ELEMENT, AIR CONDITIONER; METAL MESH, E-Z KLEEN, TYPE	0	P	4520N SE
AVV433H	AL	6-B-23-202	1	\$0.00	BLOWER	BLOWER, TYPICAL, QA 0, 120, 2950/3450, 1.3 A, BLOWER, ; DENSITY, WITH MOTOR, 1.3 AMP, SINGLE PHASE, 120 VAC, 2950/	0	P	6630D SE
BDK251G	AL	6-B-23-202	19	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, AIR, 7 IN, 18 IN, FOAM, FILTER ELEMENT, AIR CONDITIONER; AIR, FOAM, 7 WD X 18 IN LG, FOR MODEL	0	P	4520N SE
BKQ845K	AL	6-B-23-202	100	\$0.00	BRACKET	BRACKET, ARM, QA 3, BRACKET, ; ROLLER, BRASS, W/ONE LOCKING BOLT, FOR BF50 COIL DAMPERS ON	3	P	4140U SE
BLE979B	AL	6-B-23-202	2	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, BUSHING, STEAM TURBINE; LOWER BUSHING, SHAFT ***	3	P	2825G SE
BLR622W	AL	6-B-23-202	2	\$0.00	STRAINER	STRAINER, TYPICAL, QA 1, STRAINER, ; OIL, FOR RECIPROCATING COMPRESSOR, MODEL 3F5B80, S/N	1	P	4310I SE
BLR631V	AL	6-B-23-202	2	\$0.00	BEARING	BEARING, TYPICAL, QA 1, BEARING, ; HEAD ASSY, SEAL END, FOR RECIPROCATING COMPRESSOR, MODEL	1	P	4310I SE
BNF087N	AL	6-B-23-202	1	\$0.00	BUSHING	BUSHING, COUPLING, QA 3, BUSHING, TAPERED; FOR 2 GROOVE PULLEY, P/N 2AK56H, MUST COME WITH	3	P	5305J SE

BQA532J	AL	6-B-23-202	5	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, SPRING, WATER PUMP, 20, ,CAT 321 PARTS LIST B146-MU PAGE 2, SEAL RETAINER,F/EMD 16-645E4 AND	1	C	29100 SE
BTG261C	AL	6-B-23-202	1	\$0.00	DISC	DISC, VALVE, QA 3, WEDGE, VALVE; FOR 3" 600# WALWORTH GATE VALVE, ITEM CODE 5-5232-57-03	3	B	48200 SE
BXJ867A	AL	6-B-23-202	1	\$0.00	PULLEY	PULLEY, SHEAVE, QA 3, MOTOR, 1-1/8 IN, 2, , ADJUSTABLE, C/W A-2 BUSHING W/1-1/8" BORE	3	C	6105D SE
CDE987G	AL	6-B-23-202	2	\$0.00	KEY	KEY, TYPICAL, QA 0, KEY, BOILER; PARALLEL, 3/8" X 1/4" X 2", FOR LOW NOX UNITS ON BOILER	0	C	4410C SE
CFD781X	AL	6-B-23-202	1	\$0.00	KIT	KIT, PARTS, QA 0, COUPLING, (2) GASKETS, (6) NUTS, AND (6) HEX BOLTS, ACCESSORY KIT FOR RXNORD COUPLING XR1-1.5	0	B	3040D SE
ATB123R	AL	6-B-23-301	2	\$0.00	BEARING	BEARING, ROLLER, QA 2, BEARING, ROLLER TAPERED; C/O CONE 74500 AND CUP 74850, 5.0000 IN ID X	2	P	3110B SE
ATT703T	AL	6-B-23-301	2	\$0.00	SEAT	SEAT, VALVE, QA 0, GATE, 24 IN, 300 PSI, SEAT, VALVE; RING,ITEM 15,FOR 024.000 IN GATE VALVE,300 PSI,DRAWING	0	P	48200 SE
AWT854P	AL	6-B-23-301	1	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, , STAINLESS STEEL, 5 IN, FOR FILTER,	3	C	4330N SE
BBL171M	AL	6-B-23-301	1	\$0.00	THERMOME	THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4-1/2 IN, 0-400 DEG F, BACK, THERMOMETER, BIMETALLIC; 0-400 DEG F, 4.5 IN DIAL,	0	P	6695D SE
BDF001L	AL	6-B-23-301	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, DC 125.0 VOLTS, POLE QTY 2, THROW	1	B	5945D SE
BHV715X	AL	6-B-23-301	1	\$0.00	VALVE	VALVE, TYPICAL, QA 3, COMPRESSOR, VALVE ASSY; INTAKE, FOR AIR COMPRESSOR, MODEL 340-32, HIGH PRESSURE,	3	C	4310I SE
BPW203G	AL	6-B-23-301	1	\$0.00	THERMOME	THERMOMETER, LOCAL READING, QA 3, THERMOMETER, BIMETALLIC; 0 TO 140 DEG F, 5 IN HEAD DIAMETER, 0.5 IN	3	B	6695D SE
BYQ557L	AL	6-B-23-301	2	\$0.00	THERMOST	THERMOSTAT, CONTROL, QA 3, FLOW, 20-250 DEG F, 120, 15, MECHANICAL, NEMA 7 ENCLOSURE,	3	C	6695D SE
CDT230Q	AL	6-B-23-301	1	\$0.00	SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 2-SPDT, SWITCH ASSY, LIQUID LEVEL; WITH 2 SP-DT, HIGH TEMPERATURE SNAP	0	B	6695D SE
CEH565M	AL	6-B-23-301	3	\$0.00	BEARING	BEARING, TYPICAL, QA 0, BEARING, *TYPICAL; CONSTRUCTION: 2 BOLT HOLE FLANGE *** SEALMASTER P/N	0	B	4530F SE
BNM799W	AL	6-B-24-101	1	\$0.00	REEL	REEL, CABLE, QA 0, CABLE, ; CABLE REEL WITH PIVOT BASE ***	0		6145G SE
BXT041B	AL	6-B-24-101	1	\$0.00	STOPPER	STOPPER, TYPICAL, QA 0, PIPE, 27 IN, RUBBER, STOPPER, PIPE; 27 INCH, BLACK RUBBER, INFLATABLE STOPPER, PIPE PLUG	0		4730P SE
AKW183T	AL	6-B-25-101	6	\$0.00	COUNTER	COUNTER, ELECTRICAL, QA 0, ARRESTOR/DISCHARGE, WITH MOUNTING HARDWARE AND	0	C	6695D SE
BCE995Y	AL	6-B-25-101	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, FLEXIBLE/SHAFT, COUPLING, SHAFT FLEXIBLE; GEAR TYPE, SERIES H, BORE MOTOR END 7.2465	0	B	3040D SE
BEA956H	AL	6-B-25-102	4	\$0.00	STRAINER	STRAINER, BASKET, QA 0, 3 IN, 150 LB. SS, CF8M, FLANGES	0	C	4730P SE
ACD251W	AL	6-B-25-201	1	\$0.00	COMPRESS	COMPRESSOR, AIR, QA 0, CENTRIFUGAL, QUINCY MODEL X 2, LESS PULLY, FOR ALLISC	0	C	4310I SE
AQN310R	AL	6-B-25-201	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE,ORIFICE ASSY; THREADED, NOM SIZE 1.5 IN, CARBON STEEL	1	P	4730P SE
AYK736M	AL	6-B-25-201	10	\$0.00	PISTON	PISTON, MECHANICAL, QA 0, PISTON ASSY, ; AIR MOTOR, COMPLETE WITH RING,FOR INGERSOLL RAND AIR	0	P	29100 SE
APP228L	AL	6-B-25-201	30	\$0.00	SPRING	SPRING, COMPRESSION, QA 3, SPRING, HELICAL,COMPRESSION; METALLIC, FOR ICE CONDENSER SYSTEM 61	3	P	4470C SE
BHG572J	AL	6-B-25-201	39	\$0.00	BEARING	BEARING, BALL, QA 1, 0.9843 IN, 2.0472 IN, 11559, RADIAL, SINGLE ROW, 0.5906 IN, BEARING, BALL; FOR MOTORIZED VALVE OPERATOR	1	P	48200 SE
BWX159K	AL	6-B-25-201	1	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, DRIER; REFRIGERENT, FOR COMPUTER ROOMS A/C. ***	0	C	4440E SE
BXJ408C	AL	6-B-25-201	1	\$0.00	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, COMPANION; 6 GROOVE, C/W TYPE Q3 BUSHING,FOR MOTOR SHAFT	3	C	3040D SE
BXK431B	AL	6-B-25-201	3	\$0.00	BOOSTER	BOOSTER, PNEUMATIC, QA 3, VOLUME, 3/4 IN, NPT, BOOSTER, VOLUME; PNEUMATIC, TYPE 2625, 0.75 IN NPT SUPPLY AND OUTPUT	3	C	48200 SE
CAF156A	AL	6-B-25-201	13	\$0.00	CAP	CAP, PIPE, QA 3, CAP, FIRE HOSE; BRASS,,AMERICAN NATIONAL FIRE HOSE CONNECTION SCREW	3	C	4210N SE
CAT865K	AL	6-B-25-201	8	\$0.00	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; NON-ASBESTOS, OIL STRAINER, FOR EMD DIESEL	1	C	29100 SE
CAX542W	AL	6-B-25-201	1	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, FILTER ELEMENT, FLUID; REPLACEMENT, FOR FLUID FILTER, MODEL	0	C	4330N SE
CFQ733G	AL	6-B-25-201	2	\$0.00	KIT	KIT, PARTS, QA 3, DRYER, , PACKING KIT, FOR 1/2" PILOT OPERATOR, 0 TO 500 PSIG, OPERATOR P/N: V	3	C	48200 SE
AMY674G	AL	6-B-25-202	1	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, PUMP, 8 IN, STEEL, CARTRIDGE, FLUID; STEEL, CARTRIDGE, 0.005 IN SPACING,	0	C	4330N SE
BDH942Y	AL	6-B-25-202	2	\$0.00	DISPENSER	DISPENSER, TYPICAL, QA 0, DISPENSER, SOAP; FOR WASHER-EXTRACTOR, MODEL WH-65, S/N WH-1270	0	P	3405L SE
BGD531N	AL	6-B-25-202	1	\$0.00	SHIELD	SHIELD, TYPICAL, QA 1, SHIELD, TRANSIENT; CUSTOMER INTERFACE, MOD 160-2,WITH 3 EA CHARGE	1	P	6695D SE
BKG965J	AL	6-B-25-202	2	\$0.00	NUT	NUT, LOCK, QA 3, LOCKNUT, BEARING; STEEL, LINE BEARING, THREADED,1.5 IN, FOR	3	P	4320U SE
BLP208J	AL	6-B-25-202	1	\$0.00	PURIFIER	PURIFIER, TYPICAL, QA 0, CENTRIFUGAL,OIL, COMPLETE SYSTEM	0	P	4330N SE
BXH171M	AL	6-B-25-202	1	\$0.00	HOSE	HOSE, FLEXIBLE/METAL, QA 0, 3/4 IN, 16.880 IN, ANACONDA BW-604-1S-C, FOR LOW NOX IGNITION SYSTEM,	0	C	4530F SE
BXP022Y	AL	6-B-25-202	3	\$0.00	PIN	PIN, TYPICAL, QA 1, TAPERED/PLAIN, STEEL, ASME SA564 TYPE 630, 17-4 PH, COND 1075 3	1	C	48200 SE
BXP024T	AL	6-B-25-202	4	\$0.00	BEARING	BEARING, TYPICAL, QA 1, VALVE, BRONZE, MICROSEAL, FOR 24-INCH BUTTERFLY VALVE, ORIGINAL CONTRACT #	1	C	3110B SE
BLY809K	AL	6-B-25-301	10	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, VALVE, 3/4 IN-1 IN, SEVEN PER SET, FOR 3/4 TO 1 IN, Y-TYPE, GLOBE VALVE	0	C	48200 SE
BMA683F	AL	6-B-25-301	7	\$0.00	POWER SUF	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY UNIT, ; EMERGENCY LIGHT. ***	0	P	61100 SE
BMD912B	AL	6-B-25-301	1	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, INSERT, ELEMENT, GATE VALVE INSERT	0	C	6630D SE
BNB189C	AL	6-B-25-301	4	\$0.00	HUB	HUB, MECHANICAL, QA 0, HUB, ; FOR KOPPER FAST COUPLING 3-1/2", S/N 72217-01 ***	0	P	3040D SE
BPD386R	AL	6-B-25-301	1	\$0.00	ARM	ARM, TYPICAL, QA 1, SWITCH, DISCONNECT NUMMER 6	1	C	61100 SE
BPD388M	AL	6-B-25-301	2	\$0.00	SPACER	SPACER, TYPICAL, QA 1, MARK # 23	1	C	4470C SE
BPD389K	AL	6-B-25-301	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 1, MARK # 4	1	C	4470C SE
BLY681J	AL	6-B-25-302	2	\$0.00	CAP	CAP, TYPICAL, QA 0, TACHOMETER DRIVE OUTLET, FOR DIESEL GENERATOR,	0	C	29100 SE
BLY813V	AL	6-B-25-302	20	\$0.00	STEM	STEM, VALVE, QA 0, GLOBE, 1-1/2 IN - 2 IN, ASSY	0	C	48200 SE
BLY814R	AL	6-B-25-302	28	\$0.00	NUT	NUT, LOCK, QA 0, JAM, FOR SYSTEM 63 SAFETY INJECTION	0	C	48200 SE
BMA023H	AL	6-B-25-302	4	\$0.00	BALLAST	BALLAST, LIGHTING, QA 0, FLUORESCENT, 120/277, 20/30/40, RAPID START	0	C	6250D SE
BMA672L	AL	6-B-25-302	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 0, OVERLOAD, MODEL NO 4M-25-50, FOR TB 15 TON CRANE	0	C	3950F SE
BMA673J	AL	6-B-25-302	20	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, GENERAL PURPOSE, 5 PIN, CONNECTOR	0	C	5935B SE
BMA674G	AL	6-B-25-302	6	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL, CONTROL ROD, CONN ELECT CONT	0	C	5120M SE
BMA676C	AL	6-B-25-302	1	\$0.00	TOOL	TOOL, TYPICAL, QA 0, REMOVAL, CONTROL ROD DRIVE, CONTACT POSN,TERM CR, ; REMOVAL TOOL, CRIMPER POSITIONER, FOR CONTROL	0	C	5120M SE
BMA677A	AL	6-B-25-302	150	\$0.00	PIN	PIN, DRIVE, QA 0, COPPER/SILVER, FOR CONTROL ROD DRIVE	0	C	5935B SE
BMA714Y	AL	6-B-25-302	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/4 IN X 1 IN, SS, THREADED, SAFETY, ADJUSTABLE SCREW, STAINLESS	0	C	48200 SE

BMA715W	AL	6-B-25-302	20000	\$0.00	TOOL	TOOL, TYPICAL, QA 0, CRIMPING/TERMINAL HAND WIRE CUTTER, CUTTER TYPE: WIRE STRIPPER W/SCREW CUTTER	0	C	5120M SE
BMA764F	AL	6-B-25-302	1	\$0.00	ACTUATOR	ACTUATOR, TYPICAL, QA 0, VALVE, MANUAL; INDICO, WORM GEAR, MODEL MO-4, WITH MOUNTING	0	C	48104 SE
BMD888D	AL	6-B-25-302	12	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SS/VITON, LOW VITON PRESS DIAPHRAGM LH W/316 SS SURFACE, 0.5 IN	0	C	5730H SE
BMD945V	AL	6-B-25-302	2	\$0.00	ARRESTER	ARRESTER, FLAME, QA 0, 3 IN, SS, VENT-EXHAUST, FOR	0	C	5430T SE
BMY615R	AL	6-B-25-302	1	\$0.00	VALVE	VALVE, RELIEF, QA 0, 3/4 IN, 1420 PSI, TYPE 1970T-3, S/N TH11852	0	C	48200 SE
BMY821N	AL	6-B-25-302	10	\$0.00	COVER	COVER, BOX, QA 0, ELECTRICAL CONNECT; RECEPTACLE COVER, NON-METALLIC, WEATHER	0	P	5935B SE
BMY895Q	AL	6-B-25-302	635	\$0.00	WASHER	WASHER, BELLEVILLE, QA 2, SS, GR. 4	2	C	4470C SE
BNA267P	AL	6-B-25-302	1	\$0.00	SEAL	SEAL, MECHANICAL, QA 0, PUMP, FOR PUMP, NO 3196, ROT-90161-001, STAT NO 87067	0	C	4320U SE
BNA269K	AL	6-B-25-302	2	\$0.00	HANGER	HANGER, TYPICAL, QA 0, VALVE, 3 IN, FOR CHECK VALVE, 3 IN	0	C	48200 SE
BNA279G	AL	6-B-25-302	6	\$0.00	VALVE	VALVE, GLOBE, QA 0, SS	0	C	48200 SE
BPD385V	AL	6-B-25-302	4	\$0.00	SPACER	SPACER, TYPICAL, QA 1, MARK # 9	1	C	5305J SE
BPD387P	AL	6-B-25-302	1	\$0.00	WEIGHT	WEIGHT, TYPICAL, QA 0, MARK, MARK-23	0	C	3950F SE
BPD390E	AL	6-B-25-302	4	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, ARK # 5	1	C	4470C SE
BPD396N	AL	6-B-25-302	1	\$0.00	DISK	DISK, TYPICAL, QA 1, ASSEMBLY, MK-3-201, SA-515, GR-70, MK-3- 202, SA105 AND MK 3-203, SA515,	1	C	48200 SE
BPE393P	AL	6-B-25-302	18	\$0.00	STUD	STUD, TYPICAL, QA 0, DOUBLE END, 5/8 IN, 4 IN, SS, (2) HEX	0	C	5305J SE
BPC020C	AL	6-B-26-101	3	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 0, CYLINDER, ; MODIFIED, STAINLESS STEEL ***	0		3439D SE
AVA839C	AL	6-B-26-102	1	\$0.00	GEAR	GEAR, TYPICAL, QA 0, GEAR ASSY, ; STEEL, FOR COMPRESSOR, MODEL 17FA431C, S/N 500232, ON	0	P	3040D SE
BDT995T	AL	6-B-26-102	1	\$0.00	FRAME	FRAME, TYPICAL, QA 0, ASSEMBLY, 7 IN, 8 IN, W/STD/COVR/NUTS/GSKTS/PL, FRAME ASSY, ; BASE PART, COMPLETE WITH STUDS, COVER	0	C	4310I SE
BJA044V	AL	6-B-26-102	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, ACTUATOR; MAJOR SUB-ASSY, C/O O-RING AND SEAL, REF 11C, FOR	0	P	48200 SE
BXP020E	AL	6-B-26-102	1	\$0.00	SEAL	SEAL, TYPICAL, QA 1, SEAL, VALVE; TEFZEL, FOR 24 IN BUTTERFLY VALVE, OM DWG 12408, ITEM #8	1	B	48200 SE
BXP025Q	AL	6-B-26-102	4	\$0.00	BEARING	BEARING, SLEEVE, QA 1, VALVE, BRONZE/STEEL, MICROSEAL, UPPER AND LOWER, FOR 8 IN	1	C	3110B SE
CBB061T	AL	6-B-26-102	1	\$0.00	CAPSTAN	CAPSTAN, MECHANICAL, QA 1, CAPSTAN, RECORDER; CAPSTAN ASSY., RAD MON SYS. ***	1	B	6695D SE
CDK176W	AL	6-B-26-102	1	\$0.00	FASTENER	FASTENER, TYPICAL, QA 1, CLASS 1, FASTENER, HEAVY EQUIPMENT; ASSEMBLY, MULTI-BOLT MECHANICAL TENSIONERS	1	C	29100 SE
CEA929D	AL	6-B-26-102	1	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 3, CYLINDER, COMPRESSOR; FOR INGERSOLL RAND AIR COMPRESSOR 8 X 7 ESV-1	3		4310I SE
AVM559R	AL	6-B-26-201	2	\$0.00	BOWL	BOWL, TYPICAL, QA 0, CAST IRON, PUMP, FOR PUMP, SIZE 8 X 16, TYPE WY, 1170 RPM, 400	0	C	4320U SE
CPM706J	AL	6-B-27-101	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 5, 184TY, 230/460, 13/6.5, 60, 3, K, B, 1.0, 40 DEG C, INDUCTION WITH GEAR DRIVE AND RAM, CTR#	0	C	
ADA457H	AL	6-B-27-201	2	\$0.00	BEARING	BEARING, TYPICAL, QA 0, TURBINE, W/ THERMOCOUPLES, *** HP, W/ THERMOCOUPLES INBEDDED, FOR BOILER FEED PUMP TURBINE GE REQ	0	P	2825G SE
AVB386J	AL	6-B-27-201	368	\$0.00	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE REPAIR; RUBBER, OD .875 IN ***	3	P	4730P SE
BJF672D	AL	6-B-27-201	2	\$0.00	DISC	DISC, VALVE, QA 1, DISK, VALVE; CARBON STEEL ASTM SA216 GR WCB FOR HPCI TESTABLE CHECK	1	C	48200 SE
BJN536H	AL	6-B-27-201	5	\$0.00	CLAMP	CLAMP, PIPE, QA 0, ANCHOR/REINFORCEMENT, 8 IN, ALLOY STEEL A387, 3 BOLT/2 PIECE, CLAMP, PIPE ANCHOR&REINFORC; SIZE 8.0 IN, TV	0	C	4730P SE
BJN626G	AL	6-B-27-201	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, AXIAL PISTONS; PRESSURE RATING: 2000 PSI, DESIGN MEDIUM: OIL	0	P	4320U SE
CEK170E	AL	6-B-27-201	1	\$0.00	ROD	ROD, PISTON, QA 1, CONNECTING, ** FOR 9" OIL RELAY ASSEMBLY WITH WOODWARD GOVERNOR REMOTE SERVO,	1	C	2825G SE
AEB605J	AL	6-B-27-202	3	\$0.00	BEARING	BEARING, TYPICAL, QA 0, BEARING, ; T-1, STANDARD ELLIPTICAL ***	0	C	6115F SE
ACD339E	AL	6-B-27-301	3	\$0.00	DRYER	DRYER, TYPICAL, QA 0, REFRIGERATION, DESICCANT, CATCH-ALL, LESS CORE, C/W FITTINGS	0	P	4520N SE
BFX285Y	AL	6-B-27-301	100	\$0.00	O-RING	O-RING, BULK, QA 0, 3/8 IN, NEOPRENE, 1200 IN, RUBBER ROUND SECTION, ; O-RING CORD, NEOPRENE, 70 DUROMETER, 0.375 IN	0	P	5730H SE
BKN495Y	AL	6-B-27-301	45	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; NOMINAL DIAMETER: 0.875 IN ( 7/8), MATERIAL:	1	C	5305J SE
CHM901R	AL	6-B-27-301	3	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, PULLEY, , 5.4375" BORE TO FIT BROWNING SHEAVE MODEL 8U5V280	3	C	3040D SE
AKE297K	AL	6-B-27-302	9	\$0.00	BEARING	BEARING, TYPICAL, QA 0, PUMP, BRONZE, *** BOWL, INTERMEDIATE, FOR VERTICAL RAW COOLING WATER PUMP, TYPE	0	P	3110B SE
ALD472T	AL	6-B-27-302	3	\$0.00	UNLOADER	UNLOADER, TYPICAL, QA 0, UNLOADER, COMPRESSOR; FREE AIR, FOR AIR COMPRESSOR MODEL XLE-NL	0	P	4310I SE
ATP947C	AL	6-B-27-302	7	\$0.00	BEARING	BEARING, SLEEVE, QA 0, BEARING, SLEEVE; BRASS, T-CASE, SERIES NO 383, NO 462, NO 463, FOR	0	P	4320U SE
ATP948A	AL	6-B-27-302	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, PUMP, BRASS, *** BOTTOM, NO 461, FOR HOTWELL PUMP, SIZE 2, KXFH, FOUR STAGE, TYPE	0	P	4320U SE
ATP952K	AL	6-B-27-302	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, MOTOR, ** SPLIT, 2-DE, FOR NUMBER 3 HEATER DRAIN PUMP MOTOR, PATTERN 26365,	0	P	4320U SE
ATP953H	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, SLEEVE, QA 0, BEARING HALF, SLEEVE; SPLIT, 2-NDE, ON NO 3 HEATER DRAIN PUMP MOTOR	0	P	4320U SE
ATP970W	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, THRUST, QA 0, BEARING, PUMP; THRUST, W/6 PIVOT ASSY SHOES, DISC P/N 619200-LE REF	0	P	4320U SE
ATV602V	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, ***	0	P	3110B SE
AWM340W	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, SLEEVE, QA 0, BEARING, SLEEVE; HIGH SPEED, REF 5, FOR STAND BY MAIN FEED PUMP GEAR	0	P	3110B SE
AWN673G	AL	6-B-27-302	8	\$0.00	BEARING	BEARING, SLEEVE, QA 0, VALVE, STEEL, *** OUTSIDE, FOR PNEUMATIC ACTUATOR, MOD R6200C60, ON BUTTERFLY VALVE	0	P	3110B SE
AWV288R	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, SLEEVE, QA 0, COMPRESSOR, STEEL, *** INSERT, CRANKSHAFT, FOR AIR CONDITIONING COMPRESSOR, MODEL	0	P	3110B SE
BBN195W	AL	6-B-27-302	3	\$0.00	BEARING	BEARING, BALL, QA 2, 1.7717 IN, 3.3465 IN, 13171, RADIAL, SINGLE ROW, 0.7480 IN, BEARING, BALL, ANNULAR, ; ANNULAR, SHIELDED SIN 2	0	P	3110B SE
BCE171E	AL	6-B-27-302	8	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, 2.6250 IN, 2 BOLT, BEARING UNIT, BALL; PILLOW BLOCK, 2.625 IN SHAFT DIA, CAST IRON, 2	0	P	3110B SE
BFC534V	AL	6-B-27-302	11	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, 1.6875 IN, *** SPLTERICAL RE-LUBRICATING TYPE	0	P	3110B SE
BFM024V	AL	6-B-27-302	6	\$0.00	BEARING	BEARING, BALL, QA 0, 1.5748 IN, 3.5433 IN, RADIAL, SINGLE ROW, 0.9055 IN, BEARING, BALL ANNULAR; OUTSIDE DIAMETER: 03.5433 IN	0	P	3110B SE
BJE135D	AL	6-B-27-302	2	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, 1.4375 IN, HEAVY SERIES, *** HEAVY DUTY	0	P	3110B SE
BXW945W	AL	6-B-27-302	8	\$0.00	BEARING	BEARING, TYPICAL, QA 3, BEARING, ACTUATOR; STEEL, 95 MM ID X 170 MM OD X 43 MM WIDE, AFBMA FIG	3	B	48200 SE
BYC575G	AL	6-B-27-302	1	\$0.00	BEARING	BEARING, BALL, QA 3, BEARING, BALL; IBI NO.: 15083; TYPE: SINGLE ROW CONRAD/SHIELD; ID:	3	B	3110B SE
AVM559R	AL	6-B-28-101	4	\$0.00	BOWL	BOWL, TYPICAL, QA 0, CAST IRON, PUMP, FOR PUMP, SIZE 8 X 16, TYPE WY, 1170 RPM, 400	0	C	4320U SE
AXL333D	AL	6-B-28-102	2	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 0, CONTROLLER, LIQUID LEVEL; NARROW DIFFERENTIAL, DISPLACER, 4 IN 125 LBS	0	P	6695D SE



BJC425E	AL	6-B-28-102	3	\$0.00	SEAT	SEAT, VALVE, QA 0, SEAT, HYDRANT, FIRE; BRASS, FOR FIRE HYDRANT, MODEL B-62-B, 5.25 IN	0	P	4210N SE
BJN616K	AL	6-B-28-102	1	\$0.00	NUT	NUT, TYPICAL, QA 1, NUT, ACTUATOR; BRASS, STEM, PILOT BORE, FOR VALVE ACTUATOR, TYPE	1	C	48200 SE
BTk820X	AL	6-B-28-102	5	\$0.00	VALVE	VALVE, CONTROL, QA 0, 1-1/2 IN, STAINLESS STEEL, THREADED, 75 PSI, AISI 304, VALVE, THREE-WAY; MATERIAL: STAINLESS STEEL 304 0	0	C	48200 SE
BTT325Q	AL	6-B-28-102	1	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, HEATER, HEAVY EQUIPMENT; LUBE OIL, 6 KW, 480V AC ***	0	B	29100 SE
BYD386E	AL	6-B-28-102	2	\$0.00	VALVE	VALVE, PLUG, QA 0, WRENCH OPERATOR, 3 IN, IRON, FLANGED, 150 PSI, CAST, VALVE, PLUG; HOMESTEAD VALVE, CAST IRON, SIZE: 3" FL 0	0	C	48200 SE
ACE427C	AL	6-B-28-201	1	\$0.00	RING	RING, WEAR, QA 0, RING, PUMP; CASING, FIRST STAGE, PT 6, FOR TYPE 2GTR, SN C68-181 THRU	0	P	4320U SE
ADE024K	AL	6-B-28-201	1	\$0.00	RING	RING, WEAR, QA 0, RING, PUMP; CASING, SECOND STAGE, PT 6, FOR TYPE 2GTR, SN C68-181 THRU	0	P	4320U SE
ADE424C	AL	6-B-28-201	1	\$0.00	RING	RING, WEAR, QA 0, RING, WEARING, ; CASING, REF 7B, FOR BUILDING HEATING SYSTEM DRAIN	0	P	4320U SE
AKE131N	AL	6-B-28-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; REF 3B, 007.875IN DIA, FOR RADWASTE BLDG	0	P	4320U SE
AKE369L	AL	6-B-28-201	2	\$0.00	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; IMPELLER NUT, REF 207, FOR CLOSED COOLING WATER PUMP	3	P	4320U SE
AKE804X	AL	6-B-28-201	2	\$0.00	RING	RING, WEAR, QA 0, RING, PUMP; WEARING, CASING, REF 16, FOR SCREEN WASH AND FILTER PLANT	0	P	4320U SE
AWD917W	AL	6-B-28-201	2	\$0.00	NUT	NUT, LOCK, QA 0, NUT, SLEEVE; SHAFT, COMPLETE WITH SCREW, P/N 115A2A22, FOR AUXILIARY	0	P	4320U SE
BRC626Q	AL	6-B-28-201	2	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP, CENTRIFUGAL; MATERIAL SPEC: B1 BRONZE, FOR: BIOTHERMAL	0	B	4320U SE
BTQ482J	AL	6-B-28-201	3	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP, CENTRIFUGAL; BRONZE, HPFP JOCKEY PUMP, SERIAL NO	3	C	4320U SE
BVL910H	AL	6-B-28-201	1	\$0.00	WASHER	WASHER, TYPICAL, QA 3, WASHER, PUMP; THREADED, 0.375 IN, ADJUSTING NUT, FOR INGERSOLL RAND	3	C	4320U SE
BVL951P	AL	6-B-28-201	5	\$0.00	SCREW	SCREW, TYPICAL, QA 3, PUMP, STEEL, SCREW, PUMP; SCREW FOR COUPLING PN# 0556A10215A001-K-9,	3	C	4320U SE
BVM828H	AL	6-B-28-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 1, IMPELLER, PUMP, CENTRIFUGAL; FOR COMPONENT COOLING WATER PUMP, DWLAVAL	1	C	4320U SE
BVR365B	AL	6-B-28-201	1	\$0.00	BEARING	BEARING, TYPICAL, QA 3, BEARING, PUMP; PKG CONT, MTL CODE 186, ITEM 37, 1-11/16 X 1-15/16 X	3	C	4320U SE
BWD905X	AL	6-B-28-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, PUMP, IMPELLER, PUMP, CENTRIFUGAL, FOR PUMP MODEL 4 X 3 X 12 BPO, BORE SIZE	3	C	4320U SE
CDN151X	AL	6-B-28-201	34	\$0.00	KIT	KIT, PARTS, QA 0, PUMP, V-RING, (2) MALE ADAPTERS, (2) FEMALE ADAPTERS, PACKING, PUMP; V-RING PACKING SET FOR DURCOMETER PD 0	0	C	4320U SE
CEC633Q	AL	6-B-28-201	1	\$0.00	ORIFICE	ORIFICE, TYPICAL, QA 3, ORIFICE, PUMP; CONDENSER VACUUM, 1 INCH, FOR ASSEMBLY CL-2003 HOGGING	3	C	4310I SE
ATX558Q	AL	6-B-29-201	4	\$0.00	FLAPPER	FLAPPER, MECHANICAL, QA 0, FLAP, ; STAINLESS STEEL TYPE 430, FOR THROTTLE FLAP, DWG AM60-1011	0	C	4420B SE
BHM616Y	AL	6-B-29-201	1	\$0.00	HOUSING	HOUSING, TYPICAL, QA 1, ACTUATOR, , CLUTCH, REF 1, FOR VALVE ACTUATOR, TYPE SB-2, SBD-2 AND SMB-2	1	C	48200 SE
BKA683V	AL	6-B-29-201	2	\$0.00	BLADE	BLADE, FAN, QA 0, IMPELLER, FAN, AXIAL; PROPELLER, STEEL, FOR MODEL DC42K FAN	0	P	4140U SE
BTP485H	AL	6-B-29-201	1	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 1, SUPPORT, VARIABLE PIPE; SNUBBER, MECHANICAL PSA-3 ***	1	C	4710Y SE
CEH989N	AL	6-B-29-201	2	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, *TYPICAL; TYPE: CONTROL *** BASE, SPRING 145/250 DIR, FOR	0	C	48200 SE
APF899Q	AL	6-B-29-202	1	\$0.00	HOOK	HOOK, TYPICAL, QA 0, HOOK PIN, ; FOR REACTOR VESSEL SERVICING EQUIPMENT DRYER & SEPARATOR	0	C	4470C SE
ATQ564P	AL	6-B-29-202	2	\$0.00	PLUG	PLUG, VALVE, QA 0, PLUG, ROTARY VALVE; TEFLON COATED, SEMI-STEEL, A-126, CLASS B, FOR	0	P	48200 SE
AVD967K	AL	6-B-29-202	1	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, VALVE; CARBON STEEL, IT 43, FOR SERIES F60-S ACTUATOR, ON 16IN	0	P	48200 SE
BAN719T	AL	6-B-29-202	1	\$0.00	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, FIVE GROOVES, BORE FINISHED 2.375 IN	2	P	3040D SE
BBQ870H	AL	6-B-29-202	2	\$0.00	PULLEY	PULLEY, DRIVE, QA 0, 1-7/16 IN, CAST IRON, 2, PULLEY, GROOVE; MATERIAL: CAST IRON, BORE DIAMETER: 01.4375 IN (1	0	P	3040D SE
BEG949F	AL	6-B-29-202	1	\$0.00	GLAND	GLAND, SEALING, QA 0, GLAND, CYLINDER, HOIST; STEEL, FOR 20,000 LB CAPACITY HYDRAULIC	0	C	3950F SE
BHC670J	AL	6-B-29-202	3	\$0.00	COVER	COVER, TYPICAL, QA 3, COVER, HOUSING, SWITCH; STEEL, REF 2, FOR LIMIT SWITCH COMPARTMENT, ON	3	P	48104 SE
AND537C	AL	6-B-29-301	32	\$0.00	SLEEVE	SLEEVE, TYPICAL, QA 0, SLEEVE, COMPRESSOR; STEEL, COMPRESSOR CYLINDER, FOR GLYCOL CHILLER ON	0	P	4310I SE
AYK743Q	AL	6-B-29-301	8	\$0.00	HOUSING	HOUSING, TYPICAL, QA 0, HOUSING, ; BENDIX DRIVE, FOR AIR STARTER SIZE 150 BMP, P/N D89LH50, ON	0	P	29100 SE
BQH580E	AL	6-B-29-301	6	\$0.00	CASING	CASING, PUMP, QA 0, DISCHARGE, CAST IRON, COVER, PUMP; DISCHARGE, CAST IRON, FOR AMERTAP CONDENSOR TUBE CLEANING	0	C	4320U SE
BLV240C	AL	6-B-29-302	4	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 1, ADAPTER, ; WELD, FOR MODEL PSA-100 SNUBBER ***	1	P	4710Y SE
BXJ867A	AL	6-B-29-302	48	\$0.00	PULLEY	PULLEY, SHEAVE, QA 3, MOTOR, 1-1/8 IN, 2, , ADJUSTABLE, C/W A-2 BUSHING W/1-1-1/8" BORE	3	C	6105D SE
ART871A	AL	6-B-30-102	9	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP/CENTRIFUGAL, BRONZE, RADIAL, FOR PUMP SIZE 8 X 16, CAPACITY 1680 GPM	0	C	4320U SE
APC271P	AL	6-B-30-201	1	\$0.00	GATE	GATE, SLIDE, QA 0, ROTARY, 8 IN, ASH DISPOSAL, TOTALLY ENCLOSED,	0	C	4450C SE
BLA118M	AL	6-B-30-201	1	\$0.00	ELEMENT	ELEMENT, ROTATING, QA 3, ROTATING ASSY, PUMP; FOR CENTRIFUGAL PUMP, MODEL 3AD10, TYPE AD	3	C	4320U SE
ACF188Y	AL	6-B-30-202	1	\$0.00	BLADE	BLADE, FAN, QA 0, AXIAL, COUNTER CLOCKWISE, IMPELLER, AXIAL, COUNTERCLOCKWISE ONLY, FOR STAGE GAS BOOSTER,	0	C	4410C SE
AEB849L	AL	6-B-30-202	1	\$0.00	SEAL	SEAL, OIL/GREASE, QA 0, COUPLING, FOR SIZE 200H (SPECIAL) SHAFT FLEX COUPLING,	0	C	2825G SE
AWJ003B	AL	6-B-30-202	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, SUBMERSIBLE, PUMP, CENTRIFUGAL; SUBMERSIBLE, DRAINAGE, 13 HP, 3 PH, 3400 RPM,	0	C	4320U SE
CFV157B	AL	6-B-30-202	2	\$0.00	CARTRIDGE	CARTRIDGE, TYPICAL, QA 0, PUMP, *** MECHANICAL SEAL, FIVE STAR-SLURRY SEAL CARTRIDGE, SINGLE BALANCED	0	C	4320U SE
AXB139P	AL	6-B-31-101	1	\$0.00	VAPORIZER	VAPORIZER, TYPICAL, QA 0, HIGH - TEMP, 460 AC, 325 PSIG, 35, VAPORIZER, ; HIGH-TEMPERATURE LIMIT THERMOCAST MODEL C, 450 HOU 0	0	P	4210N SE
CBC927R	AL	6-B-31-102	1	\$0.00	WHEEL	WHEEL, TYPICAL, QA 3, WHEEL, CRANE; BRIDGE WHEEL - DRIVER, 30 IN DIA WHEEL, DWG B-10226	3	C	3950F SE
BYM541K	AL	6-B-31-201	6	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, AIR, ELEMENT, FILTER; ID: 9-1/8 IN; OD: 12-1/2 IN;	3	C	29100 SE
BYM544D	AL	6-B-31-201	1	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 3, FILTER, FLUID, ENGINE; FOR SECURITY BACKUP DIESEL GENERATOR, S/N	3	C	29100 SE
CBH824A	AL	6-B-31-201	2	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, STRAINER ASSEMBLY, LUBE OIL STRAINER, 24, PISTON COOLING AND MAIN BEARING LUBE OIL, CAT 302 PLATE 1	1	C	29100 SE
CBM832N	AL	6-B-31-201	2	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 3, OIL, 5-3/8 IN, 12-3/32 IN, PAPER, 1-1/2 IN-16, FULL FLOW LUBE OIL SPIN ON TYPE, NO BY-PASS OR ANTI-DRAIN 3	0	C	4330N SE
BNB775Y	AL	6-B-31-202	2	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 8 IN, 8 IN, 8 IN, CARBON STEEL, BLACK, 300 LB, TEE, PIPE; FIRST END NOM SIZE: 08.000 IN ( 8) SECOND END N 0	0	P	4730P SE
ARJ837K	AL	6-B-31-301	2	\$0.00	RING	RING, SEAL, QA 0, RING, SEAL; THRUST BEARING, IL 1250-4027, REF 14, FOR MAIN TURBINE	0	C	2825G SE
ARJ872H	AL	6-B-31-301	48	\$0.00	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, STEAM TURBINE; OIL SEAL RING, STEEL, REF 7, ITEM 3, 4, 7	0	C	2825G SE
ARJ874D	AL	6-B-31-301	8	\$0.00	STRIP	STRIP, SEAL, QA 0, SEAL STRIP, STEAM TURBINE; OIL SEAL RING, STEEL, ITEM 13, REF 7, IL	0	B	2825G SE
ARJ875B	AL	6-B-31-301	14	\$0.00	STRIP	STRIP, SEAL, QA 0, RING, STEEL, SEAL STRIP, STEAM TURBINE; OIL SEAL RING, STEEL, REF 7, ITEM 5, 6, 9	0	P	2825G SE
BBL322T	AL	6-B-31-301	1	\$0.00	DISC	DISC, TYPICAL, QA 0, DISK, HOIST; RATCHET, FOR LOAD BRAKE, ON 6-TON HOIST, 460 VAC, 3 PH	0	C	3950F SE

ABB258Y	AL	6-B-31-302	2	\$0.00	COUPLING	COUPLING, DRIVE, QA 2, COUPLING, SHAFT,RIGID; BORE ONE END 2.25 IN, BORE OTHER END 2-3/8 IN,	2	C	4520N SE
ADY877K	AL	6-B-31-302	4	\$0.00	FILTER	FILTER, TYPICAL, QA 0, UNIT, 25 MM, GLASS, FILTER UNIT, CONTAMINATION ANALYS; GLASS, MICRO/ANALYSIS, 25 MM ***	0	C	6630D SE
AGV035Q	AL	6-B-31-302	1	\$0.00	MAT	MAT, FLOOR, QA 0, MATTING, LABORATORY; SINK, 24 IN WIDE AERO-LINER, DIAMOND SHAPED	0	C	6630D SE
AKP589P	AL	6-B-31-302	27	\$0.00	PLATE	PLATE, TYPICAL, QA 0, REAR END, PLATE; ; REAR END, FOR INGERSOLL-RAND AIR STARTER, SIZE 150 BMP, MODEL	0	P	5975B SE
BAD734D	AL	6-B-31-302	1	\$0.00	SHOE	SHOE, BRAKE, QA 0, BRAKE SHOE, CRANE; LOAD, 98 TEETH, FOR 10 TON HOIST, MODEL FEW 103/ST	0	C	3950F SE
BAF982F	AL	6-B-31-302	2	\$0.00	DISC	DISC, BRAKE, QA 0, DISK, BRAKE; LOAD, FOR 10 TON HOIST, MODEL FEW 103/ST 35/12 DZ, S/N	0	C	29100 SE
BAY525Y	AL	6-B-31-302	24	\$0.00	GLASS	GLASS, SIGHT, QA 0, WATCH GLASS, LABORATORY; PYREX, SHALLOW FORM, 125 MM, 5 IN DIA, 12 PER	0	C	6630D SE
BLY277R	AL	6-B-31-302	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, EMERGENCY, ET, EMERGENCY LIGHT, SERIES ET COMMERCIAL	0	C	6210P SE
ATR232C	AL	6-B-32-101	1	\$0.00	CLUTCH	CLUTCH, FRICTION, QA 0, CLOCKWISE ROTATION, 2.123 IN - 2.124 IN, TYPE CEUS-275,INPUT/OUTPUT SHAFT HUB BORE	0	C	3040D SE
AHF792G	AL	6-B-32-102	3	\$0.00	WASHER	WASHER, TYPICAL, QA 1, 6-1/16 IN, 9-5/8 IN, 3 IN, WASHER, ; SPHERICAL, TOP AND BOTTOM, BABCOCK & WILCOX DWG 1805-109-5,	1		5305J SE
AMA764N	AL	6-B-32-102	30	\$0.00	STRIP	STRIP, TYPICAL, QA 0, RING SEGMENT, STEAM TURBINE; STEAM DEFLECTOR, STAGE 11, (DFB), (GE)	0		2825G SE
ARY909P	AL	6-B-32-102	3	\$0.00	GEAR	GEAR, TYPICAL, QA 0, PUMP, *** IMPELLER, REF 1273 OR 1273A, FOR PUMP, GAS SIDE SEAL OIL, 2.5 GPM	0	P	4320U SE
AXJ792N	AL	6-B-32-102	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 9.810 IN, BRASS, IMPELLER, PUMP,CENTRIFUGAL; BRASS, 009.810 IN DIA, FOR PUMP, SIZE	0	P	4320U SE
BDE369J	AL	6-B-32-102	5	\$0.00	BEARING	BEARING, BALL, QA 0, 5.5118 IN, 9.8425 IN, 1.5412, RADIAL, SINGLE ROW, 1.6535 IN, BEARING, BALL ANNULAR; SINGLE ROW RADIAL, LIG 0			3110B SE
BGK150F	AL	6-B-32-102	2	\$0.00	BEARING	BEARING, ROLLER, QA 2, 4.0000 IN, 41905, 9.8750 IN, 3.0000 IN, BEARING, ROLLER TAPERED; SINGLE ROW-STRAIGHT BORE, TYPETS, HEA 2			3110B SE
BKY360Q	AL	6-B-32-102	2	\$0.00	CYLINDER	CYLINDER, PNEUMATIC, QA 0, 2 IN, 10 IN, ACTUATING/LINEAR, 200 PSI, DOUBLE WALL	0	C	3910K SE
BXN159H	AL	6-B-32-102	3	\$0.00	SPRING	SPRING, TYPICAL, QA 3, SPRING, CIRCUIT BREAKER; CLOSING, FOR 3000 & 3750 AMP G.E. 6.9KV MAGNA	3	B	5925B SE
BYN785H	AL	6-B-32-102	1	\$0.00	BEARING	BEARING, ASSEMBLY, QA 1, BEARING, ACTUATOR; ASSEMBLY, FOR SMB-5 AND SMB-ST ACTUATORS, REF.	1		48200 SE
CAA462W	AL	6-B-32-102	1	\$0.00	GEAR	GEAR, WORM, QA 1, , ITEM NO. 26, VENDOR DWG. NO. WD-5955, DELROYD GEAR P/N D60249E-14,	1	C	4730P SE
CAA467J	AL	6-B-32-102	1	\$0.00	GEAR	GEAR, WORM, QA 1, , STRAINER, ITEM NO. 85, VENDOR DRAWING NO. WD-5955, FOR GEAR DRIVE	1	C	4730P SE
ATP853M	AL	6-B-32-201	1	\$0.00	RING	RING, WEAR, QA 0, RING,WEARING, ; REF 424, ITEM 9, FOR HOTWELL PUMP, MODEL 28KXFH, TYPE	0	C	4320U SE
AVW434A	AL	6-B-32-201	1	\$0.00	BEARING	BEARING, ASSEMBLY, QA 0, PUMP, STEEL, LEAD BABBIT LINER, ** PLAIN, 3 HALVES EA, FOR PUMP, SIZE 14 SH, S/N 0569151/152/153, DV 0		B	4320U SE
AWM326B	AL	6-B-32-201	2	\$0.00	CAP	CAP, TYPICAL, QA 0, CAP, ; LOW SPEED, REF 17, FOR STAND BY MAIN FEED PUMP GEAR REDUCER	0	P	48200 SE
AWR789D	AL	6-B-32-201	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, PUMP, *** JOURNAL, BEARING SUPPORT, FOR PUMP, TYPE 79APMA, S/N 0268-99	0	P	4320U SE
BBL501V	AL	6-B-32-202	5	\$0.00	RING	RING, TYPICAL, QA 1, , CAGE, BRASS, ASTM B584, ALLOY 932, REF 236, DRAWING 1F-7879, FOR	1	C	4320U SE
BNH082N	AL	6-B-32-202	2	\$0.00	CASING	CASING, PUMP, QA 0, CASING, PUMP; FOR PUMP, SIZE 4 X 3 X 5, MODEL D-1011, S/N Y656346 ***	0	P	4320U SE
CBN867X	AL	6-B-32-202	1	\$0.00	FLANGE	FLANGE, TYPICAL, QA 0, FLANGE ASSY, PUMP; SEAL FLANGE ASSEMBLY WITH BUSHING, P/N 668710FJ	0	C	4320U SE
APR776M	AL	6-B-33-201	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3100, 115, 1.81, MOTOR, ALTERNATING CURRENT; THERMALLY PROTECTED "L", 115 VAC, 1.81	0	C	6105D SE
AQY678M	AL	6-B-33-201	25	\$0.00	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 500 KCMIL, 3/8 IN, WROUGHT COPPER, 2, BROWN, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 KC 2		B	5940I SE
ARN138R	AL	6-B-33-201	1	\$0.00	BASKET	BASKET, TYPICAL, QA 0, BASKET, ; SLUDGE,FOR CENTRIFUGE OIL PURIFIER,TYPE MAB207S-29-60 AND/OR	0	P	4330N SE
ARR244B	AL	6-B-33-201	1	\$0.00	COOLER	COOLER, OIL, QA 0, COOLER,FLUID,INDUSTR, ; OIL, COMPLETE, FOR ICE CONDENSER CONDENSING	0	P	4420B SE
AVX244A	AL	6-B-33-201	10	\$0.00	WHEEL	WHEEL, TYPICAL, QA 0, WHEEL ASSY, ; COLLECTOR, FOR ENTRY SCAN NITRATE SNIFFER, EXPLOSION	0	C	6630D SE
BDM887P	AL	6-B-33-201	2	\$0.00	CYLINDER	CYLINDER, TYPICAL, QA 0, CYLINDER, COMPRESSOR; STEEL, PISTON, LOW PRESSURE, FOR RADWASTE AIR	0	P	4310I SE
BNB931B	AL	6-B-33-201	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, COUPLING,SHAFT,FLEXI, ; CONSISTING OF COUPLING AND TWOHUBS, FOR MAIN	0	P	3040D SE
BNC849N	AL	6-B-33-201	2	\$0.00	CHAMBER	CHAMBER, FLOW, QA 0, CHAMBER, ; FLOW LEADS. ***	0	C	6630D SE
CAK900W	AL	6-B-33-201	2	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, FLUID, 2-1/4 IN, 8 IN, STEEL, FILTER, FLUID; ELEMENT, 8 INCH LONG, 02.25 INCH DIAMETER, STEEL, .0015	0	C	4330N SE
CBG833E	AL	6-B-33-201	14	\$0.00	GASKET	GASKET, TYPICAL, QA 1, GASKET, DIESEL ENGINE; FUEL OIL MANIFOLD; CAT 302 PLATE B48-9 REF NO	1	C	29100 SE
CDM366D	AL	6-B-33-201	2	\$0.00	SPRING	SPRING, TYPICAL, QA 3, SPRING, ACTUATOR; FOR ANCHOR DARLING VALVE, 600 LB, FIGURE 70.28, REF.	3	C	48200 SE
CFF126L	AL	6-B-33-201	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, STEEL, SHAFT, COMPLETE, CONSIST OF ONE GEAR COUPLING KIT P/N: 1 1/2 SB, TWO	3	C	61100 SE
ADE241L	AL	6-B-33-202	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, PUMP, RADIAL, FOR 10 X 13 IN, S/N 31135, 31137, 31144, 31145, 31146	0	P	4320U SE
ADE342E	AL	6-B-33-202	4	\$0.00	BEARING	BEARING, SLEEVE, QA 0, PUMP, THRUST, FOR CONDENSATE BOOSTER PUMP, 10 X 13 IN, S/N	0	P	4320U SE
ADR192E	AL	6-B-33-202	1	\$0.00	BEARING	BEARING, TYPICAL, QA 0, MOTOR, *** FOR WH MOTOR ON PACIFIC PUMP BOILER FEED BOOSTER PUMP	0	P	6105D SE
AGA678E	AL	6-B-33-202	4	\$0.00	STUD	STUD, TURBINE, QA 0, STEAM, *** TAP, FOR STEAM INLET FLANGE, ON TURBINE, S/N 170X114, 170X137	0	C	2825G SE
ARD145B	AL	6-B-33-202	1	\$0.00	SEAL	SEAL, MECHANICAL, QA 1, SEAL, MECHANICAL; MECHANICAL, REF G002, SPIN SIA PSI, ITEM 092, FOR	1	P	4320U SE
ATQ096M	AL	6-B-33-202	3	\$0.00	PACKING	PACKING, PREFORMED, QA 0, RING, 30 IN, 33 IN, 3/4 IN, NEOPRENE, ***	0	P	5730H SE
ATX556W	AL	6-B-33-202	2	\$0.00	FLAPPER	FLAPPER, MECHANICAL, QA 0, FLAP ASSY, ; BALL COLLECTOR,CAST BRONZE,REF 11,FOR COLLECTOR,SIZE	0	C	4420B SE
AYC702C	AL	6-B-33-202	1	\$0.00	BUSHING	BUSHING, VALVE, QA 0, BUSHING, VALVE; STAINLESS STEEL AISI 316, GUIDE, REF 70, FOR 12 IN GOV	0	C	48200 SE
CAL017M	AL	6-B-33-202	5	\$0.00	SEAL	SEAL, MECHANICAL, QA 1, SEAL, MECHANICAL,SPARE PAR; MECHANICAL, DWG 1D-178177, FOR SPENT FUEL	1	B	4320U SE
CEN522E	AL	6-B-33-202	1	\$0.00	ISOLATOR	ISOLATOR, TYPICAL, QA 0, BEARING, *** INPRO/SEAL, SHAFT 6.063, BORE 7.500, FOR SO1 & SO2 RECYCLE PUMP	0	C	4320U SE
CEN523C	AL	6-B-33-202	1	\$0.00	ISOLATOR	ISOLATOR, TYPICAL, QA 0, BEARING, *** INPRO/SEAL, SHAFT 7.00, BORE 8.500, FOR SO1 & SO2 RECYCLE PUMP G/B	0	C	4320U SE
AWA091V	AL	6-B-33-301	3	\$0.00	DRIVE	DRIVE, TYPICAL, QA 3, ASSEMBLY, DRIVE ASSY, ; WHEEL, FOR BRIDGE CRANE ON REFUEL PLATFORM ***	3	C	3950F SE
CBF967X	AL	6-B-33-302	7	\$0.00	SPRING	SPRING, TYPICAL, QA 0, SPRING, SECURITY SYSTEM; FOR MAXIMUM SECURITY BARRIER VII-A GATE ***	0	C	6350B SE
BHF001V	AL	6-B-34-102	3	\$0.00	RING	RING, SEAL, QA 3, RING, SEAL; CAST IRON, TOP FOR 12.00 IN FIRE PUMP STRAINER, SERIES 590	3	P	4730P SE
BHF002R	AL	6-B-34-102	3	\$0.00	RING	RING, SEAL, QA 3, RING, SEAL; CAST IRON, LOWER, FOR 12.00 INFIRE PUMP STRAINER, SERIES	3	P	4730P SE
ACE567V	AL	6-B-34-201	1	\$0.00	NUT	NUT, LOCK, QA 0, NUT, PUMP; SHAFT, REF 14, FOR SCREEN WASH PUMP, MODEL 6LR-16, DOUBLE	0	C	4320U SE
AGE462H	AL	6-B-34-201	2	\$0.00	RING	RING, WEAR, QA 0, PUMP, BRONZE, RING ASSY, PUMP; WEARING, C/O CASING RING, BRONZE, 52636, AND SCREWS,	0	C	4320U SE
AGF019L	AL	6-B-34-201	2	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, SHAFT, PUMP; SLEEVE, REF 10, FOR SCREENWASH PUMP, MODEL 6LR-16, DOUBLE	0	C	4320U SE

ANH199H	AL	6-B-34-201	2	\$0.00	NUT	NUT, TYPICAL, QA 0, VALVE, STEM, PGC TO TAP, FOR LIMITORQUE VALVE OPERATOR, TYPE SMB-0-40, SN	0	C	48200 SE
ATH681P	AL	6-B-34-201	6	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET ASSY, PUMP; OUTER, (NO 363B) FOR PUMP SIZE1 1/2VP-4,85GPM,770 FT	0	C	4320U SE
ATH682M	AL	6-B-34-201	4	\$0.00	GASKET	GASKET, SPIRAL WOUND, QA 0, GUIDE RING: INNER	0	C	4320U SE
BDM681C	AL	6-B-34-201	1	\$0.00	RING	RING, TYPICAL, QA 0, PUMP, 13-7/8 IN, 1-1/2 IN, RING, PUMP; IMPELLER, 13.875 DIA X 1.5 IN WD, REF 4, FOR CENTRIFUGAL	0	P	4320U SE
BRN923Y	AL	6-B-34-201	40	\$0.00	WASHER	WASHER, LOCKING, QA 3, STEEL, , LOCKWASHER, PUMP; FOR RWCU PUMP INGERSOLL RAND MODEL 1 1/2 X 11A,	3	C	4320U SE
BWX462J	AL	6-B-34-201	1	\$0.00	CAP	CAP, TYPICAL, QA 3, CAP ASSY, PUMP; ACCUMULATOR, PUMP DISCHARGE, FOR RECIPROCATING	3	B	4320U SE
CBY040C	AL	6-B-34-201	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 2, PUMP, 5/8 IN, ** MAGNALOY MODEL 100, 5/8" BORE WITH 3/16" KEYWAY & BUNA 'N' INSERT,	2	C	4320U SE
AKE231J	AL	6-B-34-202	3	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, IMPELLER, PUMP,CENTRIFUGAL; KIT INCLUDES IMPELLER AND ADAPTER,	0	P	4320U SE
AMM778J	AL	6-B-34-202	12	\$0.00	KIT	KIT, PARTS, QA 2, CYLINDER KIT, ; PILOT PISTON, FOR GE AIR-BLAST POWER CIRCUIT BREAKER	2	C	5925B SE
ARC935J	AL	6-B-34-202	5	\$0.00	SCREW	SCREW, SET, QA 1, SCREW, SET; HOUSING,UPPER SEAL,SPIN RCPCDAFOR REACTOR COOLANT PUMP	1	P	4470C SE
ATW054H	AL	6-B-34-202	1	\$0.00	BODY	BODY, VALVE, QA 1, BODY ASSY, VALVE; C/O BODY, CARBON STEEL ASTM A516 GR 70, P/N 651832	1	C	48200 SE
AVR292K	AL	6-B-34-202	2	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; STEEL, OUTER, FOR CONDENSER CIRCULATING PUMP, SIZE	0	P	4320U SE
BBQ840T	AL	6-B-34-202	1	\$0.00	GEAR	GEAR, PINION, QA 0, 59, *** RING, REF 35, FOR WINCH ASSY CH-16, ON PETTIBONE CRANE, MODEL 70	0	P	3040D SE
AEE069N	AL	6-B-34-301	1	\$0.00	RING	RING, WEAR, QA 0, RING, PUMP; CASING, SECOND STAGE, REF 3A, FOR ASH SLUICE PUMP, TYPE	0	C	4320U SE
AEE747D	AL	6-B-34-301	7	\$0.00	BOWL	BOWL, TYPICAL, QA 3, BOWL, PUMP; STANDARD, 14HH, ITEM 29, FOR EMERGENCY FIRE PUMP, VERTICAL	3	P	4320U SE
AJD583X	AL	6-B-34-301	4	\$0.00	BARREL	BARREL, TYPICAL, QA 0, BARREL, PUMP; CYLINDER, R EF 7, FOR SERIES 500, MODEL PF05-002-31R001	0	C	4320U SE
AJF908J	AL	6-B-34-301	4	\$0.00	RING	RING, WEAR, QA 0, RING, PUMP; CASING, REF 3, BRZ, FOR CENTRIFUGAL PUMP, 3DNE-52, SN	0	P	4320U SE
APE053E	AL	6-B-34-301	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; FOR CENTRIFUGAL PUMP, TYPE 3DNE-52, S/N	0	B	4320U SE
AVF350Y	AL	6-B-34-301	1	\$0.00	COLLAR	COLLAR, THRUST, QA 0, COLLAR, THRUST; THRUST,FOR PUMP,SIZE 14,SH,DWG W14SH500X5,SN	0	P	4320U SE
AVR003D	AL	6-B-34-301	1	\$0.00	NUT	NUT, TYPICAL, QA 0, PUMP, 12, STAINLESS STEEL, NUT, PUMP; STAINLESS STEEL 450, IMPELLER,RIGHT HAND, ACORN TYPE, 12	0	P	4320U SE
AVR004B	AL	6-B-34-301	1	\$0.00	NUT	NUT, TYPICAL, QA 0, PUMP, 12, STAINLESS STEEL, NUT, PUMP; STAINLESS STEEL 450, IMPELLER,LEFT HAND, ACORN TYPE, 12 THD	0	P	4320U SE
AWR780B	AL	6-B-34-301	2	\$0.00	NUT	NUT, LOCK, QA 0, NUT, PUMP; SHAFT SLEEVE, C/W 2 EA SETSCREWS PN 109A2-S-90, FOR PUMP	0	C	4320U SE
AXQ150C	AL	6-B-34-301	4	\$0.00	SUPPORT	SUPPORT, TYPICAL, QA 0, BLOCK, STEAM TURBINE; FULCRUM, LEVER ASSY, FOR SPEED CHANGERS, ON	0	C	2825G SE
AYM537H	AL	6-B-34-301	1	\$0.00	RING	RING, SEAL, QA 0, RING, SEAL; WATER ONLY, WITHOUT NECK RING,FOR PACKING BOX HAZ450, ON B	0	P	4320U SE
BDM681C	AL	6-B-34-301	1	\$0.00	RING	RING, TYPICAL, QA 0, PUMP, 13-7/8 IN, 1-1/2 IN, RING, PUMP; IMPELLER, 13.875 DIA X 1.5 IN WD, REF 4, FOR CENTRIFUGAL	0	P	4320U SE
BEP354B	AL	6-B-34-301	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, BUSHING, PUMP; HC 600 MATERIAL, STUFFING BOX,ITEM 125, CODE 1228, FOR	0	P	4320U SE
BEP360V	AL	6-B-34-301	2	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 0, PUMP; STAINLESS STEEL, 420 HARDENED,SURFACE HARDNESS 500	0	C	4320U SE
BGG855C	AL	6-B-34-301	7	\$0.00	PLUNGER	PLUNGER, TYPICAL, QA 1, PLUNGER, PUMP; STAINLESS STEEL, ASTM A276, TYPE 304L, HARD GROUND	1	C	4320U SE
BK6986A	AL	6-B-34-301	2	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, IMPELLER, PUMP,CENTRIFUGAL; 9.375 IN DIA, FOR CENTRIFUGAL PUMP, MODEL	0	C	4320U SE
BP708B	AL	6-B-34-301	1	\$0.00	DISC	DISC, TYPICAL, QA 3, DISK, PUMP; BALANCING, WITH O-RING, FOR CRD PUMP, (ITEM#516)	3	C	4320U SE
BNA841H	AL	6-B-35-101	4	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, 6 IN, 125 PSI, STRAINER, ; 6 IN, 125 LB, S/N 85-6-3373-1,-2,-3 AND 4 ***	0	C	4520N SE
BNB192P	AL	6-B-35-101	2	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, 3 IN, 125 PSI, STRAINER, ; 3 IN, 125 LBS, S/N 85-6-337341 THRU 2 ***	0	C	4730P SE
ADF388G	AL	6-B-35-201	1	\$0.00	SHOE	SHOE, MECHANICAL, QA 0, SHOE, BEARING; FLUID DRIVE,REF 2D TWELVE PER SET 12 PER SET ***	0	C	4320U SE
AFT802W	AL	6-B-35-201	1	\$0.00	SLEEVE	SLEEVE, SPLIT, QA 0, BEARING, BEARING, SLEEVE; FRONT SPLIT AND BACKSPLIT, FOR300 HP, 4000.000 VOLTS,	0	P	6105D SE
AQV180J	AL	6-B-35-201	1	\$0.00	GEAR	GEAR, WORM, QA 0, GEAR, WORM; SHAFT, REF 41, FOR LIMITORQUE VALVE OPERATOR TYPE SMB-000	0	P	48200 SE
ATX678E	AL	6-B-35-201	2	\$0.00	GENERATOR	GENERATOR, TYPICAL, QA 3, GENERATOR, ENGINE ACCESSORY; INTERNALLY REGULATED, 024.000 VDC	3	P	29100 SE
BJB388Y	AL	6-B-35-201	14	\$0.00	FERRULE	FERRULE, TYPICAL, QA 1, FERRULE ASSY, PENETRATION; METAL, MK 1000 ***	1	P	5975B SE
BKQ845K	AL	6-B-35-201	102	\$0.00	BRACKET	BRACKET, ARM, QA 3, BRACKET, ; ROLLER, BRASS, W/ONE LOCKING BOLT, FOR BF50 COIL DAMPERS ON	3	P	4140U SE
BKR932K	AL	6-B-35-201	3	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, ; INSULATED, 0.5 IN INLET, FOR MG SET GENERATOR, S/N 8370650	0	C	6115F SE
BLA401V	AL	6-B-35-201	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, 1/2 IN, 3 IN, 6 IN, THREADED, COUPLING, ; INSULATED, 0.5 IN, OUTLET, 3 ID X 6 IN LONG, THREADED, FOR	0	C	6115F SE
BNB931B	AL	6-B-35-201	1	\$0.00	COUPLING	COUPLING, DRIVE, QA 0, COUPLING,SHAFT,FLEXI, ; CONSISTING OF COUPLING AND TWOHUBS, FOR MAIN	0	P	3040D SE
BNF080G	AL	6-B-35-201	1	\$0.00	BEARING	BEARING, MOUNTED, QA 0, PILLOW BLOCK, 1.6800 IN, PB-3112, 2 BOLT, ***	0	P	4520N SE
BNF086Q	AL	6-B-35-201	1	\$0.00	PULLEY	PULLEY, DRIVE, QA 3, PULLEY, GROOVE; 2 GROOVE, FOR "A" BELT, ON SHUTDOWN BOARD ROOMS	3	P	3040D SE
BNR171P	AL	6-B-35-201	2	\$0.00	DRYER	DRYER, TYPICAL, QA 0, DEHYDRATOR, ; 1-1/8 IN, FILTER-DRIER, SUCTION LINE. ***	0	P	4440E SE
BPV720B	AL	6-B-35-201	31	\$0.00	SEAT	SEAT, TYPICAL, QA 3, SEAT, ; ELEMENT, FOR ELECTRO-MOTIVE DIV GENERAL MOTORS STANDARD	3	C	29100 SE
BQV696V	AL	6-B-35-201	1	\$0.00	BEARING	BEARING, TYPICAL, QA 2, BEARING, FAN; SHAFT, EXTERNAL, FOR YORK AIR HANDLING UNIT, MODEL A-7	2	C	4140U SE
BVF000B	AL	6-B-35-201	44	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, BEARING, STARTER MOTOR & MOUNTING, 30, ,CAT 302 PARTS LIST B25 PAGE 20, SLEEVE, GEAR-PLANET,SIZE	1	B	29100 SE
BWM428V	AL	6-B-35-201	1	\$0.00	BEARING	BEARING, TYPICAL, QA 2, BEARING, AIR CONDITIONER; REPLACEMENT BEARING FOR TWIN CITY FAN &	2	C	4520N SE
BYD435V	AL	6-B-35-201	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, BUSHING, DIESEL ENGINE; IDLER GEAR, FLOATING, ENGINE MODEL NUMBER	1	C	29100 SE
CBD210E	AL	6-B-35-201	40	\$0.00	TAPE	TAPE, SEALING, QA 3, 1 IN, 50 FT, 0.010 IN, GRAPHITE	3	B	5730H SE
AHB553P	AL	6-B-35-202	1	\$0.00	SPROCKET	SPROCKET, DRIVE, QA 3, SPROCKET, WHEEL; ROLLER CHAIN, SINGLE WIDTH, 3/4 IN BORE 1/4 IN PITCH	3	P	3040D SE
AJR884H	AL	6-B-35-202	1	\$0.00	BEARING	BEARING, SLEEVE, QA 0, *** FOR GE MOTOR, MODEL 5K831168A3 1750 HP, 224.000 AMP, 4000 V, 3 PH	0	C	6105D SE
ALC005P	AL	6-B-35-202	1	\$0.00	CUP	CUP, BEARING, QA 1, TAPERED ROLLER, 10.5000 IN, 1.5000 IN, , RADIUS: 0.13 IN, STEEL, REF 78, FOR VALVE ACTUATOR, TYPE SMB-3	1	C	48200 SE
ALD077P	AL	6-B-35-202	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, 3-15/16 IN, 4-1/2 IN, 3 IN, BUSHING, COMPRESSOR; METAL, CRANKPIN, 3.9375 ID X 4.5 OD X 3 IN HIGH	0	P	4310I SE
AMH379M	AL	6-B-35-202	20	\$0.00	STEM	STEM, VALVE, QA 0, CHECK, 2 IN, 600 PSI, 5500W, 5/8 IN, 9 IN, STEM, VALVE; 000.625 X 009.000 IN, FOR HANCOCK LIFT CHECK VALVE,	0	C	48200 SE
APF899Q	AL	6-B-35-202	1	\$0.00	HOOK	HOOK, TYPICAL, QA 0, HOOK PIN, ; FOR REACTOR VESSEL SERVICING EQUIPMENT DRYER & SEPARATOR	0	C	4470C SE
AQD378R	AL	6-B-35-202	2	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, ROTARY; DESIGN MEDIUM: OIL ***	0	P	4320U SE

ARW018V	AL	6-B-35-202	1	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER, FLUID; FULFLO, MODEL GE4MX10-3/4S, FOR PCB, ATB 550-38000-2Y	0	C	4330N SE
AVN583P	AL	6-B-35-202	2	\$0.00	RING	RING, SEAL, QA 3, PILOT, ITEM 70, FOR SAFETY RELIEF VALVE BASE	3	C	48200 SE
AVX932L	AL	6-B-35-202	1	\$0.00	DIAPHRAGM	DIAPHRAGM, TYPICAL, QA 0, DIAPHRAGM, COUPLING; SUB ASSEMBLY, C/W PACK GUARDS, MACHINED GUARD	0	C	3040D SE
AWW625W	AL	6-B-35-202	7	\$0.00	BUSHING	BUSHING, GUIDE, QA 0, BUSHING, STEAM TURBINE; STEM GUIDE, BPV INNER, DWG 754E570, ON TURBINE	0	C	2825G SE
BKR932K	AL	6-B-35-202	3	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING; ; INSULATED, 0.5 IN INLET, FOR MG SET GENERATOR, S/N 8370650	0	C	6115F SE
BLE973P	AL	6-B-35-202	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, COUPLING; ; COUPLING ***	3	P	2825G SE
BVA716M	AL	6-B-35-202	2	\$0.00	PLUG	PLUG, VALVE, QA 3, PLUG, VALVE; PLUG, FOR HAMMEL DAHL VALVE, CAT. NO. V803, FITS 3/4 IN	3	C	48200 SE
BVL031R	AL	6-B-35-202	2	\$0.00	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, L.H. ASSEMBLY, MATERIAL: ASTM A182 TY F316, REF.	1	C	48200 SE
BVL032P	AL	6-B-35-202	1	\$0.00	PIN	PIN, HINGE, QA 1, PIN, VALVE; HINGE, R.H. ASSEMBLY, MATERIAL: ASTM A182 TY F316, REF.	1	C	48200 SE
BVL149B	AL	6-B-35-202	1	\$0.00	NUT	NUT, TYPICAL, QA 1, NUT, VALVE; STEM, FOR WALWORTH CAST STEEL PRESSURE SEAL GATE VALVE, W/	1	C	48200 SE
BWX879G	AL	6-B-35-202	2	\$0.00	PLUG	PLUG, TYPICAL, QA 3, PLUG, ACCUMULATOR; FOR GREER HYDRAULICS INC. MODEL NO. A70538-200	3	C	3040D SE
BXN112C	AL	6-B-35-202	2	\$0.00	BEARING	BEARING, TYPICAL, QA 0, GENERATOR, ** FOR TACH - GENERATOR, RECIRC MG SET 2A & 2B	0	C	6115F SE
BXN184J	AL	6-B-35-202	5	\$0.00	SHIM	SHIM, TYPICAL, QA 0, SHIM, PRECUT; 10 & 12 STAGE LOWER, FOR LOW PRESSURE TURBINE DIAPHRAGM	0	C	2825G SE
CAM588D	AL	6-B-35-202	4	\$0.00	ORIFICE	ORIFICE, TYPICAL, QA 1, ORIFICE, REGULATOR; ID 2.211", FOR USE ON FUEL SUPPORT CASTING ***	1	C	6695D SE
CBA361W	AL	6-B-35-202	1	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, PUMP; SOCKET HEAD CAP, STAINLESS STEEL, IMPELLER NUT LOCK	1	C	4320U SE
CBD494R	AL	6-B-35-202	2	\$0.00	BEARING	BEARING, ROLLER, QA 0, SPHERICAL, SELF ALIGNING, 6.6929 IN, 1.2.2047 IN, 4.3307 IN, *** PART# SKF23234CJW33, FOR THE REACTOR E	0	C	3950F SE
CFA086N	AL	6-B-35-202	1	\$0.00	RING	RING, WEAR, QA 3, MATERIAL: 1.4462, TAPROGGE DRAWING K1998/20/0628-0580, FOR CONDENSER	3	C	5680B SE
CFW342B	AL	6-B-35-202	1	\$0.00	RING	RING, TYPICAL, QA 1, RING, TYPICAL ROTATING FACE, THIS IS A PART OF THE TWO STAGE	1	C	4320U SE
CFW908K	AL	6-B-35-202	3	\$0.00	COUPLING	COUPLING, DRIVE, QA 3, ASSEMBLY, 5/8 IN, 5/8 IN, 3/16 IN X 3/32 IN, 3/16 IN X 3/32 IN, ** HUB MATERIAL: ALUMINUM, SLEEVE MATERIA	3	B	3040D SE
CGM753K	AL	6-B-35-202	1	\$0.00	COLLECTOR	COLLECTOR, TYPICAL, QA 3, ASSEMBLY, LOWER COLLECTOR DISK CASTING FOR MODEL 85 ION TRACK EXPLOSIVE DETECTOR	3	C	6695D SE
CHG605P	AL	6-B-35-202	3	\$0.00	BEARING	BEARING, TYPICAL, QA 0, MOTOR, STEEL, AFBMA # 75BC03J3, BOTH ENDS, MOTOR SERIAL NUMBER E09272-01-1, TYPE	0	C	6105D SE
CHW063R	AL	6-B-35-301	1	\$0.00	COMPRESSOR	COMPRESSOR, AIR, QA 3, STATION, 230/460 AC, 514, 8" BOREX 7" STROKE, 160ACFM@50PSIG, 25.9 FULL-LOAD BHP, NON-LUBE	3	C	4310I SE
BLQ437W	AL	6-B-35-302	24	\$0.00	BEARING	BEARING, SLEEVE, QA 1, BEARING HALF, SLEEVE; SLEEVE SHELL-BEARING- CONNECTING ROD-UPPER	1	C	29100 SE
BLQ438T	AL	6-B-35-302	22	\$0.00	BEARING	BEARING, SLEEVE, QA 1, BEARING HALF, SLEEVE; HALF CIRCLE, L STD	1	P	29100 SE
BXW328M	AL	6-B-36-101	2	\$0.00	ROTOR	ROTOR, PUMP, QA 1, ROTOR, PUMP; JOURNAL, ROTOR; FOR REACTOR COOLANT PUMP, WESTINGHOUSE	1	C	4320U SE
ATE414Y	AL	6-B-36-201	6	\$0.00	SCREW	SCREW, TYPICAL, QA 1, SCREW, PUMP; DWG Z-6315 ITEM 32, WEARING RING RETAINING SCREW, FOR MDL	1	C	4320U SE
AWQ633J	AL	6-B-36-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, IMPELLER, PUMP,CENTRIFUGAL; DWG W-150X8ATS500X1, FORM 7978-A, FOR RHR	0	C	4320U SE
BEP329A	AL	6-B-36-201	2	\$0.00	BOLT	BOLT, SQUARE, QA 0, 1-1/2 IN, 6 IN, 6, CS, UNC, SAE GR 5, W/HEX NUT. CONSTISTS OF	0	C	4320U SE
BFD805J	AL	6-B-36-201	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, PUMP, 18 IN, 2 IN, STAINLESS STEEL, SHAFT, PUMP; STAINLESS STEEL, 2 OD X 18 IN LG, FOR CENTRIFUGAL PUMP	0	B	4320U SE
BHE229A	AL	6-B-36-201	2	\$0.00	KIT	KIT, PARTS, QA 3, PARTS KIT, MECHANICAL SEAL; HEAD, C/O SEAT, SEAT GASKET, OUTER LINER	3	C	4320U SE
BVL087X	AL	6-B-36-201	1	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, PUMP, 4-1/2 IN, CARBON, SPACER, PUMP; CARBON, 4 1/2 (4.5) INCH, FOR CONDENSATE PUMP. ***	0	C	4320U SE
BWD905X	AL	6-B-36-201	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, PUMP, IMPELLER, PUMP, CENTRIFUGAL, FOR PUMP MODEL 4 X 3 X 12 BPO, BORE SIZE	3	C	4320U SE
CBA361W	AL	6-B-36-201	3	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, PUMP; SOCKET HEAD CAP, STAINLESS STEEL, IMPELLER NUT LOCK	1	C	4320U SE
CBK405M	AL	6-B-36-201	2	\$0.00	WASHER	WASHER, TYPICAL, QA 0, PUMP, *** IMPELLER, FOR MOISTURE SEPERATOR DRAIN PUMP. MODEL NO. 4X11A AND	0	C	4320U SE
CDE515T	AL	6-B-36-201	11	\$0.00	SEAL	SEAL, TYPICAL, QA 3, PUMP, SEAL, MECHANICAL,SPARE PAR; MECHANICAL, C/W SLEEVE, JOHN CRANE	3	C	4320U SE
CGB794Q	AL	6-B-36-201	2	\$0.00	SEAL	SEAL, MECHANICAL, QA 3, PUMP, FOR INGERSOLL RAND MODEL 6 X 10A, STYLE 180-19, CB/SSC AFLAS, ITEM	3	C	4330N SE
AWW709P	AL	6-B-36-202	1	\$0.00	HOUSING	HOUSING, BEARING, QA 0, HOUSING, BEARING UNIT; BEARING SPL, FOR CENTRIFUGAL CLEAN-UP	0	P	4320U SE
BFB276W	AL	6-B-36-202	4	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; PUMP SERVICE, COMPLETE, FOR REFRIGERATION	0	P	4520N SE
BFB277T	AL	6-B-36-202	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; PUMP SERVICE, COMPLETE, FOR REFRIGERATION	0	P	4520N SE
BFB278Q	AL	6-B-36-202	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; TOP CAP ASSEMBLY, FOR REFRIGERATION	0	P	4520N SE
BFB279N	AL	6-B-36-202	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, REFRIGERATION; RESERVOIR, COMPLETE, FOR REFRIGERATION	0	P	4520N SE
BKR897T	AL	6-B-36-202	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 3, IMPELLER, PUMP,CENTRIFUGAL; BRONZE, FOR PUMP ***	3	C	4320U SE
BWD946E	AL	6-B-36-202	5	\$0.00	SCREW	SCREW, TYPICAL, QA 1, PUMP, 3/4 IN, 1-1/2 IN, 10, ALLOY STEEL, HEX; ; ASTM A193 GR B7; IMPELLER (NYLOK); FOR THERMAL BARRIER B	1	C	4320U SE
BYA796A	AL	6-B-36-202	1	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 3, SLEEVE, SHAFT,PUMP; SHAFT SLEEVE FOR SUMP PUMP, TYPE MODEL 1-1/2 X	3	C	4320U SE
CDK989J	AL	6-B-36-202	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, PUMP; FULL-FLEX COUPLING, FORGED STEEL, SIZE 2, FLANGE OD	0	C	3040D SE
AEF108C	AL	6-B-36-301	2	\$0.00	NUT	NUT, TYPICAL, QA 0, PUMP, *** THRUST, SHAFT SLEEVE COMPRESSION, FOR 16 IN X HVCN REACTOR	0	C	4320U SE
AEF907D	AL	6-B-36-301	1	\$0.00	NUT	NUT, TYPICAL, QA 0, PUMP, *** RADIAL, SHAFT SLEEVE COMPRESSION, FOR 16 IN X HVCN REACTOR	0	C	4320U SE
AKD754N	AL	6-B-36-301	3	\$0.00	SPACER	SPACER, MECHANICAL, QA 0, SPACER; ; LOW PRESSURE, FOR INGERSOLL-RAND AIR COMPRESSOR, MODEL 253D	0	C	4310I SE
AKE780V	AL	6-B-36-301	1	\$0.00	IMPELLER	IMPELLER, TYPICAL, QA 0, PUMP, 10, 9-1/4 IN, IMPELLER, PUMP,CENTRIFUGAL; REF 101, 009.250IN DIA, FOR DEMINERALIZER	0	P	4320U SE
AKE821W	AL	6-B-36-301	1	\$0.00	SLEEVE	SLEEVE, SHAFT, QA 0, SLEEVE, SHAFT,PUMP; REF 8, FOR MAIN RAW COOLING WATER PUMP 14AFV	0	P	4320U SE
ANE616B	AL	6-B-36-301	4	\$0.00	LINER	LINER, TYPICAL, QA 0, LINING; ; THRUST BEARING, ITEM 190, FOR INGERSOLL-RAND RAW WATER	0	C	4320U SE
ATB514A	AL	6-B-36-301	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 2, , PUMP, STRAIGHT, FITS THE FOLLOWING PUMPS:MODEL25HP4, EB11, S/N	2	P	4320U SE
BLH107P	AL	6-B-36-301	1	\$0.00	PUMP	PUMP, TYPICAL, QA 0, PUMP, LUBRICANT TRANSFER; STAINLESS STEEL POLYPROPYLENE,40 IN, DRUM	0	P	5120M SE
CAJ709C	AL	6-B-36-301	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, PUMP; FOR VIKING MODEL LS4125R PUMP ***	0	B	4320U SE
CEK672A	AL	6-B-36-301	1	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, COUPLING, *TYPICAL; TYPE: PUMP *** SIZE 1-1/2 W, BORE SIZE: 1.875 X	0	C	4320U SE
CJP245G	AL	6-B-36-301	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, CIRCUIT BREAKER, FOR 5-3AF-GEH-250-1200-58 AND 5-3AF-GEH-250-2000-58	1	C	5930E SE
CKY821V	AL	6-B-36-301	1	\$0.00	BUSHING	BUSHING, TYPICAL, QA 1, COPPER, FOR 6" 150 POUND POWELL GATE VALVE, POWELL FIG 1503WE, ITEM 5,	1	C	48100 SE

AWE922Y	AL	6-B-36-302	1	\$0.00	RING	RING, SEAL, QA 0, SEAL RING, METAL; OIL, FOR BFP TURBINE, S/N 15A3146-1 THRU 4 ***	0	B	2825G SE
BAN718W	AL	6-B-36-302	2	\$0.00	PULLEY	PULLEY, DRIVE, QA 2, PULLEY, GROOVE; CAST IRON, THREE GROOVES, BUSHING TYPE Q2 ,VARIABLE	2	P	3040D SE
BHA291R	AL	6-B-36-302	1	\$0.00	SHAFT	SHAFT, DRIVE, QA 0, CRANKSHAFT, ; STEEL, C/W PLUGS, FOR REFRIGERATION COMPRESSOR, MODEL	0	P	4520N SE
BTF848G	AL	6-B-36-302	1	\$0.00	SEAT	SEAT, VALVE, QA 1, RING, VALVE; SEAT PART #0670976 FOR 16" GATE VALVE, 600#, ITEM CODE	1	B	48200 SE
BTP201V	AL	6-B-36-302	1	\$0.00	DAMPER	DAMPER, PNEUMATIC, QA 3, DAMPER, FIRE; CONTROL BLDG SHIFT ENGR OFFICE, MARK #47A381-721, MODEL	3	C	4520N SE
BVH509P	AL	6-B-36-302	2	\$0.00	GASKET	GASKET, TYPICAL, QA 3, SOFT STEEL, SINGLE, , FOR 4" WILLIAM POWELL 900 # CAST STEEL GATE VALVE, FIG. NO.	3	C	48200 SE
CHG541N	AL	6-B-36-302	4	\$0.00	PLATE	PLATE, SEAL, QA 0, STRAINER	0	C	4730P SE
CKC388C	AL	6-B-36-302	1	\$0.00	COVER	COVER, TYPICAL, QA 1, CLASS 3, , MATERIAL: FORGED STAINLESS STEEL, MATERIAL TYPE: SA479T 316 NUC,	1		48200 SE
BGX323B	AL	6-C-01-101	8	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 0, THERMOSTATIC, 35-250 DEG F, 120/277, 25, MODEL NO N-1, 21 A @ 480 VAC, RESISTANCE LOAD 30 A	0	C	59300 SE
CPD403E	AL	6-C-01-102	10	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, MOLDED CASE, 600, 3, 600 A	0	C	5925B SE
BTN034F	AL	6-C-01-201	105	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, THERMAL MAGNETIC, 600, 3, 25000-480, 125 A, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600 V AC, 125A FF 1	B		5925B SE
BTN034F	AL	6-C-01-202	114	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, THERMAL MAGNETIC, 600, 3, 25000-480, 125 A, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600 V AC, 125A FF 1	B		5925B SE
BBP745E	AL	6-C-01-301	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,AIR 2-POLLE,250 VAC,20 AMP,TIME DELAY	1	B	5925B SE
BXJ043V	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3-POLE, 600 VAC, 250 VDC, 400 AMP	1	B	5925B SE
BLC800E	AL	6-C-01-301	1	\$0.00	TRIP DEVICI	TRIP DEVICI TRIP DEVICE, CIRCUIT BREAKER, TRIP DEVICE, CIRCUIT BREAKER; FOR CIRCUIT BREAKER, 200 AMPS,1A-2B ***	1	B	5925B SE
BLD366J	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; 2-POLE, 480 VAC, 250 VDC,100 AMP TRIP	1	C	5925B SE
BLD369C	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 250 VDC, 150 AMP TRIP, WITH LINE	1	B	5925B SE
BLD371R	AL	6-C-01-301	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, MOLDED CASE, 480 AC/250 DC, 30, 2, LINE-LOAD LUGS, 20 K	1	B	5925B SE
BLN765M	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 125 AMPS, MOLDED CASE, WITH LINE	1	B	5925B SE
BLT572C	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 15 AMPS, MOLDED CASE, WITH BELL	1	B	5925B SE
BLT580Q	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 90 AMPS, MOLDED CASE, WITH BELL	1	P	5925B SE
BPL829D	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; 3-POLE, 600 VAC, 150 AMPS, MOLDED CASE	1	B	5925B SE
BPN148V	AL	6-C-01-301	1	\$0.00	KIT	KIT, PARTS, QA 1, PARTS KIT, CIRCUIT BREAKER; GEAR BOX, WITH MOTOR, 125 VDC, FOR CIRCUIT	1	B	5925B SE
CBX841C	AL	6-C-01-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; 500V DC, 3 POLE, 50 AMPERES, 15KJAC, WITH	1	B	5925B SE
BTN112Y	AL	6-C-01-302	31	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME	1	B	5925B SE
BVB228X	AL	6-C-01-302	10	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 15A FRAME, 25 AMPS	1	B	5925B SE
CPD879T	AL	6-C-02-101	4	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 60-95 VDC, 10-50 MA, 200-2000 PSI, 2000 WPSI, 316 SS	0	C	6695D SE
BGJ581D	AL	6-C-02-102	81	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, 0-300 PSI, 4-1/2 IN, ALUMINUM, BOTTOM, SS, CAT #713B, STD GLASS LENS, STOC	0	C	6695D SE
BPG890A	AL	6-C-02-201	1	\$0.00	KIT	KIT, PARTS, QA 0, MODIFICATION KIT, ; FIT, ELECTRONIC RECORDER AND CABLE, FOR AIR	0	B	6695D SE
BPH056H	AL	6-C-02-201	1	\$0.00	BOX	BOX, TYPICAL, QA 3, BOX, RADIATION MONITOR; INTERFACE, FOR CONTINUOUS AIR MONITOR, FOR	3	C	6630D SE
BPV103R	AL	6-C-02-201	4	\$0.00	INDICATOR	INDICATOR, TEMPERATURE, QA 3, DIGITAL, SURFACE MOUNT	3	C	6695D SE
BQC296R	AL	6-C-02-201	8	\$0.00	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, SAMPLE; STRIP COUPON, FOR 14 IN PIPE, 316 STAINLESS STEEL	3	C	6695D SE
BQN071M	AL	6-C-02-201	1	\$0.00	TAPPET	TAPPET, TYPICAL, QA 1, TAPPET, PUMP; TAPPET ASSY, OVERSPEED TRIP, FOR TOP MECHANISM THROTTLE	1	C	4320U SE
BRG314P	AL	6-C-02-201	2	\$0.00	SEAL	SEAL, FEEDTHROUGH, SEAL, ASSEMBLY; CONDUIT, STAINLESS STEEL, 0.5 (1/2) INCH CONNECTION,	1	C	5730H SE
BRH686C	AL	6-C-02-201	7	\$0.00	BUSHING	BUSHING, TYPICAL, QA 3, BUSHING, PACKING; CARBON #5005, SPACER, HALVED WITH DRILLED AND TAPPED	3	C	5730H SE
BRX501N	AL	6-C-02-201	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; OUTPUT SIGNAL 10 TO 50 MA DC. ***	1	C	6695D SE
BTE361J	AL	6-C-02-201	3	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; DIAL INDICATING, 6.0 INCH DIAL, SCALE 0 TO 60 PSIG	3	C	6695D SE
BTE382A	AL	6-C-02-201	3	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE; DIAL INDICATING, 6.0 INCH DIAL, SCALE 0 TO 160 PSIG	3	C	6695D SE
BVJ140K	AL	6-C-02-201	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, AMPLIFIER; PROPORTIONAL, 120 VAC INPUT, 2 BIAS	3	B	5999D SE
BVJ158L	AL	6-C-02-201	1	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 3, AMPLIFIER, PROPORTIONAL; PRINTED CIRCUIT BOARD, INPUT 2, BIAS RANGE	3	B	6625D SE
CBE459N	AL	6-C-02-201	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE-SELECT; FOR DIESEL ENGINE MODEL 20-645E4, HEAT	1	B	59300 SE
BQP567V	AL	6-C-02-202	7	\$0.00	MANIFOLD	MANIFOLD, MECHANICAL, QA 0, MANIFOLD, ; "RAD MAN" BREATHING AIR MANIFOLDS WITH MODIFICATIONS, WITH	0		6625D SE
AQB678P	AL	6-C-02-301	1	\$0.00	PRINTER	PRINTER, TYPICAL, QA 0, MULTIPRINTER ASSY, ; FOR GE RECORDER, MULTIPLE PURPOSE, MODELS	0	C	6695D SE
ARH895A	AL	6-C-02-301	2	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 0, AMPLIFIER, ; ELECTROLYTIC CONDUCTIVITY, FOR WATER QUALITY CONDUCTIVITY	0	B	6695D SE
AVW254C	AL	6-C-02-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD, ASSY; BASIC MATRIX, FOR REMOTE CONTROL RECEIVER ***	0	B	5999D SE
AWM268Y	AL	6-C-02-301	5	\$0.00	METER	METER, TYPICAL, QA 0, METER, SPECIAL SCALE; MODEL DB40,DUAL SCALE, RANGE 0 TO 40, 0 TO 125	0	C	6630D SE
AXC867G	AL	6-C-02-301	153	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER, GREEN, 3/PACKAGE, PEN, RECORDER; GREEN, THREE PER PG, FOR SPEEDOMAX M RECORDER MARK II	0	C	7510U SE
AXP026X	AL	6-C-02-301	2	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, SENSOR; 0 TO 125/750 IN WATER, 316 STAINLESS STEEL, SILICONE	0	B	5963B SE
BBG369L	AL	6-C-02-301	3	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, C/W CABLE AND THREE CONNECTORS AMPHENOL P/N 69475,	0	C	6630D SE
BLA032N	AL	6-C-02-301	2	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH ASSY, ; MANIFOLD PROGRAMMING, FOR CONTROL-INDICATOR, MINI-LINE	0	C	59300 SE
BLH290G	AL	6-C-02-301	4	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ; SELECTOR, WITH CONTACT DEVELOPMENT, WITH 6A KEY OPERATOR	1	C	59300 SE
BND370T	AL	6-C-02-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD, ASSY; DISSOLVED OXYGEN, CONSISTS OF 2 BOARDS, FOR MARTEK	0	B	6630D SE
BNH004C	AL	6-C-02-301	6	\$0.00	KIT	KIT, PARTS, QA 1, PARTS KIT, TRANSMITTER; AISI TYPE 316 STAINLESS STEEL, CONSISTING OF	1	B	6695D SE
BNH047Q	AL	6-C-02-301	1	\$0.00	TRANSFORM	TRANSFORMER, POWER, QA 1, TRANSFORMER, POWER; 480/240/120 VAC, REF WO NUMBER90-22313-00, FOR 480	1	B	5950N SE
BNH760Q	AL	6-C-02-301	5	\$0.00	COIL	COIL, ELECTRICAL, QA 1, COIL, ELECTRICAL; 250 VDC, HIGH TEMPERATURE, CLASS H, TRIP, MOLDED	1	B	5950N SE
BNQ872X	AL	6-C-02-301	1	\$0.00	INDICATOR	INDICATOR, ELECTRICAL, QA 0, INDICATOR, DIGITAL DISPLAY; PANEL MOUNT, 6.35 IN X 3.2 IN. ***	0	C	6625D SE
BQC332G	AL	6-C-02-301	3	\$0.00	HOLDER	HOLDER, TYPICAL, QA 3, HOLDER, SAMPLE; STRIP COUPON, FOR 16 IN PIPE, 316 STAINLESS STEEL	3	C	6695D SE

BXM722M	AL	6-C-02-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, CIRCUIT BOARD KIT, CAMERA; FOR MINIATURE UNDERWATER RADIATION TOLERANT	0	B	6750J SE
CAP391N	AL	6-C-02-301	2	\$0.00	GAUGE	GAUGE, COMPOUND, QA 2, DIAL/INDICATING, 1/4 IN NPT, 2-1/2 IN, BRASS, LOWER, 0-300 PSI, 0-30 IN HG, STEEL, BRONZE	2	B	6695D SE
AAW434K	AL	6-C-02-302	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; NUCLEAR ELECTRONIC GAUGE, OUTPUT SIGNAL 10-50	1	P	6695D SE
BHT223Q	AL	6-C-02-302	7	\$0.00	THERMOST	THERMOSTAT, CONTROL, QA 0, INDICATING, 85-245 DEG F, PROPORTIONAL, 6 FT, CONTROL, TEMP,INDICATING; 85 TO 245 DEG F, 30 TO 10	10	C	6695D SE
BPV381V	AL	6-C-02-302	2	\$0.00	COLUMN	COLUMN, TYPICAL, QA 0, COLUMN, ; CATION, CG-100 ***	0	B	5925B SE
BRD734G	AL	6-C-02-302	2	\$0.00	COLUMN	COLUMN, TYPICAL, QA 0, COLUMN, CHROMATOGRAPH; ION PAC AS4A-SC, 2-MM ANALYTICAL (2 X 250 MM)	0	B	6630D SE
BYM613L	AL	6-C-02-302	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, 120 INPUT/5 DC OUTPUT, 8, 50/60, MODULE, POWER SUPPLY; REDUNDANT, 5 VOLT DC OUTPUT RATED AT 80	0	C	5963B SE
BYM618A	AL	6-C-02-302	2	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, INPUT, 120, 50/60, MODULE, INPUT; HIGH-DENSITY AC, SIXTEEN 120 VOLT, 50/60 HZ INPUTS.	0	C	5963B SE
BYM782W	AL	6-C-02-302	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 0, ELECTRONIC, 24 VDC, 4-20 MADC, 0-70 PSID, SMART ELECTRONIC DIFFERENTIAL, MODEL 3051C,	0	C	6695D SE
BYM801L	AL	6-C-02-302	2	\$0.00	TRANSDUCI	TRANSDUCER, PRESSURE, QA 0, ELECTRO-PNEUMATIC, 4-20 MADC/185 OHMS, 3-15 PSIG, 20 PSIG, TERMINAL BLOCK, TRANSDUCER, ELECT	0	C	6625D SE
CED904F	AL	6-C-02-302	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, BRASS, 0-500 PSI, 6 IN, POLYPROPYLENE, BACK, +/- 0.5 %, PHOSPHOR BRONZE, G, 0	0	B	6695D SE
CFG636P	AL	6-C-02-302	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 0, ALPHALINE/GAGE, 0.125 - 0.750 IN H2O, 10-50 MADC, TRANSMITTER, PRESSURE; TYPE: ALPHALINE/GAGE 0	0	B	6695D SE
AHP225B	AL	6-C-03-201	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 250 DC, 20-200 SEC	0	P	5945D SE
ATT203F	AL	6-C-03-201	6	\$0.00	FUSE	FUSE, ONE-TIME, QA 0, CARTRIDGE, 10, 80 K, ***	0	C	5920K SE
BBQ319T	AL	6-C-03-201	1	\$0.00	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; PLUG-IN, DC 24.0 VOLTS, COIL IMPED 800.0 OHMS	3	P	5945D SE
BKM958M	AL	6-C-03-201	2	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; ENCLOSURE OPEN, AC 600.0 VOLTS, POLE QTY 6	1	B	5945D SE
BNP941A	AL	6-C-03-201	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, 250 DC, 0.55-15 SEC, SOLID STATE; TIMING, POTENTIONMETER, BLOWOUT OPTION "N"	1	B	5945D SE
BQX541F	AL	6-C-03-201	12	\$0.00	BLOCK	BLOCK, CONTACT, QA 1, CONTACT BLOCK, RELAY; TWO NORMALLY CLOSED CONTACTS, FOR USE ON GE	1	C	5945D SE
BVG904N	AL	6-C-03-201	2	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; FOR AK-2-25 CIRCUIT BREAKERS,230 VOLTS AC, "X"	1	B	5945D SE
BWD970W	AL	6-C-03-201	1	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; 125VDC, AUXILIARY, TWO SPDT CONTACTS	1	B	5945D SE
CAE073A	AL	6-C-03-201	8	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, CARTRIDGE, TIME DELAY, 600 AC/500 DC, 1600, 200 K AC/100 K DC, L, 3 IN, 10-3/4 IN, , UL LISTED	2	B	5920K SE
BHQ741C	AL	6-C-03-202	5	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; AC 115.0 VOLTS, TYPE MG-6, FOR ERCW DUPLEX	1		5945D SE
BQW228Q	AL	6-C-03-202	8	\$0.00	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, BLOCK; 250VAC,2 POLE, 60 AMP ***	1	B	5920K SE
BTM939E	AL	6-C-03-202	9	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600 VAC, 250 A FRAME	1	B	5925B SE
BTQ976Q	AL	6-C-03-202	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; VOLTAGE 120V, 60 HZ, CLASS 1E, SCHMATIC	1	B	5945D SE
BTN059Y	AL	6-C-03-301	26	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, THERMAL MAGNETIC, 600, 100, 3, 25000-480, WITH ED63 RETRO FIT KIT, ED 125 AMP FRAME	1	B	5925B SE
ABP380F	AL	6-C-03-302	1	\$0.00	RELAY	RELAY, CONTROL, QA 0, ELECTROMAGNETIC, 110, 31/24-52/0, 5, 60, RELAY, ELECTROMAGNETIC; OUT-OF-STEP, 56, FORM B2, 5 AMP, 11 0	1		5945D SE
BPT513A	AL	6-C-03-302	6	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 2-POLE, 600 VAC, 600 AMPS, MOLDED CASE, PRESSURE	1		5925B SE
BTX197P	AL	6-C-03-302	5	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, TYPE MG-6, SPIN BOP ***	1		5945D SE
BHB561H	AL	6-C-04-101	4	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, 115/230, 24/48 DC, 9/18, 47-63, 1, SWITCH MODE, INPUT: 115 VAC 18 AMPS, 208 VAC 10 AMPS, 2 0	0	C	61100 SE
CPD040R	AL	6-C-04-101	2	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, 105-132, 25, 1350, 47/440, 48+/-5% VDC, MAX RATINGS: 20 A @ 40 DEG C, 18 A @ 50 DEG C, 15.5 0	0	C	5999D SE
BDH805A	AL	6-C-04-102	2	\$0.00	CALIBRATO	CALIBRATOR, INSTRUMENT, QA 0, THERMOCOUPLE, SIMULATOR, CONSTANT CURRENT VOLTAGE SOURCE, MODEL TSC 47UR	0	C	6625D SE
CPD142F	AL	6-C-04-102	10	\$0.00	METER	METER, FLOW, QA 0, FLUID INDICATING, 0-2.98 IN H2O, DP, MODEL EFF CO 0300, S/N 299473.S.1.1	0	C	6695D SE
CPD230X	AL	6-C-04-102	8	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, 117, 42 DC, 200 MA	0	C	6130S SE
CPD293R	AL	6-C-04-102	1	\$0.00	SENSOR	SENSOR, GAS, QA 0, REMOTE, 20 MA, SS, ASME SA182 GR F316/F316L, 2 IN, 150 R/F BL, PROCESS CONDITION; GAS-H2,	0	C	6630D SE
AHW629Q	AL	6-C-04-201	4	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0 TO 300 PSIG, OUTPUT 10 TO 50 MILLIAMPS-DC	0	B	6695D SE
ARX000N	AL	6-C-04-201	2	\$0.00	TRANSDUCI	TRANSDUCER, CURRENT, QA 0, 0-600 VDC, 10-50 MADC, 200 OHMS, 120 VAC, TRANSDUCER, CURRENT; STATIC, 0-600 VDC INPUT, 120 V 0	0	B	6625D SE
BFX514A	AL	6-C-04-201	3	\$0.00	REGULATO	REGULATOR, PRESSURE, QA 0, AIR, 200-2500 PSIG, 2500 PSIG MAX, 5 GPM, STAINLESS STEEL BODY, REGULATOR, PRESSURE; BODY MATL ! 0	0	C	6695D SE
BKF973Q	AL	6-C-04-201	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, GENERATOR; SIGNAL ***	1	B	5999D SE
BNV392W	AL	6-C-04-201	1	\$0.00	CONVERTE	CONVERTER, VOLTAGE, QA 1, CONVERTER, PRESSURE TO CURRENT; SQUARE ROOT, INPUT 10-50 MA, OUTPUT	1	B	6130S SE
BPL989N	AL	6-C-04-201	3	\$0.00	ARMATURE	ARMATURE, TYPICAL, QA 1, ARMATURE ASSY, ; WITH MAGNET, FOR CIRCUIT BREAKER, MODEL AK-15/25 ***	1	C	5925B SE
BXB206W	AL	6-C-04-201	3	\$0.00	METER	METER, ELECTRICAL, QA 3, METER, RANGE INDICATOR; PERCENT POWER, SCALE 0 - 125, FULL SCALE = 50	3	C	6625D SE
BXN868K	AL	6-C-04-201	8	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RECORDER; FOR SQUARE ROOT CONVERTER, TYPE 565, AND	3	B	6695D SE
CAC330F	AL	6-C-04-201	10	\$0.00	CABLE	CABLE, ASSEMBLY, QA 1, CABLE ASSY, INSTRUMENT; HARDLINE, COAXIAL, 10 FT, FOR ACOUSTIC	1	B	6695D SE
CAF572V	AL	6-C-04-201	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, INDICATOR, PRESSURE; DIGITAL, INPUT: 10-50MA, OUTPUT: 0 TO 1500 PSIG.	3	B	6695D SE
CCA277B	AL	6-C-04-201	1	\$0.00	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, BUS,ELECTRICAL; BUS ISOLATOR FOR UNIT 3 ICS CLASS 1E	1	B	6150E SE
CDF983K	AL	6-C-04-201	5	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 1-16 PSI, 250, 15, SPDT, 1/4 IN FNPT, EXPLOSION PROOF, 316SS DIAPHRAGM, VITON O-RING, 316SS PROCESS C 0	0	C	59300 SE
CHC119L	AL	6-C-04-201	3	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, BRONZE, CORNING SC PREPOLI UNICAM	0	C	5935B SE
CGD910J	AL	6-C-04-202	3	\$0.00	SHELF	SHELF, COMMUNICATION, QA 0, MOUNTING, 19 IN, 11-1/2 IN, EQUIPMENT RACK	0	C	6695D SE
CHE918B	AL	6-C-04-202	1	\$0.00	SHELF	SHELF, COMMUNICATION, QA 0, MULTIPLEX EQUIPMENT, 3/1/0 DACS, 112 T1 (2688 DSO'S), INCLUDES: EQUIPMENT NEST	0	B	5805M SE
ACW645R	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; SOLID STATE AMPLIFIER, FOR SPEEDMAX	0	B	6695D SE
ADB607L	AL	6-C-04-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, AMPLIFIER; UNIVERSAL STABILIZED AMPLIFIER 32 W ***	0	B	5999D SE
AEW183R	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; THERMOCOUPLE INPUT, FOR RECORDER ***	0	B	6695D SE
AFB204Y	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; OPERATIONAL AMPLIFIER ***	0	B	5999D SE
AFB401W	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; SERVO VALVE MODULATOR INDICATOR, SEQ	0	P	5999D SE
AGY445Y	AL	6-C-04-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; PRINTED, FOR EHC SYSTEM ***	0	B	5999D SE
AGY546Q	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; PRINTED, FOR EHC SYSTEM ***	0	P	5999D SE

AGY646L	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; PRINTED, FOR EHC SYSTEM ***	0	B	5999D SE
AHB207C	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; DIODE VALVE TEST, SEQ 8972, FOR EHC	0	B	5999D SE
AHB306A	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; LOAD REFERENCE AMPLIFIER, SEQ 8943, FOR	0	B	5999D SE
AHB508X	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, VOLTAGE RELAY, 250, PRINTED CIRCUIT BD, RELAY; 250 VOLT RELAY, SEQ 894B, FOR EHC SYSTEM ON	0	B	5999D SE
AHB509V	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; SERVO VALVE AMPLIFIER, SEQ 8946, FOR EHC	0	B	5999D SE
AHB606X	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; BYPASS VALVE TEST AMPLIFIER, SEQ 8987	0	B	5999D SE
AHB608R	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, VOLTAGE RELAY, 250, PRINTED CIRCUIT BD, RELAY; 250 VOLT RELAY, SEQ 894X, FOR EHC SYSTEM ON	0	B	5999D SE
AHB707P	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; CONTROL VALVE PRE-AMPLIFIER FUNCTION, FOR	0	P	5999D SE
AHB708M	AL	6-C-04-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, VOLTAGE RELAY, 250, PRINTED CIRCUIT BD, RELAY; 250 VOLT RELAY, SEQ 8977, FOR EHC SYSTEM ON	0	B	5999D SE
AHB709K	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; TIME DELAY PULL IN RELAY, FOR EHC SYSTEM	0	B	5999D SE
AHB905K	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RELAY; TIME DELAY DROP OUT RELAY, SEQ 8966, FOR	0	B	5999D SE
AHB907F	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; BACKUP OVERSPEED TRIP, SEQ 896D, FOR EHC	0	B	5999D SE
AHB908D	AL	6-C-04-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; ALARM & TRIP DIODE, SEQ 896M, FOR EHC	0	B	5999D SE
AHT412W	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, REGULATOR, PRINTED CIRCUIT BD, GENERATOR; REGULATOR, AC, FOR REGULATOR PANEL ON	0	B	5999D SE
BKF968H	AL	6-C-04-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, CONTROL UNIT; REPAIR AND REFURBISH CALIBRATION AND	1	B	5999D SE
ARE817E	AL	6-C-04-302	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; CONSTANT CURRENT, MODEL TP-135, 115 VAC	0	B	61100 SE
ATG072D	AL	6-C-04-302	4	\$0.00	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 4-20 MA, PANEL, AMMETER, ; INDICATING, PANEL MOUNTED, 4-20 MA. INPUT, 92-98 SCALE, I	0	C	6625D SE
AWF076X	AL	6-C-04-302	17	\$0.00	CIRCUIT	CIRCUIT, INTEGRATED, QA 0, MICROCIRCUIT, INTERFACE; SERIAL TRANSMITTER-RECEIVER ***	0	B	5999D SE
BDL651T	AL	6-C-04-302	9	\$0.00	COLUMN	COLUMN, TYPICAL, QA 0, COLUMN, CHROMATOGRAPH; PLASTIC, TCC-1, FOR ION CHROMATOGRAPH MODEL	0	B	6630D SE
BWL075Y	AL	6-C-04-302	1	\$0.00	SERVER	SERVER, COMPUTER, QA 0, NETWORK, TERMINAL SERVER, COMPUTER; DEC/SERVER 200/MC, S/N AG947JDC59 ***	0	C	7021A SE
CGG363T	AL	6-C-04-302	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 3, DIFFERENTIAL, 4-20 MA, 1/2 IN NPT	3	C	6695D SE
CGQ148M	AL	6-C-04-302	1	\$0.00	MICROPROC	MICROPROCESSOR, TYPICAL, QA 0, SERVICE AIR COMPRESSOR, FOR G SERVICE AIR COMPRESSOR, MODEL# 1CV14M2	0	B	6130S SE
CHP268A	AL	6-C-04-302	16	\$0.00	CONTROL	CONTROL, PHOTOELECTRIC, QA 3, PHOTO CELL, FOOT SENSOR OPTION, CONSISTING OF LEFT AND RIGHT FOOT SENSOR BKTS, PH	3	B	6695D SE
AJN620F	AL	6-C-05-101	2	\$0.00	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, FOOT; FOR LINCOLN IDEALARC HELIARC TIG WELDER, 300.000 AMPERES	0	P	59300 SE
ALV337Q	AL	6-C-05-101	5	\$0.00	TIMER	TIMER, ELECTRICAL, QA 2, TIMER, INTERVAL; RANGE 0.1 TO 30 SECONDS, SOLIDSTATE, FOR SOLID STATE	2	P	6645E SE
AMP880W	AL	6-C-05-101	3	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 125V DC, SIX REVERSIBLE	1	P	5945D SE
ARK198N	AL	6-C-05-101	1	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, STEPPING; VOLTAGE: 250 VAC ***	0	P	59300 SE
ARN642E	AL	6-C-05-101	4	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; DC 250.0 VOLTS, AUXILIARY, TYPE MG-6, IL	1	P	5945D SE
BBP969P	AL	6-C-05-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, AIR, 600 AC/250 DC, 225, 3, CIRCUIT BREAKER, ; AIR, 3-POLE, 600 VAC, 250 VDC, 225 AMPS ***	0	P	5925B SE
BKQ960Y	AL	6-C-05-101	2	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE, DIAL INDICA; 0 TO 14.739 PSIG, 4.5 IN DIAL, 0.25 IN NPT	3	P	6695D SE
BVH539D	AL	6-C-05-101	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 1, MODULE ASSY, SWITCH; WESTINGHOUSE TYPE W2, COMPLETE WITH HANDLE, MWO	1	B	59300 SE
CAP717J	AL	6-C-05-101	10	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 3, SEMICONDUCTOR DEVICE, DIODE; SILICON, NEGATIVE ***	3	B	5961B SE
CEF013Y	AL	6-C-05-101	443	\$0.00	BOOT	BOOT, TYPICAL, QA 0, BOOT, SECURITY SYSTEM; 5012-1 BOOT KIT, WITH CLIPS, SECURITY E-FIELD	0	C	6350B SE
ABW351H	AL	6-C-05-102	2	\$0.00	CHAIN	CHAIN, DRIVE, QA 0, CHAIN, RECORDER; FOR RECORDER ***	0	P	6695D SE
ACQ941A	AL	6-C-05-102	1	\$0.00	TRANSFOR	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, RELAY; FOR TYPE B MELTING ALLOY OVERLOAD RELAY ON	0	P	5950N SE
ADP082N	AL	6-C-05-102	1	\$0.00	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 440, 2, 60, RELAY, ELECTROMAGNETIC; LOW VOLTAGE, TYPE MA, 2 AUX CONTACTS, 60 HZ	0	P	5945D SE
AHP332A	AL	6-C-05-102	2	\$0.00	RELAY	RELAY, OVERLOAD, QA 0, 600, 5, THERMAL, RELAY, THERMAL; AC 600.0 VOLTS, 5.0 AMPS, OVERLOAD ***	0	P	5945D SE
BKC576J	AL	6-C-05-102	100	\$0.00	SIGN	SIGN, CAUTION, QA 0, SELF-ADHESIVE, DIAMOND, BLACK/WHITE/YELLOW, RADIOACTIVE, SIGN, ; PLACARD, SELF-ADHESIVE, DIAMONDSHAP	0	B	9905K SE
BNX304B	AL	6-C-05-102	12	\$0.00	KIT	KIT, PARTS, QA 0, ROD WIPER, FOR CYLINDER, ACTUATING, LINEAR, P/N DWC- 3110-SR2,	0	P	3910K SE
BQJ756J	AL	6-C-05-102	10	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 1, CAPACITOR, FIXED; 3300 MFD, 350 VDC, FOR ECCS ATU INVERTER. ***	1	B	5910E SE
BWF663G	AL	6-C-05-102	1	\$0.00	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D SE
CAY545H	AL	6-C-05-102	8	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, FIXED, ALUMINUM, 250, 250 MFD, -10/+50%, (2) AXIAL LEADS, TUBULAR, -20 TO +85 DEG C, , PC 2	0	B	5910E SE
CAY696V	AL	6-C-05-102	500	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, FIXED, TANTALUM, 100, 0.01 MFD, +/-10%, (2) AXIAL LEADS, TUBULAR, -55 TO +125 DEG C, , HE 2	0	B	5910E SE
CGK784J	AL	6-C-05-102	1	\$0.00	DETECTOR	DETECTOR, TYPICAL, QA 0, ASSEMBLY, DETECTOR ASSEMBLY, FOR SAM ELEVEN (SAM 11) GAMMA, SCENTILATION	0	B	6630D SE
CKJ020Y	AL	6-C-05-102	1	\$0.00	RELAY	RELAY, TYPICAL, QA 0, SUDDEN PRESSURE, MONITOR SPECIAL SENSOR	0	B	5975B SE
CKP938A	AL	6-C-05-102	19	\$0.00	SPRING	SPRING, TYPICAL, QA 1, ARMATURE/RETURN, FOR MODEL 12HEA61V37X2, 125VDC	1	C	4730P SE
BVK363E	AL	6-C-05-201	4	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 1, GEAR BOX, CIRCUIT BREAKER; AK-50 MODEL, REPLACEMENT KIT, 250 VOLTS DC.	1	C	5925B SE
BVK412V	AL	6-C-05-201	8	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 1, GEAR BOX, CIRCUIT BREAKER; AK-50 MODEL, REPLACEMENT KIT, 120 VOLTS AC.	1	C	5925B SE
AVX295Q	AL	6-C-05-202	4	\$0.00	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 0-100 LB, 50 MADC, AMMETER, ELECTRICAL; RELAY INDICATOR/SETPOINT, FULLSCALE CURRE	0	B	6625D SE
AXM457M	AL	6-C-05-202	2	\$0.00	RELAY	RELAY, OVERLOAD, QA 0, 600 AC/DC, 30, THERMAL, 1 NO, RELAY, THERMAL; AC 600.0 VOLTS, DC 600.0 VOLTS, POLE QTY 3, ENCLOSUR	0	B	5945D SE
BBR519D	AL	6-C-05-202	1	\$0.00	RELAY	RELAY, OVERLOAD, QA 1, RELAY, ELECTROMAGNETIC; 120 VAC, 10 AMPS, 12 TERMINALS, ADJUSTABLE	1	B	5945D SE
BMB607V	AL	6-C-05-202	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 230 VAC, "Y", 25 CYCLES, AK-15/25, FOR TYPE AK	1	B	5945D SE
BNF088L	AL	6-C-05-202	6	\$0.00	RELAY	RELAY, CONTROL, QA 1, RELAY, SOLID STATE; UNDERVOLTAGE, TYPE 27N, WITH APIKUP VOLTAGE OF	1	P	5945D SE
BVK412V	AL	6-C-05-202	4	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 1, GEAR BOX, CIRCUIT BREAKER; AK-50 MODEL, REPLACEMENT KIT, 120 VOLTS AC.	1	C	5925B SE
BVM468M	AL	6-C-05-202	8	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, FUSE, CARTRIDGE; OVERLOAD INTERRUPTION: FAST ACTING, VOLTAGE RATING:	2	B	5920K SE
CB8595X	AL	6-C-05-202	14	\$0.00	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL REL OVERLOAD; THERMAL OVERLOAD, BI-METALLIC	1	B	5999D SE
CDT385F	AL	6-C-05-202	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; TIME-OVERCURRENT RELAY WITH VOLTAGE RESTRAINT	1	C	5945D SE

BGY294J	AL	6-C-05-301	12	\$0.00	STARTER	STARTER, TYPICAL, QA 1, MOTOR, 3, 200/230, 100, 3, MAGNETIC	1	61100 SE
CBY855V	AL	6-C-05-302	3	\$0.00	MECHANISM	MECHANISM, SPRING, QA 1, MECHANISM, CIRCUIT BREAKER; OPERATING MECHANISM, SPRING TYPE FOR ABB	1	5925B SE
CPD413A	AL	6-C-06-102	6	\$0.00	METER	METER, FLOW, QA 0, INTEGRAL MNT NPT, BROMIDE FEED HEADERS, 8 IN CPVC LINE, 3-801,	0	C 6695D SE
CPD419X	AL	6-C-06-102	3	\$0.00	METER	METER, FLOW, QA 0, INTEGRAL MNT NPT, CHARGED BROMIDE PUMP, PP1502 DISHCHARGE, 3 IN CPVC	0	C 6695D SE
CPD420Q	AL	6-C-06-102	6	\$0.00	METER	METER, FLOW, QA 0, INTEGRAL MNT NPT, POLYSULFIDE FEED HEADERS, 8 IN PVC LINE, 3-8051,	0	C 6695D SE
AMT500K	AL	6-C-06-201	2	\$0.00	REGULATOR	REGULATOR, VOLTAGE, QA 1, REGULATOR, VOLTAGE; DIESEL GENERATOR, PANELS, POWER SYSTEMS/E.M.D.,	1	C 61100 SE
AQT162E	AL	6-C-06-202	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, PROBE; REPAIR, OXYGEN PROBE, FOR OXYGEN ANALYZER, MODEL 218	0	6630D SE
ADN835D	AL	6-C-06-301	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 250, 4.8, DPDT, SWITCH, PRESSURE; VOLTAGE: 250 VAC, AMPERAGE: 4.8 AMPS CONTACT	0	59300 SE
AGN042M	AL	6-C-06-301	1	\$0.00	THERMOSTAT	THERMOSTAT, CONTROL, QA 0, INDICATING, 63-87 DEG F, 24/30, 3-WIRE, CONTROL, TEMP, INDICATING; SCALE RANGE 63 TO 87 DEG F, 170	0	P 6695D SE
AQB678P	AL	6-C-06-301	1	\$0.00	PRINTER	PRINTER, TYPICAL, QA 0, MULTIPRINTER ASSY, ; FOR GE RECORDER, MULTIPLE PURPOSE, MODELS	0	C 6695D SE
ATG072D	AL	6-C-06-301	1	\$0.00	METER	METER, ELECTRICAL, QA 0, AMP/INDICATING, 4-20 MA, PANEL, AMMETER, ; INDICATING, PANEL MOUNTED, 4-20 MA. INPUT, 92-98 SCALE, 10	0	C 6625D SE
ATV423T	AL	6-C-06-301	1	\$0.00	INDICATOR	INDICATOR, TYPICAL, QA 3, INDICATOR, VALVE; POSITION, FOR SIZE 024.000IN, CHECK TYPE ***	3	C 48200 SE
ATV514P	AL	6-C-06-301	2	\$0.00	CELL	CELL, TYPICAL, QA 0, OXYGEN TRANSMITTER, ANALYZER, FOR FLUE GAS OXYGEN	0	6630D SE
AVW252G	AL	6-C-06-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD, ASSY; RCVR, 72MC, FOR REMOTE CONTROL RECEIVER ***	0	B 5999D SE
AXA077F	AL	6-C-06-301	3	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE, ; HARDLINE-SOFTLINE, 011.000 FEET LONG, FOR MAIN STEAM ACOUSTIC	0	C 6695D SE
AXJ092A	AL	6-C-06-301	2	\$0.00	FUSE	FUSE, CURRENT LIMITING, QA 0, CARTRIDGE, 7.2 KV, 230, ***	0	5920K SE
AXR070V	AL	6-C-06-301	1	\$0.00	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROL, TEMP, INDICATING; 50 TO 130 DEG F, 120 VAC, 16 AMPS, SPDT	3	B 6695D SE
AYY585P	AL	6-C-06-301	1	\$0.00	METER	METER, ELECTRICAL, QA 0, SPECIAL SCALE, 0-500 PSI, 4-20 MADC, 4 IN	0	C 6625D SE
BCV827H	AL	6-C-06-301	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE ASSY, SPECIAL PURPOSE, ELEC; FLOW CELL, 10 FT LENGTH, FOR MODEL	0	P 6150E SE
BCV828F	AL	6-C-06-301	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, 1 FT, MALE, FEMALE, CABLE ASSY, SPECIAL PURPOSE, ELEC; ONE MALE END, ONE FEMALE END 1 FOOT	0	P 6150E SE
BEA225R	AL	6-C-06-301	5	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, AMPLIFIER, 10-50 MA, PRINTED CIRCUIT BD, TRANSMITTER; AMPLIFIER, 10 TO 50 MA, DIFFERENTIAL	3	B 5999D SE
BEM415V	AL	6-C-06-301	2	\$0.00	GAUGE	GAUGE, COMPOUND, QA 2, GAUGE, COMPOUND; TYPE: PRESSURE/VACUUM; CONN. SIZE: 1/2 IN NPT; FACE	2	C 6695D SE
BK6944T	AL	6-C-06-301	2	\$0.00	STATION	STATION, TYPICAL, QA 1, CONTROL STATION, ; 600 VAC/DC, 10 AMPS, OILTIGHT, HEAVY DUTY CLASS 1E	1	C 59300 SE
BKN452H	AL	6-C-06-301	1	\$0.00	PROBE	PROBE, TYPICAL, QA 0, PROBE, OXYGEN; FOR DISSOLVED OXYGEN SENSOR ***	0	B 6630D SE
BLD159P	AL	6-C-06-301	20	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN MNPT, BRASS, 0-60 PSIG, 3 IN, BRASS, BOTTOM, PHOSPHOR BRONZE, GAGE, PRESSURE, DIAL INDICATOR; 0 TO 100	0	C 6695D SE
BLD723L	AL	6-C-06-301	8	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, REGULATOR, AIR PRESSURE DEMAND; FOR SCBA KITS ***	0	C 4240P SE
BLF407M	AL	6-C-06-301	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 0-200 GPM/30-0-30 WC, 6 IN, STAINLESS STEEL, INDICATOR, PRESSURE; 0 TO 200 GPM READING, 500 SWP PSI, 10	0	P 6695D SE
BNC265H	AL	6-C-06-301	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, GAGE, PRESSURE, DIAL INDICATOR; 0 TO 300 PSIG, 4.5 IN DIAL, 0.5 IN NPT	3	P 6695D SE
BPK139C	AL	6-C-06-301	1	\$0.00	METER	METER, ELECTRICAL, QA 3, METER, SPECIAL SCALE; RANGE 30 TO 200 DEGREE F, RESCALE ABOVE METER	3	B 6625D SE
BPM301L	AL	6-C-06-301	1	\$0.00	POTENTIOMETER	POTENTIOMETER, TYPICAL, QA 1, POTENTIOMETER, ; EQUALIZE VOLTAGE ADJUST, FOR 250 VOLTS MAIN BATTERY	1	B 5905I SE
BTR430C	AL	6-C-06-301	1	\$0.00	SPRING	SPRING, TYPICAL, QA 3, SPRING, BRUSH HOLDER; BRUSH HOLDER, FOR EDERER CRANES, 125/180 TONS	3	C 6105D SE
BXQ412M	AL	6-C-06-301	1	\$0.00	TIMER	TIMER, ELECTRICAL, QA 0, TIMER, PROGRAMMABLE; RESET, EAGLE SIGNAL DIV # BR5003A6U ***	0	C 6645E SE
ARC719Q	AL	6-C-06-301	1981	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; INSULATED, STYLE CRIMP, MTG METHOD RING, CNDCT SZ LG	2	P 5940I SE
BBP349N	AL	6-C-06-301	3	\$0.00	KEY	KEY, TYPICAL, QA 1, IMPELLER, 7/16 IN, 3 IN, CS, KEY, MACHINE; RECTANGULAR, CARBON STEEL, OA LG 3.0 IN, WD .437 IN,	1	C 4320U SE
BDC521H	AL	6-C-06-301	2000	\$0.00	RIVET	RIVET, TYPICAL, QA 3, SOLID, 0.469 IN, FLAT, ZINC PLATED CS, TINNERS, 0.241 TO 0.232 IN SHANK	3	P 5305J SE
BHV917H	AL	6-C-06-301	8	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN, HEXAGON, ; HEAVY, CARBON STEEL, ASME SA 194 GR 2H, 1.000-8	1	C 5305J SE
BHX813K	AL	6-C-06-301	10	\$0.00	ADAPTER	ADAPTER, TUBING, QA 3, STRAIGHT, 1/2 IN, BRASS, MNPT X INTERSWIVEL, STANDARD MILL FINISH, PIPE TO TUBE,	3	P 4730P SE
BLH732Y	AL	6-C-06-301	600	\$0.00	BOLT	BOLT, HEX, QA 1, 1/2 IN, 2-1/4 IN, 13, CS, ASTM A307 GR A, UNC, B18.2.1, FINISHED	1	P 5305J SE
BLM749Q	AL	6-C-06-301	1400	\$0.00	BOLT	BOLT, HEX, QA 2, 1/2 IN, 1-1/2 IN, 13, CS, ASTM A307 GR A, UNC, CADMIUM PLATED	2	P 5305J SE
BLV550W	AL	6-C-06-301	100	\$0.00	STUD	STUD, TYPICAL, QA 2, STUD, WELDING; CARBON STEEL, 0.375 X 2.5 IN LONG, WITH FERRULE P/N	2	C 5305J SE
BLV686P	AL	6-C-06-301	35	\$0.00	STUD	STUD, TYPICAL, QA 1, CONTINUOUS THREAD, 1-1/4 IN, 7 IN, 7, CS, UNC, ASTM A307 GR B	1	C 5305J SE
BLY619P	AL	6-C-06-301	100	\$0.00	BOLT	BOLT, HEX, QA 2, BOLT, MACHINE; CARBON STEEL ASTM A307, HEX HEAD, 0.25 X 1.5 IN LG, UNC	2	P 5305J SE
BNP464J	AL	6-C-06-301	12	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, GUIDE, 7-1/4 IN, 10 IN, HAZARDOUS MATERIAL (HMIG), LABEL, IDENTIFICATION; IDENTIFICATION GUIDE HAZA	0	P 75300 SE
CEE920N	AL	6-C-06-301	7	\$0.00	BOLT	BOLT, TYPICAL, QA 3, BOLT, TUBETRACK; ZINC PLATED STEEL	3	C 4710Y SE
CEM291C	AL	6-C-06-301	8	\$0.00	BAG	BAG, TYPICAL, QA 0, NYLON 200 DENIER, YELLOW, 24 IN X 48 IN	0	C 8105A SE
ALV982T	AL	6-C-06-302	9	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, AIR, 1/4 IN, FPT, REGULATOR, PRESSURE; "AIRSET", 000.250 IN FPT BOTH ENDS, W/DRAIN COCK	0	P 6695D SE
AWB372P	AL	6-C-06-302	1	\$0.00	TUBE	TUBE, ELECTRONIC, QA 0, TUBE, ELECTRON; VIDICON SIT-LOW BLOOM ASSY FOR RCA CLOSED CIRCUIT TV	0	P 5960C SE
AYH955K	AL	6-C-06-302	1	\$0.00	TRANSMITTER	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 4-20 MA, 0-100 PSID, 2000 PSI, MAX WATER PRESSURE, 45 VDC MAX SUPPLY, FOR STEAM	1	B 6695D SE
BJJ801E	AL	6-C-06-302	3	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 1/4 IN NPT, 0-60 PSIG, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, GAGE, PRESSURE, DIAL INDICATOR; 0 TO 100	0	P 6695D SE
BKY838H	AL	6-C-06-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, MONITOR; PREAMPLIFIER, FOR MONITOR, HIGH RANGE	1	B 5999D SE
BLT905C	AL	6-C-06-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, MONITOR; SOURCE, 3 X 4 IN SIZE, WITH ATTACHED	3	B 5999D SE
BNR757Q	AL	6-C-06-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, ESBC/MEM II, *** CONTROL CARD, WITH TVA CON 1 VO PROGRAM, FOR CONTINUOUS AIR	3	B 6630D SE
BQQ171G	AL	6-C-06-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, CONTROL; INVERTER, CONTROL BOARD 1 PH, 260VDC, ***	1	B 5999D SE
BTD910V	AL	6-C-06-302	7	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, FIRE PROTECTION; ZONE CARD, 8 CLASS A OR B ZONES	3	B 5999D SE
BVA376K	AL	6-C-06-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, BOARD ASSY, ; ESBC BOARD/MEM-II BOARD COMBINATION ***	0	C 5925B SE
BVK793L	AL	6-C-06-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RECORDER; CPU BOARD, JYC MODEL 4082 HR2400 ***	3	B 6695D SE
BWF065V	AL	6-C-06-302	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE; SPARE PART FOR PORTAL MONITOR ***	0	C 6695D SE



BWG759X	AL	6-C-06-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RELAY; RELAY BOARD, FOR RPIS / CRDS ***	3	B	5999D SE
BWP570R	AL	6-C-06-302	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE ASSY, SPECIAL PURPOSE,ELEC; (15 CABLE SET) FOR RADIOLOGICAL	0	C	6150E SE
CBE881D	AL	6-C-06-302	5	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 1/2 IN NPT, STAINLESS STEEL, 0-2500 PSIG, 4-1/2 IN, PHENOLIC, BOTTOM, STAINLESS STEEL, GAGE, PRESSURE, I	0	C	6695D SE
CEB079L	AL	6-C-06-302	1	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 3, CAPACITOR, FIXED; DIELECTRIC TYPE: ELECTROLYTIC, WORKING VDC: 50 VDC	3	B	5910E SE
CEW217L	AL	6-C-06-302	2	\$0.00	METER	METER, TYPICAL, QA 3, INDICATING, DIGITAL, ** PRECISION DIGITAL CORPORATION METER WITH THE FOLLOWING FEATURES:	3	B	6625D SE
CFD650Q	AL	6-C-06-302	3	\$0.00	CIRCUIT	CIRCUIT, INTEGRATED, QA 3, DIGITAL/RANDOM ACCESS MEM, *** NVRAM CHIP FOR FOXBORO AWS1B/WP51B WORKSTATION	3	C	5999D SE
CFF478L	AL	6-C-06-302	8	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, INPUT/INTERFACE, *** CHANGE OF STATE DIGITAL INPUT CARD. COMPATIBLE WITH ALL RTP7430	3	B	5999D SE
BBG168Y	AL	6-C-07-101	1	\$0.00	TRANSFORM	TRANSFORMER, VOLTAGE, QA 0, CONSTANT, 15, ASSY, POWER TYPE, C/O 1	2	B	5950N SE
BXR293X	AL	6-C-07-101	5	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 3, FIXTURE, LIGHTING; WITH 20 IN DIAMETER REFLECTOR FOR 1000 MV, MH OR	3	B	6210P SE
BXY574V	AL	6-C-07-101	1	\$0.00	CELL	CELL, TYPICAL, QA 1, CELL ASSY, CIRCUIT BREAKER; FOR WESTINGHOUSE TYPE DS-416 CIRCUIT	1	B	5925B SE
AAW074E	AL	6-C-07-102	3	\$0.00	DRIVE	DRIVE, TYPICAL, QA 0, DRIVE ASSY, PEN RECORDER; SERVO, FOR RECORDER ***	0	P	6695D SE
AWH868T	AL	6-C-07-102	2	\$0.00	THERMOST	THERMOSTAT, CONTROL, QA 0, INDICATING, 60-110 DEG F, UNION, CONTROL, TEMP,INDICATING; TYPE 21A, 60-110 DEG F, C/W UNION BUJ	0	P	6695D SE
BAY665E	AL	6-C-07-102	1	\$0.00	THERMOME	THERMOMETER, LOCAL READING, QA 0, LIQUID, 5 IN, 0-160 DEG C, GLASS, SURFACE, THERMOMETER, LIQUID IN GLASS; 0-160 DEG C, 5.0 IN	0	P	6695D SE
BDN529D	AL	6-C-07-102	1	\$0.00	INSTRUMEN	INSTRUMENT, TYPICAL, QA 0, CHROMATOGRAPH, GAS; GAS, ANALYTICAL PACKAGE, MODIFIED TO FIT SENTRY	0	P	6630D SE
BRG400B	AL	6-C-07-102	3	\$0.00	BLOCK	BLOCK, TERMINAL, QA 1, TEST BLOCK, ELECTRICAL; 4 POLE, TYPE PK-2, 0.125 IN MOUNTING HOLE. ***	1	B	6625D SE
BVR918V	AL	6-C-07-102	1	\$0.00	BLOCK	BLOCK, TYPICAL, QA 3, BLOCK, RELAY; PUNCHDOWN BLOCK, TYPE 66M, SPLIT 50 TERMINALS, WITH	3	B	5945D SE
CAJ195G	AL	6-C-07-102	13	\$0.00	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DC12 ***	3	B	5945D SE
CAJ982Q	AL	6-C-07-102	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE ASSY, SPECIAL PURPOSE,ELEC; FOR X-RAY MACHINE ***	3	B	6150E SE
CAV864G	AL	6-C-07-102	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; 0.5-4A, GE CATALOG 12FC53AD2A ***	1	B	5945D SE
BLT163X	AL	6-C-07-201	4	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, RELAY, SOLID STATE; TIME DELAY, 48/125 VDC, 1 PHASE, OVERVOLTAGE,	1	B	5945D SE
BTM943P	AL	6-C-07-201	5	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; MOLDED CASE, 3 POLE, 600 VAC, 400A FRAME	1	B	5925B SE
BTN180Q	AL	6-C-07-201	11	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME	1	B	5925B SE
BTN181B	AL	6-C-07-201	7	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; MOLDED CASE,3 POLE,600 VAC,125 A FRAME	1	B	5925B SE
AYH750H	AL	6-C-07-202	1	\$0.00	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC, 25/60 DC, 12, 3 PH, HIGH SPEED	0	C	5945D SE
BKF812H	AL	6-C-07-202	7	\$0.00	STARTER	STARTER, TYPICAL, QA 1, MOTOR/REVERSING, 1, 3, WITH 3 OVERLOAD RELAYS	1	P	61100 SE
BMA303M	AL	6-C-07-202	4	\$0.00	TRANSFORM	TRANSFORMER, POWER, QA 1, 120, 16	1	C	5950N SE
AJQ200W	AL	6-C-07-301	1	\$0.00	COIL	COIL, ELECTRICAL, QA 0, COIL, ELECTRICAL; SOLENOID ***	0	P	5950N SE
AWQ516N	AL	6-C-07-301	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, ; SERVO, B404, FOR WIND SPEED AND DIRECTION RECORDER, MODELS	0	P	6695D SE
BHH581C	AL	6-C-07-301	4	\$0.00	INSULATOR	INSULATOR, FEED THROUGH/TD, QA 1, INSULATOR, FEEDTHRU; CERAMIC, 9.5 IN LONG , 1000 KCMIL SIZE, CLASS 1E	1	P	5970B SE
BNG889M	AL	6-C-07-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 2-POLE, 480 VAC, 250 VDC, 20 AMPS, MOLDED CASE. ***	1	C	5925B SE
BPF988J	AL	6-C-07-301	1	\$0.00	BOX	BOX, ELECTRICAL, QA 3, CONTROL BOX, ; PREMISE, WITH TRI, TR5, TRANSFORMER, DUPLEX OUTLET	3	C	6350B SE
CAE073A	AL	6-C-07-301	2	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, CARTRIDGE, TIME DELAY, 600 AC/500 DC, 1600, 200 K AC/100 K DC, L, 3 IN, 10-3/4 IN, , UL LISTED	2	B	5920K SE
CB8443M	AL	6-C-07-301	4	\$0.00	SWITCH	SWITCH, LIMIT, QA 0, SWITCH, POWER TOOL; FOUR CIRCUIT ROTARY GEAR LIMIT, FOR 1/2 TON YALE	0	C	51300 SE
CBR871P	AL	6-C-07-301	4	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, CARTRIDGE, FAST ACTING, 600, 300, 200 K, J, 2-1/8 IN, 7-1/8 IN, FUSE, CARTRIDGE; OVERLOAD INTERRUPTION: FA:2	2	C	5920K SE
CGG367J	AL	6-C-07-301	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, POWER, SS, STRAIGHT, CRDM, 6-PIN FEMALE INSERT, SHELL SIZE 20, W/ENV. THREADED COVER	3	C	5935B SE
CHA521V	AL	6-C-07-301	16	\$0.00	RELAY	RELAY, TIME DELAY, QA 3, 120, 1-30 SEC, , ON-DELAY, MAGNETIC BLOWOUT.	3	C	5945D SE
ADM458N	AL	6-C-07-302	40	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, CARTRIDGE, CURRENT LIMITING, 700, 400, 100 K, , SIZE & SHAPE ( DIAMETER X LENGTH ) : 2.00 X 5.09, TYPE : 4, L	2	B	5920K SE
AEW050F	AL	6-C-07-302	6	\$0.00	SENSOR	SENSOR, GAS, QA 0, ELECTROCHEMICAL, FOR ENERGETICS SCIENCE INC CARBON MONOXIDE	0	P	6630D SE
AHQ267M	AL	6-C-07-302	47	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; DIODE, (RECTIFIER, SILICON) ***	0	P	5961B SE
AMM747X	AL	6-C-07-302	9	\$0.00	HOLDER	HOLDER, FUSE, QA 0, FUSEHOLDER, PANEL MOUNT; TYPE 3AG, WITH FINGER OPERATED KNOB	0	B	5920K SE
ART624V	AL	6-C-07-302	3	\$0.00	THERMOST	THERMOSTAT, CONTROL, QA 0, NON-INDICATING, 0-210 DEG F, 115 AC/32 DC, 1, CONTROL, TEMP,NON-INDICATING; 0 TO 210 DEG F, 1 AI	0	P	6695D SE
ARX343L	AL	6-C-07-302	7	\$0.00	STATOR	STATOR, ELECTRICAL, QA 0, STATOR,MOTOR, ; RTD, FOR REACTOR COOLANT PUMP MOTOR, MODEL W-11010-A1	0	P	6105D SE
AVB552V	AL	6-C-07-302	450	\$0.00	RING	RING, RETAINING, QA 0, PLASTIC, RING, RETAINING; PLASTIC,DWG 18389,ITEM 3A,FOR 20IN,MODEL A,PRESSURE	0	P	4730P SE
AWX444V	AL	6-C-07-302	4	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, GLASS ENCLOSURE MATERIAL, TWO	0	P	5961B SE
AXY464A	AL	6-C-07-302	6	\$0.00	RING	RING, TYPICAL, QA 0, RING, ELEC MOTOR; BRASS, OIL, SHAFT AND OPPOSITEEND, FOR CONDENSATE	0	B	6105D SE
AXY471D	AL	6-C-07-302	4	\$0.00	DETECTOR	DETECTOR, TEMPERATURE, QA 0, RESISTANCE TEMP DETE, ; CAST IRON, COMPLETE WITH FITTINGS, CONNECTION	0	P	6695D SE
AYX247H	AL	6-C-07-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, LOGIC, DUAL, MODEL AN-1111C, FOR SEQUENTIAL EVENTS RECORDER AND	0	P	6695D SE
BLQ126E	AL	6-C-07-302	1	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 3.5 KW, 440, HEATER, SPACE ELECTRIC; VOLTAGE: 440, WATTAGE: 3.5 KW ***	0	P	4520N SE
BVM350Q	AL	6-C-07-302	5	\$0.00	GAUGE	GAUGE, LEVEL, QA 0, LIQUID, CARBON STEEL, 2500/1860 PSI, GAGE, LIQUID LEVEL; CARBON STEEL,TWO-SECTION,SERIES R-20,REFLEX GL/	0	B	6695D SE
BXL722T	AL	6-C-07-302	20	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, O-RING,SPARE PART; ETHYLENE PROPYLENE, WESTINGHOUSE P/N	0	B	5730H SE
CAP629F	AL	6-C-07-302	1	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, STEAM TRAP; FOR SERIES 40 CLASS 600 LB, 1-1/2 IN ***	0	B	4730P SE
CAT781R	AL	6-C-07-302	18	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, BLOCK, CONTROLLER; DIAPHRAGM, S/A, (DPH BLK), FOR HEATER DRAINS AND	0	B	6695D SE
CKL612Q	AL	6-C-08-101	20	\$0.00	UNIT	UNIT, TYPICAL, QA 0, COOLING FOR NETSTENDER 2060	0	C	5840M SE
CKL621P	AL	6-C-08-101	2	\$0.00	PANEL	PANEL, TYPICAL, QA 0, FILLER, FOR NETSTENDER 2060	0	C	5840M SE
CKP077V	AL	6-C-08-101	1	\$0.00	TAP	TAP, SPECIAL, QA 0, POWER MONITOR, 4 PORT, 1% TAP FOR NETSTENDER 2060	0	C	5840M SE
CKV351N	AL	6-C-08-101	1	\$0.00	INTERFACE	INTERFACE, ELECTRONIC, QA 0, 10/100 BASE-T ETHERNET, STS MAPPED EOS, 3-PORTS, FOR FLASHWAVE 4100	0	C	5840M SE
CKY032E	AL	6-C-08-101	6	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, DWDM, 8 CHANNEL, FOR NETSTENDER 2060, MODULE 3 (CHANNELS 17-24), DOUBLE WIDTH, DWDM MUX/DM 0	C	5840M SE	

CKY034A	AL	6-C-08-101	8	\$0.00	MODULE	MODULE, ELECTRICAL, QA 0, DWDM, 8 CHANNEL, FOR NETSTENDER 2060, MODULE 4 (CHANNELS 25-32), DOUBLE WIDTH, DWDM MUX/DM 0	C	5840M	SE
ABR832G	AL	6-C-08-102	4	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 0, ELECTRICAL/NONSHRINKABLE, 3/16 IN, 36 IN (3 FT), BLACK, WALL THICKNESS 0.030 IN	0	P	5970B
AKG873Y	AL	6-C-08-102	1	\$0.00	KIT	KIT, PARTS, QA 0, STEAM TRAP, REPAIR, FOR S250R, S140, AND S400 IMPULSE STEAM, FOR 2 IN,	0	P	4730P
ARD179R	AL	6-C-08-102	9	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; REGULATED, INPUT 105-132 V, 57-63 HZ, PLUS	3	P	61100
ARQ657N	AL	6-C-08-102	8	\$0.00	KIT	KIT, PARTS, QA 0, (4) THIN NUTS, (1) O-RING/GASKET SHEET, (1) NOZZLE ARM SPRING ASS, (2) SPRING ASSEMBLY, (4) BELLOW ASSYS, (2	0	C	6695D
AYC943L	AL	6-C-08-102	5	\$0.00	ELECTRODE	ELECTRODE, PH, QA 0, REFERENCE, ELECTRODE, SODIUM ION; DOUBLE JUNCTION FRIT, REFERENCE ELECTRODE WITH	0	C	6630D
BAE615G	AL	6-C-08-102	2	\$0.00	KIT	KIT, PARTS, QA 0, PARTS KIT, ; SYRINGE, WITH ADAPTER, TUBING, AND COUPLING, FOR DYNAMIC	0	P	6630D
BBQ039P	AL	6-C-08-102	2	\$0.00	PORT	PORT, TYPICAL, QA 0, PORT, ; PLASTIC, STANDARD INJECTION, WITH ONE MALE THREADED AND ONE	0	P	6630D
BBQ056P	AL	6-C-08-102	1	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, CONNECTOR, ANALYZER; PLASTIC, FOR MODEL 151801 ANALYZER, LOW LEVEL	0	P	5935B
BBQ057M	AL	6-C-08-102	1	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, CONNECTOR, ANALYZER; 1 CONTACT, PANEL MOUNT, FOR MODEL 151801	0	P	5935B
BBQ101P	AL	6-C-08-102	1	\$0.00	STRIP	STRIP, TYPICAL, QA 0, STRIP, INSTRUMENT; POLISHING, ELECTRODE, 24 EACH PER PACKAGE, FOR LOW	0	P	6630D
BEN397X	AL	6-C-08-102	1	\$0.00	THERMISTO	THERMISTOR, ELECTRONIC, QA 0, THERMISTOR ASSY, ; FOR CHLORIDE MONITOR, MODEL 1517, AND SODIUM	0	P	6630D
BHT882F	AL	6-C-08-102	1	\$0.00	CLAMP	CLAMP, MECHANICAL, QA 0, CLAMP ASSY, ANALYZER; LOCKING, HOLDER OF REAGENT BOTTLE, FOR HYDRAZINE	0	P	6630D
BKQ189V	AL	6-C-08-102	2	\$0.00	FILTER	FILTER, TYPICAL, QA 0, FILTER ASSY, ELECTRIC; INLET, 60 MICRON, CONSISTS OF TWO FILTERS AND	0	P	5915E
BKQ235F	AL	6-C-08-102	8	\$0.00	O-RING	O-RING, TYPICAL, QA 0, PACKING, MONITOR; O-RING, CHLORIDE, FOR MONITOR, CHLORIDE, LOW LEVEL	0	P	5730H
BKQ236D	AL	6-C-08-102	1	\$0.00	STRIP	STRIP, TYPICAL, QA 0, STRIP, CHLORIDE POLISHING; PAPER, 4.5 IN WIDE X 2.74 IN LONG	0	P	6630D
BKQ241L	AL	6-C-08-102	2	\$0.00	SOCKET	SOCKET, TYPICAL, QA 0, SOCKET, MONITOR; 14 PIN, REFERENCE, FOR MONITOR, CHLORINE, LOW LEVEL	0	P	5935B
BKQ244E	AL	6-C-08-102	1	\$0.00	KIT	KIT, PARTS, QA 0, INSTALLATION KIT, ELECTRONIC EQUIPMENT; FOR REFRIGERATION UNIT, ON	0	P	5975B
BKQ246A	AL	6-C-08-102	1	\$0.00	METER	METER, FLOW, QA 0, METER, FLOW RATE IND, FLT TY; WITH NEEDLE VALVE, FOR MONITOR, CHLORIDE	0	P	6695D
BKQ250Y	AL	6-C-08-102	1	\$0.00	CELL	CELL, TYPICAL, QA 0, FLOW, FOR MONITOR, CHLORIDE, LOW LEVEL, AUTO-ZERO,	0	P	6630D
BKQ269X	AL	6-C-08-102	2	\$0.00	GASKET	GASKET, TYPICAL, QA 0, GASKET, SINGLE; TWO PER PACKAGE, NON-ASBESTOS, FOR MONITOR, CHLORIDE	0	C	5730H
BLB195X	AL	6-C-08-102	2	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, PROBE; MEMBRANE/ELECTROLYTE, REPLACEMENT, FOR ORION PROBE	0	P	5963B
BLD368E	AL	6-C-08-102	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, MOLDED CASE, 600 AC, 70, 3, 60, 3, LINE-LOAD LUGS, 25000 A/480 V	1	C	5925B
BNH892V	AL	6-C-08-102	3	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, STANDARD MOUNTING, CW AND CCW	1	B	59300
BPF995M	AL	6-C-08-102	1	\$0.00	TRIP DEVICI	TRIP DEVICE, CIRCUIT BREAKER, QA 1, 400 AMPS AC, 1A, 2B, 1X, *** SHORT TIME DELAY 3.5X	1		5925B
BPQ073D	AL	6-C-08-102	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 0, REGULATOR, PRESSURE; FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6695D
BPQ074B	AL	6-C-08-102	1	\$0.00	METER	METER, FLOW, QA 0, FLOWMETER ASSY, ; FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6630D
BPQ080V	AL	6-C-08-102	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, OUTPUT; SIGNAL OUTPUT, FOR ANALYZER, SODIUM, TYPE 1811LL ***	0	A	6630D
BPQ081E	AL	6-C-08-102	2	\$0.00	VALVE	VALVE, CONTROL, QA 0, VALVE, ANALYZER; SHUTOFF (212732-A01), FOR ANALYZER, SODIUM, TYPE	0	A	6630D
BPR353B	AL	6-C-08-102	1	\$0.00	CELL	CELL, TYPICAL, QA 0, ANALYZER, FOR ANALYZER, SODIUM, MODEL 1811LL	0	A	6630D
BPR360R	AL	6-C-08-102	2	\$0.00	TUBE	TUBE, TYPICAL, QA 0, TUBE ASSY, ANALYZER; RESTRICTOR, FOR ANALYZER, SODIUM, MODEL 1811 LL	0	A	6630D
BPV118B	AL	6-C-08-102	1	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, 4 MM, PLATINUM, 1 CM, GLASS PROBE, 13 MM X 120 MM	0	A	6630D
BPV127A	AL	6-C-08-102	1	\$0.00	ADAPTER	ADAPTER, TYPICAL, QA 0, JOINS 09-357-17 CONDUCTIVITY CELL TO	0	A	6630D
BQM349G	AL	6-C-08-102	28	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 1, CONTACT, ELECTRICAL; FINGER, PRIMARY, FOR MAGNE-BREAKER, TYPE	1	B	5925B
BTD272N	AL	6-C-08-102	29	\$0.00	ARM	ARM, TYPICAL, QA 1, ARM, RELAY; RESET ARM FOR HFA54E187F LATCHING RELAY ***	1	B	5945D
BWA522W	AL	6-C-08-102	985	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, ELECTROLYTIC, TANTALUM, 50, 1.80 MFD, +/-10%, (2) BOTTOM LEADS, DIPPED, -55 TO +125 DE( 2	B		5910E
BWF663G	AL	6-C-08-102	1	\$0.00	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D
CAQ776W	AL	6-C-08-102	6	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, BLUE, FOR FISHER PORTER 100 MM RECORDERS/	0	C	7510U
CAQ777T	AL	6-C-08-102	6	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, RED, FOR FISHER PORTER 100 MM RECORDER	0	C	7510U
CAQ778Q	AL	6-C-08-102	8	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; DISPOSAL, GREEN, FOR FISHER PORTER 100 MM RECORDER/	0	C	7510U
CGT424D	AL	6-C-08-102	20	\$0.00	PROBE	PROBE, TYPICAL, QA 3, DETECTOR/ASSEMBLY, PASSIVE MAGNETIC PICKUP	3		6695D
BLD269G	AL	6-C-08-201	2	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, DIFFERENTIAL, 0-125 - 0-750 IN H2O, 4-20 MA, 2000 PSI, 1/4 IN NPT	1	B	6695D
BLF409H	AL	6-C-08-201	3	\$0.00	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, CONTROL, 480, 30, SILICON, 50/60 HZ, CONTROLLER, PNEUMATIC; SILICON CONTROL RECTIFIER, 48( 0	P		6695D
BRX549Q	AL	6-C-08-201	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, ALPHALINE/NUCLEAR, 10-50 MA, 0-500-0-3000 PSI, 1/4 IN NPT, 316L SS, SILICON FILLED, PANEL MOUNT 1	C		6695D
BRX568L	AL	6-C-08-201	3	\$0.00	TRANSMITT	TRANSMITTER, FLOW, QA 1, RATE OF FLOW, 10-50 MA, 0-833.1 IN WC, 2000 PSI	1	B	6695D
BRX574R	AL	6-C-08-201	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; PRESSURE RANGE: -5 - +5 PSI, DESIGN PRESSURE:	1	C	6695D
BRX627Y	AL	6-C-08-201	2	\$0.00	TRANSMITT	TRANSMITTER, TYPICAL, QA 1, ALPHALINE, 10-50 MA, 0-125 TO 0-750 IN H2O, 1/4 IN - 18 NPT, SS 316	1	B	6695D
BYW640Q	AL	6-C-08-201	2	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 3, AMPLIFIER, ELECTRONIC CONTROL; FOR EVACUATION SIREN MODEL MC3012. ***	3	B	61100
CHL635Q	AL	6-C-08-201	4	\$0.00	METER	METER, ELECTRICAL, QA 3, WATT, 0-1200 KW, 1, TYPE AB-40, C.T. RATIO 1500/5, P.T. RATIO 4:1	3	B	6625D
ABN762T	AL	6-C-08-202	4	\$0.00	SWITCH	SWITCH, LEVEL, QA 0, LIQUID, 125/250, 5, 60 IN LG, SWITCH, LIQUID LEVEL; FLOAT TYPE, 125 TO 250 VAC, 5 AMPERES, 60 IN	0	C	59300
ARE633Q	AL	6-C-08-202	2	\$0.00	CONTROLLI	CONTROLLER, TYPICAL, QA 0, POSITIONER, CONTROLLER, POSITIONER; VALVE, 30 POUNDS PER SQUARE INCH INSTRUMENT	0	C	48200
ATV514P	AL	6-C-08-202	4	\$0.00	CELL	CELL, TYPICAL, QA 0, OXYGEN TRANSMITTER, ANALYZER, FOR FLUE GAS OXYGEN	0		6630D
AXM383Q	AL	6-C-08-202	7	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, 125 AC/DC, RED, LIGHT, INDICATOR; 125.000 VAC/DC, RED LENS, FOR HEAVY DUTY OIL TIGHT	1	C	6210P
BAP295R	AL	6-C-08-202	1	\$0.00	PROBE	PROBE, TYPICAL, QA 0, PROBE, ; DISSOLVED OXYGEN, MODEL 60, S/N 2102 WITH 10 IN CABLE, FOR	0	P	6630D
BDM591D	AL	6-C-08-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; POWER SUPPLY/AMPLIFIER, LINEAR, WITH	0		5999D
BHE214P	AL	6-C-08-202	1	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 6 TERMINAL, BARRIER TYPE MOLDED PHENOLIC BLACK ***	1	B	5940I
BKR001V	AL	6-C-08-202	5	\$0.00	HOLDER	HOLDER, FUSE, QA 1, FUSEHOLDER, EXTRACTOR POST; PIN INDICATING, PANEL MOUNTED, 1-FUSE, 250	1	P	5920K

BNB611X	AL	6-C-08-202	7	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, CONTROL, ROTARY SWITCH; SELECTOR, WITH CAM, OIL TIGHT, CODE 3, 3 POSITION	1	C	59300 SE
BTT425L	AL	6-C-08-202	1	\$0.00	THERMOSTAT	THERMOSTAT, CONTROL, QA 3, CONTROLLER, ; TEMPERATURE, AMBIENT COMPENSATED, 0 TO 70 DEGREES F ***	0	C	6630D SE
BVP679X	AL	6-C-08-202	5	\$0.00	FITTING	FITTING, CONNECTION, QA 0, FITTING, CONTROLLER; INLET ***	3	C	6695D SE
BVP680Q	AL	6-C-08-202	5	\$0.00	FITTING	FITTING, CONNECTION, QA 0, FITTING, CONTROLLER; OUTLET ***	0	C	6695D SE
BYW422P	AL	6-C-08-202	7	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, ALARM; SELF RESET DUAL MODULE, 125 VDC ***	3	B	5999D SE
CAL952P	AL	6-C-08-202	10	\$0.00	SWITCH	SWITCH, LIMIT, QA 3, GEARED, 2 NO 2 NC, 1, GEAR RATION: 20:1, STANDARD PLAIN END SHAFT. SHAFT EXTENSION ON LEFT S	3	C	59300 SE
CDM348F	AL	6-C-08-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, COMPONENT, PROGRAMMER FOR TRAVERSING INCORE PROBE	3	B	5999D SE
CFK589N	AL	6-C-08-202	1	\$0.00	NAMEPLATE	NAMEPLATE, IDENTIFICATION, QA 3, NAMEPLATE, IDENTIFICATION *** REPLACEMENT FACEPLATE FOR G.E. TYPE SBM	3	C	59300 SE
CFM867A	AL	6-C-08-202	4	\$0.00	TRANSMITTER	TRANSMITTER, TYPICAL, QA 3, VELOCITY, ** METRIX VELOCITY TRANSMITTER	3	B	6695D SE
CFW097L	AL	6-C-08-202	1	\$0.00	CABLE	CABLE, INSULATED, QA 3, #22 AWG, 2, ***	3	B	6145G SE
ABW128L	AL	6-C-08-301	3	\$0.00	SWITCH	SWITCH, PRESSURE, QA 2, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 125.0 VOLTS, CURRENT RTG AC	2	P	59300 SE
ACQ698Q	AL	6-C-08-301	2	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 2, SEMICONDUCTOR DEVICE, DIODE; SILICON, DEFLECTING/SWITCHING DAMPER, TWO	2	P	5961B SE
AHP788X	AL	6-C-08-301	9	\$0.00	HEATER	HEATER, OVERLOAD, QA 2, HEATER, THERMAL RELEASE; OVERLOAD ***	2	P	61100 SE
AJQ993H	AL	6-C-08-301	10	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; ZENER, 3.9 VOLTS, 5 PCT TOL, 0.5 WATT	0	P	5961B SE
AMQ269Q	AL	6-C-08-301	12	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, ZENER, GLASS ENCLOSURE, TWO	0	P	5961B SE
AMQ467L	AL	6-C-08-301	5	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, DIODE; SILICON, ZENER, 4.7 VOLTS, 1 WATT, TWO	0	P	5961B SE
AMQ567G	AL	6-C-08-301	25	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 2, SEMICONDUCTOR DEVICE, DIODE; SILICON, ZENER, 5.1 VDC, 1 WATT, 5 PCT	2	P	5961B SE
ARK985Y	AL	6-C-08-301	2	\$0.00	ELIMINATOR	ELIMINATOR, TYPICAL, QA 0, STATIC, 1-1/8 IN ID X 2-1/4 IN OD, STAINLESS STEEL, ELIMINATOR, ; STATIC, STAINLESS STEEL, 002.250 IN OD	0	C	48200 SE
ATQ287P	AL	6-C-08-301	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, 600 AC/250 DC, 5 AC/1-1/2 DC, 2 NO 2 NC, 1/4/13, CCW ROTATION, , SENSITIVE	1	C	59300 SE
AVY389A	AL	6-C-08-301	1	\$0.00	PLUG	PLUG, VALVE, QA 1, PLUG, VALVE; FOR 1 IN CONTROL VALVE, TYPE 98H, S/N 5569735	1	P	48200 SE
AXV763F	AL	6-C-08-301	10	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 2, SEMICONDUCTOR DEVICE, DIODE; SILICON, ZENER ***	2	P	5961B SE
BFT181T	AL	6-C-08-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, MULTIPLEXER; RINGER, FOR TYPE DE-4 MULTIPLEXER	3	P	5999D SE
BHC019N	AL	6-C-08-301	1	\$0.00	CONTROLLER	CONTROLLER, ELECTRICAL, QA 1, CONTROLLER, POSITIONER; VALVE, INPUT 4-20MA, OUTPUT 3-15 PSIG, DIRECT	1	C	6695D SE
BHD982E	AL	6-C-08-301	1	\$0.00	CELL	CELL, CONDUCTIVITY, QA 1, THERMAL, SS, MODEL 56-1B6C, ASTM 479, GRADE 316, 4 WIRE, FOR HYDROGEN ANALYZER	1	C	6630D SE
BNQ209Y	AL	6-C-08-301	1	\$0.00	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; LV, FOR EX-CORE NEUTRON FLUX MONITORING	1	C	61100 SE
BPE526Y	AL	6-C-08-301	1	\$0.00	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 1, CURRENT SOURCE, ; REPAIR PART FOR REACTOR INCORE THERMOCOUPLE	1	C	6695D SE
BPE527W	AL	6-C-08-301	1	\$0.00	EXPANDER	EXPANDER, TYPICAL, QA 1, EXPANDER, ; ANALOG INPUT/OUTPUT, REPAIR PART FOR REACTOR INCORE	1	C	6695D SE
BPE529Q	AL	6-C-08-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BOARD, MULTIBUS WITH E2 PROMS, REPAIR PART FOR	1	C	5999D SE
BPE547N	AL	6-C-08-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED, DAC, REPAIR PART FOR REACTOR INCORE THERMOCOUPLE	1	C	5999D SE
BPE548L	AL	6-C-08-301	1	\$0.00	COMPUTER	COMPUTER, SYSTEM, QA 1, COMPUTER, ; CPU WITH SYSTEM PROMS, REPAIR PART FOR REACTOR INCORE	1	C	7021A SE
BPE549J	AL	6-C-08-301	1	\$0.00	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; DEMUX, REPAIR PART FOR REACTOR INCORE	3	C	61100 SE
BPE558H	AL	6-C-08-301	1	\$0.00	RELAY	RELAY, SOLID STATE, QA 1, RELAY, SOLID STATE; 12 VOLTS, REPAIR PART, FOR REACTOR INCORE	1	C	5945D SE
BPP971T	AL	6-C-08-301	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 1, CABLE ASSY, ; BIT BUS, SPIN NO X1E1EP, FOR EAGLE 21 SYSTEM ***	1	C	6150E SE
BQ6691Y	AL	6-C-08-301	1	\$0.00	RELAY	RELAY, CONTROL, QA 1, RELAY, ELECTROMAGNETIC; 3-POLE DOUBLE THROW FORM C CONTACTS, 120VAC	1	C	5945D SE
BQY839G	AL	6-C-08-301	1	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, PLATINUM, FOR ACID ON DI SYSTEM AT FILTER PLANT	0	C	6630D SE
CDW787G	AL	6-C-08-301	1	\$0.00	REGULATOR	REGULATOR, PRESSURE, QA 3, AIR, 1/2 IN, 5-125 PSI, 5-125 PSI, 300 PSI IN/125 PSI OUT, THREADED, W/GAUGE	3	C	4220I SE
BEX508C	AL	6-C-08-302	13	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MULTIPLEXER; 2WFXS/GT UNIT, FOR TYPE DE-4	0	P	5840M SE
BHW116F	AL	6-C-08-302	5	\$0.00	PANEL	PANEL, TYPICAL, QA 0, PANEL, TERMINAL, ; BACK BOARD, PURPLE, WITH BRACKETS, FOR TELEPHONE	0	P	5805M SE
BHW117D	AL	6-C-08-302	58	\$0.00	BLOCK	BLOCK, TERMINAL, QA 0, PUNCH-DOWN, TYPE 66, 50 PR, (4 X 50), 2-PRONG TERMINALS, WITH STANDARD 0.2" SPACING BETWEEN	0	P	5805M SE
AVQ906G	AL	6-C-09-101	1	\$0.00	TRANSFORMER	TRANSFORMER, TYPICAL, QA 3, TRANSFORMER ASSY, ; PHASE SHIFTING, TYPE MC-63, 120 VAC, 3 PHASE, 3	3	P	5950N SE
AVX979R	AL	6-C-09-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 60 HZ, 250 AMP-TYPE FJ6 FRAME, 125	1	P	5925B SE
BCY010N	AL	6-C-09-101	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 3, CABLE ASSY, SPCL PURP, ; 37 PIN CONTACT, MALE PLUG ON ONE END, FEMALE	3	P	6150E SE
BRM801K	AL	6-C-09-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; THERMAL MAGNETIC MOLDED CASE, 600 VAC, 3 POLE, 60 AMP	1	B	5925B SE
BTk195F	AL	6-C-09-101	6	\$0.00	PENETRATOR	PENETRATOR, ELECTRICAL, QA 1, CONDUIT SEAL ASSEMBLY, #14 AWG, 2, 3/4 IN, NPT, MALE CONNECTION EACH END AND 300 IN OUTSIDE	1	B	4470C SE
BTT419F	AL	6-C-09-101	2	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 28 POLE, 14 STAGE, 2 POSITION, 600 VAC, 20 AMP CONTINUOUS	1	B	59300 SE
BTX593F	AL	6-C-09-101	1	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; RANGE 40-225 DEG F, 1 SPDT SWITCH, CONTACT RATING	3	C	59300 SE
BTX594D	AL	6-C-09-101	2	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 3, SWITCH, TEMPERATURE; RANGE 40-120 DEG F, 1 SPDT SWITCH, CONTACT RATING	3	B	59300 SE
BVB204D	AL	6-C-09-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME, 70 AMP	1	B	5925B SE
BVB724H	AL	6-C-09-101	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 120, DPDT, 1-10 MIN, ON DELAY.	1	B	5945D SE
BVB870H	AL	6-C-09-101	3	\$0.00	CONVERTER	CONVERTER, ELECTRONIC, QA 3, POWER SPLITTER, ; 50 OHM, 167.5 MHZ, 2-WAY, 90%-10% SPLIT RATIOS, TYPE	3	B	5985A SE
BVB887L	AL	6-C-09-101	3	\$0.00	CONVERTER	CONVERTER, ELECTRONIC, QA 3, POWER SPLITTER, ; 50 OHM, 167.5 MHZ, 2-WAY, 50%-50% SPLIT RATIOS ***	3	B	5985A SE
CDH588F	AL	6-C-09-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, MOLDED CASE, 480, 24.8, 3	3	B	5925B SE
CEL219R	AL	6-C-09-101	13	\$0.00	RECTIFIER	RECTIFIER, ELECTRICAL DEVICE, QA 0, RECTIFIER, *TYPICAL; TYPE: SCR; MATERIAL: SILICON *** FOR TURBINE BLDG	0	B	3950F SE
ATY926G	AL	6-C-09-102	1	\$0.00	POWER SUPPLY	POWER SUPPLY, ELECTRONIC, QA 0, 100/130, 48 DC, 4, POWER SUPPLY, ELECTRICAL; OUTPUT: 48 VDC, 4 AMP, INPUT: 100/130 VAC, FOR	0	P	61100 SE
AYN248K	AL	6-C-09-102	6	\$0.00	TRANSFORMER	TRANSFORMER, POWER, QA 0, 480, 120/240, 0.8, 3/1.500, TRANSFORMER, POWER; PRIMARY VOLTAGE: 480 VAC, SECONDARY VOLTAGE: 0	0	P	5950N SE
BBJ663A	AL	6-C-09-102	1	\$0.00	DRIVE	DRIVE, TYPICAL, QA 0, DRIVE ASSY, HOIST; LIMIT SWITCH, REF 1, ILLUSTRATION HL-74-6, FOR	0	P	3950F SE
BCA538G	AL	6-C-09-102	1	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, COMPRESSOR, REFRIGERATION; 208/230 VOLTS, FOR AIR CONDITIONER, MODEL	0	P	4520N SE

BJN112G	AL	6-C-09-10z	2	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; VAC INPUT, VDC OUTPUT, FR SERIES, FOR SINGER	0	P	61100 SE
BLT627D	AL	6-C-09-10z	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR 965 DISPLAY UNIT ***	0	P	5999D SE
BRM801K	AL	6-C-09-10z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; THERMAL MAGNETIC MOLDED CASE,600 VAC,3 POLE,60 AMP	1	B	5925B SE
BTN179X	AL	6-C-09-10z	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME,	1	B	5925B SE
BTQ664C	AL	6-C-09-10z	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,3 POLE,600V,300 AMP FRAME,THERMAL	1	B	5925B SE
BTV930D	AL	6-C-09-10z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, THERMAL MAGNETIC, 600, 100, 3, 60, 3, ED, CU LINE-LOAD LUGS, 25K, 125 AMP FRAME,	3	B	5925B SE
BVB204D	AL	6-C-09-10z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME, 70 AMP	1	B	5925B SE
BWF365Q	AL	6-C-09-10z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; MOLDED CASE, FOR DIESEL 1A-A 125 VDC DIST	1	B	5925B SE
BXG027Q	AL	6-C-09-10z	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ELECTRICAL; AIR, TYPE JA-225,DE-ION,STYLE 456098G16,3	3	B	5925B SE
BXK800J	AL	6-C-09-10z	3	\$0.00	PAWL	PAWL, TYPICAL, QA 1, CIRCUIT BREAKER, , DRIVING, ML-13 MECHANISM, GE P/N Q0213X0702R016, FOR 6.9KV MAGNA	1	B	5925B SE
BXT653L	AL	6-C-09-10z	1	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 1, CONTROL, ALARM; RELAY, 117 VAC, 50/60 HZ, 5 WATTS, 6VA, 10 TO 50 MA	1	B	6350B SE
BMF156D	AL	6-C-09-201	6	\$0.00	HEADSET	HEADSET, COMMUNICATION, QA 0, HEADSET-MICROPHONE, ; COMPLETE WITH ELECTRIC BUZZER,2 EA EARPIECES	0	P	5965A SE
BTR945Y	AL	6-C-09-201	4	\$0.00	DOOR	DOOR, PASSAGEWAY, QA 3, DOOR ASSY, ; BREAKER COMPARTMENT, 15 IN X 24 IN, FOR C & A VENT BOARD	3	B	3405L SE
BVF042E	AL	6-C-09-201	2	\$0.00	KIT	KIT, MOUNTING, QA 0, MOUNTING, ; FUSE, NON-DISCONNECTING TYPE, SIZE A, 23000 FUSE VOLTAGE	0	B	3405L SE
CDB734X	AL	6-C-09-201	2	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; SWITCHING, EMACS MODEL # ET2-4200U, FCC	0	B	61100 SE
CDB736R	AL	6-C-09-201	1	\$0.00	MONITOR	MONITOR, COMPUTER, QA 0, MONITOR, COMPUTER; CRT SASSI, MODEL #14 RIT, SERIAL # A60-22401196 FOR	0	B	7021A SE
AEY968A	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3-POLE, 600 VAC, 60 HZ, 15 AMPS	1	P	5925B SE
AVQ546K	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 60 HZ, 100 AMP-TYPE EF FRAME, 70	1	P	5925B SE
AVX979R	AL	6-C-09-20z	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3-POLE, 600 VAC, 60 HZ, 250 AMP-TYPE FJ6 FRAME, 125	1	P	5925B SE
BMB400X	AL	6-C-09-20z	1	\$0.00	ALARM	ALARM, TYPICAL, QA 3, CHIME, ; FOR ANNUNCIATOR. ***	3	P	6350B SE
BNB742E	AL	6-C-09-20z	3	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, CIRCUIT BREAKER, ; 600 VAC, 50 AMPS, 40 DEG C ***	0	P	5925B SE
BNQ927Y	AL	6-C-09-20z	1	\$0.00	DEFLECTOR	DEFLECTOR, OIL, QA 1, DEFLECTOR, DIRT/LIQ,DIESEL ENG; OIL SLINGER, 18.562 OD X 13.75 ID X	1	C	29100 SE
BQJ832W	AL	6-C-09-20z	2	\$0.00	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, ; CURRENT TO CURRENT, TVA INST. # 1-PM-1-26C. ***	1	B	6350B SE
BRM274F	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3 POLE,600 VAC,10 AMPS, MAGNET ONLY TRIP, MOLDED	1	B	5925B SE
BRM801K	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; THERMAL MAGNETIC MOLDED CASE,600 VAC,3 POLE,60 AMP	1	B	5925B SE
BTN179X	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME,	1	B	5925B SE
BTN237A	AL	6-C-09-20z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, THERMAL MAGNETIC	3	B	5925B SE
BTQ642N	AL	6-C-09-20z	3	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, THERMAL MAGNETIC, 600, 15, 3, 100 A, CIRCUIT BREAKER, ; MOLDED CASE,3 POLE,600V,100 AMP FRAME,THERM	1	B	5925B SE
BVB229V	AL	6-C-09-20z	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 125A FRAME, 50 AMP	1	B	5925B SE
BVB960G	AL	6-C-09-20z	4	\$0.00	METER	METER, ELECTRICAL, QA 3, METER, ; BARGRAPH, NON STD DIGITAL=6400 TO 7400, DIGITAL TO BLANK	3	B	6630D SE
BVF504C	AL	6-C-09-20z	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 125 DC, SURFACE MOUNT, FRONT, HGA 14 SERIES	1	B	5945D SE
BVW397E	AL	6-C-09-20z	17	\$0.00	RESET	RESET, ELECTRICAL, QA 3, RESETTING DEVICE, POWER,ELECTRIC; BAR ASSY FOR THERMAL OVERLOADS ON	3	B	61100 SE
BWX202E	AL	6-C-09-20z	4	\$0.00	BODY	BODY, CONNECTOR, QA 3, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE,STRAIGHT,6 PIN	3	B	5935B SE
BXK373Y	AL	6-C-09-20z	1	\$0.00	CHARGER	CHARGER, BATTERY, QA 3, CHARGER, BATTERY; 120/277 VAC INPUT, TWO-RATE AUTOMATIC SOLID-STATE	3	B	6130S SE
BXN171V	AL	6-C-09-20z	3	\$0.00	PISTON	PISTON, MECHANICAL, QA 3, PISTON ASSY, CIRCUIT BREAKER; TUBE ASSY,FOR 3000 & 3750 AMP, G.E.	3	B	5925B SE
BXQ485R	AL	6-C-09-20z	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ELECTRICAL; AIR, 3 POLE, 480 VAC, 20 AMPS, MOLDED	3	B	5925B SE
CEM174G	AL	6-C-09-20z	1	\$0.00	SWITCH	SWITCH, PUSHBUTTON, QA 3, ELECTRICAL, *** SWITCH DEVELOPMENT DRAWING NO. 45B640 SH 315	3	B	59300 SE
CGR041R	AL	6-C-09-20z	1	\$0.00	SWITCH	SWITCH, TRANSFER, QA 1, ROTARY/TRANSFER, 32, 2	1	B	59300 SE
AWV588D	AL	6-C-09-301	1	\$0.00	FRAME	FRAME, TYPICAL, QA 3, FRAME, ; CABLED, QIPB 151 ***	3	C	5963B SE
BBV235H	AL	6-C-09-301	1	\$0.00	STATION	STATION, TYPICAL, QA 0, INTERCOMMUNICATION, STATION; 24 VDC, 2 WATT, AUDIO OUTPUT, MASTER	0	P	5805M SE
BHJ920N	AL	6-C-09-301	1	\$0.00	BELLOWS	BELLOWS, TYPICAL, QA 1, BELLOWS, PRESSURE; SENSOR, 316 STAINLESS STEEL, 500 PSI, 18 IN	1	P	6695D SE
BLH245A	AL	6-C-09-301	16	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; MARATHON 320, TWENTY POINT, ONVARIOUS LIMITORQUE	1	P	5940I SE
BPH502Y	AL	6-C-09-301	1	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY RELAY, 125 VDC, SIX REVERSABLE	1	P	5945D SE
BTM506F	AL	6-C-09-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 350A,2P,600VAC/250VDC THJK426F000 FRAME, TJK436T350	1	B	5925B SE
BTTO72J	AL	6-C-09-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; 70 AMP, WESTINGHOUSE STYLE 4989D52G42 ***	3	B	5925B SE
AKY861X	AL	6-C-09-30z	2	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY TRIPPING RELAY,125V DC,14 MAIN	1	P	5945D SE
APP436Q	AL	6-C-09-30z	2	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY, GE TYPE HEA, GE 125 VDC ***	1	P	5945D SE
BJN112G	AL	6-C-09-30z	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; VAC INPUT, VDC OUTPUT, FR SERIES, FOR SINGER	0	P	61100 SE
BMF181E	AL	6-C-09-30z	1	\$0.00	METER	METER, FLOW, QA 0, METER, FLOW RATE IND,FLT TY; FOR DEHYDRATION UNIT, S/N 4379-1, 4847	0	P	6695D SE
BNQ927Y	AL	6-C-09-30z	1	\$0.00	DEFLECTOR	DEFLECTOR, OIL, QA 1, DEFLECTOR, DIRT/LIQ,DIESEL ENG; OIL SLINGER, 18.562 OD X 13.75 ID X	1	C	29100 SE
BVF504C	AL	6-C-09-30z	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, ELECTROMAGNETIC, 125 DC, SURFACE MOUNT, FRONT, HGA 14 SERIES	1	B	5945D SE
BWF365Q	AL	6-C-09-30z	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; MOLDED CASE, FOR DIESEL 1A-A 125 VDC DIST	1	B	5925B SE
BYC880N	AL	6-C-09-30z	1	\$0.00	AMPLIFIER	AMPLIFIER, COMMUNICATION, QA 3, AMPLIFIER, ALARM; SELECTONE COMMOND, FOR CODE CALL, ALARM AND PAGING	3	B	6350B SE
CGR041R	AL	6-C-09-30z	1	\$0.00	SWITCH	SWITCH, TRANSFER, QA 1, ROTARY/TRANSFER, 32, 2	1	B	59300 SE
CKL611T	AL	6-C-10-10z	19	\$0.00	PROCESSOF	PROCESSOR, COMMUNICATION, QA 0, CONTROL, SYSTEM CONTROL PROCESSOR CIRCUIT PACK FOR NETSTENDER 2060	0	C	5840M SE
CKM935T	AL	6-C-10-10z	7	\$0.00	SOFTWARE	SOFTWARE, COMPUTER, QA 0, COMMUNICATION EQUIPMENT/SYSTEMS, CD ROM, DOCUMENTATION/LIBRARY, NETSTENDER 2060, R4.1	0	C	5840M SE
CKT515P	AL	6-C-10-10z	48	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, FIBER WAVELENGTH REGENERATOR, FOR NETSTENDER 2060, 2.5 G, WITH 4 PORTS FOR SFP CONNECTORS (TC 0	0	B	5840M SE

CLF674M	AL	6-C-10-102	2	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, DS3 INTERFACE, 3 PORT, FOR FLASHWAVE 4100	0	C	5840M SE
ATQ285V	AL	6-C-10-201	6	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, ASSEMBLY, 600 AC/250 DC, 5 AC/1-1/2 DC, 2 NO 2 NC, CCW ROTATION, SENSITIVE	1	B	59300 SE
BCA372Q	AL	6-C-10-201	1	\$0.00	KIT	KIT, PARTS, QA 3, PARTS KIT, ALARM-MONITOR; FOR TRIP/CALIBRATION, ALARM MONITOR, MODEL	3	C	6350B SE
BCT757H	AL	6-C-10-201	2	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIAL/INDICATING, 1/4 IN NPT, SS, 0-250 PSI, 4-1/2 IN, ALUMINUM, BACK, SS, CAT 767B, STD GLASS LENS, STOC	0	C	6695D SE
BHC018Q	AL	6-C-10-201	2	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, 2000 PSIG, 0 TO 300 IN WATER	1	B	6695D SE
BHQ802K	AL	6-C-10-201	4	\$0.00	RELAY	RELAY, SOLID STATE, QA 3, RELAY, SOLID STATE; AC 120.0 VOLTS, DC 32.0 VOLTS, 8 FLA, 48 LRA ***	3	C	5945D SE
BJM403B	AL	6-C-10-201	21	\$0.00	REDUCER	REDUCER, TUBING, QA 1, 1/2 IN X 3/8 IN, SS, COMPRESSION X SOLDER, ASME SA182 GR F316, STANDARD MILL FINISH, REDUCER, TUBE; ST	1	P	4730P SE
BN174Y	AL	6-C-10-201	8	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, GAGE, PRESSURE,DIAL INDICA; PRESS.GAGE, 0-60 PSI ***	0	C	6695D SE
BNL815Y	AL	6-C-10-201	20	\$0.00	ELBOW	ELBOW, TUBING, QA 0, ELBOW, TUBE; ELBOW TUBE ***	0	C	4730P SE
BTT419F	AL	6-C-10-201	3	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 28 POLE,14 STAGE,2 POSITION,600 VAC,20 AMP CONTINUOUS	1	B	59300 SE
BWF389A	AL	6-C-10-201	3	\$0.00	UNIT	UNIT, TYPICAL, QA 0, ASSEMBLY, INTEGRATED, CIRCUIT BOARD & MOTHER BOARD, REPEATER,	0	C	6350B SE
BXR584J	AL	6-C-10-201	1	\$0.00	CONTACTO	CONTACTOR, ELECTRICAL, QA 1, CONTACTOR, MAGNETIC; RELAY,40 AMP 600V ***	1	B	61100 SE
CBK501R	AL	6-C-10-201	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); VOLTAGE AC: 120/250 VAC, AMPERAGE AC: 10	1	B	59300 SE
ADD842Y	AL	6-C-10-202	2	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, FLEXIBLE, W/O ELECTRIC DISCHARGE PLUG, FOR AUTOMATIC FIRE SYSTEM,	0	P	4210N SE
APT005W	AL	6-C-10-202	6	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, FIELD/DUAL DRIVER, 120, **	0	C	5963B SE
AXB480R	AL	6-C-10-202	4	\$0.00	BODY	BODY, CONNECTOR, QA 1, CONNECTOR, PLUG ELECTRICAL; GENERAL PURPOSE, STRAIGHT 2 PIN CONTACT	1	C	5935B SE
BCV833N	AL	6-C-10-202	1	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 0, CONTACT, ELECTRICAL; COPPER ALLOY, MALE ***	0	P	5935B SE
BDA684Y	AL	6-C-10-202	17	\$0.00	SWITCH	SWITCH, PUSHBUTTON, QA 1, 600, 10, HEAVY DUTY/OILTIGHT, SWITCH, PUSH; MAX RATING AC 600.0 VOLTS, CURRENT RTG AC 10.0 AMP.1	1	C	59300 SE
BGE398Q	AL	6-C-10-202	101	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 1, CONTACT, ELECTRICAL; FOR DRYWELL CABLE REPLACEMENT ***	1	B	5999D SE
BHD793H	AL	6-C-10-202	25	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 2 POLE 30 AMP, 600 VOLT, SCREWTYPE, MINERAL FILLED	1	P	5940I SE
BJP659V	AL	6-C-10-202	2	\$0.00	HEATER	HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD, 150 WATTS, 125 VOLTS, ORIGINAL	1	B	61100 SE
BKT001N	AL	6-C-10-202	3	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; SUB-ASSEMBLY, FOR ELECTRICAL PENETRATION ***	1	P	59300 SE
BLD482G	AL	6-C-10-202	1	\$0.00	CONTACTO	CONTACTOR, ELECTRICAL, QA 1, CONTACTOR, MAGNETIC; CRI, OPEN TYPE, 2-POLE, NEMA SIZE 5, 2 NO AND 2	1	C	61100 SE
BNH001J	AL	6-C-10-202	5	\$0.00	PANEL	PANEL, CONTROL, QA 1, PANEL, ; CONTROL, ELECTRICAL, FOR LAMARCHE BATTERY CHARGER, MODEL	1	B	61100 SE
BPH874P	AL	6-C-10-202	1	\$0.00	SWITCH	SWITCH, DISCONNECT, QA 1, SWITCH, ; CUTOFF, FOR ELECTRICALLY OPERATED CIRCUIT BREAKER, MODEL	1	P	59300 SE
BQH342K	AL	6-C-10-202	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; FOR P.R.N.M.8 ***	1	B	61100 SE
BRG576Q	AL	6-C-10-202	10	\$0.00	WASHER	WASHER, TYPICAL, QA 1, WASHER, NONITOR,CONDUCTIVITY; FIBER ***	1	C	6630D SE
BVP139Y	AL	6-C-10-202	1	\$0.00	KIT	KIT, PARTS, QA 3, PARTS KIT, BATTERY; CONSISTING OF, BUT NOT LIMITED TO THE FOLLOWING	3	B	6130S SE
CBE931Q	AL	6-C-10-202	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, SELECT, DIESEL ENGINE MODEL 20-645E4	1	B	59300 SE
CFG863C	AL	6-C-10-202	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 3, 24 DC, **	3	B	6350B SE
BNC850H	AL	6-C-10-301	2	\$0.00	RECORDER	RECORDER, INSTRUMENT, QA 0, RECORDER, TEMPERATURE; WITH 15 POINT EXPANSION KIT, #056899 AND ALARM	0	C	6695D SE
BLY268T	AL	6-C-10-302	2	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; DIFFERENTIAL, WITH SQUARE POST EXTRACTOR, P/N	1	C	6695D SE
BNA282V	AL	6-C-10-302	70	\$0.00	RELAY	RELAY, AUXILIARY, QA 1, RELAY, ELECTROMAGNETIC; AUXILIARY, TYPE RXMH2 ***	1	C	5945D SE
BPD023M	AL	6-C-10-302	1	\$0.00	TRANSMITT	TRANSMITTER, LEVEL, QA 0, TRANSMITTER, LIQUID LEVEL; WITH REMOTE ELECTRONICS, TAG NO 1-LE-77-125	0	C	6695D SE
APN502C	AL	6-C-11-101	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, AIR, 480 AC/240 AC/120 V, 40, 3, 18000 A/14000 A, CIRCUIT BREAKER, ; AIR, 3-POLE, 480 VAC, 40 AMPS,CUR	0	P	5925B SE
AWD034Q	AL	6-C-11-101	2	\$0.00	COUPLING	COUPLING, CONDUIT, QA 3, COUPLING, ELECTRICAL CONDUIT; METALLIC, RIGID, THICKWALL, THREADED 4.0	3	P	5975B SE
AWK514L	AL	6-C-11-101	1	\$0.00	UNIT	UNIT, TYPICAL, QA 0, DISPLAY UNIT, ; CATHODE RAY TUBE, WITH KEYBOARD, MICROPROCESSOR	0	P	7020R SE
BGF931V	AL	6-C-11-101	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; AIR, 3-POLE, 480 VAC, 60 AMPS,WITH BELL ALARM	1	P	5925B SE
BLQ168X	AL	6-C-11-101	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 1, CABLE ASSY, SPECIAL PURPOSE,ELEC; PLUG-IN, 4 PIN, 25 FT LONG ***	1	B	6150E SE
BRK554K	AL	6-C-11-101	1	\$0.00	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; TYPE SB-1 ***	0	B	59300 SE
BRM274F	AL	6-C-11-101	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3 POLE,600 VAC,10 AMPS, MAGNET ONLY TRIP, MOLDED	1	B	5925B SE
BTH275V	AL	6-C-11-101	2	\$0.00	TRANSDUCI	TRANSDUCER, WATTAGE, QA 0, 0-5 A, 120 VAC INPUT, 0-100 MILL/VOLT OUTPUT ***	0	B	6625D SE
BTJ526P	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, SWITCH, 480 AC/250 DC, 2, 125, 225 A, 2 POLE, F225 LINE, 480VAC/250VDC, 225 A FRAME, 125 A	3	B	5925B SE
BTN234G	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, THERMAL MAGNETIC, 600, 2, 14000-277V, MOLDED CASE, WITH 100FBP06 CURRENT LIMITERS	3	B	5925B SE
BTN415C	AL	6-C-11-101	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 2 POLE, 240V AC, THERMAL MAGNETIC	3	B	5925B SE
BTN441B	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 2 POLE, 240V AC, THERMAL MAGNETIC	3	B	5925B SE
BTTO51T	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,WITH TWO AUXILIARY SWITCHES,A02JLD64	1	B	5925B SE
BVB211F	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 250A FRAME, 150 AMP	1	B	5925B SE
BVC938Q	AL	6-C-11-101	4	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 600V, CURRENT RATING AC 20A	1	B	59300 SE
CAH899G	AL	6-C-11-101	4	\$0.00	RELAY	RELAY, TYPICAL, QA 3, RELAY, ELECTROMAGNETIC; DWG 45N1680-1 ***	3	B	5945D SE
CDH588F	AL	6-C-11-101	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, MOLDED CASE, 480, 24.8, 3	3	B	5925B SE
AWR714D	AL	6-C-11-102	1	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 0, LIGHT, BEACON; LENS COLOR: RED ***	0	P	6210P SE
BRF535C	AL	6-C-11-102	6	\$0.00	BOOT	BOOT, INSULATING, QA 1, BOOT, BUS; BUS BAR INSULATING BOOT FOR BUS CONNECTION ON UNIT 117. ***	1	C	6150E SE
BRG655W	AL	6-C-11-102	6	\$0.00	BOOT	BOOT, INSULATING, QA 1, BOOT, BUS; BUS BAR INSULATING, FOR BUS CONNECTION ***	1	B	6150E SE
BRG656T	AL	6-C-11-102	6	\$0.00	BOOT	BOOT, INSULATING, QA 1, BOOT, BUS; BUS BAR INSULATING, FOR BUS CONNECTION ***	1	B	6150E SE
BVT787B	AL	6-C-11-102	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ELECTRICAL; MCC, 480V AC, 250V DC,18000 240V AC	3	B	5925B SE
BXT637J	AL	6-C-11-102	1	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 3, CONTROL ASSY, INSTRUMENT RACK; DETECTOR,FLUX, DWG 6062D83H07,FOR FLUX	3	B	6695D SE

CEF013Y	AL	6-C-11-102	975	\$0.00	BOOT	BOOT, TYPICAL, QA 0, BOOT, SECURITY SYSTEM; 5012-1 BOOT KIT, WITH CLIPS, SECURITY E-FIELD	0	C	6350B SE
BHD802C	AL	6-C-11-201	30	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 8-POLE, 30 AMP, 600 VOLT, SCREW TYPE, MINERAL FILLED	1	P	5940I SE
BKT049Q	AL	6-C-11-201	8	\$0.00	CONNECTO	CONNECTOR, CONDUIT, QA 3, 2 IN, 45 DEG, LIQUIDTIGHT, , ZINC PLATED, GALVANIZED, STEEL OR MALLABLE IRON, WITH EPR SEAL AND	3	P	5975B SE
BQJ872G	AL	6-C-11-201	5	\$0.00	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 500.0 PSIG, MAX RATING AC 250.0 VOLTS	3	B	59300 SE
BQK060M	AL	6-C-11-201	9	\$0.00	HANDLE	HANDLE, TYPICAL, QA 3, CIRCUIT BREAKER, HANDLE, MANUAL CONTROL; ROTARY, FOR CIRCUIT BREAKER, ON 480 VOLT MOTOR	3	B	61100 SE
BTDO26W	AL	6-C-11-201	1	\$0.00	SENSOR	SENSOR, TYPICAL, QA 1, SENSOR, CIRCUIT BREAKER; CURRENT, 100A, 480VAC, FOR WESTINGHOUSE	1	B	5925B SE
BTN743T	AL	6-C-11-201	2	\$0.00	SWITCH	SWITCH, MANUAL, QA 3, SPRING RETURN TO CENTER, 3, STOP-NORMAL-START, TYPE W-2, PER CONTACT DEVELOPMENT DWG #45B640, SI	3	B	59300 SE
BTQ976Q	AL	6-C-11-201	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; VOLTAGE 120V, 60 HZ, CLASS 1E, SCHMATIC	1	B	5945D SE
BVG250N	AL	6-C-11-201	1	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; C/O SWITCH,P/N 505A660G01 AND HANDLE,P/N 501B787H01	1	B	59300 SE
BVH537H	AL	6-C-11-201	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 1, MODULE ASSY, SWITCH; WESTINGHOUSE TYPE OT-2, COMPLETE WITH OPERATOR	1	B	59300 SE
BXP214Y	AL	6-C-11-201	1	\$0.00	THERMOCO	THERMOCOUPLE, TYPICAL, QA 3, THERMOCOUPLE, CONTACT; TYPE: T, SHEATH MTL: COPPER, THERMOCOUPLE	3	B	6695D SE
BYF857N	AL	6-C-11-201	1	\$0.00	BLOCK	BLOCK, TYPICAL, QA 1, VALVE, STEEL, , FOR WESTINGHOUSE MOTOR OPERATED GATE VALVES, SPIN-ASVAN(S) SERIES,	1	C	48200 SE
BYQ512B	AL	6-C-11-201	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, ELECTROPNEUMATIC, 110/120, DPDT, 6-60 MIN, 50/60, ON DELAY.	1	B	5945D SE
CDB582T	AL	6-C-11-201	1	\$0.00	SWITCH	SWITCH, LEVEL, QA 0, SWITCH, LEVEL; MERCOID SERIES 251, WELDED CHAMBER, WITH HIGH	0	B	6695D SE
CGH505W	AL	6-C-11-201	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 1/4 IN NPT, STAINLESS STEEL, 0-100 PSIG, 4-1/2 IN, BACK, STAINLESS STEEL	3	B	6695D SE
BHJ959F	AC	6-C-11-202	2	\$0.00	INDICATOR	INDICATOR, TYPICAL, QA 0, INDICATOR,LINE STATU, ; MONITORING 40 TO 120 LINES, FOR MODEL L4B32-3	0	P	5805M SE
BBP969P	AL	6-C-11-202	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, AIR, 600 AC/250 DC, 225, 3, CIRCUIT BREAKER, ; AIR, 3-POLE, 600 VAC, 250 VDC,225 AMPS ***	0	P	5925B SE
BJN107A	AL	6-C-11-202	2	\$0.00	POWER SUF	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; VAC INPUT, VDC OUTPUT, FR SERIES, FOR SINGER	0	P	61100 SE
BLV224Y	AL	6-C-11-202	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; 117 VAC, 42 VDC, 200 MA ***	1	P	61100 SE
BRM274F	AL	6-C-11-202	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; 3 POLE,600 VAC,10 AMPS, MAGNET ONLY TRIP, MOLDED	1	B	5925B SE
BRM318M	AL	6-C-11-202	11	\$0.00	TRANSFOR	TRANSFORMER, CONTROL, QA 1, TRANSFORMER, POWER; CONTROL, 480/120 VAC, 150 VA, MICRON TYPE ***	1	B	5950N SE
BTf611G	AL	6-C-11-202	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 480 AC/250 DC, 2, 225 A, CIRCUIT BREAKER, ; 2-POLE, 480 VAC, 250 VDC, WITH BELL ALARM, 225 A	0	B	5925B SE
BTf612E	AL	6-C-11-202	4	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 480 AC/250 DC, 2, 225 A, CIRCUIT BREAKER, ; 2-POLE, 480 VAC, 250 VDC, WITH BELL ALARM, 225A	0	B	5925B SE
BTH275V	AL	6-C-11-202	1	\$0.00	TRANSDUCI	TRANSDUCER, WATTAGE, QA 0, 0-5 A, 120 VAC INPUT, 0-100 MILL/VOLT OUTPUT ***	0	B	6625D SE
BTJ523X	AL	6-C-11-202	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; 2 POLE, 120/240 VAC, 30 A TRIP, WITH FORM C	3	B	5925B SE
BTN227D	AL	6-C-11-202	7	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 2 POLE, 250V DC, THERMAL MAGNETIC	3	B	5925B SE
BTN416A	AL	6-C-11-202	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 2 POLE, 240V AC, THERMAL MAGNETIC	3	B	5925B SE
BTN430V	AL	6-C-11-202	3	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 480V AC, THERMAL MAGNETIC	3	B	5925B SE
BVB211F	AL	6-C-11-202	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 250A FRAME, 150 AMP	1	B	5925B SE
BVH875W	AL	6-C-11-202	4	\$0.00	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; LATCHING, 120VAC,4 POLE,4 NO,SEISMIC QUAL 4.1	1	B	5945D SE
BVQ899A	AL	6-C-11-202	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; MAX OPERATING PRESSURE 3000 PSIG,MAX RATING AC 125	1	B	59300 SE
CEC984T	AL	6-C-11-202	1	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 3, CONTROLLER, MODULE; RESISTANCE TO CURRENT CONVERTER, MODEL	3	B	5963B SE
CEG657M	AL	6-C-11-202	2	\$0.00	KIT	KIT, PARTS, QA 0, KIT, SECURITY SYSTEM; HEATER, 120V, 90W, CONTINUOUS DUTY, FOR SECURITY	0	C	63500 SE
CEN778A	AL	6-C-11-202	1	\$0.00	SWITCH	SWITCH, TYPICAL, QA 1, ALARM, *** SINGLE CHANNEL PROCESS ALARM, SURFACE PANEL MOUNT, RELAY CONTACT	1	B	59300 SE
CFP378F	AL	6-C-11-202	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, MOLDED CASE, 600, 70, 3, , MAGNETIC ADJUSTABLE TRIP AMPERES 350-700	3	B	5925B SE
AXQ424M	AL	6-C-11-301	1	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 0, HEATING/NON-IMMERSION, 3-50 KW, STEEL HOUSING, HEATING ELEMENT, ELEC,NONIMMERSION TY; STEEL HC	0	P	5966A SE
BQJ872G	AL	6-C-11-301	3	\$0.00	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 500.0 PSIG, MAX RATING AC 250.0 VOLTS	3	B	59300 SE
BRL779M	AL	6-C-11-301	5	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, AIR/SWITCH, 120/240, 15, 2, TD3, CIRCUIT BREAKER, ; AIR, 2-POLE, 120/240 VAC, 15 AMPS, WITH AUXILIARY	1	B	5925B SE
BRM959E	AL	6-C-11-301	9	\$0.00	COIL	COIL, ELECTRICAL, QA 3, COIL, ELECTRICAL; COMMUTATOR ***	3	B	5950N SE
BTW208K	AL	6-C-11-301	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; MOLDED CASE,3 POLE,600VAC,125 A FRAME,ADJUSTABLE	3	B	5925B SE
BVB199A	AL	6-C-11-301	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE, 3 POLE, 600V AC, 250A FRAME, 100 AMP	1	B	5925B SE
BXV679W	AL	6-C-11-301	15	\$0.00	POWER SUF	POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; FOXBORO STYLE C, 118V, 63-95V OUTPUT, 10-50	3	B	61100 SE
CEP774D	AL	6-C-11-301	1	\$0.00	RELAY	RELAY, SOLID STATE, QA 1, DC CONTROL, 125 DC, *** CONTACTS: 4 NO, 2NC; COMPLETE WITH MOUNTING BASE (P/N RX221) AND	1	B	5945D SE
AWC058F	AL	6-C-11-302	1	\$0.00	DETECTOR	DETECTOR, TEMPERATURE, QA 1, RTD, RESISTANCE TEMP DETE; SENSOR,RANGE 100 TO 700 DEG F,FOR REACTOR	1	P	6695D SE
BJQ488P	AL	6-C-11-302	1	\$0.00	DETECTOR	DETECTOR, TEMPERATURE, QA 1, RTD, RESISTANCE TEMP DETE; INPUT 0 TO700 DEG F, OUTPUT 185.92 TO	1	B	6695D SE
BLQ168X	AL	6-C-11-302	2	\$0.00	CABLE	CABLE, ASSEMBLY, QA 1, CABLE ASSY, SPECIAL PURPOSE,ELEC; PLUG-IN, 4 PIN, 25 FT LONG ***	1	B	6150E SE
BRF534E	AL	6-C-11-302	6	\$0.00	BOOT	BOOT, INSULATING, QA 1, BOOT, BUS; BUS BAR INSULATING BOOT FOR BUS CONNECTION ON UNIT 117. ***	1	C	6150E SE
BTTO51T	AL	6-C-11-302	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ; MOLDED CASE,WITH TWO AUXILIARY SWITCHES,A02JLD64	1	B	5925B SE
BTW662V	AL	6-C-11-302	48	\$0.00	SUPPRESSO	SUPPRESSOR, VOLTAGE, QA 1, ABSORBER, OVERVOLTAGE; SURGE SUPPRESSOR,125VDC,FOR TYPE RM RELAY	1	B	5920K SE
BXJ014P	AL	6-C-11-302	2	\$0.00	CONTROLLI	CONTROLLER, ELECTRICAL, QA 3, CONTROLLER, POSITIONER; INDICATING,INPUT 10 TO 50 MADC,PROPORTIONAL +	3	B	6695D SE
BXN186E	AL	6-C-11-302	3	\$0.00	ROD	ROD, TYPICAL, QA 3, ROD ASSY, CIRCUIT BREAKER; OPERATING, FOR 3000 & 3750 AMP, G.E. 6.9 KV	3	C	5925B SE
CPB189Y	AL	6-C-12-201	1	\$0.00	DRYER	DRYER, ELECTRIC, QA 0, AIR, 115, 0.3, 60, COMPRESSED AIR, 150 PSIG MAX INLET AIR TEMP 120 DEG, MODEL GC-4,	0	C	4440E SE
BQR136D	AL	6-C-12-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, CRANE; DRIVER COORDINATION, FOR 125 TON AUXILIARY	3	B	5999D SE
BYE416T	AL	6-C-12-202	1	\$0.00	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; MAGNETIC, LATCHING RELAY, ALLEN BRADLEY, TYPE	1	B	5945D SE
CDK682D	AL	6-C-12-202	6	\$0.00	SOLENOID	SOLENOID, ELECTRICAL, QA 1, ELECTRICAL ASSY, VALVE; DC, FOR TARGETROCK SOLENOID 1/2SMS-S-02-5 FOR	1		48200 SE
BNP391K	AL	6-C-12-301	1	\$0.00	BOX	BOX, TYPICAL, QA 0, BOX, ; SAMPLE HOLDER, TO PROVIDE A REPRODUCIBLE GEOMETRIC ARRANGEMENT	0	C	5961B SE
BTK168J	AL	6-C-12-301	1	\$0.00	POWER SUF	POWER SUPPLY, ELECTRONIC, QA 1, 24, POWER SUPPLY, ELECTRICAL;	1	B	61100 SE

BWG157T	AL	6-C-12-301	1	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 3, MONITOR, , WITH TIMING SINGLE CHANNEL ANALYZER, REFERENCE SERIAL NUMBER 908	3	C	6630D SE
CBV132L	AL	6-C-12-301	4	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, 20-180 PSIG, 250, 15, SPDT, 4, 1/4 IN FNPT, 316 STAINLESS STEEL, SWITCH, PRESSURE; VOLTAGE: 250 VAC, # 0	3	C	59300 SE
CCA281L	AL	6-C-12-301	3	\$0.00	ISOLATOR	ISOLATOR, TYPICAL, QA 1, ISOLATOR, BUS,ELECTRICAL; BUS ISOLATOR FOR UNIT 2 ICS CLASS 1E	1	C	6150E SE
CDM348F	AL	6-C-12-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, COMPONENT, PROGRAMMER FOR TRAVERSING INCORE PROBE	3	B	5999D SE
CFE927N	AL	6-C-12-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED, RELAY, *** WITH TERMINALS, HDR SINGLE PHASE UPS, ECCS ATU INVERTER UNIT	1	B	5999D SE
CHN590M	AL	6-C-12-301	1	\$0.00	DISPLAY	DISPLAY, TYPICAL, QA 3, ASSEMBLY, MICRONET TWO LINE DISPLAY FOR EHC TURBINE CONTROL SYSTEM	3	B	6695D SE
CHP252R	AL	6-C-12-301	1	\$0.00	METER	METER, TYPICAL, QA 1, 180 EDGEWISE, 0-150 VAC, VERTICAL, PLASTIC, CLASS 1E MILD.	1	C	6625D SE
CJA055F	AL	6-C-12-301	1	\$0.00	TRANSMITT	TRANSMITTER, FLOW, QA 3, AIR/RATE OF FLOW, 115 AC, SENSOR TYPE="MIN-DUEL" METAL CLAD ALL WELDED, 0.074" DIA ELEMENTS,	3	C	6695D SE
CJJ754L	AL	6-C-12-301	6	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, CHANNEL BANK, COMPUTER LOGIC, ISOLATED LOW LEVEL INPUT, 8 CHANNEL	1	C	7020R SE
CJL048Q	AL	6-C-12-301	1	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 2, ZENER, SILICON/GLASS, 20, 12.5 MA, 1, DO-41, OVER VOLTAGE CHOPPER, , +/- 5% TOLERANCE, TWO A 2	2	C	5961B SE
BRQ780V	AL	6-C-12-302	4	\$0.00	ANALYZER	ANALYZER, GAS, QA 0, HYDROGEN, 115 AC, 2 A/60 HZ, ANALYZER, HYDROGEN; SENSOR, SYPROTEC MODEL NO. H201R, 115 VOLTS, 2.0	0		6630D SE
AEP946Q	AL	6-C-13-101	2	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, SOLID STATE, 48/125/250 DC, 0.03-1 SEC, RELAY, SOLID STATE; TIME DELAY, 48/125/250 VDC, 0.03 TO 1 S 0	0		5945D SE
BJN957Q	AL	6-C-13-101	6	\$0.00	BOLT	BOLT, U, QA 1, BOLT, U; CARBON STEEL, STANDARD, BLACK, PIPE SIZE 0.5 IN, WITH 4 HEX	1	B	4710Y SE
BLC590X	AL	6-C-13-101	497	\$0.00	SEAT	SEAT, SPRING, QA 0, HELICAL COMPRESS, SS, SEAT, HELICAL COMPRESS SPG; STAINLESS STEEL, FOR CONDENSATE FILTER	0		46109 SE
BTY998F	AL	6-C-13-101	34	\$0.00	SCREW	SCREW, MACHINE, QA 1, 5/16 IN, 3/4 IN, 18, HEX HEAD, BRASS, UNC, 2A, STANDARD MILL FINISH, B18.6.3	1		5305J SE
BVT280R	AL	6-C-13-101	11	\$0.00	INSERT	INSERT, PIPE, QA 1, CLASS 2, REDUCER, INSERT; MATERIAL: STAINLESS STEEL, 1 ST END NOM SIZE: 00.500	1	C	4730P SE
CAD968C	AL	6-C-13-101	3	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 3/4 IN, 3/4 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, SOCKETWELD, SS, ASME SA182 GR F304, STAN 1	D		4730P SE
CAR451L	AL	6-C-13-101	15	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 1/2 IN X 1/8 IN, MALE, SS, COMPRESSION X MNPT, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1	C	4730P SE
CDM679P	AL	6-C-13-101	1	\$0.00	MONITOR	MONITOR, TYPICAL, QA 0, MASS FLOW, RS-232C, 452-16-MT ELEMENT, (2) 4-20 MA & 0-5 VDC, SP = SPECIAL STEEL 12 X 12 X 6 NEMA 4 0	0		7021A SE
CEJ170K	AL	6-C-13-101	1	\$0.00	CAP	CAP, TUBING, QA 3, SOLDER, 1 IN, COPPER, B16.22, *** END USE: 1.125" OD COPPER TUBING	3		4730P SE
CEM648W	AL	6-C-13-101	600	\$0.00	SWITCH	SWITCH, MANUAL, QA 2, SLIDE, 125 AC/DC, 3/0.5 AC/DC, DPDT, ***	2	B	59300 SE
CFC445K	AL	6-C-13-101	1	\$0.00	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 36 - 20 IN, 4 IN, CS, BUTTWELD, ASTM A350 GR LF2, STD, STANDARD MILL FINISH	3		4730P SE
CHN637A	AL	6-C-13-101	1	\$0.00	BOARD	BOARD, TYPICAL, QA 0, BOARD,AMP,HIGH VOLTAGE,FOR: SAM 11. QA/0	0	B	6130E SE
CHQ615A	AL	6-C-13-101	10	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, TIMER, FOR LDM 101 T-DOSIMETRY/TURNSTILE	0	B	6695D SE
CKJ354Y	AL	6-C-13-101	12	\$0.00	TRANSDUCE	TRANSUDUCI TRANSDUCER, ELECTRONIC, QA 3, NPT, PRESSURE RANGE: 1500 PSIG, 3 WIRE 4-20MA, +/- 5%, MODEL STJE	3	B	5999D SE
CKL011A	AL	6-C-13-101	5	\$0.00	CONTACTO	CONTACTOR, ELECTRICAL, QA 0, TRANSFER, 480 COIL, 150, 3	0	B	5975B SE
CKL050B	AL	6-C-13-101	1	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 0, AMBIENT RTD/PD	0	B	5935B SE
CKL101K	AL	6-C-13-101	1	\$0.00	CARD	CARD, TYPICAL, QA 0, INTERNAL PD SENSOR, T-MAP 3100	0	B	5935P SE
CKX112Y	AL	6-C-13-101	2	\$0.00	DISC	DISC, VALVE, QA 2, ALLOY STEEL A351 GR CF8M, 150 PSI, FOR 6" CHEXTER CHECK VALVE, MODEL: 1601, TYPE: AC,	2	C	48100 SE
ABW776G	AL	6-C-13-102	2	\$0.00	ENCODER	ENCODER, TYPICAL, QA 0, PICKUP, NON-CONTACT PICK-UP FOR PHASE ANGLE, ECCENTRICITY, THRUST &	0	C	6695D SE
ADP294G	AL	6-C-13-102	1	\$0.00	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/RESET, 600, 250 DC, 10/11, RELAY, ELECTROMAGNETIC; OPEN TYPE, 600 VAC, 10 AMPS, 250 0	P		5945D SE
ADP794V	AL	6-C-13-102	1	\$0.00	RELAY	RELAY, TYPICAL, QA 0, ELECTROMAGNETIC/RESET, 600, 250 DC, 50/47, 25 HP, RELAY, ELECTROMAGNETIC; OPEN TYPE, 600 VAC, 47 AMF 0	P		5945D SE
APQ732F	AL	6-C-13-102	1	\$0.00	TRANSFOR	TRANSFORMER, TYPICAL, QA 0, RECORDER, 120, 60, C/O 019009 TRANSFORMER AND 177056 DIRECTIONS, FOR SPEEDOMAX AMPLIFIER	0	C	6695D SE
ARH400D	AL	6-C-13-102	1	\$0.00	CONTACTO	CONTACTOR, ELECTRICAL, QA 0, MAGNETIC, 3, 440, CONTACTOR, MAGNETIC; SIZE 3,440 VOLTS COIL ***	0	P	61100 SE
BKQ745P	AL	6-C-13-102	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, BOARD ASSY, ; REMOTE INDICATOR SINGLE BOARD COMPUTER SET, FOR WIDE	3	B	6630D SE
BKY343D	AL	6-C-13-102	1	\$0.00	CELL	CELL, LOAD, QA 0, 4 WIRE CABLE, 10 FT LONG, FOR HOWERCHDSC SCALES,	0	P	6670D SE
BQL584B	AL	6-C-13-102	4	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, TRANSFER MANUAL; GE TYPE SB-1, 2 POSITION, 14 STAGE, 28	1	B	59300 SE
BTD904C	AL	6-C-13-102	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED, COMMUNICATION CONTROL, 20 MA, ALARM; 20 MA DATA COMMUNICATIONS, DUAL CHANNEL,	3	B	5999D SE
BVM221Q	AL	6-C-13-102	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, GEARED, 4 TRAIN, FOR TYPE SMB-1 LIMITORQUE ACTUATORS, , ASSEMBLY, PC105A, NUCLEAR, FIBERITE (BLACK) TYP	C		59300 SE
CBV303L	AL	6-C-13-102	4	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, VACUUM, 30 IN VAC-0 PSI, 250, 5, SPDT, 1/4 IN FNPT, EXPLOSION PROOF, MAX OPERATING: PRESS: 750 PSIG, PF 0	0		59300 SE
CKB835J	AL	6-C-13-102	10	\$0.00	SWITCH	SWITCH, LIMIT, QA 3, LEVERLESS, 120/240, 4/2, SPDT, 6 FT LEAD, 303 SS	3	B	5975B SE
CKL038M	AL	6-C-13-102	1	\$0.00	CARD	CARD, TYPICAL, QA 0, TRANSFORMER MONITORING, T-MAP 3100	0	B	5935P SE
CKL094B	AL	6-C-13-102	1	\$0.00	CARD	CARD, TYPICAL, QA 0, POWER AND ALARM, T-MAP 3100	0	B	5935P SE
CLD829W	AL	6-C-13-102	20	\$0.00	RING	RING, RETAINING, QA 1, SNAP, FOR 52STA/MJ SWITCH LINKAGE, GE BREAKER COMPARTMENT, ZINC PLATING W/	1	B	5935H SE
CMR728Y	AL	6-C-13-102	3	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 400, 300, 2 POLE, 400 A FRAME, 300 A TRIP, TYPE THJK WITH LUGS	0	B	
AEF803R	AL	6-C-14-201	4	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE ASSY, ; ELEC, FOR SAND FILTER EFFLUENT PUMP, MODEL SE56, 1/2 HP	0	P	6150E SE
AHJ471M	AL	6-C-14-201	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 2, SWITCH, SENSITIVE (LIMIT); TORQUE-MELAMINE, FOR LIMITORQUE VALVE	2	P	59300 SE
AXP140L	AL	6-C-14-201	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 2, INDICATOR, PRESSURE; 0 TO 35 GPM, DIAL TYPE, WITH MOUNTING BRACKETS	2	P	6695D SE
BCH982Q	AL	6-C-14-201	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BOAR, ; PRINTED CIRCUIT BOARD, NSA4 SUMMING AMPLIFIER	1	P	5999D SE
BNC848Q	AL	6-C-14-201	2	\$0.00	ANALYZER	ANALYZER, CONDUCTIVITY, QA 0, ANALYZER, CONDUCTIVITY; * ***	0	C	6630D SE
BNF682H	AL	6-C-14-201	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; CONTACT OUTPUT,WAT-312,INELEC WHO-5660	0	C	5999D SE
BVG950R	AL	6-C-14-201	1	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, 125/250/480/600 AC/125/250 DC, 20/15/10/5 AC/ 5/1.5 DC, SNAPLOCK, BOTTOM MOUNT	1	B	59300 SE
BVW667B	AL	6-C-14-201	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 3, TRANSMITTER, PRESSURE; DIFFERENTIAL, MAX. WORKING PRESSURE 2000 PSI	3	B	6695D SE
BWL754K	AL	6-C-14-201	1	\$0.00	INDICATOR	INDICATOR, FLOW, QA 0, ACID, 1 IN, FLANGE, INDICATOR, RATE OF FLOW; 1" CARBON STEEL, 150# RF FLANGE CONNECTIONS	0	B	6695D SE
CKH913R	AL	6-C-14-201	1	\$0.00	TIMER	TIMER, ELECTRICAL, QA 3, GPS TIME STROBE	3	C	6645E SE
BLM844Y	AL	6-C-14-202	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; SPEED CONTROL, FOR MANIPULATORCRANE ***	0	C	5999D SE
BRH694D	AL	6-C-14-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BOAR, CONTROL CARD; REED, MULTIPLEXER ***	3	C	5999D SE

CAF350R	AL	6-C-14-202	10	\$0.00	TRANSMITT TRANSMITTER, AUDIO, QA 3, TRANSMITTER, CONTROL ROOM VIDEO; VIDEO, FOR VIDEO TRANSMISSION VIA	3	C	5835D SE
CAF352A	AL	6-C-14-202	10	\$0.00	RECEIVER RECEIVER, ELECTRONIC, QA 3, RECEIVER, CONTROL ROOM VIDEO; VIDEO, FOR VIDEO TRANSMISSION VIA FIBER	3	C	5835D SE
CAF358X	AL	6-C-14-202	8	\$0.00	TRANSMITT TRANSMITTER, AUDIO, QA 3, TRANSMITTER, CONTROL ROOM VIDEO; DIGITAL, FOR BIPHASE DIGITAL CONTROL	3	C	5835D SE
CAF360N	AL	6-C-14-202	8	\$0.00	TRANSMITT TRANSMITTER, AUDIO, QA 3, TRANSMITTER, CONTROL ROOM VIDEO; DIGITAL, FOR BIPHASE DIGITAL CONTROL	3	C	5835D SE
CAF380G	AL	6-C-14-202	2	\$0.00	ADAPTER ADAPTER, PLATE, QA 3, ADAPTER, CONTROL ROOM VIDEO; PLATE, FOR DATA MODULE - BIPHASE ***	3	C	5835D SE
AHB606X	AL	6-C-14-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; BYPASS VALVE TEST AMPLIFIER, SEQ 8987	0	B	5999D SE
AJA458G	AL	6-C-14-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; DIODE BOARD SPEED CONTROL, SEQ 8963, FOR	0	B	5999D SE
BBV009J	AL	6-C-14-301	2	\$0.00	MODULE MODULE, ELECTRONIC, QA 1, MODULE, SERVO ASSY; C/O ONE EA SENSOR, TWO EA STAINLESS STEEL O-RINGS	1	B	5963B SE
BKA667R	AL	6-C-14-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, CRANE; REVERSING SILICON CONTROLLED RECTIFIER	3	B	5999D SE
BLA522E	AL	6-C-14-301	2	\$0.00	BRACKET BRACKET, MOUNTING, QA 1, BRACKET ASSY, ; SPEED SETTING, FOR WOODWARD GOVERNOR, P/N 2301, ON	1	P	29100 SE
BLY994W	AL	6-C-14-301	6	\$0.00	HEATER HEATER, OVERLOAD, QA 1, HEATER, THERMAL RELEASE; OVERLOAD ***	1	C	61100 SE
BQA276A	AL	6-C-14-301	1	\$0.00	SWITCH SWITCH, FLOW, QA 1, AIR, 1000 PSIG, -100 TO 325 DEG F, *** STANDBY GAS TREATMENT FAN DISCHARGE FLOW ELEMENT AND FLOW SW	1	C	59300 SE
BYW974F	AL	6-C-14-301	4	\$0.00	TRIP DEVICI TRIP DEVICE, CONTROLLER, QA 1, 4-20 MA, ** MASTER TRIP UNIT, SCALE 0 TO +60 INCHES	1	B	6695D SE
BY511E	AL	6-C-14-301	1	\$0.00	SWITCH SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; VOLTAGE: 125 VAC, AMPERAGE: 10 AMPS, MAX OPERATING	3	B	59300 SE
CAQ886M	AL	6-C-14-301	1	\$0.00	POWER SUP POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; ION CHAMBER, FOR LOCAL POWER RANGE MONITOR	0	C	61100 SE
CAT615B	AL	6-C-14-301	3	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RPIS; SHIFT REGISTER CARD ***	3	B	5999D SE
CDF146T	AL	6-C-14-301	2	\$0.00	CHART CHART, TYPICAL, QA 3, RECORDING INSTRUMENT, , CASSETTE ASSEMBLY, FOR JOHNSON YOKOGAWA MODEL 4151, 4152 & 4153	3	C	75300 SE
CHR045B	AL	6-C-14-301	9	\$0.00	CHASSIS CHASSIS, INSTRUMENT, QA 3, CHANNEL BANK, VIKING CHASSIS, WITH POWER SUPPLY AND COMMON COMMUNICATIONS CARD	3	C	7020R SE
CHW132A	AL	6-C-14-301	3	\$0.00	BOARD BOARD, TYPICAL, QA 1, RECORDER, ANALOG TO DIGITAL CONVERSION, WESTRONICS MODEL SV18C, ADC PCB ASSEMBLY	1	C	6695D SE
CHW148T	AL	6-C-14-301	2	\$0.00	BOARD BOARD, TYPICAL, QA 1, RECORDER, DIGITAL INPUT/OUTPUT, WESTRONICS MODEL SV18C, GPIO BOARD, 16 CONTACT OUTPUTS AND 12 DIGI	1	C	6695D SE
CHW149Q	AL	6-C-14-301	3	\$0.00	BOARD BOARD, TYPICAL, QA 1, RECORDER, ANALOG TO DIGITAL CONVERSION, WESTRONICS MODEL SV10C, ADC PCB ASSEMBLY.	1	C	6695D SE
CHW150K	AL	6-C-14-301	1	\$0.00	BOARD BOARD, TYPICAL, QA 1, RECORDER, DIGITAL INPUT/OUTPUT, WESTRONICS MODEL SV10C, GPIO BOARD, 6 CONTACT OUTPUTS AND 6 DIGIT/	1	C	6695D SE
AJY875Q	AL	6-C-14-302	2	\$0.00	GAUGE GAUGE, COMPOUND, QA 0, PRESSURE/VACUUM, 1/8 IN NPT, 2-1/2 IN, BRASS, BOTTOM, 0-150 IN PSIG, 0-30 IN, STEEL, GAGE, CMPD,PRESS.0	0	P	6695D SE
BFA222R	AL	6-C-14-302	1	\$0.00	METER METER, FLOW, QA 0, 0.6-4 GPM/RLOA 0.5-101, 1/2 IN, 316 STAINLESS STEEL, 115 VDC, THREADED, METER, FLOW RATE IND,FLT TY; 0.6'	0	C	6695D SE
BGV771R	AL	6-C-14-302	3	\$0.00	TUBING TUBING, TYPICAL, QA 0, TUBING, SWITCH; END, FOR SWITCH, LIQUID LEVEL, MODEL LS-77-349 ***	0	P	47200 SE
BKD464Q	AL	6-C-14-302	2	\$0.00	PROBE PROBE, VIBRATION, QA 0, AIR COMPRESSOR, THIRD AND FOURTH STAGE, 13 IN LG,	0	C	4310I SE
BLB206L	AL	6-C-14-302	9	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; MX/CH CHANNEL CARD, FOR ANALYZER	0	C	6630D SE
BLB207J	AL	6-C-14-302	2	\$0.00	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; I/O WITH AVERAGING AND AUTO CALIBRATION,	0	C	6630D SE
BLB208G	AL	6-C-14-302	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CPU, WITH AUTO CALIBRATION, FOR OXYGEN ANALYZER, MODEL AV8G	0	C	6630D SE
BLB209E	AL	6-C-14-302	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, POWER SUPPLY, 8 CHANNEL, FOR OXYGEN ANALYZER, MODEL AV8G.	0	P	6630D SE
BLC610J	AL	6-C-14-302	6	\$0.00	TRANSMITT TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; ALPHALINE NUCLEAR, DIFFERENTIAL, MWP 2000 PSIG	1	B	6695D SE
BMA510T	AL	6-C-14-302	6	\$0.00	PENETRATI PENETRATION, ELECTRICAL, QA 1, CONDUIT SEAL ASSEMBLY, #16 AWG, 4, 3/4 IN, SS, 4- 1C NUMBER 16 AWG SOLID COPPER CONDUCTOR;	1	P	5975B SE
BPM339R	AL	6-C-14-302	1	\$0.00	SWITCH SWITCH, PUSHBUTTON, QA 3, SWITCH, PUSH; ALTERNATE ACTION, FULL WINDOW, TWO LINE ENGRAVING, FIRST	3	C	59300 SE
BPV836C	AL	6-C-14-302	3	\$0.00	METER METER, FLOW, QA 1, FAST RESPONSE, 0.025-0.5 FT/SEC, SS, 1 IN MNPT, HORIZONTAL, COMPLETE WITH 5181 CIRCUIT BOARD, LEFT TO RIC	1	B	6695D SE
BPV996M	AL	6-C-14-302	5	\$0.00	SWITCH SWITCH, LIMIT, QA 3, SWITCH, SENSITIVE (LIMIT); MAX RATING AC 115.0 VOLTS, CURRENT RATING	3	B	59300 SE
BQD479C	AL	6-C-14-302	8	\$0.00	AMPLIFIER AMPLIFIER, COMMUNICATION, QA 1, DC	1	C	5999D SE
BTJ805L	AL	6-C-14-302	1	\$0.00	THERMOCO THERMOCOUPLE, TYPICAL, QA 0, THERMOCOUPLE, REPAIR PART; & PECKERHEAD ASSEMBLY ***	0	C	6695D SE
BVE496L	AL	6-C-14-302	4	\$0.00	SEAL SEAL, FEEDTHROUGH, QA 1, SEAL ASSY, CONDUIT; MATERIAL: STAINLESS STEEL, SIZE: 00.375000 ( 3/8)	1	B	5975B SE
CAF121X	AL	6-C-14-302	15	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 0, MEMORY, MICROCIRCUIT, MEMORY; CHIP, 128K, PART NO. KM681000BLP-7. ***	0	B	5999D SE
CAG959X	AL	6-C-14-302	1	\$0.00	GAUGE GAUGE, PRESSURE, QA 3, GAGE, PRESSURE,DIAL INDICA; 4.5 IN DIAL, 316 SS TUBE/SOCKET, ALUMINUM	3	C	6695D SE
CJE821L	AL	6-C-14-302	4	\$0.00	HEATER HEATER, OVERLOAD, QA 2, CO.60A, THERMAL RELEASE	2	C	48104 SE
ACV530V	AL	6-C-16-201	2	\$0.00	FILTER FILTER, TYPICAL, QA 0, FILTER UNIT, CONTAMINATION ANAYLS; GLASS, 47 MM DIA ***	0	C	6630D SE
ADY777F	AL	6-C-16-201	3	\$0.00	FILTER FILTER, TYPICAL, QA 0, UNIT, 47 MM, STAINLESS STEEL, HIGH PRESSURE, FILTER UNIT, CONTAMINATION ANAYLS; HIGH PRESSURE, STAINLE	0	C	6630D SE
ADY977F	AL	6-C-16-201	2	\$0.00	FILTER FILTER, TYPICAL, QA 0, CONTAMINATION ANALYSIS, 47 MM, HYDROSOL STAINLESS, FILTER UNIT, CONTAMINATION ANAYLS; HYDROSOL ST/	0	C	6630D SE
AJP288C	AL	6-C-16-201	59	\$0.00	CONTACT CONTACT, ELECTRICAL, QA 1, CONTACT SET, ELECTRICAL; ELEC, 3-POLE, NO, SIZE 1P & 2, FOR ARROW-HART	1		61100 SE
AKQ152T	AL	6-C-16-201	8	\$0.00	HEATSINK HEATSINK, THERMAL, QA 2, HEAT SINK, ELEC-ELEC COMPONENT; SEMICONDUCTOR ***	2	C	5999D SE
ARL167W	AL	6-C-16-201	1	\$0.00	TRANSDUCI TRANSDUCER, ELECTRONIC, QA 2, TRANSDUCER, CURRENT-PNEUMATIC; INPUT 10 TO 50 MA, OUTPUT 3 TO 15 PSI	2	P	6695D SE
BEX933V	AL	6-C-16-201	10	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, MULTIPLEXER; LINE INTERFACE UNIT 4R ENHANCED	3	C	5999D SE
BKF788K	AL	6-C-16-201	19	\$0.00	TIMER TIMER, ELECTRICAL, QA 1, TIMER, INTERVAL; SOLID STATE,1E MILD,RANGE 115 TO 145 SECONDS,TYPE	1		6645E SE
BND674T	AL	6-C-16-201	6	\$0.00	SWITCH SWITCH, PRESSURE, QA 1, SWITCH, PRESSURE; DPDT, 125/250 VAC, 5 AMP, PROOF PRESSURE 4500 PSI	1		59300 SE
ABL750P	AL	6-C-16-202	6	\$0.00	RESISTOR RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 20 K, NONWIREWOUND	0	C	5905I SE
ADQ685V	AL	6-C-16-202	6	\$0.00	TRANSISTO TRANSISTOR, ELECTRICAL DEVICE, QA 0	0	C	5961B SE
AHQ465H	AL	6-C-16-202	11	\$0.00	DIODE DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, ZENER	0	C	5961B SE
AJT533A	AL	6-C-16-202	1	\$0.00	INDICATOR INDICATOR, FLOW, QA 0, LIQUID, FOR TRANSFORMER, POWER, 315000 KVA, 3	0	C	6695D SE
APQ235X	AL	6-C-16-202	3	\$0.00	TRANSFORI TRANSFORMER, POWER, QA 0, ASSEMBLY, ASSY, CONTROL SYSTEM, 2 PT, FOR LOUIS-ALLIS FEEDER	0	C	5950N SE
BAX735Q	AL	6-C-16-202	2	\$0.00	TUBE TUBE, ELECTRONIC, QA 0, ELECTRON TUBE, ; VIDEO, CATHODE RAY, FOR CRT SCOREBOARD, ON	0	P	5960C SE
BCH982Q	AL	6-C-16-202	1	\$0.00	BOARD BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BOAR, ; PRINTED CIRCUIT BOARD, NSA4 SUMMING AMPLIFIER	1	P	5999D SE



BCQ690D	AL	6-C-16-202	9	\$0.00	THERMOME THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 4 IN, 30-130 DEG F, 1/2 IN THREADED, LOWER, THERMOMETER, BIMETALLIC; 30 TO 110	P	6695D SE
BKT996K	AL	6-C-16-202	6	\$0.00	TRANSISTO TRANSISTOR, ELECTRICAL DEVICE, QA 0, FEEDER; ITEM 3TS, FOR UNITS 1 AND 2 FEEDER CONTROLS, MODEL	0	C 5961B SE
BKT997H	AL	6-C-16-202	11	\$0.00	TRANSISTO TRANSISTOR, ELECTRICAL DEVICE, QA 0, ITEM 5TS, FOR UNITS 1 AND 2 FEEDER CONTROLS, MODEL	0	C 5961B SE
BKT998F	AL	6-C-16-202	6	\$0.00	TRANSISTO TRANSISTOR, ELECTRICAL DEVICE, QA 0, ITEM 4TS, FOR UNITS 1 AND 2 FEEDER CONTROLS, MODEL	0	C 5961B SE
BKT999D	AL	6-C-16-202	6	\$0.00	DIODE DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, SILICON, ITEM 1SCR, FOR UNITS 1 AND 2	0	C 5961B SE
BKV000Y	AL	6-C-16-202	4	\$0.00	RECTIFIER RECTIFIER, ELECTRICAL DEVICE, QA 0, METALLIC; BRIDGE, ITEM 1RT, FOR UNITS 1 AND 2 FEEDER	0	C 6130S SE
BKV001H	AL	6-C-16-202	6	\$0.00	DIODE DIODE, ELECTRICAL DEVICE, QA 0, SEMICONDUCTOR DEVICE, SILICON, AVALANCHE, ITEM 20RT, FOR UNITS	0	C 5961B SE
BKV002F	AL	6-C-16-202	4	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 0, MICROCIRCUIT, LINEAR; DUAL, OPERATIONAL AMPLIFIER, ITEM 6MC, FOR UNITS	0	C 5999D SE
BMD901H	AL	6-C-16-202	2	\$0.00	MODULE MODULE, ELECTRONIC, QA 0, MODULE, ; VIDEO FM DEMODULATOR, 48 MHZ, S/N 18610-23 AND 18610-18 ***	0	C 5963B SE
BMD902F	AL	6-C-16-202	2	\$0.00	MODULE MODULE, ELECTRONIC, QA 0, MODULE, ; VIDEO FM MODULATOR, 48 MHZ, S/N 18644-09 ***	0	C 5963B SE
BMD903D	AL	6-C-16-202	2	\$0.00	MODULE MODULE, ELECTRONIC, QA 0, MODULE, ; BANDPASS FILTER, 48 MHZ, S/N 19613-50 AND 18593-70 ***	0	P 5963B SE
BMF681R	AL	6-C-16-202	1	\$0.00	TRANSMITT TRANSMITTER, PRESSURE, QA 0, DIFFERENTIAL, 85 VDC, 10-50 MADC, 0-30 IN H2O, 2000 PSI, 1/4 IN NPT, TRANSMITTER, PRESSURE; DIFFE	0	B 6695D SE
BND852W	AL	6-C-16-202	3	\$0.00	THERMOME THERMOMETER, LOCAL READING, QA 0, BIMETALLIC, 0-120 DEG C, BRONZE, BACK, THERMOMETER, BIMETALLIC; 0 TO 120 DEG C, 5 IN, 0.3;	0	P 6695D SE
BNP296C	AL	6-C-16-202	22	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 1, MICROCIRCUIT, DIGITAL; FIRMWARE, LCP, SPIN XIELEP, FOR EAGLE 21 ***	1	5999D SE
BNP301F	AL	6-C-16-202	20	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 1, MICROCIRCUIT, DIGITAL; FIRMWARE, LCP, SPIN XIELEP, FOR EAGLE 21 ***	1	5999D SE
BNP328R	AL	6-C-16-202	19	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 1, MICROCIRCUIT, DIGITAL; FIRMWARE, LCP, SPIN XIELEP, FOR EAGLE 21 ***	1	5999D SE
BNP348K	AL	6-C-16-202	20	\$0.00	CIRCUIT CIRCUIT, INTEGRATED, QA 1, MICROCIRCUIT, DIGITAL; FIRMWARE, LCP, SPIN XIELEP, FOR EAGLE 21 ***	1	5999D SE
BNP358G	AL	6-C-16-202	2	\$0.00	BOARD BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BOAR, ; ANALOG OUTPUT, SPIN XIELEP, S/N C8937093 &	1	5999D SE
BWK808W	AL	6-C-16-202	3	\$0.00	SWITCH SWITCH, MANUAL, QA 1, SWITCH, SELECTOR; MODULE; TYPE 20K SWITCH, TWO POSITION, MAINTAINED IN	1	59300 SE
AJW565J	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; PRINTED CIRCUIT, ECC PHASE ANGLE, FOR	0	C 5999D SE
ALW162W	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; VIBRA PHASE ANGLE, FOR MAIN TURBINE	0	C 5999D SE
APV375X	AL	6-C-16-301	4	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; COLORIMETER HEATER, FOR SILICAANALYZER	0	C 6630D SE
APV475R	AL	6-C-16-301	4	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; COLORIMETER AMPLIFIER, FOR SILICA	0	C 6630D SE
APV575M	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; POWER SUPPLY, FOR SILICA ANALYZER, MODEL	0	P 6630D SE
APV978Y	AL	6-C-16-301	1	\$0.00	SWITCH SWITCH, LEVEL, QA 0, SWITCH ASSY, ; LIQUID LEVEL ACTIVATED, FOR HACH CHEMICAL CO SILICA	0	P 59300 SE
ARL240Q	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; SWITCH, CIRCUIT, FOR ANALYSER MODEL MK4	0	C 5999D SE
ARQ769B	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, ANALYZER; CURRENT OUTPUT, FOR 735 DISSOLVED OXYGEN	0	C 6630D SE
ARR358V	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, ANALYZER; AMPLIFIER, FOR MODEL 735 DISSOLVED OXYGEN	0	P 6630D SE
ARR359R	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, ANALYZER; CURRENT OUT PUT, FOR MODEL 735 DISSOLVED	0	C 6630D SE
ATC619N	AL	6-C-16-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RELAY; RELAY CARD 5, FOR EHC CABINET CONTROL ***	0	C 5999D SE
ATG623B	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ALARM; SM-460 ALARM, FOR H2 SO4 MEASUREMENT ***	0	C 6630D SE
ATG629Y	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; AMPLIFIER, FOR ANALYZER, MODEL SM-400 ***	0	C 6630D SE
ATQ709Q	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CLOCK RATE DRIVER 2, FOR OPTIMAC	0	C 6695D SE
AVR618F	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TRANSMITTER; OUTPUT 10 TO 50 MA, S/A, PC42, FOR	0	C 6695D SE
AVW936H	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; AUTO REFERENCE, FOR ENTRY SCAN NITRATE	0	C 6630D SE
AVW937F	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; AUTO SERVO AND TIMING, FOR ENTRY SCAN	0	C 6630D SE
AVW938D	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; HEATER CONTROLLER, FOR ENTRY SCAN	0	C 6695D SE
AVW941Q	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; INSTRUMENT CHECK, FOR ENTRY SCAN NITRATE	0	C 6630D SE
AVW942N	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; SEQUENCE LOGIC, FOR ENTRY SCAN NITRATE	0	C 6630D SE
AVW944J	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; POWER SUPPLY, 12 VOLT, FOR ENTRY SCAN	0	C 6630D SE
AVW946E	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; REMOTE POWER SUPPLY, FOR ENTRY SCAN	0	C 6630D SE
AVW947C	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; SENSOR, INFRARED, FOR ENTRY SCAN	0	C 6630D SE
AVW948A	AL	6-C-16-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; STAND BY CONTROL, FOR ENTRY SCAN NITRATE	0	C 6630D SE
AWE702E	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; DETECTOR SIGNAL LEVEL, FOR HYDROGEN	0	C 6630D SE
AWM405G	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; SCALING, TRANSMISSION, 0 TO 5 VDC, FOR	0	C 6695D SE
AWM406E	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; TRANSFORMER AND RELAY, FOR HYPOCHLORITE	0	C 6695D SE
AWM407C	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; POWER SUPPLY AND RELAY DRIVER, FOR	0	C 6695D SE
AYK669A	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONNECTOR ASSEMBLY, HORIZONTAL FOR PH	0	C 6695D SE
AYK922Q	AL	6-C-16-301	3	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; SERVO AMPLIFIER, FOR PH RECORDER, MODEL	0	C 6630D SE
AYP416K	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; AW, RO CONTROL PANEL, FOR LINEPRINTER	0	C 7020R SE
BAA555W	AL	6-C-16-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; MA, FOR DYNALUOR X SECURITY X-RAY MACHINE	0	C 5999D SE
BAM749N	AL	6-C-16-301	2	\$0.00	MODULE MODULE, ELECTRONIC, QA 0, MODULE ASSY, ; RELAY, FOR VIBRATION MONITOR SERIES 4644, ON LOOSE	0	C 5963B SE
BAM756R	AL	6-C-16-301	2	\$0.00	CONTROLLI CONTROLLER, ELECTRICAL, QA 0, MODULE, ; CONTROL, FOR VIBRATION MONITOR SERIES 4644, ON LOOSE PARTS	0	C 5963B SE
BBA538N	AL	6-C-16-301	4	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ANALYZER; AMPLIFIER, FOR SODIUM ANALYZER MODEL	0	C 5999D SE
BCA957V	AL	6-C-16-301	2	\$0.00	CONNECTO CONNECTOR, BUS, QA 0, CONNECTION, CIRCUIT BREAKER; TEMPERATURE CONTROLLER, FOR GAS	0	C 5925B SE
BCN168R	AL	6-C-16-301	3	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; ERASE AND BIAS AMP, FOR SOUND	0	C 5835D SE
BCN169P	AL	6-C-16-301	5	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; MEMO AMP, FOR SOUND RECORDER/REPRODUCER	0	C 5835D SE

BCW933D	AL	6-C-16-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; LA11H, FOR DECADE SCALER, MODEL DS-3 ***	0	C	5999D SE
BEK741Q	AL	6-C-16-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; SPOOL, FOR LINE PRINTER, MODEL2230 ***	0	C	7020R SE
BGC604V	AL	6-C-16-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RELAY; RELAY, FOR AIR CONDITIONER, MODEL	0	C	5999D SE
BHB993K	AL	6-C-16-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; EXTENDER, 22 PIN, FOR HIGH RADIATION POST	0	C	6630D SE
BTQ481L	AL	6-C-16-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; CONTROL PANEL,ACPL ***	0	C	7020R SE
CBQ576Y	AL	6-C-16-301	6	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, ALARM; WITH 2 EA RESISTORS, AND 1 EA CAPACITOR	3	C	5999D SE
CDV145Y	AL	6-C-16-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TURBINE; SPEED REFERENCE CARD 3, 1800 RPM ***	0	C	6695D SE
AQD142P	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, MEMORY, FOR TEMPERATURE	0	C	5999D SE
AQD145H	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, PRINT DRIVER, FOR TEMP	0	C	6695D SE
AQD146F	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, CPU, FOR TEMP MONITORING	0	C	6695D SE
AQD147D	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, CASSETTE INTERFACE, FOR TEMP	0	C	6695D SE
AQD148B	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, K-B DISPLAY INTERFACE, FOR	0	C	6695D SE
AQD151N	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC, DISPLAY, FOR TEMP MONITORING	0	C	6695D SE
AQR319C	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC,COMMON INTERFACE, FOR	0	C	6695D SE
AQR333J	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC,MOTHERBOARD,FOR TEMPERATURE	0	C	6695D SE
AQR855K	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ELECTRONIC,MOTHERBOARD,FOR TEMPERATURE	0	C	6695D SE
ARE158W	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; FOR LEEDS NORTHROP MONITOR 7070-5 ***	0	C	5999D SE
ARE159T	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; FOR LEEDS NORTHROP MONITOR 7070-5 ***	0	C	5999D SE
ARE160M	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; ALARM, FOR LEEDS NORTHROP MONITOR 7070-5	0	C	5999D SE
ARG318N	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, MONITOR; FOR LEEDS AND NORTHROP 7070-5 MONITOR ***	0	C	5999D SE
ARN659W	AL	6-C-18-301	2	\$0.00	EXTENDER	EXTENDER, CIRCUIT BOARD, QA 0, EXTENDER CARD, ELECTRONIC TEST; NK90030,36 PIN,FOR SCALER MODEL DS-3	0	C	5999D SE
AVJ463N	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; REGISTER DRIVER,FOR BAIRD MOD 987514 POLYSPEC	0	C	5999D SE
AVR618F	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TRANSMITTER; OUTPUT 10 TO 50 MA, S/A, PC42,FOR	0	C	6695D SE
AVW939B	AL	6-C-18-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; LAMP DRIVER, FOR ENTRY SCAN NITRATE	0	C	6630D SE
AVW943L	AL	6-C-18-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; SIGNAL STORE, FOR ENTRY SCAN NITRATE	0	C	6630D SE
AWH055V	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; SPEED SELECTOR, FOR SOUND	0	C	5835D SE
AWH056R	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; MOTOR SOLENOID, FOR SOUND	0	C	5835D SE
AWH057P	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONTROL CIRCUIT, FOR SOUND	0	C	5835D SE
AWH058M	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; POWER STABILIZER, FOR SOUND	0	C	5835D SE
AYV840W	AL	6-C-18-301	2	\$0.00	EXTENDER	EXTENDER, CIRCUIT BOARD, QA 0, EXTENDER CARD, ELECTRONIC TEST; PRINTED CIRCUIT BOARD, 24 PIN, FOR	0	C	6630D SE
AYV843B	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; FOR EXPLOSIVE DETECTOR, MODEL 75 ***	0	C	6630D SE
AYX849L	AL	6-C-18-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; INTERFACE, SPECTROMETER, MODELS 124 AND 125	0	C	5999D SE
AYY638W	AL	6-C-18-301	8	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, METER; FOR RATE METER, MODEL 177, S/N12047, 12054	0	C	5999D SE
BAN998V	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; DIRECT RECORD AMPLIFIER, FOR PORTABLE	0	C	5835D SE
BBN015G	AL	6-C-18-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; SPEED SIGNAL CONVERTER, FOR SOUND	0	C	5835D SE
BBW479F	AL	6-C-18-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR CONDENSATE DEMINERALIZER WASTE EVAPORATOR	0	C	5999D SE
BCC210L	AL	6-C-18-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR CONDENSATE DEMINERALIZER WASTE EVAPORATOR	0	C	5999D SE
BCC215Y	AL	6-C-18-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR CONDENSATE DEMINERALIZER WASTE EVAPORATOR	0	C	5999D SE
BCP111J	AL	6-C-18-301	7	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, CH1-14, DIRECT, RECORD, FOR	0	C	5835D SE
BCP112G	AL	6-C-18-301	7	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, CH1-14, REPRODUCE, DIRECT	0	C	5835D SE
BCX931C	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; MA REGULATOR, FOR X-RAY MACHINE, MODEL	0	C	6630D SE
BXR405E	AL	6-C-18-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; ENCODER,REV E, FOR MEMORY SEGMENT,MODEL	0	C	5999D SE
ABW686H	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; LOAD REFERENCE, FOR CONTROLS ***	0	C	5999D SE
AEW383H	AL	6-C-18-302	2	\$0.00	DETECTOR	DETECTOR, TYPICAL, QA 0, DETECTOR ASSY, ; MODEL PC-21 FW PROPORTIONAL COUNTER ***	0	C	6630D SE
AJC267D	AL	6-C-18-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD, ASSY; CT741, 2-75WB/JA, FOR TYPE DS-3 ***	0	C	5999D SE
ALL108D	AL	6-C-18-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; COMPLETE ***	0	C	5999D SE
ANV051M	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; (CONSTANT VOLTAGE UNIT), FOR BROWN	0	C	6695D SE
APW258W	AL	6-C-18-302	3	\$0.00	STEM	STEM, VALVE, QA 0, STEM, VALVE; RELIEF, FOR TESTER, DEAD WEIGHT, DWG T-401 AND/OR TYPE T	0	C	48200 SE
ARN652B	AL	6-C-18-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD, ASSY; IC55-1, FOR SCALER MODEL DS-3 ***	0	C	5999D SE
AVB473P	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; SOLID-1, FOR MODEL SSC-4, AUTOMATIC PLANCHET	0	C	5999D SE
AVB474M	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; SOLID-2, FOR MODEL SSC-4, AUTOMATIC PLANCHET	0	C	5999D SE
AVG823W	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; TEMP AND COMPENSATION, FOR LR2865 DISK	0	C	7021A SE
AWF733W	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; RESPONCE, MOD 333, PROPORTIONAL AND	0	C	6695D SE
AWF912W	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; POWER SUPPLY, 9 CHANNEL MEMORYFOR	0	C	7020R SE
AWG119A	AL	6-C-18-302	8	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; PLASTIC FOR RECORDER MODEL L112S SERIAL	0	C	6695D SE
AWH050H	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CALIBRATION AND METER AMP, FORSOUND	0	C	6695D SE
AWH054X	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; PHOTO SENSING AMP, FOR SOUND	0	C	5835D SE

AWN837C	AL	6-C-18-302	4	\$0.00	RESET	RESET, TYPICAL, QA 0, BRONZE, FOR LEVEL CONTROL VALVE, SERIES 12800	0	C	6695D SE
AWY186J	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; POWER SUPPLY, FOR CLOSED CIRCUIT TELEVISION	0	C	5999D SE
AYD411H	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MODULE, M02, MODUTROL MOTOR	0	C	6695D SE
AYD413D	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MODULE, H02, HUMIDITY INPUT WIDE	0	C	6695D SE
AYD897V	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MODULE, R04 TIME PROPORTIONED OUTPUT	0	C	6695D SE
AYP416K	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; AW, RO CONTROL PANEL, FOR LINEPRINTER	0	C	7020R SE
BAD509M	AL	6-C-18-302	3	\$0.00	EXTENDER	EXTENDER, CIRCUIT BOARD, QA 0, EXTENDER CARD, ELECTRONIC TEST; PRINTED CIRCUIT BOARD, 18 PIN FOR	0	C	5999D SE
BAN997X	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; FM RECORD AMPLIFIER, FOR PORTABLE	0	C	5835D SE
BAN999R	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; DIRECT REPRODUCE AMPLIFIER, FOR PORTABLE	0	C	5835D SE
BBF816T	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; HEAD AMPLIFIER, FOR LOOSE PARTS MONITOR	0	C	6695D SE
BBF817Q	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONTROL, FOR LOOSE PARTS MONITOR	0	C	5835D SE
BCN170J	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; SERVO AMP, FOR SOUND	0	C	5835D SE
BDF622V	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONVECTOR, SPEED SIGNAL, FOR SOUND	0	C	5835D SE
BFE186E	AL	6-C-18-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; RACK MOUNTED, FOR TRANSCEIVER DATA AUDIO	0	C	5999D SE
BKG162R	AL	6-C-18-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; +1 TO 5 VOLTS, FOR TYPE F POWER SUPPLY, ON	0	P	5999D SE
BKN293B	AL	6-C-18-302	5	\$0.00	BOARD	BOARD, TYPICAL, QA 0, BOARD, ASSEMBLY; SPARE PART: SPAREPART ***	0	C	4320U SE
BXR392V	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; SPEED DETECTOR,REV C, FOR MEMORY	0	C	5999D SE
BXR394P	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROL; ACTUATOR CONTROL,REF F, FOR MEMORY	0	C	5999D SE
BXR398F	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; WRITE LOCKOUT,REV E,FOR MEMORY	0	C	5999D SE
BXR399D	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; ADDRESS,REV C,FOR MEMORY SEGMENT, MODEL	0	C	5999D SE
BXR402L	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; DETECTOR,PEAK,REV A,FOR MEMORY	0	C	5999D SE
BXR403J	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DECODER; DECODER,REV F,FOR MEMORY SEGMENT,MODEL	0	C	5999D SE
BXR432A	AL	6-C-18-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; CLOCK,INDEX/SECTOR/BIT,REV K,FOR MEMORY	0	C	5999D SE
BTD913A	AL	6-C-20-101	1	\$0.00	PRINTER	PRINTER, TYPICAL, QA 3, PRINTER, FIRE DETECTION; EVENT PRINTER, RS232 SERIES INPUT, 9 PIN DOT	3	C	6630D SE
BCM526Y	AL	6-C-20-201	2	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, DIFFERENTIAL, 1/4 IN NPT, 0-100 PSI, 4-1/2 IN, CAST ALUMINUM, BACK, +/- 1 %, BRASS, MWP 1500 PSI	0	P	6695D SE
BTF326F	AL	6-C-20-201	1	\$0.00	METER	METER, ELECTRICAL, QA 1, AMPTECTOR, 600 AMP FRAME, MODEL LS	1	C	5925B SE
CFE233Q	AL	6-C-20-201	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, MODULE, ELECTRONIC *** ULTRASONIC TRANSDUCER	3	B	5999D SE
ADM118F	AL	6-C-20-202	4	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 0, ELECTROLYTIC, ALUMINUM, 50/65, 500 MFD, +/-20%, (2) AXIAL LEADS, TUBULAR, FIXED, SURGE 6	0	P	5910E SE
AFL532X	AL	6-C-20-202	2	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, RESISTOR, FIXED,SPARE PART; FIXED, VERTIFIED, 2 LEAD WIRES, 4-3/8" LG	0	P	5905I SE
AKL135F	AL	6-C-20-202	1	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 250, 100, +/- 10 %, CYLINDRICAL, RADIAL LUG W/ADJUSTABLE TAP, VITREOUS ENAMEL	0	A	5905I SE
AXJ379Y	AL	6-C-20-202	2	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 50, 0.75, +/- 10 %, (3) PRINTED CIRCUIT PINS, RESISTOR, VARIABLE,NONWIREWOUN; RESI	0	C	5905I SE
BEK833K	AL	6-C-20-202	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, POWER SUPPLY, REGULATOR, FOR SPEED	0	C	5999D SE
BEK834H	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, CONTROL; MODIFICATION, FOR SPEED CONTROLS, MODEL	0	C	5999D SE
BKQ253D	AL	6-C-20-202	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE ASSY, RECORDER; 1M FOR RECORDER, MULTIPLE PURPOSE, MODEL 3880.	0	P	6695D SE
BKQ260V	AL	6-C-20-202	1	\$0.00	UNIT	UNIT, TYPICAL, QA 0, POWER/HYDRAULIC, 5, MULTIPLE PURPOSE, POWER UNIT, HYDRAULIC; SUPPLY, 5 VOLTS, FOR RECORDER, MULTIPLE	0	P	6695D SE
BKT461V	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, 1/0, FOR KEYBOARD, HR2500, ON RECORDER,	0	P	6695D SE
BKT463P	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; DRIVER, FOR KEYBOARD, HR2500, ON	0	P	6695D SE
BKT543R	AL	6-C-20-202	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE ASSY, INSTRUMENT; FOR RECORDER, MODEL 4081, UNITS 1 TO 4. ***	0	P	6695D SE
BKV004B	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, A/D, FOR HR2500, ON RECORDER, MODEL 3800	0	C	6695D SE
BKW690D	AL	6-C-20-202	1	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, RECORDER; FOR RECORDER, MODEL 4081, UNIT1-4 ***	0	P	6695D SE
BQW699G	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; SERVO, FOR RECORDER, MODEL 4354 ***	0	C	6695D SE
BQW702P	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; BOARD A/D, FOR RECORDER, MODEL 4354 ***	0	C	6695D SE
BQW703M	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; CPU BOARD, FOR RECORDER, MODEL 4354 ***	0	C	6695D SE
BQX784L	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, DISPLAY BOARD, FOR YOKOGAWA	0	C	6695D SE
BQX788C	AL	6-C-20-202	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; RECORDER, FOR YOKOGAWA RECORDER MODEL 4354.	0	C	61100 SE
BQX845T	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CHART ASSY, FOR YOKOGAWA RECORDER, MODEL 4354	0	C	6695D SE
BVE467V	AL	6-C-20-202	1	\$0.00	PLUG	PLUG, ELECTRICAL, QA 3, COAXIAL, BAYONET LOCK, CONNECTOR,	3	B	6695D SE
CAF591P	AL	6-C-20-202	1	\$0.00	BUSHING	BUSHING, PIPE, QA 1, CLASS 2, 3/4 IN X 1/2 IN, SS, HEXAGON, MNPT X FNPT, ASME SA182 GR F304, STANDARD MILL FINISH, B16.11	1	D	4730P SE
CAG852G	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CPU, FOR REMOTE SCANNER RECORDER, MODEL	0	C	6695D SE
CAH575B	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, DI/DO BOARD, FOR BURNER SCANNER RECORDER	0	C	6695D SE
CAH581G	AL	6-C-20-202	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, DI/DO INTERFACE CARD, FOR BURNER SCANNER	0	C	6695D SE
CAH583C	AL	6-C-20-202	1	\$0.00	CABLE	CABLE, INSULATED, QA 0, FOR BURNER SCANNER RECORDER - ALARM CAPABILITY, MODEL 3380-60, ON	0	C	6695D SE
CAL874H	AL	6-C-20-202	1	\$0.00	FITTING	FITTING, CONNECTION, QA 3, FITTING, TEMPERATURE PROBE; FENWAL MODEL NUMBER 141A, FOR USE WITH	3	C	4730P SE
ARM841D	AL	6-C-20-301	5	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; PLUG-IN, DC 125.0 VOLTS, 8 NO CONTACTS SELF	1	P	5945D SE
BAB834K	AL	6-C-20-301	1	\$0.00	TRANSMITT	TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; PNEUMATIC, INDICATING TYPE 4080-4, W/BRONZE	0	P	6695D SE
BKK583H	AL	6-C-20-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, POWER SUPPLY; POWER SUPPLY, FOR RECORDER, MODEL	0	P	6695D SE
BQN157L	AL	6-C-20-301	2	\$0.00	INDICATOR	INDICATOR, FLOW, QA 0, INDICATOR, RATE OF FLOW; FLOW,BALL TYPE,0.75 IN,B07S BRASS END	0	B	6695D SE

BTN548Q	AL	6-C-20-301	1	\$0.00	TRANSMITT TRANSMITTER, RADIO, QA 0, TOROID, 1 KHZ, 3 IN DIAMETER, TRANSMITTER, RADIO; TOROID, RADIO DETECTION, 3 IN DIAMETER AND 1KHZ	0	B	5840M SE
BTQ071Y	AL	6-C-20-301	1	\$0.00	POWER SUP POWER SUPPLY, ELECTRONIC, QA 3, POWER SUPPLY, ELECTRICAL; DC VOLTS OUTPUTS, +5 V @ 30 A, -5 V @ 1.75	3		61100 SE
BVK007W	AL	6-C-20-301	39	\$0.00	CABLE CABLE, ASSEMBLY, QA 0, CORD, ELECTRICAL; POWER SUPPLY ***	0		6145G SE
CLK612P	AL	6-C-20-301	15	\$0.00	CAPACITOR CAPACITOR, ELECTRICAL DEVICE, QA 2, ELECTROLYTIC, 450, 2000 MFD, -10/+50%, (2) SCREW TERMINAL POSTS, ROUND CAN, -40 TO +12	2		
ALY648P	AL	6-C-20-302	1	\$0.00	DISC DISC, TYPICAL, QA 0, DISK, HOIST; FRICTION, (PLATE), FOR SIDEWINDER TROLLEY, 3-PHASE	0	P	3950F SE
ARJ546Y	AL	6-C-20-302	1	\$0.00	NUT NUT, TYPICAL, QA 0, NUT ASSY ; THROTTLE VALVE, REF 38, CONSISTS OF 8 EACH SCREWS	0	P	2825G SE
BAG700V	AL	6-C-20-302	2	\$0.00	SPACER SPACER, TYPICAL, QA 3, SPACER ; STAINLESS STEEL, FOR CENRIFUGAL CHARGING PUMP, TYPE RLIJ,	3	P	5730H SE
BDP522N	AL	6-C-20-302	3	\$0.00	STEM STEM, VALVE, QA 1, STEM, VALVE; STAINLESS STEEL ASTM A564 TYPE360, PLUG, FOR ASME SEC III	1	P	48200 SE
BJK908N	AL	6-C-20-302	2	\$0.00	CONE CONE, BEARING, QA 1, TAPERED ROLLER, 4.2500 IN, 1.4375 IN, 0.1400 IN, , TAPERED ROLLER BRG, FOR VALVE ACTUATOR TYPE SMB-1	1	C	48200 SE
BND829P	AL	6-C-20-302	1	\$0.00	TOOL TOOL, TYPICAL, QA 0, TOOL ; INSTRUMENT PORT COLUMN LOWER GASKET REMOVAL ***	0	P	5120M SE
BQF580Q	AL	6-C-20-302	1	\$0.00	STEM STEM, VALVE, QA 3, STEM, VALVE; STAINLESS STEEL, UPPER WITH HAND OPERATED DEVICE, REF 14	3	B	48200 SE
BQN515L	AL	6-C-20-302	2	\$0.00	AXLE AXLE, TYPICAL, QA 0, AXLE, ; DRIVE WHEEL, W/TANG, FOR WELD-BILT POWER BOY HYDRAULIC LIFT	0	B	2220V SE
BTE245L	AL	6-C-20-302	3	\$0.00	TEE TEE, TYPICAL, QA 3, TEE, PLASTIC; 1/2 INCH, FLEXIBLE WITH 1/2 INCH PLUG ***	3	B	4730P SE
BWV762G	AL	6-C-20-302	1	\$0.00	CAGE CAGE, VALVE, QA 3, CAGE, VALVE; STAINLESS STEEL, PC 16, FOR AIR OPERATED ASME SEC III	3	C	48200 SE
BYJ630F	AL	6-C-20-302	1	\$0.00	DETECTOR DETECTOR, TEMPERATURE, QA 0, RTD, RESISTANCE TEMP DEYE; 1ST STAGE, FOR 1CV SERVICE AIR COMPRESSOR	0	B	6695D SE
BYK890F	AL	6-C-20-302	4	\$0.00	BEARING BEARING, TYPICAL, QA 0, BEARING, LIFTING DEVICE; ITEM # 31 REPAIR PARTS FOR PLATFORM TO LIFT	0	B	3930J SE
CAE390J	AL	6-C-20-302	1	\$0.00	HOLDER HOLDER, DISC, QA 1, HANGER, VALVE; CAST CARBON STEEL,A-216,GR WCB,REF 4, DWG SK-1952-	1	B	48200 SE
CAE394Y	AL	6-C-20-302	1	\$0.00	SEAT SEAT, VALVE, QA 1, CLASS 3, SEAT, VALVE; RING,COCRA HARD FACED,CARBON STEEL,SA-105,DWG SK- 1952-72	1	C	48200 SE
CDQ774E	AL	6-C-20-302	10	\$0.00	PLUG PLUG, VALVE, QA 1, CLASS 2, PLUG, VALVE; ASME SA-479 GR 316, FOR USE IN 1/4"-18 NPT ADAPTER ***	1	C	48200 SE
CDY683J	AL	6-C-20-302	2	\$0.00	SEAT SEAT, VALVE, QA 0, RING, VALVE; SEAT RING, ITEM #19, FOR WALWORTH MODEL 5206WE GATE	0	C	48200 SE
CFD696L	AL	6-C-20-302	2	\$0.00	SEAT SEAT, VALVE, QA 1, SEAT, VALVE *** SEAT RING, MATERIAL: STAINLESS STEEL, A182 GR F6, FOR	1	C	48200 SE
CGM492M	AL	6-C-20-302	1	\$0.00	SCREW SCREW, TYPICAL, QA 1, VALVE, STEEL	1	C	48200 SE
CJQ484Q	AL	6-C-20-302	1	\$0.00	SEAT SEAT, VALVE, QA 1, 4 IN, ASTM A-105 GR1 W/ STELLITE FOR CHECK VALVE, POWELL FIG 9061WE, 900 LB,	1		48200 SE
AWX911N	AL	6-C-22-201	3	\$0.00	BOARD BOARD, CIRCUIT, QA 3, CIRCUIT CARD ASSY, RECORDER; INPUT SLECTOR, FOR SPEEDOMAX HRECORDER	3	P	6695D SE
AXC796D	AL	6-C-22-201	5	\$0.00	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RECORDER; PRINT & INDEX CONTROL, FOR MODEL M11E-48	3	P	6695D SE
BCA077H	AL	6-C-22-201	6	\$0.00	VALVE VALVE, SOLENOID, QA 0, 3-WAY, 1/4 IN, 1/8 IN, FNPT, 110/120, 50 PSI, BRASS, 50/60, 16.7	0	C	48104 SE
BDT252A	AL	6-C-22-201	1	\$0.00	VALVE VALVE, PETCOCK, QA 0, 1.0 IN, FNPT, BRASS, ***	0	C	48200 SE
BHD794F	AL	6-C-22-201	5	\$0.00	BOARD BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 4 POLE,30 AMP,600 VOLT,SCREW TYPE,MINERAL FILLED	1	P	5940I SE
BNH893R	AL	6-C-22-201	1	\$0.00	SWITCH SWITCH, LIMIT, QA 1, SWITCH, SENSITIVE (LIMIT); LIMIT, STANDARD MOUNTING, STANDARD TRIP	1	B	59300 SE
BPH082G	AL	6-C-22-201	1	\$0.00	NUT NUT, TYPICAL, QA 1, NUT, PUMP; THRUST, DWG B21992-00, MTL CODE 068, FOR CENTRIFUGAL	1	C	4320U SE
BXM427P	AL	6-C-22-201	1	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED, LOGIC/MISCELLANEOUS, DETECTOR, BANK OVERLAP, FOR FULL LENGTH RODCONTROL SYSTEM, SPIN	3	B	5999D SE
BXP225R	AL	6-C-22-201	1	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, CONTROL UNIT; DISPLAY,FOR ROD CONTROL LOGIC	3	B	5999D SE
BXP503Q	AL	6-C-22-201	1	\$0.00	BOARD BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, LOGIC; SUPV LOGIC,FOR WH ROD CONTROL, SPIN CPELRC	3	B	5999D SE
CBL658H	AL	6-C-22-201	4	\$0.00	DISC DISC, VALVE, QA 0, DISK, VALVE; ITEM NO. 2, FOR A 4 INCH BUTTERFLY VALVE, TYPE A31A	0	B	48200 SE
CDT285K	AL	6-C-22-201	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CARD, PRINTED CIRCUIT; PH, FOR USE ON SYS 43 HOTWELL PH ***	0	B	6630D SE
CED867R	AL	6-C-22-201	2	\$0.00	VALVE VALVE, SOLENOID, QA 1, CONTINUOUS, 110 DC, DIESEL STARTING AIR, 125 - 210 PSIG, WITHOUT MOUNTING	3	C	29100 SE
CFF980Q	AL	6-C-22-201	1	\$0.00	SWITCH SWITCH, TYPICAL, QA 3, 250 DC, AMPS: 0.2 ***	1		6695D SE
CPQ989T	AL	6-C-22-201	1	\$0.00	SCREW SCREW, CAP, QA 0, 1/8 IN, 2-3/16 IN, ALLEN, SS, HEX SOCKET, 2 IN, 1/8 IN DIA X 2-3/16 IN OVERALL LENGTH, THREAD LENGTH 2 IN,	0	C	4320U SE
ANM487P	AL	6-C-22-202	1	\$0.00	CONTROLLI CONTROLLER, ELECTRICAL, QA 0, CONTROL DEVICE, CIRCUIT BREAKER; FOR ITE ACB, TYPES K225, K600 AND	0	C	5925B SE
ARA429C	AL	6-C-22-202	1	\$0.00	INTEGRATO INTEGRATOR, ELECTRONIC, QA 0, MODULE, INTEGRATOR,10 TO 50 INPUT, OUTPUT RATE 008.334 PPS, LEVEL	0	C	5963B SE
ARD809K	AL	6-C-22-202	2	\$0.00	SWITCH SWITCH, TYPICAL, QA 0, ASSEMBLY, FOR RECORDER, MULTIPLE PURPOSE, GE MAC P/N 50-531112AAKLTX	0	C	59300 SE
AWD325N	AL	6-C-22-202	3	\$0.00	PROBE PROBE, VIBRATION, QA 0, PROBE, PROXIMITY; TYPE LG, WITH 1 EACH 420 IN TWO PROBE CABLE, FOR	0	P	6695D SE
BCX929Y	AL	6-C-22-202	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED, LDX ASSEMBLY, FOR X-RAY MACHINE, MODEL	0	C	6630D SE
BGW449R	AL	6-C-22-202	6	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED, TIMER, PLUG-IN, TWO CONTACTS, PLUG IN RING TYPE, FOR 305 D SERIES TIMER,	0	C	5940I SE
ATA777E	AL	6-C-22-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; ABS-9, FOR COMPUTER ***	0	C	7021A SE
AXE161F	AL	6-C-22-301	4	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ALARM; MOLDED, FOR ZAU-1 ANNUNCIATOR ON ALARM	0	C	6350B SE
AXE189Q	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; MOTHER, FOR MR-1 MONITOR RACK ON ALARM	0	C	6350B SE
AXE203T	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; MOTHER, FOR MR-1 MONITOR RACK ON ALARM	0	C	6350B SE
AYL707Q	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; WRITE ELECTRONICS PE/NRIZ, FORPROCESS	0	C	7021A SE
BBJ842A	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; INPUT/OUTPUT, FOR	0	C	6695D SE
BFY818G	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; REDUNDANCY KIT, COMPLETE WITH 2 SETS SLAVE 990	0	C	5999D SE
BFY823P	AL	6-C-22-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; MODULE, WIDEBAND LINK, FOR 790/990 NETWORK	0	C	5999D SE
BFY835G	AL	6-C-22-301	2	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; ADAPTER, QUAD ASYNCHORNOUS BIT-ORIENTED	0	C	5999D SE
BKK576E	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, POWER SUPPLY; POWER SUPPLY, FOR RECORDER, MODEL	0	C	6695D SE
BKK577C	AL	6-C-22-301	1	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; A/D, T/C, FOR RECORDER, MODEL 4081 ***	0	C	6695D SE
BKK585D	AL	6-C-22-301	1	\$0.00	TRANSFORM TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, RECORDER; FOR RECORDER, MODEL 4081 ***	0	C	6695D SE
BKT457J	AL	6-C-22-301	3	\$0.00	BOARD BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; MEMORY, FOR RECORDER, MODEL 3800 ***	0	C	6695D SE

BKT458G	AL	6-C-22-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, A/D CPU, FOR KEYBOARD, ON RECORDER, MODEL	0	P	6695D SE
BKT459E	AL	6-C-22-301	1	\$0.00	KEYBOARD	KEYBOARD, RECORDER, QA 0, ENGINEERING, HR2500, FOR RECORDER, MODEL 3800	0	P	6695D SE
BKT462R	AL	6-C-22-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; RJC PCBA, FOR KEYBOARD, HR2500, ON	0	P	6695D SE
BLR716K	AL	6-C-22-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FLOATING POINT CHARACTERISTIC,INTERFACE	0	C	5999D SE
BXR396K	AL	6-C-22-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; LOW LEVEL,LOWER,REV E,FOR MEMORY	0	C	5999D SE
AJT841Y	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; DIRECTION DETECTOR, FOR INVERTER, MODEL	0	P	6130S SE
AMW776J	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TRANSMITTER; MAIN, FOR PH RECEIVER AND ELECTRODE	0	C	6695D SE
APW249X	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER ***	0	C	6695D SE
APW748B	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; POWER SUPPLY ***	0	C	6695D SE
ARG136W	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, MONITOR; FOR LEEDS AND NORTHRUP 7070-07CONDUCTIVITY	0	C	5999D SE
ARH848K	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; MONITOR MODEL 7070-5, ON LEEDS AND	0	C	6695D SE
ATT138Y	AL	6-C-22-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, TRANSMITTER; CALIBRATION, FOR MODEL 471 PRESSURE	0	P	6695D SE
AYD410Y	AL	6-C-22-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MODULE, E01, POWER SUPPLY	0	C	6695D SE
AYD898R	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MOTHER, FULL SIZE, SIX POSITIONS, FOR	0	C	6695D SE
BCC370X	AL	6-C-22-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR CONDENSATE DEMINERALIZER WASTE EVAPORATOR	0	C	5999D SE
BCX921F	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; SYSTEM CONTROL, FOR X-RAY MACHINE, MODEL	0	C	6630D SE
BCX922D	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; MEMORY, FOR X-RAY MACHINE, MODEL 01-0401, S/N	0	C	6630D SE
BCX923B	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; INPUT, FOR X-RAY MACHINE, MODEL 01-0401, S/N	0	C	6695D SE
BCX930R	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; VIDEO OUTPUT, FOR X-RAY MACHINE, MODEL	0	C	6630D SE
BCX932A	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; RAMPING SWITCH, FOR X-RAY MACHINE, MODEL	0	C	6630D SE
BGR418L	AL	6-C-22-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; DISK CONTROLLER 1DCC-G02, FOR MODEL	0	C	7021A SE
BHJ419G	AL	6-C-22-302	2	\$0.00	BOARD	BOARD, TERMINAL, QA 0, BOARD, TERMINAL; NUMBER POINTS: 9, CONTACT TYPE: LUG ***	0	C	5940I SE
BHQ334R	AL	6-C-22-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; CONTROL, FOR PROCESS COMPUTER,MODEL 2500	0	C	7021A SE
BKK568D	AL	6-C-22-302	1	\$0.00	SHAFT	SHAFT, TYPICAL, QA 0, SHAFT ASSY, RECORDER; CLEAR GLASS, FOR RECORDER, MULTIPLE PURPOSE	0	P	6695D SE
BKK575G	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; I/O, INTERFACE, FOR RECORDER, MODEL 4081	0	C	6695D SE
BKK592G	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DISPLAY; DISPLAY ASSY, FOR RECORDER, MODEL 4081	0	P	6695D SE
BKK593E	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; SUB, CPU, FOR RECORDER, MODEL 4081 ***	0	P	6695D SE
BKK595A	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MOTHERBOARD; MOTHER, FOR RECORDER, MODEL 4081 ***	0	P	6695D SE
BKK601B	AL	6-C-22-302	1	\$0.00	LAMP	LAMP, NEON, QA 0, LAMP, RECORDER; GLOW, FOR RECORDER, MODEL 4081 ***	0	C	6695D SE
BKL207A	AL	6-C-22-302	1	\$0.00	PRINTER	PRINTER, TYPICAL, QA 0, PRINTER ASSY FOR RECORDER, MULTIPLE PURPOSE, HYBRID, MODEL	0	P	6695D SE
BKL212G	AL	6-C-22-302	1	\$0.00	DRIVE	DRIVE, TYPICAL, QA 0, RECORDER, DRIVE ASSY, CHART, MULTIPLE PURPOSE, HYBRID,	0	C	6695D SE
BKT474J	AL	6-C-22-302	1	\$0.00	TERMINATC	TERMINATOR, CABLE/TD, QA 0, FOR RECORDER, HR 2500.	0	P	6695D SE
BNK176C	AL	6-C-22-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, FOR RECORDER, MODEL 4171, UNITS 1 TO 5,	0	P	6695D SE
AQQ673Y	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; CURRENT FEEDBACK, FOR 200 TON OVERHEAD	0	C	5999D SE
AWC801N	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; CLOCK, MEMORY AND PRINT, FOR BUFFERED	0	C	7020R SE
AWC804G	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; MODIFIER, CHARACTER, A4, FOR BUFFERED	0	C	7020R SE
AWC811J	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; RECEIVER POSITIVE, B6, FOR BUFFERED CHAIN	0	C	7020R SE
AWQ260B	AL	6-C-24-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; DATC/1, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AXT529W	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; MONITOR, FOR ALARM SYSTEM, ON MONITOR	0	C	6350B SE
AYL710E	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; CONNECTOR, CONTROL TERMINATOR,FOR	0	C	7021A SE
AYR187X	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HFB/3 ***	0	C	7020R SE
AYR199N	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, CLCC/6, FOR TERMINET 1200PRINTER ***	0	C	7020R SE
AYR205P	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HDEC/2, FOR TERMINET 1200PRINTER ***	0	C	7020R SE
AYT990E	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, H1A/1, FOR TERMINET PRINTER, MODEL	0	C	7020R SE
AYX243R	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; PLUS 27 VOLTS REGULATOR MODEL RA-2866	0	C	6695D SE
BAX732Y	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; SIGNAL PROCESSING, MODEL OSFO 201, FOR	0	C	3950F SE
BAX736N	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; FOR CRT SCOREBOARD, ON PRESSDUCTOR PIN	0	C	3950F SE
BBY563G	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; AMPLIFIER, FOR TAPE PUNCH READER, MODEL 2031	0	C	5999D SE
BCE917K	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MULTIPLEXER; WIDEBAND LINK, CL790/LM790V, FOR	0	C	5999D SE
BCF925F	AL	6-C-24-301	5	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; STANDARD OSCILLATOR, FOR AMPXCORP	0	C	5835D SE
BDL349R	AL	6-C-24-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MOTOR; MOTOR, FOR PRINTER, MODEL DP-101 ***	0	C	7020R SE
BEB477Q	AL	6-C-24-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; ANALOG, FOR WESTINGHOUSE CONSOLE, TYPE	0	C	5999D SE
BEB478N	AL	6-C-24-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; DIGITAL, FOR WESTINGHOUSE CONSOLE, TYPE	0	C	5999D SE
BEB479L	AL	6-C-24-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; POWER SUPPLY, FOR WESTINGHOUSE CONSOLE, TYPE	0	C	5999D SE
BEB480F	AL	6-C-24-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; CUTOFF CONTROL, FOR WESTINGHOUSE CONSOLE, TYPE	0	C	5999D SE
BQD717N	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, DETECTOR; DLH, ISBC 88/45 (MMI), SPIN XIELEP, FOR	1	C	5999D SE
BQD718L	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, DETECTOR; DAC, DATEL ST-716D1 (1) SPIN XIELEP, FOR	1	C	5999D SE

BQD736J	AL	6-C-24-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, ALARM; DIGITAL TO ANALOG CONVERSION, FOR EAGLE 21	1	C	5999D SE
BXD970N	AL	6-C-24-301	1	\$0.00	EXTENDER	EXTENDER, CIRCUIT BOARD, QA 0, EXTENDER, PRINTED CIRCUIT BD; WITH MOUNTED THERMOCOUPLE, 22 PIN	0	C	5999D SE
BXY314N	AL	6-C-24-301	1	\$0.00	BOARD	BOARD, TERMINAL, QA 3, BOARD, TERMINAL, SPARE PART; PLUG IN BOARD, MFR. LANTEK INC. ***	3	C	5940I SE
AAW186C	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, MIXING AMP 4	0	C	5999D SE
ATA775J	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; PMD, FOR COMPUTER ***	0	C	7021A SE
ATA779A	AL	6-C-24-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; AM-5, FOR COMPUTER ***	0	C	7021A SE
ATR152A	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; DATI, FOR MODEL 300 TERMINET PRINTER, ON	0	C	7021A SE
AVN781K	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; ZONE MEMORY BOARD, FOR INTRUSION	0	C	6350B SE
AWC798F	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; SEQUENCER, CARD, FOR BUFFERED CHAIN	0	C	7020R SE
AYG421Y	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, RECORDER; ELECTRICAL, 21BD, FOR RECORDER MODEL	0	C	6695D SE
AYG423T	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; ELECTRICAL, 4TTYC, G03, SUB 7, FOR	0	C	6695D SE
AYH381B	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; VIDEO, HORIZONTAL OUTPUT, FOR INFOTON	0	C	7021A SE
AYL708N	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; READ DATA ELECTRONICS, FOR PROCESS	0	C	7021A SE
AYL709L	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; CONNECTOR, WRITE TERMINATOR J1 FOR	0	C	7021A SE
AYR198Q	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HSH/1, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR204R	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HPCA/1, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR208H	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, VTFC/3, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYX245M	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; MINUS 30 VOLTS REGULATOR, MODEL RA-2867	0	C	6695D SE
BBJ841C	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; COMPUTER, FOR PROGRAMMABLE CONTROLLER	0	C	6695D SE
BBJ849V	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; ELAPSED TIMER, FOR PROGRAMMABLE	0	C	6695D SE
BBJ850N	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; DISPLAY, AMPS/VOLTS, FOR PROGRAMMABLE	0	C	6695D SE
BBJ856Y	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MASTER LOAD UNIT, FOR PROGRAMMABLE	0	C	6695D SE
BBJ857W	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; POWER-UP RELAY, FOR PROGRAMMABLE	0	C	6695D SE
BBK945T	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; MODULE, INPUT/OUTPUT, FOR DIGITAL	0	C	7021A SE
BFY822R	AL	6-C-24-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; ADAPTER, QUAD UNIVERSAL CHANNEL, FOR 790/990	0	C	5999D SE
BGV679D	AL	6-C-24-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; LINE PRINTER CONTROLLER, FOR COMPUTER	0	C	7021A SE
BKK578A	AL	6-C-24-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, RECORDER; FOR RECORDER, MODEL 4981 ***	0	C	6695D SE
AQQ675T	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; MONITOR, FOR 200 TON OVERHEAD CRANE, SN	0	C	5999D SE
ARJ942N	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, COMPUTER; START UP CONTROL FOR DIGITAL COMPUTER	0	C	7021A SE
AVF972G	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ALARM; FOR VOLTAGE CURRENT ALARM UNIT, ITEM 2	0	C	5999D SE
AWP575B	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; ND-DIG-A, FOR CHEMLAB TEST EQUIPMENT ***	0	C	5999D SE
AWQ269D	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; HDC, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AXQ254L	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; POWER AMPLIFIER, FOR PROJECTOR MOTION PICTURE	0	C	5999D SE
AYR200D	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HPTR/2, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR397J	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; HTRC/2, FOR TERMINET PRINTER, MODEL 300	0	C	7020R SE
BBT419C	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; STANDARD MEMORY, FOR DIGITAL EQUIPMENT	0	C	7021A SE
BBT759K	AL	6-C-26-301	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TRANSMITTER; 12 TO 35 VDC, 10 TO 50 MA	0	C	6695D SE
BCE915P	AL	6-C-26-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; QUAD, CHANNEL ADAPTER, CA790/4M4, FOR SM792	0	C	5999D SE
BCF924H	AL	6-C-26-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; RECORDING PRE-AMP, FOR AMPX CORP	0	C	5835D SE
BCP105E	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, ERASE AND BIAS, FOR SOUND	0	C	5835D SE
BCP106C	AL	6-C-26-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, CAL AND METER, FOR SOUND	0	C	5835D SE
BCP113E	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; STABILIZER, POWER, FOR SOUND	0	C	5835D SE
BCP114C	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, PHOTO SENSING, FOR SOUND	0	C	5835D SE
BCP115A	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONTROL, MOTOR SOLENOID, FOR SOUND	0	C	5835D SE
BCP120W	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; CONTROL, FOR SOUND RECORDER-REPRODUCER	0	C	5835D SE
BCP121F	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, RECORDER; SELECTOR, SPEED, FOR SOUND	0	C	5835D SE
BCR109V	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; CONTROL, FOR AIR CONDITIONER, TYPE AHU ***	0	C	5999D SE
BEB476T	AL	6-C-26-301	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; DISPLAY, FOR WESTINGHOUSE CONSOLE, TYPE	0	C	5999D SE
BEH466Y	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, PRINTER; AC MOTOR CONTROL, FOR LINE PRINTER, MODEL	0	C	7020R SE
BNF790R	AL	6-C-26-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, PROCESSOR; REMOTE DISPLAY COMMUNICATIONS	1	C	5999D SE
BQE797Q	AL	6-C-26-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, DETECTOR; RTD INPUT ***	1	C	5999D SE
AHX445X	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; SWITCH, FOR DIGITAL EQUIPMENT COMPUTER	0	C	7021A SE
AQB612N	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MONITOR; SWITCH CONTROL, FOR STATUS MONITORING	0	C	5999D SE
AQQ670G	AL	6-C-26-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; SIGNAL ISOLATOR, FOR 200 TON OVERHEAD	0	C	5999D SE
AQQ674W	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CRANE; CURRENT FEEDBACK, FOR 200 TON OVERHEAD	0	C	5999D SE
ATG919M	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; EIA/TTL, FOR DIGITAL EQUIPMENT COMPUTER	0	C	7021A SE
AVF973E	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ALARM; FOR ALARM UNIT, MODEL 870 ***	0	C	5999D SE

AWK606G	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, TRANSMITTER; AMPLIFIER, FOR AMP-POWER ASSEMBLY, ON	0	C	6695D SE
AWM491V	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; RECEIVER POSITIVE, FOR MODEL 4330	0	C	7020R SE
AWM492R	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; DELAY, SCAN, FOR MODEL 4330 BUFFERED	0	C	7020R SE
AWM493P	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; CONTROL, FOR MODEL 4330 BUFFERED CHAIN	0	C	7020R SE
AWP575B	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; ND-DIG-A, FOR CHEMLAB TEST EQUIPMENT ***	0	C	5999D SE
AWP580X	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; NO-ALA-A, FOR CHEMLAB TEST EQUIPMENT ***	0	C	5999D SE
AWQ254T	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; POWC/4, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AWQ255Q	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; LDIC/1, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AWQ256N	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; DECC/4, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AWQ257L	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; LMPC/5, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AXA188F	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; TIMER, FOR MINI-SCALER MODEL MS-2 AND MS-3	0	C	6630D SE
AXA189D	AL	6-C-26-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; SCALER, FOR MINI-SCALER MODEL MS-2 AND MS-3	0	C	6630D SE
AXP904D	AL	6-C-26-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; AMPLIFIER DISCRIMINATOR, FOR MINI SCALER	0	C	5999D SE
AXQ252Q	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; PRE-AMPLIFIER AND POWER SUPPLY FOR PROJECTOR	0	C	5999D SE
AYA613L	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; TIMER, FOR PORTABLE WATER FILTER UNIT, MODEL	0	C	5999D SE
AYR197T	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HSA/1, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR398G	AL	6-C-26-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PARC/1, FOR TERMINET PRINTER, MODEL 300	0	C	7020R SE
AYR402M	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; COMP/1, FOR TERMINET PRINTER, MODEL 300	0	C	7020R SE
AYX280Y	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; POWER SUPPLY, FOR X-RAY MACHINE, MODEL X, TYPE	0	C	5999D SE
BCE480C	AL	6-C-26-302	5	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; TERMINATION, FOR DISK DRIVE, MODEL D3332	0	C	7021A SE
BEK738D	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, PRINTER; SERVO SYSTEM, FOR LINE PRINTER, MODEL 2230	0	C	7020R SE
BHP284K	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, METER; METER TEST, FOR 200 TON OVERHEAD CRANE, S/N	0	C	5999D SE
BQE796T	AL	6-C-26-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, DETECTOR; THERM IN ***	1	C	5999D SE
BQE799L	AL	6-C-26-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 1, PRINTED CIRCUIT BD, DETECTOR; DATA MOD ***	1	C	5999D SE
CAN042C	AL	6-C-26-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, TRANSMITTER; FOR 1-FT-30-38 ***	3	C	5999D SE
AGN964F	AL	6-C-28-301	1	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, KNIFE, 200, 250 DC, SPDT, BACK, SWITCH, KNIFE; CURRENT RTG AC 200.0 AMPS, MAX RATING DC 250.0 VOLTS	0	P	59300 SE
ATX009J	AL	6-C-28-301	1	\$0.00	COIL	COIL, ELECTRICAL, QA 0, CONTINUOUS DUTY, 110/120, 270, 5, 3 PH, FOR SODIUM HYPOCHLORITE GENERATOR CONTROL PANEL	0	C	5950N SE
AXX808A	AL	6-C-28-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, COMPUTER, DUM BUFFER, LOW PASS FILTER, FOR REACTIVITY COMPUTER, MODEL 7746A	0	C	7021A SE
AYC768C	AL	6-C-28-301	9	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 115, 0.025-60 SEC, 8 PIN/PLUG IN, RELAY, ELECTROMAGNETIC; TIME DELAY, AC 115.0 VOI	0	P	5945D SE
BAA679A	AL	6-C-28-301	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 0-5 SEC, 24, TIMER-DOOR, FOR PHILLIPS	0	C	5945D SE
BAA681P	AL	6-C-28-301	1	\$0.00	RELAY	RELAY, SOLID STATE, QA 0, 120 AC/3-32 DC, 10, FOR PHILLIPS	0	C	5945D SE
BAA683K	AL	6-C-28-301	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 0-5 SEC, 115, TIMER-DOOR BRAKE, FOR	0	C	5945D SE
BBH738A	AL	6-C-28-301	4	\$0.00	RELAY	RELAY, SOLID STATE, QA 0, 110/220 AC, GUARDISTOR	0	C	5945D SE
BPV854A	AL	6-C-28-301	4	\$0.00	SUPPRESSO	SUPPRESSOR, TYPICAL, QA 0, SUPPRESSOR, ANION; ANION, MICROMEMBRANE, AMMF-2, FORION	0	C	3950F SE
BRF427F	AL	6-C-28-301	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, AIR, 2, 100 A, WITH HYDRAULIC MAGNETIC	1	C	5925B SE
BWE944D	AL	6-C-28-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, CONTROLLER, ANALOG OUTPUT, CL8030, FOR SQUARE D	0	C	6695D SE
CBC209R	AL	6-C-28-301	3	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, POWER SUPPLY, ELECTRICAL; BATTERY CHARGING MODULE FOR RADIATION	0	B	61100 SE
AKM853B	AL	6-C-28-302	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, MOLDED CASE, 600, 40, 2, LINE-LOAD LUGS, MOTOR CONTROL CENTER	1		5925B SE
AMM853Y	AL	6-C-28-302	3	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 3, CIRCUIT BREAKER, ; AIR, 3-POLE, 600 VAC, 125/250 VDC, 100 AMPS, TYPE	3		5925B SE
AQT717T	AL	6-C-28-302	2	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, 600, 200, 3, CU/AL LINE-LOAD LUGS, CIRCUIT BREAKER, ELECTRICAL; 3-POLE, 600 VAC, 200 AMPS, TYPE TFS	0	B	5925B SE
BBW450K	AL	6-C-28-302	2	\$0.00	RELAY	RELAY, TYPICAL, QA 0, TAKE-OUT, 2-50, ELECTROMAGNETIC, AC, OVERCURRENT, EXTREMELY	0	C	5945D SE
BKE997F	AL	6-C-28-302	1	\$0.00	DRIVE	DRIVE, TYPICAL, QA 0, DRIVE ASSY, ; CHART, FOR RECORDER, MULTIPLE PURPOSE, MODEL 100H, ON	0	P	6695D SE
BQM897G	AL	6-C-28-302	3	\$0.00	GEAR	GEAR, TYPICAL, QA 0, *** FOR MODEL R-150 & R-300 DEHUMIDIFIERS	0	C	3040D SE
BRF973K	AL	6-C-28-302	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, ADJUSTABLE TRIP, 240/600, 250/600, 3, CIRCUIT BREAKER, ; 3-POLE, 240/600 VAC, 250/600 AMPS, VARIABLE	0		5925B SE
BWF876Y	AL	6-C-28-302	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 0-100 PSI, PER DATA SHEET W-8041-3	3	C	6695D SE
BXL100A	AL	6-C-28-302	6	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RECORDER; MOTHER, FOR TEMPERATURE RECORDER, 2-PEN	3	A	6695D SE
BYM911C	AL	6-C-28-302	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 3, DIAL/INDICATING, 1/2 IN NPT, 4-1/2 IN, LOWER BACK, LEVEL INDICATING, RANGE 655-710 ELEVATION IN FEET	3	C	5210S SE
CAA735K	AL	6-C-28-302	1	\$0.00	COIL	COIL, ELECTRICAL, QA 1, COIL, ELECTRICAL; 125VDC, 35.1 WATTS, CLASS H INSULATION ***	1	B	5950N SE
CAT526A	AL	6-C-28-302	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 3, CONTROLLER, 4-20 MADC/3-15 PSI, 20 PSI, 2 INPUTS, RADIATION MONITOR, PERFECTROL 6100, 0-5 VDC ON 3	3	C	5963B SE
CEF257B	AL	6-C-28-302	1	\$0.00	BONNET	BONNET, VALVE, QA 0, DIAPHRAGM, 2 IN, 2470-8-M, 150 LB, STAINLESS STEEL, BONNET ASSY, VALVE; FOR 2" 150# SW SS ITT GRINNELL	0	C	48200 SE
CNG010R	AL	6-C-30-201	36	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT	0		6117C SE
BKW690D	AL	6-C-30-202	1	\$0.00	SWITCH	SWITCH, TYPICAL, QA 0, SWITCH, RECORDER; FOR RECORDER, MODEL 4081, UNIT1-4 ***	0	P	6695D SE
CNG010R	AL	6-C-30-202	36	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT	0		6117C SE
CNG010R	AL	6-C-30-203	36	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT	0		6117C SE
ARA008W	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, DETECTOR; FLIP-FLOP DRIVER, SN 0028, DWG	0	C	5999D SE
ARE915E	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED WIRING BOARD, ; FOR SEQUENTIAL EVENTS RECORDER ***	0	C	6695D SE
ATA774L	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; DCI, FOR COMPUTER ***	0	C	7021A SE

AVG819K	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; SERVO, FOR LR2865 DISK DRIVE COMPUTER	0	C	7021A SE
AWC799D	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, PRINTER; VARIABLE FEED CONTROL CARD, FOR BUFFERED	0	C	7020R SE
AWC806C	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; MAC AND O COUNTER 40, A9, FOR BUFFERED	0	C	7020R SE
AWC807A	AL	6-C-30-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; VARIABLE FEED CONTROL CARD, 2B1, FOR	0	C	7020R SE
AWC812G	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; TRANSMITTER POSITIVE, B8, FOR BUFFERED	0	C	6695D SE
AWC813E	AL	6-C-30-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; LAMP DRIVER NO 2, B4, FOR BUFFERED CHAIN	0	C	7020R SE
AWC814C	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; HAMMER ADDRESS BUFFER, FOR BUFFERED CHAIN	0	C	7020R SE
BAA037A	AL	6-C-30-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; FOR CONTROL UNIT, MODEL TC1430R ***	0	C	5999D SE
BAY771F	AL	6-C-30-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; CONTROLLER, FOR PAPER TAPE READER, MODEL 2031	0	C	7020R SE
BFT177H	AL	6-C-30-301	8	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MULTIPLEXER; EQUALIZER, FOR TYPE DE-4 MULTIPLEXER	0	C	5840M SE
BFT178F	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MULTIPLEXER; FUSE AND ALARM 2, FOR TYPE DE-4	0	C	5840M SE
BFY819E	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; MODULE, 19.2 KBPS LINK, FOR 790/990 NETWORK	0	C	5999D SE
BFY834J	AL	6-C-30-301	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; MODULE, SLAVE CONTROLLER, FOR PLANT	0	C	6695D SE
BTV683Q	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PROCESSOR; A VERSION, FOR 623 SNUBBER TEST SYSTEM	0	C	5999D SE
BTV684N	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PROCESSOR; B VERSION, FOR 623 SNUBBER TEST SYSTEM	0	C	5999D SE
BJV149M	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; MOLDED, FOR PROCESS COMPUTER, MODEL W2500	0	C	7021A SE
BWH271P	AL	6-C-30-301	1	\$0.00	METER	METER, FLOW, QA 3, INDICATOR, SCALE; METER SPECIAL, FLOW INDICATION, DUAL, PANEL MOUNT	3	C	6625D SE
BXR395M	AL	6-C-30-301	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MEMORY; MOTHERBOARD, REV D, FOR MEMORY SEGMENT, MODEL	0	C	5999D SE
AAX548Y	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; 3S15 INTERRUPT MPX, FOR P-250 PROCESS	0	C	7021A SE
AAX640N	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; 41F1 EXT INT FILTER, FOR P-250 PROCESS	0	C	7021A SE
ARL877W	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CIRCUIT CARD ASSY, MONITOR; BUS TERMINATOR PDP-11, FOR TENNCOMP	0	C	7021A SE
ATA778C	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; AMPLIFIER, EE, FOR COMPUTER	0	C	7021A SE
ATE490R	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; FOR PROCESS COMPUTER ***	0	C	7021A SE
ATQ034C	AL	6-C-30-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; DRIVER/DECODER, FOR PROCESS COMPUTER ***	0	C	7021A SE
ATR639D	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; FOR MODEL 300 TERMINET PRINTER, ON	0	C	7021A SE
AWC799D	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED, PRINTER; VARIABLE FEED CONTROL CARD, FOR BUFFERED	0	C	7020R SE
AWC803J	AL	6-C-30-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; SPACE AND NULL DETECT, A5, FOR BUFFERED	0	C	7020R SE
AWC805E	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; TEST PRINTER ASC II, CARD, FOR BUFFERED	0	C	7020R SE
AWC806C	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; MAC AND O COUNTER 40, A9, FOR BUFFERED	0	C	7020R SE
AWC814C	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; HAMMER ADDRESS BUFFER, FOR BUFFERED CHAIN	0	C	7020R SE
AWC815A	AL	6-C-30-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; CONVERTER, CODE, A6, FOR BUFFERED CHAIN	0	C	7020R SE
AWQ263R	AL	6-C-30-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; MEMC, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AWQ264P	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; SPCC/4, FOR SEQUENTIAL EVENTS ALARM	0	C	7021A SE
AXQ253N	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BOAR, ; AMPLIFIER, FOR PROJECTOR, MOTION PICTURE	0	C	5999D SE
AXV347X	AL	6-C-30-302	4	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, COMPUTER; INTERCONNECT, FOR PROCESS COMPUTER	0	C	7021A SE
AYR195Y	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HPRA/2, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR202X	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; PWB, HSTO/1, FOR TERMINET 1200 PRINTER ***	0	C	7020R SE
AYR396L	AL	6-C-30-302	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, PRINTER; TVFA/1VTF7, FOR TERMINET PRINTER, MODEL	0	C	7020R SE
BBJ858T	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; RELAY, OVERALL VOLTS, FOR PROGRAMMABLE	0	C	6695D SE
BBJ859Q	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, CONTROLLER; RELAY, CHANNEL, FOR PROGRAMMABLE	0	C	6695D SE
BCP107A	AL	6-C-30-302	6	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, RECORDER; AMPLIFIER, CH1-14, FM, RECORD, FOR SOUND	0	C	5835D SE
BFT178F	AL	6-C-30-302	3	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, MULTIPLEXER; FUSE AND ALARM 2, FOR TYPE DE-4	0	C	5840M SE
BNN001Q	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, PRINTED CIRCUIT BD, RADIATION MONITOR; BUBBLE MEMORY. ***	3	C	6630D SE
BWH269A	AL	6-C-30-302	1	\$0.00	METER	METER, FLOW, QA 3, INDICATOR, SCALE; METER, SPECIAL, FLOW INDICATION, PANEL MOUNT, INPUT 4	3	C	6625D SE
BYA426C	AL	6-C-30-302	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, EXTENDER, PRINTED CIRCUIT BD; MODEL 176 ***	0	C	5999D SE
CNG010R	AL	6-C-32-202	36	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT 0	0	C	6117C SE
CNG010R	AL	6-C-32-202	36	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT 0	0	C	6117C SE
CNG010R	AL	6-C-36-202	3	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT 0	0	C	6117C SE
CNG010R	AL	6-C-36-202	27	\$0.00	PANEL	PANEL, TYPICAL, QA 0, SOLAR "BP SOLAREX", 27 IN, 4 FT (48 IN), SILICON/ALUMINUM FRAME, 600 VDC PER MODULE, 1-1/2 IN THK, PHOT 0	0	C	6117C SE
ABB567H	AL	6-C-36-301	2	\$0.00	BELT	BELT, DRIVE, QA 0, FOR FEEDER BELT DRIVE, TYPE AJA 7.5 HP, FRAME 3-254-224A	0	C	3910K SE
AHT110Q	AL	6-C-36-301	1	\$0.00	BEARING	BEARING, THRUST, QA 0, GENERATOR, HP EXCITER REDUCTION GEAR, ITEM 10, DWG	0	C	6115F SE
BTT820R	AL	6-C-36-301	1	\$0.00	DISC	DISC, TYPICAL, QA 0, FEEDER; ADJUSTABLE CONSTANT SPEED SHAFT, 23T, FOR LOUIS ALLIS -	0	C	46109 SE
CEA485P	AL	6-C-36-301	38	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER, RED, 3 EA PER PACK, 25 MINIMUM, FOR WESTRONICS MODEL 1200 RECORDER	0	C	7510U SE
CEA486M	AL	6-C-36-301	33	\$0.00	PEN	PEN, INSTRUMENT, QA 0, RECORDER, GREEN, FOR WESTRONICS MODEL 1200 RECORDER	0	C	7510U SE
CHT565L	AL	6-C-36-301	639	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, SCAFFOLD PERMIT, GREEN, MARKER; COMPLETE SCAFFOLD PERMIT, W ITH LAMINATE	0	C	9905K SE
CHT567G	AL	6-C-36-301	627	\$0.00	TAG	TAG, IDENTIFICATION, QA 0, SCAFFOLD PERMIT, RED, MARKER; INCOMPLETE SCAFFOLD PERMIT, WITH LAMINATE	0	C	9905K SE
BBV638T	AL	6-D-01-101	1	\$0.00	TRANSFORMER	TRANSFORMER, POWER, QA 0, 480, 120/208Y, 37.5, 104, 60, 3, 150 DEG C RISE, MODEL 36B, SERIES 4192	0	C	5950N SE



CPD404C	AL	6-D-01-10	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, 125 DC, 10, 60, STATIC BREAKER BACKUP, UNIT 0136D3538G2, NP 0156A3039,	0	C	5945D SE
CPD788X	AL	6-D-01-10	10	\$0.00	STARTER	STARTER, TYPICAL, QA 0, MAGNETIC/REVERSING, 2, 110/115/120/200/230/460-575/600, 3/7.5/10/15/25/45, 1/3, 50/60	0	C	6110D SE
CNX857Q	AL	6-D-01-20	5	\$0.00	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, 480, 30, 3, 60, HIGH/VOLT 480 DELTA 6.31% 1Z, LOW/VOLT 480Y/277, 150 CRISE, TYPE	0	C	
ANF738P	AL	6-D-01-30	2	\$0.00	CONTROLLER	CONTROLLER, ELECTRICAL, QA 0, CONTROLLER, PANEL; DRUM, W/BODINE MOTOR, TYPE NC1-12RG, 115 VAC, 25	0	P	61100 SE
BHD290P	AL	6-D-01-30	1	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 1, HEATING ELEMENT, ELEC,NONIMMERSION TY; 8 KW, FOR CONTAINMENT HYDROGEN	1	P	5966A SE
BHD291A	AL	6-D-01-30	1	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 1, HEATING ELEMENT, ELEC,NONIMMERSION TY; 5 KW, FOR CONTAINMENT HYDROGEN	1	P	5966A SE
BNF399C	AL	6-D-02-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1785, 250, 5092, 4000, 33.7, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; 3 PHASE, 250 HP, 4000 VAC, 33	3	C	6105D SE
CEJ131J	AL	6-D-02-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE AC; VOLTS: 230/460; HERTZ: 60; PHASE: 3; RPM:	3	B	6105D SE
ALR277T	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 2, 56CZ, 230/460, 6.6/3.3, 60, 3, K, 1.0, 60 DEG C, MOTOR, SOOTBLOWER; INDUCTION, 3 PH, 2 HP, 20	0	P	4410C SE
BBL859E	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 3M4-564612, 230/460, 1.2/0.6, 3, TOTAL, MOTOR, ALTERNATING CURRENT; 3 PH, WEATHER PR	0	P	6105D SE
BHD604G	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 40 FT LB TORQUE, 460 VAC, 1700 TO 1800	1	C	6105D SE
BXA702M	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3400, 5, 184T, 230/460, 60, 3, TEFC, NEMA DESIGN B	0	C	6105D SE
ATE512Y	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1-1/2, K56H, 1, 75 DEG C, CAPACITOR, VOLTAGE: 115/208-230VAC, BALL BEARING, RIGID MOUNT,	0	C	6105D SE
BLB000B	AL	6-D-02-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1723/1725, 56H, 230/460, 3, 5/8 X 1-7/8 X 3-1/2 IN HT, OPEN/DRIP-PROOF, 40 DEG C, MOTOR, ALTERNAT	0	P	6105D SE
BXA805B	AL	6-D-02-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; MOTOR, ALTERNATING CURRENT, 1 PHAZEE, 1/10	3	B	6105D SE
CEL792T	AL	6-D-02-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1750, 1, 143T, 230/460, 4.1/2.05, 60, 3, TEFC-XT, RH/H, 1.15, 40 DEG C, RPM: 1800 NOMINAL	1	B	6105D SE
AYX559X	AL	6-D-02-30	14	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, AC, 3440, 3, 145T, 230/460, 8/4, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; STYLE 82A63296, 3 PH, 3 HP, 22	2	P	6105D SE
ABT103G	AL	6-D-02-30	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 1/6, DU48, 230, 1.1, 1, THERMAL PROTECTED, TYPE FLL, HOUSING ENCLOSED, S/N AF74	0	C	6105D SE
BHW529M	AL	6-D-02-30	7	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/3, 56C, 115/230, 3, 1, 1.15, MOTOR, ALTERNATING CURRENT; TYPE 413L, 1 PH, 1/3 HP, 115/230	0	P	6105D SE
BNA349M	AL	6-D-03-10	1	\$0.00	PAPER	PAPER, TYPICAL, QA 0, WATER SOLUBLE, 15 IN, 165 FT, PURGE DAM MATERIAL	0	C	8135F SE
CAY174T	AL	6-D-03-10	3	\$0.00	POLE	POLE, TYPICAL, QA 1, POLE UNIT, SWITCH,DISCONNECT; SINGLE PHASE, MODEL HPLC, FOR DISCONNECT	1	B	61100 SE
BNH164X	AL	6-D-03-20	2	\$0.00	REACTOR	REACTOR, ELECTRICAL, QA 1, REACTOR, ; CURRENT LIMITING, 1200 AMPS, 0.015 OHM, 60 HZ, SINGLE	1	P	5950N SE
BNP573D	AL	6-D-03-20	10	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 0, LIQUID LEVEL, HIGH TEMPERATURE AND INTERFACE, 2 IN. 1500 LB	0	C	59300 SE
BTC994L	AL	6-D-03-30	2	\$0.00	SWITCH	SWITCH, TYPICAL, QA 3, SWITCH ASSY, GEAR BOX; LEVEL INDICATING SWITCH SYSTEM, MADE UP OF	3	C	6695D SE
BDT913A	AL	6-D-03-30	1	\$0.00	PRINTER	PRINTER, TYPICAL, QA 3, PRINTER, FIRE DETECTION; EVENT PRINTER, RS232 SERIES INPUT, 9 PIN DOT	3	C	6630D SE
BTK168J	AL	6-D-03-30	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, 24, POWER SUPPLY, ELECTRICAL;	1	B	61100 SE
BWP425P	AL	6-D-03-30	6	\$0.00	SWITCH	SWITCH, TYPICAL, QA 3, SWITCH, ANNUNCIATOR; HOUSING, FLANGE MOUNT, FLANGES ON SHORT SIDE ***	3	B	6350B SE
BYF262N	AL	6-D-03-30	1	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 3, CONTACT, ELECTRICAL; MOVABLE, ASSEMBLY CONSISTING OF 1 EA MAIN CONTACT	3	C	5925B SE
CDL419P	AL	6-D-03-30	1	\$0.00	TRANSFORMER	TRANSFORMER, TYPICAL, QA 0, TRANSFORMER, SECURITY SYSTEM; ISO STEP DOWN 230/115 VAC. ***	0	B	6350B SE
CEB837D	AL	6-D-03-30	24	\$0.00	CAPACITOR	CAPACITOR, ELECTRICAL DEVICE, QA 2, ELECTROLYTIC, TANTALUM, 25, 680 MFD, +1 TO -10%, (2) AXIAL LEADS, CYLINDER, SCREENED TC	2	B	5910E SE
CED796N	AL	6-D-03-30	1	\$0.00	SWITCH	SWITCH, FLOW, QA 1, SWITCH, AIRFLOW; DUCT FLANGE MOUNTED, SPDT, 10.0 AMP AT 120 VAC, 6	1	B	59300 SE
CFK463D	AL	6-D-03-30	6	\$0.00	CONNECTOR	CONNECTOR, CABLE, QA 3, DB25 / MALE, RS232, 25-PIN, CRIMP, STRAIGHT, *** KIT INCLUDES: PINS, METAL HOOD, GROMMETS, CONNECT	3	C	5975B SE
CFM620Q	AL	6-D-03-30	46	\$0.00	DIODE	DIODE, ELECTRICAL DEVICE, QA 2, ZENER, 4.700, 0.5	2	B	5961B SE
CFW085V	AL	6-D-03-30	2	\$0.00	RELAY	RELAY, TYPICAL, QA 3, TYPE: ELECTROMAGNETIC; COIL VOLTS: 24; AMPS: 3;	3	B	5945D SE
BCV260P	AL	6-D-03-30	1	\$0.00	TRANSFORMER	TRANSFORMER, POWER, QA 0, STEP-DOWN, 190/260-380/520, 120/240, 43.500/21.800	0	P	5950N SE
BBM843Q	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 20, 256TC, 230/460, 54/27, 60, 3, B, 1.15, 40 DEG C, TYPE A, CONTINUOUS DUTY, DESIGN B, CODE	0	P	6105D SE
BBM923T	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 885, 40, 365T, 230/460, 100/50, 60, 3, TBFC, B, 1, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 40	0	P	6105D SE
BBM936H	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735/860, 7.5/1.9, 213T, 460, 9.6/3.8, 60, 3, MOTOR, ALTERNATING CURRENT; TYPE PM, 3 PH, 7.5/1.9 HP	0	P	6105D SE
BBY048P	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3545, 20, 254T, 230/460, 3, 40 DEG C, *** 60 HZ, CODE G, MAXIMUMAMBIENT	0	P	6105D SE
AHY549C	AL	6-D-04-10	1	\$0.00	GEARBOX	GEARBOX, TYPICAL, QA 0, 1725, 3, 25.600:1, GEAR ASSY, SPEED DECREASER; DRIVE, MODULINE, CAT NO 182B21D, 3 HP,	0	P	6105D SE
ARV466E	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1-1/2, 143T, 230/460, 4.6/2.3, 3, T, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL 4602,	0	P	6105D SE
AYY906Y	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 865, 1, 182TD, 230/460, 4/2, 3, *** TYPE P	0	B	6105D SE
BBM938D	AL	6-D-04-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 25, 407AT, 240, 84.8, F, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; STAB-SHUNT WOUND, 25 HP, 240 V	0	P	6105D SE
BGC057L	AL	6-D-04-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3600, 5.3, 184R2, 230/460 AC	0	P	6105D SE
BJG329M	AL	6-D-04-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 1 HP, 460 VAC, 870 RPM	1	C	6105D SE
CDJ350P	AL	6-D-04-20	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, PUMP; MOTOR, FUNCTIONAL REPLACEMENT FOR T18P16C-HY, 2.5HP	0	C	4320U SE
BJC328C	AL	6-D-04-20	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 2100, 1, FF56, 150/200, 6.7/0.72, H, 40 DEG C, SHUNT, TYPE TR, FRAME	0	P	6105D SE
ALR377N	AL	6-D-04-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, 184, 208/440, 6/3, 60, 3, K, 1, 55 DEG C, TYPE K,	0	P	6105D SE
BLH099H	AL	6-D-04-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; ELECTRIC, CLASS H, TYPE RH INSULATION	1	P	6105D SE
BNH164X	AL	6-D-05-10	2	\$0.00	REACTOR	REACTOR, ELECTRICAL, QA 1, REACTOR, ; CURRENT LIMITING, 1200 AMPS, 0.015 OHM, 60 HZ, SINGLE	1	P	5950N SE
BNE819M	AL	6-D-05-10	1	\$0.00	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, S/N 2849, MODEL 753, MK 2PT- 947, TVA	0	C	6695D SE
BNE825T	AL	6-D-05-10	1	\$0.00	TRANSMITTER	TRANSMITTER, PRESSURE, QA 0, LEVEL C, S/N 6597, MODEL 752, MK# 2-FT-18351,	0	C	6695D SE
AGW764Q	AL	6-D-05-20	2	\$0.00	AMPLIFIER	AMPLIFIER, TYPICAL, QA 0, AMPLIFIER, ; WITH INPUT ASSEMBLY,060.000 HERTZ PER SECOND ***	0	C	6695D SE
BPL108K	AL	6-D-05-20	4	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 115, 1 NO 1 NC, RELAY, ELECTROMAGNETIC; TIME DELAY, 115 VAC, PNEUMATIC, 1NO-1NC	0	B	5945D SE
BPRQ162P	AL	6-D-05-20	2	\$0.00	SWITCH	SWITCH, MANUAL, QA 3, SWITCH, ROTARY; SELECTOR, 33 POINT, FOR TIP INDEXER TEST SET ***	3	B	59300 SE
BPR846K	AL	6-D-05-20	10	\$0.00	STARTER	STARTER, TYPICAL, QA 1, STARTER, MOTOR; MAGNETIC, NEMA SIZE 1, FVNR ***	1	C	61100 SE
BQM992N	AL	6-D-05-20	5	\$0.00	TESTER	TESTER, TYPICAL, QA 0, TESTER, ; TEST LEADS, KELVIN CLIP WITH GOLD PLATED JAWS, 5 FT LONG ***	0	C	6625D SE

BRX682N	AL	6-D-05-20	1	\$0.00	TRANSMITT TRANSMITTER, PRESSURE, QA 1, TRANSMITTER, PRESSURE; SIGNAL OUTPUT 10 TO 50 MA DC. ***	1	C	6695D SE	
BRY735N	AL	6-D-05-20	39	\$0.00	BOX	BOX, ELECTRICAL, QA 3, OUTLET, CAST FERALOY, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: BLANK, MATERIAL: CAST FERAL 3	3	C	5975B SE
BTG414D	AL	6-D-05-20	8	\$0.00	RELAY	RELAY, TIME DELAY, QA 0, ELECTROMAGNETIC, 120, 0.55-15 SEC, 10, RELAY, ELECTROMAGNETIC; TIME DELAY, ON DELAY, OUTPUT 4PDT, 0	B	5945D SE	
BTK166N	AL	6-D-05-20	1	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; TWO POSITON, 4 POLE. ***	1	C	59300 SE
BVH549A	AL	6-D-05-20	2	\$0.00	BLOCK	BLOCK, TYPICAL, QA 1, TEST BLOCK, ELECTRICAL; TYPE PK-2, 4 POLE, NUCLEAR SAFETY RELATED. ***	1	C	6625D SE
CBN977N	AL	6-D-05-20	8	\$0.00	SWITCH	SWITCH, PRESSURE, QA 0, SWITCH, TURBINE; RFP TURBINE LUBE OIL PRESSURE SWITCH. ***	0	C	59300 SE
CBX841C	AL	6-D-05-20	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 1, CIRCUIT BREAKER, ELECTRICAL; 500V DC, 3 POLE, 50 AMPERES, 15KIAC, WITH	1	B	5925B SE
CFJ868P	AL	6-D-05-20	6	\$0.00	SWITCH	SWITCH, TYPICAL, QA 3, ALARM, 5, SPDT, *** CURRENT SWITCH, 4-20 MA DC INPUT RANGE, 5 AMP SPDT DRY CONTACT	3	B	59300 SE
AJM180N	AL	6-D-05-20	1	\$0.00	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; AUXILIARY, 3-STAGE, TYPE SB-12, FOR GE ACB, TYPE	0	P	59300 SE
AJN607W	AL	6-D-05-20	5	\$0.00	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; AUXILIARY, FOR ALLIS-CHALMERS ACB ***	0	P	59300 SE
AJN707Q	AL	6-D-05-20	1	\$0.00	SWITCH	SWITCH, MANUAL, QA 0, SWITCH, ROTARY; AUXILIARY, FOR ALLIS-CHALMERS ACB ***	0	P	59300 SE
AVF825X	AL	6-D-05-20	3	\$0.00	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; MAX OPR PRESS 400.0 PSIG, MAX RATING AC 250.0 VOLTS	3	B	59300 SE
BAV101E	AL	6-D-05-20	1	\$0.00	TRANSMITT TRANSMITTER, PRESSURE, QA 0, TRANSMITTER, PRESSURE; 0 TO 40 PSI INPUT, 3 TO 15 PSIOUTPUT, MODEL	0	P	6695D SE	
BNH723K	AL	6-D-05-20	3	\$0.00	SWITCH	SWITCH, TEMPERATURE, QA 1, CONTROL, -40 TO 200 DEG F, ADJUSTABLE, N.C. CONTACT, OPENS ON TEMPERATURE RISE, SET TO OPEN 1	B	59300 SE	
BRB107P	AL	6-D-05-20	1	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, ELECTROMAGNETIC, RELAY, ELECTROMAGNETIC; TIME DELAY, CAT NO E70125SD2003003, P/N/	1	C	5945D SE
BRB116M	AL	6-D-05-20	2	\$0.00	RELAY	RELAY, TIME DELAY, QA 1, RELAY, ELECTROMAGNETIC; TIME DELAY, CAT. NO. EGPBNC2004003, REF GPBN (	1	B	5945D SE
BVW530J	AL	6-D-05-20	1	\$0.00	TRANSMITT TRANSMITTER, TEMPERATURE, QA 1, RESISTANCE/ELECTRICAL, 4-20 MA, 0-400 DEG F, 120 V/60/50 HZ, 3 WIRE, ***	1	B	6695D SE	
CBF274X	AL	6-D-05-20	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 1, AIR, DIESEL ENGINE MODEL 20-645E4, STARTING AIR PRESSURE SWITCH, CLOSES	1	C	59300 SE
CDK894X	AL	6-D-05-20	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 1, MODULE, INPUT/OUTPUT; GENERAL ELECTRIC (GEIO) SERIAL DATA FOR PRNM ***	1	C	5963B SE
CDV882V	AL	6-D-05-20	4	\$0.00	TRANSDUCI TRANSDUCER, PRESSURE, QA 1, TRANSDUCER, PRESSURE; LUCAS MODEL L, 0-2500 PSI WITH SNUBBER, 1/4"	1	B	6695D SE	
CGA284M	AL	6-D-05-20	1	\$0.00	CONTROLLI CONTROLLER, ELECTRICAL, QA 0, CONTROLLER, ELECTRICAL *** FREEZE PROTECTION CONTROLLER FOR CHILLER	0	B	61100 SE	
AMP380H	AL	6-D-05-30	1	\$0.00	RELAY	RELAY, OVERLOAD, QA 1, 4-12/40-60, ELECTROMAGNETIC, RELAY, ELECTROMAGNETIC; 4 TO 12 AMPS, 40 TO 160 AMPS INSTANTANEOUS 1	P	5945D SE	
ANP889Q	AL	6-D-05-30	1	\$0.00	RELAY	RELAY, TYPICAL, QA 1, RELAY, ELECTROMAGNETIC; GENERAL PURPOSE, 120 VAC COIL,DPDT, 5 AMPS AT	1	P	5945D SE
ANT398W	AL	6-D-05-30	2	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, PRINTED CIRCUIT BD, ALARM; CONTROL, FOR BETALARM, SERIES 1000, AFM	0	P	6350B SE
APL424F	AL	6-D-05-30	8	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, VARIABLE, 10, PANEL, POTENTIOMETER, WITH SPST SWITCH,	0	S	5905I SE
ARA442L	AL	6-D-05-30	1	\$0.00	ENCODER	ENCODER, TYPICAL, QA 0, PICKUP, MONITOR; DIGITAL SPEED, 0.190 TIP DIA, 4 X 0.25 X 28 IN	0	C	6695D SE
ARF265N	AL	6-D-05-30	1	\$0.00	CABLE	CABLE, ASSEMBLY, QA 0, CABLE, MONITOR; EXTENSION, 6 IN, FOR MONITOR ***	0	P	6695D SE
ARF266L	AL	6-D-05-30	1	\$0.00	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, THRUST POSITION; 0 TO 5 VDC ANALOG SIGNAL, MINUS 60 TO 0 TO	0	P	6695D SE
ARF268G	AL	6-D-05-30	1	\$0.00	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, SHELL EXPANSION; 0 TO 2000 MILS, 0 TO 5 VDC ANALOG SIGNAL	0	P	6695D SE
ARF269E	AL	6-D-05-30	1	\$0.00	MONITOR	MONITOR, TYPICAL, QA 0, MONITOR, DIFFERENTIAL EXPANSI; SCALED AT MINUS 200 TO PLUS 100 MILS	0	P	6695D SE
ARF271V	AL	6-D-05-30	1	\$0.00	ENCODER	ENCODER, TYPICAL, QA 0, PICKUP, EDDY CURRENT; NON-CONTACT EDDY-CURRENT PROBE, 100 MIL, FOR	0	C	6695D SE
ATA549V	AL	6-D-05-30	1	\$0.00	BREAKER	BREAKER, CIRCUIT, QA 0, AIR, 600, 400, 2, CIRCUIT BREAKER, ; AIR, 2-POLE, 600 VAC, 400 AMPS, 0 DEG C, TYPE NJ6	0	P	5925B SE
BKN798C	AL	6-D-05-30	17	\$0.00	PLUG	PLUG, ELECTRICAL, QA 1, COAXIAL, CONNECTOR, BNC, MALE	1	C	5935B SE
BLV316R	AL	6-D-05-30	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 0-1500 PSIG, 4-1/2 IN, BOTTOM, GAGE, PRESSURE,DIAL INDICA; 0 TO 1500 PSIG, 4.5 IN DIAL, BOTTOM	0	P	6695D SE
BLV317P	AL	6-D-05-30	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 0, 0-2000 PSIG, 6 IN, BOTTOM, GAGE, PRESSURE,DIAL INDICA; 0 TO 2000 PSIG, 6 IN DIAL, BOTTOM	0	P	6695D SE
BPH874P	AL	6-D-05-30	2	\$0.00	SWITCH	SWITCH, DISCONNECT, QA 1, SWITCH, ; CUTOFF, FOR ELECTRICALLY OPERATED CIRCUIT BREAKER, MODEL	1	P	59300 SE
BTP306D	AL	6-D-05-30	6	\$0.00	SWITCH	SWITCH, MANUAL, QA 1, SWITCH, ROTARY; 600VAC,20 AMP,CONTINUOUS,TYPE W-2 ***	1	B	59300 SE
BVN444Y	AL	6-D-05-30	1	\$0.00	DOOR	DOOR, PASSAGEWAY, QA 3, DOOR ASSY, RECORDER; FOR RECORDER,MODEL 174501-220A110-HAGAN OPTIMAC	3	B	6695D SE
BWF663G	AL	6-D-05-30	1	\$0.00	METER	METER, ELECTRICAL, QA 1, METER, ELECTRICAL FREQUENCY; TYPE AB40, 120 VAC INPUT, 55 TO 65 HERTZ	1		6625D SE
BYE891V	AL	6-D-05-30	1	\$0.00	SWITCH	SWITCH, AUXILIARY, QA 1, SWITCH, CIRCUIT BREAKER; 6-STAGE AUXILIARY SWITCH VB, FOR GE AK	1		5925B SE
BYF542G	AL	6-D-05-30	1	\$0.00	THERMOCOUPLE	THERMOCOUPLE, TYPICAL, QA 3, CONTACT, COPPER CONSTANTAN, WITH NEMA 4 HEAD	3	B	6695D SE
BYP703A	AL	6-D-05-30	1	\$0.00	TIMER	TIMER, ELECTRICAL, QA 0, INTERVAL, 24 HR, 115, 60, TIMER, INTERVAL; RANGE 24 HOURS, 115 VAC, 60 HZ, WITHOUT ENCLOSURE	0	C	6645E SE
CAH616P	AL	6-D-05-30	1	\$0.00	ALARM	ALARM, TYPICAL, QA 0, ALARM ASSY, RECORDER; 10 EA RELAYS, FOR BURNER SCANNER RECORDER -	0	C	6695D SE
CAY160H	AL	6-D-05-30	1	\$0.00	GAUGE	GAUGE, LEVEL, QA 3, GAGE, DIAL INDICATOR; LEVEL, 0-4000 PSI, 2 INCH DIAL, BRASS, 1/4 INCH	3	C	5210S SE
CEH135F	AL	6-D-05-30	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, DISPLAY; FOR FOSSIL AND HYDRO CONTROL ROOM CONSOLIDATION ***	0	B	5963B SE
CEH137B	AL	6-D-05-30	3	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 0, DISPLAY MODULE, DISPLAY MODULE. YOKOGAWA K9296KA. FOR FOSSIL AND HYDRO CONTROL	0	B	61100 SE
CEH142J	AL	6-D-05-30	2	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, MODULE, INPUT/OUTPUT; I/O MODULE, YOKOGAWA K9296BA. FOR CONTROL ROOM	0	B	5963B SE
CEW830F	AL	6-D-05-30	1	\$0.00	MODULE	MODULE, ELECTRONIC, QA 0, DISPLAY, ** FOR Z8A OXYGEN MONITORING SYSTEM,UNITS 1-4.AV8C-B.	0	C	6695D SE
CGC246K	AL	6-D-05-30	1	\$0.00	ASSEMBLY	ASSEMBLY, TYPICAL, QA 1, CONTROL DEVICE, 208-240 VAC, FOR ABB K600S BREAKERS	1		5925B SE
CGJ336K	AL	6-D-05-30	3	\$0.00	DRIVER	DRIVER, TYPICAL, QA 0, DRIVER,PROBE,FOR 8MM PROBE SYSTEM 5M CABLE SYS.,CALIB. FOR 4140 STEEL	0	B	6695D SE
CGJ339D	AL	6-D-05-30	2	\$0.00	CABLE	CABLE, TYPICAL, QA 0, EXTENSION, CABLE,EXTENSION,4.0M PROBE SYS.,CONNECTS PROBE TO DRIVER.	0	B	6695D SE
CHR974B	AL	6-D-05-30	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 3, CARD/ASSEMBLY, AMPLIFIER, 8 CHANNEL	3		5999D SE
CHR618Y	AL	6-D-05-30	14	\$0.00	SWITCH	SWITCH, PUSHBUTTON, QA 3, HS-85-36C, ENGRAVED: (CRD SCRAM), (DISH VOL), (ISOL TEST), (VALVE)	3		59300 SE
CJJ195Y	AL	6-D-05-30	1	\$0.00	SENSOR	SENSOR, TYPICAL, QA 0, TURB. SUPERVISORY INSTR. - U-5 BOILER FEED PMP, HALL EFFECT, MODEL H1512-007	0	B	6695D SE
CKB398E	AL	6-D-05-30	1	\$0.00	GAUGE	GAUGE, PRESSURE, QA 1, DIAL/INDICATING, 1/4 IN NPT, 0-300 PSI, 4-1/2 IN, CAST ALUMINUM, BACK, PHOSPHOR BRONZE, PANEL MOUNT, 1	C	6695D SE	
AEL093T	AL	6-D-05-30	6	\$0.00	RESISTOR	RESISTOR, ELECTRICAL DEVICE, QA 0, FIXED, 4.2, +/- 5 %, *** RESISTOR ASSY ; (RESISTING STACK), C/O 23 RESISTORS, MOUNTED ON	0	P	5905I SE
AXY053N	AL	6-D-05-30	3	\$0.00	GEAR	GEAR, WORM, QA 0, STEEL, *** REF 207, FOR VALVE ACTUATOR, MODEL EB-000, JOB 11872-A-1, S/N	0	P	3040D SE

AYR582P	AL	6-D-05-30:	7	\$0.00	JACK	JACK, COMMUNICATION, QA 0, JACK, TELEPHONE; SOUND POWERED, FOR TELEPHONE SYSTEM 251 ***	0	P	5805M SE
BLD012D	AL	6-D-05-30:	3	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 0, HEATING/IMMERSION, 480, 9.7, 8000, 3 PH, HEATING ELEMENT, ELEC,IMMERSION TYPE; 480 VAC, 8000 WAT	0	P	5966A SE
BLL269C	AL	6-D-05-30:	2	\$0.00	METER	METER, FLOW, QA 0, INDICATING, 5-50 GPM, 10-150, METER, FLOW RATE IND,FLT TY; LIQUID (WATER), IN-LINE FLOW RANGE 5 TO	0	P	6695D SE
BLQ283X	AL	6-D-05-30:	16	\$0.00	RETAINER	RETAINER, TYPICAL, QA 0, RETAINER, BEARING; DISK, SS, 2, YGPS, FOR 2 IN, 600 LB, Y-TYPE, GLOBE	0	P	48200 SE
BMD780D	AL	6-D-05-30:	9	\$0.00	CONTACT	CONTACT, ELECTRICAL/KIT, QA 0, CONTACT KIT,ELECTRIC, ; FOR CONTACTOR, MAGNETIC, 240/460/600 VAC	0	P	61100 SE
CAK701P	AL	6-D-05-30:	2	\$0.00	CLOTH	CLOTH, TYPICAL, QA 3, FIRE RETARDANT, GLASS/SILICONE, 18 IN, 150 FT, ROLL, LAMINATED; GLASS, WITH SILICONE, 16 OZ SQ YD, FOR SI	3	C	8415B SE
BPG776W	AL	6-D-06-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1780, 60, 364TS, 230/460, 3, B, 1, MOTOR, ALTERNATING CURRENT; 1780 RPM, 60 HP, 230/460 VOLTS, 3 0	B	6105D SE	
BLT971X	AL	6-D-06-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, AC, 1782, 100, 444TCZ, 460, 118, 60, 3, H, 1, 50 DEG C, MOTOR, ALTERNATING CURRENT; ELECTRIC, I.D. 1YF88	2	C	6105D SE
AVR524Q	AL	6-D-06-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1725, 1/2, 56, 115, 8-1/2, 60,, ALTERNATING CURRENT, CODE M	3	C	6105D SE
BLA260X	AL	6-D-06-20:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; TYPE RH INSULATION,3 PHASE, 0.33 HP,460	1	P	6105D SE
ARJ492V	AL	6-D-06-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 7-1/2, 254TCV, 440, 10.1, 60, 3, AV, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE AV,DES	0	P	6105D SE
AMR276N	AL	6-D-06-30:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 5, 115, MOTOR, ALTERNATING CURRENT; 010.000 WATTS, 115.000 VAC, CHART, 80 OZ	0	B	6105D SE
AMR376J	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1, 115, *** CHART DRIVE, FOR MODEL 8HG RECORDER RECORDER 115 VAC	0	B	6105D SE
BBE530X	AL	6-D-06-30:	8	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 1/6, 48, 115/230, 1, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/6 HP, 115/230 VA	0	B	6105D SE
BHP297A	AL	6-D-06-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, DIRECT CURRENT; 250 VDC, UNIVERSAL, FOR AIR CIRCUIT BREAKER,	1	P	6105D SE
BPM743J	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 1, MOTOR, ; CLOSING SPRING CHARGER, FOR 115 VAC/125 VDC APPLICATION FOR	1	B	6105D SE
BFT268E	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH,5 HP/1.25 HP,460 VAC 7.0/2.7	1	B	6105D SE
BGX563N	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1800, 460, 3, RH, MOTOR, ALTERNATING CURRENT; 3 PH, 460 VAC, 1800 RPM, STARTING TORQUE	1	B	6105D SE
BJN458B	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 VAC, 1755RPM NOMINAL	1	B	6105D SE
BPM743J	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 1, MOTOR, ; CLOSING SPRING CHARGER, FOR 115 VAC/125 VDC APPLICATION FOR	1	B	6105D SE
CDF339F	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 1.6 HORSE POWER, 3 PHASE, 1800 RPM ***	0	B	6105D SE
CDF344N	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 4.0 HORSEPOWER, 60 FOOT POUND STARTING	0	B	6105D SE
CEH908J	AL	6-D-06-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE DC; VOLTS: 250; RPM: 1900; HP: 1; INSULATION	3	B	6105D SE
CLN879Y	AL	6-D-07-10:	4	\$0.00	INDUCTOR	INDUCTOR, ELECTRIC, QA 3, ELECTRICAL, 25.4 AMPS, 36 MILLIHENRY	3	B	6105D SE
CJX663Y	AL	6-D-07-10:	1	\$0.00	DEVICE	DEVICE, TYPICAL, QA 0, CIRCUIT BREAKER, GRDING CART USED FOR GE TYPE VB-1 4KV SHUTDOWN BOARD 3ED BKR'S 12 & 13	0	C	4210N SE
AHQ527M	AL	6-D-07-20:	1	\$0.00	COIL	COIL, ELECTRICAL, QA 0, COIL, ELECTRICAL; SOLENOID, DETROIT COIL CO ***	0	P	5950N SE
ANP397E	AL	6-D-07-20:	1	\$0.00	COIL	COIL, ELECTRICAL, QA 0, COIL, ELECTRICAL; SOLENOID, AUTOMATIC SWITCH CO 208 VAC ***	0	P	5950N SE
ATA592T	AL	6-D-07-20:	1	\$0.00	TRANSDUCI	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE	0	P	6625D SE
ATA598E	AL	6-D-07-20:	1	\$0.00	TRANSDUCI	TRANSDUCER, CURRENT, QA 0, TRANSDUCER, CURRENT; LINEAR VARIABLE DIFFERENTIAL, 60 HZ, FOR TURBINE	0	P	6625D SE
ATT869N	AL	6-D-07-20:	1	\$0.00	TRANSDUCI	TRANSDUCER, ELECTRONIC, QA 0, TRANSDUCER, LINEAR VARIABLE DIF; 3000 HZ ***	0	P	6625D SE
ATX678E	AL	6-D-07-20:	1	\$0.00	GENERATOR	GENERATOR, TYPICAL, QA 3, GENERATOR, ENGINE ACCESSORY; INTERNALLY REGULATED, 024.000 VDC	3	P	29100 SE
BGF772M	AL	6-D-07-20:	3	\$0.00	SWITCH	SWITCH, LIMIT, QA 1, SWITCH ASSY, SENSITIVE,ACTUATOR; LIMIT, NUCLEAR GEARED, 4-TRAIN	1	C	59300 SE
BHQ965M	AL	6-D-07-20:	1	\$0.00	HEATER	HEATER, ELECTRIC, QA 0, SPACE, 12 KW, 460, HEATER, SPACE ELECTRIC; VOLTAGE: 460, VOLTAGE TYPE: AC, WATTAGE: 12 KW	0	P	4520N SE
BLA820H	AL	6-D-07-20:	1	\$0.00	STARTER	STARTER, TYPICAL, QA 0, STARTER, MOTOR; TYPE CR306, NEMA SIZE 4, OPEN TYPE, 1 NO AUX CONTACT	0	C	61100 SE
BPR296W	AL	6-D-07-20:	2	\$0.00	LIGHT	LIGHT, ELECTRICAL, QA 1, INDICATOR, 120, FULL VOLTAGE, LIGHT, INDICATOR; PILOT, 120 VOLTS FULL VOLTAGE, CAT. NO. PB1HAOL7, 0	1	C	6210P SE
BQH342K	AL	6-D-07-20:	1	\$0.00	POWER SUP	POWER SUPPLY, ELECTRONIC, QA 1, POWER SUPPLY, ELECTRICAL; FOR P.R.N.M.8 ***	1	B	61100 SE
BVP192T	AL	6-D-07-20:	1	\$0.00	COIL	COIL, ELECTRICAL, QA 1, COIL, ELECTRICAL; OPERATING COIL FOR 12HFA54MGH UNDERVOLTAGE RELAY	1	B	5950N SE
BVW594C	AL	6-D-07-20:	1	\$0.00	TRANSFOR	TRANSFORMER, CURRENT, QA 1, TRANSFORMER, INSTRUMENT; CONTROL POWER, PRIMARY VOLTAGE: 480 VAC	1	B	5950N SE
BCB030C	AL	6-D-07-20:	1	\$0.00	SWITCH	SWITCH, PRESSURE, QA 3, SWITCH, PRESSURE; VOLTAGE: 125/250/480 VAC, AMPERAGE: 10/10/3 AMPS	3	B	59300 SE
CEA987Y	AL	6-D-07-20:	183	\$0.00	BRUSH	BRUSH, ELECTRICAL, QA 3, BRUSH, ELECTRICAL CONTACT; GRADE T-109, 3 IN. X 1 1/4 IN. X 3/4 IN.	3	C	6105D SE
CEG769A	AL	6-D-07-20:	2	\$0.00	COIL	COIL, ELECTRICAL, QA 3, COIL, ELECTRICAL; FOR IC2820-A100 RELAY, DC, FOR EDERER REACTOR	3	B	5950N SE
AQQ577T	AL	6-D-07-20:	1	\$0.00	TRANSFOR	TRANSFORMER, POWER, QA 0, TRANSFORMER, POWER; OUTPUT, FOR STATIC PRODUCTS SOLID STATE	0	P	5950N SE
ARL708M	AL	6-D-08-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1685, 5, 215T, 230/460, 10/5, 3, MR, B, 1.0, *** TIME RATING 60 MIN	0	C	6105D SE
CAY804L	AL	6-D-08-10:	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, MOTOR, LUBE OIL SYSTEM, 2, ,AUX LUBE OIL PUMP, CAT 381 PARTS LIST D4100-P PAGE 12, TYPE: AC, RPM:	1	B	6105D SE
BVC716B	AL	6-D-08-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 100, 405TS, 460, 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 460; PHASE: 3; HP: 100; FRAME: 405TS	0	C	6105D SE
AYW201G	AL	6-D-08-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; LIFE LINE T, MODEL TUDP, CLASS 1E MILD	1	C	6105D SE
BEG145Q	AL	6-D-08-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1200, 50, 365T, 460, 3	0	C	6105D SE
CDT887N	AL	6-D-08-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1800, 460, 60, 3, RH, SMB-2 OPERATOR, ,STARTING TORQUE 80 FT-LBS, RUNNING TORQUE 16 FT-LBS, WITH	1	B	6105D SE
AHB443Y	AL	6-D-08-30:	1	\$0.00	DRIVE	DRIVE, TYPICAL, QA 0, DRIVE UNIT, ELECTROHYDRAULIC; HYDRAULIC, VARIABLE SPEED, INPUT SPEED	0	P	3040D SE
AXY093A	AL	6-D-08-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 2L4-48412, 115/230, 4.6/2.3, ***	0	P	6105D SE
BD178B	AL	6-D-08-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, BC145T, 230/460, 6.4/3.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 10	P	6105D SE	
BBQ823F	AL	6-D-08-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 115, 60, *** REF 20, FOR CLARKE CARPET MASTER SWEEPER, MODEL 576A, CAT	0	P	6105D SE
BCC697H	AL	6-D-08-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1-1/2, 230, 60, 3, B, 6.5-6/3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1.5 HP, 230 VAC, 60 0	P	6105D SE	
BCR402X	AL	6-D-08-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/3, 208/230, 2, 50/60, 1, REVERSIBLE, *** FOR VIC MODEL 478 DRY CLEANER, S/N 7910673-5	0	P	6105D SE
BCV575J	AL	6-D-08-30:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/4, 48Y, 230, 2, 60, 1, B, ***	0	P	6105D SE
BDC023Q	AL	6-D-08-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/2, 230/370, 4.4, MOTOR, ALTERNATING CURRENT; 1/2 HP, 230 VAC, 4.4 AMPS, 7.5MFD/370 VAC 0	P	6105D SE	
BFM976C	AL	6-D-08-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/4, 56-4, 230/460, 3, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/4 HP, 230 0	P	6105D SE	

AWN193Y	AL	6-D-09-10	3	\$0.00	CHAMBER	CHAMBER, ELECTRICAL, QA 0, CLOSING, AUXILIARY, FOR AIR BLAST CIRCUIT BREAKER, TYPE	0	C	5925B SE
BNV656L	AL	6-D-09-10	2	\$0.00	REGULATOR	REGULATOR, TYPICAL, QA 0, MICRO COMPUTER, REGULATOR, ; MICRO/MIN COMPUTER ***	0		7021A SE
AQY678M	AL	6-D-09-20	25	\$0.00	LUG	LUG, COMPRESSION, QA 2, STRAIGHT, 500 KCML, 3/8 IN, WROUGHT COPPER, 2, BROWN, LUG, TERMINAL; CONDUCTOR SIZE RANGE: 500 K	2	B	5940I SE
ARW653A	AL	6-D-09-20	150	\$0.00	LUG	LUG, COMPRESSION, QA 2, LUG, TERMINAL; UNINSULATED, STYLE CRIMP, MTG METHOD STRAIGHT ONE HOLE	2	P	5940I SE
BCD407H	AL	6-D-09-20	3	\$0.00	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, CURRENT, 5600:2, 0.6, TRANSFORMER, CURRENT; ELECTRICAL RATING: 0.6 KV, AMP RATIO: 5600 TO 2	0	P	5950N SE
BHD794F	AL	6-D-09-20	50	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 4 POLE, 30 AMP, 600 VOLT, SCREW TYPE, MINERAL FILLED	1	P	5940I SE
BHD802C	AL	6-D-09-20	74	\$0.00	BOARD	BOARD, TERMINAL, QA 1, BOARD, TERMINAL; 8-POLE, 30 AMP, 600 VOLT, SCREW TYPE, MINERAL FILLED	1	P	5940I SE
BWK099M	AL	6-D-09-20	68	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, FUSE, CARTRIDGE; OVERLOAD INTERRUPTION: FAST ACTING, VOLTAGE RATING:	2	C	5920K SE
APQ348G	AL	6-D-09-20	2	\$0.00	TRANSFORMER	TRANSFORMER, CONTROL, QA 1, TRANSFORMER, POWER; 480/120 VAC, 000.500 VAR, CONTROL, T2, TYPE MTC	1	P	5950N SE
AWK262M	AL	6-D-09-20	4	\$0.00	BODY	BODY, CONNECTOR, QA 3, CONNECTOR, RECEPTACLE ELECT; FEMALE, 16 PIN, FOR SPEEDOMAX H RECORDER	3	P	5935B SE
BAD535K	AL	6-D-09-20	9	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 0, HEATING/NON-IMMERSION, 240, 10 KW, HEATING ELEMENT, ELEC, NONIMMERSION TY; 240 VOLTS, 10KW, PRI	0	P	5966A SE
BAG042J	AL	6-D-09-20	3	\$0.00	TRANSFORMER	TRANSFORMER, CURRENT, QA 0, TRANSFORMER, CURRENT; TRANSFORMER TYPE: INDOOR, AMP RATIO: 2000 TO 5	0	P	5950N SE
BGW154D	AL	6-D-09-20	2	\$0.00	TRANSFORMER	TRANSFORMER, POWER, QA 2, TRANSFORMER, POWER; 115 VAC PRIMARY, 14 VAC, 1 AMP SECONDARY, FOR	2	P	5950N SE
BNP591B	AL	6-D-09-20	1	\$0.00	STAND	STAND, TYPICAL, QA 3, SS, 0.25 IN, FOR FUEL TRANSFER SYSTEM 79	3	P	4470C SE
BWK763P	AL	6-D-09-20	6	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, CONTROL; MANUAL MOTOR, TYPE 7, CR101H700J, WP#D1370503 ***	3	C	6105D SE
BYQ482R	AL	6-D-09-30	14	\$0.00	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPLECTOR FOR 600 AMP GE AK-3A-25	1	B	5925B SE
BYQ483P	AL	6-D-09-30	5	\$0.00	KIT	KIT, PARTS, QA 1, CONVERSION KIT, CIRCUIT BREAKER; AMPLECTOR FOR 600 AMP GE AK-6A-25	1	B	5925B SE
CEM249B	AL	6-D-10-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1190, 300, 4000, 60, 3, *** FRAME 509US	0	B	6105D SE
ABY773C	AL	6-D-10-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 2.7 WATTS, 115 VAC, TIMING, 10RPM	3	C	6105D SE
BHD441H	AL	6-D-10-10	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3 PH, 7-1/2HP, 230-460VAC 18.9/9.5 AMPS, 3600	3	P	6105D SE
BKK591J	AL	6-D-10-10	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR ASSY, ELECTRIC; FOR RECORDER, MODEL 4081 ***	0	C	6105D SE
BLQ127C	AL	6-D-10-10	20	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ; DRIVE BED, FOR DRYOMATIC DEHUMIDIFIER, 300 CFM, MODEL R-300	0	C	6105D SE
BQB071E	AL	6-D-10-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 1/10, 120, 2.29, 60, 1, ** SHAFT TO BE CUT TO FIT BY TVA	0	B	6105D SE
BXK676C	AL	6-D-10-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; MOTOR, ALTERNATING CURRENT LD- TYPE	3	C	6105D SE
BNE752V	AL	6-D-10-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1800, 3, 230/460, *** MODEL 5MR2548NT249EW1	0	P	6105D SE
BQP218M	AL	6-D-10-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1900, DK56H, 250, 7-1/2, RH, 40 DEG C, WINDING: COMP, DUTY: 5 MIN, RISE C: 115, S/N UY61875	0	C	6105D SE
BWN482G	AL	6-D-10-20	1	\$0.00	PUMP	PUMP, TYPICAL, QA 1, PUMP ASSY, RADIATION DETECTOR; WITH 3/4 HP, 480 VAC, 3 PHASE, MOTOR,	1	C	6630D SE
BNE756K	AL	6-D-10-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3, 184T, 460, 60, 3, ***	0	C	6105D SE
AWE000H	AL	6-D-10-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; REPLACEMENT MOTOR FOR LIMITORQUE OPERATOR	1	C	6105D SE
APQ634F	AL	6-D-11-20	1	\$0.00	TRANSFORMER	TRANSFORMER, CONTROL, QA 0, 2 PT, FOR LOUIS-ALLIS FEEDER CONTROLS, MODEL	0	C	5950N SE
AWK065E	AL	6-D-11-20	4	\$0.00	ELEMENT	ELEMENT, ELECTRICAL, QA 3, HEATING ELEMENT, ELEC, NONIMMERSION TY; STEEL, 120.000 VOLTS, 500.000	3	P	5966A SE
CDX388R	AL	6-D-11-20	12	\$0.00	BLOCK	BLOCK, TYPICAL, QA 0, TEST BLOCK, ELECTRICAL; 4 POLE, TYPE PK-2, GENERAL ELECTRIC ***	0	B	6625D SE
BYA087Y	AL	6-D-12-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3450, 230/460 AC, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 230/460 VAC, 60 HZ, 3450 RPM	1	B	6105D SE
CFD208X	AL	6-D-12-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, 3565, 100, 405TS, 230/460, 60, 3, TEFC, F, WITH 120V HEATER	3	B	6105D SE
AFY687C	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 3.6, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1/6 HP, 115.000 VAC, 17 0	0	P	6105D SE
ATL359D	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 2, B184C, 230/460, 6.2/3.1, ATNF, F, 1.0, 40 DEG C, MOTOR, ALTERNATING CURRENT; ELEC, 230/460 0	0	P	6105D SE
AYX186B	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3/4, 208/460, 2.45-2.4/1.2, 3, 1.25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.75 HP, 208 0	0	P	6105D SE
BBM809R	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 7-1/2, 180TY, 230/460, 21/10.5, 60, 3, B, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 7.5 HP, 2: 0	0	P	6105D SE
BDB019L	AL	6-D-12-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1600, 1, 230/460, 1, 3, *** FOR SUMP PUMP	0	P	6105D SE
AVM507E	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, EB56C, 115/230, 4.4/2.2, 1, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; DUTY MASTER, 0.2 0	0	C	6105D SE
AVP222K	AL	6-D-12-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, BA56, 208/480, 60, 3, MOTOR, ALTERNATING CURRENT; SQUIRREL CAGE, FRAME BA56, TYPE SC, 0 0	0	C	6105D SE
AXX967L	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, XK56CZ, 230/460, 1.2/6, 3, MOTOR, ALTERNATING CURRENT; TYPE PN, 3-PHASE, 1800 RPM, 230/460 0	0	P	6105D SE
AHY215W	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/2, AA66Y, 208/460, 2/1, 3, B, 0.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, THER 0	0	P	6105D SE
BAC991X	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1100, 1/2, 460, 1, *** FOR AIR CONDITIONING UNIT	0	C	6105D SE
BBR038L	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 115, 4.9, 60, 1, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; POWER PACK, 1 PH, 1/4 HP, 1 0	0	C	6105D SE
BCB897E	AL	6-D-12-20	1	\$0.00	FAN	FAN, ELECTRICAL, QA 0, ASSEMBLY, 115, 0.90, 1/30, FAN ASSY, ; WHEEL, C/W COVER, GALVANIZED SHEETMETAL DUCT, AND GE	0	C	4140U SE
BCD923X	AL	6-D-12-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, 48, 115, 9, 60, 1, B, 1.25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/2 HP, 115 VAC, 9 0	0	P	6105D SE
BCG117A	AL	6-D-12-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3, 182T, 230/460, 8.4/4.2, 60, 3, 1.15, 40 DEG C	0	P	6105D SE
ACT309M	AL	6-D-12-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735, 5, 184T, 230/460, 14.4/7.2, 3, B	0	P	6105D SE
AYW604R	AL	6-D-12-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 1, A, 1, *** AMBIENT 40 DEG C	0	P	6105D SE
BEX521K	AL	6-D-12-30	8	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/8, 115, 3.2, CLOCKWISE, MOTOR, ALTERNATING CURRENT; SPLIT CAPACITOR TYPE, 0.125 HP, 115 V/ 0	0	P	6105D SE
BFN156E	AL	6-D-12-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1, 56Z, 200/230, 6.2, 1, 40 DEG C, ***	0	P	6105D SE
BHD442F	AL	6-D-12-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 3490, 15, 254T, 230/460 AC, 36.3/18.2, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 VAC, 1 3	0	P	6105D SE
BYA087Y	AL	6-D-14-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3450, 230/460 AC, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 230/460 VAC, 60 HZ, 3450 RPM	1	B	6105D SE
BYA087Y	AL	6-D-14-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3450, 230/460 AC, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 230/460 VAC, 60 HZ, 3450 RPM	1	B	6105D SE
CPL840X	AL	6-D-14-20	22	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1, 1/25, 120, 2.2/1.6, 50/60, 1, DRIVE, CONT. DUTY, S/N M180	0	C	6105D SE
BXN091G	AL	6-D-14-20	20	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; TYPE SC, 3 PH, THERMALLY PROTECTED, 1/3 HP	3	B	6105D SE

ARY306N	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1, 56, 208/460, 3.6/3.4/1.7, 3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 HP, 3 PH, 208/230/460 VAC, 115/115/115 VAC	P	6105D SE
AXQ453E	AL	6-D-14-30	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 1/4, 115, 3.3, 1, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 1 PH, 1/4 HP, 115.000 VAC, 0	P	6105D SE
AXR820K	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1710, 2, 145T, 460, 3, 3, F, 1.15, *** DESIGN B, CODE J, COMPLETE WITH BALL BEARING ABMA-25BC02XP A 0	P	6105D SE
AXX247P	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3485, 5, 182JH, 230/460, 13.6/6.8, 3, B, 40 DEG C, ***	0	P 6105D SE
AYR838E	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 1/12, 115, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/12 HP, 115 VAC, 1625 RPM, 90 CF 0	C	6105D SE
BDD912W	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/850, 1/2 - 1/16, 56, 460, 0.95/0.5, 3, 1.25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/2-1 0	C	6105D SE
BGC180A	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, M56Y, 200/230, 6.4, 1, B, 65 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 200/230 VAC, 6.4 AMPS 0	P	6105D SE
BGC181W	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 10, V256U, 230/460, 26/13, 3, 1.15, *** BLOWER, FOR AIR CONDITIONER MODEL 50M0028-620CC 0	P	6105D SE
BJN184N	AL	6-D-14-30	1	\$0.00	STATOR	STATOR, ELECTRICAL, QA 0, STATOR, MOTOR, ; FOR MOTOR, 3 PH, 50 HP, 230/460 VAC, 130/65 AMPS, 1760	0	P 6105D SE
AYG018T	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 5, 184T, 230/460 AC, 14/7, 3, B, TYPE P	0	P 6105D SE
BXN318P	AL	6-D-14-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; START TORQUE, 80 LB FT, FRAME C215Y, 2865	3	B 6105D SE
BXN650T	AL	6-D-14-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 7-1/2, 213T, 460, 60, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; 3 HP, 7.5 HP, 460 VAC, 1745 RPM 0	B	6105D SE
CDP307L	AL	6-D-14-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, FAN; 3HP, 230/460VOLT, 3485RPM, FRAME 182T, S.F. 1.15 MODEL	3	B 4140U SE
CPD912P	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3480, 46.3, 365TY, 460, 66.3, 60, 3, TENV, H, 1.00, 60 DEG C, TYPE P, DESIGN Y, CODE L, DUTY 15 MIN, 0	C	6105D SE
ARC647V	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3525, 1/2, 143T, 230/460, 1/6/.8, 3, F, 1, 65 DEG C, MOTOR, ALTERNATING CURRENT; 1/2 HP, 230/460VA 0	P	6105D SE
BJE690V	AL	6-D-16-10	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; SINGLE PHASE, 60 HZ, 115V, VARIABLE	3	P 6105D SE
BND586P	AL	6-D-16-10	9	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, ** DESICCANT WHEEL DRIVE, FOR CARGO CAIRE DEHUMIDIFIER, MODEL HC-575	0	P 6105D SE
BWV600P	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 5 FT LB START TORQUE, 1 FT LB RUN TORQUE	1	B 6105D SE
CDF342T	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, TYPICAL, QA 0, MOTOR, ALTERNATING CURRENT; 0.33 HORSEPOWER, 5 FOOT POUNDS STRARTING	0	6105D SE
CDV905B	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, DIRECT CURRENT; 250 VOLT, HP SPCL, FRAME DS204, 1900 RPM, 17	3	B 6105D SE
CEW515C	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, AC, 1725, 0.5, FC56C, 115, 9, 60, 1, 1	2	6105D SE
CGR223W	AL	6-D-16-10	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC/DC, B, LIFT MOTOR FOR THE 4 KV VERTICAL LIFT BREAKERS.	0	B 6105D SE
ADT809T	AL	6-D-16-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 3/4, 56, 90, 8, F, 40 DEG C, MOTOR, DIRECT CURRENT; WOUND PM, 3/4 HP, 90 VDC, 8 AMPS, 1725 RF 0	P	6105D SE
AXT841T	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 29, 6, 480, 3, *** C/W WORM AND WHEEL, FOR 6 HP MOTOR ACTUATOR, TYPE 14A/365, S/N	0	B 6105D SE
AYD937A	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, AC, 1/6, 115/230, 4.4/2.2, 1, A, 1.35, MOTOR, ALTERNATING CURRENT; TYPE CS, 1 PH, 1/6 HP, 115/230VAC, 4 3	P	6105D SE
AYG018T	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 5, 184T, 230/460 AC, 14/7, 3, B, TYPE P	0	P 6105D SE
BCR772T	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 40, 286PHPA, 230/460, 94/47, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 40 0	P	6105D SE
BVB797M	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 5, 184T, 200/460, 15-13.2/6.6, 60, 3, F, 1.5, 40 DEG C, INDUCTION, SQUIRREL CAGE, 3 PH, 5 HP, 0	B	6105D SE
AYD422C	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 24, 1.06, MOTOR, ALTERNATING CURRENT; INDUCTION WOUND, MODUTROL, 24 WATTS, 1.06	0	P 6105D SE
BAX863F	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 7-1/2, AFL-256U, 230/460, 19.6/9.8, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 7.5 HP, 230/460 0	B	6105D SE
CEL792T	AL	6-D-16-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1750, 1, 143T, 230/460, 4.1/2.05, 60, 3, TEFC-XT, RH/H, 1.15, 40 DEG C, RPM: 1800 NOMINAL	1	B 6105D SE
ATG817X	AL	6-D-16-30	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1, FB56C, 230/460, 3.2/1.6, 3, P, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FB56C, TYPE P, 1 HI 0	P	6105D SE
AVH339W	AL	6-D-16-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, M56C, 230/460, 2.2/1.1, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P, 0.500 HP, 2 0	P	6105D SE
AYD941K	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730/860, 3/0.75, 182T, 460, 4.2/1.6, 3, 1.15, 40 DEG C, *** TYPE PM, TWO SPEED	0	P 6105D SE
AYM549A	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740, 1, 143T, 230/460, 3.2/1.6, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 230/4 0	P	6105D SE
BBQ825B	AL	6-D-16-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 48Z, 115, 4/6, 60, *** TYPICAL S/N AB84, FOR CLARKE CARPET MASTER SWEEPER, MODEL 576A 0	P	6105D SE
BPM291V	AL	6-D-16-30	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1710/840, 2-1/4, 145T, 460, 3-2/1-2, 3, K, 3-8/1-4, MOTOR, ALTERNATING CURRENT; 3 PH, 2.25 HP, 460 0	A	6105D SE
ADT709Y	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 1, N1437, 115/230, 7.5, 1, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1 HP, 115/208-230 VAC, 174 0	P	6105D SE
AVG818M	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3300/2800, 1/4, 230, 2.4/2.5, 1, COUNTERCLOCKWISE/CLOCKWISE, MOTOR, ALTERNATING CURRENT; 0.25I 0	P	6105D SE
AVH103V	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, 56C, 208/460, 2.1-2/1, 3, TEFC, 40 DEG C, MOTOR, ALTERNATING CURRENT; HP 0.5, 208-230/4 0	P	6105D SE
AXW879N	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1, 7056, 230/460, 3.6/1.8, 3, A, 40 DEG C, *** MODEL SRFD74	0	P 6105D SE
AXX971X	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3520, 2, 145T, 230/460, 6/3, 3, A, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 230/460 0	P	6105D SE
AYQ962J	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, AC48, 115/230, 6.4/3.2, 1, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION WIN 0	P	6105D SE
BBF832W	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, FJ145T, 230/460, 6.4/3.2, 3, F, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FJ145T, 1730 0	P	6105D SE
BBQ876R	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/3, 230/460, 1.1/0.55-1.26/0.6, 50/60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, THERMAL 0	P	6105D SE
BFM975E	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1425, 1/3, 56-4, 230/460, 3, A, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1/3 HP, 230 0	P	6105D SE
BGC178H	AL	6-D-16-30	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 120, 0.36, 160 DEG, MOTOR, ALTERNATING CURRENT; 27 WATTS, 120 VAC, 0.36 AMPS, DAMPER	0	P 6105D SE
BGC179F	AL	6-D-16-30	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 1, 200/480, 5.5/2.5, 3, B, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 200-240/440-480 0	P	6105D SE
CAN375R	AL	6-D-18-10	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1765, 40, 324TY, 230/460, 98/49, 60, 3, TE, 1.15/1.0, 40/65 DEG C, CODE G, DR END BRG 60BC03JPP3, ( 0	C	6105D SE
CPD267T	AL	6-D-18-10	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 25, 284T, 460, 29.7, 60, 3, TEFC, F, 40 DEG C, ID #1MAK13651, C 001 WW, DESIGN-B, DUTY-CONT. CODE= 0	C	6105D SE
AVJ303E	AL	6-D-18-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 5, 215T, 230, 17/8.5, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; CLASS B, 3 PH, INSUL, FRAN 0	P	6105D SE
AXD407F	AL	6-D-18-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 5, 182TCZ, 230/460, 13.6/6.8, B, 1.15, MOTOR, ALTERNATING CURRENT; 5 HP, 13.6/6.8 AMPS, 230/460 V 0	P	6105D SE
AXP823C	AL	6-D-18-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; TYPE P, FRAME 215TR2, 3 PHASE, 005.200 HP	1	P 6105D SE
ABT706H	AL	6-D-18-20	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1/4, 115, *** SYNCHRONOUS 115 VAC	0	P 6105D SE
ABY773C	AL	6-D-18-20	6	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 2.7 WATTS, 115 VAC, TIMING, 10RPM	3	C 6105D SE
AGT003C	AL	6-D-18-20	5	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 115, 1.26, 5/16 IN DIA X 1-1/4 IN LG, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 115.00 0	P	6105D SE
BAG905X	AL	6-D-18-20	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/850, 2-1/4, 460, 3.15/1.05, 3, 40 DEG C, ***	0	P 6105D SE

BBD178B	AL	6-D-18-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, BC145T, 230/460, 6.4/3.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 10	P	6105D SE
BBH607T	AL	6-D-18-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 460 VAC, 0.33 HP, 3 PH, CLASS RH	1	B 6105D SE
BCD331P	AL	6-D-18-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425/1725, 1/2, 56-5, 230/460, 50/60, 3, 1.25, *** TYPE TS, MODEL PQE56T17D581F, FOR LAUNDRY THI	0	P 6105D SE
BPD340X	AL	6-D-18-30:	8	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 5, L184T, 460, 60, 3, RH, MOTOR, ALTERNATING CURRENT; MOTOR, 460 V, 3 PH, 60 HZ, 5 HP, FRAME	1	C 6105D SE
AFT809E	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/2, J56, 208/460, 3, .25, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PHASE, J 56 FRAME, CODE L	0	P 6105D SE
AGT700A	AL	6-D-18-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, J564, 240/480, 3, *** TYPE SCT 3 P	0	P 6105D SE
AGT802N	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1140, 1/6, 56, 230, 0.94, B-R, 40 DEG C, MOTOR, DIRECT CURRENT; 1/6 HP, 230.000 VDC, 000.940 AMPS,	0	P 6105D SE
AQG606Q	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 3/4, 90, 8.2, F, MOTOR, DIRECT CURRENT; 559 WATTS, 3/4 HP, 90 VDC, 8.2AMPS, 1725 RPM	0	P 6105D SE
ARQ971G	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 2850/3450, 1, J56J, 208/240, 3.2/1.6, SC, A, MOTOR, ALTERNATING CURRENT; TYPE SC, 1 HP, 208/220 V	0	P 6105D SE
ATJ539M	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, M56C, 230/240, 2.1/1.1, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; ELECTRIC, TYPE P, CC	0	P 6105D SE
AVL452H	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 460 VAC, 3 PHASE, SERVICE FACTOR ONE	1	P 6105D SE
AYD936C	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 1, B143T, 230/460 AC, 3.4/1.7, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; DUTY MASTER, TYPE P,	0	P 6105D SE
AYM948V	AL	6-D-18-30:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 115/230, 12.9/6.4, 1, *** INSULATED, REF 20, FOR TAIT RM SUMP PUMP, MODEL WH10, S/N 45331	0	P 6105D SE
BAB720E	AL	6-D-18-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1715, 5, 184T, 460, 7.2, 3, B, 1.15, MOTOR, ALTERNATING CURRENT; LIFELINE T, MULTISPEED, 3 PH, 5 HP, 40	0	P 6105D SE
BHY811J	AL	6-D-20-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 1730, 5, 184T, 460, 6.4, 3, H/RH, REF 30BC02X30X26	1	B 6105D SE
CPE020T	AL	6-D-22-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1135/565, 60/30, 0445TY, 460, 86/92.5, 60, 3, 40-B, 1.0, CONTINUOUS DUTY, NEMA DESIGN D, TYPE MDA	0	C 6105D SE
ARL707P	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1695, 3, 213T, 230/460, 10/5, 3, MOTOR, ALTERNATING CURRENT; ELECTRIC, 3 HP, 1695 RPM, 3 PH, 230/4	0	C 6105D SE
ARL708M	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1685, 5, 215T, 230/460, 10/5, 3, MR, B, 1.0, *** TIME RATING 60 MIN	0	C 6105D SE
BBM924Q	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, 1755, 7-1/2, 213T, 230/460, 20/10, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A DP, 3 F	0	P 6105D SE
BBM925N	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 15, 254T, 230/460, 42/21, 60, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A DP, 3 PH, 1!	0	P 6105D SE
BJE562R	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 20, S256T, 230/460, 50/25, 3, *** TYPE SC, RIGID MOUNT, FOR CLIMATE CHANGER, MODEL MZ-41	0	P 6105D SE
AFT207B	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740, 25, 284T, 230/460, 60.8/30.4, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, T	0	P 6105D SE
BBM807X	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 25, 284T, 230/460, 63/31.5, 3, 1.15, MOTOR, ALTERNATING CURRENT; TYPE SC, 3 PH, 25 HP, 230/40	0	C 6105D SE
BBM948A	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3500, 15, 215HP, 230/460, 39.2/19.6, 60, 3, B, 1.15, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 15	0	P 6105D SE
BBM951M	AL	6-D-22-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1150, 20, CS47, 230/460, 52/26, 60, 3, B, 60 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 20 HP, 230/40	0	P 6105D SE
BCR404R	AL	6-D-22-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3340/3370/235, 7-1/2 / 5 / 1-1/2, 256U, 230, 19.2/12.8/10.3, 60, 1, B, 40 DEG C, MOTOR, ALTERNATIN	0	P 6105D SE
BPP101J	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3480, 19.87, C256YM, 230/460, 428/214, 60, 3, B, 1.0, MOTOR, ALTERNATING CURRENT; 3 PHASE, 19.87	0	B 6105D SE
BWV600P	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 5 FT LB START TORQUE, 1 FT LB RUN TORQUE	1	B 6105D SE
BBM808V	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735, 10, 215T, 230/460, 26.4/13.2, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; LIFE LINE T, 3 PH, 1	0	P 6105D SE
BBM922W	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1160, 10, 256T, 230/460, 28/14, 60, 3, TBFC, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL TBI	0	P 6105D SE
BBM941Q	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3500, 10, 215TZ, 230/460, 24.4/12.2, 60, 3, TBFC, F, 1, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3	0	P 6105D SE
BLA080N	AL	6-D-22-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 25, 256T, 230/460, 60/30, 3, MOTOR, ALTERNATING CURRENT; MODEL SBDP, 3 PHASE, 25 HP, 230/	0	P 6105D SE
CPL548E	AL	6-D-24-10:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740, 5, 184T, 460, 13.6/6.8, 60, 3, B, B, 1.15, MAX AMPS 40, NEMA CODE J, NEMA EFF 84, CONT. TIME RA	0	C 6105D SE
CPL557D	AL	6-D-24-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700, 5, 254TX, 230/460, 60, 3, MR, B, 1.0, DR END BRG 45BC03XP, OPP END BRG 35BC02XP, TIME RATING	0	C 6105D SE
CPL562L	AL	6-D-24-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700, 5, 254TX, 230/460, 14.4/7.2, 60, 3, MR, B, 1.0, 50 DEG C, SPL WDG TREAT, DR END BRG 45BC03XP,	0	C 6105D SE
CAN374V	AL	6-D-24-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3420, 13, 256TY, 460, 143, 60, 3, TENV, H, 1.00, 60 DEG C, TYPE P, START 100 LB/FT, RUN 20 LB/FT, DES	0	C 6105D SE
CPL551R	AL	6-D-24-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1735/855, 3.0/0.75 KVAR, 2.0/1.2 KVAR, 182T, 460, 4.6, 60, 3, TEAO, F, 1.0, 40 DEG C, L.R AMPS 1.9, CC	0	C 6105D SE
CPL834D	AL	6-D-24-10:	1	\$0.00	GEARMOTO	GEARMOTOR, TYPICAL, QA 0, 230 AC/250 DC, S/N SVFB	0	C 6105D SE
CPL835B	AL	6-D-24-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1900, 1/3, P56, 125, 3.6, TR, H, 40 DEG C, FILED AMPS 0.4, START 5 LB/FT, RUN 1 LB/FT, DUTY 5 MIN, WDC	0	C 6105D SE
ARQ971G	AL	6-D-24-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 2850/3450, 1, J56J, 208/240, 3.2/1.6, SC, A, MOTOR, ALTERNATING CURRENT; TYPE SC, 1 HP, 208/220 V	0	P 6105D SE
AYC742Y	AL	6-D-24-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; 3 HP, 230/460 VAC, 9.3/4.65 AMPS, 1730	2	P 6105D SE
BBN583K	AL	6-D-24-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1750/2300, 7-1/2, 240, 1.64/1.19, TEFC, F, 40 DEG C, MOTOR, DIRECT CURRENT; SHUNT WOUND, TYPE CD;	0	P 6105D SE
BQM081P	AL	6-D-24-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PHASE, 460 VAC, 1700 RPM, 2 FT/LB, TYPE	1	C 6105D SE
AHR696Q	AL	6-D-24-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3600, 7.9, 230/460, 21.4/10.7, 60, 3, RH, 1.0, 115 DEG C, MOTOR, ALTERNATING CURRENT; ELEC, 3600 RF	0	B 6105D SE
ANR793V	AL	6-D-24-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, BB, 250, P, B, MOTOR, DIRECT CURRENT; TYPE P, 250 VDC, 1900 RPM, 80 FT/LB, FRAME BB,	0	B 6105D SE
BBM915R	AL	6-D-24-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3525, 40, 286TS, 230/460, 90/45, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION,	0	P 6105D SE
CPL543Q	AL	6-D-26-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700, 1/3, K56, 230/460, 10/5, 60, 3, P, B, 1.0, 40 DEG C, 12, NOM AMPS 1.66/.83, 5 LB/FT START, 1 LB.	0	C 6105D SE
CPL546J	AL	6-D-26-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1765, 20, 256, 230/460, 51.6/25.8, 60, 3, B, F, 1.15, 40 DEG C, TYPE AV, DR END BRG 6310-JC3, OPP ENC	0	C 6105D SE
CPL727E	AL	6-D-26-10:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, 230/460, 2.2/1.1, 60, 3, K, B, 1.25, 40 DEG C, SFA 2.4/1.2, TIME RATING CONT., S/N AVD	0	C 6105D SE
CPL554K	AL	6-D-26-10:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1775, 75, 365TS-TE, 230/460, 184.2/92.1, 60, 3, B, 1.0, 40 DEG C, DESIGN B, CODE G, DR END BRG 6212-;	0	C 6105D SE
ARC912Y	AL	6-D-26-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3530, 25, 280 HPH, 230/460, 60/30, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 25 HP, 230.	0	P 6105D SE
CKV283D	AL	6-D-26-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3555, 40, L324TP16, 230/460, 98.8/49.4, 60, 3, TEFC, F, 1.15, 40 DEG C, NOT FOR USE ON SUMP PUMP	0	B
AXV861F	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH, 3.27 HP, 230/460 VAC, 900 RPM, 100	1	P 6105D SE
BBM942N	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3489, 20, 254T, 230/460, 50.6/25.3, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL 7E	0	P 6105D SE
BXM801T	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; MODEL TBDP, 10 HP, 230/460 VAC, 26/13	3	P 6105D SE
AQQ821A	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 10, 230/460, 26.6/13.3, 60, 3, TDR-BE, 1.15, MOTOR, ALTERNATING CURRENT; TYPE TDR-BE, 10 HP,	0	P 6105D SE
AVJ304C	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 7-1/2, 213 JM, 230/460, 20.4/10.2, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE A-0	0	P 6105D SE

BBM847G	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3490, 7-1/2, 213T, 230/460, 18.6/9.3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 7.5 HP, 230/4 0	P	6105D SE
BBM920C	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1760, 15, 254T, 230/460, 41/20.5, 60, 3, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE TDR-B 0	C	6105D SE
BHF970N	AL	6-D-26-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700, 1/8, 230/460, 6.3/3.15, 3, *** FOR ACTUATORS, TYPE PB-2A	0	P 6105D SE
AJA993R	AL	6-D-28-10:	2	\$0.00	CASING	CASING, TYPICAL, QA 0, CASING, SERVO MOTOR, STM TURB; FOR MAIN TURBINE CONTROL VALVESERO MOTOR	0	P 2825G SE
BAR893T	AL	6-D-28-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1120/390, 15/5.6, 326TDZ, 460, 24/21, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; INDUCTION, T 0	P	6105D SE
CPD049V	AL	6-D-28-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1135, 1, 145T, 208/220/440, 3.9-3.9/1.95, 50/60, 3, B, 1.5, 40 DEG C, MODEL T2724-Y1, CODE G, DES B, 0	C	6105D SE
CFD154R	AL	6-D-28-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE AC; VOLTS: 460; RPM: 1770; HP: 30; FRAME: 324T;	3	B 6105D SE
ALR899P	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725/1140, 1-1/3, 56, 460, 1.7, 3, A, 1.25, 40 DEG C, **	0	P 6105D SE
ATB480C	AL	6-D-28-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 1, 143T, 230/460, 4/2, 3, F, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; MODEL SBFC, FRAME 1 0	P	6105D SE
AVB992Y	AL	6-D-28-30:	1	\$0.00	GEARMOTO	GEARMOTOR, TYPICAL, QA 0, 1730/540, 70:25, 460, 3, 1-1/2, GEARCASE, MOTOR; 1.500 HP, 460 VAC, 2.7/2 AMP, 3 PH, 1730/540 RPM, C. 0	P	3040D SE
AXY099X	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1140, 5, 215T, 230/460, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 5 HP, 230/460 VAC, 11 0	P	6105D SE
AYD530L	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750-865, 3-3/4, 182T, 460, 4.3/1.7, 3, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 3.75 HP, 460 0	P	6105D SE
BAJ789R	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1722, 3/4, 56C, 230/460, 3.44/1.72, 3, EXPLOSION PROOF, MOTOR, ALTERNATING CURRENT; 3 PH, EXPLOS 0	P	6105D SE
BJK127J	AL	6-D-28-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 15 FT LB START TORQUE, 3 FT LBRUN TORQUE	1	P 6105D SE
BXL599Y	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; TYPE PM, 3 PH, 0.75 HP-1780 RPM, 1.88 HP-890	3	B 6105D SE
BBM929E	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 15, 254T, 230/460 AC, 39.6/19.8, 60, 3, MOTOR, ALTERNATING CURRENT; 3 PH, 15 HP, 230/460 V 0	P	6105D SE
BEK491M	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1750, 3-1/2, 184T4, 220/440, 3, ***	0	P 6105D SE
BWL204Q	AL	6-D-28-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3555, 25, 284TS, 208/460, 57.8/28.9, 60, 3, F, MOTOR, ALTERNATING CURRENT; 25 HP, 3555 RPM, 60 HZ, 0	B	6105D SE
BNB367E	AL	6-D-30-20:	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, MOTOR ASSY, AIR START, STARTER MOTOR & MOUNTING, 1, ,CAT 302 PARTS LIST B25 PAGE 20, FOR RIGHT H, 1	C	29100 SE
CPL799L	AL	6-D-30-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3400, 2, FC56, 460, 3.5, 60, 3, TENV, H, 1.0, 60 DEG C, L.R. AMPS 26, TYPE P, INS TYPE RH, START 15 LB/F 0	C	6105D SE
BBM927J	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 7-1/2, L213HP10, 230/460, 20.4/10.2, 60, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; VER 0	P	6105D SE
BCB011B	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3495, 3, 182T, 460, 4.7, 60, 3, TE, F, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 3 HP, 460 VAC, 0	P	6105D SE
BCN430J	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 56C, 208/460, 1.4-1.3/0.65, 60, 3, 1.7-1.6/0.8, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 1 0	P	6105D SE
AYV113H	AL	6-D-30-30:	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; 1/3 HP, COMPLETE WITH MOTOR, 3450/2850 RPM	0	P 4320U SE
BAE621M	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3515, 5, 182TC, 230/460, 13.6/6.8, 3, B, 1.15, *** DESIGN B, CODE J	0	P 6105D SE
BBF833T	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1740/550, 1, 182TC, 460, 1.6/1.39, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME 182TC, 17 0	C	6105D SE
BBG359P	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 855, 1-1/2, 184T, 230/460, 5.6/2.8, 3, 1, *** ID PL86482E	0	P 6105D SE
BCM683E	AL	6-D-30-30:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1100, 1/2, 48Z, 460, 1.6, 50/60, 1, B, ***	0	P 6105D SE
BFF983E	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 480/575, 1, 213T, 208/460, 6.6-6/3, 3, 1.15, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 208-230/460 0	P	6105D SE
BFF984C	AL	6-D-30-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425/1725, 5, 184TZ, 208/460, 14-13/7-6.5, 3, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 5 0	P	6105D SE
ABR089A	AL	6-D-32-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 880, 1, 213, 240/480, 3, FAN	0	C 6105D SE
AYE193V	AL	6-D-32-20:	8	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1700/1800, 1/8, K48, 230/460, 0.45, 3, B, 1.0, 40 DEG C, MOTOR, AC; TYPE P, 3 PH, 0.125 HP, 230/460 0	C	6105D SE
ATK524X	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, 208/440, 1.1/0.55, 50/60, 3, A, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.250 HP, 0	P	6105D SE
AVE871V	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1720, C184Y, 230/460, 15.9/7.95, 60, 3, B, 1, 75 DEG C, MOTOR, ALTERNATING CURRENT; START TORQUE 0	P	6105D SE
AYA398X	AL	6-D-32-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 2, T5607, 230/460, 5.6/2.8, 3, B, 1.0, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 230/460 VAC, 5 0	P	6105D SE
BAA538W	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1600, 115, 0.32, MOTOR, ALTERNATING CURRENT; TYPE UIM8P15, 15 WATTS, 115 VAC, 0.32 AMP	0	P 6105D SE
BBD249E	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1745, 1-1/2, 145T, 230/460, 5.2/2.6, 3, TEFC, B, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 10	P	6105D SE
BCB017Y	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1730, 2, 145T, 460, 3, 60, 3, TBFC, F, 1.15, MOTOR, ALTERNATING CURRENT; MODEL TBFC, 3 PH, 2 HP, 460 0	P	6105D SE
BCX816C	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 2, 56, 208/460, 3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 2 HP, 208-230/460 VAC, 3450 0	P	6105D SE
BNC175J	AL	6-D-32-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 0.361, 250, 7.5, RH, 40 DEG C, MOTOR, DIRECT CURRENT; 250 VDC, 1900 RPM, 361 HP, AMP 7.5, RISE 0	B	6105D SE
AHR498H	AL	6-D-33-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, 14.44, D225N, 250, 51, B, 40 DEG C, MOTOR, DIRECT CURRENT; ELECTRIC, FRAME D225N, 1900 RPM 1 0	B	6105D SE
AXC283B	AL	6-D-33-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1900, L00186ARD, 250, 11.1, B, MOTOR, DIRECT CURRENT; 250.000 VDC, 011.100 AMPS, 1900.000 RPM	0	B 6105D SE
BNB753R	AL	6-D-33-20:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3, 184P, 460, 60, 3, ***	0	C 6105D SE
AYT918B	AL	6-D-33-30:	1	\$0.00	TRIM	TRIM, VALVE, QA 0, GLOBE, 3 IN, PLUG, STEM, GROOVE PIN, STEM ASSY, ; STEEL, REF 49, C/O STEM, 10A9265X602, PLUG, 24A114X012 0	C	48200 SE
BVA700H	AL	6-D-33-30:	4	\$0.00	SEAT	SEAT, VALVE, QA 0, GATE, SS/STELLITE, 8 IN, 600 LB, 6023WE, MATERIAL, STAINLESS STEEL ASTM A 182 GR F6A CLASS 2 WITH 11 1/2 0	C	48200 SE
BXY495P	AL	6-D-33-30:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC/DC, 230 AC/250 DC, SPRING CHARGING MOTOR, FOR GE MAGNE- BLAST BREAKERS, TYPE AM	0	B 6105D SE
CEY716P	AL	6-D-33-30:	1	\$0.00	STEM	STEM, VALVE, QA 1, STEM, VALVE *** SMART, MATERIAL: A564-630-1075, PART NUMBER 24, FOR 6"	1	C 48200 SE
AVV659N	AL	6-D-33-30:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 230, 0.3, *** 9 WATT	0	P 6105D SE
AXD172F	AL	6-D-33-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3/60/460 VAC INSULATION CLASS H, TYPE RH	1	B 6105D SE
BCD920F	AL	6-D-33-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; TYPE P, 3 PH, 0.67 HP, 230/460VAC, 60 HZ	2	P 6105D SE
BCV576G	AL	6-D-33-30:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/2, 48, 230, 3.3, 60, 1, B, ***	0	P 6105D SE
BTk685X	AL	6-D-33-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR GEN SET, ; SPECIAL PEN, FOR MODEL 640 RECORDER ***	3	B 6695D SE
BXL672F	AL	6-D-33-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 3 PHASE, 0.65 208-220/440 VAC, 1725/1425	3	C 6105D SE
BXP241V	AL	6-D-33-30:	7	\$0.00	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, RECORDER; PEN, RH ***	3	B 6695D SE
BXP242R	AL	6-D-33-30:	7	\$0.00	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, RECORDER; PEN, LH, FOR SERIES MODEL 6400H ***	3	B 6695D SE
BBM935K	AL	6-D-34-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3 PH, 9.45 HP, 230/460 VAC, 1655 RPM, 60	1	P 6105D SE
CDR815M	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 2, MOTOR, ALTERNATING CURRENT; FRAME-SIZE 284TZ, TYPE PB, INSULATION H	2	C 6105D SE

AFT709J	AL	6-D-34-30:	6	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, P56C, 460, 3, F, 1.25, MOTOR, ALTERNATING CURRENT; TYPE P, 1-.35 A, 1725 RPM, P56C FRAME 0	P	6105D SE
ATG819R	AL	6-D-34-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1, FB56, 230/460, 3.2/1.6, 3, P, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; FRAME FB56, TYPE 0	P	6105D SE
AVC457G	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; INDUCTION, 1.500 HP, 230/460 VAC, 5/2.500	3	P 6105D SE
AWV924P	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/3, EB56C, 115/230, 5.6/2.9, 1, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1/3 HP, 115/230 V.0	P	6105D SE
AXB686R	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/4, L48, 115/230, 5.2/2.6, 1, B, 1.35, 40 DEG C, MOTOR, ALTERNATING CURRENT; 115/230 VAC, 1 0	B	6105D SE
AXX463H	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1, 56-6, 230/460, 3.2/1.6, 3, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 1 HP, 230/460 VAC, 0	C	6105D SE
AYA052R	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/2, L556, 208/460, 2/1, 3, B, 1.0, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 0.5 HP, 208-2:0	P	6105D SE
AYA677R	AL	6-D-34-30:	4	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1625, 1/15, 208/240, 0.6, 1, *** MODEL KA55HXRF5-7846, FOR FAN ON SINGER MODEL 15-15 HEATER UNI 0	P	6105D SE
AYG341W	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/8, H42CZ, 230/460, 0.6/0.3, 3, BF, ***	0	C 6105D SE
BJN457D	AL	6-D-34-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/3, 56C, 115/230, 1, 5/8 IN, A, 1.85, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 1/3 HP, 115:0	P	6105D SE
BPL195W	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, DIRECT CURRENT; 125 VDC, SPRING CHARGING, S/N L115691, FOR	3	B 6105D SE
BXK808N	AL	6-D-34-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, MOTOR, ALTERNATING CURRENT; 3/60/460 WITH CLASS B INSULATION, RATED	1	P 6105D SE
ATJ538P	AL	6-D-35-20:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3, 115, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; TIMER, TYPE 117, 115 VAC, 2.7 WATT, 3 RPM 0	P	6105D SE
AVA155B	AL	6-D-35-20:	4	\$0.00	MOTOR	MOTOR, TYPICAL, QA 3, MOTOR ASSY, ELECTRIC; PEN,(NITRONAL DRIVE UNIT),FOR E20S	3	B 6105D SE
AVF992A	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1/60, 120, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 1/60 RPM,120 VAC,ROTATION LEFT,ON D 0	P	6105D SE
AWB802R	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 6, 115, 1, AI, 7-1/2, MOTOR, ALTERNATING CURRENT; CONTINUOUS DUTY, TYPE KYC-22T4, INSULATION 0	P	6105D SE
AWC029N	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 115/230, 33, 50/60, *** THERMALLY PROTECTED, TYPE U21, FOR ICE CONDENSER ICE MACHINE	0	P 6105D SE
AWE739M	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 30, 120, 50/60, MOTOR, ALTERNATING CURRENT; SYNCHRONOUS, 120 VAC, 30 RPM, 60/50 HZ,F	0	P 6105D SE
AWJ261W	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; TYPE SERI, GEAR HEAD, CHART CRIVE, 003.000	0	P 6105D SE
AWL925R	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 117, *** AGITATOR, WITH CABLE ASSY, FOR AMPEROMETRIC TITRATOR, SERIES A-790	0	P 6105D SE
AWM099J	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 300, 24, 4-20 MA, *** 005.000 WATTS, 001.000 MICROFARADS, FOR TURBIDITY RECORDER, MODEL	0	P 6105D SE
AWM131T	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 220, *** FOR AUTOMATIC PLANCHET CHANGER, MOD SSC-4	0	P 6105D SE
AXA688T	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 2, 27, MOTOR, DIRECT CURRENT; 27 VDC, 4 WATTS, 0-2 RPM, FOR TEMPERATURE	0	P 6105D SE
AXP791Y	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 60, 110/120, *** 003.000 WATTS	0	P 6105D SE
AXQ324R	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, ALTERNATING CURRENT; PEN DRIVE, WITH TWO LEADS, FORTEMPERATURE	0	P 6105D SE
AXQ342P	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1425, 1/30, 117, 0.55, 1, A, MOTOR, ALTERNATING CURRENT; SERIES, 1 PH, 1/30 HP, 117.000 VAC	0	P 6105D SE
AXT243F	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 115, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 9 WATTS, 115 VAC, 1550 RPM, CCW ROT 0	P	6105D SE
AXT244D	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550, 230, 0.35, COUNTERCLOCKWISE, MOTOR, ALTERNATING CURRENT; 055.000 W,CCW, 230.000 VAC, 0C 0	P	6105D SE
BAE669Q	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, CONTROL; SERVO, CHART DRIVE, 60 IN/HR, 40 RPH, FOR TEMP	3	P 6105D SE
BHK665V	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, MOTOR, DIRECT CURRENT; 8 VDC, 8 OHMS RESISTANCE, 1.8 DEG ANGLE PER	0	P 6105D SE
BYF320E	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ELECTRIC; TYPE: AC; VOLTS: 28/115; HERTZ: 60; PHASE: 1; RPM: 40	3	B 6105D SE
ATL362Q	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1550/1300, 1/20, 380/460, 0.7, 50/60, A, MOTOR, ALTERNATING CURRENT; ELECTRIC,FAN,CLASS A,0.050 0	P	6105D SE
AVA554W	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 1, AC, 3400, 1.9, 460, RH, 1.0, MOTOR, ALTERNATING CURRENT; START 15 FT LB, RUN 3 FT LB, 1.9 HP	1	P 6105D SE
AVW251J	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 0.04, 115, 1.4, *** MODEL KPT-F26, DWG ITEM 15, FOR HILLS-MCCANNA RAMCO ROTARY	0	P 6105D SE
AXV863B	AL	6-D-35-20:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1/6, 48, 115, 4, 1, A, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PHASE, 1/6 HP, 115 VAC, 4 AMPI 0	P	6105D SE
BCM301Q	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 4000, 18, 2.8, MOTOR, DIRECT CURRENT; PRINT, 30 WATTS, 18 VDC, 2.8 AMPS, 4000 RPM	0	P 6105D SE
BHJ361M	AL	6-D-35-20:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1075, 1/4, 48, 208/230, 1, 1/2 IN, MOTOR, ALTERNATING CURRENT; 1 PH, 1/4 HP, 208/230 VAC, 1075 RP 0	P	6105D SE
ADT505F	AL	6-D-35-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 3, 182T, 230/460, 8.6/4.3, 3, B, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; TYPE K, 3 PHASE, 3 F 0	P	6105D SE
ARE141E	AL	6-D-35-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1630, 1-1/2, 182TC, 460, 2.5, TDNV, 1, 90 DEG C, MOTOR, ALTERNATING CURRENT; TURNING GEAR, 1.500 I 0	P	6105D SE
AWR957J	AL	6-D-35-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1800, 56C, 460, 3.6, 3, 1, 40 DEG C, MOTOR, ALTERNATING CURRENT; 10 FT LB HP, 460.000 VAC, 003.600 0	P	6105D SE
BAM261M	AL	6-D-35-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1755, 3, 182HP, 230/460, 9.2/4.6, 3, 1.15, 40 DEG C, MOTOR, ALTERNATING CURRENT; 3 PH, 3 HP, 230/44 0	P	6105D SE
BBP282W	AL	6-D-35-30:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 4000, 18, 2.8, MOTOR, DIRECT CURRENT; 30 WATTS, 18 VDC, 2.8 AMPS, 4000 R/M, PRINT	0	P 6105D SE
BCQ758R	AL	6-D-35-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 1725, 1/20, 115, 0.65, A, 40 DEG C, MOTOR, DIRECT CURRENT; 1/20 HP, 115 VDC, 0.65 AMP, 1725 RPM, DI 0	P	6105D SE
BCR163L	AL	6-D-35-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, DC, 18, 2.8, MOTOR, DIRECT CURRENT; 30 WATTS, 18 VDC, 2.8 AMPS, PRINT, RIGHT REEL	0	P 6105D SE
BPM387E	AL	6-D-35-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1725, 1-1/2, 56HZ, 115/230, 18/9, 60, 1, 7/8 IN DIA X 2-1/4 IN LG, 1.15, COUNTERCLOCKWISE/CLOCKWIS 0	B	6105D SE
BYB080K	AL	6-D-35-30:	3	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 3, MOTOR, ALTERNATING CURRENT; 5 HP, 230/460 VAC, 184T FRAME, 1735	3	B 6105D SE
AGT702T	AL	6-D-36-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1720, 10, 215T, 230/460, 27.6/13.8, MOTOR, ALTERNATING CURRENT; TYPE A, 10 HP, 230/460 VAC, 27.6 0	P	6105D SE
ATX570E	AL	6-D-36-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 1445, 10, 215T, 380, 16.6, 50, 3, F, 1.0, 50 DEG C, MOTOR, ALTERNATING CURRENT; MODEL SBDP,STYLE 0	P	6105D SE
AXW878Q	AL	6-D-36-30:	1	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 3450, 1/2, C56J, 115/230, 8/4, 1, 2-1/2 IN, B, 40 DEG C, MOTOR, ALTERNATING CURRENT; 1 PH, 0.5 HP, 1' 0	P	6105D SE
AYV112K	AL	6-D-36-30:	1	\$0.00	PUMP	PUMP, CENTRIFUGAL, QA 0, PUMP UNIT, CENTRIFUGAL; 0.5 HP, COMPLETE WITH MOTOR, 3450/2850 RPM	0	P 4320U SE
BBE524D	AL	6-D-36-30:	2	\$0.00	MOTOR	MOTOR, ELECTRIC, QA 0, AC, 6.4, 5, 184T, 460, 6.4, 3, F, 1.15, MOTOR, ALTERNATING CURRENT; TYPE PM, 3 PH, 5 HP, 460 VAC, 6.4 AMP 0	P	6105D SE
BJV691B	AL	6-D-39-00:	1	\$0.00	BURNER	BURNER, TYPICAL, QA 0, BURNER ASSY, ; C/O BURNER AY TYPE P/N 60483685X EA OF ATOM, XD W/CP/G	0	P 4530F SE
BXK371D	AL	6-D-40-30:	2	\$0.00	ACTUATOR	ACTUATOR, PNEUMATIC, QA 0, ROTARY, ROTARY; RATED TORQUE 3000 LB-FT (4068 NM) AT 100	0	C 48104 SE
AAA347B	AL	7-A-01-10:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 1, SOCKETWELD, 2 IN, SS, 150 LB, 80, RAISED FACE, ASME SA182 GR F316L, STANDARD MILL FINISH, B16.5, FLANGE, P 1	C	4730P SE
AAJ357Y	AL	7-A-01-10:	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 2.0 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAK724Q	AL	7-A-01-10:	5	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1/4 IN, 1/4 IN, CS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA105, BLACK, FORGED, MSS SP-1	1	4730P SE
AAN397X	AL	7-A-01-10:	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE .75 IN, STAINLESS STEEL ASME SA 182	1	4730P SE



ACG493L	AL	7-A-01-10:	16	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1 IN, 1/2 IN, MALLEABLE IRON, 150 LB, MNPT, MNPT, 90, GALVANIZED, ** SURFACE TREATMENT: ZN COATED HOT-DIP	0	4730P SE
AJG987M	AL	7-A-01-10:	4	\$0.00	COUPLING	COUPLING, PIPE, QA 1, COUPLING, PIPE; INSULATING, NYLON ELECTRICALLY INSULATED, SCREWED	1	4730P SE
ALG252R	AL	7-A-01-10:	9	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 3/8 IN, MALE/FEMALE, COPPER ALLOY, SWEAT, 90, ***	0	4730P SE
AQR241P	AL	7-A-01-10:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1 1/4 IN, 1 1/4 IN, BRASS, 125 LB, FNPT, FNPT, 90, STANDARD MILL FINISH, ***	0	4730P SE
AQR311W	AL	7-A-01-10:	1	\$0.00	HINGE	HINGE, DOOR, QA 0, HINGE, DOOR; ELECTRIC, FOR PLANT SECURITY DOORS ***	0	4710Y SE
ART683B	AL	7-A-01-10:	18	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1/4 IN, MALE/FEMALE, COPPER ALLOY, SWEAT, 90, ***	0	4730P SE
ATK461V	AL	7-A-01-10:	1	\$0.00	HANGER	HANGER, PIPE, QA 0, 7/8 IN, CS, BOLTED, W/ WELDED BEAM ATTACHMENT, CARBON STEEL, WELDED BEAM ATTACHMENTS, COMPLETE WITH	0	4710Y SE
AVN910E	AL	7-A-01-10:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 1 IN, ALUMINUM, 150 LB, FLAT, ASTM B247 6061 T6, STANDARD MILL FINISH, B16.5, FLANGE, PIPE; ST	0	4730P SE
BAE863W	AL	7-A-01-10:	7	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, COAXIAL, 1 CONTACT, ***	0	5935B SE
BBN716T	AL	7-A-01-10:	16	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1/4 IN, COPPER, SWEAT, 45, STANDARD MILL FINISH, ***	0	4730P SE
BDE618P	AL	7-A-01-10:	5	\$0.00	HINGE	HINGE, TYPICAL, QA 0, STRAP, 0.060 IN, 8 IN, HINGE, STRAP; LENGTH: 08.000000 ( 8), WIDTH: 0.060000 ( NO. 0) ***	0	4710Y SE
BEF887G	AL	7-A-01-10:	4	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1/8 IN, COPPER ALLOY, 90, ***	0	4730P SE
BEW909Y	AL	7-A-01-10:	5	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, CONNECTOR, JACK; UHF, FEMALE JACK, 0.50 IN DIA, MATES WITH PL-259A	0	5935B SE
BFB306F	AL	7-A-01-10:	3	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, COAXIAL, BNC, *** FEMALE TO FEMALE TO PHONE PLUG	0	P 5935B SE
BFV896B	AL	7-A-01-10:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 3/4 IN, NICKEL ALLOY, 150 LB, 40S, RAISED FACE, ASTM B462, FLANGE, PIPE; STYLE: SOCKETWELD, NOM	0	4730P SE
BFV900V	AL	7-A-01-10:	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 1 IN, NICKEL ALLOY, 150 LB, 40S, RAISED FACE, ASTM B462, FLANGE, PIPE; STYLE: SOCKETWELD, NOM	0	4730P SE
BGF026G	AL	7-A-01-10:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1 IN, CARBON STEEL, 150 LB, RAISED FACE, ASTM A105, FORGED, FLANGE, PIPE; THREADED, NOM SIZE 1.0	0	4730P SE
BJG001G	AL	7-A-01-10:	2	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 0, COAXIAL, TYPE N FEMALE, FOR 1/2" LDF HELIAX CABLE.	0	5975B SE
BKC379L	AL	7-A-01-10:	30	\$0.00	GRIP	GRIP, TYPICAL, QA 0, GRIPPER, ION CHROMATO, ; STAINLESS STEEL, 0.187 DIA X 0.031 ID X 0.125	0	6630D SE
BKR829C	AL	7-A-01-10:	4	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
BLA692L	AL	7-A-01-10:	19	\$0.00	HEAD	HEAD, PRINT, QA 0, PRINT HEAD, ; THINKJET, FOR CHEMISTRY CONTROL. ***	0	7021A SE
BLD750W	AL	7-A-01-10:	1	\$0.00	LAMP	LAMP, HID, QA 0, DEUTERIUM, REPLACEMENT ASSY, WITH BRACKET, FOR	0	C 6625D SE
BTE616B	AL	7-A-01-10:	3	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 1-1/2 IN, 1-1/2 IN, SS, 150 LB, FNPT, FNPT, 90, ASME SA182 GR F316	0	4730P SE
BTH115J	AL	7-A-01-10:	3	\$0.00	TEE	TEE, PIPE, QA 3, STRAIGHT, 1 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, ALUMINUM, ASTM B247 6061 T6, 150 LB, TEE, PIPE; FIRST END NOM SIZE: C	3	4730P SE
BVA385J	AL	7-A-01-10:	2	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, COUPLING, FIBER OPTIC; 12A COUPLING PANEL ***	3	5825F SE
BVT692N	AL	7-A-01-10:	16	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/4 IN, 1 IN, 1 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3, 150 L	3	4730P SE
BYH031N	AL	7-A-01-10:	1	\$0.00	BOARD	BOARD, CIRCUIT, QA 0, CONDITIONING BOARD, FOR CEMS CO2 ANALYZER MODEL 41H	0	C 5999D SE
BYV009W	AL	7-A-01-10:	6	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: LONG 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
CAH635K	AL	7-A-01-10:	2	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 3/4 IN X 1/2 IN, REDUCING, CS, 3000 LB, SOCKETWELD, ASME SA105, STANDARD MILL FINISH, FORGED, B	1	4730P SE
CDE220R	AL	7-A-01-10:	2	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: 45 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
CEJ983X	AL	7-A-01-10:	1	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 1, CONNECTOR, CABLE; TYPE: PLUG/COAXIAL; ANGLE: STRAIGHT *** RG59B/U	1	B 5975B SE
CFN808N	AL	7-A-01-10:	10	\$0.00	TEE	TEE, TUBING, QA 3, UNION, 5/8 IN, SS, MNPT	3	4710Z SE
AKE835H	AL	7-A-01-20:	5	\$0.00	BAFFLE	BAFFLE, OIL, QA 0, BAFFLE, PUMP; OIL, FOR TYPE HVCN, SIZE 016.000IN, ONE STAGE, 11200.000	0	C 4320U SE
BFG582V	AL	7-A-01-20:	2	\$0.00	PENETRATI	PENETRATION, ELECTRICAL, QA 1, CONDUIT SEAL ASSEMBLY, #14 AWG, 2, 72 IN X 300 IN, .075 IN MALE, FITTINGS BOTH ENDS, 0.375 IN	1	C 5975B SE
BKP036H	AL	7-A-01-20:	3	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN ( 4), SECOND END NOM SIZE:	3	4730P SE
BKR373X	AL	7-A-01-20:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BKR756D	AL	7-A-01-20:	12	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3), SECOND END NOM SIZE:	3	4730P SE
BKR816M	AL	7-A-01-20:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BKR820A	AL	7-A-01-20:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3	4730P SE
BKR822T	AL	7-A-01-20:	9	\$0.00	CROSS	CROSS, PIPE, QA 3, CROSS, PIPE; STYLE: STRAIGHT, MATERIAL: MALLEABLE IRON, MATERIAL SPEC:	3	4730P SE
BLA696C	AL	7-A-01-20:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3), SECOND END NOM SIZE:	3	4730P SE
BLL448C	AL	7-A-01-20:	11	\$0.00	SCREW	SCREW, CAP, QA 1, 1-3/4 IN, 5-1/2 IN, 5, HEX, CS, ASTM A354, UNC, SCREW, CAP; HEX HEAD CAP, TRACE: GG32, MATERIAL: 4140, HARDM	1	5305J SE
BPW858W	AL	7-A-01-20:	10	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL, ASME SA105K03504	1	4730P SE
BRX747L	AL	7-A-01-20:	4	\$0.00	OUTLET	OUTLET, PIPE, QA 1, CLASS 2, BRANCH CONNECTION, 14 IN, 1 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, FORGED	1	4730P SE
BTV480J	AL	7-A-01-20:	2	\$0.00	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: SQ HD CORED, MATERIAL: MALLEABLE IRON, NOMINAL:	3	4730P SE
BVF041G	AL	7-A-01-20:	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE
AAJ367V	AL	7-A-01-20:	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 1.5 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAJ377Q	AL	7-A-01-20:	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 1.0 IN, STAINLESS STEEL ASME SA 182	1	4730P SE
AAP361E	AL	7-A-01-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; BLIND, NOM SIZE .75 IN, CARBON STEEL ASME SA 105 K03504	1	P 4730P SE
APN898N	AL	7-A-01-20:	1286	\$0.00	SPLICE	SPLICE, CABLE, QA 2, CONDUCTOR, #22-#16 AWG, SOLID/STRANDED, CRIMP, ***	2	5940I SE
AQT645R	AL	7-A-01-20:	4	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 IN, 1 IN, STAINLESS STEEL, 3000 LB, SOCKETWELD, SOCKETWELD, 90, STANDARD MILL FINISH, I	0	4730P SE
BAB090C	AL	7-A-01-20:	1	\$0.00	RELAY	RELAY, LATCHING, QA 1, RELAY, ELECTROMAGNETIC; MAGNETIC LATCHING, 600 VAC MAX, 2-POLE, 7200	1	P 5945D SE
BAW335E	AL	7-A-01-20:	8	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 2 IN, SHORT, COPPER ALLOY, SWEAT, 90, ELBOW, TUBE; 90 DEG, COPPER ALLOY, FIRST ID 2.0 IN END STYLE SOLDE	0	4730P SE
BCT729N	AL	7-A-01-20:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 0, 2.0 IN, 2 IN, BRASS, 125 LB, FNPT, FNPT, 90, STANDARD MILL FINISH, ***	0	4730P SE
BFM784M	AL	7-A-01-20:	9	\$0.00	RETAINER	RETAINER, TYPICAL, QA 0, PLASTIC, PLASTIC, FOR GAS AND VAPOR CARTRIDGES AND PREFILTER COMBINATIONS	0	4240P SE
BFV895D	AL	7-A-01-20:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 3 IN, NICKEL ALLOY, 150 LB, 40S, RAISED FACE, ASTM B462, FLANGE, PIPE; STYLE: SOCKETWELD, NOM	0	4730P SE
BGR722H	AL	7-A-01-20:	8	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: MALLEABLE IRON, 1 ST END NOM	3	4730P SE

BQ416H	AL	7-A-01-20:	4	\$0.00	WINDOW	WINDOW, INSPECTION, QA 0, WINDOW, OBSERVATION; DETECTOR, 80 MGM/CM(2), FOR ALPHA/BETA COUNTER	0	C	5680B SE
BKY874D	AL	7-A-01-20:	6	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3		4730P SE
BLC558E	AL	7-A-01-20:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3		4730P SE
BRE038N	AL	7-A-01-20:	1	\$0.00	TAPE	TAPE, TYPICAL, QA 0, PAPER, COMP MACH; NAGASE, ELECTROSENSITIVE	0		7420T SE
BTB323A	AL	7-A-01-20:	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG, MATERIAL: CARBON STEEL, 1 ST END NOM SIZE:	3		4730P SE
BTY378E	AL	7-A-01-20:	4	\$0.00	TEE	TEE, TUBING, QA 3, FEMALE, 1-1/2 X 1-1/2 X 1 IN, COPPER ALLOY, SOLDER, B16.22	3		4730P SE
BTY386F	AL	7-A-01-20:	10	\$0.00	REDUCER	REDUCER, TUBING, QA 3, COUPLING, 1-1/2 IN X 1 IN, COPPER, SOLDER, B16.22	3		4730P SE
BTY387D	AL	7-A-01-20:	9	\$0.00	REDUCER	REDUCER, TUBING, QA 3, COUPLING, 1-1/2 IN X 1/2 IN, COPPER, SOLDER, B16.22	3		4730P SE
BVA038Y	AL	7-A-01-20:	200	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER:	1		5305J SE
BVT771T	AL	7-A-01-20:	7	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1-1/2 IN, 1-1/2 IN, 1/2 IN, FNPT, FNPT, MALLEABLE IRON, ASTM A197, HOT DIPPED GALVANIZED, B16.3	3		4730P SE
BVT774L	AL	7-A-01-20:	5	\$0.00	REDUCER	REDUCER, PIPE, QA 3, CONCENTRIC, 4 IN, 2-1/2 IN, BUTTWELDED, BUTTWELDED, CS, 40, ASTM A234 GR WPB, HOT DIPPED GALVANIZED, B16.9,	3		4730P SE
BVT796A	AL	7-A-01-20:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.000 IN ( 2), SECOND END NOM SIZE:	3		4730P SE
BVT844R	AL	7-A-01-20:	5	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
BVT847K	AL	7-A-01-20:	4	\$0.00	OUTLET	OUTLET, PIPE, QA 3, OUTLET, PIPE; STYLE: THREADED, MATERIAL: GALVANIZED STEEL, RUN END	3		4730P SE
BVT848H	AL	7-A-01-20:	1	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
BVT850A	AL	7-A-01-20:	4	\$0.00	OUTLET	OUTLET, PIPE, QA 3, BRANCH CONNECTION, 4 IN, 2-1/2 IN, CS, 3000 LB, THREADED INTERNAL, ASTM A105, FORGED, GALVANIZED	3		4730P SE
BVT851W	AL	7-A-01-20:	3	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
BVT852T	AL	7-A-01-20:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
BVW004L	AL	7-A-01-20:	11	\$0.00	BOARD	BOARD, TERMINAL, QA 1, 300, 15, 4, CONNECTION TYPE: SCREW, BOARD MATERIAL: DIALLYL PHTHALATE,	1		5940I SE
BKP031V	AL	7-A-01-30:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3), SECOND END NOM SIZE:	3		4730P SE
BKR374V	AL	7-A-01-30:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
BKR809K	AL	7-A-01-30:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3), SECOND END NOM SIZE:	3		4730P SE
BKR815P	AL	7-A-01-30:	4	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; REDUCING, CLASS 150, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BLA183A	AL	7-A-01-30:	6	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	3		4730P SE
AA6687K	AL	7-A-01-30:	19	\$0.00	TEE	TEE, PIPE, QA 1, TEE, PIPE; REDUCING, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
AAK357R	AL	7-A-01-30:	4	\$0.00	FLANGE	FLANGE, PIPE, QA 1, FLANGE, PIPE; SOCKETWELD, NOM SIZE 2.0 IN, CARBON STEEL ASME SA 105	1		4730P SE
AKH513Q	AL	7-A-01-30:	11	\$0.00	FAUCET	FAUCET, PLUMBING, QA 0, FAUCET, SINGLE; 2 IN MPT, STEEL, LOCK FAST ***	0		4710W SE
AQB325R	AL	7-A-01-30:	1	\$0.00	RING	RING, TYPICAL, QA 0, RING, LENS; LENS, FOR ULTRAVUE RESPIRATOR ***	0		4240P SE
AQT211V	AL	7-A-01-30:	49	\$0.00	ELBOW	ELBOW, PIPE, QA 0, LONG RADIUS, 1 IN, 1 IN, CS, 3000 LB, SOCKETWELD, SOCKETWELD, 45, BLACK, FORGED, ASME SA105	0		4730P SE
ATK012G	AL	7-A-01-30:	6	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, 1-1/2 IN, FULL, SS, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FORGED, B16.11, COUPLING,	1		4730P SE
ATY458P	AL	7-A-01-30:	3	\$0.00	ELBOW	ELBOW, PIPE, QA 0, SHORT RADIUS, 4 IN, 4 IN, CPVC, SOCKET, SOCKET, 90, ASTM F439, 80, **	0		4730P SE
AWM654R	AL	7-A-01-30:	2000	\$0.00	FORM	FORM, PREPRINTED, QA 0, FORM, PRINTED; RECORD CARD, PEAK VELOCITY F.S.( IN/SEC ) PER FREQUENCY	0		75300 SE
BAW345B	AL	7-A-01-30:	14	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 2 IN, SHORT, COPPER ALLOY, SWEAT, 45, ELBOW, TUBE; 45 DEG, COPPER ALLOY, FIRST ID 2.0 IN END STYLE SOLDE	0		4730P SE
BBY102N	AL	7-A-01-30:	5	\$0.00	ELBOW	ELBOW, PIPE, QA 1, CLASS 2, ELBOW, PIPE; 90 DEG, CLASS 6000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
BGR589Q	AL	7-A-01-30:	11	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; FULL, CLASS 300, MALLEABLE IRON ASTM A 197 F22000	3		4730P SE
BKP029E	AL	7-A-01-30:	5	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 04.000 IN ( 4), SECOND END NOM SIZE:	3		4730P SE
BKR810D	AL	7-A-01-30:	7	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3), SECOND END NOM SIZE:	3		4730P SE
BPK126M	AL	7-A-01-30:	5	\$0.00	UNION	UNION, PIPE, QA 3, STRAIGHT, 3 IN, 3 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, B16.39	3		4730P SE
BVA410R	AL	7-A-01-30:	7	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 1-1/4 IN X 1/4 IN, STAINLESS STEEL, HEXAGON, MNPT X FNPT, ASME SA182 GR F316, BUSHING, PIPE; STYLE: HEX HE	0		4730P SE
AAM774Y	AL	7-A-03-10:	10	\$0.00	UNION	UNION, PIPE, QA 1, UNION, PIPE; STRAIGHT, CLASS 3000, CARBON STEEL ASME SA 105 K03504	1		4730P SE
ABG052G	AL	7-A-03-10:	4	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3/4 IN, DRESSER, 65, MALLEABLE IRON, 150 LB, SLIP JOINT, ZINC COATED ELECTRO GALV, COUPLING, SLIP JOINT PII	0		4730P SE
ABP017E	AL	7-A-03-10:	700	\$0.00	SPLICE	SPLICE, CABLE, QA 1, QUICK DISCONNECT, 0.250 IN X 0.032 IN, TERMINAL, QUICK DISCONNECT; INSUL, TAB EXTERNAL,MALE, TAB SIZE, .25	1		5940I SE
ADG193T	AL	7-A-03-10:	11	\$0.00	OUTLET	OUTLET, PIPE, QA 0, BRANCH CONNECTION, 12 - 10 IN, 1 IN, CS, ASTM A350 GR LF2, 80, FORGED, BLACK, OUTLET, PIPE; STYLE: SOCKOLE	0		4730P SE
ADG851E	AL	7-A-03-10:	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3 IN, IRON, 150 LB, FNPT, GALVANIZED, CAST, *** STYLE: COUPLING	0		4730P SE
AFG495X	AL	7-A-03-10:	3	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, HOT DIPPED GALVANIZED, 150 LB, ***	0		4730P SE
AJR155M	AL	7-A-03-10:	4	\$0.00	BODY	BODY, CONDUIT, QA 0, FSC, 1 IN, COPPER FREE ALUMINUM, THREADED, ** ENTRANCE TYPE: THREADED RIGID HUB, CONDUIT TYPE ACCEPT:	0		5975B SE
AMG241Q	AL	7-A-03-10:	7	\$0.00	BUSHING	BUSHING, PIPE, QA 0, 4 IN X 2 IN, MALLEABLE IRON, HEXAGON, MNPT X FNPT, ASTM A197, BUSHING, PIPE; STYLE: HEX HEAD, LARGER END	0		4730P SE
ANG465V	AL	7-A-03-10:	12	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, BRASS, FNPT, COUPLING HALF, QUICK DISCONNECT; MATERIAL: BRASS, SECOND	0		4730P SE
APG144A	AL	7-A-03-10:	24	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/4 IN, HALF/QUICK DISCONNECT, BRASS, MNPT, FIRST END TYPE: 2 LUG UNIVERSAL	0		4730P SE
AQG073P	AL	7-A-03-10:	25	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 2 IN, 2 IN, 2 IN, SOCKETWELD, SOCKETWELD, CS, BLACK, FORGED, 3000 LB	0		4730P SE
AVA449R	AL	7-A-03-10:	6	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1/2 IN, DRESSER, 65, MALLEABLE IRON, 150 LB, SLIP JOINT, ZINC COATED ELECTRO GALV, *** FIRST END TYPE: COM	0		4730P SE
BKR375R	AL	7-A-03-10:	3	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; COUPLING, CLASS 3000, STAINLESS STEEL, ASME SA 182, GR	1		4730P SE
BLD362T	AL	7-A-03-10:	4	\$0.00	COUPLING	COUPLING, PIPE, QA 1, CLASS 2, REDUCER, PIPE; STYLE: COUPLING, MATERIAL: STAINLESS STEEL, FIRST END	1		4730P SE
BEM167L	AL	7-A-03-10:	2	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 2 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CARBON STEEL, ASTM A234 GR WI	0		4730P SE
BFK923C	AL	7-A-03-10:	17	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; STRAIGHT, CLASS 150, MALLEABLE IRON, OUTSIDE BLACK	3		4730P SE
BJE806Q	AL	7-A-03-10:	71	\$0.00	BOLT	BOLT, HEX, QA 3, BOLT, MACHINE; HEX HEAD, 1.25 OD X 5 IN LG, FOR CENTRIFUGAL PUMP, TYPE	3		4320U SE
BPG600F	AL	7-A-03-10:	3	\$0.00	STRAINER	STRAINER, Y, QA 3, 3 IN, CAST IRON/BRONZE, 125 PSI, FLANGED, STRAINER, ; CAST IRON BODY, CLEANOUT SIZE 3 IN, Y-PATTERN, FLANGE	3		4730P SE

ABP017E	AL	7-A-03-20	4	\$0.00	SPLICE	SPLICE, CABLE, QA 1, QUICK DISCONNECT, 0.250 IN X 0.032 IN, TERMINAL, QUICK DISCONNECT; INSUL, TAB EXTERNAL, MALE, TAB SIZE, .251	5940I SE
ACG896X	AL	7-A-03-20	1	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 IN, 3/4 IN, SOCKETWELD, SOCKETWELD, CS, 3000 LB, ASTM A105, BLACK, FORGED, SOCKETWELD, '0	4730P SE
ACT497Q	AL	7-A-03-20	10	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 125, LAMPHOLDER, ELECTRIC; INDICATING LAMP, (PILOT LAMP) 4" LEADS, W/LENS,	6250D SE
AE6296A	AL	7-A-03-20	1	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1/2 IN, HALF/QUICK DISCONNECT, FNPT, COUPLING HALF, QUICK DISCONNECT; MATERIAL: CARBON STEEL, SECONC 0	4730P SE
AEG455G	AL	7-A-03-20	9	\$0.00	COUPLING	COUPLING, TYPICAL, QA 0, TUBING, 1-1/4 IN, COPPER, SWEAT, COUPLING, TUBE; STYLE: FULL, MATERIAL: COPPER ALLOY, NOMINAL SIZE: 0	4730P SE
AGX261E	AL	7-A-03-20	10	\$0.00	CARTRIDGE	CARTRIDGE, INK, QA 0, INK, RECORDING INSTRUMENT; BLUE, CARTRIDGE, FOR RECORDER, MODEL 2550	7510U SE
AJD940B	AL	7-A-03-20	2	\$0.00	TUBE	TUBE, TYPICAL, QA 0, TUBE, ; COOL-FLO, FULLY INSULATED, WITH ADAPTER ELBOW AND TEMPERATURE	8415B SE
AJY552H	AL	7-A-03-20	7	\$0.00	CLAMP	CLAMP, C, QA 0, 1-1/4 IN, MALLEABLE IRON, CLAMP, C; MALLEABLE IRON, 001.250IN, BLACK ***	5120M SE
AKR336B	AL	7-A-03-20	1	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 0, 6 IN, POLYOLEFIN, 3/8 IN, BLACK, INSULATION SLEEVING, ELECTRICAL	5970B SE
ATQ587B	AL	7-A-03-20	7	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1/4 IN, STAINLESS STEEL, FNPTF X TUBE, 90, ASME SA182 GR F316, ELBOW, PIPE TO TUBE; FITTING STYLE: 90 DEG 0	C 4730P SE
AVK703Q	AL	7-A-03-20	18	\$0.00	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.065 IN, 10 FT (120 IN), TEFZEL, TUBING, CHROMATOGRAPH; TEFZEL (FLUOROPOLYMER RESIN) 0	C 6630D SE
AWB600H	AL	7-A-03-20	7	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 1/4 IN, 8-1/4 IN, GLASS, 3/8 IN, TUBING, GLASS; 000.375 OD X 000.250 ID X 008.250 IN LG, FOR 0-20 SCFH 0	5680B SE
AWT496P	AL	7-A-03-20	10	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/4 IN, HALF/QUICK DISCONNECT, ALUMINUM, *** FOR SANDBLASTER, MODEL NO SCW-1440, S/N 16838	4730P SE
BAX773G	AL	7-A-03-20	1	\$0.00	SPARE PAR	SPARE PART, ENGINE, QA 1, HOSE ASSEMBLY, AIR SUPPLY FROM SOLENOID VALVE, 10, 16-645E4, NONMETALLIC, RUBBER, 0.625 OD X 15 1	2910O SE
BBF119H	AL	7-A-03-20	5	\$0.00	ELBOW	ELBOW, TUBING, QA 3, 1/2 IN, UNION, CS, COMPRESSION, 90, STANDARD MILL FINISH	3 4730P SE
BBF397L	AL	7-A-03-20	8	\$0.00	TEE	TEE, PIPE, QA 3, REDUCING, 1/2 IN, 3/8 IN, 1/2 IN, MNPT, FNPT, MNPT, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S316 3	4730P SE
BBH349M	AL	7-A-03-20	8	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 1-1/2 IN, FEMALE, COPPER, SWEAT, 45, ***	4730P SE
BBV612D	AL	7-A-03-20	3	\$0.00	CLIP	CLIP, TYPICAL, QA 0, CLIP, RECORDER; STEEL, THREE PER SET, FOR MAGNETIC TAPE, ON PEAK	6695D SE
BCL694E	AL	7-A-03-20	12	\$0.00	PAD	PAD, TYPICAL, QA 0, WEAR PAD, AIR MASK; HARNESS, FOR AIR MASK, MODEL 401, P/N 461947 ***	4240P SE
BDJ017L	AL	7-A-03-20	105	\$0.00	BOLT	BOLT, ROUND HEAD, QA 0, SQUARE NECK, 5/16 IN, 3-1/2 IN, 18, CARBON STEEL, UNC, BOLT, SQUARE NECK, ; CARBON STEEL, NOMINAL DI. 0	5305J SE
BEB107V	AL	7-A-03-20	1	\$0.00	SCALE	SCALE, TYPICAL, QA 0, SCALE ASSY, ; C/O METAL BASE, RETAINING DEVICE, AND UNSEALED GLASS	7021A SE
BEQ922T	AL	7-A-03-20	3	\$0.00	GLASS	GLASS, GAUGE, QA 0, TUBING, GLASS; 8.25 IN LONG, FOR METER, FLOW RATE IND, FLOAT TYPE ***	5680B SE
BFA327B	AL	7-A-03-20	150	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 0, 1/4 IN X 2 1/4 IN, BRASS, BARBED, NIPPLE, TUBE; BRASS, FIRST ID .25 IN END STYLE BARBED OR BEADED LG 0	4320U SE
BFR354T	AL	7-A-03-20	1	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 1/2 X 3/4 IN, NICKEL ALLOY, 3000 LB, SOCKETWELD, ASTM B462 CARPENTER, *** STYLE: COUPLING, FIRST END 1 0	4730P SE
BHA884X	AL	7-A-03-20	10	\$0.00	BASE	BASE, MOUNTING, QA 0, MOUNT, RESILIENT, SHOCK, CENTER HOLE, RUBBER, 3 IN SQUARE, WITH ONE	4710Y SE
BHF003P	AL	7-A-03-20	4	\$0.00	NUT	NUT, HEX, QA 3, NUT, PLAIN, HEXAGON, ; STEEL, TOP, 1.125-12 NF, FOR 12.00 IN FIRE PUMP	3 4730P SE
BHH865X	AL	7-A-03-20	5	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; STYLE: HEX LONG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	1 4730P SE
BHL270R	AL	7-A-03-20	30	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 0.037 IN, TEFZEL, 0.065 IN, TUBING, NONMETALLIC; TEFZEL, 0.037 ID X 0.065 IN OD ***	4720O SE
BJE268R	AL	7-A-03-20	9	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SHIM, PRECUT; STAINLESS STEEL, SQUARE, 5 IN X 5 IN X 0.003 IN THICK	3 5305J SE
BJQ623C	AL	7-A-03-20	17	\$0.00	COMPOUND	COMPOUND, SEALING, QA 0, 25 FT, WIRE, ROLL, SEALING, COMPOUND; WIRE, 25 FT PER ROLL, FOR AUDION SEALMASTER ***	0 8030W SE
BKN794L	AL	7-A-03-20	2	\$0.00	STRAINER	STRAINER, TYPICAL, QA 3, STRAINER, SEDIMENT; STAINLESS STEEL MESH, 0.375 INOIL, FOR BOARD ROOM	3 4730P SE
BKR068R	AL	7-A-03-20	165	\$0.00	GROMMET	GROMMET, TYPICAL, QA 0, 1/4 IN, 1/2 IN, RUBBER, BLACK, GROMMET, NONMETALLIC; RUBBER, BLACK, 0.5 OD X 0.25 IN ID ***	0 5305J SE
BLA858C	AL	7-A-03-20	300	\$0.00	SILENCER	SILENCER, TYPICAL, QA 3, SILENCER, ; RUBBER, HOLE SIZE 0.281 IN, FOR METAL DOOR FRAME ***	3 P 5670A SE
BLG952M	AL	7-A-03-20	4	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 2, STRAIGHT, 1 IN, 1 IN, SS, SOCKETWELD, SOCKETWELD, 3000 LB, ASME SA182 GR F316, STANDARD MILL FINI 1	4730P SE
BLL976J	AL	7-A-03-20	24	\$0.00	ELBOW	ELBOW, TYPICAL, QA 0, HOSE, 5/8 IN, BRASS, MALE TUBE X FEMALE TUBE, 90, *** I.A.A. 5/8 -18 MALE NUT TO 5/8 IN -18 FEMALE	0 3433A SE
BNM502G	AL	7-A-03-20	5	\$0.00	BUSHING	BUSHING, TYPICAL, QA 0, BUSHING, ; STEM BUSHING, UPPER AND LOWER, CR575HECN82-8269 ***	0 4710Y SE
BNM828G	AL	7-A-03-20	2	\$0.00	BRACKET	BRACKET, MOUNTING, QA 0, BRACKET, MOUNTING; BRACKET, 3 EACH PER BAG ***	0 4710Y SE
BPC306Q	AL	7-A-03-20	2	\$0.00	HANDLE	HANDLE, TYPICAL, QA 0, HANDLE, ; REX CUP AND DROP HANDLE W/NO 28 SUPPORT PAD ***	0 4710Y SE
BPC578M	AL	7-A-03-20	8	\$0.00	NUT	NUT, TUBING, QA 0, 3/8 IN, ***	0 4730P SE
BTY897M	AL	7-A-03-20	4	\$0.00	NUT	NUT, TUBING, QA 1, CLASS 2, NUT, TUBE COUPLING; MATERIAL: STAINLESS STEEL, STYLE: HEX STANDARD	1 4730P SE
BVA387E	AL	7-A-03-20	30	\$0.00	BARREL	BARREL, TYPICAL, QA 3, BUILDOUT BARREL, FIBER OPTIC; 1300 NM WAVELENGTH, 0 ATTEN. ***	3 5825F SE
BVJ693X	AL	7-A-03-20	1	\$0.00	DOOR	DOOR, PASSAGEWAY, QA 3, DOOR, RELEASE; ELECTRIC, 120VAC 60 HZ, 150 AMP, FOR SLIDING FIRE DOORS	3 4710Y SE
BYQ781F	AL	7-A-03-20	1	\$0.00	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; MATERIAL: STAINLESS STEEL, NOMINAL SIZE:	3 4730P SE
CAB949T	AL	7-A-03-20	1	\$0.00	ROD	ROD, TYPICAL, QA 1, CLASS 2, VALVE, 2-1/2 IN, ALLOY STEEL, ROD, VALVE; ASME SA 193 GR B7, PLAIN, 2.5" DIAMETER ***	1 4820O SE
CEH405D	AL	7-A-03-20	8	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL, *TYPICAL; TYPE: GLAND *** GLAND SEAL	0 6210P SE
CEN328A	AL	7-A-03-20	2	\$0.00	SCREW	SCREW, SOCKET, QA 0, 5/8 IN, 2 IN, 11, CS, UNC, ASTM A574, HEAD: SOCKET; THREAD DIRECTION: RIGHT HAND	0 5305J SE
ACR669T	AL	7-A-03-20	27	\$0.00	BODY	BODY, CONDUIT, QA 0, LR, 3/4 IN, CAST ALUMINUM, ***	0 5975B SE
ADL907R	AL	7-A-03-20	1	\$0.00	ALARM	ALARM, TYPICAL, QA 0, ALARM, WARNING DEVICE; WARNING DEVICE, AUDIBLE, SOLIDSTATE, FREQUENCY	0 6350B SE
ADR660J	AL	7-A-03-20	13	\$0.00	BODY	BODY, CONDUIT, QA 0, LL, 1-1/2 IN, CAST ALUMINUM, ***	0 5975B SE
AHW214N	AL	7-A-03-20	2	\$0.00	TUBE	TUBE, METERING, QA 0, TUBING, GLASS; METERING, FOR SCHUTTE AND KOERTING ROTOMETER ***	0 C 5680B SE
AMC118C	AL	7-A-03-20	160	\$0.00	ADAPTER	ADAPTER, ELECTRICAL, QA 0, CABLE, *** FOR LINDE HW-9 TIG WELDING TORCH	0 3433A SE
ARL576B	AL	7-A-03-20	3	\$0.00	ALARM	ALARM, TYPICAL, QA 0, ALARM-MONITOR, ; MODEL MVA, 117VAC, 5W, OUTPUT OPTION X3, DUAL TRIP POINT	0 6350B SE
AWD861X	AL	7-A-03-20	3	\$0.00	SCREW	SCREW, SOCKET, QA 0, 7/16 IN, 1-1/4 IN, STEEL, SCREW, CAP, SOCKET HEA, ; STEEL, IMPELLER, 000.437X 001.250 IN	0 4320U SE
AWR779G	AL	7-A-03-20	6	\$0.00	SCREW	SCREW, SET, QA 0, 1/2 IN, 1/2 IN, 13, ALLOY STEEL, UNC, *** INTERNAL DRIVE STYLE: ALLEN, HEAD STYLE: SOCKET	0 5305J SE
BBE494V	AL	7-A-03-20	27	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3 4730P SE
BBE505J	AL	7-A-03-20	8	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3 4730P SE
BBE825Y	AL	7-A-03-20	9	\$0.00	ELBOW	ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, STANDARD MILL FINISH, FIRST ID .5	3 4730P SE

BBF683K	AL	7-A-03-20:	10	\$0.00	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .375	3	4730P SE
BBF684H	AL	7-A-03-20:	9	\$0.00	PLUG	PLUG, TUBING, QA 3, PLUG, TUBE FITTING THREAD; BRASS, STANDARD MILL FINISH, FIRST ID .5 IN	3	4730P SE
BBL247E	AL	7-A-03-20:	17	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, RECHARGEABLE, NICKEL CADMIUM, 9, TRANSISTOR	0	P 6140C SE
BBV170Y	AL	7-A-03-20:	5	\$0.00	COUPLING	COUPLING, PIPE, QA 3, COUPLING, PIPE; INST. PIPE,FEMALE HEX, BRASS, OUTSIDE STANDARD MILL	3	4730P SE
BEQ601G	AL	7-A-03-20:	50	\$0.00	ELBOW	ELBOW, TUBING, QA 3, 1/4 IN, LONG, COPPER, SOLDER, 90	3	4730P SE
BEY514B	AL	7-A-03-20:	3	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, BATTERY, RECHARGEABLE; ELECTROLYTE: NICKEL CADMIUM ***	0	6140C SE
BGR760L	AL	7-A-03-20:	6	\$0.00	CAP	CAP, PIPE, QA 3, CAP, PIPE; NOMINAL SIZE: 01.000 IN ( 1), MATERIAL: MALLEABLE IRON, END	3	4730P SE
BHG778X	AL	7-A-03-20:	25	\$0.00	CLAMP	CLAMP, HOSE, QA 3, CLAMP, HOSE; WORM GEAR, STAINLESS STEEL, CUMMINS PART NO. 43828-B. ***	3	4730P SE
BJE250Q	AL	7-A-03-20:	46	\$0.00	SHIM	SHIM, TYPICAL, QA 3, 1/8 IN, SS, 5 IN, 5 IN, SHIM, PRECUT; STAINLESS STEEL, SQUARE, 5 IN X 5 IN X 0.125 IN THICK	3	5305J SE
BJK053C	AL	7-A-03-20:	30	\$0.00	NIPPLE	NIPPLE, PIPE, QA 1, CLASS 2, NIPPLE, PIPE; LONG, SCHEDULE 80S, STAINLESS STEEL ASME SA 312 TP 316	1	4730P SE
BKK465P	AL	7-A-03-20:	6	\$0.00	BATTERY	BATTERY, DRY CELL, QA 0, RECHARGEABLE, NICKEL CADMIUM, 7.5, 1700 MAH	0	B 6140C SE
BKR824N	AL	7-A-03-20:	3	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 90 DEG REDUCING STD, MATERIAL: MALLEABLE IRON, 1	3	4730P SE
BLA173D	AL	7-A-03-20:	15	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, FNPT, BRASS, STANDARD MILL FINISH, 125 LB	0	4730P SE
BLC723R	AL	7-A-03-20:	15	\$0.00	PIN	PIN, DOWEL, QA 3, PIN, STRAIGHT HEADLESS; DOWEL, COVER LOCATING, 0.50 X 2.75 IN, FOR	3	2825G SE
BLD409V	AL	7-A-03-20:	4	\$0.00	PLUG	PLUG, PIPE, QA 1, PLUG, PIPE; 0.375 - .025 ORIFICE BRASS, FOR DIESEL ENGINE ***	1	29100 SE
BRW378Y	AL	7-A-03-20:	13	\$0.00	ELBOW	ELBOW, TUBING, QA 1, ELBOW, TUBE; STYLE: SHORT 90 DEG, MATERIAL: COPPER, 1 ST END NOM SIZE:	1	4730P SE
BVD673X	AL	7-A-03-20:	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, STREET, 1/4 IN, 1/4 IN, BRASS, FNPT, MNPT, 90, STANDARD MILL FINISH	3	4730P SE
BVD792M	AL	7-A-03-20:	75	\$0.00	GROMMET	GROMMET, TYPICAL, QA 0, GROMMET, ; MATERIAL, EBERLINE. ***	0	6630D SE
CAY645D	AL	7-A-03-20:	4	\$0.00	BATTERY	BATTERY, WET CELL, QA 0, RECHARGEABLE, LEAD ACID, FLAT, 1 WD X 7 LG X 2-1/2 IN HGT, 12, 2.3	0	C 6140C SE
CDD330P	AL	7-A-03-20:	1	\$0.00	PLUG	PLUG, PIPE, QA 3, PLUG, PIPE; STYLE: HEX HEAD, MATERIAL: BRASS, NOMINAL SIZE: 01.000 IN	3	4730P SE
AQL076W	AL	7-A-03-30:	16	\$0.00	NUT	NUT, HEX, QA 0, FOR PPG STEAM EXPANDER, DWG IL-1250-5000, REF 740J756-A01, ON	0	C 2825G SE
BBF487K	AL	7-A-03-30:	26	\$0.00	BOLT	BOLT, HEX, QA 1, CLASS 2, 1 IN, 3-1/4 IN, 8, ASME SA325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, RIGHT HAND, BOLT, STRUCTUF 1	C	5305J SE
BBR730W	AL	7-A-03-30:	13	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, 316 STAINLESS STEEL, FNPT X COMPRESSION, 1500 PSIG, COUPLING HALF, QUIC 0	P	4730P SE
BEE526N	AL	7-A-03-30:	16	\$0.00	STUD	STUD, TYPICAL, QA 1, CLASS 2, CONTINUOUS THREAD, 1 IN, 4-1/2 IN, 8, SS, UNC, ASME SA193 GR B6, 2A, STANDARD MILL FINISH, B1.1	1	C 5305J SE
BNC183K	AL	7-A-03-30:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELDED, 1-1/2 IN, STAINLESS STEEL, 150 LB, RAISED FACE, ASME SA182 GR F316, FLANGE, PIPE; STYLE: SOCKI 0	P	4730P SE
BPT358V	AL	7-A-03-30:	4	\$0.00	UNION	UNION, PIPE, QA 1, CLASS 3, STRAIGHT, 1-1/2 IN, 1-1/2 IN, SS, FNPT, FNPT, 3000 LB, ASME SA182 GR F304, STANDARD MILL FINISH, FOR 1	C	4730P SE
BPV751L	AL	7-A-03-30:	4	\$0.00	INSULATION	INSULATION, TYPICAL, QA 3, INSULATION KIT, ; BEARING, UPPER, CONSISTING OF ONE EA FIBERGLASS	3	B 5970B SE
BVG184X	AL	7-A-03-30:	1	\$0.00	FLANGE	FLANGE, PIPE, QA 3, WELDNECK, 1-1/2 IN, SS, 150 LB, 40, FLAT, ASTM A182 GR F316, B16.5, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL 3	C	4730P SE
BVK080W	AL	7-A-03-30:	500	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	C 5305J SE
BWA619D	AL	7-A-03-30:	10	\$0.00	KNOB	KNOB, TYPICAL, QA 3, KNOB ASSY, DOOR; KNO, HAND, 0.500 IN OUTSIDE THREAD ***	3	B 4710Y SE
BWH994E	AL	7-A-03-30:	1	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, TEE, PIPE; FIRST END NOM SIZE: 02.500 IN ( 2 1/2), SECOND END NOM	1	C 4730P SE
BWT836J	AL	7-A-03-30:	13	\$0.00	BUSHING	BUSHING, PIPE, QA 1, 1 IN X 3/4 IN, SS, HEXAGON, MNPT X FNPT, ASME SA479 TP316	1	C 4730P SE
BXE453T	AL	7-A-03-30:	40	\$0.00	SCREW	SCREW, TYPICAL, QA 1, SCREW, LOCK,CAM AND CHART; STEEL, FOR AUX FEEDWATER PUMP, MODEL	1	C 6695D SE
BXR415A	AL	7-A-03-30:	100	\$0.00	SCREW	SCREW, SOCKET, QA 1, SCREW, CAP; SOCKET HEAD, 3/8 - 16 UNC X 1 IN LONG, 316 STAINLESS	1	C 5305J SE
CDD004H	AL	7-A-03-30:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: WELDNECK, NOMINAL SIZE: 06.000 IN ( 6), MATERIAL:	3	C 4730P SE
CDF789F	AL	7-A-03-30:	34	\$0.00	COUPLING	COUPLING, PIPE, QA 3, 1/2 IN, FULL, SS, 3000 LB, SOCKETWELDED, ASTM A182 GR F304	3	C 4730P SE
CDK860T	AL	7-A-03-30:	9	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, STRUCTURAL; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL	1	C 5305J SE
CDQ763K	AL	7-A-03-30:	3	\$0.00	FLANGE	FLANGE, PIPE, QA 1, CLASS 2, FLANGE, PIPE; STYLE: BLIND, NOMINAL SIZE: 01.000 IN ( 1), MATERIAL:	1	C 4730P SE
CDT876V	AL	7-A-03-30:	2	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: SLIP ON, NOMINAL SIZE: 02.000 IN ( 2), MATERIAL:	3	C 4730P SE
CDX943P	AL	7-A-03-30:	3	\$0.00	CONNECTO	CONNECTOR, TYPICAL, QA 0, PIPE, 2 IN, 24 IN, W/ MALE SWIVEL, CONNECTION, PIPE; 60 10478 240 2" X 24" TELFLEX MALE X FEMALE FLI 0	C	5925B SE
CDY352A	AL	7-A-03-30:	8	\$0.00	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.500 IN ( 1 1/2)	3	C 4730P SE
CDY359V	AL	7-A-03-30:	4	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; STYLE: 45 DEG, MATERIAL: STAINLESS STEEL, 1 ST END NOM	3	C 4730P SE
CEN021V	AL	7-A-03-30:	1	\$0.00	TEE	TEE, PIPE, QA 3, TEE, PIPE; PIPE: REDUCING; PIPE SIZE: 2 IN X 2 IN X 1 IN; MATERIAL:	3	C 4730P SE
ACG851L	AL	7-A-07-20:	2	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 IN, FULL, MALLEABLE IRON, 150 LB, FNPT, ASTM A197, BLACK, *** THREAD SERIES: NPT	0	4730P SE
AGY968X	AL	7-A-07-20:	12	\$0.00	BOX	BOX, ELECTRICAL, QA 0, DISTRIBUTION, CAST ALUMINUM, NEMA 13, SWITCH BOX, NEMA TYPE 13, ELEVATOR EMERGENCY STOP SWITCH	0	P 59300 SE
AWC667Y	AL	7-A-07-20:	18	\$0.00	CARTRIDGE	CARTRIDGE, FILTER, QA 0, RESPIRATOR, CARTRIDGE, RESPIRATOR AIR FLTR; GMP PESTICIDE COMBINATION, TC-23C-79,	0	P 4240P SE
BDE307A	AL	7-A-07-20:	60	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-11/32 IN, 65 FT, 0-60, 1 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 60, TIMED 1 IN PER 0	C	75300 SE
BEG251R	AL	7-A-07-20:	52	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 7-3/16 IN, 10-1M, 6 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, SCALE 10 TO 1M, TIMED 6IN PER HR	0	75300 SE
BGV353C	AL	7-A-07-20:	4	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/4 IN, BRASS, FNPT X HOSE BARB	0	4730P SE
BMA420V	AL	7-A-07-20:	5	\$0.00	BURR	BURR, METAL CUTTING, QA 0, 1/4 IN, ROTARY, TREE/PTD NOSE, MASTER, FILE, ROTARY; SHAPE: TREE SHAPED/PTD NOSE, CUTTER TOOTH 0	0	6945B SE
BQA668Q	AL	7-A-07-20:	32	\$0.00	BRUSH	BRUSH, CLEANING, QA 0, BOILER TUBE, 1/4 IN DIA, SS, BRUSH,WIRE,BOILER TUBE; MATERIAL STAINLESS STEEL, DIAMETER 00.25	0	5130U SE
BRG892E	AL	7-A-07-20:	1	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 12 IN, 6 IN, STEEL, SQUARE, JUNCTION BOX, ELECTRICAL; STYLE: SQUARE, MATERIAL: STEEL, WIDTH: 0	0	5975B SE
BVF333C	AL	7-A-07-20:	16	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL	1	5305J SE
CAJ163X	AL	7-A-07-20:	3	\$0.00	COMPOUND	COMPOUND, INSULATING, QA 0, COMPOUND, HEAT SINK; NON TOXIC, HEAT SINK COMPOUND FOR JIGGING AND	0	8030W SE
CEJ355V	AL	7-A-07-20:	4	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, QUICK DISCONNECT, BARBED, *** PANEL MOUNT HOSE BARB, CAT # P-06360-60	0	6630D SE
CLD164P	AL	7-A-11-10:	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELDED, BUTTWELDED, 90, STD, ASTM A234 GR WP11	3	C 4730P SE
CLD164P	AL	7-A-13-10:	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELDED, BUTTWELDED, 90, STD, ASTM A234 GR WP11	3	C 4730P SE

CLD164P	AL	7-A-13-10	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELD, BUTTWELD, 90, STD, ASTM A234 GR WP11	3	C	4730P SE
CLD164P	AL	7-A-15-10	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELD, BUTTWELD, 90, STD, ASTM A234 GR WP11	3	C	4730P SE
CLD164P	AL	7-A-15-10	1	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELD, BUTTWELD, 90, STD, ASTM A234 GR WP11	3	C	4730P SE
CLD164P	AL	7-A-17-10	2	\$0.00	ELBOW	ELBOW, PIPE, QA 3, SHORT RADIUS, 30 IN, 30 IN, CHROME MOLY STEEL, BUTTWELD, BUTTWELD, 90, STD, ASTM A234 GR WP11	3	C	4730P SE
BCJ587R	AL	7-B-02-101	1	\$0.00	CHASSIS	CHASSIS, INSTRUMENT, QA 0, CHASSIS ASSY, ; CHART, FOR RECORDER, TYPE 711 ***	0		6695D SE
BCT943L	AL	7-B-02-101	332	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 3/4 IN, HALF, CS, QUICK DISCONNECT, STANDARD MILL FINISH, FIRST END TYPE: PUSH-PULL EXTER HALF, SECOND EI	0	C	4730P SE
BCT945G	AL	7-B-02-101	10	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/4 IN, HALF/QUICK DISCONNECT, CS, PUSH-PULL X BARBED, STANDARD MILL FINISH	0	C	4730P SE
BDN091K	AL	7-B-02-101	60	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-31/32 IN, 65 FT, 0-100/BY PASS 0-25RPMX100, 0-100%, 3 IN/HR, CHART, RECORDING INSTRUMENT; STR	0		75300 SE
BDX821D	AL	7-B-02-101	70	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-11/32 IN, 65 FT, 0-60, 1 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 60, 1 IN PER HOUR	0		75300 SE
BEH650H	AL	7-B-02-101	42	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 7-3/16 IN, 84 FT, 0-500 DEG F, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 500 DEG F, 7.187 IN	0		75300 SE
BEY002Y	AL	7-B-02-101	16	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 2-1/2 IN, 3-5/32 IN, RUBBER, RECTANGULAR, JUNCTION BOX, ELECTRICAL; STYLE: RECTANGULAR, MA1	0		5975B SE
BHN807K	AL	7-B-02-101	25	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-11/32 IN, 0-150 X 1000 LBS, 1 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 150 X 1000	0		75300 SE
BJC951Q	AL	7-B-02-101	9	\$0.00	CHART	CHART, TYPICAL, QA 3, PAPER, 5 IN, 150 FT, , RECORDING INSTRUMENT, 10 ROLLS PER BOX	3	C	75300 SE
BJP902E	AL	7-B-02-101	54	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; STRIP, 0 TO 120 RANGE ***	0		75300 SE
BJP928T	AL	7-B-02-101	54	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 150 DEGREES CELCIUS	0		75300 SE
BJP937R	AL	7-B-02-101	24	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-11/32 IN, 65 FT, 0-30, 1 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 30, 4.34375 IN WIL	0		75300 SE
BKB486Q	AL	7-B-02-101	31	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 2 IN, 3 IN, 2-1/2 IN, STEEL, 5, SIDE/BOTTOM, RECTANGULAR, JUNCTION BOX, ELECTRICAL; STYLE: REC	0		5975B SE
BNR639Y	AL	7-B-02-101	60	\$0.00	CHART	CHART, TYPICAL, QA 0, PAPER, 0-400 DEG F, 0-80 PSI, CHART, RECORDING INSTRUMENT; PAPER, DUAL SCALE 0 - 400 DEGREE F/ 0 -	0		75300 SE
AHG152G	AL	7-B-02-102	5	\$0.00	ELBOW	ELBOW, PIPE, QA 3, ELBOW, PIPE; 90 DEG STANDARD RADIUS, WALL THICKNESS NOT RATED	3		4730P SE
ALT389A	AL	7-B-02-102	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, 125, LAMPHOLDER, ELECTRIC; VOLTAGE: 125.00, LENS COLOR: RED ***	0		6250D SE
AVK705L	AL	7-B-02-102	360	\$0.00	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 1/8 IN, TEFLON, WHITE, TUBING, CHROMATOGRAPH; TEFLON, WHITE, 0.063 ID X 0.125 OD, FOF	0		6630D SE
BBE478R	AL	7-B-02-102	11	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, ADAPTER,STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3		4730P SE
BBE622D	AL	7-B-02-102	5	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 3, FEMALE, 1/4 IN, CARBON STEEL, TUBE X FNPT, STANDARD MILL FINISH, ***	3		4730P SE
BBE965E	AL	7-B-02-102	2	\$0.00	SCREW	SCREW, MACHINE, QA 3, SCREW, MACHINE; ROUND HEAD, BRASS, NUMBER SIZE 4, NOMINAL DIA .112 IN	3		5305J SE
BBF289P	AL	7-B-02-102	106	\$0.00	NUT	NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .375 IN SEAT	3		4730P SE
BBF745P	AL	7-B-02-102	7	\$0.00	COUPLING	COUPLING, TYPICAL, QA 3, COUPLING, TUBE; BRASS, STANDARD MILL FINISH, FIRST ID .125 IN SEAT	3		4730P SE
BCA141C	AL	7-B-02-102	240	\$0.00	TUBING	TUBING, TYPICAL, QA 0, AIR SUPPLY, 1/16 IN, 20 FT (240 IN), TYGON, 1/8 IN, RED, TUBING, CHROMATOGRAPH; AIR SUPPLY, RED, 0.062 ID	0	C	6630D SE
BCN895R	AL	7-B-02-102	5	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 1/4 IN, 1/4 IN, 1/8 IN, FNPT, FNPT, FNPT, BRASS, *** THREAD SERIES: NPT	0		4730P SE
BHB438G	AL	7-B-02-102	4	\$0.00	SILICA	SILICA, TYPICAL, QA 0, CONCENTRATOR, IONS; HPIC-AG5, COLUMN, SILICA, FOR ION GAS ANALYZER	0		6630D SE
BHP180B	AL	7-B-02-102	10	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 3/8 IN, 1-1/2 IN, 16, HEX, CS, ASME SA307 GR A, UNC, 2A, ZINC PLATED, B18.2.1	1	C	5305J SE
BJR305N	AL	7-B-02-102	154	\$0.00	SCREW	SCREW, SET, QA 3, 5/8 IN, 1/2 IN, 11, CUP, ALLOY STEEL, HEX SOCKET, UNC, B18.3	3		5305J SE
BKG967E	AL	7-B-02-102	4	\$0.00	KEY	KEY, MECHANICAL, QA 3, IMPELLER, 3/8 IN, 1-3/4 IN, STEEL, SQUARE, , FOR CENTRIFUGAL PUMP, MODEL 2CNR82, 2.5 IN, S/N Y399219A	3	P	4320U SE
BKP023T	AL	7-B-02-102	2	\$0.00	CLOSER	CLOSER, DOOR, QA 0, CLOSER, DOOR; TYPE: AUTOMATIC, FEATURE 1: ADJUST CLOSE SPEED ***	0		4710Y SE
BKR748C	AL	7-B-02-102	2	\$0.00	PLUG	PLUG, PIPE, QA 3, 4 IN, HEX, MNPT, IRON, ASTM A197 GR F22000, PLUG, PIPE; HEXAGON PLUG, MALLEABLE IRON ASTM A 197 F22000, ENI	3		4730P SE
BLL447E	AL	7-B-02-102	5	\$0.00	WASHER	WASHER, SPRING, QA 1, WASHER, LOCK; MATERIAL: CARBON STEEL, NOMINAL DIAMETER: 01.750000 ( 1	1		5305J SE
BND738T	AL	7-B-02-102	79	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, STRAINER, PAINT; 1 GALLON ***	0		5120M SE
BNH968L	AL	7-B-02-102	3	\$0.00	INSERT	INSERT, PIPE, QA 1, CLASS 2, 1/2 IN X 1/4 IN, CS, 3000 LB, SOCKETWELD, ASME SA105, STANDARD MILL FINISH, B16.11, FORGED	1		4730P SE
BNM459M	AL	7-B-02-102	100	\$0.00	INSERT	INSERT, TYPICAL, QA 0, INSERT, ; RESPIRATOR PROTECTION ***	0		4240P SE
BNN168V	AL	7-B-02-102	20	\$0.00	CHART	CHART, TYPICAL, QA 0, PAPER, ; RECORDER ***	0		75300 SE
BNN320V	AL	7-B-02-102	72	\$0.00	SCREW	SCREW, CAP, QA 0, 3/8 IN, 1-1/2 IN, 16, HEX, CARBON STEEL, UNC, SCREW,CAP,HEXAGON H. ; 3/8-16 NC X 1-1/2 IN, GRADE 2 LOW CARB	0		5305J SE
BNP348L	AL	7-B-02-102	3	\$0.00	UNION	UNION, PIPE, QA 3, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.000 IN ( 1)	3		4730P SE
BRC816K	AL	7-B-02-102	3	\$0.00	TEE	TEE, PIPE, QA 1, CLASS 2, STRAIGHT, 1-1/2 IN, 1-1/2 IN, FNPT, FNPT, CS, ASME SA105, FORGED, 3000 LB	1		4730P SE
BVA755B	AL	7-B-02-102	5	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1		5305J SE
BVF572R	AL	7-B-02-102	5	\$0.00	GRIP	GRIP, CABLE, QA 3, WOVEN, 4 IN, 1-3/4 IN-1.990 IN, SPLIT MESH/ROD CLOS, PER HUBBELL THIS PART NUMBER HAS BEEN DISCONTINUED.	3		5120M SE
BWX803K	AL	7-B-02-102	240	\$0.00	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.010 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.010 IN. I.D. X 0.62 IN. O.D. ***	0		6630D SE
BWX804H	AL	7-B-02-102	240	\$0.00	TUBING	TUBING, TYPICAL, QA 0, CHROMATOGRAPH, 0.020 IN, 0.620 IN, TUBING, CHROMATOGRAPH; PEEK, 0.020 IN. I.D. X 0.62 IN. O.D. ***	0		6630D SE
CBC322W	AL	7-B-02-102	2	\$0.00	CONNECTO	CONNECTOR, TUBING, QA 1, CLASS 2, MALE, 1/8 IN X 1/4 IN, SS, MNPT X COMPRESSION, ASME SA479 TP316, STANDARD MILL FINISH	1		4730P SE
CBY314Y	AL	7-B-02-102	16	\$0.00	SCREW	SCREW, CAP, QA 1, CLASS 2, 1/4 IN, 1-1/2 IN, 20, HEX, ALLOY STEEL, ASME SA354 GR BD, UNC, 2A, STANDARD MILL FINISH, B18.2.1	1		5305J SE
CDY854H	AL	7-B-02-102	136	\$0.00	SCREW	SCREW, MACHINE, QA 2, SCREW, MACHINE; HEAD STYLE: PAN, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2		5305J SE
CDY856D	AL	7-B-02-102	236	\$0.00	NUT	NUT, HEX, QA 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: BRASS, NOMINAL DIAMETER: NO	2		5305J SE
AAy829H	AL	7-B-02-201	1	\$0.00	STOCK	STOCK, BAR, QA 0, FLAT, 4 IN, 1 FT 6 IN, 1/16 IN, ALLOY STEEL, AISI 0-1, OIL HARDENED, METAL BAR, ; FLAT, TOOL STEEL, ALLOY AISI 0.	0	P	9520Z SE
AYR978X	AL	7-B-02-201	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1 IN, CPVC, 150 LB, 80, RAISED FACE, FLANGE, PIPE; THREADED, NOM SIZE 1.0 IN, SCHEDULE 80, CPVC CF	0		4730P SE
AYR980N	AL	7-B-02-201	2	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 1-1/2 IN, CPVC, 150 LB, 80, RAISED FACE, FLANGE, PIPE; STYLE: SOCKETWELD, NOMINAL SIZE: 01.500	0		4730P SE
AYT087K	AL	7-B-02-201	26	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/2 IN, 1-1/8 IN, CPVC, CLOSE, 80, ASTM F437, ** FIRST END TYPE: THREADED EXTERNAL, SECOND END TYPE: THREAE	0		4730P SE
AYT097G	AL	7-B-02-201	18	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, SOCKET TYPE, SOCKET TYPE, SOCKET TYPE, CPVC, 80, **	0		4730P SE
AYT100C	AL	7-B-02-201	11	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, ASTM F439, UNION, PIPE; STYLE: STRAIGHT, FIRST EI	0		4730P SE
AYT102W	AL	7-B-02-201	15	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, CPVC, SOCKETWELD, SOCKETWELD, 80, UNION, PIPE; STYLE: STRAIGHT, FIRST END NOM SIZE: 01.0	0		4730P SE

BAX022M	AL	7-B-02-201	3	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 5-1/2 IN, CARBON STEEL, LONG, 40, ZINC COATED HOT DIP GALV, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON 0	4730P SE
BAX031L	AL	7-B-02-201	20	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 4-1/2 IN, CARBON STEEL, LONG, 40, ZINC COATED HOT DIP GALV, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CARBON 0	4730P SE
BCY254P	AL	7-B-02-201	15	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 3/8 IN, 2-1/2 IN, STAINLESS STEEL, LONG, 40, AISI 316, STANDARD MILL FINISH, NIPPLE, PIPE; STYLE: LONG, MATERIAL 0	4730P SE
BDQ541D	AL	7-B-02-201	8	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1/8 IN, 2 IN, SS, LONG, 40, ASTM A182 GR F316, NIPPLE, PIPE; STYLE: LONG, MATERIAL: STAINLESS STEEL 1 ST END N 0	4730P SE
BDQ669J	AL	7-B-02-201	2	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 1 1/2 IN, 1 1/2 IN, 1 IN, SOCKETWELDED, SOCKETWELDED, SOCKETWELDED, CPVC, 80, ***	0
BDQ676M	AL	7-B-02-201	4	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 2 IN, CPVC, 80, RAISED FACE, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 02.000 IN ( 2 ) MATERIAL: 0	4730P SE
BDQ677K	AL	7-B-02-201	4	\$0.00	PLUG	PLUG, PIPE, QA 0, 1-1/2 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0
BDQ678H	AL	7-B-02-201	6	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/2 IN, 3/4 IN, SOCKET, SOCKET, CPVC, 80, MOLDED, SOCKET, REDUCER, PIPE; STYLE: CONCENTRIC, 0	4730P SE
BDQ682T	AL	7-B-02-201	6	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, PVC, FNPT, FNPT, 80, ***	0
BDV073V	AL	7-B-02-201	5	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, 5 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0
BDV079F	AL	7-B-02-201	11	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/2 IN, 1/2 IN, CPVC, FNPT, FNPT, 80, ***	0
BFD661F	AL	7-B-02-201	6	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STREET, 2 IN, 2 IN, CPVC, FNPT, MNPT, 90, MOLDED, ASTM F439, 80, ***	0
BFD662D	AL	7-B-02-201	2	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 2 IN, 2 IN, CPVC, FNPT, FNPT, 45, MOLDED, ASTM F439, 80, ***	0
BFD669Y	AL	7-B-02-201	8	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 3/4 IN, 3/4 IN, CPVC, FNPT, FNPT, 90, MOLDED, ASTM F437, 80, ***	0
BFD679V	AL	7-B-02-201	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELDED, 1-1/4 IN, PVC-POLY, 80, RAISED FACE, ASTM F439, FLANGE, PIPE; STYLE: SOCKETWELDED, NOMINAL SIZE 0	4730P SE
BFD680N	AL	7-B-02-201	5	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 3/4 IN, CPVC, 80, RAISED FACE, ASTM F439, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 00.750 IN 0	4730P SE
BFD686Y	AL	7-B-02-201	3	\$0.00	FLANGE	FLANGE, PIPE, QA 0, THREADED, 1/2 IN, CPVC, 80, RAISED FACE, ASTM F439, FLANGE, PIPE; STYLE: THREADED, NOMINAL SIZE: 00.500 IN 0	4730P SE
BFD932A	AL	7-B-02-201	4	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0
BFD938X	AL	7-B-02-201	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 4 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0
BFD939V	AL	7-B-02-201	8	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 3/4 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 00.750	0
BFD940N	AL	7-B-02-201	7	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.000	0
BFD946Y	AL	7-B-02-201	4	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 4 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0
BFD947W	AL	7-B-02-201	5	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, 3 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0
BFD948T	AL	7-B-02-201	6	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 2 IN, CPVC, CLOSE, 80, NIPPLE, PIPE; STYLE: CLOSE, MATERIAL: CPVC, 1 ST END NOM SIZE: 02.000	0
BFD949Q	AL	7-B-02-201	1	\$0.00	NIPPLE	NIPPLE, PIPE, QA 0, 1-1/2 IN, 3 IN, CPVC, LONG, 80, NIPPLE, PIPE; STYLE: LONG, MATERIAL: CPVC, 1 ST END NOM SIZE: 01.500	0
BFD957R	AL	7-B-02-201	9	\$0.00	PLUG	PLUG, PIPE, QA 0, 3/4 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0
BFD958P	AL	7-B-02-201	15	\$0.00	PLUG	PLUG, PIPE, QA 0, 1/2 IN, SQUARE, MNPT, CPVC, 80, *** SOLID	0
BFD960G	AL	7-B-02-201	4	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 3/4 IN, 3/4 IN, 1/2 IN, SOCKETWELDED, SOCKETWELDED, SOCKETWELDED, CPVC, 80, ***	0
BFD968L	AL	7-B-02-201	2	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, PVC, FNPT, FNPT, 80, ***	0
BGE624A	AL	7-B-02-201	8	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 300 LB, ***	0
BGE694L	AL	7-B-02-201	5	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1.0 IN, 1 IN, CPVC, FNPT, FNPT, 45, ASTM F439, 80, ***	0
BGF254C	AL	7-B-02-201	6	\$0.00	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 3/4 IN, 3/4 IN, IRON, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FITTING ST 0	4730P SE
BGF260W	AL	7-B-02-201	21	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 250 LB, BLACK, ***	0
BKB755P	AL	7-B-02-201	18	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 3/4 IN, 3/4 IN, PVC, SOCKET, SOCKET, 45, BLACK, 80, ELBOW, PIPE; STYLE: 45 DEG STAND RADIU 0	4730P SE
BKE094H	AL	7-B-02-201	8	\$0.00	UNION	UNION, TUBING, QA 0, 1 IN, 1-1/8 IN, COPPER, SOLDER, UNION, TUBE; COPPER, FIRST ID 1.0 IN, OD 1.125 IN, STYLE SOLDER,	0
AEG0776F	AL	7-B-02-202	46	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/4 IN, 1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, **	0
AEG178G	AL	7-B-02-202	11	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/4 IN, 1-1/4 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, ASTM A197, GROUND JOINT, GALVANIZED, ***	0
AEG775X	AL	7-B-02-202	19	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1/8 IN, 1/8 IN, MALLEABLE IRON, FNPT, FNPT, 150 LB, GROUND JOINT, GALVANIZED, ***	0
ARC467R	AL	7-B-02-202	300	\$0.00	PIN	PIN, COTTER, QA 0, PIN, COTTER; MATERIAL: STAINLESS STEEL, SIZE DIAMETER: 0.187 IN (	0
ARC468P	AL	7-B-02-202	4	\$0.00	PIN	PIN, COTTER, QA 0, PIN, COTTER; MATERIAL: STAINLESS STEEL, SIZE DIAMETER: 0.130 IN SIZE	0
AYR986Y	AL	7-B-02-202	5	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELDED, 1 IN, CPVC, 150 LB, 80, RAISED FACE, FLANGE, PIPE; STYLE: SOCKETWELDED, NOMINAL SIZE: 01.000 IN ( 0	4730P SE
BAP005M	AL	7-B-02-202	125	\$0.00	HANGER	HANGER, CONDUIT, QA 0, HANGER, PIPE; STEEL, CONDUIT, 1 IN PIPE SIZE WITH BOLTS ***	0
BBD406R	AL	7-B-02-202	8	\$0.00	BOLT	BOLT, FOUNDATION, QA 0, 3/4 IN, 15.0 IN, CARBON STEEL, 10 IN, ASTM A36, ***	0
BBT396X	AL	7-B-02-202	19	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELDED, 3/4 IN, PVC, 80, FLAT, STANDARD MILL FINISH, FLANGE, PIPE; SOCKETWELDED, NOM SIZE .75 IN, SCHEDU 0	4730P SE
BCM122P	AL	7-B-02-202	2	\$0.00	HOSE	HOSE, TYPICAL, QA 0, 2 IN, BLACK, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 2.000 IN	0
BCM134G	AL	7-B-02-202	3	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 3/8 IN, 1/2 IN, 6 FT, PLASTIC, HOSE ASSY, NONMETALLIC; PLASTIC, 0.375 ID X 0.500 OD X 6 FT LONG, 0	B 47200 SE
BDE511A	AL	7-B-02-202	4	\$0.00	CROSS	CROSS, PIPE, QA 0, STRAIGHT, 1 IN, 1 IN, 1 IN, MALLEABLE IRON, FNPT, FNPT, FNPT, 150 LB, BLACK, CROSS, PIPE; STYLE: STRA 0	4730P SE
BDL714W	AL	7-B-02-202	11	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELDED, 2 IN, PVC, 80, RAISED FACE, FLANGE, PIPE; STYLE: SOCKETWELDED, NOMINAL SIZE: 02.000 IN ( 2 )	0
BDQ679F	AL	7-B-02-202	4	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 1 1/4 IN, 1 IN, SOCKET, SOCKET, CPVC, 80, ASTM F439, MOLDED, SOCKET, REDUCER, PIPE; STYLE: CON 0	4730P SE
BFD663B	AL	7-B-02-202	10	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, CPVC, FNPT, FNPT, 45, MOLDED, ASTM F439, 80, ***	0
BFD678X	AL	7-B-02-202	6	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 1 IN, 1 IN, CPVC, FNPT, FNPT, 90, MOLDED, ASTM F439, 80, ***	0
BFD964W	AL	7-B-02-202	10	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/2 IN, 1 1/2 IN, 1 1/2 IN, FNPT, FNPT, FNPT, CPVC, 80, TEE, PIPE; FIRST END NOM SIZE: 01.500 IN ( 1 1/2 ) 0	4730P SE
BFD967N	AL	7-B-02-202	3	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, 1-1/2 IN, PVC, FNPT, FNPT, 80, ***	0
BFV938M	AL	7-B-02-202	5	\$0.00	REDUCER	REDUCER, PIPE, QA 0, CONCENTRIC, 2.0 IN, 1 1/4 IN, FNPT, FNPT, CARBON STEEL, 3000 LB, ASTM A105, BLACK, FORGED, FNPT, ***	0
BGE624A	AL	7-B-02-202	6	\$0.00	TEE	TEE, PIPE, QA 0, STRAIGHT, 1 1/4 IN, 1 1/4 IN, 1 1/4 IN, FNPT, FNPT, FNPT, MALLEABLE IRON, BLACK, 300 LB, ***	0
BGE693N	AL	7-B-02-202	7	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1 1/2 IN, FULL, CPVC, 80, SOCKET, ASTM F439, ***	0
BGF253E	AL	7-B-02-202	8	\$0.00	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 1/2 IN, 1/2 IN, IRON, 150 LB, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FIT 0	4730P SE

BGF255A	AL	7-B-02-202	4	\$0.00	OUTLET	OUTLET, PIPE, QA 0, LATERAL BRANCH CONNECTION, 1 IN, 1 IN, IRON, 150 LB, THREADED INTERNAL, GALVANIZED, LATERAL, PIPE; FITTING 0	4730P SE
BGW818L	AL	7-B-02-202	10	\$0.00	ELBOW	ELBOW, TUBING, QA 0, 3/8 IN, PVC, PLAIN, 90, ***	4730P SE
BKB757K	AL	7-B-02-202	24	\$0.00	ELBOW	ELBOW, PIPE, QA 0, STANDARD RADIUS, 3/4 IN, 3/4 IN, PVC, SOCKET, SOCKET, 90, BLACK, 80, ELBOW, PIPE; STYLE: 90 DEG STAND RADIU 0	4730P SE
BTP664H	AL	7-B-02-202	196	\$0.00	SCREW	SCREW, MACHINE, QA 0, #8, 1-1/2 IN, 32, ROUND HEAD, CARBON STEEL, UNC, ZINC PLATED, SLOTTED, ***	5305J SE
BVL000H	AL	7-B-02-202	800	\$0.00	SCREW	SCREW, MACHINE, QA 0, #8, 1 IN, 32, HEX HEAD, CS, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL 0	5305J SE
BVL009K	AL	7-B-02-202	300	\$0.00	SCREW	SCREW, MACHINE, QA 0, #8, 1/2 IN, 32, HEX HEAD, CS, UNC	5305J SE
BVL013V	AL	7-B-02-202	500	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 1 IN, 32, HEX HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON ST 0	5305J SE
BVL021W	AL	7-B-02-202	384	\$0.00	SCREW	SCREW, MACHINE, QA 0, #10, 1/2 IN, 32, HEX HEAD, CARBON STEEL, UNF, SCREW, MACHINE; HEAD STYLE: HEXAGON, MATERIAL: CARBON 0	5305J SE
BJQ810Q	AL	7-B-02-301	47	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; STRIP, RANGE 0 TO 1 ***	75300 SE
BKR204N	AL	7-B-02-301	9	\$0.00	CLAMP	CLAMP, PIPE, QA 0, 2 IN, CLAMP, REPAIR PIPE; NOMINAL SIZE: 02.000 IN ( 2), LENGTH: 06.000 IN	4730P SE
BKW057F	AL	7-B-02-301	10	\$0.00	LABEL	LABEL, IDENTIFICATION, QA 0, PRINTER, 0.900 IN, 2.200 IN, VINYL, LABEL, IDENTIFICATION; PRINTER, VINYL, 0.9 X 2.2 IN, 8.38 IN OD	P 75300 SE
BNM618V	AL	7-B-02-301	2	\$0.00	WRENCH	WRENCH, TYPICAL, QA 0, WRENCH, ; BASKET, BOLT AND NUT ***	29100 SE
BPB792Q	AL	7-B-02-301	2	\$0.00	CRIMPER	CRIMPER, TOOL, QA 0, CRIMPING TOOL, TERMINAL HAND; CRIMP TOOL ***	5120M SE
BPC811A	AL	7-B-02-301	2	\$0.00	TOOL	TOOL, TYPICAL, QA 0, TOOL, ; UNDERCUTTING, FOR MAXIBOLT ANCHORS, 1.25 IN ***	5120M SE
BDM664C	AL	7-B-02-302	6302	\$0.00	WASHER	WASHER, FLAT, QA 3, 1/2 IN, 1-3/8 IN, 9/16 IN, 7/64 IN, CS, ROUND/WIDE, GALVANIZED, A, B18.22.1	P 5305J SE
CEM585T	AL	7-B-02-302	9	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1-3/4 IN; LENGTH: 8-1/2 IN; TPI: 8; MATERIAL:	C 5305J SE
AA576L	AL	7-B-04-101	25	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 2 IN, 3 IN, 2-1/4 IN, GALVANIZED STEEL, 1/2 IN, BOTTOM, RECTANGULAR, JUNCTION BOX, ELECTRICAL 0	5975B SE
AFR260N	AL	7-B-04-101	20	\$0.00	BOX	BOX, ELECTRICAL, QA 0, JUNCTION, 2 IN, 3 IN, 2 IN, GALVANIZED STEEL, 1/2 IN, 7, SIDE/BOTTOM, RECTANGULAR, JUNCTION BOX, ELECTRI 0	5975B SE
BHN813P	AL	7-B-04-101	150	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 4-5/16 IN, 54 FT, 3-15 / 0-70 GPM, 3/4 IN/HR, CHART, RECORDING INSTRUMENT; STRIP, RANGE 3 TO 15, 0	75300 SE
BHQ333V	AL	7-B-04-101	100	\$0.00	CHART	CHART, TYPICAL, QA 0, RECORDING INSTRUMENT, 4-11/32 IN, 0-16 / 850-1050, 1 IN/HR, CHART, RECORDING INSTRUMENT; 0 TO 16, 850 0	75300 SE
BJC951Q	AL	7-B-04-101	30	\$0.00	CHART	CHART, TYPICAL, QA 3, PAPER, 5 IN, 150 FT, , RECORDING INSTRUMENT, 10 ROLLS PER BOX	C 75300 SE
BNM986X	AL	7-B-04-101	45	\$0.00	COUPLING	COUPLING, PIPE, QA 0, 1-0 IN, *** STYLE: COUPLING	4730P SE
BTW734W	AL	7-B-04-101	4	\$0.00	GRILL	GRILL, TYPICAL, QA 0, RETURN, 24 IN, 24 IN, STEEL, GRILLE, METAL; RETURN,PERFORATED FACE,NOMINAL NECK SIZE 10 IN X 10 IN	5670A SE
AKG105E	AL	7-B-04-102	627	\$0.00	TAPE	TAPE, HEAT, QA 0, SELF REGULATING, **	5966A SE
AVM747Q	AL	7-B-04-102	3	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, VACUUM, 1-1/4 IN, 3 IN, 31 IN, FIBERGLASS, FLUID; DEGASIFIER, VACUUM CHAMBER, FIBERGLASS, 1.5 ID	P 4330N SE
BDF021D	AL	7-B-04-102	3	\$0.00	COMPRESSOR	COMPRESSOR, REFRIGERATION, QA 0, 2, 24,000 BTU, 230/208	4520N SE
BEG181L	AL	7-B-04-102	75	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 12 IN, 0-10000 DEG F, VARIABLE, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 10000 DEG F,VARIA 0	75300 SE
BFA700V	AL	7-B-04-102	2	\$0.00	LETTER & NUMERAL SET, SIGN, QA 0, CONDENSED GOTHIC, 3 IN, WHITE, REFLECTIVE, LETTER & NUMERAL SET, SIGN; 3 IN, CONDENSED GOT 0	9905K SE	
BGY010X	AL	7-B-04-102	20	\$0.00	MEMBRANE	MEMBRANE, TYPICAL, QA 3, FLEXIBLE REINFORCING SHEET, , FOR USE WITH SEALING COMPOUND	3 8030W SE
BWY895D	AL	7-B-04-102	10	\$0.00	COAT	COAT, PERSONAL, QA 0, LABORATORY, 48, COTTON, YELLOW, SNAP, COAT, LABORATORY; MATERIAL: COTTON, SIZE: 48, COLOR: YELLOW 0	8415B SE
AKY176D	AL	7-B-04-202	1	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 4 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.500 IN ( 3 1/2), SIZE WALL THICK:	0 47200 SE
AKY324Q	AL	7-B-04-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1/4 IN, TOOL STEEL, AISI W-1, *** LENGTH: 03.0 FT	0 9520Z SE
AKY532H	AL	7-B-04-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 1 FT 1 IN, 6 IN, MANGANESE BRONZE, ASTM B138-74B, MACHINE CAST, METAL BAR, ; ROUND, BRONZE, CAST, . 0	9520Z SE
AKY875J	AL	7-B-04-202	4	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 3 IN, 4-1/4 IN, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 02.500 IN ( 2 1/2), SIZE WALL THICK:	0 47200 SE
AKY975E	AL	7-B-04-202	2	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 3-1/2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 03.000 IN ( 3), SIZE WALL THICK: 0.250	0 47200 SE
ARP264F	AL	7-B-04-202	15	\$0.00	MOLDING	MOLDING, TRIM, QA 0, 3-3/16 IN X 0.100 IN, 50 IN, PLASTIC, BEIGE, MOLDING, PLASTIC; MATERIAL: PLASTIC, COLOR: BEIGE, WIDTH: 3.187 0	5680B SE
AWL992A	AL	7-B-04-202	2	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 2 FT (24 IN), 3-1/8 IN, IRON, ASTM A48, CAST, , ROUND, CAST IRON, SOLID, GREY IRON, ASTM A48-03, DURA I 0	9520Z SE
BHV734R	AL	7-B-04-202	7	\$0.00	CAN	CAN, SAFETY, QA 0, CAN, SAFETY; CAPACITY: 1 GAL, SPOUT/NOZZLE TYPE: 0.3437 IN POUR SPOUT	0 7240T SE
BKY827N	AL	7-B-04-202	233	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; HEAD STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1 5305J SE
BLD715K	AL	7-B-04-202	27	\$0.00	STRAP	STRAP, TYPICAL, QA 0, STRAP, BREATHING APPARATUS; WAIST STRAP, FOR SCBA KITS ***	0 4240P SE
BLP333E	AL	7-B-04-202	40	\$0.00	SCREW	SCREW, CAP, QA 1, SCREW, CAP; DIAMETER: 1 IN; LENGTH: 1-1/4 IN; TPI: 8; MATERIAL: SS;	1 5305J SE
BLP847E	AL	7-B-04-202	100	\$0.00	STRAINER	STRAINER, TYPICAL, QA 0, PAINT, NYLON, 5 GALLON, 60 MESH, STRAINER, PAINT; NYLON, 60 MESH, 5 GALLON CAPACITY. ***	0 5120M SE
BMY641Q	AL	7-B-04-202	66	\$0.00	CHART	CHART, TYPICAL, QA 0, CHART, RECORDING INSTRUMENT; PAPER, TMI. ***	0 75300 SE
BQP781R	AL	7-B-04-202	4	\$0.00	GLAND	GLAND, SEALING, QA 0, GLAND, PIPE; MATERIAL: DUCTILE IRON, SIZE: 06.000000 ( 6) END TYPE:	0 4730P SE
BVA631X	AL	7-B-04-202	94	\$0.00	CLAMP	CLAMP, TUBE, QA 1, CLAMP, TUBE; MATERIAL: STAINLESS STEEL, NOMINAL SIZE: 01.000000 ( 1)	1 4730P SE
BVH272V	AL	7-B-04-202	175	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, 5/8 IN, 2 IN, 11, CS, ASME SA325 TP 1, UNC, 2A, B18.2.1	1 5305J SE
AGG243K	AL	7-B-04-301	400	\$0.00	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 5/32 IN, CLEAR, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.312 IN ( 5/16)	0 47200 SE
AKY424L	AL	7-B-04-301	7	\$0.00	STOCK	STOCK, BAR, QA 0, ROUND, 9/32 IN, TOOL STEEL/CARBON, AISI W-1, WATER HARDENED, ***	0 9520Z SE
AKY730Q	AL	7-B-04-301	9	\$0.00	STOCK	STOCK, TYPICAL, QA 0, INGOT, BABBITT/TIN ALLOY, STOCK, *TYPICAL; TYPE: INGOT; MATERIAL: BABBITT/TIN ALLOY *** NICKELITE	0 9520Z SE
AKY775N	AL	7-B-04-301	3	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 2 IN, 4 FT, 1/4 IN, TUBING, NONMETALLIC; SIZE ID: 01.500 IN ( 1 1/2), SIZE WALL THICK:	0 47200 SE
AQE366V	AL	7-B-04-301	37	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 50 FT, RUBBER, 1/8 IN, RED, TUBING, NONMETALLIC; MATERIAL: RUBBER, SIZE ID: 00.500 IN ( 1/2) SIZE	0 47200 SE
ARK815Q	AL	7-B-04-301	20	\$0.00	STRIP	STRIP, SEAL, QA 0, 5/8 IN, 30 FT, 3/8 IN, NITRILE, RUBBER STRIP, ; NITRILE, 000.375 X 000.625 X 360.000 IN LG, FOR	0 5680B SE
ATB254A	AL	7-B-04-301	1	\$0.00	WASHER	WASHER, TYPICAL, QA 0, *** FOR REACTOR PRESSURE VESSEL STUD TENSIONER, BIACH MODEL 2-5069-1	P 5305J SE
BLT111H	AL	7-B-04-301	12	\$0.00	CONNECTOR	CONNECTOR, TUBING, QA 0, 1-1/2 IN, PVC-POLY, TUBE, ***	0 4730P SE
BLT112F	AL	7-B-04-301	12	\$0.00	CONNECTOR	CONNECTOR, TUBING, QA 0, 2 IN, PVC-POLY, TUBE, ***	0 4730P SE
BRD057P	AL	7-B-04-301	3	\$0.00	HOSE	HOSE, TYPICAL, QA 0, 1/4 IN, 50 FT, URETHANE, NYLON, HOSE, NONMETALLIC; MATL (INTER LINER): NYLON, SIZE ID: 00.250000 (	0 47200 SE
ADY896F	AL	7-B-04-302	1	\$0.00	SIGN	SIGN, CAUTION, QA 0, PREPRINTED, 7 IN, 10 IN, BUTYRATE, BLACK/YELLOW, CAUTION-RADIOACTIVE, AREA, SIGN, PREPRINTED; RADIATION, 0	C 9905K SE

BCT728Q	AL	7-B-04-302	6	\$0.00	TEE	TEE, PIPE, QA 0, REDUCING, 2.0 IN, 2 IN, 1 1/4 IN, FNPT, FNPT, FNPT, BRASS, 125 LB, *** THREAD SERIES: NPT	0		4730P SE
BCT736R	AL	7-B-04-302	21	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 1-1/2 IN, 1-1/2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0		4730P SE
BCT737P	AL	7-B-04-302	9	\$0.00	UNION	UNION, PIPE, QA 0, STRAIGHT, 2.0 IN, 2 IN, BRASS, FNPT, FNPT, 150 LB, STANDARD MILL FINISH, ***	0		4730P SE
BDM582E	AL	7-B-04-302	36	\$0.00	TUBING	TUBING, TYPICAL, QA 0, TUBING, CONDUCTOR; NORYL GUIDE, FOR 0.375 IN TIE BOLTS TO SUPPORT	0		47200 SE
BTE478W	AL	7-B-04-302	2	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/16 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.3125 IN ( 5/16), TUBE LENGTH: 50 FT	0		4710Z SE
BTE488R	AL	7-B-04-302	2	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 50 FT, COPPER, 5/8 IN, TUBE, COPPER; OUTSIDE DIAMETER: 00.6250 IN ( 5/8), TUBE LENGTH: 50 FT	0		4710Z SE
BTW733Y	AL	7-B-04-302	1	\$0.00	GRILL	GRILL, TYPICAL, QA 0, SUPPLY, 24 IN, 48 IN, STEEL, GRILLE, METAL; SUPPLY DIFFUSER, FOUR WAY THROW, NOMINAL 6 X 6 IN, T-BAR	0	C	5670A SE
BVD171N	AL	7-B-04-302	33	\$0.00	RUNNER	RUNNER, TYPICAL, QA 0, CROSS/TILE, 2 FT, WHITE, RUNNER, CEILING TILE; CROSS, 2 FT LONG, WHITE (FLAT) ***	0		5670A SE
AKG884R	AL	7-B-05-101	38	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCT	1	C	4710Y SE
AGG693K	AL	7-B-05-102	66	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG394X	AL	7-B-07-101	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-07-102	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-09-101	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-09-102	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-11-101	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-11-102	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-13-101	65	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AGG394X	AL	7-B-13-102	64	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA 3	1	C	4710Y SE
AKG884R	AL	7-B-13-102	13	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, #10, 15000 LB, W/ 7/8 IN SPHERICAL BRG, SNUBBER, *TYPICAL; SIZE: #10; RATING: 15000 LB; CONSTRUCT	1	C	4710Y SE
CJM641J	AL	7-B-14-101	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION	3	C	4730P SE
CJM641J	AL	7-B-14-102	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION	3	C	4730P SE
CJM636B	AL	7-B-14-201	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM636B	AL	7-B-14-202	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
AGG693K	AL	7-B-15-101	121	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
AGG693K	AL	7-B-15-102	92	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, SNUBBER, *TYPICAL; SIZE: #1 *** MECHANICAL, PSA 1	1		4710Y SE
CDR260L	AL	7-B-15-201	72	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, PSA-1/4, , BARE MECHANICAL SNUBBER UNIT	1		4710Y SE
CDR265Y	AL	7-B-15-201	31	\$0.00	SNUBBER	SNUBBER, MECHANICAL, QA 1, ASSEMBLY/WELDER, SS, , BARE MECHANICAL SNUBBER UNIT, PSA-1/2	1		4710Y SE
BKQ923R	AL	7-B-15-202	7	\$0.00	SNUBBER	SNUBBER, HYDRAULIC, QA 1, SHOCK ARRESTOR, MECHANICAL; SNUBBER, SIZE PSA-10 ***	1	P	4710Y SE
CJM641J	AL	7-B-16-101	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION	3	C	4730P SE
CJM641J	AL	7-B-16-102	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, 30 IN, PIPE, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION	3	C	4730P SE
CJM636B	AL	7-B-16-201	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CJM636B	AL	7-B-16-202	1	\$0.00	JOINT	JOINT, EXPANSION, QA 3, SS, 65 PSIA DESIGN, 230 DEG F DESIGN, WELDED, 30" BELLOWS EXPANSION JOINT FOR EXTRACTION STEAM SYS.	3	C	4730P SE
CGT645W	AL	7-C-01-201	25000	\$0.00	SEAL	SEAL, TYPICAL, QA 0, ANTIPIRFERAGE, 2-3/4 IN, GALVANIZED, SINGLE CLIP	0		5680B SE
BLM419E	AL	7-C-01-202	3	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 24 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 24.000 IN ( 24) SIZE WALL	0		47200 SE
BLM422R	AL	7-C-01-202	9	\$0.00	TUBING	TUBING, TYPICAL, QA 0, 36 IN, 100 FT, PVC, 8 MIL, YELLOW, TUBING, NONMETALLIC; MATERIAL: PVC, SIZE ID: 36.000 IN ( 36) SIZE WALL	0		47200 SE
AJG647E	AL	7-C-01-301	500	\$0.00	TUBING	TUBING, TYPICAL, QA 0, PLASTIC, 1/8 IN, TUBING, NONMETALLIC; MATERIAL: PLASTIC, SIZE ID: 00.750 IN ( 3/4) SIZE	0		47200 SE
AAV349F	AL	7-C-01-302	13	\$0.00	CELL	CELL, CONDUCTIVITY, QA 0, FLOW-THROUGH, 0.010 CM, 0.01 CM CONSTANT, 25 ML CAPACITY, CODE	0	P	6630D SE
AMN713A	AL	7-C-01-302	5	\$0.00	CONTACT	CONTACT, ELECTRICAL, QA 0, CONTACT, ELECTRICAL; STATIONARY, FOR AIR CIRCUIT BREAKER, 600.000	0	C	5925B SE
BEW446C	AL	7-C-01-302	1	\$0.00	CONNECTO	CONNECTOR, CABLE, QA 3, CONNECTOR ASSY, ELECTRICAL; C/O THREE EA PINS, 10-40793, THREE EA PIN	3	P	5935B SE
BTJ878P	AL	7-C-01-302	15	\$0.00	BATTERY	BATTERY, WET CELL, QA 0, RECHARGEABLE, LEAD CALCIUM, 6, BATTERY, RECHARGEABLE; ELECTROLYTE: LEAD CALCIUM, VOLTAGE: 6 VDC	0	B	6140C SE
BTV162M	AL	7-C-01-302	51	\$0.00	WASHER	WASHER, FLAT, QA 1, WASHER, TRANSMITTER; FLAT, 1/4 IN, FOR TRANSMITTER ***	1	C	6695D SE
BWN326Y	AL	7-C-01-302	1	\$0.00	CLOSURE	CLOSURE, TYPICAL, QA 3, , HINGED, TYPE 56BC, SB FINISH, INSTALLATION ON TRI PACK,	3	B	4710Y SE
CET083G	AL	7-C-01-302	1	\$0.00	INSERT	INSERT, PIPE, QA 3, 2 IN X 1-1/2 IN, ALLOY STEEL, 3000 LB, SOCKET INSERTXSOCKET WELD, STANDARD MILL FINISH, MSS SP-79 TYPE 1, F	3	C	4730P SE
CHJ757L	AL	7-C-01-302	74	\$0.00	HOLDER	HOLDER, TYPICAL, QA 0, HOLDER, FILTER 47MM PARTICULATE. P/N FJ-35P W//QD38M	0		5915E SE
CJN017R	AL	7-C-01-302	4	\$0.00	FAN	FAN, TYPICAL, QA 3, ASSEMBLY, FOR ICS, 115 VAC	3		5975E SE
CJQ874B	AL	7-C-01-302	4	\$0.00	PLUG	PLUG, PIPE, QA 3, 4 IN, SS, PLUG BODY, EXPANSION RANGE 3.6" TO 4.25",	3		4730P SE
CJY999P	AL	7-C-01-302	24	\$0.00	BOLT	BOLT, HEX, QA 3, 1-1/8 IN, 22 IN, 8, ASTM A325, UNC, MINIMUM THREAD LENGTH: 4 INCH	3		5305J SE
BGN331G	AC	7-C-03-201	2	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVEING, ELECTRICAL; HEAT SHRINKABLE, BLA	1	B	5970B SE
BBE882J	AL	7-C-03-201	7	\$0.00	KIT	KIT, PARTS, QA 1, SPLICING KIT, ; STUB TYPE, C/O BONDED CAP, BOLT PAD, SEALING BREAKOUT	1	B	5970B SE
BBL157F	AL	7-C-03-201	120	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVEING, ELECTRICAL; HEAT SHRINKABLE, 0.70 ID X 0.03 WALL	1	B	5970B SE
BBT411W	AL	7-C-03-201	10	\$0.00	END	END, CAP, QA 1, END CAP, ; HEAT SHRINKABLE, WIRE, INSULATING, CLASS 1E SAFETY DEVICE	1	P	5970B SE
BDW293H	AL	7-C-03-201	30	\$0.00	KIT	KIT, PARTS, QA 1, TERMINATION KIT, ELECTRICAL; HEAT SHRINKABLE, BLACK, 0.42 IN DIA	1	B	5970B SE
BGN331G	AL	7-C-03-201	12	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), 7 IN/2-1/2 IN, 0.050 IN/0.170 IN, INSULATION SLEEVEING, ELECTRICAL; HEAT SHRINKABLE, BLA	1	B	5970B SE
BTP869Y	AL	7-C-03-201	3	\$0.00	KIT	KIT, PARTS, QA 1, TERMINATION KIT, ELECTRICAL; TYPE: HEATSHRINKABLE, APPLICATION: STUB	1	B	5970B SE
BTQ048R	AL	7-C-03-201	20	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, INSULATION SLEEVE, ELEC SPECIAL PURPOSE; TYPE: BREAKOUT, STYLE: 4 LEG	1	C	5970B SE
BYM239J	AL	7-C-03-201	7	\$0.00	TUBING	TUBING, HEAT SHRINK, QA 1, 12 IN (1 FT), 1.100 IN, 0.040 IN, BLACK, 1E LOCA/HELB, INSULATION SLEEVEING, FEATURES1: NUCLEAR ADHF	1	B	5970B SE
CBA408X	AL	7-C-03-202	10	\$0.00	ELEMENT	ELEMENT, FILTER, QA 0, FILTER, VACUUM CLEANER; REPLACEMENT HEPA FILTER, FOR 15 GALLON HEPA	0	C	79101 SE



CHW553H	AL	7-C-03-202	1	\$0.00	COMPUTER	COMPUTER, SYSTEM, QA 3, WORKSTATION, 19" RACK-MOUNT, NEMA 4/12 ENCLOSURE, 300 WATT POWER SUPPLY MINIMUM,	3		7021A SE
CHW589V	AL	7-C-03-202	1	\$0.00	DISK	DISK, TYPICAL, QA 3, DISK DRIVE, 40GB, 3.5 INCH, COMPLETE WITH MOUNTING HARDWARE	3	B	7021A SE
CKP749D	AL	7-C-03-202	1	\$0.00	SWITCH	SWITCH, DISCONNECT, QA 3, NON-FUSIBLE, 250 DC/600 AC, 200, 3PDT, 3R, DTU (SERIES E), WITH LOCK MECHANISM	3		
BXX343L	AL	7-C-03-302	2	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, FILTER ELEMENT, AIR INTAKE,ENGINE; FILTER PAD, CONICAL, AIR IN-TAKE	3	C	29100 SE
BQH577P	AL	7-C-05-101	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, BASE, LAMPHOLDER; SLIP-FITTER, FOR 1.5 IN PIPE ***	0		6210P SE
BTY967T	AL	7-C-05-101	3	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, WELDING, METAL HALIDE, 400, SLIDE ON, CIRCULAR LOW BAY, FOR METAL HALIDE 400 W LAMPS,	0		3439D SE
BKY565T	AL	7-C-05-102	6	\$0.00	DESICCANT	DESICCANT, TYPICAL, QA 0, 100 LB, DRUM	0	P	6810H SE
CKM992E	AL	7-C-05-102	1	\$0.00	ANALYZER	ANALYZER, GAS, QA 0, TRANSFORMER	0	B	5999D SE
ACT398T	AL	7-C-05-201	10	\$0.00	HOLDER	HOLDER, LAMP, QA 0, INCANDESCENT, 60-300, MEDIUM, LAMPHOLDER, ELECTRIC; INCANDESCENT, MEDIUM BASE PORCELAIN WITH BRASS	0		6250D SE
ADX993N	AL	7-C-05-201	1	\$0.00	LUBRICANT	LUBRICANT, SILICONE, QA 0, 8 LB, PASTE, CAN, GREASE, GRAPHITE; BASIC INGREDIENT: SILICONE, CONTAINER SIZE: 8 LB	0	P	9150H SE
AFK466M	AL	7-C-05-201	79	\$0.00	CLOTH	CLOTH, SCREEN, QA 0, WIRE/FABRIC, STAINLESS STEEL, 36 IN WD, 16 X 16, 0.0021 IN, WIRE, FABRIC; MATERIAL: STAINLESS STEEL 304, V	0		5680B SE
ARC695C	AL	7-C-05-201	3	\$0.00	GUARD	GUARD, FIXTURE, QA 0, ALUMINUM, FOR LIGHTING FIXTURE	0		6210P SE
AXY327L	AL	7-C-05-201	3	\$0.00	HOLDER	HOLDER, LAMP, QA 0, LAMPHOLDER, ELECTRIC; WATTAGE: 150.000 ***	0		6250D SE
BEH650H	AL	7-C-05-201	196	\$0.00	CHART	CHART, TYPICAL, QA 0, STRIP, 7-3/16 IN, 84 FT, 0-500 DEG F, CHART, RECORDING INSTRUMENT; STRIP, SCALE 0 TO 500 DEG F, 7.187 IN	0		75300 SE
BPM909B	AL	7-C-05-202	9	\$0.00	BLANKET	BLANKET, INSULATING, QA 0, THERMAL, 40 IN, 50 YD, 0.055 IN, GLASS CLOTH, INSULATION BLANKET, THERMAL; INSULATION MATERIAL: (	0		5640H SE
BXX353H	AL	7-C-05-301	2	\$0.00	ELEMENT	ELEMENT, FILTER, QA 3, FILTER ELEMENT, AIR INTAKE,ENGINE; FILTER PAD, UPPER, AIR IN-TAKE, FOR	3	C	29100 SE
BKG930H	AL	7-C-05-302	3	\$0.00	GRILL	GRILL, TYPICAL, QA 3, GRILLE, METAL; 48.00 X 18.00 IN FIN TYPE, DOUBLE DEFLECTION, SATIN	3		5670A SE
BLM342P	AL	7-C-05-302	2	\$0.00	RACK	RACK, TYPICAL, QA 3, FIRE, W/WRENCHES, RACK, FIRE HOSE; SWINGING WALL, FOR 1.5 IN FIREHOSE, WITH WRENCHES ***	3		4210N SE
AMD348M	AL	7-C-07-101	36	\$0.00	HOSE	HOSE, TYPICAL, QA 0, AIR, 3/8 IN, 50 FT, MNPT X FNPT, C/W MALE FITTING ON ONE END & FEMALE FITTING OTHER	0	P	4210N SE
AMD348M	AL	7-C-07-102	61	\$0.00	HOSE	HOSE, TYPICAL, QA 0, AIR, 3/8 IN, 50 FT, MNPT X FNPT, C/W MALE FITTING ON ONE END & FEMALE FITTING OTHER	0	P	4210N SE
BTY481M	AL	7-C-07-201	60	\$0.00	SLEEVE	SLEEVE, INSULATING, QA 3, INSULATION SLEEVING, THERMAL; PIPE COVERING, CALCIUM SILICATE, SPLIT	3		5640H SE
BAQ663H	AL	7-C-07-202	18	\$0.00	ELBOW	ELBOW, TUBING, QA 1, CLASS 2, 3/4 IN, SS, TUBE, 90, ASME SA182 GR F316, STANDARD MILL FINISH	1	P	4730P SE
BFQ562Q	AL	7-C-07-202	16	\$0.00	VISOR	VISOR, SAFETY, QA 0, FACESHIELD INDUSTRIAL, CLEAR, 9-3/4 IN, 19 IN, VISOR, FACESHIELD INDUSTRIA; COLOR: CLEAR, WIDTH: 9.75 IN, LE	0		4240P SE
BJE217B	AL	7-C-07-202	28	\$0.00	SHIM	SHIM, TYPICAL, QA 3, SHIM, ; STAINLESS STEEL, SQUARE, PRECUT, 3 IN X 3 IN X 0.005 IN THICK	3		5305J SE
BVB894P	AL	7-C-07-202	2	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 3 FT, RUBBER, 200 PSI/80 DEG F, FLANGE, HOSE ASSY, NONMETALLIC; MULTI-PURPOSE, RUBBER, 2(	0	C	47200 SE
BVB895M	AL	7-C-07-202	2	\$0.00	HOSE	HOSE, TYPICAL, QA 0, ASSEMBLY, 4 IN, 12 FT, RUBBER, 200 PSI/80 DEG F, FLANGE, HOSE ASSY, NONMETALLIC; MULTI-PURPOSE, RUBBER, ;	0	C	47200 SE
BVT855L	AL	7-C-07-202	4	\$0.00	FLANGE	FLANGE, PIPE, QA 3, FLANGE, PIPE; STYLE: WELDNCK, NOMINAL SIZE: 04.000 IN ( 4), MATERIAL:	3		4730P SE
CAF511G	AL	7-C-07-202	5	\$0.00	RADOME	RADOME, TYPICAL, QA 0, RADOME, MICROWAVE; RS13, VELLOX COATED RADOME, FOR 300B MICROWAVE. ***	0	B	5840M SE
CAT747R	AL	7-C-07-202	6	\$0.00	FLANGE	FLANGE, PIPE, QA 0, SOCKETWELD, 1 IN, CARBON STEEL, 1500 LB, ASTM A105, FLANGE, PIPE; ORIFICE,1500 LB,ANSI SOCKET WELD, ASTM	0	C	4730P SE
BCX825B	AL	7-C-07-301	1	\$0.00	ROD	ROD, THREADED, QA 1, CLASS 2, ROD, CONTINUOUS THREAD; STAINLESS STEEL, ASME SA 564 TP 630, 0.875-9	1	C	5305J SE
BDQ044J	AL	7-C-07-301	15	\$0.00	STUD	STUD, TYPICAL, QA 1, STUD, CONTINUOUS THREAD; ALLOY STEEL, ASME SA 453, GR 660B, 1.375-8	1	P	4320U SE
BET178M	AL	7-C-07-301	10	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT,PLAIN,HEXAGON, ; ALLOY STEEL ASME SA 194 GR 7 G41400, SIZE 1.875	1	C	4320U SE
BLA409B	AL	7-C-07-301	170	\$0.00	FUSE	FUSE, ONE-TIME, QA 2, CARTRIDGE, TIME DELAY, 250, 60, 200 K, RK-1, 13/16 IN, 3 IN, , UL LISTED	2		5920K SE
BLM975F	AL	7-C-07-301	130	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, CLASS 2, STRUCTURAL, 3/4 IN, 2 IN, 10, CS, ASME SA325 TP 1, UNC, 2A, STANDARD MILL FINISH, B18.2.1, RH -	1	C	5305J SE
BLP843N	AL	7-C-07-301	100	\$0.00	WASHER	WASHER, FLAT, QA 2, WASHER, FLAT; PLATE, AISI 1018 PLATED IN ACCORDANCE WITH FEDERAL SPEC	2	B	5305J SE
BNH147X	AL	7-C-07-301	2	\$0.00	HINGE	HINGE, DOOR, QA 3, HINGE, BUTT; CONCEALED WIRE FOR DOOR C-19 ***	3	P	4710Y SE
BRE038N	AL	7-C-07-301	5	\$0.00	TAPE	TAPE, TYPICAL, QA 0, PAPER, COMP MACH; NAGASE, ELECTROSENSITIVE	0		7420T SE
BTM089T	AL	7-C-07-301	2	\$0.00	NUT	NUT, HEX, QA 1, CLASS 2, NUT, PLAIN; NUT STYLE: HEXAGON, MATERIAL: CARBON STEEL, NOMINAL	1	B	5305J SE
BVN439P	AL	7-C-07-301	38	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, STRUCTURAL; HEAD STYLE: HEAVY HEXAGON, MATERIAL: CARBON STEEL	1	C	5305J SE
BXN794N	AL	7-C-07-301	2	\$0.00	SHAFT	SHAFT, TYPICAL, QA 3, SHAFT, FAN; 1-1/2 IN X 25 IN LONG, FOR GREENHECK MODEL CBE-36-30, S/N	3	C	4140U SE
CDW505N	AL	7-C-07-301	7	\$0.00	BALLAST	BALLAST, LIGHTING, QA 3, BALLAST, LIGHTING FIXTURE; HOLOPHANE KIT ***	3	B	6250D SE
CDX027H	AL	7-C-07-301	61	\$0.00	BOLT	BOLT, HEAVY HEX, QA 1, BOLT, MACHINE; HEAD STYLE: HEAVY HEXAGON, MATERIAL: STAINLESS STEEL	1	C	5305J SE
CFE206W	AL	7-C-07-301	34	\$0.00	REDUCER	REDUCER, TUBING, QA 2, COUPLING, 1/2 IN X 3/8 IN, STAINLESS STEEL, STUB X COMPRESSION, AISI 316, ***	2	C	4730P SE
CJT629E	AL	7-C-07-301	10	\$0.00	UNION	UNION, TUBING, QA 1, STRAIGHT, 3/4 IN, BRONZE, STANDARD MILL FINISH, CONNECTION: FF X MNPT COMPLETE W/ BRAZING RING, CLASS R 1	0		48100 SE
CKY225C	AL	7-C-07-301	2	\$0.00	BASE	BASE, TYPICAL, QA 0, POLE UNIT, FOR GE AK-2/3/3A-50 BREAKERS	0		
AEG597V	AL	7-C-07-302	21	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 1 IN, MENDER, CS	0		4730P SE
AEN798J	AL	7-C-07-302	20	\$0.00	PLUG	PLUG, ELECTRICAL, QA 0, POWER, 125/250, 3 PIN, 30, STRAIGHT, CONNECTOR, PLUG ELECTRICAL; CONNECTOR TYPE: POWER, BODY STYLE	0		5935B SE
AGG488L	AL	7-C-07-302	4	\$0.00	TRAP	TRAP, WATER, QA 0, 1-1/2 IN, BRASS, SOCKETWELD, TRAP, DRAIN,PLUMBING; P-TRAP, BRASS, STANDARD MILL FINISH, FIRST/IDENT	0		4730P SE
AGV496W	AL	7-C-07-302	1	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X-3, FOR RECORDER, TEMPERATURE, MODEL M, S/N	0		7510U SE
AGV796G	AL	7-C-07-302	2	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; FIBER TIP, FOR ADJUSTABLE-RANGE (AZAR)	0		7510U SE
AJW674D	AL	7-C-07-302	10	\$0.00	PEN	PEN, INSTRUMENT, QA 0, PEN, RECORDER; X1, FOR SPEEDOMAX M RECORDER ***	0		7510U SE
AND347H	AL	7-C-07-302	3	\$0.00	MIRROR	MIRROR, INSPECTION, QA 0, SAFETY, 18 IN, PLEXIGLASS, CONVEX, MIRROR, ; SAFETY AND SECURITY, SHATTER RESISTANT PLEXIGLASS, COM	0		5680B SE
ANG241J	AL	7-C-07-302	6	\$0.00	CLAMP	CLAMP, HOSE, QA 0, HIGH PRESSURE, MALLEABLE IRON, BOLTED, 4 BOLT, CADMIUM PLATED	0		4730P SE
ANG565P	AL	7-C-07-302	4	\$0.00	COUPLING	COUPLING, HOSE, QA 0, 3/8 IN, HALF/QUICK DISCONNECT, BRASS, MNPT, *** FIRST END TYPE: PUSH-PULL INTER HALF	0		4730P SE
ANG742V	AL	7-C-07-302	10	\$0.00	CLAMP	CLAMP, HOSE, QA 0, HIGH PRESSURE, 1 IN - 1.187 IN, MALLEABLE IRON, 2 BOLT	0	C	4730P SE
APX086H	AL	7-C-07-302	198	\$0.00	SEAL	SEAL, TYPICAL, QA 0, SEAL, STRAPPING; STAINLESS STEEL, SCRU-LOKT, 0.375 IN WD ***	0		8415B SE
AWF581R	AL	7-C-07-302	9	\$0.00	NIPPLE	NIPPLE, TYPICAL, QA 0, CYLINDER/GAS, 0.560 IN, 3-1/2 IN, BRASS, NIPPLE, GAS CYLINDER; BRASS, 000.562- 25 NGO X 003.500 INCH LON	0		4730P SE

BBE485W	AL	7-C-07-302	6	\$0.00	CONNECTO CONNECTOR, TUBING, QA 3, FEMALE, 1/4 IN, BRASS, TUBE X FNPT, STANDARD MILL FINISH	3	4730P SE
BBE515E	AL	7-C-07-302	36	\$0.00	CONNECTO CONNECTOR, TUBING, QA 3, ADAPTER, STRAIGHT, PIPE TO TUBE; BRASS, OUTSIDE STANDARD MILL FINISH	3	4730P SE
BBF131V	AL	7-C-07-302	3	\$0.00	ELBOW ELBOW, TUBING, QA 3, ELBOW, PIPE TO TUBE; 90 DEG, BRASS, FIRST ID .5 IN ASSEMBLED FITTING	3	4730P SE
BBF165A	AL	7-C-07-302	11	\$0.00	NUT NUT, TUBING, QA 3, NUT, TUBE COUPLING; BRASS, STANDARD MILL FINISH, FIRST ID .25 IN SEAT	3	4730P SE
BBF315H	AL	7-C-07-302	13	\$0.00	TEE TEE, TUBING, QA 3, TEE, PIPE TO TUBE; STAINLESS STEEL ASME SA 182 GR F316 S31600	3	4730P SE
BBF359W	AL	7-C-07-302	9	\$0.00	TEE TEE, TUBING, QA 3, TEE, TUBE; STAINLESS STEEL AISI 316 S31600, STANDARD MILL FINISH	3	4730P SE
BCB455F	AL	7-C-07-302	12	\$0.00	STRAP STRAP, TYPICAL, QA 0, STRAP, BREATHING APPARATUS; LEFT SHOULDER, CUSHIONED, FOR BREATHING	0	4240P SE
BGA496D	AL	7-C-07-302	2	\$0.00	SPACER SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 2 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 02.000000 ( 2 ) SIZE ID: 0	0	4730P SE
BGA562T	AL	7-C-07-302	2	\$0.00	SPACER SPACER, MECHANICAL, QA 0, PIPE, 1/2 IN, 1-1/2 IN, 1-9/16 IN, SARAN, SPACER, PIPE; MATERIAL: SARAN, SIZE OD: 01.500000 ( 1 1/2 ) SIZE	0	4730P SE
BGD659V	AL	7-C-07-302	2	\$0.00	ACCELERAT ACCELERATOR, TYPICAL, QA 3, ACCELERATOR, EPOXY GROUT; FLEXISET, 1 PINT CAN ***	3	5610V SE
BKT021F	AL	7-C-07-302	5	\$0.00	TUBING TUBING, HEAT SHRINK, QA 1, 7 IN, INSULATION SLEEVING, ELECTRICAL; HEAT SHRINK, 7 IN LONG, FOR	1	5970B SE
BNR081F	AL	7-C-07-302	3	\$0.00	TUBING TUBING, HEAT SHRINK, QA 1, 4 FT (48 IN), PLASTIC, RED, INSULATION SLEEVING, ELECTRICAL; RED, HEATSHRINK, PLASTIC TUBING, 4 FT	1	5970B SE
BNR153R	AL	7-C-07-302	8	\$0.00	CAP CAP, PROTECTIVE, QA 0, CAP, QUICK DISCONNECT; BODY PROTECTOR, 0.50 IN ***	0	4730P SE
BVC431V	AL	7-C-07-302	3	\$0.00	BUSHING BUSHING, PIPE, QA 0, 1-1/2 IN X 3/8 IN, STAINLESS STEEL, HEXAGON, MNPT X FNPT, ASTM A182 GR F316, BUSHING, PIPE; STYLE: HEX HEA	0	4730P SE
BXB227K	AL	7-C-07-302	17	\$0.00	CHART CHART, TYPICAL, QA 3, RECORDING INSTRUMENT, MILLI REM/HOUR	3	75300 SE
CAA150V	AL	7-C-07-302	6	\$0.00	BUSHING BUSHING, CONDUIT, QA 3, RIGID, 6 IN, MALLEABLE IRON, RIBBED, NON-INSULATED THROAT	3	5975B SE
ADD847L	AL	7-C-09-102	3	\$0.00	EXTINGUISHER EXTINGUISHER, FIRE, QA 0, HAND, CO2, 15 LB, W/MOUNTING BRACKET	0	4210N SE
AKD847F	AL	7-C-09-102	28	\$0.00	OVERALLS OVERALLS, PERSONAL, QA 0, PROTECTIVE/SANDBLAST, MEDIUM, RUBBER, BLACK, OVERALLS, UTILITY; MATERIAL: RUBBER, SIZE: MEDIUM, T	0	8415B SE
APT873J	AL	7-C-09-102	130	\$0.00	LAMP LAMP, INCANDESCENT, QA 0, A-21, MEDIUM SCREW, 100, INSIDE FROSTED, 230, LAMP, INCANDESCENT; VOLTAGE: 230.00, LAMP BASE: MF	0	6210P SE
AVL881R	AL	7-C-09-102	34	\$0.00	RESPIRATOR RESPIRATOR, CARTRIDGE, QA 0, AIR FILTERING, MEDIUM, BELT-MOUNTED, COMFO II, GMC-S, COMPLETE, BLACK	0	4240P SE
BEG081F	AL	7-C-09-102	4	\$0.00	VISOR VISOR, SAFETY, QA 0, RESPIRATOR, RUBBER, BLACK, FACEPIECE, RESPIRATOR; RUBBER, BLACK, PRESSURE DEMAND, SMALL, ULTRAVUE	0	4240P SE
AFK366R	AL	7-C-09-201	99	\$0.00	CLOTH CLOTH, SCREEN, QA 0, WIRE/FABRIC, STAINLESS STEEL, 36 IN WD, 5 X 5, 0.041 IN, WIRE, FABRIC; MATERIAL: STAINLESS STEEL 304, WIRE	0	5680B SE
AWX724M	AL	7-C-09-201	4	\$0.00	HOUSING HOUSING, TYPICAL, QA 0, BALLAST, 100/240 AC, W/MOUNTING COVERS, HOUSING, ; BALLAST, 100/240 VAC, C/W MOUNTING COVERS **	0	6210P SE
BFV649W	AL	7-C-09-201	1	\$0.00	TEE TEE, PIPE, QA 0, STRAIGHT, 3 IN, 3 IN, 3 IN, FLNG-RAISED FACE, FLNG-RAISED FACE, FLNG-RAISED FACE, CPVC, ASTM D1784, 80, TEE, PIPE; 0	0	4730P SE
APD246H	AL	7-C-09-301	25	\$0.00	CONTAINM CONTAINMENT, TYPICAL, QA 0, RADIATION AREA, FOR 6 IN PIPE, PORTABLE, CONTAINMENT AREA, ; RADIATION, PORTABLE, MODIFIED, C/W	0	4230E SE
AXM559D	AL	7-C-09-301	40	\$0.00	TUBING TUBING, TYPICAL, QA 0, TUBING, NONMETALLIC; MATERIAL: POLYETHYLENE ***	0	47200 SE
BFN144M	AL	7-C-09-301	1	\$0.00	HOSE HOSE, TYPICAL, QA 0, ASSEMBLY, 3/4 IN, 50 FT, RUBBER, 5000 PSI, HOSE ASSY, NONMETALLIC; RUBBER, 5000 PSI, 0.750 ID X 50 FT LONG	0	47200 SE
BPQ037H	AL	7-C-09-301	2	\$0.00	HOSE HOSE, TYPICAL, QA 0, HYDRAULIC, 1/2 IN, 6 FT, RUBBER, HOSE, NONMETALLIC; MATL (INTER LINER): RUBBER, SIZE ID: 0.500 IN (	0	47200 SE
BLM053M	AL	7-C-11-101	5	\$0.00	DESICCANT DESICCANT, TYPICAL, QA 3, ACTIVATED ALUMINA, 150 LB, *** DE-4 X 150 LB, FOR PALL PNEUMATICS PRODUCTS CORP. HEATLESS AIR	3	6810H SE
AQP572A	AL	7-D-01-101	50	\$0.00	CARTRIDGE CARTRIDGE, FILTER, QA 0, RESPIRATOR, CHEMICAL, PROTECTION AGAINST ACID	0	4240P SE
BLD301G	AL	7-D-01-101	8	\$0.00	CARTRIDGE CARTRIDGE, FILTER, QA 0, RESPIRATOR, GMC-S, COMBINATION, FOR BREATHING AIR, 6 EACH PER BOX	0	4240P SE
BVR773V	AL	7-D-01-101	1	\$0.00	GASKET GASKET, TYPICAL, QA 3, GASKET, SINGLE; PRESSURE SEAL, FOR WM POWELL GATE VALVE, SIZE 20 IN	3	48200 SE
BYJ653P	AL	7-D-01-101	6	\$0.00	ELEMENT ELEMENT, FILTER, QA 0, ELEMENT, COMPRESSOR; OIL FILTER, CASE, FOR 1CV SERVICE AIR COMPRESSOR	0	4310I SE
CDE914C	AL	7-D-01-101	462	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 3, 0.045 IN, CHROMIUM-NICKEL, BARE, E309LT-1, **	3	3439D SE
BNM681L	AL	7-D-01-102	200	\$0.00	BOLT BOLT, HEX, QA 1, BOLT, MACHINE; HEX HEAD, 0.625-11 UNC X 4.5 IN LG ***	1	5305J SE
BNM815R	AL	7-D-01-102	40	\$0.00	COUPLING COUPLING, PIPE, QA 0, 3 IN, ALUMINUM, *** STYLE: COUPLING	0	4730P SE
BNN546M	AL	7-D-01-102	7	\$0.00	TEE TEE, PIPE, QA 0, REDUCING, 3 IN, 3 IN, 3 IN, CARBON STEEL, TEE, PIPE; FIRST END NOM SIZE: 03.000 IN ( 3 ) SECOND END NOM SIZE:	0	4730P SE
BNR840H	AL	7-D-01-102	200	\$0.00	FASTENER FASTENER, TYPICAL, QA 0, FASTENER, ; 1 IN GALVANIZED. ***	0	5305J SE
BNT109Q	AL	7-D-01-102	6	\$0.00	OUTLET OUTLET, PIPE, QA 0, BRANCH CONNECTION, 12 IN, 4 IN, CARBON STEEL, SOCKETWELD, ASTM A105, 80, *** STYLE: SOCKOLET	0	4730P SE
BRH271A	AL	7-D-01-102	1	\$0.00	BODY BODY, CONDUIT, QA 0, 2-1/2 IN, CAST FERALOY, ** OUTLET STYLE: BT, OUTLET TYPE: MOGUL, ENTRANCE TYPE: THREADED HUB,	0	5975B SE
BRH334C	AL	7-D-01-102	3	\$0.00	BODY BODY, CONDUIT, QA 0, PTB, 2-1/2 IN, CAST FERALOY, THREADED, CONDUIT OUTLET, ELECTRICAL; TRADE SIZE: 02.500000 ( 2 1/2 ), MATE	0	5975B SE
CEM380Q	AL	7-D-01-102	25	\$0.00	TEE TEE, TUBING, QA 0, FEMALE RUN, 1-1/2 IN, WROUGHT COPPER/BRONZE, COMP X FNPT X COMP, *** TEE, FEMALE RUN, 1-1/2" NOM. SWEAT	0	4730P SE
AXF375N	AL	7-D-01-201	10	\$0.00	FIXTURE FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 240, 250, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, VOLTS: 240, WATTS: 250	0	6210P SE
BCT589C	AL	7-D-01-202	1	\$0.00	BUSHING BUSHING, ELECTRICAL, QA 0, BUSHING, ELECTRICAL; KILOVOLT RATING: 23, AMPERE RATING: 1200 ***	0	5970B SE
BGT066B	AL	7-D-01-202	10	\$0.00	ELBOW ELBOW, CONDUIT, QA 0, RIGID, 2 IN, 90 DEG, PVC, **	0	5975B SE
CLG387K	AL	7-D-01-301	6	\$0.00	RESIN RESIN, TYPICAL, QA 0, ION EXCHANGE COMPOUND, 10 LB, BAG, QA/0, RESIN, POWDERED ION EXCHANGE RESIN, CATION-GEL,	0	4730P SE
BTk071Q	AC	7-D-01-302	24	\$0.00	ELEMENT ELEMENT, FILTER, QA 0, AIR CONDITIONER, 12 IN, 30 IN, 1 IN, FIBERGLASS, FILTER ELEMENT, AIR CONDITIONER; FIBERGLASS, 12 IN X 30 IN	0	4520N SE
BTK113C	AC	7-D-01-302	30	\$0.00	ELEMENT ELEMENT, FILTER, QA 0, AIR CONDITIONER, 14 IN, 25 IN, 2 IN, FIBERGLASS	0	4520N SE
BQQ013R	AL	7-D-01-302	1	\$0.00	LIGHT LIGHT, EXTENSION, QA 0, INFARED/HEAT LAMP, W/FLEX EXT ARM/TABL CLAMP, LIGHT, INFRARED; QUICK-DRY HEAT LAMP, PORTABLE INFR	0	6210P SE
AGC811W	AL	7-D-03-101	385	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 1, CLASS 1, 1/16 IN, 36 IN (3 FT), SS, BARE, A5.9, ER309, SFA 5.9, PF-5004, ASME SEC III, CLASS 1, NB-2431.	1	3439D SE
AVD572B	AL	7-D-03-101	100	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 1, 1/8 IN, 36 IN (3 FT), SILICONE BRONZE, A5.7, ERCUSI-A, SFA 5.7	1	3439D SE
BEG435F	AL	7-D-03-101	102	\$0.00	ELECTRODE ELECTRODE, WELDING, QA 1, ELECTRODE, WELDING; BARE ROD, HARDSURFACING, 0.09375 IN OD, STELLITE	1	3439D SE
CHW173V	AL	7-D-03-102	3	\$0.00	BOX BOX, ELECTRICAL, QA 3, JUNCTION, 36 IN (3 FT), 36 IN (3 FT), 12 IN (1 FT), STEEL	3	5975B SE
BAA488H	AL	7-D-03-201	3	\$0.00	FIXTURE FIXTURE, LIGHT, QA 0, INCANDESCENT, 500, T-3 BULB, FIXTURE, LIGHTING; INCANDESCENT TYPE, 500 WATTS, ONE LAMP, T-3 BULB, 1	0	6210P SE
BVF557M	AL	7-D-03-201	21	\$0.00	CONNECTO CONNECTOR, CONDUIT, QA 3, CONNECTOR, GROUND; LIQUIDTIGHT, MALLEABLE IRON, STRAIGHT, POSITIVE	3	5975B SE
CFD330B	AL	7-D-03-201	1	\$0.00	SWITCH SWITCH, LEVEL, QA 3, ALARM, *** WATER COLUMN STYLE, PRESSURE RATING: 350 PSI, STEAM & WATER	3	6695D SE
CGT126M	AL	7-D-03-201	3	\$0.00	FUSE FUSE, ONE-TIME, QA 2, FERRULE, NON-RENEWABLE, 5-1/2 KV, 3 IN, E-RATED, 2 BARRELS, CS-3 SERIES, 15.88 IN LENGTH, 250E AMPS, 630 2	0	5920K SE

CJX014V	AL	7-D-03-20	2	\$0.00	RESPIRATOR	RESPIRATOR, AIR FILTERING, QA 0, FOR OPTIMAIR-6APAPR, BLOWER UNIT, ASSEMBLY, OPTIMAIR 6A PAPR LESS FACEPIECE, INCLUDES:	0	4240P SE
BNM737K	AL	7-D-03-20	1	\$0.00	HOLDER	HOLDER, LAMP, QA 0, FIXTURE, HOLDER, FIXTURE; FIXTURE ***	0	6230R SE
BNV399E	AL	7-D-03-20	4	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, MERCURY VAPOR, 480, 300, FIXTURE, LIGHTING; LAMP TYPE: MERCURY VAPOR, VOLTS: 480, WATTS: 300	0	6210P SE
BNW240T	AL	7-D-03-20	2	\$0.00	GLOVES	GLOVES, SAFETY, QA 0, CHEMICAL/OIL PROTECTIVE, 10-1/2, NEOPRENE, 32 IN, BLACK, DRY BOX	0	8415B SE
BHJ074F	AL	7-D-03-30	1	\$0.00	BAG	BAG, STORAGE, QA 0, 33 IN X 50 IN, 6 MIL, CLEAR, DANGER/ASBESTOS FIBERS, 75 BAGS PER ROLL	0	P 8105A SE
BKN577W	AL	7-D-03-30	4000	\$0.00	BAG	BAG, STORAGE, QA 0, ZIP-LOCK, POLYETHYLENE, 5 IN X 9 IN, YELLOW, BAG, PLASTIC; MATERIAL: POLYETHYLENE, BAG WIDTH: 5.000 IN, B	0	8105A SE
BMY670W	AL	7-D-03-30	70	\$0.00	ANCHOR	ANCHOR, CONCRETE/EXPANSION, QA 0, ANCHOR, WEDGE, SELF-DRILLING; 1 IN X 9 IN ***	0	4710Y SE
BRH262B	AL	7-D-03-30	9	\$0.00	BODY	BODY, CONDUIT, QA 0, 2 IN, CAST FERALOY, *** OUTLET STYLE: BT, OUTLET TYPE: MOGUL, ENTRANCE TYPE: THREADED HUB	0	5975B SE
BXB081C	AL	7-D-03-30	2	\$0.00	BAG	BAG, GLOVE, QA 0, BAG, GLOVE; CONTAINMENT, TYPE 1, 24 INCH DIAMETER, 18 INCH HEIGHT ***	0	8415B SE
BXB088X	AL	7-D-03-30	2	\$0.00	BAG	BAG, GLOVE, QA 0, BAG, GLOVE; CONTAINMENT, TYPE 6, 2 FT X 3 FT ***	0	C 8415B SE
AFT370A	AL	7-D-03-30	6	\$0.00	FIXTURE	FIXTURE, LIGHT, QA 0, FLUORESCENT, 120, FIXTURE, LIGHTING; LENGTH: 48.000 IN, LAMP TYPE: FLUORESCENT, VOLTS:	0	6210P SE
BBP752H	AL	7-D-03-30	22	\$0.00	GLOBE	GLOBE, FIXTURE, QA 0, ELECTRIC, CLEAR, GLOBE, ELECTRIC LIGHT; CLEAR, FOR 200 WATT FIXTURE ***	0	6210P SE
BDW522W	AL	7-D-03-30	8	\$0.00	FLASK	FLASK, CONTAINER, QA 0, FLASK, BOILING; 250 ML, ROUND BOTTOM, SHORT NECK, WITH FULL LENGTH	0	6630D SE
BKM875R	AL	7-D-03-30	14	\$0.00	HEAD	HEAD, SPRINKLER, QA 3, 1/2 IN, FIRE PROTECTION, BRASS, 165 DEG F, THREADED, HEAD, SPRINKLER, FIRE PROT; UPRIGHT, PLAIN FINISH, BR 3	0	4210N SE
BLM084A	AL	7-D-03-30	1	\$0.00	FLANGE	FLANGE, PIPE, QA 0, 8 IN X 12 IN, CARBON STEEL, ASTM A53, STD, FLANGE, PIPE; STYLE: EXPANDER, NOMINAL SIZE: 08.00 X 12.00 IN CLA 0	0	4730P SE
BTQ744E	AL	8-A-31-20	50	\$0.00	CABLE	CABLE, INSULATED, QA 1, POWER/CONTROL, #14 AWG, COPPER, 3, STRANDED, FRXLPE, BLACK, 600, 90 DEG C, 7, CSPE, 1E-LOCA	1	C 6145G SE
CDX404P	AL	8-A-31-20	50	\$0.00	CABLE	CABLE, HEAT TRACE, QA 0, CABLE, HEAT TRACE; TYPE EL-300 VOLTS, FP-600 VOLTS ***	0	B 6145G SE
CEW200J	AL	8-A-31-20	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, COMMUNICATION, #18 AWG, COPPER, 6 PAIR, STRANDED, FEP/PLENUM (FLAMAREST), INDIVIDUAL PAIR, BELDFOI 0	0	C 6145G SE
ALT450D	AL	8-A-33-20	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #8 AWG, COPPER, 4, STRANDED, FRXLPE, 600, NO SHIELDING, LSZH	0	P 6145G SE
BTV983C	AL	8-A-35-10	311	\$0.00	CABLE	CABLE, INSULATED, QA 1, POWER/CONTROL, #12 AWG, COPPER, 12, STRANDED, FRXLPE, 600, 90 DEG C, 7, CSPE, 1E-LOCA	1	D 6145G SE
BTL421V	AL	8-A-35-20	1902	\$0.00	CABLE	CABLE, INSULATED, QA 1, POWER/CONTROL, #2 AWG, COPPER, 1, STRANDED, FRXLPE, 600, 90 DEG C, 7, CSPE, 1E-LOCA	1	D 6145G SE
AET560B	PR	8-D-07-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #20 AWG, CHROMEL-ALUMEL, 2, SOLID, GLASS BRAID, BROWN, OVERALL SHIELD, THERMOCOUP 0	0	C 6145G SE
AET861H	PR	8-D-07-30	500	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #20 AWG, COPPER-CONSTANTAN, 2, SOLID, GLASS BRAID, BROWN, WIRE, SHIELDED, THERMOCO 0	0	P 6145G SE
AHT357A	PR	8-D-07-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #12 AWG, COPPER TINNED, 1, STRANDED, FEP, BLACK, 600, 200 DEG C, 19, SPECIAL PURPOSE, TEST LEAD	0	C 6145G SE
AJT758H	PR	8-D-07-30	250	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #2 AWG, COPPER, 1, STRANDED, NEOPRENE, 1715	0	P 6145G SE
ARM373L	PR	8-D-07-30	100	\$0.00	CABLE	CABLE, INSULATED, QA 0, #20 AWG, COPPER, STRANDED, THERMO POLY, ORANGE, 1 KV, 80 DEG C, *** APPLICATION: HOOK-UP, STRANDS 0	0	C 6145G SE
BLW791M	PR	8-D-07-30	250	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #16 AWG, IRON-CONSTANTAN, SILICONE, 600, 1600 DEG F, INSULATION TYPE: SILICONE VARN 0	0	C 6145G SE
APT758J	AC	8-D-07-30	600	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER TINNED, STRANDED, TEFLON, BLUE, 60, WIRE, ELECTRICAL; MATERIAL: COPPER/SILVER COAT 0	0	P 6145G SE
AAT060F	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, CU OFHC/SILVER PLATED, 1, STRANDED, TEFLON, YELLOW, 600, 200 DEG C, 19 X 30, WIRE, ELECTRI 0	0	P 6145G SE
AAT063X	PR	8-D-07-30	800	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER, ORANGE, 600, 16 X 30, APPLICATION: HOOK-UP	0	P 6145G SE
AAT160L	PR	8-D-07-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER TINNED, STRANDED, RUBBER, BLACK, 5 KV, 65 X 36, APPLICATION: HOOK-UP	0	P 6145G SE
AAT362W	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, 1, STRANDED, TEFLON, GRAY, 600, 19 X 30, HOOK-UP	0	C 6145G SE
AAT761E	PR	8-D-07-30	350	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, 1, STRANDED, TEFLON, BROWN, 600, 19 X 30, HOOK-UP	0	P 6145G SE
APT055C	PR	8-D-07-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, YELLOW, 600, 200 DEG C, WIRE, ELECTRICAL; MATERI 0	0	P 6145G SE
APT254F	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, GREEN, 600, 200 DEG C, WIRE, ELECTRICAL; MATERIAL 0	0	P 6145G SE
APT354B	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, LIGHT BLUE, 600, 200 DEG C, WIRE, ELECTRICAL; MAT 0	0	P 6145G SE
APT459W	PR	8-D-07-30	180	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, GRAY, 600, WIRE, ELECTRICAL; MATERIAL: COPPER/SILV 0	0	P 6145G SE
APT559Q	PR	8-D-07-30	42	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, ORANGE, 600, WIRE, ELECTRICAL; MATERIAL: COPPER/ 0	0	P 6145G SE
APT659L	PR	8-D-07-30	600	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, RED, 600, WIRE, ELECTRICAL; MATERIAL: COPPER/SILV 0	0	P 6145G SE
APT759G	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, STRANDED, FEP, VIOLET, 600, *** APPLICATION: HOOK-UP, STRANDS: 19 X 0	0	P 6145G SE
APT854N	PR	8-D-07-30	100	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, VIOLET, 600, 200 DEG C, WIRE, ELECTRICAL; MATERI 0	0	P 6145G SE
APT858E	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, BROWN, 600, WIRE, ELECTRICAL; MATERIAL: COPPER/S 0	0	P 6145G SE
APT954J	PR	8-D-07-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER/SILVER COATED, STRANDED, TEFLON, WHITE, 600, 200 DEG C, WIRE, ELECTRICAL; MATERIAL 0	0	P 6145G SE
BVA338V	PR	8-D-07-30	300	\$0.00	CABLE	CABLE, INSULATED, QA 0, RADIO FREQUENCY, #23 AWG, SOLID, *** IMPEDANCE/OHMS: 75.0, RG CABLE TYPE: RG 59/U	0	6145G SE
ADT154H	PR	8-D-09-20	579	\$0.00	CABLE	CABLE, INSULATED, QA 0, #2 AWG, COPPER, STRANDED, EPR, 600	0	C 6145G SE
ADT362A	PR	8-D-09-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, TELEPHONE, #22 AWG, COPPER, 2 PAIR, POLYETHYLENE, TAN, NO SHIELDING, PVC, INSIDE/OUTSIDE	0	C 6145G SE
ADT566R	PR	8-D-09-30	200	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #22 AWG, CONSTANTAN, RAYON, *** HEAT RESISTANT RUBBER LACQUERED RAYON INSULATIC 0	0	P 6145G SE
AET261A	PR	8-D-09-30	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #20 AWG, IRON-CONSTANTAN, 2, SOLID, GLASS BRAID, BROWN, *** SHIELDING TYPE: OVERALL 0	0	C 6145G SE
AET952E	PR	8-D-09-30	250	\$0.00	CABLE	CABLE, INSULATED, QA 0, #12 AWG, COPPER, STRANDED, NEOPRENE, BLACK, 600, APPLICATION: MOTOR LEAD	0	C 6145G SE
AKT758B	PR	8-D-09-30	150	\$0.00	CABLE	CABLE, INSULATED, QA 0, #12 AWG, 8, STRANDED, 600	0	C 6145G SE
ADT961K	PR	8-D-11-20	750	\$0.00	CABLE	CABLE, INSULATED, QA 0, #16 AWG, COPPER, 2, STRANDED, SOW, 600, 6 X 1	0	C 6145G SE
AET069Q	PR	8-D-11-20	400	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #16 AWG, COPPER-CONSTANTAN	0	C 6145G SE
AHT154Q	PR	8-D-11-20	500	\$0.00	CABLE	CABLE, INSULATED, QA 0, #18 AWG, COPPER TINNED, 2, STRANDED, NEOPRENE, 600, 41 X 34, INSULATION: N-18J-2, OVERALL SHIELD 0	0	P 6145G SE
AKT561Y	PR	8-D-11-20	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, THERMOCOUPLE, #20 AWG, CHROMEL-ALUMEL, PVC, PVC, SHIELDED, THERMOCOUPLE TYPE K	0	C 6145G SE
ARW984J	PR	8-D-11-20	139	\$0.00	CABLE	CABLE, INSULATED, QA 0, CONTROL, #1/0 AWG, COPPER, STRANDED, THHN, BLACK, 600	0	C 6145G SE
BYK151B	PR	8-D-11-20	1	\$0.00	CABLE	CABLE, INSULATED, QA 0, CABLE, DATA COMMUNICATIONS; AT & T COMMUNICATIONS CABLE, 1000 FT.	0	C 6145G SE
BAC174Y	AL	8-D-11-20	1000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #22 AWG, COPPER TINNED, 7, STRANDED, VINYL, BLACK, 300, WIRE, ELECTRICAL; MATERIAL: COPPER-TINNED, C 0	0	6145G SE

CEP330X	AL	8-D-11-20:	901	\$0.00	CABLE	CABLE, HEAT TRACE, QA 3, SELF-LIMITING, #14 AWG, COPPER, 2, FLUOROPOLYMER, 240, 5, AT 50 DEG F	3	6145G SE
CKA370M	AL	8-D-11-20:	9600	\$0.00	CABLE	CABLE, INSULATED, QA 3, DATA, CATEGORY 5E, #24 AWG, COPPER, 4 TWISTED PAIR, SOLID, POLYETHYLENE, BLACK, 300, 75 DEG C, NON-	3	6145G SE
AMT458B	PR	8-D-11-20:	160	\$0.00	CABLE	CABLE, INSULATED, QA 0, #6 AWG, COPPER, STRANDED, THHN, BLACK, 600, BUILDING WIRE	0	C 6145G SE
BNM142K	AL	8-D-11-30:	2	\$0.00	CABLE	CABLE, INSULATED, QA 0, HEATING, 115, *** WATTS PER FT: 002.500	0	6145G SE
BXW944Y	AL	8-D-11-30:	2000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #24 AWG, 4 PAIR, SOLID, WIRE, SECURITY SYSTEM; STATION, 4 PAIR, 24 AWG, SOLID CONDUCTORS	0	6350B SE
CDM316W	AL	8-D-11-30:	50	\$0.00	CABLE	CABLE, INSULATED, QA 3, 31, 50 FT, REES MINICABLE, FOR MODEL NO. 93 UNDERWATER CAMERA ON REFUEL PLATFORM	3	5840M SE
CDP318E	PR	8-D-11-30:	1954	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER, #12 AWG, COPPER, 1, STRANDED, XHHW, GREEN, 600	0	C 6145G SE
CHD195Y	PR	8-D-11-30:	176	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #10 AWG, COPPER, 3, STRANDED, LS-E1, 600, 90 DEG C, LSZH, DIRECT BURIAL RATED	0	C 6145G SE
CHD312M	PR	8-D-11-30:	175	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #10 AWG, COPPER, 7, STRANDED, XHHW-2, ICEA S-58-679 MTHD1 TBL1, 600, 90 DEG C, NO	0	C 6145G SE
CHD379L	AL	8-D-13-10:	2200	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #10 AWG, COPPER, 7, STRANDED, XHHW-2, ICEA S-58-679 MTHD1 TBL1, 600, 90 DEG C, EMI	0	B 6145G SE
ATV847V	AL	8-D-13-20:	2125	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #14 AWG, 12, FEP, 600, 400 DEG F, FEP	0	C 6145G SE
ATV847V	AL	8-D-13-20:	4189	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, #14 AWG, 12, FEP, 600, 400 DEG F, FEP	0	C 6145G SE
BNM664L	AL	8-D-13-30:	2000	\$0.00	CABLE	CABLE, INSULATED, QA 0, #12 AWG, COPPER, 1, STRANDED, THHN/THWN, WHITE	0	6145G SE
BPG220Q	AL	8-D-13-30:	750	\$0.00	CABLE	CABLE, BARE, QA 3, WIRE, BRAID; CABLE, 576 STRANDS, 0.781 IN ***	3	6145G SE
BXH511P	AL	8-D-13-30:	100	\$0.00	CABLE	CABLE, HEAT TRACE, QA 3, SELF-LIMITING, CABLE, SPECIAL APPLICATION; HEAT TRACE, SELF LIMITING WITH OVERJACKET.	3	6145G SE
CBH792W	AL	8-D-13-30:	250	\$0.00	CABLE	CABLE, INSULATED, QA 3, CABLE, SPECIAL APPLICATION; 28 AWG, 12 CONDUCTOR, STRANDED, COPPER	3	6145G SE
CEF772T	AL	8-D-13-30:	1	\$0.00	CABLE	CABLE, INSULATED, QA 0, POWER/CONTROL, ** PUMP POWER CABLE, 110 FT, FOR TRI-NUCLEAR MODEL UFV-260 UNDERWATER	0	C 6145G SE