

CITY OF SAN DIEGO
Metropolitan Wastewater Department
Environmental Monitoring & Technical Services Division
Industrial Waste Laboratory

Report #8



**WASTEWATER
CHARACTERIZATION**

**CITY OF TIJUANA
BAJA CALIFORNIA, MEXICO**

JUNE 1 TO DECEMBER 31, 2002

**IBWC
CILA**

**STATE OF
CALIFORNIA**

**DGE
CESPT**

February 28, 2003

**SAMPLING AND ANALYSIS
OF TIJUANA'S WASTEWATER**

JUNE 1 TO DECEMBER 31, 2002

This report was submitted simultaneously to:

COMISION INTERNACIONAL
DE LIMITES Y AGUAS (CILA)
Tijuana Section

DIRECCION GENERAL DE
ECOLOGIA DEL ESTADO
DE BAJA CALIFORNIA (DGE)

COMISION ESTATAL DE
SERVICIOS PUBLICOS
DE TIJUANA (CESPT)

The sampling was conducted by personnel from CESPT, DGE, and the City of San Diego.

All analyses were performed by the City of San Diego.

SAMPLING SITES (See maps in the following pages)

- 1) Influent to Punta Bandera's Wastewater Treatment Plant
- 2) International Collector Influent to Pump Station 1
- 3) Castillo Collector Influent to Pump Station 1
- 9) Exportadores Street in the Seccion Dorada
- 34) International Treatment Plant Effluent
- 44) Otay Mesa, Main Collector (replaced site 5 after collection system modifications)
- 45) Seccion Dorada Alley
- 48) Corner of Five South and Six East
- 49) Alley between Nine South and Two East
- 53) Source water at Colonia Libertad
- 54) Source water (See Map)
- 55) See Map
- 56) See Map
- 57) See Map
- 58) See Map
- 59) Manhole located at Five South street between One and Six East

SAMPLING EVENTS

A total of twenty five sampling events were conducted during this period .


Jun 10-11: sites 1,2,3,44,45
Jun 18-19: sites 1,2,3,44,45
Jun 26-27: sites 34,53,54
Jul 4-5: sites 1,2,3,44,45
Jul 12-13: sites 1,2,3,34,44,45
Jul 20-21: sites 1,2,3,34,44
Jul 28-29: sites 1,2,3,34,44,55
Aug 5-6: sites 1,2,3,34,44,55
Aug 13-14: sites 1,2,3,34,44,55,56
Aug 21-22: sites 1,2,3,44,55
Aug 29-30: sites 1,2,3,44,55
Sep 6-7 : sites 1,2,3,44
Sep 14-15: sites 1,2,3,44,56
Sep 22-23 : sites 1,2,3,44,56
Sep 30-Oct 1: sites 1,2,3,56
Oct 8-9: sites 1,2,3,44,56
Oct 16-17: sites 1,2,3,44,57
Oct 24-25: sites 1,2,3,44,57
Nov 1-2: sites 1,2,3,44,57
Nov 9-10: sites 1,2,3,44,57
Nov 17-18: sites 9,44,45,49,58
Nov 25-26: sites 9,44,45,49,58
Dec 3-4: sites 44,45,48,49,59
Dec 11-12: sites 44,45,48,49,59
Dec 19-20: sites 44,48,49,59

CHEMICAL ANALYSIS

<u>Analysis type</u>	<u>Number of samples analyzed</u>
pH	2757
Conductivity	2757
Total Suspended Solids	62
Ammonia-Nitrogen	70
Cyanide (Total +Amenable)	121
Biochemical Oxygen Demand	65
Chemical Oxygen Demand	65
Hexane Extractable Material (HEM)	89
HEM-Silica Gel Treated (HEM-SGT)	88
MBAS	87
Organophosphorus Pesticides	71
Organochlorine Pesticides	16
Volatile Organic Compounds	47
Semivolatile Organic Compounds	28
Metals by ICP-MS (incl. As, Se, Hg)	122

Sincerely,


ALAN C. LANGWORTHY
Deputy Director



DIRECCION GENERAL DE ECOLOGIA
 COMISION ESTATAL DE SERVICIOS
 PUBLICOS DE TIJUANA
 COMISION INTERNACIONAL DE LIMITES Y
 MARCAS
 WASTEWATER DEPARTMENT OF SAN
 DIEGO

CARTA OFICIAS
 PUNTOS DE MUESTREO

PUNTO 03 INFLUENTE PRI
 PUNTO 02 INFLUENTE PIR
 PUNTO 34 EFLUENTE PITAR




DIRECCION GENERAL DE
COLOGIA

COMISION DE SERVICIOS
PUBLICOS DE TIJUANA

COMISION INTERNACIONAL
DE LIMITES Y AGUA

WASTEWATER
DEPARTMENT OF SAN
DIEGO

PUNTO 44



DIRECCION GENERAL
DE ECOLOGIA

COMISION DE SERVICIOS
PUBLICOS DE TIJUANA

COMISION
INTERNACIONAL DE
LIMITES Y AGUA

WASTEWATER
DEPARTMENT OF SAN
DIEGO

PUNTO 46




DIRECCION GENERAL DE ECOLOGIA


COMISION DE SERVICIOS PUBLICOS DE TIJUANA


COMISION INTERNACIONAL DE LIMITES Y AGUA

WASTEWATER DEPARTMENT OF SAN DIEGO

PUNTO 50







SITE 1

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUN-02	MONDAY	1_Hr_COMP	1110	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1110	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	1210	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1210	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	1310	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1310	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1410	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1410	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1510	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1510	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1610	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1610	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	1710	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1710	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1810	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1810	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1910	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1910	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2010	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2010	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2110	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2110	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	2210	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2210	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	2310	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2310	pH		7.4	pH
11-JUN-02	TUESDAY	1_Hr_COMP	10	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	10	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	110	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	110	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	210	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	210	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	310	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	310	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	410	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	410	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	510	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	510	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	610	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	610	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	710	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	710	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	810	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	810	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	910	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	910	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1010	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1010	pH		7.5	pH
11-JUN-02	TUESDAY	COMP_AUTO_BOD	1025	Biochemical Oxygen Demand (BOD)		360	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_CN	1025	Total Cyanide	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_COD	1025	Chemical Oxygen Demand		862	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Antimony	<	.015	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Arsenic		.008	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Barium		.245	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Beryllium	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Cadmium	<	.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Chromium		.035	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Copper		.157	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Lead		.042	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Manganese		.093	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Mercury	<	.002	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Nickel		.07	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Selenium	<	.003	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Silver		.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Thallium	<	.001	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1025	Zinc		.405	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_NH3	1025	Ammonia as (N)		47.2	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_SOLID	1025	Total Suspended Solids		292	mg/L
11-JUN-02	TUESDAY	COMP_CONDUCT	1025	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	COMP_PH	1025	pH		7.5	pH
11-JUN-02	TUESDAY	GRAB	1030	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	GRAB	1030	pH		7.6	pH
11-JUN-02	TUESDAY	GRAB_OG	1030	Hexane Extraction Method		35.9	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
11-JUN-02	TUESDAY	GRAB_OG	1030	SGT-HEM-Non Polar Material		6.23	mg/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Chlorpyrifos		.13	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Demeton-O	<	.09	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Demeton-S	<	.05	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Diazinon		.09	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Guthion	<	.21	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Malathion		.11	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1030	Parathion	<	.03	ug/L
18-JUN-02	TUESDAY	1_Hr_COMP	945	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	945	pH		8.1	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1045	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1045	pH		7.9	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1145	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1145	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1245	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1245	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1345	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1345	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1445	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1445	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1545	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1545	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1645	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1645	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1745	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1745	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1845	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1845	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1945	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1945	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2045	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2045	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2145	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2145	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2245	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2245	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2345	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2345	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	45	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	45	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	145	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	145	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	245	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	245	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	345	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	345	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	445	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	445	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	545	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	545	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	645	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	645	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	745	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	745	pH		7.4	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	845	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	845	pH		7.4	pH
19-JUN-02	WEDNESDAY	COMP_AUTO_BOD	940	Biochemical Oxygen Demand (BOD)		313	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_CN	940	Total Cyanide	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_COD	940	Chemical Oxygen Demand		782	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Aluminum		1.87	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Antimony	<	.015	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Arsenic		.008	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Barium		.198	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Beryllium	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Cadmium	<	.009	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Chromium		.026	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Copper		.177	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Lead		.027	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Manganese		.079	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Mercury	<	.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Nickel		.125	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Selenium	<	.003	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Silver	<	.006	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Thallium		.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	940	Zinc		.354	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_MBAS	940	Methylene Blue Active Substances		18.9	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_SOLID	940	Total Suspended Solids		224	mg/L
19-JUN-02	WEDNESDAY	COMP_CONDUCT	940	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	COMP_PH	940	pH		7.6	pH
19-JUN-02	WEDNESDAY	GRAB	950	Specific Conductance		2200	umhos/cm
19-JUN-02	WEDNESDAY	GRAB	950	pH		7.5	pH
19-JUN-02	WEDNESDAY	GRAB_OG	950	Hexane Extraction Method		49.3	mg/L
19-JUN-02	WEDNESDAY	GRAB_OG	950	SGT-HEM-Non Polar Material	<	5	mg/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Chlorpyrifos		.14	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Demeton-O	<	.09	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Demeton-S	<	.05	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Diazinon		.15	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Guthion	<	.21	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Malathion		.16	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	950	Parathion	<	.03	ug/L
04-JUL-02	THURSDAY	1_Hr_COMP	1020	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1020	pH		7.7	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1120	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1120	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1220	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1220	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1320	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1320	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1420	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1420	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1520	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1520	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1620	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1620	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1720	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1720	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1820	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1820	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1920	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1920	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2020	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2020	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2120	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2120	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2220	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2220	pH		7.3	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2320	Specific Conductance		2300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2320	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	20	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	20	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	120	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	120	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	220	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	220	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	320	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	320	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	420	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	420	pH		7.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	520	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	520	pH		7.4	pH
05-JUL-02	FRIDAY	1_Hr_COMP	620	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	620	pH		7.4	pH
05-JUL-02	FRIDAY	1_Hr_COMP	720	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	720	pH		7.4	pH
05-JUL-02	FRIDAY	1_Hr_COMP	820	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	820	pH		7.4	pH
05-JUL-02	FRIDAY	1_Hr_COMP	920	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	920	pH		7.5	pH
05-JUL-02	FRIDAY	COMP_AUTO_BOD	955	Biochemical Oxygen Demand (BOD)		404	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_CN	955	Total Cyanide	<	.02	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_COD	955	Chemical Oxygen Demand		1000	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Aluminum		3.82	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Antimony	<	.015	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Arsenic	<	.003	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Barium		.24	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Beryllium	<	.006	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Cadmium	<	.009	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Chromium		.099	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Copper		.278	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Lead		.075	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Manganese		.107	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Mercury	<	.002	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Nickel		.222	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Selenium		.005	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Silver		.014	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Thallium	<	.001	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	955	Zinc		.635	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_MBAS	955	Methylene Blue Active Substances		21.8	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_NH3	955	Ammonia as (N)		45.2	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_SOLID	955	Total Suspended Solids		410	mg/L
05-JUL-02	FRIDAY	COMP_CONDUCT	955	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	COMP_PH	955	pH		7.4	pH
05-JUL-02	FRIDAY	GRAB	1005	Specific Conductance		2300	umhos/cm
05-JUL-02	FRIDAY	GRAB	1005	pH		7.7	pH
05-JUL-02	FRIDAY	GRAB_BNA	1005	1,2,4-trichlorobenzene	<	11.1	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	1,2-diphenylhydrazine	<	8.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,4,6-trichlorophenol	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,4-dimethylphenol	<	11	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,4-dinitrophenol	<	8.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,4-dinitrotoluene	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,4-dichlorophenol	<	9.32	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2,6-dinitrotoluene	<	6.97	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2-chloronaphthalene	<	7.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2-chlorophenol	<	5	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	2-nitrophenol	<	9.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	3,3-dichlorobenzidine	<	9.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	4-bromophenyl phenyl ether	<	6.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	4-chloro-3-methylphenol	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	4-chlorophenyl phenyl ether	<	4.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	4-nitrophenol	<	4.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Acenaphthene	<	5.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Acenaphthylene	<	8.34	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Anthracene	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzidine	<	6.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzo(A)anthracene	<	5.2	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzo(A)pyrene	<	7.69	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzo(G,H,I)perylene	<	5.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzo(K)fluoranthene	<	7.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Benzo(b)fluoroanthene	<	6.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Bis-(2-ethylhexyl) phthalate	<	19.5	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Butyl benzyl phthalate	<	7.53	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Chrysene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Di-n-Butyl phthalate	<	8.03	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Di-n-Octyl phthalate	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Dibenzo (A,H) Anthracene	<	7.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Diethyl Phthalate	<	4.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Dimethyl Phthalate	<	4.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Fluoranthene	<	4.68	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Fluorene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Hexachlorobenzene	<	6.89	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Hexachlorobutadiene	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Hexachlorocyclopentadiene	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Hexachloroethane	<	5.27	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Isophorone	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	N-nitrosodi-n-propylamine	<	8.67	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	N-nitrosodimethylamine	<	5.4	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	N-nitrosodiphenylamine	<	5.01	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Naphthalene	<	7.47	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Nitrobenzene	<	7.92	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Pentachlorophenol	<	2.73	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Phenanthrene	<	4.76	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Phenol	<	2.43	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	Pyrene	<	4.86	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	bis(2-chloroethoxy)methane	<	10.4	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1005	bis(2-chloroethyl) ether	<	6.41	ug/L
05-JUL-02	FRIDAY	GRAB_OG	1005	Hexane Extraction Method		28.6	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	GRAB_OG	1005	SGT-HEM-Non Polar Material		2.97	mg/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Aldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Alpha Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	BHC, Alpha	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	BHC, Beta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	BHC, Delta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	BHC, Gamma (Lindane)	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Beta Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Chlordane	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Chlorpyrifos	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Demeton-O	<	.09	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Demeton-S	<	.05	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Diazinon	<	.16	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Dieldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Endosulfan Sulfate	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Endrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Endrin aldehyde	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Guthion	<	.21	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Heptachlor	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Heptachlor epoxide	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Malathion	<	.17	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1016	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1221	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1232	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1242	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1248	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1254	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB 1260	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	PCB-1262	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Parathion	<	.03	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	Toxaphene	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	p,p-DDD	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	p,p-DDE	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1005	p,p-DDT	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,1,1-trichloroethane	<	.78	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,1,2,2-tetrachloroethane	<	3.13	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,1,2-trichloroethane	<	3.02	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,1-dichloroethane	<	.71	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,1-dichloroethene	<	1.09	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,2-dichlorobenzene	<	1.37	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,2-dichloroethane	<	2.24	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,2-dichloropropane	<	.83	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,3-dichlorobenzene	<	1.31	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	1,4-dichlorobenzene	<	3.44	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	2-chloroethylvinyl ether	<	1.35	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Benzene	<	.81	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Bromodichloromethane	<	1.79	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Bromoform	<	3.58	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Bromomethane	<	1.39	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Carbon tetrachloride	<	1.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Chlorobenzene	<	1	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Chloroethane	<	.95	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Chloroform	<	.57	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Chloromethane	<	3.23	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Dibromochloromethane	<	1.99	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Ethylbenzene	<	1.46	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Methylene chloride	<	1.29	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Tetrachloroethene	<	1.04	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Toluene	<	2.56	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Trichloroethene	<	1.32	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Trichlorofluoromethane	<	3.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	Vinyl chloride	<	1.04	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	cis-1,3-dichloropropene	<	1.01	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	trans-1,2-dichloroethene	<	.61	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1005	trans-1,3-dichloropropene	<	1.27	ug/L
13-JUL-02	SATURDAY	GRAB	955	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	GRAB	955	pH		7.6	pH
13-JUL-02	SATURDAY	GRAB_AMMONIA	955	Ammonia as (N)		43.6	mg/L
13-JUL-02	SATURDAY	GRAB_BOD	955	Biochemical Oxygen Demand (BOD)		145	mg/L
13-JUL-02	SATURDAY	GRAB_COD	955	Chemical Oxygen Demand		536	mg/L
13-JUL-02	SATURDAY	GRAB_CYANIDE	955	Total Cyanide	<	.02	mg/L
13-JUL-02	SATURDAY	GRAB_MBAS	955	Methylene Blue Active Substances		14.5	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Aluminum		.997	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
13-JUL-02	SATURDAY	GRAB_METALS	955	Antimony	<	.015	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Arsenic		.003	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Barium		.199	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Beryllium	<	.006	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Cadmium	<	.009	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Chromium		.011	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Copper		.072	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Lead	<	.02	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Manganese		.076	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Mercury	<	.002	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Nickel	<	.012	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Selenium		.004	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Silver	<	.006	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Thallium	<	.001	mg/L
13-JUL-02	SATURDAY	GRAB_METALS	955	Zinc		.229	mg/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Chlorpyrifos		.096	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Demeton-O	<	.09	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Demeton-S	<	.05	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Diazinon		.16	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Guthion	<	.21	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Malathion		.17	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	955	Parathion	<	.03	ug/L
13-JUL-02	SATURDAY	GRAB_SOLIDS	955	Total Suspended Solids		148	mg/L
20-JUL-02	SATURDAY	1_Hr_COMP	730	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	730	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	830	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	830	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	930	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	930	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1030	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1030	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1130	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1130	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1230	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1230	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1330	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1330	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1430	Specific Conductance		2500	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1430	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1530	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1530	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1630	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1630	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1730	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1730	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1830	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1830	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1930	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1930	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2030	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2030	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2130	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2130	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2230	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2230	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2330	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2330	pH		7.4	pH
21-JUL-02	SUNDAY	1_Hr_COMP	30	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	30	pH		7.4	pH
21-JUL-02	SUNDAY	1_Hr_COMP	130	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	130	pH		7.5	pH
21-JUL-02	SUNDAY	1_Hr_COMP	230	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	230	pH		7.5	pH
21-JUL-02	SUNDAY	1_Hr_COMP	330	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	330	pH		7.5	pH
21-JUL-02	SUNDAY	1_Hr_COMP	430	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	430	pH		7.5	pH
21-JUL-02	SUNDAY	1_Hr_COMP	530	Specific Conductance		2200	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	530	pH		7.6	pH
21-JUL-02	SUNDAY	1_Hr_COMP	630	Specific Conductance		2200	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	630	pH		7.6	pH
21-JUL-02	SUNDAY	COMP_AUTO_BOD	845	Biochemical Oxygen Demand (BOD)		311	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_CN	845	Total Cyanide	<	.02	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_AUTO_COD	845	Chemical Oxygen Demand		734	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Aluminum		3.5	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Antimony	<	.015	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Arsenic	<	.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Barium		.238	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Beryllium	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Cadmium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Chromium		.025	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Copper		.13	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Lead		.023	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Manganese		.107	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Mercury	<	.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Nickel	<	.012	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Selenium		.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Silver		.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Thallium	<	.001	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	845	Zinc		.294	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_MBAS	845	Methylene Blue Active Substances		18.5	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_NH3	845	Ammonia as (N)		45.6	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_SOLID	845	Total Suspended Solids		278	mg/L
21-JUL-02	SUNDAY	COMP_CONDUCT	845	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	COMP_PH	845	pH		7.5	pH
21-JUL-02	SUNDAY	GRAB	855	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	GRAB	855	pH		7.8	pH
21-JUL-02	SUNDAY	GRAB_OG	855	Hexane Extraction Method		51	mg/L
21-JUL-02	SUNDAY	GRAB_OG	855	SGT-HEM-Non Polar Material		10.2	mg/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Chlorpyrifos		.17	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Demeton-O	<	.09	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Demeton-S	<	.05	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Diazinon		.21	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Guthion	<	.21	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Malathion		.17	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	855	Parathion	<	.03	ug/L
28-JUL-02	SUNDAY	1_Hr_COMP	805	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	805	pH		7.5	pH
28-JUL-02	SUNDAY	1_Hr_COMP	905	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	905	pH		7.6	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1005	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1005	pH		7.8	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1105	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1105	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1205	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1205	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1305	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1305	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1405	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1405	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1505	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1505	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1605	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1605	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1705	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1705	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1805	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1805	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1905	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1905	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2005	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2005	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2105	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2105	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2205	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2205	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2305	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2305	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	5	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	5	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	105	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	105	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	205	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	205	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	305	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	305	pH		7.1	pH

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	1_Hr_COMP	405	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	405	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	505	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	505	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	605	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	605	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	705	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	705	pH		7.2	pH
29-JUL-02	MONDAY	COMP_AUTO_BOD	1025	Biochemical Oxygen Demand (BOD)		297	mg/L
29-JUL-02	MONDAY	COMP_AUTO_CN	1025	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_COD	1025	Chemical Oxygen Demand		694	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Antimony	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Arsenic	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Barium		.153	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Cadmium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Chromium		.027	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Copper		.144	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Lead	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Manganese		.104	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Mercury	<	.002	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Nickel		.029	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Selenium	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Silver		.007	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Thallium		.004	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1025	Zinc		.363	mg/L
29-JUL-02	MONDAY	COMP_AUTO_MBAS	1025	Methylene Blue Active Substances		15.8	mg/L
29-JUL-02	MONDAY	COMP_AUTO_NH3	1025	Ammonia as (N)		44.8	mg/L
29-JUL-02	MONDAY	COMP_AUTO_SOLID	1025	Total Suspended Solids		260	mg/L
29-JUL-02	MONDAY	COMP_CONDUCT	1025	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1025	pH		7.3	pH
29-JUL-02	MONDAY	GRAB	1035	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	GRAB	1035	pH		7.4	pH
29-JUL-02	MONDAY	GRAB_OG	1035	Hexane Extraction Method		45.7	mg/L
29-JUL-02	MONDAY	GRAB_OG	1035	SGT-HEM-Non Polar Material		8.68	mg/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Chlorpyrifos		.11	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Demeton-O	<	.09	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Demeton-S	<	.05	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Diazinon		.26	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Guthion	<	.21	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Malathion		.098	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1035	Parathion	<	.03	ug/L
05-AUG-02	MONDAY	1_Hr_COMP	945	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	945	pH		7.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1045	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1045	pH		7.5	pH
05-AUG-02	MONDAY	1_Hr_COMP	1145	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1145	pH		7.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	1245	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1245	pH		7.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	1345	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1345	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1445	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1445	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1545	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1545	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1645	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1645	pH		7	pH
05-AUG-02	MONDAY	1_Hr_COMP	1745	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1745	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1845	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1845	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1945	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1945	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2045	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2045	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2145	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2145	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2245	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2245	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2345	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2345	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	45	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	1_Hr_COMP	45	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	145	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	145	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	245	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	245	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	345	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	345	pH		7.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	445	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	445	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	545	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	545	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	645	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	645	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	745	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	745	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	845	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	845	pH		7.3	pH
06-AUG-02	TUESDAY	COMP_AUTO_BOD	955	Biochemical Oxygen Demand (BOD)		416	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_CN	955	Total Cyanide	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_COD	955	Chemical Oxygen Demand		974	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Aluminum		6.59	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Antimony	<	.015	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Arsenic	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Barium		.182	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Chromium		.054	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Copper		.238	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Lead		.04	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Manganese		.135	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Mercury	<	.002	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Nickel		.048	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Selenium		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Silver		.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Thallium		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	955	Zinc		.421	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_MBAS	955	Methylene Blue Active Substances		18.6	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_NH3	955	Ammonia as (N)		45.2	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_SOLID	955	Total Suspended Solids		488	mg/L
06-AUG-02	TUESDAY	COMP_CONDUCT	955	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	955	pH		7.3	pH
06-AUG-02	TUESDAY	GRAB	1010	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	GRAB	1010	pH		7.4	pH
06-AUG-02	TUESDAY	GRAB_BNA	1010	1,2,4-trichlorobenzene	<	11.1	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	1,2-diphenylhydrazine	<	8.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,4,6-trichlorophenol	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,4-dimethylphenol	<	11	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,4-dinitrophenol	<	8.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,4-dinitrotoluene	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,4-dichlorophenol	<	9.32	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2,6-dinitrotoluene	<	6.97	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2-chloronaphthalene	<	7.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2-chlorophenol	<	5	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	2-nitrophenol	<	9.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	3,3-dichlorobenzidine	<	9.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	4-bromophenyl phenyl ether	<	6.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	4-chloro-3-methylphenol	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	4-chlorophenyl phenyl ether	<	4.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	4-nitrophenol	<	4.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Acenaphthene	<	5.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Acenaphthylene	<	8.34	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Anthracene	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzidine	<	6.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzo(A)anthracene	<	5.2	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzo(A)pyrene	<	7.69	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzo(G,H,I)perylene	<	5.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzo(K)fluoranthene	<	7.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Benzo(b)fluoranthene	<	6.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Butyl benzyl phthalate	<	7.53	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Chrysene	<	4.04	ug/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_BNA	1010	Di-n-Butyl phthalate	<	5.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Di-n-Octyl phthalate	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Dibenzo (A,H) Anthracene	<	7.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Diethyl Phthalate	<	4.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Dimethyl Phthalate	<	4.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Fluoranthene	<	4.68	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Fluorene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Hexachlorobenzene	<	6.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Hexachlorobutadiene	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Hexachlorocyclopentadiene	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Hexachloroethane	<	5.27	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Isophorone	<	.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	N-nitrosodi-n-propylamine	<	8.67	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	N-nitrosodimethylamine	<	5.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	N-nitrosodiphenylamine	<	5.01	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Naphthalene	<	7.47	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Nitrobenzene	<	7.92	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Pentachlorophenol	<	2.73	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Phenanthrene	<	4.76	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Phenol	<	31.2	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	Pyrene	<	4.86	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	bis(2-chloroethoxy)methane	<	10.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1010	bis(2-chloroethyl) ether	<	6.41	ug/L
06-AUG-02	TUESDAY	GRAB_OG	1010	Hexane Extraction Method	<	40.4	mg/L
06-AUG-02	TUESDAY	GRAB_OG	1010	SGT-HEM-Non Polar Material	<	6.9	mg/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Aldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Alpha Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	BHC, Alpha	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	BHC, Beta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	BHC, Delta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	BHC, Gamma (Lindane)	<	.12	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Beta Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Chlordane	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Chlorpyrifos	<	.05	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Demeton-O	<	.09	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Demeton-S	<	.05	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Diazinon	<	.15	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Dieldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Endosulfan Sulfate	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Endrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Endrin aldehyde	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Guthion	<	.21	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Heptachlor	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Heptachlor epoxide	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Malathion	<	.39	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1016	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1221	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1232	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1242	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1248	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1254	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB 1260	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	PCB-1262	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Parathion	<	.03	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	Toxaphene	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	p,p-DDD	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	p,p-DDE	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1010	p,p-DDT	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,1,1-trichloroethane	<	.78	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,1,2,2-tetrachloroethane	<	3.13	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,1,2-trichloroethane	<	3.02	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,1-dichloroethane	<	.71	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,1-dichloroethene	<	1.09	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,2-dichlorobenzene	<	1.37	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,2-dichloroethane	<	2.24	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,2-dichloropropane	<	.83	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,3-dichlorobenzene	<	1.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	1,4-dichlorobenzene	<	3.12	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	2-chloroethylvinyl ether	<	1.35	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Benzene	<	.81	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Bromodichloromethane	<	1.79	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Bromoform	<	3.58	ug/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_VOC	1010	Bromomethane	<	1.39	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Carbon tetrachloride	<	1.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Chlorobenzene	<	1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Chloroethane	<	.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Chloroform	<	.57	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Chloromethane	<	3.23	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Dibromochloromethane	<	1.99	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Ethylbenzene	<	1.46	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Methylene chloride	<	1.29	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Tetrachloroethene	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Toluene	<	1.93	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Trichloroethene	<	1.32	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Trichlorofluoromethane	<	3.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	Vinyl chloride	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	cis-1,3-dichloropropene	<	1.01	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	trans-1,2-dichloroethene	<	.61	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1010	trans-1,3-dichloropropene	<	1.27	ug/L
13-AUG-02	TUESDAY	1_Hr_COMP	1000	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1000	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1100	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1100	pH		7.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1200	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1200	pH		7.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1300	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1300	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1400	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1400	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1500	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1500	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1600	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1600	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1700	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1800	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1800	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1900	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1900	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2000	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2000	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2100	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2100	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2200	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2200	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2300	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2300	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2400	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2400	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	100	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	100	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	200	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	200	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	300	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	300	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	400	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	400	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	500	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	500	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	600	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	600	pH		7.3	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	700	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	700	pH		7.2	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	800	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	800	pH		7	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	900	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	900	pH		7.3	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_BOD	1030	Biochemical Oxygen Demand (BOD)		312	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	1030	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_COD	1030	Chemical Oxygen Demand		746	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Aluminum		2.87	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Antimony	<	.015	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Arsenic	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Barium		.118	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Beryllium	<	.006	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Cadmium	<	.009	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Chromium		.075	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Copper		.168	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Lead		.031	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Manganese		.083	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Mercury	<	.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Nickel		.104	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Selenium		.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Silver		.008	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Thallium		.001	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1030	Zinc		.308	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_MBAS	1030	Methylene Blue Active Substances		20.5	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_NH3	1030	Ammonia as (N)		45.2	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_SOLID	1030	Total Suspended Solids		260	mg/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1030	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1030	pH		7.1	pH
14-AUG-02	WEDNESDAY	GRAB	1045	pH		7.2	pH
14-AUG-02	WEDNESDAY	GRAB_OG	1045	Hexane Extraction Method		68.8	mg/L
14-AUG-02	WEDNESDAY	GRAB_OG	1045	SGT-HEM-Non Polar Material		7.8	mg/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Chlorpyrifos		.14	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Diazinon		.17	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Malathion	<	.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
21-AUG-02	WEDNESDAY	1_Hr_COMP	1035	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1035	pH		7.4	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1135	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1135	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1235	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1235	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1335	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1335	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1435	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1435	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1535	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1535	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1635	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1635	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1735	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1735	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1835	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1835	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1935	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1935	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2035	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2035	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2135	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2135	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2235	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2235	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2335	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2335	pH		7.2	pH
22-AUG-02	THURSDAY	1_Hr_COMP	35	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	35	pH		7.2	pH
22-AUG-02	THURSDAY	1_Hr_COMP	135	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	135	pH		7.2	pH
22-AUG-02	THURSDAY	1_Hr_COMP	235	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	235	pH		7.2	pH
22-AUG-02	THURSDAY	1_Hr_COMP	335	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	335	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	435	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	435	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	535	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	535	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	635	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	635	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	735	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	735	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	835	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	835	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	935	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-AUG-02	THURSDAY	1_Hr_COMP	935	pH		7.5	pH
22-AUG-02	THURSDAY	COMP_AUTO_BOD	1020	Biochemical Oxygen Demand (BOD)		264	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_CN	1020	Total Cyanide	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_COD	1020	Chemical Oxygen Demand		688	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Aluminum		3.37	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Antimony	<	.015	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Arsenic		.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Barium		.145	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Beryllium	<	.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Cadmium	<	.009	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Chromium		.036	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Copper		.114	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Lead	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Manganese		.094	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Mercury	<	.002	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Nickel		.06	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Selenium	<	.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Silver		.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Thallium		.001	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1020	Zinc		.339	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_MBAS	1020	Methylene Blue Active Substances		18.4	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_NH3	1020	Ammonia as (N)		50.4	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_SOLID	1020	Total Suspended Solids		390	mg/L
22-AUG-02	THURSDAY	COMP_CONDUCT	1020	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	COMP_PH	1020	pH		7.3	pH
22-AUG-02	THURSDAY	GRAB	1030	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	GRAB	1030	pH		7.5	pH
22-AUG-02	THURSDAY	GRAB_OG	1030	Hexane Extraction Method		58.1	mg/L
22-AUG-02	THURSDAY	GRAB_OG	1030	SGT-HEM-Non Polar Material		9.6	mg/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Chlorpyrifos	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Demeton-O	<	.09	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Demeton-S	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Diazinon		.29	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Guthion	<	.21	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Malathion		.16	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1030	Parathion	<	.03	ug/L
29-AUG-02	THURSDAY	1_Hr_COMP	1115	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1115	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1215	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1215	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1315	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1315	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1415	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1415	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1515	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1515	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1615	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1615	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1715	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1715	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1815	Specific Conductance		2700	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1815	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1915	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1915	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2015	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2015	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2115	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2115	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2215	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2215	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2315	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2315	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	15	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	15	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	115	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	115	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	215	Specific Conductance		2200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	215	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	315	Specific Conductance		2200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	315	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	415	Specific Conductance		2200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	415	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	515	Specific Conductance		2200	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
30-AUG-02	FRIDAY	1_Hr_COMP	515	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	615	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	615	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	715	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	715	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	815	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	815	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	915	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	915	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	1015	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	1015	pH		7.7	pH
30-AUG-02	FRIDAY	COMP_AUTO_BOD	1015	Biochemical Oxygen Demand (BOD)		341	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_CN	1015	Total Cyanide	<	.02	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_COD	1015	Chemical Oxygen Demand		762	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Aluminum		2.27	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Antimony	<	.015	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Arsenic		.005	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Barium		.12	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Beryllium	<	.006	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Cadmium	<	.009	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Chromium		.05	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Copper		.209	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Lead	<	.02	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Manganese		.08	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Mercury	<	.002	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Nickel		.151	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Selenium		.003	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Silver		.007	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Thallium		.001	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1015	Zinc		.337	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_MBAS	1015	Methylene Blue Active Substances		17.6	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_NH3	1015	Ammonia as (N)		43.6	mg/L
30-AUG-02	FRIDAY	COMP_CONDUCT	1015	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	COMP_PH	1015	pH		7.7	pH
30-AUG-02	FRIDAY	GRAB	1025	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	GRAB	1025	pH		7.7	pH
30-AUG-02	FRIDAY	GRAB_OG	1025	Hexane Extraction Method		2.42	mg/L
30-AUG-02	FRIDAY	GRAB_OG	1025	SGT-HEM-Non Polar Material		5.8	mg/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Chlorpyrifos		.11	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Demeton-O	<	.09	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Demeton-S	<	.05	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Diazinon		.17	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Guthion	<	.21	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Malathion		.13	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1025	Parathion	<	.03	ug/L
06-SEP-02	FRIDAY	1_Hr_COMP	1000	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1000	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1100	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1100	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1200	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1200	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1300	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1300	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1400	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1400	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1500	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1500	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1600	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1600	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1700	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1800	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1800	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1900	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1900	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2000	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2000	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2100	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2100	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2200	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2200	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2300	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2300	pH		7.5	pH

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-SEP-02	FRIDAY	1_Hr_COMP	2400	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2400	pH		7.4	pH
07-SEP-02	SATURDAY	1_Hr_COMP	100	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	100	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	200	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	200	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	300	Specific Conductance		2300	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	300	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	400	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	400	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	500	Specific Conductance		2000	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	500	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	600	Specific Conductance		1900	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	600	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	700	Specific Conductance		1600	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	700	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	800	Specific Conductance		1300	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	800	pH		7.4	pH
07-SEP-02	SATURDAY	1_Hr_COMP	900	Specific Conductance		1100	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	900	pH		7.3	pH
07-SEP-02	SATURDAY	COMP_AUTO_BOD	905	Biochemical Oxygen Demand (BOD)		311	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_CN	905	Total Cyanide	<	.02	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_COD	905	Chemical Oxygen Demand		872	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Aluminum		10.1	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Antimony	<	.015	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Arsenic		.011	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Barium		.204	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Beryllium	<	.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Cadmium	<	.009	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Chromium		.034	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Copper		.241	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Lead		.046	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Manganese		.175	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Mercury	<	.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Nickel		.165	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Selenium		.003	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Silver		.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Thallium		.001	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	905	Zinc		.549	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_MBAS	905	Methylene Blue Active Substances		14.3	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_NH3	905	Ammonia as (N)		37.9	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_SOLID	905	Total Suspended Solids		394	mg/L
07-SEP-02	SATURDAY	COMP_CONDUCT	905	Specific Conductance		2100	umhos/cm
07-SEP-02	SATURDAY	COMP_PH	905	pH		7.5	pH
07-SEP-02	SATURDAY	GRAB	915	Specific Conductance		1100	umhos/cm
07-SEP-02	SATURDAY	GRAB	915	pH		7	pH
07-SEP-02	SATURDAY	GRAB_BNA	915	1,2,4-trichlorobenzene	<	11.1	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	1,2-diphenylhydrazine	<	8.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,4,6-trichlorophenol	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,4-dimethylphenol	<	11	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,4-dinitrophenol	<	8.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,4-dinitrotoluene	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,4-dichlorophenol	<	9.32	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2,6-dinitrotoluene	<	6.97	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2-chloronaphthalene	<	7.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2-chlorophenol	<	5	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	2-nitrophenol	<	9.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	3,3-dichlorobenzidine	<	9.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	4-bromophenyl phenyl ether	<	6.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	4-chloro-3-methylphenol	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	4-chlorophenyl phenyl ether	<	4.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	4-nitrophenol	<	4.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Acenaphthene	<	5.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Acenaphthylene	<	8.34	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Anthracene	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzidine	<	6.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzo(A)anthracene	<	5.2	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzo(A)pyrene	<	7.69	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzo(G,H,I)perylene	<	5.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzo(K)fluoranthene	<	7.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Benzo(b)fluoroanthene	<	6.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	GRAB_BNA	915	Bis-(2-ethylhexyl) phthalate		20.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Butyl benzyl phthalate	<	7.53	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Chrysene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Di-n-Butyl phthalate	<	5.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Di-n-Octyl phthalate	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Dibenzo (A,H) Anthracene	<	7.66	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Diethyl Phthalate	<	4.66	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Dimethyl Phthalate	<	4.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Fluoranthene	<	4.68	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Fluorene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Hexachlorobenzene	<	6.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Hexachlorobutadiene	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Hexachlorocyclopentadiene	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Hexachloroethane	<	5.27	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Isophorone	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	N-nitrosodi-n-propylamine	<	8.67	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	N-nitrosodimethylamine	<	5.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	N-nitrosodiphenylamine	<	5.01	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Naphthalene	<	7.47	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Nitrobenzene	<	7.92	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Pentachlorophenol	<	2.73	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Phenanthrene	<	4.76	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Phenol	<	2.43	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	Pyrene	<	4.86	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	bis(2-chloroethoxy)methane	<	10.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	915	bis(2-chloroethyl) ether	<	6.41	ug/L
07-SEP-02	SATURDAY	GRAB_OG	915	Hexane Extraction Method		75.4	mg/L
07-SEP-02	SATURDAY	GRAB_OG	915	SGT-HEM-Non Polar Material		16.2	mg/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Aldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Alpha Endosulfan	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	BHC, Alpha	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	BHC, Beta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	BHC, Delta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	BHC, Gamma (Lindane)	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Beta Endosulfan	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Chlordane	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Chlorpyrifos	<	.12	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Demeton-O	<	.09	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Demeton-S	<	.05	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Diazinon	<	.84	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Dieldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Endosulfan Sulfate	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Endrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Endrin aldehyde	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Guthion	<	.21	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Heptachlor	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Heptachlor epoxide	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Malathion	<	2.7	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1016	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1221	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1232	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1242	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1248	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1254	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB 1260	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	PCB-1262	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Parathion	<	.03	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	Toxaphene	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	p,p-DDD	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	p,p-DDE	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	915	p,p-DDT	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,1,1-trichloroethane	<	.78	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,1,2,2-tetrachloroethane	<	3.13	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,1,2-trichloroethane	<	3.02	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,1-dichloroethane	<	.71	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,1-dichloroethene	<	1.09	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,2-dichlorobenzene	<	1.37	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,2-dichloroethane	<	2.24	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,2-dichloropropane	<	.83	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,3-dichlorobenzene	<	1.31	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	1,4-dichlorobenzene	<	15	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	2-chloroethylvinyl ether	<	1.35	ug/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	GRAB_VOC	915	Benzene	<	.81	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Bromodichloromethane	<	1.79	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Bromoform	<	3.58	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Bromomethane	<	1.39	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Carbon tetrachloride	<	1.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Chlorobenzene	<	1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Chloroethane	<	.95	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Chloroform	<	.57	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Chloromethane	<	3.23	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Dibromochloromethane	<	1.99	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Ethylbenzene	<	1.46	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Methylene chloride	<	1.29	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Tetrachloroethene	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Toluene	<	31.6	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Trichloroethene	<	1.32	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Trichlorofluoromethane	<	3.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	Vinyl chloride	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	cis-1,3-dichloropropene	<	1.01	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	trans-1,2-dichloroethene	<	.61	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	915	trans-1,3-dichloropropene	<	1.27	ug/L
14-SEP-02	SATURDAY	1_Hr_COMP	720	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	720	pH		7.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	820	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	820	pH		7.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	920	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	920	pH		7.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1020	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1020	pH		7.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1120	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1120	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1220	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1220	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1320	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1320	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1420	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1420	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1520	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1520	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1620	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1620	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1720	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1720	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1820	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1820	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1920	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1920	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2020	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2020	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2120	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2120	pH		7.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2220	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2220	pH		8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2320	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2320	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	20	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	20	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	120	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	120	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	220	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	220	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	320	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	320	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	420	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	420	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	520	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	520	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	620	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	620	pH		7.7	pH
15-SEP-02	SUNDAY	COMP_AUTO_BOD	915	Biochemical Oxygen Demand (BOD)		306	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_CN	915	Total Cyanide	<	.02	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_COD	915	Chemical Oxygen Demand		730	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Aluminum		1.97	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Antimony	<	.015	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Arsenic		.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Barium		.151	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Beryllium	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Cadmium	<	.009	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Chromium		.225	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Copper		.45	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Lead		.034	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Manganese		.084	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Mercury	<	.002	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Nickel		.653	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Selenium		.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Silver		.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Thallium		.001	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	915	Zinc		.395	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_MBAS	915	Methylene Blue Active Substances		16	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_NH3	915	Ammonia as (N)		44.4	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_SOLID	915	Total Suspended Solids		288	mg/L
15-SEP-02	SUNDAY	COMP_CONDUCT	915	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	COMP_PH	915	pH		7.7	pH
15-SEP-02	SUNDAY	GRAB	930	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	GRAB	930	pH		7.6	pH
15-SEP-02	SUNDAY	GRAB_PEST	930	Chlorpyrifos	<	.05	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Demeton-O	<	.09	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Demeton-S	<	.05	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Diazinon		.17	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Guthion	<	.21	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Malathion		.22	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	930	Parathion	<	.03	ug/L
22-SEP-02	SUNDAY	1_Hr_COMP	730	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	730	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	830	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	830	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	930	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	930	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1030	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1030	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1130	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1130	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1230	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1230	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1330	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1330	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1430	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1430	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1530	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1530	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1630	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1630	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1730	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1730	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1830	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1830	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1930	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1930	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2030	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2030	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2130	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2130	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2230	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2230	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2330	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2330	pH		7.6	pH
23-SEP-02	MONDAY	1_Hr_COMP	30	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	30	pH		7.6	pH
23-SEP-02	MONDAY	1_Hr_COMP	130	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	130	pH		7.6	pH
23-SEP-02	MONDAY	1_Hr_COMP	230	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	230	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	330	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	330	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	430	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	430	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	530	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-SEP-02	MONDAY	1_Hr_COMP	530	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	630	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	630	pH		7.8	pH
23-SEP-02	MONDAY	COMP_AUTO_BOD	1030	Biochemical Oxygen Demand (BOD)		288	mg/L
23-SEP-02	MONDAY	COMP_AUTO_CN	1030	Total Cyanide	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_COD	1030	Chemical Oxygen Demand		842	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Aluminum		3.56	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Antimony	<	.015	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Arsenic		.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Barium		.109	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Beryllium	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Cadmium	<	.009	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Chromium		.111	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Copper		1.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Lead	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Manganese		.19	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Mercury	<	.002	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Nickel		1.35	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Selenium	<	.003	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Silver	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Thallium		.001	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1030	Zinc		.337	mg/L
23-SEP-02	MONDAY	COMP_AUTO_MBAS	1030	Methylene Blue Active Substances		20	mg/L
23-SEP-02	MONDAY	COMP_AUTO_NH3	1030	Ammonia as (N)		40.8	mg/L
23-SEP-02	MONDAY	COMP_AUTO_SOLID	1030	Total Suspended Solids		262	mg/L
23-SEP-02	MONDAY	COMP_CONDUCT	1030	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	COMP_PH	1030	pH		7.7	pH
23-SEP-02	MONDAY	GRAB	1045	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	GRAB	1045	pH		7.6	pH
23-SEP-02	MONDAY	GRAB_PEST	1045	Chlorpyrifos	<	.05	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Diazinon		.14	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Malathion		.2	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
30-SEP-02	MONDAY	1_Hr_COMP	940	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	940	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1040	Specific Conductance		2500	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1040	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1140	Specific Conductance		2500	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1140	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1240	Specific Conductance		2500	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1240	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1340	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1340	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1440	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1440	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	1540	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1540	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	1640	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1640	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	1740	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1740	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	1840	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1840	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	1940	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1940	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	2340	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2340	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	40	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	40	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	140	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	140	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	240	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	240	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	340	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	340	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	440	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	440	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	540	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	540	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	640	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
01-OCT-02	TUESDAY	1_Hr_COMP	640	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	740	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	740	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	840	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	840	pH		7.9	pH
01-OCT-02	TUESDAY	COMP_AUTO_BOD	1040	Biochemical Oxygen Demand (BOD)		300	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_CN	1040	Total Cyanide	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_COD	1040	Chemical Oxygen Demand		840	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Aluminum		2.1	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Antimony	<	.015	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Arsenic		.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Barium		.082	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Beryllium	<	.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Cadmium	<	.009	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Chromium		.022	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Copper		.12	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Lead	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Manganese		.095	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Mercury	<	.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Nickel		.042	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Selenium	<	.003	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Silver		.007	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Thallium		.001	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1040	Zinc		.302	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_MBAS	1040	Methylene Blue Active Substances		18	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_NH3	1040	Ammonia as (N)		44.8	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_SOLID	1040	Total Suspended Solids		266	mg/L
01-OCT-02	TUESDAY	COMP_CONDUCT	1040	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	COMP_PH	1040	pH		7.9	pH
01-OCT-02	TUESDAY	GRAB	1055	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	GRAB	1055	pH		7.9	pH
01-OCT-02	TUESDAY	GRAB_OG	1055	Hexane Extraction Method		39.7	mg/L
01-OCT-02	TUESDAY	GRAB_OG	1055	SGT-HEM-Non Polar Material		7.2	mg/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Chlorpyrifos		.05	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Demeton-O	<	.09	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Demeton-S	<	.05	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Diazinon		.3	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Guthion	<	.21	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Malathion		.3	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1055	Parathion	<	.03	ug/L
08-OCT-02	TUESDAY	1_Hr_COMP	915	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	915	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1015	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1015	pH		7.7	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1115	Specific Conductance		2600	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1115	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1215	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1215	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1315	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1315	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1415	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1415	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1515	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1515	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1615	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1615	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1715	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1715	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1815	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1815	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1915	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1915	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2015	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2015	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2115	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2115	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2215	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2215	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2315	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2315	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	15	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	15	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	115	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	1_Hr_COMP	115	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	215	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	215	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	315	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	315	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	415	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	415	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	515	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	515	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	615	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	615	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	715	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	715	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	815	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	815	pH		7.6	pH
09-OCT-02	WEDNESDAY	COMP_AUTO_BOD	840	Biochemical Oxygen Demand (BOD)		348	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_CN	840	Total Cyanide	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_COD	840	Chemical Oxygen Demand		762	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Aluminum		1.73	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Antimony	<	.015	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Arsenic	<	.003	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Barium		.161	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Beryllium	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Cadmium	<	.009	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Chromium		.05	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Copper		.173	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Lead	<	.021	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Manganese		.082	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Mercury	<	.002	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Nickel		.052	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Selenium		.011	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Silver		.068	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Thallium	<	.001	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	840	Zinc		.387	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_MBAS	840	Methylene Blue Active Substances		18.6	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_NH3	840	Ammonia as (N)		41.6	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_SOLID	840	Total Suspended Solids		268	mg/L
09-OCT-02	WEDNESDAY	COMP_CONDUCT	840	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	COMP_PH	840	pH		7.6	pH
09-OCT-02	WEDNESDAY	GRAB	855	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	GRAB	855	pH		7.5	pH
09-OCT-02	WEDNESDAY	GRAB_BNA	855	1,2,4-trichlorobenzene	<	11.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	1,2-diphenylhydrazine	<	8.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,4,6-trichlorophenol	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,4-dimethylphenol	<	11	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,4-dinitrophenol	<	8.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,4-dinitrotoluene	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,4-dichlorophenol	<	9.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2,6-dinitrotoluene	<	6.97	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2-chloronaphthalene	<	7.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2-chlorophenol	<	5	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	2-nitrophenol	<	9.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	3,3-dichlorobenzidine	<	9.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	4-bromophenyl phenyl ether	<	6.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	4-chloro-3-methylphenol	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	4-chlorophenyl phenyl ether	<	4.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	4-nitrophenol	<	4.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Acenaphthene	<	5.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Acenaphthylene	<	8.34	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Anthracene	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzidine	<	6.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzo(A)anthracene	<	5.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzo(A)pyrene	<	7.69	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzo(G,H,I)perylene	<	5.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzo(K)fluoranthene	<	7.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Benzo(b)fluoroanthene	<	6.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Bis-(2-ethylhexyl) phthalate		26.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Butyl benzyl phthalate	<	7.53	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Chrysene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Di-n-Butyl phthalate	<	5.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Di-n-Octyl phthalate	<	9.17	ug/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Dibenzo (A,H) Anthracene	<	7.66	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Diethyl Phthalate	<	16.5	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Dimethyl Phthalate	<	4.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Fluoranthene	<	4.68	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Fluorene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Hexachlorobenzene	<	6.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Hexachlorobutadiene	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Hexachlorocyclopentadiene	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Hexachloroethane	<	5.27	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Isophorone	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	N-nitrosodi-n-propylamine	<	8.67	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	N-nitrosodimethylamine	<	5.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	N-nitrosodiphenylamine	<	5.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Naphthalene	<	7.47	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Nitrobenzene	<	7.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Pentachlorophenol	<	2.73	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Phenanthrene	<	4.76	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Phenol	<	31	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	Pyrene	<	4.86	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	bis(2-chloroethoxy)methane	<	10.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	855	bis(2-chloroethyl) ether	<	6.41	ug/L
09-OCT-02	WEDNESDAY	GRAB_OG	855	Hexane Extraction Method	<	75.4	mg/L
09-OCT-02	WEDNESDAY	GRAB_OG	855	SGT-HEM-Non Polar Material	<	11.9	mg/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Chlorpyrifos	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Demeton-O	<	.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Demeton-S	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Diazinon	<	.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Guthion	<	.21	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Malathion	<	.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	855	Parathion	<	.03	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,1,1-trichloroethane	<	.78	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,1,2,2-tetrachloroethane	<	3.13	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,1,2-trichloroethane	<	3.02	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,1-dichloroethane	<	.71	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,1-dichloroethene	<	1.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,2-dichlorobenzene	<	1.37	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,2-dichloroethane	<	2.24	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,2-dichloropropane	<	.83	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,3-dichlorobenzene	<	1.31	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	1,4-dichlorobenzene	<	4.95	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	2-chloroethylvinyl ether	<	1.35	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Benzene	<	.81	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Bromodichloromethane	<	1.79	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Bromoform	<	3.58	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Bromomethane	<	1.39	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Carbon tetrachloride	<	1.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Chlorobenzene	<	1	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Chloroethane	<	.95	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Chloroform	<	.57	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Chloromethane	<	3.23	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Dibromochloromethane	<	1.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Ethylbenzene	<	1.46	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Methylene chloride	<	118	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Tetrachloroethene	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Toluene	<	10.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Trichloroethene	<	1.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Trichlorofluoromethane	<	3.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	Vinyl chloride	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	cis-1,3-dichloropropene	<	1.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	trans-1,2-dichloroethene	<	.61	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	855	trans-1,3-dichloropropene	<	1.27	ug/L
16-OCT-02	WEDNESDAY	1_Hr_COMP	930	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP		pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1030	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP		pH		7.8	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1130	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP		pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1230	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP		pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1330	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP		pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1430	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
16-OCT-02	WEDNESDAY	1_Hr_COMP	1430	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1530	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1530	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1630	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1630	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1730	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1730	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1830	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1830	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1930	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1930	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2030	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2030	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2130	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2130	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2230	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2230	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2330	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2330	pH		7.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	30	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	30	pH		7.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	130	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	130	pH		7.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	230	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	230	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	330	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	330	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	430	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	430	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	530	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	530	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	630	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	630	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	730	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	730	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	830	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	830	pH		7.6	pH
17-OCT-02	THURSDAY	COMP_AUTO_BOD	905	Biochemical Oxygen Demand (BOD)		316	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_CN	905	Total Cyanide	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_COD	905	Chemical Oxygen Demand		760	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Aluminum		2.17	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Antimony	<	.015	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Arsenic	<	.003	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Barium		.177	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Beryllium	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Cadmium	<	.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Chromium		.047	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Copper		.145	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Lead	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Manganese		.081	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Mercury	<	.002	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Nickel		.023	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Selenium		.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Silver		.007	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Thallium	<	.001	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	905	Zinc		.321	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_MBAS	905	Methylene Blue Active Substances		16.3	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_NH3	905	Ammonia as (N)		47.2	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_SOLID	905	Total Suspended Solids		264	mg/L
17-OCT-02	THURSDAY	COMP_CONDUCT	905	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	COMP_PH	905	pH		7.6	pH
17-OCT-02	THURSDAY	GRAB	915	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	GRAB	915	pH		7.5	pH
17-OCT-02	THURSDAY	GRAB_OG	915	Hexane Extraction Method		56.1	mg/L
17-OCT-02	THURSDAY	GRAB_OG	915	SGT-HEM-Non Polar Material		8.7	mg/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Chlorpyrifos		.1	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Demeton-O	<	.09	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Demeton-S	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Diazinon		.2	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Guthion	<	.21	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Malathion		1	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	915	Parathion	<	.03	ug/L
24-OCT-02	THURSDAY	1_Hr_COMP	1025	Specific Conductance		2200	umhos/cm

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
24-OCT-02	THURSDAY	1_Hr_COMP	1025	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1125	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1125	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1225	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1225	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1325	Specific Conductance		2600	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1325	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1425	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1425	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1525	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1525	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1625	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1625	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1725	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1725	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1825	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1825	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1925	Specific Conductance		2300	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1925	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2025	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2025	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2125	Specific Conductance		2300	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2125	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2225	Specific Conductance		2300	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2225	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2325	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2325	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	25	Specific Conductance		2400	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	25	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	125	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	125	pH		7.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	225	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	225	pH		7.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	325	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	325	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	425	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	425	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	525	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	525	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	625	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	625	pH		7.5	pH
25-OCT-02	FRIDAY	1_Hr_COMP	725	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	725	pH		7.5	pH
25-OCT-02	FRIDAY	1_Hr_COMP	825	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	825	pH		7.6	pH
25-OCT-02	FRIDAY	COMP_AUTO_BOD	915	Biochemical Oxygen Demand (BOD)		348	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_CN	915	Total Cyanide	<	.02	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_COD	915	Chemical Oxygen Demand		762	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Aluminum		2.39	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Antimony	<	.015	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Arsenic	<	.003	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Barium		.153	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Beryllium	<	.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Cadmium	<	.009	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Chromium		.03	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Copper		.153	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Lead		.022	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Manganese		.084	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Mercury	<	.002	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Nickel		.038	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Selenium		.007	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Silver		.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Thallium	<	.001	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	915	Zinc		.396	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_MBAS	915	Methylene Blue Active Substances		20.8	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_NH3	915	Ammonia as (N)		46	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_SOLID	915	Total Suspended Solids		278	mg/L
25-OCT-02	FRIDAY	COMP_CONDUCT	915	Specific Conductance		2400	umhos/cm
25-OCT-02	FRIDAY	COMP_PH	915	pH		7.5	pH
25-OCT-02	FRIDAY	GRAB	925	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	GRAB	925	pH		7.4	pH
25-OCT-02	FRIDAY	GRAB_OG	925	Hexane Extraction Method		42.4	mg/L
25-OCT-02	FRIDAY	GRAB_OG	925	SGT-HEM-Non Polar Material		7.4	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-OCT-02	FRIDAY	GRAB_PEST	925	Chlorpyrifos	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Demeton-O	<	.09	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Demeton-S	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Diazinon	<	.07	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Guthion	<	.21	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Malathion	<	.04	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	925	Parathion	<	.03	ug/L
01-NOV-02	FRIDAY	1_Hr_COMP	825	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	825	pH		7.6	pH
01-NOV-02	FRIDAY	1_Hr_COMP	925	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	925	pH		7.7	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1025	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1025	pH		7.6	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1125	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1125	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1225	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1225	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1325	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1325	pH		7.7	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1425	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1425	pH		7.6	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1525	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1525	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1625	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1625	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1725	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1725	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1825	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1825	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1925	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1925	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2025	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2025	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2125	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2125	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2225	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2225	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2325	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2325	pH		7.4	pH
02-NOV-02	SATURDAY	1_Hr_COMP	25	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	25	pH		7.4	pH
02-NOV-02	SATURDAY	1_Hr_COMP	125	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	125	pH		7.4	pH
02-NOV-02	SATURDAY	1_Hr_COMP	225	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	225	pH		7.5	pH
02-NOV-02	SATURDAY	1_Hr_COMP	325	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	325	pH		7.5	pH
02-NOV-02	SATURDAY	1_Hr_COMP	425	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	425	pH		7.5	pH
02-NOV-02	SATURDAY	1_Hr_COMP	525	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	525	pH		7.5	pH
02-NOV-02	SATURDAY	1_Hr_COMP	625	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	625	pH		7.6	pH
02-NOV-02	SATURDAY	1_Hr_COMP	725	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	725	pH		7.6	pH
02-NOV-02	SATURDAY	COMP_AUTO_BOD	830	Biochemical Oxygen Demand (BOD)		356	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_CN	830	Total Cyanide	<	.02	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_COD	830	Chemical Oxygen Demand		.825	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Aluminum		2.6	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Antimony	<	.015	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Arsenic		.005	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Barium		.296	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Beryllium	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Cadmium	<	.009	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Chromium		.035	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Copper		.15	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Lead		.022	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Manganese		.095	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Mercury	<	.002	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Nickel		.048	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Selenium		.003	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Silver		.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Thallium	<	.001	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
02-NOV-02	SATURDAY	COMP_AUTO_HM	830	Zinc		.392	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_MBAS	830	Methylene Blue Active Substances		16.3	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_NH3	830	Ammonia as (N)		44.8	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_SOLID	830	Total Suspended Solids		276	mg/L
02-NOV-02	SATURDAY	COMP_CONDUCT	830	Specific Conductance		2400	umhos/cm
02-NOV-02	SATURDAY	COMP_PH	830	pH		7.5	pH
02-NOV-02	SATURDAY	GRAB	840	Specific Conductance		2300	umhos/cm
02-NOV-02	SATURDAY	GRAB	840	pH		7.6	pH
02-NOV-02	SATURDAY	GRAB_OG	840	Hexane Extraction Method		62.4	mg/L
02-NOV-02	SATURDAY	GRAB_OG	840	SGT-HEM-Non Polar Material		9.3	mg/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Chlorpyrifos	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Demeton-O	<	.09	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Demeton-S	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Diazinon		.2	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Guthion	<	.21	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Malathion	<	.04	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	840	Parathion	<	.03	ug/L
09-NOV-02	SATURDAY	1_Hr_COMP	725	Specific Conductance		1900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	725	pH		7.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	825	Specific Conductance		1500	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	825	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	925	Specific Conductance		1500	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	925	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1025	Specific Conductance		1700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1025	pH		7.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1125	Specific Conductance		1700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1125	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1225	Specific Conductance		1900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1225	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1325	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1325	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1425	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1425	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1525	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1525	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1625	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1625	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1725	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1725	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1825	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1825	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1925	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1925	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2025	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2025	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2125	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2125	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2225	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2225	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2325	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2325	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	25	Specific Conductance		1900	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	25	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	125	Specific Conductance		1700	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	125	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	225	Specific Conductance		1600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	225	pH		7.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	325	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	325	pH		7.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	425	Specific Conductance		1600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	425	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	525	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	525	pH		7.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	625	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	625	pH		7.4	pH
10-NOV-02	SUNDAY	COMP_AUTO_BOD	745	Biochemical Oxygen Demand (BOD)		242	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_CN	745	Total Cyanide	<	.02	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_COD	745	Chemical Oxygen Demand		739	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Aluminum		15.7	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Antimony	<	.015	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Arsenic		.005	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Barium		.307	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Beryllium	<	.006	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Cadmium	<	.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Chromium		.029	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Copper		.214	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Lead		.048	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Manganese		.216	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Mercury	<	.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Nickel		.099	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Selenium		.01	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Silver	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Thallium		.001	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	745	Zinc		.544	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_MBAS	745	Methylene Blue Active Substances		11	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_NH3	745	Ammonia as (N)		38	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_SOLID	745	Total Suspended Solids		520	mg/L
10-NOV-02	SUNDAY	COMP_CONDUCT	745	Specific Conductance		1800	umhos/cm
10-NOV-02	SUNDAY	COMP_PH	745	pH		7.6	pH
10-NOV-02	SUNDAY	GRAB	755	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	GRAB	755	pH		7.2	pH
10-NOV-02	SUNDAY	GRAB_BNA	755	1,2,4-trichlorobenzene	<	11.1	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	1,2-diphenylhydrazine	<	8.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,4,6-trichlorophenol	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,4-dimethylphenol	<	11	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,4-dinitrophenol	<	8.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,4-dinitrotoluene	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,4-dichlorophenol	<	9.32	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2,6-dinitrotoluene	<	6.97	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2-chloronaphthalene	<	7.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2-chlorophenol	<	5	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	2-nitrophenol	<	9.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	3,3-dichlorobenzidine	<	9.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	4-bromophenyl phenyl ether	<	6.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	4-chloro-3-methylphenol	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	4-nitrophenol	<	4.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Acenaphthene	<	5.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Acenaphthylene	<	8.34	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Anthracene	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzidine	<	6.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzo(A)anthracene	<	5.2	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzo(A)pyrene	<	7.69	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzo(G,H,I)perylene	<	5.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzo(K)fluoranthene	<	7.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Benzo(b)fluoroanthene	<	6.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Butyl benzyl phthalate	<	7.53	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Chrysene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Di-n-Butyl phthalate	<	5.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Di-n-Octyl phthalate	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Diethyl Phthalate	<	4.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Dimethyl Phthalate	<	4.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Fluoranthene	<	4.68	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Fluorene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Hexachlorobenzene	<	6.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Hexachlorobutadiene	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Hexachlorocyclopentadiene	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Hexachloroethane	<	5.27	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Isophorone	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	N-nitrosodimethylamine	<	5.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	N-nitrosodiphenylamine	<	5.01	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Naphthalene	<	7.47	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Nitrobenzene	<	7.92	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Pentachlorophenol	<	2.73	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Phenanthrene	<	4.76	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Phenol	<	2.43	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	Pyrene	<	4.86	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	755	bis(2-chloroethyl) ether	<	6.41	ug/L
10-NOV-02	SUNDAY	GRAB_OG	755	Hexane Extraction Method		7.4	mg/L

City of Tijuana
Site 1

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_OG	755	SGT-HEM-Non Polar Material		5.1	mg/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Chlorpyrifos	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Demeton-O	<	.09	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Demeton-S	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Diazinon		.3	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Guthion	<	.21	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Malathion		.5	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	755	Parathion	<	.03	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,1,1-trichloroethane	<	.78	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,1,2,2-tetrachloroethane	<	3.13	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,1,2-trichloroethane	<	3.02	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,1-dichloroethane	<	.71	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,1-dichloroethene	<	1.09	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,2-dichlorobenzene	<	1.37	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,2-dichloroethane	<	2.24	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,2-dichloropropane	<	.83	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,3-dichlorobenzene	<	1.31	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	1,4-dichlorobenzene		4.27	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	2-chloroethylvinyl ether	<	1.35	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Benzene	<	.81	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Bromodichloromethane	<	1.79	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Bromoform	<	3.58	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Bromomethane	<	1.39	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Carbon tetrachloride	<	1.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Chlorobenzene	<	1	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Chloroethane	<	.95	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Chloroform	<	.57	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Chloromethane	<	3.23	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Dibromochloromethane	<	1.99	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Ethylbenzene	<	1.46	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Methylene chloride	<	1.29	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Tetrachloroethene	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Toluene		3.93	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Trichloroethene	<	1.32	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Trichlorofluoromethane	<	3.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	Vinyl chloride	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	cis-1,3-dichloropropene	<	1.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	trans-1,2-dichloroethene	<	.61	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	755	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 2

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUN-02	MONDAY	1_Hr_COMP	1200	Specific Conductance		2500	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1200	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1300	Specific Conductance		2500	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1300	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1400	Specific Conductance		2500	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1400	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1500	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1500	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1600	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1600	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1700	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1800	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1800	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1900	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1900	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	2000	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2000	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2100	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2100	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2200	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2200	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2300	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2300	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2400	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2400	pH		7.5	pH
11-JUN-02	TUESDAY	1_Hr_COMP	100	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	100	pH		7.6	pH
11-JUN-02	TUESDAY	1_Hr_COMP	200	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	200	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	300	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	300	pH		7.9	pH
11-JUN-02	TUESDAY	1_Hr_COMP	400	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	400	pH		7.8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	500	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	500	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	600	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	600	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	700	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	700	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	800	Specific Conductance		2500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	800	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	900	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	900	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1000	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1000	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1100	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1100	pH		7.7	pH
11-JUN-02	TUESDAY	COMP_AUTO_BOD	1130	Biochemical Oxygen Demand (BOD)		254	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_CN	1130	Total Cyanide	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_COD	1130	Chemical Oxygen Demand		671	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Aluminum		1.77	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Antimony	<	.015	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Arsenic	<	.003	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Barium		.21	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Beryllium	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Cadmium	<	.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Chromium		.021	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Copper		.122	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Lead	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Manganese		.105	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Mercury	<	.002	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Nickel		.13	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Selenium		.003	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Silver		.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Thallium	<	.001	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1130	Zinc		.238	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_NH3	1130	Ammonia as (N)		42.4	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_SOLID	1130	Total Suspended Solids		194	mg/L
11-JUN-02	TUESDAY	COMP_CONDUCT	1130	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	COMP_PH	1130	pH		7.7	pH
11-JUN-02	TUESDAY	GRAB	1135	Specific Conductance		2500	umhos/cm

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
11-JUN-02	TUESDAY	GRAB	1135	pH		7.7	pH
11-JUN-02	TUESDAY	GRAB_OG	1135	Hexane Extraction Method		68.9	mg/L
11-JUN-02	TUESDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material		5.5	mg/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Chlorpyrifos		.12	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Demeton-O	<	.09	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Demeton-S	<	.05	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Diazinon		.09	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Guthion	<	.21	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Malathion		.11	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1135	Parathion	<	.03	ug/L
18-JUN-02	TUESDAY	1_Hr_COMP	1010	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1010	pH		7.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1110	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1110	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1210	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1210	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1310	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1310	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1410	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1410	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1510	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1510	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1610	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1610	pH		7.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1710	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1710	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1810	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1810	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1910	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1910	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2010	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2010	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2110	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2110	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2210	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2210	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2310	Specific Conductance		2400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2310	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	10	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	10	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	110	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	110	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	210	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	210	pH		7.5	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	310	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	310	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	410	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	410	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	510	Specific Conductance		2500	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	510	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	610	Specific Conductance		2600	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	610	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	710	Specific Conductance		2500	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	710	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	810	Specific Conductance		2500	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	810	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	910	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	910	pH		7.6	pH
19-JUN-02	WEDNESDAY	COMP_AUTO_BOD	1035	Biochemical Oxygen Demand (BOD)		233	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_CN	1035	Total Cyanide	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_COD	1035	Chemical Oxygen Demand		724	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Aluminum		1.73	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Antimony	<	.015	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Arsenic		.007	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Barium		.181	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Beryllium	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Cadmium	<	.009	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Chromium		.036	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Copper		.185	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Lead	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Manganese		.096	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Mercury	<	.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Nickel		.219	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Selenium	<	.003	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Silver	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Thallium		.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1035	Zinc		.272	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_MBAS	1035	Methylene Blue Active Substances		18.2	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_SOLID	1035	Total Suspended Solids		172	mg/L
19-JUN-02	WEDNESDAY	COMP_CONDUCT	1035	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	COMP_PH	1035	pH		7.6	pH
19-JUN-02	WEDNESDAY	GRAB	1045	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	GRAB	1045	pH		7.6	pH
19-JUN-02	WEDNESDAY	GRAB_OG	1045	Hexane Extraction Method		61.9	mg/L
19-JUN-02	WEDNESDAY	GRAB_OG	1045	SGT-HEM-Non Polar Material	<	5	mg/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Chlorpyrifos		.15	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Diazinon		.2	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Malathion		.11	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
04-JUL-02	THURSDAY	1_Hr_COMP	1100	Specific Conductance		2600	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1100	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1200	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1200	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1300	Specific Conductance		2500	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1300	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1400	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1400	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1500	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1500	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1600	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1600	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1700	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1800	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1800	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1900	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1900	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2000	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2000	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2100	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2100	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2200	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2200	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2300	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2300	pH		7.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2400	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2400	pH		7.4	pH
05-JUL-02	FRIDAY	1_Hr_COMP	100	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	100	pH		7.5	pH
05-JUL-02	FRIDAY	1_Hr_COMP	200	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	200	pH		7.5	pH
05-JUL-02	FRIDAY	1_Hr_COMP	300	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	300	pH		7.5	pH
05-JUL-02	FRIDAY	1_Hr_COMP	400	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	400	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	500	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	500	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	600	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	600	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	700	Specific Conductance		2600	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	700	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	800	Specific Conductance		2600	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	800	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	900	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	900	pH		7.6	pH
05-JUL-02	FRIDAY	1_Hr_COMP	1000	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	1000	pH		7.6	pH
05-JUL-02	FRIDAY	COMP_AUTO_BOD	1115	Biochemical Oxygen Demand (BOD)		270	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_CN	1115	Total Cyanide	<	.02	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_COD	1115	Chemical Oxygen Demand		686	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Aluminum		2.29	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Antimony	<	.015	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Arsenic	<	.003	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Barium		.194	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Beryllium	<	.006	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Cadmium	<	.009	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Chromium		.054	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Copper		.175	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Lead		.026	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Manganese		.105	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Mercury	<	.002	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Nickel		.097	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Selenium		.005	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Silver		.008	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Thallium	<	.001	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1115	Zinc		.359	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_MBAS	1115	Methylene Blue Active Substances		20.6	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_NH3	1115	Ammonia as (N)		42.4	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_SOLID	1115	Total Suspended Solids		254	mg/L
05-JUL-02	FRIDAY	COMP_CONDUCT	1115	Specific Conductance		2500	umhos/cm
05-JUL-02	FRIDAY	COMP_PH	1115	pH		7.5	pH
05-JUL-02	FRIDAY	GRAB	1125	Specific Conductance		2600	umhos/cm
05-JUL-02	FRIDAY	GRAB	1125	pH		7.4	pH
05-JUL-02	FRIDAY	GRAB_BNA	1125	1,2,4-trichlorobenzene	<	11.1	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	1,2-diphenylhydrazine	<	8.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,4,6-trichlorophenol	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,4-dimethylphenol	<	11	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,4-dinitrophenol	<	8.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,4-dinitrotoluene	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,4-dichlorophenol	<	9.32	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2,6-dinitrotoluene	<	6.97	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2-chloronaphthalene	<	7.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2-chlorophenol	<	5	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	2-nitrophenol	<	9.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	3,3-dichlorobenzidine	<	9.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	4-bromophenyl phenyl ether	<	6.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	4-chloro-3-methylphenol	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	4-chlorophenyl phenyl ether	<	4.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	4-nitrophenol	<	4.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Acenaphthene	<	5.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Acenaphthylene	<	8.34	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Anthracene	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzidine	<	6.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzo(A)anthracene	<	5.2	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzo(A)pyrene	<	7.69	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzo(G,H,I)perylene	<	5.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzo(K)fluoranthene	<	7.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Benzo(b)fluoranthene	<	6.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Bis-(2-ethylhexyl) phthalate	<	14.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Butyl benzyl phthalate	<	7.53	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Chrysene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Di-n-Butyl phthalate	<	5.89	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Di-n-Octyl phthalate	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Dibenzo (A,H) Anthracene	<	7.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Diethyl Phthalate	<	4.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Dimethyl Phthalate	<	4.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Fluoranthene	<	4.68	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Fluorene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Hexachlorobenzene	<	6.89	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Hexachlorobutadiene	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Hexachlorocyclopentadiene	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Hexachloroethane	<	5.27	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Isophorone	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	N-nitrosodi-n-propylamine	<	8.67	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	N-nitrosodimethylamine	<	5.4	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	N-nitrosodiphenylamine	<	5.01	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Naphthalene	<	7.47	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Nitrobenzene	<	7.92	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Pentachlorophenol	<	2.73	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Phenanthrene	<	4.76	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Phenol	<	2.43	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	Pyrene	<	4.86	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1125	bis(2-chloroethoxy)methane	<	10.4	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	GRAB_BNA	1125	bis(2-chloroethyl) ether	<	6.41	ug/L
05-JUL-02	FRIDAY	GRAB_OG	1125	Hexane Extraction Method		63.2	mg/L
05-JUL-02	FRIDAY	GRAB_OG	1125	SGT-HEM-Non Polar Material		6.18	mg/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Aldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Alpha Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	BHC, Alpha	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	BHC, Beta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	BHC, Delta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	BHC, Gamma (Lindane)	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Beta Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Chlordane	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Chlorpyrifos		.19	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Demeton-O	<	.09	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Demeton-S	<	.05	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Diazinon		.11	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Dieldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Endosulfan Sulfate	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Endrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Endrin aldehyde	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Guthion	<	.21	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Heptachlor	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Heptachlor epoxide	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Malathion		.19	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1016	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1221	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1232	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1242	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1248	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1254	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB 1260	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	PCB-1262	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Parathion	<	.03	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	Toxaphene	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	p,p-DDD	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	p,p-DDE	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1125	p,p-DDT	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,1,1-trichloroethane	<	.78	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,1,2,2-tetrachloroethane	<	3.13	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,1,2-trichloroethane	<	3.02	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,1-dichloroethane	<	.71	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,1-dichloroethene	<	1.09	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,2-dichlorobenzene	<	1.37	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,2-dichloroethane	<	2.24	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,2-dichloropropane	<	.83	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,3-dichlorobenzene	<	1.31	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	1,4-dichlorobenzene	<	5.86	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	2-chloroethylvinyl ether	<	1.35	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Benzene	<	.81	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Bromodichloromethane	<	1.79	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Bromoform	<	3.58	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Bromomethane	<	1.39	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Carbon tetrachloride	<	1.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Chlorobenzene	<	1	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Chloroethane	<	.95	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Chloroform	<	2.51	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Chloromethane	<	3.23	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Dibromochloromethane	<	1.99	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Ethylbenzene	<	1.46	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Methylene chloride	<	1.29	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Tetrachloroethene	<	1.04	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Toluene		5.98	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Trichloroethene	<	1.32	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Trichlorofluoromethane	<	3.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	Vinyl chloride	<	1.04	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	cis-1,3-dichloropropene	<	1.01	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	trans-1,2-dichloroethene	<	.61	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1125	trans-1,3-dichloropropene	<	1.27	ug/L
12-JUL-02	FRIDAY	1_Hr_COMP	1105	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1105	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1205	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1205	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1305	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1305	pH		7.2	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
12-JUL-02	FRIDAY	1_Hr_COMP	1405	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1405	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1505	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1505	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1605	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1605	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1705	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1705	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1805	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1805	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1905	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1905	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2005	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2005	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2105	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2105	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2205	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2205	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2305	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2305	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	5	Specific Conductance		2300	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	5	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	105	Specific Conductance		2300	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	105	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	205	Specific Conductance		2300	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	205	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	305	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	305	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	405	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	405	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	505	Specific Conductance		2500	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	505	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	605	Specific Conductance		2500	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	605	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	705	Specific Conductance		2500	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	705	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	805	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	805	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	905	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	905	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	1005	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	1005	pH		7.4	pH
13-JUL-02	SATURDAY	COMP_AUTO_BOD	1120	Biochemical Oxygen Demand (BOD)		230	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_CN	1120	Total Cyanide	<	.02	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_COD	1120	Chemical Oxygen Demand		738	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Aluminum		5.12	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Antimony	<	.015	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Arsenic		.004	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Barium		.284	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Beryllium	<	.006	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Cadmium	<	.009	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Chromium		.078	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Copper		.193	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Lead		.021	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Manganese		.144	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Mercury	<	.002	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Nickel		.119	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Selenium		.005	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Silver		.006	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Thallium		.001	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1120	Zinc		.532	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_MBAS	1120	Methylene Blue Active Substances		17.6	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_NH3	1120	Ammonia as (N)		40	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_SOLID	1120	Total Suspended Solids		314	mg/L
13-JUL-02	SATURDAY	COMP_CONDUCT	1120	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	COMP_PH	1120	pH		7.4	pH
13-JUL-02	SATURDAY	GRAB	1130	Specific Conductance		2500	umhos/cm
13-JUL-02	SATURDAY	GRAB	1130	pH		7.5	pH
13-JUL-02	SATURDAY	GRAB_PEST	1130	Chlorpyrifos		.13	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1130	Demeton-O	<	.09	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1130	Demeton-S	<	.05	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1130	Diazinon		.11	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1130	Guthion	<	.21	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
13-JUL-02	SATURDAY	GRAB_PEST	1130	Malathion		.11	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1130	Parathion	<	.03	ug/L
20-JUL-02	SATURDAY	1_Hr_COMP	815	Specific Conductance		2500	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	815	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	915	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	915	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1015	Specific Conductance		2500	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1015	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1115	Specific Conductance		2500	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1115	pH		7.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1215	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1215	pH		7.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1315	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1315	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1415	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1415	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1515	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1515	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1615	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1615	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1715	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1715	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1815	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1815	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1915	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1915	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2015	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2015	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2115	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2115	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2215	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2215	pH		7.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2315	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2315	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	15	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	15	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	115	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	115	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	215	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	215	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	315	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	315	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	415	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	415	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	515	Specific Conductance		2600	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	515	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	615	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	615	pH		7.6	pH
21-JUL-02	SUNDAY	1_Hr_COMP	715	Specific Conductance		2500	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	715	pH		7.6	pH
21-JUL-02	SUNDAY	COMP_AUTO_BOD	925	Biochemical Oxygen Demand (BOD)		368	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_CN	925	Total Cyanide	<	.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_COD	925	Chemical Oxygen Demand		856	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Aluminum		6.04	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Antimony	<	.015	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Arsenic	<	.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Barium		.254	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Beryllium	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Cadmium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Chromium		.024	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Copper		.164	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Lead		.027	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Manganese		.146	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Mercury	<	.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Nickel	<	.012	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Selenium		.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Silver		.008	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Thallium	<	.001	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	925	Zinc		.303	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_MBAS	925	Methylene Blue Active Substances		16.5	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_NH3	925	Ammonia as (N)		42.8	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_SOLID	925	Total Suspended Solids		408	mg/L
21-JUL-02	SUNDAY	COMP_CONDUCT	925	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_PH	925	pH		7.6	pH
21-JUL-02	SUNDAY	GRAB	935	Specific Conductance		2600	umhos/cm
21-JUL-02	SUNDAY	GRAB	935	pH		7.7	pH
21-JUL-02	SUNDAY	GRAB_OG	935	Hexane Extraction Method		131	mg/L
21-JUL-02	SUNDAY	GRAB_OG	935	SGT-HEM-Non Polar Material	<	5	mg/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Chlorpyrifos		.11	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Demeton-O	<	.09	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Demeton-S	<	.05	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Diazinon		.23	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Guthion	<	.21	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Malathion		.64	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	935	Parathion	<	.03	ug/L
28-JUL-02	SUNDAY	1_Hr_COMP	830	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	830	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	930	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	930	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1030	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1030	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1130	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1130	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1230	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1230	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1330	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1330	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1430	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1430	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1530	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1530	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1630	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1630	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1730	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1730	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1830	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1830	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1930	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1930	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2030	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2030	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2130	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2130	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2230	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2230	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2330	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2330	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	30	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	30	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	130	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	130	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	230	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	230	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	330	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	330	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	430	Specific Conductance		2800	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	430	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	530	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	530	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	630	Specific Conductance		2500	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	630	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	730	Specific Conductance		2400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	730	pH		7.3	pH
29-JUL-02	MONDAY	COMP_AUTO_BOD	1125	Biochemical Oxygen Demand (BOD)		265	mg/L
29-JUL-02	MONDAY	COMP_AUTO_CN	1125	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_COD	1125	Chemical Oxygen Demand		665	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Aluminum		2.32	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Antimony	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Arsenic	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Barium		.179	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Cadmium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Chromium		.019	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Copper		.117	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Lead	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Manganese		.091	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Mercury	<	.002	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Nickel		.028	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Selenium	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Silver	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Thallium		.004	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1125	Zinc		.342	mg/L
29-JUL-02	MONDAY	COMP_AUTO_MBAS	1125	Methylene Blue Active Substances		15.8	mg/L
29-JUL-02	MONDAY	COMP_AUTO_NH3	1125	Ammonia as (N)		41.6	mg/L
29-JUL-02	MONDAY	COMP_AUTO_SOLID	1125	Total Suspended Solids		198	mg/L
29-JUL-02	MONDAY	COMP_CONDUCT	1125	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1125	pH		7.3	pH
29-JUL-02	MONDAY	GRAB	1135	Specific Conductance		2400	umhos/cm
29-JUL-02	MONDAY	GRAB	1135	pH		7.2	pH
29-JUL-02	MONDAY	GRAB_OG	1135	Hexane Extraction Method		80.7	mg/L
29-JUL-02	MONDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material		14.8	mg/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Chlorpyrifos		.11	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Demeton-O	<	.09	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Demeton-S	<	.05	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Diazinon		.34	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Guthion	<	.21	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Malathion		.15	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1135	Parathion	<	.03	ug/L
05-AUG-02	MONDAY	1_Hr_COMP	1020	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1020	pH		7.3	pH
05-AUG-02	MONDAY	1_Hr_COMP	1120	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1120	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1220	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1220	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1320	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1320	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1420	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1420	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1520	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1520	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1620	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1620	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1720	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1720	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1820	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1820	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	1920	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1920	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2020	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2020	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2120	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2120	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	2220	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2220	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	2320	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2320	pH		7.1	pH
06-AUG-02	TUESDAY	1_Hr_COMP	20	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	20	pH		7.1	pH
06-AUG-02	TUESDAY	1_Hr_COMP	120	Specific Conductance		2500	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	120	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	220	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	220	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	320	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	320	pH		7.3	pH
06-AUG-02	TUESDAY	1_Hr_COMP	420	Specific Conductance		2600	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	420	pH		7.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	520	Specific Conductance		2200	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	520	pH		7.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	620	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	620	pH		7.2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	720	Specific Conductance		2600	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	720	pH		7.1	pH
06-AUG-02	TUESDAY	1_Hr_COMP	820	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	820	pH		7.1	pH
06-AUG-02	TUESDAY	1_Hr_COMP	920	Specific Conductance		2500	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	920	pH		7.2	pH
06-AUG-02	TUESDAY	COMP_AUTO_BOD	1140	Biochemical Oxygen Demand (BOD)		388	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_CN	1140	Total Cyanide	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_COD	1140	Chemical Oxygen Demand		898	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Aluminum		6.04	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Antimony	<	.015	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Arsenic		.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Barium		.211	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Chromium		.057	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Copper		.171	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Lead		.04	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Manganese		.137	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Mercury	<	.002	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Nickel		.051	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Selenium		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Silver		.008	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Thallium		.005	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1140	Zinc		.498	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_MBAS	1140	Methylene Blue Active Substances		17.6	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_NH3	1140	Ammonia as (N)		43.2	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_SOLID	1140	Total Suspended Solids		374	mg/L
06-AUG-02	TUESDAY	COMP_CONDUCT	1140	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	1140	pH		7.2	pH
06-AUG-02	TUESDAY	GRAB	1200	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	GRAB	1200	pH		7.2	pH
06-AUG-02	TUESDAY	GRAB_BNA	1200	1,2,4-trichlorobenzene	<	11.1	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	1,2-diphenylhydrazine	<	8.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,4,6-trichlorophenol	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,4-dimethylphenol	<	11	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,4-dinitrophenol	<	8.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,4-dinitrotoluene	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,4-dichlorophenol	<	9.32	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2,6-dinitrotoluene	<	6.97	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2-chloronaphthalene	<	7.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2-chlorophenol	<	5	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	2-nitrophenol	<	9.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	3,3-dichlorobenzidine	<	9.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	4-bromophenyl phenyl ether	<	6.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	4-chloro-3-methylphenol	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	4-chlorophenyl phenyl ether	<	4.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	4-nitrophenol	<	4.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Acenaphthene	<	5.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Acenaphthylene	<	8.34	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Anthracene	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzidine	<	6.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzo(A)anthracene	<	5.2	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzo(A)pyrene	<	7.69	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzo(G,H,I)perylene	<	5.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzo(K)fluoranthene	<	7.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Benzo(b)fluoroanthene	<	6.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Bis-(2-ethylhexyl) phthalate	<	21.3	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Butyl benzyl phthalate	<	7.53	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Chrysene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Di-n-Butyl phthalate	<	5.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Di-n-Octyl phthalate	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Dibenzo (A,H) Anthracene	<	7.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Diethyl Phthalate	<	4.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Dimethyl Phthalate	<	4.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Fluoranthene	<	4.68	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Fluorene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Hexachlorobenzene	<	6.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Hexachlorobutadiene	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Hexachlorocyclopentadiene	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Hexachloroethane	<	5.27	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Isophorone	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	N-nitrosodi-n-propylamine	<	8.67	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	N-nitrosodimethylamine	<	5.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	N-nitrosodiphenylamine	<	5.01	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Naphthalene	<	7.47	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Nitrobenzene	<	7.92	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Pentachlorophenol	<	2.73	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Phenanthrene	<	4.76	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_BNA	1200	Phenol		99.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	Pyrene	<	4.86	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	bis(2-chloroethoxy)methane	<	10.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1200	bis(2-chloroethyl) ether	<	6.41	ug/L
06-AUG-02	TUESDAY	GRAB_OG	1200	Hexane Extraction Method		98.8	mg/L
06-AUG-02	TUESDAY	GRAB_OG	1200	SGT-HEM-Non Polar Material		7.8	mg/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Aldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Alpha Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	BHC, Alpha	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	BHC, Beta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	BHC, Delta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	BHC, Gamma (Lindane)	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Beta Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Chlordane	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Chlorpyrifos		.49	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Demeton-O	<	.09	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Demeton-S	<	.05	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Diazinon		.23	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Dieldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Endosulfan Sulfate	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Endrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Endrin aldehyde	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Guthion	<	.21	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Heptachlor	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Heptachlor epoxide	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Malathion		.39	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1016	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1221	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1232	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1242	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1248	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1254	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB 1260	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	PCB-1262	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Parathion	<	.03	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	Toxaphene	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	p,p-DDD	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	p,p-DDE	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1200	p,p-DDT	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,1,1-trichloroethane	<	.78	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,1,2,2-tetrachloroethane	<	3.13	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,1,2-trichloroethane	<	3.02	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,1-dichloroethane	<	.71	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,1-dichloroethene	<	1.09	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,2-dichlorobenzene	<	1.37	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,2-dichloroethane	<	2.24	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,2-dichloropropane	<	.83	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,3-dichlorobenzene	<	1.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	1,4-dichlorobenzene		5.91	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	2-chloroethylvinyl ether	<	1.35	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Benzene	<	.81	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Bromodichloromethane	<	1.79	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Bromoform	<	3.58	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Bromomethane	<	1.39	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Carbon tetrachloride	<	1.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Chlorobenzene	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Chloroethane	<	.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Chloroform	<	2.85	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Chloromethane	<	3.23	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Dibromochloromethane	<	1.99	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Ethylbenzene	<	1.46	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Methylene chloride	<	1.29	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Tetrachloroethene	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Toluene		8.67	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Trichloroethene	<	1.32	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Trichlorofluoromethane	<	3.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	Vinyl chloride	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	cis-1,3-dichloropropene	<	1.01	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	trans-1,2-dichloroethene	<	.61	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1200	trans-1,3-dichloropropene	<	1.27	ug/L
13-AUG-02	TUESDAY	1_Hr_COMP	1045	Specific Conductance		2600	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1045	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1145	Specific Conductance		2500	umhos/cm

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
13-AUG-02	TUESDAY	1_Hr_COMP	1145	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1245	Specific Conductance		2500	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1245	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1345	Specific Conductance		2500	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1345	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1445	Specific Conductance		2500	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1445	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1545	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1545	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1645	Specific Conductance		2500	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1645	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1745	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1745	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1845	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1845	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1945	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1945	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2045	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2045	pH		7.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2145	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2145	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2245	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2245	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2345	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2345	pH		7.3	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	45	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	45	pH		7.3	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	145	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	145	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	245	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	245	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	345	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	345	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	445	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	445	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	545	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	545	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	645	Specific Conductance		2600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	645	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	745	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	745	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	845	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	845	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	945	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	945	pH		7.4	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_BOD	1210	Biochemical Oxygen Demand (BOD)		242	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	1210	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_COD	1210	Chemical Oxygen Demand		692	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Aluminum		2.12	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Antimony	<	.015	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Arsenic	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Barium		.105	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Cadmium	<	.009	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Chromium		.104	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Copper		.18	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Lead		.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Manganese		.093	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Nickel		.204	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Selenium	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Silver		.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Thallium		.001	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1210	Zinc		.245	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_MBAS	1210	Methylene Blue Active Substances		18.2	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_NH3	1210	Ammonia as (N)		42	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_SOLID	1210	Total Suspended Solids		254	mg/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1210	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1210	pH		7.3	pH
14-AUG-02	WEDNESDAY	GRAB	1220	Specific Conductance		2500	umhos/cm
14-AUG-02	WEDNESDAY	GRAB	1220	pH		7.3	pH
14-AUG-02	WEDNESDAY	GRAB_OG	1220	Hexane Extraction Method		67.9	mg/L
14-AUG-02	WEDNESDAY	GRAB_OG	1220	SGT-HEM-Non Polar Material		5.8	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Chlorpyrifos	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Demeton-O	<	.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Demeton-S	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Diazinon		.16	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Guthion	<	.21	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Malathion		.66	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1220	Parathion	<	.03	ug/L
21-AUG-02	WEDNESDAY	1_Hr_COMP	1125	Specific Conductance		2600	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1125	pH		7.4	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1225	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1225	pH		7.3	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1325	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1325	pH		7.3	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1425	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1425	pH		7.3	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1525	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1525	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1625	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1625	pH		7.3	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1725	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1725	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1825	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1825	pH		7.3	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1925	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1925	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2025	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2025	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2125	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2125	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	25	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	25	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	125	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	125	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	225	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	225	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	325	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	325	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	425	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	425	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	525	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	525	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	625	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	625	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	725	Specific Conductance		2800	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	725	pH		7.1	pH
22-AUG-02	THURSDAY	1_Hr_COMP	825	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	825	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	925	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	925	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	1025	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	1025	pH		7.5	pH
22-AUG-02	THURSDAY	COMP_AUTO_BOD	1120	Biochemical Oxygen Demand (BOD)		272	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_CN	1120	Total Cyanide	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_COD	1120	Chemical Oxygen Demand		731	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Aluminum		4.09	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Antimony	<	.015	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Arsenic	<	.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Barium		.152	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Beryllium	<	.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Cadmium	<	.009	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Chromium		.044	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Copper		.157	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Lead	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Manganese		.125	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Mercury	<	.002	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Nickel		.108	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Selenium	<	.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Silver		.007	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Thallium		.001	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1120	Zinc		.352	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_MBAS	1120	Methylene Blue Active Substances		17.1	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_NH3	1120	Ammonia as (N)		43.2	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_SOLID	1120	Total Suspended Solids		306	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-AUG-02	THURSDAY	COMP_CONDUCT	1120	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	COMP_PH	1120	pH		7.3	pH
22-AUG-02	THURSDAY	GRAB	1130	Specific Conductance		2700	umhos/cm
22-AUG-02	THURSDAY	GRAB	1130	pH		7.3	pH
22-AUG-02	THURSDAY	GRAB_OG	1130	Hexane Extraction Method		75.9	mg/L
22-AUG-02	THURSDAY	GRAB_OG	1130	SGT-HEM-Non Polar Material		6.1	mg/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Chlorpyrifos	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Demeton-O	<	.09	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Demeton-S	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Diazinon		.28	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Guthion	<	.21	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Malathion	<	.04	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1130	Parathion	<	.03	ug/L
29-AUG-02	THURSDAY	1_Hr_COMP	1155	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1155	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1255	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1255	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1355	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1355	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1455	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1455	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1555	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1555	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1655	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1655	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1755	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1755	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1855	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1855	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1955	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1955	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2055	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2055	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2155	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2155	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2255	Specific Conductance		2200	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2255	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2355	Specific Conductance		2200	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2355	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	55	Specific Conductance		2200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	55	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	155	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	155	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	255	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	255	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	355	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	355	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	455	Specific Conductance		2600	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	455	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	555	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	555	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	655	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	655	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	755	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	755	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	855	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	855	pH		7.8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	955	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	955	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	1055	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	1055	pH		7.7	pH
30-AUG-02	FRIDAY	COMP_AUTO_BOD	1110	Biochemical Oxygen Demand (BOD)		308	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_CN	1110	Total Cyanide	<	.02	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_COD	1110	Chemical Oxygen Demand		695	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Aluminum		1.8	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Antimony	<	.015	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Arsenic		.004	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Barium		.151	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Beryllium	<	.006	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Cadmium	<	.009	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Chromium		.043	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Copper		.18	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Lead	<	.02	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Manganese		.087	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Mercury	<	.002	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Nickel		.131	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Selenium		.004	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Silver		.007	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Thallium		.001	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1110	Zinc		.297	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_MBAS	1110	Methylene Blue Active Substances		19.4	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_NH3	1110	Ammonia as (N)		42.4	mg/L
30-AUG-02	FRIDAY	COMP_CONDUCT	1110	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	COMP_PH	1110	pH		7.8	pH
30-AUG-02	FRIDAY	GRAB	1120	Specific Conductance		2600	umhos/cm
30-AUG-02	FRIDAY	GRAB	1120	pH		7.8	pH
30-AUG-02	FRIDAY	GRAB_OG	1120	Hexane Extraction Method		59.2	mg/L
30-AUG-02	FRIDAY	GRAB_OG	1120	SGT-HEM-Non Polar Material		6.9	mg/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Chlorpyrifos	<	.05	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Demeton-O	<	.09	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Demeton-S	<	.05	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Diazinon		.22	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Guthion	<	.21	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Malathion	<	.04	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1120	Parathion	<	.03	ug/L
06-SEP-02	FRIDAY	1_Hr_COMP	1140	Specific Conductance		2500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1140	pH		7.6	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1240	Specific Conductance		2500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1240	pH		7.6	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1340	Specific Conductance		3200	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1340	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1440	Specific Conductance		2500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1440	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1540	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1540	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1640	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1640	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1740	Specific Conductance		2500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1740	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1840	Specific Conductance		2500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1840	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1940	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1940	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2040	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2040	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2140	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2140	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2240	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2240	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2340	Specific Conductance		2200	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2340	pH		7.6	pH
07-SEP-02	SATURDAY	1_Hr_COMP	40	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	40	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	140	Specific Conductance		2400	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	140	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	240	Specific Conductance		2400	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	240	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	340	Specific Conductance		1700	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	340	pH		7.6	pH
07-SEP-02	SATURDAY	1_Hr_COMP	440	Specific Conductance		1400	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	440	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	540	Specific Conductance		1500	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	540	pH		7.4	pH
07-SEP-02	SATURDAY	1_Hr_COMP	640	Specific Conductance		1800	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	640	pH		7.3	pH
07-SEP-02	SATURDAY	1_Hr_COMP	740	Specific Conductance		1400	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	740	pH		7.3	pH
07-SEP-02	SATURDAY	1_Hr_COMP	840	Specific Conductance		1400	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	840	pH		7.3	pH
07-SEP-02	SATURDAY	COMP_AUTO_BOD	1105	Biochemical Oxygen Demand (BOD)		287	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_CN	1105	Total Cyanide	<	.02	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_COD	1105	Chemical Oxygen Demand		822	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Aluminum		12.3	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Antimony	<	.015	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Arsenic		.013	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Barium		.232	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Beryllium	<	.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Cadmium	<	.009	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Chromium		.05	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Copper		.277	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Lead		.047	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Manganese		.217	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Mercury	<	.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Nickel		.225	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Selenium		.003	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Silver		.007	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Thallium		.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1105	Zinc		.554	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_MBAS	1105	Methylene Blue Active Substances		15.5	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_NH3	1105	Ammonia as (N)		35.6	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_SOLID	1105	Total Suspended Solids		446	mg/L
07-SEP-02	SATURDAY	COMP_CONDUCT	1105	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	COMP_PH	1105	pH		7.6	pH
07-SEP-02	SATURDAY	GRAB	1115	Specific Conductance		1800	umhos/cm
07-SEP-02	SATURDAY	GRAB	1115	pH		7.4	pH
07-SEP-02	SATURDAY	GRAB_BNA	1115	1,2,4-trichlorobenzene	<	11.1	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	1,2-diphenylhydrazine	<	8.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,4,6-trichlorophenol	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,4-dimethylphenol	<	11	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,4-dinitrophenol	<	8.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,4-dinitrotoluene	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,4-dichlorophenol	<	9.32	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2,6-dinitrotoluene	<	6.97	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2-chloronaphthalene	<	7.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2-chlorophenol	<	5	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	2-nitrophenol	<	9.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	3,3-dichlorobenzidine	<	9.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	4-bromophenyl phenyl ether	<	6.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	4-chloro-3-methylphenol	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	4-chlorophenyl phenyl ether	<	4.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	4-nitrophenol	<	4.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Acenaphthene	<	5.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Acenaphthylene	<	8.34	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Anthracene	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzidine	<	6.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzo(A)anthracene	<	5.2	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzo(A)pyrene	<	7.69	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzo(G,H,I)perylene	<	5.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzo(K)fluoranthene	<	7.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Benzo(b)fluoroanthene	<	6.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Bis-(2-ethylhexyl) phthalate	<	39.7	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Butyl benzyl phthalate	<	7.53	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Chrysene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Di-n-Butyl phthalate	<	5.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Di-n-Octyl phthalate	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Dibenzo (A,H) Anthracene	<	7.66	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Diethyl Phthalate	<	4.66	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Dimethyl Phthalate	<	4.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Fluoranthene	<	4.68	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Fluorene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Hexachlorobenzene	<	6.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Hexachlorobutadiene	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Hexachlorocyclopentadiene	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Hexachloroethane	<	5.27	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Isophorone	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	N-nitrosodi-n-propylamine	<	8.67	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	N-nitrosodimethylamine	<	5.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	N-nitrosodiphenylamine	<	5.01	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Naphthalene	<	7.47	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Nitrobenzene	<	7.92	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Pentachlorophenol	<	2.73	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Phenanthrene	<	4.76	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Phenol	<	16.3	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	Pyrene	<	4.86	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	bis(2-chloroethoxy)methane	<	10.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1115	bis(2-chloroethyl) ether	<	6.41	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	GRAB_OG	1115	Hexane Extraction Method		29	mg/L
07-SEP-02	SATURDAY	GRAB_OG	1115	SGT-HEM-Non Polar Material		7.8	mg/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Aldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Alpha Endosulfan	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	BHC, Alpha	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	BHC, Beta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	BHC, Delta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	BHC, Gamma (Lindane)	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Beta Endosulfan	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Chlordane	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Chlorpyrifos		.23	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Demeton-O	<	.09	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Demeton-S	<	.05	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Diazinon		.47	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Dieldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Endosulfan Sulfate	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Endrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Endrin aldehyde	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Guthion	<	.21	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Heptachlor	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Heptachlor epoxide	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Malathion		1.7	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1016	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1221	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1232	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1242	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1248	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1254	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB 1260	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	PCB-1262	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Parathion	<	.03	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	Toxaphene	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	p,p-DDD	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	p,p-DDE	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1115	p,p-DDT	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,1,1-trichloroethane	<	.78	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,1,2,2-tetrachloroethane	<	3.13	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,1,2-trichloroethane	<	3.02	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,1-dichloroethane	<	.71	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,1-dichloroethene	<	1.09	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,2-dichlorobenzene	<	1.37	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,2-dichloroethane	<	2.24	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,2-dichloropropane	<	.83	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,3-dichlorobenzene	<	1.31	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	1,4-dichlorobenzene	<	12.6	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	2-chloroethylvinyl ether	<	1.35	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Benzene	<	.81	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Bromodichloromethane	<	1.79	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Bromoform	<	3.58	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Bromomethane	<	1.39	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Carbon tetrachloride	<	1.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Chlorobenzene	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Chloroethane	<	.95	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Chloroform	<	.57	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Chloromethane	<	3.23	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Dibromochloromethane	<	1.99	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Ethylbenzene	<	1.46	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Methylene chloride	<	6.71	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Tetrachloroethene	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Toluene		27.2	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Trichloroethene	<	1.32	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Trichlorofluoromethane	<	3.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	Vinyl chloride	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	cis-1,3-dichloropropene	<	1.01	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	trans-1,2-dichloroethene	<	.61	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1115	trans-1,3-dichloropropene	<	1.27	ug/L
14-SEP-02	SATURDAY	1_Hr_COMP	815	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	815	pH		7.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	915	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	915	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1015	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1015	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1115	Specific Conductance		2600	umhos/cm

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-SEP-02	SATURDAY	1_Hr_COMP	1115	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1215	Specific Conductance		2600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1215	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1315	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1315	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1415	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1415	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1515	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1515	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1615	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1615	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1715	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1715	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1815	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1815	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1915	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1915	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2015	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2015	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2115	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2115	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2215	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2215	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2315	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2315	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	15	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	15	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	115	Specific Conductance		3200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	115	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	215	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	215	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	315	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	315	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	415	Specific Conductance		2700	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	415	pH		7.7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	515	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	515	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	615	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	615	pH		7.8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	715	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	715	pH		7.8	pH
15-SEP-02	SUNDAY	COMP_AUTO_BOD	1000	Biochemical Oxygen Demand (BOD)		319	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_CN	1000	Total Cyanide	<	.02	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_COD	1000	Chemical Oxygen Demand		724	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Aluminum		1.97	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Antimony	<	.015	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Arsenic	<	.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Barium		.152	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Beryllium	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Cadmium	<	.009	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Chromium		.123	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Copper		.358	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Lead		.026	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Manganese		.099	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Mercury	<	.002	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Nickel		.398	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Selenium		.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Silver		.008	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Thallium		.001	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1000	Zinc		.321	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_MBAS	1000	Methylene Blue Active Substances		17.8	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_NH3	1000	Ammonia as (N)		44	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_SOLID	1000	Total Suspended Solids		276	mg/L
15-SEP-02	SUNDAY	COMP_CONDUCT	1000	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	COMP_PH	1000	pH		7.7	pH
15-SEP-02	SUNDAY	GRAB	1010	Specific Conductance		2600	umhos/cm
15-SEP-02	SUNDAY	GRAB	1010	pH		7.7	pH
15-SEP-02	SUNDAY	GRAB_PEST	1010	Chlorpyrifos	<	.05	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1010	Demeton-O	<	.09	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1010	Demeton-S	<	.05	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1010	Diazinon		.33	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1010	Guthion	<	.21	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1010	Malathion		.16	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
15-SEP-02	SUNDAY	GRAB_PEST	1010	Parathion	<	.03	ug/L
22-SEP-02	SUNDAY	1_Hr_COMP	815	Specific Conductance		2500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	815	pH		8.4	pH
22-SEP-02	SUNDAY	1_Hr_COMP	915	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	915	pH		8.3	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1015	Specific Conductance		2500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1015	pH		8.2	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1115	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1115	pH		8.2	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1215	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1215	pH		8.1	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1315	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1315	pH		8.1	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1415	Specific Conductance		2500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1415	pH		8.1	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1515	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1515	pH		8.1	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1615	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1615	pH		8.2	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1715	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1715	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1815	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1815	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1915	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1915	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2015	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2015	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2115	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2115	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2215	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2215	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2315	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2315	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	15	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	15	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	115	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	115	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	215	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	215	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	315	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	315	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	415	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	415	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	515	Specific Conductance		2500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	515	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	615	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	615	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	715	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	715	pH		8	pH
23-SEP-02	MONDAY	COMP_AUTO_BOD	1130	Biochemical Oxygen Demand (BOD)		271	mg/L
23-SEP-02	MONDAY	COMP_AUTO_CN	1130	Total Cyanide	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_COD	1130	Chemical Oxygen Demand		664	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Aluminum		2.57	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Antimony	<	.015	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Arsenic		.005	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Barium		.087	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Beryllium	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Cadmium	<	.009	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Chromium		.111	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Copper		.905	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Lead	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Manganese		.094	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Mercury	<	.002	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Nickel		1.17	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Selenium	<	.003	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Silver	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Thallium	<	.001	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1130	Zinc		.415	mg/L
23-SEP-02	MONDAY	COMP_AUTO_MBAS	1130	Methylene Blue Active Substances		19.2	mg/L
23-SEP-02	MONDAY	COMP_AUTO_NH3	1130	Ammonia as (N)		38.2	mg/L
23-SEP-02	MONDAY	COMP_AUTO_SOLID	1130	Total Suspended Solids		176	mg/L
23-SEP-02	MONDAY	COMP_CONDUCT	1130	Specific Conductance		2400	umhos/cm
23-SEP-02	MONDAY	COMP_PH	1130	pH		7.9	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-SEP-02	MONDAY	GRAB	1145	Specific Conductance		2500	umhos/cm
23-SEP-02	MONDAY	GRAB	1145	pH		7.9	pH
23-SEP-02	MONDAY	GRAB_PEST	1145	Chlorpyrifos	<	.05	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Demeton-O	<	.09	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Demeton-S	<	.05	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Diazinon	<	.07	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Guthion	<	.21	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Malathion		.1	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1145	Parathion	<	.03	ug/L
30-SEP-02	MONDAY	1_Hr_COMP	1110	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1110	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1210	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1210	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	1310	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1310	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	1410	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1410	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1510	Specific Conductance		2500	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1510	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1610	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1610	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1710	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1710	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1810	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1810	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	1910	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1910	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	2010	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2010	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	2110	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2110	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	2210	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2210	pH		7.7	pH
30-SEP-02	MONDAY	1_Hr_COMP	2310	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2310	pH		7.7	pH
01-OCT-02	TUESDAY	1_Hr_COMP	10	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	10	pH		7.7	pH
01-OCT-02	TUESDAY	1_Hr_COMP	110	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	110	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	210	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	210	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	310	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	310	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	410	Specific Conductance		2600	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	410	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	510	Specific Conductance		2600	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	510	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	610	Specific Conductance		2600	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	610	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	710	Specific Conductance		2600	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	710	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	810	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	810	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	910	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	910	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1010	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1010	pH		7.9	pH
01-OCT-02	TUESDAY	COMP_AUTO_BOD	1140	Biochemical Oxygen Demand (BOD)		335	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_CN	1140	Total Cyanide	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_COD	1140	Chemical Oxygen Demand		360	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Aluminum		2.45	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Antimony	<	.015	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Arsenic		.01	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Barium		.106	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Beryllium	<	.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Cadmium	<	.009	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Chromium		.037	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Copper		.177	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Lead		.035	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Manganese		.121	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Mercury	<	.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Nickel		.077	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Selenium		.003	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Silver		.011	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Thallium		.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1140	Zinc		.462	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_MBAS	1140	Methylene Blue Active Substances		19.6	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_NH3	1140	Ammonia as (N)		41.2	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_SOLID	1140	Total Suspended Solids		260	mg/L
01-OCT-02	TUESDAY	COMP_CONDUCT	1140	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	COMP_PH	1140	pH		7.7	pH
01-OCT-02	TUESDAY	GRAB	1155	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	GRAB	1155	pH		7.8	pH
01-OCT-02	TUESDAY	GRAB_OG	1155	Hexane Extraction Method		89.2	mg/L
01-OCT-02	TUESDAY	GRAB_OG	1155	SGT-HEM-Non Polar Material		9.2	mg/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Chlorpyrifos		.2	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Demeton-O	<	.09	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Demeton-S	<	.05	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Diazinon		.2	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Guthion	<	.21	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Malathion		.4	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1155	Parathion	<	.03	ug/L
08-OCT-02	TUESDAY	1_Hr_COMP	1000	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1000	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1100	Specific Conductance		2600	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1100	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1200	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1200	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1300	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1300	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1400	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1400	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1500	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1500	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1600	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1600	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1700	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1800	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1800	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1900	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1900	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2000	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2000	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2100	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2100	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2200	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2200	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2300	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2300	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2400	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2400	pH		7.4	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	100	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	100	pH		7.4	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	Specific Conductance		2500	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	300	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	300	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	400	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	400	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	500	Specific Conductance		2700	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	500	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	600	Specific Conductance		2500	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	600	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	700	Specific Conductance		2600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	700	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	800	Specific Conductance		2600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	800	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	900	Specific Conductance		2600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	900	pH		7.7	pH
09-OCT-02	WEDNESDAY	COMP_AUTO_BOD	940	Biochemical Oxygen Demand (BOD)		315	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_CN	940	Total Cyanide	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_COD	940	Chemical Oxygen Demand		729	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Aluminum		1.33	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Antimony	<	.015	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Arsenic	<	.003	mg/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Barium		.151	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Beryllium	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Cadmium	<	.009	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Chromium		.055	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Copper		.164	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Lead	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Manganese		.085	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Mercury	<	.002	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Nickel		.064	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Selenium		.007	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Silver	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Thallium	<	.001	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	940	Zinc		.331	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_MBAS	940	Methylene Blue Active Substances		19.3	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_NH3	940	Ammonia as (N)		40.4	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_SOLID	940	Total Suspended Solids		250	mg/L
09-OCT-02	WEDNESDAY	COMP_CONDUCT	940	Specific Conductance		2500	umhos/cm
09-OCT-02	WEDNESDAY	COMP_PH	940	pH		7.5	pH
09-OCT-02	WEDNESDAY	GRAB	955	Specific Conductance		2500	umhos/cm
09-OCT-02	WEDNESDAY	GRAB	955	pH		7.9	pH
09-OCT-02	WEDNESDAY	GRAB_BNA	955	1,2,4-trichlorobenzene	<	11.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	1,2-diphenylhydrazine	<	8.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,4,6-trichlorophenol	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,4-dimethylphenol	<	11	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,4-dinitrophenol	<	8.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,4-dinitrotoluene	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,4-dichlorophenol	<	9.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2,6-dinitrotoluene	<	6.97	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2-chloronaphthalene	<	7.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2-chlorophenol	<	5	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	2-nitrophenol	<	9.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	3,3-dichlorobenzidine	<	9.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	4-bromophenyl phenyl ether	<	6.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	4-chloro-3-methylphenol	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	4-chlorophenyl phenyl ether	<	4.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	4-nitrophenol	<	4.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Acenaphthene	<	5.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Acenaphthylene	<	8.34	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Anthracene	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzidine	<	6.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzo(A)anthracene	<	5.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzo(A)pyrene	<	7.69	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzo(G,H,I)perylene	<	5.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzo(K)fluoranthene	<	7.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Benzo(b)fluoranthene	<	6.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Bis-(2-ethylhexyl) phthalate		18	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Butyl benzyl phthalate	<	7.53	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Chrysene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Di-n-Butyl phthalate	<	5.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Di-n-Octyl phthalate	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Dibenzo (A,H) Anthracene	<	7.66	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Diethyl Phthalate		13.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Dimethyl Phthalate	<	4.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Fluoranthene	<	4.68	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Fluorene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Hexachlorobenzene	<	6.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Hexachlorobutadiene	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Hexachlorocyclopentadiene	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Hexachloroethane	<	5.27	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Isophorone	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	N-nitrosodi-n-propylamine	<	8.67	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	N-nitrosodimethylamine	<	5.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	N-nitrosodiphenylamine	<	5.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Naphthalene	<	7.47	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Nitrobenzene	<	7.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Pentachlorophenol	<	2.73	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Phenanthrene	<	4.76	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Phenol		67	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	Pyrene	<	4.86	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	955	bis(2-chloroethoxy)methane	<	10.4	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	GRAB_BNA	955	bis(2-chloroethyl) ether	<	6.41	ug/L
09-OCT-02	WEDNESDAY	GRAB_OG	955	Hexane Extraction Method		68.4	mg/L
09-OCT-02	WEDNESDAY	GRAB_OG	955	SGT-HEM-Non Polar Material		7.7	mg/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Chlorpyrifos		.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Demeton-O	<	.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Demeton-S	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Diazinon		.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Guthion	<	.21	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Malathion		.3	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	955	Parathion	<	.03	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,1,1-trichloroethane	<	.78	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,1,2,2-tetrachloroethane	<	3.13	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,1,2-trichloroethane	<	3.02	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,1-dichloroethane	<	.71	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,1-dichloroethene	<	1.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,2-dichlorobenzene	<	1.37	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,2-dichloroethane	<	2.24	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,2-dichloropropane	<	.83	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,3-dichlorobenzene	<	1.31	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	1,4-dichlorobenzene		5.6	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	2-chloroethylvinyl ether	<	1.35	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Benzene	<	.81	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Bromodichloromethane	<	1.79	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Bromoform	<	3.58	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Bromomethane	<	1.39	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Carbon tetrachloride	<	1.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Chlorobenzene	<	1	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Chloroethane	<	.95	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Chloroform		3.84	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Chloromethane	<	3.23	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Dibromochloromethane	<	1.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Ethylbenzene	<	1.46	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Methylene chloride	<	1.29	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Tetrachloroethene	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Toluene		9.62	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Trichloroethene	<	1.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Trichlorofluoromethane	<	3.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	Vinyl chloride	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	cis-1,3-dichloropropene	<	1.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	trans-1,2-dichloroethene	<	.61	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	955	trans-1,3-dichloropropene	<	1.27	ug/L
16-OCT-02	WEDNESDAY	1_Hr_COMP	1010	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1010	pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1110	Specific Conductance		2600	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1110	pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1210	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1210	pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1310	Specific Conductance		2600	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1310	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1410	Specific Conductance		2600	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1410	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1510	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1510	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1610	Specific Conductance		2500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1610	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1710	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1710	pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1810	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1810	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	210	Specific Conductance		2500	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	210	pH		8.1	pH
17-OCT-02	THURSDAY	1_Hr_COMP	310	Specific Conductance		2500	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	310	pH		8.1	pH
17-OCT-02	THURSDAY	1_Hr_COMP	410	Specific Conductance		2600	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	410	pH		8.1	pH
17-OCT-02	THURSDAY	1_Hr_COMP	510	Specific Conductance		2700	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	510	pH		8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	610	Specific Conductance		2600	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	610	pH		7.9	pH
17-OCT-02	THURSDAY	1_Hr_COMP	710	Specific Conductance		2400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	710	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	810	Specific Conductance		2500	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	810	pH		7.9	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-OCT-02	THURSDAY	1_Hr_COMP	910	Specific Conductance		2600	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	910	pH		7.9	pH
17-OCT-02	THURSDAY	COMP_AUTO_BOD	1035	Biochemical Oxygen Demand (BOD)		297	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_CN	1035	Total Cyanide	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_COD	1035	Chemical Oxygen Demand		765	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Aluminum		2.2	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Antimony	<	.015	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Arsenic	<	.003	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Barium		.171	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Beryllium	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Cadmium	<	.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Chromium		.116	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Copper		.179	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Lead	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Manganese		.104	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Mercury	<	.002	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Nickel		.072	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Selenium		.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Silver		.007	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Thallium		.001	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1035	Zinc		.308	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_MBAS	1035	Methylene Blue Active Substances		14.4	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_NH3	1035	Ammonia as (N)		48	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_SOLID	1035	Total Suspended Solids		278	mg/L
17-OCT-02	THURSDAY	COMP_CONDUCT	1035	Specific Conductance		2500	umhos/cm
17-OCT-02	THURSDAY	COMP_PH	1035	pH		7.7	pH
17-OCT-02	THURSDAY	GRAB	1045	Specific Conductance		2600	umhos/cm
17-OCT-02	THURSDAY	GRAB	1045	pH		7.8	pH
17-OCT-02	THURSDAY	GRAB_OG	1045	Hexane Extraction Method		37.4	mg/L
17-OCT-02	THURSDAY	GRAB_OG	1045	SGT-HEM-Non Polar Material		5.8	mg/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Chlorpyrifos	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Diazinon		.1	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Malathion		.3	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
24-OCT-02	THURSDAY	1_Hr_COMP	1050	Specific Conductance		2600	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1050	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1150	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1150	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1250	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1250	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1350	Specific Conductance		2500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1350	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1450	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1450	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1550	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1550	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1650	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1650	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1750	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1750	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1850	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1850	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1950	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1950	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2050	Specific Conductance		2400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2050	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2150	Specific Conductance		2300	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2150	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2250	Specific Conductance		2300	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2250	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2350	Specific Conductance		2200	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2350	pH		7.6	pH
25-OCT-02	FRIDAY	1_Hr_COMP	50	Specific Conductance		2300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	50	pH		7.6	pH
25-OCT-02	FRIDAY	1_Hr_COMP	150	Specific Conductance		2400	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	150	pH		7.7	pH
25-OCT-02	FRIDAY	1_Hr_COMP	250	Specific Conductance		2500	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	250	pH		7.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	350	Specific Conductance		2500	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	350	pH		7.8	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-OCT-02	FRIDAY	1_Hr_COMP	450	Specific Conductance		2700	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	450	pH		7.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	550	Specific Conductance		2500	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	550	pH		7.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	650	Specific Conductance		2700	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	650	pH		7.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	750	Specific Conductance		2700	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	750	pH		7.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	850	Specific Conductance		2600	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	850	pH		7.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	950	Specific Conductance		2500	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	950	pH		7.9	pH
25-OCT-02	FRIDAY	COMP_AUTO_BOD	1010	Biochemical Oxygen Demand (BOD)		284	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_CN	1010	Total Cyanide	<	.02	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_COD	1010	Chemical Oxygen Demand		702	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Aluminum		1.76	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Antimony	<	.015	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Arsenic	<	.003	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Barium		.135	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Beryllium	<	.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Cadmium	<	.009	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Chromium		.034	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Copper		.149	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Lead	<	.02	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Manganese		.088	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Mercury	<	.002	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Nickel		.049	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Selenium		.005	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Silver		.007	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Thallium		.001	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1010	Zinc		.282	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_MBAS	1010	Methylene Blue Active Substances		20.3	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_NH3	1010	Ammonia as (N)		41.2	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_SOLID	1010	Total Suspended Solids		202	mg/L
25-OCT-02	FRIDAY	COMP_CONDUCT	1010	Specific Conductance		2500	umhos/cm
25-OCT-02	FRIDAY	COMP_PH	1010	pH		7.7	pH
25-OCT-02	FRIDAY	GRAB	1025	Specific Conductance		2600	umhos/cm
25-OCT-02	FRIDAY	GRAB	1025	pH		7.9	pH
25-OCT-02	FRIDAY	GRAB_OG	1025	Hexane Extraction Method		64	mg/L
25-OCT-02	FRIDAY	GRAB_OG	1025	SGT-HEM-Non Polar Material		10.8	mg/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Chlorpyrifos		.2	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Demeton-O	<	.09	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Demeton-S	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Diazinon		.1	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Guthion	<	.21	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Malathion		.2	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1025	Parathion	<	.03	ug/L
01-NOV-02	FRIDAY	1_Hr_COMP	1000	Specific Conductance		2600	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1000	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1100	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1100	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1200	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1200	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1300	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1300	pH		7.6	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1400	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1400	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1500	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1500	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1600	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1600	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1700	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1700	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1800	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1800	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1900	Specific Conductance		2400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1900	pH		7.3	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2000	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2000	pH		7.3	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2100	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2100	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2200	Specific Conductance		2300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2200	pH		7.6	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
01-NOV-02	FRIDAY	1_Hr_COMP	2300	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2300	pH		7.7	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2400	Specific Conductance		2500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2400	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	100	Specific Conductance		2500	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	100	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	200	Specific Conductance		2400	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	200	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	300	Specific Conductance		2600	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	300	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	400	Specific Conductance		2700	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	400	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	500	Specific Conductance		2500	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	500	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	600	Specific Conductance		2700	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	600	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	700	Specific Conductance		2500	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	700	pH		7.8	pH
02-NOV-02	SATURDAY	1_Hr_COMP	800	Specific Conductance		2600	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	800	pH		7.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	900	Specific Conductance		2700	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	900	pH		7.8	pH
02-NOV-02	SATURDAY	COMP_AUTO_BOD	930	Biochemical Oxygen Demand (BOD)		349	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_CN	930	Total Cyanide	<	.02	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_COD	930	Chemical Oxygen Demand		745	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Aluminum		1.78	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Antimony	<	.015	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Arsenic		.008	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Barium		.258	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Beryllium	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Cadmium	<	.009	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Chromium		.036	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Copper		.152	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Lead	<	.02	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Manganese		.1	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Mercury	<	.002	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Nickel		.059	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Selenium	<	.003	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Silver		.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Thallium	<	.001	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	930	Zinc		.337	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_MBAS	930	Methylene Blue Active Substances		16.5	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_NH3	930	Ammonia as (N)		39.3	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_SOLID	930	Total Suspended Solids		242	mg/L
02-NOV-02	SATURDAY	COMP_CONDUCT	930	Specific Conductance		2500	umhos/cm
02-NOV-02	SATURDAY	COMP_PH	930	pH		7.6	pH
02-NOV-02	SATURDAY	GRAB	945	Specific Conductance		2700	umhos/cm
02-NOV-02	SATURDAY	GRAB	945	pH		7.8	pH
02-NOV-02	SATURDAY	GRAB_OG	945	Hexane Extraction Method		34.1	mg/L
02-NOV-02	SATURDAY	GRAB_OG	945	SGT-HEM-Non Polar Material		6.7	mg/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Chlorpyrifos	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Demeton-O	<	.09	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Demeton-S	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Diazinon		.1	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Guthion	<	.21	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Malathion	<	.04	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	945	Parathion	<	.03	ug/L
09-NOV-02	SATURDAY	1_Hr_COMP	820	Specific Conductance		1900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	820	pH		7.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	920	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	920	pH		7.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1020	Specific Conductance		1800	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1020	pH		7.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1120	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1120	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1220	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1220	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1320	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1320	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1420	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1420	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1520	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1520	pH		7.4	pH

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-NOV-02	SATURDAY	1_Hr_COMP	1620	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1620	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1720	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1720	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1820	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1820	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1920	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1920	pH		7.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2020	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2020	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2120	Specific Conductance		2000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2120	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2220	Specific Conductance		1900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2220	pH		7.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2320	Specific Conductance		1700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2320	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	20	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	20	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	120	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	120	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	220	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	220	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	320	Specific Conductance		1600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	320	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	420	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	420	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	520	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	520	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	620	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	620	pH		7.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	720	Specific Conductance		1600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	720	pH		7.5	pH
10-NOV-02	SUNDAY	COMP_AUTO_BOD	905	Biochemical Oxygen Demand (BOD)		256	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_CN	905	Total Cyanide	<	.02	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_COD	905	Chemical Oxygen Demand		747	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Aluminum		19.9	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Antimony	<	.015	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Arsenic		.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Barium		.341	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Beryllium	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Cadmium	<	.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Chromium		.036	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Copper		.191	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Lead		.046	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Manganese		.233	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Mercury	<	.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Nickel		.063	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Selenium		.01	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Silver	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Thallium		.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	905	Zinc		.61	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_MBAS	905	Methylene Blue Active Substances		11.7	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_NH3	905	Ammonia as (N)		37.3	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_SOLID	905	Total Suspended Solids		578	mg/L
10-NOV-02	SUNDAY	COMP_CONDUCT	905	Specific Conductance		1900	umhos/cm
10-NOV-02	SUNDAY	COMP_PH	905	pH		7.4	pH
10-NOV-02	SUNDAY	GRAB	915	Specific Conductance		1700	umhos/cm
10-NOV-02	SUNDAY	GRAB	915	pH		7.7	pH
10-NOV-02	SUNDAY	GRAB_BNA	915	1,2,4-trichlorobenzene	<	11.1	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	1,2-diphenylhydrazine	<	8.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,4,6-trichlorophenol	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,4-dimethylphenol	<	11	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,4-dinitrophenol	<	8.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,4-dinitrotoluene	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,4-dichlorophenol	<	9.32	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2,6-dinitrotoluene	<	6.97	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2-chloronaphthalene	<	7.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2-chlorophenol	<	5	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	2-nitrophenol	<	9.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	3,3-dichlorobenzidine	<	9.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	4-bromophenyl phenyl ether	<	6.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	4-chloro-3-methylphenol	<	7.16	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_BNA	915	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	4-nitrophenol	<	4.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Acenaphthene	<	5.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Acenaphthylene	<	8.34	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Anthracene	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzidine	<	6.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzo(A)anthracene	<	5.2	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzo(A)pyrene	<	7.69	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzo(G,H,I)perylene	<	5.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzo(K)fluoranthene	<	7.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Benzo(b)fluoroanthene	<	6.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Bis-(2-ethylhexyl) phthalate	<	15.8	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Butyl benzyl phthalate	<	7.53	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Chrysene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Di-n-Butyl phthalate	<	5.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Di-n-Octyl phthalate	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Diethyl Phthalate	<	4.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Dimethyl Phthalate	<	4.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Fluoranthene	<	4.68	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Fluorene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Hexachlorobenzene	<	6.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Hexachlorobutadiene	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Hexachlorocyclopentadiene	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Hexachloroethane	<	5.27	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Isophorone	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	N-nitrosodimethylamine	<	5.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	N-nitrosodiphenylamine	<	5.01	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Naphthalene	<	7.47	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Nitrobenzene	<	7.92	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Pentachlorophenol	<	2.73	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Phenanthrene	<	4.76	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Phenol	<	14.1	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	Pyrene	<	4.86	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	915	bis(2-chloroethyl) ether	<	6.41	ug/L
10-NOV-02	SUNDAY	GRAB_OG	915	Hexane Extraction Method		21.5	mg/L
10-NOV-02	SUNDAY	GRAB_OG	915	SGT-HEM-Non Polar Material		6.5	mg/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Chlorpyrifos	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Demeton-O	<	.09	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Demeton-S	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Diazinon	<	.2	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Guthion	<	.21	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Malathion	<	.3	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	915	Parathion	<	.03	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,1,1-trichloroethane	<	.78	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,1,2,2-tetrachloroethane	<	3.13	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,1,2-trichloroethane	<	3.02	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,1-dichloroethane	<	.71	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,1-dichloroethene	<	1.09	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,2-dichlorobenzene	<	1.37	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,2-dichloroethane	<	2.24	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,2-dichloropropane	<	.83	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,3-dichlorobenzene	<	1.31	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	1,4-dichlorobenzene	<	4.71	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	2-chloroethylvinyl ether	<	1.35	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Benzene	<	.81	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Bromodichloromethane	<	1.79	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Bromoform	<	3.58	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Bromomethane	<	1.39	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Carbon tetrachloride	<	1.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Chlorobenzene	<	1	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Chloroethane	<	.95	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Chloroform	<	2.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Chloromethane	<	3.23	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Dibromochloromethane	<	1.99	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Ethylbenzene	<	1.46	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Methylene chloride	<	1.29	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Tetrachloroethene	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Toluene	<	4.46	ug/L

City of Tijuana
Site 2

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_VOC	915	Trichloroethene	<	1.32	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Trichlorofluoromethane	<	3.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	Vinyl chloride	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	cis-1,3-dichloropropene	<	1.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	trans-1,2-dichloroethene	<	.61	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	915	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 3

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUN-02	MONDAY	1_Hr_COMP	1150	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1150	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1250	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1250	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1350	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1350	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1450	Specific Conductance		2400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1450	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1550	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1550	pH		7.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1650	Specific Conductance		2300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1650	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	1750	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1750	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	1850	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1850	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	1950	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1950	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2050	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2050	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2150	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2150	pH		7.5	pH
10-JUN-02	MONDAY	1_Hr_COMP	2250	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2250	pH		7.6	pH
10-JUN-02	MONDAY	1_Hr_COMP	2350	Specific Conductance		2200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2350	pH		7.6	pH
11-JUN-02	TUESDAY	1_Hr_COMP	50	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	50	pH		7.6	pH
11-JUN-02	TUESDAY	1_Hr_COMP	150	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	150	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	250	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	250	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	350	Specific Conductance		2200	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	350	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	450	Specific Conductance		2600	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	450	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	550	Specific Conductance		2400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	550	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	650	Specific Conductance		2700	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	650	pH		7.7	pH
11-JUN-02	TUESDAY	1_Hr_COMP	750	Specific Conductance		2600	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	750	pH		7.7	pH
11-JUN-02	TUESDAY	COMP_AUTO_BOD	1155	Biochemical Oxygen Demand (BOD)		337	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_CN	1155	Total Cyanide	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_COD	1155	Chemical Oxygen Demand		825	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Aluminum		1.65	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Antimony	<	.015	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Arsenic	<	.003	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Barium		.227	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Beryllium	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Cadmium	<	.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Chromium		.025	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Copper		.085	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Lead		.038	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Manganese		.071	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Mercury	<	.002	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Nickel	<	.012	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Selenium		.003	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Silver		.008	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Thallium	<	.001	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1155	Zinc		.388	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_NH3	1155	Ammonia as (N)		41.2	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_SOLID	1155	Total Suspended Solids		242	mg/L
11-JUN-02	TUESDAY	COMP_CONDUCT	1155	Specific Conductance		2300	umhos/cm
11-JUN-02	TUESDAY	COMP_PH	1155	pH		7.6	pH
11-JUN-02	TUESDAY	GRAB	1205	Specific Conductance		2200	umhos/cm
11-JUN-02	TUESDAY	GRAB	1205	pH		7.8	pH
11-JUN-02	TUESDAY	GRAB_OG	1205	Hexane Extraction Method		109	mg/L
11-JUN-02	TUESDAY	GRAB_OG	1205	SGT-HEM-Non Polar Material		6.2	mg/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Chlorpyrifos		.12	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Demeton-O	<	.09	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Demeton-S	<	.05	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Diazinon		.34	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
11-JUN-02	TUESDAY	GRAB_PEST	1205	Guthion	<	.21	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Malathion		.07	ug/L
11-JUN-02	TUESDAY	GRAB_PEST	1205	Parathion	<	.03	ug/L
18-JUN-02	TUESDAY	1_Hr_COMP	1020	Specific Conductance		2500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1020	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1120	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1120	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1220	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1220	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1320	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1320	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1420	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1420	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1520	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1520	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1620	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1620	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1720	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1720	pH		7.4	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1820	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1820	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1920	Specific Conductance		2300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1920	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2020	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2020	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2120	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2120	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2220	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2220	pH		7.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2320	Specific Conductance		2200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2320	pH		7.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	20	Specific Conductance		2200	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	20	pH		7.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	120	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	120	pH		7.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	220	Specific Conductance		2100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	220	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	320	Specific Conductance		2100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	320	pH		7.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	420	Specific Conductance		2200	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	420	pH		7.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	520	Specific Conductance		2100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	520	pH		7.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	620	Specific Conductance		2100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	620	pH		7.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	720	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	720	pH		7.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	820	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	820	pH		7.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	920	Specific Conductance		2300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	920	pH		7.7	pH
19-JUN-02	WEDNESDAY	COMP_AUTO_BOD	1055	Biochemical Oxygen Demand (BOD)		321	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_CN	1055	Total Cyanide	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_COD	1055	Chemical Oxygen Demand		851	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Aluminum		1.99	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Antimony	<	.015	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Arsenic	<	.003	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Barium		.242	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Beryllium	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Cadmium	<	.009	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Chromium		.039	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Copper		.161	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Lead		.054	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Manganese		.076	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Mercury	<	.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Nickel		.038	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Selenium	<	.003	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Silver	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Thallium		.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1055	Zinc		.458	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_MBAS	1055	Methylene Blue Active Substances		17.4	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_SOLID	1055	Total Suspended Solids		254	mg/L
19-JUN-02	WEDNESDAY	COMP_CONDUCT	1055	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
19-JUN-02	WEDNESDAY	COMP_PH	1055	pH		7.6	pH
19-JUN-02	WEDNESDAY	GRAB	1105	Specific Conductance		2400	umhos/cm
19-JUN-02	WEDNESDAY	GRAB	1105	pH		7.8	pH
19-JUN-02	WEDNESDAY	GRAB_OG	1105	Hexane Extraction Method		1.22	mg/L
19-JUN-02	WEDNESDAY	GRAB_OG	1105	SGT-HEM-Non Polar Material		8.24	mg/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Chlorpyrifos		.18	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Demeton-O	<	.09	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Demeton-S	<	.05	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Diazinon		.38	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Guthion	<	.21	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Malathion		.18	ug/L
19-JUN-02	WEDNESDAY	GRAB_PEST	1105	Parathion	<	.03	ug/L
05-JUL-02	FRIDAY	GRAB	1100	Specific Conductance		2400	umhos/cm
05-JUL-02	FRIDAY	GRAB	1100	pH		7.8	pH
05-JUL-02	FRIDAY	GRAB_BNA	1100	1,2,4-trichlorobenzene	<	11.1	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	1,2-diphenylhydrazine	<	8.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,4,6-trichlorophenol	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,4-dimethylphenol	<	11	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,4-dinitrophenol	<	8.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,4-dinitrotoluene	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,4-dichlorophenol	<	9.32	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2,6-dinitrotoluene	<	6.97	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2-chloronaphthalene	<	7.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2-chlorophenol	<	5	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	2-nitrophenol	<	9.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	3,3-dichlorobenzidine	<	9.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	4-bromophenyl phenyl ether	<	6.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	4-chloro-3-methylphenol	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	4-chlorophenyl phenyl ether	<	4.99	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	4-nitrophenol	<	4.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Acenaphthene	<	5.45	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Acenaphthylene	<	8.34	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Anthracene	<	7.16	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzidine	<	6.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzo(A)anthracene	<	5.2	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzo(A)pyrene	<	7.69	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzo(G,H,I)perylene	<	5.22	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzo(K)fluoranthene	<	7.9	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Benzo(b)fluoroanthene	<	6.98	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Bis-(2-ethylhexyl) phthalate	<	67.8	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Butyl benzyl phthalate	<	7.53	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Chrysene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Di-n-Butyl phthalate	<	13.3	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Di-n-Octyl phthalate	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Dibenzo (A,H) Anthracene	<	7.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Diethyl Phthalate	<	4.66	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Dimethyl Phthalate	<	4.64	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Fluoranthene	<	4.68	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Fluorene	<	4.04	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Hexachlorobenzene	<	6.89	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Hexachlorobutadiene	<	9.17	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Hexachlorocyclopentadiene	<	8.87	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Hexachloroethane	<	5.27	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Isophorone	<	6	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	N-nitrosodi-n-propylamine	<	8.67	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	N-nitrosodimethylamine	<	5.4	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	N-nitrosodiphenylamine	<	5.01	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Naphthalene	<	7.47	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Nitrobenzene	<	7.92	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Pentachlorophenol	<	2.73	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Phenanthrene	<	4.76	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Phenol	<	2.43	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	Pyrene	<	4.86	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	bis(2-chloroethoxy)methane	<	10.4	ug/L
05-JUL-02	FRIDAY	GRAB_BNA	1100	bis(2-chloroethyl) ether	<	6.41	ug/L
05-JUL-02	FRIDAY	GRAB_BOD	1100	Biochemical Oxygen Demand (BOD)		624	mg/L
05-JUL-02	FRIDAY	GRAB_COD	1100	Chemical Oxygen Demand		1330	mg/L
05-JUL-02	FRIDAY	GRAB_CYANIDE	1100	Total Cyanide	<	.02	mg/L
05-JUL-02	FRIDAY	GRAB_MBAS	1100	Methylene Blue Active Substances		24.1	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Aluminum		2.08	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	GRAB_METALS	1100	Antimony	<	.015	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Arsenic	<	.003	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Barium		.224	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Beryllium	<	.006	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Cadmium	<	.009	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Chromium		.026	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Copper		.145	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Lead		.029	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Manganese		.068	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Mercury	<	.002	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Nickel		.015	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Selenium		.008	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Silver	<	.006	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Thallium	<	.001	mg/L
05-JUL-02	FRIDAY	GRAB_METALS	1100	Zinc		.503	mg/L
05-JUL-02	FRIDAY	GRAB_NH3	1100	Ammonia as (N)		50	mg/L
05-JUL-02	FRIDAY	GRAB_OG	1100	Hexane Extraction Method		99.6	mg/L
05-JUL-02	FRIDAY	GRAB_OG	1100	SGT-HEM-Non Polar Material		8.27	mg/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Aldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Alpha Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	BHC, Alpha	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	BHC, Beta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	BHC, Delta	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	BHC, Gamma (Lindane)		.16	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Beta Endosulfan	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Chlordane	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Chlorpyrifos		.23	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Demeton-O	<	.09	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Demeton-S	<	.05	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Diazinon		.13	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Dieldrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Endosulfan Sulfate	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Endrin	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Endrin aldehyde	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Guthion	<	.21	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Heptachlor	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Heptachlor epoxide	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Malathion		.76	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1016	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1221	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1232	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1242	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1248	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1254	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB 1260	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	PCB-1262	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Parathion	<	.03	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	Toxaphene	<	.5	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	p,p-DDD	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	p,p-DDE	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_PEST	1100	p,p-DDT	<	.1	ug/L
05-JUL-02	FRIDAY	GRAB_SOLIDS	1100	Total Suspended Solids		408	mg/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,1,1-trichloroethane	<	.78	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,1,2,2-tetrachloroethane	<	3.13	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,1,2-trichloroethane	<	3.02	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,1-dichloroethane	<	.71	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,1-dichlorobenzene	<	1.09	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,2-dichlorobenzene		2.16	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,2-dichloroethane	<	2.24	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,2-dichloropropane	<	.83	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,3-dichlorobenzene	<	1.31	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	1,4-dichlorobenzene		10.2	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	2-chloroethylvinyl ether	<	1.35	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Benzene	<	.81	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Bromodichloromethane	<	1.79	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Bromoform	<	3.58	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Bromomethane	<	1.39	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Carbon tetrachloride	<	1.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Chlorobenzene	<	1	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Chloroethane	<	.95	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Chloroform		6.81	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Chloromethane	<	3.23	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Dibromochloromethane	<	1.99	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	GRAB_VOC	1100	Ethylbenzene	<	1.46	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Methylene chloride		6.43	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Tetrachloroethene		9.53	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Toluene		5.2	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Trichloroethene	<	1.32	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Trichlorofluoromethane	<	3.92	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	Vinyl chloride	<	1.04	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	cis-1,3-dichloropropene	<	1.01	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	trans-1,2-dichloroethene	<	.61	ug/L
05-JUL-02	FRIDAY	GRAB_VOC	1100	trans-1,3-dichloropropene	<	1.27	ug/L
12-JUL-02	FRIDAY	1_Hr_COMP	1050	Specific Conductance		2300	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1050	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1150	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1150	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1250	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1250	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1350	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1350	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1450	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1450	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1550	Specific Conductance		2300	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1550	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1650	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1650	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1750	Specific Conductance		2400	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1750	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1850	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1850	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1950	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1950	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2050	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2050	pH		7.8	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2150	Specific Conductance		2200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2150	pH		7.5	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2250	Specific Conductance		2300	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2250	pH		7.5	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2350	Specific Conductance		2600	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2350	pH		7.6	pH
13-JUL-02	SATURDAY	1_Hr_COMP	50	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	50	pH		7.7	pH
13-JUL-02	SATURDAY	1_Hr_COMP	150	Specific Conductance		2700	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	150	pH		7.7	pH
13-JUL-02	SATURDAY	1_Hr_COMP	250	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	250	pH		7.7	pH
13-JUL-02	SATURDAY	1_Hr_COMP	350	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	350	pH		7.7	pH
13-JUL-02	SATURDAY	1_Hr_COMP	450	Specific Conductance		2500	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	450	pH		7.8	pH
13-JUL-02	SATURDAY	1_Hr_COMP	550	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	550	pH		7.8	pH
13-JUL-02	SATURDAY	1_Hr_COMP	650	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	650	pH		7.7	pH
13-JUL-02	SATURDAY	1_Hr_COMP	750	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	750	pH		7.4	pH
13-JUL-02	SATURDAY	1_Hr_COMP	850	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	850	pH		7.5	pH
13-JUL-02	SATURDAY	1_Hr_COMP	950	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	950	pH		7.6	pH
13-JUL-02	SATURDAY	COMP_AUTO_BOD	1055	Biochemical Oxygen Demand (BOD)		340	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_CN	1055	Total Cyanide	<	.02	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_COD	1055	Chemical Oxygen Demand		8.65	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Aluminum		2.02	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Antimony	<	.015	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Arsenic		.007	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Barium		.243	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Beryllium	<	.006	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Cadmium	<	.009	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Chromium		.022	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Copper		.158	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Lead		.047	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Manganese		.085	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Mercury	<	.002	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Nickel		.018	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Selenium		.005	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Silver		.009	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Thallium		.001	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1055	Zinc		.583	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_MBAS	1055	Methylene Blue Active Substances		17.3	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_NH3	1055	Ammonia as (N)		41.2	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_SOLID	1055	Total Suspended Solids		294	mg/L
13-JUL-02	SATURDAY	COMP_CONDUCT	1055	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	COMP_PH	1055	pH		7.4	pH
13-JUL-02	SATURDAY	GRAB	1105	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	GRAB	1105	pH		7.6	pH
13-JUL-02	SATURDAY	GRAB_PEST	1105	Chlorpyrifos		.21	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Demeton-O	<	.09	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Demeton-S	<	.05	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Diazinon		.15	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Guthion	<	.21	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Malathion		.19	ug/L
13-JUL-02	SATURDAY	GRAB_PEST	1105	Parathion	<	.03	ug/L
20-JUL-02	SATURDAY	1_Hr_COMP	810	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	810	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	910	Specific Conductance		2700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	910	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1010	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1010	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1110	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1110	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1210	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1210	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1310	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1310	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1410	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1410	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1510	Specific Conductance		2400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1510	pH		7.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1610	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1610	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1710	Specific Conductance		2200	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1710	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1810	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1810	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1910	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1910	pH		7.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2010	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2010	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2110	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2110	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2210	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2210	pH		7.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2310	Specific Conductance		2300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2310	pH		7.6	pH
21-JUL-02	SUNDAY	1_Hr_COMP	10	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	10	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	110	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	110	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	210	Specific Conductance		2600	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	210	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	310	Specific Conductance		2500	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	310	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	410	Specific Conductance		3100	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	410	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	510	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	510	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	610	Specific Conductance		2500	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	610	pH		7.7	pH
21-JUL-02	SUNDAY	1_Hr_COMP	710	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	710	pH		7.3	pH
21-JUL-02	SUNDAY	COMP_AUTO_BOD	950	Biochemical Oxygen Demand (BOD)		355	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_CN	950	Total Cyanide	<	.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_COD	950	Chemical Oxygen Demand		800	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Aluminum		2.08	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Antimony	<	.015	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Arsenic	<	.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Barium		.227	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Beryllium	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Cadmium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Chromium		.03	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Copper		.16	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Lead		.032	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Manganese		.082	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Mercury	<	.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Nickel	<	.012	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Selenium		.004	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Silver		.008	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Thallium		.001	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	950	Zinc		.368	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_MBAS	950	Methylene Blue Active Substances		15.6	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_NH3	950	Ammonia as (N)		.42	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_SOLID	950	Total Suspended Solids		320	mg/L
21-JUL-02	SUNDAY	COMP_CONDUCT	950	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	COMP_PH	950	pH		7.5	pH
21-JUL-02	SUNDAY	GRAB	1000	Specific Conductance		2400	umhos/cm
21-JUL-02	SUNDAY	GRAB	1000	pH		7.8	pH
21-JUL-02	SUNDAY	GRAB_OG	1000	Hexane Extraction Method		78.6	mg/L
21-JUL-02	SUNDAY	GRAB_OG	1000	SGT-HEM-Non Polar Material		7.65	mg/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Chlorpyrifos		.15	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Demeton-O	<	.09	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Demeton-S	<	.05	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Diazinon		.22	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Guthion	<	.21	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Malathion		.13	ug/L
21-JUL-02	SUNDAY	GRAB_PEST	1000	Parathion	<	.03	ug/L
28-JUL-02	SUNDAY	1_Hr_COMP	825	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	825	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	925	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	925	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1025	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1025	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1125	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1125	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1225	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1225	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1325	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1325	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1425	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1425	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1525	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1525	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1625	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1625	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1725	Specific Conductance		2100	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1725	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1825	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1825	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1925	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1925	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2025	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2025	pH		7.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2125	Specific Conductance		2100	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2125	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2225	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2225	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2325	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2325	pH		7.4	pH
29-JUL-02	MONDAY	1_Hr_COMP	25	Specific Conductance		2100	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	25	pH		7.5	pH
29-JUL-02	MONDAY	1_Hr_COMP	125	Specific Conductance		2200	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	125	pH		7.6	pH
29-JUL-02	MONDAY	1_Hr_COMP	225	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	225	pH		7.5	pH
29-JUL-02	MONDAY	1_Hr_COMP	325	Specific Conductance		2400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	325	pH		7.6	pH
29-JUL-02	MONDAY	1_Hr_COMP	425	Specific Conductance		2500	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	425	pH		7.5	pH
29-JUL-02	MONDAY	1_Hr_COMP	525	Specific Conductance		2600	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	525	pH		7.5	pH
29-JUL-02	MONDAY	1_Hr_COMP	625	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	1_Hr_COMP	625	pH		7.4	pH
29-JUL-02	MONDAY	1_Hr_COMP	725	Specific Conductance		2500	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	725	pH		7.4	pH
29-JUL-02	MONDAY	COMP_AUTO_BOD	1145	Biochemical Oxygen Demand (BOD)		299	mg/L
29-JUL-02	MONDAY	COMP_AUTO_CN	1145	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_COD	1145	Chemical Oxygen Demand		713	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Aluminum		1.49	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Antimony	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Arsenic	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Barium		.121	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Cadmium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Chromium		.023	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Copper		.123	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Lead	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Manganese		.069	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Mercury	<	.002	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Nickel		.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Selenium		.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Silver	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Thallium		.004	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1145	Zinc		.33	mg/L
29-JUL-02	MONDAY	COMP_AUTO_MBAS	1145	Methylene Blue Active Substances		14.5	mg/L
29-JUL-02	MONDAY	COMP_AUTO_NH3	1145	Ammonia as (N)		43.6	mg/L
29-JUL-02	MONDAY	COMP_AUTO_SOLID	1145	Total Suspended Solids		236	mg/L
29-JUL-02	MONDAY	COMP_CONDUCT	1145	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1145	pH		7.3	pH
29-JUL-02	MONDAY	GRAB	1155	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	GRAB	1155	pH		7.4	pH
29-JUL-02	MONDAY	GRAB_OG	1155	Hexane Extraction Method		109	mg/L
29-JUL-02	MONDAY	GRAB_OG	1155	SGT-HEM-Non Polar Material		10.7	mg/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Chlorpyrifos		.19	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Demeton-O	<	.09	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Demeton-S	<	.05	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Diazinon		.47	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Guthion	<	.21	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Malathion		.25	ug/L
29-JUL-02	MONDAY	GRAB_PEST	1155	Parathion	<	.03	ug/L
05-AUG-02	MONDAY	1_Hr_COMP	1005	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1005	pH		6.8	pH
05-AUG-02	MONDAY	1_Hr_COMP	1105	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1105	pH		6.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1205	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1205	pH		6.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	1305	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1305	pH		6.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1405	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1405	pH		6.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1505	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1505	pH		6.5	pH
05-AUG-02	MONDAY	1_Hr_COMP	1605	Specific Conductance		2500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1605	pH		6.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1705	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1705	pH		6.7	pH
05-AUG-02	MONDAY	1_Hr_COMP	1805	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1805	pH		6.8	pH
05-AUG-02	MONDAY	1_Hr_COMP	1905	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1905	pH		6.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	2005	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2005	pH		7	pH
05-AUG-02	MONDAY	1_Hr_COMP	2105	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2105	pH		7	pH
05-AUG-02	MONDAY	1_Hr_COMP	2205	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2205	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2305	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2305	pH		6.7	pH
06-AUG-02	TUESDAY	1_Hr_COMP	5	Specific Conductance		2200	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	5	pH		6.8	pH
06-AUG-02	TUESDAY	1_Hr_COMP	105	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	105	pH		7	pH
06-AUG-02	TUESDAY	1_Hr_COMP	705	Specific Conductance		2500	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	705	pH		6.9	pH
06-AUG-02	TUESDAY	1_Hr_COMP	805	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	1_Hr_COMP	805	pH		6.9	pH
06-AUG-02	TUESDAY	1_Hr_COMP	905	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	905	pH		6.9	pH
06-AUG-02	TUESDAY	COMP_AUTO_BOD	1215	Biochemical Oxygen Demand (BOD)		700	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_CN	1215	Total Cyanide	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_COD	1215	Chemical Oxygen Demand		1280	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Aluminum		2.04	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Antimony	<	.015	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Arsenic	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Barium		.142	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Chromium		.053	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Copper		.142	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Lead		.054	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Manganese		.074	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Mercury	<	.002	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Nickel		.019	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Selenium		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Silver		.012	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Thallium		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1215	Zinc		.45	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_MBAS	1215	Methylene Blue Active Substances		17.6	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_NH3	1215	Ammonia as (N)		44.4	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_SOLID	1215	Total Suspended Solids		398	mg/L
06-AUG-02	TUESDAY	COMP_CONDUCT	1215	Specific Conductance		2400	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	1215	pH		6.8	pH
06-AUG-02	TUESDAY	GRAB	1230	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	GRAB	1230	pH		7.2	pH
06-AUG-02	TUESDAY	GRAB_BNA	1230	1,2,4-trichlorobenzene	<	11.1	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	1,2-diphenylhydrazine	<	8.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,4,6-trichlorophenol	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,4-dimethylphenol	<	11	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,4-dinitrophenol	<	8.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,4-dinitrotoluene	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,4-dichlorophenol	<	9.32	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2,6-dinitrotoluene	<	6.97	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2-chloronaphthalene	<	7.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2-chlorophenol	<	5	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	2-nitrophenol	<	9.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	3,3-dichlorobenzidine	<	9.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	4-bromophenyl phenyl ether	<	6.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	4-chloro-3-methylphenol	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	4-chlorophenyl phenyl ether	<	4.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	4-nitrophenol	<	4.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Acenaphthene	<	5.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Acenaphthylene	<	8.34	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Anthracene	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzidine	<	6.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzo(A)anthracene	<	5.2	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzo(A)pyrene	<	7.69	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzo(G,H,I)perylene	<	5.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzo(K)fluoranthene	<	7.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Benzo(b)fluoranthene	<	6.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Bis-(2-ethylhexyl) phthalate	<	26.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Butyl benzyl phthalate	<	7.53	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Chrysene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Di-n-Butyl phthalate	<	5.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Di-n-Octyl phthalate	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Dibenzo (A,H) Anthracene	<	7.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Diethyl Phthalate	<	7.02	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Dimethyl Phthalate	<	4.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Fluoranthene	<	4.68	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Fluorene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Hexachlorobenzene	<	6.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Hexachlorobutadiene	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Hexachlorocyclopentadiene	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Hexachloroethane	<	5.27	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Isophorone	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	N-nitrosodi-n-propylamine	<	8.67	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_BNA	1230	N-nitrosodimethylamine	<	5.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	N-nitrosodiphenylamine	<	5.01	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Naphthalene	<	7.47	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Nitrobenzene	<	7.92	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Pentachlorophenol	<	2.73	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Phenanthrene	<	4.76	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Phenol	<	105	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	Pyrene	<	4.86	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	bis(2-chloroethoxy)methane	<	10.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1230	bis(2-chloroethyl) ether	<	6.41	ug/L
06-AUG-02	TUESDAY	GRAB_OG	1230	Hexane Extraction Method	<	254	mg/L
06-AUG-02	TUESDAY	GRAB_OG	1230	SGT-HEM-Non Polar Material	<	11.9	mg/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Aldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Alpha Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	BHC, Alpha	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	BHC, Beta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	BHC, Delta	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	BHC, Gamma (Lindane)	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Beta Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Chlordane	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Chlorpyrifos	<	.23	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Demeton-O	<	.09	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Demeton-S	<	.05	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Diazinon	<	.24	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Dieldrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Endosulfan Sulfate	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Endrin	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Endrin aldehyde	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Guthion	<	.21	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Heptachlor	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Heptachlor epoxide	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Malathion	<	.65	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1016	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1221	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1232	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1242	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1248	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1254	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB 1260	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	PCB-1262	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Parathion	<	.03	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	Toxaphene	<	.5	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	p,p-DDD	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	p,p-DDE	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_PEST	1230	p,p-DDT	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,1,1-trichloroethane	<	.78	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,1,2,2-tetrachloroethane	<	3.13	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,1,2-trichloroethane	<	3.02	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,1-dichloroethane	<	.71	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,1-dichloroethene	<	1.09	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,2-dichlorobenzene	<	1.37	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,2-dichloroethane	<	2.24	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,2-dichloropropane	<	.83	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,3-dichlorobenzene	<	1.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	1,4-dichlorobenzene	<	9.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	2-chloroethylvinyl ether	<	1.35	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Benzene	<	.81	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Bromodichloromethane	<	2.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Bromoform	<	3.58	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Bromomethane	<	1.39	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Carbon tetrachloride	<	1.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Chlorobenzene	<	1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Chloroethane	<	.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Chloroform	<	5.16	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Chloromethane	<	3.23	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Dibromochloromethane	<	3.4	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Ethylbenzene	<	1.46	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Methylene chloride	<	4.94	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Tetrachloroethene	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Toluene	<	6.34	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Trichloroethene	<	1.32	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Trichlorofluoromethane	<	3.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	Vinyl chloride	<	1.04	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_VOC	1230	cis-1,3-dichloropropene	<	1.01	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	trans-1,2-dichloroethene	<	.61	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1230	trans-1,3-dichloropropene	<	1.27	ug/L
13-AUG-02	TUESDAY	1_Hr_COMP	1035	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1035	pH		7.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1135	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1135	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1235	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1235	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1335	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1335	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1435	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1435	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1535	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1535	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1635	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1635	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1735	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1735	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1835	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1835	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1935	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1935	pH		7.5	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2035	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2035	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2135	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2135	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2235	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2235	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2335	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2335	pH		7.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	35	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	35	pH		7.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	135	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	135	pH		7.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	235	Specific Conductance		2600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	235	pH		7.6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	335	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	335	pH		7.6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	435	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	435	pH		7.6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	635	Specific Conductance		2700	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	635	pH		7.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	735	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	735	pH		7.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	835	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	835	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	935	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	935	pH		7.5	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_BOD	1130	Biochemical Oxygen Demand (BOD)		312	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	1130	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_COD	1130	Chemical Oxygen Demand		818	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Aluminum		1.65	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Antimony	<	.015	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Arsenic	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Barium		.103	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Cadmium	<	.009	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Chromium		.053	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Copper		.158	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Lead		.056	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Manganese		.069	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Mercury	<	.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Nickel		.025	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Selenium	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Silver		.014	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Thallium		.001	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1130	Zinc		.429	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_MBAS	1130	Methylene Blue Active Substances		14.7	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_NH3	1130	Ammonia as (N)		41.6	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_SOLID	1130	Total Suspended Solids		282	mg/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1130	Specific Conductance		2400	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1130	pH		7.4	pH

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	GRAB	1145	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	GRAB	1145	pH		7.4	pH
14-AUG-02	WEDNESDAY	GRAB_OG	1150	Hexane Extraction Method		123	mg/L
14-AUG-02	WEDNESDAY	GRAB_OG	1150	SGT-HEM-Non Polar Material		9.3	mg/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Chlorpyrifos	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Demeton-O	<	.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Demeton-S	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Diazinon		.17	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Guthion	<	.21	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Malathion	<	.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1150	Parathion	<	.03	ug/L
21-AUG-02	WEDNESDAY	1_Hr_COMP	1115	Specific Conductance		2600	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1115	pH		7.7	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1215	Specific Conductance		3200	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1215	pH		7.8	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1315	Specific Conductance		2700	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1315	pH		7.5	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1415	Specific Conductance		3100	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1415	pH		7.4	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1515	Specific Conductance		2700	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1515	pH		7.9	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1715	Specific Conductance		2600	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1715	pH		7.8	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1815	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1815	pH		7.8	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2015	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2015	pH		7.8	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2115	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2115	pH		7.9	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2215	Specific Conductance		2500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2215	pH		7.9	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2315	Specific Conductance		2400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2315	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	15	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	15	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	115	Specific Conductance		2300	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	115	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	215	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	215	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	315	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	315	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	415	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	415	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	515	Specific Conductance		2600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	515	pH		7.9	pH
22-AUG-02	THURSDAY	1_Hr_COMP	615	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	615	pH		7.7	pH
22-AUG-02	THURSDAY	1_Hr_COMP	715	Specific Conductance		2300	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	715	pH		7.7	pH
22-AUG-02	THURSDAY	1_Hr_COMP	815	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	815	pH		7.8	pH
22-AUG-02	THURSDAY	1_Hr_COMP	915	Specific Conductance		2400	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	915	pH		7.7	pH
22-AUG-02	THURSDAY	1_Hr_COMP	1015	Specific Conductance		2800	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	1015	pH		7.6	pH
22-AUG-02	THURSDAY	COMP_AUTO_BOD	1145	Biochemical Oxygen Demand (BOD)		326	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_CN	1145	Total Cyanide	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_COD	1145	Chemical Oxygen Demand		819	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Aluminum		1.14	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Antimony	<	.015	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Arsenic	<	.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Barium		.129	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Beryllium	<	.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Cadmium	<	.009	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Chromium		.023	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Copper		.117	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Lead		.021	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Manganese		.079	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Mercury	<	.002	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Nickel		.013	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Selenium	<	.003	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Silver		.008	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Thallium		.001	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-AUG-02	THURSDAY	COMP_AUTO_HM	1145	Zinc		.321	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_MBAS	1145	Methylene Blue Active Substances		15.1	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_NH3	1145	Ammonia as (N)		50.8	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_SOLID	1145	Total Suspended Solids		196	mg/L
22-AUG-02	THURSDAY	COMP_CONDUCT	1145	Specific Conductance		2500	umhos/cm
22-AUG-02	THURSDAY	COMP_PH	1145	pH		7.6	pH
22-AUG-02	THURSDAY	GRAB	1155	Specific Conductance		2900	umhos/cm
22-AUG-02	THURSDAY	GRAB	1155	pH		7.2	pH
22-AUG-02	THURSDAY	GRAB_OG	1155	Hexane Extraction Method		131	mg/L
22-AUG-02	THURSDAY	GRAB_OG	1155	SGT-HEM-Non Polar Material		11.3	mg/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Chlorpyrifos	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Demeton-O	<	.09	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Demeton-S	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Diazinon		.22	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Guthion	<	.21	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Malathion		.12	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1155	Parathion	<	.03	ug/L
29-AUG-02	THURSDAY	1_Hr_COMP	1145	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1145	pH		7.2	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1245	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1245	pH		7.3	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1345	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1345	pH		7.4	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1445	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1445	pH		7.4	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1545	Specific Conductance		2400	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1545	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1645	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1645	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1745	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1745	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1845	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1845	pH		7.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1945	Specific Conductance		2500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1945	pH		7.9	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2045	Specific Conductance		2300	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2045	pH		8	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2145	Specific Conductance		2200	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2145	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2245	Specific Conductance		2200	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2245	pH		7.8	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2345	Specific Conductance		2200	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2345	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	45	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	45	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	145	Specific Conductance		2200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	145	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	245	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	245	pH		8.1	pH
30-AUG-02	FRIDAY	1_Hr_COMP	345	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	345	pH		8.1	pH
30-AUG-02	FRIDAY	1_Hr_COMP	445	Specific Conductance		3000	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	445	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	545	Specific Conductance		2700	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	545	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	645	Specific Conductance		2600	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	645	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	745	Specific Conductance		2100	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	745	pH		8	pH
30-AUG-02	FRIDAY	1_Hr_COMP	845	Specific Conductance		2500	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	845	pH		8	pH
30-AUG-02	FRIDAY	COMP_AUTO_BOD	1130	Biochemical Oxygen Demand (BOD)		365	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_CN	1130	Total Cyanide	<	.02	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_COD	1130	Chemical Oxygen Demand		825	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Aluminum		2.39	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Antimony	<	.015	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Arsenic		.005	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Barium		.146	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Beryllium	<	.006	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Cadmium	<	.009	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Chromium		.024	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Copper		.154	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Lead		.03	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Manganese		.086	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Mercury		.002	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Nickel		.032	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Selenium		.003	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Silver		.011	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Thallium		.001	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1130	Zinc		.378	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_MBAS	1130	Methylene Blue Active Substances		20.8	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_NH3	1130	Ammonia as (N)		37.8	mg/L
30-AUG-02	FRIDAY	COMP_CONDUCT	1130	Specific Conductance		2300	umhos/cm
30-AUG-02	FRIDAY	COMP_PH	1130	pH		7.5	pH
30-AUG-02	FRIDAY	GRAB	1140	Specific Conductance		2400	umhos/cm
30-AUG-02	FRIDAY	GRAB	1140	pH		7.7	pH
30-AUG-02	FRIDAY	GRAB_OG	1140	Hexane Extraction Method		1.21	mg/L
30-AUG-02	FRIDAY	GRAB_OG	1140	SGT-HEM-Non Polar Material		13.4	mg/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Chlorpyrifos		.17	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Demeton-O	<	.09	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Demeton-S	<	.05	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Diazinon		.23	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Guthion	<	.21	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Malathion		.11	ug/L
30-AUG-02	FRIDAY	GRAB_PEST	1140	Parathion	<	.03	ug/L
06-SEP-02	FRIDAY	1_Hr_COMP	1130	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1130	pH		7.1	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1230	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1230	pH		7.3	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1330	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1330	pH		7.3	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1430	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1430	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1530	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1530	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1630	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1630	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1730	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1730	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1830	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1830	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1930	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1930	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2030	Specific Conductance		2300	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2030	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2130	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2130	pH		7.6	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2230	Specific Conductance		2400	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2230	pH		7.6	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2330	Specific Conductance		2200	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2330	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	30	Specific Conductance		2100	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	30	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	130	Specific Conductance		2200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	130	pH		7.8	pH
07-SEP-02	SATURDAY	1_Hr_COMP	230	Specific Conductance		2300	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	230	pH		7.9	pH
07-SEP-02	SATURDAY	1_Hr_COMP	330	Specific Conductance		2700	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	330	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	430	Specific Conductance		2100	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	430	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	530	Specific Conductance		840	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	530	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	630	Specific Conductance		1200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	630	pH		7.3	pH
07-SEP-02	SATURDAY	COMP_AUTO_BOD	1030	Biochemical Oxygen Demand (BOD)		305	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_CN	1030	Total Cyanide	<	.02	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_COD	1030	Chemical Oxygen Demand		876	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Aluminum		6.83	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Antimony	<	.015	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Arsenic		.008	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Barium		.181	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Beryllium	<	.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Cadmium	<	.009	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Chromium		.022	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Copper		.206	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Lead		.045	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Manganese		.151	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Mercury	<	.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Nickel		.084	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Selenium	<	.003	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Silver		.011	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Thallium		.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1030	Zinc		.555	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_MBAS	1030	Methylene Blue Active Substances		14.8	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_NH3	1030	Ammonia as (N)		34.4	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_SOLID	1030	Total Suspended Solids		378	mg/L
07-SEP-02	SATURDAY	COMP_CONDUCT	1030	Specific Conductance		2100	umhos/cm
07-SEP-02	SATURDAY	COMP_PH	1030	pH		7.6	pH
07-SEP-02	SATURDAY	GRAB	1045	Specific Conductance		2000	umhos/cm
07-SEP-02	SATURDAY	GRAB	1045	pH		7.5	pH
07-SEP-02	SATURDAY	GRAB_BNA	1045	1,2,4-trichlorobenzene	<	11.1	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	1,2-diphenylhydrazine	<	8.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,4,6-trichlorophenol	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,4-dimethylphenol	<	11	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,4-dinitrophenol	<	8.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,4-dinitrotoluene	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,4-dichlorophenol	<	9.32	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2,6-dinitrotoluene	<	6.97	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2-chloronaphthalene	<	7.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2-chlorophenol	<	5	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	2-nitrophenol	<	9.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	3,3-dichlorobenzidine	<	9.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	4-bromophenyl phenyl ether	<	6.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	4-chloro-3-methylphenol	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	4-chlorophenyl phenyl ether	<	4.99	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	4-nitrophenol	<	4.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Acenaphthene	<	5.45	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Acenaphthylene	<	8.34	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Anthracene	<	7.16	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzidine	<	6.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzo(A)anthracene	<	5.2	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzo(A)pyrene	<	7.69	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzo(G,H,I)perylene	<	5.22	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzo(K)fluoranthene	<	7.9	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Benzo(b)fluoroanthene	<	6.98	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Bis-(2-ethylhexyl) phthalate	<	75.5	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Butyl benzyl phthalate	<	7.53	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Chrysene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Di-n-Butyl phthalate	<	5.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Di-n-Octyl phthalate	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Dibenzo (A,H) Anthracene	<	7.66	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Diethyl Phthalate	<	10.2	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Dimethyl Phthalate	<	4.64	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Fluoranthene	<	4.68	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Fluorene	<	4.04	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Hexachlorobenzene	<	6.89	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Hexachlorobutadiene	<	9.17	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Hexachlorocyclopentadiene	<	8.87	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Hexachloroethane	<	5.27	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Isophorone	<	6	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	N-nitrosodi-n-propylamine	<	8.67	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	N-nitrosodimethylamine	<	5.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	N-nitrosodiphenylamine	<	5.01	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Naphthalene	<	7.47	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Nitrobenzene	<	7.92	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Pentachlorophenol	<	2.73	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Phenanthrene	<	4.76	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Phenol	<	21.2	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	Pyrene	<	4.86	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	bis(2-chloroethoxy)methane	<	10.4	ug/L
07-SEP-02	SATURDAY	GRAB_BNA	1045	bis(2-chloroethyl) ether	<	6.41	ug/L
07-SEP-02	SATURDAY	GRAB_OG	1045	Hexane Extraction Method		78.7	mg/L
07-SEP-02	SATURDAY	GRAB_OG	1045	SGT-HEM-Non Polar Material		11.5	mg/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Aldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Alpha Endosulfan	<	.1	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
07-SEP-02	SATURDAY	GRAB_PEST	1045	BHC, Alpha	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	BHC, Beta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	BHC, Delta	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	BHC, Gamma (Lindane)	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Beta Endosulfan	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Chlordane	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Chlorpyrifos	<	.05	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Diazinon	<	.4	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Dieldrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Endosulfan Sulfate	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Endrin	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Endrin aldehyde	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Heptachlor	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Heptachlor epoxide	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Malathion	<	1.3	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1016	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1221	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1232	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1242	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1248	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1254	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB 1260	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	PCB-1262	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	Toxaphene	<	.5	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	p,p-DDD	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	p,p-DDE	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_PEST	1045	p,p-DDT	<	.1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,1,1-trichloroethane	<	.78	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,1,2,2-tetrachloroethane	<	3.13	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,1,2-trichloroethane	<	3.02	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,1-dichloroethane	<	.71	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,1-dichloroethene	<	1.09	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,2-dichlorobenzene	<	1.37	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,2-dichloroethane	<	2.24	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,2-dichloropropane	<	.83	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,3-dichlorobenzene	<	1.31	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	1,4-dichlorobenzene	<	12.7	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	2-chloroethylvinyl ether	<	1.35	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Benzene	<	.81	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Bromodichloromethane	<	1.79	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Bromoform	<	3.58	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Bromomethane	<	1.39	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Carbon tetrachloride	<	1.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Chlorobenzene	<	1	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Chloroethane	<	.95	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Chloroform	<	6.16	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Chloromethane	<	3.23	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Dibromochloromethane	<	1.99	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Ethylbenzene	<	1.46	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Methylene chloride	<	13.2	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Tetrachloroethene	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Toluene	<	14.3	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Trichloroethene	<	1.32	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Trichlorofluoromethane	<	3.92	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	Vinyl chloride	<	1.04	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	cis-1,3-dichloropropene	<	1.01	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	trans-1,2-dichloroethene	<	.61	ug/L
07-SEP-02	SATURDAY	GRAB_VOC	1045	trans-1,3-dichloropropene	<	1.27	ug/L
14-SEP-02	SATURDAY	1_Hr_COMP	805	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	805	pH		7.4	pH
14-SEP-02	SATURDAY	1_Hr_COMP	905	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	905	pH		7.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1005	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1005	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1105	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1105	pH		7.3	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1205	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1205	pH		7.4	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1305	Specific Conductance		2300	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-SEP-02	SATURDAY	1_Hr_COMP	1305	pH		7.4	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1405	Specific Conductance		2400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1405	pH		7.5	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1505	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1505	pH		7.5	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1605	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1605	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1705	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1705	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1805	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1805	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1905	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1905	pH		7.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2002	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2002	pH		7.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2105	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2105	pH		7.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2205	Specific Conductance		2200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2205	pH		8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2300	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2300	pH		7.9	pH
15-SEP-02	SUNDAY	1_Hr_COMP	5	Specific Conductance		2200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	5	pH		8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	105	Specific Conductance		2200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	105	pH		8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	205	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	205	pH		8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	305	Specific Conductance		2400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	305	pH		8.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	405	Specific Conductance		2600	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	405	pH		8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	505	Specific Conductance		2600	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	505	pH		8	pH
15-SEP-02	SUNDAY	1_Hr_COMP	605	Specific Conductance		2200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	605	pH		7.9	pH
15-SEP-02	SUNDAY	1_Hr_COMP	705	Specific Conductance		2200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	705	pH		7.9	pH
15-SEP-02	SUNDAY	COMP_AUTO_BOD	1025	Biochemical Oxygen Demand (BOD)		364	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_CN	1025	Total Cyanide	<	.02	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_COD	1025	Chemical Oxygen Demand		838	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Aluminum		1.74	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Antimony	<	.015	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Arsenic		.009	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Barium		.152	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Beryllium	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Cadmium	<	.009	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Chromium		.033	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Copper		.159	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Lead		.03	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Manganese		.091	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Mercury		.002	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Nickel		.033	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Selenium		.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Silver		.009	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Thallium		.001	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1025	Zinc		.415	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_MBAS	1025	Methylene Blue Active Substances		15.7	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_NH3	1025	Ammonia as (N)		44.4	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_SOLID	1025	Total Suspended Solids		330	mg/L
15-SEP-02	SUNDAY	COMP_CONDUCT	1025	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	COMP_PH	1025	pH		7.6	pH
15-SEP-02	SUNDAY	GRAB	1035	Specific Conductance		2300	umhos/cm
15-SEP-02	SUNDAY	GRAB	1035	pH		7.9	pH
15-SEP-02	SUNDAY	GRAB_OG	1035	Hexane Extraction Method		73.9	mg/L
15-SEP-02	SUNDAY	GRAB_OG	1035	SGT-HEM-Non Polar Material		7.9	mg/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Chlorpyrifos		.24	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Demeton-O	<	.09	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Demeton-S	<	.05	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Diazinon		.27	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Guthion	<	.21	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Malathion	<	.04	ug/L
15-SEP-02	SUNDAY	GRAB_PEST	1035	Parathion	<	.03	ug/L
22-SEP-02	SUNDAY	1_Hr_COMP	805	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-SEP-02	SUNDAY	1_Hr_COMP	805	pH		8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	905	Specific Conductance		2400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	905	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1005	Specific Conductance		2500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1005	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1105	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1105	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1205	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1205	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1305	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1305	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1405	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1405	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1505	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1505	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1605	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1605	pH		7.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1705	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1705	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1805	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1805	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1905	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1905	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2005	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2005	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2105	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2105	pH		7.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2205	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2205	pH		7.8	pH
23-SEP-02	MONDAY	1_Hr_COMP	5	Specific Conductance		2200	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	5	pH		7.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	105	Specific Conductance		2200	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	105	pH		7.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	505	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	505	pH		8	pH
23-SEP-02	MONDAY	1_Hr_COMP	605	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	605	pH		8	pH
23-SEP-02	MONDAY	1_Hr_COMP	705	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	705	pH		8	pH
23-SEP-02	MONDAY	COMP_AUTO_BOD	1210	Biochemical Oxygen Demand (BOD)		261	mg/L
23-SEP-02	MONDAY	COMP_AUTO_CN	1210	Total Cyanide	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_COD	1210	Chemical Oxygen Demand		853	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Aluminum		3.27	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Antimony	<	.015	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Arsenic		.004	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Barium		.102	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Cadmium	<	.009	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Chromium		.06	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Copper		.373	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Lead		.029	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Manganese		.083	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Nickel		.354	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Selenium	<	.003	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Silver		.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Thallium		.001	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1210	Zinc		.554	mg/L
23-SEP-02	MONDAY	COMP_AUTO_MBAS	1210	Methylene Blue Active Substances		15	mg/L
23-SEP-02	MONDAY	COMP_AUTO_NH3	1210	Ammonia as (N)		37.6	mg/L
23-SEP-02	MONDAY	COMP_AUTO_SOLID	1210	Total Suspended Solids		276	mg/L
23-SEP-02	MONDAY	COMP_CONDUCT	1210	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	COMP_PH	1210	pH		8	pH
23-SEP-02	MONDAY	GRAB	1225	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	GRAB	1225	pH		7.7	pH
23-SEP-02	MONDAY	GRAB_PEST	1225	Chlorpyrifos		.16	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Demeton-O	<	.09	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Demeton-S	<	.05	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Diazinon		.37	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Guthion	<	.21	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Malathion		1.6	ug/L
23-SEP-02	MONDAY	GRAB_PEST	1225	Parathion	<	.03	ug/L
30-SEP-02	MONDAY	1_Hr_COMP	1110	Specific Conductance		2500	umhos/cm

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
30-SEP-02	MONDAY	1_Hr_COMP	1110	pH		7.3	pH
30-SEP-02	MONDAY	1_Hr_COMP	1210	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1210	pH		7.4	pH
30-SEP-02	MONDAY	1_Hr_COMP	1310	Specific Conductance		2200	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1310	pH		7.4	pH
30-SEP-02	MONDAY	1_Hr_COMP	1410	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1410	pH		7.4	pH
30-SEP-02	MONDAY	1_Hr_COMP	1510	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1510	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	1610	Specific Conductance		2700	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1610	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	1710	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1710	pH		7.5	pH
30-SEP-02	MONDAY	1_Hr_COMP	1810	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1810	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	1910	Specific Conductance		2200	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1910	pH		7.6	pH
30-SEP-02	MONDAY	1_Hr_COMP	2010	Specific Conductance		2400	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2010	pH		7.9	pH
30-SEP-02	MONDAY	1_Hr_COMP	2110	Specific Conductance		2200	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2110	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	2210	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2210	pH		7.8	pH
30-SEP-02	MONDAY	1_Hr_COMP	2310	Specific Conductance		2300	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	2310	pH		7.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	10	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	10	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	110	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	110	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	210	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	210	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	310	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	310	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	410	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	410	pH		8.2	pH
01-OCT-02	TUESDAY	1_Hr_COMP	510	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	510	pH		7.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	610	Specific Conductance		2400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	610	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	710	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	710	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	810	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	810	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	910	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	910	pH		7.6	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1010	Specific Conductance		2500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1010	pH		7.7	pH
01-OCT-02	TUESDAY	COMP_AUTO_BOD	1215	Biochemical Oxygen Demand (BOD)		415	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_CN	1215	Total Cyanide	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_COD	1215	Chemical Oxygen Demand		850	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Aluminum		2.25	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Antimony	<	.015	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Arsenic		.004	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Barium		.091	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Beryllium	<	.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Cadmium	<	.009	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Chromium		.035	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Copper		.148	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Lead		.043	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Manganese		.114	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Mercury	<	.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Nickel		.045	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Selenium	<	.003	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Silver		.008	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Thallium		.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1215	Zinc		.493	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_MBAS	1215	Methylene Blue Active Substances		18	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_NH3	1215	Ammonia as (N)		40.8	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_SOLID	1215	Total Suspended Solids		292	mg/L
01-OCT-02	TUESDAY	COMP_CONDUCT	1215	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	COMP_PH	1215	pH		7.7	pH
01-OCT-02	TUESDAY	GRAB	1225	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	GRAB	1225	pH		7.8	pH

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
01-OCT-02	TUESDAY	GRAB_OG	1225	Hexane Extraction Method		109	mg/L
01-OCT-02	TUESDAY	GRAB_OG	1225	SGT-HEM-Non Polar Material		9.2	mg/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Chlorpyrifos		.1	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Demeton-O	<	.09	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Demeton-S	<	.05	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Diazinon		.6	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Guthion	<	.21	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Malathion		.1	ug/L
01-OCT-02	TUESDAY	GRAB_PEST	1225	Parathion	<	.03	ug/L
08-OCT-02	TUESDAY	1_Hr_COMP	1000	Specific Conductance		2400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1000	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1100	Specific Conductance		2500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1100	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1200	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1200	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1300	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1300	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1400	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1400	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1500	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1500	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1600	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1600	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1700	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1700	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1800	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1800	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1900	Specific Conductance		2200	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1900	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2000	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2000	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2100	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2100	pH		7.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2200	Specific Conductance		2200	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2200	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2300	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2300	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2400	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2400	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	100	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	100	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	Specific Conductance		2500	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	200	pH		7.8	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	300	Specific Conductance		2200	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	300	pH		7.8	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	400	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	400	pH		7.9	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	600	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	600	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	900	Specific Conductance		2700	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	900	pH		7.9	pH
09-OCT-02	WEDNESDAY	COMP_AUTO_BOD	1010	Biochemical Oxygen Demand (BOD)		314	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_CN	1010	Total Cyanide	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_COD	1010	Chemical Oxygen Demand		727	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Aluminum		1.13	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Antimony	<	.015	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Arsenic	<	.003	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Barium		.152	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Beryllium	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Cadmium	<	.009	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Chromium		.035	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Copper		.153	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Lead	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Manganese		.084	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Mercury	<	.002	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Nickel		.027	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Selenium		.008	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Silver		.008	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Thallium		.001	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1010	Zinc		.399	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_MBAS	1010	Methylene Blue Active Substances		15.7	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	COMP_AUTO_NH3	1010	Ammonia as (N)		39	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_SOLID	1010	Total Suspended Solids		250	mg/L
09-OCT-02	WEDNESDAY	COMP_CONDUCT	1010	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	COMP_PH	1010	pH		7.5	pH
09-OCT-02	WEDNESDAY	GRAB	1025	Specific Conductance		2300	umhos/cm
09-OCT-02	WEDNESDAY	GRAB	1025	pH		7.7	pH
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	1,2,4-trichlorobenzene	<	11.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	1,2-diphenylhydrazine	<	8.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,4,6-trichlorophenol	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,4-dimethylphenol	<	11	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,4-dinitrophenol	<	8.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,4-dinitrotoluene	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,4-dichlorophenol	<	9.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2,6-dinitrotoluene	<	6.97	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2-chloronaphthalene	<	7.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2-chlorophenol	<	5	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	2-nitrophenol	<	9.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	3,3-dichlorobenzidine	<	9.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	4-bromophenyl phenyl ether	<	6.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	4-chloro-3-methylphenol	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	4-chlorophenyl phenyl ether	<	4.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	4-nitrophenol	<	4.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Acenaphthene	<	5.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Acenaphthylene	<	8.34	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Anthracene	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzidine	<	6.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzo(A)anthracene	<	5.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzo(A)pyrene	<	7.69	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzo(G,H,I)perylene	<	5.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzo(K)fluoranthene	<	7.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Benzo(b)fluoroanthene	<	6.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Bis-(2-ethylhexyl) phthalate	<	36.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Butyl benzyl phthalate	<	7.53	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Chrysene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Di-n-Butyl phthalate	<	8.21	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Di-n-Octyl phthalate	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Dibenzo (A,H) Anthracene	<	7.66	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Diethyl Phthalate	<	10	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Dimethyl Phthalate	<	4.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Fluoranthene	<	4.68	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Fluorene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Hexachlorobenzene	<	6.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Hexachlorobutadiene	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Hexachlorocyclopentadiene	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Hexachloroethane	<	5.27	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Isophorone	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	N-nitrosodi-n-propylamine	<	8.67	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	N-nitrosodimethylamine	<	5.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	N-nitrosodiphenylamine	<	5.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Naphthalene	<	7.47	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Nitrobenzene	<	7.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Pentachlorophenol	<	2.73	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Phenanthrene	<	4.76	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Phenol	<	14.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	Pyrene	<	4.86	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	bis(2-chloroethoxy)methane	<	10.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1025	bis(2-chloroethyl) ether	<	6.41	ug/L
09-OCT-02	WEDNESDAY	GRAB_OG	1025	Hexane Extraction Method		119	mg/L
09-OCT-02	WEDNESDAY	GRAB_OG	1025	SGT-HEM-Non Polar Material		16.2	mg/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Chlorpyrifos		.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Demeton-O	<	.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Demeton-S	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Diazinon		.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Guthion	<	.21	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Malathion		.5	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1025	Parathion	<	.03	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,1,1-trichloroethane	<	.78	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,1,2,2-tetrachloroethane	<	3.13	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,1,2-trichloroethane	<	3.02	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,1-dichloroethane	<	.71	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,1-dichloroethene	<	1.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,2-dichlorobenzene	<	1.37	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,2-dichloroethane	<	2.24	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,2-dichloropropane	<	.83	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,3-dichlorobenzene	<	1.31	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	1,4-dichlorobenzene	<	7.08	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	2-chloroethylvinyl ether	<	1.35	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Benzene	<	.81	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Bromodichloromethane	<	3.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Bromoform	<	3.58	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Bromomethane	<	1.39	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Carbon tetrachloride	<	1.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Chlorobenzene	<	1	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Chloroethane	<	.95	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Chloroform	<	5.65	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Chloromethane	<	3.23	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Dibromochloromethane	<	3.28	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Ethylbenzene	<	1.46	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Methylene chloride	<	1.29	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Tetrachloroethene	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Toluene	<	11	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Trichloroethene	<	1.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Trichlorofluoromethane	<	3.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	Vinyl chloride	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	cis-1,3-dichloropropene	<	1.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	trans-1,2-dichloroethene	<	.61	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1025	trans-1,3-dichloropropene	<	1.27	ug/L
16-OCT-02	WEDNESDAY	1_Hr_COMP	955	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	955	pH		7.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1055	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1055	pH		7.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1155	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1155	pH		7.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1255	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1255	pH		7.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1355	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1355	pH		7.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1455	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1455	pH		7.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1555	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1555	pH		7.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1655	Specific Conductance		2400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1655	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1755	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1755	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1855	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1855	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1955	Specific Conductance		2300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1955	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2055	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2055	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2155	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2155	pH		7.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2255	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2255	pH		7.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2355	Specific Conductance		2200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2355	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	55	Specific Conductance		2200	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	55	pH		7.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	155	Specific Conductance		2200	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	155	pH		7.7	pH
17-OCT-02	THURSDAY	1_Hr_COMP	255	Specific Conductance		2100	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	255	pH		7.7	pH
17-OCT-02	THURSDAY	1_Hr_COMP	355	Specific Conductance		2400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	355	pH		7.7	pH
17-OCT-02	THURSDAY	1_Hr_COMP	455	Specific Conductance		2400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	455	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	555	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	555	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	655	Specific Conductance		2400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	655	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	755	Specific Conductance		2500	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	755	pH		8	pH

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-OCT-02	THURSDAY	1_Hr_COMP	855	Specific Conductance		2400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	855	pH		8.1	pH
17-OCT-02	THURSDAY	COMP_AUTO_BOD	1000	Biochemical Oxygen Demand (BOD)		360	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_CN	1000	Total Cyanide	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_COD	1000	Chemical Oxygen Demand		942	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Aluminum		1.11	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Antimony	<	.015	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Arsenic	<	.003	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Barium		.152	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Beryllium	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Cadmium	<	.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Chromium		.023	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Copper		.145	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Lead	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Manganese		.072	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Mercury	<	.002	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Nickel	<	.012	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Selenium		.008	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Silver		.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Thallium		.001	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1000	Zinc		.297	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_MBAS	1000	Methylene Blue Active Substances		15	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_NH3	1000	Ammonia as (N)		44	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_SOLID	1000	Total Suspended Solids		302	mg/L
17-OCT-02	THURSDAY	COMP_CONDUCT	1000	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	COMP_PH	1000	pH		7.4	pH
17-OCT-02	THURSDAY	GRAB	1010	Specific Conductance		2300	umhos/cm
17-OCT-02	THURSDAY	GRAB	1010	pH		8.1	pH
17-OCT-02	THURSDAY	GRAB_OG	1010	Hexane Extraction Method		86.7	mg/L
17-OCT-02	THURSDAY	GRAB_OG	1010	SGT-HEM-Non Polar Material		10.1	mg/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Chlorpyrifos	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Demeton-O	<	.09	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Demeton-S	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Diazinon		.3	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Guthion	<	.21	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Malathion	<	.04	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1010	Parathion	<	.03	ug/L
25-OCT-02	FRIDAY	GRAB	1035	Specific Conductance		2400	umhos/cm
25-OCT-02	FRIDAY	GRAB	1035	pH		7.6	pH
25-OCT-02	FRIDAY	GRAB_AMMONIA	1035	Ammonia as (N)		50	mg/L
25-OCT-02	FRIDAY	GRAB_BOD	1035	Biochemical Oxygen Demand (BOD)		643	mg/L
25-OCT-02	FRIDAY	GRAB_COD	1035	Chemical Oxygen Demand		1160	mg/L
25-OCT-02	FRIDAY	GRAB_CYANIDE	1035	Total Cyanide	<	.02	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Aluminum		2.04	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Antimony	<	.015	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Arsenic	<	.003	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Barium		.157	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Beryllium	<	.006	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Cadmium	<	.009	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Chromium		.017	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Copper		.134	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Lead	<	.02	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Manganese		.088	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Mercury	<	.002	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Nickel	<	.012	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Selenium		.008	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Silver		.006	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Thallium		.001	mg/L
25-OCT-02	FRIDAY	GRAB_METALS	1035	Zinc		.426	mg/L
25-OCT-02	FRIDAY	GRAB_OG	1035	Hexane Extraction Method		85.6	mg/L
25-OCT-02	FRIDAY	GRAB_OG	1035	SGT-HEM-Non Polar Material		9.9	mg/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Chlorpyrifos		.2	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Demeton-O	<	.09	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Demeton-S	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Diazinon		.2	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Guthion	<	.21	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Malathion	<	.04	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1035	Parathion	<	.03	ug/L
25-OCT-02	FRIDAY	GRAB_SOLIDS	1035	Total Suspended Solids		614	mg/L
02-NOV-02	SATURDAY	GRAB	920	Specific Conductance		2400	umhos/cm
02-NOV-02	SATURDAY	GRAB	920	pH		8.1	pH
02-NOV-02	SATURDAY	GRAB_AMMONIA	920	Ammonia as (N)		62.4	mg/L
02-NOV-02	SATURDAY	GRAB_BOD	920	Biochemical Oxygen Demand (BOD)		513	mg/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
02-NOV-02	SATURDAY	GRAB_COD	920	Chemical Oxygen Demand		1050	mg/L
02-NOV-02	SATURDAY	GRAB_CYANIDE	920	Total Cyanide	<	.02	mg/L
02-NOV-02	SATURDAY	GRAB_MBAS	920	Methylene Blue Active Substances		17.7	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Aluminum		1.36	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Antimony	<	.015	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Arsenic		.007	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Barium		.335	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Beryllium	<	.006	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Cadmium	<	.009	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Chromium	<	.009	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Copper		.126	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Lead	<	.02	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Manganese		.07	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Mercury	<	.002	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Nickel	<	.012	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Selenium	<	.003	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Silver		.006	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Thallium	<	.001	mg/L
02-NOV-02	SATURDAY	GRAB_METALS	920	Zinc		.395	mg/L
02-NOV-02	SATURDAY	GRAB_OG	920	Hexane Extraction Method		107	mg/L
02-NOV-02	SATURDAY	GRAB_OG	920	SGT-HEM-Non Polar Material		9.6	mg/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Chlorpyrifos	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Demeton-O	<	.09	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Demeton-S	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Diazinon		.1	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Guthion	<	.21	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Malathion	<	.04	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	920	Parathion	<	.03	ug/L
02-NOV-02	SATURDAY	GRAB_SOLIDS	920	Total Suspended Solids		310	mg/L
10-NOV-02	SUNDAY	GRAB	830	Specific Conductance		2100	umhos/cm
10-NOV-02	SUNDAY	GRAB	830	pH		7.9	pH
10-NOV-02	SUNDAY	GRAB_BNA	830	1,2,4-trichlorobenzene	<	11.1	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	1,2-diphenylhydrazine	<	8.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,4,6-trichlorophenol	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,4-dimethylphenol	<	11	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,4-dinitrophenol	<	8.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,4-dinitrotoluene	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,4-dichlorophenol	<	9.32	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2,6-dinitrotoluene	<	6.97	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2-chloronaphthalene	<	7.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2-chlorophenol	<	5	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	2-nitrophenol	<	9.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	3,3-dichlorobenzidine	<	9.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	4-bromophenyl phenyl ether	<	6.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	4-chloro-3-methylphenol	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	4-nitrophenol	<	4.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Acenaphthene	<	5.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Acenaphthylene	<	8.34	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Anthracene	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzidine	<	6.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzo(A)anthracene	<	5.2	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzo(A)pyrene	<	7.69	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzo(G,H,I)perylene	<	5.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzo(K)fluoranthene	<	7.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Benzo(b)fluoroanthene	<	6.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Bis-(2-ethylhexyl) phthalate	<	27.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Butyl benzyl phthalate	<	7.53	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Chrysene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Di-n-Butyl phthalate	<	5.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Di-n-Octyl phthalate	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Diethyl Phthalate	<	14.2	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Dimethyl Phthalate	<	4.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Fluoranthene	<	4.68	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Fluorene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Hexachlorobenzene	<	6.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Hexachlorobutadiene	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Hexachlorocyclopentadiene	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Hexachloroethane	<	5.27	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_BNA	830	Isophorone	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	N-nitrosodimethylamine	<	5.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	N-nitrosodiphenylamine	<	5.01	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Naphthalene	<	7.47	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Nitrobenzene	<	7.92	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Pentachlorophenol	<	2.73	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Phenanthrene	<	4.76	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Phenol	<	85.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	Pyrene	<	4.86	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	830	bis(2-chloroethyl) ether	<	6.41	ug/L
10-NOV-02	SUNDAY	GRAB_BOD	830	Biochemical Oxygen Demand (BOD)		401	mg/L
10-NOV-02	SUNDAY	GRAB_COD	830	Chemical Oxygen Demand		1000	mg/L
10-NOV-02	SUNDAY	GRAB_CYANIDE	830	Total Cyanide	<	.02	mg/L
10-NOV-02	SUNDAY	GRAB_MBAS	830	Methylene Blue Active Substances		11.3	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Aluminum		8.13	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Antimony	<	.015	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Arsenic		.006	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Barium		.249	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Beryllium	<	.006	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Cadmium	<	.009	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Chromium		.011	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Copper		.107	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Lead	<	.02	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Manganese		.118	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Mercury	<	.002	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Nickel		.014	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Selenium		.009	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Silver	<	.006	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Thallium		.002	mg/L
10-NOV-02	SUNDAY	GRAB_METALS	830	Zinc		.465	mg/L
10-NOV-02	SUNDAY	GRAB_NH3	830	Ammonia as (N)		51.2	mg/L
10-NOV-02	SUNDAY	GRAB_OG	830	Hexane Extraction Method		70.1	mg/L
10-NOV-02	SUNDAY	GRAB_OG	830	SGT-HEM-Non Polar Material		9.3	mg/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Chlorpyrifos	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Demeton-O	<	.09	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Demeton-S	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Diazinon		.2	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Guthion	<	.21	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Malathion		.2	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	830	Parathion	<	.03	ug/L
10-NOV-02	SUNDAY	GRAB_SOLIDS	830	Total Suspended Solids		416	mg/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,1,1-trichloroethane	<	.78	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,1,2,2-tetrachloroethane	<	3.13	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,1,2-trichloroethane	<	3.02	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,1-dichloroethane	<	.71	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,1-dichloroethene	<	1.09	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,2-dichlorobenzene	<	1.37	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,2-dichloroethane	<	2.24	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,2-dichloropropane	<	.83	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,3-dichlorobenzene	<	1.31	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	1,4-dichlorobenzene	<	6.1	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	2-chloroethylvinyl ether	<	1.35	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Benzene	<	.81	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Bromodichloromethane	<	1.79	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Bromoform	<	3.58	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Bromomethane	<	1.39	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Carbon tetrachloride	<	1.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Chlorobenzene	<	1	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Chloroethane	<	.95	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Chloroform	<	5.33	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Chloromethane	<	3.23	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Dibromochloromethane	<	1.99	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Ethylbenzene	<	1.46	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Methylene chloride	<	1.29	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Tetrachloroethene	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Toluene	<	2.65	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Trichloroethene	<	1.32	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Trichlorofluoromethane	<	3.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	Vinyl chloride	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	cis-1,3-dichloropropene	<	1.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	830	trans-1,2-dichloroethene	<	.61	ug/L

City of Tijuana
Site 3

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_VOC	830	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 9

City of Tijuana
Site 9

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-NOV-02	MONDAY	GRAB	1520	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	GRAB	1520	pH		7.8	pH
18-NOV-02	MONDAY	GRAB_CYANIDE	1520	Total Cyanide	<	.02	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Aluminum		.706	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Antimony	<	.015	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Arsenic	<	.003	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Barium		.106	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Beryllium	<	.006	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Cadmium		.033	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Chromium		.011	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Copper		.194	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Lead		.083	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Manganese		.058	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Mercury	<	.002	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Nickel		.095	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Selenium	<	.003	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Silver	<	.006	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Thallium		.002	mg/L
18-NOV-02	MONDAY	GRAB_METALS	1520	Zinc		.218	mg/L
18-NOV-02	MONDAY	GRAB_OG	1520	Hexane Extraction Method		24.4	mg/L
18-NOV-02	MONDAY	GRAB_OG	1520	SGT-HEM-Non Polar Material		7.3	mg/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,1,1-trichloroethane	<	.78	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,1,2,2-tetrachloroethane	<	3.13	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,1,2-trichloroethane	<	3.02	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,1-dichloroethane	<	.71	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,1-dichloroethene	<	1.09	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,2-dichlorobenzene	<	1.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,2-dichloroethane	<	2.24	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,2-dichloropropane	<	.83	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,3-dichlorobenzene	<	1.31	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	1,4-dichlorobenzene		17.5	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	2-chloroethylvinyl ether	<	1.35	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Benzene	<	.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Bromodichloromethane		8.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Bromoform	<	3.58	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Bromomethane	<	1.39	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Carbon tetrachloride	<	1.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Chlorobenzene	<	1	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Chloroethane	<	.95	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Chloroform		19.8	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Chloromethane	<	3.23	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Dibromochloromethane		7.3	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Ethylbenzene	<	1.46	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Methylene chloride	<	1.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Tetrachloroethene	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Toluene		38.7	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Trichloroethene	<	1.32	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Trichlorofluoromethane	<	3.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	Vinyl chloride	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	cis-1,3-dichloropropene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	trans-1,2-dichloroethene	<	.61	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1520	trans-1,3-dichloropropene	<	1.27	ug/L
26-NOV-02	TUESDAY	GRAB	1253	Specific Conductance		1900	umhos/cm
26-NOV-02	TUESDAY	GRAB	1253	pH		7	pH
26-NOV-02	TUESDAY	GRAB_CYANIDE	1253	Total Cyanide	<	.02	mg/L
26-NOV-02	TUESDAY	GRAB_MBAS	1253	Methylene Blue Active Substances		1.9	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Aluminum		.289	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Antimony	<	.015	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Arsenic		.009	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Barium		.176	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Beryllium	<	.006	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Cadmium		.032	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Chromium		.013	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Copper		.102	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Lead	<	.02	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Manganese		.036	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Mercury	<	.002	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Nickel		.051	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Selenium		.013	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Silver	<	.006	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Thallium		.002	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1253	Zinc		.287	mg/L
26-NOV-02	TUESDAY	GRAB_OG	1253	Hexane Extraction Method		56	mg/L

City of Tijuana
Site 9

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-NOV-02	TUESDAY	GRAB_OG	1253	SGT-HEM-Non Polar Material		13.6	mg/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,1,1-trichloroethane	<	.78	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,1,2,2-tetrachloroethane	<	3.13	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,1,2-trichloroethane	<	3.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,1-dichloroethane	<	.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,1-dichloroethene	<	1.09	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,2-dichlorobenzene	<	1.37	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,2-dichloroethane	<	2.24	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,2-dichloropropane	<	.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,3-dichlorobenzene	<	1.31	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	1,4-dichlorobenzene	<	7.5	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	2-chloroethylvinyl ether	<	1.35	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Benzene	<	.81	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Bromodichloromethane	<	10.6	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Bromoform	<	3.58	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Bromomethane	<	1.39	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Carbon tetrachloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Chlorobenzene	<	1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Chloroethane	<	.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Chloroform	<	11.4	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Chloromethane	<	3.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Dibromochloromethane	<	10.1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Ethylbenzene	<	1.46	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Methylene chloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Tetrachloroethene	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Toluene	<	2.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Trichloroethene	<	1.32	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Trichlorofluoromethane	<	3.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	Vinyl chloride	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	cis-1,3-dichloropropene	<	1.01	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	trans-1,2-dichloroethene	<	.61	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1253	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 34

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	1,2,4-trichlorobenzene	<	11.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	1,2-diphenylhydrazine	<	8.45	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,4,6-trichlorophenol	<	8.87	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,4-dimethylphenol	<	11	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,4-dinitrophenol	<	8.98	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,4-dinitrotoluene	<	6	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,4-dichlorophenol	<	9.32	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2,6-dinitrotoluene	<	6.97	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2-chloronaphthalene	<	7.64	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2-chlorophenol	<	5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	2-nitrophenol	<	9.22	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	3,3-dichlorobenzidine	<	9.99	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	4-bromophenyl phenyl ether	<	6.04	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	4-chloro-3-methylphenol	<	7.16	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	4-chlorophenyl phenyl ether	<	4.99	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	4-nitrophenol	<	4.9	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Acenaphthene	<	5.45	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Acenaphthylene	<	8.34	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Anthracene	<	7.16	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzidine	<	6.17	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzo(A)anthracene	<	5.2	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzo(A)pyrene	<	7.69	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzo(G,H,I)perylene	<	5.22	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzo(K)fluoranthene	<	7.9	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Benzo(b)fluoranthene	<	6.98	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Bis-(2-ethylhexyl) phthalate	<	27.2	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Butyl benzyl phthalate	<	7.53	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Chrysene	<	4.04	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Di-n-Butyl phthalate	<	5.89	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Di-n-Octyl phthalate	<	9.17	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Diethyl Phthalate	<	4.66	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Dimethyl Phthalate	<	4.64	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Fluoranthene	<	4.68	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Fluorene	<	4.04	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Hexachlorobenzene	<	6.89	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Hexachlorobutadiene	<	9.17	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Hexachlorocyclopentadiene	<	8.87	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Hexachloroethane	<	5.27	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Isophorone	<	6	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	N-nitrosodi-n-propylamine	<	8.67	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	N-nitrosodimethylamine	<	5.4	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	N-nitrosodiphenylamine	<	5.01	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Naphthalene	<	7.47	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Nitrobenzene	<	7.92	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Pentachlorophenol	<	2.73	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Phenanthrene	<	4.76	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Phenol	<	2.43	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	Pyrene	<	4.86	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	bis(2-chloroethoxy)methane	<	10.4	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_BNA	600	bis(2-chloroethyl) ether	<	6.41	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_CN	600	Total Cyanide	<	.02	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Aluminum	<	.272	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Antimony	<	.015	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Arsenic	<	.003	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Barium	<	.1	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Beryllium	<	.006	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Cadmium	<	.009	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Chromium	<	.012	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Copper	<	.068	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Lead	<	.02	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Manganese	<	.112	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Mercury	<	.002	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Nickel	<	.11	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Selenium	<	.003	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Silver	<	.006	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Thallium	<	.001	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_HM	600	Zinc	<	.146	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_NH3	600	Ammonia as (N)	<	44.4	mg/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Aldrin	<	.1	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Alpha Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	BHC, Alpha	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	BHC, Beta	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	BHC, Delta	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	BHC, Gamma (Lindane)	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Beta Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Chlordane	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Chlorpyrifos	<	.082	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Demeton-0	<	.09	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Demeton-S	<	.05	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Diazinon	<	.25	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Dieldrin	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Endosulfan Sulfate	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Endrin	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Endrin aldehyde	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Guthion	<	.21	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Heptachlor	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Heptachlor epoxide	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Malathion	<	.29	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1016	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1221	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1232	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1242	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1248	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1254	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB 1260	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	PCB-1262	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Parathion	<	.03	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	Toxaphene	<	.5	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	p,p-DDD	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	p,p-DDE	<	.1	ug/L
27-JUN-02	THURSDAY	COMP_AUTO_PEST	600	p,p-DDT	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,1,1-trichloroethane	<	.78	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,1,2,2-tetrachloroethane	<	3.13	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,1,2-trichloroethane	<	3.02	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,1-dichloroethane	<	.71	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,1-dichloroethene	<	1.09	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,2-dichlorobenzene	<	1.37	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,2-dichloroethane	<	2.24	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,2-dichloropropane	<	.83	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,3-dichlorobenzene	<	1.31	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	1,4-dichlorobenzene	<	4.05	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	2-chloroethylvinyl ether	<	1.35	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Benzene	<	.81	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Bromodichloromethane	<	1.79	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Bromoform	<	3.58	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Bromomethane	<	1.39	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Carbon tetrachloride	<	1.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Chlorobenzene	<	1	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Chloroethane	<	.95	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Chloroform	<	.57	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Chloromethane	<	3.23	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Dibromochloromethane	<	1.99	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Ethylbenzene	<	1.46	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Methylene chloride	<	3.7	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Tetrachloroethene	<	1.04	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Toluene	<	36.7	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Trichloroethene	<	1.32	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Trichlorofluoromethane	<	3.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	Vinyl chloride	<	1.04	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	cis-1,3-dichloropropene	<	1.01	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	trans-1,2-dichloroethene	<	.61	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	600	trans-1,3-dichloropropene	<	1.27	ug/L
27-JUN-02	THURSDAY	COMP_CONDUCT	1623	Specific Conductance	<	1700	umhos/cm
27-JUN-02	THURSDAY	COMP_PH	1623	pH	<	7.2	pH
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	1,2,4-trichlorobenzene	<	11.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	1,2-diphenylhydrazine	<	8.45	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,4,6-trichlorophenol	<	8.87	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,4-dimethylphenol	<	11	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,4-dinitrophenol	<	8.98	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,4-dinitrotoluene	<	6	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,4-dichlorophenol	<	9.32	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2,6-dinitrotoluene	<	6.97	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2-chloronaphthalene	<	7.64	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2-chlorophenol	<	5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	2-nitrophenol	<	9.22	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	3,3-dichlorobenzidine	<	9.99	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	4-bromophenyl phenyl ether	<	6.04	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	4-chloro-3-methylphenol	<	7.16	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	4-chlorophenyl phenyl ether	<	4.99	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	4-nitrophenol	<	4.9	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Acenaphthene	<	5.45	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Acenaphthylene	<	8.34	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Anthracene	<	7.16	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzidine	<	6.17	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzo(A)anthracene	<	5.2	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzo(A)pyrene	<	7.69	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzo(G,H,I)perylene	<	5.22	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzo(K)fluoranthene	<	7.9	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Benzo(b)fluoranthene	<	6.98	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Bis-(2-ethylhexyl) phthalate	<	11.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Butyl benzyl phthalate	<	7.53	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Chrysene	<	4.04	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Di-n-Butyl phthalate	<	5.89	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Di-n-Octyl phthalate	<	9.17	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Diethyl Phthalate	<	4.66	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Dimethyl Phthalate	<	4.64	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Fluoranthene	<	4.68	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Fluorene	<	4.04	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Hexachlorobenzene	<	6.89	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Hexachlorobutadiene	<	9.17	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Hexachlorocyclopentadiene	<	8.87	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Hexachloroethane	<	5.27	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Isophorone	<	6	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	N-nitrosodi-n-propylamine	<	8.67	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	N-nitrosodimethylamine	<	5.4	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	N-nitrosodiphenylamine	<	5.01	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Naphthalene	<	7.47	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Nitrobenzene	<	7.92	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Pentachlorophenol	<	2.73	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Phenanthrene	<	4.76	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Phenol	<	2.43	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	Pyrene	<	4.86	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	bis(2-chloroethoxy)methane	<	10.4	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_BNA	600	bis(2-chloroethyl) ether	<	6.41	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_CN	600	Total Cyanide	<	.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Aluminum	<	.405	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Antimony	<	.015	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Arsenic	<	.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Barium	<	.156	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Beryllium	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Cadmium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Chromium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Copper	<	.031	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Lead	<	.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Manganese	<	.128	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Mercury	<	.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Nickel	<	.012	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Selenium	<	.003	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Silver	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Thallium	<	.001	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	600	Zinc	<	.107	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_NH3	600	Ammonia as (N)	<	41.2	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Aldrin	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Alpha Endosulfan	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	BHC, Alpha	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	BHC, Beta	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	BHC, Delta	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	BHC, Gamma (Lindane)	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Beta Endosulfan	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Chlordane	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Chlorpyrifos	<	.05	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Demeton-0	<	.09	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Demeton-S	<	.05	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Diazinon	<	.27	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Dieldrin	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Endosulfan Sulfate	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Endrin	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Endrin aldehyde	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Guthion	<	.21	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Heptachlor	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Heptachlor epoxide	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Malathion	<	.24	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1016	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1221	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1232	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1242	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1248	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1254	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB 1260	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	PCB-1262	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Parathion	<	.03	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	Toxaphene	<	.5	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	p,p-DDD	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	p,p-DDE	<	.1	ug/L
21-JUL-02	SUNDAY	COMP_AUTO_PEST	600	p,p-DDT	<	.1	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,1,1-trichloroethane	<	.78	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,1,2,2-tetrachloroethane	<	3.13	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,1,2-trichloroethane	<	3.02	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,1-dichloroethane	<	.71	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,1-dichloroethene	<	1.09	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,2-dichlorobenzene	<	1.37	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,2-dichloroethane	<	2.24	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,2-dichloropropane	<	.83	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,3-dichlorobenzene	<	1.31	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	1,4-dichlorobenzene	<	4.24	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	2-chloroethylvinyl ether	<	1.35	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Benzene	<	.81	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Bromodichloromethane	<	1.79	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Bromoform	<	3.58	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Bromomethane	<	1.39	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Carbon tetrachloride	<	1.92	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Chlorobenzene	<	1	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Chloroethane	<	.95	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Chloroform	<	.57	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Chloromethane	<	3.23	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Dibromochloromethane	<	1.99	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Ethylbenzene	<	1.46	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Methylene chloride	<	1.29	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Tetrachloroethene	<	1.04	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Toluene	<	10.4	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Trichloroethene	<	1.32	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Trichlorofluoromethane	<	3.92	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	Vinyl chloride	<	1.04	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	cis-1,3-dichloropropene	<	1.01	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	trans-1,2-dichloroethene	<	.61	ug/L
21-JUL-02	SUNDAY	GRAB_VOC	600	trans-1,3-dichloropropene	<	1.27	ug/L
21-JUL-02	SUNDAY	COMP_CONDUCT	1315	Specific Conductance		1900	umhos/cm
21-JUL-02	SUNDAY	COMP_PH	1315	pH		7	pH
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	1,2,4-trichlorobenzene	<	11.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	1,2-diphenylhydrazine	<	8.45	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,4,6-trichlorophenol	<	8.87	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,4-dimethylphenol	<	11	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,4-dinitrophenol	<	8.98	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,4-dinitrotoluene	<	6	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,4-dichlorophenol	<	9.32	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2,6-dinitrotoluene	<	6.97	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2-chloronaphthalene	<	7.64	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2-chlorophenol	<	5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	2-nitrophenol	<	9.22	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	3,3-dichlorobenzidine	<	9.99	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	4-bromophenyl phenyl ether	<	6.04	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	4-chloro-3-methylphenol	<	7.16	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	4-chlorophenyl phenyl ether	<	4.99	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	4-nitrophenol	<	4.9	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Acenaphthene	<	5.45	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Acenaphthylene	<	8.34	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Anthracene	<	7.16	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzidine	<	6.17	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzo(A)anthracene	<	5.2	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzo(A)pyrene	<	7.69	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzo(G,H,I)perylene	<	5.22	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzo(K)fluoranthene	<	7.9	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Benzo(b)fluoroanthene	<	6.98	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Bis-(2-ethylhexyl) phthalate	<	14	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Butyl benzyl phthalate	<	7.53	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Chrysene	<	4.04	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Di-n-Butyl phthalate	<	5.89	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Di-n-Octyl phthalate	<	9.17	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Diethyl Phthalate	<	7.32	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Dimethyl Phthalate	<	4.64	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Fluoranthene	<	4.68	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Fluorene	<	4.04	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Hexachlorobenzene	<	6.89	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Hexachlorobutadiene	<	9.17	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Hexachlorocyclopentadiene	<	8.87	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Hexachloroethane	<	5.27	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Isophorone	<	6	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	N-nitrosodi-n-propylamine	<	8.67	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	N-nitrosodimethylamine	<	5.4	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	N-nitrosodiphenylamine	<	5.01	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Naphthalene	<	7.47	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Nitrobenzene	<	7.92	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Pentachlorophenol	<	2.73	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Phenanthrene	<	4.76	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Phenol	<	11.2	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	Pyrene	<	4.86	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	bis(2-chloroethoxy)methane	<	10.4	ug/L
29-JUL-02	MONDAY	COMP_AUTO_BNA	600	bis(2-chloroethyl) ether	<	6.41	ug/L
29-JUL-02	MONDAY	COMP_AUTO_CN	600	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Aluminum	<	.972	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Antimony	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Arsenic	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Barium	<	.085	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Cadmium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Chromium	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Copper	<	.043	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Lead	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Manganese	<	.124	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Mercury	<	.002	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Nickel	<	.018	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Selenium	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Silver	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Thallium	<	.005	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	600	Zinc	<	.143	mg/L
29-JUL-02	MONDAY	COMP_AUTO_MBAS	600	Methylene Blue Active Substances	<	16.4	mg/L
29-JUL-02	MONDAY	COMP_AUTO_NH3	600	Ammonia as (N)	<	41.2	mg/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Aldrin	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Alpha Endosulfan	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	BHC, Alpha	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	BHC, Beta	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	BHC, Delta	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	BHC, Gamma (Lindane)	<	.14	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Beta Endosulfan	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Chlordane	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Chlorpyrifos	<	.05	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Demeton-O	<	.09	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Demeton-S	<	.05	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Diazinon	<	.28	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Dieldrin	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Endosulfan Sulfate	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Endrin	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Endrin aldehyde	<	.1	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Guthion	<	.21	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Heptachlor	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Heptachlor epoxide	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Malathion	<	.27	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1016	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1221	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1232	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1242	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1248	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1254	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB 1260	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	PCB-1262	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Parathion	<	.03	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	Toxaphene	<	.5	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	p,p-DDD	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	p,p-DDE	<	.1	ug/L
29-JUL-02	MONDAY	COMP_AUTO_PEST	600	p,p-DDT	<	.1	ug/L
29-JUL-02	MONDAY	COMP_CONDUCT	1430	Specific Conductance		2000	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1430	pH		5.8	pH
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	1,2,4-trichlorobenzene	<	11.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	1,2-diphenylhydrazine	<	8.45	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,4,6-trichlorophenol	<	8.87	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,4-dimethylphenol	<	11	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,4-dinitrophenol	<	8.98	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,4-dinitrotoluene	<	6	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,4-dichlorophenol	<	9.32	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2,6-dinitrotoluene	<	6.97	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2-chloronaphthalene	<	7.64	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2-chlorophenol	<	5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	2-nitrophenol	<	9.22	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	3,3-dichlorobenzidine	<	9.99	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	4-bromophenyl phenyl ether	<	6.04	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	4-chloro-3-methylphenol	<	7.16	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	4-chlorophenyl phenyl ether	<	4.99	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	4-nitrophenol	<	4.9	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Acenaphthene	<	5.45	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Acenaphthylene	<	8.34	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Anthracene	<	7.16	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzidine	<	6.17	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzo(A)anthracene	<	5.2	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzo(A)pyrene	<	7.69	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzo(G,H,I)perylene	<	5.22	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzo(K)fluoranthene	<	7.9	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Benzo(b)fluoroanthene	<	6.98	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Bis-(2-ethylhexyl) phthalate	<	12.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Butyl benzyl phthalate	<	7.53	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Chrysene	<	4.04	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Di-n-Butyl phthalate	<	5.89	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Di-n-Octyl phthalate	<	9.17	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Diethyl Phthalate	<	6.45	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Dimethyl Phthalate	<	4.64	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Fluoranthene	<	4.68	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Fluorene	<	4.04	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Hexachlorobenzene	<	6.89	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Hexachlorobutadiene	<	9.17	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Hexachlorocyclopentadiene	<	8.87	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Hexachloroethane	<	5.27	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Isophorone	<	6	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	N-nitrosodi-n-propylamine	<	8.67	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	N-nitrosodimethylamine	<	5.4	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	N-nitrosodiphenylamine	<	5.01	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Naphthalene	<	7.47	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Nitrobenzene	<	7.92	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Pentachlorophenol	<	2.73	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Phenanthrene	<	4.76	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Phenol	<	6.3	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	Pyrene	<	4.86	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	bis(2-chloroethoxy)methane	<	10.4	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_BNA	600	bis(2-chloroethyl) ether	<	6.41	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	COMP_AUTO_CN	600	Total Cyanide	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Aluminum		1.27	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Antimony	<	.015	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Arsenic	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Barium		.082	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Chromium		.024	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Copper		.041	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Lead	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Manganese		.136	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Mercury	<	.002	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Nickel		.032	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Selenium	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Silver	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Thallium		.005	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	600	Zinc		.1	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_MBAS	600	Methylene Blue Active Substances		16.6	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_NH3	600	Ammonia as (N)		39.6	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Aldrin	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Alpha Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	BHC, Alpha	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	BHC, Beta	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	BHC, Delta	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	BHC, Gamma (Lindane)		.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Beta Endosulfan	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Chlordane	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Chlorpyrifos	<	.05	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Demeton-O	<	.09	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Demeton-S	<	.05	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Diazinon		.32	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Dieldrin	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Endosulfan Sulfate	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Endrin	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Endrin aldehyde	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Guthion	<	.21	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Heptachlor	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Heptachlor epoxide	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Malathion		.47	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1016	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1221	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1232	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1242	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1248	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1254	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB 1260	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	PCB-1262	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Parathion	<	.03	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	Toxaphene	<	.5	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	p,p-DDD	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	p,p-DDE	<	.1	ug/L
06-AUG-02	TUESDAY	COMP_AUTO_PEST	600	p,p-DDT	<	.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,1,1-trichloroethane	<	.78	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,1,2,2-tetrachloroethane	<	3.13	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,1,2-trichloroethane	<	3.02	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,1-dichloroethane	<	.71	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,1-dichloroethene	<	1.09	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,2-dichlorobenzene	<	1.37	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,2-dichloroethane	<	2.24	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,2-dichloropropane	<	.83	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,3-dichlorobenzene	<	1.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	1,4-dichlorobenzene	<	5.15	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	2-chloroethylvinyl ether	<	1.35	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Benzene	<	.81	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Bromodichloromethane	<	1.79	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Bromoform	<	3.58	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Bromomethane	<	1.39	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Carbon tetrachloride	<	1.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Chlorobenzene	<	1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Chloroethane	<	.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Chloroform	<	4.47	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Chloromethane	<	3.23	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Dibromochloromethane	<	1.99	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_VOC	600	Ethylbenzene	<	1.46	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Methylene chloride	<	1.29	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Tetrachloroethene	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Toluene	<	19.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Trichloroethene	<	1.32	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Trichlorofluoromethane	<	3.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	Vinyl chloride	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	cis-1,3-dichloropropene	<	1.01	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	trans-1,2-dichloroethene	<	.61	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	600	trans-1,3-dichloropropene	<	1.27	ug/L
06-AUG-02	TUESDAY	COMP_CONDUCT	1430	Specific Conductance		1900	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	1430	pH		7.2	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	1,2,4-trichlorobenzene	<	11.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	1,2-diphenylhydrazine	<	8.45	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,4,6-trichlorophenol	<	8.87	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,4-dimethylphenol	<	11	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,4-dinitrophenol	<	8.98	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,4-dinitrotoluene	<	6	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,4-dichlorophenol	<	9.32	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2,6-dinitrotoluene	<	6.97	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2-chloronaphthalene	<	7.64	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2-chlorophenol	<	5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	2-nitrophenol	<	9.22	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	3,3-dichlorobenzidine	<	9.99	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	4-bromophenyl phenyl ether	<	6.04	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	4-chloro-3-methylphenol	<	7.16	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	4-chlorophenyl phenyl ether	<	4.99	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	4-nitrophenol	<	4.9	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Acenaphthene	<	5.45	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Acenaphthylene	<	8.34	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Anthracene	<	7.16	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzidine	<	6.17	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzo(A)anthracene	<	5.2	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzo(A)pyrene	<	7.69	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzo(G,H,I)perylene	<	5.22	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzo(K)fluoranthene	<	7.9	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Benzo(b)fluoranthene	<	6.98	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Bis-(2-ethylhexyl) phthalate	<	36.3	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Butyl benzyl phthalate	<	7.53	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Chrysene	<	4.04	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Di-n-Butyl phthalate	<	5.89	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Di-n-Octyl phthalate	<	9.17	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Diethyl Phthalate	<	12.8	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Dimethyl Phthalate	<	4.64	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Fluoranthene	<	4.68	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Fluorene	<	4.04	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Hexachlorobenzene	<	6.89	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Hexachlorobutadiene	<	9.17	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Hexachlorocyclopentadiene	<	8.87	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Hexachloroethane	<	5.27	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Isophorone	<	6	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	N-nitrosodi-n-propylamine	<	8.67	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	N-nitrosodimethylamine	<	5.4	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	N-nitrosodiphenylamine	<	5.01	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Naphthalene	<	7.47	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Nitrobenzene	<	7.92	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Pentachlorophenol	<	2.73	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Phenanthrene	<	4.76	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Phenol	<	40.4	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	Pyrene	<	4.86	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	bis(2-chloroethoxy)methane	<	10.4	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_BNA	600	bis(2-chloroethyl) ether	<	6.41	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	600	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Aluminum	<	.262	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Antimony	<	.015	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Arsenic	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Barium	<	.047	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Cadmium	<	.009	mg/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Chromium		.021	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Copper		.048	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Lead	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Manganese		.098	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Mercury	<	.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Nickel		.05	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Selenium	<	.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Silver	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Thallium		.001	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	600	Zinc		.069	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_NH3	600	Ammonia as (N)		41.6	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Aldrin	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Alpha Endosulfan	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	BHC, Alpha	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	BHC, Beta	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	BHC, Delta	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	BHC, Gamma (Lindane)		.12	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Beta Endosulfan	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Chlordane	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Chlorpyrifos	<	.05	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Demeton-O	<	.09	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Demeton-S	<	.05	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Diazinon		.2	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Dieldrin	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Endosulfan Sulfate	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Endrin	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Endrin aldehyde	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Guthion	<	.21	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Heptachlor	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Heptachlor epoxide	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Malathion		.25	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1016	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1221	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1232	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1242	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1248	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1254	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB 1260	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	PCB-1262	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Parathion	<	.03	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	Toxaphene	<	.5	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	p,p-DDD	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	p,p-DDE	<	.1	ug/L
14-AUG-02	WEDNESDAY	COMP_AUTO_PEST	600	p,p-DDT	<	.1	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,1,1-trichloroethane	<	.78	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,1,2,2-tetrachloroethane	<	3.13	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,1,2-trichloroethane	<	3.02	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,1-dichloroethane	<	.71	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,1-dichloroethene	<	1.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,2-dichlorobenzene	<	1.37	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,2-dichloroethane	<	2.24	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,2-dichloropropane	<	.83	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,3-dichlorobenzene	<	1.31	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	1,4-dichlorobenzene	<	.99	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	2-chloroethylvinyl ether	<	1.35	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Benzene	<	.81	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Bromodichloromethane	<	1.79	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Bromoform	<	3.58	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Bromomethane	<	1.39	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Carbon tetrachloride	<	1.92	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Chlorobenzene	<	1	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Chloroethane	<	.95	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Chloroform	<	.57	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Chloromethane	<	3.23	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Dibromochloromethane	<	1.99	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Ethylbenzene	<	1.46	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Methylene chloride	<	1.29	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Tetrachloroethene	<	1.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Toluene		2.56	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Trichloroethene	<	1.32	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Trichlorofluoromethane	<	3.92	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	Vinyl chloride	<	1.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	cis-1,3-dichloropropene	<	1.01	ug/L

City of Tijuana
Site 34

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	GRAB_VOC	600	trans-1,2-dichloroethene	<	.61	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	600	trans-1,3-dichloropropene	<	1.27	ug/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1630	Specific Conductance		1900	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1630	pH		7.3	pH

SITE 44

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUN-02	MONDAY	1_Hr_COMP	1225	Specific Conductance		3900	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1225	pH		5.4	pH
10-JUN-02	MONDAY	1_Hr_COMP	1325	Specific Conductance		3600	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1325	pH		6.9	pH
10-JUN-02	MONDAY	1_Hr_COMP	1425	Specific Conductance		3000	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1425	pH		7.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	1525	Specific Conductance		3400	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1525	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	1625	Specific Conductance		3300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1625	pH		7.9	pH
10-JUN-02	MONDAY	1_Hr_COMP	1725	Specific Conductance		2600	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1725	pH		7.8	pH
10-JUN-02	MONDAY	1_Hr_COMP	1825	Specific Conductance		2600	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1825	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	1925	Specific Conductance		3800	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1925	pH		8	pH
10-JUN-02	MONDAY	1_Hr_COMP	2025	Specific Conductance		3000	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2025	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	2125	Specific Conductance		3100	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2125	pH		8	pH
10-JUN-02	MONDAY	1_Hr_COMP	2225	Specific Conductance		2900	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2225	pH		7.9	pH
10-JUN-02	MONDAY	1_Hr_COMP	2325	Specific Conductance		2800	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2325	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	25	Specific Conductance		2700	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	25	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	125	Specific Conductance		3100	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	125	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	225	Specific Conductance		3600	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	225	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	325	Specific Conductance		3100	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	325	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	425	Specific Conductance		3700	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	425	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	525	Specific Conductance		3800	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	525	pH		7.9	pH
11-JUN-02	TUESDAY	1_Hr_COMP	625	Specific Conductance		2700	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	625	pH		7.8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	725	Specific Conductance		3000	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	725	pH		7.6	pH
11-JUN-02	TUESDAY	1_Hr_COMP	825	Specific Conductance		3400	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	825	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	925	Specific Conductance		3200	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	925	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1025	Specific Conductance		3600	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1025	pH		7.9	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1125	Specific Conductance		4500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1125	pH		7.8	pH
11-JUN-02	TUESDAY	COMP_AUTO_CN	1305	Total Cyanide	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Aluminum		1.44	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Antimony	<	.015	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Arsenic		.005	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Barium		.241	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Beryllium	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Cadmium	<	.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Chromium		.123	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Copper		.561	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Lead		.077	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Manganese		.053	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Mercury	<	.002	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Nickel		.346	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Selenium		.017	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Silver	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Thallium	<	.001	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1305	Zinc		1.02	mg/L
11-JUN-02	TUESDAY	COMP_CONDUCT	1305	Specific Conductance		3300	umhos/cm
11-JUN-02	TUESDAY	COMP_PH	1305	pH		7.8	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1105	Specific Conductance		6200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1105	pH		2.3	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1205	Specific Conductance		3800	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1205	pH		3	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1305	Specific Conductance		4300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1305	pH		5.2	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-JUN-02	TUESDAY	1_Hr_COMP	1405	Specific Conductance		3300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1405	pH		5.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1505	Specific Conductance		3300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1505	pH		5.8	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1605	Specific Conductance		3100	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1605	pH		6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1705	Specific Conductance		2700	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1705	pH		6.1	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1805	Specific Conductance		3200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1805	pH		6.1	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1905	Specific Conductance		3200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1905	pH		6.1	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2005	Specific Conductance		2800	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2005	pH		6.8	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2105	Specific Conductance		3500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2105	pH		6.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2205	Specific Conductance		3600	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2205	pH		6.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2305	Specific Conductance		3600	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2305	pH		6.7	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	5	Specific Conductance		3500	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	5	pH		6.6	pH
19-JUN-02	WEDNESDAY	COMP_AUTO_CN	1210	Total Cyanide	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Aluminum		1.69	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Antimony		.021	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Arsenic		.005	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Barium		.409	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Cadmium		.01	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Chromium		.105	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Copper		.917	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Lead		.103	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Manganese		.107	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Nickel		.457	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Selenium		.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Silver	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Thallium		.003	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1210	Zinc		1.1	mg/L
19-JUN-02	WEDNESDAY	COMP_CONDUCT	1210	Specific Conductance		3400	umhos/cm
19-JUN-02	WEDNESDAY	COMP_PH	1210	pH		6.4	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1135	Specific Conductance		3200	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1135	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1235	Specific Conductance		3300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1235	pH		7.7	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1335	Specific Conductance		3300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1335	pH		8	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1435	Specific Conductance		3300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1435	pH		7.8	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1535	Specific Conductance		3200	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1535	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1635	Specific Conductance		5000	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1635	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1735	Specific Conductance		3300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1735	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1835	Specific Conductance		2900	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1835	pH		7.5	pH
04-JUL-02	THURSDAY	1_Hr_COMP	1935	Specific Conductance		2400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	1935	pH		7.6	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2035	Specific Conductance		3400	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2035	pH		7.7	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2135	Specific Conductance		3800	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2135	pH		7.9	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2235	Specific Conductance		3300	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2235	pH		8	pH
04-JUL-02	THURSDAY	1_Hr_COMP	2335	Specific Conductance		3600	umhos/cm
04-JUL-02	THURSDAY	1_Hr_COMP	2335	pH		7.9	pH
05-JUL-02	FRIDAY	1_Hr_COMP	35	Specific Conductance		3500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	35	pH		7.8	pH
05-JUL-02	FRIDAY	1_Hr_COMP	135	Specific Conductance		3600	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	135	pH		7.7	pH
05-JUL-02	FRIDAY	1_Hr_COMP	235	Specific Conductance		4100	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	235	pH		7.8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
05-JUL-02	FRIDAY	1_Hr_COMP	335	Specific Conductance		3300	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	335	pH		7.8	pH
05-JUL-02	FRIDAY	1_Hr_COMP	435	Specific Conductance		3100	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	435	pH		8	pH
05-JUL-02	FRIDAY	1_Hr_COMP	535	Specific Conductance		3200	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	535	pH		7.9	pH
05-JUL-02	FRIDAY	1_Hr_COMP	635	Specific Conductance		11500	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	635	pH		1.5	pH
05-JUL-02	FRIDAY	1_Hr_COMP	735	Specific Conductance		19200	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	735	pH		1.2	pH
05-JUL-02	FRIDAY	1_Hr_COMP	835	Specific Conductance		14400	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	835	pH		1.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	935	Specific Conductance		13800	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	935	pH		1.3	pH
05-JUL-02	FRIDAY	1_Hr_COMP	1035	Specific Conductance		6600	umhos/cm
05-JUL-02	FRIDAY	1_Hr_COMP	1035	pH		1.8	pH
05-JUL-02	FRIDAY	COMP_AUTO_CN	1225	Total Cyanide		.031	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Aluminum		3.51	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Antimony		.076	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Arsenic		.017	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Barium		.206	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Beryllium	<	.006	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Cadmium	<	.009	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Chromium		.142	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Copper		.685	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Lead		.222	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Manganese		.124	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Mercury		.004	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Nickel		.423	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Selenium		.011	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Silver	<	.006	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Thallium		.001	mg/L
05-JUL-02	FRIDAY	COMP_AUTO_HM	1225	Zinc		1.13	mg/L
05-JUL-02	FRIDAY	COMP_CONDUCT	1225	Specific Conductance		4000	umhos/cm
05-JUL-02	FRIDAY	COMP_PH	1225	pH		3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1140	Specific Conductance		3500	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1140	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1240	Specific Conductance		3700	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1240	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1340	Specific Conductance		3100	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1340	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1440	Specific Conductance		3200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1440	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1540	Specific Conductance		3300	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1540	pH		7.4	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1640	Specific Conductance		3500	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1640	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1740	Specific Conductance		3600	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1740	pH		6.9	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1840	Specific Conductance		3800	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1840	pH		6.9	pH
12-JUL-02	FRIDAY	1_Hr_COMP	1940	Specific Conductance		3000	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	1940	pH		7	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2040	Specific Conductance		3200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2040	pH		7.2	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2140	Specific Conductance		2900	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2140	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2240	Specific Conductance		3200	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2240	pH		7.3	pH
12-JUL-02	FRIDAY	1_Hr_COMP	2340	Specific Conductance		2800	umhos/cm
12-JUL-02	FRIDAY	1_Hr_COMP	2340	pH		7.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	40	Specific Conductance		3000	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	40	pH		8.3	pH
13-JUL-02	SATURDAY	1_Hr_COMP	140	Specific Conductance		2900	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	140	pH		8.5	pH
13-JUL-02	SATURDAY	1_Hr_COMP	240	Specific Conductance		3000	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	240	pH		8.2	pH
13-JUL-02	SATURDAY	1_Hr_COMP	340	Specific Conductance		2600	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	340	pH		8	pH
13-JUL-02	SATURDAY	1_Hr_COMP	440	Specific Conductance		2600	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	440	pH		7.9	pH
13-JUL-02	SATURDAY	1_Hr_COMP	540	Specific Conductance		2400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	540	pH		7.9	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
13-JUL-02	SATURDAY	1_Hr_COMP	640	Specific Conductance		4500	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	640	pH		2.1	pH
13-JUL-02	SATURDAY	1_Hr_COMP	740	Specific Conductance		4300	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	740	pH		2.6	pH
13-JUL-02	SATURDAY	1_Hr_COMP	840	Specific Conductance		4100	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	840	pH		5.2	pH
13-JUL-02	SATURDAY	1_Hr_COMP	940	Specific Conductance		4200	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	940	pH		2.2	pH
13-JUL-02	SATURDAY	1_Hr_COMP	1040	Specific Conductance		3400	umhos/cm
13-JUL-02	SATURDAY	1_Hr_COMP	1040	pH		6.9	pH
13-JUL-02	SATURDAY	COMP_AUTO_CN	1220	Total Cyanide	<	.02	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Aluminum		2.24	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Antimony		.024	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Arsenic		.008	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Barium		.299	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Beryllium	<	.006	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Cadmium	<	.009	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Chromium		.117	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Copper		.594	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Lead		.106	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Manganese		.073	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Mercury		.034	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Nickel		.298	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Selenium		.011	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Silver	<	.006	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Thallium		.001	mg/L
13-JUL-02	SATURDAY	COMP_AUTO_HM	1220	Zinc		.873	mg/L
13-JUL-02	SATURDAY	COMP_CONDUCT	1220	Specific Conductance		3200	umhos/cm
13-JUL-02	SATURDAY	COMP_PH	1220	pH		6.6	pH
20-JUL-02	SATURDAY	1_Hr_COMP	850	Specific Conductance		3100	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	850	pH		7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	950	Specific Conductance		4900	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	950	pH		2.2	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1050	Specific Conductance		7700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1050	pH		1.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1150	Specific Conductance		8300	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1150	pH		1.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1250	Specific Conductance		6700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1250	pH		1.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1350	Specific Conductance		2700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1350	pH		5.4	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1450	Specific Conductance		3200	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1450	pH		2.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1550	Specific Conductance		3700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1550	pH		2.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1650	Specific Conductance		4400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1650	pH		3	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1750	Specific Conductance		3500	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1750	pH		5.5	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1850	Specific Conductance		4800	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1850	pH		2.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	1950	Specific Conductance		7700	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	1950	pH		4.7	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2050	Specific Conductance		7400	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2050	pH		4.8	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2150	Specific Conductance		5900	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2150	pH		5.2	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2250	Specific Conductance		6200	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2250	pH		5.2	pH
20-JUL-02	SATURDAY	1_Hr_COMP	2350	Specific Conductance		4200	umhos/cm
20-JUL-02	SATURDAY	1_Hr_COMP	2350	pH		5.3	pH
21-JUL-02	SUNDAY	1_Hr_COMP	50	Specific Conductance		2900	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	50	pH		5.2	pH
21-JUL-02	SUNDAY	1_Hr_COMP	150	Specific Conductance		3000	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	150	pH		5.3	pH
21-JUL-02	SUNDAY	1_Hr_COMP	250	Specific Conductance		2300	umhos/cm
21-JUL-02	SUNDAY	1_Hr_COMP	250	pH		5.5	pH
21-JUL-02	SUNDAY	COMP_AUTO_CN	1040	Total Cyanide	<	.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Aluminum		92.1	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Antimony		.058	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Arsenic		.02	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Barium		.294	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Beryllium	<	.006	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Cadmium	<	.009	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Chromium		.232	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Copper		.465	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Lead		.139	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Manganese		.157	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Mercury	<	.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Nickel		.785	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Selenium		.019	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Silver	<	.006	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Thallium		.002	mg/L
21-JUL-02	SUNDAY	COMP_AUTO_HM	1040	Zinc		.746	mg/L
21-JUL-02	SUNDAY	COMP_CONDUCT	1040	Specific Conductance		4500	umhos/cm
21-JUL-02	SUNDAY	COMP_PH	1040	pH		2.6	pH
28-JUL-02	SUNDAY	1_Hr_COMP	900	Specific Conductance		4100	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	900	pH		2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1000	Specific Conductance		8700	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1000	pH		1.5	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1100	Specific Conductance		3300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1100	pH		2.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1200	Specific Conductance		1800	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1200	pH		6.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1300	Specific Conductance		2000	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1300	pH		6.4	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1400	Specific Conductance		2400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1400	pH		6.5	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1500	Specific Conductance		4200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1500	pH		6.6	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1600	Specific Conductance		2200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1600	pH		6.8	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1700	Specific Conductance		2300	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1700	pH		6.9	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1800	Specific Conductance		1900	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1800	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1900	Specific Conductance		1600	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1900	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2000	Specific Conductance		1600	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2000	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2100	Specific Conductance		3200	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2100	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2200	Specific Conductance		1800	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2200	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2300	Specific Conductance		1700	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2300	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2400	Specific Conductance		1800	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2400	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	100	Specific Conductance		1700	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	100	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	200	Specific Conductance		1500	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	200	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	300	Specific Conductance		1900	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	300	pH		7.3	pH
29-JUL-02	MONDAY	1_Hr_COMP	400	Specific Conductance		1600	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	400	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	500	Specific Conductance		1600	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	500	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	600	Specific Conductance		1600	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	600	pH		6.9	pH
29-JUL-02	MONDAY	1_Hr_COMP	700	Specific Conductance		2300	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	700	pH		6.5	pH
29-JUL-02	MONDAY	1_Hr_COMP	800	Specific Conductance		3000	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	800	pH		6.7	pH
29-JUL-02	MONDAY	COMP_AUTO_CN	1325	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Aluminum		2.03	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Antimony		.021	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Arsenic		.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Barium		.401	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Cadmium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Chromium		.032	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Copper		.18	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Lead		.077	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Manganese		.077	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Mercury	<	.002	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Nickel		.08	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Selenium		.007	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Silver	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Thallium		.005	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1325	Zinc		.594	mg/L
29-JUL-02	MONDAY	COMP_CONDUCT	1325	Specific Conductance		2100	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1325	pH		5.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	1200	Specific Conductance		3200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1200	pH		6.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	1300	Specific Conductance		4600	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1300	pH		2.7	pH
05-AUG-02	MONDAY	1_Hr_COMP	1400	Specific Conductance		3000	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1400	pH		3.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	1500	Specific Conductance		5200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1500	pH		2.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1600	Specific Conductance		6600	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1600	pH		2.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1700	Specific Conductance		4100	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1700	pH		2.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1800	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1800	pH		4.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	1900	Specific Conductance		4000	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1900	pH		6.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	2000	Specific Conductance		2900	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2000	pH		7.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2100	Specific Conductance		3700	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2100	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	2200	Specific Conductance		3800	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2200	pH		7.5	pH
05-AUG-02	MONDAY	1_Hr_COMP	2300	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2300	pH		7.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	2400	Specific Conductance		2800	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2400	pH		7.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	100	Specific Conductance		3600	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	100	pH		7.8	pH
06-AUG-02	TUESDAY	1_Hr_COMP	200	Specific Conductance		3900	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	200	pH		9.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	300	Specific Conductance		3700	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	300	pH		8.9	pH
06-AUG-02	TUESDAY	1_Hr_COMP	400	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	400	pH		7.9	pH
06-AUG-02	TUESDAY	1_Hr_COMP	500	Specific Conductance		2300	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	500	pH		7.8	pH
06-AUG-02	TUESDAY	1_Hr_COMP	600	Specific Conductance		2500	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	600	pH		7.6	pH
06-AUG-02	TUESDAY	1_Hr_COMP	700	Specific Conductance		4100	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	700	pH		2.6	pH
06-AUG-02	TUESDAY	1_Hr_COMP	800	Specific Conductance		12100	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	800	pH		2	pH
06-AUG-02	TUESDAY	1_Hr_COMP	900	Specific Conductance		5100	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	900	pH		2.5	pH
06-AUG-02	TUESDAY	1_Hr_COMP	1000	Specific Conductance		3100	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	1000	pH		6.5	pH
06-AUG-02	TUESDAY	1_Hr_COMP	1100	Specific Conductance		2900	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	1100	pH		7.6	pH
06-AUG-02	TUESDAY	COMP_AUTO_CN	1345	Cyanide (Amenable to chlorination)	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_CN	1345	Total Cyanide		.067	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Aluminum		2.13	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Antimony		.05	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Arsenic		.007	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Barium		.156	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Chromium		.106	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Copper		.722	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Lead		.129	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Manganese		.069	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Mercury		.004	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Nickel		.437	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Selenium		.016	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Silver	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Thallium		.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1345	Zinc		.866	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	COMP_CONDUCT	1345	Specific Conductance		3200	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	1345	pH		4.7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1155	Specific Conductance		4100	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1155	pH		7.3	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1255	Specific Conductance		4200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1255	pH		7.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1355	Specific Conductance		4400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1355	pH		7.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1455	Specific Conductance		4800	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1455	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1755	Specific Conductance		2700	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1755	pH		7.8	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1855	Specific Conductance		3400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1855	pH		7.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1955	Specific Conductance		4000	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1955	pH		7.6	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2055	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2055	pH		7.7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2155	Specific Conductance		3200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2155	pH		8.2	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2255	Specific Conductance		2900	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2255	pH		8.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2355	Specific Conductance		2900	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2355	pH		8.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	55	Specific Conductance		3600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	55	pH		8.2	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	155	Specific Conductance		3900	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	155	pH		8	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	255	Specific Conductance		3400	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	255	pH		6.7	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	355	Specific Conductance		3600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	355	pH		7.2	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	455	Specific Conductance		4000	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	455	pH		6.9	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	555	Specific Conductance		3600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	555	pH		7.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	655	Specific Conductance		2900	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	655	pH		7.6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	755	Specific Conductance		3600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	755	pH		7.6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	855	Specific Conductance		3500	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	855	pH		7.9	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	955	Specific Conductance		3900	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	955	pH		7.9	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	1055	Specific Conductance		3700	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	1055	pH		7.6	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	1330	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Aluminum		22.8	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Antimony		.022	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Arsenic		.007	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Barium		.096	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Cadmium	<	.009	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Chromium		.156	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Copper		.889	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Lead		.074	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Manganese		.067	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Mercury		.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Nickel		.343	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Selenium		.011	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Silver	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Thallium		.001	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1330	Zinc		.671	mg/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1330	Specific Conductance		3600	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1330	pH		7.6	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1205	Specific Conductance		4000	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1205	pH		7.6	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1305	Specific Conductance		5400	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1305	pH		2.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1405	Specific Conductance		6200	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1405	pH		2.1	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1505	Specific Conductance		4100	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1505	pH		5.5	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
21-AUG-02	WEDNESDAY	1_Hr_COMP	1605	Specific Conductance		3300	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1605	pH		6	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1705	Specific Conductance		3600	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1705	pH		6.7	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1805	Specific Conductance		3500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1805	pH		7.1	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	1905	Specific Conductance		4000	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	1905	pH		7.1	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2005	Specific Conductance		3200	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2005	pH		7	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2105	Specific Conductance		3500	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2105	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2205	Specific Conductance		4100	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2205	pH		7.2	pH
21-AUG-02	WEDNESDAY	1_Hr_COMP	2305	Specific Conductance		3000	umhos/cm
21-AUG-02	WEDNESDAY	1_Hr_COMP	2305	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	5	Specific Conductance		6300	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	5	pH		7.2	pH
22-AUG-02	THURSDAY	1_Hr_COMP	105	Specific Conductance		2900	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	105	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	205	Specific Conductance		3000	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	205	pH		7.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	305	Specific Conductance		5200	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	305	pH		9.4	pH
22-AUG-02	THURSDAY	1_Hr_COMP	405	Specific Conductance		4200	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	405	pH		9.7	pH
22-AUG-02	THURSDAY	1_Hr_COMP	505	Specific Conductance		3900	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	505	pH		8.6	pH
22-AUG-02	THURSDAY	1_Hr_COMP	605	Specific Conductance		9800	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	605	pH		1.6	pH
22-AUG-02	THURSDAY	1_Hr_COMP	705	Specific Conductance		4100	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	705	pH		2.6	pH
22-AUG-02	THURSDAY	1_Hr_COMP	805	Specific Conductance		5600	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	805	pH		2.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	905	Specific Conductance		4100	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	905	pH		5.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	1005	Specific Conductance		3800	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	1005	pH		7.3	pH
22-AUG-02	THURSDAY	1_Hr_COMP	1105	Specific Conductance		4100	umhos/cm
22-AUG-02	THURSDAY	1_Hr_COMP	1105	pH		7.7	pH
22-AUG-02	THURSDAY	COMP_AUTO_CN	1325	Total Cyanide	<	.02	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Aluminum		3.99	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Antimony		.041	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Arsenic		.015	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Barium		.148	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Beryllium	<	.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Cadmium	<	.009	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Chromium		.143	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Copper		.568	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Lead		.156	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Manganese		.079	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Mercury		.005	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Nickel		.421	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Selenium		.031	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Silver	<	.006	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Thallium		.001	mg/L
22-AUG-02	THURSDAY	COMP_AUTO_HM	1325	Zinc		.865	mg/L
22-AUG-02	THURSDAY	COMP_CONDUCT	1325	Specific Conductance		4100	umhos/cm
22-AUG-02	THURSDAY	COMP_PH	1325	pH		6.2	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1230	Specific Conductance		3500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1230	pH		7.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1330	Specific Conductance		3800	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1330	pH		5.9	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1430	Specific Conductance		4100	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1430	pH		6.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1530	Specific Conductance		4000	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1530	pH		7.1	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1630	Specific Conductance		3000	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1630	pH		6.6	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1730	Specific Conductance		2900	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1730	pH		5.7	pH
29-AUG-02	THURSDAY	1_Hr_COMP	1830	Specific Conductance		2900	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1830	pH		6.8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-AUG-02	THURSDAY	1_Hr_COMP	1930	Specific Conductance		4000	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	1930	pH		7.1	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2030	Specific Conductance		3100	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2030	pH		7.2	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2130	Specific Conductance		3500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2130	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2230	Specific Conductance		4500	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2230	pH		7.5	pH
29-AUG-02	THURSDAY	1_Hr_COMP	2330	Specific Conductance		3100	umhos/cm
29-AUG-02	THURSDAY	1_Hr_COMP	2330	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	30	Specific Conductance		2700	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	30	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	130	Specific Conductance		3000	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	130	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	230	Specific Conductance		3300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	230	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	330	Specific Conductance		3600	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	330	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	430	Specific Conductance		3200	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	430	pH		7.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	530	Specific Conductance		3400	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	530	pH		7.9	pH
30-AUG-02	FRIDAY	1_Hr_COMP	630	Specific Conductance		2700	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	630	pH		7.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	730	Specific Conductance		4800	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	730	pH		3.6	pH
30-AUG-02	FRIDAY	1_Hr_COMP	830	Specific Conductance		5900	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	830	pH		2.7	pH
30-AUG-02	FRIDAY	1_Hr_COMP	930	Specific Conductance		4300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	930	pH		6.2	pH
30-AUG-02	FRIDAY	1_Hr_COMP	1030	Specific Conductance		3700	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	1030	pH		7.4	pH
30-AUG-02	FRIDAY	1_Hr_COMP	1130	Specific Conductance		3300	umhos/cm
30-AUG-02	FRIDAY	1_Hr_COMP	1130	pH		7.8	pH
30-AUG-02	FRIDAY	COMP_AUTO_CN	1255	Total Cyanide		.028	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Aluminum		10.2	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Antimony		.031	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Arsenic		.013	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Barium		.197	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Beryllium	<	.006	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Cadmium	<	.009	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Chromium		.136	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Copper		1.02	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Lead		.082	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Manganese		.113	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Mercury		.004	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Nickel		.467	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Selenium		.079	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Silver	<	.006	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Thallium		.001	mg/L
30-AUG-02	FRIDAY	COMP_AUTO_HM	1255	Zinc		.898	mg/L
30-AUG-02	FRIDAY	COMP_CONDUCT	1255	Specific Conductance		3600	umhos/cm
30-AUG-02	FRIDAY	COMP_PH	1255	pH		6.9	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1225	Specific Conductance		2800	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1225	pH		7.4	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1325	Specific Conductance		2700	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1325	pH		8	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1425	Specific Conductance		2800	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1425	pH		7.5	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1525	Specific Conductance		2800	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1525	pH		7.1	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1625	Specific Conductance		2900	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1625	pH		3	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1725	Specific Conductance		2900	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1725	pH		3.9	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1825	Specific Conductance		3100	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1825	pH		5.8	pH
06-SEP-02	FRIDAY	1_Hr_COMP	1925	Specific Conductance		3000	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	1925	pH		5.3	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2025	Specific Conductance		2900	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2025	pH		6	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2125	Specific Conductance		2700	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2125	pH		8.8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-SEP-02	FRIDAY	1_Hr_COMP	2225	Specific Conductance		3200	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2225	pH		8.2	pH
06-SEP-02	FRIDAY	1_Hr_COMP	2325	Specific Conductance		3500	umhos/cm
06-SEP-02	FRIDAY	1_Hr_COMP	2325	pH		7.8	pH
07-SEP-02	SATURDAY	1_Hr_COMP	25	Specific Conductance		3200	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	25	pH		7.9	pH
07-SEP-02	SATURDAY	1_Hr_COMP	125	Specific Conductance		2800	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	125	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	225	Specific Conductance		2700	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	225	pH		7.8	pH
07-SEP-02	SATURDAY	1_Hr_COMP	325	Specific Conductance		2100	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	325	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	425	Specific Conductance		760	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	425	pH		7.7	pH
07-SEP-02	SATURDAY	1_Hr_COMP	525	Specific Conductance		700	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	525	pH		7.6	pH
07-SEP-02	SATURDAY	1_Hr_COMP	625	Specific Conductance		1300	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	625	pH		7.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	725	Specific Conductance		4000	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	725	pH		2.1	pH
07-SEP-02	SATURDAY	1_Hr_COMP	825	Specific Conductance		2800	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	825	pH		6	pH
07-SEP-02	SATURDAY	1_Hr_COMP	925	Specific Conductance		2900	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	925	pH		6.1	pH
07-SEP-02	SATURDAY	1_Hr_COMP	1025	Specific Conductance		2900	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	1025	pH		6.5	pH
07-SEP-02	SATURDAY	1_Hr_COMP	1125	Specific Conductance		2900	umhos/cm
07-SEP-02	SATURDAY	1_Hr_COMP	1125	pH		7.2	pH
07-SEP-02	SATURDAY	COMP_AUTO_CN	1220	Total Cyanide	<	.02	mg/L
07-SEP-02	SATURDAY	COMP_CONDUCT	1220	Specific Conductance		2900	umhos/cm
07-SEP-02	SATURDAY	COMP_PH	1220	pH		6.8	pH
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Aluminum		9.43	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Antimony		.031	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Arsenic		.016	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Barium		.207	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Beryllium	<	.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Cadmium	<	.009	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Chromium		.135	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Copper		1.07	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Lead		.347	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Manganese		.171	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Mercury		.003	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Nickel		1.7	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Selenium		.016	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Silver	<	.006	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Thallium		.002	mg/L
07-SEP-02	SATURDAY	COMP_AUTO_HM	1222	Zinc		2.18	mg/L
14-SEP-02	SATURDAY	1_Hr_COMP	905	Specific Conductance		2500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	905	pH		7.3	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1005	Specific Conductance		2800	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1005	pH		6.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1105	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1105	pH		4.2	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1205	Specific Conductance		5800	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1205	pH		4.4	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1305	Specific Conductance		4400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1305	pH		6.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1405	Specific Conductance		3700	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1405	pH		6.8	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1505	Specific Conductance		3600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1505	pH		6.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1605	Specific Conductance		3400	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1605	pH		6.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1705	Specific Conductance		3900	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1705	pH		6.7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1805	Specific Conductance		2900	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1805	pH		7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1905	Specific Conductance		4500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1905	pH		6.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2005	Specific Conductance		3600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2005	pH		7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2105	Specific Conductance		3200	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2105	pH		7	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-SEP-02	SATURDAY	1_Hr_COMP	2205	Specific Conductance		1900	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2205	pH		7.1	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2305	Specific Conductance		3300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2305	pH		7.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	5	Specific Conductance		1900	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	5	pH		7.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	105	Specific Conductance		1900	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	105	pH		7.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	205	Specific Conductance		2100	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	205	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	305	Specific Conductance		1600	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	305	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	405	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	405	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	505	Specific Conductance		1800	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	505	pH		7.3	pH
15-SEP-02	SUNDAY	1_Hr_COMP	605	Specific Conductance		16900	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	605	pH		1.5	pH
15-SEP-02	SUNDAY	1_Hr_COMP	705	Specific Conductance		15200	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	705	pH		1.5	pH
15-SEP-02	SUNDAY	1_Hr_COMP	805	Specific Conductance		16400	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	805	pH		1.5	pH
15-SEP-02	SUNDAY	COMP_AUTO_CN	1145	Total Cyanide		.031	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Aluminum		15	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Antimony		.047	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Arsenic		.017	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Barium		.189	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Beryllium	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Cadmium		.027	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Chromium		.156	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Copper		.372	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Lead		.134	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Manganese		.597	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Mercury	<	.002	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Nickel		.333	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Selenium		.008	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Silver	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Thallium		.001	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1145	Zinc		.572	mg/L
15-SEP-02	SUNDAY	COMP_CONDUCT	1145	Specific Conductance		3400	umhos/cm
15-SEP-02	SUNDAY	COMP_PH	1145	pH		4	pH
22-SEP-02	SUNDAY	1_Hr_COMP	900	Specific Conductance		1900	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	900	pH		6.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1000	Specific Conductance		1900	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1000	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1100	Specific Conductance		1900	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1100	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1200	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1200	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1300	Specific Conductance		2300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1300	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1400	Specific Conductance		1800	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1400	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1500	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1500	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1600	Specific Conductance		1000	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1600	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1700	Specific Conductance		1700	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1700	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1800	Specific Conductance		1600	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1800	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1900	Specific Conductance		1800	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1900	pH		6.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2000	Specific Conductance		1400	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2000	pH		6.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2100	Specific Conductance		1300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2100	pH		6.9	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2200	Specific Conductance		1300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2200	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2300	Specific Conductance		1600	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2300	pH		6.8	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2400	Specific Conductance		2000	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2400	pH		6.8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-SEP-02	MONDAY	1_Hr_COMP	100	Specific Conductance		1400	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	100	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	200	Specific Conductance		1300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	200	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	300	Specific Conductance		1300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	300	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	400	Specific Conductance		1300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	400	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	500	Specific Conductance		1300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	500	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	600	Specific Conductance		1300	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	600	pH		6.9	pH
23-SEP-02	MONDAY	1_Hr_COMP	700	Specific Conductance		2000	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	700	pH		3.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	800	Specific Conductance		2900	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	800	pH		4.4	pH
23-SEP-02	MONDAY	COMP_AUTO_CN	1250	Total Cyanide	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Aluminum		1.39	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Antimony	<	.015	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Arsenic	<	.003	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Barium		.1	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Beryllium	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Cadmium	<	.009	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Chromium		.117	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Copper		.272	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Lead		.029	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Manganese		.044	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Mercury		.0028	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Nickel		.447	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Selenium		.005	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Silver	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Thallium		.001	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1250	Zinc		.472	mg/L
23-SEP-02	MONDAY	COMP_CONDUCT	1250	Specific Conductance		1700	umhos/cm
23-SEP-02	MONDAY	COMP_PH	1250	pH		6.2	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1110	Specific Conductance		5200	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1110	pH		7.5	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1210	Specific Conductance		3300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1210	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1310	Specific Conductance		4400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1310	pH		7.8	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1410	Specific Conductance		3400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1410	pH		7.7	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1510	Specific Conductance		2700	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1510	pH		8.8	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1610	Specific Conductance		3100	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1610	pH		8.8	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1710	Specific Conductance		3000	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1710	pH		8.1	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1810	Specific Conductance		3800	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1810	pH		8.1	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1910	Specific Conductance		3000	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1910	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2010	Specific Conductance		3700	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2010	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2110	Specific Conductance		3400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2110	pH		7.7	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2210	Specific Conductance		4500	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2210	pH		7.2	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2310	Specific Conductance		3600	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2310	pH		7.3	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	10	Specific Conductance		2400	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	10	pH		7.3	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	110	Specific Conductance		4000	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	110	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	210	Specific Conductance		4100	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	210	pH		7.8	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	310	Specific Conductance		2800	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	310	pH		7.8	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	410	Specific Conductance		3300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	410	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	510	Specific Conductance		4500	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	510	pH		7.8	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	1_Hr_COMP	610	Specific Conductance		4700	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	610	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	710	Specific Conductance		4900	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	710	pH		7.3	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	810	Specific Conductance		4100	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	810	pH		7.3	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	910	Specific Conductance		3600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	910	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	1010	Specific Conductance		2800	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	1010	pH		7.8	pH
09-OCT-02	WEDNESDAY	COMP_AUTO_CN	1210	Total Cyanide	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Aluminum		11.2	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Antimony		.017	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Arsenic	<	.003	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Barium		.139	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Cadmium	<	.009	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Chromium		.234	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Copper		.417	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Lead		.071	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Manganese		.049	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Nickel		.429	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Selenium		.017	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Silver	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Thallium		.001	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1210	Zinc		.734	mg/L
09-OCT-02	WEDNESDAY	COMP_CONDUCT	1210	Specific Conductance		3700	umhos/cm
09-OCT-02	WEDNESDAY	COMP_PH	1210	pH		7.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1045	Specific Conductance		4000	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1045	pH		8.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1145	Specific Conductance		3500	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1145	pH		8.4	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1245	Specific Conductance		3700	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1245	pH		8.5	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1345	Specific Conductance		6400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1345	pH		8.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1445	Specific Conductance		3300	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1445	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1545	Specific Conductance		3100	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1545	pH		7.8	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1645	Specific Conductance		3000	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1645	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1745	Specific Conductance		3200	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1745	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1845	Specific Conductance		3400	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1845	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1945	Specific Conductance		3800	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1945	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2045	Specific Conductance		4900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2045	pH		8.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2145	Specific Conductance		4000	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2145	pH		8.2	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2245	Specific Conductance		4600	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2245	pH		8.3	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2345	Specific Conductance		3700	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2345	pH		8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	45	Specific Conductance		3200	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	45	pH		8.1	pH
17-OCT-02	THURSDAY	1_Hr_COMP	145	Specific Conductance		3900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	145	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	245	Specific Conductance		4400	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	245	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	345	Specific Conductance		3600	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	345	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	445	Specific Conductance		6100	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	445	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	545	Specific Conductance		3500	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	545	pH		7.8	pH
17-OCT-02	THURSDAY	1_Hr_COMP	645	Specific Conductance		3000	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	645	pH		3.9	pH
17-OCT-02	THURSDAY	1_Hr_COMP	745	Specific Conductance		3000	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	745	pH		5.9	pH

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-OCT-02	THURSDAY	1_Hr_COMP	845	Specific Conductance		3000	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	845	pH		6.3	pH
17-OCT-02	THURSDAY	1_Hr_COMP	945	Specific Conductance		3700	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	945	pH		7	pH
17-OCT-02	THURSDAY	COMP_AUTO_CN	1135	Cyanide (Amenable to chlorination)		.036	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_CN	1135	Total Cyanide		.036	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Aluminum		5.04	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Antimony		.016	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Arsenic		.004	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Barium		.162	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Beryllium	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Cadmium	<	.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Chromium		.166	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Copper		1.96	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Lead		.12	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Manganese		.072	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Mercury		.0044	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Nickel		.171	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Selenium		.119	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Silver	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Thallium		.001	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1135	Zinc		.769	mg/L
17-OCT-02	THURSDAY	COMP_CONDUCT	1135	Specific Conductance		3900	umhos/cm
17-OCT-02	THURSDAY	COMP_PH	1135	pH		7.9	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1300	Specific Conductance		3400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1300	pH		7.5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1400	Specific Conductance		5100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1400	pH		6.1	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1500	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1500	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1600	Specific Conductance		2900	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1600	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1700	Specific Conductance		2800	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1700	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1800	Specific Conductance		4000	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1800	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1900	Specific Conductance		2800	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1900	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2000	Specific Conductance		3800	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2000	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2100	Specific Conductance		3400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2100	pH		7.6	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2200	Specific Conductance		3600	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2200	pH		7.4	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2300	Specific Conductance		4800	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2300	pH		7.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2400	Specific Conductance		3400	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2400	pH		7.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	100	Specific Conductance		3700	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	100	pH		7.6	pH
25-OCT-02	FRIDAY	1_Hr_COMP	200	Specific Conductance		3000	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	200	pH		7.6	pH
25-OCT-02	FRIDAY	1_Hr_COMP	300	Specific Conductance		2700	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	300	pH		7.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	400	Specific Conductance		2800	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	400	pH		7.1	pH
25-OCT-02	FRIDAY	1_Hr_COMP	500	Specific Conductance		2800	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	500	pH		7.2	pH
25-OCT-02	FRIDAY	1_Hr_COMP	600	Specific Conductance		18500	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	600	pH		1.8	pH
25-OCT-02	FRIDAY	1_Hr_COMP	700	Specific Conductance		3800	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	700	pH		7.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	800	Specific Conductance		4100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	800	pH		6.1	pH
25-OCT-02	FRIDAY	1_Hr_COMP	900	Specific Conductance		5100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	900	pH		2.3	pH
25-OCT-02	FRIDAY	1_Hr_COMP	1000	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	1000	pH		6.7	pH
25-OCT-02	FRIDAY	1_Hr_COMP	1100	Specific Conductance		3300	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	1100	pH		7.4	pH
25-OCT-02	FRIDAY	1_Hr_COMP	1200	Specific Conductance		14000	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	1200	pH		1.9	pH
25-OCT-02	FRIDAY	COMP_AUTO_CN	1235	Total Cyanide	<	.02	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Aluminum		1.9	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Antimony		.068	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Arsenic		.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Barium		1.58	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Beryllium	<	.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Cadmium	<	.009	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Chromium		.433	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Copper		.588	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Lead		.571	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Manganese		.063	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Mercury	<	.002	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Nickel		.249	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Selenium		.015	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Silver		.007	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Thallium		.001	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1235	Zinc		1.09	mg/L
25-OCT-02	FRIDAY	COMP_CONDUCT	1235	Specific Conductance		3400	umhos/cm
25-OCT-02	FRIDAY	COMP_PH	1235	pH		5.2	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1150	Specific Conductance		11000	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1150	pH		1.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1250	Specific Conductance		3500	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1250	pH		6.2	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1350	Specific Conductance		4200	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1350	pH		7.8	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1450	Specific Conductance		3300	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1450	pH		8.3	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1550	Specific Conductance		3200	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1550	pH		7.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1650	Specific Conductance		4400	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1650	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1750	Specific Conductance		3000	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1750	pH		7.3	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1850	Specific Conductance		3800	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1850	pH		7.5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1950	Specific Conductance		6200	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1950	pH		7.7	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2050	Specific Conductance		5600	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2050	pH		7.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2150	Specific Conductance		2700	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2150	pH		8	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2250	Specific Conductance		2600	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2250	pH		7.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2350	Specific Conductance		4000	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2350	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	50	Specific Conductance		3600	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	50	pH		7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	150	Specific Conductance		3200	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	150	pH		6.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	250	Specific Conductance		3400	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	250	pH		7.3	pH
02-NOV-02	SATURDAY	1_Hr_COMP	350	Specific Conductance		4600	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	350	pH		8.6	pH
02-NOV-02	SATURDAY	1_Hr_COMP	450	Specific Conductance		3400	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	450	pH		9.3	pH
02-NOV-02	SATURDAY	1_Hr_COMP	550	Specific Conductance		4300	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	550	pH		4.5	pH
02-NOV-02	SATURDAY	1_Hr_COMP	650	Specific Conductance		3400	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	650	pH		9.1	pH
02-NOV-02	SATURDAY	1_Hr_COMP	750	Specific Conductance		6500	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	750	pH		2	pH
02-NOV-02	SATURDAY	1_Hr_COMP	850	Specific Conductance		3200	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	850	pH		7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	950	Specific Conductance		2900	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	950	pH		7.7	pH
02-NOV-02	SATURDAY	1_Hr_COMP	1050	Specific Conductance		3000	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	1050	pH		7.9	pH
02-NOV-02	SATURDAY	COMP_AUTO_CN	1210	Total Cyanide		.071	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Aluminum		.717	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Antimony	<	.015	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Arsenic		.014	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Barium		.258	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Beryllium	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Cadmium	<	.009	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Chromium	<	.009	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Copper		.03	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Lead	<	.02	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Manganese		.07	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Mercury	<	.002	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Nickel	<	.012	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Selenium	<	.003	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Silver	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Thallium	<	.001	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1210	Zinc		.588	mg/L
02-NOV-02	SATURDAY	COMP_CONDUCT	1210	Specific Conductance		3600	umhos/cm
02-NOV-02	SATURDAY	COMP_PH	1210	pH		6.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	900	Specific Conductance		2900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	900	pH		6.3	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1000	Specific Conductance		1500	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1000	pH		4.3	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1100	Specific Conductance		2200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1100	pH		3.2	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1200	Specific Conductance		7600	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1200	pH		1.9	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1300	Specific Conductance		4100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1300	pH		2.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1400	Specific Conductance		4600	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1400	pH		2.2	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1500	Specific Conductance		2200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1500	pH		6.2	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1600	Specific Conductance		2100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1600	pH		6.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1700	Specific Conductance		3800	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1700	pH		6.2	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1800	Specific Conductance		1700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1800	pH		6.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1900	Specific Conductance		1000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1900	pH		6.5	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2000	Specific Conductance		800	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2000	pH		6.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2100	Specific Conductance		1400	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2100	pH		6.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2200	Specific Conductance		900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2200	pH		6.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2300	Specific Conductance		900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2300	pH		6.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2400	Specific Conductance		1200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2400	pH		6.6	pH
10-NOV-02	SUNDAY	1_Hr_COMP	100	Specific Conductance		2500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	100	pH		1.6	pH
10-NOV-02	SUNDAY	1_Hr_COMP	200	Specific Conductance		8200	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	200	pH		1.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	300	Specific Conductance		4400	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	300	pH		1.9	pH
10-NOV-02	SUNDAY	1_Hr_COMP	400	Specific Conductance		4500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	400	pH		1.9	pH
10-NOV-02	SUNDAY	1_Hr_COMP	500	Specific Conductance		4600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	500	pH		1.8	pH
10-NOV-02	SUNDAY	1_Hr_COMP	600	Specific Conductance		2100	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	600	pH		2.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	700	Specific Conductance		1500	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	700	pH		6.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	800	Specific Conductance		1600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	800	pH		6.7	pH
10-NOV-02	SUNDAY	COMP_AUTO_CN	1155	Total Cyanide	<	.02	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Aluminum		3.21	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Antimony		.05	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Arsenic		.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Barium		.213	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Beryllium	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Cadmium	<	.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Chromium		.102	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Copper		.45	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Lead		.219	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Manganese		.094	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Mercury	<	.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Nickel		.299	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Selenium		.016	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Silver	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Thallium		.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1155	Zinc		1.16	mg/L
10-NOV-02	SUNDAY	COMP_CONDUCT	1155	Specific Conductance		3200	umhos/cm
10-NOV-02	SUNDAY	COMP_PH	1155	pH		2.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	920	Specific Conductance		2200	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	920	pH		7.4	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1020	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1020	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1120	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1120	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1220	Specific Conductance		2300	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1220	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1320	Specific Conductance		2400	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1320	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1420	Specific Conductance		2100	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1420	pH		7.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1520	Specific Conductance		2400	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1520	pH		7.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1620	Specific Conductance		2700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1620	pH		7.4	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1720	Specific Conductance		3200	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1720	pH		7.6	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1820	Specific Conductance		3500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1820	pH		7.6	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1920	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1920	pH		7.7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2020	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2020	pH		7.6	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2120	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2120	pH		7.6	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2220	Specific Conductance		2800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2220	pH		7.7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2320	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2320	pH		7.7	pH
18-NOV-02	MONDAY	1_Hr_COMP	20	Specific Conductance		1600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	20	pH		7.6	pH
18-NOV-02	MONDAY	1_Hr_COMP	120	Specific Conductance		2500	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	120	pH		7.7	pH
18-NOV-02	MONDAY	1_Hr_COMP	220	Specific Conductance		2800	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	220	pH		7.7	pH
18-NOV-02	MONDAY	1_Hr_COMP	320	Specific Conductance		2500	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	320	pH		7.7	pH
18-NOV-02	MONDAY	1_Hr_COMP	420	Specific Conductance		1700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	420	pH		7.7	pH
18-NOV-02	MONDAY	1_Hr_COMP	520	Specific Conductance		2100	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	520	pH		7.6	pH
18-NOV-02	MONDAY	1_Hr_COMP	620	Specific Conductance		7000	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	620	pH		1.8	pH
18-NOV-02	MONDAY	1_Hr_COMP	720	Specific Conductance		8000	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	720	pH		1.6	pH
18-NOV-02	MONDAY	1_Hr_COMP	820	Specific Conductance		3400	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	820	pH		3.3	pH
18-NOV-02	MONDAY	COMP_AUTO_CN	1010	Total Cyanide		.029	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Aluminum		4.09	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Antimony		.026	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Arsenic		.007	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Barium		.18	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Beryllium	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Cadmium	<	.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Chromium		.101	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Copper		.698	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Lead		.167	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Manganese		.099	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Mercury		.0036	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Nickel		.307	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Selenium		.012	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Silver	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Thallium		.003	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1010	Zinc		.637	mg/L
18-NOV-02	MONDAY	COMP_AUTO_MBAS	1010	Methylene Blue Active Substances		1.6	mg/L
18-NOV-02	MONDAY	COMP_CONDUCT	1010	Specific Conductance		2400	umhos/cm

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-NOV-02	MONDAY	COMP_PH	1010	pH		6.4	pH
18-NOV-02	MONDAY	GRAB	1020	Specific Conductance		3000	umhos/cm
18-NOV-02	MONDAY	GRAB	1020	pH		6.7	pH
18-NOV-02	MONDAY	GRAB_OG	1020	Hexane Extraction Method		1290	mg/L
18-NOV-02	MONDAY	GRAB_OG	1020	SGT-HEM-Non Polar Material		744	mg/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,1,1-trichloroethane	<	.78	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,1,2,2-tetrachloroethane	<	3.13	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,1,2-trichloroethane	<	3.02	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,1-dichloroethane	<	.71	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,1-dichloroethene	<	1.09	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,2-dichlorobenzene	<	1.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,2-dichloroethane	<	2.24	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,2-dichloropropane	<	.83	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,3-dichlorobenzene	<	1.31	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	1,4-dichlorobenzene	<	1.14	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	2-chloroethylvinyl ether	<	1.35	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Benzene	<	.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Bromodichloromethane	<	1.79	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Bromoform	<	3.58	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Bromomethane	<	1.39	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Carbon tetrachloride	<	1.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Chlorobenzene	<	1	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Chloroethane	<	.95	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Chloroform	<	2.27	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Chloromethane	<	3.23	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Dibromochloromethane	<	1.99	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Ethylbenzene	<	1.46	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Methylene chloride	<	1.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Tetrachloroethene	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Toluene	<	38.8	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Trichloroethene	<	1.32	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Trichlorofluoromethane	<	3.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	Vinyl chloride	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	cis-1,3-dichloropropene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	trans-1,2-dichloroethene	<	.61	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1020	trans-1,3-dichloropropene	<	1.27	ug/L
26-NOV-02	TUESDAY	GRAB	1315	Specific Conductance		9000	umhos/cm
26-NOV-02	TUESDAY	GRAB	1315	pH		1.5	pH
26-NOV-02	TUESDAY	GRAB_CYANIDE	1315	Total Cyanide	<	.02	mg/L
26-NOV-02	TUESDAY	GRAB_MBAS	1315	Methylene Blue Active Substances		3.6	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Aluminum		5.32	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Antimony		1.34	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Arsenic		.036	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Barium		.262	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Beryllium	<	.006	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Cadmium	<	.009	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Chromium		.096	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Copper		1.52	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Lead		1.58	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Manganese		.162	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Mercury	<	.002	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Nickel		.345	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Selenium		.03	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Silver	<	.006	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Thallium		.003	mg/L
26-NOV-02	TUESDAY	GRAB_METALS	1315	Zinc		1.56	mg/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,1,1-trichloroethane	<	.78	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,1,2,2-tetrachloroethane	<	3.13	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,1,2-trichloroethane	<	3.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,1-dichloroethane	<	.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,1-dichloroethene	<	1.09	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,2-dichlorobenzene	<	1.37	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,2-dichloroethane	<	2.24	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,2-dichloropropane	<	.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,3-dichlorobenzene	<	1.31	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	1,4-dichlorobenzene	<	6.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	2-chloroethylvinyl ether	<	1.35	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Benzene	<	.81	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Bromodichloromethane		5.82	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Bromoform	<	3.58	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Bromomethane	<	1.39	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Carbon tetrachloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Chlorobenzene	<	1	ug/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-NOV-02	TUESDAY	GRAB_VOC	1315	Chloroethane	<	.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Chloroform		10.2	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Chloromethane	<	3.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Dibromochloromethane		5.99	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Ethylbenzene	<	1.46	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Methylene chloride		30.6	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Tetrachloroethene	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Toluene		53.4	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Trichloroethene		3.88	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Trichlorofluoromethane	<	3.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	Vinyl chloride	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	cis-1,3-dichloropropene	<	1.01	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	trans-1,2-dichloroethene	<	.61	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1315	trans-1,3-dichloropropene	<	1.27	ug/L
03-DEC-02	TUESDAY	1_Hr_COMP	1035	Specific Conductance		2900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1035	pH		7.7	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1135	Specific Conductance		2100	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1135	pH		7.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1235	Specific Conductance		3100	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1235	pH		7.8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1335	Specific Conductance		2800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1335	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	135	Specific Conductance		2700	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	135	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	235	Specific Conductance		3800	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	235	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	335	Specific Conductance		3700	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	335	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	435	Specific Conductance		2900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	435	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	635	Specific Conductance		2900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	635	pH		3.8	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	735	Specific Conductance		4000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	735	pH		2.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	835	Specific Conductance		4300	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	835	pH		2.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	935	Specific Conductance		4300	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	935	pH		2.5	pH
04-DEC-02	WEDNESDAY	COMP_AUTO_CN	1230	Total Cyanide	<	.02	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Aluminum		3.87	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Antimony		.038	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Arsenic		.013	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Barium		.191	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Beryllium	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Cadmium	<	.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Chromium		.125	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Copper		.757	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Lead		.301	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Manganese		.102	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Mercury		.0034	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Nickel		.162	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Selenium		.008	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Silver	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Thallium		.002	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Zinc		.801	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_MBAS	1230	Methylene Blue Active Substances		5	mg/L
04-DEC-02	WEDNESDAY	COMP_CONDUCT	1230	Specific Conductance		2800	umhos/cm
04-DEC-02	WEDNESDAY	COMP_PH	1230	pH		6	pH
04-DEC-02	WEDNESDAY	GRAB	1245	Specific Conductance		3500	umhos/cm
04-DEC-02	WEDNESDAY	GRAB	1245	pH		2.7	pH
04-DEC-02	WEDNESDAY	GRAB_OG	1245	Hexane Extraction Method		61.6	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1245	SGT-HEM-Non Polar Material		19.5	mg/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,1,1-trichloroethane	<	.78	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,1,2,2-tetrachloroethane	<	3.13	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,1,2-trichloroethane	<	3.02	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,1-dichloroethane	<	.71	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,1-dichloroethene	<	1.09	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,2-dichlorobenzene	<	1.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,2-dichloroethane	<	2.24	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,2-dichloropropane	<	.83	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,3-dichlorobenzene	<	1.31	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	1,4-dichlorobenzene		9.35	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	2-chloroethylvinyl ether	<	1.35	ug/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Benzene		4.51	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Bromodichloromethane		5.07	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Bromoform	<	3.58	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Bromomethane	<	1.39	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Carbon tetrachloride	<	1.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Chlorobenzene	<	1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Chloroethane	<	.95	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Chloroform		9.34	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Chloromethane	<	3.23	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Dibromochloromethane		4.81	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Ethylbenzene		9.64	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Methylene chloride	<	1.29	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Tetrachloroethene	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Toluene		455	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Trichloroethene		10.4	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Trichlorofluoromethane	<	3.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	Vinyl chloride	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	cis-1,3-dichloropropene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	trans-1,2-dichloroethene	<	.61	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1245	trans-1,3-dichloropropene	<	1.27	ug/L
11-DEC-02	WEDNESDAY	1_Hr_COMP	1150	Specific Conductance		3500	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1150	pH		7.6	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1250	Specific Conductance		4000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1250	pH		8	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1350	Specific Conductance		3900	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1350	pH		7.8	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1450	Specific Conductance		3400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1450	pH		8.2	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1550	Specific Conductance		3400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1550	pH		8	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1650	Specific Conductance		5000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1650	pH		7.6	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1750	Specific Conductance		3400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1750	pH		7.2	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1850	Specific Conductance		3400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1850	pH		7.5	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1950	Specific Conductance		4000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1950	pH		7.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2050	Specific Conductance		3700	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2050	pH		7.7	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2150	Specific Conductance		2900	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2150	pH		7.7	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2250	Specific Conductance		2900	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2250	pH		8.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2350	Specific Conductance		4200	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2350	pH		8.3	pH
12-DEC-02	THURSDAY	1_Hr_COMP	50	Specific Conductance		3100	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	50	pH		8.2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	150	Specific Conductance		3000	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	150	pH		7.7	pH
12-DEC-02	THURSDAY	1_Hr_COMP	250	Specific Conductance		3600	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	250	pH		7.8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	350	Specific Conductance		3000	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	350	pH		8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	450	Specific Conductance		2800	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	450	pH		8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	550	Specific Conductance		2300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	550	pH		8.1	pH
12-DEC-02	THURSDAY	1_Hr_COMP	650	Specific Conductance		5500	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	650	pH		2.8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	750	Specific Conductance		5500	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	750	pH		2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	850	Specific Conductance		6100	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	850	pH		2.3	pH
12-DEC-02	THURSDAY	1_Hr_COMP	950	Specific Conductance		5300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	950	pH		2.1	pH
12-DEC-02	THURSDAY	COMP_AUTO_CN	1115	Total Cyanide	<	.02	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Aluminum		1.34	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Antimony		.025	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Arsenic		.015	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Barium		.195	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Beryllium	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Cadmium	<	.009	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Chromium		.202	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Copper		.572	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Lead		.087	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Manganese		.09	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Mercury		.0021	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Nickel		.414	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Selenium		.008	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Silver	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Thallium		.001	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1115	Zinc		.939	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_MBAS	1115	Methylene Blue Active Substances		6.3	mg/L
12-DEC-02	THURSDAY	COMP_CONDUCT	1115	Specific Conductance		3600	umhos/cm
12-DEC-02	THURSDAY	COMP_PH	1115	pH		6.6	pH
12-DEC-02	THURSDAY	GRAB	1120	Specific Conductance		5300	umhos/cm
12-DEC-02	THURSDAY	GRAB	1120	pH		2	pH
12-DEC-02	THURSDAY	GRAB_OG	1120	Hexane Extraction Method		40	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1120	SGT-HEM-Non Polar Material		6.7	mg/L
19-DEC-02	THURSDAY	1_Hr_COMP	1245	Specific Conductance		1400	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1245	pH		5.8	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1345	Specific Conductance		840	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1345	pH		5.9	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1445	Specific Conductance		870	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1445	pH		5.8	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1545	Specific Conductance		1100	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1545	pH		5.9	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1645	Specific Conductance		1100	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1645	pH		6	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1745	Specific Conductance		870	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1745	pH		6	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1845	Specific Conductance		900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1845	pH		6.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1945	Specific Conductance		900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1945	pH		6.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2045	Specific Conductance		970	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2045	pH		6.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2145	Specific Conductance		1000	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2145	pH		6.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2245	Specific Conductance		1300	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2245	pH		6.2	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2345	Specific Conductance		1400	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2345	pH		6.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	45	Specific Conductance		1200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	45	pH		6.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	145	Specific Conductance		1200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	145	pH		6.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	245	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	245	pH		6.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	345	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	345	pH		6.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	445	Specific Conductance		1300	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	445	pH		6.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	545	Specific Conductance		1400	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	545	pH		6.6	pH
20-DEC-02	FRIDAY	1_Hr_COMP	645	Specific Conductance		5200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	645	pH		2	pH
20-DEC-02	FRIDAY	1_Hr_COMP	745	Specific Conductance		5000	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	745	pH		2.2	pH
20-DEC-02	FRIDAY	1_Hr_COMP	845	Specific Conductance		1100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	845	pH		4.6	pH
20-DEC-02	FRIDAY	1_Hr_COMP	945	Specific Conductance		800	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	945	pH		5.1	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1045	Specific Conductance		900	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1045	pH		5.1	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1145	Specific Conductance		1000	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1145	pH		5.1	pH
20-DEC-02	FRIDAY	COMP_AUTO_CN	1520	Total Cyanide	<	.02	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Aluminum		44.1	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Antimony		.025	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Arsenic		.016	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Barium		.634	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Beryllium	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Cadmium	<	.009	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Chromium		.263	mg/L

City of Tijuana
Site 44

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Copper		.982	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Lead		1.42	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Manganese		.651	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Mercury		.0033	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Nickel		.929	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Selenium		.012	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Silver	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Thallium		.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1520	Zinc		3.43	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_MBAS	1520	Methylene Blue Active Substances		1.5	mg/L
20-DEC-02	FRIDAY	COMP_CONDUCT	1520	Specific Conductance		1200	umhos/cm
20-DEC-02	FRIDAY	COMP_PH	1520	pH		5.9	pH
20-DEC-02	FRIDAY	GRAB	1525	Specific Conductance		2800	umhos/cm
20-DEC-02	FRIDAY	GRAB	1525	pH		8.1	pH
20-DEC-02	FRIDAY	GRAB_OG	1525	Hexane Extraction Method		41.2	mg/L
20-DEC-02	FRIDAY	GRAB_OG	1525	SGT-HEM-Non Polar Material		8.3	mg/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,1,1-trichloroethane	<	.78	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,1,2,2-tetrachloroethane	<	3.13	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,1,2-trichloroethane	<	3.02	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,1-dichloroethane	<	.71	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,1-dichloroethene	<	1.09	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,2-dichlorobenzene	<	1.37	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,2-dichloroethane	<	2.24	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,2-dichloropropane	<	.83	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,3-dichlorobenzene	<	1.31	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	1,4-dichlorobenzene	<	9.79	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	2-chloroethylvinyl ether	<	1.35	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Benzene	<	.81	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Bromodichloromethane	<	4.2	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Bromoform	<	3.58	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Bromomethane	<	1.39	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Carbon tetrachloride	<	1.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Chlorobenzene	<	1	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Chloroethane	<	.95	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Chloroform	<	8.81	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Chloromethane	<	3.23	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Dibromochloromethane	<	4.44	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Ethylbenzene	<	2.91	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Methylene chloride	<	1.29	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Tetrachloroethene	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Toluene	<	510	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Trichloroethene	<	3.47	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Trichlorofluoromethane	<	3.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	Vinyl chloride	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	cis-1,3-dichloropropene	<	1.01	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	trans-1,2-dichloroethene	<	.61	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1525	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 45

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-JUN-02	MONDAY	1_Hr_COMP	1245	Specific Conductance		4200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1245	pH		7.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	1345	Specific Conductance		3200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1345	pH		7.9	pH
10-JUN-02	MONDAY	1_Hr_COMP	1445	Specific Conductance		3600	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1445	pH		8.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	1545	Specific Conductance		3800	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1545	pH		8.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	1645	Specific Conductance		3000	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1645	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	1745	Specific Conductance		3700	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1745	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	1845	Specific Conductance		3700	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1845	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	1945	Specific Conductance		3200	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	1945	pH		8.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	2045	Specific Conductance		3100	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2045	pH		8.2	pH
10-JUN-02	MONDAY	1_Hr_COMP	2145	Specific Conductance		3300	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2145	pH		8	pH
10-JUN-02	MONDAY	1_Hr_COMP	2245	Specific Conductance		2800	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2245	pH		8.1	pH
10-JUN-02	MONDAY	1_Hr_COMP	2345	Specific Conductance		2800	umhos/cm
10-JUN-02	MONDAY	1_Hr_COMP	2345	pH		8.2	pH
11-JUN-02	TUESDAY	1_Hr_COMP	45	Specific Conductance		2900	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	45	pH		8.2	pH
11-JUN-02	TUESDAY	1_Hr_COMP	145	Specific Conductance		3900	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	145	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	245	Specific Conductance		3200	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	245	pH		8.2	pH
11-JUN-02	TUESDAY	1_Hr_COMP	345	Specific Conductance		3800	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	345	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	445	Specific Conductance		3500	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	445	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	545	Specific Conductance		2900	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	545	pH		8.1	pH
11-JUN-02	TUESDAY	1_Hr_COMP	645	Specific Conductance		3200	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	645	pH		7.9	pH
11-JUN-02	TUESDAY	1_Hr_COMP	745	Specific Conductance		3300	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	745	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	845	Specific Conductance		3100	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	845	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	945	Specific Conductance		3700	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	945	pH		8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1045	Specific Conductance		4900	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1045	pH		7.8	pH
11-JUN-02	TUESDAY	1_Hr_COMP	1145	Specific Conductance		4200	umhos/cm
11-JUN-02	TUESDAY	1_Hr_COMP	1145	pH		7.7	pH
11-JUN-02	TUESDAY	COMP_AUTO_CN	1340	Total Cyanide	<	.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Aluminum		1.58	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Antimony	<	.015	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Arsenic		.004	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Barium		.221	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Beryllium	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Cadmium	<	.009	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Chromium		.144	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Copper		.592	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Lead		.08	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Manganese		.052	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Mercury	<	.002	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Nickel		.414	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Selenium		.02	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Silver	<	.006	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Thallium	<	.001	mg/L
11-JUN-02	TUESDAY	COMP_AUTO_HM	1340	Zinc		1.02	mg/L
11-JUN-02	TUESDAY	COMP_CONDUCT	1340	Specific Conductance		3400	umhos/cm
11-JUN-02	TUESDAY	COMP_PH	1340	pH		8	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1055	Specific Conductance		7700	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1055	pH		2.1	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1155	Specific Conductance		4700	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1155	pH		2.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1255	Specific Conductance		3700	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1255	pH		5.1	pH

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-JUN-02	TUESDAY	1_Hr_COMP	1355	Specific Conductance		3400	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1355	pH		5.3	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1455	Specific Conductance		3600	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1455	pH		5.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1555	Specific Conductance		3200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1555	pH		5.7	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1655	Specific Conductance		2600	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1655	pH		5.9	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1755	Specific Conductance		3300	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1755	pH		6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1855	Specific Conductance		3200	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1855	pH		6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	1955	Specific Conductance		2900	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	1955	pH		6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2055	Specific Conductance		3600	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2055	pH		6.4	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2155	Specific Conductance		4000	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2155	pH		6.5	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2255	Specific Conductance		3500	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2255	pH		6.6	pH
18-JUN-02	TUESDAY	1_Hr_COMP	2355	Specific Conductance		3700	umhos/cm
18-JUN-02	TUESDAY	1_Hr_COMP	2355	pH		6.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	55	Specific Conductance		3100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	55	pH		6.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	155	Specific Conductance		4100	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	155	pH		6.8	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	255	Specific Conductance		4600	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	255	pH		7.1	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	355	Specific Conductance		4300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	355	pH		7.3	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	455	Specific Conductance		3400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	455	pH		7.3	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	555	Specific Conductance		3300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	555	pH		7.1	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	655	Specific Conductance		4400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	655	pH		7.6	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	755	Specific Conductance		3500	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	755	pH		6.1	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	855	Specific Conductance		4400	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	855	pH		6.3	pH
19-JUN-02	WEDNESDAY	1_Hr_COMP	955	Specific Conductance		3300	umhos/cm
19-JUN-02	WEDNESDAY	1_Hr_COMP	955	pH		6.3	pH
19-JUN-02	WEDNESDAY	COMP_AUTO_CN	1155	Total Cyanide	<	.02	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Aluminum		1.59	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Antimony		.022	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Arsenic		.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Barium		.221	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Beryllium	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Cadmium	<	.009	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Chromium		.082	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Copper		.912	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Lead		.088	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Manganese		.169	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Mercury	<	.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Nickel		.434	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Selenium		.005	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Silver	<	.006	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Thallium		.002	mg/L
19-JUN-02	WEDNESDAY	COMP_AUTO_HM	1155	Zinc		1.05	mg/L
19-JUN-02	WEDNESDAY	COMP_CONDUCT	1155	Specific Conductance		3600	umhos/cm
19-JUN-02	WEDNESDAY	COMP_PH	1155	pH		6.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	945	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	945	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1045	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1045	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1145	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1145	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1245	Specific Conductance		2800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1245	pH		6.8	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1345	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1345	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1445	Specific Conductance		2300	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1445	pH		7.6	pH

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-NOV-02	SUNDAY	1_Hr_COMP	1545	Specific Conductance		2500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1545	pH		7.8	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1645	Specific Conductance		2800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1645	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1745	Specific Conductance		4000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1745	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1845	Specific Conductance		2400	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1845	pH		7.4	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1945	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1945	pH		7.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2045	Specific Conductance		2500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2045	pH		7.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2145	Specific Conductance		2500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2145	pH		7.6	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2245	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2245	pH		7.5	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2345	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2345	pH		7.4	pH
18-NOV-02	MONDAY	1_Hr_COMP	45	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	45	pH		7.6	pH
18-NOV-02	MONDAY	1_Hr_COMP	145	Specific Conductance		2600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	145	pH		7.5	pH
18-NOV-02	MONDAY	1_Hr_COMP	245	Specific Conductance		2100	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	245	pH		7.5	pH
18-NOV-02	MONDAY	1_Hr_COMP	345	Specific Conductance		1900	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	345	pH		7.3	pH
18-NOV-02	MONDAY	1_Hr_COMP	445	Specific Conductance		2400	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	445	pH		7.8	pH
18-NOV-02	MONDAY	1_Hr_COMP	545	Specific Conductance		2400	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	545	pH		6.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	645	Specific Conductance		12000	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	645	pH		1.4	pH
18-NOV-02	MONDAY	1_Hr_COMP	745	Specific Conductance		4900	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	745	pH		2	pH
18-NOV-02	MONDAY	1_Hr_COMP	845	Specific Conductance		7000	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	845	pH		1.8	pH
18-NOV-02	MONDAY	COMP_AUTO_CN	1250	Total Cyanide		.034	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Aluminum		2.29	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Antimony		.031	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Arsenic		.011	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Barium		.157	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Beryllium	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Cadmium	<	.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Chromium		.088	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Copper		.567	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Lead		.095	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Manganese		.115	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Mercury		.0045	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Nickel		.285	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Selenium		.013	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Silver		.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Thallium		.004	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1250	Zinc		.558	mg/L
18-NOV-02	MONDAY	COMP_AUTO_MBAS	1250	Methylene Blue Active Substances		2	mg/L
18-NOV-02	MONDAY	COMP_CONDUCT	1250	Specific Conductance		2500	umhos/cm
18-NOV-02	MONDAY	COMP_PH	1250	pH		5.7	pH
18-NOV-02	MONDAY	GRAB	1300	Specific Conductance		2400	umhos/cm
18-NOV-02	MONDAY	GRAB	1300	pH		7.9	pH
18-NOV-02	MONDAY	GRAB_OG	1300	Hexane Extraction Method		92.2	mg/L
18-NOV-02	MONDAY	GRAB_OG	1300	SGT-HEM-Non Polar Material		34.3	mg/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,1,1-trichloroethane	<	.78	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,1,2,2-tetrachloroethane	<	3.13	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,1,2-trichloroethane	<	3.02	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,1-dichloroethane	<	.71	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,1-dichloroethene	<	1.09	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,2-dichlorobenzene	<	1.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,2-dichloroethane	<	2.24	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,2-dichloropropane	<	.83	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,3-dichlorobenzene	<	1.31	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	1,4-dichlorobenzene	<	7.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	2-chloroethylvinyl ether	<	1.35	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Benzene	<	.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Bromodichloromethane	<	1.79	ug/L

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-NOV-02	MONDAY	GRAB_VOC	1300	Bromoform	<	3.58	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Bromomethane	<	1.39	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Carbon tetrachloride	<	1.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Chlorobenzene	<	1	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Chloroethane	<	.95	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Chloroform	<	7.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Chloromethane	<	3.23	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Dibromochloromethane	<	4.43	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Ethylbenzene	<	29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Methylene chloride	<	1.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Tetrachloroethene	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Toluene	<	1200	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Trichloroethene	<	1.32	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Trichlorofluoromethane	<	3.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	Vinyl chloride	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	cis-1,3-dichloropropene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	trans-1,2-dichloroethene	<	.61	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1300	trans-1,3-dichloropropene	<	1.27	ug/L
25-NOV-02	MONDAY	1_Hr_COMP	1330	Specific Conductance		3000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1330	pH		8.3	pH
25-NOV-02	MONDAY	1_Hr_COMP	1430	Specific Conductance		2700	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1430	pH		8	pH
25-NOV-02	MONDAY	1_Hr_COMP	1530	Specific Conductance		2800	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1530	pH		7.9	pH
25-NOV-02	MONDAY	1_Hr_COMP	1630	Specific Conductance		2800	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1630	pH		7.8	pH
25-NOV-02	MONDAY	1_Hr_COMP	1730	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1730	pH		6.9	pH
25-NOV-02	MONDAY	1_Hr_COMP	1830	Specific Conductance		3300	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1830	pH		7.3	pH
25-NOV-02	MONDAY	1_Hr_COMP	1930	Specific Conductance		4800	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1930	pH		7.4	pH
25-NOV-02	MONDAY	1_Hr_COMP	2030	Specific Conductance		6000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2030	pH		7.8	pH
25-NOV-02	MONDAY	1_Hr_COMP	2130	Specific Conductance		3800	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2130	pH		7.6	pH
25-NOV-02	MONDAY	1_Hr_COMP	2230	Specific Conductance		3500	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2230	pH		7.6	pH
25-NOV-02	MONDAY	1_Hr_COMP	2330	Specific Conductance		4000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2330	pH		8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	30	Specific Conductance		3200	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	30	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	130	Specific Conductance		3600	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	130	pH		8.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	230	Specific Conductance		3600	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	230	pH		8.8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	330	Specific Conductance		5400	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	330	pH		8.8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	430	Specific Conductance		3800	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	430	pH		9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	530	Specific Conductance		7800	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	530	pH		1.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	630	Specific Conductance		14000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	630	pH		1.3	pH
26-NOV-02	TUESDAY	1_Hr_COMP	730	Specific Conductance		13000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	730	pH		1.4	pH
26-NOV-02	TUESDAY	1_Hr_COMP	830	Specific Conductance		11000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	830	pH		1.5	pH
26-NOV-02	TUESDAY	1_Hr_COMP	930	Specific Conductance		9000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	930	pH		1.6	pH
26-NOV-02	TUESDAY	1_Hr_COMP	1030	Specific Conductance		3900	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	1030	pH		2.4	pH
26-NOV-02	TUESDAY	COMP_AUTO_CN	1115	Total Cyanide	<	.02	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Aluminum		4.27	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Antimony		.073	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Arsenic		.024	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Barium		.231	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Beryllium	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Cadmium		.013	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Chromium		.415	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Copper		.929	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Lead		.262	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Manganese		.119	mg/L

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Mercury		.0021	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Nickel		1.05	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Selenium		.023	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Silver	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Thallium		.004	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1115	Zinc		1.37	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_MBAS	1115	Methylene Blue Active Substances		5.5	mg/L
26-NOV-02	TUESDAY	COMP_CONDUCT	1115	Specific Conductance		3900	umhos/cm
26-NOV-02	TUESDAY	COMP_PH	1115	pH		4.2	pH
26-NOV-02	TUESDAY	GRAB	1135	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	GRAB	1135	pH		8.5	pH
26-NOV-02	TUESDAY	GRAB_OG	1135	Hexane Extraction Method		46	mg/L
26-NOV-02	TUESDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material		8.7	mg/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,1,1-trichloroethane	<	.78	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,1,2,2-tetrachloroethane	<	3.13	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,1,2-trichloroethane	<	3.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,1-dichloroethane	<	.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,1-dichloroethene	<	1.09	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,2-dichlorobenzene	<	1.37	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,2-dichloroethane	<	2.24	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,2-dichloropropane	<	.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,3-dichlorobenzene	<	1.31	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	1,4-dichlorobenzene	<	7.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	2-chloroethylvinyl ether	<	1.35	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Benzene	<	.81	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Bromodichloromethane	<	7.58	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Bromoform	<	3.58	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Bromomethane	<	1.39	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Carbon tetrachloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Chlorobenzene	<	1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Chloroethane	<	.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Chloroform	<	19.9	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Chloromethane	<	3.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Dibromochloromethane	<	5.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Ethylbenzene	<	1.46	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Methylene chloride	<	5.19	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Tetrachloroethene	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Toluene	<	.119	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Trichloroethene	<	1.32	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Trichlorofluoromethane	<	3.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	Vinyl chloride	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	cis-1,3-dichloropropene	<	1.01	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	trans-1,2-dichloroethene	<	.61	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1135	trans-1,3-dichloropropene	<	1.27	ug/L
04-DEC-02	WEDNESDAY	GRAB	1255	Specific Conductance		7900	umhos/cm
04-DEC-02	WEDNESDAY	GRAB	1255	pH		1.7	pH
04-DEC-02	WEDNESDAY	GRAB_MBAS	1255	Methylene Blue Active Substances		6.1	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Aluminum		2.81	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Antimony		.12	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Arsenic		.034	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Barium		1.79	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Beryllium	<	.006	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Cadmium	<	.009	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Chromium		.312	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Copper		.734	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Lead		.371	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Manganese		.192	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Mercury		.0022	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Nickel		.151	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Selenium		.011	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Silver	<	.006	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Thallium		.002	mg/L
04-DEC-02	WEDNESDAY	GRAB_METALS	1255	Zinc		.913	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1255	Hexane Extraction Method		57.1	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1255	SGT-HEM-Non Polar Material		13.8	mg/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,1,1-trichloroethane	<	.78	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,1,2,2-tetrachloroethane	<	3.13	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,1,2-trichloroethane	<	3.02	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,1-dichloroethane	<	.71	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,1-dichloroethene	<	1.09	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,2-dichlorobenzene	<	1.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,2-dichloroethane	<	2.24	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,2-dichloropropane	<	.83	ug/L

City of Tijuana
Site 45

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,3-dichlorobenzene	<	1.31	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	1,4-dichlorobenzene		13.1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	2-chloroethylvinyl ether	<	1.35	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Benzene		5.26	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Bromodichloromethane		5.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Bromoform	<	3.58	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Bromomethane	<	1.39	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Carbon tetrachloride	<	1.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Chlorobenzene	<	1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Chloroethane	<	.95	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Chloroform		11.2	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Chloromethane	<	3.23	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Dibromochloromethane		6.12	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Ethylbenzene		32	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Methylene chloride	<	1.29	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Tetrachloroethene		12.9	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Toluene		2520	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Trichloroethene		17.8	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Trichlorofluoromethane	<	3.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	Vinyl chloride	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	cis-1,3-dichloropropene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	trans-1,2-dichloroethene	<	.61	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1255	trans-1,3-dichloropropene	<	1.27	ug/L
12-DEC-02	THURSDAY	GRAB	1136	Specific Conductance		8300	umhos/cm
12-DEC-02	THURSDAY	GRAB	1136	pH		2.2	pH
12-DEC-02	THURSDAY	GRAB_CYANIDE	1136	Total Cyanide	<	.02	mg/L
12-DEC-02	THURSDAY	GRAB_MBAS	1136	Methylene Blue Active Substances		10.6	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Aluminum		1.83	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Antimony		.098	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Arsenic		.03	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Barium		.176	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Beryllium	<	.006	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Cadmium	<	.009	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Chromium		.135	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Copper		.432	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Lead		.109	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Manganese		.096	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Mercury		.0031	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Nickel		.124	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Selenium		.012	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Silver	<	.006	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Thallium		.002	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1136	Zinc		.732	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1136	Hexane Extraction Method		37.4	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1136	SGT-HEM-Non Polar Material		6.4	mg/L

SITE 48

City of Tijuana
Site 48

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
03-DEC-02	TUESDAY	1_Hr_COMP	1210	Specific Conductance		2900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1210	pH		8.4	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1310	Specific Conductance		3000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1310	pH		8.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1410	Specific Conductance		2700	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1410	pH		8.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1510	Specific Conductance		10200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1510	pH		8.5	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1610	Specific Conductance		4000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1610	pH		8.4	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1710	Specific Conductance		2700	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1710	pH		8.4	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1810	Specific Conductance		4900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1810	pH		8.2	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1910	Specific Conductance		3800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1910	pH		8.9	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2010	Specific Conductance		3200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2010	pH		8.9	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2110	Specific Conductance		3400	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2110	pH		9.2	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2210	Specific Conductance		15600	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2210	pH		8.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2310	Specific Conductance		4700	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2310	pH		8.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	10	Specific Conductance		3500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	10	pH		8.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	110	Specific Conductance		2900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	110	pH		8.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	210	Specific Conductance		3300	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	210	pH		7.9	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	310	Specific Conductance		3300	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	310	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	410	Specific Conductance		4800	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	410	pH		6.9	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	510	Specific Conductance		12500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	510	pH		6.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	610	Specific Conductance		3000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	610	pH		7.3	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	710	Specific Conductance		2400	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	710	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	810	Specific Conductance		3000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	810	pH		8.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	910	Specific Conductance		2900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	910	pH		8.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	1010	Specific Conductance		2500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	1010	pH		8.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	1110	Specific Conductance		2700	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	1110	pH		8.7	pH
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Aluminum		.756	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Antimony	<	.015	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Arsenic		.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Barium		.19	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Beryllium	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Cadmium	<	.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Chromium		.032	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Copper		.158	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Lead		.109	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Manganese		.055	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Mercury		.0075	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Nickel		.026	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Selenium		.003	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Silver	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Thallium		.003	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1200	Zinc		.476	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_MBAS	1200	Methylene Blue Active Substances		2.8	mg/L
04-DEC-02	WEDNESDAY	COMP_CONDUCT	1200	Specific Conductance		4600	umhos/cm
04-DEC-02	WEDNESDAY	COMP_PH	1200	pH		8.3	pH
04-DEC-02	WEDNESDAY	GRAB	1210	Specific Conductance		2600	umhos/cm
04-DEC-02	WEDNESDAY	GRAB	1210	pH		8	pH
04-DEC-02	WEDNESDAY	GRAB_OG	1210	Hexane Extraction Method		33.5	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1210	SGT-HEM-Non Polar Material		7.5	mg/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,1,1-trichloroethane	<	.78	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,1,2,2-tetrachloroethane	<	3.13	ug/L

City of Tijuana
Site 48

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,1,2-trichloroethane	<	3.02	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,1-dichloroethane	<	.71	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,1-dichloroethene	<	1.09	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,2-dichlorobenzene	<	1.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,2-dichloroethane	<	2.24	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,2-dichloropropane	<	.83	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,3-dichlorobenzene	<	1.31	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	1,4-dichlorobenzene	<	11.6	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	2-chloroethylvinyl ether	<	1.35	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Benzene	<	.81	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Bromodichloromethane	<	5.16	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Bromoform	<	3.58	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Bromomethane	<	1.39	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Carbon tetrachloride	<	1.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Chlorobenzene	<	1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Chloroethane	<	.95	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Chloroform	<	4.94	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Chloromethane	<	3.23	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Dibromochloromethane	<	5.32	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Ethylbenzene	<	1.46	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Methylene chloride	<	1.29	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Tetrachloroethene	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Toluene	<	1.68	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Trichloroethene	<	1.32	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Trichlorofluoromethane	<	3.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	Vinyl chloride	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	cis-1,3-dichloropropene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	trans-1,2-dichloroethene	<	.61	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1210	trans-1,3-dichloropropene	<	1.27	ug/L
11-DEC-02	WEDNESDAY	1_Hr_COMP	1310	Specific Conductance		2500	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1310	pH		8.2	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1410	Specific Conductance		10300	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1410	pH		8.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1510	Specific Conductance		5300	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1510	pH		8.5	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1610	Specific Conductance		10100	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1610	pH		8.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1710	Specific Conductance		7800	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1710	pH		8.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1810	Specific Conductance		3700	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1810	pH		8.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1910	Specific Conductance		4000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1910	pH		8.6	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2010	Specific Conductance		5500	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2010	pH		7.8	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2110	Specific Conductance		5400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2110	pH		5.1	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2210	Specific Conductance		3000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2210	pH		7.1	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2310	Specific Conductance		3200	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2310	pH		8.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	10	Specific Conductance		2400	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	10	pH		8.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	110	Specific Conductance		3900	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	110	pH		5.9	pH
12-DEC-02	THURSDAY	1_Hr_COMP	210	Specific Conductance		3900	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	210	pH		6.2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	310	Specific Conductance		2300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	310	pH		8.2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	410	Specific Conductance		2700	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	410	pH		8.9	pH
12-DEC-02	THURSDAY	1_Hr_COMP	510	Specific Conductance		2700	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	510	pH		9	pH
12-DEC-02	THURSDAY	1_Hr_COMP	610	Specific Conductance		11000	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	610	pH		8.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	710	Specific Conductance		10800	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	710	pH		8.3	pH
12-DEC-02	THURSDAY	1_Hr_COMP	810	Specific Conductance		3400	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	810	pH		8.4	pH
12-DEC-02	THURSDAY	1_Hr_COMP	910	Specific Conductance		3300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	910	pH		8.4	pH
12-DEC-02	THURSDAY	1_Hr_COMP	1010	Specific Conductance		3000	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1010	pH		8.4	pH

City of Tijuana
Site 48

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
12-DEC-02	THURSDAY	1_Hr_COMP	1110	Specific Conductance		2800	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1110	pH		8.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	1210	Specific Conductance		3100	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1210	pH		8.5	pH
12-DEC-02	THURSDAY	COMP_AUTO_CN	1335	Total Cyanide	<	.02	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Aluminum		.831	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Antimony	<	.015	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Arsenic		.012	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Barium		.234	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Beryllium	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Cadmium	<	.009	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Chromium		.02	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Copper		.157	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Lead		.04	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Manganese		.05	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Mercury		.0105	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Nickel		.022	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Selenium		.004	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Silver	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Thallium		.003	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1335	Zinc		.437	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_MBAS	1335	Methylene Blue Active Substances		2.5	mg/L
12-DEC-02	THURSDAY	COMP_CONDUCT	1335	Specific Conductance		5800	umhos/cm
12-DEC-02	THURSDAY	COMP_PH	1335	pH		8	pH
12-DEC-02	THURSDAY	GRAB	1340	Specific Conductance		2700	umhos/cm
12-DEC-02	THURSDAY	GRAB	1340	pH		8.4	pH
12-DEC-02	THURSDAY	GRAB_OG	1340	Hexane Extraction Method		14.8	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1340	SGT-HEM-Non Polar Material		5.6	mg/L
19-DEC-02	THURSDAY	1_Hr_COMP	1320	Specific Conductance		2700	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1320	pH		8.6	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1420	Specific Conductance		3300	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1420	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1520	Specific Conductance		3100	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1520	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1620	Specific Conductance		3900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1620	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1720	Specific Conductance		4300	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1720	pH		8.6	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1820	Specific Conductance		3800	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1820	pH		8.3	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1920	Specific Conductance		3500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1920	pH		8.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2020	Specific Conductance		3400	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2020	pH		8.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2120	Specific Conductance		3100	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2120	pH		8.2	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2220	Specific Conductance		2900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2220	pH		8.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2320	Specific Conductance		2500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2320	pH		8.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	20	Specific Conductance		2300	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	20	pH		8.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	120	Specific Conductance		2200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	120	pH		8.6	pH
20-DEC-02	FRIDAY	1_Hr_COMP	220	Specific Conductance		4900	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	220	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	320	Specific Conductance		4300	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	320	pH		8.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	420	Specific Conductance		3200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	420	pH		8.4	pH
20-DEC-02	FRIDAY	1_Hr_COMP	520	Specific Conductance		2100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	520	pH		8.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	620	Specific Conductance		1900	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	620	pH		8.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	720	Specific Conductance		2100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	720	pH		8.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	820	Specific Conductance		1800	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	820	pH		8.2	pH
20-DEC-02	FRIDAY	1_Hr_COMP	920	Specific Conductance		2900	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	920	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1020	Specific Conductance		1700	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1020	pH		8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1120	Specific Conductance		2500	umhos/cm

City of Tijuana
Site 48

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-DEC-02	FRIDAY	1_Hr_COMP	1120	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1220	Specific Conductance		2100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1220	pH		7.7	pH
20-DEC-02	FRIDAY	COMP_AUTO_CN	1405	Total Cyanide	<	.02	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Aluminum		3.61	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Antimony	<	.015	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Arsenic	<	.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Barium		.13	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Beryllium	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Cadmium	<	.009	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Chromium		.015	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Copper		.144	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Lead		.115	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Manganese		.07	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Mercury		.0048	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Nickel		.048	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Selenium	<	.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Silver	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Thallium		.002	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1405	Zinc		.477	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_MBAS	1405	Methylene Blue Active Substances		2.9	mg/L
20-DEC-02	FRIDAY	COMP_CONDUCT	1405	Specific Conductance		3000	umhos/cm
20-DEC-02	FRIDAY	COMP_PH	1405	pH		8.5	pH
20-DEC-02	FRIDAY	GRAB	1410	Specific Conductance		2000	umhos/cm
20-DEC-02	FRIDAY	GRAB	1410	pH		8.2	pH
20-DEC-02	FRIDAY	GRAB_OG	1410	Hexane Extraction Method		23.8	mg/L
20-DEC-02	FRIDAY	GRAB_OG	1410	SGT-HEM-Non Polar Material		6.7	mg/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,1,1-trichloroethane	<	.78	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,1,2,2-tetrachloroethane	<	3.13	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,1,2-trichloroethane	<	3.02	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,1-dichloroethane	<	.71	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,1-dichloroethene	<	1.09	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,2-dichlorobenzene	<	1.37	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,2-dichloroethane	<	2.24	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,2-dichloropropane	<	.83	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,3-dichlorobenzene	<	1.31	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	1,4-dichlorobenzene		7.9	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	2-chloroethylvinyl ether	<	1.35	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Benzene	<	.81	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Bromodichloromethane		4.94	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Bromoform	<	3.58	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Bromomethane	<	1.39	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Carbon tetrachloride	<	1.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Chlorobenzene	<	1	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Chloroethane	<	.95	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Chloroform		3.9	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Chloromethane	<	3.23	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Dibromochloromethane		5.75	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Ethylbenzene	<	1.46	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Methylene chloride	<	1.29	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Tetrachloroethene	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Toluene		1.15	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Trichloroethene	<	1.32	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Trichlorofluoromethane	<	3.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	Vinyl chloride	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	cis-1,3-dichloropropene	<	1.01	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	trans-1,2-dichloroethene	<	.61	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1410	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 49

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-NOV-02	SUNDAY	1_Hr_COMP	1020	Specific Conductance		2900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1020	pH		6.9	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1120	Specific Conductance		1700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1120	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1220	Specific Conductance		1700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1220	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1320	Specific Conductance		1600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1320	pH		6.9	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1420	Specific Conductance		1600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1420	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1520	Specific Conductance		1600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1520	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1620	Specific Conductance		1700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1620	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1720	Specific Conductance		1600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1720	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1820	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1820	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1920	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1920	pH		7	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2020	Specific Conductance		1900	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2020	pH		6.9	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2120	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2120	pH		6.8	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2220	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2220	pH		6.8	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2320	Specific Conductance		1600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2320	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	20	Specific Conductance		1700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	20	pH		6.9	pH
18-NOV-02	MONDAY	1_Hr_COMP	120	Specific Conductance		1600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	120	pH		6.9	pH
18-NOV-02	MONDAY	1_Hr_COMP	220	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	220	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	320	Specific Conductance		2700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	320	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	420	Specific Conductance		2200	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	420	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	520	Specific Conductance		1600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	520	pH		7.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	620	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	620	pH		7.2	pH
18-NOV-02	MONDAY	1_Hr_COMP	720	Specific Conductance		2900	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	720	pH		8.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	820	Specific Conductance		3700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	820	pH		7.4	pH
18-NOV-02	MONDAY	1_Hr_COMP	920	Specific Conductance		2600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	920	pH		7.3	pH
18-NOV-02	MONDAY	COMP_AUTO_CN	1610	Total Cyanide	<	.02	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Aluminum		.802	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Antimony	<	.015	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Arsenic		.003	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Barium		.165	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Beryllium	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Cadmium	<	.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Chromium		.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Copper		.299	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Lead		.069	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Manganese		.075	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Mercury	<	.002	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Nickel		.018	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Selenium	<	.003	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Silver	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Thallium		.005	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1610	Zinc		.396	mg/L
18-NOV-02	MONDAY	COMP_AUTO_MBAS	1610	Methylene Blue Active Substances		3.5	mg/L
18-NOV-02	MONDAY	COMP_CONDUCT	1610	Specific Conductance		2100	umhos/cm
18-NOV-02	MONDAY	COMP_PH	1610	pH		7.3	pH
18-NOV-02	MONDAY	GRAB	1620	Specific Conductance		2000	umhos/cm
18-NOV-02	MONDAY	GRAB	1620	pH		7.2	pH
18-NOV-02	MONDAY	GRAB_OG	1620	Hexane Extraction Method		35.7	mg/L
18-NOV-02	MONDAY	GRAB_OG	1620	SGT-HEM-Non Polar Material		5.9	mg/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,1,1-trichloroethane	<	.78	ug/L

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-NOV-02	MONDAY	GRAB_VOC	1620	1,1,2,2-tetrachloroethane	<	3.13	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,1,2-trichloroethane	<	3.02	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,1-dichloroethane	<	.71	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,1-dichloroethene	<	1.09	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,2-dichlorobenzene	<	1.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,2-dichloroethane	<	2.24	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,2-dichloropropane	<	.83	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,3-dichlorobenzene	<	1.31	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	1,4-dichlorobenzene	<	7.88	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	2-chloroethylvinyl ether	<	1.35	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Benzene	<	.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Bromodichloromethane	<	7.12	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Bromoform	<	3.58	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Bromomethane	<	1.39	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Carbon tetrachloride	<	1.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Chlorobenzene	<	1	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Chloroethane	<	.95	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Chloroform	<	10.5	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Chloromethane	<	3.23	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Dibromochloromethane	<	5.73	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Ethylbenzene	<	1.46	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Methylene chloride	<	1.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Tetrachloroethene	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Toluene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Trichloroethene	<	1.32	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Trichlorofluoromethane	<	3.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	Vinyl chloride	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	cis-1,3-dichloropropene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	trans-1,2-dichloroethene	<	.61	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1620	trans-1,3-dichloropropene	<	1.27	ug/L
25-NOV-02	MONDAY	1_Hr_COMP	2310	Specific Conductance		2100	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2310	pH		8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	10	Specific Conductance		5700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	10	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	110	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	110	pH		7.8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	210	Specific Conductance		2500	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	210	pH		9.1	pH
26-NOV-02	TUESDAY	1_Hr_COMP	310	Specific Conductance		2100	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	310	pH		8.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	410	Specific Conductance		2000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	410	pH		8.3	pH
26-NOV-02	TUESDAY	1_Hr_COMP	610	Specific Conductance		2600	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	610	pH		8.8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	710	Specific Conductance		2400	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	710	pH		8.5	pH
26-NOV-02	TUESDAY	1_Hr_COMP	810	Specific Conductance		2500	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	810	pH		8.1	pH
26-NOV-02	TUESDAY	1_Hr_COMP	910	Specific Conductance		2500	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	910	pH		8.2	pH
26-NOV-02	TUESDAY	COMP_AUTO_CN	1234	Total Cyanide	<	.02	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Aluminum		3.65	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Antimony	<	.015	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Arsenic		.018	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Barium		.227	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Beryllium	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Cadmium	<	.009	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Chromium		.03	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Copper		1.13	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Lead		.444	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Manganese		.09	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Mercury	<	.002	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Nickel		.096	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Selenium		.011	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Silver	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Thallium		.005	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1234	Zinc		.805	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_MBAS	1234	Methylene Blue Active Substances		7.3	mg/L
26-NOV-02	TUESDAY	COMP_CONDUCT	1234	Specific Conductance		3300	umhos/cm
26-NOV-02	TUESDAY	COMP_PH	1234	pH		8.4	pH
26-NOV-02	TUESDAY	GRAB	1240	Specific Conductance		2100	umhos/cm
26-NOV-02	TUESDAY	GRAB	1240	pH		7.6	pH
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,1,1-trichloroethane	<	.78	ug/L

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,1,2,2-tetrachloroethane	<	3.13	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,1,2-trichloroethane	<	3.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,1-dichloroethane	<	.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,1-dichloroethene	<	1.09	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,2-dichlorobenzene	<	1.37	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,2-dichloroethane	<	2.24	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,2-dichloropropane	<	.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,3-dichlorobenzene	<	1.31	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	1,4-dichlorobenzene	<	9.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	2-chloroethylvinyl ether	<	1.35	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Benzene	<	.81	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Bromodichloromethane		6.96	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Bromoform	<	3.58	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Bromomethane	<	1.39	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Carbon tetrachloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Chlorobenzene	<	1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Chloroethane	<	.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Chloroform		12.1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Chloromethane	<	3.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Dibromochloromethane		6.25	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Ethylbenzene	<	1.46	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Methylene chloride	<	1.29	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Tetrachloroethene		5.29	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Toluene		6.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Trichloroethene	<	1.32	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Trichlorofluoromethane	<	3.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	Vinyl chloride	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	cis-1,3-dichloropropene	<	1.01	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	trans-1,2-dichloroethene	<	.61	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1240	trans-1,3-dichloropropene	<	1.27	ug/L
26-NOV-02	TUESDAY	1_Hr_COMP	1310	Specific Conductance		5700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	1310	pH		7.8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1250	Specific Conductance		2900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1250	pH		7.7	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1350	Specific Conductance		2300	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1350	pH		7.7	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1450	Specific Conductance		3000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1450	pH		7.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1550	Specific Conductance		2900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1550	pH		7.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1650	Specific Conductance		3800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1650	pH		7.8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1750	Specific Conductance		4200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1750	pH		8.2	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1850	Specific Conductance		5400	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1850	pH		8.2	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1950	Specific Conductance		4000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1950	pH		8.1	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2050	Specific Conductance		3200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2050	pH		8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2150	Specific Conductance		4400	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2150	pH		7.8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2250	Specific Conductance		2900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2250	pH		7.7	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2350	Specific Conductance		2500	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2350	pH		7.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	50	Specific Conductance		3200	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	50	pH		7.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	150	Specific Conductance		3200	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	150	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	250	Specific Conductance		3900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	250	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	350	Specific Conductance		3400	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	350	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	450	Specific Conductance		5200	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	450	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	550	Specific Conductance		6700	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	550	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	650	Specific Conductance		2600	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	650	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	750	Specific Conductance		2400	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	750	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	850	Specific Conductance		2800	umhos/cm

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
04-DEC-02	WEDNESDAY	1_Hr_COMP	850	pH		7.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	950	Specific Conductance		2100	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	950	pH		7.7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	1050	Specific Conductance		2700	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	1050	pH		7.8	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	1150	Specific Conductance		3000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	1150	pH		7.8	pH
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Aluminum		5.6	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Antimony	<	.015	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Arsenic		.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Barium		.176	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Beryllium	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Cadmium	<	.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Chromium		.015	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Copper		.794	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Lead		.058	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Manganese		.054	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Mercury	<	.002	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Nickel		.149	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Selenium		.004	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Silver	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Thallium		.004	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1230	Zinc		.296	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_MBAS	1230	Methylene Blue Active Substances		6.6	mg/L
04-DEC-02	WEDNESDAY	COMP_CONDUCT	1230	Specific Conductance		3400	umhos/cm
04-DEC-02	WEDNESDAY	COMP_PH	1230	pH		7.8	pH
04-DEC-02	WEDNESDAY	GRAB	1240	Specific Conductance		3000	umhos/cm
04-DEC-02	WEDNESDAY	GRAB	1240	pH		8	pH
04-DEC-02	WEDNESDAY	GRAB_OG	1240	Hexane Extraction Method		71.7	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1240	SGT-HEM-Non Polar Material		6.8	mg/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,1,1-trichloroethane	<	.78	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,1,2,2-tetrachloroethane	<	3.13	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,1,2-trichloroethane	<	3.02	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,1-dichloroethane	<	.71	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,1-dichloroethene	<	1.09	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,2-dichlorobenzene	<	1.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,2-dichloroethane	<	2.24	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,2-dichloropropane	<	.83	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,3-dichlorobenzene	<	1.31	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	1,4-dichlorobenzene	<	11	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	2-chloroethylvinyl ether	<	1.35	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Benzene	<	.81	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Bromodichloromethane		6.73	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Bromoform	<	3.58	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Bromomethane	<	1.39	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Carbon tetrachloride	<	1.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Chlorobenzene	<	1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Chloroethane	<	.95	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Chloroform		11	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Chloromethane	<	3.23	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Dibromochloromethane		6.22	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Ethylbenzene	<	1.46	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Methylene chloride	<	1.29	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Tetrachloroethene	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Toluene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Trichloroethene	<	1.32	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Trichlorofluoromethane	<	3.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	Vinyl chloride	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	cis-1,3-dichloropropene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	trans-1,2-dichloroethene	<	.61	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1240	trans-1,3-dichloropropene	<	1.27	ug/L
11-DEC-02	WEDNESDAY	1_Hr_COMP	1325	Specific Conductance		5800	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1325	pH		7.7	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1425	Specific Conductance		3400	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1425	pH		7.7	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1525	Specific Conductance		2900	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1525	pH		7.5	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1625	Specific Conductance		2700	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1625	pH		8.5	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1725	Specific Conductance		4800	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1725	pH		8.3	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	1825	Specific Conductance		4300	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1825	pH		7.5	pH

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
11-DEC-02	WEDNESDAY	1_Hr_COMP	1925	Specific Conductance		2200	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	1925	pH		8.2	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2025	Specific Conductance		5000	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2025	pH		8	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2125	Specific Conductance		2600	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2125	pH		7.7	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2225	Specific Conductance		5300	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2225	pH		7.4	pH
11-DEC-02	WEDNESDAY	1_Hr_COMP	2325	Specific Conductance		5800	umhos/cm
11-DEC-02	WEDNESDAY	1_Hr_COMP	2325	pH		7.2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	25	Specific Conductance		3100	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	25	pH		7.4	pH
12-DEC-02	THURSDAY	1_Hr_COMP	125	Specific Conductance		2900	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	125	pH		7.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	225	Specific Conductance		3200	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	225	pH		6.8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	325	Specific Conductance		3000	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	325	pH		7.2	pH
12-DEC-02	THURSDAY	1_Hr_COMP	425	Specific Conductance		2600	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	425	pH		7.4	pH
12-DEC-02	THURSDAY	1_Hr_COMP	525	Specific Conductance		6900	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	525	pH		7.5	pH
12-DEC-02	THURSDAY	1_Hr_COMP	625	Specific Conductance		3800	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	625	pH		7.6	pH
12-DEC-02	THURSDAY	1_Hr_COMP	725	Specific Conductance		2700	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	725	pH		7.6	pH
12-DEC-02	THURSDAY	1_Hr_COMP	825	Specific Conductance		7700	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	825	pH		7.7	pH
12-DEC-02	THURSDAY	1_Hr_COMP	925	Specific Conductance		3300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	925	pH		7.8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	1025	Specific Conductance		4200	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1025	pH		7.9	pH
12-DEC-02	THURSDAY	1_Hr_COMP	1125	Specific Conductance		3300	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1125	pH		7.8	pH
12-DEC-02	THURSDAY	1_Hr_COMP	1225	Specific Conductance		3400	umhos/cm
12-DEC-02	THURSDAY	1_Hr_COMP	1225	pH		8	pH
12-DEC-02	THURSDAY	COMP_AUTO_CN	1358	Total Cyanide	<	.02	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Aluminum		.881	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Antimony	<	.015	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Arsenic		.011	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Barium		.192	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Beryllium	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Cadmium	<	.009	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Chromium		.017	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Copper		1.01	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Lead		.043	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Manganese		.056	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Mercury	<	.002	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Nickel		.045	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Selenium		.004	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Silver	<	.006	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Thallium		.004	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_HM	1358	Zinc		.33	mg/L
12-DEC-02	THURSDAY	COMP_AUTO_MBAS	1358	Methylene Blue Active Substances		7.4	mg/L
12-DEC-02	THURSDAY	COMP_CONDUCT	1358	Specific Conductance		3900	umhos/cm
12-DEC-02	THURSDAY	COMP_PH	1358	pH		7.7	pH
12-DEC-02	THURSDAY	GRAB	1405	Specific Conductance		8600	umhos/cm
12-DEC-02	THURSDAY	GRAB	1405	pH		8.3	pH
12-DEC-02	THURSDAY	GRAB_OG	1405	Hexane Extraction Method		169	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1405	SGT-HEM-Non Polar Material		28.2	mg/L
19-DEC-02	THURSDAY	1_Hr_COMP	1335	Specific Conductance		3600	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1335	pH		7.8	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1435	Specific Conductance		5100	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1435	pH		8.4	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1535	Specific Conductance		4400	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1535	pH		7.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1635	Specific Conductance		4000	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1635	pH		7.2	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1735	Specific Conductance		3700	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1735	pH		7.4	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1835	Specific Conductance		3300	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1835	pH		7.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1935	Specific Conductance		3300	umhos/cm

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
19-DEC-02	THURSDAY	1_Hr_COMP	1935	pH		7.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2035	Specific Conductance		2800	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2035	pH		7.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2135	Specific Conductance		2500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2135	pH		7.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2235	Specific Conductance		2500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2235	pH		7.6	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2335	Specific Conductance		2900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2335	pH		8.3	pH
20-DEC-02	FRIDAY	1_Hr_COMP	35	Specific Conductance		1100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	35	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	135	Specific Conductance		5600	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	135	pH		7.8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	235	Specific Conductance		8100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	235	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	335	Specific Conductance		1200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	335	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	435	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	435	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	535	Specific Conductance		2500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	535	pH		8.2	pH
20-DEC-02	FRIDAY	1_Hr_COMP	635	Specific Conductance		2700	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	635	pH		7.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	735	Specific Conductance		3700	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	735	pH		7.6	pH
20-DEC-02	FRIDAY	1_Hr_COMP	835	Specific Conductance		2500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	835	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	935	Specific Conductance		2200	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	935	pH		7.5	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1035	Specific Conductance		2300	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1035	pH		8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1135	Specific Conductance		2500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1135	pH		8.1	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1235	Specific Conductance		3800	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1235	pH		8.4	pH
20-DEC-02	FRIDAY	COMP_AUTO_CN	1320	Total Cyanide	<	.02	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Aluminum		6.05	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Antimony	<	.015	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Arsenic	<	.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Barium		.139	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Beryllium	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Cadmium	<	.009	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Chromium		.012	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Copper		.736	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Lead		.057	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Manganese		.108	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Mercury	<	.002	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Nickel		5.12	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Selenium	<	.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Silver	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Thallium		.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1320	Zinc		.633	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_MBAS	1320	Methylene Blue Active Substances		5.7	mg/L
20-DEC-02	FRIDAY	COMP_CONDUCT	1320	Specific Conductance		2600	umhos/cm
20-DEC-02	FRIDAY	COMP_PH	1320	pH		7.8	pH
20-DEC-02	FRIDAY	GRAB	1330	Specific Conductance		2200	umhos/cm
20-DEC-02	FRIDAY	GRAB	1330	pH		7.6	pH
20-DEC-02	FRIDAY	GRAB_OG	1330	Hexane Extraction Method		68.3	mg/L
20-DEC-02	FRIDAY	GRAB_OG	1330	SGT-HEM-Non Polar Material		11.5	mg/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,1,1-trichloroethane	<	.78	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,1,2,2-tetrachloroethane	<	3.13	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,1,2-trichloroethane	<	3.02	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,1-dichloroethane	<	.71	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,1-dichloroethene	<	1.09	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,2-dichlorobenzene	<	1.37	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,2-dichloroethane	<	2.24	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,2-dichloropropane	<	.83	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,3-dichlorobenzene	<	1.31	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	1,4-dichlorobenzene	<	8.16	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	2-chloroethylvinyl ether	<	1.35	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Benzene	<	.81	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Bromodichloromethane		3.68	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Bromoform	<	3.58	ug/L

City of Tijuana
Site 49

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-DEC-02	FRIDAY	GRAB_VOC	1330	Bromomethane	<	1.39	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Carbon tetrachloride	<	1.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Chlorobenzene	<	1	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Chloroethane	<	.95	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Chloroform	<	6.73	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Chloromethane	<	3.23	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Dibromochloromethane	<	8.41	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Ethylbenzene	<	1.46	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Methylene chloride	<	1.29	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Tetrachloroethene	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Toluene	<	6.18	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Trichloroethene	<	1.32	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Trichlorofluoromethane	<	3.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	Vinyl chloride	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	cis-1,3-dichloropropene	<	1.01	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	trans-1,2-dichloroethene	<	.61	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1330	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 53

City of Tijuana
Site 53

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	GRAB	1400	Specific Conductance		1300	umhos/cm
27-JUN-02	THURSDAY	GRAB	1400	pH		6.7	pH
27-JUN-02	THURSDAY	GRAB_AMMONIA	1400	Ammonia as (N)	<	.3	mg/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	1,2,4-trichlorobenzene	<	11.1	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	1,2-diphenylhydrazine	<	8.45	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,4,6-trichlorophenol	<	8.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,4-dimethylphenol	<	11	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,4-dinitrophenol	<	8.98	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,4-dinitrotoluene	<	6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,4-dichlorophenol	<	9.32	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2,6-dinitrotoluene	<	6.97	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2-chloronaphthalene	<	7.64	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2-chlorophenol	<	5	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	2-nitrophenol	<	9.22	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	3,3-dichlorobenzidine	<	9.99	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	4-bromophenyl phenyl ether	<	6.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	4-chloro-3-methylphenol	<	7.16	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	4-chlorophenyl phenyl ether	<	4.99	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	4-nitrophenol	<	4.9	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Acenaphthene	<	5.45	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Acenaphthylene	<	8.34	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Anthracene	<	7.16	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzidine	<	6.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzo(A)anthracene	<	5.2	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzo(A)pyrene	<	7.69	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzo(G,H,I)perylene	<	5.22	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzo(K)fluoranthene	<	7.9	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Benzo(b)fluoroanthene	<	6.98	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Butyl benzyl phthalate	<	7.53	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Chrysene	<	4.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Di-n-Butyl phthalate	<	5.89	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Di-n-Octyl phthalate	<	9.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Dibenzo (A,H) Anthracene	<	7.66	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Diethyl Phthalate	<	4.66	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Dimethyl Phthalate	<	4.64	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Fluoranthene	<	4.68	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Fluorene	<	4.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Hexachlorobenzene	<	6.89	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Hexachlorobutadiene	<	9.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Hexachlorocyclopentadiene	<	8.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Hexachloroethane	<	5.27	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Isophorone	<	6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	N-nitrosodi-n-propylamine	<	8.67	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	N-nitrosodimethylamine	<	5.4	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	N-nitrosodiphenylamine	<	5.01	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Naphthalene	<	7.47	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Nitrobenzene	<	7.92	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Pentachlorophenol	<	2.73	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Phenanthrene	<	4.76	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Phenol	<	2.43	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	Pyrene	<	4.86	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	bis(2-chloroethoxy)methane	<	10.4	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1400	bis(2-chloroethyl) ether	<	6.41	ug/L
27-JUN-02	THURSDAY	GRAB_BOD	1400	Biochemical Oxygen Demand (BOD)	<	10	mg/L
27-JUN-02	THURSDAY	GRAB_COD	1400	Chemical Oxygen Demand	<	38	mg/L
27-JUN-02	THURSDAY	GRAB_CYANIDE	1400	Total Cyanide	<	.02	mg/L
27-JUN-02	THURSDAY	GRAB_MBAS	1400	Methylene Blue Active Substances	<	1	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Aluminum		.074	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Antimony	<	.015	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Arsenic		.008	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Barium		.119	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Beryllium	<	.006	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Cadmium	<	.009	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Chromium	<	.009	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Copper	<	.006	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Lead	<	.02	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Manganese		.214	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Mercury	<	.002	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Nickel	<	.012	mg/L

City of Tijuana
Site 53

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	GRAB_METALS	1400	Selenium	<	.003	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Silver	<	.006	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Thallium	<	.001	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1400	Zinc	<	.081	mg/L
27-JUN-02	THURSDAY	GRAB_OG	1400	Hexane Extraction Method		1.7	mg/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Aldrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Alpha Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	BHC, Alpha	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	BHC, Beta	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	BHC, Delta	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	BHC, Gamma (Lindane)	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Beta Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Chlordane	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Chlorpyrifos	<	.05	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Demeton-O	<	.09	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Demeton-S	<	.05	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Diazinon	<	.07	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Dieldrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Endosulfan Sulfate	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Endrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Endrin aldehyde	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Guthion	<	.21	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Heptachlor	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Heptachlor epoxide	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Malathion	<	.04	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1016	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1221	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1232	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1242	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1248	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1254	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB 1260	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	PCB-1262	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Parathion	<	.03	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	Toxaphene	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	p,p-DDD	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	p,p-DDE	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1400	p,p-DDT	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_SOLIDS	1400	Total Suspended Solids	<	5	mg/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,1,1-trichloroethane	<	.78	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,1,2,2-tetrachloroethane	<	3.13	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,1,2-trichloroethane	<	3.02	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,1-dichloroethane	<	.71	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,1-dichloroethene	<	1.09	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,2-dichlorobenzene	<	1.37	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,2-dichloroethane	<	2.24	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,2-dichloropropane	<	.83	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,3-dichlorobenzene	<	1.31	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	1,4-dichlorobenzene	<	.99	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	2-chloroethylvinyl ether	<	1.35	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Benzene	<	.81	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Bromodichloromethane	<	1.79	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Bromoform	<	3.58	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Bromomethane	<	1.39	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Carbon tetrachloride	<	1.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Chlorobenzene	<	1	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Chloroethane	<	.95	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Chloroform	<	.57	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Chloromethane	<	3.23	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Dibromochloromethane	<	1.99	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Ethylbenzene	<	1.46	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Methylene chloride	<	1.29	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Tetrachloroethene	<	1.04	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Toluene	<	1.01	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Trichloroethene	<	1.32	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Trichlorofluoromethane	<	3.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	Vinyl chloride	<	1.04	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	cis-1,3-dichloropropene	<	1.01	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	trans-1,2-dichloroethene	<	.61	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1400	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 54

City of Tijuana
Site 54

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	GRAB	1600	Specific Conductance		3300	umhos/cm
27-JUN-02	THURSDAY	GRAB	1600	pH		7	pH
27-JUN-02	THURSDAY	GRAB_AMMONIA	1600	Ammonia as (N)	<	.3	mg/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	1,2,4-trichlorobenzene	<	11.1	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	1,2-diphenylhydrazine	<	8.45	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,4,6-trichlorophenol	<	8.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,4-dimethylphenol	<	11	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,4-dinitrophenol	<	8.98	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,4-dinitrotoluene	<	6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,4-dichlorophenol	<	9.32	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2,6-dinitrotoluene	<	6.97	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2-chloronaphthalene	<	7.64	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2-chlorophenol	<	5	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	2-nitrophenol	<	9.22	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	3,3-dichlorobenzidine	<	9.99	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	4-bromophenyl phenyl ether	<	6.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	4-chloro-3-methylphenol	<	7.16	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	4-chlorophenyl phenyl ether	<	4.99	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	4-nitrophenol	<	4.9	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Acenaphthene	<	5.45	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Acenaphthylene	<	8.34	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Anthracene	<	7.16	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzidine	<	6.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzo(A)anthracene	<	5.2	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzo(A)pyrene	<	7.69	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzo(G,H,I)perylene	<	5.22	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzo(K)fluoranthene	<	7.9	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Benzo(b)fluoroanthene	<	6.98	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Butyl benzyl phthalate	<	7.53	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Chrysene	<	4.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Di-n-Butyl phthalate	<	5.89	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Di-n-Octyl phthalate	<	9.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Dibenzo (A,H) Anthracene	<	7.66	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Diethyl Phthalate	<	4.66	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Dimethyl Phthalate	<	4.64	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Fluoranthene	<	4.68	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Fluorene	<	4.04	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Hexachlorobenzene	<	6.89	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Hexachlorobutadiene	<	9.17	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Hexachlorocyclopentadiene	<	8.87	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Hexachloroethane	<	5.27	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Isophorone	<	6	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	N-nitrosodi-n-propylamine	<	8.67	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	N-nitrosodimethylamine	<	5.4	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	N-nitrosodiphenylamine	<	5.01	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Naphthalene	<	7.47	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Nitrobenzene	<	7.92	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Pentachlorophenol	<	2.73	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Phenanthrene	<	4.76	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Phenol	<	2.43	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	Pyrene	<	4.86	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	bis(2-chloroethoxy)methane	<	10.4	ug/L
27-JUN-02	THURSDAY	GRAB_BNA	1600	bis(2-chloroethyl) ether	<	6.41	ug/L
27-JUN-02	THURSDAY	GRAB_BOD	1600	Biochemical Oxygen Demand (BOD)	<	10	mg/L
27-JUN-02	THURSDAY	GRAB_COD	1600	Chemical Oxygen Demand	<	46	mg/L
27-JUN-02	THURSDAY	GRAB_CYANIDE	1600	Total Cyanide	<	.02	mg/L
27-JUN-02	THURSDAY	GRAB_MBAS	1600	Methylene Blue Active Substances	<	1	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Aluminum	<	.001	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Antimony	<	.015	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Arsenic	<	.004	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Barium	<	.171	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Beryllium	<	.006	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Cadmium	<	.009	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Chromium	<	.009	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Copper	<	.011	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Lead	<	.02	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Manganese	<	.615	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Mercury	<	.002	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Nickel	<	.012	mg/L

City of Tijuana
Site 54

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
27-JUN-02	THURSDAY	GRAB_METALS	1600	Selenium	<	.003	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Silver	<	.006	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Thallium	<	.001	mg/L
27-JUN-02	THURSDAY	GRAB_METALS	1600	Zinc		.11	mg/L
27-JUN-02	THURSDAY	GRAB_OG	1600	Hexane Extraction Method		2.6	mg/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Aldrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Alpha Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	BHC, Alpha	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	BHC, Beta	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	BHC, Delta	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	BHC, Gamma (Lindane)	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Beta Endosulfan	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Chlordane	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Chlorpyrifos	<	.05	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Demeton-O	<	.09	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Demeton-S	<	.05	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Diazinon	<	.07	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Dieldrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Endosulfan Sulfate	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Endrin	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Endrin aldehyde	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Guthion	<	.21	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Heptachlor	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Heptachlor epoxide	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Malathion	<	.04	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1016	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1221	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1232	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1242	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1248	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1254	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB 1260	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	PCB-1262	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Parathion	<	.03	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	Toxaphene	<	.5	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	p,p-DDD	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	p,p-DDE	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_PEST	1600	p,p-DDT	<	.1	ug/L
27-JUN-02	THURSDAY	GRAB_SOLIDS	1600	Total Suspended Solids	<	5	mg/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,1,1-trichloroethane	<	.78	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,1,2,2-tetrachloroethane	<	3.13	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,1,2-trichloroethane	<	3.02	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,1-dichloroethane	<	.71	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,1-dichloroethene	<	1.09	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,2-dichlorobenzene	<	1.37	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,2-dichloroethane	<	2.24	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,2-dichloropropane	<	.83	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,3-dichlorobenzene	<	1.31	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	1,4-dichlorobenzene	<	.99	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	2-chloroethylvinyl ether	<	1.35	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Benzene	<	.81	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Bromodichloromethane	<	1.79	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Bromoform	<	3.58	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Bromomethane	<	1.39	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Carbon tetrachloride	<	1.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Chlorobenzene	<	1	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Chloroethane	<	.95	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Chloroform	<	.57	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Chloromethane	<	3.23	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Dibromochloromethane	<	1.99	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Ethylbenzene	<	1.46	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Methylene chloride	<	1.29	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Tetrachloroethene	<	6.38	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Toluene	<	1.01	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Trichloroethene	<	9.07	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Trichlorofluoromethane	<	3.92	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	Vinyl chloride	<	1.04	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	cis-1,3-dichloropropene	<	1.01	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	trans-1,2-dichloroethene	<	.61	ug/L
27-JUN-02	THURSDAY	GRAB_VOC	1600	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 55

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
28-JUL-02	SUNDAY	1_Hr_COMP	930	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	930	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1030	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1030	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1130	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1130	pH		7	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1230	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1230	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1330	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1330	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1430	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1430	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1530	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1530	pH		7.1	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1630	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1630	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1730	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1730	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1830	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1830	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	1930	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	1930	pH		7.3	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2030	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2030	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2130	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2130	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2230	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2230	pH		7.2	pH
28-JUL-02	SUNDAY	1_Hr_COMP	2330	Specific Conductance		1400	umhos/cm
28-JUL-02	SUNDAY	1_Hr_COMP	2330	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	30	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	30	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	130	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	130	pH		7.2	pH
29-JUL-02	MONDAY	1_Hr_COMP	230	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	230	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	330	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	330	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	430	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	430	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	530	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	530	pH		7.1	pH
29-JUL-02	MONDAY	1_Hr_COMP	630	Specific Conductance		1700	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	630	pH		6.7	pH
29-JUL-02	MONDAY	1_Hr_COMP	730	Specific Conductance		1800	umhos/cm
29-JUL-02	MONDAY	1_Hr_COMP	730	pH		6.9	pH
29-JUL-02	MONDAY	COMP_AUTO_CN	1255	Total Cyanide	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Aluminum		.764	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Antimony	<	.015	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Arsenic		.005	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Barium		.368	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Beryllium	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Cadmium		.01	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Chromium	<	.009	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Copper		.111	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Lead	<	.02	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Manganese		.036	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Mercury	<	.002	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Nickel		.022	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Selenium	<	.003	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Silver	<	.006	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Thallium		.005	mg/L
29-JUL-02	MONDAY	COMP_AUTO_HM	1255	Zinc		.422	mg/L
29-JUL-02	MONDAY	COMP_CONDUCT	1255	Specific Conductance		1400	umhos/cm
29-JUL-02	MONDAY	COMP_PH	1255	pH		7.1	pH
29-JUL-02	MONDAY	GRAB	1305	Specific Conductance		2100	umhos/cm
29-JUL-02	MONDAY	GRAB	1305	pH		7.4	pH
29-JUL-02	MONDAY	GRAB_BNA	1305	1,2,4-trichlorobenzene	<	11.1	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	1,2-diphenylhydrazine	<	8.45	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2,4,6-trichlorophenol	<	8.87	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2,4-dimethylphenol	<	11	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2,4-dinitrophenol	<	8.98	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2,4-dinitrotoluene	<	6	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	GRAB_BNA	1305	2,4_dichlorophenol	<	9.32	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2,6-dinitrotoluene	<	6.97	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2-chloronaphthalene	<	7.64	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2-chlorophenol	<	5	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	2-nitrophenol	<	9.22	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	3,3-dichlorobenzidine	<	9.99	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	4-bromophenyl phenyl ether	<	6.04	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	4-chloro-3-methylphenol	<	7.16	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	4-chlorophenyl phenyl ether	<	4.99	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	4-nitrophenol	<	4.9	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Acenaphthene	<	5.45	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Acenaphthylene	<	8.34	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Anthracene	<	7.16	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzidine	<	6.17	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzo(A)anthracene	<	5.2	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzo(A)pyrene	<	7.69	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzo(G,H,I)perylene	<	5.22	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzo(K)fluoranthene	<	7.9	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Benzo(b)fluoroanthene	<	6.98	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Butyl benzyl phthalate	<	7.53	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Chrysene	<	4.04	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Di-n-Butyl phthalate	<	5.89	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Di-n-Octyl phthalate	<	9.17	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Dibenzo (A,H) Anthracene	<	7.66	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Diethyl Phthalate	<	4.66	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Dimethyl Phthalate	<	4.64	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Fluoranthene	<	4.68	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Fluorene	<	4.04	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Hexachlorobenzene	<	6.89	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Hexachlorobutadiene	<	9.17	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Hexachlorocyclopentadiene	<	8.87	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Hexachloroethane	<	5.27	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Isophorone	<	6	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	N-nitrosodi-n-propylamine	<	8.67	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	N-nitrosodimethylamine	<	5.4	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	N-nitrosodiphenylamine	<	5.01	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Naphthalene	<	7.47	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Nitrobenzene	<	7.92	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Pentachlorophenol	<	2.73	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Phenanthrene	<	4.76	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Phenol	<	52	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	Pyrene	<	4.86	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	bis(2-chloroethoxy)methane	<	10.4	ug/L
29-JUL-02	MONDAY	GRAB_BNA	1305	bis(2-chloroethyl) ether	<	6.41	ug/L
29-JUL-02	MONDAY	GRAB_OG	1305	Hexane Extraction Method	<	53.9	mg/L
29-JUL-02	MONDAY	GRAB_OG	1305	SGT-HEM-Non Polar Material	<	6	mg/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,1,1-trichloroethane	<	.78	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,1,2,2-tetrachloroethane	<	3.13	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,1,2-trichloroethane	<	3.02	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,1-dichloroethane	<	.71	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,1-dichloroethene	<	1.09	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,2-dichlorobenzene	<	1.37	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,2-dichloroethane	<	2.24	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,2-dichloropropane	<	.83	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,3-dichlorobenzene	<	1.31	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	1,4-dichlorobenzene	<	31.8	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	2-chloroethylvinyl ether	<	1.35	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Benzene	<	.81	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Bromodichloromethane	<	8.82	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Bromoform	<	3.58	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Bromomethane	<	1.39	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Carbon tetrachloride	<	1.92	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Chlorobenzene	<	1	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Chloroethane	<	.95	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Chloroform	<	46.7	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Chloromethane	<	3.23	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Dibromochloromethane	<	9.29	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Ethylbenzene	<	1.46	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Methylene chloride	<	40	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
29-JUL-02	MONDAY	GRAB_VOC	1305	Tetrachloroethene	<	1.04	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Toluene	<	1.01	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Trichloroethene		6.24	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Trichlorofluoromethane	<	3.92	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	Vinyl chloride	<	1.04	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	cis-1,3-dichloropropene	<	1.01	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	trans-1,2-dichloroethene	<	.61	ug/L
29-JUL-02	MONDAY	GRAB_VOC	1305	trans-1,3-dichloropropene	<	1.27	ug/L
05-AUG-02	MONDAY	1_Hr_COMP	1045	Specific Conductance		2400	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1045	pH		7.6	pH
05-AUG-02	MONDAY	1_Hr_COMP	1145	Specific Conductance		1900	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1145	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1245	Specific Conductance		2100	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1245	pH		7.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1345	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1345	pH		7.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	1445	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1445	pH		8	pH
05-AUG-02	MONDAY	1_Hr_COMP	1545	Specific Conductance		2100	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1545	pH		7.7	pH
05-AUG-02	MONDAY	1_Hr_COMP	1645	Specific Conductance		2300	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1645	pH		7.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	1745	Specific Conductance		2200	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1745	pH		5.2	pH
05-AUG-02	MONDAY	1_Hr_COMP	1845	Specific Conductance		1800	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1845	pH		4.8	pH
05-AUG-02	MONDAY	1_Hr_COMP	1945	Specific Conductance		1600	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	1945	pH		4.9	pH
05-AUG-02	MONDAY	1_Hr_COMP	2045	Specific Conductance		1500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2045	pH		5.1	pH
05-AUG-02	MONDAY	1_Hr_COMP	2145	Specific Conductance		1600	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2145	pH		5.4	pH
05-AUG-02	MONDAY	1_Hr_COMP	2245	Specific Conductance		1500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2245	pH		5.3	pH
05-AUG-02	MONDAY	1_Hr_COMP	2345	Specific Conductance		1500	umhos/cm
05-AUG-02	MONDAY	1_Hr_COMP	2345	pH		5.5	pH
06-AUG-02	TUESDAY	1_Hr_COMP	45	Specific Conductance		1500	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	45	pH		5.6	pH
06-AUG-02	TUESDAY	1_Hr_COMP	145	Specific Conductance		1400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	145	pH		5.5	pH
06-AUG-02	TUESDAY	1_Hr_COMP	245	Specific Conductance		1400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	245	pH		5.6	pH
06-AUG-02	TUESDAY	1_Hr_COMP	345	Specific Conductance		1400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	345	pH		5.6	pH
06-AUG-02	TUESDAY	1_Hr_COMP	445	Specific Conductance		1400	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	445	pH		5.7	pH
06-AUG-02	TUESDAY	1_Hr_COMP	545	Specific Conductance		1700	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	545	pH		5.8	pH
06-AUG-02	TUESDAY	1_Hr_COMP	645	Specific Conductance		1600	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	645	pH		5.9	pH
06-AUG-02	TUESDAY	1_Hr_COMP	745	Specific Conductance		1700	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	745	pH		6.4	pH
06-AUG-02	TUESDAY	1_Hr_COMP	845	Specific Conductance		1900	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	845	pH		7	pH
06-AUG-02	TUESDAY	1_Hr_COMP	945	Specific Conductance		1900	umhos/cm
06-AUG-02	TUESDAY	1_Hr_COMP	945	pH		6.9	pH
06-AUG-02	TUESDAY	COMP_CONDUCT	1310	Specific Conductance		1800	umhos/cm
06-AUG-02	TUESDAY	COMP_PH	1310	pH		6.3	pH
06-AUG-02	TUESDAY	COMP_AUTO_CN	1325	Total Cyanide	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Aluminum		1.15	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Antimony	<	.015	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Arsenic	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Barium		.123	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Beryllium	<	.006	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Cadmium	<	.009	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Chromium		.018	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Copper		.109	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Lead	<	.02	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Manganese		.049	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Mercury	<	.002	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Nickel		.019	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Selenium	<	.003	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Silver	<	.006	mg/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Thallium		.008	mg/L
06-AUG-02	TUESDAY	COMP_AUTO_HM	1325	Zinc		.245	mg/L
06-AUG-02	TUESDAY	GRAB	1325	Specific Conductance		1900	umhos/cm
06-AUG-02	TUESDAY	GRAB	1325	pH		6.9	pH
06-AUG-02	TUESDAY	GRAB_BNA	1325	1,2,4-trichlorobenzene	<	11.1	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	1,2-diphenylhydrazine	<	8.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,4,6-trichlorophenol	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,4-dimethylphenol	<	11	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,4-dinitrophenol	<	8.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,4-dinitrotoluene	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,4-dichlorophenol	<	9.32	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2,6-dinitrotoluene	<	6.97	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2-chloronaphthalene	<	7.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2-chlorophenol	<	5	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	2-nitrophenol	<	9.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	3,3-dichlorobenzidine	<	9.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	4-bromophenyl phenyl ether	<	6.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	4-chloro-3-methylphenol	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	4-chlorophenyl phenyl ether	<	4.99	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	4-nitrophenol	<	4.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Acenaphthene	<	5.45	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Acenaphthylene	<	8.34	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Anthracene	<	7.16	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzidine	<	6.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzo(A)anthracene	<	5.2	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzo(A)pyrene	<	7.69	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzo(G,H,I)perylene	<	5.22	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzo(K)fluoranthene	<	7.9	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Benzo(b)fluoranthene	<	6.98	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Bis-(2-ethylhexyl) phthalate	<	9.28	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Butyl benzyl phthalate	<	7.53	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Chrysene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Di-n-Butyl phthalate	<	5.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Di-n-Octyl phthalate	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Dibenzo (A,H) Anthracene	<	7.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Diethyl Phthalate	<	4.66	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Dimethyl Phthalate	<	4.64	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Fluoranthene	<	4.68	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Fluorene	<	4.04	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Hexachlorobenzene	<	6.89	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Hexachlorobutadiene	<	9.17	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Hexachlorocyclopentadiene	<	8.87	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Hexachloroethane	<	5.27	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Isophorone	<	6	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	N-nitrosodi-n-propylamine	<	8.67	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	N-nitrosodimethylamine	<	5.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	N-nitrosodiphenylamine	<	5.01	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Naphthalene	<	7.47	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Nitrobenzene	<	7.92	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Pentachlorophenol	<	2.73	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Phenanthrene	<	4.76	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Phenol	<	2.43	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	Pyrene	<	4.86	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	bis(2-chloroethoxy)methane	<	10.4	ug/L
06-AUG-02	TUESDAY	GRAB_BNA	1325	bis(2-chloroethyl) ether	<	6.41	ug/L
06-AUG-02	TUESDAY	GRAB_OG	1325	Hexane Extraction Method		47.7	mg/L
06-AUG-02	TUESDAY	GRAB_OG	1325	SGT-HEM-Non Polar Material	<	5	mg/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,1,1-trichloroethane	<	.78	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,1,2,2-tetrachloroethane	<	3.13	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,1,2-trichloroethane	<	3.02	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,1-dichloroethane	<	.71	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,1-dichloroethene	<	1.09	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,2-dichlorobenzene	<	1.37	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,2-dichloroethane	<	2.24	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,2-dichloropropane	<	.83	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,3-dichlorobenzene	<	1.31	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	1,4-dichlorobenzene	<	21.1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	2-chloroethylvinyl ether	<	1.35	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Benzene	<	.81	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Bromodichloromethane		7.43	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
06-AUG-02	TUESDAY	GRAB_VOC	1325	Bromoform	<	3.58	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Bromomethane	<	1.39	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Carbon tetrachloride	<	1.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Chlorobenzene	<	1	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Chloroethane	<	.95	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Chloroform	<	9.89	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Chloromethane	<	3.23	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Dibromochloromethane	<	8.63	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Ethylbenzene	<	1.46	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Methylene chloride	<	1.29	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Tetrachloroethene	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Toluene	<	2.16	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Trichloroethene	<	1.32	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Trichlorofluoromethane	<	3.92	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	Vinyl chloride	<	1.04	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	cis-1,3-dichloropropene	<	1.01	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	trans-1,2-dichloroethene	<	.61	ug/L
06-AUG-02	TUESDAY	GRAB_VOC	1325	trans-1,3-dichloropropene	<	1.27	ug/L
13-AUG-02	TUESDAY	1_Hr_COMP	1215	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1215	pH		4.7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1315	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1315	pH		4.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1415	Specific Conductance		2300	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1415	pH		5	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1515	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1515	pH		6.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1615	Specific Conductance		2200	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1615	pH		7	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1715	Specific Conductance		1800	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1715	pH		4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	1815	Specific Conductance		1900	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	1815	pH		4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2115	Specific Conductance		2400	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2115	pH		5.1	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2215	Specific Conductance		1800	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2215	pH		4.4	pH
13-AUG-02	TUESDAY	1_Hr_COMP	2315	Specific Conductance		2000	umhos/cm
13-AUG-02	TUESDAY	1_Hr_COMP	2315	pH		6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	15	Specific Conductance		1600	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	15	pH		5.7	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	115	Specific Conductance		1700	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	115	pH		5.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	215	Specific Conductance		1700	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	215	pH		5.5	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	315	Specific Conductance		2000	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	315	pH		5.8	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	415	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	415	pH		6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	515	Specific Conductance		2000	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	515	pH		6.4	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	615	Specific Conductance		2300	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	615	pH		6.2	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	715	Specific Conductance		2200	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	715	pH		6	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	815	Specific Conductance		1900	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	815	pH		7.1	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	915	Specific Conductance		1900	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	915	pH		6.8	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	1015	Specific Conductance		2000	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	1015	pH		5.7	pH
14-AUG-02	WEDNESDAY	1_Hr_COMP	1115	Specific Conductance		2000	umhos/cm
14-AUG-02	WEDNESDAY	1_Hr_COMP	1115	pH		5.5	pH
14-AUG-02	WEDNESDAY	COMP_AUTO_CN	1310	Total Cyanide	<	.02	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Aluminum		1.96	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Antimony	<	.015	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Arsenic		.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Barium		.138	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Cadmium		.023	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Chromium		.031	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Copper		.285	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Lead		.034	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Manganese		.131	mg/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Mercury	<	.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Nickel		.024	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Selenium		.003	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Silver	<	.006	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Thallium		.002	mg/L
14-AUG-02	WEDNESDAY	COMP_AUTO_HM	1310	Zinc		.83	mg/L
14-AUG-02	WEDNESDAY	COMP_CONDUCT	1310	Specific Conductance		2000	umhos/cm
14-AUG-02	WEDNESDAY	COMP_PH	1310	pH		5.3	pH
14-AUG-02	WEDNESDAY	GRAB	1325	Specific Conductance		2200	umhos/cm
14-AUG-02	WEDNESDAY	GRAB	1325	pH		7	pH
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	1,2,4-trichlorobenzene	<	11.1	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	1,2-diphenylhydrazine	<	8.45	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,4,6-trichlorophenol	<	8.87	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,4-dimethylphenol	<	11	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,4-dinitrophenol	<	8.98	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,4-dinitrotoluene	<	6	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,4-dichlorophenol	<	9.32	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2,6-dinitrotoluene	<	6.97	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2-chloronaphthalene	<	7.64	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2-chlorophenol	<	5	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	2-nitrophenol	<	9.22	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	3,3-dichlorobenzidine	<	9.99	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	4-bromophenyl phenyl ether	<	6.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	4-chloro-3-methylphenol	<	7.16	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	4-chlorophenyl phenyl ether	<	4.99	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	4-nitrophenol	<	4.9	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Acenaphthene	<	5.45	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Acenaphthylene	<	8.34	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Anthracene	<	7.16	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzidine	<	6.17	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzo(A)anthracene	<	5.2	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzo(A)pyrene	<	7.69	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzo(G,H,I)perylene	<	5.22	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzo(K)fluoranthene	<	7.9	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Benzo(b)fluoroanthene	<	6.98	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Bis-(2-ethylhexyl) phthalate	<	35	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Butyl benzyl phthalate	<	7.53	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Chrysene	<	4.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Di-n-Butyl phthalate	<	5.89	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Di-n-Octyl phthalate	<	9.17	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Dibenzo (A,H) Anthracene	<	7.66	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Diethyl Phthalate	<	10	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Dimethyl Phthalate	<	4.64	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Fluoranthene	<	4.68	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Fluorene	<	4.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Hexachlorobenzene	<	6.89	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Hexachlorobutadiene	<	9.17	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Hexachlorocyclopentadiene	<	8.87	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Hexachloroethane	<	5.27	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Isophorone	<	6	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	N-nitrosodi-n-propylamine	<	8.67	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	N-nitrosodimethylamine	<	5.4	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	N-nitrosodiphenylamine	<	5.01	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Naphthalene	<	7.47	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Nitrobenzene	<	7.92	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Pentachlorophenol	<	2.73	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Phenanthrene	<	4.76	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Phenol	<	14.2	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	Pyrene	<	4.86	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	bis(2-chloroethoxy)methane	<	10.4	ug/L
14-AUG-02	WEDNESDAY	GRAB_BNA	1325	bis(2-chloroethyl) ether	<	6.41	ug/L
14-AUG-02	WEDNESDAY	GRAB_OG	1325	Hexane Extraction Method		43.7	mg/L
14-AUG-02	WEDNESDAY	GRAB_OG	1325	SGT-HEM-Non Polar Material	<	5	mg/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Chlorpyrifos	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Demeton-O	<	.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Demeton-S	<	.05	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Diazinon	<	.07	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Guthion	<	.21	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Malathion	<	.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_PEST	1325	Parathion	<	.03	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,1,1-trichloroethane	<	.78	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,1,2,2-tetrachloroethane	<	3.13	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,1,2-trichloroethane	<	3.02	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,1-dichloroethane	<	.71	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,1-dichloroethene	<	1.09	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,2-dichlorobenzene	<	1.37	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,2-dichloroethane	<	2.24	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,2-dichloropropane	<	.83	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,3-dichlorobenzene	<	1.31	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	1,4-dichlorobenzene	<	6.2	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	2-chloroethylvinyl ether	<	1.35	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Benzene	<	.81	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Bromodichloromethane	<	1.79	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Bromoform	<	3.58	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Bromomethane	<	1.39	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Carbon tetrachloride	<	1.92	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Chlorobenzene	<	1	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Chloroethane	<	.95	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Chloroform	<	2.48	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Chloromethane	<	3.23	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Dibromochloromethane	<	1.99	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Ethylbenzene	<	1.46	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Methylene chloride	<	1.29	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Tetrachloroethene	<	1.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Toluene	<	1.01	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Trichloroethene	<	1.32	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Trichlorofluoromethane	<	3.92	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	Vinyl chloride	<	1.04	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	cis-1,3-dichloropropene	<	1.01	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	trans-1,2-dichloroethene	<	.61	ug/L
14-AUG-02	WEDNESDAY	GRAB_VOC	1325	trans-1,3-dichloropropene	<	1.27	ug/L
22-AUG-02	THURSDAY	GRAB	1240	Specific Conductance		2200	umhos/cm
22-AUG-02	THURSDAY	GRAB	1240	pH		7.1	pH
22-AUG-02	THURSDAY	GRAB_AMMONIA	1240	Ammonia as (N)		36.6	mg/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	1,2,4-trichlorobenzene	<	11.1	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	1,2-diphenylhydrazine	<	8.45	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,4,6-trichlorophenol	<	8.87	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,4-dimethylphenol	<	11	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,4-dinitrophenol	<	8.98	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,4-dinitrotoluene	<	6	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,4-dichlorophenol	<	9.32	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2,6-dinitrotoluene	<	6.97	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2-chloronaphthalene	<	7.64	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2-chlorophenol	<	5	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	2-nitrophenol	<	9.22	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	3,3-dichlorobenzidine	<	9.99	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	4-bromophenyl phenyl ether	<	6.04	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	4-chloro-3-methylphenol	<	7.16	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	4-chlorophenyl phenyl ether	<	4.99	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	4-nitrophenol	<	19.2	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Acenaphthene	<	5.45	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Acenaphthylene	<	8.34	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Anthracene	<	7.16	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzidine	<	6.17	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzo(A)anthracene	<	5.2	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzo(A)pyrene	<	7.69	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzo(G,H,I)perylene	<	5.22	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzo(K)fluoranthene	<	7.9	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Benzo(b)fluoroanthene	<	6.98	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Butyl benzyl phthalate	<	7.53	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Chrysene	<	4.04	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Di-n-Butyl phthalate	<	5.89	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Di-n-Octyl phthalate	<	9.17	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Dibenzo (A,H) Anthracene	<	7.66	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Diethyl Phthalate	<	4.66	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Dimethyl Phthalate	<	4.64	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Fluoranthene	<	4.68	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Fluorene	<	4.04	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Hexachlorobenzene	<	6.89	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Hexachlorobutadiene	<	9.17	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-AUG-02	THURSDAY	GRAB_BNA	1240	Hexachlorocyclopentadiene	<	8.87	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Hexachloroethane	<	5.27	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Isophorone	<	6	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	N-nitrosodi-n-propylamine	<	8.67	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	N-nitrosodimethylamine	<	5.4	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	N-nitrosodiphenylamine	<	5.01	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Naphthalene	<	7.47	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Nitrobenzene	<	7.92	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Pentachlorophenol	<	2.73	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Phenanthrene	<	4.76	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Phenol	<	17	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	Pyrene	<	4.86	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	bis(2-chloroethoxy)methane	<	10.4	ug/L
22-AUG-02	THURSDAY	GRAB_BNA	1240	bis(2-chloroethyl) ether	<	6.41	ug/L
22-AUG-02	THURSDAY	GRAB_BOD	1240	Biochemical Oxygen Demand (BOD)		408	mg/L
22-AUG-02	THURSDAY	GRAB_COD	1240	Chemical Oxygen Demand		825	mg/L
22-AUG-02	THURSDAY	GRAB_CYANIDE	1240	Total Cyanide	<	.02	mg/L
22-AUG-02	THURSDAY	GRAB_MBAS	1240	Methylene Blue Active Substances		6.6	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Aluminum		.42	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Antimony	<	.015	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Arsenic		.008	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Barium		.141	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Beryllium	<	.006	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Cadmium	<	.009	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Chromium		.01	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Copper		.143	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Lead	<	.02	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Manganese		.046	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Mercury	<	.002	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Nickel	<	.012	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Selenium		.003	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Silver	<	.006	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Thallium		.002	mg/L
22-AUG-02	THURSDAY	GRAB_METALS	1240	Zinc		.367	mg/L
22-AUG-02	THURSDAY	GRAB_OG	1240	Hexane Extraction Method		62.7	mg/L
22-AUG-02	THURSDAY	GRAB_OG	1240	SGT-HEM-Non Polar Material	<	5	mg/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Chlorpyrifos	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Demeton-0	<	.09	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Demeton-S	<	.05	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Diazinon		.58	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Guthion	<	.21	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Malathion	<	.04	ug/L
22-AUG-02	THURSDAY	GRAB_PEST	1240	Parathion	<	.03	ug/L
22-AUG-02	THURSDAY	GRAB_SOLIDS	1240	Total Suspended Solids		94	mg/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,1,1-trichloroethane	<	.78	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,1,2,2-tetrachloroethane	<	3.13	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,1,2-trichloroethane	<	3.02	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,1-dichloroethane	<	.71	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,1-dichloroethene		1.09	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,2-dichlorobenzene	<	1.37	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,2-dichloroethane	<	2.24	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,2-dichloropropane	<	.83	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,3-dichlorobenzene	<	1.31	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	1,4-dichlorobenzene		12	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	2-chloroethylvinyl ether	<	1.35	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Benzene	<	.81	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Bromodichloromethane		8.22	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Bromoform	<	3.58	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Bromomethane	<	1.39	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Carbon tetrachloride	<	1.92	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Chlorobenzene	<	1	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Chloroethane	<	.95	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Chloroform		10.6	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Chloromethane	<	3.23	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Dibromochloromethane		8.15	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Ethylbenzene	<	1.46	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Methylene chloride	<	1.29	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Tetrachloroethene	<	1.04	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Toluene		1.22	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Trichloroethene	<	1.32	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Trichlorofluoromethane	<	3.92	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	Vinyl chloride	<	1.04	ug/L

City of Tijuana
Site 55

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
22-AUG-02	THURSDAY	GRAB_VOC	1240	cis-1,3-dichloropropene	<	1.01	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	trans-1,2-dichloroethene	<	.61	ug/L
22-AUG-02	THURSDAY	GRAB_VOC	1240	trans-1,3-dichloropropene	<	1.27	ug/L
30-AUG-02	FRIDAY	GRAB	1220	Specific Conductance		1800	umhos/cm
30-AUG-02	FRIDAY	GRAB	1220	pH		8.1	pH
30-AUG-02	FRIDAY	GRAB_CYANIDE	1220	Total Cyanide	<	.02	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Aluminum		.268	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Antimony	<	.015	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Arsenic		.005	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Barium		.135	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Beryllium	<	.006	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Cadmium		.01	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Chromium		.014	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Copper		.197	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Lead	<	.02	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Manganese		.038	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Mercury		.003	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Nickel	<	.012	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Selenium		.003	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Silver	<	.006	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Thallium		.001	mg/L
30-AUG-02	FRIDAY	GRAB_METALS	1220	Zinc		.361	mg/L
30-AUG-02	FRIDAY	GRAB_OG	1220	Hexane Extraction Method		57.3	mg/L
30-AUG-02	FRIDAY	GRAB_OG	1220	SGT-HEM-Non Polar Material		10.9	mg/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,1,1-trichloroethane	<	.78	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,1,2,2-tetrachloroethane	<	3.13	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,1,2-trichloroethane	<	3.02	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,1-dichloroethane	<	.71	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,1-dichloroethene	<	1.09	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,2-dichlorobenzene	<	1.37	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,2-dichloroethane	<	2.24	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,2-dichloropropane	<	.83	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,3-dichlorobenzene	<	1.31	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	1,4-dichlorobenzene		1.05	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	2-chloroethylvinyl ether	<	1.35	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Benzene	<	.81	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Bromodichloromethane		14.1	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Bromoform	<	3.58	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Bromomethane	<	1.39	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Carbon tetrachloride	<	1.92	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Chlorobenzene	<	1	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Chloroethane	<	.95	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Chloroform		11.3	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Chloromethane	<	3.23	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Dibromochloromethane		14.4	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Ethylbenzene	<	1.46	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Methylene chloride	<	1.29	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Tetrachloroethene		23.7	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Toluene	<	1.01	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Trichloroethene		93.7	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Trichlorofluoromethane	<	3.92	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	Vinyl chloride		18.1	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	cis-1,3-dichloropropene	<	1.01	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	trans-1,2-dichloroethene	<	.61	ug/L
30-AUG-02	FRIDAY	GRAB_VOC	1220	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 56

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
14-AUG-02	WEDNESDAY	GRAB	1410	Specific Conductance		11500	umhos/cm
14-AUG-02	WEDNESDAY	GRAB	1410	pH		8.9	pH
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Aluminum		.473	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Antimony		.127	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Arsenic	<	.003	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Barium		.216	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Beryllium	<	.006	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Cadmium	<	.009	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Chromium		.014	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Copper		.628	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Lead		.071	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Manganese		.068	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Mercury		.0022	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Nickel		.108	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Selenium		.008	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Silver	<	.006	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Thallium		.002	mg/L
14-AUG-02	WEDNESDAY	GRAB_METALS	1410	Zinc		.268	mg/L
14-SEP-02	SATURDAY	1_Hr_COMP	850	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	850	pH		7.5	pH
14-SEP-02	SATURDAY	1_Hr_COMP	950	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	950	pH		7.4	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1050	Specific Conductance		1800	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1050	pH		6.3	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1150	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1150	pH		6.1	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1250	Specific Conductance		2300	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1250	pH		7.2	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1350	Specific Conductance		2600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1350	pH		6.3	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1450	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1450	pH		6.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1550	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1550	pH		6.2	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1650	Specific Conductance		1800	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1650	pH		6.5	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1750	Specific Conductance		1500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1750	pH		6.5	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1850	Specific Conductance		2000	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1850	pH		6.6	pH
14-SEP-02	SATURDAY	1_Hr_COMP	1950	Specific Conductance		2100	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	1950	pH		7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2050	Specific Conductance		1600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2050	pH		6.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2150	Specific Conductance		1700	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2150	pH		6.9	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2250	Specific Conductance		1600	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2250	pH		7	pH
14-SEP-02	SATURDAY	1_Hr_COMP	2350	Specific Conductance		1500	umhos/cm
14-SEP-02	SATURDAY	1_Hr_COMP	2350	pH		7	pH
15-SEP-02	SUNDAY	1_Hr_COMP	50	Specific Conductance		1800	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	50	pH		7.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	150	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	150	pH		7.1	pH
15-SEP-02	SUNDAY	1_Hr_COMP	250	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	250	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	350	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	350	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	450	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	450	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	550	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	550	pH		7.2	pH
15-SEP-02	SUNDAY	1_Hr_COMP	650	Specific Conductance		1500	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	650	pH		7.3	pH
15-SEP-02	SUNDAY	1_Hr_COMP	750	Specific Conductance		1800	umhos/cm
15-SEP-02	SUNDAY	1_Hr_COMP	750	pH		7.6	pH
15-SEP-02	SUNDAY	COMP_AUTO_CN	1115	Total Cyanide	<	.02	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Aluminum		.471	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Antimony	<	.015	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Arsenic		.003	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Barium		.151	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Beryllium	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Cadmium	<	.009	mg/L

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Chromium		.014	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Copper		.089	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Lead	<	.02	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Manganese		.094	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Mercury	<	.002	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Nickel	<	.012	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Selenium		.023	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Silver	<	.006	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Thallium	<	.001	mg/L
15-SEP-02	SUNDAY	COMP_AUTO_HM	1115	Zinc		.294	mg/L
15-SEP-02	SUNDAY	COMP_CONDUCT	1115	Specific Conductance		2100	umhos/cm
15-SEP-02	SUNDAY	COMP_PH	1115	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	840	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	840	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	940	Specific Conductance		1700	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	940	pH		7.5	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1040	Specific Conductance		1700	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1040	pH		7.3	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1140	Specific Conductance		1600	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1140	pH		7.3	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1240	Specific Conductance		2000	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1240	pH		7.1	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1340	Specific Conductance		1600	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1340	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1440	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1440	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1540	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1540	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1640	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1640	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1740	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1740	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1840	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1840	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	1940	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	1940	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2040	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2040	pH		7.7	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2140	Specific Conductance		2200	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2140	pH		7.6	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2240	Specific Conductance		1300	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2240	pH		7.5	pH
22-SEP-02	SUNDAY	1_Hr_COMP	2340	Specific Conductance		1500	umhos/cm
22-SEP-02	SUNDAY	1_Hr_COMP	2340	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	40	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	40	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	140	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	140	pH		7.6	pH
23-SEP-02	MONDAY	1_Hr_COMP	240	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	240	pH		7.6	pH
23-SEP-02	MONDAY	1_Hr_COMP	340	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	340	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	440	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	440	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	540	Specific Conductance		1500	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	540	pH		7.7	pH
23-SEP-02	MONDAY	1_Hr_COMP	640	Specific Conductance		4900	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	640	pH		6.1	pH
23-SEP-02	MONDAY	1_Hr_COMP	740	Specific Conductance		3000	umhos/cm
23-SEP-02	MONDAY	1_Hr_COMP	740	pH		6.1	pH
23-SEP-02	MONDAY	COMP_AUTO_CN	1310	Total Cyanide	<	.02	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Aluminum		1.74	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Antimony	<	.015	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Arsenic		.004	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Barium		.088	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Beryllium	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Cadmium	<	.009	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Chromium		.016	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Copper		.118	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Lead		.024	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Manganese		.077	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Mercury	<	.002	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Nickel		.032	mg/L

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Selenium		.022	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Silver	<	.006	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Thallium		.001	mg/L
23-SEP-02	MONDAY	COMP_AUTO_HM	1310	Zinc		.309	mg/L
23-SEP-02	MONDAY	COMP_CONDUCT	1310	Specific Conductance		2300	umhos/cm
23-SEP-02	MONDAY	COMP_PH	1310	pH		7.5	pH
30-SEP-02	MONDAY	1_Hr_COMP	1355	Specific Conductance		4200	umhos/cm
30-SEP-02	MONDAY	1_Hr_COMP	1355	pH		8.9	pH
01-OCT-02	TUESDAY	1_Hr_COMP	55	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	55	pH		8.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	155	Specific Conductance		1800	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	155	pH		8.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	255	Specific Conductance		1800	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	255	pH		8.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	355	Specific Conductance		1800	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	355	pH		8.2	pH
01-OCT-02	TUESDAY	1_Hr_COMP	455	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	455	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	555	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	555	pH		8.8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	755	Specific Conductance		4600	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	755	pH		7.6	pH
01-OCT-02	TUESDAY	1_Hr_COMP	855	Specific Conductance		4100	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	855	pH		8.6	pH
01-OCT-02	TUESDAY	1_Hr_COMP	955	Specific Conductance		7300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	955	pH		9.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1055	Specific Conductance		5300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1055	Specific Conductance		8500	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1055	pH		10.6	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1155	Specific Conductance		7400	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1155	pH		12.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1255	Specific Conductance		9000	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1255	pH		8.5	pH
01-OCT-02	TUESDAY	COMP_AUTO_CN	1325	Cyanide (Amenable to chlorination)	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_CN	1325	Total Cyanide	<	.02	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Aluminum		.969	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Antimony	<	.015	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Arsenic		.007	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Barium		.081	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Beryllium	<	.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Cadmium	<	.009	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Chromium		.015	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Copper		.143	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Lead		.023	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Manganese		.047	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Mercury	<	.002	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Nickel		.031	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Selenium		.014	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Silver	<	.006	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Thallium		.003	mg/L
01-OCT-02	TUESDAY	COMP_AUTO_HM	1325	Zinc		.194	mg/L
01-OCT-02	TUESDAY	COMP_CONDUCT	1325	Specific Conductance		4100	umhos/cm
01-OCT-02	TUESDAY	COMP_PH	1325	pH		9.2	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1455	Specific Conductance		5000	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1455	pH		8.3	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1555	Specific Conductance		3100	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1555	pH		8.5	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1655	Specific Conductance		2200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1655	pH		8.7	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1755	Specific Conductance		2300	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1755	pH		8.7	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1855	Specific Conductance		1900	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1855	pH		8.4	pH
01-OCT-02	TUESDAY	1_Hr_COMP	1955	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	1955	pH		8.3	pH
01-OCT-02	TUESDAY	1_Hr_COMP	2055	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	2055	pH		8	pH
01-OCT-02	TUESDAY	1_Hr_COMP	2155	Specific Conductance		9200	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	2155	pH		8.1	pH
01-OCT-02	TUESDAY	1_Hr_COMP	2255	Specific Conductance		6900	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	2255	pH		8.2	pH
01-OCT-02	TUESDAY	1_Hr_COMP	2355	Specific Conductance		1700	umhos/cm
01-OCT-02	TUESDAY	1_Hr_COMP	2355	pH		8.2	pH

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
08-OCT-02	TUESDAY	1_Hr_COMP	1040	Specific Conductance		7600	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1040	pH		11.2	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1140	Specific Conductance		8700	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1140	pH		11.4	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1240	Specific Conductance		6800	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1240	pH		9.9	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1340	Specific Conductance		5400	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1340	pH		9	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1440	Specific Conductance		6600	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1440	pH		9.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1540	Specific Conductance		6300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1540	pH		9.7	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1640	Specific Conductance		2700	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1640	pH		6.8	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1740	Specific Conductance		2300	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1740	pH		7.7	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1840	Specific Conductance		2200	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1840	pH		7.1	pH
08-OCT-02	TUESDAY	1_Hr_COMP	1940	Specific Conductance		2000	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	1940	pH		7.6	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2040	Specific Conductance		1900	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2040	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2140	Specific Conductance		10800	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2140	pH		7.1	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2240	Specific Conductance		14900	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2240	pH		7.3	pH
08-OCT-02	TUESDAY	1_Hr_COMP	2340	Specific Conductance		1700	umhos/cm
08-OCT-02	TUESDAY	1_Hr_COMP	2340	pH		7.7	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	40	Specific Conductance		1900	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	40	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	140	Specific Conductance		1700	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	140	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	240	Specific Conductance		1600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	240	pH		7.5	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	340	Specific Conductance		1600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	340	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	440	Specific Conductance		1600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	440	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	540	Specific Conductance		1600	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	540	pH		7.6	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	640	Specific Conductance		4100	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	640	pH		8.9	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	740	Specific Conductance		8100	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	740	pH		10	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	840	Specific Conductance		6300	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	840	pH		9.1	pH
09-OCT-02	WEDNESDAY	1_Hr_COMP	940	Specific Conductance		6700	umhos/cm
09-OCT-02	WEDNESDAY	1_Hr_COMP	940	pH		9.7	pH
09-OCT-02	WEDNESDAY	COMP_AUTO_BOD	1120	Biochemical Oxygen Demand (BOD)		830	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_CN	1120	Total Cyanide	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_COD	1120	Chemical Oxygen Demand		1890	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Aluminum		.275	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Antimony	<	.015	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Arsenic	<	.003	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Barium		.152	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Beryllium	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Cadmium	<	.009	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Chromium		.035	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Copper		.169	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Lead	<	.02	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Manganese		.082	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Mercury		.0032	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Nickel		.063	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Selenium		.024	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Silver	<	.006	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Thallium		.001	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_HM	1120	Zinc		.371	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_MBAS	1120	Methylene Blue Active Substances		4.3	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_NH3	1120	Ammonia as (N)		24.7	mg/L
09-OCT-02	WEDNESDAY	COMP_AUTO_SOLID	1120	Total Suspended Solids		242	mg/L
09-OCT-02	WEDNESDAY	COMP_CONDUCT	1120	Specific Conductance		4900	umhos/cm
09-OCT-02	WEDNESDAY	COMP_PH	1120	pH		8.8	pH
09-OCT-02	WEDNESDAY	GRAB	1130	Specific Conductance		9600	umhos/cm

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	GRAB	1130	pH		11.6	pH
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	1,2,4-trichlorobenzene	<	11.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	1,2-diphenylhydrazine	<	8.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,4,6-trichlorophenol	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,4-dimethylphenol	<	11	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,4-dinitrophenol	<	8.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,4-dinitrotoluene	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,4-dichlorophenol	<	9.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2,6-dinitrotoluene	<	6.97	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2-chloronaphthalene	<	7.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2-chlorophenol	<	5	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	2-nitrophenol	<	9.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	3,3-dichlorobenzidine	<	9.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	4-bromophenyl phenyl ether	<	6.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	4-chloro-3-methylphenol	<	21.8	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	4-chlorophenyl phenyl ether	<	4.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	4-nitrophenol	<	4.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Acenaphthene	<	5.45	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Acenaphthylene	<	8.34	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Anthracene	<	7.16	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzidine	<	6.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzo(A)anthracene	<	5.2	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzo(A)pyrene	<	7.69	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzo(G,H,I)perylene	<	5.22	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzo(K)fluoranthene	<	7.9	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Benzo(b)fluoroanthene	<	6.98	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Bis-(2-ethylhexyl) phthalate	<	44.8	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Butyl benzyl phthalate	<	7.53	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Chrysene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Di-n-Butyl phthalate	<	5.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Di-n-Octyl phthalate	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Dibenzo (A,H) Anthracene	<	7.66	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Diethyl Phthalate	<	4.66	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Dimethyl Phthalate	<	4.64	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Fluoranthene	<	4.68	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Fluorene	<	4.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Hexachlorobenzene	<	6.89	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Hexachlorobutadiene	<	9.17	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Hexachlorocyclopentadiene	<	8.87	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Hexachloroethane	<	5.27	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Isophorone	<	6	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	N-nitrosodi-n-propylamine	<	8.67	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	N-nitrosodimethylamine	<	5.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	N-nitrosodiphenylamine	<	5.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Naphthalene	<	22.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Nitrobenzene	<	7.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Pentachlorophenol	<	2.73	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Phenanthrene	<	4.76	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Phenol	<	96.1	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	Pyrene	<	4.86	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	bis(2-chloroethoxy)methane	<	10.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_BNA	1130	bis(2-chloroethyl) ether	<	6.41	ug/L
09-OCT-02	WEDNESDAY	GRAB_OG	1130	Hexane Extraction Method		32.4	mg/L
09-OCT-02	WEDNESDAY	GRAB_OG	1130	SGT-HEM-Non Polar Material		8.1	mg/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Chlorpyrifos	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Demeton-O	<	.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Demeton-S	<	.05	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Diazinon	<	.07	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Guthion	<	.21	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Malathion	<	.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_PEST	1130	Parathion	<	.03	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,1,1-trichloroethane	<	.78	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,1,2,2-tetrachloroethane	<	3.13	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,1,2-trichloroethane	<	3.02	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,1-dichloroethane	<	.71	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,1-dichloroethene	<	1.09	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,2-dichlorobenzene	<	1.37	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,2-dichloroethane	<	2.24	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,2-dichloropropane	<	.83	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,3-dichlorobenzene	<	1.31	ug/L

City of Tijuana
Site 56

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	1,4-dichlorobenzene		4.96	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	2-chloroethylvinyl ether	<	1.35	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Benzene	<	.81	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Bromodichloromethane		2.79	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Bromoform	<	3.58	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Bromomethane	<	1.39	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Carbon tetrachloride	<	1.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Chlorobenzene	<	1	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Chloroethane	<	.95	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Chloroform		30.4	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Chloromethane	<	3.23	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Dibromochloromethane	<	1.99	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Ethylbenzene		54	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Methylene chloride		6.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Tetrachloroethene		7.88	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Toluene		4510	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Trichloroethene	<	1.32	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Trichlorofluoromethane	<	3.92	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	Vinyl chloride	<	1.04	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	cis-1,3-dichloropropene	<	1.01	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	trans-1,2-dichloroethene	<	.61	ug/L
09-OCT-02	WEDNESDAY	GRAB_VOC	1130	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 57

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
16-OCT-02	WEDNESDAY	1_Hr_COMP	1150	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1150	pH		6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1250	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1250	pH		6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1350	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1350	pH		5.9	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1450	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1450	pH		5.9	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1550	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1550	pH		5.8	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1650	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1650	pH		5.9	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1750	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1750	pH		5.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1850	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1850	pH		5.7	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	1950	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	1950	pH		5.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2050	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2050	pH		5.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2150	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2150	pH		5.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2250	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2250	pH		5.6	pH
16-OCT-02	WEDNESDAY	1_Hr_COMP	2350	Specific Conductance		2900	umhos/cm
16-OCT-02	WEDNESDAY	1_Hr_COMP	2350	pH		5.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	50	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	50	pH		5.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	150	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	150	pH		5.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	250	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	250	pH		5.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	350	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	350	pH		5.6	pH
17-OCT-02	THURSDAY	1_Hr_COMP	450	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	450	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	550	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	550	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	650	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	650	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	750	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	750	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	850	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	850	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	950	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	950	pH		5.5	pH
17-OCT-02	THURSDAY	1_Hr_COMP	1050	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	1_Hr_COMP	1050	pH		5.5	pH
17-OCT-02	THURSDAY	COMP_AUTO_BOD	1300	Biochemical Oxygen Demand (BOD)	<	600	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_CN	1300	Total Cyanide	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_COD	1300	Chemical Oxygen Demand		129	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Aluminum		.183	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Antimony	<	.015	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Arsenic	<	.003	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Barium		.11	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Beryllium	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Cadmium	<	.009	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Chromium		.015	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Copper		.024	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Lead	<	.02	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Manganese		.071	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Mercury	<	.002	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Nickel	<	.012	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Selenium		.007	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Silver	<	.006	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Thallium		.001	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_HM	1300	Zinc		.494	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_MBAS	1300	Methylene Blue Active Substances	<	1	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_NH3	1300	Ammonia as (N)		40.4	mg/L
17-OCT-02	THURSDAY	COMP_AUTO_SOLID	1300	Total Suspended Solids		10	mg/L
17-OCT-02	THURSDAY	COMP_CONDUCT	1300	Specific Conductance		2900	umhos/cm
17-OCT-02	THURSDAY	COMP_PH	1300	pH		5.8	pH
17-OCT-02	THURSDAY	GRAB	1315	Specific Conductance		2900	umhos/cm

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-OCT-02	THURSDAY	GRAB	1315	pH		5.7	pH
17-OCT-02	THURSDAY	GRAB_OG	1315	Hexane Extraction Method	<	5	mg/L
17-OCT-02	THURSDAY	GRAB_OG	1315	SGT-HEM-Non Polar Material	<	5	mg/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Chlorpyrifos	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Demeton-O	<	.09	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Demeton-S	<	.05	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Diazinon		2.8	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Guthion	<	.21	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Malathion		.9	ug/L
17-OCT-02	THURSDAY	GRAB_PEST	1315	Parathion	<	.03	ug/L
24-OCT-02	THURSDAY	1_Hr_COMP	1225	Specific Conductance		3000	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1225	pH		5.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1325	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1325	pH		5.1	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1425	Specific Conductance		3500	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1425	pH		5.1	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1525	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1525	pH		5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1625	Specific Conductance		2000	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1625	pH		5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1725	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1725	pH		4.9	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1825	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1825	pH		5.3	pH
24-OCT-02	THURSDAY	1_Hr_COMP	1925	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	1925	pH		5	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2025	Specific Conductance		3600	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2025	pH		4.9	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2125	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2125	pH		4.9	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2225	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2225	pH		4.9	pH
24-OCT-02	THURSDAY	1_Hr_COMP	2325	Specific Conductance		3100	umhos/cm
24-OCT-02	THURSDAY	1_Hr_COMP	2325	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	25	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	25	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	125	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	125	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	225	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	225	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	325	Specific Conductance		3600	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	325	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	425	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	425	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	525	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	525	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	625	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	625	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	725	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	725	pH		4.9	pH
25-OCT-02	FRIDAY	1_Hr_COMP	825	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	825	pH		5	pH
25-OCT-02	FRIDAY	1_Hr_COMP	925	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	925	pH		5	pH
25-OCT-02	FRIDAY	1_Hr_COMP	1025	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	1025	pH		5	pH
25-OCT-02	FRIDAY	1_Hr_COMP	1125	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	1_Hr_COMP	1125	pH		5	pH
25-OCT-02	FRIDAY	COMP_AUTO_BOD	1130	Biochemical Oxygen Demand (BOD)	<	100	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_CN	1130	Total Cyanide	<	.02	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_COD	1130	Chemical Oxygen Demand		117	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Aluminum		.641	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Antimony	<	.015	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Arsenic	<	.003	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Barium		.106	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Beryllium	<	.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Cadmium	<	.009	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Chromium	<	.009	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Copper		.021	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Lead	<	.02	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Manganese		.065	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Mercury	<	.002	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Nickel	<	.012	mg/L

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Selenium		.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Silver		.006	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Thallium		.001	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_HM	1130	Zinc		.669	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_MBAS	1130	Methylene Blue Active Substances	<	1	mg/L
25-OCT-02	FRIDAY	COMP_AUTO_NH3	1130	Ammonia as (N)		48.4	ug/L
25-OCT-02	FRIDAY	COMP_AUTO_SOLID	1130	Total Suspended Solids		14	mg/L
25-OCT-02	FRIDAY	COMP_CONDUCT	1130	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	COMP_PH	1130	pH		5	pH
25-OCT-02	FRIDAY	GRAB	1135	Specific Conductance		3100	umhos/cm
25-OCT-02	FRIDAY	GRAB	1135	pH		5.1	pH
25-OCT-02	FRIDAY	GRAB_OG	1135	Hexane Extraction Method	<	5	mg/L
25-OCT-02	FRIDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material	<	5	mg/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Chlorpyrifos	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Demeton-O	<	.09	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Demeton-S	<	.05	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Diazinon		.3	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Guthion	<	.21	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Malathion	<	.04	ug/L
25-OCT-02	FRIDAY	GRAB_PEST	1135	Parathion	<	.03	ug/L
01-NOV-02	FRIDAY	1_Hr_COMP	1120	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1120	pH		5.6	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1220	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1220	pH		5.2	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1320	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1320	pH		5.1	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1420	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1420	pH		5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1520	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1520	pH		5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1620	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1620	pH		5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1720	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1720	pH		5.4	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1820	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1820	pH		5	pH
01-NOV-02	FRIDAY	1_Hr_COMP	1920	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	1920	pH		4.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2020	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2020	pH		4.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2120	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2120	pH		4.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2220	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2220	pH		4.9	pH
01-NOV-02	FRIDAY	1_Hr_COMP	2320	Specific Conductance		3100	umhos/cm
01-NOV-02	FRIDAY	1_Hr_COMP	2320	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	20	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	20	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	120	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	120	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	220	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	220	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	320	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	320	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	420	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	420	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	520	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	520	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	620	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	620	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	720	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	720	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	820	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	820	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	920	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	920	pH		4.9	pH
02-NOV-02	SATURDAY	1_Hr_COMP	1020	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	1_Hr_COMP	1020	pH		4.9	pH
02-NOV-02	SATURDAY	COMP_AUTO_BOD	1115	Biochemical Oxygen Demand (BOD)	<	10	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_CN	1115	Total Cyanide	<	.02	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_COD	1115	Chemical Oxygen Demand		114	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Aluminum		4.35	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Antimony		.034	mg/L

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Arsenic		.014	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Barium		.419	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Beryllium	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Cadmium	<	.009	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Chromium		.224	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Copper		1.76	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Lead		.144	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Manganese		.218	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Mercury	<	.002	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Nickel		.67	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Selenium		.012	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Silver	<	.006	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Thallium	<	.001	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_HM	1115	Zinc		1.05	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_MBAS	1115	Methylene Blue Active Substances	<	1	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_NH3	1115	Ammonia as (N)		54.8	mg/L
02-NOV-02	SATURDAY	COMP_AUTO_SOLID	1115	Total Suspended Solids		20	mg/L
02-NOV-02	SATURDAY	COMP_CONDUCT	1115	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	COMP_PH	1115	pH		4.9	pH
02-NOV-02	SATURDAY	GRAB	1130	Specific Conductance		3100	umhos/cm
02-NOV-02	SATURDAY	GRAB	1130	pH		4.3	pH
02-NOV-02	SATURDAY	GRAB_OG	1130	Hexane Extraction Method	<	5	mg/L
02-NOV-02	SATURDAY	GRAB_OG	1130	SGT-HEM-Non Polar Material	<	5	mg/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Chlorpyrifos	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Demeton-O	<	.09	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Demeton-S	<	.05	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Diazinon		.4	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Guthion	<	.21	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Malathion	<	.04	ug/L
02-NOV-02	SATURDAY	GRAB_PEST	1130	Parathion	<	.03	ug/L
09-NOV-02	SATURDAY	1_Hr_COMP	945	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	945	pH		5.4	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1045	Specific Conductance		3200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1045	pH		3.9	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1145	Specific Conductance		3200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1145	pH		3.7	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1245	Specific Conductance		3200	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1245	pH		3.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1345	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1345	pH		3.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1445	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1445	pH		3.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1545	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1545	pH		3.9	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1645	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1645	pH		3.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1745	Specific Conductance		3100	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1745	pH		3.6	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1845	Specific Conductance		3000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1845	pH		3.8	pH
09-NOV-02	SATURDAY	1_Hr_COMP	1945	Specific Conductance		3000	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	1945	pH		3.8	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2045	Specific Conductance		2900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2045	pH		3.8	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2145	Specific Conductance		2900	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2145	pH		3.9	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2245	Specific Conductance		2700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2245	pH		3.9	pH
09-NOV-02	SATURDAY	1_Hr_COMP	2345	Specific Conductance		2700	umhos/cm
09-NOV-02	SATURDAY	1_Hr_COMP	2345	pH		4.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	45	Specific Conductance		2800	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	45	pH		4.4	pH
10-NOV-02	SUNDAY	1_Hr_COMP	145	Specific Conductance		2800	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	145	pH		4.5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	245	Specific Conductance		2700	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	245	pH		4.6	pH
10-NOV-02	SUNDAY	1_Hr_COMP	345	Specific Conductance		2600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	345	pH		4.7	pH
10-NOV-02	SUNDAY	1_Hr_COMP	445	Specific Conductance		2600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	445	pH		4.8	pH
10-NOV-02	SUNDAY	1_Hr_COMP	545	Specific Conductance		2600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	545	pH		5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	645	Specific Conductance		2600	umhos/cm

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	1_Hr_COMP	645	pH		5	pH
10-NOV-02	SUNDAY	1_Hr_COMP	745	Specific Conductance		2600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	745	pH		4.9	pH
10-NOV-02	SUNDAY	1_Hr_COMP	845	Specific Conductance		2600	umhos/cm
10-NOV-02	SUNDAY	1_Hr_COMP	845	pH		5	pH
10-NOV-02	SUNDAY	COMP_AUTO_BOD	1030	Biochemical Oxygen Demand (BOD)	<	10	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_CN	1030	Total Cyanide	<	.02	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_COD	1030	Chemical Oxygen Demand		151	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Aluminum		1.04	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Antimony	<	.015	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Arsenic		.011	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Barium		1.89	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Beryllium	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Cadmium	<	.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Chromium	<	.009	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Copper		.038	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Lead	<	.02	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Manganese		.081	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Mercury	<	.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Nickel		.012	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Selenium		.011	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Silver	<	.006	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Thallium		.002	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_HM	1030	Zinc		.701	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_MBAS	1030	Methylene Blue Active Substances	<	1	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_NH3	1030	Ammonia as (N)		52	mg/L
10-NOV-02	SUNDAY	COMP_AUTO_SOLID	1030	Total Suspended Solids		32	mg/L
10-NOV-02	SUNDAY	COMP_CONDUCT	1030	Specific Conductance		2900	umhos/cm
10-NOV-02	SUNDAY	COMP_PH	1030	pH		4.4	pH
10-NOV-02	SUNDAY	GRAB	1045	Specific Conductance		2000	umhos/cm
10-NOV-02	SUNDAY	GRAB	1045	pH		5.4	pH
10-NOV-02	SUNDAY	GRAB_BNA	1045	1,2,4-trichlorobenzene	<	11.1	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	1,2-diphenylhydrazine	<	8.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,4,6-trichlorophenol	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,4-dimethylphenol	<	11	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,4-dinitrophenol	<	8.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,4-dinitrotoluene	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,4-dichlorophenol	<	9.32	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2,6-dinitrotoluene	<	6.97	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2-Methyl-4,6-Dinitrophenol	<	9.6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2-chloronaphthalene	<	7.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2-chlorophenol	<	5	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	2-nitrophenol	<	9.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	3,3-dichlorobenzidine	<	9.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	4-bromophenyl phenyl ether	<	6.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	4-chloro-3-methylphenol	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	4-chlorophenyl phenyl ether	<	4.99	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	4-nitrophenol	<	4.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Acenaphthene	<	5.45	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Acenaphthylene	<	8.34	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Anthracene	<	7.16	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzidine	<	6.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzo(A)anthracene	<	5.2	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzo(A)pyrene	<	7.69	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzo(G,H,I)perylene	<	5.22	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzo(K)fluoranthene	<	7.9	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Benzo(b)fluoroanthene	<	6.98	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Bis-(2-chloroisopropyl) ether	<	8.93	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Bis-(2-ethylhexyl) phthalate	<	7.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Butyl benzyl phthalate	<	7.53	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Chrysene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Di-n-Butyl phthalate	<	5.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Di-n-Octyl phthalate	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Dibenzo (A,H) Anthracene	<	7.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Diethyl Phthalate	<	4.66	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Dimethyl Phthalate	<	4.64	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Fluoranthene	<	4.68	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Fluorene	<	4.04	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Hexachlorobenzene	<	6.89	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Hexachlorobutadiene	<	9.17	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Hexachlorocyclopentadiene	<	8.87	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Hexachloroethane	<	5.27	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Indeno(1,2,3-CD)pyrene	<	7.7	ug/L

City of Tijuana
Site 57

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
10-NOV-02	SUNDAY	GRAB_BNA	1045	Isophorone	<	6	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	N-nitrosodi-n-propylamine	<	8.67	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	N-nitrosodimethylamine	<	5.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	N-nitrosodiphenylamine	<	5.01	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Naphthalene	<	7.47	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Nitrobenzene	<	7.92	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Pentachlorophenol	<	2.73	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Phenanthrene	<	4.76	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Phenol	<	2.43	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	Pyrene	<	4.86	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	bis(2-chloroethoxy)methane	<	10.4	ug/L
10-NOV-02	SUNDAY	GRAB_BNA	1045	bis(2-chloroethyl) ether	<	6.41	ug/L
10-NOV-02	SUNDAY	GRAB_OG	1045	Hexane Extraction Method	<	8.3	mg/L
10-NOV-02	SUNDAY	GRAB_OG	1045	SGT-HEM-Non Polar Material	<	5.5	mg/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Chlorpyrifos	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Demeton-O	<	.09	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Demeton-S	<	.05	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Diazinon	<	.3	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Guthion	<	.21	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Malathion	<	.04	ug/L
10-NOV-02	SUNDAY	GRAB_PEST	1045	Parathion	<	.03	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,1,1-trichloroethane	<	.78	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,1,2,2-tetrachloroethane	<	3.13	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,1,2-trichloroethane	<	3.02	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,1-dichloroethane	<	.71	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,1-dichloroethene	<	1.09	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,2-dichlorobenzene	<	1.37	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,2-dichloroethane	<	2.24	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,2-dichloropropane	<	.83	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,3-dichlorobenzene	<	1.31	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	1,4-dichlorobenzene	<	.99	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	2-chloroethylvinyl ether	<	1.35	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Benzene	<	.81	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Bromodichloromethane	<	1.79	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Bromoform	<	3.58	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Bromomethane	<	1.39	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Carbon tetrachloride	<	1.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Chlorobenzene	<	1	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Chloroethane	<	.95	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Chloroform	<	.57	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Chloromethane	<	3.23	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Dibromochloromethane	<	1.99	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Ethylbenzene	<	1.46	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Methylene chloride	<	1.29	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Tetrachloroethene	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Toluene	<	1.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Trichloroethene	<	1.32	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Trichlorofluoromethane	<	3.92	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	Vinyl chloride	<	1.04	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	cis-1,3-dichloropropene	<	1.01	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	trans-1,2-dichloroethene	<	.61	ug/L
10-NOV-02	SUNDAY	GRAB_VOC	1045	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 58

City of Tijuana
Site 58

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
17-NOV-02	SUNDAY	1_Hr_COMP	1000	Specific Conductance		1800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1000	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1100	Specific Conductance		2600	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1100	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1200	Specific Conductance		1300	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1200	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1300	Specific Conductance		1100	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1300	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1400	Specific Conductance		2300	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1400	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1500	Specific Conductance		1200	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1500	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1600	Specific Conductance		1100	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1600	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1700	Specific Conductance		1700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1700	pH		7.1	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1800	Specific Conductance		3700	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1800	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	1900	Specific Conductance		1200	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	1900	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2000	Specific Conductance		1100	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2000	pH		7.2	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2100	Specific Conductance		2500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2100	pH		7.3	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2200	Specific Conductance		2800	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2200	pH		8.4	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2300	Specific Conductance		2000	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2300	pH		7.9	pH
17-NOV-02	SUNDAY	1_Hr_COMP	2400	Specific Conductance		2500	umhos/cm
17-NOV-02	SUNDAY	1_Hr_COMP	2400	pH		7.4	pH
18-NOV-02	MONDAY	1_Hr_COMP	100	Specific Conductance		2700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	100	pH		7.4	pH
18-NOV-02	MONDAY	1_Hr_COMP	200	Specific Conductance		1600	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	200	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	300	Specific Conductance		1000	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	300	pH		7.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	400	Specific Conductance		2100	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	400	pH		7.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	500	Specific Conductance		2200	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	500	pH		7.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	600	Specific Conductance		700	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	600	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	700	Specific Conductance		1400	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	700	pH		7	pH
18-NOV-02	MONDAY	1_Hr_COMP	800	Specific Conductance		1500	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	800	pH		7.1	pH
18-NOV-02	MONDAY	1_Hr_COMP	900	Specific Conductance		1100	umhos/cm
18-NOV-02	MONDAY	1_Hr_COMP	900	pH		7.1	pH
18-NOV-02	MONDAY	COMP_AUTO_CN	1545	Total Cyanide	<	.02	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Aluminum		.399	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Antimony	<	.015	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Arsenic		.003	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Barium		.134	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Beryllium	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Cadmium	<	.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Chromium	<	.009	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Copper		.056	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Lead	<	.02	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Manganese		.018	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Mercury	<	.002	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Nickel	<	.012	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Selenium	<	.003	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Silver	<	.006	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Thallium		.008	mg/L
18-NOV-02	MONDAY	COMP_AUTO_HM	1545	Zinc		.148	mg/L
18-NOV-02	MONDAY	COMP_AUTO_MBAS	1545	Methylene Blue Active Substances	<	1	mg/L
18-NOV-02	MONDAY	COMP_CONDUCT	1545	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	COMP_PH	1545	pH		7.5	pH
18-NOV-02	MONDAY	GRAB	1555	Specific Conductance		1800	umhos/cm
18-NOV-02	MONDAY	GRAB	1555	pH		7.8	pH
18-NOV-02	MONDAY	GRAB_OG	1555	Hexane Extraction Method		36.2	mg/L
18-NOV-02	MONDAY	GRAB_OG	1555	SGT-HEM-Non Polar Material		8.2	mg/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,1,1-trichloroethane	<	.78	ug/L

City of Tijuana
Site 58

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
18-NOV-02	MONDAY	GRAB_VOC	1555	1,1,2,2-tetrachloroethane	<	3.13	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,1,2-trichloroethane	<	3.02	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,1-dichloroethane	<	.71	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,1-dichloroethene	<	1.09	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,2-dichlorobenzene	<	1.37	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,2-dichloroethane	<	2.24	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,2-dichloropropane	<	.83	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,3-dichlorobenzene	<	1.31	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	1,4-dichlorobenzene	<	7.17	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	2-chloroethylvinyl ether	<	1.35	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Benzene	<	.81	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Bromodichloromethane	<	6.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Bromoform	<	3.58	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Bromomethane	<	1.39	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Carbon tetrachloride	<	1.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Chlorobenzene	<	1	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Chloroethane	<	.95	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Chloroform	<	6.42	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Chloromethane	<	3.23	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Dibromochloromethane	<	6.55	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Ethylbenzene	<	1.46	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Methylene chloride	<	1.29	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Tetrachloroethene	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Toluene	<	36.3	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Trichloroethene	<	1.32	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Trichlorofluoromethane	<	3.92	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	Vinyl chloride	<	1.04	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	cis-1,3-dichloropropene	<	1.01	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	trans-1,2-dichloroethene	<	.61	ug/L
18-NOV-02	MONDAY	GRAB_VOC	1555	trans-1,3-dichloropropene	<	1.27	ug/L
25-NOV-02	MONDAY	1_Hr_COMP	1350	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1350	pH		7.7	pH
25-NOV-02	MONDAY	1_Hr_COMP	1450	Specific Conductance		3000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1450	pH		8	pH
25-NOV-02	MONDAY	1_Hr_COMP	1550	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1550	pH		8.3	pH
25-NOV-02	MONDAY	1_Hr_COMP	1650	Specific Conductance		4000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1650	pH		7.3	pH
25-NOV-02	MONDAY	1_Hr_COMP	1750	Specific Conductance		4300	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1750	pH		7.4	pH
25-NOV-02	MONDAY	1_Hr_COMP	1850	Specific Conductance		4700	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1850	pH		7.1	pH
25-NOV-02	MONDAY	1_Hr_COMP	1950	Specific Conductance		3000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	1950	pH		7.5	pH
25-NOV-02	MONDAY	1_Hr_COMP	2050	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2050	pH		7.8	pH
25-NOV-02	MONDAY	1_Hr_COMP	2150	Specific Conductance		3000	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2150	pH		7.8	pH
25-NOV-02	MONDAY	1_Hr_COMP	2250	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2250	pH		8	pH
25-NOV-02	MONDAY	1_Hr_COMP	2350	Specific Conductance		2900	umhos/cm
25-NOV-02	MONDAY	1_Hr_COMP	2350	pH		8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	50	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	50	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	150	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	150	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	250	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	250	pH		7.8	pH
26-NOV-02	TUESDAY	1_Hr_COMP	350	Specific Conductance		2700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	350	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	450	Specific Conductance		1700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	450	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	550	Specific Conductance		1700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	550	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	650	Specific Conductance		1700	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	650	pH		8.3	pH
26-NOV-02	TUESDAY	1_Hr_COMP	750	Specific Conductance		2400	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	750	pH		7.9	pH
26-NOV-02	TUESDAY	1_Hr_COMP	850	Specific Conductance		3000	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	850	pH		8.1	pH
26-NOV-02	TUESDAY	1_Hr_COMP	950	Specific Conductance		2800	umhos/cm
26-NOV-02	TUESDAY	1_Hr_COMP	950	pH		8.2	pH
26-NOV-02	TUESDAY	1_Hr_COMP	1050	Specific Conductance		2900	umhos/cm

City of Tijuana
Site 58

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
26-NOV-02	TUESDAY	1_Hr_COMP	1050	pH		8.1	pH
26-NOV-02	TUESDAY	COMP_AUTO_CN	1155	Total Cyanide	<	.02	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Aluminum		5.34	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Antimony		.015	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Arsenic		.013	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Barium		.259	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Beryllium	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Cadmium	<	.009	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Chromium		.086	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Copper		.132	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Lead	<	.02	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Manganese		.048	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Mercury	<	.002	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Nickel		.055	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Selenium		.01	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Silver	<	.006	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Thallium		.007	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_HM	1155	Zinc		.334	mg/L
26-NOV-02	TUESDAY	COMP_AUTO_MBAS	1155	Methylene Blue Active Substances		2.7	mg/L
26-NOV-02	TUESDAY	COMP_CONDUCT	1155	Specific Conductance		2900	umhos/cm
26-NOV-02	TUESDAY	COMP_PH	1155	pH		7.9	pH
26-NOV-02	TUESDAY	GRAB	1202	Specific Conductance		2700	umhos/cm
26-NOV-02	TUESDAY	GRAB	1202	pH		8.3	pH
26-NOV-02	TUESDAY	GRAB_OG	1202	Hexane Extraction Method		26.7	mg/L
26-NOV-02	TUESDAY	GRAB_OG	1202	SGT-HEM-Non Polar Material	<	5	mg/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,1,1-trichloroethane	<	.78	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,1,2,2-tetrachloroethane	<	3.13	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,1,2-trichloroethane	<	3.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,1-dichloroethane	<	.71	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,1-dichloroethene	<	1.09	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,2-dichlorobenzene	<	1.37	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,2-dichloroethane	<	2.24	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,2-dichloropropane	<	.83	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,3-dichlorobenzene	<	1.31	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	1,4-dichlorobenzene		4.02	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	2-chloroethylvinyl ether	<	1.35	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Benzene	<	.81	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Bromodichloromethane		18.9	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Bromoform		3.65	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Bromomethane	<	1.39	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Carbon tetrachloride	<	1.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Chlorobenzene	<	1	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Chloroethane	<	.95	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Chloroform		22.2	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Chloromethane	<	3.23	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Dibromochloromethane		17.3	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Ethylbenzene	<	1.46	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Methylene chloride	<	1.29	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Tetrachloroethene	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Toluene		23.2	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Trichloroethene	<	1.32	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Trichlorofluoromethane	<	3.92	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	Vinyl chloride	<	1.04	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	cis-1,3-dichloropropene	<	1.01	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	trans-1,2-dichloroethene	<	.61	ug/L
26-NOV-02	TUESDAY	GRAB_VOC	1202	trans-1,3-dichloropropene	<	1.27	ug/L

SITE 59

City of Tijuana
Site 59

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
03-DEC-02	TUESDAY	1_Hr_COMP	1140	Specific Conductance		2000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1140	pH		7.8	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1240	Specific Conductance		2200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1240	pH		8.3	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1340	Specific Conductance		2400	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1340	pH		8.5	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1440	Specific Conductance		2200	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1440	pH		8.4	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1540	Specific Conductance		2100	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1540	pH		8.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1640	Specific Conductance		2300	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1640	pH		8.5	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1740	Specific Conductance		2100	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1740	pH		8.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1840	Specific Conductance		2000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1840	pH		8.5	pH
03-DEC-02	TUESDAY	1_Hr_COMP	1940	Specific Conductance		2000	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	1940	pH		8.5	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2040	Specific Conductance		1800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2040	pH		7.3	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2140	Specific Conductance		1900	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2140	pH		6.2	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2240	Specific Conductance		1800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2240	pH		6.6	pH
03-DEC-02	TUESDAY	1_Hr_COMP	2340	Specific Conductance		1800	umhos/cm
03-DEC-02	TUESDAY	1_Hr_COMP	2340	pH		7	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	40	Specific Conductance		1600	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	40	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	140	Specific Conductance		1600	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	140	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	240	Specific Conductance		1500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	240	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	340	Specific Conductance		1500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	340	pH		7.4	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	440	Specific Conductance		1500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	440	pH		7.5	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	540	Specific Conductance		1500	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	540	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	640	Specific Conductance		1600	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	640	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	740	Specific Conductance		1800	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	740	pH		7.6	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	840	Specific Conductance		1900	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	840	pH		8	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	940	Specific Conductance		2000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	940	pH		8.3	pH
04-DEC-02	WEDNESDAY	1_Hr_COMP	1040	Specific Conductance		2000	umhos/cm
04-DEC-02	WEDNESDAY	1_Hr_COMP	1040	pH		7.7	pH
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Aluminum		.544	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Antimony	<	.015	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Arsenic		.008	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Barium		.215	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Beryllium	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Cadmium	<	.009	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Chromium		.028	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Copper		.109	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Lead		.152	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Manganese		.038	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Mercury	<	.002	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Nickel		.02	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Selenium	<	.003	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Silver	<	.006	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Thallium		.005	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_HM	1125	Zinc		.274	mg/L
04-DEC-02	WEDNESDAY	COMP_AUTO_MBAS	1125	Methylene Blue Active Substances		3	mg/L
04-DEC-02	WEDNESDAY	COMP_CONDUCT	1125	Specific Conductance		1900	umhos/cm
04-DEC-02	WEDNESDAY	COMP_PH	1125	pH		8	pH
04-DEC-02	WEDNESDAY	GRAB	1135	Specific Conductance		2000	umhos/cm
04-DEC-02	WEDNESDAY	GRAB	1135	pH		8.2	pH
04-DEC-02	WEDNESDAY	GRAB_OG	1135	Hexane Extraction Method		24	mg/L
04-DEC-02	WEDNESDAY	GRAB_OG	1135	SGT-HEM-Non Polar Material		5.9	mg/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,1,1-trichloroethane	<	.78	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,1,2,2-tetrachloroethane	<	3.13	ug/L

City of Tijuana
Site 59

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,1,2-trichloroethane	<	3.02	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,1-dichloroethane	<	.71	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,1-dichloroethene	<	1.09	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,2-dichlorobenzene	<	1.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,2-dichloroethane	<	2.24	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,2-dichloropropane	<	.83	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,3-dichlorobenzene	<	1.31	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	1,4-dichlorobenzene	<	10.7	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	2-chloroethylvinyl ether	<	1.35	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Benzene	<	.81	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Bromodichloromethane	<	8.21	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Bromoform	<	3.58	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Bromomethane	<	1.39	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Carbon tetrachloride	<	1.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Chlorobenzene	<	1	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Chloroethane	<	.95	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Chloroform	<	8.37	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Chloromethane	<	3.23	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Dibromochloromethane	<	7.83	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Ethylbenzene	<	1.46	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Methylene chloride	<	1.29	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Tetrachloroethene	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Toluene	<	1.65	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Trichloroethene	<	1.32	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Trichlorofluoromethane	<	3.92	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	Vinyl chloride	<	1.04	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	cis-1,3-dichloropropene	<	1.01	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	trans-1,2-dichloroethene	<	.61	ug/L
04-DEC-02	WEDNESDAY	GRAB_VOC	1135	trans-1,3-dichloropropene	<	1.27	ug/L
12-DEC-02	THURSDAY	GRAB	1250	Specific Conductance		2200	umhos/cm
12-DEC-02	THURSDAY	GRAB	1250	pH		8.5	pH
12-DEC-02	THURSDAY	GRAB_CYANIDE	1250	Total Cyanide	<	.02	mg/L
12-DEC-02	THURSDAY	GRAB_MBAS	1250	Methylene Blue Active Substances		4.8	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Aluminum		.351	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Antimony	<	.015	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Arsenic		.008	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Barium		.178	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Beryllium	<	.006	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Cadmium	<	.009	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Chromium		.012	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Copper		.11	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Lead		.022	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Manganese		.037	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Mercury	<	.002	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Nickel		.014	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Selenium	<	.003	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Silver	<	.006	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Thallium		.006	mg/L
12-DEC-02	THURSDAY	GRAB_METALS	1250	Zinc		.153	mg/L
12-DEC-02	THURSDAY	GRAB_OG	1250	SGT-HEM-Non Polar Material		6.1	mg/L
19-DEC-02	THURSDAY	1_Hr_COMP	1305	Specific Conductance		2500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1305	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1405	Specific Conductance		3300	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1405	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1505	Specific Conductance		3500	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1505	pH		8.1	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1605	Specific Conductance		2800	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1605	pH		8.7	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1705	Specific Conductance		2400	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1705	pH		8.8	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1805	Specific Conductance		1900	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1805	pH		8.4	pH
19-DEC-02	THURSDAY	1_Hr_COMP	1905	Specific Conductance		2000	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	1905	pH		8.5	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2005	Specific Conductance		1800	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2005	pH		8.4	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2105	Specific Conductance		1700	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2105	pH		7.9	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2205	Specific Conductance		1700	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2205	pH		7.8	pH
19-DEC-02	THURSDAY	1_Hr_COMP	2305	Specific Conductance		1700	umhos/cm
19-DEC-02	THURSDAY	1_Hr_COMP	2305	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	5	Specific Conductance		1600	umhos/cm

City of Tijuana
Site 59

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-DEC-02	FRIDAY	1_Hr_COMP	5	pH		7.6	pH
20-DEC-02	FRIDAY	1_Hr_COMP	105	Specific Conductance		1700	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	105	pH		7.4	pH
20-DEC-02	FRIDAY	1_Hr_COMP	205	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	205	pH		7.4	pH
20-DEC-02	FRIDAY	1_Hr_COMP	305	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	305	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	405	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	405	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	505	Specific Conductance		1500	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	505	pH		8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	605	Specific Conductance		1600	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	605	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	705	Specific Conductance		1600	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	705	pH		7.9	pH
20-DEC-02	FRIDAY	1_Hr_COMP	805	Specific Conductance		1300	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	805	pH		7.8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	905	Specific Conductance		6000	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	905	pH		8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1005	Specific Conductance		7100	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1005	pH		8	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1105	Specific Conductance		1400	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1105	pH		7.7	pH
20-DEC-02	FRIDAY	1_Hr_COMP	1205	Specific Conductance		1700	umhos/cm
20-DEC-02	FRIDAY	1_Hr_COMP	1205	pH		7.7	pH
20-DEC-02	FRIDAY	COMP_AUTO_CN	1440	Total Cyanide	<	.02	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Aluminum		3.91	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Antimony	<	.015	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Arsenic		.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Barium		.142	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Beryllium	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Cadmium	<	.009	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Chromium		.021	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Copper		.171	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Lead		.09	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Manganese		.059	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Mercury	<	.002	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Nickel		.063	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Selenium	<	.003	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Silver	<	.006	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Thallium		.004	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_HM	1440	Zinc		.583	mg/L
20-DEC-02	FRIDAY	COMP_AUTO_MBAS	1440	Methylene Blue Active Substances		2	mg/L
20-DEC-02	FRIDAY	COMP_CONDUCT	1440	Specific Conductance		1900	umhos/cm
20-DEC-02	FRIDAY	COMP_PH	1440	pH		8.3	pH
20-DEC-02	FRIDAY	GRAB	1450	Specific Conductance		1700	umhos/cm
20-DEC-02	FRIDAY	GRAB	1450	pH		8	pH
20-DEC-02	FRIDAY	GRAB_OG	1450	Hexane Extraction Method		19.4	mg/L
20-DEC-02	FRIDAY	GRAB_OG	1450	SGT-HEM-Non Polar Material		6.5	mg/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,1,1-trichloroethane	<	.78	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,1,2,2-tetrachloroethane	<	3.13	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,1,2-trichloroethane	<	3.02	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,1-dichloroethane	<	.71	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,1-dichloroethene	<	1.09	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,2-dichlorobenzene	<	1.37	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,2-dichloroethane	<	2.24	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,2-dichloropropane	<	.83	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,3-dichlorobenzene	<	1.31	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	1,4-dichlorobenzene		8.26	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	2-chloroethylvinyl ether	<	1.35	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Benzene	<	.81	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Bromodichloromethane		7.51	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Bromoform	<	3.58	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Bromomethane	<	1.39	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Carbon tetrachloride	<	1.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Chlorobenzene	<	1	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Chloroethane	<	.95	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Chloroform		5.43	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Chloromethane	<	3.23	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Dibromochloromethane		7.4	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Ethylbenzene	<	1.46	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Methylene chloride	<	1.29	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Tetrachloroethene	<	1.04	ug/L

City of Tijuana
Site 59

DATE	DAY OF WEEK	SAMPLE_TYPE	TIME	ANALYTE	Q	VALUE	UNITS
20-DEC-02	FRIDAY	GRAB_VOC	1450	Toluene		1.29	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Trichloroethene	<	1.32	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Trichlorofluoromethane	<	3.92	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	Vinyl chloride	<	1.04	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	cis-1,3-dichloropropene	<	1.01	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	trans-1,2-dichloroethene	<	.61	ug/L
20-DEC-02	FRIDAY	GRAB_VOC	1450	trans-1,3-dichloropropene	<	1.27	ug/L