

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total .....		1,259,320	335,160	170,080	83,330	55,510	79,800	167,010	37,500
<b>Head</b> .....	0	81,530	50,000	26,690	9,260	440	2,530	8,610	—
Head, unspecified .....	00	16,300	8,700	5,070	3,450	50	820	4,070	—
Cranial region, including skull .....	01	9,600	5,250	3,030	2,170	50	1,100	1,830	—
Cranial region, unspecified .....	010	300	210	150	70	—	—	80	—
Brain .....	011	5,830	2,620	1,600	1,010	—	840	1,290	—
Scalp .....	012	2,650	1,970	1,040	880	—	110	340	—
Skull .....	013	600	310	170	140	—	150	50	—
Multiple cranial region locations .....	018	60	40	—	—	—	—	—	—
Cranial region, n.e.c. ....	019	160	100	50	50	—	—	50	—
Ear(s) .....	02	1,030	270	190	—	—	—	—	—
Face .....	03	52,780	35,330	18,130	3,470	310	490	2,450	—
Face, unspecified .....	030	4,070	1,430	1,080	290	50	140	440	—
Forehead .....	031	3,130	2,380	1,660	660	—	50	480	—
Eye(s) .....	032	36,680	26,500	11,440	1,680	—	—	220	—
Nose, nasal cavity .....	033	2,380	1,500	1,120	310	70	110	210	—
Nose, except internal location of diseases or disorders .....	0330	2,340	1,500	1,120	310	70	110	210	—
Cheek(s) .....	034	850	590	430	—	130	20	160	—
Jaw/chin .....	035	1,060	480	430	—	—	50	280	—
Mouth .....	036	1,950	1,270	1,020	230	—	50	250	—
Mouth, unspecified .....	0360	320	160	130	—	—	—	20	—
Lip(s) .....	0361	480	350	310	40	—	—	50	—
Tooth(teeth) .....	0363	900	630	460	150	—	—	140	—
Multiple mouth locations .....	0368	120	90	80	—	—	—	—	—
Mouth, n.e.c. ....	0369	110	—	—	—	—	—	—	—
Multiple face locations .....	038	2,490	1,080	850	230	—	—	410	—
Face, n.e.c. ....	039	180	110	100	—	—	—	—	—
Multiple head locations .....	08	1,690	380	260	90	40	50	250	—
Head, n.e.c. ....	09	130	70	—	60	—	50	—	—
<b>Neck, including throat</b> .....	1	21,130	4,090	2,540	1,310	60	400	1,400	390
Neck, except internal location of diseases or disorders .....	10	20,980	4,090	2,540	1,310	60	400	1,400	390
Multiple internal neck locations .....	18	70	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	447,140	24,040	13,980	6,670	1,380	21,320	46,580	10,490
Trunk, unspecified .....	20	2,220	310	190	60	50	140	550	70
Shoulder, including clavicle, scapula .....	21	82,220	6,800	4,290	1,860	220	3,930	11,010	1,350
Chest, including ribs, internal organs .....	22	20,280	3,140	1,660	1,200	180	1,880	4,140	80

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events <sup>5</sup>
	Total	In lifting					Total	By person	All other assaults	
<b>Total</b> .....	316,670	173,400	48,710	52,830	62,860	2,420	24,880	17,670	7,220	131,480
<b>Head</b> .....	180	110	40	11,260	3,260	720	4,130	3,300	840	760
Head, unspecified .....	50	—	—	140	1,230	—	1,030	980	50	250
Cranial region, including skull .....	—	—	—	—	1,050	—	290	250	—	60
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—
Brain .....	—	—	—	—	800	—	230	210	—	40
Scalp .....	—	—	—	—	170	—	50	40	—	—
Skull .....	—	—	—	—	80	—	—	—	—	—
Multiple cranial region locations .....	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	570	—	—	70	—	60	40
Face .....	130	90	40	10,510	610	620	2,180	1,900	280	400
Face, unspecified .....	—	—	—	1,110	200	150	560	500	60	—
Forehead .....	—	—	—	20	60	80	20	—	—	—
Eye(s) .....	110	70	—	8,870	100	160	440	420	—	260
Nose, nasal cavity .....	—	—	—	50	—	—	430	400	—	40
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	430	400	—	40
Cheek(s) .....	—	—	—	—	40	—	—	—	—	—
Jaw/chin .....	—	—	—	—	—	—	140	130	—	—
Mouth .....	—	—	—	50	50	—	280	240	40	20
Mouth, unspecified .....	—	—	—	—	—	—	90	70	—	—
Lip(s) .....	—	—	—	—	—	—	20	—	—	—
Tooth(teeth) .....	—	—	—	—	—	—	100	80	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	380	80	220	270	170	100	—
Face, n.e.c. ....	—	—	—	20	—	—	—	—	—	—
Multiple head locations .....	—	—	—	—	350	70	560	150	410	—
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	6,220	3,380	510	270	4,590	—	830	750	70	2,430
Neck, except internal location of diseases or disorders .....	6,220	3,380	480	150	4,590	—	830	750	70	2,420
Multiple internal neck locations .....	—	—	—	70	—	—	—	—	—	—
<b>Trunk</b> .....	250,630	144,160	10,180	3,340	15,740	100	5,050	4,370	680	59,680
Trunk, unspecified .....	560	310	70	50	140	—	150	50	90	200
Shoulder, including clavicle, scapula .....	42,650	20,460	4,650	180	2,270	—	1,320	970	340	8,050
Chest, including ribs, internal organs .....	4,280	2,060	50	1,890	1,860	—	670	590	80	2,240

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chest, except internal location of diseases or disorders .....	220	17,800	3,140	1,660	1,200	180	1,870	4,140	80
Internal chest location, unspecified .....	221	230	—	—	—	—	—	—	—
Heart .....	223	470	—	—	—	—	—	—	—
Bronchus .....	224	160	—	—	—	—	—	—	—
Lung(s), pleura .....	225	1,590	—	—	—	—	—	—	—
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	282,240	9,670	5,350	2,540	550	11,870	22,890	7,680
Back, including spine, spinal cord, unspecified .....	230	123,200	4,910	2,890	1,300	240	5,590	9,450	3,440
Lumbar region .....	231	137,210	3,590	1,730	920	280	5,150	10,440	3,870
Thoracic region .....	232	10,350	490	320	140	—	280	300	210
Sacral region .....	233	860	—	—	—	—	50	70	—
Coccygeal region .....	234	2,130	130	—	110	—	260	1,590	—
Multiple back regions .....	238	7,790	370	270	50	—	530	1,000	140
Back, including spine, spinal cord, n.e.c. ....	239	700	140	110	—	—	—	40	—
Abdomen .....	24	29,010	1,390	890	310	110	260	950	270
Abdomen, except internal location of diseases or disorders .....	240	7,540	1,080	750	180	90	180	310	100
Internal abdominal location, unspecified .....	241	9,670	160	50	110	—	20	440	90
Stomach organ .....	242	710	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	10,990	140	90	—	—	70	190	80
Intestines, peritoneum, unspecified .....	2450	9,650	140	90	—	—	70	190	60
Peritoneum .....	2451	730	—	—	—	—	—	—	—
Small intestine .....	2452	210	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	330	—	—	—	—	—	—	—
Multiple intestinal locations .....	2458	20	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	70	—	—	—	—	—	—	—
Pelvic region .....	25	22,390	1,840	990	620	180	1,960	5,090	830
Pelvic region, unspecified .....	250	290	70	—	—	—	130	20	—
Hip(s) .....	251	9,520	720	400	240	60	1,170	3,630	280
Pelvis .....	252	740	100	—	—	50	240	180	—
Buttock(s) .....	253	1,280	90	40	—	—	260	680	—
Groin .....	254	10,000	800	430	330	—	120	420	530
External reproductive tract structures .....	255	300	60	60	—	—	—	70	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chest, except internal location of diseases or disorders .....	4,170	1,980	50	260	1,860	—	670	590	80	1,540
Internal chest location, unspecified .....	60	—	—	—	—	—	—	—	—	130
Heart .....	—	—	—	—	—	—	—	—	—	430
Bronchus .....	—	—	—	160	—	—	—	—	—	—
Lung(s), pleura .....	50	—	—	1,390	—	20	—	—	—	120
Internal chest location, n.e.c. ....	—	—	—	—	—	—	—	—	—	20
Back, including spine, spinal cord .....	169,580	101,080	4,560	260	9,740	40	2,180	2,120	60	43,760
Back, including spine, spinal cord, unspecified .....	71,600	44,500	1,810	220	5,650	—	1,270	1,230	—	19,230
Lumbar region .....	86,100	50,110	2,290	—	2,960	—	650	640	—	22,120
Thoracic region .....	7,000	3,920	250	—	340	—	130	130	—	1,340
Sacral region .....	500	290	—	—	—	—	—	—	—	170
Coccygeal region .....	60	40	—	—	40	—	—	—	—	40
Multiple back regions .....	3,930	1,970	200	—	680	—	100	90	—	840
Back, including spine, spinal cord, n.e.c. ....	400	250	—	—	70	—	—	—	—	20
Abdomen .....	22,270	14,330	620	530	210	20	400	380	—	2,090
Abdomen, except internal location of diseases or disorders .....	4,310	2,470	40	270	160	20	390	380	20	660
Internal abdominal location, unspecified .....	7,900	5,170	270	—	—	—	—	—	—	760
Stomach organ .....	470	250	—	150	—	—	—	—	—	50
Urinary organs .....	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	9,520	6,400	270	90	—	—	—	—	—	610
Intestines, peritoneum, unspecified .....	8,360	5,480	260	70	—	—	—	—	—	500
Peritoneum .....	660	540	—	—	—	—	—	—	—	60
Small intestine .....	180	130	—	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	290	210	—	—	—	—	—	—	—	—
Multiple intestinal locations .....	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	40	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	60	40	—	—	—	—	—	—	—	—
Pelvic region .....	8,350	4,680	170	370	1,030	—	230	170	70	2,510
Pelvic region, unspecified .....	50	—	—	—	—	—	—	—	—	—
Hip(s) .....	1,400	800	90	—	840	—	90	70	—	1,290
Pelvis .....	70	60	—	—	110	—	—	—	—	40
Buttock(s) .....	70	40	—	—	—	—	—	—	—	100
Groin .....	6,660	3,690	60	320	—	—	40	—	—	1,040
External reproductive tract structures .....	50	—	—	—	—	—	50	50	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
External reproductive tract structures, unspecified .....	2550	50	20	20	—	—	—	—	—
Scrotum .....	2551	210	—	—	—	—	—	60	—
Multiple pelvic region locations .....	258	150	—	—	—	—	—	50	—
Pelvic region, n.e.c. ....	259	90	—	—	—	—	—	50	—
Multiple trunk locations .....	28	8,490	870	610	70	90	1,270	1,890	180
Trunk, n.e.c. ....	29	280	20	—	—	—	—	60	—
<b>Upper extremities</b> .....	3	290,460	158,090	72,030	34,430	44,330	10,140	24,550	1,100
Upper extremities, unspecified .....	30	480	60	—	—	—	—	—	—
Arm(s) .....	31	58,310	16,400	7,590	6,140	1,970	3,530	9,630	290
Arm(s), unspecified .....	310	21,290	6,090	3,500	1,500	980	1,350	3,080	90
Upper arm(s) .....	311	4,190	550	360	140	—	140	760	—
Elbow(s) .....	312	19,060	4,660	980	3,370	180	1,560	4,340	100
Forearm(s) .....	313	10,240	4,370	2,460	970	520	320	910	40
Multiple arm(s) locations .....	318	2,660	550	210	120	210	110	250	—
Arm(s), n.e.c. ....	319	870	170	80	50	40	50	290	—
Wrist(s) .....	32	58,510	8,010	4,860	2,090	840	4,090	8,430	410
Hand(s), except finger(s) .....	33	50,190	32,570	16,150	7,610	7,080	990	3,260	340
Finger(s), fingernail(s) .....	34	107,860	95,060	40,400	17,610	32,730	850	2,110	20
Multiple upper extremities locations ..	38	15,020	5,970	3,020	950	1,680	660	1,100	40
Multiple upper extremities locations, unspecified .....	380	250	60	—	—	20	—	—	—
Hand(s) and finger(s) .....	381	5,260	3,970	1,960	650	1,120	—	60	—
Hand(s) and wrist(s) .....	382	3,230	720	340	80	260	200	270	—
Hand(s) and arm(s) .....	383	1,680	300	50	90	140	70	120	—
Multiple upper extremities locations, n.e.c. ....	389	4,600	920	630	120	140	340	640	—
Upper extremities, n.e.c. ....	39	100	20	—	—	—	—	—	—
<b>Lower extremities</b> .....	4	269,490	84,610	45,290	29,270	7,480	27,710	50,450	22,870
Lower extremities, unspecified .....	40	250	90	60	—	—	—	40	20
Leg(s) .....	41	138,580	32,760	14,250	14,380	2,160	12,180	32,410	10,230
Leg(s), unspecified .....	410	18,890	6,790	3,770	2,200	630	1,930	2,870	490
Thigh(s) .....	411	4,820	1,660	1,170	280	170	350	860	290
Knee(s) .....	412	99,720	18,800	6,350	9,900	930	7,860	25,950	9,160
Lower leg(s) .....	413	10,840	4,360	2,360	1,690	200	1,170	1,680	150
Multiple leg(s) locations .....	418	3,450	900	380	300	200	540	1,010	110
Leg(s), n.e.c. ....	419	840	250	210	—	—	330	50	40
Ankle(s) .....	42	64,320	12,200	3,940	6,750	1,430	10,210	12,420	10,510
Foot(foot), except toe(s) .....	43	45,110	25,800	16,640	6,350	2,510	3,620	3,310	1,480
Foot(foot), except toe(s), unspecified .....	430	39,250	22,710	15,300	4,880	2,250	2,450	3,050	1,380

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
External reproductive tract structures, unspecified .....	—	—	—	—	—	—	—	—	—	—
Scrotum .....	—	—	—	—	—	—	50	50	—	—
Multiple pelvic region locations .....	40	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	2,810	1,190	60	60	480	—	80	70	—	800
Trunk, n.e.c. ....	130	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	28,800	12,770	33,800	14,750	3,820	510	7,230	3,470	3,750	7,680
Upper extremities, unspecified .....	—	—	70	290	—	—	—	—	—	—
Arm(s) .....	13,180	6,400	3,920	4,680	2,080	240	1,600	980	620	2,760
Arm(s), unspecified .....	4,250	2,010	840	2,710	940	180	850	520	320	900
Upper arm(s) .....	1,950	1,110	150	80	160	—	90	60	—	300
Elbow(s) .....	4,530	2,140	2,100	50	630	—	100	60	40	990
Forearm(s) .....	1,400	520	430	1,660	180	50	500	280	220	360
Multiple arm(s) locations .....	780	490	380	140	170	—	—	—	—	200
Arm(s), n.e.c. ....	260	130	20	—	—	—	40	40	—	—
Wrist(s) .....	9,800	4,590	24,000	410	430	20	780	700	80	2,140
Hand(s), except finger(s) .....	1,680	490	1,600	6,250	680	110	2,080	440	1,640	620
Finger(s), fingernail(s) .....	2,170	600	2,140	1,360	400	—	2,360	1,190	1,170	1,390
Multiple upper extremities locations ...	1,930	670	2,060	1,760	230	120	390	160	230	750
Multiple upper extremities locations, unspecified .....	90	—	40	20	—	—	—	—	—	—
Hand(s) and finger(s) .....	280	100	190	440	—	90	50	—	—	150
Hand(s) and wrist(s) .....	590	230	680	590	—	—	50	50	—	100
Hand(s) and arm(s) .....	250	70	230	450	60	—	70	—	40	110
Multiple upper extremities locations, n.e.c. ....	710	260	930	260	130	—	210	60	150	400
Upper extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	13,690	4,610	1,560	5,480	11,270	170	2,990	1,810	1,180	48,680
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—	—	—
Leg(s) .....	11,700	4,000	1,030	2,490	4,540	140	2,230	1,350	890	28,850
Leg(s), unspecified .....	1,260	560	60	1,400	1,340	80	570	230	330	2,090
Thigh(s) .....	470	130	—	270	270	—	180	80	100	460
Knee(s) .....	9,070	3,010	900	230	2,170	20	1,200	910	290	24,360
Lower leg(s) .....	660	240	40	480	530	—	250	100	150	1,490
Multiple leg(s) locations .....	210	50	—	70	210	—	—	—	—	370
Leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	90
Ankle(s) .....	1,240	410	170	420	2,390	20	300	170	130	14,440
Foot(feet), except toe(s) .....	400	70	340	2,140	3,540	—	150	60	100	4,320
Foot(feet), except toe(s), unspecified .....	320	50	300	1,980	3,380	—	130	40	90	3,540

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Instep(s) .....	431	990	690	520	—	140	80	70	—
Sole .....	432	3,830	1,780	450	1,240	80	1,000	130	70
Sole(s), unspecified .....	4320	680	550	—	550	—	—	—	—
Arch(es) .....	4322	180	130	110	—	—	—	—	—
Heel(s) .....	4323	2,900	1,070	340	640	80	1,000	130	70
Multiple foot(feet) locations .....	438	310	150	70	40	—	—	—	—
Foot(feet), n.e.c. ....	439	730	470	300	150	—	50	—	—
Toe(s), toenail(s) .....	44	12,840	10,910	8,620	1,270	870	400	530	40
Multiple lower extremities locations ....	48	8,350	2,830	1,780	520	500	1,280	1,710	580
Multiple lower extremities locations, unspecified .....	480	190	60	—	—	—	—	70	—
Foot(feet) and leg(s) .....	481	940	240	210	—	20	100	160	90
Foot(feet) and ankle(s) .....	482	2,630	890	420	270	190	380	460	220
Foot(feet) and toe(s) .....	483	1,260	990	740	40	210	—	—	50
Multiple lower extremities locations, n.e.c. ....	489	3,330	650	390	170	80	780	980	190
Lower extremities, n.e.c. ....	49	50	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	14,300	150	60	70	—	50	100	—
<b>Multiple body parts</b> .....	8	126,530	13,410	9,020	2,080	1,800	16,930	34,540	2,480
<b>Other body parts</b> .....	9	110	—	—	—	—	—	—	—
Prosthetic devices .....	91	80	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	8,640	730	420	230	—	700	760	140

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events <sup>5</sup>
	Total	In lifting					Total	By person	All other assaults	
Instep(s) .....	-	-	-	40	70	-	-	-	-	-
Sole .....	50	-	-	-	50	-	-	-	-	680
Sole(s), unspecified .....	-	-	-	-	-	-	-	-	-	110
Arch(es) .....	-	-	-	-	-	-	-	-	-	40
Heel(s) .....	50	-	-	-	50	-	-	-	-	510
Multiple foot(feet) locations .....	-	-	-	-	-	-	-	-	-	-
Foot(feet), n.e.c. ....	-	-	-	70	-	-	-	-	-	40
Toe(s), toenail(s) .....	130	90	-	70	410	-	190	170	20	140
Multiple lower extremities locations ....	200	-	-	350	360	-	80	60	-	930
Multiple lower extremities locations, unspecified .....	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s) .....	-	-	-	210	80	-	-	-	-	-
Foot(feet) and ankle(s) .....	-	-	-	60	130	-	-	-	-	440
Foot(feet) and toe(s) .....	80	-	-	-	60	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	90	-	-	40	90	-	40	-	-	450
Lower extremities, n.e.c. ....	-	-	-	-	-	-	-	-	-	-
<b>Body systems</b> .....	110	50	-	10,800	250	-	490	450	40	2,300
<b>Multiple body parts</b> .....	16,120	7,860	2,430	6,020	23,340	880	3,870	3,410	460	6,530
<b>Other body parts</b> .....	-	-	-	-	-	-	-	-	-	-
Prosthetic devices .....	-	-	-	-	-	-	-	-	-	-
<b>Nonclassifiable</b> .....	900	450	150	920	600	20	310	110	200	3,400

<sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies