

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,158,870	29,600	79,260	251,490	78,070	85,190	13,950	134,010	98,390	160,350	225,780	–
Traumatic injuries and disorders ...	0	1,080,210	26,950	73,960	238,140	72,780	75,080	13,220	127,500	92,690	143,800	214,400	–
Traumatic injuries and disorders, unspecified	00	39,030	1,650	2,810	9,450	3,040	2,700	670	4,290	2,610	3,540	8,150	–
Traumatic injuries to bones, nerves, spinal cord	01	105,660	4,210	6,050	14,630	6,790	8,040	1,470	18,960	8,490	14,650	22,250	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	400	–	–	100	–	30	–	90	30	60	80	–
Dislocations	011	9,020	200	590	1,100	1,000	630	140	1,610	1,070	1,030	1,630	–
Fractures	012	94,950	3,530	5,390	13,350	5,590	7,350	1,300	17,220	7,290	13,420	20,380	–
Traumatic injuries to spinal cord	013	150	–	–	–	–	–	–	20	50	–	20	–
Traumatic injuries to nerves, except the spinal cord	014	870	460	–	20	160	–	–	–	30	90	70	–
Multiple traumatic injuries to bones nerves, spinal cord	018	150	–	30	50	–	–	–	–	–	20	20	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	110	–	–	–	20	–	–	–	–	20	50	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	453,550	10,180	38,710	103,050	30,920	34,320	4,420	44,390	36,260	52,500	98,090	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified ⁴	020	3,720	370	300	780	240	390	20	180	310	430	700	–
Sprains, strains, tears ⁴	021	448,380	9,770	38,240	102,060	30,610	33,760	4,390	44,150	35,590	51,860	97,240	–
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,450	50	170	210	70	160	–	60	360	220	150	–
Open wounds	03	122,990	1,600	4,200	26,870	5,580	4,040	1,670	21,800	14,470	25,940	16,330	–
Open wounds, unspecified	030	1,070	–	20	200	–	30	–	150	130	250	180	–
Amputations	031	7,320	40	60	1,240	200	90	50	890	880	2,770	1,090	–
Amputations, fingertip	0311	5,170	20	40	1,000	110	60	20	480	720	2,010	720	–
Amputations, except fingertip	0319	2,150	30	30	250	90	30	40	410	160	760	370	–
Animal or insect bites	032	4,790	40	1,400	1,610	170	220	30	190	460	90	560	–
Avulsions	033	2,130	–	20	340	40	40	60	130	220	970	300	–
Cuts, lacerations	034	91,270	1,400	2,230	21,040	4,310	3,370	1,290	15,800	10,790	18,450	12,250	–
Gunshot wounds	036	310	–	–	30	220	–	–	–	–	–	20	–
Punctures, except bites	037	15,730	100	450	2,300	630	270	220	4,590	1,900	3,270	1,920	–
Multiple open wounds	038	140	–	–	40	–	–	–	–	40	20	–	–
Open wounds, n.e.c.	039	230	–	–	60	–	–	–	20	20	100	–	–
Surface wounds and bruises	04	124,450	2,260	6,920	27,250	9,980	9,760	2,120	13,130	10,390	17,600	24,940	–
Surface wounds and bruises, unspecified	040	450	–	–	110	30	30	50	40	80	40	60	–
Abrasions, scratches	041	9,050	300	490	1,420	330	540	340	1,180	1,250	1,370	1,840	–
Blisters	042	240	–	–	50	40	–	–	60	–	30	30	–

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Bruises, contusions	043	101,340	1,860	6,170	24,700	9,220	8,800	1,460	9,210	6,440	12,150	21,220	—
Foreign bodies (superficial splinters, chips)	044	12,390	90	180	890	300	310	200	2,600	2,480	3,880	1,440	—
Friction burns	045	50	—	—	—	—	—	—	—	—	—	20	—
Multiple surface wounds and bruises	048	690	—	50	60	40	30	70	40	40	60	300	—
Surface wounds and bruises, n.e.c.	049	250	—	—	—	20	30	—	—	90	60	30	—
Burns	05	24,870	200	440	10,910	1,320	350	150	2,340	2,660	4,530	1,970	—
Burns, unspecified	050	100	—	—	—	—	—	—	20	50	—	30	—
Chemical burns	051	6,130	20	250	2,060	310	150	40	590	700	1,160	860	—
Electrical burns	052	1,100	—	20	30	100	—	—	610	190	110	30	—
Heat burns, scalds	053	17,490	170	180	8,820	910	190	100	1,130	1,680	3,260	1,040	—
Burns, n.e.c.	059	40	—	—	—	—	—	—	—	30	—	—	—
Intracranial injuries	06	6,200	330	620	1,130	530	520	110	910	300	520	1,220	—
Intracranial injuries, unspecified	060	490	50	—	120	—	20	—	70	—	60	150	—
Cerebral hemorrhages	061	80	—	—	—	—	20	—	20	—	—	—	—
Concussions	062	5,620	280	600	1,010	510	480	110	810	300	450	1,060	—
Effects of environmental conditions	07	2,980	330	100	330	50	70	60	520	360	590	550	—
Effects of reduced temperature	071	130	—	—	20	20	—	—	—	20	—	40	—
Frostbite	0711	130	—	—	20	20	—	—	—	20	—	40	—
Effects of heat and light	072	2,410	110	90	160	30	50	60	510	330	580	500	—
Effects of heat and light, unspecified	0720	390	—	—	—	—	—	—	90	—	270	—	—
Heat stroke	0721	240	90	—	20	—	—	—	40	30	20	50	—
Heat syncope	0722	170	20	—	—	—	—	—	80	—	—	—	—
Heat fatigue	0723	460	—	—	—	—	—	—	100	200	70	70	—
Multiple effects of heat and light	0728	20	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,130	—	50	110	—	40	50	210	80	210	360	—
Effects of air pressure	073	410	220	—	150	—	—	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	30	—	—	—	—	—	—	—	—	—	—	—
Aero-otitis media	0731	60	—	—	40	—	—	—	—	—	—	—	—
Caisson disease, bends, divers' palsy	0733	220	—	—	—	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	90	—	—	70	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	46,820	2,200	3,830	8,370	3,330	3,230	480	5,950	4,130	5,670	9,570	—
Multiple traumatic injuries and disorders, unspecified	080	3,180	30	180	700	320	250	50	280	240	210	920	—
Cuts, abrasions, bruises	081	8,400	180	650	1,520	580	550	50	880	860	1,200	1,910	—
Sprains and bruises	082	15,570	630	1,510	3,800	1,220	1,120	160	1,470	970	1,450	3,220	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Fractures and burns	083	40	—	—	—	—	—	—	—	—	—	20	—	—
Fractures and other injuries	084	11,060	1,060	640	1,240	530	510	140	1,850	1,410	1,800	1,890	—	—
Burns and other injuries	085	240	—	—	30	—	20	—	40	40	60	40	—	—
Other combinations of traumatic injuries and disorders, n.e.c. ...	089	8,340	310	840	1,090	670	780	80	1,420	610	950	1,580	—	—
Other traumatic injuries and disorders	09	153,650	3,980	10,280	36,150	11,240	12,040	2,060	15,220	13,030	18,270	31,320	—	—
Other traumatic injuries and disorders, unspecified	090	540	—	50	50	—	280	—	20	80	20	40	—	—
Asphyxiations/strangulations, suffocations	091	150	—	—	80	—	—	—	—	—	20	—	—	—
Electrocutions, electric shocks ...	093	1,480	20	60	370	40	60	—	340	300	210	80	—	—
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	—	—	—	—	—	—	—	110	—	—
Other poisonings and toxic effects	095	6,460	180	430	1,810	370	560	270	570	580	580	1,100	—	—
Other poisonings and toxic effects, unspecified	0950	130	—	20	20	20	—	—	—	30	—	—	—	—
Animal or insect bites and stings, venomous	0951	4,210	100	280	1,140	190	250	230	410	430	350	840	—	—
Other poisonings and toxic effects, n.e.c.	0959	2,120	80	140	650	160	310	30	150	120	220	250	—	—
Traumatic complications	096	260	—	20	80	40	70	—	30	—	—	—	—	—
Traumatic complications, unspecified	0960	70	—	—	—	—	—	—	—	—	—	—	—	—
Traumatic shock	0961	90	—	—	60	—	—	—	20	—	—	—	—	—
Multiple traumatic complications	0968	40	—	—	—	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	60	—	—	—	—	40	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	143,150	3,760	9,660	33,240	10,730	10,990	1,750	14,150	11,740	17,280	29,770	—	—
Crushing injuries	0971	13,910	280	210	1,050	360	550	350	2,650	1,830	3,690	2,950	—	—
Back pain, hurt back	0972	37,130	660	2,690	10,000	2,910	2,640	380	3,720	2,620	3,410	8,060	—	—
Soreness, pain, hurt, except the back	0973	78,410	2,140	5,920	19,440	6,500	6,810	890	6,800	5,980	8,710	15,180	—	—
Multiple nonspecified injuries and disorders	0978	6,790	470	430	1,500	560	480	70	560	490	400	1,840	—	—
Nonspecified injuries and disorders, n.e.c.	0979	6,900	210	410	1,240	390	520	60	410	830	1,070	1,740	—	—
Other traumatic injuries and disorders, n.e.c.	099	1,470	—	60	510	40	60	40	100	310	130	210	—	—
Systemic diseases and disorders ..	1	55,410	1,810	3,180	8,040	2,540	6,350	620	5,440	4,510	14,360	8,530	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Systemic diseases and disorders, unspecified	10	380	—	—	—	—	40	—	40	—	240	20	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	16,470	1,000	840	1,770	660	3,020	80	810	1,260	5,490	1,550	—
Nervous system and sense organs diseases, unspecified ..	120	30	—	—	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	121	20	—	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	30	—	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	90	—	—	—	—	20	—	—	40	—	—	—
Migraine	1232	50	—	—	—	—	20	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	12,610	900	700	1,040	580	2,920	30	440	830	3,900	1,270	—
Disorders of the peripheral nervous system, unspecified	1240	440	—	30	—	—	30	—	—	150	140	50	—
Carpal tunnel syndrome	1241	11,940	890	650	980	560	2,860	20	420	670	3,700	1,170	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	60	—	—	20	—	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	180	—	—	20	—	20	—	—	—	60	40	—
Disorders of the eye, adnexa, vision	125	3,540	70	120	680	70	70	50	350	350	1,540	250	—
Disorders of the eye, adnexa, vision, unspecified	1250	450	—	20	170	—	—	—	50	80	50	70	—
Conjunctivitis non-viral	1252	730	—	70	280	30	20	20	50	20	180	40	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	440	—	—	70	—	30	—	80	30	120	30	—
Blindness, low vision	1255	20	—	—	—	—	—	—	—	—	—	—	—
Welder's flash	1256	1,500	—	—	80	—	—	—	120	160	1,080	50	—
Visual disturbances	1258	50	—	—	—	—	—	—	—	—	—	20	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	350	—	20	80	—	—	—	50	50	100	40	—
Disorders of the ear, mastoid process, hearing	126	130	20	—	20	—	—	—	—	30	30	20	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	—	—	—	—	—	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	80	—	—	—	—	—	—	—	—	20	30	—	—
Circulatory system diseases	13	720	30	30	50	30	40	20	210	30	30	240	—	—
Circulatory system diseases, unspecified	130	50	—	—	30	—	—	—	—	—	—	—	—	—
Hypertensive disease	132	30	—	—	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	360	—	—	—	—	30	—	70	30	—	190	—	—
Myocardial infarction (heart attack)	1331	340	—	—	—	—	30	—	70	20	—	180	—	—
Diseases of pulmonary circulation	134	30	—	—	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	136	70	—	—	—	20	—	—	—	—	—	—	—	—
Stroke	1361	60	—	—	—	20	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	40	—	—	—	—	—	—	30	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, unspecified	1370	30	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	120	—	—	—	—	—	—	—	—	—	20	—	—
Hemorrhoids	1382	90	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics, n.e.c.	1389	20	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,570	60	210	580	70	200	20	80	40	160	150	—	—
Respiratory system diseases, unspecified	140	290	—	20	120	40	—	—	20	20	40	—	—	—
Acute respiratory infections (including common cold)	141	310	—	50	180	—	—	—	30	—	20	—	—	—
Other diseases of upper respiratory tract	142	100	—	20	30	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—	—	—	—	—	—
Allergic rhinitis	1421	50	—	20	—	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	20	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	240	—	—	180	—	—	—	—	—	20	20	—	—
Pneumonia	1431	30	—	—	—	—	—	—	—	—	20	—	—	—
Influenza	1432	190	—	—	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	570	50	100	60	20	160	20	—	—	60	100	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	20	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	1441	100	—	—	—	—	—	—	—	—	—	90	—	—
Extrinsic asthma	1443	360	30	70	30	—	130	20	—	—	50	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	50	—	—	—	—	20	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	30	—	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	149	50	—	—	—	—	—	—	—	—	—	—	—	—
Atelectasis, collapsed lung	1495	20	—	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	17,240	200	540	1,990	910	930	230	2,790	1,880	3,720	4,040	—	—
Hernia	153	17,200	200	530	1,980	910	930	230	2,780	1,880	3,710	4,040	—	—
Hernia, unspecified	1530	7,900	60	320	900	380	410	180	1,380	630	1,460	2,190	—	—
Inguinal hernia	1531	6,470	100	140	800	440	420	30	980	780	1,520	1,250	—	—
Hiatal hernia	1532	260	—	—	20	—	20	—	20	40	70	80	—	—
Ventral hernia	1533	1,390	40	40	120	40	50	—	210	310	350	220	—	—
Hernia, n.e.c.	1539	1,180	—	30	140	40	30	20	190	120	310	300	—	—
Genitourinary system diseases and disorders	16	30	—	—	30	—	—	—	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	20	—	—	20	—	—	—	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	20	—	—	20	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	13,200	440	780	1,680	680	1,830	190	1,080	770	3,640	2,110	—	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	270	—	—	—	—	80	—	40	30	30	80	—	—
Arthropathies and related disorders (arthritis)	171	280	—	80	—	20	20	—	—	20	50	50	—	—
Dorsopathies	172	1,680	80	80	110	70	150	90	100	120	530	340	—	—
Sciatica	1721	390	—	40	50	20	40	—	20	20	30	180	—	—
Lumbago	1722	60	—	—	—	—	—	—	20	—	—	—	—	—
Disc disorders, except dislocation	1723	230	—	—	—	—	40	—	—	40	30	90	—	—
Dorsopathies, n.e.c.	1729	980	70	30	60	50	70	90	60	50	450	60	—	—
Rheumatism, except the back ...	173	10,540	350	610	1,260	560	1,550	80	920	590	3,000	1,620	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Rheumatism, except the back, unspecified	1730	480	—	40	60	60	40	—	80	60	70	80	—
Bursitis	1731	810	—	20	90	20	40	—	190	60	110	260	—
Synovitis	1732	90	—	—	20	—	20	—	—	—	30	—	—
Tendonitis	1733	4,380	260	330	520	290	430	40	330	120	1,340	720	—
Tenosynovitis	1734	1,550	—	40	120	30	780	—	80	110	290	90	—
Ganglion/cystic tumor	1735	460	—	20	70	—	30	—	30	—	220	60	—
Rheumatism, except the back, n.e.c.	1739	2,770	70	150	370	160	210	30	220	230	940	390	—
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	—	—	—	—	20	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	20	—	—	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	50	—	—	—	—	—	—	—	—	20	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	370	—	—	270	—	40	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	18	5,640	80	690	1,930	210	280	90	420	520	1,040	400	—
Disorders of the skin and subcutaneous tissue, unspecified	180	270	—	—	90	—	—	—	—	—	120	—	—
Infections of the skin and subcutaneous tissue	181	1,450	60	440	250	50	50	30	150	80	220	120	—
Infections of the skin and subcutaneous tissue, unspecified	1810	430	—	150	90	30	30	20	—	20	70	20	—
Carbuncle and furuncle	1811	20	—	—	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	1812	820	—	280	130	20	30	—	130	50	100	80	—
Pilonidal cyst	1815	20	—	—	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	150	50	—	20	—	—	—	—	—	30	20	—
Dermatitis	182	3,620	—	190	1,540	150	140	40	230	420	660	240	—
Dermatitis, unspecified	1820	440	—	40	130	30	40	—	40	—	120	30	—
Contact dermatitis, unspecified	1822	420	—	20	110	—	70	—	—	20	140	20	—
Allergic contact dermatitis	1823	1,860	—	80	1,050	40	20	20	70	220	220	140	—
Irritant contact dermatitis	1824	710	—	40	130	70	—	—	90	120	180	50	—
Other contact dermatitis	1825	100	—	—	—	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	—	—	—	—	—	—	20	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Other inflammatory conditions of the skin	183	100	-	30	20	-	-	-	-	-	-	-	20	-
Other inflammatory conditions of the skin, unspecified	1830	30	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory conditions, n.e.c.	1839	40	-	-	-	-	-	-	-	-	-	-	20	-
Diseases of sebaceous glands ..	184	90	-	-	-	-	60	-	-	-	-	20	-	-
Sebaceous cyst	1842	90	-	-	-	-	60	-	-	-	-	20	-	-
Other diseases and disorders of the skin and subcutaneous tissue	189	120	-	-	30	-	-	-	40	-	-	-	-	-
Urticaria, hives	1898	80	-	-	20	-	-	-	40	-	-	-	-	-
Other systemic diseases and disorders	19	140	-	80	-	-	-	-	-	-	30	-	-	-
Endocrine, nutritional, metabolic, and immunity disorder	191	90	-	-	-	-	-	-	-	-	-	-	-	-
Diseases and disorders of other endocrine glands	1912	70	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	20	-	-	-	-	-	-	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	199	50	-	-	-	-	-	-	-	-	30	-	-	-
Infectious and parasitic diseases ..	2	1,610	80	560	660	50	120	-	20	30	40	50	-	-
Infectious and parasitic diseases, unspecified	20	20	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial diseases	21	310	-	140	100	20	-	-	20	-	-	-	-	-
Bacterial diseases, unspecified	210	30	-	-	20	-	-	-	-	-	-	-	-	-
Tuberculoses	211	50	-	30	-	-	-	-	-	-	-	-	-	-
Tuberculoses, unspecified	2110	40	-	30	-	-	-	-	-	-	-	-	-	-
Other bacterial diseases	219	240	-	100	70	20	-	-	20	-	-	-	-	-
Other bacterial diseases, unspecified	2190	60	-	50	-	-	-	-	-	-	-	-	-	-
Diphtheria, whooping cough ..	2192	40	-	20	-	-	-	-	-	-	-	-	-	-
Septicemia	2197	20	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial diseases, n.e.c.	2199	90	-	30	50	-	-	-	-	-	-	-	-	-
Viral diseases	22	360	-	150	110	-	-	-	-	20	-	-	40	-
Viral diseases, unspecified	220	60	-	50	-	-	-	-	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	223	120	-	40	50	-	-	-	-	-	-	-	-	-
Chickenpox	2233	60	-	20	20	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Herpes zoster	2234	50	—	—	30	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	80	—	30	40	—	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	70	—	30	30	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	80	—	30	—	—	—	—	—	—	—	—	—	—
Infectious mononucleosis	2295	40	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	30	—	20	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	90	30	—	40	—	—	—	—	—	—	—	—	—
Lyme disease	237	90	30	—	40	—	—	—	—	—	—	—	—	—
Mycoses	24	40	—	40	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	250	—	100	120	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	40	—	—	20	—	—	—	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	150	—	70	80	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	269	30	—	—	20	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	530	20	130	280	—	90	—	—	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	290	40	—	—	—	—	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	293	30	—	—	20	—	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	450	20	110	270	—	40	—	—	—	—	—	—	—
Neoplasms, tumors, and cancer	3	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	10,690	460	960	2,490	1,230	1,520	50	570	660	1,450	1,310	—	—
Symptoms, signs, and ill-defined conditions, unspecified	40	110	—	—	20	—	—	—	—	—	60	30	—	—
Symptoms	41	10,400	410	940	2,410	1,220	1,490	50	570	650	1,370	1,280	—	—
Symptoms, unspecified	410	180	—	—	100	—	—	—	30	—	—	20	—	—
General symptoms	411	4,340	100	550	1,010	600	710	20	130	240	590	390	—	—
General symptoms, unspecified	4110	250	—	20	100	—	100	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	1,060	50	90	200	200	150	—	30	60	140	150	—	—
Convulsions, seizures	4112	170	—	—	30	40	40	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Dizziness	4114	640	—	20	240	190	30	—	30	20	70	30	—
Non-specified allergic reaction	4115	980	20	190	240	80	170	—	—	20	180	60	—
Multiple general symptoms	4118	400	—	120	70	70	60	—	—	20	30	—	—
General symptoms, n.e.c.	4119	830	20	100	130	20	150	—	40	90	160	120	—
Symptoms involving nervous and musculoskeletal systems ..	412	1,240	30	70	180	150	160	—	110	100	200	240	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	60	—	—	—	—	—	—	—	—	—	20	—
Spasms or tremors, n.e.c.	4121	60	—	—	—	—	—	—	—	—	—	—	—
Earache	4122	50	—	—	—	—	—	—	—	—	—	—	—
Eye strain	4123	40	—	—	20	—	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	130	—	—	20	—	—	—	—	—	30	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	910	20	70	130	60	140	—	80	70	150	190	—
Symptoms involving skin and other integumentary tissue	413	1,160	—	50	390	210	60	—	80	30	120	220	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	90	—	20	—	—	—	—	—	—	—	30	—
Edema (including dropsy)	4131	920	—	—	330	190	50	—	50	30	70	190	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	140	—	30	40	—	—	—	—	—	30	—	—
Symptoms involving head and neck	414	660	—	50	180	80	160	—	—	20	50	100	—
Headache, except migraine ...	4141	430	—	30	150	80	30	—	—	20	30	80	—
Multiple symptoms involving head and neck	4148	150	—	—	—	—	120	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	70	—	—	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	30	—	—	20	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heart beat)	4151	20	—	—	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,010	240	170	390	130	330	—	160	150	290	150	—
Symptoms involving respiratory system and chest, unspecified	4160	770	—	80	100	60	190	—	70	80	110	80	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Hyperventilation	4161	20	-	-	-	-	-	-	-	-	-	-	-	-
Chest pain	4164	220	-	30	80	20	-	-	20	-	-	30	-	
Multiple symptoms involving respiratory system and chest	4168	130	-	-	-	-	20	-	-	50	40	-	-	
Symptoms involving respiratory system and chest, n.e.c.	4169	870	230	60	190	40	110	-	70	-	130	40	-	
Symptoms involving digestive and urinary system	417	400	-	-	100	30	-	-	-	90	50	50	-	
Symptoms involving digestive and urinary system, unspecified	4170	20	-	-	-	-	-	-	-	-	-	-	-	
Nausea and vomiting	4171	260	-	-	70	30	-	-	-	50	30	-	-	
Abdominal pain, unspecified ..	4175	30	-	-	-	-	-	-	-	-	-	-	-	
Symptoms involving digestive and urinary system, n.e.c.	4179	80	-	-	-	-	-	-	-	40	-	30	-	
Multiple symptoms	418	370	-	20	50	20	50	-	30	30	70	90	-	
Other symptoms, n.e.c.	419	20	-	-	-	-	-	-	-	-	-	-	-	
Abnormal findings	42	20	-	-	-	-	-	-	-	-	-	-	-	
Abnormal findings from histological and immunological studies	426	20	-	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions	48	80	30	-	-	-	-	-	-	-	20	-	-	
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	60	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions, n.e.c.	49	80	-	-	50	-	20	-	-	-	-	-	-	
Other diseases, conditions, and disorders	5	3,320	250	190	370	730	1,070	-	30	130	140	400	-	
Damage to prosthetic devices	51	40	-	-	-	-	-	-	-	-	-	-	-	
Mental disorders or syndromes	52	3,120	250	190	340	730	940	-	30	100	130	400	-	
Mental disorder or syndrome, unspecified	520	30	-	-	-	-	-	-	-	-	-	-	-	
Anxiety, stress, neurotic disorders	521	3,040	240	160	330	730	940	-	-	90	130	390	-	
Anxiety, stress, neurotic disorders, unspecified	5210	1,240	210	90	150	140	360	-	-	40	110	130	-	
Post-traumatic anxiety acute	5211	680	-	30	40	230	170	-	-	20	-	170	-	
Post-traumatic anxiety chronic	5212	20	-	-	-	-	-	-	-	-	-	-	-	
Panic disorder	5213	20	-	-	-	-	-	-	-	-	-	-	-	
Neurotic reaction to stress	5214	1,020	20	30	110	330	400	-	-	30	20	60	-	

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, 2007 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Multiple anxiety, stress, neurotic disorders	5218	40	—	—	20	—	—	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—	—	—	—	—	—	—
Organic mental disorders neurotic or psychotic	522	20	—	—	—	—	—	—	—	—	—	—	—	—
Organic mental disorders neurotic or psychotic, unspecified	5220	20	—	—	—	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	30	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	170	—	—	—	—	130	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	1,350	—	60	690	60	170	—	130	40	70	130	—	—
Nonclassifiable	9999	6,250	50	360	1,110	680	880	50	310	330	490	960	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Selected estimates for this category were affected by the March 2009 revision, see note below.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of

nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies