

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2007

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		1,158,870	7,770	98,410	110,830	241,870	183,950	162,000	82,930	21,500	7,670	350	241,580
Head	0	78,370	600	6,390	6,860	15,570	12,870	13,480	5,660	1,310	430	–	15,200
Head, unspecified	00	16,310	220	1,960	1,630	3,630	2,300	2,460	1,100	300	130	–	2,590
Cranial region, including skull	01	10,120	160	700	1,170	2,030	1,710	2,200	650	190	40	–	1,280
Cranial region, unspecified	010	180	–	–	–	50	20	70	–	–	–	–	30
Brain	011	6,420	140	460	650	1,210	1,050	1,470	440	110	30	–	860
Scalp	012	2,820	20	190	470	610	530	510	140	70	–	–	280
Skull	013	540	–	30	30	80	80	150	70	–	–	–	90
Multiple cranial region locations	018	90	–	–	–	50	–	–	–	–	–	–	–
Cranial region, n.e.c.	019	70	–	–	–	–	20	–	–	–	–	–	20
Ear(s)	02	910	–	50	90	220	140	220	20	–	–	–	150
Face	03	50,140	200	3,610	3,890	9,510	8,540	8,410	3,830	810	260	–	11,070
Face, unspecified	030	3,490	80	390	520	710	410	430	310	50	–	–	570
Forehead	031	3,160	–	230	310	490	440	770	210	40	–	–	670
Eye(s)	032	33,010	60	2,300	2,200	6,160	5,370	5,520	2,370	660	140	–	8,210
Nose, nasal cavity	033	2,790	–	210	260	550	630	170	340	–	30	–	570
Nose, except internal location of diseases or disorders	0330	2,690	–	190	260	550	630	170	340	–	30	–	500
Internal nasal location, unspecified ..	0331	20	–	–	–	–	–	–	–	–	–	–	–
Nasal passages	0333	60	–	–	–	–	–	–	–	–	–	–	60
Cheek(s)	034	830	–	40	40	150	170	150	200	–	–	–	60
Jaw/chin	035	930	–	30	50	180	120	160	70	–	30	–	290
Mouth	036	2,350	20	150	330	550	490	300	170	20	–	–	310
Mouth, unspecified	0360	300	–	30	50	50	60	40	–	–	–	–	60
Lip(s)	0361	540	–	30	30	80	240	30	20	–	–	–	120
Tooth(teeth)	0363	1,290	20	70	250	350	150	220	100	–	–	–	110
Multiple mouth locations	0368	190	–	20	–	70	40	–	30	–	–	–	–
Mouth, n.e.c.	0369	20	–	–	–	–	–	–	–	–	–	–	–
Multiple face locations	038	3,240	20	230	140	590	890	830	150	–	40	–	330
Face, n.e.c.	039	350	–	20	40	120	30	90	–	–	–	–	50
Multiple head locations	08	740	20	70	40	140	180	140	50	–	–	–	100
Head, n.e.c.	09	150	–	–	20	40	–	50	20	–	–	–	–
Neck, including throat	1	17,050	60	1,740	2,040	3,190	2,360	1,930	1,110	230	110	60	4,220
Neck, except internal location of diseases or disorders	10	16,980	60	1,730	2,040	3,170	2,350	1,930	1,100	230	110	60	4,200
Internal neck location, unspecified	11	40	–	–	–	–	–	–	–	–	–	–	20
Pharynx	15	20	–	–	–	–	–	–	–	–	–	–	–
Trunk	2	384,650	1,950	32,600	37,730	81,700	60,750	49,590	23,840	6,190	2,430	90	87,780
Trunk, unspecified	20	2,000	–	80	110	420	410	390	110	90	–	–	390
Shoulder, including clavicle, scapula	21	75,580	580	5,920	7,100	15,960	11,910	9,690	5,100	1,440	520	30	17,340
Chest, including ribs, internal organs	22	18,580	110	1,250	1,500	4,030	3,390	2,680	1,450	390	130	–	3,650
Chest, except internal location of diseases or disorders	220	16,590	100	1,120	1,340	3,660	3,100	2,530	1,350	370	130	–	2,890
Internal chest location, unspecified	221	180	–	–	20	20	30	–	–	–	–	–	90
Heart	223	400	–	30	30	60	20	50	30	20	–	–	150

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Bronchus	224	160	—	—	40	—	—	—	—	—	—	—	—	90
Lung(s), pleura	225	1,190	—	90	70	280	230	70	60	—	—	—	—	370
Multiple internal chest locations	228	40	—	—	—	—	—	—	—	—	—	—	—	40
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—	—	—	—	—	20
Back, including spine, spinal cord	23	235,960	1,000	21,270	24,920	50,790	36,460	30,160	13,640	3,550	1,490	50	52,620	
Back, including spine, spinal cord, unspecified	230	96,130	500	8,360	9,350	20,300	13,590	11,830	5,330	1,460	560	30	24,840	
Lumbar region	231	119,350	420	10,810	13,320	25,820	19,630	15,480	7,290	1,740	810	—	24,000	
Thoracic region	232	9,710	40	810	1,020	2,370	1,620	1,330	640	170	50	—	1,650	
Sacral region	233	590	—	60	130	120	80	120	20	—	20	—	40	
Coccygeal region	234	2,490	—	530	170	470	200	440	100	80	—	—	480	
Multiple back regions	238	7,190	30	680	800	1,650	1,210	890	240	80	60	—	1,540	
Back, including spine, spinal cord, n.e.c.	239	500	—	20	130	60	140	70	—	—	—	—	70	
Abdomen	24	24,720	20	1,340	1,700	4,440	3,950	3,240	1,550	330	100	—	8,060	
Abdomen, except internal location of diseases or disorders	240	6,890	20	520	550	1,320	1,090	970	460	140	40	—	1,790	
Internal abdominal location, unspecified	241	8,570	—	400	510	1,550	1,290	960	370	60	50	—	3,380	
Stomach organ	242	650	—	20	70	170	150	90	60	—	—	—	90	
Spleen	243	70	—	—	—	70	—	—	—	—	—	—	—	
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—	—	
Intestines, peritoneum	245	8,420	—	390	560	1,320	1,400	1,200	650	120	—	—	2,760	
Intestines, peritoneum, unspecified	2450	7,760	—	360	520	1,250	1,290	1,090	590	120	—	—	2,540	
Peritoneum	2451	450	—	20	40	50	100	70	50	—	—	—	120	
Large intestine/colon, rectum	2453	180	—	—	—	—	20	40	—	—	—	—	90	
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—	—	—	—	—	
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	—	20	—	—	—	40	
Pelvic region	25	19,250	130	1,870	1,780	4,270	3,250	2,530	1,140	220	120	—	3,930	
Pelvic region, unspecified	250	240	—	—	40	30	30	—	—	—	—	—	110	
Hip(s)	251	9,240	90	1,000	840	2,190	1,510	1,200	540	110	90	—	1,670	
Pelvis	252	830	20	80	100	160	200	110	60	—	—	—	100	
Buttock(s)	253	1,090	—	160	70	140	150	150	110	—	—	—	290	
Groin	254	7,310	—	520	720	1,640	1,200	980	400	90	30	—	1,700	
External reproductive tract structures ..	255	180	—	—	—	40	20	50	—	—	—	—	60	
External reproductive tract structures, unspecified	2550	30	—	—	—	—	—	—	—	—	—	—	20	
Scrotum	2551	120	—	—	—	30	—	40	—	—	—	—	20	
Internal reproductive tract structures ..	256	60	—	—	—	20	30	—	—	—	—	—	—	
Testis(testes)	2562	20	—	—	—	—	—	—	—	—	—	—	—	
Multiple pelvic region locations	258	280	—	90	—	40	100	30	—	—	—	—	—	
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—	—	—	—	—	—	
Multiple trunk locations	28	8,350	100	860	620	1,730	1,390	900	830	160	50	—	1,700	
Trunk, n.e.c.	29	210	—	—	—	70	—	—	20	—	—	—	90	
Upper extremities	3	269,240	1,150	22,310	26,520	54,840	43,570	38,420	18,890	4,630	1,580	60	57,260	
Upper extremities, unspecified	30	520	—	20	—	70	60	230	—	—	30	—	90	
Arm(s)	31	54,260	340	5,270	4,950	10,770	8,960	7,220	3,510	1,030	640	20	11,550	

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Arm(s), unspecified	310	18,170	170	1,420	1,680	4,040	3,010	2,380	1,340	290	370	—	3,490
Upper arm(s)	311	4,230	40	500	370	790	880	500	220	100	—	—	810
Elbow(s)	312	18,830	90	2,010	1,480	3,740	3,020	2,400	980	250	180	—	4,680
Forearm(s)	313	10,540	—	1,110	1,130	1,830	1,680	1,600	720	360	90	—	2,020
Multiple arm(s) locations	318	2,090	20	190	270	310	340	290	200	20	—	—	450
Arm(s), n.e.c.	319	410	—	40	20	70	40	60	60	—	—	—	100
Wrist(s)	32	51,620	520	3,640	4,500	9,020	7,110	5,330	2,680	500	190	—	18,120
Hand(s), except finger(s)	33	47,920	90	3,520	5,270	10,480	8,230	6,890	3,250	920	210	20	9,030
Finger(s), fingernail(s)	34	101,650	150	8,640	10,760	21,970	16,680	16,960	8,430	1,950	440	—	15,630
Multiple upper extremities locations	38	13,060	40	1,220	990	2,480	2,480	1,760	1,000	220	60	—	2,810
Multiple upper extremities locations, unspecified	380	220	—	30	—	30	—	30	40	—	—	—	70
Hand(s) and finger(s)	381	4,070	—	480	420	680	970	460	450	100	—	—	500
Hand(s) and wrist(s)	382	3,050	—	310	170	620	490	460	190	60	—	—	740
Hand(s) and arm(s)	383	1,560	—	100	80	240	220	370	90	20	30	—	410
Multiple upper extremities locations, n.e.c.	389	4,170	—	310	320	920	780	440	230	40	—	—	1,100
Upper extremities, n.e.c.	39	210	—	—	40	50	40	40	—	—	—	—	30
Lower extremities	4	260,580	2,540	21,800	23,130	58,180	41,400	37,890	21,990	5,280	1,820	70	46,490
Lower extremities, unspecified	40	790	—	390	—	180	20	20	20	—	—	—	50
Leg(s)	41	132,280	1,360	10,500	11,850	29,370	21,010	19,850	10,860	2,560	930	30	23,970
Leg(s), unspecified	410	17,310	180	1,680	1,360	3,190	2,810	3,210	1,480	320	200	—	2,890
Thigh(s)	411	4,610	—	400	410	940	1,030	590	470	80	20	—	660
Knee(s)	412	94,500	1,020	7,060	8,410	21,530	14,720	13,380	7,690	1,830	630	20	18,190
Lower leg(s)	413	11,930	90	1,110	1,300	3,050	1,680	1,800	970	250	60	—	1,600
Multiple leg(s) locations	418	3,420	50	230	300	550	660	790	230	60	20	—	530
Leg(s), n.e.c.	419	520	—	20	70	110	100	80	30	—	—	—	100
Ankle(s)	42	62,660	880	5,340	5,350	13,740	9,530	8,690	5,750	1,420	480	20	11,450
Foot(foot), except toe(s)	43	43,970	140	3,980	4,010	9,700	7,260	6,460	3,710	870	290	—	7,540
Foot(feet), except toe(s), unspecified ..	430	38,870	130	3,550	3,610	8,390	6,370	5,480	3,460	780	280	—	6,830
Instep(s)	431	180	—	—	20	30	40	40	—	30	—	—	—
Sole	432	3,680	—	290	320	840	640	840	160	50	—	—	530
Sole(s), unspecified	4320	470	—	40	50	80	130	50	—	—	—	—	120
Ball(s) of foot	4321	30	—	—	—	—	—	—	—	—	—	—	—
Arch(es)	4322	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	3,090	—	240	240	740	490	780	140	40	—	—	390
Multiple sole(s) locations	4328	40	—	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	210	—	20	20	60	30	30	—	—	—	—	40
Foot(feet), n.e.c.	439	1,010	—	110	40	390	180	80	70	—	—	—	130
Toe(s), toenail(s)	44	11,630	40	890	1,170	2,920	1,770	1,560	820	150	70	—	2,250
Multiple lower extremities locations	48	9,020	120	690	740	2,220	1,790	1,310	810	130	60	—	1,170
Multiple lower extremities locations, unspecified	480	200	—	—	—	—	—	20	40	—	—	—	100
Foot(feet) and leg(s)	481	1,670	—	150	110	790	210	160	100	—	—	—	140
Foot(feet) and ankle(s)	482	2,410	20	190	220	500	450	370	230	30	20	—	390
Foot(feet) and toe(s)	483	970	—	40	130	170	290	70	120	—	—	—	120

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Multiple lower extremities locations, n.e.c.	489	3,780	70	310	270	760	830	680	320	80	40	—	420
Lower extremities, n.e.c.	49	220	—	—	—	50	—	—	20	—	—	—	60
Body systems	5	17,710	40	1,150	1,690	2,800	2,570	2,280	1,220	550	190	20	5,200
Multiple body parts	8	120,950	1,420	12,010	12,320	24,010	19,700	17,740	9,680	3,230	1,040	50	19,750
Other body parts	9	50	—	—	—	—	—	—	—	—	—	—	30
Prosthetic devices	91	40	—	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	10,280	—	430	540	1,580	730	660	540	60	70	—	5,650

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies