



**U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE**

HISTORICAL CLIMATOLOGY SERIES 5-1

MONTHLY
STATE, REGIONAL, AND NATIONAL
HEATING DEGREE DAYS
WEIGHTED BY POPULATION
(INCLUDES AERIALY WEIGHTED TEMPERATURE AND PRECIPITATION)

PERIOD: JULY 2001 THROUGH JUNE 2003

DATE PUBLISHED: JANUARY 2005

**NATIONAL CLIMATIC DATA CENTER
151 PATTON AVENUE
ASHEVILLE, NC 28801-5001**

1. STATE POPULATION-WEIGHTED HEATING DEGREE DAYS (BASE 65 DEG F)

THIS TABULATION IS DESIGNED TO PROVIDE UP-TO-DATE HEATING FUEL DEMAND INFORMATION ON A STATE-WIDE BASIS. THE TOTAL MONTHLY SERIES, BY STATE, ARE AVAILABLE FOR THE PERIOD 1931/32 THROUGH 2001/02: HISTORICAL CLIMATOLOGY SERIES 5-1, "STATE REGIONAL AND NATIONAL MONTHLY AND SEASONAL HEATING DEGREE DAYS WEIGHTED BY POPULATION (2000 CENSUS), (JULY 1931 - JUNE 2002)."

THE STATE AVERAGE DEGREE DAY TOTALS FOR EACH MONTH ARE DERIVED FROM THE DIVISIONAL VALUES BY WEIGHTING EACH DIVISION BY ITS PERCENTAGE OF THE TOTAL STATE POPULATION AS ADDUCED FROM THE 2000 CENSUS DATA (BUREAU OF CENSUS,2002). THE POPULATION WEIGHTING PROCEDURE ASSURES THAT DEGREE-DAY AVERAGES FOR THE STATES AS A WHOLE ARE BIASED TOWARD CONDITIONS EXISTING IN THE MORE POPULOUS SECTIONS OF THE STATES. DEGREE DAY DATA IN THIS TABULATION ARE PRESENTLY AVAILABLE FOR THE 48 CONTERMINOUS STATES WITH THE DISTRICT OF COLUMBIA TREATED AS PART OF MARYLAND.

THE INFORMATION IN THE TABLES IS SELF-EXPLANATORY AND IS DESIGNED TO ALLOW COMPARISON OF THE ENERGY DEMAND FOR THE CURRENT YEAR TO NORMAL AND TO CONDITIONS IN THE PREVIOUS YEAR.

INQUIRIES/COMMENTS CALL (828) 271-4800

FOR INFORMATION ABOUT THIS PUBLICATION WRITE TO THE:

NATIONAL CLIMATIC DATA CENTER
VEACH-BALEY FEDERAL BUILDING
151 PATTON AVENUE
ASHEVILLE, N.C. 28801-5001

TO CHANGE YOUR ADDRESS, PLEASE RETURN A COPY OF THE MAILING LABEL ALONG WITH YOUR NEW ADDRESS TO: NATIONAL CLIMATIC DATA CENTER, SUBSCRIPTION SERVICES.

**NOTE : MONTHLY HEATING DEGREE DAY VALUES IN THIS PUBLICATION MAY DIFFER FROM THE HISTORICAL CLIMATOLOGY SERIES 5-2 DUE TO INTERNAL COMPUTER ROUNDING DIFFERENCES BETWEEN THE TWO PROGRAMS.

THE DATA PRESENTED IN THIS MONTHLY OPERATIONAL REPORT ARE PROVISIONAL AND SUBJECT TO CHANGE AND/OR CORRECTIONS WHICH ARE BASED ON LATER INFORMATION.

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	1 ALABAMA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	12	182	224	475	591	552	353	66	30	0
2001/2002	0	0	12	194	418	893	1484	2036	2389	2455	2485	2485
2001/2002	.0	.0	80.0	115.5	79.5	79.9	82.6	88.5	90.3	87.8	87.6	87.5
2002/2003	0	0	0	66	429	634	800	504	286	110	20	1
2002/2003	0	0	0	66	495	1129	1929	2433	2719	2829	2849	2850
2002/2003	.0	.0	.0	39.3	94.1	101.1	107.3	105.8	102.8	101.1	100.4	100.4
STATE :	2 ARIZONA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	1	28	175	544	479	319	261	56	19	1
2001/2002	0	0	1	29	204	748	1227	1546	1807	1863	1882	1883
2001/2002	.0	.0	14.3	34.9	54.7	86.7	90.6	90.7	91.3	88.0	87.3	87.2
2002/2003	0	0	4	66	208	510	292	341	258	141	15	2
2002/2003	0	0	4	70	278	788	1080	1421	1679	1820	1835	1837
2002/2003	.0	.0	57.1	84.3	74.5	91.3	79.7	83.4	84.8	86.0	85.1	85.0
STATE :	3 ARKANSAS											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	23	198	318	632	720	656	551	109	54	1
2001/2002	0	0	23	221	539	1171	1891	2547	3098	3207	3261	3262
2001/2002	.0	.0	82.1	110.0	82.2	83.9	84.8	89.7	94.7	92.9	93.1	93.0
2002/2003	0	0	5	184	512	710	893	722	451	142	28	5
2002/2003	0	0	5	189	701	1411	2304	3026	3477	3619	3647	3652
2002/2003	.0	.0	17.9	94.0	106.9	101.1	103.3	106.6	106.3	104.8	104.1	104.2
STATE :	4 CALIFORNIA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	11	5	23	74	274	502	515	337	377	238	155	39
2001/2002	11	16	39	113	387	889	1404	1741	2118	2356	2511	2550
2001/2002	110.0	84.2	78.0	66.9	79.0	91.4	96.4	95.1	96.8	96.7	97.2	96.8
2002/2003	4	6	16	150	238	475	307	380	301	325	131	43
2002/2003	4	10	26	176	414	889	1196	1576	1877	2202	2333	2376
2002/2003	40.0	52.6	52.0	104.1	84.5	91.4	82.1	86.1	85.8	90.4	90.3	90.2
STATE :	5 COLORADO											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	6	26	155	518	786	1144	1188	1037	1038	520	375	61
2001/2002	6	32	187	705	1491	2635	3823	4860	5898	6418	6793	6854
2001/2002	18.2	34.8	55.8	77.6	80.8	86.5	89.2	91.9	95.1	93.5	93.5	92.5
2002/2003	4	36	193	689	932	1111	983	1082	872	565	342	173
2002/2003	4	40	233	922	1854	2965	3948	5030	5902	6467	6809	6982
2002/2003	12.1	43.5	69.6	101.5	100.5	97.4	92.2	95.1	95.2	94.2	93.7	94.2

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	6 CONNECTICUT											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	8	0	80	347	552	813	948	833	782	403	272	32
2001/2002	8	8	88	435	987	1800	2748	3581	4363	4766	5038	5070
2001/2002	200.0	44.4	66.2	78.5	79.9	79.9	80.1	80.9	82.7	82.2	83.6	83.5
2002/2003	0	0	42	433	709	1050	1303	1108	863	571	280	44
2002/2003	0	0	42	475	1184	2234	3537	4645	5508	6079	6359	6403
2002/2003	.0	.0	31.6	85.7	95.9	99.2	103.1	104.9	104.5	104.9	105.5	105.5
STATE :	7 DELAWARE											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	39	246	395	668	795	677	597	245	120	0
2001/2002	0	0	39	285	680	1348	2143	2820	3417	3662	3782	3782
2001/2002	.0	.0	90.7	86.9	77.3	77.9	78.6	79.2	80.7	79.6	80.0	79.8
2002/2003	0	0	11	256	588	920	1114	963	643	405	207	11
2002/2003	0	0	11	267	855	1775	2889	3852	4495	4900	5107	5118
2002/2003	.0	.0	25.6	81.4	97.2	102.6	106.0	108.1	106.2	106.5	108.0	108.0
STATE :	8 FLORIDA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	0	9	34	88	182	147	51	1	0	0
2001/2002	0	0	0	9	43	131	313	460	511	512	512	512
2001/2002	.0	.0	.0	90.0	61.4	57.0	70.7	77.1	75.7	73.9	73.8	73.8
2002/2003	0	0	0	1	83	195	330	122	26	11	0	0
2002/2003	0	0	0	1	84	279	609	731	757	768	768	768
2002/2003	.0	.0	.0	10.0	120.0	121.3	137.5	122.4	112.1	110.8	110.7	110.7
STATE :	9 GEORGIA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	18	196	234	467	624	543	365	76	55	0
2001/2002	0	0	18	214	448	915	1539	2082	2447	2523	2578	2578
2001/2002	.0	.0	120.0	126.6	85.0	81.3	85.3	89.9	91.5	89.1	89.5	89.4
2002/2003	0	0	0	78	452	669	788	532	299	159	40	5
2002/2003	0	0	0	78	530	1199	1987	2519	2818	2977	3017	3022
2002/2003	.0	.0	.0	46.2	100.6	106.6	110.1	108.8	105.4	105.1	104.8	104.8
STATE :	10 IDAHO											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	21	14	117	500	739	1212	1171	1058	924	527	325	97
2001/2002	21	35	152	652	1391	2603	3774	4832	5756	6283	6608	6705
2001/2002	53.8	39.3	48.7	77.3	80.2	89.1	91.3	95.2	98.0	97.7	97.7	97.1
2002/2003	8	57	173	611	871	991	948	901	707	550	305	94
2002/2003	8	65	238	849	1720	2711	3659	4560	5267	5817	6122	6216
2002/2003	20.5	73.0	76.3	100.6	99.1	92.7	88.5	89.8	89.6	90.5	90.5	90.0

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	11 ILLINOIS												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	0	8	113	390	481	953	1036	917	944	424	290	13	
2001/2002	0	8	121	511	992	1945	2981	3898	4842	5266	5556	5569	
2001/2002	.0	30.8	96.8	98.3	77.9	80.1	79.5	81.3	86.0	86.3	88.0	87.6	
2002/2003	0	8	37	442	816	1091	1371	1151	830	437	239	60	
2002/2003	0	8	45	487	1303	2394	3765	4916	5746	6183	6422	6482	
2002/2003	.0	30.8	36.0	93.7	102.4	98.6	100.3	102.5	102.1	101.3	101.7	102.0	
STATE :	12 INDIANA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	3	4	105	361	480	878	968	846	854	362	245	9	
2001/2002	3	7	112	473	953	1831	2799	3645	4499	4861	5106	5115	
2001/2002	60.0	30.4	94.1	95.6	80.3	81.3	80.4	81.7	86.0	85.8	87.1	86.8	
2002/2003	0	3	31	402	762	1049	1368	1125	739	365	198	48	
2002/2003	0	3	34	436	1198	2247	3615	4740	5479	5844	6042	6090	
2002/2003	.0	13.0	28.6	88.1	100.9	99.7	103.9	106.2	104.7	103.1	103.1	103.3	
STATE :	13 IOWA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	2	13	148	461	510	1057	1122	1010	1066	486	273	15	
2001/2002	2	15	163	624	1134	2191	3313	4323	5389	5875	6148	6163	
2001/2002	18.2	37.5	95.3	101.3	76.0	78.2	77.8	80.0	85.5	86.4	87.6	87.3	
2002/2003	0	21	73	566	912	1124	1427	1263	939	441	247	54	
2002/2003	0	21	94	660	1572	2696	4123	5386	6325	6766	7013	7067	
2002/2003	.0	52.5	55.0	107.1	105.4	96.3	96.8	99.7	100.3	99.5	99.9	100.1	
STATE :	14 KANSAS												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	0	0	60	264	434	834	956	808	776	259	141	0	
2001/2002	0	0	60	324	758	1592	2548	3356	4132	4391	4532	4532	
2001/2002	.0	.0	78.9	92.0	74.5	78.4	80.7	83.8	88.9	88.2	88.8	88.5	
2002/2003	0	0	24	423	671	911	1072	942	656	264	117	24	
2002/2003	0	0	24	447	1118	2029	3101	4043	4699	4963	5080	5104	
2002/2003	.0	.0	31.6	127.0	109.9	99.9	98.3	100.9	101.1	99.7	99.6	99.7	
STATE :	15 KENTUCKY												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	0	0	60	280	404	707	829	733	612	204	139	0	
2001/2002	0	0	60	340	744	1451	2280	3013	3625	3829	3968	3968	
2001/2002	.0	.0	98.4	97.7	81.7	81.5	81.9	84.5	87.1	85.6	86.2	86.0	
2002/2003	0	0	12	245	632	877	1016	882	513	225	105	22	
2002/2003	0	0	12	257	889	1766	2782	3664	4177	4402	4507	4529	
2002/2003	.0	.0	19.7	73.9	97.6	99.2	100.0	102.7	100.3	98.4	97.9	98.1	

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	16 LOUISIANA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	0	79	130	318	419	418	215	15	0	0
2001/2002	0	0	0	79	209	527	946	1364	1579	1594	1594	1594
2001/2002	.0	.0	.0	121.5	73.9	76.2	80.1	89.9	91.8	89.6	89.3	89.3
2002/2003	0	0	0	24	256	419	578	371	200	44	0	0
2002/2003	0	0	0	24	280	699	1277	1648	1848	1892	1892	1892
2002/2003	.0	.0	.0	36.9	98.9	101.0	108.1	108.6	107.4	106.3	106.1	106.1
STATE :	17 MAINE											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	53	20	168	495	754	1043	1246	1152	1070	677	433	155
2001/2002	53	73	241	736	1490	2533	3779	4931	6001	6678	7111	7266
2001/2002	151.4	78.5	71.9	80.5	84.0	83.5	84.2	86.1	88.3	89.0	90.2	90.7
2002/2003	31	20	131	636	937	1272	1613	1362	1152	794	434	105
2002/2003	31	51	182	818	1755	3027	4640	6002	7154	7948	8382	8487
2002/2003	88.6	54.8	54.3	89.5	98.9	99.8	103.3	104.9	105.3	106.0	106.3	105.9
STATE :	18 MARYLAND & D.C.											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	1	0	51	264	412	701	802	697	609	247	124	0
2001/2002	1	1	52	316	728	1429	2231	2928	3537	3784	3908	3908
2001/2002	100.0	33.3	98.1	88.8	77.9	78.8	78.8	79.7	81.5	80.4	80.8	80.6
2002/2003	0	0	16	290	614	962	1133	962	634	344	171	10
2002/2003	0	0	16	306	920	1882	3015	3977	4611	4955	5126	5136
2002/2003	.0	.0	30.2	86.0	98.4	103.7	106.4	108.3	106.2	105.3	106.0	105.9
STATE :	19 MASSACHUSETTS											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	15	0	81	353	580	849	969	886	831	468	296	65
2001/2002	15	15	96	449	1029	1878	2847	3733	4564	5032	5328	5393
2001/2002	214.3	57.7	57.5	72.8	78.0	79.4	79.7	81.1	83.0	82.9	84.0	84.2
2002/2003	0	1	54	473	749	1085	1372	1157	917	652	330	66
2002/2003	0	1	55	528	1277	2362	3734	4891	5808	6460	6790	6856
2002/2003	.0	3.8	32.9	85.6	96.7	99.9	104.5	106.2	105.7	106.4	107.0	107.0
STATE :	20 MICHIGAN											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	8	12	166	447	557	938	1060	966	1025	529	394	34
2001/2002	8	20	186	633	1190	2128	3188	4154	5179	5708	6102	6136
2001/2002	57.1	40.0	93.9	94.8	81.4	81.2	80.8	81.9	86.0	86.4	88.7	88.3
2002/2003	1	18	56	525	841	1167	1427	1247	987	591	325	91
2002/2003	1	19	75	600	1441	2608	4035	5282	6269	6860	7185	7276
2002/2003	7.1	38.0	37.9	89.8	98.6	99.5	102.3	104.2	104.1	103.9	104.4	104.7

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	21 MINNESOTA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	14	18	210	582	651	1240	1359	1130	1367	677	422	47
2001/2002	14	32	242	824	1475	2715	4074	5204	6571	7248	7670	7717
2001/2002	43.8	35.6	74.5	90.4	74.7	77.2	77.8	79.0	85.2	86.7	88.5	88.1
2002/2003	6	42	131	780	1054	1291	1625	1469	1145	599	314	94
2002/2003	6	48	179	959	2013	3304	4929	6398	7543	8142	8456	8550
2002/2003	18.8	53.3	55.1	105.2	102.0	93.9	94.1	97.1	97.8	97.4	97.6	97.6
STATE :	22 MISSISSIPPI											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	7	161	215	446	558	535	336	55	16	0
2001/2002	0	0	7	168	383	829	1387	1922	2258	2313	2329	2329
2001/2002	.0	.0	77.8	124.4	83.6	81.8	83.9	90.9	93.3	91.1	90.9	90.9
2002/2003	0	0	0	63	387	570	755	518	294	91	7	0
2002/2003	0	0	0	63	450	1020	1775	2293	2587	2678	2685	2685
2002/2003	.0	.0	.0	46.7	98.3	100.7	107.3	108.4	106.9	105.4	104.8	104.8
STATE :	23 MISSOURI											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	1	77	307	425	836	949	806	794	270	167	5
2001/2002	0	1	78	385	810	1646	2595	3401	4195	4465	4632	4637
2001/2002	.0	8.3	91.8	99.5	78.3	80.4	81.2	83.5	88.7	88.2	89.1	88.9
2002/2003	0	1	27	383	707	925	1197	984	659	279	132	31
2002/2003	0	1	28	411	1118	2043	3240	4224	4883	5162	5294	5325
2002/2003	.0	8.3	32.9	106.2	108.1	99.8	101.4	103.8	103.2	101.9	101.8	102.1
STATE :	24 MONTANA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	54	35	193	635	823	1263	1236	1051	1284	751	495	182
2001/2002	54	89	282	917	1740	3003	4239	5290	6574	7325	7820	8002
2001/2002	60.7	46.8	53.9	78.0	78.5	84.8	86.1	87.9	94.0	95.5	96.5	96.3
2002/2003	29	137	266	819	921	1134	1141	1149	995	602	427	190
2002/2003	29	166	432	1251	2172	3306	4447	5596	6591	7193	7620	7810
2002/2003	32.6	87.4	82.6	106.4	98.0	93.4	90.3	93.0	94.3	93.7	94.0	94.0
STATE :	25 NEBRASKA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	1	9	109	398	540	1041	1094	981	1062	405	244	8
2001/2002	1	10	119	517	1057	2098	3192	4173	5235	5640	5884	5892
2001/2002	9.1	31.2	77.3	91.3	74.6	79.6	80.6	83.6	89.9	89.8	90.7	90.3
2002/2003	0	11	81	586	840	1035	1249	1132	803	391	234	56
2002/2003	0	11	92	678	1518	2553	3802	4934	5737	6128	6362	6418
2002/2003	.0	34.4	59.7	119.8	107.1	96.8	96.0	98.8	98.6	97.6	98.1	98.4

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	26 NEVADA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	3	1	26	128	402	766	752	533	492	196	108	19
2001/2002	3	4	30	158	560	1326	2078	2611	3103	3299	3407	3426
2001/2002	60.0	28.6	44.1	54.7	69.4	84.6	89.1	90.5	92.8	90.8	90.5	90.1
2002/2003	0	8	36	219	448	712	513	564	399	317	94	17
2002/2003	0	8	44	263	711	1423	1936	2500	2899	3216	3310	3327
2002/2003	.0	57.1	64.7	91.0	88.1	90.8	83.0	86.6	86.7	88.5	87.9	87.5
STATE :	27 NEW HAMPSHIRE											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	38	11	151	474	741	1008	1132	1069	993	557	373	87
2001/2002	38	49	200	674	1415	2423	3555	4624	5617	6174	6547	6634
2001/2002	211.1	73.1	69.4	79.0	83.5	83.0	82.2	83.9	86.0	86.0	87.3	87.4
2002/2003	3	10	85	587	889	1234	1578	1293	1064	720	346	66
2002/2003	3	13	98	685	1574	2808	4386	5679	6743	7463	7809	7875
2002/2003	16.7	19.4	34.0	80.3	92.9	96.1	101.4	103.0	103.3	103.9	104.1	103.8
STATE :	28 NEW JERSEY											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	3	0	62	307	492	742	880	755	692	328	197	6
2001/2002	3	3	65	372	864	1606	2486	3241	3933	4261	4458	4464
2001/2002	300.0	50.0	78.3	82.9	80.7	79.8	80.1	80.5	82.2	81.4	82.3	82.0
2002/2003	0	0	28	366	672	997	1216	1049	757	501	253	28
2002/2003	0	0	28	394	1066	2063	3279	4328	5085	5586	5839	5867
2002/2003	.0	.0	33.7	87.8	99.5	102.5	105.6	107.6	106.2	106.7	107.7	107.8
STATE :	29 NEW MEXICO											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	7	37	234	561	936	890	767	628	216	109	6
2001/2002	0	7	44	278	839	1775	2665	3432	4060	4276	4385	4391
2001/2002	.0	43.8	47.3	66.8	77.5	88.4	90.4	93.8	95.3	92.2	91.3	90.8
2002/2003	1	2	55	341	669	945	762	703	593	343	99	26
2002/2003	1	3	58	399	1068	2013	2775	3478	4071	4414	4513	4539
2002/2003	20.0	18.8	62.4	95.9	98.7	100.3	94.2	95.1	95.6	95.1	93.9	93.9
STATE :	30 NEW YORK											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	13	3	85	328	513	799	932	836	797	420	286	25
2001/2002	13	16	101	429	942	1741	2673	3509	4306	4726	5012	5037
2001/2002	162.5	61.5	72.7	78.9	77.1	77.8	78.0	79.0	81.1	81.0	82.6	82.4
2002/2003	1	4	43	415	699	1052	1327	1123	860	580	280	50
2002/2003	1	5	48	463	1162	2214	3541	4664	5524	6104	6384	6434
2002/2003	12.5	19.2	34.5	85.1	95.1	98.9	103.4	105.0	104.0	104.6	105.2	105.2

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	31 NORTH CAROLINA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	32	234	304	526	697	574	443	101	65	1
2001/2002	0	0	32	266	570	1096	1793	2367	2810	2911	2976	2977
2001/2002	.0	.0	114.3	109.5	84.3	80.1	83.2	85.4	86.9	84.5	84.6	84.5
2002/2003	0	0	6	140	497	761	886	662	394	222	62	5
2002/2003	0	0	6	146	643	1404	2290	2952	3346	3568	3630	3635
2002/2003	.0	.0	21.4	60.1	95.1	102.6	106.3	106.5	103.4	103.5	103.2	103.1
STATE :	32 NORTH DAKOTA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	28	27	222	705	827	1463	1516	1168	1511	804	498	82
2001/2002	28	55	277	982	1809	3272	4788	5956	7467	8271	8769	8851
2001/2002	56.0	45.1	67.4	91.4	80.4	84.4	84.4	84.1	90.2	92.1	94.1	93.7
2002/2003	16	69	192	925	1084	1384	1704	1606	1327	606	358	135
2002/2003	16	85	277	1202	2286	3670	5374	6980	8307	8913	9271	9406
2002/2003	32.0	69.7	67.4	111.9	101.6	94.6	94.7	98.5	100.3	99.2	99.5	99.6
STATE :	33 OHIO											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	4	3	123	352	501	849	965	854	817	383	276	11
2001/2002	4	7	130	482	983	1832	2797	3651	4468	4851	5127	5138
2001/2002	66.7	29.2	100.0	91.6	80.6	81.2	81.0	82.2	85.2	84.9	86.4	86.0
2002/2003	0	2	34	409	741	1067	1360	1133	768	409	214	57
2002/2003	0	2	36	445	1186	2253	3613	4746	5514	5923	6137	6194
2002/2003	.0	8.3	27.7	84.6	97.3	99.9	104.6	106.8	105.1	103.7	103.5	103.7
STATE :	34 OKLAHOMA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	26	170	320	682	773	669	578	146	58	0
2001/2002	0	0	26	196	516	1198	1971	2640	3218	3364	3422	3422
2001/2002	.0	.0	83.9	100.0	75.1	80.6	82.7	87.0	92.0	91.0	91.3	91.3
2002/2003	0	0	10	251	525	743	881	748	487	157	28	3
2002/2003	0	0	10	261	786	1529	2410	3158	3645	3802	3830	3833
2002/2003	.0	.0	32.3	133.2	114.4	102.9	101.2	104.1	104.2	102.8	102.2	102.2
STATE :	35 OREGON											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	69	42	115	397	562	782	791	633	688	448	354	119
2001/2002	69	111	226	623	1185	1967	2758	3391	4079	4527	4881	5000
2001/2002	109.5	89.5	81.0	92.4	90.4	92.3	93.6	94.4	97.2	97.0	97.9	97.1
2002/2003	29	55	125	420	583	719	643	637	546	508	309	88
2002/2003	29	84	209	629	1212	1931	2574	3211	3757	4265	4574	4662
2002/2003	46.0	67.7	74.9	93.3	92.4	90.7	87.4	89.4	89.5	91.3	91.7	90.5

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE : 36 PENNSYLVANIA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	15	4	113	365	535	820	946	824	765	386	249	15
2001/2002	15	19	132	497	1032	1852	2798	3622	4387	4773	5022	5037
2001/2002	187.5	73.1	97.1	90.9	84.0	82.9	82.5	82.9	84.8	84.4	85.6	85.2
2002/2003	1	3	46	414	720	1095	1299	1104	795	473	250	55
2002/2003	1	4	50	464	1184	2279	3578	4682	5477	5950	6200	6255
2002/2003	12.5	15.4	36.8	84.8	96.4	102.0	105.5	107.2	105.8	105.2	105.7	105.9
STATE : 37 RHODE ISLAND												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	10	0	54	319	507	787	908	817	768	422	276	49
2001/2002	10	10	64	383	890	1677	2585	3402	4170	4592	4868	4917
2001/2002	200.0	55.6	52.0	75.0	77.7	79.8	80.4	81.5	83.2	82.6	83.5	83.5
2002/2003	0	0	35	390	668	992	1246	1078	846	608	325	62
2002/2003	0	0	35	425	1093	2085	3331	4409	5255	5863	6188	6250
2002/2003	.0	.0	28.5	83.2	95.4	99.2	103.6	105.7	104.8	105.4	106.1	106.1
STATE : 38 SOUTH CAROLINA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	9	174	220	427	595	498	323	44	37	0
2001/2002	0	0	9	183	403	830	1425	1923	2246	2290	2327	2327
2001/2002	.0	.0	90.0	115.8	80.0	75.9	81.0	84.9	85.7	83.0	83.3	83.3
2002/2003	0	0	0	78	410	656	736	535	292	150	23	0
2002/2003	0	0	0	78	488	1144	1880	2415	2707	2857	2880	2880
2002/2003	.0	.0	.0	49.4	96.8	104.6	106.8	106.6	103.3	103.6	103.1	103.0
STATE : 39 SOUTH DAKOTA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	16	15	148	512	679	1224	1249	986	1304	576	377	42
2001/2002	16	31	179	691	1370	2594	3843	4829	6133	6709	7086	7128
2001/2002	44.4	40.3	65.3	85.6	75.8	81.2	81.8	82.2	89.3	89.9	91.4	90.8
2002/2003	8	30	131	749	915	1154	1380	1274	995	506	313	116
2002/2003	8	38	169	918	1833	2987	4367	5641	6636	7142	7455	7571
2002/2003	22.2	49.4	61.7	113.8	101.4	93.5	93.0	96.0	96.6	95.7	96.1	96.5
STATE : 40 TENNESSEE												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	43	277	363	637	770	693	531	151	100	0
2001/2002	0	0	43	320	683	1320	2090	2783	3314	3465	3565	3565
2001/2002	.0	.0	104.9	110.0	86.1	83.8	84.8	88.4	90.7	88.8	89.3	89.1
2002/2003	0	0	8	170	589	791	1019	753	440	188	66	9
2002/2003	0	0	8	178	767	1558	2577	3330	3770	3958	4024	4033
2002/2003	.0	.0	19.5	61.2	96.7	98.9	104.6	105.8	103.2	101.5	100.8	100.8

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	41 TEXAS												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	0	0	3	67	169	401	450	451	276	25	4	0	
2001/2002	0	0	3	70	239	640	1090	1541	1817	1842	1846	1846	
2001/2002	.0	.0	60.0	104.5	74.2	80.8	82.2	91.0	94.9	92.7	92.4	92.4	
2002/2003	0	0	1	65	302	454	554	425	248	47	2	0	
2002/2003	0	0	1	66	368	822	1376	1801	2049	2096	2098	2098	
2002/2003	.0	.0	20.0	98.5	114.3	103.8	103.8	106.4	107.1	105.5	105.1	105.1	
STATE :	42 UTAH												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	3	4	66	375	707	1247	1209	1071	902	450	260	50	
2001/2002	3	7	73	448	1155	2402	3611	4682	5584	6034	6294	6344	
2001/2002	23.1	20.0	36.7	66.2	75.5	89.2	92.6	96.5	98.9	97.4	96.7	95.9	
2002/2003	0	9	127	534	863	1029	893	920	711	506	238	71	
2002/2003	0	9	136	670	1533	2562	3455	4375	5086	5592	5830	5901	
2002/2003	.0	25.7	68.3	99.0	100.2	95.2	88.6	90.2	90.1	90.3	89.6	89.2	
STATE :	43 VERMONT												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	64	22	201	508	772	1057	1213	1139	1066	607	446	108	
2001/2002	64	86	287	795	1567	2624	3837	4976	6042	6649	7095	7203	
2001/2002	206.5	86.9	82.2	84.1	85.6	84.0	83.3	84.5	86.5	86.6	88.5	88.8	
2002/2003	26	30	133	654	958	1327	1686	1388	1117	767	367	87	
2002/2003	26	56	189	843	1801	3128	4814	6202	7319	8086	8453	8540	
2002/2003	83.9	56.6	54.2	89.2	98.4	100.2	104.4	105.4	104.8	105.3	105.5	105.3	
STATE :	44 VIRGINIA												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	1	0	63	287	400	662	782	688	589	215	124	2	
2001/2002	1	1	64	351	751	1413	2195	2883	3472	3687	3811	3813	
2001/2002	100.0	33.3	118.5	101.7	85.1	82.8	82.9	84.4	86.3	84.9	85.4	85.1	
2002/2003	0	0	18	245	592	903	1059	861	548	316	138	14	
2002/2003	0	0	18	263	855	1758	2817	3678	4226	4542	4680	4694	
2002/2003	.0	.0	33.3	76.2	96.8	103.0	106.4	107.7	105.0	104.6	104.8	104.8	
STATE :	45 WASHINGTON												
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
2001/2002	90	61	164	469	597	827	813	701	762	495	359	121	
2001/2002	90	151	315	784	1381	2208	3021	3722	4484	4979	5338	5459	
2001/2002	116.9	100.7	93.5	99.6	93.7	94.1	93.7	94.9	98.3	98.9	99.8	99.0	
2002/2003	56	67	175	483	614	758	704	693	590	477	308	95	
2002/2003	56	123	298	781	1395	2153	2857	3550	4140	4617	4925	5020	
2002/2003	72.7	82.0	88.4	99.2	94.6	91.7	88.6	90.6	90.8	91.7	92.1	91.1	

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

STATE HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

STATE :	46 WEST VIRGINIA											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	9	2	106	377	503	765	922	793	692	309	217	11
2001/2002	9	11	117	494	997	1762	2684	3477	4169	4478	4695	4706
2001/2002	180.0	64.7	109.3	103.6	89.7	86.2	86.5	87.5	89.3	88.3	89.3	88.9
2002/2003	1	2	31	319	699	991	1215	974	625	333	177	55
2002/2003	1	3	34	353	1052	2043	3258	4232	4857	5190	5367	5422
2002/2003	20.0	17.6	31.8	74.0	94.6	100.0	105.0	106.5	104.0	102.3	102.0	102.4
STATE :	47 WISCONSIN											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	9	16	192	516	598	1084	1196	1032	1159	599	407	53
2001/2002	9	25	217	733	1331	2415	3611	4643	5802	6401	6808	6861
2001/2002	39.1	34.7	84.8	94.5	79.1	80.0	79.7	80.8	85.7	86.6	88.4	88.1
2002/2003	2	29	95	620	934	1195	1512	1346	1046	639	349	108
2002/2003	2	31	126	746	1680	2875	4387	5733	6779	7418	7767	7875
2002/2003	8.7	43.1	49.2	96.1	99.8	95.3	96.8	99.8	100.2	100.4	100.8	101.1
STATE :	48 WYOMING											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	25	30	199	629	878	1311	1336	1140	1213	675	471	125
2001/2002	25	55	254	883	1761	3072	4408	5548	6761	7436	7907	8032
2001/2002	42.4	40.1	57.6	81.4	82.8	88.8	91.2	93.2	97.3	97.0	97.4	96.7
2002/2003	16	81	250	815	1016	1197	1095	1218	972	601	417	231
2002/2003	16	97	347	1162	2178	3375	4470	5688	6660	7261	7678	7909
2002/2003	27.1	70.8	78.7	107.1	102.3	97.6	92.5	95.5	95.8	94.7	94.6	95.2

LINE 1 = HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 2 = ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION)

LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (DIVISIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

2. REGIONAL POPULATION-WEIGHTED HEATING DEGREE DAYS

THE NATION WAS DIVIDED INTO NINE CENSUS REGIONS AS DEFINED AND USED BY THE BUREAU OF THE CENSUS. THE REGIONS AND STATES THEY COMPRISE ARE LISTED ON THE NEXT PAGE. THE POPULATION WEIGHTS USED TO PRODUCE MONTHLY AND REGIONAL DEGREE DAY TOTALS ARE ALSO SHOWN. THESE WEIGHTS WERE OBTAINED BY DIVIDING EACH STATE'S POPULATION BY THE TOTAL REGIONAL POPULATION.

A PARTICULAR REGIONAL MONTHLY DEGREE DAY VALUE WAS OBTAINED BY MULTIPLYING THE CORRESPONDING STATE DEGREE DAY TOTALS WITHIN A REGION BY THE APPROPRIATE WEIGHT AND ADDING ALL THE PRODUCTS. SEASONAL VALUES ARE OBTAINED BY SUMMING THE MONTHLY TOTALS.

MONTHLY AND SEASONAL DEGREE DAY TOTALS FOR THE NINE CENSUS REGIONS ARE PRESENTED IN THE TABLES FOLLOWING THE WEIGHTS.

2.2 STATE POPULATION-WEIGHTS (2000 CENSUS) FOR THE
CENSUS REGIONS OF THE UNITED STATES

01	NEW ENGLAND		04	WEST NORTH CENTRAL		07	WEST SOUTH CENTRAL	
01	CONNECTICUT	.24460	01	IOWA	.15210	01	ARKANSAS	.08500
02	MAINE	.09160	02	KANSAS	.13980	02	LOUISIANA	.14210
03	MASSACHUSETTS	.45600	03	MINNESOTA	.25570	03	OKLAHOMA	.10980
04	NEW HAMPSHIRE	.08880	04	MISSOURI	.29080	04	TEXAS	.66310
05	RHODE ISLAND	.07530	05	NEBRASKA	.08900			
06	VERMONT	.04370	06	NORTH DAKOTA	.03340	08	MOUNTAIN	
			07	SOUTH DAKOTA	.03920			
02	MIDDLE ATLANTIC		05	SOUTH ATLANTIC		01	ARIZONA	.28230
01	NEW JERSEY	.21210	01	DELAWARE	.01520	02	COLORADO	.23670
02	NEW YORK	.47830	02	FLORIDA	.30870	03	IDAHO	.07120
03	PENNSYLVANIA	.30960	03	GEORGIA	.15810	04	MONTANA	.04970
03	EAST NORTH CENTRAL		04	MARYLAND AND D.C.	.11340	05	NEVADA	.11000
01	ILLINOIS	.27500	05	NORTH CAROLINA	.15550	06	NEW MEXICO	.10010
02	INDIANA	.13470	06	SOUTH CAROLINA	.07750	07	UTAH	.12290
03	MICHIGAN	.22010	07	VIRGINIA	.13670	08	WYOMING	.02710
04	OHIO	.25140	08	WEST VIRGINIA	.03490			
05	WISCONSIN	.11880	06	EAST SOUTH CENTRAL		09	PACIFIC (AK,HI OMITTED)	
			01	ALABAMA	.26130	01	CALIFORNIA	.78430
			02	KENTUCKY	.23740	02	OREGON	.07920
			03	MISSISSIPPI	.16710	03	WASHINGTON	.13650
			04	TENNESSEE	.33420			

REGIONAL HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

REGION :	1 NEW ENGLAND											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	21	4	98	379	606	877	1010	920	861	482	315	68
2001/2002	21	25	123	502	1108	1985	2995	3915	4776	5258	5573	5641
2001/2002	190.9	67.6	64.7	76.4	80.1	80.6	80.8	82.1	84.1	83.9	85.1	85.3
2002/2003	4	4	63	490	772	1110	1400	1180	942	653	330	65
2002/2003	4	8	71	561	1333	2443	3843	5023	5965	6618	6948	7013
2002/2003	36.4	21.6	37.4	85.4	96.3	99.2	103.6	105.3	105.0	105.7	106.2	106.1
REGION :	2 MIDDLE ATLANTIC											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	11	3	89	335	515	793	925	815	765	390	256	18
2001/2002	11	14	103	438	953	1746	2671	3486	4251	4641	4897	4915
2001/2002	183.3	63.6	81.1	83.3	79.9	79.7	79.8	80.5	82.4	82.1	83.4	83.2
2002/2003	1	3	41	404	700	1054	1295	1101	818	530	265	47
2002/2003	1	4	45	449	1149	2203	3498	4599	5417	5947	6212	6259
2002/2003	16.7	18.2	35.4	85.4	96.3	100.5	104.4	106.2	105.0	105.2	105.8	105.9
REGION :	3 E. N. CENTRAL											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	4	8	135	404	517	929	1033	916	943	449	317	21
2001/2002	4	12	147	551	1068	1997	3030	3946	4889	5338	5655	5676
2001/2002	44.4	34.3	94.2	95.0	79.9	80.8	80.3	81.6	85.8	86.0	87.7	87.4
2002/2003	0	11	47	468	809	1108	1397	1187	862	478	259	70
2002/2003	0	11	58	526	1335	2443	3840	5027	5889	6367	6626	6696
2002/2003	.0	31.4	37.2	90.7	99.9	98.8	101.7	104.0	103.3	102.5	102.8	103.1
REGION :	4 W. N. CENTRAL											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	6	9	130	424	531	1027	1125	955	1047	447	271	21
2001/2002	6	15	145	569	1100	2127	3252	4207	5254	5701	5972	5993
2001/2002	40.0	34.1	79.2	93.7	76.0	78.9	79.6	81.5	87.3	87.8	89.1	88.8
2002/2003	2	19	75	568	854	1081	1353	1190	874	413	218	59
2002/2003	2	21	96	664	1518	2599	3952	5142	6016	6429	6647	6706
2002/2003	13.3	47.7	52.5	109.4	104.9	96.4	96.7	99.6	99.9	99.0	99.2	99.3
REGION :	5 SOUTH ATLANTIC											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	1	0	27	170	237	423	551	470	350	103	62	1
2001/2002	1	1	28	198	435	858	1409	1879	2229	2332	2394	2395
2001/2002	9999.9	100.0	112.0	104.8	82.4	79.2	81.6	84.1	85.5	83.7	84.1	83.9
2002/2003	0	0	6	122	390	616	754	542	318	175	65	7
2002/2003	0	0	6	128	518	1134	1888	2430	2748	2923	2988	2995
2002/2003	.0	.0	24.0	67.7	98.1	104.7	109.4	108.8	105.4	105.0	105.0	105.0

LINE 1 = HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

REGIONAL HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

REGION :	6 E. S. CENTRAL											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	33	234	312	579	702	639	471	125	77	0
2001/2002	0	0	33	267	579	1158	1860	2499	2970	3095	3172	3172
2001/2002	.0	.0	100.0	108.5	83.3	82.1	83.4	87.6	89.9	87.9	88.2	88.0
2002/2003	0	0	6	143	524	733	917	679	393	160	53	8
2002/2003	0	0	6	149	673	1406	2323	3002	3395	3555	3608	3616
2002/2003	.0	.0	18.2	60.6	96.8	99.7	104.2	105.2	102.7	101.0	100.3	100.3
REGION :	7 W. S. CENTRAL											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	0	0	7	91	193	440	504	488	324	44	14	0
2001/2002	0	0	7	98	291	731	1235	1723	2047	2091	2105	2105
2001/2002	.0	.0	77.8	106.5	75.6	80.8	82.4	90.1	94.1	92.2	92.1	92.0
2002/2003	0	0	2	90	338	503	622	478	285	67	7	1
2002/2003	0	0	2	92	430	933	1555	2033	2318	2385	2392	2393
2002/2003	.0	.0	22.2	100.0	111.7	103.1	103.8	106.3	106.6	105.1	104.6	104.6
REGION :	8 MOUNTAIN											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	7	11	75	298	540	940	918	761	710	331	209	43
2001/2002	7	18	93	391	931	1871	2789	3550	4260	4591	4800	4843
2001/2002	36.8	36.7	50.8	72.0	76.4	87.1	90.0	92.6	95.3	93.8	93.6	93.0
2002/2003	3	24	104	412	637	866	711	752	596	390	189	77
2002/2003	3	27	131	543	1180	2046	2757	3509	4105	4495	4684	4761
2002/2003	15.8	55.1	71.6	100.0	96.8	95.3	89.0	91.5	91.9	91.8	91.4	91.4
REGION :	9 PACIFIC											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	26	16	50	153	341	569	578	410	454	290	199	57
2001/2002	26	42	92	245	586	1155	1733	2143	2597	2887	3086	3143
2001/2002	108.3	91.3	85.2	83.3	84.9	92.2	95.4	95.0	97.2	97.2	97.9	97.4
2002/2003	13	18	46	217	317	533	388	443	360	360	169	54
2002/2003	13	31	77	294	611	1144	1532	1975	2335	2695	2864	2918
2002/2003	54.2	67.4	71.3	100.0	88.6	91.3	84.3	87.5	87.4	90.7	90.9	90.4

LINE 1 = HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (STATES WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

3. NATIONAL POPULATION-WEIGHTED HEATING DEGREE DAYS

THE NATIONAL DEGREE DAY TOTALS WERE DERIVED BY POPULATION WEIGHTING THE DEGREE DAY VALUES FOR THE NINE CENSUS REGIONS. THE WEIGHTS USED TO DERIVE THE NATIONAL MONTHLY DEGREE DAY VALUES ARE GIVEN BELOW:

3.2 REGIONAL POPULATION WEIGHTS OF THE CONTERMINOUS UNITED STATES

01	NEW ENGLAND	.04980
02	MIDDLE ATLANTIC	.14190
03	EAST NORTH CENTRAL	.16150
04	WEST NORTH CENTRAL	.06880
05	SOUTH ATLANTIC	.18520
06	EAST SOUTH CENTRAL	.06090
07	WEST SOUTH CENTRAL	.11250
08	MOUNTAIN	.06500
09	PACIFIC	.15440

MONTHLY AND SEASONAL DEGREE TOTALS FOR THE CONTERMINOUS UNITED STATES ARE SHOWN IN THE FOLLOWING TABLE.

NATIONAL HEATING DEGREE DAYS (REGIONS WEIGHTED BY 2000 POPULATION), THRU JUN

2003--BASE TEMP = 65 DEG F

REGION :	11 NATIONAL											
SEASON	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
2001/2002	8	6	69	260	396	689	776	669	622	281	184	23
2001/2002	8	14	83	343	739	1428	2204	2873	3495	3776	3960	3983
2001/2002	88.9	58.3	82.2	89.6	80.2	82.1	83.0	84.8	87.8	87.3	88.3	88.0
2002/2003	3	8	37	298	560	812	944	801	572	344	165	41
2002/2003	3	11	48	346	906	1718	2662	3463	4035	4379	4544	4585
2002/2003	33.3	45.8	47.5	90.3	98.3	98.8	100.2	102.2	101.4	101.2	101.3	101.3

LINE 1 = HEATING DEGREE DAYS (REGIONS WEIGHTED BY 2000 POPULATION)
 LINE 2 = ACCUMULATED HEATING DEGREE DAYS (REGIONS WEIGHTED BY 2000 POPULATION)
 LINE 3 = [ACCUMULATED HEATING DEGREE DAYS (REGIONS WEIGHTED BY 2000 POPULATION) / ACCUMULATED NORMAL]*100
 PERCENTAGE OF 9999.9 => 10000

REFERENCES

THOM,H.C.S., 1954A: THE RATIONAL RELATIONSHIP BETWEEN HEATING DEGREE DAYS AND TEMPERATURE.
"MONTHLY WEATHER REVIEW", VOL 82,NO.1,1-6.

THOM,H.C.S., 1954B: NORMAL DEGREE DAYS BELOW ANY BASE. "MONTHLY WEATHER REVIEW", VOL 82,NO.5,111-115.

THOM,H.C.S., 1966: NORMAL DEGREE DAYS ABOVE ANY BASE BY THE UNIVERSAL TRUNCATION COEFFICIENT.
"MONTHLY WEATHER REVIEW", VOL 94, NO. 7,461-465.

U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, 2002: "2000 CENSUS OF POPULATION, GENERAL
POPULATION CHARACTERISTICS", SERIES CT-1 (ALABAMA THROUGH WYOMING AND U.S. SUMMARY).

STATE AVERAGE TEMPERATURE (DEG F) (DIVISIONS WEIGHTED BY AREA) -- 2002

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	46.9	45.8	54.9	66.6	70.5	77.3	80.5	80.0	77.5	68.2	51.3	45.2
ARIZONA	43.1	46.8	51.2	63.3	68.1	79.9	82.9	80.6	74.3	61.1	52.4	41.9
ARKANSAS	42.2	41.9	47.7	63.6	67.3	76.8	80.9	80.1	75.4	60.8	48.2	42.4
CALIFORNIA	43.9	49.5	50.8	57.9	63.1	72.1	77.4	74.5	71.5	60.4	53.6	45.8
COLORADO	25.1	26.5	32.4	48.4	54.3	67.6	71.7	67.5	59.3	44.0	33.9	27.4
CONNECTICUT	33.4	34.5	39.1	51.1	56.0	66.4	74.0	73.0	65.5	49.9	40.4	30.1
DELAWARE	40.3	41.6	46.8	57.8	63.0	73.5	78.5	78.2	70.7	58.4	46.5	36.3
FLORIDA	59.2	59.6	66.7	73.7	76.7	79.7	81.6	81.3	81.3	76.6	63.3	57.5
GEORGIA	47.7	47.9	56.5	67.7	70.0	77.3	80.9	79.8	76.8	68.1	52.2	45.3
IDAHO	24.4	23.9	31.9	44.3	51.5	61.6	70.8	63.7	58.0	42.6	33.6	30.2
ILLINOIS	33.4	33.9	37.1	53.6	59.2	74.1	78.4	75.3	69.5	52.3	39.4	31.8
INDIANA	34.1	35.1	38.1	53.7	58.7	73.1	77.2	75.1	69.7	52.6	40.0	31.7
IOWA	28.3	28.6	29.9	48.8	57.1	72.6	76.7	71.3	65.7	46.3	34.4	28.6
KANSAS	33.5	35.2	38.5	56.1	62.2	77.0	80.9	78.4	70.7	50.5	42.2	35.1
KENTUCKY	38.2	38.9	45.5	59.0	62.7	74.7	78.7	77.8	72.3	58.0	44.0	36.8
LOUISIANA	51.2	49.2	58.1	69.7	74.2	79.2	82.5	81.9	78.8	69.8	55.8	50.7
MAINE	20.8	19.7	26.8	40.1	49.4	58.7	66.0	67.1	59.8	42.2	30.7	20.7
MARYLAND & D.C.	39.2	40.2	45.6	57.1	62.4	73.2	77.9	77.1	69.8	56.4	44.9	34.4
MASSACHUSETTS	32.6	32.5	37.0	48.7	54.7	64.3	71.5	71.9	64.8	48.7	39.0	28.8
MICHIGAN	27.8	27.4	27.3	43.4	49.8	65.6	72.4	68.2	63.8	44.9	33.9	26.3
MINNESOTA	18.5	23.1	18.8	40.8	50.3	67.5	72.8	67.2	61.2	37.9	27.9	21.5
MISSISSIPPI	47.1	45.6	54.5	66.6	70.9	77.5	81.0	80.1	77.6	67.3	51.8	46.3
MISSOURI	34.7	36.6	39.9	57.2	61.7	74.8	79.2	77.3	71.1	53.3	41.9	35.4
MONTANA	24.0	27.5	20.5	39.6	49.5	61.4	71.2	63.1	57.6	38.1	34.9	27.8
NEBRASKA	29.5	31.2	29.6	50.2	56.7	74.4	78.8	73.5	64.7	44.5	37.0	31.4
NEVADA	30.6	34.7	38.8	50.7	56.5	68.0	76.3	69.9	63.4	49.0	39.9	33.2
NEW HAMPSHIRE	26.9	24.9	31.2	44.9	51.6	62.0	69.0	69.7	62.5	44.8	34.1	23.5
NEW JERSEY	37.3	38.6	43.4	54.6	59.8	70.4	76.2	75.9	68.0	54.2	43.2	33.6
NEW MEXICO	36.3	37.3	44.1	58.1	63.2	74.3	74.6	73.9	66.1	53.5	42.8	34.7
NEW YORK	29.4	29.3	33.4	46.5	51.9	65.1	70.7	69.8	63.9	46.9	36.6	25.3
NORTH CAROLINA	42.9	44.6	51.1	63.1	66.0	75.6	79.2	77.5	72.8	62.8	48.6	40.7
NORTH DAKOTA	16.7	23.8	16.0	38.2	49.1	66.0	72.5	66.6	59.7	35.0	29.5	20.9
OHIO	33.8	34.8	38.9	52.7	57.2	71.7	76.1	74.5	68.7	52.2	40.3	30.7
OKLAHOMA	39.8	40.6	45.8	61.4	66.7	77.3	80.6	81.3	74.4	56.9	47.1	40.1
OREGON	33.9	36.6	39.1	47.4	52.3	61.9	69.7	64.1	59.5	46.8	40.4	36.7
PENNSYLVANIA	33.0	33.7	38.1	50.2	55.4	68.3	73.0	72.3	65.4	49.7	39.3	27.8
RHODE ISLAND	35.7	35.8	40.2	50.9	56.2	65.3	73.2	73.3	66.5	52.4	42.7	33.0
SOUTH CAROLINA	46.5	47.6	55.8	67.3	68.5	77.6	81.8	79.6	75.7	66.4	51.7	44.0
SOUTH DAKOTA	24.4	29.6	22.2	44.9	53.0	70.8	77.7	71.0	63.5	40.1	34.9	27.5
TENNESSEE	40.1	40.1	48.0	61.0	64.3	75.1	78.8	78.0	73.4	61.0	45.2	39.3
TEXAS	48.4	46.9	55.0	69.1	74.2	80.7	81.1	83.1	76.4	65.1	52.8	47.5
UTAH	26.5	28.6	36.9	51.5	57.8	69.9	77.5	71.6	62.6	48.0	36.2	29.7
VERMONT	25.3	23.6	30.0	44.2	50.2	61.7	67.5	67.8	61.2	43.4	32.4	21.5
VIRGINIA	39.1	39.8	45.4	57.9	62.2	73.0	76.7	76.0	69.6	57.6	44.6	35.6
WASHINGTON	34.4	36.0	37.7	47.1	52.4	62.0	68.0	65.4	59.3	47.2	40.6	36.5
WEST VIRGINIA	34.8	35.9	42.0	54.2	58.3	70.1	73.9	72.8	68.0	54.4	40.9	32.2
WISCONSIN	24.0	26.2	24.5	43.1	51.1	66.5	73.0	68.0	62.0	42.4	31.7	24.4
WYOMING	20.0	22.6	24.9	41.5	49.1	62.4	70.7	63.7	56.6	38.2	30.1	24.8

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA)

-- 2002

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	25.0	24.0	30.3	43.5	51.1	61.0	68.0	68.7	61.5	44.3	33.4	23.2
MIDDLE ATLANTIC	31.6	31.9	36.2	48.7	54.0	66.9	72.1	71.4	64.9	48.7	38.3	27.0
E. N. CENTRAL	30.1	31.0	32.4	48.7	54.8	69.8	75.2	71.8	66.4	48.3	36.6	28.6
W. N. CENTRAL	26.4	29.7	27.7	48.0	55.6	71.9	77.0	72.2	65.2	43.8	35.4	28.6
SOUTH ATLANTIC	46.3	47.1	54.2	65.0	68.0	76.1	79.5	78.4	74.7	65.4	51.4	43.8
E. S. CENTRAL	43.5	42.9	51.1	63.6	67.4	76.3	79.8	79.0	75.4	64.0	48.4	42.2
W. S. CENTRAL	46.6	45.5	53.0	67.3	72.1	79.5	81.2	82.3	76.2	63.8	51.7	46.1
MOUNTAIN	29.1	31.4	34.9	49.7	56.3	68.2	74.5	69.3	62.3	46.8	38.3	31.3
PACIFIC	38.9	42.8	44.5	52.5	57.6	66.9	73.1	69.5	65.3	53.6	46.9	41.1
NATIONAL	34.8	36.4	39.8	54.2	60.1	71.5	76.3	73.4	67.5	52.4	42.2	35.3

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE TEMPERATURE (DEG F) (DIVISIONS WEIGHTED BY AREA) -- 2003

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	40.2	48.0	57.6	63.3	71.9	75.8	-	-	-	-	-	-
ARIZONA	49.8	46.7	51.8	56.8	69.3	77.0	-	-	-	-	-	-
ARKANSAS	36.5	39.7	51.1	61.8	70.0	73.5	-	-	-	-	-	-
CALIFORNIA	50.8	47.6	53.5	52.6	63.9	71.9	-	-	-	-	-	-
COLORADO	31.4	27.0	37.1	46.2	54.9	61.3	-	-	-	-	-	-
CONNECTICUT	21.3	24.2	36.6	45.3	55.7	65.5	-	-	-	-	-	-
DELAWARE	29.9	32.1	45.1	51.6	58.9	70.4	-	-	-	-	-	-
FLORIDA	52.3	61.4	70.1	69.6	78.3	80.2	-	-	-	-	-	-
GEORGIA	41.9	48.6	58.6	62.5	71.5	76.1	-	-	-	-	-	-
IDAHO	32.2	29.1	39.1	44.0	52.6	61.7	-	-	-	-	-	-
ILLINOIS	22.5	26.1	41.3	53.6	61.2	68.1	-	-	-	-	-	-
INDIANA	21.6	25.5	41.9	53.5	60.8	67.5	-	-	-	-	-	-
IOWA	19.0	19.9	34.8	50.3	58.1	67.4	-	-	-	-	-	-
KANSAS	31.3	30.8	43.5	55.8	63.1	70.5	-	-	-	-	-	-
KENTUCKY	31.2	33.7	48.9	58.1	64.7	69.2	-	-	-	-	-	-
LOUISIANA	45.5	50.5	58.6	66.6	76.6	79.7	-	-	-	-	-	-
MAINE	9.1	11.8	24.0	35.9	50.0	61.6	-	-	-	-	-	-
MARYLAND & D.C.	29.2	31.7	46.0	54.6	61.1	70.9	-	-	-	-	-	-
MASSACHUSETTS	19.5	22.7	34.5	42.8	54.2	64.1	-	-	-	-	-	-
MICHIGAN	17.2	16.3	28.8	41.4	53.0	62.1	-	-	-	-	-	-
MINNESOTA	10.5	10.1	25.9	43.8	54.8	64.0	-	-	-	-	-	-
MISSISSIPPI	40.1	46.0	56.0	64.0	73.0	76.5	-	-	-	-	-	-
MISSOURI	27.1	30.7	44.3	56.6	63.6	69.3	-	-	-	-	-	-
MONTANA	25.7	22.1	31.1	46.0	52.1	60.2	-	-	-	-	-	-
NEBRASKA	26.5	24.8	38.6	50.6	57.8	66.5	-	-	-	-	-	-
NEVADA	39.9	34.7	43.3	45.6	57.6	67.8	-	-	-	-	-	-
NEW HAMPSHIRE	12.3	16.7	29.1	39.7	53.0	63.5	-	-	-	-	-	-
NEW JERSEY	26.7	28.4	41.3	48.8	57.1	67.6	-	-	-	-	-	-
NEW MEXICO	40.5	39.3	45.7	53.6	63.8	69.6	-	-	-	-	-	-
NEW YORK	15.0	18.6	32.0	41.9	54.5	63.3	-	-	-	-	-	-
NORTH CAROLINA	36.4	41.6	52.9	57.9	66.3	73.0	-	-	-	-	-	-
NORTH DAKOTA	10.6	8.5	22.4	45.1	53.8	62.5	-	-	-	-	-	-
OHIO	21.4	25.1	40.7	52.0	59.8	66.4	-	-	-	-	-	-
OKLAHOMA	36.7	38.0	49.3	60.8	69.0	73.6	-	-	-	-	-	-
OREGON	39.7	36.9	44.1	44.7	53.4	62.9	-	-	-	-	-	-
PENNSYLVANIA	20.8	23.6	37.2	47.9	56.4	64.2	-	-	-	-	-	-
RHODE ISLAND	24.8	26.5	37.7	44.7	54.5	64.4	-	-	-	-	-	-
SOUTH CAROLINA	41.4	46.1	56.6	60.9	70.2	76.0	-	-	-	-	-	-
SOUTH DAKOTA	20.2	19.0	32.3	48.3	55.6	64.4	-	-	-	-	-	-
TENNESSEE	31.9	38.0	51.1	59.4	66.6	70.7	-	-	-	-	-	-
TEXAS	45.9	47.9	56.8	66.5	75.8	78.6	-	-	-	-	-	-
UTAH	34.5	32.0	41.7	47.7	58.7	67.4	-	-	-	-	-	-
VERMONT	10.0	14.7	28.2	38.9	53.0	62.9	-	-	-	-	-	-
VIRGINIA	30.7	34.4	47.6	54.4	61.8	69.3	-	-	-	-	-	-
WASHINGTON	37.5	37.0	43.3	47.4	54.1	63.4	-	-	-	-	-	-
WEST VIRGINIA	25.2	29.7	44.4	53.1	59.8	65.3	-	-	-	-	-	-
WISCONSIN	13.8	13.6	28.9	42.5	53.9	63.2	-	-	-	-	-	-
WYOMING	28.4	20.4	32.8	44.2	50.9	57.5	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA)

-- 2003

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	12.2	15.4	27.8	38.6	51.9	62.7	-	-	-	-	-	-
MIDDLE ATLANTIC	18.4	21.5	35.0	45.1	55.5	64.0	-	-	-	-	-	-
E. N. CENTRAL	19.0	20.7	35.6	47.9	57.3	65.2	-	-	-	-	-	-
W. N. CENTRAL	20.8	20.5	34.5	50.0	58.1	66.3	-	-	-	-	-	-
SOUTH ATLANTIC	39.3	45.2	56.3	60.6	68.9	74.2	-	-	-	-	-	-
E. S. CENTRAL	36.3	42.0	53.7	61.4	69.3	73.3	-	-	-	-	-	-
W. S. CENTRAL	43.3	45.6	55.1	65.0	74.1	77.3	-	-	-	-	-	-
MOUNTAIN	35.3	31.4	40.2	48.2	57.6	65.4	-	-	-	-	-	-
PACIFIC	44.7	42.1	48.5	49.1	58.7	67.4	-	-	-	-	-	-
NATIONAL	33.0	33.1	43.7	52.7	61.7	68.7	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE PRECIPITATION (IN.) (DIVISIONS WEIGHTED BY AREA) -- 2002

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	5.04	3.03	5.76	2.30	4.40	3.74	5.61	3.36	7.64	5.37	5.07	6.69
ARIZONA	.22	.11	.24	.20	.00	.01	1.47	1.02	1.95	.70	.64	.90
ARKANSAS	3.98	2.71	9.85	3.31	6.16	2.63	3.94	3.16	2.92	4.26	2.15	7.50
CALIFORNIA	2.18	1.43	2.03	.68	.61	.05	.07	.00	.09	.04	3.01	8.00
COLORADO	.48	.26	.64	.40	.56	.79	1.00	1.40	2.05	1.36	.72	.43
CONNECTICUT	1.82	1.65	4.06	3.67	5.13	5.26	2.61	3.68	4.81	3.79	5.63	4.73
DELAWARE	2.59	.69	4.53	4.06	3.72	3.11	2.87	2.98	7.00	7.84	5.94	4.37
FLORIDA	3.07	2.71	2.70	2.45	2.33	10.36	7.96	7.73	6.82	3.57	3.61	6.23
GEORGIA	4.12	2.38	5.53	2.23	3.17	3.70	4.66	3.95	6.34	4.57	4.95	5.32
IDAHO	2.16	.88	1.60	1.55	1.14	1.14	.50	.43	.94	.50	1.14	2.16
ILLINOIS	2.30	1.86	3.36	5.08	7.39	3.95	2.61	4.44	2.01	3.10	1.07	2.26
INDIANA	2.25	2.35	4.35	5.82	7.00	3.25	2.76	2.85	3.76	2.83	2.45	2.81
IOWA	.44	.88	1.20	3.64	4.18	3.49	4.21	5.94	1.68	3.60	.21	.23
KANSAS	1.07	.41	.55	2.40	3.99	2.86	1.68	2.98	1.50	4.37	.25	.50
KENTUCKY	3.87	1.65	7.58	5.04	6.26	3.81	3.32	2.34	6.21	5.43	3.41	5.07
LOUISIANA	4.34	2.94	5.82	3.68	2.34	4.86	5.43	5.19	6.18	11.40	5.52	8.00
MAINE	2.46	3.10	3.48	4.47	3.38	4.02	3.90	1.08	4.15	3.01	4.21	3.10
MARYLAND & D.C.	2.30	.56	4.01	3.71	3.28	2.76	2.54	2.88	4.61	6.42	4.41	4.24
MASSACHUSETTS	2.64	2.36	4.19	3.75	5.68	4.55	2.30	2.77	3.99	4.01	5.92	5.67
MICHIGAN	1.18	2.29	2.73	3.60	3.82	3.03	3.29	3.58	2.21	3.16	1.68	1.20
MINNESOTA	.24	.60	1.39	2.25	2.35	6.21	4.77	5.37	2.35	2.76	.23	.41
MISSISSIPPI	6.11	3.44	7.38	2.84	4.73	3.26	5.76	4.10	9.63	8.08	4.48	7.01
MISSOURI	2.84	1.44	3.52	4.73	9.97	2.94	3.05	3.84	1.96	3.56	.85	2.48
MONTANA	.65	.55	.84	.93	1.81	3.20	1.39	1.84	1.24	.54	.39	.47
NEBRASKA	.25	.28	.79	1.55	2.51	1.56	1.08	3.56	1.40	2.72	.16	.08
NEVADA	.51	.37	.40	.80	.35	.23	.30	.06	.47	.35	.87	.67
NEW HAMPSHIRE	2.38	3.05	3.80	4.30	4.40	6.20	1.87	1.86	3.70	3.51	4.49	3.47
NEW JERSEY	2.18	.75	4.34	4.18	4.21	4.89	1.67	3.77	3.89	7.04	5.29	4.41
NEW MEXICO	.53	.29	.39	.29	.12	.68	2.26	1.74	2.66	1.50	.56	1.18
NEW YORK	2.23	2.29	3.27	4.13	5.24	5.32	2.05	2.60	4.61	4.36	3.80	3.71
NORTH CAROLINA	5.06	1.69	4.65	1.91	2.81	3.05	4.61	5.13	5.00	5.48	4.52	4.66
NORTH DAKOTA	.34	.13	.62	1.25	1.26	3.79	3.11	3.09	1.08	.88	.15	.62
OHIO	2.17	1.69	3.83	4.90	5.18	3.62	2.75	2.09	4.17	3.09	3.04	2.79
OKLAHOMA	2.29	1.12	2.73	4.32	3.66	3.86	3.52	3.13	2.35	5.29	.65	3.14
OREGON	4.16	1.85	2.30	1.93	.85	.88	.17	.24	.56	.41	2.06	5.95
PENNSYLVANIA	2.09	1.43	3.97	3.93	5.76	4.81	2.26	2.75	4.28	5.11	3.31	3.80
RHODE ISLAND	3.14	1.80	5.02	3.70	5.45	4.22	.89	1.93	5.49	4.05	6.14	5.51
SOUTH CAROLINA	3.54	2.14	4.24	1.98	3.57	2.88	3.18	6.21	5.48	4.71	4.37	4.59
SOUTH DAKOTA	.26	.19	1.00	1.32	1.69	1.47	1.87	3.30	1.67	1.54	.07	.24
TENNESSEE	6.45	2.17	9.26	2.57	5.79	2.53	4.40	3.34	7.41	5.24	4.29	6.70
TEXAS	.98	1.04	2.12	1.83	2.02	2.40	4.85	1.76	3.05	6.26	1.75	3.27
UTAH	.34	.18	.72	.79	.33	.14	.51	.23	2.05	1.30	.76	.58
VERMONT	2.36	2.69	3.55	4.22	4.48	7.63	3.42	1.77	5.01	3.51	4.37	2.07
VIRGINIA	3.09	.90	4.39	3.27	3.66	2.54	3.95	3.07	3.53	5.62	4.74	4.11
WASHINGTON	6.06	3.67	3.79	2.79	1.78	1.73	.51	.31	.70	.60	3.44	6.58
WEST VIRGINIA	3.28	1.08	5.01	6.21	5.09	4.38	5.35	2.08	3.82	5.46	4.13	3.46
WISCONSIN	.57	1.86	2.30	4.22	3.02	5.63	3.62	4.47	4.58	3.96	.42	.59
WYOMING	.35	.32	1.01	.96	1.08	.54	.99	1.08	1.19	1.06	.47	.24

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA)

-- 2002

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	2.42	2.81	3.70	4.24	4.14	5.01	3.20	1.71	4.27	3.36	4.63	3.49
MIDDLE ATLANTIC	2.17	1.79	3.66	4.04	5.39	5.06	2.12	2.75	4.41	4.89	3.70	3.80
E. N. CENTRAL	1.62	2.00	3.19	4.62	5.14	3.96	3.04	3.62	3.25	3.27	1.60	1.80
W. N. CENTRAL	.76	.54	1.27	2.38	3.61	3.21	2.78	3.96	1.67	2.77	.27	.64
SOUTH ATLANTIC	3.71	1.88	4.35	2.76	3.22	4.73	5.04	4.88	5.40	4.87	4.41	4.92
E. S. CENTRAL	5.39	2.63	7.40	3.11	5.22	3.35	4.86	3.32	7.79	6.06	4.37	6.42
W. S. CENTRAL	1.92	1.47	3.56	2.61	2.82	2.93	4.59	2.53	3.27	6.43	2.04	4.28
MOUNTAIN	.62	.37	.70	.71	.70	.95	1.12	1.05	1.58	.90	.67	.80
PACIFIC	3.59	2.03	2.48	1.50	.93	.65	.19	.14	.36	.27	2.82	7.09
NATIONAL	1.90	1.25	2.52	2.20	2.64	2.56	2.63	2.44	2.73	3.02	1.86	2.91

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE PRECIPITATION (IN.) (DIVISIONS WEIGHTED BY AREA) -- 2003

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	2.34	6.83	4.77	6.41	9.07	8.07	-	-	-	-	-	-
ARIZONA	.29	2.54	1.05	.29	.09	.07	-	-	-	-	-	-
ARKANSAS	.62	6.15	2.06	2.57	6.90	5.84	-	-	-	-	-	-
CALIFORNIA	1.77	2.48	2.52	3.77	.99	.03	-	-	-	-	-	-
COLORADO	.29	1.14	2.07	1.23	1.46	1.91	-	-	-	-	-	-
CONNECTICUT	2.78	4.04	4.73	3.05	4.67	6.90	-	-	-	-	-	-
DELAWARE	1.62	6.81	3.76	3.51	5.03	6.92	-	-	-	-	-	-
FLORIDA	1.80	3.96	6.64	2.92	4.40	11.01	-	-	-	-	-	-
GEORGIA	1.92	5.32	7.47	4.81	6.32	7.44	-	-	-	-	-	-
IDAHO	2.38	1.46	2.29	1.96	1.77	.53	-	-	-	-	-	-
ILLINOIS	.67	1.94	2.01	3.35	5.64	3.79	-	-	-	-	-	-
INDIANA	1.41	2.85	2.17	3.05	6.64	3.30	-	-	-	-	-	-
IOWA	.40	.88	1.18	3.25	4.68	4.52	-	-	-	-	-	-
KANSAS	.20	1.19	2.16	3.32	3.54	4.37	-	-	-	-	-	-
KENTUCKY	2.14	6.73	2.05	5.47	6.40	6.04	-	-	-	-	-	-
LOUISIANA	1.02	7.00	3.44	3.59	2.67	8.62	-	-	-	-	-	-
MAINE	1.36	2.67	3.42	1.89	3.54	3.12	-	-	-	-	-	-
MARYLAND & D.C.	2.23	6.07	4.14	3.24	6.66	6.77	-	-	-	-	-	-
MASSACHUSETTS	2.94	4.38	4.57	4.13	3.95	5.45	-	-	-	-	-	-
MICHIGAN	1.12	1.03	1.98	2.85	4.12	2.20	-	-	-	-	-	-
MINNESOTA	.24	.45	.91	2.16	3.66	4.76	-	-	-	-	-	-
MISSISSIPPI	1.83	8.88	3.56	5.26	6.00	8.04	-	-	-	-	-	-
MISSOURI	.66	2.54	2.42	4.05	4.84	5.14	-	-	-	-	-	-
MONTANA	.80	.79	1.34	1.70	2.10	2.06	-	-	-	-	-	-
NEBRASKA	.36	.68	1.15	3.27	3.27	4.19	-	-	-	-	-	-
NEVADA	.39	.83	.61	1.34	.79	.13	-	-	-	-	-	-
NEW HAMPSHIRE	2.23	2.58	2.97	2.84	4.32	2.91	-	-	-	-	-	-
NEW JERSEY	2.85	4.99	4.16	3.10	3.63	8.61	-	-	-	-	-	-
NEW MEXICO	.07	1.02	.68	.17	.39	1.25	-	-	-	-	-	-
NEW YORK	2.58	2.44	2.82	2.58	4.81	4.03	-	-	-	-	-	-
NORTH CAROLINA	2.12	5.13	6.19	6.55	7.73	5.68	-	-	-	-	-	-
NORTH DAKOTA	.30	.20	.88	1.10	4.09	3.25	-	-	-	-	-	-
OHIO	1.67	2.99	2.16	2.62	6.89	4.11	-	-	-	-	-	-
OKLAHOMA	.07	1.78	2.00	1.99	3.74	5.37	-	-	-	-	-	-
OREGON	4.20	1.94	3.95	3.49	1.62	.19	-	-	-	-	-	-
PENNSYLVANIA	2.36	3.49	2.86	2.66	5.01	5.96	-	-	-	-	-	-
RHODE ISLAND	2.38	4.27	5.77	4.91	3.40	5.88	-	-	-	-	-	-
SOUTH CAROLINA	1.80	4.16	7.55	5.75	5.74	6.03	-	-	-	-	-	-
SOUTH DAKOTA	.50	.67	.89	2.38	2.82	3.69	-	-	-	-	-	-
TENNESSEE	2.13	9.72	2.53	5.12	10.10	5.28	-	-	-	-	-	-
TEXAS	.58	2.47	1.13	.78	1.51	4.58	-	-	-	-	-	-
UTAH	.33	1.28	1.10	.90	.96	.54	-	-	-	-	-	-
VERMONT	1.81	1.74	2.70	2.72	4.20	3.14	-	-	-	-	-	-
VIRGINIA	2.25	6.33	4.24	4.94	7.34	6.43	-	-	-	-	-	-
WASHINGTON	7.51	2.35	6.40	3.26	1.35	.49	-	-	-	-	-	-
WEST VIRGINIA	2.61	6.11	2.04	3.90	7.27	6.62	-	-	-	-	-	-
WISCONSIN	.38	.66	1.89	2.77	4.78	3.32	-	-	-	-	-	-
WYOMING	.41	.76	1.42	1.18	1.51	2.10	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA)

-- 2003

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	1.87	2.87	3.54	2.56	3.88	3.72	-	-	-	-	-	-
MIDDLE ATLANTIC	2.50	3.10	2.94	2.66	4.81	5.23	-	-	-	-	-	-
E. N. CENTRAL	.98	1.74	2.02	2.93	5.44	3.29	-	-	-	-	-	-
W. N. CENTRAL	.37	.93	1.37	2.77	3.79	4.27	-	-	-	-	-	-
SOUTH ATLANTIC	2.04	5.13	5.97	4.72	6.35	7.45	-	-	-	-	-	-
E. S. CENTRAL	2.11	8.02	3.33	5.60	7.91	6.97	-	-	-	-	-	-
W. S. CENTRAL	.55	3.30	1.64	1.50	2.65	5.31	-	-	-	-	-	-
MOUNTAIN	.58	1.21	1.28	1.08	1.14	1.12	-	-	-	-	-	-
PACIFIC	3.70	2.29	3.76	3.58	1.25	.18	-	-	-	-	-	-
NATIONAL	1.23	2.50	2.34	2.55	3.25	3.48	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.