

Subject Index

abalones, 612, 814, 816, 846
 black, 614–15
 California, 614–15
 flat, 614
 green, 614–15
 pink, 614–15
 pinto, 614
 red, 614–15
 threaded, 614
 white, 614–15

Abandoned Mined Program, 527

absolute desert communities, 510, 511t

abyssal, defined, 895

acacia, cat-claw, 78, 508, 557

acanthocephalan parasites, 613

Acartia species, 416
tonsa, 416

accretion
 defined, 895
 delta lobes, 392–93

Achatinella (tree snails), 767

achene, defined, 895

Acid Deposition Control Program, 184

acid mine drainage, 75, 134–35

acid precipitation, 132, 135–38
 amphibian declines and, 197
 defined, 137
 Northeast forest effects, 184
 sensitive areas, 135
 sources of, 134–35
 spruce-fir forests and, 276

acid waters, 136–38
 Adirondacks, 190

Actinomycetales, 845

Actinopterygus undulatus, 415t

active layer, defined, 895

acute lethality toxicity tests, 145

adaptability, of agricultural ecosystems, 111–12

adaptations, 13

adaptive management, 167, 175

adaptive radiation, defined, 895

additive mortality, 170

adelgids
 balsam woolly, 191, 275, 276
 hemlock woolly, 272, 273

Adiantum viviparum, 331t

Adirondack Forest Preserve, 190

Adirondack Mountains
 fishless lakes, 137
 old-growth forests, 185

Adirondack Park, 189–90

adolphia, California, 606

adventive plants, defined, 895

Advisory Committee on Fishery Management, International
 Council for the Exploration of the Sea, 854

aeolian, defined, 895

aerenchyma, 408
 defined, 895

aerosol particles, warming caused by, 97–98

afforestation, defined, 895

Agaricia fungus, 794

agave, Shaw's, 606

agricultural contaminants, 142–52, *See also* contaminants;
 pollution; water pollution
 herbicides, 151–52
 pesticides, 144–51
 organochlorine, 144, 146–49
 soft, 149–51
 Rio Grande, 271
 Southeast benthic macroinvertebrates and, 299
 toxic irrigation minerals, 142–43

agricultural lands
 abandoned, 16
 adaptability of, 111–12
 conversion of, 51
 conversion of wetlands to, 38–39
 croplands, 38, 192
 farm abandonment, Southeast, 259
 grassland effects, 442, 443
 homogeneity and, 30

land-use change, 38–39, 48, 51
 Northeast, 192, 195
 prairie loss and, 42
 Rocky Mountains, 478

Agricultural Quarantine Enforcement Act (1989), 127f

air pollution, 142, *See also* contaminants; pollution
 climate change and, 93
 Fraser fir mortality and, 276
 Great Basin–Mojave Desert region, 529
 Lower Rio Grande, 271
 prescribed fires and, 608–9
 Rocky Mountains, 482, 488f
 water pollution and, 73

akepa, 765

akialoa, Hawaiian, 765

alachlor, 74, 133t, 151

ala kumu (7–11), 828f

Alaska, 707–40
 amphibians, 709
 Arctic tundra, 731–36
 biogeographic regions, 708, 709f
 Aleutian region, 728–31
 coastal temperate rainforest and Coast Range, 709–16
 interior boreal forest, 716–20
 interior mountains, 720–23
 marine tundra of southwestern and western Alaska, 724–28

birds
 Aleutian region, 730
 Arctic tundra, 733–34
 coastal temperate rainforest and Coast Range, 714–15
 interior boreal forest, 719
 interior mountains, 722
 marine, 812–13
 maritime tundra, 726–27

climate, 707

conservation lands, 709f

endemic species, 728

freshwater fishes
 Aleutian region, 729–30
 Arctic tundra, 733
 coastal temperate rainforest and Coast Range, 711–14
 interior boreal forest, 718–19
 interior mountains, 722
 maritime tundra, 725–26

mammals
 Aleutian region, 730–31
 Arctic tundra, 734–36
 coastal temperate rainforest and Coast Range, 715–16
 interior boreal forest, 719–20
 interior mountains, 722
 marine, 813–14
 maritime tundra, 727–28

marine resources
 benthic resources, 807–9
 demersal fishes, 809–10
 environment and physical features, 806–7
Exxon Valdez oil spill and, 811–12
 marine birds, 812–13
 marine mammals, 813–14
 pelagic resources, 810–12
 potential and average yields, 845t, 846
 primary production, 807
 secondary production, 807

nonindigenous species, 715, 731, 739–40

precipitation, 707

research needs
 Aleutian region, 739–40
 Arctic tundra, 740
 coastal temperate rainforest and Coast Range, 736–37
 interior boreal forest, 737–38
 interior mountains, 737–38
 maritime tundra, 738–39

vegetation
 Aleutian region, 728–29
 Arctic tundra, 732–33
 coastal temperate rainforest and Coast Range, 710–11
 interior boreal forest, 716–18
 interior mountains, 720–22
 maritime tundra, 724–25

Alaska, Gulf of, 806–7, 853f

f = figure
t = table

- Alaska Board of Fisheries, 736
- Alaska Board of Game, 738
- Alaska-cedar, 600, 710
- Alaska Current, 814
- Alaska Department of Environmental Conservation, 739
- Alaska Game Commission, 715
- Alaska Gyre, 806
- Alaska Maritime National Wildlife Refuge, 729
- Alaska Natural Heritage Program, 711
- Alaska Peninsula, 728
- albacore, 784, 795t, 834t
- Albany Pine Bush, 190, 192
- albatrosses, 628t, 786, 802, 813, 820
 - black-browed, 802
 - black-footed, 839, 840f
 - Laysan, 839, 840f, 840t
 - short-tailed, 813, 840t
 - yellow-nosed, 802
- albedo, defined, 93, 895
- alcids, 812
 - defined, 895
- alders, 476, 716, 720, 724
 - green, 717
 - mountain, 716
 - Sitka, 710
- aldicarb, 271
- aldrin, 133t, 144, 146, 148
- alef, 317
- Aleutian Low, 814
- Aleutian region, Alaska, 728–31
 - birds, 730
 - climate, 707
 - environmental features, 806–7
 - freshwater fishes, 729–30
 - mammals, 730–31
 - research needs, 739–40
 - vegetation, 728–29
- Aleut people, 728
- alevin, defined, 895
- alewife, 196
 - Great Lakes, 238, 239, 240, 242
- Alexander Archipelago, 715
- algae, 653, 852
 - beds, Pacific Islands, 828
 - biomass, water pollution and, 73
 - blue-green, 13, 49, 50, 362, 415, 558–59
 - Bostrichia* species, 406
 - brown tide, 269
 - bubble, 837
 - calcareous, 828f
 - coastal Louisiana, 413–15
 - coralline, 794
 - coral reefs, 322, 324
 - defined, 895
 - eutrophication and, 900
 - Great Lakes, 234
 - green, 406, 415t, 558
 - planktonic, 362
 - western Pacific oceanic region, 830–31
- alien species. *See* nonindigenous species
- aliphatic hydrocarbons, 139
- alkaligrass
 - Anderson, 732
 - creeping, 725
 - Wright's, 724
- alkaline shrub-grassland communities (alvars), 229, 230, 895
- alkali poisoning, 143
- alliance, defined, 895
- alligators, American, 80, 148, 300–301, 425, 427t, 429
- alligatorweed, 402t, 404, 415t, 426
- allogenic, defined, 895
- alluvial, defined, 895
- alluvial soil, defined, 895
- almendra, 339
- alpine tundra, 514
 - Alaska, 711, 720–21, 724
 - defined, 895
 - Rocky Mountains, 475, 477
 - Southwest, 549
- alpine zone, 511t
 - Great Basin–Mojave Desert region, 514
- Aluet culture, 708
- aluminum, 134
 - toxicity, 136, 137
- Alva D. Adams Tunnel, 72
- alvars, 229, 230
 - defined, 895
- amalgamation, 133
- amaranth, seabeach, 185t
- amberjacks, 800
- ambersnail, Chittenango ovate, 232t
- American chestnut blight, 183
- American Fisheries Society, 126, 448
- American Rivers group, 66
- American Samoa, 764, 825, 826f, 829–30
 - physical characteristics, 826t
 - reef animals, 836
- American Woodcock Management Plan, 194
- ammonia, Upper Mississippi River, 365
- amnesiac shellfish poisoning, 851
- Ampelisca* species, 416
- amphibians
 - acidified habitats and, 137
 - Alaska, 709
 - California, 601, 621–24
 - Caribbean Islands, 329, 332–33, 340
 - climate change and, 101
 - coastal Louisiana, 425–26
 - ecosystem disruption and, 25–26
 - grasslands, 449–51
 - Great Basin–Mojave Desert region, 520
 - Great Lakes, 243
 - habitat modification and, 243
 - Hawaii, 766
 - monitoring, 498
 - Northeast, 197
 - Pacific Northwest, 666–70, 691
 - Rocky Mountains, 489, 490–91, 498, 499
 - Southeast, 300–302
 - Southwest, 570–75
 - temperature restrictions, 110
 - threatened, 69
- amphidromous, defined, 895
- amphidromous species, 828
- amphipods, 364, 416
 - defined, 895
- amphiuma, three-toed, 425
- Anabaena* species, 415t
- Anabaenopsis elenkinii*, 415t
- Anacapa, 610
- anadromous, defined, 896
- anadromous species
 - California, 620
 - nearshore resources, 801
 - Northeast region, 783
- anaerobic, defined, 896
- Anaho Island (Pyramid Lake), 524
- anchovies, 814
 - bay, 417, 418t, 420t
 - northern, 817, 818, 820, 822
 - striped, 417, 420t
- ancient forests, Pacific Northwest, 43
- angelfish, gray, 326
- angelica, 729
- angelwing, 332t
- anhinga, 374t
- annelids, defined, 896
- anoles
 - Culebra Island giant, 331t
 - green, 425
- anoxic, defined, 896
- antelope, 463
- anthropogenic, defined, 896
- antibiotics, Actinomycetales and, 845
- anticyclonic, defined, 896
- Anti-Drawdown Law, 360
- antigrazing structures, in plants, 440
- Antioch Dunes National Wildlife Refuge, 613, 619
- ants, 767
 - Argentine, 758
 - heterogeneity, 14
 - imported red fire, 118, 125f, 146
- Apache, 478
- Appalachian Highlands, 256
- Appalachian Mountains, 136, 256
 - acidified streams, 137
 - storms, 258
- Appalachian Regional Commission, 135

- Appendicularia, defined, 896
- appendicularians, 779
- aquaculture, 450
 - nonindigenous species and, 849
- aquarium fishes, 118, 125, 800, 849
- Aquatic Conservation Strategy, Northwest Forest Plan, 690, 691
- aquatic ecosystems
 - acidified, 136–38
 - Caribbean Islands, 321–29
 - coastal Louisiana, 413–20
 - Colorado River, 76–79
 - ecosystem disruption, 26
 - Everglades, 79–82
 - grazing and, 75
 - Great Basin–Mojave Desert region, 508–10
 - landscape context, 54, 56
 - land-use change and, 49–51
 - management of, 55–56
 - Pacific Northwest, 650–52, 690–91
 - Rocky Mountains, 482, 487
 - small lakes, 81–82
 - Southeast, 294–96
- aquatic herpetofauna, 572–75
- aquatic insects, 364
 - Great Lakes region, 235
 - Southeast, 294–95
- aquatic invertebrates
 - Great Basin–Mojave Desert region, 518
 - insecticides and, 151
- aquatic toxicology, 145–46
- aquatic vegetation
 - herbicide contamination of, 151
 - nonindigenous, 119
 - Southeast, 295
 - submerged, Chesapeake Bay, 204
 - Upper Mississippi River, 360–63
- aquifers, grasslands, 442
- arachnids
 - nonindigenous species, 118t
- Arapaho, 478
- arboreal, defined, 896
- Archaea, 852
- Archaeobacteria, defined, 896
- arctic ecosystems
 - climate, 707
 - petroleum discharges into, 139–40
- Arctic National Wildlife Refuge, 723
- Arctic Slope, 732
- arctic tundra, Alaska, 731–36
 - birds, 733–34
 - freshwater fishes, 733
 - mammals, 734–36
 - research needs, 740
 - vegetation, 732–33
- Arcto-Tertiary Geoflora, 596
- Arid Land Ecology Reserve, 686
- arid wetlands, 142–43
- Aristida chuseae*, 331t
- Arizona, nonindigenous species, 121, 122
- armadillo, nine-banded, 265, 425
- arnica, Alaska, 729
- aromatic hydrocarbons, 139
 - defined, 896
- arrowheads, 371
 - broad-leaved, 403, 404
 - bulltongue, 404, 415t
- arroyos, 559, 560
 - defined, 896
 - environmental heterogeneity, 13–14
- arsenic, 138, 144, 151, 152
- Artemisia*
 - arctica* ssp. *comata* (sagebrush), 732
 - senjavinensis* (sagebrush), 724
- arthropods, 416
 - defined, 896
 - habitat fragmentation and, 52
 - Hawaii, 767–68
 - Pacific Northwest, 655, 691
 - temperature restrictions, 110
- ash, 183
 - green, 359, 360, 409
 - pumpkin, 409
 - velvet, 508
- Ash Meadows (Nevada), 531, 569
- aspen-birch forests, Great Lakes region, 231
- aspens, 183, 508, 550
 - quaking, 16f, 185, 233, 474, 476, 513, 549, 716, 717
 - Southwest, 550
- asses, wild, 580
- association, defined, 896
- asters, 17
 - decurrent false, 232t
 - Ruth's golden, 278
- Atchafalaya delta, 388, 391
 - accretion and subsidence, 392
 - fluvial processes, 395
 - nutria grazing, 426
 - vegetation, 403, 404
- Atchafalaya River, 356
 - bottomland forests, 409
 - Chenier Plain development and, 392
 - fluvial processes, 395
 - habitat diversity, 401
 - marsh species richness, 402
- Atlantic States Marine Fisheries Commission, 849
- Atlantic white-cedar swamps, 15, 286
- atolls, Pacific Islands, 827–28
- atrazine, 74, 133t, 151, 152f, 271
- Attwater's Prairie Chicken National Wildlife Refuge, 439
- Auerodendron pauciflorum*, 331t
- auklets
 - Cassin's, 813
 - crested, 813
 - least, 813
 - parakeet, 813
 - rhinoceros, 824
 - whiskered, 813
- auk, great, 207–8
- Australian-pine, 125
- Australorbis glabratus*, 339
- ausubo, 318
- avalanches, 27
- avens
 - caltha-leaved, 729
 - mountain, 278f, 721
- Avens* species, defined, 896
- Avesbase, 637
- avian, defined, 896
- avian cholera, 459–60
- avian malaria, 754
- avifauna, defined, 896
- avocets, 628t
 - American, 421, 454t, 455t, 524
- aziphos-methyl, 133t, 150

- Babbitt, Bruce, 3, 5
- baccharis, eastern, 412
- Bacon, Francis, 169
- bacteria, 558, 653, 831, 845
 - marine, 852
- badgers, 248, 720
 - American, 461
- Bailey, Vernon, 264
- Baker Island, 825, 826t
- baldcypress, 21, 81f, 183, 260, 385, 386f, 409, 411
 - logging, 409–10
 - nutria grazing and, 426
- baldcypress swamps, 422f
- baldcypress-tupelo swamps, 385, 401, 408–10
- balds
 - grassy, 277–78
 - heath, 277–78
- Balize delta
 - accretion and subsidence, 392
 - fluvial processes, 395
 - geomorphic cycle, 388, 389
 - modern, 389
 - vegetation, 403
- ballast water, transport of nonindigenous species in, 849
- balsa, 318
- Bandelier National Monument, 555
- bank stabilization, 67
 - sedimentation and, 74–75
- Bannock (tribe), 478
- bariaco, 331t
- barnacles, 814
 - larvae, 779
- barn-owl, Puerto Rican, 329

- barnyard management, 169
- barracuda, great, 325
- barrens
 - defined, 896
 - oak, Great Lakes, 231
 - pine
 - Great Lakes, 231
 - New Jersey, 190, 192
 - Southeast, 279–80
- barrier islands
 - coastal Louisiana, 411, 421–22
 - formation, 391
 - habitat diversity, 400
 - hurricane damage, 21
 - Southeast, 286–89
- Basin and Range Physiographic Province, 505
- bass, 69, 196
 - Atlantic striped, 849
 - chalk, 325
 - largemouth, 121, 124, 328, 367, 368, 369, 418, 419
 - peacock, 328, 332
 - sea, 326
 - smallmouth, 367, 369
 - striped, 67, 137, 204, 620, 783, 783t, 801, 821
 - white, 367, 368, 369
 - yellow, 419
- bathymetry, defined, 896
- bathypelagic, defined, 896
- bathypelagic zone, 816
- bats, 189, 526, 527, 547, 579, 634
 - Allen's big-eared, 525t
 - big free-tailed, 525t
 - Brazilian free-tailed, 635, 689
 - in California, 634, 635
 - California leaf-nosed, 525t
 - Caribbean Islands, 330, 338
 - fruit, 764, 766
 - gray, 146, 304
 - hoary, 766
 - Indiana, 151, 189, 231, 232t, 249, 304
 - lesser long-nosed, 581
 - little brown, 689
 - Pacific Northwest, 689–90
 - pale Townsend's big-eared, 525t
 - pallid, 689t
 - red, 689t
 - Sierran, 635
 - silver-haired, 689t, 715
 - Southeast, 304
 - southwestern, 581
 - spotted, 525t, 635, 689t
 - Townsend's big-eared, 526, 581, 689
 - western mastiff, 635
 - western red, 581
- bay, California, 601
- bayahonda, 339
- Bay of Fundy, North Atlantic right whale, 791
- beaches
 - California, 612–16
 - stabilization, 616
- beach face
 - coastal Louisiana, 412
 - defined, 896
- beachgrass
 - American, 17
 - European, 613, 616
- beachheather, woolly, 228
- beachrock, Caribbean Islands, 328
- beachstrawberry, 710
- beaked-rush, Knieskern's, 185t, 190, 192
- beardgrass, 755
- bears, 715–16, 735
 - Alaska polar, 846
 - black, 248, 265, 306, 477, 489, 496f, 683, 712, 715, 737
 - brown, 712, 715, 730, 737
 - California grizzly, 632
 - grizzly, 48, 52, 265, 440, 461, 477, 483, 488, 489, 492, 493, 494f, 577, 597, 633, 682t, 720, 723, 734
 - Louisiana black, 304, 427
 - polar, 728, 788t
 - short-faced, 720
- Beartooth Mountains, 477
- Beauverdia spiraea*, 725
- beaver ponds, 495
- beavers, 48, 174, 265, 425, 478, 480, 487, 495, 560, 597, 715, 727
 - Humboldt, 508f
 - mountain, 683t, 686
 - Southeast, 296, 304
 - wetlands created by, 200
- beech, American, 11, 29, 48, 182, 183, 184, 185, 191, 260
- beech scale insect, 184
- bees, 604
 - Africanized honey, 126, 565
 - bumble, 19
 - European honey, 126, 339
 - honey, 151
- beetles, 516, 518, 655
 - alligatorweed flea, 426
 - American burying, 189, 232t
 - bark, 146, 611, 648, 655
 - California elderberry longhorn, 636
 - carabid, 758
 - darkling ground, 516
 - Death Valley agabus diving, 518t
 - delta green ground, 619t
 - Devil's Hole warm spring riffle, 518t
 - dune, 516
 - elm bark, 184
 - globose dune, 616
 - Hungerford's crawling water, 226, 232t
 - Moapa warm spring riffle, 518t
 - mountain pine, 648, 655
 - sixbanded longhorn, 447
 - southern pine, 259, 273, 276
 - spruce, 191, 481, 549
 - larval, 481–82
 - Travertine bandthigh diving, 518t
 - valley elderberry longhorn, 619t
- beggartick, smooth, 404, 405
- behavioral toxicity tests, 145
- benthic, defined, 896
- Benthic Macroinvertebrate Ambient Network, 299
- benthic resources
 - Alaska, 807–9
 - coastal Louisiana, 416–17
 - invertebrates, Mississippi River, 363–66
 - macroinvertebrates, water quality and, 299–300
 - northeast region, 780–81
 - Pacific coast region, 816–17
 - Southeast region, 793–94
 - western Pacific oceanic region, 831–32
- benthos, defined, 896
- benzene, 142
- benzene hexachloride (BHC), 133t
- Bering, Vitus, 728
- Beringia, 707–8, 720, 724
- Bering Land Bridge, 724
- Bering Sea
 - demersal fish resources, 809
 - environmental features, 806–7
 - primary and secondary production, 807
- Bering Sea region, 724, 727, 728
- Biddulphia aurita*, 415t
- Big Basin Redwood State Park, 597
- bight, *See also* Middle Atlantic Bight; Southern California Bight
 - defined, 896
- Big Muddy River, 17f
- Bignonia family, 331t
- Big Thompson River, 482
- billfishes, 781, 795t, 799–800, 833
- bioaccumulation, defined, 896
- biocides, Southwest, 548
- biodiversity. *See* biological diversity
- biogeochemical, defined, 896
- biogeographical regions, defined, 896
- biogeography, defined, 100, 896–97
- biological diversity. *See also* diversity
 - Caribbean Islands, 330–38
 - defined, 168, 897
 - harvest effects, 167–75
 - hotspots, Great Basin–Mojave Desert region, 514
 - management goals, 175
 - marine resource issues, 852–54
 - in marshes, factors affecting, 402
 - role of, 175
 - Southeast, 258
 - Southwest, 553, 563, 576

western Pacific oceanic region, 830
 biological integrity, 175
 biological interactions, diversity and, 18
 biological invasions, 117, 752
 biological monitoring. *See* monitoring programs
 biological resources, value of, 3, 4
 Biological Resources Division (BRD)
 establishment of, 3
 report approach, v
 role of, 6
Biological Survey for the Nation, 6
Biological Survey of Texas, 265
 biomagnification, 896
 biomarker techniques, 145
 biomass
 algae, water pollution and, 73
 defined, 242, 897
 of prey fishes in Great Lakes, 242
 biome, defined, 897
 biota, defined, 897
 biotic inventories, Rocky Mountains, 497–98
 birches, 48, 183, 721
 Alaska paper, 716
 aspen-birch forests, 231
 black, 185
 dwarf, 721, 724, 733
 paper, 191, 716, 717, 721
 river, 359, 360
 yellow, 182, 185, 191
 birch-willow zone, 721
 birds, *See also* ducks; marine birds; migratory birds;
 Neotropical migrant birds; shorebirds; songbirds; waterbirds;
 waterfowl
 abundance changes, 186
 Alaska, 714–15, 722, 726–27, 730, 733–34
 biogeographic patterns, 108–9
 breeding, 244, 276
 California, 626–32, 637
 Caribbean Islands, 329–30, 337–38, 340
 climate change and, 101, 108–9
 coastal Louisiana, 421–25, 427–28
 colonial, 421, 454
 contaminant effects, 186
 distribution along gradients, 15
 eggshell thinning, 138, 144, 146, 149
 endangered/threatened, 247, 427–28, 628
 Everglades, 80
 extinctions
 Caribbean Islands, 329–30
 Polynesia, 751
 forest, 48–49, 53, 186–88, 575–76
 game, nonindigenous, 119
 grasslands, 192, 244–45, 303, 441, 446–47, 451–60
 Great Basin–Mojave Desert region, 508, 522–25
 Great Lakes region, 243–48
 Hawaii, 750, 765–66
 insecticides and, 150–51
 logging practices and, 54
 migratory, pesticides and, 149
 Mississippi River, 369–74, 376
 monitoring ranges and abundances, 101
 Mount St. Helens impacts, 24–25
 nesting, 740
 nonindigenous species, 121t
 Caribbean Islands, 340
 Northeast, 186, 786
 endangered, 189t
 oil spills and, 139, 140
 Pacific Northwest, 671–82
 prairie, relative abundance, 43t
 riparian, 78, 522, 575
 Rocky Mountains, 492–93, 498
 shrubland, 244–45
 shrub-steppe, 522
 Southeast, 302–3
 Southwest, 547, 561, 575–76, 582
 staging, 726
 temperature restrictions, 110
 wading, 291–92, 407, 420f, 421
 wetland, 454–55
 woodland, 245, 575–76
 bird's-beak, salt marsh, 612
 birth rates, population size and, 170
 Biscayne Aquifer, 79

bison, 48, 222, 248, 265, 280, 303, 437, 440, 453f, 488, 489, 495,
 632
 ancient, 478
 plains, 460
 steppe, 720
 bitterbrush, 476, 512
 bitterns, 369
 American, 189t, 454t, 455t, 524
 least, 330
 western least, 524
 bivalves, 780, 807
 defined, 897
 black band disease, 323–24
 Blackbird Mine, Idaho, 134t
 blackbirds, 420t
 Brewer's, 246t, 523, 631, 678t, 679
 red-winged, 25, 43f, 246t, 374t, 454t, 455t, 523, 678t, 679, 681
 tricolored, 605, 626
 yellow-headed, 454t, 455t, 523, 678t, 681
 yellow-shouldered, 327, 331t, 337, 338f, 340, 341
 blackbrush, 510
 blackcod, 809, 818, *See also* sablefish
 black-dust storms, 443
 Alaska, 711t, 718, 725
 Sacramento, 620t
 Blackfoot, 478
 Black Hills, 477
 black-mangrove, 327, 406, 412
 black oak, California, 602, 609
 Black Sea, 854
 bladderwort, horned, 415t
 Blanchard, Frank, 450–51
 blanco, guayacán, 317
 blazing star, 190
 blind fishes, 295
 bloaters, 242
 blood fluke planorbs, 126
 blowdowns
 Alaska, 710
 defined, 897
 Mount St. Helens, 23–25
 Southeast, 549
 Tionesta Scenic Natural Area, 11, 12f
 bluebells, Drummond's, 732
 blueberries, 724
 Alaska, 710
 alpine, 717, 737
 early, 710
 bluebirds
 eastern, 246t
 mountain, 24, 523, 677, 678t, 679, 681
 western, 674, 674t, 677
 blue blossom, 607
 bluefish, 420t, 783, 783t
 bluegill, 367, 368, 418, 419
 bluegrass
 Alaska, 732
 Kentucky, 30, 549
 bluejoint, 725
 Blue Mesa Reservoir, 479
 Blue Mountains, Oregon and Washington, 46f, 648f
 bluestems, 109, 280, 438
 big, 445
 little, 17, 18f, 30f, 228, 445, 476
 boar, *See also* pigs
 wild, 263, 304
 boas
 mona, 331t
 Puerto Rican, 331t
 rosy, 571–72
 southern rubber, 625t
 Virgin Islands tree, 331t
 bobcats, 48, 188, 248, 425, 461
 Bob Marshall Wilderness Complex, 484
 bobolinks, 102f, 246t, 374t
 bobwhites, northern, 192, 246t, 340, 374t
 bog-orchids, white, 514
 bogs, 717
 gradients in, 14f
 Great Basin–Mojave Desert region, 527
 mountain, Southeast, 277
 boll weevil, 41
 bonefish, 801
 bonitos, Atlantic, 799

- bonytail chub, 125, 143, 566, 567
 boobies, 628t, 802
 brown, 341, 803
 masked, 330, 803
 red-footed, 330, 341, 843f
 boreal forest
 defined, 897
 fossil tree pollen, 90–91
 borers, sugarcane, 146
 boron, 143
 tolerance, 509
Bostrichia, 406
 bottlenecks, 228
 bottom fishes
 toxic contamination and, 850–51
 western Pacific, 835–36
 bottomland hardwood forests, coastal Louisiana, 408–9
 bottom-up forecasting techniques
 for climate change, 103–4
 combined with top-down approaches, 104–5, 108
 criticisms of, 108
 bowfin, 368, 419
 box-briar, 318
 boxelders, 359, 409
 boxfishes, 326
 boxwood, Vahl's, 331t
 brachyuran, defined, 897
 brackish, defined, 897
 Bradbury Commission, 691
 braided channel, defined, 897
 Brake family, 331t
 brants, 726, 727, 733
 braya, purplish, 732
 breeding birds
 relative abundance, Great Lakes, 244
 Southeast, 276
 species diversity index, Great Lakes, 244
 Breeding Bird Survey, 101, 102f, 108, 187
 California, 631, 637
 defined, 897
 grasslands, 446
 Great Basin–Mojave Desert region, 523, 524
 Great Lakes, 243–46
 Mississippi River, 373–74
 Pacific Northwest, 671, 674, 675
 Southeast, 302–3
 Southwest, 575, 576, 582
 wetland birds, 455
 brittlebush, 530
 brome, red, 528
 bromeliads, 292f, 318
 brood parasitism, defined, 897
 Brooks Range, 721–22, 731, 734, 735
 broom, San Clemente Island, 610
 broomsedge, 755
 brown tide, 269
 browsing, homogenization and, 29
 brucellosis, 489, 495, 497
 brush
 deer, 607f
 musk, 607
 bryophytes, 653
 bucida, oxhorn, 317
 buckbrushes, 476
 buckeye, California, 606
 Buck Island Reef
 coral reefs, 322–24
 sea turtles, 336
 Buck Island Reef National Monument, 322–24
 buckthorn, 234, 331t
 buckwheat, 516
 California, 606, 607
 Kearney, 528
 Lobb, 516
 steamboat, 516, 517
 Sulphur Springs, 516
 Tiehm, 516
 wild, 563, 606f
 budworms
 eastern spruce, 146, 186, 191
 spruce, 493, 550
 western spruce, 146, 548, 648, 655
 buffalo (fish), 368, 369, 419, 463
 bigmouth, 368
 smallmouth, 367, 368
 buffaloberry, silver, 508
 bufflehead, 371
 bugs, 655, 758
 bullfrogs, 243, 340, 425, 449, 451, 520, 575, 622, 623t
 larvae, 450
 nonindigenous, 668
 bullheads
 brown, 138f
 yellow, 419
 Bull Lake Glaciation, 473
 bulrushes
 American, 20, 21, 402t, 403, 407
 giant, 401, 415t
 leafy American, 406
 Northeastern, 185t
 bumper, Atlantic, 417
 bunchberry, 716
 bunchgrasses, 228, 511, 556
 defined, 897
 perennial, 549
 buntings
 indigo, 246t, 374t
 lark, 451t
 lazuli, 523, 674t, 679, 681
 McKay's, 727
 painted, 374t
 snow, 722, 734
 burbot, 242, 711t, 718, 722
 Bureau of Land Management, 691
 burrobrush, 530
 burros, 118
 wild, 580
 burro-weed, 529, 530
 burrow-nesting seabirds, 740
 bursage, white, 556
 bush-clover, prairie, 232t
 bush-mallow, San Clemente Island, 610
 bushitts, 674t, 675
 buttercups
 Eschscholtz's, 514
 western, 729
 butterfish, 779, 783, 783t, 795t
 Gulf, 797
 butterflies, 195, 489, 508–9, 518, 565, 655, 656
 Apache nokomis fritillary, 509
 bay checkerspot, 619t, 636
 California, 617
 common wood nymph, 515
 El Segundo blue, 619t
 grasslands, 445–47
 Great Lakes region, 234–35
 Karner blue, 192, 230, 232t, 235
 Lange's metalmark, 619t
 lotis blue, 619t
 mission blue, 619t
 Myrtle's silverspot, 619t
 Oregon silverspot, 619t, 655
 Palos Verdes blue, 619t
 riparian, 515
 San Bruno elfin, 619t
 Sand Mountain pallid blue, 516, 527–28
 silver-bordered fritillary, 509
 Smith's blue, 619t
 tawny crescent, 445
 Weidemeyer's admiral, 509
 butterflyfishes, 325, 326
 foureye, 325
 buttonbush, 409, 411
 buttonwood-mangrove, 327
 butylate, 133t, 150
 bycatch
 defined, 897
 Laysan albatrosses, 839
 leatherbacks, 838
 management of, 855
 national issues, 847–48
 of sea turtles, 801–2
 cactus, 331t, 529, 556, 563
 Royer's tree, 87
 caddisflies, 657, 658
 hydropsychid, 364
 net-spinning, 364

- cadmium, 138
- caimitillo, 319
- caimitillo verde, 319
- Caja de Muerto, 315
- calcareous, defined, 897
- calcium
 - acidification and, 138
 - DDT and, 144, 146
- California, 593–638
 - amphibians, 601, 621–24
 - birds, 626–32, 637
 - cismontane, 593
 - climate, 594
 - ecological provinces
 - Cascade Ranges, 601
 - Central Valley, 603–5
 - Central Western California, 605–6
 - Channel Islands, 609–12
 - Intertidal, beach, and dune communities, 612–16
 - Northwestern California, 599–601
 - Sierra Nevada, 601–2
 - Southwestern California, 606–9
 - ecosystem status, 598–99
 - endangered species, 598, 636
 - mammals, 632–34
 - endemic species, 605, 606, 610–11, 618
 - faunal and floral history, 596
 - fishes, 597, 619–21, 638
 - human history, 596–98
 - insects, 617, 619
 - invertebrates, 616–19, 638
 - mammals, 632–36
 - nonindigenous species, 617, 619, 622, 634
 - outer coast, 612
 - plants, 595, 596, 616
 - reptiles, 624–26
 - research needs, 636–38
 - riparian forests, 604
 - rivers, 597
 - topographic features, 594–96
 - urban development, 597
 - waterfowl, 628
 - westside, 593
 - wetlands, 603–4
- California Current, 814, 815, 816, 853f
- California Environment Resources Evaluation System, 637
- California Floristic Province, 598
- California Native Plant Society, Rare Plant Program, 598, 636
- California Natural Areas Coordinating Committee, 598
- California Natural Diversity Database, 637
- California Redwood Park, 597
- Calyptranthes thomasi*, 331t
- Campanulaceae, 750
- camphorweed, salt marsh, 21
- Canada, transboundary stocks, 849–50
- Canadian Shield, 136
- canals
 - density, marsh loss and, 397–98
 - Mississippi River, 397–98
 - Tennessee-Tombigbee Canal, 297
 - water hyacinth, 426
- cancer
 - creosote and, 138–39
 - endocrine disruptors and, 148
 - in fishes, 138f
 - liver, 138–39
 - in sediment-dwelling marine species, 850–51
- candlewood, tabonuco type, 318
- canebreaks, 273
- Canella family, 331t
- canvasbacks, 206, 371, 372, 378, 424t, 425, 456–57, 524
- canyon forests, Rocky Mountains, 476
- Canyonlands National Park, 14f
- capá rosa, 331t
- Cape Cod Bay
 - marine mammals, 790, 792
 - North Atlantic right whale, 791
- capelin, 811
- capture-release studies, bottlenose dolphins, 804
- caracara, crested, 302, 329
- carbamate pesticides, 149–51
- carbaryl, 133t, 150
- carbofuran, 133t, 150, 151, 271
- carbon
 - cycle models, 94
 - emissions, forecasts, 93
 - sinks, grasslands as, 465
- carbon dioxide (CO₂), 142
 - atmospheric concentrations, 94
 - climate change and, 91, 92, 93
 - concentration predictions, 94
 - direct CO₂/water-use efficiency, 104
 - direct effects of changes in, 112
 - doubling effect, 95, 98, 101, 104
 - emissions estimates, 94
 - from fossil fuel emissions, 156
 - human activities and, 89
 - ice core analysis, 90
- carbon disulfide, 144
- carbon monoxide (CO), 142
- carbon tetrachloride, 144
- carcinogens, 138. *See also* cancer
- cardinal, northern, 246t, 374t
- cardon, 556
- Carex sabulosa*, 717
- Caribbean Islands, 315–43. *See also* Puerto Rico; Virgin Islands
 - amphibians
 - biodiversity, 332–33
 - extinctions, 329
 - nonindigenous species, 340
 - aquatic ecosystems, 321–29
 - coral reefs, 321–24, 325–27
 - freshwater environments, 328–29
 - lagoons, 329
 - mangroves, 327
 - marine environments, 321–28
 - rocky coastal areas, 328
 - saltwater ponds, 328
 - seagrass beds, 324, 327
 - spoils islands, 328
 - biodiversity, 330
 - birds, 337–38
 - extinctions, 329–30
 - nonindigenous species, 340
 - description, 315–16
 - extinctions, 329–30
 - fishes
 - biodiversity, 332
 - freshwater, nonindigenous species, 339–40
 - invertebrates
 - biodiversity, 330–32
 - fisheries, 794–95, 797
 - nonindigenous species, 339
 - mammals, 330, 338
 - nonindigenous species, 340–41
 - nonindigenous species, 338–41
 - physical features, 792
 - plants
 - biodiversity, 330
 - nonindigenous species, 339
 - reptiles
 - biodiversity, 332–37
 - extinctions, 329
 - nonindigenous species, 340
 - research needs, 341–43
 - sea turtles, 334–37
 - terrestrial ecosystems, 316–21
 - human influence, 320–21
 - life zones, 317–19
 - reforestation, 319–20
 - subtropical dry forest, 317
 - subtropical moist forest, 318
 - subtropical rain forest, 319
 - subtropical wet forest, 318
 - virgin forest, 316–17
- Caribbean National Forest, 319
- caribou, 221, 248, 481, 494–95, 720, 723, 727, 730, 731, 734–36, 739–40. *See also* reindeer
 - woodland, 232t
- Carnivora, 285
- carnivores, prairie pothole region, 461–63
- carnivorous plants, 285, 286f
- Carolina bays, 283–84, 296
- carps, 419, 449
 - common, 118, 122, 363, 368, 369, 377
 - grass, 122, 125, 369, 377
- carpsucker, river, 368
- carrying capacity, 171

- defined, 897
- Carson, Rachel, 145
- Carson National Forest, 548
- Carson Range, 513
- Carson River, 532
- Cascade Ranges, 136, 593, 645, 668
 - ecosystem status, 601
- Cascadian Forest, Rocky Mountains, 476
- catadromous, defined, 897
- catadromous species, nearshore resources, 801
- Catalina, 610
- catbirds, 244
 - gray, 374t, 679
- catchment, defined, 897
- catfishes, 367, 417–18, 419, 420t, 449
 - blue, 368, 369, 418, 418t, 419
 - channel, 328, 367, 368, 369, 418, 418t, 419
 - flathead, 368, 419
 - gafftopsail, 417, 419
 - hardhead, 417, 418t, 420t
 - sea, 420t
- cations, defined, 897
- cats
 - house, 341
 - marine bird predation by, 839
- Catskill Mountains, old-growth forests, 185
- cat's-paw
 - purple, 196t
 - white, 196t, 232t
- cattails, 80, 363, 401, 403, 445
 - broadleaved, 403
- cattle, 558, 740. *See also* grazing
- brucellosis and, 495, 497
- feral, Hawaii, 754
- raising, 42
- caustic soda plants, 138
- cave-adapted invertebrates, 761
- caves
 - bat habitats, 338
 - Caribbean Islands, 330–31
 - Great Basin–Mojave Desert region, 526
 - habitat destruction, 304
 - Southeast, 295–96, 304
- cay, defined, 897
- ceanothus chaparral, 607
- ceanothus, 607
 - hairy, 607
 - hoaryleaf, 607
- cedars
 - Atlantic white-cedar swamps, 15, 286
 - eastern red, 17
 - glades, Southeast, 262
 - red, 645
- centipedes, 655
- centrarchids, 69
- central coast (California), 605
- Central Lowlands (grasslands), fishes, 448–49
- Central Valley (California), 593
 - ecosystem status, 603–5
 - giant garter snake, 624–26
 - human settlement, 596
 - irrigation, 143, 603, 604
 - ivers, 597
 - topographic features, 595
- Central Valley Project, 603, 604
- Centropages hamatus*, 780
- Centropages typicus*, 780
- Ceratium hircus*, 415t
- cereus, golden-spined, 606
- cero, 795t, 798
- cetaceans, 846. *See also* dolphins; porpoises; whales
 - defined, 897
 - distributions, 790
- CFCs. *See* chlorofluorocarbons (CFCs)
- Chaetoceros breve*, 415t
- chaetognaths, 779
 - defined, 897
- Chaetomorpha*, 406
- chaffseed, American, 185t
- Chalmydomonas* species, 415t
- Chamaecrista glandulosa* variety *mirabilis*, 331t
- chamise, 607
- Channel Islands, 593
 - ecosystem status, 609–12
 - snails, 618
 - topographic features, 595
- Channel Islands National Park, 610, 611, 615, 636, 637
- channelization
 - defined, 897
 - Missouri River, 67
 - Southeast, 274
- channels
 - braided, 897
 - connecting, Great Lakes, 223–24
 - ecosystems, Great Lakes, 223–24
 - incision, Southwest, 549
 - modification, riparian forest loss and, 49
- chaparral, 601, 605, 606
- ceanothus, 607
- chamise, 607
- coastal, 607f
- defined, 606–7, 897
- desert, 608
- fire processes and, 607
- manzanita, 607
- montane, 607
- red shank, 607
- scrub oak, 607
- serpentine, 607–8
- shrubs, 29
- woodland, 608
- Chara vulgaris*, 415t
- charismatic megafauna, defined, 897
- chars
 - arctic, 711t, 718, 725, 737
 - Sunapee, 137
- chat, yellow-breasted, 189t, 246t, 374t, 679, 681
- Chatham, Massachusetts, oil spill, 140
- Chattahoochee River, 67
- cheatgrass, 497, 511, 528, 530, 556, 649, 653
- checker-mallow, Nelson's, 654t
- chemical contaminants. *See* contaminants
- chemosynthetic animal life forms, 817
- Chenier Plain
 - birds, 422
 - defined, 387
 - destructional processes, 392–93
 - geomorphology, 391–92
 - habitat diversity, 400
 - vegetation, 404
- cheniers
 - birds, 421–22
 - defined, 411, 897
 - destructional processes and, 392
 - vegetation, 411–12
- cherry
 - black, 48
 - pin, 183, 185
 - wild, 87
- Chesapeake Bay
 - benthic resources, 781
 - environmental and physical features, 777
 - fisheries resources, 785
 - herbicide contamination of, 151
 - living resources, 204–6
 - primary production, 778
 - watershed wetlands, 201–3
- Chesapeake Bay Program, 204
- chess, soft, 603
- chestnut
 - American, 121, 183, 272
 - Chinese, 121
 - water, 274
- chestnut blight, 121, 183, 263, 272
- Cheyenne, 478
- Chichagof Island, 737
- chickadees
 - black-capped, 246t, 674, 674t, 719
 - boreal, 246t, 719
 - Carolina, 374t
 - chestnut-backed, 631
 - mountain, 631
- chickweed
 - Aleutian, 729
 - low, 725
- Chihuahuan Desert, 556, 557, 559
 - herpetofauna, 572
 - bush, 607

- chipmunks
 - Hidden Forest Uinta, 525t
 - lodgpole, 633t
 - long-eared, 633t
 - Merriam's, 633t
 - Mt. Ellen, 580
 - Palmer's, 515, 525t
 - panamint, 515t
 - Sonoma, 633t
 - Uinta, 515t
 - yellow-pine, 515t
- Chippewa River, 353
- chironomids, 416, 417, 658
 - defined, 897
- chlordan, 133t, 144, 146, 148
- Chlorella vulgaris*, 415t
- chlorinated dibenzofurans, 133t
- chlorinated dioxins, 133t, 153
- chlorinated hydrocarbons, 850
- chlorofluorocarbons (CFCs), 133t, 153, 154–55
 - defined, 897
- chlorophyll *a*, 778f
 - defined, 898
 - western Pacific oceanic region, 831–32
- chokecherry, 508
- cholera, 848
- Chrisana caribou herd, 723
- Christmas Bird Count, 108, 243, 246, 247
 - Alaska, 719
 - California, 637
 - Great Lakes, 243, 246, 247
 - Mississippi River, 374, 375t
 - Northeast, 187
 - Southeast, 303
- chronic oil pollution, 141–42
- Chroococcus* species, 415t
- chrysophytes, 415t
- chubs, 77
 - Alvord, 661t
 - Arkansas River speckled, 449
 - arroyo, 620t, 621
 - blue, 620t
 - bonytail, 125, 143, 519, 566, 567
 - Borax Lake, 661t
 - Catlow Valley tui, 661t
 - Cowhead Lake speckled, 661t
 - flathead, 449
 - Goose Lake tui, 661t
 - Great Lakes, 238
 - humpback, 78, 143, 519, 566, 567
 - Hutton Spring tui, 661t
 - lake, 662t, 711t
 - leatherside, 662t
 - Oregon, 662t
 - Oregon Lakes tui, 662t
 - Rio Grande, 567
 - roundtail, 566
 - Sheldon tui, 663t
 - sicklefin, 449
 - slender, 297, 298f
 - speckled, 567
 - sturgeon, 449
 - Summer Basin tui, 664t
 - thicktail, 620t
 - tui, 520
 - Warner Basin tui, 664t
- chuckwallas, 521, 571–72
- chupacallos, 331t
- cieneegas, 561
- cinquefoils
 - Robbins', 185, 185t
 - silverweed, 613, 725
- cirque, defined, 898
- ciscoes, 236, 239
 - arctic, 711t, 733, 740
 - Bering, 711t
 - deepwater, 242
 - least, 711t, 718, 733
- cismontane California, *See also* California
- CITES (Convention on International Trade in Endangered Species of Wild Fauna and Flora), 898
- Citrus family, 331t
- cladocerans, 416
 - defined, 898
- clams, 51, 195, 612, 846
 - Asian, 125, 298, 448, 848
 - cultured, 833
 - giant, 833
 - hard, 844
 - hardshell, 785, 785t
 - nonindigenous, 821
 - Pacific razor, 808
 - softshell, 785, 785t, 801, 844, 846
- Clark Fork River system, Montana, 134t
- Clean Water Act, 299–300
- Clean Water and Safe Drinking Act (1977), 72
- clidemia, 754–55
- cliffrose, Mexican, 513
- cliffs, southeast, 278
- climate
 - Alaska, 707
 - coastal Louisiana, 394–95
 - Great Basin–Mojave Desert region, 506–7
 - prairie processes, 444
 - Southeast, 257
 - Southwest, 543, 544
 - westside California, 594
- climate change, 89–113, *See also* global warming; greenhouse
 - effect; sea-level rise
 - abrupt, 111
 - animal responses to, 91, 101–3, 109–10
 - causes of, 91–93
 - ecosystem responses to, 100–110, 112
 - future, 91
 - Glacier National Park effects, 104–7
 - history, 90–91
 - information gaps, 110–12
 - plant-animal-climate linkages, 109–10
 - policy issues, 113
 - societal forces, 93
 - synergistic effects, 112–13
 - vegetation responses, 91, 100–101, 109–10
 - water diversions and, 67
- climate models
 - bottom-up approaches, 103–4
 - cloud feedback problem and, 97
 - combined top-down and bottom-up approaches, 104–5, 108
 - credibility of, 93–98
 - defined, 89–90
 - ecosystem, 112
 - empirical-statistical approach, 94
 - forecast credibility, 93–98
 - general circulation, 94
 - greenhouse effect and, 97
 - grid size, 95
 - local, 99–100
 - mesoscale, 99
 - refined approaches to, 108–9
 - regional scales, 98–100
 - reproduction of past climates with, 97
 - RHESSys model, 106
 - seasonal cycle test, 96
 - three-dimensional, 94, 96f
 - top-down approaches, 103
 - types of, 94
 - verifying, 95–98
 - zero-dimensional, 94
- climate-vegetation classification scheme, 100
- climax, defined, 898
- clonal dispersal, defined, 898
- clonal growth, 233
- clone, defined, 898
- close-crowned, defined, 898
- cloud feedback problem, 97
- cloud forest, defined, 898
- clovers, 477, 680
 - running buffalo, 185t, 232t
 - white, 549
- clubshell, 196, 232t
- cluster analysis, defined, 898
- cluster development, 55
- cnidarians, 831
- coachwhip, 449t
- coal, 134–39
 - acid mine drainage, 134–35
 - ash, 138
 - mining, Alaska, 738, 740
 - tar, 138

- coal-fired electric generating plants, 138
- Coastal Barrier Resources Act, 287
- coastal chaparral, 607f
- coastal ecosystems
 - biodiversity of, 852–53
 - delta, 385, 386–87
 - habitat degradation, 848
 - Hawaii, 762
 - improvement approaches, 853–54
 - marshes
 - California, 599
 - Louisiana, 20–22
 - salt-intrusion events, 20
 - Pacific Islands, 827
 - ponds, 296
 - prairie, California, 599, 605
 - restoration, coastal Louisiana, 430
 - shore, Great Lakes region, 226–29
 - temperate rain forest, Alaska, 709–16
 - birds, 714–15
 - climate, 709
 - freshwater fishes, 711–14
 - mammals, 715–16
 - research needs, 736–37
 - vegetation, 710–11
 - urbanization, 855
 - coral reef effects, 323
 - estuarine resources and, 844
 - wetlands, *See also* wetlands fishery resources and, 796
 - Great Lakes region, 224–25
- coastal ichthyoplankton, 793
- coastal Louisiana, 385–430
 - accretion, 392–93
 - amphibians, 425
 - aquatic ecosystems, 413–20
 - barrier islands, 391, 410–13
 - benthic organisms, 416–17
 - birds, 421–25, 427–28
 - Chenier Plain, 387, 391–93, 400, 404, 422
 - cheniers, 392, 411–12, 421–22, 897
 - climate, 394–95
 - delta cycles, 388–89, 398–401
 - ecosystem change, 386–87
 - endangered and threatened species, 426–29
 - fishes, 417–20, 429
 - fluvial processes, 395
 - forested wetlands, 408–10
 - geology and geomorphology, 387–94
 - human effects, 396–98
 - invertebrates, 417–18
 - low-salinity marshes, 407–8
 - mammals, 425, 427
 - marine processes, 395–96
 - marshes, 401–8
 - Hurricane Andrew impacts, 20–22
 - Mississippi River Deltaic Plain, 387
 - modern Mississippi River delta, 389–91
 - natural levees, 410–13
 - nekton, 417–20
 - nonindigenous species, 426
 - reptiles, 425–26, 428–29
 - research needs, 429–30
 - ridges, 410–13
 - saltwater, 405–7
 - subsidence, 392–94
 - wetlands, 352
 - degradation of, 356–57
 - forested, 408–10
 - loss, 385–86, 398
 - patterns, 398
 - zooplankton, 415–16
- Coastal Management Program, American Samoa, 829
- coastal pelagic fishes, western Pacific, 834–35
- Coastal Plain
 - acid precipitation, 136
 - Alaska, 732
 - California, 593
 - Southeast, 256
- coastal sage-scrub, 605, 606
- Coast Ranges, 593
 - ecosystem status, 600–601
 - human settlement, 597
 - topographic features, 595
- cóbana negra, 331t
- cobia, 795t, 798
- Coccidioides immitis*, 613
- coccidioidomycosis, 613
- cockles, 808
- cockroaches, German, 203
- Cocodrie lobe system, 388
- cod, 207, 779, 782, 850
 - arctic, 711t, 811
 - Atlantic, 781, 782, 783t
 - black, 809, 818, *See also* sablefish overfishing, 847
 - Pacific, 808, 809, 811, 823
 - saffron, 711t, 811
- Codillera de Fajardo, 315
- Coeur d'Alene Valley, Idaho, 134t
- “coffee grounds,” 406
- coffeteer, Kentucky, 360
- coke, 138
- colonial birds, 370, 421, 454
- colonias, 271
- colonization
 - following Mount St. Helens eruption, 24–25
 - herptiles, 101–2
- Colorado Air Quality Commission, 482
- Colorado–Big Thompson diversion, 72
- Colorado Desert, 530
 - snails, 618
- Colorado Front Range, 482
- Colorado Plateau, 555, 556
- Colorado River, 72, 143, 519, 532, 561
 - ecological effects of water use, 76–79
 - fishes, 565, 566–69
- Colorado River Compact, 76
- Columbia River
 - coho salmon, 819–20
 - estuarine resources, 821–23
 - hydroelectric power dams, 68
- Columbia River basin, 658, 677, 815
- Colvin, VerPlanck, 186
- comb jellies, 898
- combustion gases, 152
- commensal, defined, 898
- commercial fisheries, *See also* fishes
 - Alaska, 711, 712–14, 718, 729, 733
 - Caribbean reef fishes, 325–27
 - coastal Louisiana, 413
 - driftnets, 839, 850
 - Great Lakes, 232, 240–42
 - harvest and depletion, 47, 171–72, 236–43, 368–69
 - long-line, 903
 - Lower Mississippi River, 357
 - management of, 855
 - marine bird and mammal effects, 850
 - Mississippi River, 368–69
 - transboundary stocks issues, 849–50
- community
 - climate-caused disruption, 110, 113
 - defined, 173, 898
 - harvest and, 173
- compensation, 170
- compensatory mortality, 170
- competition, defined, 28
- competitive displacement, 28–29
- competitive exclusion, 28
- conchs, 785, 794, 800
 - hawkwing, 332t
 - milk, 332t
 - Queen, 331, 332t
 - roostertail, 332t
 - West Indian fighting, 332t
- condors, California, 626
- coneflower, smooth, 185t, 280
- conifers, 514, 549f, *See also specific species*
 - Mount St. Helens impacts, 24
 - Pacific Northwest, 645, 646
- conservation, scientific, 169
- conservation movement, Southeast, 259
- Conservation Reserve Program, 192, 457, 461, 465
- conspecific, defined, 898
- constructional phase, delta lobes, 388, 392–93
- consumption, 29
- contaminants, 131–57, *See also* air pollution; pollution; water pollution

- acid mine drainage, 134–35
- acid precipitation, 135–38
- agricultural, 142–52
- air pollution, 142
- aquatic toxicology, 145–46
- California least tern and, 630
- chlorofluorocarbons, 154–55
- chronic oil pollution, 141–42
- coal, 134–39
 - detection of, 131
 - dibenzofurans, 153–54
 - dioxins, 153–54
 - effects of, 131, 186
 - endocrine-disrupting compounds, 148
 - in estuarine and marine areas, 850–51
 - ferrous metals, 134–39
 - herbicides, 151–52
 - industrial and urban development and, 152–53
 - irrigation, 142–43
 - nonferrous metals, 132–34
 - oil fields, 740
 - oil spills, 140–41
 - pesticides, 144–51
 - petroleum, 139–42
 - polychlorinated biphenyls, 153–54
 - polycyclic aromatic hydrocarbons, 138–39
 - research needs, 155–57
 - transport of, 131
 - volatile organic compounds, 154–55
- continental shelf
 - defined, 898
 - groundfish, 818
 - Pacific Islands, 826–27
 - pelagic fishes, Pacific coast region, 817–18
- Convention on Biodiversity, Article 7, 175
- Convention on Great Lakes Fisheries, 238
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), 304, 837, 838, 848, 898
- cooling, sulfur dioxide and, 98
- cooling degree days, defined, 103f
- coontails, 50, 360, 361, 415t
- Cooperative Forestry Assistance Act (1978), 127t
- Cooperative Holocene Mapping Project, 90–91, 109
- coots
 - American, 143f, 421, 454t, 455t
 - Caribbean, 337
- copepods, 416, 659–60, 779, 780, 807, 816
 - defined, 898
- copper, 132, 134
- Copper Basin, Tennessee, 134t
- copper sulfate, 144
- coquis, 332, *See also* frogs
 - cricket, 333t
 - golden, 331t, 333
 - ground, 333t
 - mottled, 333
 - Puerto Rican, 333t
 - rock, 333
 - tree-hole, 333t
 - Virgin Islands, 333t
 - warty, 333t
 - web-footed, 333
 - wrinkled, 333t
- coral reefs
 - at risk, 844–45
 - Caribbean Islands, 321–24, 325–27
 - damage to, 827–28
 - fishes, 325–27
 - habitat degradation, 794, 848
 - human activities and, 325
 - national status and trends, 844–45
 - natural disturbances, 321, 324
 - Pacific Islands, 827–28
 - pristine, 844–45
 - protection of, 837
 - western Pacific, 837–38
- corals, 794, 800, 809
 - black, 833
 - elkhorn, 322, 323
 - finger, 87, 837f
 - gorgonian, 323, 325
 - harvesting, 832–33
 - Pacific Islands, 827
 - pink, 832–33
 - precious, harvesting of, 832–33
 - red tree, 809
 - scleractinian, 322
 - sea raspberry, 809
- corcho bobo, 317
- cordgrasses
 - big, 401, 406
 - salt meadow, 20, 21
 - smooth, 401, 402t, 406, 407, 408, 412
- Corkscrew Swamp, 81f
- cormorants, 140, 369, 628t, 802, 820, 823, 824
 - double-crested, 146, 154, 208, 246t, 370, 371f, 454t, 455t, 803
 - great, 786
 - red-faced, 813
- corn, 151
- Corophium* species, 416
- corridor, defined, 898
- Coscinodiscus* species, 415t
- cotton, 151
- cotton-grass, tussock, 717, 724
- cottonmouth, western, 425
- cottontails, 579
 - eastern, 192, 249, 425
 - New England, 48, 192
- Cottonwood Lake Study Area, 350
- cottonwoods, 78, 266, 476, 508, 560–63
 - eastern, 359, 360, 409
 - gallery forests, 560
- cottonwood-willow forests, 78, 560
- cougars, eastern, 186, 188
- cowbirds
 - brown-headed, 53, 54, 246t, 374t, 493, 524, 632, 674t, 675, 679, 681
 - shiny, 340
- cowpea, yellow, 407
- coyotes, 195, 210, 248, 249, 304, 425, 427, 461, 463, 477, 683, 723, 727
- crabs, 207, 406, 785t, 816, 852
 - 7-11 (ala kumu), 828f
 - Atlantic rock, 780, 785
 - blue, 205, 418, 419, 419f, 420t, 785, 801, 844, 846
 - blue king, 808
 - common land, 331
 - Dungeness, 808, 816, 817, 822, 823, 844, 846, 851
 - estuaries and, 796
 - golden (brown) king, 808
 - green, 821
 - horseshoe, 780
 - Jonah, 785
 - kelp, 816
 - king, 808
 - Korean hair, 808
 - lady, 780
 - larvae, 779
 - lesser blue, 418
 - red, 785
 - red king, 808
 - snow, 808
 - stone, 794, 795, 795t, 797, 800
 - Tanner, 808
- cranberry, highbush, 87, 717
- cranes
 - greater sandhill, 626t
 - Mississippi sandhill, 302
 - sandhill, 246t, 714, 726
 - whooping, 289, 427t, 428, 441
- Cranchis ricartii*, 331t
- crappies, 368
 - black, 367, 368, 418, 419
 - bluegill, 367
 - white, 418
- crayfishes, 622
 - Shasta, 619t
 - Southeast, 295
 - threatened, 69
- creepers
 - brown, 678t
 - Maui, 765
- creosote, 138–39
- creosotebush, 506, 530, 546, 556
 - scrub, 510
 - shrub-steppe, 529
- crevasse, 389
 - defined, 898

- crickets
 Kelso giant sand treader, 516
 Kelso Jerusalem, 516
 prairie mole, 447
- croaker, Atlantic, 357, 417, 418t, 419, 420t, 795t, 800
- crocodile, American, 300, 429
- croplands, *See also* agricultural lands
 land-use change, 38
 Northeast, trends, 192
- crossbills, red, 246t
- Crow (tribe), 478
- crowberry, 729
- crown fires, 27
 defined, 898
 Southwest, 553
 subalpine forests, 480–81
- crows
 American, 246t, 374t, 631–32
 Cuban (lesser Puerto Rican), 329, 330
 fish, 374t
 northwestern, 140
 white-necked, 329, 330, 331t, 343
- crustaceans, 416, 780, 784, 793, 808, 823
- cryptobiotic (microbiotic) crusts, 14f, 558–59, 653
- Cryptomonas* species, 415t
- cryptophytes, 415t
- ctenophores, 416
 defined, 898
- Cubits Gap, 389–91
- cuckoos, 422
 black-billed, 246t, 374t
 western yellow-billed, 626t
 yellow-billed, 246t, 374t, 522, 604, 605
- cui-ui, 520
- Culebra archipelago, 315
- cultivar, defined, 898
- Cumberland River system, Kentucky, 135
- cupey, 318
- curlews
 bristle-thighed, 726
 Eskimo, 289, 427t, 428, 444
 long-billed, 451t, 524, 627, 678t
- currants, 476
- cyanazine, 133t, 151
- cyanide-leach ponds, 134
- cyanobacteria, 13, 406, 653
 defined, 898
- cyclonic, defined, 898
- Cyclotella* species, 415t
- Cyclura portoricensis*, 330
- Cylindrotheca*, 406
- cypress, 599, 600, 608
 Arizona, 553
 fire and, 600
 Sargent, 607
- dabbling ducks, 369, 424, 719
- dace
 blacknose, 137
 Foskett speckled, 661t
 Millicoma, 662t
 Nooksack, 662t
 Santa Ana speckled, 621
 speckled, 520
- daisy, lakeside, 185t, 232t
- Dalton Highway, Alaska, 735, 740
- dams
 Great Lakes, 226, 241
 historical, 64
 impacts, 69
 lake sturgeon and, 241
 navigation, 67
 pearlymussel declines and, 448
 species endangerment and, 65
- damsel fish, agile, 837f
- dandelion, 549
- Daphnopsis hellerana*, 331t
- darters
 Arkansas, 449
 Maryland, 197, 297
- Darwin, Charles, 91, 750
- DDD, 133t, 144
- DDE
 bald eagles and, 823
 effects, 144, 146
 eggshell thinning and, 144, 146, 149
 geographic distribution, 147f
 mean concentrations, 147f
- DDT, 131, 133t, 548
 bald eagles and, 206
 brown pelicans and, 303, 803, 820
 concentrations, 147–48
 effects, 144, 146
 as endocrine disruptor, 148
 history, 144
 peregrine falcons and, 493
- death rates, population size and, 170
- Death Valley National Park, 516f, 521
- debouch, defined, 898
- debris, marine, 851–52
- debris torrent, defined, 899
- deciduous, defined, 899
- deciduous forest type, eastern, 182
- decomposition, 19
- deep-sea resources, national status and trends, 845
- deep swamp, 409
- Deepwater Dumpsite 106, 780–81
- deer, 248, 476, 488, 499, 597, 686, 715, 737
 Axis, 634
 Columbian black-tailed, 686, 688f
 Columbian white-tailed, 686
 damage by, 53
 eastern white-tailed, 463
 fallow, 634
 Key, 304, 305
 mule, 463, 477, 495, 496f, 579
 sex-selective harvest, 172
 Sitka black-tailed, 715
 white-tailed, 53, 172, 195, 210, 221, 222, 288, 305–6, 341, 425, 477, 495, 496f, 579, 632
- deforestation
 in eastern United States, 40–41
 in Midwest, 41, 42f
 in Pacific Northwest, 42–43
 rates comparison, 41f
- degradation, defined, 899
- degree-days, defined, 899
- Delaware Bay
 benthic resources, 781
 fisheries resources, 785
- Delaware River, 72
- delta
 defined, 899
 Mississippi River, 355, 387, 408–10
- Delta caribou herd, 723
- delta lobes (Mississippi River)
 constructional phase, 388, 392–93
 destructional phase, 388, 392–93
 geomorphic cycles, 388–89
 growth and degradation, habitats and, 398–401
- Delta Native Recovery Plan, 620
- delta plain, defined, 899
- demersal, defined, 899
- demersal resources
 fish, 809–10
 groundfish, 781–82
- Denali caribou herd, 723
- Denali National Park and Preserve, 720
- dendritic, defined, 899
- dendrochronology, defined, 899
- density, 171
 canals, 397–98
- density-dependent population growth, 171f
- density-independent population growth, 171f
- Department of Agriculture Organic Act (1956), 127t
- derby-style fishing, Alaska, 712
- Dermo, 205
- Desecheo Island, 315
- desert, *See also* Great Basin–Mojave Desert region
 absolute, 510, 511t
 heterogeneity, 13–14
 shrublands, Southwest, 555–59
 Southeast, 256
- desert chaparral, 608
- desertification, Southwest, 555, 559
- desert-parsley, Bradshaw's, 654t
- desert springs, 559
 fishes, 569–70

- destructional phase, delta lobes, 388, 392–93
- destructional processes, human effects and, 396
- detritus, defined, 899
- devilsclub, thorny, 710
- Devils Hole Hills, 519f
- diadromous fishes, 448
- Diamond Chuitna coal project, 738
- Diaptomus* copepods, 659–60
 - dorsalis*, 416
 - kenai*, 659, 660
 - reighardi*, 416
 - siciloides*, 416
 - tyrrelli*, 660
- diatoms, 406, 415, 415t, 816, 851
- dibenzofurans, 153
- dicamba, 271
- 2,4-dichlorophenoxyacetic acid, 133t, 151
- dickissels, 43f, 246t, 374t, 446, 451t, 452f
- dicofol, 133t, 149
- dicrotophos, 271
- dieldrin, 133t, 144, 146, 148
- dike fields, 364
 - fish habitat, 367, 368
- dinoflagellates, 332, 415, 816, 845
 - blooms, 849
 - defined, 899
 - toxic, 817
- dioxins, 153
- Diploneis elliptica*, 415t
- dippers, 628t
 - American, 722
- disappearing streams, 294
- diseases
 - black band, 323–24
 - chestnut blight, 121
 - dogwood anthracnose, 184, 272
 - Dutch elm, 184
 - fin rot, 141
 - laminated root rot, 653
 - Lyme, 210
 - as natural disturbances, 27
 - Northeast forest effects, 183–84
 - resistance, 138
 - whirling, 497
 - white band, 323
 - withering foot, 615
- disjunct, defined, 899
- dispersal
 - clonal, 898
 - heterogeneity and, 30
- distributary, defined, 899
- distribution, along gradients, 14–15
- disturbance, *See also* natural disturbances
 - defined, 899
 - generalist species and, 509
 - nonindigenous species and, 120
 - regimes, 27–28
- disturbance-adapted species, 228
- diurnal, defined, 899
- diurnal tides, coastal Louisiana, 395
- diversity, *See also* biological diversity
 - conceptual model, 32f
 - defined, 899
 - in Everglades, 79–80
 - fire suppression and, 45–47
 - flux and, 32
 - functional, 168, 169
 - grasslands, 463, 465
 - harvest and, 173
 - heterogeneity and, 11, 16
 - human impacts on, 30–31
 - interaction among organisms and, 18
 - land use and, 37, 38–39, 44–52, 54–57
 - measuring, 173
 - natural disturbances and, 19, 28
 - nonindigenous species and, 121–22
 - research needs, 31–32
 - Southeast, 260–74
 - succession and, 18
 - taxonomic, 168
- diving ducks, 369, 371, 372, 424–25, 719
- DNA, UV-B and, 155
- dotter, 406
- dogfish, 783t
 - spiny, 781, 782
- dogs, 341
- dogwood anthracnose disease, 184, 272
- dogwoods, 183, 184
- doliolids, 779
 - defined, 899
- Dolly Varden, 711t, 725, 726, 729, 733, 736, 737, 739
- dolphins, 425, 787, 790, 795t, 798, 821
 - Atlantic spotted, 788t, 789
 - Atlantic white-sided, 788t
 - bottlenose, 154, 788t, 789, 789t, 790, 804–5, 843, 850
 - Central American spinner, 789t
 - clymene, 788t
 - common, 788t, 789, 789t
 - eastern Pacific spinner, 841
 - eastern spinner, 789t, 821
 - Fraser's, 788t
 - long-beaked common, 789t
 - mid-Atlantic coastal bottlenose, 789
 - northeastern spotted, 821
 - northern bottlenose, 805
 - northern right-whale, 789t, 843
 - Pacific white-sided, 788t, 789t
 - panropical spotted, 788t, 789, 789t
 - Risso's, 788t, 789t
 - rough-toothed, 788t, 789t
 - short-beaked common, 789t
 - spinner, 788t, 789t, 843
 - spotted, 789t
 - striped, 788t, 789t, 806f
 - white-beaked, 788t
 - whitebelly spinner (*see also* Fraser's dolphin), 789t, 843
 - white-sided, 790f
- dominance, defined, 899
- domoic acid, 817, 851
- Donut Hole area, 809, 850
- Douglas-fir, 46f, 474, 476, 497, 513, 550, 600, 601, 645, 652, 653, 687, 689, 691
 - old-growth, 646
- Douglas-fir forests, Rocky Mountains, 476
- douglasia, Bering, 724
- dovekies, 786
- doves
 - mourning, 186, 246t, 374t, 523, 524, 631, 632, 674t, 678t
 - rock, 203, 631, 632
 - spotted, 631, 632
 - white-winged, 631
 - Zenaida, 302
- dowitcher, long-billed, 441, 524
- downwelling, defined, 899
- draba, Aleutian, 729
- dragonflies, 195
 - Ozark snaketail, 447
- drainage canals, Mississippi River, 397
- Drake, Sir Francis, 596
- drawdown, defined, 899
- driftnets, 839, 850
- dropseeds, 476
 - coastal, 412
 - sand, 476
- dropwort, Canby's, 185t
- Drosophila* species, 768f
- drought, 27
 - fire suppression and, 47
 - Mississippi River, 372
 - tolerance, in grassland birds, 460
 - Upper Mississippi River, 362–63
- drums
 - black, 419, 420t, 800
 - freshwater, 240, 367, 368
 - red, 357, 419, 420t, 795t, 800–801, 847
- dry forests, Hawaii, 761
- dubautia, 750
- duckpotato, delta, 403
- ducks, 406, 422–24, 597, 719, 726, 802
 - American black, 138, 168, 197–200, 205, 373
 - breeding population trends, 456–57
 - canvasback, 206, 371, 372, 378, 424t, 425, 456–57, 524
 - Chesapeake Bay, 205–6
 - dabbling, 369, 424, 719
 - diving, 369, 371, 372, 424–25, 719
 - fulvous whistling, 627
 - harlequin, 671, 673, 722, 813
 - migration corridors, 423f

- Mississippi River, 370–73
 mottled, 357, 420t, 424, 425, 425t
 prairie pothole region, 456–57
 puddle, 420t
 ring-necked, 371, 372, 424t, 425
 ruddy, 371
 water conditions and, 456–57
 West Indian ruddy, 337
 wood, 246t, 369, 373, 425
- duck virus enteritis (DVE) (duck plague), 458–60
- duckweeds, 409
 greater, 415t
 lesser, 415t
- dunes
 communities, California, 612–16
 fields, 717
 lake-edge, 227
 perched, 227–29
- duskywing, persius, 447
- dust bowl, 27
- Dutch elm disease, 184
- Dutchess County, New York, forest cover, 40
- eagles, 527
 bald, 131, 138, 140, 146, 149, 154, 189t, 206, 231, 232t, 246t, 247, 289, 369, 373, 378, 427t, 428, 492, 522, 626t, 671, 673f, 714, 719, 726, 730, 737, 812, 823
 golden, 524, 527, 679, 681–82, 681f, 682f, 688, 722
 Steller's sea, 730
 white-tailed, 730
- earthworms, 445, 753
 decomposition and, 19
- East Bering Sea, 853f
- Eastern Cascades Slopes and Foothills, 675
- eastern deciduous forest type, Northeast, 182
- eastside forests, Pacific Northwest, 645, 647–48, 690
- eastside rangelands, Pacific Northwest, 649–50, 690
- eat-outs, muskrat, 426
- echinoderms
 defined, 899
 Pacific, 831
- ecological impact assessments, 110
- ecological models, 112
- ecological succession, 16–19
 competitive displacement and, 28–29
 defined, 16, 183, 899
 fire and, 17
 floodplain forest, 17
 forest, 183
 naturalness of, 17–18
 RHESSys model, 106
 Southeast, 259
- ecology, study of, 169–70
- ecoregions. *See* biogeographical regions
- ecosystems
 climate change and, 94–95, 98
 defined, 19, 899
 disturbed, nonindigenous species and, 120
 diversity, Southeast, 260–74
 fire suppression and, 45–47
 integrity, 175
 management, vs. species-by-species management, 6
 nonindigenous species and, 117
 sustainability, marine resource issues, 852–54
- ecotones, defined, 386, 899
- ecotypes, climate change and, 91
- Ectocarpus*, 406
- ectotherms
 climate change and, 101
 defined, 101, 899
 temperature restrictions, 110
- edaphic, defined, 899
- edaphic communities, 516
- edge effects
 defined, 899
 saltwater marshes, 406
- eelgrass, 781, 823
- eels
 American, 296, 369, 801
 spotted snake, 325
- Eemian interglacial, 111
- effect and recovery, brown pelican, 820
- eggshell thickness
 acidification and, 138
 DDE and, 144, 146, 149
- Egler, Frank, 182
- egrets, 81f, 327, 369, 421
 cattle, 288, 289t, 370, 374t, 455t
 great, 289t, 291, 370, 455t
 snowy, 289t, 291, 421f, 455t
 Southeast, 303
- eiders, 140, 740
 common, 208
 king, 734
 spectacled, 726, 813
 Steller's, 726, 730, 813
- Elaphoglossum serpens*, 331t
- elasmobranchs, defined, 900
- elderberry, Pacific red, 737
- electric generating plants, coal-fired, 138
- eleotrids, 762, 766
- elepaio, 765
- elephant's ear, 403
- elk, 172f, 188, 221, 222, 248, 265, 303, 437, 440, 460, 476, 477, 488, 489, 496f, 597, 686, 715
 eastern, 280
 Merriam's, 577
 North American, 495
 Rocky Mountain, 577–79
 Roosevelt, 687–88
 Tule, 603
- elm phloem necrosis, 184
- elms
 American, 184, 359, 360, 409, 411
 Siberian, 560
 slippery, 360
- El Niño events, 814
 anadromous species and, 665
 California least tern and, 630
 defined, 900
 forecasting, 854
 marine resources and, 853
 salmon effects, 819
 Southern California Bight effects, 815
 Southwest effects, 544
- elodea, 360, 361
- emajagua, 339
- emergent, defined, 900
- emersed, defined, 900
- emperors, 836
- empirical, defined, 900
- empirical-statistical approach, to climate prediction, 94
- encinal, defined, 900
- encinal woodlands
 herpetofauna, 571
 Southwest, 555
- Endangered Species Act, 525, 775
 Rocky Mountains effects, 495
- endangered/threatened species
 aquatic, in contiguous U.S., 66t
 birds, Great Lakes region, 247
 California, 598, 610, 628, 632–34, 636
 Caribbean Islands, 330, 337
 coastal Louisiana, 426–30
 in contiguous U.S., 66t
 freshwater fish, 65
 giant garter snake, 624–26
 Great Basin–Mojave Desert region, 519, 522–23
 Great Lakes region, 232–33, 247–48
 marine resources, 846–47, 855
 nonindigenous species and, 123–25
 Northeast, 185t
 Pacific coast region, 820
 Pacific Northwest, 654, 671
 plants, 185
 protection of, 837
 pupfishes, 519
 sea turtles, 838
 Southeast, 261–62
- endemic, defined, 900
- endemic species
 Alaska, 728
 California, 605, 606, 610–11, 618
 Great Basin–Mojave Desert region, 515, 519
 Hawaiian Islands, 749–50, 842
 Pacific Northwest, 652, 683
 Southwest, 563, 565, 580
- endocrine-disrupting compounds, 148

endosulfan, 133t, 144
 endotherm, defined, 900
 endrin, 133t, 144, 146
 energy, of organisms, 13
 energy intensity, defined, 93
 ensatinas, 601, 667t
 large-blotched, 623t
 Monterey, 623t
 Oregon, 623t
 painted, 623t
 Sierra Nevada, 623t
 yellow-blotched, 623t
 yellow-eyed, 623t
 entanglements, of marine species, 851
Enteromorpha, 406
 environmental change, Texas, 264–72
 environmental contaminants. *See* contaminants
 environmental heterogeneity, 28
 community dynamics, 16–19
 defined, 11
 diversity and, 11, 16
 episodic events and, 19–28
 gradients and, 14–15, 16
 homogenization and, 28
 maintaining, 32
 natural disturbances and, 19–28
 organism response to, 12–13
 patches and, 14, 15–16
 research needs, 31–32
 spatial, 13–16
 succession and, 18
 environmental monitoring. *See* monitoring programs
 environmental movement, history, 169
 environmental toxicology, 145, 156
 epibenthos, defined, 896
Epidendrum krugii, 318f
 epilobium, pygmy, 604
 epipelagic, defined, 900
 epipelagic zone, 816, 818
 epiphytes, 318, 319, 753
 defined, 900
 episodic events, environmental heterogeneity and, 19–28
 epizootic, defined, 900
 ericaceous, defined, 900
 ermine, 248, 461, 462, 723, 734
 erosion, Upper Mississippi River, 354
 erubia, 331t
 escapements
 of coho salmon, 718
 defined, 900
 Eskimos, 708
 estrogen mimics, 148
 estuarine-dependent ichthyoplankton, 793
 estuarine resources
 Chesapeake Bay watershed wetlands, 202
 Columbia River estuary, 821–23
 fishery resources and, 796
 habitat degradation, 848
 importance of, 844
 national status and trends, 844
 Puget Sound, 823–24
 San Francisco Bay, 821
 Southern California Bight, 824
 toxic contaminants and, 850–51
 estuary, defined, 900
Eugenia woodburyana, 331t
 Euglandina, 762–63
Euglandina rosea, 762–63, 767
 euglenoids, 415t
 eulachons, 711t, 712, 736, 811, 822
 Eureka Dune, Death Valley National Park, 516f
 European settlers
 arrival of, 44
 deforestation by, 41
 Southeast, 258
 Southwest, 545
 euryhaline, defined, 900
 eustatic, defined, 900
 eutrophication, 73, 81
 coastal Louisiana, 413
 defined, 49–50, 900
 evapotranspiration, defined, 900
 Everglades, 79–81, 289–92
 ecological effects of water use, 79–81

Everglades Agricultural Area, 290
 Everglades National Park, 290–91, 294
 Exclusive Economic Zone, 849, 850
 Pacific Islands, 826, 827
 potential and average yields, 845–46
 Executive Order 11987 Exotic Organisms (1977), 127t
 exotic species. *See* nonindigenous species
 Experimental Lakes Area, 73
 extinctions
 amphibians, Caribbean Islands, 329
 aquatic, 50–51
 birds
 Caribbean Islands, 329–30
 Polynesia, 751
 Caribbean Islands, 329–30
 defined, 900
 grasslands, 463
 Hawaii, 751, 769
 mammals, Caribbean Islands, 330
 nonindigenous species and, 121
 prehistoric, 221–22, 751
 reptiles, Caribbean Islands, 329
 vascular plants, 45t
 vertebrates, 45t
 extirpation, 900
Exxon Valdez oil spill, 140–41, 714, 807, 811–12
 falcons
 American peregrine, 231, 232t, 247, 331t, 626t, 719
 aplomado, 271
 arctic peregrine, 231, 232t, 247, 289, 428, 734
 Peale's peregrine, 714
 peregrine, 146, 149, 189t, 203, 209, 427t, 428, 493, 522, 576,
 719, 722, 734
 pealei subspecies, 726, 730
 prairie, 146, 451t, 453, 524, 678t, 679, 681, 682f
 fanshell, 196
 fanwort, Carolina, 415t
 fauna, defined, 900
 feathermosses, 717
 fecundity, defined, 900
 Federal Endangered Species Act, status and trends information and,
 232
 Federal Insecticide, Fungicide and Rodenticide Act (1947), 127t
 federal laws, nonindigenous species, 126, 127t
 Federal Noxious Weed Act (1974), 127t
 federal parks, nonindigenous species and, 123–25
 Federal Plant Pest Act (1957), 127t
 Federal Seed Act (1939), 127t
 fens, 277, 477
 defined, 900
 feral, defined, 900
 feral animals
 barrier islands, 288
 cattle, Hawaii, 754
 goats, Hawaii, 753–54
 livestock, 341
 pigs, Hawaii, 752–53, 759, 760, 763, 766, 789–90
 ferns, 729, 750, 753
 American hart's-tongue, 185t, 232t
 epiphytic, 318
 marsilea, 604
 royal, 404
 shield, 331t
 southern marsh, 404
 tree-ferns, 331t
 ferrets, black-footed, 265, 460, 479, 577, 720
 ferric hydroxide, 134
 ferrous, defined, 900
 ferrous metals, 134–39
 fertilizers, Rio Grande, 271
 fescues, 549
 six-weeks, 603
 fetch, defined, 900
 fibropapillomas (tumors), in green turtles, 838–39
 filefish
 fringed, 325
 scrawled, 325
 finches
 Cassin's, 678t
 Darwin's, 765
 estrildid, 340
 house, 186, 203, 374t
 purple, 186, 246t

- finfish, 420t
 - marsh, 420t
 - potential and average yield, 846
- fingerailclams, 363, 372, 378
 - declines, 364–65
 - long, 50
- fin rot, 141
- FIRE-BGC model, 105–7
- fire and fire processes
 - Alaska, 716, 717, 739
 - California, 608
 - chaparral adaptation, 607
 - crown, 27, 480–81, 553, 898
 - ecosystem recovery stages, 45–47
 - giant sequoias and, 602
 - Great Basin–Mojave Desert region, 528, 530
 - Hawaii, 755
 - as natural disturbance, 22, 27
 - old-growth forest effects, 481
 - Pacific Northwest, 690
 - pine rocklands, 293
 - plant cover and, 44
 - pocosins, 285–86
 - prairie, 444–45
 - prescribed, 608–9
 - red, 600
 - Sierra Nevada, 609
 - Southeast, 282, 283
 - Southwest, 547, 549, 550, 551, 552, 553, 554, 555
 - subalpine forests, 480–81
 - succession and, 17, 26
- fire suppression
 - California, 608
 - cypress and, 600
 - diversity and ecosystem effects, 45–47
 - forest composition and, 55
 - junipers and, 476, 512
 - Pacific Northwest, 43, 648
 - Rocky Mountains, 481, 483, 484, 485, 487
 - Southeast, 273, 282–83
 - Southwest, 553
 - whitebark pine loss and, 483, 484, 485
- firetree, 754, 756
- firs, 48, 260, 477, 645
 - balsam, 182, 191
 - California red, 600
 - California white, 514, 602
 - Douglas, 46f, 474, 476, 497, 513, 550, 600, 601, 645, 652, 653, 687, 689, 691
 - Fraser, 275, 276
 - grand, 476, 599
 - noble, 600
 - Pacific silver, 24, 600, 688, 710
 - red, 600, 602
 - spruce-fir forests, 190, 191, 275–76, 474, 477, 481, 549, 550
 - as spruce grouse habitat, 190
 - subalpine, 477, 549, 600
 - white, 525, 526f, 550, 600, 602, 606, 609
- fishers, 222, 248, 633, 682, 683, 715
 - Pacific, 525, 525t
- Fisheries-Oceanography Coordinated Investigations, 810
- fishes. *See also* commercial fisheries; freshwater fishes; marine resources; sport fishing; *specific species and types of fish*
 - amphidromous, 895
 - anadromous, 896
 - aquarium, 118, 125, 800, 849
 - bottom-dwelling, 141
 - California, 597, 619–21, 622, 638
 - anadromous, 620
 - Sacramento-San Joaquin estuary, 620
 - Sierra Nevada, 621
 - southern California, 621
 - California abalone, 615
 - cancer in, 138f
 - Caribbean Islands, 332
 - coastal Louisiana, 417–20, 429
 - desert springs, 569–70
 - diadromous, 448
 - endangered, 65, 124
 - forage, 124, 810
 - freshwater
 - Alaska, 711–14, 718–19, 722, 725–26, 729–30, 733, 736, 737–39
 - Caribbean Islands, 339–40
 - DDE concentrations, 147
 - Hawaii, 766
 - PCBs, 154
 - Southeast, 296–98
 - threatened, 69
 - grasslands, 448–49
 - Great Basin–Mojave Desert region, 515, 519–20
 - Great Lakes, 223, 239–40
 - Great Lakes region, 236–43
 - harvest and depletion, 47, 171–72, 368–69
 - insecticides and, 150
 - marine
 - Alaska region, 809–12
 - coastal wetlands and, 796
 - Southeast, 794–802
 - migratory, management of, 849
 - Mississippi River, 366–69, 376, 378
 - distribution, 366–67
 - habitats, 367–68
 - national status and trends, 845–46
 - nonindigenous, 69, 118t, 120, 121t, 123t, 848–49
 - California, 622
 - Caribbean Islands, 332
 - Everglades, 90–91
 - Great Basin–Mojave Desert region, 528, 531
 - Rocky Mountains, 487, 489, 491, 492
 - Southwest, 567
 - Northeast region, 781
 - oil spills and, 140
 - organochlorine chemical concentrations in, 147t
 - Pacific coast region, 817–20
 - continental shelf and slope groundfish, 818
 - continental shelf pelagic fishes, 817–18
 - nearshore fishes, 817
 - oceanic pelagic fishes, 818–20
 - Pacific Northwest, 660–66
 - planktonic phase migration, 416
 - potential and average yields, 845–46
 - productivity of, 848–49
 - reef, 325–27
 - Rocky Mountains, 481, 489, 492
 - salt-tolerant, 271
 - Southeast, 294, 295
 - Southwest, 548, 565–70
 - stocking, 124, 171–72
 - Alaska, 718
 - threatened, 124, 197
 - transboundary stocks, management of, 849–50
 - water quality and, 51
 - western Pacific oceanic region, 832–38
 - bottom fish, 835–36
 - coastal pelagic fishes, 834–35
 - coral reefs, 837–38
 - invertebrates, 832–33
 - reef animals, 836–37
 - sharks, 833–34
- fishless lakes, 137
- fish tests
 - full life cycle, 145
 - partial life cycle, 145
- Fish and Wildlife Coordination Act, 775
- Flacourt family, 331t
- flammable nonindigenous plants, Southwest, 556
- flatfishes, 809–10
 - shallow-water, 810
- Flathead (tribe), 478
- flatsedge, 403
 - variable, 402t
- flatworms, 831
- fleabane, Muir's, 732
- fleas, water, 779
- flickers
 - gilded, 626t
 - northern, 24, 246t, 523, 675, 677, 678t, 679, 681
 - yellow-shafted, 374t
- flies, 655
 - black, chemical control of, 146
 - Delhi Sands flower-loving, 619t
 - picture-wing vinegar, 768
- Flint River, 67
- floating marshes, coastal Louisiana, 404–5
- flood control. *See also* levees
 - Southwest, 560–61
 - structures, 67

flooding
ecosystem effects, 26–27
marshes and, 402
Southeast, 274
Upper Mississippi River, 359–60

floodplains
forest succession, 17
historical changes, 65–66
landscape context, 54
land-use change and, 49
Mississippi River, 351
Upper Mississippi River forests, 357–58

flora, defined, 900

Florida
acid precipitation, 136
coral reef tract, 845
scrub, 293–94
solution ponds, 296

Florida Current, 792

floristic, defined, 900

flounders, 420t, 781
arctic, 711t
arrowtooth, 809, 810, 811, 818
southern, 419, 420t
starry, 154, 711t, 822
summer, 783t, 844
winter, 146, 783t, 844
witch, 783t
yellowtail, 782, 783t, 847, 850

Flower Garden Banks, 844

flow regulation, impacts, 69

fluvial, defined, 900

fluvial processes, coastal Louisiana, 395, 396

flux, 32

flycatchers, 244
alder, 246t
ash-throated, 524
buff-breasted, 576
dusky, 678t, 679
gray, 523, 679, 681
Hammond's, 677
least, 246t
olive-sided, 246t, 481, 631, 674t, 678t, 719
Pacific-slope, 626
southwestern willow, 522, 626t
vermillion, 575
willow, 25, 626t, 632, 678t, 679, 681

flytrap, Venus, 282, 286f, 384

foam, meadow, 605f

fog and fog drip
California, 600
westside California, 594

fogfruit, common, 405

fold, defined, 900

fonofos, 133t, 150

Food, Agriculture, Conservation and Trade Act (1990), 127t

food web, 173
marine resources, 807

forage fish, 810
stocking, 124

forbs, 511, 725
defined, 900
perennial, 512

FOREST-BGC model, 106

forest biogeochemistry model (FOREST-BGC), 106

forest birds
forest cover and, 48–49
land-use change and, 53
Northeast, 186–88
Southwest, 575–76

forest cover, *See also* forests
changes, 37, 47–51, 53, 183
deforestation, 40–43
Dutchess County, New York, 40
forest animals and, 48–49
Georgia, 40–41
historical, 38, 40
in Midwest, 41–42
Petersham Township, Massachusetts, 40, 41f
reforestation, 40–41
resilience of, 47
riparian, land-use change and, 49–51

Forest Ecosystem Management Assessment Team, 664

forest ecosystem models, 104

forested wetlands
coastal Louisiana, 408–10
Southeast, 278–79

forest gap models, 104–5, 112–13

Forest Health Monitoring Program, 184

forest products industry, 153

forestry, 478
contaminants, 142–52

forests, *See also* forest cover; logging; old-growth forests; pine
forests; spruce-fir forests; woodlands; *specific trees*
ancient, Pacific Northwest, 43
aspen-birch, Great Lakes, 231
boreal, 90–91, 897
bottomland hardwood, coastal Louisiana, 408–9
canyon, Rocky Mountains, 476

Caribbean Islands
limestone, 342–43
reforestation, 319–20
subtropical, 317–19
virgin, 316–17

Chesapeake Bay, 204

cloud, 898

composition, fire control and, 55

cottonwood, 78, 560

deciduous type, 182

Douglas-fir, 476

floodplain, 17, 357–58

gallery, 901

hardwood, 21–22, 48, 408–9

Hawaii, 761

insect effects, 184

limestone, 342–43

mycorrhizal fungi and, 652–53

Northeast, 181, 182–86
disease effects, 183–84
forest composition, 183–86
forest types, 182–83
old-growth, 181–85
second-growth, 185
understorey plant loss, 185–86

oak, 17, 41, 55, 231, 263, 272, 605–6

Pacific Northwest, 646–48, 652–53, 690
fragmentation, 668
reforestation, 40–41

Rocky Mountains, inventories, 498–99

Southeast, 260
old-growth, 262, 263, 272–73
Southwest, old-growth, 547

succession, 183

understorey, 45, 46f, 47, 185–86, 910

virgin, 316–17

For the Sake of the Salmon, 691

Fortymile caribou herd, 723

fossil fuel combustion, 152, 156

fossils
plants, California, 596
pollen cores, 90–91

foul hooking, of sea turtles, 334

four-o'clock, MacFarlane's, 654, 655f

Fourth of July Butterfly Count
Great Lakes, 234
Pacific Northwest, 655

fowl plague, 458

foxes, 195, 248, 726, 730, 735, 739, 740
arctic, 727, 731, 734
Channel Islands gray, 611, 633t
gray, 461
kit, 682t
red, 457, 460, 461, 633, 634, 683, 723, 727, 730–31, 734, 821
San Joaquin kit, 633t
Sierra Nevada red, 525t, 633t, 634
swift, 460, 461, 479

foxtail, 604

fragmentation. *See* habitat fragmentation

Franciscan missionaries, 596–97

Frémont, John C., 463, 505

fresh water
consumptive use, 63
development of, 66–67
importance of, 63
trends in use of, 63

freshwater ecosystems
Hawaii, 761–62
nonindigenous species and, 124

- freshwater fishes, *See also* fishes
 - Alaska, 711–14, 718–19, 722, 725–26, 729–30, 733, 736, 737–39
 - Caribbean Islands, 339–40
 - DDE concentrations, 147
 - Hawaii, 766
 - nonindigenous, Caribbean Islands, 339–40
 - PCBs, 154
 - Southeast, 296–98
 - Southwest, 565–70
 - threatened, 69
- freshwater mussels, Southeast, 298–99
- frigatebirds, 628t, 802
 - magnificent, 421, 803–4
- fringing reef, defined, 900
- fritillaries
 - Apache nokomis, 518, 519
 - regal, 445, 446f
 - silver-bordered, 447
- frogs, 520, 570, 572–74, 597, 621, 666, *See also* coquis, treefrogs
 - acidified habitats, 137
 - African clawed, 118, 623t
 - Arizona leopard, 573–74
 - Blanchard's cricket, 451
 - boreal chorus, 520t
 - bronze, 425
 - California red-legged, 520t, 621–22, 623t, 624f
 - Caribbean white-lipped, 332
 - Cascades, 155, 623t, 667t
 - Cascades chorus, 623t
 - Cascades spotted, 709
 - Chiricahua, 572
 - Chiricahua leopard, 573t, 574
 - chorus, 243
 - coast chorus, 623t
 - Columbia spotted, 490, 668
 - common mud, 332
 - cricket, 425
 - ecosystem disruption and, 26
 - foothill yellow-legged, 622, 623t, 667t, 668
 - gopher, 301
 - grasslands, 450
 - Great Lakes, 243
 - green, 243
 - leopard, 451, 520, 573–74, 575, 668
 - leptodactylid, 332
 - lowland leopard, 572
 - mountain yellow-legged, 520t, 623t
 - northern cricket, 243
 - northern leopard, 243, 450, 451, 489, 520, 520t, 572, 573t, 574, 623t, 667t, 668, 668t, 691
 - northern red-legged, 623t, 667t, 668
 - Oregon spotted, 623t, 666, 668, 669
 - Pacific chorus, 490f, 520, 520t, 623t, 667t, 668t
 - pickereel, 243
 - pig, 425
 - Plains leopard, 449t, 573–74
 - Ramsey Canyon leopard, 573t, 574
 - ranid
 - decline of, 668–69
 - relict leopard, 520, 520t, 572, 573t, 574
 - Rio Grande leopard, 573, 623t
 - Sierra chorus, 623t
 - Southeast, 282, 300–301
 - southwestern chorus, 623t
 - spotted, 520, 520t, 521f, 667t, 668, 668t, 691
 - spotted chorus, 449t
 - striped chorus, 450, 451, 667t, 668t
 - tailed, 25, 490f, 491, 601, 623t, 666, 667t, 668t
 - Tarahumara, 571, 573
 - Vegas Valley leopard, 572
 - wood, 243, 350, 709
 - Yavapai leopard, 573t, 574, 622, 623t
- frog's-bit, American, 409, 415t
- frost sorting, 721
- fruit-doves, purple-capped, 764
- full life cycle fish tests, 145
- fulmar, northern, 786, 813
- functional diversity, 168, 169, *See also* biological diversity; diversity
 - diversity
- fundamental niches, *See also* niches
 - defined, 108
- fungal diseases
 - chestnut blight, 121, 183, 263, 272
 - laminated root rot, 653
- Northwest, 653
- fungi, 233
 - Agaricia*, 794
 - coral, 652f
 - decomposition by, 19
 - Great Basin–Mojave Desert region, 516
 - mycorrhizal, 18, 24, 652–53, 904
 - Northeast, 211
 - Pacific Northwest, 652–53, 691
 - pathogenic, 653
 - Piloderma fallax*, 652
- furbearers, *See also* trapping
 - harvest, 375
 - traders, 48
 - trapping, 47, 48
- gadwall, 424, 425t, 456–57
- Galapagos Islands, 750, 751, 765
- Gallatin National Forest, 485
- gallery forest, defined, 900
- galleta, 476, 556
- gallinule, purple, 330, 421
- game fish stocking, 124
- gamete, defined, 900
- Gang-of-Four Report, 690
- gannets, northern, 786, 802, 803
- GAP analysis, defined, 900
- gars, 368, 419
 - alligator, 417–18, 418t, 420t
- gastropods, 780
 - defined, 900
- Gavins Point Dam, 75
- geckos, 624
 - Monito dwarf, 331t
 - Switak's banded, 625t
- geese, 369, 422–24, 597, 802
 - Aleutian Canada, 626t, 628, 676, 730, 740, 813
 - cackling Canada, 628, 676
 - Canada, 195, 206, 209, 246, 371, 373, 374t, 425, 454, 456–57, 675, 676–77, 726, 733, 823, 824
 - dusky Canada, 676, 714, 737
 - emperor, 726, 730, 813
 - Great Basin Canada, 628
 - greater white-fronted, 424t, 425t, 441, 726, 733
 - lesser Canada, 676
 - lesser snow, 424t, 425, 425t
 - Ross's, 628
 - snow, 330, 425, 733–34
 - Tule white-fronted, 628, 714
 - Vancouver Canada, 676, 714
 - western Canada, 676
 - white-fronted, 425, 628
- gemsbok, 558, 580
- general circulation models, 94, 96, 98, 99
- genetic diversity, 12–13, *See also* biological diversity; diversity
 - harvest and, 171–72
 - loss of, grasslands, 463
 - of marine mammals, 841
- genotoxins, 138
- geoducks, Pacific, 823
- Geographic Information System (GIS), defined, 900
- geomorphology, defined, 900
- Georges Bank
 - benthic resources, 781
 - environmental and physical features, 775, 776–77
 - fisheries resources, 782
 - North Atlantic right whale, 791
 - overfishing, 847
 - planktonic secondary production, 779–80
 - primary production, 778–79
 - shared management of, 849–50
- Georgia, forest cover, 40–41
- geothermal resources, 488
- geotropic, defined, 900
- gerardia, sandplain, 185t
- Gila monsters, 521
- Gila River, 568
- ginger, kahili, 754f, 759
- glacial cycle, 91–92
- Glacier Bay National Park, 712–14
- Glacier National Park, 104–7, 484f, 494
- glaciers
 - predicting with RHESSys model, 107
 - Rocky Mountains, 473
- glades

- defined, 900
- over limestone, 279–80
- Southeast, 279–80
- global change forcings, 89, 95, 97
- Global Ocean Ecosystems Dynamics program, 854
- global warming, 142, 764, *See also* climate change; greenhouse effect; sea-level rise
 - Alaska, 739, 740
 - CFCs and VOCs and, 155
 - grasslands and, 465
 - greenhouse gases and, 108
 - human activities and, 89
 - marine resources and, 855
 - rate of, 90, 108
- Gloeocapsa* species, 415t
- glyphosate, 133t, 151
- gnatcatchers
 - blue-gray, 246t, 374t
 - coastal California, 626
- gnats, 146
- goatfishes, 326
- goatgrasses, 603
- goats
 - feral, 341, 753–54
 - mountain, 477, 496f
- goatsuckers, 422
- gobies, 418, 420t, 762, 766
 - round, 240
 - soft-coral, 833
 - tidewater, 620t, 621, 664t
 - tubenose, 240
- godwits
 - Hudsonian, 441
 - marbled, 441, 451t, 453, 454t, 455t
 - northern, 454
- gold, Rocky Mountains, 478
- goldeneyes, 371, 813
- golden-plovers
 - American, 722
 - lesser, 444
- goldenrods, 17f
 - Houghton's, 229, 232t
 - spring-flowering, 384
 - tall, 15
- goldfields, California, 604f
- goldfinches
 - American, 43f, 374t, 631, 678t, 679
 - lesser, 674t
- Gomphosphaeria* species, 415t
- goose. *See* geese
- gooseberry, 476, 512
- gophers
 - colonial pocket, 304
 - Cumberland Island pocket, 304
 - Fish Spring pocket, 525t
 - mountain pocket, 633t
 - Mt. Ellen pocket, 580
 - plains pocket, 460
 - pocket, 579
 - San Antonio pocket, 525t
 - Sherman's pocket, 304
 - southeastern pocket, 304
- Gorgonian, defined, 900
- goshawks, northern, 481, 671, 673, 719, 737
- grackles, 420t
 - common, 246t, 374t
- Gradiierella* species, 416
- gradients
 - defined, 14, 900
 - heterogeneity and, 14–15, 16
- grain crops, 437
- gramas, 476
 - black, 557
 - blue, 440, 448
- graminoid, defined, 900
- Grand Canyon, river studies, 69
- Grand Canyon National Park, 76
- Grand Coulee Dam, 822
- Grand Ronde River basin, 658
- Grand Sable Dunes, 227–29
- Grand Teton National Park, 485
- grape vines, 412
- grass bugs, black, 655
- grasses, 318, 331t, 477, 512, 549, 710
 - brome, 604
 - buffalo, 440, 445, 476
 - buffel, 449, 755
 - bunchgrass, 897
 - Chesapeake Bay, 204
 - fountain, 755
 - invasive, 754, 755
 - kikuyu, 761f
 - manatee, 324
 - nonindigenous, Caribbean Islands, 339
 - perennial, 603
 - productivity of, 437
 - shoal, 269
 - Tobosa, 557
 - turtle, 324
- grasshoppers, 447, 489, 518, 655
 - Idaho pointheaded, 655
- grasslands, 437–66
 - amphibians, 449–51
 - aquifers, 442
 - birds, 441, 446–47, 451–60
 - Great lakes region, 244–45
 - relative abundance, 43t
 - Southeast, 303
 - butterflies, 446–47
 - California, 603, 604
 - conservation, 447, 465
 - conversion of woodlands to, 555
 - decline, 42
 - fire disturbances, 22
 - fishes, 448–49
 - herpetofauna, 572
 - historical, 438
 - intracommunity management, 463–65
 - invertebrates, 445–48
 - loss of, 42
 - mammals, 460–63
 - mixed-grass prairies, 438, 439–40, 444, 445
 - Pacific Northwest, 649–50, 655, 680
 - plant assemblages, 445
 - prairie integrity, 463–64
 - prairie processes, 444–45, 463–64
 - precipitation, 437, 442
 - productivity of, 437, 443, 444–45
 - reptiles, 449, 451
 - research needs, 465–66
 - Rocky Mountains, 479–80
 - short-grass prairies, 438, 439t, 440, 445, 448, 476
 - soils, 443–44
 - Southeast, 279–80
 - Southwest, 557–59
 - tall-grass prairies, 438–39, 444, 445
 - waterways, 442–43
 - wetlands, 440–42
- grasspink, tuberous, 404
- grassy balds, Southeast, 277–78
- gravel mining, 76
- gravid, defined, 900
- grayling, arctic, 222, 711t, 718, 722, 725, 726, 733, 738
- grazing
 - Alaska, 739, 740
 - antigrazing plant structures, 440
 - aquatic ecosystems and, 75
 - barrier islands, 288
 - California, 603, 610
 - deforestation and, 41
 - grasslands and, 43–44, 437, 444, 449, 480
 - Great Basin–Mojave Desert region, 509, 520, 522, 530–31, 532
 - habitat stripping, 341
 - Hawaii, 752, 758, 761
 - junipers and, 476, 512
 - monitoring effects of, 498
 - Pacific Northwest, 649, 681, 688
 - plant cover and, 43–44
 - Rocky Mountains, 480, 489
 - Southeast, 282
 - Southeast barrier islands, 288
 - Southwest, 546–47, 553, 554, 555, 557, 558, 559, 560, 561, 572
 - water supply and, 43
- greasewood, 510–11, 532, 546, 556
- Great Basin Desert, 506
- Great Basin–Mojave Desert region, 505–35
 - absolute desert communities, 510
 - alpine zone, 514

- amphibians, 520
- aquatic invertebrates, 518
- biodiversity hot spots, 514
- birds, 508, 522–25
- bogs, 527–28
- Carson River developments, 532–33
- caves, 526
- climate, 506–7
- edaphic communities, 516
- endemic species, 515, 519
- fishes, 519–20
- floristic region, 506
- fungi, 516
- habitats, 526–28
- human disturbances, 529–31
- human-induced changes, 529–31
- hydrographic Great Basin, 505
- invertebrates, 517–19
- Las Vegas Valley development, 532
- mammals, 525
- mines, 526–27
- Mojavean zone communities, 510
- montane islands, 507, 514–15
- montane zone, 513–14
- Neotropical migrant birds, 523–24
- nonindigenous species, 528, 531
- physiographic region, 505–6
- pinyon-juniper zone, 512–13
- plants, 516–17
- reptiles, 521–22
- research needed, 525–26
- riparian communities, 508–9
- sagebrush-grass zone, 511–12
- sand dunes, 515–16
- shadscale zone communities, 510–11
- springs degradation, 531–32
- terminal-wetland communities, 509–10
- terrestrial invertebrates, 518
- transition zones, 507–8
- Truckee River developments, 532–33
- vulnerable birds, 522–23
- vulnerable invertebrates, 518–19
- Walker River Basin/Walker Lake, 533–34
- waterbirds, 524–25
- western juniper zone, 512–13
- wet-meadow communities, 509
- Great Kobuk Sand Dunes, 717
- Great Lakes
 - characteristics, 219
 - climate effects, 219, 220
 - nonindigenous species, zebra mussels, 848
 - out-of-basin diversions, 224
 - PAHs, 138
 - PCBs, 153–54
 - pollution of, 73–74, 138, 148, 153–54, 223–24
 - toxaphene, 148
 - water withdrawals, 224
- Great Lakes Fishery Commission, 238
- Great Lakes Fish and Wildlife Restoration Act (1990), 127t
- Great Lakes region
 - amphibians, 243
 - birds, 243–48
 - fishes, 236–43
 - fungi, 233
 - history, 231–32
 - human settlement, 221
 - invertebrates, 234–36
 - mammals, 248–49
 - plants, 233–34
 - regional ecosystems
 - coastal shore, 226–29
 - lake plains, 229–31
 - open lake and connecting channels, 222–23
 - rivers and streams, 225–26
 - wetlands, 223–24
 - regional setting, 219–22
 - reptiles, 243
 - research needs, 249–50
 - status and trends, 232–33
- Great Plains, *See also* grasslands
 - fishes, 448–49
 - mussels, 448
- Great Plains Program, Western Governor's Association, 465
- Great South Channel, marine mammals, 790, 792
- great-tellin, Alaska, 808
- grebes, 140, 141, 524, 628t, 802
 - eared, 142, 454t, 455t, 523
 - pie-billed, 189t, 374t, 421, 454t, 455t
 - red-necked, 454t
 - western, 454t
- greenhouse effect, *See also* climate change; global warming; sea-level rise
 - Alaska, 739, 740
 - CFCs and VOCs and, 155
 - climate models and, 97
 - defined, 89, 900
- greenhouse gases, 142
 - chlorofluorocarbons (CFCs), 133t, 153, 154–55, 897
 - climate change and, 93, 97, 108
 - climate models and, 95
 - global change forcings, 89, 95, 97
- Greenland, ice cores, 90, 111
- Green River, 143
- greensword, Maui, 760f
- green turtle fibropapilloma, 802
- gregarious, defined, 900
- groins, defined, 900
- grosbeaks
 - black-headed, 523, 679, 681
 - evening, 246t
 - pine, 246t
 - rose-breasted, 246t, 374t
- ground-dove, ruddy, 632
- groundfishes, 781
 - bycatch problems, 847
 - continental shelf and slope, 818
 - defined, 900
 - Gulf of Alaska, 810
 - overfishing, 847
- groundsel, cleftleaf, 711
- ground squirrels
 - arctic, 723, 727, 728, 731, 734
 - California, 633t
 - golden-mantled, 515t
 - Idaho, 689
 - Mohave, 525, 633t
 - thirteen-lined, 460
 - Townsend's, 688f, 689
 - Washington, 689
- groundwater
 - development, Great Basin–Mojave Desert region, 519, 531, 532
 - exploitation of, 510
 - grasslands, 442
 - herbicide contamination of, 151
 - use of, 63
- groupers, 325, 326, 835–36
 - Nassau, 326, 800
- grouse
 - Columbian sharp-tailed, 522
 - sage, 522, 680
 - sharp-tailed, 246t, 451t, 680, 719
 - spruce, 189t, 190, 719
- growth rates, for forest gap models, 104
- grunts, 326
 - French, 325
- Guam, 825, 838
 - nonindigenous species, 121
 - physical characteristics, 826t
- Guánica Forest, 317
- guano
 - Hawaii, 758
 - mining, 526, 527
- guapote, jaguar, 125f
- guava, strawberry, 753, 754, 756, 759
- guayacán blanco, 317
- guild, defined, 900
- guillemots
 - black, 208
 - pigeon, 813, 824
- Gulf of Alaska, 806–7, 853f
- Gulf Intracoastal Waterway, 269–70
- Gulf of Maine
 - environmental and physical features, 775–76
 - marine birds, 786
 - North Atlantic right whale, 791
 - planktonic secondary production, 779–80
 - primary production, 778–79
- Gulf of Mexico, 853f

bottlenose dolphins, 804–5
 coral reefs, 844
 estuarine resources, 844
 overfishing, 847
 physical features, 792
 salt marsh, 796f
 shrimp, 794
 Gulf Stream, 111, 792
 gulls, 141, 421, 628t, 712, 719, 722, 726–27, 786, 802, 804, 812, 820, 823, 850
 Bonaparte's, 804
 California, 454t, 455t
 Franklin's, 451t, 452f, 454t, 455t, 524–25, 803
 glaucous, 786
 glaucous-winged, 714, 730, 824
 great black-backed, 208, 288, 289t, 786
 herring, 146, 149, 154, 208, 288, 289t, 722, 786, 803, 804
 Iceland, 786
 laughing, 208, 288, 289t, 455t, 786, 803, 804
 mew, 722
 ring-billed, 154, 454t, 455t, 786, 803
 gum, sweet, 183, 409
 gumbo limbo, 317
 guppies, 328
 Gwichin people, 736
Gymnodinium species, 415t
 gymnosperm, defined, 900
 gypsum, 516, 517
 gyre, defined, 900
 gyrfalcons, 722, 734
Gyrosigma, 406

habitat fragmentation, 37
 climate change and, 112–13
 defined, 900
 Great Basin birds and, 522–23
 harvest and, 174
 indirect effects, 53
 land-use planning and, 55
 Lepidoptera population and, 234
 Northeast, 209–10
 pervasive effects of, 51–52
 pine rocklands, 293
 Southeast, 258, 259, 260
 Southwest, 548, 582

habitat loss
 amphibians, 243, 301
 bats, Southeast, 304
 California coast, 612
 carnivorous plants, 285
 giant garter snake, 624–26
 marine resources, 794, 848, 855
 prairies, 479
 reptiles, 301
 Southeast, 301, 304, 794
 species loss and, 51
 tall-grass prairie, 446
 water diversion and, 68

habitats
 defined, 900
 diversity, delta lobe age and, 399
 fire suppression and, 47
 land-use patterns and, 37
 preservation, desert spring fishes, 570

habitat sharing, 413
 defined, 900

hackberry, 359, 360
 haddock, 781, 782, 783t, 850
 overfishing, 847

Hague Line, 850
 hairgrass, 710
 annual, 604
 tufted, 477

hairstreak
 Avalon, 610
 Hessel's, 286

hake
 Pacific whiting, 818
 red, 783t
 silver, 781, 783t
 white, 781

halibut
 Greenland (turbot)
 Pacific, 712–14, 808, 810, 811

halogeton, 511, 528
 halophytic, defined, 900
 hamlet, butter, 325
 hardhead, 620t
 hard mast, defined, 900
 hard substrates, bottom-dwelling invertebrates and, 364
 hardwood forests
 bottomland, coastal Louisiana, 408–9
 Louisiana, Hurricane Andrew impacts, 21–22
 northern, 48
 hardwood hammock, defined, 900–901
 hares, 248, 579
 Sierra Nevada snowshoe, 525
 snowshoe, 715, 720, 723, 727, 734, 735
 harrier, northern, 189t, 451t, 454, 455t, 523, 678t, 679
 Harrison, William Henry, 478
 Hart Mountain National Wildlife Refuge, 522, 525, 681
 harvest, 167–75
 of American woodcocks, 193
 compensation and compensatory mortality, 170
 genetic diversity and, 171–72
 habitat fragmentation and, 174
 individual diversity and, 172
 keystone species and, 174
 long-term effects, 174
 mortality, as compensatory, 170
 population effects, 169–70
 sex-selective, 172
 species effects, 170, 173, 174
 sustainable use, 169–70

Harvest Information Program, U.S. Fish and Wildlife Service, 194, 195

Hawaii, 747, 825, *See also* Pacific Islands
 amphibians, 766
 arthropods, 767–68
 biodiversity, 829
 biological invasions, 752
 birds, 765–66
 bottom fish, 835–36
 corals, 833
 ecosystems
 coastal ecosystems, 762
 degradation, 751, 769–70
 dry and mesic forests, 761
 freshwater ecosystems, 761–62
 montane bogs, 760
 montane cloud forests, 764
 northwestern (leeward) islands, 762
 rain forests, 759–60
 subalpine-alpine ecosystems, 758
 subterranean ecosystems, 761
 endemic species, 749–50, 842
 extinctions, 751, 769
 feral animals, 752–54, 759, 763, 769–70
 feral pigs, 763, 769–70
 forests, 757–58, 761
 freshwater fishes, 766
 global climate change, 764
 human activities, 751–57, 764
 invasive plants, 754–55
 land snails, 767
 mammals, 766
 mangrove communities, 763–64
 mosquitoes, 754
 native ecosystem development, 757–58
 nonindigenous species, 117, 121–22, 751, 752–57, 762–63
 overview, 748–50
 physical characteristics, 826t
 plants, 750, 752, 768
 precipitation, 749
 reef protection, 837
 reptiles, 766
 research needs, 768–69
 rodents, 754
 seabirds, 758, 839–41
 sea-level rise, 764
 sea turtles, 838–39
 shrimp fisheries, 832
 soils, 757–58
 subsistence wildlife harvest, 764

Hawaiian islands, leeward, 762
 Hawaii Volcanoes National Park, 761
 hawkfish, longnose, 833
 hawks

- ferruginous, 451t, 452, 453, 453f, 479, 681
- Puerto Rican broad-winged, 331t
- Puerto Rican sharp-shinned, 331t
- red-shouldered, 373, 631
- red-tailed, 246t, 374t, 523, 524, 631, 679, 681
- rough-legged, 734
- sharp-shinned, 189t, 719
- Swainson's, 451t, 524, 605, 626t, 679, 681
- hawksbeards, 680
- hawkbill, 289, 331t, 333, 334–36, 427t, 801, 817, 838
- haws, 183, 411
- hawthorns, 360, 445
- Headwaters (Mississippi River), 351, 352
- heath balds, Southeast, 277–78
- heaths, 26f, 331t, 710
- heavy metals, defined, 901
- hectare (ha), defined, 901
- hedge-hyssop, 604
- hedgerows, 30
- heliotropes, 412
- helmets
 - cameo, 332t
 - Caribbean, 332t
 - flame, 332t
- hemlocks, 260, 495
 - eastern, 48, 49, 183, 185, 191
 - mountain, 24, 476, 600, 602, 710
 - western, 476, 601, 645, 687, 710
- Henry Mountains (Utah), 580
- heptachlor, 133t, 144, 146
- Heraclitus, 32
- herbaceous plants
 - Great Lakes region, 233
 - Pacific Northwest, 680
 - Southwest, 549
- herbicides, 151–52
 - grasslands, 442
 - Great Lakes, 223
 - Rio Grande, 271
- herbivorous insects, as natural disturbances, 27
- herbivory, 29
- hermaphroditic, defined, 901
- herons, 327, 369, 421, 628t, 786
 - great blue, 246t, 289t, 370, 374t, 454t, 455t, 712
 - green, 289t, 455t
 - little blue, 289t, 374t, 455t
 - Southeast, 303
 - tricolored, 289t, 455t
- herptiles, *See also* amphibians; reptiles
 - climate change and, 101–2
 - defined, 101, 901
 - dispersion (colonization), 101–2
- herrings, 779, 810
 - Atlantic, 781, 783, 783t, 784t, 844
 - blueback, 137, 240
 - lake, 238, 241
 - Pacific, 140, 811, 812, 817t, 818, 822, 823
 - river, 783, 783t, 801
- heterogeneity. *See* environmental heterogeneity
- heterogeneous, defined, 901
- heterotrophic
 - defined, 901
 - systems, 415
- heterozygous, defined, 901
- hexachlorophene, 133t
- hexacorals, 809
- hickory, 183, 260
 - Southeast, 273
- Higgins eye, 232t, 366
- high islands, western Pacific oceanic region, 825–26, 830
- high pine, 293
- High Plains aquifer, 442
- highways. *See* roads and highways
- higo chumbo, 331t
- higuero de sierra, 331t
- higuillo, 318
- hind, red, 800
- hitch, 620t
- Hobsonia* species, 416
 - florida*, 417
- hogs, feral, 122
- hog wallows, 604
- Hohokam Indians, 64
- Holdridge life-zone classification, 100
- holly, Cook's, 331t
- Holocene, 90
 - defined, 901
 - Great Basin–Mojave Desert region, 507, 515–16
 - Rocky Mountains, 473, 474
 - sediments, delta lobe subsidence rates and, 393
- homogenization, 28–31
 - extreme, 32
 - human sources of, 30
 - sources of, 29–30
- honeycreepers, Hawaiian, 750, 765
- Hoover Dam, 76
- horses, 740
 - feral, 558
 - Lambe's, 720
 - wild, 263, 304, 580
- horsetails, 717
- horticultural trade, Southwest plants, 563
- hosts, intermediate, 901
- hot spots, giant sequoias and, 602
- hot springs, 517
 - Great Basin–Mojave Desert region, 531–32
- howellia, water, 654t
- Howland Island, 825, 826t, 839
- Hudson-Raritan Bay, primary production, 778
- human activities effects
 - Alaska, 738, 739, 740
 - beach and dune habitats, 616
 - Caribbean Islands, 320–21, 342
 - climate change and, 89
 - coastal Louisiana, 396–98
 - coral reefs, 324
 - grasslands, 463
 - Great Basin–Mojave Desert region, 519, 529–31
 - homogeneity and, 30–31
 - landscape fragmentation, 209
 - marine resources and, 854–55
 - maritime forests, 288
 - North Atlantic right whale, 791–92
 - Northeastern spruce-pine forests, 191
 - Polynesia, 764
 - reef fishes and, 325–27
 - Rocky Mountains, 478–79
 - sea turtles, 801–2
 - Southeast barrier islands, 287, 288
 - Southwest, 544, 545–48, 582–83
 - Upper Mississippi River, 354
 - western snowy plover, 629
- human population growth
 - estuarine resources and, 844
 - Lower Rio Grande, 271
 - in Northeast, 181–82
 - projections, 93
 - Rocky Mountains, 479
 - Southeast, 258–60
- humans, as keystone predators, 174
- human settlement
 - Alaska, 707–8, 736
 - California, 596–98
 - Great Lakes region, 221–22
 - Hawaii, 752–57
 - prehistoric, in Polynesia, 750–51
 - Southwest, 559, 576–77
- hummingbirds, 422, 553
 - broad-tailed, 523, 524
 - calliope, 626, 678t, 679
 - ruby-throated, 374t
 - rufous, 674
- humphead, giant, 836
- hunting
 - American black duck, 198–99
 - subsistence, Hawaii, 764
 - Texas, 266
- Hurricane Andrew, 20–22
- Hurricane Hugo, 26, 320f, 325
- hurricanes
 - Caribbean Islands, 320, 325, 342
 - climate models and, 95
 - coastal Louisiana effects, 20–22, 394–95, 412–13
 - coral reef effects, 321, 323, 324, 325
 - diversity and, 80
 - return times, 20
- Hutcheson Memorial Forest Center, 16f, 17f
- hutia, Puerto Rico, 340

- hyacinth, water, 118, 125, 274, 295, 409, 415t, 426, 622
- hybridization, defined, 901
- hydraulic mining, 132
- hydric, defined, 901, 903
- hydrilla, 274, 415
 - narrowmouth, 417
- Hydrobiidae, 564
- hydrocarbons, 139, 141
 - aromatic, 139, 896
 - defined, 901
 - polycyclic aromatic hydrocarbons (PAHs), 133t, 138–30, 142
- hydrogen, atmospheric, lakes and streams and, 73
- hydrogen cyanide, 144
- hydrological cycle, defined, 901
- hydrology
 - defined, 901
 - Southeast, 273–74
- hydromorphic, defined, 901
- hydroperiod, defined, 901
- hydropower
 - Great Lakes region rivers, 226
 - water diversion for, 67–68
- hydrothermal vents, 817, 845, 852
- hypoxic, defined, 901

- ibex, 580
- ibis, 421, 628t
 - glossy, 288, 289t
 - white, 80, 288, 289t, 291, 303, 455t
 - white-faced, 455t
- Icacinne family, 331t
- ice, climate change and, 93
- Ice Age, 90
 - Alaska, 707–8
 - cycle, 91–92
 - Great Lakes effects, 220–21
 - role of humans in animal extinctions, 221–22
 - sea-level change, 297
- ice cores, climate change analysis, 90, 111
- ice-edge dynamics, 807
- iceplants, 613, 616
- ichthyoplankton, 793
- Idaho Panhandle National Forest, 485
- igneous rock, defined, 901
- iguanas
 - Cuban ground, 339
 - desert, 521
 - green, 340
 - rock, 343
- iiwi, 765, 765f
- Ikalukrok creek, 739
- Ilex sintenisii*, 331t
- Illinois
 - deforestation, 41, 42f
 - prairie loss, 42
- Illinois River, pollution of, 74
- immortelle, mountain, 339
- Importation of Certain Mollusks (1951), 127t
- impounded river systems, 69–72
- impoundment, defined, 901
- inbreeding, 171
- incense-cedar, 601, 602, 609
- inconnu, 711t. *See also* sheefish
- Index of Biological Integrity, 175
- Indian paintbrush, San Clemente Island, 610
- indicator species, defined, 901
- indigenous, defined, 901
- indio, 317
- individual diversity, harvest and, 172
- industrial development. *See also* urban development
 - contaminants, 152–53, 271–72
 - warming caused by, 98
- infauna, defined, 901
- inland wetlands, Great Lakes region, 224–25
- insecticides, 148. *See also* pesticides
 - Rio Grande, 271
 - soft, 150
- insectivores, 248, 579
 - birds, 138
- insects, 416, 750
 - aquatic, 657–58
 - California, 610, 617, 619
 - Caribbean Islands, 330–31
 - defoliating, 184, 655
 - Great Lakes region, 234, 235
 - Hawaii, 752, 761, 762, 767–68
 - nonindigenous, 118t, 123t
 - Northeast, 184, 210–11
 - Southwest, 565
 - temperature restrictions, 110
- insolation, defined, 901
- Institute of Ecosystem Studies, 16f, 18f
- insular shelves, Pacific Islands, 826–27
- integrity
 - biological, 175
 - defined, 463
 - prairie, 463–64
- Interagency Ecosystem Management Task Force, 6
- interbasin transfer, 72
- interglacials, 90, 91–92
 - defined, 901
- Intergovernmental Panel on Climate Change, 98
- interior boreal forest, Alaska, 716–20
 - birds, 719
 - freshwater fishes, 718–19
 - mammals, 719–20
 - research needs, 737–38
 - vegetation, 716–18
- Interior Low Plateaus, Southeast, 256
- interior mountains, Alaska, 720–23
 - birds, 722
 - freshwater fishes, 722
 - mammals, 723
 - research needs, 737–38
 - vegetation, 720–22
- intermediate host, defined, 901
- International Commission for the Conservation of Atlantic Tunas, 798, 799
- International Convention for the Prevention of Pollution from Ships (MARPOL), 851
- International Council for the Exploration of the Sea, Advisory Committee on Fishery Management, 854
- International GLOBEC program, 854
- International Institute for Sustainable Development, Sustainable Development for the Great Plains Policy Analysis, 465
- International Institute of Tropical Forestry, 318
- International Joint Commission, 223, 224
- International Union for the Conservation of Nature and Natural Resources, 838
- intertidal
 - communities, California, 612–16
 - defined, 901
- introduced species. *See* nonindigenous species
- invasive species. *See* nonindigenous species
- Inventory of Rare and Endangered Vascular Plants of California, 598
- invertebrates
 - aquatic, 515, 657–58
 - bottom-dwelling, 363–66
 - California, 616–19, 638
 - Caribbean Islands, 330–32, 339, 794–95, 797
 - cave, 526
 - defined, 901
 - fisheries, 794–95, 797
 - grasslands, 445, 447–48
 - Great Basin–Mojave Desert region, 517–19, 526
 - Great Lakes region, 234–36
 - insecticides and, 151
 - nonindigenous species, Caribbean Islands, 339
 - Pacific Northwest, 657–58
 - potential and average yield, 846
 - Puget Sound, 823
 - Rocky Mountains, 489
 - sand dunes, 516
 - Southeast, 794–95, 797
 - Southwest, 564–65
 - tropical, 852
 - western Pacific oceanic region, 832–33
- invertebrate tests, aquatic toxicology, 145
- invertivores, defined, 901
- ions, defined, 901
- iris
 - dwarf crested, 19f
 - dwarf lake, 229, 232t
- iron, mining, 134
- iron hydroxide precipitate, 135f
- Iron Mountain Mine, Redding, California, 134t
- iron sulfide, 134

- ironwood, Catalina, 87, 610, 611f
- irrigation, 68, 72
 - California, 597, 604
 - historical, 64
 - land-use change, 38
 - Rio Grande, 270
 - toxic minerals from, 142–43
 - Walker River basin, 534
 - water consumption for, 72
 - water pollution and, 72–73, 75–76
- islands, *See also* Caribbean Islands; Channel Islands; Hawaii; Pacific Islands; *other specific islands*
 - barrier, 21, 286–89, 391, 400, 411, 421–22
 - high, 825–26, 830
 - low, 825, 826f, 830
 - nonindigenous species and, 121
 - spoil, 328
- Isle Dernieres
 - barrier beach system, 412–13
 - hurricane damage, 21
- isobath, defined, 901
- isopods
 - defined, 901
- isotherm, defined, 901
- jackrabbits, white-sided, 579
- jacks, 835–36
 - crevalle, 420t
- jaegers, 628t, 726–27, 802, 803, 804, 820
 - long-tailed, 722
 - pomarine, 786
- jaguars, 265, 303, 577, 632, 633
- jaguarundi, 577
- Jamaica, coral reefs, 324
- Jarbidge Mountains, 514
- Jarvis Island, 825, 826t, 839
- jays
 - gray, 719
 - Steller's, 675
- Jemez Mountains, 549, 551, 577–78
- Jepson, Willis Linn, 616
- Jim Woodruff Dam, 67
- John Day River basin, 658
- Johnston Island, 825, 840
 - biodiversity, 830
 - physical characteristics, 826t
- joint-firs, 557
- joint-vetch, sensitive, 185t
- jointweed, sensitive, 426
- Joshua Tree National Monument, 521
- Joshua-trees, 510, 529
- juncos
 - dark-eyed, 24, 631, 674t, 678t, 679
 - slate-colored, 246t
- Junegrass, 476
- junipers, 512–13, 554–55
 - alligator, 476
 - pinyon-juniper woodlands, 476, 497, 511t, 512–13, 516, 523, 528, 554–55, 571
 - Rocky Mountain, 476, 495
 - savannas, Southwest, 554–55
 - Utah, 476, 512
 - western, 525, 526f, 650
 - woodlands, 650, 651f, 681
- Kaneohe Bay, Oahu, Hawaii, 837
- karst, defined, 901
- K (carrying capacity), defined, 897
- kelpfishes, 817
- kelps, 816–17, 823
 - bull, 816
 - giant, 612, 816
- kepone, 133t, 144
- kerosene, 144
- Kesterson National Wildlife Refuge, 143
- kestrels, American, 24, 246t, 374t, 523, 631, 674, 678t, 679, 719
- keystone species
 - defined, 901–2
 - harvest and, 174
- killdeer, 195, 374t, 421, 454t, 455t, 523, 674t, 678t, 679
- "kill 'em and count 'em" tests, 145
- killifishes, 418, 569
 - bayou, 419
 - California, 620t
 - Gulf, 419
 - longnose, 419
 - marsh, 419
 - rainwater, 420t
- kingbirds
 - eastern, 138, 246t, 374t
 - western, 678t
- kingfishers, 628t
 - belted, 137–38, 246t, 374t, 422, 454t, 455t, 631, 679, 681
- kingfishes, 800
 - northern, 420t
- kinglets
 - golden-crowned, 674, 674t, 677
 - ruby-crowned, 246t, 679
- Kingman Reef, 825
 - physical characteristics, 826t
- Kings Canyon National Park, 485
- kingsnakes
 - California mountain, 625t, 670
 - common, 670
 - prairie, 449t
 - speckled, 425
- kinnikinnick, 717
- Kissimmee River, Florida, 69
- kites
 - Everglades snail, 291
 - Mississippi, 374t, 451t, 452, 453f
 - snail, 125
- kittiwakes, 730
 - black-legged, 786, 813
 - red-legged, 813
- Klamath Mountains, California, 47, 593, 600, 645, 655, 668
 - ecosystem status, 603
 - topographic features, 595
- knapweed, spotted, 234, 497
- koa, 759, 761, 765
- Kobuk River, 717
- Kodiak Island, 737
- kokanee, 711t, *See also* salmon, sockeye
- krill, 807, 816
 - defined, 903
- krummholz
 - defined, 903
 - islands, 477
 - mat, 483
- kudzu, 118, 120
- Kuparuk oil fields, 735–36
- lacewings, 758
 - flightless, 759f
- Lacey, Howard, 264
- Lacey Act, 775
- lacustrine, defined, 903
- Lacy Act (1900), 127t
- ladies' tresses, 514
- lady's slipper, ram's head, 229
- Lafitte, Jean, National Park, 386
- Lafourche delta system, 388
- lagoons
 - Caribbean Islands, 329
 - defined, 903
 - Pacific Islands, 829
- Laguna Madre, 268–70
- Lake Agassiz, 353
- Lake Andes National Wildlife Refuge, 459
- Lake Champlain-Adirondack Biosphere Reserve, 189–90
- lake-edge dunes, 227
- Lake Erie, 73, 242
- Lake Huron, 242
- Lake Mead, 76
- Lake Mendota, Wisconsin, 50–51
- Lake Michigan, 227–29, 242
- Lake Okeechobee, 296
- Lake Onalaska, 361, 362f
- Lake Ontario, 242–43
- Lake Pepin, 353, 354
- lake plains, Great Lakes region, 229–30
- lakes, *See also* ponds; reservoirs; water bodies
 - atmospheric contaminants and, 73
 - ecosystems, 81–82
 - eutrophication of, 49–50
 - fishless, 137
 - Great Lakes, 223–24
 - land-use change and, 49

management, 56
multiple pollutant effects, 73–74
nonindigenous species, 196
trout, 658, 659–60
Southeast, 296
species loss, 50–51
Lake Superior, 223, 241–42
Lake Tahoe, 533f
Lake Washington, Seattle, 81
La Mesa fire, 551, 553
Lameshur Bay, 322f, 323, 324
lampreys
arctic, 711t
Goose Lake, 661t
Kern brook, 620t
Miller Lake, 662t
Pacific, 662t, 711t
Pitt-Klamath brook, 620t, 661t
river, 663t, 711t
sea, 124, 196, 223
in Great Lakes, 236–39, 241, 242
western brook, 711t
land cover, defined, 37
land-cover change, defined, 37
landscape context, 53–54, 56
landscape triads, 191
landslides, 27
land-use and land-use change, 37–57
defined, 37
diversity and, 37, 44–52, 54–57
eastern U.S., 40–41
fire suppression and, 45–47
forest communities, 40–55
habitat fragmentation and, 51–52
historical perspective, 38–51
indirect effects, 53
invertebrates and, 517
landscape context and, 53–54
Midwest, 41–42
Pacific Northwest, 42–43
present patterns, 51–55
regional variation, 39–44
regulation issues, 56
Southeast, 259–60
Southwest, 43–44
trends, 55–57
western U.S., 43–44
land-use planning
habitat fragmentation and, 55
habitat loss and, 52
lanternfishes, 811
LaPlace, Joe, 334
larches, 476
western, 647
lark, horned, 25, 43f, 195, 451t, 452, 523, 631, 678t, 679f, 722
larkspur, San Clemente Island, 610
larvae, defined, 903
Las Vegas, 510
Las Vegas Valley, 532
laurels
mountain, 277f
swamp, 514
Laurentian mixed forest type, Northeast, 182
Lava Beds National Monument, 689
lawns, homogeneity and, 30
leachate, defined, 903
leaching, defined, 903
lead, 132, 152
in gasoline, 142
poisoning, 190
pollution, 142
lead arsenate, 144
Leadville, Colorado, 134t
leafhoppers, 447–48
two-spotted, 756–57
leaf litter, decomposition of, 19
leatherbacks, 331t, 333, 334, 335f, 427t, 801, 817, 838
legal issues, nonindigenous species, 126
Lehman Caves, 526
lemmings, 734
brown, 723, 728, 734
Greenland collared, 92f, 727
northern collared, 728, 730, 734
lentic, defined, 903

Leopold, Aldo, 169
Lepanthes eltoroensis, 331t
Lepidoptera, 445, 565
Great Lakes region, 234–35
Leptocereus grantianus, 331t
levees. *See also* flood control
defined, 903
Lower Mississippi River, 355–56
Mississippi River, 354, 355–56, 396
natural, 411
break (crevasse) in, 389
habitat diversity and, 400
vegetation, 411–12
Upper Mississippi River, 354
Lewis, Meriwether, 478
Lewis and Clark expedition, 478
lichens, 14, 233, 549, 558, 653, 710, 735, 739
canopy, 601
defined, 903
foliose, 717
lobaria, 653f
Northeast, 211
woven spored, 653
licoriceroot, Calder's, 711
life history, defined, 903
life-zones. *See also* biome
in Southwest, 543
lightning fires, 609
lignumvitae, common, 317
lily
fawn, 24
Minnesota dwarf trout, 232t
western, 654t
white trout, 13f
limbo, gumbo, 317
limestone
cedar glades, 280
forests, Caribbean Islands, 342–43
glades, 279–80
hills, Caribbean Islands, 318
mountains, 526
Southeast, 292–93
limiting factors, population, 170
limnic, defined, 903
limpets, 816
Banbury Springs, 658
limpkins, 330, 343
lingonberry, 717, 724
lions, 720. *See also* cougar, eastern
eastern mountain, 304
mountain, 47, 172f, 186, 248, 303, 305, 460, 461, 489, 496f,
577, 635–36, 715
List of Endangered or Threatened Species. *See also*
endangered/threatened species
defined, 903
littlenecks, Japanese, 821, 823
littoral zone, 903
liveforevers, Santa Barbara Island, 610
live oaks, 260, 411, 900
canyon, 608
coast, 605
interior, 608
liver cancer, PAHs and, 138–39
live rock, 800
liverworts, 653
livestock
feral, Caribbean, 341
Rocky Mountains, 478
livestock grazing. *See* cattle; grazing
lizards, 530, 570, 572, 624, 670
blunt-nosed leopard, 625t
bunch grass, 572
California legless, 625t
Coachella Valley fringe-toed, 625t
collared, 449t
Culebra Island giant anole, 330
desert collared, 521, 670
desert horned, 670
eastern fence, 449t
Great Lakes, 243
island night, 611, 625t
leopard, 521
lesser earless, 449t
long-nosed leopard, 521

- Mojave fringe-toed, 625t
- Panamint alligator, 625t
- reticulate collared, 449t, 451
- St. Croix ground, 331t, 333f
- Southeast, 282
- spot-tailed earless, 449t, 451
- Texas horned, 449t
- western slender grass, 449t
- lizard's tail, 409
- lobsters, 828, 832, 842
 - American, 207, 784, 785f, 785t
 - Caribbean spiny, 331, 794
 - Hawaiian spiny, 829f, 832
 - slipper, 832
 - spiny, 795, 795t, 800
- local climate models, 99–100
- locoweed
 - Fassett's, 232t
 - Kobuk
 - Kokrine's, 732
- locusts
 - black, 187
 - Lake Huron, 229
 - Rocky Mountain, 489
- loess, defined, 903
- loggerheads, 289, 290f, 331t, 333, 427t, 801, 817, 838
- logging
 - Alaska, 737, 738, 740
 - baldecypress, 409–10
 - birds and, 54
 - California, 597
 - even-age methods, 54
 - habitat fragmentation and, 52
 - Northeastern spruce-pine forests, 191
 - old-growth forest effects, 481
 - Pacific Northwest, 42–43, 668, 682–83
 - redwood, 601
 - Rocky Mountains, 489
 - Southwest, 547–48
 - uneven-age methods, 54
- Long Island Sound, 781
- long-line fishing
 - defined, 903
 - for Pacific halibut, 713
- longspurs
 - Cassin's, 451t
 - chestnut-collared, 440, 451t
 - Lapland, 722
 - McCown's, 453, 453f
- loons, 140, 628t, 802, 812, 820
 - common, 137, 189t, 190, 246t, 524, 714, 722, 803
 - grebes, 812
 - Pacific, 714, 722
 - red-throated, 722
 - yellow-billed, 734
- Loop Current, 792
- loosestrife
 - purple, 125, 196, 234, 363, 445, 497
 - roughleaf yellow, 384
- lost streams, 294
- lotic
 - defined, 903
 - Southeast, 295
- lotus, American, 415t
- Louisiana, coastal. *See* coastal Louisiana
- louseworts, 514
 - Furbish, 185t
- lovage, beach, 710
- lovegrasses, 603
 - African, 122
 - Lehmann, 546, 558
- Lower Columbia River Development Program, 68
- Lower Mississippi River
 - birds, 373–74
 - bottom-dwelling invertebrates, 364
 - commercial and sport fisheries, 357
 - defined, 351
 - fish habitats, 368
 - geography, geology, and human development, 254–56
 - sediment discharge, 396
 - suspended sediment load, 396
- low islands, western Pacific oceanic region, 825, 826f, 830
- low-salinity marshes, coastal Louisiana, 407–8
- lungworm pneumonia, 497
- lupine, prairie, 24
- Lyme disease, 210
- Lyngbya, 406
 - contorta, 415t
- lynx, 188–89, 248, 461, 477, 719, 720, 723, 727
 - North American, 525t, 682t
- Lyonia truncata* variety *proctorii*, 331t
- Lysimachia kipahuluensis*, 754f
- macaques, 341
 - rhesus, 341
- macaws, St. Croix, 330
- mackerels, 779
 - Atka, 809, 810
 - Atlantic, 781, 783, 783t, 784t
 - chub, 815, 817t, 818
 - jack, 817t
 - king, 795t, 798, 847
 - Spanish, 420t, 795t, 798
- macroalgae, 794, 814
- macrobenthos, defined, 896
- macrofauna, defined, 903
- macroinvertebrates, 364
- macrozooplankton, 103, 832
- Madder family, 331t
- Madison Valley, Montana, 44
- Madrean forests, Southwest, 553
- Madro-Tertiary Geoflora, 596
- magnolia, southern, 260
- Magnuson Fishery Conservation and Management Act, 813
- Magnuson-Stevens Fishery Conservation and Management Act, 775
- maggie, yellow-billed, 626
- mahogany, 318, 321, 331t
- maidencane, 401, 402, 404, 405
 - floating, 404
- Maine
 - acidified lakes, 137
 - coastal islands, 207–8
 - Gulf of. *See* Gulf of Maine
- Maine, State of, Conservation Plan, 783
- malaria
 - avian, 754
- Mallard Larkins Pioneer area, 485
- mallards, 200, 205, 246t, 369, 373, 374t, 425t, 456–57, 458, 459, 460
 - nonmigratory, 200
- mamane parkland, Hawaii, 758
- mammals. *See also* marine mammals
 - Alaska, 715–16, 719–20, 727–28, 730–31, 734–36
 - California, 632–36
 - Caribbean Islands, 330, 338, 340–41
 - climate change and, 91, 102–3
 - coastal Louisiana, 425, 427
 - endangered and threatened, 427
 - extinctions, Caribbean Islands, 330
 - forest, Northeast, 186, 188–89
 - grasslands, 460–63
 - Great Basin–Mojave Desert region, 103f, 525
 - Great Lakes, 248–49
 - Hawaii, 766
 - Mississippi River, 375–76
 - nonindigenous, 121t
 - Caribbean Islands, 340–41
 - Rocky Mountains, 497
 - Pacific Northwest, 682–90
 - Rocky Mountains, 477, 493–95, 497
 - Southeast, 303–6
 - Southwest, 576–81
 - temperature restrictions, 110
 - Mammoth Cave, 295, 296
- mammoths, 478
 - woolly, 720
- manatees, West Indian, 427t, 788t, 805, 846
- mandrone, 601
- manglares, 327
- mangos, Antillean, 330
- mangrove communities
 - Hawaii, disruption of, 763–64
 - Pacific Islands, 829
 - swamps, 764
- mangroves, 79, 293, 294
 - black-, 327, 406, 412
 - buttonwood-, 327

- Caribbean Islands, 317, 318, 320, 324, 327
- functional value, 327
- natural restoration of, 327
- red, 294, 327
- reef fishes and, 325
- white-, 327
- manjack, red, 317
- Manual of California Vegetation*, 636
- manzanita chaparral, 607
- manzanitas, 607
 - whiteleaf, 87, 607
- mapleleaf, winged, 196, 232t, 366
- maples, 182, 260
 - American, 409
 - forests, 55
 - red, 15, 17, 48, 185, 191, 409, 411
 - silver, 359, 360
 - sugar, 48, 183, 185, 187, 191
- MAPS (Monitoring Avian Productivity and Survivorship) program, 576
- maquiladoras, 271
- margay, 265
- Mariana Islands, 825, 830, 840
- Mariana Trench, 827
- mariculture, 271
- marine birds
 - Alaska, 812–13
 - barrier islands, 421
 - burrow-nesting, 740
 - coastal Maine, 207–8
 - commercial fishing and, 850
 - Hawaii, 758, 766, 842
 - marine debris and, 851
 - Northeast, 786
 - Pacific coast, 820–21
 - Pacific Islands, 830
 - prehistoric extinctions, 751
 - Puget Sound, 824
 - Southeast, 802–4
 - western Pacific region, 839–41
- marine debris, national issues, 851–52
- Marine Mammal Protection Act, 789, 792, 804, 805, 813, 821, 843, 846–47
- marine mammals
 - Alaska, 813–14
 - commercial fishing and, 850
 - genetic diversity of, 841
 - national status and trends, 846–47
 - nonconsumptive uses of, 786–87
 - Northeastern region, 786–92
 - Pacific coast region, 821
 - Southeast, 804–6
 - strategic stocks of, 787
 - western Pacific region, 841–44
- Marine Mammals Protection Act, 775, 787
- marine processes, coastal Louisiana, 395–96
- marine resources, 775–855
 - Alaska region
 - benthic resources, 807–9
 - demersal fish resources, 809–10
 - environmental and physical features, 806–7
 - fishes, 809–12
 - marine birds, 812–13
 - marine mammals, 813–14
 - pelagic resources, 810–12
 - primary production, 807
 - secondary production, 807
 - Channel Islands, 612
 - food chains, 782f
 - food web, 807f
 - marine debris and, 851–52
 - national issues and threats
 - bycatch, 847–48
 - commercial fishery effects on birds and mammals, 850
 - ecosystem biodiversity and sustainability, 852–55
 - habitat alterations, 848
 - marine debris, 851–52
 - nonindigenous species, 848–49
 - overfishing, 847
 - taxonomic knowledge, 852
 - toxic wastes, 850–51
 - transboundary stocks, 849–50
 - national status and trends
 - coral reef ecosystems, 844–45
 - deep-sea resources, 845
 - estuarine resources, 844
 - fisheries resources, 845–46
 - marine mammals, 846–47
 - Northeast region
 - benthic resources, 780–81
 - environmental and physical features, 775–78
 - fisheries resources, 781–86
 - marine birds, 786
 - marine mammals, 786–92
 - planktonic secondary production, 779–80
 - primary production, 778–79
 - Pacific coast region
 - benthic resources, 816–17
 - environmental and physical features, 814–16
 - estuarine resources, 821–24
 - fisheries resources, 817–20
 - marine birds, 820–21
 - marine mammals, 821
 - primary production, 816
 - secondary production, 816
 - Southeast region
 - benthic resources, 793–94
 - environmental and physical features, 792–93
 - fisheries resources, 794–802
 - marine birds, 801–4
 - marine mammals, 804–6
 - primary production, 793
 - secondary production, 793
 - western Pacific region
 - benthic resources, 831–32
 - biodiversity patterns, 830
 - characteristics, 824–25
 - environmental and physical features, 825–26
 - fisheries resources, 832–38
 - marine mammals, 841–44
 - pelagic ecosystems, 826–30
 - primary production, 831–32
 - sea turtles, 838–41
 - secondary production, 831–32
 - taxonomy status, 830–31
- marine turtles. *See* sea turtles
- maritime forests, Southeast, 286–89
- maritime tundra, Alaska, 724–28
 - birds, 726–27
 - freshwater fishes, 725–26
 - mammals, 727–28
 - research needs, 738–39
 - vegetation, 724–25
- marlins, 834
 - blue, 784, 795t, 799, 834
 - white, 784, 795t, 799
- marmots
 - hoary, 715, 723
 - yellow-bellied, 515t
- Marshall Islands, Republic of, 764
- marshes. *See also* wetlands
 - coastal Louisiana, 401–8
 - defined, 903
 - floating, 404–5
 - freshwater, 402–5
 - habitat diversity, 399–400
 - hurricane damage, 20–21
 - intermediate, 402
 - loss of, canal density and, 397–98
 - management, 413
 - salinity, 397, 402, 407–8
 - saltwater, 405–7
 - species richness, 402
- marshpennyworts, manyflower, 402t, 415t
- martens, 222, 248, 481, 633, 682f, 683, 715
 - pine, 248
- martins, purple, 246t, 374t, 481
- Massachusetts Bay, North Atlantic right whale, 791
- massasauga, 197, 449t
- mastic, false, 318
- mastiff-bat, greater western, 525t
- matabuey, 331t
- Maui, 753
- maximum sustainable yield, 170
 - defined, 903
- mayflies, 657, 658
 - burrowing, 235, 236f, 364
 - hexagenia burrowing, 363, 364, 365

- meadow communities, 477
- meadow foam, 605f
- meadowlarks, 246
 - eastern, 43f, 246t, 451t
 - western, 25, 246t, 374t, 451t, 452, 453f, 523, 631, 674t, 678t, 679
- meadows
 - Southwest, 549
 - wet, 732
- Medicine Bow Forest Reserve, 478
- Mediomastus* species, 416
- Mediterranean grasses, 530
- Mediterranean shrublands, West Coast, 17
- medusahead, 528, 649
- megafauna
 - charismatic, 897
 - defined, 903
- meiobenthos, defined, 808, 896
- meiofauna, defined, 903
- melaleuca, Australian, 81, 122, 291, 292
- Melanesia, 747
- melania, quilted, 339
- menhaden, 419, 420t, 796, 797, 844
 - Atlantic, 783, 784, 795t, 797
 - Gulf, 357, 417, 418t, 420t, 795t, 797
- Mentasta caribou herd, 723
- menziesia, 710
- mercuric chloride, 144
- mercury, 132, 133, 138, 144, 152
- mergansers
 - common, 138, 371
 - hooded, 369, 371, 373
 - red-breasted, 246t
- Merismopedia* species, 415t
- meristems, defined, 903
- merlins, 146, 246t, 719, 722
- meroplankton, defined, 903
- Merriam, C. Hart, 264
- mesic, defined, 903
- mesic forests, Hawaii, 761
- mesic species, Southeast, 273
- mesopelagic, defined, 903–4
- mesopelagic zone, 816
- mesoscale climate models, 99
- mesquites, 78, 317, 508, 546
 - honey, 557
- metabolite, defined, 904
- metals
 - ferrous, 134–39
 - nonferrous, 132–34
- metamorphic rock, defined, 904
- metapopulation, 28
 - defined, 904
- methane
 - climate change and, 93
 - ice core analysis, 90
- methomyl, 133t, 150, 271
- methoxychlor, 133t, 144
- methyl parathion, 133t, 150
- metolachlor, 133t, 151
- metribuzin, 133t, 151
- Meridia lucens*, 780
- Mexican Channel Islands, 609
- Mexico, Gulf of. *See* Gulf of Mexico
- Mezereum family, 331t
- mice. *See* mouse
- miconia, 756
- microalgae, 845
- microbenthos, 807–8
- microclimate, defined, 904
- microclimate model (MTCLIM), 106
- Microcystis aeruginosa*, 415t
- Microdictyon* species, 828
- microfauna, defined, 904
- Micronesia, 747
- microorganisms, marine, 845
- microsteris, 680
- Microtox tests, 145
- microturbellarians, defined, 904
- microzooplankton, 832
- middens
 - defined, 904
 - woodrats, 526
- Middle Atlantic Bight
 - environmental and physical features, 775, 777–78
 - planktonic secondary production, 779
 - primary production, 778–79
- midges, 50, 364, 416
 - tube-building, 364
- Midwest
 - deforestation, 41–42
 - prairie loss, 42
 - reforestation in, 41
- migration routes, habitat fragmentation and, 113
- migratory birds
 - abundance, 187
 - California, 605, 628
 - coastal Louisiana, 386
 - game, 193
 - Mississippi River, 369
 - pesticides and, 149
 - short-distance, Great lakes region, 245
 - shrub-steppe, 522
 - waterfowl, 386, 422–24, 628
- migratory fishes, management of, 849
- mildeews, 653
- military activities, Great Basin–Mojave Desert region, 529–30
- milk-vetches, 563, 655, 680
 - Applegate's, 87, 654t
 - Jesup's, 185t
- milkweed, Mead's, 185t, 232t
- millet, Walter's, 402t, 407
- millipedes, 655
- Mimidae, 244
- Minerals Management Service, 802
- mining
 - abandoned mines, 478–79
 - Alaska, 738, 739
 - contaminants, 132–35
 - Great Basin–Mojave Desert region, 526–27, 529
 - placer, 132, 738, 906
 - regulation of, 156
 - restoration regulations, 135
 - Rocky Mountains, 478–79, 487
 - stream siltation from, 75–76
 - tunnel, 526–27
- mink, 154, 248, 425, 461, 715, 727, 823
 - giant sea, 207
 - Mississippi River, 375–76, 378
 - ranch, 153
- minnows, 136, 190, 418
 - fathead, 145
 - loach, 566
 - plains, 449
 - Rio Grande silvery, 567–68
 - sheepshead, 419
- Miocene, defined, 904
- mirex, 133t, 144
- Mission Mountain Wilderness, 484f
- Mississippi Alluvial Plain, 354
- Mississippian Period, 258
- Mississippi Embayment, 354
- Mississippi Flyway, 357
- Mississippi River, 351–78. *See also* Lower Mississippi River;
 - Upper Mississippi River
 - aquatic vegetation, 360–63
 - birds, 369–75, 376
 - bottom-dwelling invertebrates, 363–66
 - canals, 397–98
 - coastal wetlands, 352, 356–57
 - fishes, 363–69, 376, 378
 - floodplain, 351
 - floodplain forest, 357–60
 - fluvial processes, 395
 - glacial changes, 356–57
 - habitat diversity, 401
 - Headwaters, 351, 352
 - hydrological regime, 356
 - levees, 396
 - Lower, 351, 354–56
 - mammals, 375–76
 - pollution of, 74
 - reclamation projects, 396–97
 - regulation of, 351–52
 - research needs, 376–78
 - river miles, 351
 - sediment transport, 356
 - Upper, 351, 352–54

- watershed, 351
- Mississippi River Delta
 - degradation of, 356–57
 - lobes, 388–91, 392–93, 398–401
- Mississippi River Deltaic Plain, 355
 - forested wetlands, 408–10
 - geology and geomorphology, 387
- Missouri River, 69, 70–71, 143, 354
 - channel modification, 67
 - sedimentation in, 75, 443
- Missouri River Natural Resources Committee, 69, 72
- mistmaiden, Alaska, 711
- mites, 655
- Mitracarpus*
 - maxwelliae*, 331t
 - polycladus*, 331t
- mixed-conifer forests, Southwest, 550
- mixed-grass prairies, 439–40
 - fire cycle and, 444
 - plant assemblages, 445
 - Rocky Mountains, 476
- mockingbirds, 244
 - northern, 374t, 523, 524, 631
- Mojavean vegetation zone, 510, 511t, 512f
- Mojave Desert, 505, 544, *See also* Great Basin–Mojave Desert region
 - precipitation, 506
 - snails, 618
- Mojave Desert National Preserve, 521
- molassesgrass, 755
- molds, 233, 653
- moles, 248
 - broad-footed, 633t
- mollusks, 416, 417, 565, 601, 784, 793, 794, 844
 - defined, 904
 - marine, 331–32
 - nonindigenous, 118t, 123t
 - Pacific Northwest, 655
 - Southeast, 295
 - western Pacific oceanic region, 830–31
- molly, sailfin, 419
- Mona Island, 315, 321
 - sea turtles, 336
- monarchs
 - elepaio, 765
- mongoose, 341
 - sea turtles and, 334
- Monito, 315
- monitoring programs
 - regulation and, 5–6
 - Rocky Mountains, 498–99
 - Southeast, 307
 - value of, 4–6
- monkeyflowers, 604
 - Michigan, 232t
- monkeys, 341
 - common squirrel, 341
- monkshood, northern wild, 185t, 232t
- Monostroma*, 406
- montane
 - bogs, Hawaii, 760
 - chaparral, 607
 - cloud forests, Hawaii, 764
 - defined, 904
 - forests, herpetofauna, 570–71
 - grasslands, Southwest, 549
 - islands
 - Great Basin–Mojave Desert region, 507, 514–15
 - salamanders, 571
 - seral forest, Rocky Mountains, 476
 - zone, 511t, 513–14
- Monument Canyon Research Natural Area, 551, 552t
- moonwort, 231
- Moorea, 763
- moorhen, common, 246t, 421, 455t
- moose, 174, 188, 221, 248, 477, 488, 496f, 715, 723, 727, 734, 735, 738
 - moraine, defined, 904
- morning-glory, Pickering's, 190
- morphology, defined, 904
- mortality
 - additive, 170
 - compensatory, 170
 - natural vs. harvest, 170
- mosaic, defined, 904
- mosquitoes
 - chemical control of, 146
 - southern house, 754
- mosquitofern, Carolina, 409, 415t
- mosquitofishes, 271, 328
 - eastern, 124
 - western, 124
- mosses, 186, 549, 558, 563–64, 653, 710, 717, 753
 - drought-tolerant, 14
 - sphagnum, 190, 514, 710
- moths, 195, 489, 518, 565, 758
 - fir tussock, 655
 - grasslands, 445
 - Great Lakes region, 234
 - gypsy, 184, 185f, 234, 272–73
 - Kern primrose sphinx, 619t
 - phlox, 447
 - rattlesnake-master borer, 447
- motillo, 318
- mountain-ash, Sitka, 737
- mountain bogs, Southeast, 277
- mountain-dandelions, 680
- mountain-heather, club-moss, 729
- mountain-mahoganies, 476
 - curlleaf, 513
- mountain wetlands, Southeast, 277
- Mount St. Helens volcano, 23–26
- mouse, 579
 - California, 633t
 - California pocket, 633t
 - deer, 195, 611–12
 - Desert Valley kangaroo, 525t
 - Fletcher dark kangaroo, 525t
 - Florida, 304
 - house, 195, 203, 497, 634
 - Keen's, 715
 - meadow jumping, 579
 - northern pygmy, 265
 - oldfield, 304
 - olive-backed pocket, 460
 - Perdido Key beach, 304
 - plains harvest, 460
 - plains pocket, 460
 - pocket, 579
 - salt marsh harvest, 612, 633t
 - San Diego pocket, 633t
 - San Joaquin pocket, 633t
 - Tehachapi pocket, 525
 - Tehachapi white-eared pocket, 525t
 - western jumping, 515t
 - yellow-eared pocket, 633t
- mouse-tail, 604
- MSX, 205
- Mt. Baldy, 595
- MTCLIM model, 106
- Mt. Lassen, 593
- Mt. McKinley, 707
- Mt. Rainier National Park, 658
- Mt. San Gorgonio, 595
- Mt. San Jacinto, 595
- Mt. Shasta, 593
- Mt. Whitney, 602
- mucket, pink, 196
- mudminnow, Olympic, 662t
- mudpuppies, 243, 450, 451
- mudsuckers, longjaw, 620t
- muhly, mountain, 476
- Muir, John, 169
- Muir Woods National Monument, 597
- mulberry, white, 360
- Mulchatna caribou herd, 727
- mulletts, 801
 - striped, 418t, 419, 420t
- murrelets
 - Kitlitz's, 737, 813
 - marbled, 52, 140, 601, 626t, 627, 671, 714, 737, 812, 813, 820–21, 824
- murrees, 141, 628t, 820
 - common, 140, 812, 813, 824
 - thick-billed, 813
- mushrooms, 233, 652
 - honey, 87
 - clonal mass, 233

- muskeg, 717
 muskoxen, 221, 725, 727–28, 734–35
 muskrats, 406, 425, 426, 634, 715, 727
 Mississippi River, 376
 round-tailed, 304
 mussels, 29, 51, 195, 518, 814, 852
 blue, 785, 785t
 endangered, 125
 freshwater, 226, 232t, 235–36, 298–99
 Great Lakes region, 235–36
 Great Plains, 448
 pearlymussels, 67, 151, 236, 365–66, 377, 448
 Southeast, 295, 298–99
 threatened, 69
 zebra, 118, 122, 125, 196, 223, 235–36, 298, 366, 377–78, 448, 848
 mustards
 garlic, 234
 tumble, 528
 weedy, 558
 mustelids
 defined, 904
 mutagens, 138
 defined, 904
 mutualism, defined, 18–19, 904
 mycorrhizae, 18
 conifers and, 24
 defined, 904
 old-growth forests and, 652–53
 mynas
 hill, 340
 white-vented, 340
 myotis
 California, 715
 cave, 525t, 526
 fringed, 525t, 689t
 Keen's, 689t, 715
 long-eared, 525t, 526f, 635, 689t
 long-legged, 525t, 635, 689t, 715
 small-footed, 189, 525t
 western small-footed, 689t
 Yuma, 525t, 689t
Myrcia paganii, 331t
 Myrtle family, 331t
 myrtle, wax, 404

 naiads, 81
 nannoplankton
 defined, 904
 in northeast region, 778f, 779
 Nantucket Shoals, primary production, 778
 naphthalene, 144
 National Acid Precipitation Assessment Program, 276
 National Audubon Society, 108. *See also* Christmas Bird Count
 National Biological Service (NBS)
 establishment of, 3
 merger with USGS, v
 National Center for Atmospheric Research, 99
 National Coastal Monitoring Act (1992), 853
 National Marine Fisheries Service, 775, 787, 794, 819, 820, 821, 845, 849, 855
 Northeast Fisheries Science Center, 780
 National Marine Sanctuary, for humpback whales, 843
 National Oceanic and Atmospheric Administration, 775, 783, 853
 Fisheries-Oceanography Coordinated Investigations, 810
 Marine Resources Monitoring, Assessment, and Prediction Program, 779, 786
 National Park Service, 123
 National Park Service Organic Act (1916), 127t
 National Stream Survey, 75, 135
 National Surface Water Survey (NSWS), 137
 National Water Quality Assessment Program, 299–300
 Native Americans
 in California, 596, 597, 606
 cave use by, 526
 deforestation by, 41
 fires set by, 608
 population, 44
 Rocky Mountains, 478
 salmon harvest, 822
 Southeast, 258
 Southwest, 545
 steelhead harvest, 820
 native species, habitat loss and, 37–38

 natural disturbances, 11, 12f, 19–28, 27f, 445. *See also*
 disturbance; fire and fire processes; hurricanes; storms;
 tornadoes
 coral reefs and, 321, 324
 diversity and, 19, 28
 fires, 22
 forest composition and, 55
 habitat change and, 37
 homogenization and, 29
 hurricane impacts on Louisiana wetlands, 20–22
 Northeastern spruce-pine forests and, 191
 Southeast, 257–58
 types of, 22, 27
 volcanoes, 23–26, 92, 747, 749, 827–28
 Natural Heritage Program, 211, 232, 233
 natural processes, 11–32. *See also* natural disturbances
 community dynamics, 16–19
 environmental heterogeneity, 11–16
 homogenization, 28–31
 research needs, 31
 Nature Conservancy, The, 192, 211, 222–23
 Great Lakes Program, 232–33
 Southeast data, 260–62
 naucorid
 Amargosa, 518t
 Ash Meadows, 518, 518t, 619t
Navicula, 406
 navigation
 canals, Mississippi River, 397
 control, Lower Mississippi River, 355–56
 dams, Upper Mississippi River, 354
 river transportation, 67
 Nearctic-Neotropical migratory bird system, 422
 nearshore resources, 801
 Nebraska Sandhills, 440–41
 necton. *See* nekton
 needle-and-thread, 476
 needlegrasses, 438, 476
 perennial purple, 604
 nehu, 829
 neighborhood landscapes, homogeneity and, 30
 nekton
 coastal Louisiana, 417–20
 defined, 417, 904
 nematodes, 831
 defined, 904
 nemerteans, defined, 904
 nemocá, 319
 neotenic, defined, 904
 Neotropical migrant birds, 189t
 abundance, 187
 barrier islands, 288
 California, 637
 coastal Louisiana, 421–22
 defined, 904
 Great Basin-Mojave Desert region, 523–24
 Pacific Northwest, 675
 Rocky Mountains, 493
 Southeast, 303
 Southwest, 575, 576
 Neotropical-Tertiary Geoflora, 596
 nerite
 Clench's, 332t
 sad, 332t
 zebra, 332t
 neritic, defined, 904
 net pen escapes, of Atlantic salmon, 849
 netplankton
 defined, 904
 distribution, 778f
 in Northeast region, 778f, 779
 nets (ground patterns), 721
 net submergence, delta lobes, 392
 net subsidence, low-salinity marshes, coastal Louisiana, 408
 Nevada Natural Heritage Program, 514
 New England. *See also* southern New England marine region
 forest cover changes, 48–49
 New Jersey
 Coastal Plain, 22f
 Pine Barrens, 26f, 190, 192
 uplands, heterogeneity in, 12
 Newlands Project, 520, 532
 newts
 black-spotted, 449t

- Coast Range, 623t
- eastern, 243
- northern rough-skinned, 623t
- red-bellied, 623t
- rough-skinned, 667t, 709
- Sierra, 623t
- striped, 301
- New Zealand, 747
- niches
 - fundamental, 108
 - realized, 108
 - temporal, 909
- nickel, 132
- nighthawks
 - Antillean, 330
 - common, 374t, 523, 674t, 678t, 679, 681
- night-herons
 - black-crowned, 154, 189t, 289t, 454t, 455t
 - yellow-crowned, 288, 289t, 455t
- nightjar, Puerto Rican, 331t, 341
- nightshade, 331t
- nitrate, water pollution and, 73
- nitrogen
 - from agricultural fertilizers, 142, 442, 443
 - grasslands and, 442, 443, 444
 - in guano, 758
 - lakes and streams and, 73
 - Upper Mississippi River, 365
- nitrogen fixation, defined, 904
- nitrogen oxides, 142, 184
- Nitzschia* species, 406, 415t
- nival, defined, 904
- nodal rooting, grasslands, 445
- noddies, 802
 - brown, 803
- Nogahabara Sand Dunes, 717
- nonferrous metals, contamination caused by, 132–33
- nonindigenous, defined, 904
- Nonindigenous Aquatic Nuisance Prevention and Control Act (1990), 117, 127t
- nonindigenous species, 3, 117–27
 - Alaska, 715, 731, 739–40
 - aquatic vegetation, 119
 - arachnids, 118t
 - beach and dune habitats, 616
 - biodiversity and, 121–22, 854
 - birds, 119, 121t, 340
 - bullfrogs, 668
 - California, 617, 619, 622, 634
 - Caribbean Islands, 329–30, 332, 338–41
 - characteristic of, 119–20
 - characteristics of invaded communities, 120–21
 - clams, 821
 - coastal Louisiana, 426
 - defined, 117
 - economic consequences of, 125–26
 - ecosystem changes and, 117, 120, 121
 - endangered/threatened species, 123–25
 - eutrophication and, 50
 - Everglades, 292
 - federal laws, 126
 - fire suppression and, 47
 - fishes, 69, 90–91, 118t, 120, 121t, 123t, 239–40, 332, 487, 489, 491, 492, 520, 567, 622, 848–49
 - freshwater mussels and, 298
 - future research, 126–27
 - grasses, 754, 755
 - grasslands, 449, 463
 - Great Basin–Mojave Desert region, 519, 520, 528, 530, 531, 532
 - Great Lakes region, 234, 239–40
 - habitat change and, 37
 - Hawaii, 751, 752–57, 762–63
 - intentional introductions, 118
 - invertebrates, 339
 - mammals, 121t, 340–41, 497, 634
 - management of, 119
 - marine, national issues, 848–49
 - marine bird predation by, 839
 - mollusks, 118t, 123t
 - Northeast, 196, 209
 - origins, 118
 - Pacific coast region, 821
 - pathogens, 495, 497
 - pathways, 118
 - pine rocklands, 293
 - plants, 118t, 119, 123t, 263, 272, 274, 292, 339, 497, 528, 530, 531, 556, 616, 622
 - purple loosestrife, 363
 - reptiles, 121t, 340
 - Rocky Mountains, 487, 489, 491, 492, 495, 497
 - rodents, 341
 - snails, 617
 - Southeast, 263, 272, 274, 298
 - Southwest, 556, 567, 575, 580–81
 - success factors, 119
 - tamarisks, 509
 - threats to parks and endangered biota, 123–25
 - unintended introductions of, 118
 - water development and, 66
 - western Pacific region, 840–41
- nonnative species. *See* nonindigenous species
- nonpoint, defined, 904–5
- nonpoint sources
 - of chronic oil pollution, 141
 - of water pollution, 73–76
- North American Amphibian Monitoring Program, 450
- North American Breeding Bird Survey. *See* Breeding Bird Survey
- North American Butterfly Association, 234
- North American Free Trade Agreement, 268, 271
- North American Maple Project, 184
- North Atlantic, estuarine resources, 844
- North Atlantic Salmon Conservation Organization, 850
- North Carolina Biotic Index, 299
- North Carolina Division of Environmental Management, 299
- North Cascades National Park Service Complex, 658, 659
- Northeast, 181–212
 - acid precipitation, 184–85
 - agricultural lands, 192, 195
 - American black duck, 197–200
 - American woodcock, 193–95
 - amphibians, 197
 - beavers, 200
 - birds, 186, 189, 786
 - Chesapeake Bay resources, 204–6
 - Chesapeake Bay watershed wetlands, 201–3
 - coastal Maine habitats, 207–8
 - endangered/threatened species, 197
 - fishes, 197
 - forest birds, 186
 - forest mammals, 186–89
 - forests, 181, 182–92
 - fragmented landscapes, 209–10
 - marine resources
 - benthic resources, 780–81
 - continental shelf, 853f
 - environmental and physical features, 775–78
 - fisheries resources, 781–86
 - marine birds, 786
 - marine mammals, 786–92
 - planktonic secondary production, 779–80
 - potential and average yields, 845t, 846
 - primary production, 778–79
 - taxonomic knowledge, 852
 - nonindigenous species, 196, 209
 - reptiles, wetland, 197
 - research needs, 210–11
 - spruce-fir forests, 191
 - unique forest environments, 189–92
 - urban environments, 200, 203, 209–10
 - wetlands, 195–200
 - wood duck, 200
- Northeast Multispecies Fishery Management Plan, 792
- Northern Mariana Islands, 826t
- North Pacific Current, 814
- North Slope, 732, 740
- Northwest. *See* Pacific Northwest
- northwestern California, 599–601
- northwestern Hawaiian (leeward) islands, 762
- Northwest Forest Plan, 689
 - Aquatic Conservation Strategy, 690, 691
- Northwest Power Planning Council, 690
- Nulato Hills, 721
- nunataks, 709
 - defined, 905
- nutcracker, Clark's, 483
- nuthatches
 - brown-headed, 302
 - red-breasted, 246t

- white-breasted, 631
- nutria, 265–66, 304, 425, 823
- baldcypress seedling damage, 410
- dermatitis, 404
- grazing damage, 426
- marsh damage, 406
- nutrient loading
 - algae and, 362
 - marine resources and, 853
- oak forests
 - encinal oak woodlands, 555
 - longleaf pine–turkey oak, 281
 - mixed, 17
 - oak barrens, 231
 - oak-chestnut forests, nonindigenous, 263, 272
 - oak-hickory forests, 41, 55, 272
 - oak woodlands, 605–6
 - pine-oak, 109, 476
- oaks, 48, 183, 187, 207, 260, 359, 476, 550
 - Arizona white, 550, 553, 555
 - bear, 15, 26f
 - black, 14, 15f, 17
 - blue, 601, 602, 605
 - bur, 359
 - California black, 602, 609
 - chestnut, 14, 15f
 - disturbance and, 55
 - Emory, 476, 553, 555
 - encinal, 555
 - Engelmann, 605
 - evergreen, 553, 555
 - evergreen black, 605
 - Gambel, 476, 550
 - gray, 550, 553, 555
 - Great Lakes region, 233
 - huckleberry, 607
 - leather, 605, 607
 - live, 260, 411, 900. *See also* live oaks
 - Mexican blue, 553, 555
 - netleaf, 476, 553, 555
 - northern red, 14, 15f, 183
 - Nuttall's scrub, 605, 607, 608
 - Oregon, 605
 - pin, 359, 360
 - scrub, 605
 - silverleaf, 476, 553, 555
 - Southeast, 273
 - southern, 605
 - swamp white, 14, 15f, 359, 360
 - turkey, 281
 - valley, 605
 - water, 411
 - wavyleaf, 550
 - white, 14, 15f, 605
- oatgrasses, 549
- oats
 - sea, 287f, 412
 - wild, 603
- Oberholser, Harry C., 264
- obligate, defined, 905
- oceanic ichthyoplankton, 793
- oceanic pelagic fishes, 818–20, 833–34
- oceans. *See also* sea-level rise
 - climate models and, 95
 - petroleum discharges into, 139
 - surface temperature, 93
 - warming, 853
- ocelots, 265, 303, 577
- Ochoco National Forest, 658
- Ochromonas* species, 415t
- ocotillo, 556
- octocorals, 809
- octopuses, 836
- off-highway vehicles, Great Basin–Mojave Desert region, 530
- offshore rocks, Caribbean Islands, 328
- Ogallala aquifer, 442
- ohia, 755f, 756, 759, 765
 - dieback, 757–58
- Ohio River, 67, 140
- oil. *See* petroleum
- Okanogan Highlands–Blue Mountains, 675, 677, 679
- Olax family, 331t
- old-field birds, Great lakes region, 244–45
- old-growth, defined, 905
- old-growth forests
 - after fires, 46f, 47
 - Alaska, 710, 737
 - fungi, 652–53
 - loss of, habitat fragmentation and, 52
 - Northeast, 181, 185
 - Pacific Northwest, 646–47
 - Rocky Mountains, 480–81, 499
 - Southeast, 262, 263, 272–73
 - Southwest, 547
- oldsquaws, 734
- oligochaetes, 416, 905
- oligotrophic systems
 - defined, 905
 - western Pacific oceanic region, 831–32
- Olympic National Park, 686, 687–88
- Olympic Peninsula, Washington, 43, 44f
- omao, 765
- ontogenetic, defined, 905
- oouu alamo, 766, 767f
- open lake ecosystems, Great Lakes, 223–24
- opossums, Virginia, 195, 248, 249, 425, 449, 634
- opportunistic species, 13
- orchids, 185, 318
 - eastern prairie fringed, 185t, 230, 232t
 - snowy, 404
- Oregon
 - climate map, 98–99
 - comprehensive plan legislation, 691
 - sea otters, 684
- Oregon Cascades, 595
- Oregon Caves National Monument, 689
- Oregon Natural Heritage Program, 657
- organic carbon, grasslands, 443
- organic pollutants, in lakes and streams, 73–74
- organo-arsenicals, 144
- organochlorine compounds
 - Great Lakes, 224
 - industrial, 153
 - pesticides, 144–49
- organo-metallic compounds, 144
- organophosphates, 149–51
- organpipe, 556
- orioles
 - Baltimore, 246t, 374t
 - Bullock's, 523, 524, 674t, 679, 681
 - orchard, 246t, 374t
 - Scott's, 523
- ornamental aquarium fishes, 118, 125, 800, 849
- oscar, 125f
- osmerid, defined, 905
- Osphrantium labronectum*, 416
- ospreys, 137, 146, 154, 189t, 246t, 247, 369
- otters
 - river, 140, 154, 248, 304–5, 461, 633, 712, 727, 823
 - sea, 140, 174, 597, 684–86, 728, 788t, 812, 813, 821
 - Alaska, 846
 - California, 846
 - southern, 613
 - southwestern, 525t
- Ouachita Mountains, 256
- Ouachita uplands, 136
- Our Living Oceans*, 845
- Our Living Resources*, v
- Our Lord's candle, 607
- Outer Coastal Plain Mixed Forest Physiographic Province, 385
- Ouzel Lake area, Rocky Mountain National Park, 482
- overfishing, 47. *See also* commercial fisheries
 - national issues, 847
 - recruitment, 325
- overgrazing. *See* grazing
- ovigerous, defined, 905
- owls, 719
 - barred, 374t, 673
 - boreal, 481
 - burrowing, 451t, 453, 681
 - elf, 626t
 - flamulated, 481, 677
 - great gray, 626t, 677
 - great horned, 374t
 - long-eared, 189t, 192
 - Mexican spotted, 481
 - northern spotted, 52, 626t, 652, 671, 672–73, 690, 691

- short-eared, 189t, 451t, 678t, 734
- snowy, 734
- spotted, 601, 821
- oxbow ponds, 296
- oxidation, defined, 905
- oxygen levels, marine resources and, 853
- Oxytropis kobukensis*, 717
- oystercatchers, 628t
 - black, 626, 730
- oysterleaf, 725
- oysters, 419, 420t, 801, 844, 852
 - Atlantic, 846
 - eastern, 205, 417, 785, 785t, 848
 - mangrove, 332t
 - Pacific, 823
- Ozark emerald, 447
- Ozark Mountains, 256
- Ozark uplands, 136
- ozone, 155
- PACFISH, 691**
- Pacific coast region, 814–24
 - benthic resources, 816–17
 - environment and physical features, 814–16
 - estuarine resources, 821–24, 844
 - Columbia River estuary, 821–23
 - Puget Sound, 823–24
 - San Francisco Bay, 821
 - Southern California Bight, 824
 - fisheries resources, 817–20
 - marine birds, 820–21
 - marine mammals, 821
 - potential and average yields, 845t, 846
 - primary production, 816
 - secondary production, 816
- Pacific flyway, 628
- Pacific Islands, 747–24, *See also* Hawaii; western Pacific oceanic region
 - geographic areas, 747–48
 - high islands, 825–26, 830
 - low islands, 825, 830
 - overview, 747–48
 - prehistoric human settlement, 750–51
 - U.S. jurisdiction over, 825–26
- Pacific Northwest, 645–92
 - amphibians, 666–70, 691
 - arthropods, 691
 - bats, 689–90
 - birds, 671–82
 - Breeding Bird Survey, 674, 675
 - deforestation, 42–43
 - ecosystems
 - aquatic ecosystems, 650–52, 690–91
 - eastside forests, 645, 647–48, 690
 - eastside rangelands, 649–50, 690
 - riparian ecosystems, 650–52, 690–91
 - westside forests, 645, 646–47, 690
 - endangered species, 654
 - endemic species, 652, 683
 - fishes, 660–66
 - forests, 690
 - fungi, 652–53, 691
 - invertebrates, 655–58
 - mammals, 682–90
 - physiographic overview, 645–46
 - plants, 653–55
 - reptiles, 670
 - research needs, 690–92
 - riparian habitats, 681
 - ungulates, 686–89
- Pago Pago Harbor, 829
- paintbrushes, 563
- pair bonding, defined, 905
- Pala Lagoon, American Samoa, 829–30
- Palau, Republic of, 762
- paleoecology
 - defined, 905
 - Rocky Mountains, 474
- palila, 765
- palma de lluvia, 318
- palma de manaca, 331t
- Palmerton, Pennsylvania, 134t
- palmetto, 411
- palmgrass, 759
- palms, 319, 331t
 - Puerto Rican royal, 318
 - Sierra, 318, 320f
- Palmyra Atoll, 825, 826f, 840
 - physical characteristics, 826t
- palo colorado, 319, 331t
- palo de jazmín, 331t
- palo de nigua, 331t
- palo de Ramón, 331t
- palo de rosa, 331t
- Palos Verdes Peninsula, 610
- Palouse Prairie grasslands, 649
- paloverde, yellow, 556
- palustrine wetlands, Chesapeake Bay watershed, 202–3
- palynology, defined, 905
- panthers, Florida, 52, 148, 303, 304, 305, 427
- paper mills, 138
- parakeets
 - Carolina, 302
 - Hispaniolan, 329
 - monk, 340
 - orange-fronted, 340
- paralytic shellfish poisoning, 823, 851
- parasites
 - defined, 905
 - nonindigenous, Hawaii, 767–68
- parasitism, *See also* cowbirds
 - brood, 897
 - by brown-headed cowbirds, 53, 679
 - homogenization and, 29
- parrotbill, Maui, 765
- parrotfishes, 326
 - bucktooth, 325
- parrots, 340
 - Caribbean Islands, 338
 - Puerto Rican, 319, 320, 330, 331t, 337, 338f, 343
- parsleys, desert, 680
- parsnips, cow, 729
- partial life cycle fish tests, 145
- Partners in Flight, 582
- partridge, gray, 246t
- parula, northern, 189t, 246t
- paspalum, seashore, 402t, 407
- passerines
 - Alaska, 722, 727, 730, 734
 - defined, 905
- passes, Lower Mississippi River, 355
- pasture, 151
- patches
 - animal-generated, 16
 - boundaries, 15
 - defined, 15
 - dynamics, 28, 905
 - forest, diversity and, 51–52
 - heterogeneity and, 14, 15–16
 - landscape context, 53–54
 - natural disturbances and, 28
- pathogens
 - defined, 905
 - fungi, 653
 - plant, nonindigenous, 118t, 123t
 - Rocky Mountains, nonindigenous, 495, 497
- pathways, for nonindigenous species, 118
- patterned ground, defined, 905
- PCBs. *See* polychlorinated biphenyls (PCBs)
- pea, 331t
 - beach, 710, 725
- pearly eye, Creole, 273f
- pearlymussels, 151, 377
 - declines, 365–66
 - elktoe, 448
 - scaleshell, 448
 - snuffbox, 448
 - spectacle-case, 448
 - white cat's paw, 236
- pebblesnail, Columbia, 68
- pecan, 359
- Pecos Wilderness, 548
- Pediastrum biradiatum*, 415t
- peepers, spring, 243, 425
- pelagic, defined, 905
- pelagic resources
 - Alaska, 810–12
 - birds, 786, 802, 803

- fishes
 - coastal, 798, 817–20, 834–35
 - Northeast region, 781, 783, 784
 - oceanic, 798–800, 818–20, 833–34
 - Pacific coast region, 817–20
 - Pacific Islands, 826–30
 - western Pacific region, 833–35
 - Pacific Islands, 826–30
 - sharks, 797–98
 - Southeast, 802, 803
- pelicans, 369, 628t, 802
- American white, 421, 454t, 455t, 524, 627, 803, 804
- brown, 146, 288, 289t, 302, 303, 327, 331t, 427t, 428f, 802–3, 820
- eastern brown, 289, 421, 427
- Pelos del Diablo, 331t
- Peninsular Ranges, 595
- pennyworts, 415t
 - largeleaf, 415t
- penstemons, 563
- pentachlorophenol (PCP), 133t, 153
- Pentagenia vitrigera*, 364
- peperomia, 292f
 - Wheeler's, 331t, 341
- peppers, 331t
 - Brazilian, 126, 756
- peppervine, 87
- percent cover, defined, 905
- perch, 449
 - Pacific ocean, 809, 818
 - Sacramento, 620t
 - shiner, 711t
 - silver, 418t
 - surf, 822
 - Tule, 620t
 - yellow, 239, 240, 242, 368
- perched dunefields, Great Lakes, 227–29
- perennials
 - bunchgrasses, 549
 - defined, 905
 - forbs, 512
 - needlegrasses, 604
 - pickleweeds, 412
- Peridinium cinctum*, 415t
- peritonitis, 613
- Perkinsus marinus*, 417
- permafrost, 707, 716, 732, 733f
 - defined, 905
- persimmon, common, 411
- pesticides, 144–51
 - agricultural use, 149f
 - aquatic toxicology, 145
 - carbamate, 149–51
 - economic losses attributed to, 151
 - grasslands, 442
 - Great Lakes, 223
 - inorganic, 144
 - organochlorine, 144–49
 - organophosphate, 149–51
 - soft, 149–51
 - synthetic pyrethroid compounds, 149–51
 - total use, 149f
 - Wyoming toad and, 451
- pest species, insects, 211
- Petersham Township, Massachusetts, forest cover, 40, 41f, 47–48
- petrels, 330, 628t, 751, 786, 802
 - Bermuda, 802
 - black-capped, 804
 - Bonin, 840
 - Bulwer's, 802, 840
 - cape, 802
 - dark-rumped, 840
 - Hawaiian dark-rumped, 758, 759f, 840t
 - herald, 802
 - white-chinned, 803
- petroleum, 139–42
 - air pollution, 142
 - Alaska, 735, 740
 - chronic oil pollution, 141–42
 - compounds, 850
 - discharges into ocean, 139–40
 - hydrocarbons, 139, 141
 - oil fields, 735, 740
 - oil slicks, 139
 - oil spills, 140–41, 740
 - Exxon Valdez*, 140–41, 714, 807, 811–12
- pets and pet trade
 - aquarium fishes, 118, 125, 800, 849
 - Mojave Desert reptiles, 521
 - reptiles, 670
 - Southwest, 571, 572
- pH
 - defined, 905
 - toxicity, 137
- phinopepla, 631
- phalaropes, 628t, 802, 803, 820
 - red, 786
 - red-necked, 523, 524
 - Wilson's, 441, 451t, 453, 454t, 455t, 523, 524
- pheasants, 119
 - ring-necked, 195, 246t
- phenology, defined, 905
- phenotypes, defined, 905
- phloxes, 680
- phoebes
 - black, 631
 - eastern, 110, 111f, 246t
 - Say's, 678t
- Phosphorescent Bay, 332
- phosphorus
 - from agricultural runoff, 142
 - in the Everglades, 80
 - grasslands, 443–44
 - in guano, 758
 - mycorrhizal fungi and, 18
 - in soils, 757
 - water pollution and, 73, 80
- photic zone, defined, 905
- photoperiod, defined, 905
- phreatophyte, defined, 905
- phylogenetic, defined, 906
- physas, 565
 - Physa cubensis*, 331,
- physiognomy, defined, 906
- physiographic province, defined, 906
- physiography, defined, 906
- physiological variation, 13
- phytoplankton, 730, 816
 - defined, 906
 - habitat degradation and, 848
 - northeast marine region, 778
- pickleweeds, 406
- perennial, 412
- pigeons
 - band-tailed, 631, 632, 674t
 - Pacific, 764
 - passenger, 48, 222, 302
 - plain, 343
 - Puerto Rican plain, 331t, 337
 - white-crowned, 327
- pigs, 740
 - feral, 263, 304, 341, 634
 - Hawaii, 752–53, 759, 760, 766, 789–70
- pikas, 515t, 579
 - collared, 723
- pikes, 69
 - blue, 241
 - northern, 69, 711t, 718, 725, 726
- pilewort, 13
- Piloderma fallax*, 652
- pimpleback, orange-foot, 196
- Pinchot, Gifford, 169
- pine barrens
 - Great Lakes region, 231
 - New Jersey, 26f, 190, 192
- Pine Bush, Albany, New York, 190, 192
- pine cones, serotinous, 907–8
- Pinedale Glaciation, 473, 474
- pine forests
 - longleaf pine savanna, 280
 - longleaf pine–turkey oak, 281
 - longleaf pine–wire-grass communities, 281, 282f
 - pine-oak, 109, 476
 - pine rockland, 292–93
 - ponderosa, 476, 480, 550–53
 - Southeast, 276–77
- Pinelands, New Jersey, patches, 15
- pinus, 44, 48, 260, 645

- Apache, 553
- Arizona, 553
- Australian-, 125
- bishop, 599
- bristlecone, 233, 477, 513
- California white, 485
- Chihuahua, 553
- closed-cone, 599, 600, 608
- Colorado pinyon, 512
- eastern white, 182, 185, 191
- foothill, 601, 605
- foothill digger, 602
- foxtail, 600
- Great Basin bristlecone, 514
- Great Lakes region, 233
- jack, 112–13, 228, 229
- Jeffrey, 602, 606
- knobcone, 599, 600
- limber, 474, 477, 486, 513, 514
- loblolly, 41, 183, 280
- lodgepole, 474, 476, 480, 513, 602, 606, 647, 710
- longleaf, 109, 280–83
- Mexican pinyon, 476
- Monterey, 599
- pinyon, 476, 497, 512–13
- pitch, 15, 26f, 183, 273, 276
- ponderosa, 474, 476, 487, 497, 547, 550–53, 551f, 600, 601, 602, 647, 691
- short-leaf, 41, 276
- singleleaf pinyon, 476
- slash, 280
- Southeast, 259, 273
- southwestern white, 550
- sugar, 485, 601, 602, 606
- Table Mountain, 273, 276
- Torrey, 611
- Virginia, 187, 276
- white, 207
- whitebark, 477, 483–85, 513, 514, 600, 602
- pingos, 725
 - defined, 906
- pink
 - ring, 196
 - swamp, 185t
- pinnipeds, 612, 846
 - defined, 906
- pintails, 457
 - northern, 420t, 422–23, 424, 424t, 425t, 456–57, 458, 460, 719, 734
 - white-cheeked, 337
- pinyon-juniper woodlands, 497, 511t, 512–13, 516, 523, 528
 - herpetofauna, 571
 - Rocky Mountains, 476
 - Southwest, 554–55
- pinyons, 554–55
 - Mexican, 553
 - singleleaf, 512–13
- pioneers, defined, 906
- pipistrelle, western, 689t
- pipits
 - red-throated, 727
 - Sprague's, 109, 451t
 - water, 25, 722
- piscivores
 - defined, 905
 - fishes, 326
- pitcher-plants, 285
 - Jones', 285
 - sweet, 384
 - yellow, 285f
- placer mining, 132
 - Alaska, 738
 - defined, 906
- plaine, American, 783t
- plains, Rocky Mountains, 475
- plankton, *See also* ichthyoplankton; meroplankton; microzooplankton; nannoplankton; netplankton; zooplankton
 - defined, 906
 - Northeast region, 779–80
 - Southeast region, 793
- planktonic phase migration, fishes, 416
- planorb, blood fluke, 126
- plantain, broad-leaved Maui, 760f
- plant-derived organic pesticides, 144
- plant pathogens, nonindigenous, 118t, 123t
- Plant Quarantine Act (1912), 127t
- plants
 - adventive, 895
 - Alaska, 710–11, 716–18, 720–22, 724–25, 728–29, 732–33
 - antigrazing structures, 440
 - California, 595, 596, 616
 - Caribbean Islands, 330, 339
 - carnivorous, 285, 286
 - climate change and, 91, 92f, 93
 - endangered/threatened species, 185
 - extinctions, 45, 751
 - functions of, 233–34
 - Great Basin–Mojave Desert region, 516–17, 525–26
 - Great Lakes region, 233–34
 - habitat loss, 285
 - Hawaii, 750, 752, 754–55, 768
 - Holdridge life-zone classification, 100
 - horticultural trade, 563
 - Mount St. Helens impacts, 23–24
 - nonindigenous, 118t, 119, 123f, 274, 292, 339, 497, 528, 530, 531, 616, 622, 752
 - Northeast, 185–86
 - Pacific Northwest, 653–55
 - Rocky Mountains, 497
 - Southwest, 563–64
 - temperature-caused disruption, 110, 113
 - vascular, 45t, 910
- plastic, ingestion of, by marine species, 851
- plasticity, 12–13
- Playa lakes, 442
- playas, 559
 - defined, 906
- Pleistocene, 473
 - Alaska, 707
 - defined, 906
 - Great Basin–Mojave Desert region, 506–7, 515
 - Southwest, 545
- plovers, 628t, 786
 - black-bellied, 421
 - mountain, 440, 451t, 452f, 479, 627
 - piping, 232t, 247, 302, 331t, 427–28, 454t
 - snowy, 524
 - western snowy, 524, 616, 626t, 627, 629
- plum, Chickasaw, 412
- plutonic, defined, 906
- pocketbook, fat, 196, 232t, 366
- pocosins, 284–85
 - defined, 906
- pogonia, small whorled, 185, 185t, 232t
- point bars, 716
- Point Reyes National Seashore, 616
- point sources, of water pollution, 73–74
- poka, banana, 754, 759
- polar ice caps, expansion/contraction cycle, 90
- pollen records, 90–91, 474
- pollination, as mutualism, 19
- pollocks, 781, 783t, 809, 850, 853
 - walleye, 809, 810–11, 823
- pollution, *See also* air pollution; contaminants; water pollution
 - grassland effects, 442
 - lead, 142
 - petroleum, 141–42
 - Rocky Mountains, 478–79, 482
- polychaetes
 - defined, 906
- polychlorinated biphenyls (PCBs), 133t, 153–54, 155f
 - bald eagles and, 824
 - defined, 906
 - mink and, 375–76, 378
- polycyclic aromatic hydrocarbons (PAHs), 133t, 138–30, 142
- Polymorphus* sp., 613
- Polynesia, 747, *See also* Hawaii
 - human activities, 764
 - overview, 747–48
 - population growth, 764
 - prehistoric extinctions, 751
 - prehistoric human settlement, 750–51
- Polysiphonia*, 406
- Polystichum calderonense*, 331t
- pommarosa, 339
- pomfrets, 818
- pompano, Florida, 801
- ponds

- saltwater, Caribbean Islands, 328
- Southeast, 296
- pondweeds
 - curly leaf, 274, 360, 361
 - flat-stem, 360, 361
 - long-leaf, 360–61, 415t
 - narrow-leaf, 360, 361
 - Richardson, 361
 - sago, 360, 361
 - small, 415t
- poolfishes, 569
- pahrump, 569
- poo-uli, 765, 766f
- poplars, 716
 - balsam, 716, 721, 724–25, 733
 - yellow-, 48, 183
- poppies
 - California, 603f
 - California bearpaw, 510, 516, 517
 - prickly, 563
- population
 - defined, 906
 - density, 171
 - limiting factors, 170
 - persistence, genetic diversity and, 171
 - regulating factors, 170
 - harvest and, 170
 - individual diversity and, 172
- population ecology, 169–70
- population growth
 - density-dependent, 171f
 - density-independent, 171f
 - individual diversity and, 172
- Polynesia, 764
- Rocky Mountains, 487f
- porcupine
 - North American, 508
- Porcupine caribou herd, 736
- porgies, 326
- porpoises, 790
 - Dall's, 788t, 789t, 810, 824
 - Gulf of Maine–Bay of Fundy harbor, 789, 790
 - harbor, 787, 788t, 789t, 790, 823, 824
- possumhaw, 411
- Potential Biological Removal (PBR), 787
- power plant ash, 138
- prairie-chickens
 - Attwater's greater, 427t, 428
 - greater, 43f, 280, 447, 451t
 - lesser, 451t
- prairie-clover, leafy, 232t
- prairie dogs, 437, 440, 449, 453, 460, 499, 579
 - black-tailed, 460, 479f, 577
- ecosystems, 479
- prairie pothole region, 440
 - amphibians, 450–51
 - carnivores, 461–63
 - waterfowl, 456–57, 460
 - wetlands, 422, 454–55
- prairies. *See* grasslands
- prawns, 420t
 - Pacific black tiger, 849
- precipitation. *See also* acid precipitation
 - Alaska, 707
 - coastal Louisiana, 394
 - grasslands, 437, 442
 - Great Basin–Mojave Desert region, 506, 514
 - Hawaii, 749
 - Southwest, 544, 545, 555–56, 558
- predation
 - homogenization and, 29
 - predator removal, 174
- prehistoric extinctions, 221–22, 751
- prehistoric human settlement, in Polynesia, 750–51
- prescribed fires, 608–9
- President's Council on Sustainable Development, 6
- Pribilof Islands, 808
- prickle, white, 318
- prickly-ash, 411
 - St. Thomas, 331t
- prickly pear, 412
- primary production
 - Alaska, 807
 - coastal Louisiana, 413–15
 - defined, 906
 - northeast marine region, 778–79
 - Pacific coast region, 816
 - Southeast region, 793
 - western Pacific oceanic region, 831–32
- primary productivity, defined, 906
- primrose
 - boreal, 724
 - Chukchi, 724
- primrosewillow
 - anglestem, 405
 - creeping, 415t
- Prince of Wales Island, 711, 737
- Prince William Sound, 140, 714, 737, 807, 811–12
- prior appropriation doctrine, 65
- progradation, defined, 906
- progressive agriculture, 169
- pronghorns, 248, 265, 440, 477, 495, 496f, 603
- Prorocentrum* species, 415t
- protists, 831
- protozoan encephalitis, 613
- province, defined, 906
- Prudhoe Bay, 735–36, 740
- Pseudocalanus* sp., 780
- Pseudonitschia australis*, 851
- ptarmigans, 714, 740
 - Evermann's rock, 730
 - rock, 719, 722, 730, 734
 - white-tailed, 493, 498, 722
 - willow, 719, 722, 734
- Yunaska rock, 730
- public health
 - marine toxic wastes and, 850–51
 - toxic contamination and, 850–51
- Public Health Services Act (1944), 127t
- public land, Southeast, 259
- Pueblo people, 551
- Puerto Rican Bank, 315
- Puerto Rico. *See also* Caribbean Islands
 - description, 315–16
 - human activities, 320–21
 - life zones, 317–19
 - location, 315
 - sea turtles, 334–37
- puffball, stalked, 516
- puffins
 - Atlantic, 208, 786
 - horned, 813
 - tufted, 140, 813, 824
- Puget Sound, 815, 823–24
- puma, Yuma, 577
- pupfishes, 121, 125, 569
 - Amargosa, 519, 520
 - Ash Meadows, 519
 - Devils Hole, 520, 569
 - Saratoga Springs, 519
 - Shoshone, 519
 - Tecopa, 519
 - Warm Springs, 519
- purse seine, defined, 906
- pussytoes, 477
- put-and-take hunting, 172
- Pyramid Lake, 532
- pyrethroid compounds, synthetic, 149–51
- pyrethrum, 144
- pyrite, 134
- pyroclastic, defined, 906
- pyroclastic flow zone, Mount St. Helens, 23, 24, 25
- quahogs
 - northern, 785, 801
 - ocean, 784, 785t
- quail-doves
 - Key West, 302
 - Puerto Rican, 329
- quails, 119
 - mountain, 626
- Quaternary, defined, 906
- quicksands, 443
- quillworts, Howell's, 604
- rabbitbrush, whitebark, 546
- rabbits, 29, 248
 - black-tailed jack, 688, 689

brush, 633t
 European, 731
 pygmy, 525t, 689
 swamp, 425
 white-tailed jack, 460
 rabies
 raccoon, 203
 Raccoon Island, 412f, 413, 414f
 raccoons, 195, 248, 425, 449, 460, 461–63, 715
 rabies, 203
 racers, 449t
 Alameda striped, 625t
 striped, 625t
 racerunner, six-lined, 449t
 radiation (in ecology)
 adaptive, 895
 defined, 906
 radiation (sun)
 heat fluctuations, 91
 terrestrial infrared, 89
 ultraviolet, 155, 668, 910
 ragweeds, 17
 common
 silver bur, 616
 ragworts
 Rugel's, 258
 seaside, 725
 rails, 369, 420t, 628t
 black, 330
 California black, 626t
 California clapper, 612, 616f, 626t, 627
 clapper, 421
 DeBooy's, 329, 330
 flightless, 751
 king, 421, 455t
 light-footed clapper, 612, 626t, 627
 Virginia, 246t, 454t
 yellow, 454t
 Yuma clapper, 626t
 rain forests, Hawaii, 759–60
 Rainwater Basin, 440, 441
 ranch farming, 42
 raptors, 288
 Alaska, 714
 insecticides and, 150
 Mississippi River, 373
 Rare Plant Program, California Native Plant Society, 636
 rare species, species richness and, 173
 Raritan Bay
 benthic resources, 781
 petroleum discharges into, 139
 raspberries, 476
 Himalayan, 759
 rats, 579, 739–40
 agile kangaroo, 633t
 black, 333, 341, 634, 754
 cotton, 579
 Fresno kangaroo, 633t
 giant kangaroo, 633t
 Heermann's kangaroo, 633t
 kangaroo, 579, 634
 marine bird predation by, 839
 Morro Bay kangaroo, 633t
 narrow-faced kangaroo, 633t
 Norway, 203, 341, 497, 634
 Panamint kangaroo, 633t
 Polynesian, 751
 Stephens' kangaroo, 633t
 Tipton kangaroo, 633t
 rattlesnakes
 banded rock, 571f
 New Mexican ridge-nosed, 571
 Panamint, 521
 rock, 571
 timber, 189
 twin-spotted, 571
 western, 449t, 670
 ravens, common, 246t, 631, 719
 razorbills, 786
 reagents, defined, 906–7
 realized niches, defined, 108
 Reclamation Act (1902), 72
 reclamation projects, Mississippi River, 396–97

Recovery Implementation Program for Endangered Fish Species, 69
 recovery plans
 brown pelican, 820
 defined, 907
 Delta Native Recovery Plan, 620
 recreational activities, Alaska, 738
 recreational fishing. *See* sport fishing
 recruitment, defined, 907
 recruitment overfishing, 325
 redcedars
 eastern, 17, 260
 western, 476, 687, 688, 710
 Red Dog Creek, 739
 redfish, 407, 420t, 783t
 redheads, 205–6, 269, 371, 372, 424t, 425, 456–57
 redhorses, 367
 Red Paint people, 207
 redpolls
 common, 719
 hoary, 719
 Red River, flood-control structures, 67
 red shank chaparral, 607
 redstarts, American, 374t
 red tide, 849
 reduction, defined, 907
 redundancy, biodiversity and, 175
 Redwood National Park, 601
 redwoods, 600–601
 coast, 594, 602
 reedgrass, 725
 Pacific, 729
 reeds, common, 402t
 reef species
 fishes, 800
 ichthyoplankton, 793
 reef animals, western Pacific, 836–37
 reef-building corals, Pacific Islands, 827
 Reelfoot Lake, 296
 reforestation, 40–41
 refugium, defined, 907
 regime, defined, 907
 region, defined, 907
 regional climate maps, 98–100
 Regional Hydro-Ecological Simulation System (RHESys), 105–7
 regulation
 of contaminants, 156
 fear of, 5–6
 monitoring programs and, 5–6
 reindeer, 727, 728, 739–40, *See also* caribou
 feral, 731
 relative humidity, 104
 relative sea level, coastal Louisiana and, 385
 relic, defined, 907
 remigrant, defined, 907
 remote sensing, defined, 907
 Reno, Nevada, 532
 reptiles
 California, 624–26
 Caribbean Islands, 329, 332–37, 340
 climate change and, 101, 102
 coastal Louisiana, 428–29
 desert, 510
 endangered and threatened, 428–29
 extinctions, 329
 grasslands, 449, 451
 Great Lakes, 243
 Hawaii, 766
 Mojave Desert, 521–22
 nonindigenous species, 121t, 340
 Northeast, 197
 Pacific Northwest, 670
 Southeast, 300–302
 Southwest, 570–75
 temperature restrictions, 110
 wetland, 197
 resacas, 270
 reservoirs
 Caribbean Islands, 328
 climate change and, 67–69
 ecological effects, 78
 eutrophication of, 49–50
 historical, 64
 land-use change and, 49

- Rocky Mountains, 482, 487
- residential development. *See* urban development
- resilience, of forest cover, 47
- resource extractions, 51
- resource management, 169
- resource partitioning, defined, 907
- revetments, defined, 907
- RHESSys model, 105–7
- Rhizoclonium*, 406
- rhododendrons, 600, 601f
 - Kamchatka, 729
- rice, 151, 604
 - prairies, 438–39
 - water diversion for, 68
- ricegrasses, 546
 - Indian, 556
- ridleys
 - Kemp's, 289, 290f, 331t, 427t, 428–29, 801, 838t
 - olive, 334, 801, 817, 838
- riffleshell
 - Appalachian, 196
 - northern, 232t
- ringgrass, 476
- Rio Grande, 560, 562–63
 - agricultural contaminants, 271
 - fishes, 565, 567–69
 - industrial contamination, 271–72
 - water diversion, 270–71
- riparian, defined, 907
- riparian birds, 78
 - Great Basin, 522
 - Southwest, 575
- riparian common law doctrine, 64–65
- riparian ecosystems
 - California, 604, 632
 - forests, 54, 476, 604
 - Great Basin–Mojave Desert region, 508–9, 522
 - historical changes, 65–66
 - Pacific Northwest, 650–52, 681, 690–91
 - Rocky Mountains, 476, 480
 - Southwest, 560–63, 575
 - vegetation, 49–51, 75
- riparian zone
 - nonindigenous plant species, 78
 - scour, 79
 - unimpounded, 69
- riprap, defined, 907
- river miles, 351
- rivers, *See also* Mississippi River; streams; water bodies; *specific rivers*
 - bank erosion, 560–61
 - California, 597
 - Caribbean Islands, 328
 - channel modifications, 49
 - dewatering, 443
 - grasslands, 443
 - Great Lakes region, 225–26
 - impounded systems, 69–72
 - land-use change and, 49–51
 - navigation and transportation, 67
 - Pacific Northwest, 650–52
 - regulated, 351–52
 - Rocky Mountains, 482, 487
 - sedimentation and, 74–75
 - Southeast, 294–95
 - species loss, 51
 - threats to, 66
 - unimpounded corridors, 69
 - water hyacinth and, 426
- River Warren, 353
- Rivularia*, 406
- roaches
 - California, 620t, 661t
 - Tuna Cave, 331
- roads and highways
 - habitat fragmentation and, 52, 210
 - reptile and amphibian deaths, Southeast, 301
 - Southwest, 548
- robins, American, 146, 246t, 374t, 523, 631, 678t, 679, 681
- roble blanco, 318
- rock
 - igneous, 901
 - metamorphic, 903
- rock-cress, McDonald's, 654t
- rockfishes, 809, 814, 817, 823–24
 - demersal shelf, 810
 - northern, 810
 - pelagic shelf, 810
 - shortbelly, 818
 - slope, 810
 - widow, 818
- rocky coast, Caribbean Islands, 328
- Rocky Mountain National Park, 478, 482, 487–88
- Rocky Mountains, 473–99, 506
 - acid precipitation, 136
 - amphibians, 489, 490–91
 - biotic inventories, 497–98
 - birds, 492–93, 498
 - economic resources, 478
 - ecosystems, 479–89
 - air pollution, 482
 - aquatic, 482, 487
 - bordering prairie, 479–80
 - Greater Rocky Mountain National Park Ecosystem, 487–88
 - Greater Yellowstone National Park, 488–89
 - intermountain, 479–80
 - limber pine, 486
 - old-growth forest, 480–81
 - ponderosa pine, 480
 - postdisturbance, 481–82
 - simulation of, 105–7
 - wetlands, 482, 487
 - whitebark pine, 483–85
 - fishes, 489, 492
 - geology, 473
 - human development, 478–79
 - hydrology, 473
 - invertebrates, 489
 - mammals, 477, 493–95, 497
 - monitoring, 498–99
 - nonindigenous species
 - mammals, 497
 - pathogens, 495, 497
 - plants, 497
 - paleoecology, 474
 - pollution, 478–79
 - research needs, 497–99
 - residential development, 44
 - vegetation patterns, 474–77
 - alpine tundra, 477
 - canyon forests, 476
 - Cascadian Forest, 476
 - Douglas-fir forest, 476
 - montane seral forest, 476
 - pine-oak woodland, 476
 - pinyon-juniper woodland, 476
 - plains, 476
 - ponderosa pine woodland, 476
 - riparian forests, 476
 - spruce-fir forest, 477
 - subalpine white pine forest, 477
 - treeline vegetation, 477
- rocky stream gorges, Southeast, 278
- rocky substrates, bottom-dwelling invertebrates and, 364
- rodents, *See also specific species*
 - distribution along gradients, 14–15
 - Great Lakes, 248
 - Hawaii, 754
 - nonindigenous, Caribbean Islands, 341
- roller, sand, 663t
- rookeries, defined, 907
- Roosevelt, Theodore, 169, 478, 495
- root rot, laminated, 653
- roots
 - mycorrhizae, 18
 - nodal, 445
- rose, prickly, 717
- roseroot, Leedy's, 185t, 232t
- rosy-finches, gray-crowned, 25, 626
- rotenone, 519
- rotifers, 416
 - defined, 907
 - tests, 145
- row crops, wildlife habitat, 195
- ruffe, 240, 242
- runoff
 - defined, 907
- Upper Mississippi River, 354

- rushes, 549
 - leafybract dwarf, 604
 - needlegrass, 401, 402t, 407
 - smooth, 406
 - toad, 604
 - whitebeaked, 384
- Russian-olives, 442, 463, 560, 562–63
- rusts, 653
 - white pine blister, 483, 484, 485, 486, 489
- ryegrass, beach, 710, 725
- sablefish, 809, 817t, 818
- sacatons, 557
- Sacramento River, 68, 819
- Sacramento-San Joaquin estuary, 620
- Sacramento Valley, 603
- sage
 - black, 606
 - purple, 606
 - white, 606, 607
- sagebrushes, 44, 445, 476, 512, 513, 563, 680, 732
 - alpine, 477
 - Artemisia arctica* ssp. *comata*, 732
 - Artemisia senjavinensis*, 724
 - big, 476, 506, 554, 556
 - California, 606, 607
 - little, 513
 - Vasey's, 513
- sagebrush-grass communities, 474, 511–12, 528
- sagebrush-steppe, 508, 531, 649–50
- saguaro, 556, 559
- sailfish, 784, 795t, 799–800, 834
- sails, desert, 618
- St. Bernard delta, 388
- St. Croix, 321, 328
 - coral reefs, 322
 - description, 315, 316
 - sea turtles, 336
- St. Croix River, 353
- St. John, 315, 322
- Saint Lawrence Island, 724, 728
- Saint Matthew Island, 724
- St. Thomas, 315, 321, 322
- sakau, 764
- salamanders, 273, 570, 621, 659, 666
 - acidified habitats, 137
 - arboreal, 623t
 - black, 623t, 667t, 668
 - black-bellied slender, 623t
 - Breckenridge Mountain slender, 623t
 - California giant, 623t
 - California slender, 623t, 667t
 - California tiger, 622, 623t
 - Cascade torrent, 666, 667t
 - Channel Islands slender, 623t
 - clouded, 623t, 667t, 668
 - Columbia torrent, 667t
 - Cope's giant, 667t
 - Del Norte, 623t, 666, 667t
 - desert slender, 623t
 - Dickinson County tiger, 451
 - Dunn's, 623t, 667t
 - eastern red-backed, 243
 - eastern tiger, 197, 451
 - ecosystem disruption and, 26
 - Fairview slender, 623t
 - flatwoods, 301
 - four-toed, 243
 - Gabilan slender, 623t
 - garden slender, 623t
 - grasslands, 450
 - gray tiger, 450
 - Great Lakes, 243
 - Guadalupe slender, 623t
 - Hell Hollow slender, 623t
 - Huachuca tiger, 572
 - Inyo Mountains slender, 520t, 623t
 - Jemez Mountains, 571
 - Kern Canyon slender, 623t
 - Kern Plateau slender, 623t
 - land-dwelling, 54
 - Larch Mountain, 666, 667t
 - limestone, 623t
 - long-toed, 490–91, 520t, 659, 660, 667t, 668t, 709
 - lungless, 300
 - Mount Lyell, 520t, 623t
 - northwestern, 623t, 667t, 709
 - ocelot-spotted giant, 601
 - Olympic torrent, 667t
 - Oregon slender, 666, 667t, 668
 - Owens Valley web-toed, 520t, 623t
 - Pacific giant, 25, 623t, 667t, 668
 - relictual slender, 623t
 - Sacramento Mountain, 571
 - San Gabriel slender, 623t
 - Santa Cruz long-toed, 622f, 623t
 - Santa Lucia slender, 623t
 - seep, 601
 - Shasta, 623t, 667t
 - Siskiyou Mountains, 623t, 666, 667t
 - Southeast, 282, 294, 295, 300–301
 - southern long-toed, 623t
 - southern seep, 623t
 - southern torrent, 666, 667t
 - spotted, 243
 - Tehachapi slender, 623t
 - tiger, 450, 451, 520t, 623t, 667t, 668t
 - Van Dyke's, 666, 667t
 - western red-backed, 667t
- Sale-Cypremort delta, 388
- salinity
 - benthic organisms and, 416
 - coastal Louisiana marshes, 397, 402, 407–8
 - defined, 907
 - Laguna Madre, 269
 - of marshes, 397, 402
 - of Rio Grande, 271
 - of sea ice, climate change and, 93
- salmon, 223, 620, 645, 652, 660, 664f, 712, 729–30, 736–37, 812, 817, 818, 822, 823, 853
 - amago, 812
 - anadromous, 664f, 665–66
 - Atlantic, 136, 137, 146, 196, 222, 239, 783, 783t, 844, 850
 - net pen escapes, 849
 - broad, 733
 - chinook, 68, 154, 239, 620, 660, 664, 665, 711, 718, 725, 736–37, 812, 817t, 819, 821, 822, 847
 - chum, 661t, 711, 718, 725, 729, 733, 812, 817t, 819, 847
 - coho, 68, 153, 154, 239, 242, 620, 660, 661t, 664f, 711, 718, 725, 729, 736–37, 812, 817t, 819, 847
 - escapements, 718
 - dog, 812
 - fall chinook, 822
 - king, 812
 - Lower Columbia River fall chinook, 662t
 - masu, 812
 - overfishing, 847
 - Pacific, 68, 239–40, 242, 620, 819, 847, 850
 - pink, 663t, 664, 711, 725, 729, 733, 812, 817t, 819, 847, 850
 - red, 812
 - silver, 812
 - Snake River chinook, 663t
 - Snake River sockeye, 663t
 - sockeye, 658, 660, 664f, 711, 725, 726, 729, 812, 817t, 819, 822, 847, 850
 - south coast fall chinook, 663t
 - spring-summer chinook, 822
- salmonberry, 710
- Salmonid, defined, 907
- saltbushes, 556, 563
 - beach, 613
 - saltbush scrub, 510
- saltcedar, 78, 118, 122, 266, 412, 560, 561, 622
- saltgrass, 401, 402t, 406, 407
- salt-intrusion events, in coastal marshes, 20
- Salt River Canyon, 322
- salt-tolerant fishes, 271
- saltwater marshes, 405–7
- saltwater ponds, 328
- saltwort, 402t, 406, 412
- sambar, 634
- Samoa, 764
- sampling, marine resources, 852
- sampling frame, 17f
- San Andreas Fault, 594
- San Antonio Mountain, 595
- San Clemente, 610
- sandalwood, 752

- sandburs, 558
sand dunes
 beachgrass stabilization, 17
 Great Basin–Mojave Desert region, 515–16, 527–28
sandfish, Pacific, 811
sandhill vegetation, Southeast, 256
sand lance, Pacific, 811
Sand Mountain (Nevada), 528
sand-myrtle, 190
sandpipers, 421, 786
 Baird's, 441, 722
 buff-breasted, 441
 least, 524, 722
 pectoral, 441
 rock, 730
 spotted, 454t, 455t, 524, 719
 stilt, 441
 upland, 43f, 451t, 452, 453, 453f, 722
 western, 524, 714
 white-rumped, 441
sand-reeds, 476
sandworts
 marsh, 654t
 sea-beach, 710, 725
Sandy Point National Wildlife Refuge, 335
San Francisco Bay
 estuarine resources, 821
 features, 595, 605
 wetlands, 815
San Joaquin River basin, 624–26
San Joaquin Valley, 603
San Juan Mountains, 473
Santa Catalina, 610
Santa Cruz Island, 610
Santa Fe National Forest, 548
Santa Monica Mountains, 610
Santa Rosa Island, 611
Santa Rosa Mountain, 595
sardines, 801, 814, 853
 Pacific, 817
satyr, Mitchell's, 232t
sauger, 138, 367, 368, 369
savanna, defined, 907
sawgrass, 79, 80, 122, 401
sawtimber industry. *See* logging
Sawtooth National Recreation Area, 485
saxifrage, Aleutian, 729
scads
 bigeye, 834–35
 mackerel, 834–35
scale insects, 184
scaling, strategic cyclical, 108–9
scallops, 808t
 Atlantic calico, 801
 bay, 785, 785t, 801, 846
 calico, 846
 sea, 781, 784, 850
 weathervane, 808
scarabs
 aegialian, 516
 Giuliani's dune, 516, 518, 519
scaps, 424t, 425, 719
 greater, 371, 372f
 lesser, 371, 372, 425f, 456
Scenedsemus quadricauda, 415t
Schistosoma mansoni, 339
schistosomiasis, 126
Schoepfia arenaria, 331t
scientific conservation, 169
scientific methods, for monitoring programs, 5
scorpions, 52
scoters, 141, 719, 813
screech-owl, Puerto Rican, 340
scrub ecosystems
 Florida, 293
 scrub oak chaparral, 607
scrub-jays, 631
 Channel Island, 611f
 Florida, 293, 302
sculpins, 814, 817
 bigeye marbled, 661t
 Coastrange, 711t
 deepwater, 239, 242
 fourhorn, 711t
 Malheur mottled, 662t
 marbled, 620t
 marginated, 662t
 Pacific staghorn, 711t, 822
 Paiute, 662t
 pit, 620t, 663t
 prickly, 711t
 reticulate, 663t
 riffle, 620t, 663t
 rough, 620t, 663t
 sharpnose, 711t
 shorthead, 25
 Shoshone, 663t
 slimy, 242, 663t, 711t, 722
 spoonhead, 239
 staghorn, 712
 Wood River, 664t
sea anemones, 814
sea birds. *See* marine birds
sea cucumbers, 808
seagrasses
 Caribbean Islands, 324, 327
 Laguna Madre, 269
 manatee grass, 324
 Pacific Islands, 828–29
 turtle grass, 324
sea ice, climate change and, 93
sea-level change, Ice Age, 297
sea-level rise, *See also* climate change; global warming; green-house effect
 coastal Louisiana, 395
 mangrove forests and, 294
 Mississippi River and, 356–57
 Pacific Islands, 764
 relative, 385
sea lions, 712, 850
 California, 612, 789t, 813, 821, 823, 824
 Northern, 612, 788t, 813, 814, 823, 824
sea-lovage, Calder's
seals, 787, 850
 bearded, 788t
 elephant, 823
 fur, 821
 gray, 788t, 790
 Guadalupe fur, 612, 788t, 821
 harbor, 612, 712, 787, 788t, 789t, 790, 813, 823, 824
 harp, 788t, 790
 Hawaiian monk, 766, 789t, 841, 842, 843, 852t
 hooded, 788t, 790
 northern elephant, 171, 612, 789t, 824, 841
 northern fur, 788t, 789t, 813, 851
 North Pacific right whale, 841
 ribbon, 788t
 ringed, 788t
 South African fur, 174
seamounts
 defined, 907
 Pacific Islands, 826–27
sea-oxeye, 406, 412
searobin, bighead, 420t
sea-rockets
 American, 616
 maritime, 613
seasonal cycles, climate models and, 96
sea stars, 174
seatrouts, 407, 419
 sand, 417
 spotted, 357, 419, 420t, 800
Seattle, Chief, 499
sea turtles, 125, 289, 290f, 331t, 333–37, 419, 427t, 428–29, 801–2, 817, 838
 as bycatch, 801–2
 foul hooking, 334
 green, 333, 334–35, 817, 828, 831, 838
 harvest, 334–37
 hawksbill, 289, 331t, 333, 334–36, 427t, 801, 817, 838
 Kemp's ridley, 289, 290f, 331t, 427t, 428–29, 801, 817, 838
 leatherback, 331t, 333, 334, 335f, 427t, 801, 817, 838
 loggerheads, 289, 290f, 331t, 333, 427t, 801, 817, 838
 marine debris and, 851
 nesting beaches, 802
 olive ridleys, 334, 442, 463, 560, 562–63, 801, 817, 838
 Pacific coast region, 817
 tagging, 335–36

- western Pacific region, 830, 838–39
- sea urchins, 207, 612, 785t, 808–9, 808t, 816
 - purple, 817
 - red, 816–17
- seaweeds, 207
- secondary production
 - Alaska, 807
 - defined, 907
 - Pacific coast region, 816
 - Southeast region, 793
 - western Pacific oceanic region, 831–32
- secondary productivity, defined, 907
- second-growth forests, Northeast, 185
- sedge-graminoid meadows, 725
- sedges, 476, 477, 549, 710, 717, 729
 - Alaska long-awn, 729
 - Hawaii Island, 760f
 - Hoppner, 725
 - loose-flowered alpine, 725
 - Lyngby, 725
 - prickly, 760f
 - Ramenski, 725
- sediment-dwelling species, cancers in, 850–51
- sediments
 - aquatic plant loss and, 74
 - coral reef effects, 323, 324
 - defined, 907
 - delta lobe subsidence rates and, 393
 - grain size, coastal Louisiana, 403, 416
 - habitat modification and, 75
 - hurricane damage to wetlands, 21
 - Lower Mississippi River, 396
 - Mississippi River, 356
 - Missouri River, 443
 - Rio Grande, 562
 - river channel effects, 74
 - Southeast, 274
 - suspended, 909
 - water storage capacity and, 74
- seine nets, purse, 906
- seleniferous, defined, 907
- selenium, 138, 143, 152
 - poisoning, 143
- Selway-Bitterroot Wilderness, 483
- semidesert grasslands, Southwest, 555–59
- sequoia, giant, 602
- Sequoia National Park, 485
- seral, defined, 907
- serotinous, defined, 907
- serotinous cones, defined, 907–8
- serpentine, defined, 908
- serpentine chaparral, 607–8
- serpentine soils, California, 599, 600, 605
- sessile, defined, 908
- settlement patterns, 39, 40f
- sewage
 - eutrophication and, 50
 - recovery from pollution caused by, 364
- Seward Peninsula, 724, 726, 727
- sex determination, temperature-dependent, 102
- sex-selective harvest, 172
- shadowscale scrub, 510
- shads, 801
 - American, 204–5, 620, 783, 821, 822
 - Atlantic, 783t
 - gizzard, 242, 369
- shadscale zone, 510
- sharks, 783t, 802
 - Atlantic, 795t, 797–98
 - blue, 818, 833
 - cookie-cutter, 833
 - Gulf of Mexico, 797–98
 - oceanic whitetip, 833
 - pelagic, 784, 797–98
 - salmon, 833
 - shortfin mako, 833
 - silky, 833
 - western Pacific, 833
- shearwaters, 628t, 751, 786, 802, 804, 812, 820
 - Audubon's, 802, 803, 840t
 - Christmas, 840
 - Cory's, 786, 803
 - greater, 786, 803
 - little, 802
 - Manx, 803
 - Newell's Townsend's, 758, 840
 - short-tailed, 813
 - sooty, 786, 803, 813, 820
 - wedge-tailed, 840f
- sheefish, 711t, 718, 725, 726
- sheep, 611, 740
 - Audubon bighorn, 460
 - Barbary, 580, 634
 - bighorn, 265, 477, 495, 496f, 579, 635
 - California bighorn, 525, 525t, 633t
 - Dall, 723
 - desert bighorn, 579
 - mountain, 735
 - peninsular bighorn, 633t
- sheep grazing, *See also* grazing
 - Southwest, 546
- sheepshead, 419, 420t
- Sheldon National Wildlife Refuge, 522
- shellfish, *See also specific species*
 - amnesiac shellfish poisoning, 851
 - Pacific coast region, 816
 - paralytic shellfish poisoning, 823, 851
- shield-ferns, Aleutian, 729
- shieldwort, arrowleaf, 384
- shiners
 - Arkansas River, 449
 - emerald, 239, 242
 - Lahontan, 662t
 - phantom, 567
 - Rio Grande, 567
 - Rio Grande bluntnose, 567
 - spottail, 242
 - Topeka, 449
- shipworm, 821
- shooting stars, 514
- shorebirds, 786
 - Alaska, 722, 734, 740
 - Southeast, 802–3
- short-grass prairies, 438, 439t, 440
 - leafhoppers, 448
 - plant assemblages, 445
 - Rocky Mountains, 476
- short-stopping, 423
 - defined, 908
- Shoshoni, 478
- shoulderbands, 617
 - El Paso, 618
 - mimic, 618
 - Mojave, 618
 - Morro, 618, 619t
 - Panamint, 618
 - San Miguel, 618
 - Soledad, 618
 - surf, 618
- shovelers, 424t
 - northern, 142, 425t, 456–57
- shrew-mole, 683t
- shrews, 248, 304, 579, 723, 728, 734
 - Baird's, 683t
 - fog, 683t
 - Mt. Lyell, 633t
 - ornate, 633t
 - Pacific, 633t, 683t
 - Pacific marsh, 683t
 - Preble's, 525t
- shrikes
 - loggerhead, 189t, 523, 524, 678t, 679f
 - San Clemente loggerhead, 626t
- shrimp, 406, 420t, 762, 794, 808, 833, 844, 852
 - brown, 357, 418, 419f, 420t, 794–95, 795t, 796
 - by-catch, 418f, 419
 - California freshwater, 619t
 - estuaries and, 796
 - fairy, 510
 - freshwater, 331
 - Hawaii, 832
 - Mona Cave, 331
 - mysid, 221
 - nonindigenous, 849
 - northern, 784, 785t
 - opossum, 122
 - Pacific, 846
 - Pacific white, 849

- penaeid, 794
- pink, 418, 794–95, 795t, 808, 817, 823
- rock, 794
- royal red, 794
- seabob, 418, 794
- sidestripe, 823
- white, 357, 418, 420t, 794–95, 795t, 796
- shrubland birds, Great lakes region, 244–45
- shrub-steppe, 508, 522, 523
- shrub-steppe birds, 522
- sidewinders, Mojave Desert, 521
- Sierra Nevada, 136, 506, 593
 - climate, 98, 594
 - ecosystem status, 601–2
 - fire processes, 609
 - fishes, 621
 - human settlement, 597
 - mammals, 634–36
 - topographic features, 595
 - uplift of, 596
- Sierra-Nevada Ecosystem Project, 602
- Silent Spring* (Carson), 145
- silica, water pollution and, 73
- silk-tassel, interior, 607
- silver, 132
- silverfishes, 418
- silversides
 - inland, 418t, 420t
 - rough, 418t
 - tidewater, 419
 - Waccamaw, 298
- silverswords, 750
 - Haleakala, 768
- silversword-tarweed, 750
- silverweeds, Pacific, 710
- Silvex, 133t
- silviculture
 - defined, 908
 - Southwest, 550
- sink, defined, 908
- sinkhole, defined, 908
- Sioux, 478
- sipunculids, 831
- siskins
 - pine, 631, 674t, 678t
 - red, 331t, 337, 338, 339
- skates, 781, 782, 783t
- skimmers, 628t
 - black, 288, 289t, 421, 803
- skinks
 - blue-tailed mole, 293
 - broad-headed, 103f, 425
 - Florida sand, 293, 300
 - Gilbert's, 625t
 - grasslands, 450
 - Great Plains, 449t
 - prairie, 449t
- skipperling, poweshiek, 446, 447
- skippers, 489
 - byssus, 447
 - Dakota, 445, 446
 - maculated manfreda, 447
 - ottoo, 447
- skuas, 628t, 786
 - Antarctic, 802
 - great, 802
 - South Polar, 802
- skunks, 248, 449
 - hog-nosed, 265
 - spotted, 461, 611
 - striped, 425, 460, 461–62
- sky island mountain ranges, 553
- sliders, 449t
- slough, defined, 908
- slugs, 655
 - banana, 601
 - Guadalupe shelled, 618
 - Santa Barbara shelled, 618
 - shelled, 610
- smartweed, water, 360, 409
- smelters, 132, 134
- smelts, 817, *See also* eulachons
 - Columbia River, 822
 - delta, 620t
 - longfin, 711t
 - pond, 711t
 - rainbow, 223, 239, 240, 242, 711t, 811
 - surf, 811
- smog, 142, 155
- Smokey Mountains National Park, 22f
- smolt, defined, 908
- smuts, 653
- snags, 547, 635
 - defined, 908
 - fungi and, 653
- snails, 195, 207, 331, 518, 617, 655, 762, 814
 - abalone, 614–15
 - aquatic, 564
 - Bliss Rapids, 658
 - brown garden, 617
 - Bruneau Hot Springs, 658
 - cactus, 610, 618
 - California, 610
 - California desert, 618
 - Catalina cactus, 618
 - Catalina mountain, 618
 - Channel Islands, 618
 - cheat three-toothed, 196
 - Chittenango ovate amber, 232t
 - decollate, 617
 - Euglandina, 762–63
 - freshwater, 295, 339
 - giant African, 763
 - Hawaii, 750, 762–63, 767
 - Iowa Pleistocene, 448
 - island, 610
 - plain cactus, 618
 - sea, 808
 - shoulderband, 617, 618
 - talus-, 565
 - Utah valvata, 658
 - wreathed cactus, 618
- Snake River
 - basin, 658
 - salmon, 822
 - sockeye salmon, 819
- Snake River Birds of Prey National Conservation Area, 649, 681, 688
- Snake River Plains, 523
- snakes, 189, 195, 570, 624
 - broadbanded, 425
 - brown tree, 121, 755–56, 840–41
 - California black-headed, 625t
 - California king, 521
 - checkered garter, 449t
 - common garter, 243, 449t, 575, 709
 - Dekay's brown, 243
 - diamondback water, 425, 449t
 - eastern indigo, 300
 - Florida pine, 282
 - giant garter, 605, 624–26
 - glossy, 449t
 - Great Lakes, 243
 - Great Plains rat, 449t
 - green water, 425
 - ground, 670
 - gulf salt marsh, 425–26
 - indigo, 301
 - lined, 449t
 - long-nosed, 670
 - Mexican garter, 571, 572
 - milk, 243, 449t
 - narrow-headed garter, 572
 - night, 449t
 - northern water, 243
 - northwestern garter, 670
 - Oregon garter, 670
 - plain-bellied water, 449t
 - plains black-headed, 449t
 - plains garter, 449t
 - queen, 243
 - racer, 243
 - rat, 243
 - red-bellied, 243
 - ring-necked, 670
 - St. Croix tree, 330
 - San Francisco garter, 624, 625t
 - Santa Cruz Island gopher, 611

sharp-tailed, 625t, 670
Sierra garter, 625t
smooth green, 243
Southeast, 300–301
Texas slender blind, 449t
wandering garter, 572
western hog-nosed, 449t
western ribbon, 425
snakeweeds, 546
 broom, 546
snappers, 326, 836
 deepwater, 835–36
 gray, 325
 lane, 800
 red, 800, 847
 vermilion, 800
snipes, common, 246t, 421, 454t, 455t, 524, 719
snow
 avalanches, 27
 climate change and, 93
 Great Basin–Mojave Desert region, 514
 RHESSys model for snowpacks, 106, 107
snowbell, 331t
snow-wreath, Shasta, 616
societal forces, climate change and, 93
sodium arsenate, 144
sodium chlorate, 144
sodium cyanide, 134
sodium dichromate, 144
sodium hydroxide, 138
soft pesticides, 149–51
soil creep, 721
soil crust, 14f
soil pockets, 14f
soils
 alluvial, 895
 compaction, Great Basin–Mojave Desert region, 531
 cryptobiotic crusts, 14f, 558–59, 653
 formation, 444
 grasslands, 443–44
 Hawaii, 757–58
 productivity, 443
 Southeast, 256
 Southwest, 558–59
 topsoil loss, 444
soles
 dover, 817t, 818
 English, 817t, 823–24
 flathead, 810
 petrale, 817t
 rock, 847
 yellowfin, 808
solid waste disposal, 152
solifluction, 721
 defined, 908
solitaire, Townsend's, 678t
solution ponds, 296
songbirds, 420t
 contaminant effects, 186
 insecticides and, 150
 land-use change and, 53
 Mississippi River, 369, 373–74
 Neotropical migrants, 493
 Southeast, 303
sonic-tracking, of Pacific halibut, 713
Sonoran Desert, 556, 557, 558
 herpetofauna, 571–72
sora, 421, 454t, 455t
sorghum, 151
sorrel, Krange's, 724
sotols, 557
south coast (California), 605
Southeast, 255–308
 amphibians, 300–302
 Appalachian Highlands, 256
 Atlantic white-cedar swamps, 286
 barrier island communities, 286–89
 benthic macroinvertebrates, 299–300
 birds, 302–3
 climate, 257
 Coastal Plain, 256
 ecosystem diversity, 260–74
 ecosystem status and trends, 274–96
 aquatic ecosystems, 296–6
 Central and South Florida, 289–94
 Piedmont and Coastal Plain, 278–89
 southern Appalachian mountains, 275–78
 trends, 262–74
 Everglades, 289–92
 evolutionary history, 258
 fire suppression, 273
 fishes, freshwater, 296–98
 Florida scrub, 293–94
 forests, 182, 262, 263, 272–73, 286–89, 292–93
 geology, 256
 human populations, 258–60
 hydrology, 273–74
 Interior Low Plateaus, 256
 invertebrate fisheries, 794–95, 797
 landforms, 256
 land use, 258–60
 mammals, 303–6, 804–6
 marine resources
 benthic resources, 793–94
 continental shelf, 792, 853f
 environment and physical features, 792–93
 fisheries resources, 794–802
 marine birds, 802–4
 marine mammals, 804–6
 potential and average yields, 845t, 846
 primary production, 793
 secondary production, 793
 taxonomic knowledge, 852
 maritime forests, 286–89
 mussels, freshwater, 298–99
 natural disturbances, 257–58
 nonindigenous species, 263, 272, 274, 298
 old-growth forest, 262, 263, 272–73
 pine rockland, 292–93
 rare, endangered, and threatened ecosystems, 261–62
 reptiles, 300–302
 research needs, 306–7
 soils, 256
 tropical hardwood hammocks, 292–93
 upland old-growth forests, loss of, 263, 272–73
 water quality, 273–374
 wetlands, 278–79, 792–93
 southern California, fishes, 621
 Southern California Bight, 824
 El Niño effects, 815
 estuarine resources, 824
 southern New England marine region
 environmental and physical features, 775
 planktonic secondary production, 779
 primary production, 778–79
 Southern Oscillation, defined, 900
 Southwest, 543–83
 amphibians, 570–75
 aquatic snails, 564–65
 biocides, 548
 birds, 547, 561, 575–76, 582
 climate, 543–44
 cryptobiotic crusts, 558–59
 ecosystems, 548–63
 alpine tundra, 549
 desert shrublands, 555–59
 encinal oak woodlands, 555
 juniper savannas, 554–55
 Madrean forests, 553
 meadows, 549
 mixed-conifer forests, 550
 montane grasslands, 549
 pinyon-juniper woodlands, 554–55
 ponderosa pine forests, 550–53
 riparian ecosystems, 560–63
 semi-desert grasslands, 555–59
 subalpine forests, 549–50
 subalpine grasslands, 549
 fire processes, 547
 fishes, 565–70
 forest logging, 547–48
 geographic area, 543
 grazing, 546–47
 human settlement, 544, 545–48, 559
 invertebrates, 564–65
 land-use variation, 43–44
 mammals, 576–81
 marine resources, 852

- nonindigenous species, 567, 575, 580–81
- plants, 563–64
- precipitation, 544, 545, 555–56, 558
- reptiles, 570–75
- research needs, 582–83
- soils, 558–59
- water diversion, 548
- Southwestern California, ecosystem status, 606–9
- sow bugs, 655
- soybeans, 151
- spadefoots, 520
 - Couch's, 623t
 - Great Basin, 520t, 623t, 667t, 668, 670f
 - plains, 449t
 - western, 623t
- sparrows, 246
 - Bachman's, 188, 283
 - Baird's, 440, 451t
 - Belding's savannah, 612, 626t
 - black-chinned, 631
 - black-throated, 523, 524
 - Brewer's, 523, 678t
 - Cape Sable seaside, 289, 302
 - Cassin's, 451t, 452f
 - chipping, 374t, 523, 631, 674t, 678t
 - clay-colored, 451t, 452f
 - dusky seaside, 302
 - field, 43f, 246t, 374t
 - golden-crowned, 628, 722
 - grasshopper, 43f, 189t, 246t, 374t, 446, 451t, 452, 453f
 - Henslow's, 189t, 246t, 446, 451t, 452f, 453
 - house, 118, 120, 186, 246t, 340, 374t, 632
 - lark, 188, 374t, 451t, 524, 678t, 679, 679f
 - Le Conte's, 454, 454t, 455t
 - Nelson's sharp-tailed, 454, 454t, 455t
 - prairie, 446–47
 - sage, 523, 678t
 - San Clemente sage, 612, 626t
 - savannah, 25, 43f, 246t, 451t, 452–53, 454t, 523, 678t, 679, 681
 - song, 43f, 246t, 523, 674t, 678t, 679, 681, 730
 - swamp, 455t
 - tree, 681
 - vesper, 43f, 189t, 246t, 374t, 451t, 452, 523, 679
 - white-crowned, 24, 674t, 678t, 679, 719
 - white-throated, 246t
- spatial heterogeneity, 13–16
- spawn, defined, 908
- spearfish, 784, 834
 - longbill, 799
- speciation, aquatic invertebrates, 518
- species
 - defined, 168, 908
 - disturbance-adapted, 228
 - indicator, 901
 - interaction, harvest and, 173
 - keystone, 174, 901–2
 - nonindigenous. *See* nonindigenous species
 - opportunistic, 13
 - pest, 211
 - relative abundance of, 174
- species diversity. *See* biological diversity; diversity
- species loss, 3
 - nonindigenous species and, 121
- species richness, 168, 173, *See also* biological diversity; diversity
 - defined, 908
 - saltwater marshes, 406
- spectacle-case, 448
- sperm counts, endocrine disruptors and, 148
- sphagnum bogs, 710
- spicebushes, 12–13, 13f
- spiderlily, Carolina, 415t
- spiders
 - Hawaii, 761, 767–68
 - long-jawed, 768
 - spruce-fir moss, 275–76
- spikedace, 566
- spikerushes, 402, 404, 415t
 - Baldwin's, 404, 405
 - common, 404
 - dwarf, 402t, 404, 405, 407, 415t
 - small, 21
- spinedace, Virgin, 519, 566
- spiny mussels, tar, 151
- spiraea, Virginia, 185t
- splittail
 - Clear Lake, 620t
 - Sacramento, 620t
- spoil islands, Caribbean Islands, 328
- sponges, 323, 831
- sport fishing. *See also* fishes
 - Alaska, 711, 718, 729, 736, 738–39
 - Hawaii, 834
 - Lower Mississippi River, 357
 - marine finfish, estimated catch, 846
 - Southeast nearshore resources, 801
- spot, 417, 418t, 420t, 800
- spring beauty, Siberian, 729
- springfishes, 125, 569
- Spring Mountains (Nevada), 514
- springs, Great Basin–Mojave Desert region, 531–32
- springtails, 532, 564, 565
- springtails, 655
- spruce, 48, 182, 207, 260, 477, 645
 - black, 191, 716, 717
 - blue, 476, 549, 550
 - Brewer, 600
 - Engelmann, 474, 477, 480, 549, 600
 - Great Lakes region, 233
 - red, 138, 184, 191, 275, 276
 - Sitka, 599, 687, 710
 - as spruce grouse habitat, 190
 - white, 477, 716, 717, 721
- spruce-fir forests, 474, 481
 - Northeast, 190, 191
 - Rocky Mountains, 477
 - Southeast, 275–76
 - Southwest, 549, 550
- spruce flats, 191
- spruce swamps, 191
- squawfish
 - Colorado, 77, 78, 143, 519, 566–67
 - northern, 665–66
 - Sacramento, 620t
- squids, 810
 - brief, 418
 - long-finned, 784, 785t
 - pelagic, 818
 - short-finned, 784, 785t
- squirrelfishes, 326
- squirrels, 203, 688, *See also* ground squirrels
 - Abert's, 481
 - Delmarva peninsula fox, 209–10
 - Douglas', 686
 - flying, 304
 - fox, 249, 283, 304
 - gray, 203, 210, 425
 - Nelson's antelope, 633t
 - northern flying, 652f, 686
 - red, 52, 715
 - swamp, 425
 - tree, 579
- staghorn, Pacific, 822
- staging area, defined, 908
- staging birds, 726
- standard error, defined, 908
- standing stock, defined, 908
- stand initiation, after fire, 45, 46f
- starfishes, 814
 - hogwallow, 604
- star-grass, water, 360, 361
- Starkey Experimental Forest, 686
- starlings
 - European, 118, 119, 120, 147f, 154, 203, 246t, 340, 632
 - Ponape mountain, 766
- star-thistle, yellow, 528
- State Water Project (California), 603, 604
- Staurastrum americanum*, 415t
- steam-electric power plants, Great Lakes, 224
- steelheads, 196, 620, 621, 663t, 665, 711t, 736, 817t, 818, 819, 820, 822
 - southern, 621
- Stellwagen Bank, marine mammals, 790, 792
- stem exclusion, after fires, 45, 46f, 47
- steppe
 - Alaska, 717
 - creosote bush shrub-steppe, 529
 - defined, 908
 - shrub-steppe, 508, 522, 523

- sticklebacks
 - ninespine, 711t
 - threespine, 711t, 712
 - unarmored threespine, 620t, 621
- stickseed, common, 604
- Stillwater National Wildlife Refuge, 532
- stilts, 628t
 - black-necked, 421, 524
- stochastic, defined, 908
- stocking, of fish, 124, 171–72, 718
- stone circles (ground patterns), 721
- stoneflies, 518, 657, 658
 - Lake Tahoe benthic, 518t
 - Wahkeena Falls flightless, 657
- storks, 628t
 - wood, 80, 302, 303, 421
- storm-petrels, 628t, 786, 802, 803, 804, 820
 - band-rumped, 802, 803, 840
 - fork-tailed, 813
 - Harcourt's, 840t
 - Leach's, 208, 786, 803, 813
 - Tristram's, 840
 - white-faced, 802
 - Wilson's, 786, 803
- storms, *See also* hurricanes; natural disturbances
 - black-dust, 443
 - blowdowns, 11, 12, 23–25, 549, 710, 897
 - Southeast, 257–58
 - thunderstorms, 257
 - tornadoes, 11, 12f, 26, 27f
 - tropical, 257–58, 320, 342, 396
 - windstorms, 481
- strategic cyclical scaling, 108–9
- strategic stocks, of marine mammals, 787
- strawberry, beach, 710
- stream fishes, hydropower dams and, 226
- streams, *See also* rivers
 - atmospheric contaminants and, 73
 - Caribbean Islands, 328–29
 - degradation, 561
 - ecology alteration, 65
 - ecosystem succession, Mount St. Helens, 25–26
 - grasslands, 443
 - Great Lakes region, 225–26
 - Hawaii, 762
 - lost or disappearing, 294
 - multiple pollutant effects, 73–74
 - Pacific Northwest, 650–52
 - pollution, Rocky Mountains, 487
 - sedimentation and, 74–75
 - siltation, from mining, 75–76
 - Southeast, 294–95
- Streblospio* species, 416
- stress, long-term, 27
- strychnine, 144
- sturgeons, 783, 783t, 801
 - green, 620t, 711t, 822
 - gulf, 427t, 429
 - lake, 241, 242, 449, 492
 - pallid, 427t
 - shovelnose, 369
 - white, 652, 711t, 822
- subaerial, defined, 908
- subalpine, defined, 908
- subalpine ecosystems
 - Alaska, 710–11
 - conifers, 514
 - forests
 - Great Basin–Mojave Desert, 513
 - Rocky Mountains, 480–81
 - Southwest, 549–50
 - white pine, Rocky Mountains, 477
 - grasslands, Southwest, 549
 - subalpine-alpine ecosystems, Hawaii, 758
- Subarctic Current System, 806
- subarctic ecosystems, 139–40
- sublethal tests, 145, 156
- sublittoral zone, defined, 908
- submerged aquatic vegetation, Chesapeake Bay, 204
- submergence, net, delta lobes, 392
- submersed, defined, 908
- subnivian
 - defined, 908
 - environments, 734
- subsidence
 - defined, 908
 - delta lobes, 392–94
 - net, coastal Louisiana marshes, 408
- subsistence harvest, Hawaii, 764
- subspecies, defined, 908
- substrate, defined, 908
- subterranean
 - defined, 909
 - ecosystems, Hawaii, 761
- subtidal, defined, 909
- subtropical
 - defined, 909
 - forests, Caribbean Islands, 317–19
- suburban development, 51, *See also* urban development
 - birds, 49
 - diversity and, 55
- succession. *See* ecological succession
- succulents, 477
 - defined, 909
- suckers
 - blue, 369
 - flannelmouth, 77, 567
 - Goose Lake, 661t
 - harelip, 297
 - Jenny Creek, 661t
 - Klamath largescale, 620t, 662t
 - longnose, 711t
 - Lost River, 620t, 651, 662t
 - Modoc, 620t
 - mountain, 662t
 - razorback, 77–78, 125, 143, 519, 566, 567
 - Sacramento, 620t
 - Salish, 663t
 - Santa Ana, 620t, 621
 - shortnose, 620t, 651, 663t
 - Tahoe, 664t
 - Warner, 664t
- sugarberry, 360, 409, 411
- sugar bush, 607
- Suisun Marsh, 603
- sulfide minerals, 132
- sulfur, atmospheric, lakes and streams and, 73
- sulfur dioxide, 132, 133, 142
 - cooling induced by, 98
 - emissions restrictions, 156
 - Northeast forest effects, 184
 - sources of, 135
- sulfuric acid, 132
- sumacs, 15, 476
 - mahogany, 606
 - smooth, 15
- sumpweed, bigleaf, 406
- sun
 - heat radiation fluctuations, 91
 - ultraviolet radiation, 155, 668, 910
- sundew, roundleaf, 15f
- sunfishes, 69, 124, 196, 367, 449
 - ocean, 818
 - redeer, 419
 - spotted, 419
- sunflowers, 331t, 750
 - Schweinitz's, 280
- surfbirds, 626
- surfclams, 808
 - Atlantic, 784, 785t
- surfperch, 817
- surgeonfishes, 326
- Surirella robusta*, 415t
- suspended sediments, defined, 909
- sustainability
 - biological diversity and, 170, 465
 - defined, 909
 - grasslands, 465–66
 - marine resources, 852–54
 - Northeast croplands, 192
 - sustainable use, 169–70
 - sustainable yield, 169–70
- Sustainable Development for the Great Plains Policy Analysis, International Institute for Sustainable Development, 465
- swale, defined, 909
- swallows
 - bank, 626t, 678t, 679, 681
 - barn, 246t, 374t, 631, 674t, 678t, 679

- cliff, 681
- northern rough-winged, 374t, 631, 678t, 679, 681
- savannah, 679
- tree, 138, 374t, 677
- violet-green, 523, 677, 678t, 681
- swampbuster clauses, 192
- swamps
 - Atlantic white-cedar, 15, 286
 - baldcypress, 422
 - baldcypress-tupelo swamps, 385, 401, 408–10
 - deep, 409
 - mangrove communities, 764
 - spruce, 191
- swans, 369, 802
- trumpeter, 493, 524, 714
- tundra, 371, 726
- sweetbay, 15
- sweet gum, 183
- swifts, 422
 - chimney, 246t
 - Vaux's, 24, 671, 674, 677, 678t
- swordfish, 784, 795t, 799, 818, 849
- central-western Pacific, 833
- sycamore, 359, 360
- sympatric, defined, 909
- synergistic
 - climate change effects, 112–13
 - defined, 909
- synthetic pyrethroid compounds, 149–51
- syntopic, defined, 909
- tabonuco, 319f
- tailings, defined, 909
- tailwaters, fish habitats, 367
- Talkeetna Mountains, 720
- tall-grass prairies, 438–39
 - fire cycle and, 444
 - Great Lakes region, 233
 - habitat loss, 446
 - plant assemblages, 445
- talussnails, 565
- tamaracks, 182, 191
- tamarisks, 78, 509, 510, 528
- Tamaulipan brushland, 268
- tanager, western, 674t
- tangs, blue, 326
- tanoak, 601, 605
- Tapto Lakes, 659f
- tarbush, 557
- tarpon, 801
- tattlers, wandering, 722
- tawny crescent, 445
- taxonomic diversity, 168
- taxonomic knowledge, marine resources, 830–31, 852
- taxon (taxa), defined, 909
- Taylor Grazing Act of 1934, 546
- TCDD, 133t
 - bald eagles and, 823
- TDS, 510
- Tea family, 331t
- tea, Labrador, 717, 724
- tea, Mormon, 557
- teak, 318, 321
- teals, 420t, 422–23
 - blue-winged, 200, 373, 424t, 425t, 456–57, 458, 460
 - green-winged, 200, 246t, 424, 425t, 456
- tebuthiuron, 548
- Teche delta lobe, 412
- Tectaria estremarana*, 331t
- tectonic movement, defined, 909
- Tehachapi Mountains, 602, 603
- temperature, *See also* climate; global warming
 - Alaska, 707
 - change, 111
 - Great Basin–Mojave Desert region, 514
 - restrictions, climate change and, 110
- temperature-dependent sex determination, in turtles, 102
- temporal niche, 413
 - defined, 909
- Tennessee-Tombigbee Canal, 297
- Tennessee-Tombigbee Waterway, 67
- teratogens, 138
 - defined, 909
- terbufos, 133t, 150
- terminal wetland communities, 509–10
- ternlet, black-footed, 840t
- terns, 208, 421, 628t, 786, 802, 804
 - arctic, 140, 712
 - black, 246t, 369, 374t, 454t, 455t, 524–25, 803
 - bridled, 803, 804
 - California least, 616, 626t, 627, 629–31
 - Caspian, 154, 288, 289t, 823
 - common, 154, 289t, 454t, 786
 - Forster's, 154, 289t, 421, 454t, 455t
 - gray-backed, 840t
 - gull-billed, 288, 289t
 - interior least, 441
 - least, 232t, 247, 288, 289t, 302, 370, 427t, 428, 820–21
 - roseate, 331t
 - royal, 288, 289t, 803
 - sandwich, 288, 289t, 421
 - sooty, 803, 804, 840f
 - white, 840
- Ternstroemia subsessilis*, 331t
- terrapias, diamondback, 425, 426
- terrestrial infrared radiation, defined, 89
- terrestrial inland system, Great Lakes region, 230–31
- terrestrial vertebrates, nonindigenous, 118t, 123t
- tertiary, defined, 909
- Teton Range, 473, 485
- Teton Wilderness Area, 481
- Texas
 - biological survey, 264–65
 - chronic oil pollution, 141
 - environmental change, 264–72
 - south, 268–72
- Texas Lower Rio Grande Valley, 268–72
- Thaliaceans, 779
 - defined, 909
- Thelypteris*
 - inaborensis*, 331t
 - verecunda*, 331t
 - yaucoensis*, 331t
- Thelypteris family, 331t
- thermokarst, defined, 909
- thermokarst lakes, 725
- thistles, 518
 - barbwire, 87, 528
 - Pitcher's, 185t, 227–29, 232t
 - Russian, 528
- Thoreau, Henry David, 169
- thornyheads, 810, 818
- thrashers, 244
 - Bendire's, 576
 - brown, 246t
 - sage, 523
- threadfin, Atlantic, 417, 420t
- threatened species. *See* endangered/threatened species
- three awns, 603
- threesquare, leafy, 402t
- thrushes
 - gray-cheeked, 719
 - hermit, 246t, 677, 678t
 - omao, 765
 - Swainson's, 246t, 678t, 679, 719
 - varied, 628
 - wood, 246t
- thunderstorms, *See also* natural disturbances; storms
 - Southeast, 257
- tide effects, coastal Louisiana, 395, 406
- tidytips, smooth, 604
- tilapia, blue, 271
- tilefishes, 800
- timber harvest. *See* logging
- Timpanagos Cave National Monument, 526
- tin, 144
- Tionesta Scenic Natural Area, 11, 12f, 13, 18f, 19f, 26
- titmouse
 - plain, 631
 - tufted, 246t
- toads, 520, 570, 572, 621
 - acidified habitats, 137
 - Amargosa, 520
 - American, 243, 450, 451
 - Arizona, 623t
 - arroyo, 623t, 624
 - black, 520, 623t
 - California, 623t, 624

Canadian, 450
Colorado River, 622
Couch's spadefoot, 623
eastern narrow-mouthed, 425
ecosystem disruption and, 26
Fowler's, 425
grasslands, 450
Great Lakes, 243
Great Plains, 350, 449t, 451, 520t, 623t
Great Plains narrow-mouthed red, 449t
green, 449t
Gulf Coast, 425
marine, 80, 332, 340
Puerto Rican ridge-headed, 331t, 332, 333
red-spotted, 449t, 520t, 623t
ridge-headed, 340
Sonoran Desert, 623t
southern, 80
southwestern, 520t, 572
western, 155, 489, 490f, 491, 520, 572, 623t, 667t, 668t, 709
Woodhouse's, 449t, 450, 520t, 623t, 667t, 668t
Wyoming, 449t, 451
Yosemite, 520t, 622, 623t

tomcod, Pacific, 822

Tonsona caribou herd, 723

top-down forecasting techniques
for climate change, 103
combined with bottom-up approaches, 104–5, 108
criticisms of, 108

topminnows
Gila, 124
plains, 449
Sonoran, 125
whiteline, 297

topography, defined, 909

topsnail, West Indian, 332t

topsoil loss, 444

Torch Lake, Michigan, 134t

tornadoes
forest damage, 26, 27f
Tionesta Scenic Natural Area, 11, 12f, 27f

torreya, Florida, 258

Torrey Pine State Reserve, 611

tortoises, 624
desert, 510, 521–22, 571–72, 625t
gopher, 53, 174, 283, 300, 427t, 429
red-footed, 340
tortoise shell, 336

Tortopus incertus, 364

towhees
eastern, 48, 246t
green-tailed, 523, 681
Inyo California, 626t
spotted, 678t, 679

toxaphene, 133t, 144, 148

Toxic Substances Control Act (1990), 127t

toxic wastes, marine resources and, 850–51

Toxoplasma gondii, 613

toxoplasmosis, 613

toyon, 607

Trachelomonas hispida, 415t

Trans-Alaska Pipeline, 735, 740

transbasin water import projects, Rocky Mountains, 482

transboundary marine stocks, management issues, 849–50

transect, defined, 909

transition zones, Great Basin–Mojave Desert region, 507–8

transpiration
defined, 909
in forest ecosystem models, 104

transplanted species. *See* nonindigenous species

transportation. *See* navigation

Transverse Ranges, 595, 606

trapping. *See also* furbearers
Alaska, 720
California, 597
fishers, 683
furbearers, 47, 48

tree-ferns, 319, 331t, 753
Australian, 754
common, 318
elfin, 331t
spiny, 319

treefrogs
California, 623t
canyon, 520t
Cuban, 80, 332
gray, 243, 451
green, 425
tree gaps, single, 27
tree growth rate models, 104, 106
treeline
defined, 477, 909
Rocky Mountains, 477
tree snails, 767
trend analysis, 4–5
2,4,5-trichlorophenoxyacetic acid, 133t, 153
trichloroethylene, 144
trifluralin, 133t, 151
triploid, defined, 909
Tri-State Mining District, Missouri, Kansas, Oklahoma, 134t

tritons
angular, 332t
Atlantic trumpet, 332t
Oregon, 808

trophic, defined, 909

tropical, defined, 909

tropical hardwood hammocks, Southeast, 292–93

tropical storms. *See also* storms
Caribbean Islands, 320, 342
coastal Louisiana, 396
Southeast, 257–58

tropicbirds, 628t, 786, 802, 804
red-tailed, 802
white-tailed, 802, 803, 840

troupial, 340

trout-perches, 711t

trouts, 124, 223, 480, 660
Alvord cutthroat, 661t
anadromous, 665–66
brook, 25, 136, 137, 190, 242, 711t
brown, 196, 240, 489, 492
bull, 661t, 666
California golden, 621
Catlow Valley redband, 661t
coastal cutthroat, 661t
cutthroat, 25, 487, 488, 520, 659, 660, 711t, 736, 817t
Eagle Lake rainbow, 621
Gila, 568
Goose Lake redband, 661t
greenback cutthroat, 489, 492, 497
interior redband, 661t
introduced, Pacific Northwest, 658, 659–70
Kern rainbow, 621
Lahontan cutthroat, 155, 520, 534, 621, 662t
lake, 4, 146, 154, 196, 241, 492, 711t, 718, 722
sea lamprey and, 237–39
Little Kern golden, 620t
McCloud River redband, 662t
nonindigenous, 78
Paiute cutthroat, 621
Pyramid Lake cutthroat, 532
rainbow, 136, 240, 332, 489, 492, 659, 711t, 718, 725–26
sea-run cutthroat, 819, 820
Snake River fine-spotted cutthroat, 663t
Umpqua River cutthroat, 820
Warner Valley redband, 664t
westslope cutthroat, 492, 664t
whirling disease, 497
Yellowstone cutthroat, 492

Truckee-Carson River, 133

Truckee Meadows, 532

Truckee River, 520, 532

truffles, 652f

tulipán Africano, 339

tumors, in fishes, 141

tuna, 781, 833, 834
albacore, 799, 818
bigeye, 784, 795t, 798–99, 834t
blackfin, 799
bluefin, 784, 795t, 849
frigate, 799
northern bluefin, 798
skipjack, 784, 795t, 799, 834t
yellowfin, 784, 795t, 798, 831, 834t

tuna canneries, Pago Pago, 829

tundra
alpine, 475, 477, 514, 549, 711, 720–21, 724, 895
arctic, 731–36, 740

- defined, 909
- maritime, 724–28, 738–39
- tussock, 724, 733
- tunicate, defined, 909
- Tunnel fire, 608
- tunnel mines, 526–27, *See also* mining
- tunny, little, 799
- tupelos, 21
 - baldcypress-tupelo swamps, 385, 401, 408–10
 - water, 409, 416
- turbid, defined, 909
- turbot, Greenland, 809, 810
- turkeys, wild, 186, 195, 222, 374t
- turnstones, black, 626, 726
- turtles, *See also* sea turtles
 - alligator snapping, 301, 425
 - aquatic, 570, 575
 - Blanding's, 243
 - bog, 196, 277
 - common map, 243
 - common musk, 425
 - common snapping, 243
 - European pond, 102
 - freshwater, 624
 - Great Lakes, 243
 - green, 289, 290f, 331t, 333, 334–35, 427t
 - map, 301
 - Mississippi mud, 425
 - musk, 301
 - ornate box, 449t
 - painted, 243, 425
 - Plymouth red-bellied, 197
 - red-eared, 425
 - ringed sawback, 427t, 429
 - smooth softshell, 425
 - snapping, 154
 - Sonoran mud, 624
 - Southeast, 282, 300–301
 - spiny softshell, 425, 449t
 - spotted, 301
 - temperature-dependent sex determination, 102
 - western pond, 625t, 670
 - wood, 243
 - yellow mud, 449t, 451
- tussock, defined, 909
- tussock tundra, 724, 733
- Tutuila, 764
- twin-flower, 717

- Ulothrix*, 406
- ultisol, defined, 909
- ultraviolet radiation, 155
 - defined, 910
 - frog declines and, 668
- uluhe
 - dieback, 756
- Ulva*, 406
- umbellifer, defined, 910
- Umnak Island, 740
- Unalaska Island, 740
- understory
 - defined, 910
 - loss of, Northeast, 185–86
 - reinitiation after fires, 45, 46f, 47
- ungulates, *See also specific species*
 - Alaska, 723
 - defined, 910
 - Pacific Northwest, 686–89
- United Nations Conference on Environment and Development, 851–52
- United States. *See* U.S.
- Unsinkable Molly Brown, The*, 479
- Upper Colorado River, 69
- Upper Mississippi River
 - aquatic vegetation, 360–63
 - birds, 370, 373
 - bottom-dwelling invertebrates, 363, 365–66
 - colonial waterbirds, 370
 - defined, 351
 - dominant tree species, 359
 - flooding, 359–60
 - geography, geology, and human development, 252–54
 - impoundment effects, 360–61
 - mammals, 375–76
 - navigation and transportation, 67
 - Upper Mississippi River National Wildlife and Fish Refuge, 354, 370, 375
- upwellings, 793
 - defined, 910
- urban development, 51
 - California, 597
 - contaminants, 152–53
 - diversity and, 55
 - industrial contaminants, 152–53, 271–72
 - marine resources and, 855
 - Northeast, 200, 203, 209
 - Rocky Mountains, 44
 - Southwest, 559, 561, 574–75
 - stormwater runoff, 844
 - Walker River basin, 534
 - warming caused by, 98
 - water resource effects, 39
- U.S. Army Corps of Engineers, 64, 69, 352
- U.S. Bureau of Reclamation, 69
- U.S. Conservation Reserve Program, 447
- U.S. Environmental Protection Agency, National Stream Survey, 75
- U.S. Fishery Management Plan for Atlantic Billfishes, 799
- U.S. Fish and Wildlife Service, 740, 783
 - American Woodcock Management Plan, 194
 - Harvest Information Program, 194, 195
- U.S. Forest Service, 691
- U.S. Geological Survey (U.S.G.S.), 108, *See also* Biological Resources Division
 - Global Change Research Program, 105
 - National Water Quality Assessment Program, 299–300
 - North American Breeding Bird Survey, 187, 243–46
- U.S. territories, 39f, 825–26
- Utah, juniper, 512
- Ute, 478
- utilitarianism, 169
- utility corridors, Great Basin–Mojave Desert region, 529, 531
- uvilla, 318
- uvillo, 331t

- vascular plants, *See also* plants
 - defined, 910
- veery, 246t, 678t, 679
- vegetation. *See* plants
- vegetative reproduction, defined, 910
- vehicular emissions, 142
- Verbena family, 331t
- verbenas
 - coastal sand, 613
 - pink sand, 613
- vernal pools, 604, 605f
- Vernonia proctorii*, 331t
- vertebrates
 - defined, 910
 - nonindigenous species, 118t, 123t
 - species extinctions, 45t
- vetchling, Grime's, 517
- viburnums, 183
- Vieques Island, 315
- vines, 412
- violets, 518
 - birdfoot, 276f
- vireos
 - Arizona Bell's, 626t
 - Bell's, 374t, 604
 - gray, 576
 - least Bell's, 626t, 632
 - plumbeous solitary, 632
 - red-eyed, 49, 246t, 678t, 679
 - solitary, 246t, 631, 679
 - warbling, 25, 246t, 523, 679, 681
 - white-eyed, 374t
 - yellow-throated, 246t, 374t
- virgin forest, Caribbean Islands, 316–17
- Virginia-willow, 409
- Virgin Islands, *See also* Caribbean Islands
 - coral reefs, 321–24, 325–27
 - description, 316
 - human activities, 321
 - life zones, 317–19
 - location, 315
 - sea turtles, 334–37
- Virgin Islands National Park, 324
- Virgin River (Great Basin), 519

- viruses
 - marine, 831
- VOCs. *See* volatile organic compounds (VOCs)
- volant, defined, 910
- volatile organic compounds (VOCs), 133t, 153, 154–55
- volcanoes
 - dust, climate change and, 92
 - Hawaii, 749
 - Mount St. Helens, ecosystem recovery following, 23–26
 - Pacific Islands, 827–28
 - Polynesia, 747
- voles, 728, 734
 - Amargosa, 525t, 633t
 - Ash Mountain montane, 525t
 - California, 633t
 - creeping, 683t, 686
 - distribution along gradients, 15
 - long-tailed, 515t
 - Mt. Ellen long-tailed, 580
 - northern red-backed, 723, 727
 - Owens Valley, 525t
 - Pahranagat Valley montane, 525t
 - red-backed, 728
 - red tree, 633t, 683, 683t, 686
 - singing, 723, 734
 - southern red-backed, 481, 683t, 715
 - succession and, 18
 - tundra, 723, 727, 728, 734
 - western red-backed, 652, 683t, 686
 - white-footed, 683t
- vulture, turkey, 246t, 340, 374t, 524, 678t

- wading birds, 407, 420t
 - barrier islands, 421
 - Everglades, 291–92
- wagtail, yellow, 727
- wahoo, 799
- Wake Island, 825, 826t
- Walker Lake, 524, 533–34
- Walker River basin, 533–34
- walleye, 138, 241, 242, 367, 368, 369
- Wallowa–Whitman National Forest, 653
- walrus
 - North Pacific, 846
 - Pacific, 788t
- warblers, 244
 - arctic, 722, 727
 - Bachman's, 52, 289, 302, 427t, 428
 - bay-breasted, 246t
 - blackpoll, 719
 - black-throated blue, 189t
 - black and white, 246t
 - blue-winged, 374t
 - Canada, 246t
 - golden-winged, 189t
 - hermit, 626
 - Kirtland's, 112–13, 232t, 247–48
 - MacGillivray's, 25, 674t, 675, 678t, 679, 681
 - magnolia, 246t
 - Nashville, 679
 - orange-crowned, 25, 674t, 675, 679, 719
 - pine, 246t
 - prairie, 374t
 - prothonotary, 374t, 422f
 - Swainson's, 302
 - Townsend's, 719
 - Wilson's, 631, 674, 674t, 678t, 679
 - yellow, 25, 246t, 523, 679, 681, 719
 - yellow-rumped, 246t, 674t, 675
- warmouth, 419
- Wasatch Range, 513
- washes, 559
- Washington state, sea otters, 684–86
- wasps, 518
- wastewater reuse, 532
- waterbirds
 - California, 604
 - coastal, Southeast, 289t
 - colonial, Mississippi River, 370
 - Great Basin–Mojave Desert region, 510, 524–25
 - migratory, 510
- water bodies. *See also* lakes; ponds; reservoirs; rivers; streams
 - acidified, 136–38
 - herbicide contamination of, 151
 - water budget, coastal Louisiana, 394
 - water chestnut, 196
 - water diversion, 67–68. *See also* dams; levees
 - California, 603
 - climate change and, 67–68
 - habitats and, 68
 - interbasin, 72
 - rice farming and, 68
 - Rio Grande, 270–71
 - Southwest, 560–61, 562
 - water flow, Southeast, 274
 - waterfowl, 175, 812
 - Alaska, 714, 740
 - California, 628
 - coastal Louisiana, 422
 - Columbia River, 823
 - grasslands, 441
 - insecticides and, 150
 - Mississippi Flyway, 357
 - prairie pothole region, 456–57
 - Rocky Mountains, 480
 - Upper Mississippi River, 370–73
 - Waterfowl Breeding Population and Habitat Survey, 456
 - waterhyssops
 - blue, 415t
 - bulltongue, 402t
 - coastal, 407, 415t
 - water impoundment, Southwest, 560–61, 562
 - water levels. *See also* sea-level change; sea-level rise
 - coastal Louisiana, 395–96
 - Great Basin–Mojave Desert region, 510
 - waterlily, American white, 415t
 - waterlocust, 411
 - watermilfoils
 - Eurasian, 50, 196, 274, 361, 363, 415
 - parrot feather, 274
 - twoleaf, 415t
 - water nymph, southern, 415, 415t
 - water pollution
 - aquatic toxicology, 145
 - atmospheric contaminants and, 73
 - benthic macroinvertebrates and, 299–300
 - duck population and, 456–57
 - grazing and, 75
 - land-use change and, 39, 50
 - mining and, 75–76
 - multiple pollutants, 73–74
 - nonpoint, 72–76
 - point sources, 73–74
 - Rocky Mountains, 487
 - sediment, 74–75
 - sources, 72–73
 - Southeast, 273–74
 - water development and, 66
 - Water Pollution Control Act (1956), 72
 - Water Pollution Control Act (1972), 72
 - waterprimrose, creeping, 20, 21
 - water processes, Rocky Mountain landscape and, 473
 - water rights, 64
 - watersheds
 - defined, 910
 - effects of water use on, 65–66
 - future management, 83
 - Mississippi River, 351
 - watershed, 415t
 - water temperature, dams and, 77
 - water use, 63–83
 - Colorado River, 76–79
 - consumptive, 63
 - development, 66
 - diversions, 67–68
 - ecological effects, 76–79
 - Everglades, 79–80
 - flood control, 67
 - grasslands, 443
 - grazing and, 43
 - historical, 64–65
 - hydroelectric power, 67–68
 - interbasin transfer, 72
 - irrigation, 68, 72
 - lake ecosystems, 80–81
 - management responsibility, 64
 - nature of, 66
 - navigation and transportation, 67

- pollution, 72–76
- regulation, Colorado River, 76
- research needs, 82–83
- Southwest, 574–75
- urban areas and, 39
- watersheds and, 65–66, 83
- waterways, grasslands, 442–43
- waterwillow, looseflower, 404
- waxwing, cedar, 246t, 374t, 678t, 679
- weakfish, 800
- weasels, 195, 248, 734
 - least, 461, 723, 734
 - long-tailed, 461
- wedgemussel, dwarf, 196
- weeds
 - Great Basin–Mojave Desert region, 530
 - nonindigenous plants as, 119
- weevils
 - boll, 41
 - Nelson's miloderes, 516
- West, land-use variation, 43–44
- West Dock Causeway, 740
- Western Arctic caribou herd, 727, 736
- Western Governor's Association, Great Plains Program, 465
- western juniper zone, 511t, 512–13
- western Pacific oceanic region, 824–44, *See also* Hawaii; Pacific Islands
 - benthic resources, 831–32
 - biodiversity patterns, 830
 - coral reefs, 844–45
 - environmental and physical features, 825–26
 - fisheries resources, 832–38
 - bottom fish, 835–36
 - coastal pelagic fishes, 834–35
 - coral reefs, 837–38
 - invertebrates, 832–33
 - oceanic pelagic fishes, 833–34
 - reef animals, 836–37
 - sharks, 833
 - marine resources
 - potential and average yield, 845t, 846
 - taxonomic knowledge, 830–31, 852
 - pelagic ecosystems, 826–30
 - primary production, 831–32
- westside California, 593, *See also* California
 - climate, 594
 - ecosystems, 598–616
 - topographic features, 594–96
- westside forests, Pacific Northwest, 645, 646–47, 690
- West Wind Drift, 814
- wet-dry cycle, grasslands, 443
- wetland loss, 66t
 - for agricultural purposes, 38–39
 - coastal Louisiana, 20–22, 398
 - Great Basin–Mojave Desert region, 524
 - historical, 66
 - interior, 398
 - rates, coastal Louisiana, 398
 - shoreline, 398
 - Southwest, 561
- wetlands, *See also* coastal ecosystems, wetlands; marshes; prairie
 - pothole region
 - arid, 142–43
 - birds, 454–55
 - California, 603–4
 - carnivorous plants, 285
 - Carolina bays, 283–84
 - Chesapeake Bay watershed, 201–3
 - defined, 910
 - forested, coastal Louisiana, 408–10
 - gains, 66t
 - grasslands, 442
 - Great Lakes region, 224–25
 - Hawaii, 760
 - Hurricane Andrew and, 20–22
 - landscape context, 56
 - land-use change and, 49
 - mountain, 277
 - Northeast, 195, 197, 200
 - pocosins, 284–85
 - prairie, 440–42
 - protecting from cropland conversion, 192
 - Puget Sound, 823
 - Rocky Mountains, 487
 - San Francisco Bay, 815
 - Southeast, 278–79, 792–93
 - Southwest, 560–63
 - wet meadows
 - Alaska, 732
 - Great Basin–Mojave Desert region, 509–10
 - whales, 425, 427, 790
 - Baird's beaked, 788t, 789t
 - beaked, 789t, 810
 - beluga, 788t, 813
 - black right, 171
 - Blainville's beaked, 788t
 - blue, 427t, 612, 788t, 789, 789t, 821, 843
 - bottlenose, 810
 - bowhead, 788t, 813
 - Bryde's, 788t, 789t, 841
 - central North Pacific humpback, 813
 - Cuvier's beaked, 788t, 789, 789t
 - dwarf sperm, 788t, 789, 789t, 805
 - false killer, 789t
 - fin, 427t, 787, 788t, 789t, 790, 813, 821, 843
 - Gervais' beaked, 788t
 - gray, 612, 788t, 813, 823, 824
 - humpback, 427t, 612, 712, 787, 788t, 789t, 790, 812, 813, 821, 827, 827f, 831, 843
 - killer, 788t, 789t, 805f, 812, 823, 824, 841, 850
 - long-finned pilot, 788t, 789
 - melon-headed, 788t, 789t
 - mesoplodont beaked, 789t, 821
 - migration patterns, 790
 - minke, 788t, 821, 824, 841
 - nonconsumptive uses of, 786–87
 - North Atlantic right, 788t, 789, 791–92
 - northern bottlenose, 788t
 - northern right, 788t
 - North Pacific humpback, 843–44
 - North Pacific right, 813
 - pygmy killer, 788t
 - pygmy sperm, 788t, 789, 789t, 805
 - right, 427t, 787
 - sei, 427t, 787, 788t, 789t, 821
 - short-finned pilot, 788t, 789, 789t, 805, 821
 - Sowerby's beaked, 788t
 - sperm, 427t, 788t, 789, 789t, 790f, 805, 810, 813, 821, 843
 - Stejneger's beaked, 788t
 - tropical bottlenose, 841, 843
 - True's beaked, 788t
 - western North Atlantic right, 791
 - western North Pacific humpback, 813
 - white, 154
 - whale watching, 786–87
 - wheatear, northern, 722
 - wheatgrasses, 44, 438, 476, 549
 - western, 476, 556
 - whelks, 785
 - fat, 808
 - lyre, 808
 - Pribilof, 808
 - whimbrels, 722
 - whipsnakes, striped, 670
 - whiptail, canyon spotted, 571
 - whirling disease, 497
 - whistling-ducks
 - black-bellied, 330
 - West Indian, 337
 - white band disease, 323
 - white-cedar
 - Atlantic, 191, 260, 262
 - Atlantic white-cedar swamps, 15, 286
 - whitefishes, 221, 718, 725
 - broad, 711t
 - Great Lakes, 236, 238–39, 241, 242
 - humpback, 711t, 718, 733
 - lake, 241, 242–43
 - pygmy, 663t, 711t
 - round, 711t, 718, 722, 733
 - White, Gilbert, 169
 - white-mangrove, 327
 - White Mountains (Alaska), 721–22
 - White Sands Missile Range, 558
 - white-eye, Ponape greater, 766
 - whiting, 800, *See also* hake, Pacific

- Pacific, 817t, 818, 823
- whitlowgrass, few-flowered, 732
- Whit Mountains (Nevada), 514
- widgeongrass, 402t, 415t
- wigeon, American, 424t, 425t, 456, 460
- wildcelery, 50, 360, 361, 363, 371, 378
- Wilderness Society, 664
- wildflowers, 273, 477
- Wildlife Management Areas, California, 604
- wild-rye, giant, 607
- Wild and Scenic Rivers, 65
- wilkesia, 750
- Willamette River, 49, 651
- willet, 421, 454t, 455t
- willow bustic, 317
- willows, 21, 24, 359, 403, 445, 476, 477, 508, 549, 561, 562–63, 716, 720, 722, 724, 734
 - Bebb, 717
 - black, 359, 360, 403, 409
 - coyote, 78
 - netleaf, 711
- willow shrubs, 721
- wind, coastal Louisiana water levels and, 395–96
- windowpane, 783t
- windstorms, *See also* storms
 - old-growth forests and, 481
- windthrow, 549
- Winnemucca Lake, 532
- winterfat, 511, 546
- wintergreen, 24, 717
- wire-grass, 280, 281, 282, 401, 402t, 404, 406, 407, 408, 412
- wire-lettuce, Malheur, 654t
- wire-tagging, of Pacific halibut, 713
- Wisconsin, forest composition, 48
- Wisconsin Glacier, 352–53
 - prairie pothole region, 454
- withering foot disease, 615
- wolverines, 245, 460, 461, 477, 481, 633t, 682t, 720, 723, 734, 735, 739,
 - California, 525, 525t
 - North American, 525t
- wolves, 47, 48, 52, 172f, 463, 488, 489, 727, 734, 735, 737
 - control of, 723, 738
 - dire, 720
 - gray, 186, 222, 231, 232t, 248, 265, 303, 304, 305, 440, 460, 461, 494, 577, 632, 682t, 715, 723, 727, 730, 735, 738, 739
 - red, 168, 265, 303, 304, 305, 427
- woodcocks
 - American, 193–95, 421
 - Puerto Rican, 329
- wood decomposition, 19
- woodland chaparral, 608
- woodland herbs, 13
- Woodland Period, 258
- woodlands, *See also* forests; birds
 - Great Lakes region, 245
 - Southwest, 575–76
 - conversion to grasslands, 555
 - defined, 910
- woodpeckers, 422, 673
 - acorn, 675
 - black-backed, 246t, 482, 671, 673
 - downy, 246t, 675
 - Gila, 626t
 - hairy, 24, 246t, 675
 - ivory-billed, 52, 259, 279, 302, 303, 427t, 428
 - ladder-backed, 576
 - Lewis', 678t, 679
 - pileated, 246t, 671, 674, 675, 677
 - red-bellied, 246t, 374t
 - red-cockaded, 109, 110, 283, 289, 302, 427t, 428
 - red-headed, 189t, 246t, 374t
 - red-tailed, 631
 - three-toed, 481–82
 - white-headed, 626
- wood-pewees
 - eastern, 246t, 374t
 - western, 631, 674t, 679, 681
- woodrats
 - bushy-tailed, 515t
 - dusky-footed, 633t
 - middens, 526
- worms
 - annelid, 416
 - feather-duster, 836–37
 - marine, 831
 - nematode, 416, 808
 - oligochaete, 416, 417
 - polychaete, 416–17, 780, 793, 807
 - segmented, 831
- wormwoods, 717
 - Aleutian, 729
- woundfin, 519, 566
 - Napoleon, 836
- wrens
 - Bewick's, 188, 631, 674, 674t
 - house, 246t, 523, 677, 681
 - marsh, 374t, 454t, 455t
 - rock, 25, 523, 678t, 679
 - sedge, 43f, 189t, 246t, 454t, 455t
 - winter, 246t, 674, 674t
- wrentit, 674t
- Xerces Society, 234
- xeric, defined, 903, 910
- yagrumo hembra, 318
- yagrumo macho, 318
- Yazoo Basin, flood-control structures, 67
- year-class, defined, 910
- yellowjackets, 767, 768
- yellowlegs, 719
 - greater, 712
- yellow-poplar, 48, 183
- Yellowstone National Park, 478, 481–82, 485, 485f, 488–89, 494, 495, 497
 - fire succession, 17, 26
 - glaciation, 473
 - mammals, climate change and, 102–3
- Yellowstone River, 69
- yellowtail, 818
- yellowthroats, common, 43f, 374t, 454t, 455t, 631, 675, 678t, 679
- yew, Pacific, 710
- Yosemite National Park, 597, 609
- Younger Dryas, 111
- Yucca Mountain, 531
- yuccas, 557
- Yukon Flats National Wildlife Refuge, 738
- Yukon-Kuskokwim River delta, 726
- zinc, 132, 134
 - mining, Rocky Mountains, 478–79
- zoae, defined, 910
- zooplankton, 730, 816, *See also* plankton
 - Alaska, 807
 - coastal Louisiana, 415–16
 - Mississippi River, 376