B. STARTING FECFILE AND RETRIEVING THE CANDIDATE DATABASE



Opening Fecfile

To open the FECFILE application, you must launch the software application.

- ✓ Click the Start button on the Taskbar and move up to select Programs.
- ✓ Select Programs and then move across, highlighting FECFile.
- ✓ Select FECFile, from the menu selection.
- ✓ The application will launch, and FECFile will open.
- The application will prompt the user for the operation needed to perform, or select File Open, choosing the candidate database.

Getting Started With Fecfile

Once launching FECFile, there are several options from which to choose:

FECfile		
File Help		
	Would you like to	
	Open an existing committee file	
	Create a new committee file	
	Get some Help!	
	Exit	
Ready		

- Open and existing committee file allows the user to access committee information and reports already created and saved
- Create a new committee file allows the user to create a new committee file where all information and reports for the committee will be stored
- Getting Some Help shows the user a step-by-step diagram of the electronic filing process
- ✓ Exiting closes the application

All of these options will be explained in the following text.

Retrieving the Candidate Database

FECfile	4	
File Help		
×	Vould you like to	
	Open an existing committee file	
	Create a new committee file	
	Get some Help!	
	Exit	
Ready		[//

Updating and Downloading the Lookup File

FECFile uses a standard file called a Lookup file to identify, or "lookup" candidate and committee ID information. As part of the ongoing process of assigning these ID's, the FEC updates the master list and changes it everyday. The FECFile application will notify the user when it is more than 30 days old.

The FEC's master list is part of the FECFile installation (in a file called <u>export2.cm</u>). The FECFile software is designed to notify the user every 30 days. However, the user may download a recent copy of the file at any time. This is done by selecting the menu item "Get Committee List/Contribution Limits" under the File Menu. As the application is initially installed, it is recommended to download a new copy at that time.

Notification

Upon opening the FECFile application and the user's file, the application will notify asking to download a copy of today's database if the Lookup table is older than 30 days. There are two options here. By selecting No, the file will not be updated but transactions may be entered into FECFile. However, by selecting Yes, the FECLoad Settings window will appear asking to select the filing method (i.e., the communication method used to download the latest file).

Settings							×
Download Config	ure						
Filer information	C00000000			(e.g C123456)	78)		
Fax				(e.g 20221906	74)		
Password			Confirm			(case-sensitiv	/e)
e-mail 1			Confirm			(e.g johndoe	@cmte.com)
e-mail 2			Confirm [(e.g janedoe	@cmte.com)
-Filing Method-							
TCP/IP	O HTTP	O Dialup	O A:	O B:	O Other		
File it to the te	st server [will	not be receive	ed by the a	gency]			
Remote file to g	et fecupdate	s.zip					
				OK		Cancel	Help

The options from the Download screen are: TCP/IP (an Internet connection); HTTP; or, Dialup (a modem connection). All other fields on this screen will be inactive (shaded gray). The HTTP connection is an option for those behind a proxy server. The proxy IP address must be entered in the configuration along with the username and password, if applicable.

The configuration screen will vary according to the filing method selected.

Settings	×
Download Configure	
Proxy server information Server IP	
Proxy user ID	
Password	
COM port 2	
Baud rate 19200	
TCP/IP hostname download.nictusa.com	
Agency ID FECDL	
OK Cancel	Help

If TCP/IP is selected on the Download screen, the screen will have download.nictusa.com as the hostname (the name of the server that has the export2.cm file available for download) and the Agency ID will be FECDL. Internet connection must be made, prior to the download.

If *Dialup* is selected from the Download screen, the Configure screen will have the COM port set as 2; the Baud rate set as 1 200; the Dialup string as ATDT17038346 68 and Agency ID as **FECDL.**

ECload - fecupdates.zip	_ 🗆 ×
File View Help	
CYFECHekvuntimek/ecupdates.zip	
1288 render bits are needed	
0% 100% These random bits will be derived from your keystrokes and mouse movements. Enter random text on your keyboard and/or move the mouse around within this dialog box. Cancel	
Ready	

E FECload - Untitled		
File View Help		
Untitled	_	
• • • • • • • • • • • • • • • • • • •	ettings 🔀	
	Download Configure	
	Proxy server information	
	Proxy user ID	
	Password	
	Port 80	
	COM port	
	Dialup string ATDT17038346968	
	Agency ID FECDL	
	OK Cancel Help	
-		
		12.
Ready		

The COM port is the communication port that runs the computer's modem (i.e., your computer's modem). If connection cannot be made with this setting, check the comport # attached to your modem in your computers control panel. If a different COM port is used, change the COM port number in this field (possibilities COM port 1, COM port 2, COM port 3 or COM port 4). The same holds true when using a different Baud rate, the settings must change as well. The program defaults to the two settings noted, as they are the most frequently utilized. The Dialup string and Agency ID should not be modified unless instructed by the software's technical support staff, at the number noted in the beginning of this guide.



During the download, the screen will display FECload in the upper left corner. Inside FECload, a window displays the download results. The program will display several messages, informing you it is about to download. The program will pause, state "Requesting <u>export2.cm</u>"; then the process continues. The following message appears, "Server response", and in the bottom right corner, a number displaying the file as it is downloading (the number represents the bytes being transferred). The process speed is dependent upon connectivity. As it is near completion, a window displays it is "Working".

The next dialog screen reads, "The file can be decrypted by these keys:

Other R	lecipients 🔀
(j)	لرج This file can be decrypted by these keys:
	SDRDNLD1
	ОК

SDRDNLD1." – At this point click OK.

:

Processing will occur and a final screen should show that the import has succeeded – At this point click OK.

FECloa	.d 🔀
1	Succeeded
	ОК