

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
 [Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,448,017	100.0	825.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	652,091	26.6	220.0
2	Malignant neoplasms (C00-C97)	559,312	22.8	188.7
3	Cerebrovascular diseases (I60-I69)	143,579	5.9	48.4
4	Chronic lower respiratory diseases (J40-J47)	130,933	5.3	44.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	117,809	4.8	39.7
6	Diabetes mellitus (E10-E14)	75,119	3.1	25.3
7	Alzheimer's disease (G30)	71,599	2.9	24.2
8	Influenza and pneumonia (J10-J18)	63,001	2.6	21.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	43,901	1.8	14.8
10	Septicemia (A40-A41)	34,136	1.4	11.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	32,637	1.3	11.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	27,530	1.1	9.3
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	24,902	1.0	8.4
14	Parkinson's disease (G20-G21)	19,544	0.8	6.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	18,124	0.7	6.1
...	All other causes (Residual)	433,800	17.7	146.4
Alabama				
...	All causes	47,090	100.0	1,033.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,869	27.3	282.4
2	Malignant neoplasms (C00-C97)	9,913	21.1	217.5
3	Cerebrovascular diseases (I60-I69)	2,952	6.3	64.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,395	5.1	52.5
5	Chronic lower respiratory diseases (J40-J47)	2,382	5.1	52.3
6	Alzheimer's disease (G30)	1,501	3.2	32.9
7	Diabetes mellitus (E10-E14)	1,429	3.0	31.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,036	2.2	22.7
9	Influenza and pneumonia (J10-J18)	1,011	2.1	22.2
10	Septicemia (A40-A41)	848	1.8	18.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	535	1.1	11.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	478	1.0	10.5
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	433	0.9	9.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	428	0.9	9.4
15	Pneumonitis due to solids and liquids (J69)	318	0.7	7.0
...	All other causes (Residual)	8,562	18.2	187.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,168	100.0	477.4
1	Malignant neoplasms (C00-C97)	732	23.1	110.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	627	19.8	94.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	313	9.9	47.2
4	Cerebrovascular diseases (I60-I69)	178	5.6	26.8
5	Chronic lower respiratory diseases (J40-J47)	158	5.0	23.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	131	4.1	19.7
7	Diabetes mellitus (E10-E14)	93	2.9	14.0
8	Alzheimer's disease (G30)	61	1.9	9.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	52	1.6	7.8
10	Influenza and pneumonia (J10-J18)	44	1.4	6.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	38	1.2	5.7
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	37	1.2	5.6
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	29	0.9	4.4
14	Septicemia (A40-A41)	27	0.9	4.1
15	Parkinson's disease (G20-G21)	23	0.7	3.5
...	All other causes (Residual)	625	19.7	94.2
Arizona				
...	All causes	45,827	100.0	771.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,966	23.9	184.6
2	Malignant neoplasms (C00-C97)	9,820	21.4	165.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,150	6.9	53.0
4	Chronic lower respiratory diseases (J40-J47)	2,821	6.2	47.5
5	Cerebrovascular diseases (I60-I69)	2,364	5.2	39.8
6	Alzheimer's disease (G30)	1,831	4.0	30.8
7	Influenza and pneumonia (J10-J18)	1,297	2.8	21.8
8	Diabetes mellitus (E10-E14)	1,208	2.6	20.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	945	2.1	15.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	757	1.7	12.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	608	1.3	10.2
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	532	1.2	9.0
13	Septicemia (A40-A41)	505	1.1	8.5
14	Parkinson's disease (G20-G21)	496	1.1	8.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	438	1.0	7.4
...	All other causes (Residual)	8,089	17.7	136.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	28,055	100.0	1,009.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,575	27.0	272.6
2	Malignant neoplasms (C00-C97)	6,361	22.7	228.9
3	Cerebrovascular diseases (I60-I69)	1,847	6.6	66.5
4	Chronic lower respiratory diseases (J40-J47)	1,559	5.6	56.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,329	4.7	47.8
6	Influenza and pneumonia (J10-J18)	886	3.2	31.9
7	Diabetes mellitus (E10-E14)	824	2.9	29.6
8	Alzheimer's disease (G30)	686	2.4	24.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	624	2.2	22.5
10	Septicemia (A40-A41)	518	1.8	18.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	400	1.4	14.4
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	262	0.9	9.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	228	0.8	8.2
14	Pneumonitis due to solids and liquids (J69)	224	0.8	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	219	0.8	7.9
...	All other causes (Residual)	4,513	16.1	162.4
California				
...	All causes	237,037	100.0	656.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	64,916	27.4	179.7
2	Malignant neoplasms (C00-C97)	54,732	23.1	151.5
3	Cerebrovascular diseases (I60-I69)	15,585	6.6	43.1
4	Chronic lower respiratory diseases (J40-J47)	13,188	5.6	36.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,129	4.7	30.8
6	Alzheimer's disease (G30)	7,706	3.3	21.3
7	Diabetes mellitus (E10-E14)	7,697	3.2	21.3
8	Influenza and pneumonia (J10-J18)	7,553	3.2	20.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,822	1.6	10.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,206	1.4	8.9
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	3,034	1.3	8.4
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,540	1.1	7.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,482	1.0	6.9
14	Parkinson's disease (G20-G21)	1,905	0.8	5.3
15	Certain conditions originating in the perinatal period (P00-P96)	1,512	0.6	4.2
...	All other causes (Residual)	36,030	15.2	99.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	29,627	100.0	635.1
1	Malignant neoplasms (C00-C97)	6,395	21.6	137.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,307	21.3	135.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,947	6.6	41.7
4	Chronic lower respiratory diseases (J40-J47)	1,914	6.5	41.0
5	Cerebrovascular diseases (I60-I69)	1,599	5.4	34.3
6	Alzheimer's disease (G30)	1,064	3.6	22.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	800	2.7	17.1
8	Diabetes mellitus (E10-E14)	753	2.5	16.1
9	Influenza and pneumonia (J10-J18)	666	2.2	14.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	470	1.6	10.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	436	1.5	9.3
12	Atherosclerosis (I70)	422	1.4	9.0
13	Septicemia (A40-A41)	278	0.9	6.0
14	Parkinson's disease (G20-G21)	269	0.9	5.8
15	Pneumonitis due to solids and liquids (J69)	268	0.9	5.7
...	All other causes (Residual)	6,039	20.4	129.4
Connecticut				
...	All causes	29,467	100.0	839.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,650	26.0	217.9
2	Malignant neoplasms (C00-C97)	7,052	23.9	200.9
3	Cerebrovascular diseases (I60-I69)	1,528	5.2	43.5
4	Chronic lower respiratory diseases (J40-J47)	1,471	5.0	41.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,134	3.8	32.3
6	Influenza and pneumonia (J10-J18)	956	3.2	27.2
7	Diabetes mellitus (E10-E14)	811	2.8	23.1
8	Alzheimer's disease (G30)	777	2.6	22.1
9	Septicemia (A40-A41)	614	2.1	17.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	580	2.0	16.5
11	Pneumonitis due to solids and liquids (J69)	397	1.3	11.3
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	330	1.1	9.4
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	295	1.0	8.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	283	1.0	8.1
15	Parkinson's disease (G20-G21)	239	0.8	6.8
...	All other causes (Residual)	5,350	18.2	152.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,472	100.0	885.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,031	27.2	240.8
2	Malignant neoplasms (C00-C97)	1,799	24.1	213.3
3	Chronic lower respiratory diseases (J40-J47)	411	5.5	48.7
4	Cerebrovascular diseases (I60-I69)	384	5.1	45.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	293	3.9	34.7
6	Diabetes mellitus (E10-E14)	233	3.1	27.6
7	Alzheimer's disease (G30)	180	2.4	21.3
8	Influenza and pneumonia (J10-J18)	162	2.2	19.2
9	Septicemia (A40-A41)	128	1.7	15.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	128	1.7	15.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	83	1.1	9.8
12	Certain conditions originating in the perinatal period (P00-P96)	72	1.0	8.5
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	71	1.0	8.4
14	Parkinson's disease (G20-G21)	67	0.9	7.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	67	0.9	7.9
...	All other causes (Residual)	1,363	18.2	161.6
District of Columbia				
...	All causes	5,483	100.0	996.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,518	27.7	275.7
2	Malignant neoplasms (C00-C97)	1,151	21.0	209.1
3	Cerebrovascular diseases (I60-I69)	231	4.2	42.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	207	3.8	37.6
5	Human immunodeficiency virus (HIV) disease (B20-B24)	204	3.7	37.1
6	Diabetes mellitus (E10-E14)	192	3.5	34.9
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	180	3.3	32.7
8	Septicemia (A40-A41)	133	2.4	24.2
9	Chronic lower respiratory diseases (J40-J47)	132	2.4	24.0
10	Alzheimer's disease (G30)	112	2.0	20.3
11	Influenza and pneumonia (J10-J18)	98	1.8	17.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	68	1.2	12.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	67	1.2	12.2
14	Certain conditions originating in the perinatal period (P00-P96)	65	1.2	11.8
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	54	1.0	9.8
...	All other causes (Residual)	1,071	19.5	194.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	170,791	100.0	960.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	46,279	27.1	260.1
2	Malignant neoplasms (C00-C97)	40,592	23.8	228.2
3	Chronic lower respiratory diseases (J40-J47)	9,482	5.6	53.3
4	Cerebrovascular diseases (I60-I69)	9,361	5.5	52.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,868	5.2	49.8
6	Diabetes mellitus (E10-E14)	5,193	3.0	29.2
7	Alzheimer's disease (G30)	4,608	2.7	25.9
8	Influenza and pneumonia (J10-J18)	2,802	1.6	15.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,416	1.4	13.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,347	1.4	13.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,139	1.3	12.0
12	Septicemia (A40-A41)	1,845	1.1	10.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,813	1.1	10.2
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,718	1.0	9.7
15	Parkinson's disease (G20-G21)	1,468	0.9	8.3
...	All other causes (Residual)	29,860	17.5	167.8
Georgia				
...	All causes	66,736	100.0	735.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,781	25.1	185.0
2	Malignant neoplasms (C00-C97)	14,358	21.5	158.3
3	Cerebrovascular diseases (I60-I69)	3,854	5.8	42.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,762	5.6	41.5
5	Chronic lower respiratory diseases (J40-J47)	3,411	5.1	37.6
6	Alzheimer's disease (G30)	1,745	2.6	19.2
7	Diabetes mellitus (E10-E14)	1,742	2.6	19.2
8	Influenza and pneumonia (J10-J18)	1,596	2.4	17.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,520	2.3	16.8
10	Septicemia (A40-A41)	1,321	2.0	14.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	924	1.4	10.2
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	922	1.4	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	689	1.0	7.6
14	Human immunodeficiency virus (HIV) disease (B20-B24)	666	1.0	7.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	649	1.0	7.2
...	All other causes (Residual)	12,796	19.2	141.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,136	100.0	716.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,319	25.4	181.9
2	Malignant neoplasms (C00-C97)	2,169	23.7	170.1
3	Cerebrovascular diseases (I60-I69)	688	7.5	54.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	436	4.8	34.2
5	Chronic lower respiratory diseases (J40-J47)	287	3.1	22.5
6	Influenza and pneumonia (J10-J18)	241	2.6	18.9
7	Diabetes mellitus (E10-E14)	218	2.4	17.1
8	Alzheimer's disease (G30)	192	2.1	15.1
9	Septicemia (A40-A41)	161	1.8	12.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	150	1.6	11.8
11	Pneumonitis due to solids and liquids (J69)	132	1.4	10.4
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	107	1.2	8.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	100	1.1	7.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	96	1.1	7.5
15	Aortic aneurysm and dissection (I71)	81	0.9	6.4
...	All other causes (Residual)	1,759	19.3	137.9
Idaho				
...	All causes	10,556	100.0	738.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,450	23.2	171.4
2	Malignant neoplasms (C00-C97)	2,368	22.4	165.7
3	Cerebrovascular diseases (I60-I69)	718	6.8	50.2
4	Chronic lower respiratory diseases (J40-J47)	717	6.8	50.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	606	5.7	42.4
6	Alzheimer's disease (G30)	407	3.9	28.5
7	Diabetes mellitus (E10-E14)	299	2.8	20.9
8	Influenza and pneumonia (J10-J18)	289	2.7	20.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	228	2.2	16.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	126	1.2	8.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	110	1.0	7.7
12	Parkinson's disease (G20-G21)	109	1.0	7.6
13	Pneumonitis due to solids and liquids (J69)	96	0.9	6.7
14	Aortic aneurysm and dissection (I71)	78	0.7	5.5
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	74	0.7	5.2
...	All other causes (Residual)	1,881	17.8	131.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	103,974	100.0	814.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	28,226	27.1	221.1
2	Malignant neoplasms (C00-C97)	24,250	23.3	190.0
3	Cerebrovascular diseases (I60-I69)	6,252	6.0	49.0
4	Chronic lower respiratory diseases (J40-J47)	5,067	4.9	39.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,182	4.0	32.8
6	Diabetes mellitus (E10-E14)	3,034	2.9	23.8
7	Influenza and pneumonia (J10-J18)	2,949	2.8	23.1
8	Alzheimer's disease (G30)	2,827	2.7	22.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,402	2.3	18.8
10	Septicemia (A40-A41)	1,943	1.9	15.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,086	1.0	8.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,002	1.0	7.9
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	993	1.0	7.8
14	Pneumonitis due to solids and liquids (J69)	908	0.9	7.1
15	Parkinson's disease (G20-G21)	897	0.9	7.0
...	All other causes (Residual)	17,956	17.3	140.7
Indiana				
...	All causes	55,675	100.0	887.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,542	26.1	231.9
2	Malignant neoplasms (C00-C97)	12,796	23.0	204.0
3	Chronic lower respiratory diseases (J40-J47)	3,471	6.2	55.3
4	Cerebrovascular diseases (I60-I69)	3,296	5.9	52.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,480	4.5	39.5
6	Diabetes mellitus (E10-E14)	1,719	3.1	27.4
7	Alzheimer's disease (G30)	1,651	3.0	26.3
8	Influenza and pneumonia (J10-J18)	1,317	2.4	21.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,284	2.3	20.5
10	Septicemia (A40-A41)	826	1.5	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	745	1.3	11.9
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	595	1.1	9.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	496	0.9	7.9
14	Parkinson's disease (G20-G21)	443	0.8	7.1
15	Pneumonitis due to solids and liquids (J69)	421	0.8	6.7
...	All other causes (Residual)	9,593	17.2	153.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	27,811	100.0	937.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,437	26.7	250.7
2	Malignant neoplasms (C00-C97)	6,453	23.2	217.5
3	Cerebrovascular diseases (I60-I69)	1,902	6.8	64.1
4	Chronic lower respiratory diseases (J40-J47)	1,703	6.1	57.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,202	4.3	40.5
6	Alzheimer's disease (G30)	1,082	3.9	36.5
7	Influenza and pneumonia (J10-J18)	896	3.2	30.2
8	Diabetes mellitus (E10-E14)	727	2.6	24.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	333	1.2	11.2
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	274	1.0	9.2
11	Parkinson's disease (G20-G21)	270	1.0	9.1
12	Atherosclerosis (I70)	264	0.9	8.9
12	Pneumonitis due to solids and liquids (J69)	264	0.9	8.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	250	0.9	8.4
15	Septicemia (A40-A41)	227	0.8	7.7
...	All other causes (Residual)	4,527	16.3	152.6
Kansas				
...	All causes	24,682	100.0	899.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,960	24.1	217.1
2	Malignant neoplasms (C00-C97)	5,428	22.0	197.8
3	Cerebrovascular diseases (I60-I69)	1,571	6.4	57.2
4	Chronic lower respiratory diseases (J40-J47)	1,567	6.3	57.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,149	4.7	41.9
6	Alzheimer's disease (G30)	912	3.7	33.2
7	Influenza and pneumonia (J10-J18)	730	3.0	26.6
8	Diabetes mellitus (E10-E14)	710	2.9	25.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	517	2.1	18.8
10	Atherosclerosis (I70)	363	1.5	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	362	1.5	13.2
12	Parkinson's disease (G20-G21)	279	1.1	10.2
13	Septicemia (A40-A41)	253	1.0	9.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	200	0.8	7.3
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	187	0.8	6.8
...	All other causes (Residual)	4,494	18.2	163.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	40,223	100.0	963.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,782	26.8	258.4
2	Malignant neoplasms (C00-C97)	9,505	23.6	227.8
3	Chronic lower respiratory diseases (J40-J47)	2,578	6.4	61.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,405	6.0	57.6
5	Cerebrovascular diseases (I60-I69)	2,168	5.4	51.9
6	Diabetes mellitus (E10-E14)	1,187	3.0	28.4
7	Alzheimer's disease (G30)	1,147	2.9	27.5
8	Influenza and pneumonia (J10-J18)	1,021	2.5	24.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	912	2.3	21.9
10	Septicemia (A40-A41)	585	1.5	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	566	1.4	13.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	380	0.9	9.1
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	353	0.9	8.5
14	Pneumonitis due to solids and liquids (J69)	310	0.8	7.4
15	Parkinson's disease (G20-G21)	267	0.7	6.4
...	All other causes (Residual)	6,057	15.1	145.1
Louisiana				
...	All causes	44,355	100.0	980.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,008	24.8	243.3
2	Malignant neoplasms (C00-C97)	9,249	20.9	204.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,072	6.9	67.9
4	Cerebrovascular diseases (I60-I69)	2,469	5.6	54.6
5	Chronic lower respiratory diseases (J40-J47)	1,906	4.3	42.1
6	Diabetes mellitus (E10-E14)	1,695	3.8	37.5
7	Alzheimer's disease (G30)	1,405	3.2	31.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,187	2.7	26.2
9	Influenza and pneumonia (J10-J18)	996	2.2	22.0
10	Septicemia (A40-A41)	858	1.9	19.0
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	592	1.3	13.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	505	1.1	11.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	407	0.9	9.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	403	0.9	8.9
15	Chronic liver disease and cirrhosis (K70,K73-K74)	380	0.9	8.4
...	All other causes (Residual)	8,223	18.5	181.8

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
 [Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,868	100.0	973.7
1	Malignant neoplasms (C00-C97)	3,218	25.0	243.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,941	22.9	222.5
3	Chronic lower respiratory diseases (J40-J47)	830	6.5	62.8
4	Cerebrovascular diseases (I60-I69)	693	5.4	52.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	579	4.5	43.8
6	Alzheimer's disease (G30)	476	3.7	36.0
7	Diabetes mellitus (E10-E14)	385	3.0	29.1
8	Influenza and pneumonia (J10-J18)	352	2.7	26.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	250	1.9	18.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	175	1.4	13.2
11	Septicemia (A40-A41)	131	1.0	9.9
11	Parkinson's disease (G20-G21)	131	1.0	9.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	116	0.9	8.8
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	110	0.9	8.3
15	Pneumonitis due to solids and liquids (J69)	102	0.8	7.7
...	All other causes (Residual)	2,379	18.5	180.0
Maryland				
...	All causes	43,892	100.0	783.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,594	26.4	207.0
2	Malignant neoplasms (C00-C97)	10,371	23.6	185.2
3	Cerebrovascular diseases (I60-I69)	2,476	5.6	44.2
4	Chronic lower respiratory diseases (J40-J47)	1,908	4.3	34.1
5	Diabetes mellitus (E10-E14)	1,388	3.2	24.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,376	3.1	24.6
7	Influenza and pneumonia (J10-J18)	1,194	2.7	21.3
8	Septicemia (A40-A41)	1,085	2.5	19.4
9	Alzheimer's disease (G30)	958	2.2	17.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	752	1.7	13.4
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	576	1.3	10.3
12	Human immunodeficiency virus (HIV) disease (B20-B24)	528	1.2	9.4
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	472	1.1	8.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	459	1.0	8.2
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	435	1.0	7.8
...	All other causes (Residual)	8,320	19.0	148.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
 [Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	53,874	100.0	841.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,280	24.7	207.5
2	Malignant neoplasms (C00-C97)	13,182	24.5	206.0
3	Cerebrovascular diseases (I60-I69)	2,977	5.5	46.5
4	Chronic lower respiratory diseases (J40-J47)	2,647	4.9	41.4
5	Influenza and pneumonia (J10-J18)	1,935	3.6	30.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,907	3.5	29.8
7	Alzheimer's disease (G30)	1,638	3.0	25.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,410	2.6	22.0
9	Diabetes mellitus (E10-E14)	1,271	2.4	19.9
10	Septicemia (A40-A41)	980	1.8	15.3
11	Pneumonitis due to solids and liquids (J69)	546	1.0	8.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	505	0.9	7.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	480	0.9	7.5
14	Parkinson's disease (G20-G21)	451	0.8	7.0
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	431	0.8	6.7
...	All other causes (Residual)	10,234	19.0	159.9
Michigan				
...	All causes	86,867	100.0	858.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,128	28.9	248.3
2	Malignant neoplasms (C00-C97)	20,094	23.1	198.5
3	Cerebrovascular diseases (I60-I69)	5,057	5.8	50.0
4	Chronic lower respiratory diseases (J40-J47)	4,466	5.1	44.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,451	4.0	34.1
6	Diabetes mellitus (E10-E14)	2,842	3.3	28.1
7	Alzheimer's disease (G30)	2,359	2.7	23.3
8	Influenza and pneumonia (J10-J18)	1,950	2.2	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,681	1.9	16.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,108	1.3	10.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,010	1.2	10.0
12	Septicemia (A40-A41)	924	1.1	9.1
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	798	0.9	7.9
14	Parkinson's disease (G20-G21)	762	0.9	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	677	0.8	6.7
...	All other causes (Residual)	14,560	16.8	143.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,535	100.0	731.3
1	Malignant neoplasms (C00-C97)	8,823	23.5	171.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,926	21.1	154.4
3	Cerebrovascular diseases (I60-I69)	2,379	6.3	46.3
4	Chronic lower respiratory diseases (J40-J47)	1,965	5.2	38.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,922	5.1	37.4
6	Alzheimer's disease (G30)	1,320	3.5	25.7
7	Diabetes mellitus (E10-E14)	1,258	3.4	24.5
8	Influenza and pneumonia (J10-J18)	846	2.3	16.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	669	1.8	13.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	547	1.5	10.7
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	541	1.4	10.5
12	Parkinson's disease (G20-G21)	444	1.2	8.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	317	0.8	6.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	286	0.8	5.6
15	Aortic aneurysm and dissection (I71)	284	0.8	5.5
...	All other causes (Residual)	8,008	21.3	156.0
Mississippi				
...	All causes	29,196	100.0	999.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,637	29.6	295.7
2	Malignant neoplasms (C00-C97)	6,065	20.8	207.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,936	6.6	66.3
4	Cerebrovascular diseases (I60-I69)	1,622	5.6	55.5
5	Chronic lower respiratory diseases (J40-J47)	1,473	5.0	50.4
6	Alzheimer's disease (G30)	721	2.5	24.7
7	Diabetes mellitus (E10-E14)	677	2.3	23.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	667	2.3	22.8
9	Influenza and pneumonia (J10-J18)	645	2.2	22.1
10	Septicemia (A40-A41)	559	1.9	19.1
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	394	1.3	13.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	363	1.2	12.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	272	0.9	9.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	254	0.9	8.7
15	Certain conditions originating in the perinatal period (P00-P96)	226	0.8	7.7
...	All other causes (Residual)	4,685	16.0	160.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	54,656	100.0	942.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,974	27.4	258.2
2	Malignant neoplasms (C00-C97)	12,419	22.7	214.1
3	Cerebrovascular diseases (I60-I69)	3,347	6.1	57.7
4	Chronic lower respiratory diseases (J40-J47)	3,085	5.6	53.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,848	5.2	49.1
6	Alzheimer's disease (G30)	1,635	3.0	28.2
7	Diabetes mellitus (E10-E14)	1,549	2.8	26.7
8	Influenza and pneumonia (J10-J18)	1,527	2.8	26.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,156	2.1	19.9
10	Septicemia (A40-A41)	741	1.4	12.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	727	1.3	12.5
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	468	0.9	8.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	419	0.8	7.2
14	Parkinson's disease (G20-G21)	418	0.8	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	417	0.8	7.2
...	All other causes (Residual)	8,926	16.3	153.9
Montana				
...	All causes	8,528	100.0	911.4
1	Malignant neoplasms (C00-C97)	1,956	22.9	209.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,855	21.8	198.3
3	Chronic lower respiratory diseases (J40-J47)	580	6.8	62.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	524	6.1	56.0
5	Cerebrovascular diseases (I60-I69)	522	6.1	55.8
6	Diabetes mellitus (E10-E14)	285	3.3	30.5
7	Alzheimer's disease (G30)	267	3.1	28.5
8	Influenza and pneumonia (J10-J18)	213	2.5	22.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	206	2.4	22.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	120	1.4	12.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	109	1.3	11.6
12	Parkinson's disease (G20-G21)	75	0.9	8.0
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	72	0.8	7.7
14	Septicemia (A40-A41)	61	0.7	6.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	61	0.7	6.5
...	All other causes (Residual)	1,622	19.0	173.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	14,963	100.0	850.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,640	24.3	207.0
2	Malignant neoplasms (C00-C97)	3,355	22.4	190.8
3	Cerebrovascular diseases (I60-I69)	986	6.6	56.1
4	Chronic lower respiratory diseases (J40-J47)	949	6.3	54.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	704	4.7	40.0
6	Alzheimer's disease (G30)	473	3.2	26.9
7	Diabetes mellitus (E10-E14)	449	3.0	25.5
8	Influenza and pneumonia (J10-J18)	370	2.5	21.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	245	1.6	13.9
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	199	1.3	11.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	187	1.2	10.6
12	Parkinson's disease (G20-G21)	160	1.1	9.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	133	0.9	7.6
14	Septicemia (A40-A41)	123	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	116	0.8	6.6
...	All other causes (Residual)	2,874	19.2	163.4
Nevada				
...	All causes	19,029	100.0	788.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,094	26.8	210.9
2	Malignant neoplasms (C00-C97)	4,238	22.3	175.5
3	Chronic lower respiratory diseases (J40-J47)	1,227	6.4	50.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,104	5.8	45.7
5	Cerebrovascular diseases (I60-I69)	945	5.0	39.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	480	2.5	19.9
7	Influenza and pneumonia (J10-J18)	454	2.4	18.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	438	2.3	18.1
9	Septicemia (A40-A41)	417	2.2	17.3
10	Diabetes mellitus (E10-E14)	336	1.8	13.9
11	Alzheimer's disease (G30)	310	1.6	12.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	275	1.4	11.4
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	190	1.0	7.9
14	Atherosclerosis (I70)	156	0.8	6.5
15	Pneumonitis due to solids and liquids (J69)	139	0.7	5.8
...	All other causes (Residual)	3,226	17.0	133.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,194	100.0	778.2
1	Malignant neoplasms (C00-C97)	2,549	25.0	194.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,530	24.8	193.1
3	Chronic lower respiratory diseases (J40-J47)	630	6.2	48.1
4	Cerebrovascular diseases (I60-I69)	497	4.9	37.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	477	4.7	36.4
6	Alzheimer's disease (G30)	376	3.7	28.7
7	Diabetes mellitus (E10-E14)	310	3.0	23.7
8	Influenza and pneumonia (J10-J18)	273	2.7	20.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	173	1.7	13.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	162	1.6	12.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	114	1.1	8.7
12	Septicemia (A40-A41)	91	0.9	6.9
13	Parkinson's disease (G20-G21)	80	0.8	6.1
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	79	0.8	6.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	68	0.7	5.2
...	All other causes (Residual)	1,785	17.5	136.3
New Jersey				
...	All causes	71,963	100.0	825.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	20,655	28.7	236.9
2	Malignant neoplasms (C00-C97)	17,171	23.9	197.0
3	Cerebrovascular diseases (I60-I69)	3,614	5.0	41.5
4	Chronic lower respiratory diseases (J40-J47)	3,148	4.4	36.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,561	3.6	29.4
6	Diabetes mellitus (E10-E14)	2,540	3.5	29.1
7	Septicemia (A40-A41)	1,931	2.7	22.1
8	Alzheimer's disease (G30)	1,815	2.5	20.8
9	Influenza and pneumonia (J10-J18)	1,637	2.3	18.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,597	2.2	18.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	730	1.0	8.4
12	Parkinson's disease (G20-G21)	616	0.9	7.1
13	Human immunodeficiency virus (HIV) disease (B20-B24)	604	0.8	6.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	601	0.8	6.9
15	Pneumonitis due to solids and liquids (J69)	545	0.8	6.3
...	All other causes (Residual)	12,198	17.0	139.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	14,983	100.0	777.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,435	22.9	178.1
2	Malignant neoplasms (C00-C97)	3,141	21.0	162.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,267	8.5	65.7
4	Chronic lower respiratory diseases (J40-J47)	855	5.7	44.3
5	Cerebrovascular diseases (I60-I69)	730	4.9	37.9
6	Diabetes mellitus (E10-E14)	595	4.0	30.9
7	Influenza and pneumonia (J10-J18)	353	2.4	18.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	342	2.3	17.7
9	Alzheimer's disease (G30)	327	2.2	17.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	285	1.9	14.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	239	1.6	12.4
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	152	1.0	7.9
13	Parkinson's disease (G20-G21)	146	1.0	7.6
14	Septicemia (A40-A41)	143	1.0	7.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	101	0.7	5.2
...	All other causes (Residual)	2,872	19.2	148.9
New York				
...	All causes	152,427	100.0	791.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	51,985	34.1	270.0
2	Malignant neoplasms (C00-C97)	35,556	23.3	184.7
3	Chronic lower respiratory diseases (J40-J47)	6,818	4.5	35.4
4	Cerebrovascular diseases (I60-I69)	6,622	4.3	34.4
5	Influenza and pneumonia (J10-J18)	5,521	3.6	28.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,645	3.0	24.1
7	Diabetes mellitus (E10-E14)	4,051	2.7	21.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,360	1.5	12.3
9	Septicemia (A40-A41)	2,277	1.5	11.8
10	Alzheimer's disease (G30)	2,065	1.4	10.7
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,693	1.1	8.8
12	Human immunodeficiency virus (HIV) disease (B20-B24)	1,644	1.1	8.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,224	0.8	6.4
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,189	0.8	6.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	901	0.6	4.7
...	All other causes (Residual)	23,876	15.7	124.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	74,638	100.0	859.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,765	23.8	204.6
2	Malignant neoplasms (C00-C97)	16,724	22.4	192.6
3	Cerebrovascular diseases (I60-I69)	4,861	6.5	56.0
4	Chronic lower respiratory diseases (J40-J47)	4,149	5.6	47.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,123	5.5	47.5
6	Alzheimer's disease (G30)	2,417	3.2	27.8
7	Diabetes mellitus (E10-E14)	2,261	3.0	26.0
8	Influenza and pneumonia (J10-J18)	1,830	2.5	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,561	2.1	18.0
10	Septicemia (A40-A41)	1,192	1.6	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,009	1.4	11.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	782	1.0	9.0
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	757	1.0	8.7
14	Pneumonitis due to solids and liquids (J69)	753	1.0	8.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	661	0.9	7.6
...	All other causes (Residual)	13,793	18.5	158.8
North Dakota				
...	All causes	5,744	100.0	902.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,512	26.3	237.5
2	Malignant neoplasms (C00-C97)	1,302	22.7	204.5
3	Cerebrovascular diseases (I60-I69)	368	6.4	57.8
4	Alzheimer's disease (G30)	287	5.0	45.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	287	5.0	45.1
6	Chronic lower respiratory diseases (J40-J47)	272	4.7	42.7
7	Diabetes mellitus (E10-E14)	204	3.6	32.0
8	Influenza and pneumonia (J10-J18)	172	3.0	27.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	92	1.6	14.5
10	Parkinson's disease (G20-G21)	73	1.3	11.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	68	1.2	10.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	67	1.2	10.5
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	65	1.1	10.2
14	Pneumonitis due to solids and liquids (J69)	46	0.8	7.2
15	Aortic aneurysm and dissection (I71)	42	0.7	6.6
...	All other causes (Residual)	887	15.4	139.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	109,031	100.0	951.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	29,003	26.6	253.0
2	Malignant neoplasms (C00-C97)	24,702	22.7	215.5
3	Chronic lower respiratory diseases (J40-J47)	6,580	6.0	57.4
4	Cerebrovascular diseases (I60-I69)	6,279	5.8	54.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,438	4.1	38.7
6	Diabetes mellitus (E10-E14)	3,794	3.5	33.1
7	Alzheimer's disease (G30)	3,478	3.2	30.3
8	Influenza and pneumonia (J10-J18)	2,416	2.2	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,902	1.7	16.6
10	Septicemia (A40-A41)	1,447	1.3	12.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,341	1.2	11.7
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,163	1.1	10.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,105	1.0	9.6
14	Parkinson's disease (G20-G21)	869	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	833	0.8	7.3
...	All other causes (Residual)	19,681	18.1	171.7
Oklahoma				
...	All causes	36,180	100.0	1,019.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,043	27.8	283.1
2	Malignant neoplasms (C00-C97)	7,446	20.6	209.9
3	Chronic lower respiratory diseases (J40-J47)	2,368	6.5	66.7
4	Cerebrovascular diseases (I60-I69)	2,235	6.2	63.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,005	5.5	56.5
6	Diabetes mellitus (E10-E14)	1,217	3.4	34.3
7	Alzheimer's disease (G30)	1,012	2.8	28.5
8	Influenza and pneumonia (J10-J18)	948	2.6	26.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	564	1.6	15.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	522	1.4	14.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	428	1.2	12.1
12	Septicemia (A40-A41)	422	1.2	11.9
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	334	0.9	9.4
14	Parkinson's disease (G20-G21)	305	0.8	8.6
15	Pneumonitis due to solids and liquids (J69)	300	0.8	8.5
...	All other causes (Residual)	6,031	16.7	170.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	31,091	100.0	853.9
1	Malignant neoplasms (C00-C97)	7,326	23.6	201.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,791	21.8	186.5
3	Cerebrovascular diseases (I60-I69)	2,289	7.4	62.9
4	Chronic lower respiratory diseases (J40-J47)	1,837	5.9	50.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,469	4.7	40.3
6	Alzheimer's disease (G30)	1,239	4.0	34.0
7	Diabetes mellitus (E10-E14)	1,149	3.7	31.6
8	Influenza and pneumonia (J10-J18)	614	2.0	16.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	560	1.8	15.4
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	439	1.4	12.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	394	1.3	10.8
12	Parkinson's disease (G20-G21)	299	1.0	8.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	295	0.9	8.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	207	0.7	5.7
15	Atherosclerosis (I70)	192	0.6	5.3
...	All other causes (Residual)	5,991	19.3	164.5
Pennsylvania				
...	All causes	129,532	100.0	1,042.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	36,207	28.0	291.3
2	Malignant neoplasms (C00-C97)	29,616	22.9	238.3
3	Cerebrovascular diseases (I60-I69)	7,650	5.9	61.5
4	Chronic lower respiratory diseases (J40-J47)	6,149	4.7	49.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,446	4.2	43.8
6	Diabetes mellitus (E10-E14)	3,553	2.7	28.6
7	Alzheimer's disease (G30)	3,429	2.6	27.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,108	2.4	25.0
9	Influenza and pneumonia (J10-J18)	3,068	2.4	24.7
10	Septicemia (A40-A41)	2,548	2.0	20.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,430	1.1	11.5
12	Pneumonitis due to solids and liquids (J69)	1,202	0.9	9.7
13	Parkinson's disease (G20-G21)	1,065	0.8	8.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,058	0.8	8.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,058	0.8	8.5
...	All other causes (Residual)	22,945	17.7	184.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	10,007	100.0	929.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,005	30.0	279.2
2	Malignant neoplasms (C00-C97)	2,292	22.9	213.0
3	Cerebrovascular diseases (I60-I69)	533	5.3	49.5
4	Chronic lower respiratory diseases (J40-J47)	523	5.2	48.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	334	3.3	31.0
6	Alzheimer's disease (G30)	298	3.0	27.7
7	Diabetes mellitus (E10-E14)	282	2.8	26.2
8	Influenza and pneumonia (J10-J18)	253	2.5	23.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	156	1.6	14.5
10	Septicemia (A40-A41)	109	1.1	10.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	107	1.1	9.9
12	Pneumonitis due to solids and liquids (J69)	73	0.7	6.8
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	71	0.7	6.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	64	0.6	5.9
15	Parkinson's disease (G20-G21)	63	0.6	5.9
...	All other causes (Residual)	1,844	18.4	171.3
South Carolina				
...	All causes	38,707	100.0	909.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,359	24.2	219.9
2	Malignant neoplasms (C00-C97)	8,652	22.4	203.3
3	Cerebrovascular diseases (I60-I69)	2,458	6.4	57.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,272	5.9	53.4
5	Chronic lower respiratory diseases (J40-J47)	1,977	5.1	46.5
6	Alzheimer's disease (G30)	1,316	3.4	30.9
7	Diabetes mellitus (E10-E14)	1,187	3.1	27.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	823	2.1	19.3
9	Influenza and pneumonia (J10-J18)	771	2.0	18.1
10	Septicemia (A40-A41)	634	1.6	14.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	510	1.3	12.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	480	1.2	11.3
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	423	1.1	9.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	337	0.9	7.9
15	Pneumonitis due to solids and liquids (J69)	298	0.8	7.0
...	All other causes (Residual)	7,210	18.6	169.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,086	100.0	913.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,776	25.1	228.9
2	Malignant neoplasms (C00-C97)	1,612	22.7	207.7
3	Cerebrovascular diseases (I60-I69)	511	7.2	65.9
4	Chronic lower respiratory diseases (J40-J47)	440	6.2	56.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	402	5.7	51.8
6	Alzheimer's disease (G30)	290	4.1	37.4
7	Diabetes mellitus (E10-E14)	241	3.4	31.1
7	Influenza and pneumonia (J10-J18)	241	3.4	31.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	121	1.7	15.6
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	83	1.2	10.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	83	1.2	10.7
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	63	0.9	8.1
13	Parkinson's disease (G20-G21)	59	0.8	7.6
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	55	0.8	7.1
15	Septicemia (A40-A41)	51	0.7	6.6
15	Aortic aneurysm and dissection (I71)	51	0.7	6.6
...	All other causes (Residual)	1,007	14.2	129.8
Tennessee				
...	All causes	57,260	100.0	960.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,946	26.1	250.6
2	Malignant neoplasms (C00-C97)	12,995	22.7	217.9
3	Cerebrovascular diseases (I60-I69)	3,659	6.4	61.4
4	Chronic lower respiratory diseases (J40-J47)	3,185	5.6	53.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,147	5.5	52.8
6	Alzheimer's disease (G30)	2,033	3.6	34.1
7	Diabetes mellitus (E10-E14)	1,844	3.2	30.9
8	Influenza and pneumonia (J10-J18)	1,588	2.8	26.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	856	1.5	14.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	719	1.3	12.1
11	Septicemia (A40-A41)	647	1.1	10.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	631	1.1	10.6
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	589	1.0	9.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	495	0.9	8.3
15	Pneumonitis due to solids and liquids (J69)	460	0.8	7.7
...	All other causes (Residual)	9,466	16.5	158.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	156,457	100.0	684.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	40,152	25.7	175.6
2	Malignant neoplasms (C00-C97)	34,291	21.9	150.0
3	Cerebrovascular diseases (I60-I69)	9,366	6.0	41.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,598	5.5	37.6
5	Chronic lower respiratory diseases (J40-J47)	7,988	5.1	34.9
6	Diabetes mellitus (E10-E14)	5,605	3.6	24.5
7	Alzheimer's disease (G30)	4,629	3.0	20.2
8	Influenza and pneumonia (J10-J18)	3,654	2.3	16.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,729	1.7	11.9
10	Septicemia (A40-A41)	2,542	1.6	11.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,459	1.6	10.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,418	1.5	10.6
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,529	1.0	6.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,501	1.0	6.6
15	Parkinson's disease (G20-G21)	1,208	0.8	5.3
...	All other causes (Residual)	27,788	17.8	121.6
Utah				
...	All causes	13,432	100.0	543.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,872	21.4	116.3
2	Malignant neoplasms (C00-C97)	2,520	18.8	102.0
3	Cerebrovascular diseases (I60-I69)	794	5.9	32.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	743	5.5	30.1
5	Chronic lower respiratory diseases (J40-J47)	592	4.4	24.0
6	Diabetes mellitus (E10-E14)	541	4.0	21.9
7	Alzheimer's disease (G30)	368	2.7	14.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	348	2.6	14.1
9	Influenza and pneumonia (J10-J18)	333	2.5	13.5
10	Parkinson's disease (G20-G21)	199	1.5	8.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	177	1.3	7.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	127	0.9	5.1
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	116	0.9	4.7
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	100	0.7	4.0
15	Certain conditions originating in the perinatal period (P00-P96)	96	0.7	3.9
...	All other causes (Residual)	3,506	26.1	142.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,066	100.0	813.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,234	24.4	198.1
2	Malignant neoplasms (C00-C97)	1,202	23.7	192.9
3	Chronic lower respiratory diseases (J40-J47)	381	7.5	61.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	272	5.4	43.7
5	Cerebrovascular diseases (I60-I69)	260	5.1	41.7
6	Alzheimer's disease (G30)	184	3.6	29.5
7	Diabetes mellitus (E10-E14)	173	3.4	27.8
8	Influenza and pneumonia (J10-J18)	97	1.9	15.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	78	1.5	12.5
10	Parkinson's disease (G20-G21)	57	1.1	9.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	52	1.0	8.3
12	Aortic aneurysm and dissection (I71)	50	1.0	8.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	48	0.9	7.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	44	0.9	7.1
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	44	0.9	7.1
...	All other causes (Residual)	890	17.6	142.8
Virginia				
...	All causes	57,855	100.0	764.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,192	24.5	187.5
2	Malignant neoplasms (C00-C97)	13,877	24.0	183.4
3	Cerebrovascular diseases (I60-I69)	3,675	6.4	48.6
4	Chronic lower respiratory diseases (J40-J47)	2,897	5.0	38.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,638	4.6	34.9
6	Diabetes mellitus (E10-E14)	1,642	2.8	21.7
7	Alzheimer's disease (G30)	1,550	2.7	20.5
8	Influenza and pneumonia (J10-J18)	1,464	2.5	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,277	2.2	16.9
10	Septicemia (A40-A41)	1,201	2.1	15.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	866	1.5	11.4
12	Pneumonitis due to solids and liquids (J69)	590	1.0	7.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	570	1.0	7.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	549	0.9	7.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	490	0.8	6.5
...	All other causes (Residual)	10,377	17.9	137.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	46,203	100.0	734.8
1	Malignant neoplasms (C00-C97)	11,048	23.9	175.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,985	23.8	174.7
3	Cerebrovascular diseases (I60-I69)	2,895	6.3	46.0
4	Chronic lower respiratory diseases (J40-J47)	2,699	5.8	42.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,543	5.5	40.4
6	Alzheimer's disease (G30)	2,309	5.0	36.7
7	Diabetes mellitus (E10-E14)	1,554	3.4	24.7
8	Influenza and pneumonia (J10-J18)	927	2.0	14.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	822	1.8	13.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	558	1.2	8.9
11	Parkinson's disease (G20-G21)	526	1.1	8.4
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	452	1.0	7.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	450	1.0	7.2
14	Pneumonitis due to solids and liquids (J69)	408	0.9	6.5
15	Septicemia (A40-A41)	360	0.8	5.7
...	All other causes (Residual)	7,667	16.6	121.9
West Virginia				
...	All causes	20,780	100.0	1,143.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,538	26.7	304.8
2	Malignant neoplasms (C00-C97)	4,617	22.2	254.1
3	Chronic lower respiratory diseases (J40-J47)	1,350	6.5	74.3
4	Cerebrovascular diseases (I60-I69)	1,151	5.5	63.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	940	4.5	51.7
6	Diabetes mellitus (E10-E14)	766	3.7	42.2
7	Alzheimer's disease (G30)	504	2.4	27.7
8	Influenza and pneumonia (J10-J18)	458	2.2	25.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	442	2.1	24.3
10	Septicemia (A40-A41)	322	1.5	17.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	255	1.2	14.0
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	253	1.2	13.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	213	1.0	11.7
14	Pneumonitis due to solids and liquids (J69)	136	0.7	7.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	131	0.6	7.2
...	All other causes (Residual)	3,704	17.8	203.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2005
[Rates per 100,000 population.]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	46,709	100.0	843.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,842	25.4	213.9
2	Malignant neoplasms (C00-C97)	10,943	23.4	197.7
3	Cerebrovascular diseases (I60-I69)	2,960	6.3	53.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,490	5.3	45.0
5	Chronic lower respiratory diseases (J40-J47)	2,449	5.2	44.2
6	Alzheimer's disease (G30)	1,512	3.2	27.3
7	Diabetes mellitus (E10-E14)	1,276	2.7	23.0
8	Influenza and pneumonia (J10-J18)	1,268	2.7	22.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	930	2.0	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	643	1.4	11.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	467	1.0	8.4
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	451	1.0	8.1
13	Parkinson's disease (G20-G21)	448	1.0	8.1
14	Septicemia (A40-A41)	409	0.9	7.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	341	0.7	6.2
...	All other causes (Residual)	8,280	17.7	149.6
Wyoming				
...	All causes	4,099	100.0	804.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	952	23.2	186.9
2	Malignant neoplasms (C00-C97)	886	21.6	174.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	302	7.4	59.3
4	Chronic lower respiratory diseases (J40-J47)	291	7.1	57.1
5	Cerebrovascular diseases (I60-I69)	221	5.4	43.4
6	Diabetes mellitus (E10-E14)	130	3.2	25.5
7	Influenza and pneumonia (J10-J18)	119	2.9	23.4
8	Alzheimer's disease (G30)	110	2.7	21.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	90	2.2	17.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	66	1.6	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	60	1.5	11.8
12	Aortic aneurysm and dissection (I71)	36	0.9	7.1
13	Septicemia (A40-A41)	31	0.8	6.1
14	Parkinson's disease (G20-G21)	27	0.7	5.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	0.6	4.9
...	All other causes (Residual)	753	18.4	147.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable