Index of Section 1 Tables: Illicit Drug Use (1.1 to 1.110)

| Illicit Drug Use Tables | Table Number | Standard Errors |
|--|----------------|-----------------|
| Lifetime, past year, and past month illicit drug use, by selected age categories and gender | 1.1 to 1.18 | SE |
| Selected illicit drugs, by detailed age categories | 1.19 to 1.25 | SE |
| Selected illicit drugs, by demographic characteristics | 1.26 to 1.60 | |
| Any illicit drug | 1.26 to 1.30 | SE |
| Marijuana | 1.31 to 1.35 | SE |
| Cocaine | 1.36 to 1.40 | SE |
| Hallucinogens | 1.41 to 1.45 | SE |
| Inhalants | 1.46 to 1.50 | SE |
| Nonmedical use of any psychotherapeutic | 1.51 to 1.55 | SE |
| Any illicit drug other than marijuana | 1.56 to 1.60 | SE |
| Selected illicit drugs by racial/ethic subgroups | 1.61 to 1.70 | SE |
| Selected illicit drugs, by geographic characteristics | 1.71 to 1.105 | |
| Any illicit drug | 1.71 to 1.75 | SE |
| Marijuana | 1.76 to 1.80 | SE |
| Cocaine | 1.81 to 1.85 | SE |
| Hallucinogens | 1.86 to 1.90 | SE |
| Inhalants | 1.91 to 1.95 | SE |
| Nonmedical use of any psychotherapeutic | 1.96 to 1.100 | SE |
| Any illicit drug other than marijuana | 1.101 to 1.105 | SE |
| Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use, by age categories | 1.106 to 1.110 | SE |

Index of Section 2 Tables: Tobacco and Alcohol Use (2.1 to 2.111)

| Tobacco and Alcohol Use Tables | Table Number | Standard Errors |
|--|----------------|-----------------|
| Lifetime, past year, and past month tobacco and alcohol use, by selected age categories and gender | 2.1 to 2.18 | SE |
| Selected tobacco and alcohol use, by detailed age categories | 2.19 to 2.24 | SE |
| Selected tobacco and alcohol use, by demographic Characteristics | 2.25 to 2.54 | |
| Any tobacco | 2.25 to 2.29 | SE |
| Cigarettes | 2.30 to 2.34 | SE |
| Smokeless tobacco | 2.35 to 2.39 | SE |
| Cigars | 2.40 to 2.44 | SE |
| Alcohol use | 2.45 to 2.54 | SE |
| Selected tobacco and alcohol use, by racial/ethnic subgroups | 2.55 to 2.69 | SE |
| Selected tobacco and alcohol use, by geographic Characteristics | 2.70 to 2.99 | |
| Any tobacco | 2.70 to 2.74 | SE |
| Cigarettes | 2.75 to 2.79 | SE |
| Smokeless tobacco | 2.80 to 2.84 | SE |
| Cigars | 2.85 to 2.89 | SE |
| Alcohol use | 2.90 to 2.99 | SE |
| Alcohol use, by underage and legal drinkers | 2.100 to 2.111 | SE |

Index of Section 3 Tables: Risk and Protective Factors (3.1 to 3.69)

| Risk and Protective Factor Tables | Table Number | Standard Errors |
|--|--------------|-----------------|
| Perceived risk and availability of drugs | 3.1 to 3.17 | |
| Perceived risk of drugs | 3.1 to 3.12 | SE |
| Perceived availability of drugs | 3.13 to 3.17 | SE |
| Neighborhood characteristics | 3.18 to 3.19 | SE |
| Parental disapproval | 3.20 to 3.23 | SE |
| Fighting and criminal activity | 3.24 to 3.29 | SE |
| Peer disapproval | 3.30 to 3.33 | SE |
| Prevention programs/drug messages/youth activities | 3.34 to 3.43 | SE |
| Religious involvement | 3.44 to 3.47 | SE |
| Youth's feelings about school | 3.48 to 3.53 | SE |
| Peer substance use | 3.54 to 3.57 | SE |
| Parental involvement | 3.58 to 3.65 | SE |
| Close friend's disapproval | 3.66 to 3.69 | SE |

Index of Section 4 Tables: Incidence and Lifetime Prevalence (4.1 to 4.76)

| Incidence and Lifetime Prevalence Tables | Table Number | Standard Errors |
|---|--------------|-----------------|
| Incidence tables | 4.1 to 4.19 | |
| Marijuana, cocaine, crack, heroin, hallucinogens, inhalants, and psychotherapeutics | 4.1 to 4.14 | SE |
| Alcohol and tobacco | 4.15 to 4.19 | SE |
| Incidence tables, by gender | 4.20 to 4.57 | |
| Males | 4.20 to 4.38 | |
| Marijuana, cocaine, crack, heroin, hallucinogens, inhalants, and psychotherapeutics | 4.20 to 4.33 | SE |
| Alcohol and tobacco | 4.34 to 4.38 | SE |
| Females | 4.39 to 4.57 | |
| Marijuana, cocaine, crack, heroin, hallucinogens, inhalants, and psychotherapeutics | 4.39 to 4.52 | SE |
| Alcohol and tobacco | 4.53 to 4.57 | SE |
| Lifetime prevalence tables | 4.58 to 4.76 | |
| Marijuana, cocaine, crack, heroin, hallucinogens, inhalants, and psychotherapeutics | 4.58 to 4.71 | SE |
| Alcohol and tobacco | 4.72 to 4.76 | SE |

Index of Section 5 Tables: Dependence, Abuse, and Treatment (5.1 to 5.85)

| Dependence, Abuse, and Treatment Tables | Table Number | Standard Errors |
|---|--------------|-----------------|
| Dependence | 5.1 to 5.12 | SE |
| Abuse | 5.13 to 5.24 | SE |
| Dependence or abuse | 5.25 to 5.36 | SE |
| Dependence and abuse | 5.37 | SE |
| Received substance use treatment | 5.38 to 5.57 | |
| Treatment, by demographic or geographic characteristics | 5.38 to 5.48 | SE |
| Specific substance for last or current treatment | 5.49 | SE |
| Source of payment for last or current treatment | 5.50 to 5.52 | SE |
| Location of treatment | 5.53 to 5.55 | SE |
| Treatment, by dependence and/or abuse | 5.56 to 5.57 | SE |
| Received substance use treatment in specialty facility | 5.58 to 5.69 | |
| Treatment, by demographic or geographic characteristics | 5.58 to 5.60 | SE |
| Specific substance for last or current treatment | 5.61 | SE |
| Source of payment for last or current treatment | 5.62 to 5.64 | SE |
| Location of treatment | 5.65 to 5.67 | SE |
| Treatment, by dependence and/or abuse | 5.68 to 5.69 | SE |
| Needed and received treatment or perceived need for treatment | 5.70 to 5.85 | |
| Illicit drug | 5.70 to 5.81 | SE |
| Alcohol | 5.82 to 5.83 | SE |
| Illicit drug or alcohol | 5.84 to 5.85 | SE |

Index of Section 6 Tables: Mental Health (6.1 to 6.49)

| Mental Health Tables | Table Number | Standard Errors |
|--|--------------|-----------------|
| Serious mental illness | 6.1 to 6.18 | SE |
| Adult mental health treatment/counseling | 6.19 to 6.40 | |
| Received treatment, by serious mental illness | 6.19 to 6.21 | SE |
| Specific types of treatment | 6.22 to 6.27 | SE |
| Substance use and dependence or abuse, by treatment | 6.28 to 6.30 | SE |
| Location of outpatient treatment | 6.31 to 6.32 | SE |
| Source of payment for treatment | 6.33 to 6.34 | SE |
| Unmet need for treatment | 6.35 to 6.36 | SE |
| Reasons for not receiving treatment | 6.37 to 6.38 | SE |
| Substance use/dependence or abuse/serious mental illness, by receipt of and perceived need for treatment | 6.39 to 6.40 | SE |
| Adolescent mental health treatment/counseling | 6.41 to 6.49 | SE |

Index of Section 7 Tables: Miscellaneous (7.1 to 7.104)

| Miscellaneous Tables | Table Number | Standard Errors |
|--|---------------|-----------------|
| Frequency of use | 7.1 to 7.12 | SE |
| Illicit drugs, by cigarette use | 7.13 to 7.16 | SE |
| Illicit drugs, by alcohol use | 7.17 to 7.20 | SE |
| Tobacco and alcohol, by cigarette use | 7.21 to 7.24 | SE |
| Tobacco, by alcohol use | 7.25 to 7.28 | SE |
| Substance dependence or abuse, by age of first use and Demographic characteristics | 7.29 to 7.34 | SE |
| Obtaining marijuana | 7.35 to 7.37 | SE |
| Source of cigarettes | 7.38 to 7.39 | SE |
| Tobacco brands | 7.40 to 7.49 | SE |
| Specialty cigarettes | 7.50 to 7.53 | SE |
| Pregnancy | 7.54 to 7.61 | SE |
| College enrollment | 7.62 to 7.73 | SE |
| Driving under the influence | 7.74 to 7.77 | SE |
| Probation | 7.78 to 7.83 | SE |
| Parole/supervised release | 7.84 to 7.89 | SE |
| Government assistance programs | 7.90 to 7.104 | SE |

Index of Section 8 Tables: Sample Size and Population Estimates (8.1 to 8.16)

| Sample Size and Population Tables | Table Number | Standard Errors |
|--|--------------|-----------------|
| Demographic characteristics | 8.1 to 8.4 | SE |
| Racial/ethnic subgroups | 8.5 to 8.7 | SE |
| Geographic characteristics | 8.8 to 8.10 | SE |
| Pregnancy | 8.11 | SE |
| College enrollment | 8.12 | SE |
| Receipt of and perceived need for adult mental health treatment/counseling | 8.13 | SE |
| Probation | 8.14 | SE |
| Parole/supervised release | 8.15 | SE |
| Government assistance programs | 8.16 | SE |