TABLE 2—FINAL 2010 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA

[Values are rounded to the nearest metric ton]

Species	Area/district <sup>1</sup>	ABC	TAC	OFL
Pollock <sup>2</sup>	Shumagin (610)	24,199	24,199	n/a
	Chirikof (620)	22,374	22,374	n/a
	Kodiak (630)	17,548	17,548	n/a
	WYK (640)	1,929	1,929	n/a
Subtotal	W/C/WYK	66,050	66,050	90,920
	SEO (650)	8,280	8,280	11,040
Total		74,330	74,330	101,960
Pacific cod <sup>3</sup>	W	31,005	23,254	n/a
	C	45,315	33,986	n/a
	E	3,180	2,862	n/a
Total		79,500	60,102	126,000
Flatfish 4 (deep-water)	W	747	747	n/a
	C	7,405	7,405	n/a
	WYK	1,066	1,066	n/a
	SEO	575	575	n/a
Total		9,793	9,793	12,367
Rex sole	W	988	988	n/a
	C	6,506	6,506	n/a
	WYK	503	503	n/a
	SEO	830	830	n/a
Total		8,827	8,827	11,535
Flathead sole	W	13,342	2,000	n/a
	C	30,021	5,000	n/a
	WYK	3,622	3,622	n/a
	SEO	667	667	n/a
Total		47,652	11,289	59,349
Flatfish <sup>5</sup> (shallow-water)	w	26,360	4,500	n/a
	C	29,873	13,000	n/a
	WYK	3,333	3,333	n/a
	SEO	1,423	1,423	n/a
Total		60,989	22,256	74,364
Arrowtooth flounder	W	29,843	8,000	n/a
	C	162,591	30,000	n/a
	WYK	14,757	2,500	n/a
	SEO	12,082	2,500	n/a
Total		219,273	43,000	258,397
Sablefish <sup>6</sup>	w	1,523	1,523	n/a
	C	4,625	4,625	n/a
	WYK	1,645	1,645	n/a
	SEO	2,544	2,544	n/a
Subtotal	E (WYK and SEO)	4,189	4,189	n/a
		10,337	10,337	12,321
Total				
	W	3.710	3.710	4.405
Pacific ocean perch 7	W	3,710 8,239	3,710 8,239	4,405 9,782
-				9,782
-	C	8,239	8,239	
	C	8,239 1,107	8,239 1,107	9,782 n/a

TABLE 2—FINAL 2010 ABCS, TACS, AND OFLS OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

Species	Area/district <sup>1</sup>	ABC	TAC	OFL
Shortraker rockfish <sup>8</sup>	w	120	120	n/a
	C	315	315	n/a
	E	463	463	n/a
Total		898	898	1,197
Rougheye rockfish <sup>9</sup>	w	126	126	n/a
	<u>C</u>	842	842	n/a
	E	329	329	n/a
Total		1,297	1,297	1,562
Other rockfish 10 11	w	357	357	n/a
	C	569	569	n/a
	WYK	604	604	n/a
	SEO	2,767	200	n/a
Total		4,297	1,730	5,624
Northern rockfish 11 12	w	1,965	1,965	n/a
	C	2,208	2,208	n/a
	E	0	0	n/a
Total		4,173	4,173	4,979
Pelagic shelf rockfish 13	w	765	765	n/a
	C	3,179	3,179	n/a
	WYK	219	219	n/a
	SEO	302	302	n/a
Total		4,465	4,465	5,420
Thornyhead rockfish	w	267	267	n/a
	<u>C</u>	860	860	n/a
	E	783	783	n/a
Total		1,910	1,910	2,540
Big skates 14	w	632	632	n/a
	C	2,065	2,065	n/a
	E	633	633	n/a
Total		3,330	3,330	4,439
Longnose skates 15	w	78	78	n/a
	C	2,041	2,041	n/a
	E	768	768	n/a
Total		2,887	2,887	3,849
Other skates 16	GW	2,104	2,104	2,806
Demersal shelf rockfish 17	SEO	362	362	580
Atka mackerel	GW	4,700	2,000	6,200
Other species 18	GW	6,540	4,500	8,720
Total		562,762	284,688	722,134

<sup>&</sup>lt;sup>1</sup> Regulatory areas and districts are defined at 50 CFR 679.2. (W=Western Gulf of Alaska; C=Central Gulf of Alaska; E=Eastern Gulf of Alaska; WYK=West Yakutat District; SEO=Southeast Outside District; GW=Gulf-wide).

<sup>2</sup> Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is

<sup>&</sup>lt;sup>2</sup>Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 32 percent, 43 percent, and 25 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 32 percent, 54 percent, and 14 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 43 percent, and 35 percent in Statistical Areas 610, 620, and 630, respectively. Tables 5 and 6 list the 2009 and 2010 seasonal apportionments of pollock. In the WYK District and SEO Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

<sup>&</sup>lt;sup>3</sup>The annual Pacific cod TAC is apportioned 60 percent to an A season and 40 percent to a B season in the Western and Central Regulatory Areas of the GOA. Pacific cod is allocated 90 percent for processing by the inshore component and 10 percent for processing by the offshore component in the Western and Central Regulatory Areas of the GOA. Tables 7 and 8 list the 2009 and 2010 seasonal apportionments and component allocations of the Pacific cod TAC.

<sup>&</sup>lt;sup>4</sup> "Deep-water flatfish" means Dover sole, Greenland turbot, and deepsea sole.

<sup>5</sup> "Shallow-water flatfish" means flatfish not including "deep water flatfish," flathead sole, rex sole, or arrowtooth flounder.

<sup>6</sup> Sablefish is allocated to trawl and hook-and-line gears for 2008 and to trawl gear in 2009. Tables 3 and 4 list the 2008 and 2009 allocations of sablefish.

<sup>7</sup> "Pacific ocean perch" means *Sebastes alutus*.

8 "Shortraker rockfish" means Sebastes borealis.
 9 "Rougheye rockfish" means Sebastes aleutianus (rougheye) and Sebastes melanostictus (blackspotted).

10 "Other rockfish" in the Western and Central Regulatory Areas and in the WYK District means slope rockfish and demersal shelf rockfish.

The category "other rockfish" in the SEO District means slope rockfish.

11 "Slope rockfish" means *Sebastes aurora* (aurora), *S. melanostomus* (blackgill), *S. paucispinis* (bocaccio), *S. goodei* (chilipepper), *S. crameri* (darkblotch), *S. elongatus* (greenstriped), *S. variegatus* (harlequin), *S. wilsoni* (pygmy), *S. babcocki* (redbanded), *S. proriger* (redstripe), *S.* 

zacentrus (sharpchin), S. jordani (shortbelly), S. brevispinis (silvergrey), S. diploproa (splitnose), S. saxicola (stripetail), S. miniatus (vermilion), and S. reedi (yellowmouth). In the Eastern Regulatory Area only, slope rockfish also includes northern rockfish, S. polyspinis.

12 "Northern rockfish" means Sebastes polyspinis. The 2 mt ABC for northern rockfish in the Eastern Regulatory Area has been combined with

the ABC for slope rockfish in the WYK District.

13 "Palagia abolt realitish" manage Cabastas veriabilis (duals). Se enterpalas (widow), and Se flouidus (vallents

<sup>13</sup> "Pelagic shelf rockfish" means Sebastes variabilis (dusky), S. entomelas (widow), and S. flavidus (yellowtail).

<sup>14</sup> Big skate means Raja binoculata.

15 Longnose skate means Raja rhina.

<sup>16</sup>Other skates means *Bathyraja spp.* 

17 "Demersal shelf rockfish" means Sebastes pinniger (canary), S. nebulosus (china), S. caurinus (copper), S. maliger (quillback), S. helvomaculatus (rosethorn), S. nigrocinctus (tiger), and S. ruberrimus (yelloweye).

<sup>18</sup> "Other species" means sculpins, sharks, squid, and octopus.