

8. REFERENCES

- Abrams EF, Derkics D, Fong CV, et al. 1975. Identification of organic compounds in effluents from industrial sources. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by Versar, Inc., General Technologies Division, Springfield, VA. EPA-560/3-75-002.
- * ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- * Albrecht W, Neumann H-G. 1985. Biomonitoring of aniline and nitrobenzene: Hemoglobin binding in rats and analysis of adducts. Arch Toxicol 57:1-5.
- Albright-Jones JA, Brieger H. 1947. Poisoning due to ingestion of wax Crayons: Report of a case. J Pediatr 30:422-427.
- * Alexander M, Lustigman BK. 1966. Effects of chemical structure on microbial degradation of substituted benzenes. J Agric Food Chem 14:411-413.
- AMA. 1973. AMA drug evaluations. 2nd ed. Acton, MA: Publishing Sciences Group, Inc., 266-267.
- * Amooore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.
- Anbar M, Neta P. 1967. A compilation of specific biomolecular rate constants for the reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals with inorganic and organic compounds in aqueous solutions. Int J Appl Radiat Isot 18:493-523.
- * Anderson D, Styles JA. 1978. The bacterial mutation test. Br J Cancer 37:924-930.
- * Anderson GE. 1983. Human exposure to atmospheric concentrations of selected chemicals. Vol. II. Research Triangle Park, NC: U. S. Environmental Protection Agency, Office of Air Quality Planning and Standards. NTIS No. PB83-265249.

* = Cited in text.

8. REFERENCES

* Andersson K, Levin J-O, Lindahl R, et al. 1984. Influence of air humidity on sampling efficiency of some solid adsorbents used for sampling organics from work-room air. *Chemosphere* 13:437-444.

Arena JM, Drew RH. eds. 1986. *Poisoning: Toxicology-symptomstreatments*. 5th ed. Springfield, IL: Charles C. Thomas, Publisher, 252-256.

* Atkinson R, Tuazon EC, Wallington TJ, et al. 1987. Atmospheric chemistry of aniline, N,N-dimethylaniline, pyridine, 1,3,5-triazine, and nitrobenzene. *Environ Sci Technol* 21:64-72.

* Banerjee S, Yalkowsky SH, Valvani SC. 1980. Water solubility and octanol/water partition coefficients of organics. Limitations on the solubility-partition coefficient correlation. *Environ Sci Technol* 14:1227-1229.

Banning A, Harley JD, O'Gorman Hughes DW, et al. 1965. Prolonged methaemoglobinaemia after eating a toy-shaped deodorant. *Med J Aust* 2:922-925.

* Barltrop JA, Bunce NJ. 1968. Organic photochemistry. Part VIII. The photochemical reduction of nitro-compounds. *J Chem Soc (Sec. C)* 1968:1467-1474.

* Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): Description and use in health risk assessments. Vol. I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

* Barth EF, Bunch RL. 1979. Removability, biodegradation and treatability of specific pollutants. Washington, DC: U.S. Environmental Protection Agency. EPA-600/g-79-034. NTIS No. PB80-106-438.

* Beard RR, Noe JT. 1981. Aromatic nitro and amino compounds. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. 3rd ed. Vol. 2A: Toxicology. New York, NY: John Wiley and Sons, 2416-2417, 2430-2434, 2469, 2484-2489.

Beauchamp RO Jr, Irons RD, Rickert DE, et al. 1982. A critical review of the literature on nitrobenzene toxicity. *CRC Crit Rev Toxicol* Vol 11: 33-84.

Beutler E. 1966. Drug-induced hemolytic anemia. *Pharmacol Rev* 21:73-103.

8. REFERENCES

- Bhatia K. 1975. Hydroxyl radical induced oxidation of nitrobenzene. *J Phys Chem* 79:1032-1038.
- *Bio/dynamics Inc. 1983. A range-finding study to evaluate the toxicity of nitrobenzene in the pregnant rabbit. Final Report. East Millstone, NJ: Bio/dynamics Inc. Project Report 83-2723.
- *Bio/dynamics Inc. 1984. An inhalation teratology study in rabbits with nitrobenzene. Final Report. East Millstone, NJ: Bio/dynamics Inc. Project Report 83-2725.
- Birge WJ, Cassidy RA. 1983. Structure-activity relationships in aquatic toxicology. *Fundam Appl Toxicol* 3:359-368.
- Blaauboer BJ, Holsteijn CW. 1983. Formation and disposition of N-hydroxylated metabolites of aniline and nitrobenzene by isolated rat hepatocytes. *Xenobiotica* 13:295-302.
- Bodansky O. 1951. Methemoglobinemia and methemoglobin-producing compounds. *Pharmacol Rev* 3:144-196.
- Bodansky O, Gutmann H. 1947. Treatment of methemoglobinemia. *J Pharmacol Exp Ther* 90:46-56.
- Bond JA, Chism JP, Rickert DE, et al. 1981. Nitrobenzene-induced hepatic and testicular lesions in Fischer-344 rats following oral administration [Abstract]. *Pharmacologist* 23:213.
- Bozzelli JW, Kebbekus BB. 1979. Analysis of selected volatile organic substances in ambient air. Trenton, NJ: New Jersey Department of Environmental Protection, Program on Environmental Cancer and Toxic Substances. NJDEP-79/02. NTIS No. PB80-144694.
- * Bozzelli JW, Kebbekus BB. 1982. A study of some aromatic and halocarbon vapors in the ambient atmosphere of New Jersey. *J Environ Sci Health A17*:693-711.
- * Bozzelli JW, Kebbekus BB, Greenberg A. 1980. Analysis of selected toxic and carcinogenic substances in ambient air in New Jersey. Trenton, NJ: New Jersey Department of Environmental Protection, Office of Cancer and Toxic Substances Research.
- * Branson DR. 1978. Predicting the fate of chemicals in the aquatic environment from laboratory data. In: Cairns J Jr, Dickson KL, Maki AW, eds. Estimating the hazard of chemical substances to aquatic life. Philadelphia, PA: American Society for Testing and Materials, 55-70.

8. REFERENCES

- Brieger H. 1949. Poisoning due to ingestion of wax crayons. *Am J Public Health* 39:1023-1024.
- * Briggs GG. 1973. A simple relationship between soil adsorption of organic chemicals and their octanol/water partition coefficients. *Proceedings of the British Insecticide Fungicide Conference* 7:83-85.
- * Briggs GG. 1981. Theoretical and experimental relationships between soil adsorption, octanol-water partition coefficient, water solubilities, bioconcentration factors and the parachor. *J Agric Food Chem* 29:1050-1059.
- Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-83-027(A).
- Bronaugh RL, Maibach HI. 1985. Percutaneous absorption of nitroaromatic compounds: In vivo and in vitro studies in the human and monkey. *J Invest Dermatol* 84:180-183.
- Bruusgaard A. 1963. Suicide attempts with benzene derivatives. *Dan Med Bull* 10:142-144.
- Buikema AL Jr, McGinnis MJ, Cairns J Jr. 1979. Phenolics in aquatic ecosystems: A selected review of recent literature. *Marine Environ Res* 2:87-181.
- Burmistrov W. 1967. Fatal nitrobenzene poisoning. *Kazan Med Zh* 1:63. (Russian)
- * Burns LH, Cline DM, Lassiter RR. 1981. Exposure analysis model system (EXAMS). (Draft). Athens, GA: U. S. Environmental Protection Agency, Athens Environmental Research Laboratory.
- Bus JS. 1983. Aniline and nitrobenzene: Erythrocyte and spleen toxicity. In: CIIT activities. Vol. 3, No. 12. Research Triangle Park, NC: Chemical Industry Institute of Toxicology, 1,6.
- Bushy Run Research Center 1984. Teratogenicity evaluation of inhaled nitrobenzene in the CD rat. Final Report. Submitted to Nitrobenzene Association. Project Report 47-522. Unpublished.
- Bushy Run Research Center 1985. Potential effects of nitrobenzene inhalation on reproduction and fertility in rats. Submitted to Nitrobenzene Association. Project Report 47-524. Unpublished.

8. REFERENCES

- * Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. II. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA-440/4-79-029b.
- * Canton JH, Slooff W, Kool HJ, et al. 1985. Toxicity, biodegradability, and accumulation of a number of Cl/N-containing compounds for classification and establishing water quality criteria. Regul Toxicol Pharmacol 5:123-131.
- * Carter FW. 1936. An unusual case of poisoning, with some notes on non-alkaloidal organic substances. Med J Aust (October 24):558-564.
Chambers CW, Tabak HH, Kabler PW. 1963. Degradation of aromatic compounds by phenol-adapted bacteria. J Water Pollut Control Fed 35:3517-1528.
- * Charbonneau M, Swenberg JA. 1988. Studies on the biochemical mechanism of α -2 μ -globulin nephropathy in rats. CIIT Activities 8:1-7.
- * Chemical Marketing Reporter. 1987. Chemical profiles: Nitrobenzene. (August 3):50.

Childs B, Zinkham W, Browne EA, et al. 1957. A genetic study of a defect in glutathione metabolism of the erythrocyte. Med J Aust 1:21-147
- * Chism JP, Bond JA, Levin AA, et al. 1982. Species and strain differences in the susceptibility of rats and mice to the hepatic and testicular toxicity of orally administered nitrobenzene (NB) [Abstract]. In: Abstracts, the fifth CIIT conference on toxicology: Toxicity of nitroaromatic compounds. Raleigh, NC: Chemical Industry Institute of Toxicology, 12.

Chism JP, Rickert DE, Hamm TE Jr, et al. 1984. The effect of diet on the excretion and toxicity of nitrobenzene [Abstract]. Fed Proc 43:360.
- * Chiu CW, Lee LH, Wany CY, et al. 1978. Mutagenicity of some commercially available nitro compounds for Salmonella typhimurium. Mutat Res 58:11-22.
- * Chou WL, Speece RE, Siddiqi RH. 1978. Acclimation and degradation of petrochemical wastewater components by methane fermentation. Biotechnol Bioeng Symp 8:391-414.

CIIT. 1984. Ninety day inhalation toxicity study of nitrobenzene in F-344 rats, CD rats, and B6C3F1 mice. Chemical Industry Institute of Toxicology, Research Triangle Park, NC.

8. REFERENCES

- Clansky KB, ed. 1986. Chemical guide to the OSHA hazard communication standard. Burlingame, CA: Roytech Publications, Inc., 63, 653-655, 657.
- Clark EB. 1947. Poisoning due to ingestion of wax crayons. JAMA 135:917-918.
- CLC. 1988. Coordinated List of Chemicals. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- * CLPSD. 1988. Contract Laboratory Program (CLP) Statistical Database. Viar and Company, Management Services Division, Alexandria, VA. December 1988.
- Cohen GM, ed. 1986. Target organ toxicity. Vol. I. Boca Raton, FL: CRC Press, Inc., 12, 15, 72, 86, 125.
- * Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the Priority Pollutant Program of the Nationwide Urban Runoff Program. J Water Pollut Control Fed 56:898-908.
- * Collins JV, Mayo DR, Riordan BJ. 1982. Economic impact analysis of proposed test rule for nitrobenzene. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- Connell DW, Hawker DW. 1988. Use of polynomial expressions to describe the bioconcentration of hydrophobic chemicals by fish. Ecotoxicol Environ Saf 16:242-257.
- Costlow RD, Hirskorn JM, Stiratelli RG, et al. 1983. The effects on rat pups when nitrofen (4-(2,4-dichlorophenoxy)nitrobenzene) was applied dermally to the dam during organogenesis. Toxicology 28:37-50.
- Crabtree HC. 1983. Relative risk assessment; an aid to planning. Ann Occup Hyg 27:213-219.
- * Cupitt LT. 1980. Fate of toxic and hazardous materials in the air environment. Washington, DC: U.S. Environmental Protection Agency. EPA-600/3-80-084. NTIS No. PB80-221948.
- * Dana MT, Lee RN, Hales JM. 1984. Hazardous air pollutants: Wet removal rates and mechanisms. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 600/3-84-113.
- * Dangwal SK, Jethani BM. 1980. A simple method of determination of nitrobenzene and nitrochlorobenzene in air and urine. Am Ind Hyg Assoc J 41:847-850.

8. REFERENCES

- * Davis EM, Murray HE, Liehr JG, et al. 1981. Basic microbial degradation rates and chemical byproducts of selected organic compounds. *Water Res* 15:1125-1127.
- * Davis EM, Turley JE, Casserly DM, et al. 1983. Partitioning of selected organic pollutants in aquatic ecosystems. *Biodeterioration* 5:176-184.
- Debethizy JD, Goldstein RS. 1985. The influence of fermentable dietary fiber on the disposition and toxicity of xenobiotics. In: Finley JW, Schwass DE, eds. *American Chemical Society Symposium Series 277. Xenobiotic metabolism: Nutritional effects*. Washington, DC: American Chemical Society, 37-50.
- Deneer JW, Sinnige TL, Seinen W, et al. 1987. Quantitative structure-activity relationships for the toxicity and bioconcentration factor of nitrobenzene derivatives towards the guppy (Poecilia reticulata). *Aqua Toxicol* 10:115-129.
- * Dodd DE, Fowler EH, Snellings WM, et al. 1987. Reproduction and fertility evaluations in CD rats following nitrobenzene inhalation. *Fundam Appl Toxicol* 8:493-505.
- Doelle HW. 1969. *Bacterial metabolism*. New York, NY: Academic Press, 157.
- Donovan WM. 1920. The toxicity of nitrobenzene with report of a fatal case. *JAMA* 74:1647.
- * Dorfman IM, Adams GE. 1973. Reactivity of the hydroxyl radical in aqueous solutions. Washington, DC: Department of Commerce, National Bureau of Standards. COM-73-50623.
- * Dorigan J, Hushon J. 1976. Air pollution assessment of nitrobenzene. Report to U.S. Environmental Protection Agency, Office of Air Quality and Planning Standards, Washington, DC, by Mitre Corporation, McLean, VA. NTIS No. PB-257776.
- * Draper WM, Crosby DG. 1984. Solar photooxidation of pesticides in dilute hydrogen peroxide. *J Agric Food Chem* 32:231-237.
- * Dreisbach RH, Robertson WO. 1987. Nitrogen compounds. In: *Handbook of poisoning: Prevention, diagnosis and treatment*. 12th ed. Norwalk, CT: Appleton and Lange, 141-147.
- * Dunlap KL. 1981. Nitrobenzene and nitrotoluenes. In: Grayson M, Eckroth D, eds. *Kirk Othmer encyclopedia of chemical technology*. 3rd ed. Vol. 15. New York, NY: John Wiley and Sons, Inc., 916-932.

8. REFERENCES

- Dura G, Krasovski GN, Zholdakova ZI, et al. 1985. Prediction of toxicity using quantitative structure-activity relationships. Arch Toxicol Supp 8:481-487.
- * Eckert JW. 1962. Fungistatic and phytotoxic properties of some derivatives of nitrobenzene. Phytopathol 52:642-649.
- * Ellis DD, Jones CM, Larson RA, et al. 1982. Organic constituents of mutagenic secondary effluents from wastewater treatment plants. Arch Environ Contam Toxicol 11:373-382.
- * Enfield CG, Walters DM, Wilson JT, et al. 1986. Behavior of organic pollutants during rapid-infiltration of wastewater into soil: III. Mathematical description of transport and transformation. Hazardous Waste and Hazardous Materials 3:57-76.
- * EPA. 1980a. Ambient water quality criteria for nitrobenzene. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Environmental Criteria and Assessment Office. EPA 440/5-80-061. NTIS PB81-117723.
- * EPA. 1980b. U.S. Environmental Protection Agency. Federal Register. 45:33084-33133.
- * EPA 1982a. Test method: Nitroaromatics and isophorone - method 609. In: Longbottom JE, Lichtenberg 53, eds. Test methods: Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-82-057.
- * EPA. 1982b. Test method: Base/neutrals and acids - method 625. In: Longbottom JE, Lichtenberg JJ, eds. Test methods: Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA-600/4-82-057.
- * EPA. 1982c. U.S. Environmental Protection Agency. Federal Register. 47:26992-27008.
- * EPA. 1983a. Nitrobenzene. In: Treatability manual: Volume I. Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/2-82-001a.
- EPA 1983b. Reportable quantity document for benzene, nitro-. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. External Review Draft ECAO-CIN-R036.

8. REFERENCES

- * EPA. 1984. U.S. Environmental Protection Agency. Federal Register. 49:25013-25017.
- * EPA. 1985a. Health and environmental effects profile for nitrobenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/X-85/365 NTIS No. PB88-180500.
- * EPA. 198513. U.S. Environmental Protection Agency. Part II. Federal Register. 50:13456-13522.
- * EPA. 1986a. Reference values for risk assessment. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste. ECAO-CIN-477.
- * EPA. 1986b. Method 8090: Nitroaromatics and cyclic ketones. In: Test methods for evaluating solid waste. SW-846. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- * EPA. 1986c. Method 8250: Gas chromatography/mass spectrometry for semivolatile organics: Packed column technique. In: Test methods for evaluating solid waste. SW-846. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- * EPA. 1986d. Method 8270: Gas chromatography/mass spectrometry for semivolatile organics: Capillary column technique. In: Test methods for evaluating solid waste. SW-846. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- * EPA. 1986e. Method 8410: Capillary column analysis of semi-volatile organic compounds by gas chromatography/Fourier transform infrared (GC/FT-IR) spectrometry. In: Test methods for evaluating solid waste. SW-846. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- * EPA. 1987a. U.S. Environmental Protection Agency: Part II. Federal Register. 52:13378-13410.
- * EPA. 198713. U.S. Environmental Protection Agency: Part II. Federal Register. 52:25942-25953.
- EPA. 1987c. Health effects assessment for nitrobenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/8-88/049. NTIS No. PB88-178975.

8. REFERENCES

- EPA. 1987d. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/4-87-023a.
- * EPA. 1988a. U.S. Environmental Protection Agency: Part II. Federal Register. 53:31138-31222.
- * EPA. 1988b. U.S. Environmental Protection Agency: Part II. Federal Register. 53:38642-38654.
- EPA. 1988c. U.S. Environmental Protection Agency: Part II. Federal Register. 53:4500-4539.
- * EPA. 1989. U.S. Environmental Protection Agency: Part II. Federal Register. 54:1056-1119.
- Etteldorf JN. 1951. Methylene blue in the treatment of methemoglobinemia in premature infants caused by marking ink. *J Pediatr* 38:24-27.
- Everitt JI, Popp JA, Mangum JB, et al. 1986. Pulmonary lesions in mice associated with chronic inhalation exposure to nitrobenzene [Abstract]. Proceedings of the Annual Meeting of the American College of Veterinary Pathologists and American Society for Veterinary Clinical Pathology (December 1-5):39.
- Eyer P, Kampffmeyer H, Maister H, et al. 1980. Biotransformation of nitrosobenzene, phenylhydroxylamine, and aniline in the isolated perfused rat liver. *Xenobiotica* 10:499-516.
- Feldstein M. 1968. Syllabus of analytical toxicology for laboratory technologists. *Clin Toxicol* 1:341-378.
- Fouts JR, Brodie BB. 1957. The enzymatic reduction of chloramphenicol, p-nitrobenzoic acid and other aromatic nitro compounds in mammals. *J Pharmacol Exp Ther* 119:197-207.
- Franke JF, Hermann ER. 1980. Toxicity of substances in combination [Abstract]. *Toxicol Lett (Spec Iss 1)*:112.
- * Freitag D, Geyer H, Kraus A, et al. 1982. Ecotoxicological profile analysis. VII. Screening chemicals for their environmental behavior by comparative evaluation. *Ecotoxicol Environ Safety* 6:60-81.
- Freitag D, Ballhorn L, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals. *Chemosphere* 14:1589-1616.

8. REFERENCES

- * FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.

- Furihata C, Matsushima T. 1987. Use of in vivo/in vitro unscheduled DNA synthesis for identification of organ-specific carcinogens. *CRC Crit Rev Toxicol* 17:245-277.

- Garg SK. 1975. Antifertility effects of substituted nitrobenzene derivatives in female albino rats. *Bulletin Postgraduate Institute* 9:66-67.

- * Garner RC, Nutman CA. 1977. Testing of some azodyes and their reduction products for mutagenicity using Salmonella typhimurium TA 1538. *Mutat Res* 44:9-19.

- Garrett RH, Nason A. 1969. Further purification and properties of *Neurospora* nitrate reductase. *J Biol Chem* 244:2870-2882.

- * Geyer H, Politzki G, Freitag, D. 1984. Prediction of ecotoxicologic behavior of chemicals: Relationship between n-octanol/water partition coefficient and bioaccumulation of organic chemicals by alga Chlorella. *Chemosphere* 13:269-284.

- Ghess MJ, Wilbourn J, Tossavainen A, et al. 1986. Information bulletin on the survey of chemicals being tested for carcinogenicity. No. 12. Lyon, France: International Agency for Research on Cancer, 202-203.

- * Gillett JW. 1983. The pre-biologic screen for ecotoxicologic effects. *Environ Toxicol Chem* 2:463-476.

- * Gitchell A, Simonaitis R, Heicklen J. 1974. The inhibition of photochemical smog: II. Inhibition by hexafluorobenzene, nitrobenzene, naphthalene, and 2,6-di-tert-butyl-4-methylphenol. *J Air Pollut Control Assoc* 24:772-775.

- * Goldstein A, Aronow L, Kalman SM. 1969. Principles of drug action: The basis of pharmacology. New York, NY: Harper and Row, Publishers, 274-452.

- Goldstein I. 1975. Quantitative evaluation of the effect of aromatic nitro and amino compounds on the respiration of cerebral tissue. In: Horvath M, ed. Adverse effects of environmental chemicals and psychotropic drugs: Neurophysiological and behavioral tests. Vol 2: New York, NY: Elsevier Scientific Publishing Company, 229-233.

8. REFERENCES

- * Goldstein RS, Rickert DE. 1984. Macromolecular covalent binding of [¹⁴C]nitrobenzene in the erythrocyte and spleen of rats and mice. *Chem Biol Interact* 50:27-37.
- Goldstein RS, Rickert DE. 1985. Relationship between red blood cell uptake and methemoglobin production by nitrobenzene and dinitrobenzene in vitro. *Life Sci* 36:121-125.
- Goldstein RS, Dyroff MC, Rickert DE, et al. 1983a. Characterization of covalent binding of orally administered nitrobenzene to erythrocytic macromolecules [Abstract]. *Pharmacologist* 25:116.
- Goldstein RS, Irons RD, Rickert DE, et al. 1983b. Pathophysiology of splenic toxicity in mice and rats following oral nitrobenzene (NB) administration [Abstract]. *Toxicologist* 3:125.
- * Goldstein RS, Chism JP, Sherrill JM, et al. 1984a. Influence of dietary pectin on intestinal microfloral metabolism and toxicity of nitrobenzene. *Toxicol Appl Pharmacol* 75:547-553.
- Goldstein RS, Chism JP, Hamm T Jr. 1984b. Influence of diet on intestinal microfloral metabolism and toxicity of nitrobenzene [Abstract]. *Toxicologist* 4:143.
- * Gosselin RE, Smith RP, Hodge HC, et al. 1984. Clinical toxicology of commercial products. 5th ed. Baltimore, MD: Williams and Wilkins, 11-214.
- Graubarth J, Bloom CJ, Coleman FC, et al. 1945. Dye poisoning in the nursery: A review of seventeen cases. *JAMA* 128:1155-1157.
- Graves GW. 1928. Shoe-dye poisoning. *Med Clin North Am* 12:673-677.
- Green DR, Le Pape D. 1987. Stability of hydrocarbon samples on solid-phase extraction columns. *Anal Chem* 59:699-703
- Greenberg HB. 1964. Syncope and shock due to methemoglobinemia. *Arch Environ Health* 9:762-764.
- Gregory CH. 1906. Notes on another case of poisoning by nitrobenzol. *Lancet* 1:1242.
- Gross EA, Bond JA, Lyght O, et al. 1982. Characterization of nitrobenzene-induced cerebellar malacia in F-344 rats [Abstract]. In: Abstracts, the Fifth CIIT conference on toxicology: Toxicity of nitroaromatic compounds. Raleigh, NC: Chemical Industry Institute of Toxicology.

8. REFERENCES

- Guy RH, Hadgraft J, Maibach HI. 1985. Percutaneous absorption in man: A kinetic approach. *Toxicol Appl Pharmacol* 78:123-129.
- * Hallas LE, Alexander M. 1983. Microbial transformation of nitroaromatic compounds in sewage effluent. *Appl Environ Microbiol* 4:1234-1241.
- Hallowell M. 1959. Acute haemolytic anaemia following the ingestion of paradichlorobenzene. *Arch Dis Child* 34:74-75.
- * Hamm TE. 1984. Ninety day inhalation toxicity study of nitrobenzene in F-344 rats, and CD rats and B6C3F1 mice. Chemical Industry Institute of Technology, Research Triangle Park, NC.
- Harada N, Omura T. 1980. Participation of cytochrome P-450 in the reduction of nitro compounds by rat liver microsomes. *J Biochem* 87:1539-1554.
- * Harkov R, Kebbekus B, Bozzelli JW, et al. 1983. Measurement of selected volatile organic compounds at three locations in New Jersey during the summer season. *J Air Pollut Control Assoc* 33:1177-1183.
- * Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Total Environ* 38:259-274.
- * Harkov R, Gianti SJ Jr, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. *J Environ Sci Health A20*:491-501.
- Harley JD, Celermajer JM. 1970. Neonatal methaemoglobinaemia and the "red-brown" screening-test. *Lancet* 2:1223-1225.
- Harrington JM, Waldron HA. 1981. The effects of work exposures on organ systems I - liver, kidney and bladder, and skin. In: Schilling RS, ed. *Occupational Health Practice*. 2nd edition. Woburn, MA: Butterworths, 89-114.
- Harrison MR. 1977. Toxic methaemoglobinaemia: A case of acute nitrobenzene and aniline poisoning treated by exchange transfusion. *Anaesthesia* 32:270-272.
- * Hashimoto S, Kano K. 1970. Photochemical reduction of u-substituted nitrobenzenes in isopropanol. *Tetrahedron Lett* 40:3509-3512.
- * Hastings SH, Matsen FA. 1948. The photodecomposition of nitrobenzene. *J Am Chem Soc* 70:3514-3515.

8. REFERENCES

- * Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen Suppl 1:3-38, 46, 114.
- * Hawthorne SB. 1988. 1988 Workshop on supercritical fluid chromatography. American Laboratory (August):6-8.
- * Helling CS, Turner BC. 1968. Pesticide mobility: Determination by soil thin-layer chromatography. Science 162:562-563.
- Henderson Y, Haggard HW. 1943. Noxious gases and the principles of respiration influencing their action. 2nd ed. New York, NY: Reinhold Corporation, 227-228.
- Heukelekian H, Rand MC. 1955. Biochemical oxygen demand of pure organic compounds. J Water Pollut Control Assoc 27:1040-1053.
- * Hine J, Mookerjee PK. 1975. The intrinsic hydrophilic character of organic compounds. Correlation in terms of structural contributions. J Org Chem 40:292-298.
- * Ho C-H, Clark BR, Guerin MR, et al. 1981. Analytical and biological analyses of test materials from the synthetic fuel technologies: IV. Studies of chemical structure-mutagenic activity relationships of aromatic nitrogen compounds relevant to synfuels. Mutat Res 85:335-345.
- Hollingsworth RL, Rowe VK, Oyen F, et al. 1956. Toxicity of paradichlorobenzene: Determinations on experimental animals and human subjects. AMA Arch Ind Health 14:138-147.
- Houk VS, DeMarini DM. 1988. Use of the microscreen phage-induction assay to assess the genotoxicity of 14 hazardous industrial wastes. Environ Mole Mutagen 11:13-29.
- * HSDB. 1988. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. December 1988.
- Hughes JP, Proctor NH, Adams RM. 1978. The treatment of occupational diseases. In: Proctor NH, Hughes JP, eds. Chemical hazards of the workplace. Philadelphia, PA: J.B. Lippincott Co., 55-65.
- * Hughes TJ, Sparcino C, Frazier S. 1984. Validation of chemical and biological techniques for evaluation of vapors in ambient air/mutagenicity testing of twelve (12) vapor-phase compounds. U.S. Environmental Protection Agency, Research Triangle Park, NC. EPA 600/1-84-005. NTIS PB84-164219.

8. REFERENCES

- * Hurley R, Testa AC. 1966. Photochemical $n \rightarrow \pi^*$ excitation of nitrobenzene. *J Am Chem Soc* 88:4330-4332.
- * Hurley R, Testa AC. 1967. Nitrobenzene photochemistry. II. Protonation in the excited state. *J Am Chem Soc* 89:6917-6919.
- * Ikeda M, Kita A. 1964. Excretion of p-nitrophenol and p-aminophenol in the urine of a patient exposed to nitrobenzene. *Br J Ind Med* 21:210-213.
- IRIS. 1988. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC. December 1988.
- Irons RD, Hamm TE Jr, Rickert DE. 1985. Effect of dietary pectin on the target organ toxicity of nitrobenzene (NB) [Abstract]. *Toxicologist* 5:91.
- IRPTC. 1989. IRPTC data profile on: Nitrobenzene. International Register of Potentially Toxic Chemicals, United Nations Environment Programme, Geneva, Switzerland. January 1989.
- Jenner P, Testa B, eds. 1981. Concepts in drug metabolism. Part B. New York, NY: Marcel Dekker, Inc., 267, 298, 303-304, 317, 363.
- * Johnson LD, Young JC. 1983. Inhibition of anaerobic digestion by organic priority pollutants. *J Water Pollut Control Fed* 55:1441-1449.
- Josephson J. 1980. The workplace: Reproductive hazards. *Environ Sci Tech* 14:1418. 1427-1429.
- * Jury WA, Spencer WF, Farmer WJ. 1984. Behavior assessment model for trace organics in soil. III. Application of screening model. *Journal of Environmental Quality* 13:573-579.
- Kaplan AM, Khanna KL. 1975. The role of microsomal metabolism of nitrobenzene in methemoglobin formation [Abstract]. *Toxicol Appl Pharmacol* 33:131.
- Katsumura Y, Tanaka J, Ichikawa H, et al. 1986. Persistent light reaction: Induction in the guinea pig. *J Invest Dermatol* 87:330-333.
- Kawai A, Goto S, Matsumoto Y, et al. 1987. Mutagenicity of aliphatic and aromatic nitro compounds: Industrial materials and related compounds. *Jpn J Ind Health* 29:34-54.
- Khoury MJ, Stewart W, Beaty TH. 1987. The effect of genetic susceptibility on casual inference in epidemiologic studies. *Am J Epidemiol* 126:561-567.

8. REFERENCES

- Kiese M, Lorcher W, Weger N, et al. 1972. Comparative studies on the effects of toluidine blue and methylene blue on the reduction of ferrihaemoglobin in man and dog. *Europ J Clin Pharmacol* 4:115-118.
- * Kincannon DF, Stover EL, Nichols V, et al. 1983. Removal mechanisms of toxic priority pollutants. *J Water Pollut Control Fed* 55:157-163.
- Kirkman HN. 1968. Glucose-6-phosphate dehydrogenase variants and druginduced hemolysis. *Ann NY Acad Sci* 151:753-764.
- Kirkman HN, Doxiadis SA, Valaes T, et al. 1965. Diverse characteristics of glucose-6-phosphate dehydrogenase from Greek children. *J Lab Clin Med* 65:212-221.
- * Kligerman AD, Erexson GL, Wilmer JL, et al. 1983. Analysis of cytogenetic damage in rat lymphocytes following in vivo exposure to nitrobenzene. *Toxicol Lett* 18:219-226.
- Kligerman AD, Erexson GL, Wilmer JL. 1984. Development of rodent peripheral blood lymphocyte culture systems to detect cytogenetic damage in vivo [Abstract]. Proceedings of the International Symposium on Sister Chromatid Exchange, Brookhaven National Laboratory, Upton, NY, Session X.
- Klopman G, Raychaudhury C. 1988. A novel approach to the use of graph theory in structure-activity relationship studies. Application to the qualitative evaluation of mutagenicity in a series of nonfused ring aromatic compounds. *Journal of Computational Chemistry* 9:232-243.
- Koegel W, Iatropoulos MJ, Mueller WF, et al. 1978. Metabolism, body distribution, and histopathology of pentachloronitrobenzene in rhesus monkeys [Abstract]. *Toxicol Appl Pharmacol* 45:283.
- * Kopfler FC, Melton RG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.
- * Korte F, Klein W. 1982. Degradation of benzene in the environment. *Ecotoxicol Environ Saf* 6:311-327.
- * LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatility of organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. An up-to-date review of the present situation. *Environ Prog* 5:18-27.
- * Lauwerys RR. 1983. Industrial chemical exposure: Guidelines for biological monitoring. Davis, CA: Biomedical Publications, 97-100.

8. REFERENCES

- Lauwerys RR. 1986. Occupational toxicology. In: Klaasen CD, Amdur MD, Doull J, eds. Casarett and Doull's toxicology: The basic science of poisons. 3rd ed. New York, NY: Macmillan Publishing Company, 902-916.
- Layne WR, Smith RP. 1969. Methylene blue uptake and the reversal of chemically induced methemoglobinemias in human erythrocytes. *J Pharmacol Exp Ther* 165:36-44.
- * Leader SD. 1932. Nitrobenzene poisoning: Report of an unusual case in a child. *Arch Pediatr* 49:245-250.
- Leinoff HD. 1936. Methylene blue therapy in nitrobenzene poisoning. *N Engl J Med* 215:191-193.
- Lentner C, ed. 1984. Geigy scientific tables. 8th ed. Vol 3: Physical chemistry, composition of blood, hematology, somatometric data. West Caldwell, NJ: Ciba-Geigy Corporation, Medical Education Division, 76-77, 200-201, 264, 285, 287.
- Levin AA, Dent JG. 1981. Metabolism of ¹⁴C-nitrobenzene by liver microsomes and cecal microflora from Fischer-344 rats [Abstract]. *Pharmacologist* 23:171.
- * Levin AA, Dent JG. 1982a. Comparison of the metabolism of nitrobenzene by hepatic microsomes and cecal microflora from Fischer-344 rats in vitro and the relative importance of each in vivo. *Drug Metab Dispos* 10:450-454.
- Levin AA, Dent JG. 1982b. Nitrobenzene metabolism in vitro: Comparison of cecal microflora and hepatic microsomes from Fischer-344 rats [Abstract]. Proceedings of the 5th CIIT Conference of Toxicology: Toxicity of Nitroaromatic Compounds, January 28-29, Raleigh, NC.
- Levin AA, Dent JG. 1982c. Nitrobenzene metabolism in vivo: The role of gut flora [Abstract]. *Toxicologist* 2:A22.
- Levin AA, Dent JG. 1982d. Nitrobenzene metabolism in vivo: The role of gut flora [Abstract]. Proceedings of the 5th CIIT Conference on Toxicology: Toxicity of Nitroaromatic Compounds, January 28-29, Raleigh, NC.
- Levin AA, Bus JS, Dent JG. 1982a. Interactions of nitrobenzene with hepatic microsomes: Evidence for cytochrome P450 uncoupling [Abstract]. *Toxicologist* 2:17.
- Levin AA, Popp JA, Dent JG. 1982b. The role of gut microflora in nitrobenzene-induced testicular necrosis [Abstract]. *Toxicologist* 2:77.

8. REFERENCES

- Levin AA, Earle LL, Butterworth BE. 1983. Reversibility of nitrobenzene-induced testicular degeneration: Application of a novel technique [Abstract]. *Toxicologist* 3:20.
- * Levin AA, Bosakowski T, Earle LL, et al. 1988. The reversibility of nitrobenzene-induced testicular toxicity: Continuous monitoring of sperm output from vasocystotomized rats. *Toxicology* 53:219-230.
- Levin SJ. 1927. Shoe-dye poisoning-relation to methemoglobin formation: Report of a case in a two-year-old child. *JAMA* 89:2178-2180.
- Levin SJ. 1931. Shoe-dye poisoning: Report of a case in an eight-month-old infant. *JAMA* 96:681.
- * Levins P, Adams J, Brenner P, et al. 1979. Sources of toxic pollutants found in influents to sewage treatment plants. AD Little, Inc., Boston, MA. ADL 81099-63.
- * Linch AL. 1974. Biological monitoring for industrial exposure to cyanogenic aromatic nitro and amino compounds. *Am Ind Hyg Assoc J* 35:426-432.
- * Lioy PJ, Daisey JM, Atherholt T, et al. 1983. The New Jersey Project on airborne toxic elements and organic substances (ATEOS): A summary of the 1981 summer and 1982 winter studies. *J Air Pollut Control Fed* 33:649-657.
- Longo LD. 1980. Environmental pollution and pregnancy: Risks and uncertainties for the fetus and infant. *Am J Obstet Gynecol* 137:162-173.
- * Lu PY, Metcalf RL. 1975. Environmental fate and biodegradability of benzene derivatives as studied in a model aquatic ecosystem. *Environ Health Perspect* 10:269-284.
- * Lutin PA, Cibulka JJ, Malaney GW. 1965. Oxidation of selected carcinogenic compounds by activated sludge. Purdue University Engineering Extension Series 118:131-145.
- * Lyman WJ, Reehe WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. In: *Environmental behavior of organic compounds*. New York, NY: McGraw-Hill Book Co. p. 960.
- * Mabey WR, Smith JH, Pod011 RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440/4-81-014.

8. REFERENCES

- MacDonald WB. 1951. Methaemoglobinaemia resulting from poisoning in children. *Med J Aust* 1:145-147.
- MacMath IF, Apley J. 1954. Cyanosis from absorption of marking-ink in newborn babies. *Lancet* 2:895-896.
- Malaney GW, McKinney RE. 1966. Oxidative abilities of benzeneacclimated activated sludge. *Water and Sewage Works* 113:302-309.
- Mangelsdorff AF. 1956. Treatment of methemoglobinemia. *AMA Arch Ind Health* 14:148-153.
- Maples KR, Eyer P, Mason RP. 1990. Aniline-, phenylhydroxylamine-, nitrosobenzene-, and nitrobenzene-induced hemoglobin thiyl free radical formation in vivo and in vitro. *Mol Pharmacol* 37:311-318.
- * Marion CV, Malaney GW. 1963. Ability of activated sludge microorganisms to oxidize aromatic organic compounds. *Purdue University Engineering Extension Series* 115:297-308.
- Matheson D. 1972. Nitrobenzene. In: *Encyclopaedia of occupational health and safety*. Vol. 2. New York, NY: McGraw-Hill Book Company, 1448-1449.
- * Matsumaru H, Yoshida T. 1959. Experimental studies of nitrobenzol poisoning. *Kyushu J Med Sci* 10:259-264.
- McCormick NG, Feeherry FE, Levinson HS. 1976. Microbial transformation of 2,4,6-trinitrotoluene and other nitroaromatic compounds. *Appl Environ Microbiol* 31:949-958.
- * McFarlane JC, Nolt C, Wickliff C, et al. 1987a. The uptake, distribution and metabolism of four organic chemicals by soybean plants and barley roots. *Environ Toxicol Chem* 6:847-856.
- * McFarlane JC, Pfleeger T, Fletcher J. 1987b. Transpiration effect on the uptake and distribution of bromacil, nitrobenzene, and phenol in soybean plants. *J Environ Qual* 16:372-376.
- * Medinsky MA, Irons RD. 1985. Sex, strain, and species differences in the response of rodents to nitrobenzene vapors. In: Rickert DE, ed. *Chemical Industry Institute of Toxicology Series. Toxicity of nitroaromatic compounds*. New York, NY: Hemisphere Publishing Corporation, 35-51.
- * Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 22:565-570.

8. REFERENCES

- Miner CS. 1919. Methemoglobinemia due to poisoning by shoe dye [Letter]. JAMA 72:1593.
- * Mirsalis JC, Tyson CK, Butterworth BE. 1982. Detection of genotoxic carcinogens in the in vivo-in vitro hepatocyte DNA repair assay. Environ Mutagen 4:553-562.
- Miyata R, Nohmi T, Yoshikawa K, et al. 1982. Metabolic activation of p-nitrotoluene and trichloroethylene by rat liver S9 or mouse liver S9 fractions in Salmonella typhimurium strains [Abstract]. Chemical Abstracts 96 (March 29-April 12):209-210.
- Mochida K, Ito Y, Saito K, et al. 1986. Cytotoxic effects of 1,2-dichloroethane, nitrobenzene, and carbon disulfide on human KB and monkey AGMK cells. J Pharm Sci 75:1190-1191.
- Monnier J. 1947. [Acute intoxication with nitrobenzene]. Toulouse Med 48:728. (French)
- * Monsen RM, Davis EM. 1984. Microbial responses to selected organic chemicals in industrial waste treatment units. Drug Chem Toxicol 1:233-249.
- * Morgan KT, Gross EA, Lyght O, et al. 1985. Morphologic and biochemical studies of a nitrobenzene-induced encephalopathy in rats. Neurotoxicology 6:105-116.
- Morrissey RE, Schwetz BA, Lamb JC IV, et al. 1988. Evaluation of rodent sperm, vaginal cytology and reproductive organ weight data from National Toxicology Program 13-week study. Fundam Appl Toxicol 1:11343-358.
- Motulsky AG. 1957. Drug reactions, enzymes, and biochemical genetics. JAMA 165:835-837.
- Motulsky AG. 1972. Hemolysis in glucose-6-phosphate dehydrogenase deficiency. Fed Proc 31:1286-1292.
- Muehlberger CW. 1925. Shoe dye poisoning. JAMA 84:1987-1991.
- Mulvihill JJ, Czeizel A. 1983 ICPEMC working paper 5/6: Perspectives in mutation epidemiology, 6: A 1983 view of sentinel phenotypes. Mutat Res 123:345-361.
- * Myslak Z, Piotrowski JK, Musialowicz E. 1971. Acute nitrobenzene poisoning: A case report with data on urinary excretion of p-nitrophenol and p-aminophenol. Arch Toxicol 28:208-213.

8. REFERENCES

- Nabarro JD. 1948. A case of acute mononitrobenzene poisoning. *Br Med J.* (May 15):929-931.
- * NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- * NATICH. 1988. Natich Database Report on State, Local and EPA Air Toxics Activities, Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality, Planning, and Standards, National Air Toxics Information Clearing House.
- NCI. 1977. Bioassay of technical-grade pentachloronitrobenzene (PCNB) for possible carcinogenicity. Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention. NCI-CG-TR-61. NTIS No. PB-281732.
- * Nelson CR, Hites RA. 1980. Aromatic amines in and near the Buffalo River. *Environ Sci Technol* 14:1147-1149.
- Neumann H-G. 1984. Analysis of hemoglobin as a dose monitor for alkylating and arylating agents. *Arch Toxicol* 56:1-6.
- * NIOSH. 1977. Nitrobenzene-method S217. In: NIOSH manual of analytical methods. Vol 3. Cincinnati, OH: National Institute for Occupational Safety and Health, S217-1-S217-9.
- * NIOSH. 1984. Nitrobenzene-method 2005. In: NIOSH manual of analytical methods. 3rd ed. Cincinnati, OH: National Institute for Occupational Safety and Health, 2005-1-2005-5.
- * NIOSH. 1985. Pocket guide to chemical hazards. Cincinnati, OH: National Institute for Occupational Safety and Health.
- NIOSH. 1988. National occupational exposure survey. Cincinnati, OH: National Institute of Occupational Safety and Health.
- * NLM. 1988. Chemline. National Library of Medicine, Bethesda, MD. December 1988.
- * Nojima K, Kanno S. 1977. Studies on photochemistry of aromatic hydrocarbons. IV. Mechanisms of formation of nitrophenols by the photochemical reaction of benzene and toluene with nitrogen oxides in air. *Chemosphere* 6:371-376.

8. REFERENCES

- * Nolt CL. 1988. Uptake and translocation of six organic chemicals in a newly-designed plant exposure system and evaluation of plant uptake aspects of the prebiologic screen for ecotoxicologic effects. MS Thesis. Cornell University, Ithaca, NY.
- NTP. 1987. Toxicology and carcinogenesis studies of pentachloronitrobenzene (CAS No. 82-68-8) in B6C3F₁ mice (feed studies). TR No. 325. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. National Institutes of Health. NIH Publication No. 87-2581.
- Nystrom DD, Rickert DE. 1987. Metabolism and excretion of dinitrobenzenes by male Fischer-344 rats. *Drug Metab Dispos* 15:821-825.
- O'Hara GP, Chan PK, Harris JC, et al. 1983. The effect of nitrogen [4-(2,4-dichlorophenoxy)nitrobenzene] on the reproductive performance of male rats. *Toxicology* 28:323-333.
- * OSHA. 1989. U.S. Department of Labor, Occupational Safety and Health Administration: Part III. *Federal Register* 54:2332-2959.
- Pacseri I, Magos L, Batskor IA. 1958. Threshold and toxic limits of some amino and nitro compounds. *AMA Arch Ind Health* 18:1-8.
- * Pankow D, Ponsold W. 1976. Effect of methemoglobinemia on carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol* 36:143-150.
- * Parke DV. 1956. Studies in detoxication: The metabolism of [14C]nitrobenzene in the rabbit and guinea pig. *Biochem J* 62:339-346.
- Parkes WE, Neil DW. 1953. Acute nitrobenzene poisoning with transient amino-aciduria. *Br Med J* (March 21):643-655.
- * Patil S, Shinde VM. 1988. Biodegradation studies of aniline and nitrobenzene in aniline plant waste waters by gas chromatography. *Environ Sci Technol* 22:1160-1165.
- Pellizzari ED. 1978a. Measurement of carcinogenic vapors in ambient atmospheres. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/7-78-062.
- * Pellizzari ED. 1978b. Quantification of chlorinated hydrocarbons in previously collected air samples. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA-450/3-78-112.

8. REFERENCES

- * Perry DL, Chuang CC, Jungclaus GA, et al. 1979. Identification of organic compounds in industrial effluent discharges. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-79-016.

- PHRED. 1988. Public Health Risk Evaluation Database. U.S. Environmental Protection Agency, Washington, DC. March 1988.

- * Piet GJ, Morra CH, De Kruijf HA. 1981. The behavior of organic micropollutants during passage through the soil. *Stud Environ Sci* 17:557-564.

- * Piotrowski J. 1967. Further investigations on the evaluation of exposure to nitrobenzene. *Br J Ind Med* 24:60-65.

- Piotrowski JK. 1984. Phenol, aniline, and nitrobenzene. In: Aitio A, eds. *Biological monitoring and surveillance of workers exposed to chemicals*. New York, NY: Hemisphere Publishing Company.

- * Pitter P. 1976. Determination of biological degradability of organic substances. *Water Res* 10:231-235.

- Pitts JN Jr, Atkinson R, Winer AM. 1985. Formation and fate of toxic chemicals in California's atmosphere. Riverside, CA: Statewide Air Pollution Research Center, California Air Resources Board. NTIS No. PB88-133038.

- * Piwoni MD, Wilson JT, Walters DM, et al. 1986. Behavior of organic pollutants during rapid-infiltration of wastewater into soil. I. Processes, definition, and characterization using a microcosm. *Hazardous Waste and Hazardous Materials* 3:43-55.

- Popp JA. 1989. Written communication (March 14) to Dr. Arthur Gregory, Techto Enterprises. Chemical Industry Institute of Toxicology, Research Triangle Park, NC.

- Price Evans DA. 1983. Pharmacogenetics. In: Emery AE, Rimoin DL, eds. *Principles and practice of medical genetics*. Vol 2. Edinburgh, Scotland: Churchill Livingstone, 1389-1400.

- Proctor NH, Hughes JP, Fischman ML. 1988. *Chemical hazards of the workplace*. 2nd ed. Philadelphia, PA: J.B. Lippincott Company, 367-368.

- * Reddy BG, Pohl LR, Krishna G. 1976. The requirement of the gut flora in nitrobenzene-induced methemoglobinemia in rats. *Biochem Pharmacol* 25:1119-1122.

8. REFERENCES

- Reynolds ES, Yee AG. 1968. Liver parenchymal cell injury: VI. Significance of early glucose 6-phosphatase suppression and transient calcium influx following poisoning. *Lab Invest* 19:273-281.
- * Rickert DE. 1984a. Mammalian and bacterial metabolism of nitroaromatic compounds. In: Rickert DE, ed. *Toxicity of nitroaromatic compounds*. New York, NY: Hemisphere Publishing Corporation, 87-101.
- Rickert DE. 1984b. Reductive reactions. In: Caldwell J, Paulson GD, eds. *Foreign Compound Metabolism*. London, England: Taylor and Francis, 227-234.
- Rickert DE. 1986. The effects of diet on the toxicity of nitroaromatic chemicals in rodents [Abstract]. *Toxicol Lett* 31(Suppl):S2-3.
- Rickert DE. 1987. Metabolism of nitroaromatic compounds. *Drug Metab Rev* 18:23-53.
- Rickert DE, Chism JP, Long RM, 1981. Metabolism and excretion of ¹⁴C-nitrobenzene in male, Fischer 344 rats [Abstract]. *Pharmacologist* 23:172.
- * Rickert DE, Bond JA, Long RM, et al. 1983. Metabolism and excretion of nitrobenzene by rats and mice. *Toxicol Appl Pharmacol* 67:206-214.
- Rickert DE, Irons RD, Popp JA, et al. 1986. The effects of diet on the toxicity of nitroaromatic chemicals in rodents. *Dev Toxicol Environ Sci* 12:107-114.
- Rieders F, Brieger H. 1953. Mechanism of poisoning from wax crayons. *JAMA* 151:1490.
- Robinson D, Smith JN, Williams RT. 1951. The metabolism of nitrobenzene in the rabbit o-, m- and p-nitrophenols, o-, m- and p-aminophenols and 4-nitrocatechol as metabolites of nitrobenzene. *Biochem J* 50:228-235.
- Ross JD, Ciccarelli RF. 1962. Acquired methemoglobinemia due to ingestion of acetophenetidin: Report of a case in an infant. *N Engl J Med* 266:1202-1204.
- Roy WR, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. *Environ Geol Water Sci* 7:241-247.
- * Ruth JH. 1986. Odor thresholds and irritation levels of several chemical substances: A review. *Am Ind Hyg Assoc J* 47:A-142-151.

8. REFERENCES

- Salmowa J, Piotrowski J. 1960. Attempt at quantitative evaluation of nitrobenzene absorption in experimental conditions. 13th Proceedings of the International Congress on Occupational Health, 780-782.
- * Salmowa J, Piotrowski J, Neuhorn U. 1963. Evaluation of exposure to nitrobenzene: Absorption of nitrobenzene vapour through lungs and excretion of p-nitrophenol in urine. Br J Ind Med 20:41-46.
- Sanders FG. 1920. Nitrobenzene poisoning with cyanosis: Report of case. JAMA 74:1518-1519.
- * Sax NI, Lewis RJ Sr. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 826.
- Schwartz L. 1941. Dermatitis from cutting oils. Public Health Rep 56:1947-1953.
- * Seip HN, Alstad J, Carlberg GE, et al. 1986. Measurement of mobility of organic compounds in soils. Sci Total Environ 50:87-101.
- Sekimpi DK, Jones RD. 1986. Notifications of industrial chemical cyanosis poisoning in the UK 1961-80. Br J Ind Med 43:272-279.
- * Shackelford WM, Cline DM, Faas L, et al. 1983. An evaluation of automated spectrum matching for survey identification of wastewater components by gas chromatography-mass spectrometry. Anal Chim Acta 146:15-27.
- * Shimizu M, Yasui Y, Matsumoto N. 1983. Structural specificity of aromatic compounds with special reference to mutagenic activity of Salmonella typhimurium - a series of chloro or fluoro-nitrobenzene derivatives. Mutat Res 116:217-238.
- * Shimkin MB. 1939. Acute toxicity of mononitrobenzene in mice. Proc Sot Exp Biol Med 42:844-846.
- * Simmons MS, Zepp RG. 1986. Influence of humic substances on photolysis of nitroaromatic compounds in aqueous systems. Water Res 20:899-904.
- Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NJ: Noyes Publications, 652-654.
- * Smith RM. 1988. Supercritical fluid chromatography. Royal Society of Chemistry, Letchword, England.
- Smith RP, Olson MV. 1973. Drug-induced methemoglobinemia. Semin Hematol 10:253-268.

8. REFERENCES

- * Smith RP, Alkaitis AA, Shafer PR. 1967. Chemically induced methemoglobinemias in the mouse. *Biochem Pharmacol* 16:317-328.
- * Smith RV, Rosazza JP. 1974. Microbial models of mammalian metabolism. Aromatic hydroxylation. *Arch Biochem Biophys* 161:551-558.
- * Smyth HF Jr, Weil CS, West JS, et al. 1969. An exploration of joint toxic action: Twenty-seven industrial chemicals intubated in rats in all possible pairs. *Toxicol Appl Pharmacol* 14:340-347.
- * Speece RE. 1983. Anaerobic biotechnology for industrial wastewater treatment. *Environ Sci Technol* 17:416A-427A.
- Spencer PS, Schaumburg HH. 1985. Organic solvent neurotoxicity: Facts and research needs. *Stand J Work Environ Health* 11(Suppl1):53-60.
- * SRI. 1985. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- * SRI. 1986. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International
- * SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- * SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- * Staples CA, Werner A, Hoogheem T, et al. 1985. Assessment of priority pollutant concentrations in the United States using the STORET database. *Environ Toxicol Chem* 4:131-142.
- Sternson LA, Gammans RE. 1975. Interaction of aromatic nitro compounds with reduced hepatic-microsomal cytochrome P-450. *Drug Metab Dispos* 3:266-274.
- Stevens AM. 1928. Cyanosis in infants from nitrobenzene. *JAMA* 90:116.
- * Stevenson A, Forbes RP. 1942. Nitrobenzene poisoning: Report of a case due to exterminator spray. *J Pediatr* 21:224-228.
- Stifel RE. 1919. Methemoglobinemia due to poisoning by shoe dye: Report of a series of cases at an army camp. *JAMA* 72:395-396.
- Stolk JM, Smith RP. 1966. Species differences in methemoglobin reductase activity. *Biochem Pharmacol* 15:343-351.

8. REFERENCES

- Stone WJ. 1904. Fatal poisoning due to skin adsorption of liquid shoe blacking (nitrobenzol) with autopsy report. *JAMA* 43:977-980.
- * Stover EL, Kincannon DF. 1983. Biological treatability of specific organic compounds found in chemical industry wastewaters. *J Water Pollut Control Fed* 55:97-109.
- Suzuki J, Koyami T, Suzuki S. 1983. Mutagenicities of mononitrobenzene derivatives in the presence of norharman. *Mutat Res* 120:105-110.
- Suzuki J, Takahashi N, Kobayashi Y, et al. 1987. Dependence on *Salmonella typhimurium* enzymes for mutagenicities of nitrobenzene and its derivatives in the presence of rat-liver S9 and norharman. *Mutat Res* 178:187-193.
- Tabak HH, Chambers CW, Kabler PW. 1964. Microbial metabolism of aromatic compounds: I. Decomposition of phenolic compounds and aromatic hydrocarbons by phenol-adapted bacteria. *J Bacteriol* 87:910-919.
- * Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- Tarlov AR, Brewer GJ, Carson PE, et al. 1962. Primaquine sensitivity: Glucose-6-phosphate dehydrogenase deficiency: An inborn error of metabolism of medical and biological significance. *Arch Intern Med* 109:137-162.
- * Trabalka JR, Garten CT Jr. 1981. Development of predictive models for xenobiotic bioaccumulation in terrestrial systems. Oak Ridge, TN: Oak Ridge National Laboratory, Environmental Sciences Division #2037. ORNL-5869.
- * Tyl RW, France KA, Fisher LC, et al. 1987. Developmental toxicity evaluation of inhaled nitrobenzene in CD rats. *Fundam Appl Toxicol* 8:482-492.
- Uchrin CG, Katz J, Mangels G, et al. 1985. Characterization of the sorption of toxic and hazardous organic substances to groundwater aquifer solids. *Stud Environ Sci* 29:663-676.
- Urano K, Kato Z. 1986. Evaluation of biodegradation ranks of priority organic chemicals. *J Haz Materials* 13:147-159.
- * USITC. 1987. Synthetic organic chemicals: United States Production and Sales, 1986. Washington, DC: United States International Trade Commission.

8. REFERENCES

- * USITC. 1988. Synthetic organic chemicals: United States Production and Sales, 1987. Washington, DC: United States International Trade Commission. USTIC Publication 2118.
- * Veith GD, DeFoe DL, Bergstedt BV. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fisheries Res Board Can* 36:1040-1048.
- Veith GD, Macek KJ, Petrocelli SR, et al. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: Eaton JG, Parrish PR, Hendrick AC, eds. *Aquatic Toxicology*. Philadelphia, PA: American Society for Testing and Materials, 116-129.
- * Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 910-913.
- * VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. June 20, 1989. (Map based on VIEW Database, June 12, 1989).
- * Von Oettingen WF. 1941. The aromatic amino and nitro compounds, their toxicity and potential dangers: A review of the literature. Washington, DC: U.S. Public Health Service. Public Health Bulletin No. 271.
- Wallingford KN, Yodaiken RE. 1983. Health hazard evaluation report: HETA 82-338-1266, Center for Molecular Nutrition and Sensory Disorders, Washington, DC. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS No. PB84-209725.
- Walsh DB, Claxton LD. 1987. Computer-assisted structure-activity relationships of nitrogenous cyclic compounds tested in Salmonella assays for mutagenicity. *Mutat Res* 182:55-64.
- * Watanabe T, Ishihara N, Ikeda M. 1976. Toxicity of and biological monitoring for 1,3-diamino-2,4,6-trinitro-benzene and other nitro-amino derivatives of benzene and chlorobenzene. *Int Arch Occup Environ Health* 37:157-168.
- Weant GE, McCormick GS. 1984. Nonindustrial sources of potentially toxic substances and their applicability to source apportionment methods. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA-450/4-84-003. NTIS No. PB84-231232.

8. REFERENCES

- * Weast RC, ed. 1985. CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data. 66th ed. Boca Raton, FL: CRC Press, Inc., C-115.
- Weinberg AA. 1931. Aniline poisoning in the newborn with a report of thirteen cases. *Am J Obstet Gynecol* 21:104-108.
- Welch RM, Conney AH, Burns JJ. 1966. The metabolism of acetophenetidin and n-acetyl-R-aminophenol in the cat. *Biochem Pharmacol* 15:521-531.
- Wetherhold JM, Linch AL, Charsha RC. 1960. Chemical cyanosis - causes, effects, and prevention. *Arch Environ Health* 1:353-361.
- Wheeler LA, Soderberg FB, Goldman P. 1975. The relationship between nitro group reduction and the intestinal microflora. *J Pharmacol Exp Ther* 194:135-144.
- * WHO. 1986. Diseases caused by toxic nitro and amino derivatives of benzene and its homologues. Chapter 9. In *Early Detection of Occupational Diseases*. World Health Organization, Geneva.
- * Wieboldt, RC, Adams GE, Later DW. 1988. Sensitivity improvement in infrared detection for supercritical fluid chromatography. *Anal Chem* 60:2422-2427.
- Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.
- Windholz M. 1983. *The Merck index: An encyclopedia of chemicals, drugs and biologicals*. 10th ed. Rahway, NJ: Merck and Company, Inc., 945.
- Wirtschafter ZT, Wolpaw R. 1944. A case of nitrobenzene poisoning. *Ann Intern Med* 21:135-140.
- Wislocki PG, Bagan ES, Lu AY, et al. 1986. Tumorigenicity of nitrated derivatives of pyrene, benz[a]anthracene, chrysene and benzo[a]pyrene in the newborn mouse assay. *Carcinogenesis* 7:1317-1322.
- * Wisniewska-Knypl JM, Jablonska JK, Piotrowski JK. 1975. Effect of repeated exposure to aniline, nitrobenzene, and benzene on liver microsomal metabolism in the rat. *Br J Ind Med* 32:42-48.
- Wuertz RL, Frazee WH Jr, Hume WG, et al. 1964. Chemical cyanosis - anemia syndrome: Diagnosis, treatment, and recovery. *Arch Environ Health* 9:478-491.

8. REFERENCES

- Yamada Y. 1958. Studies on the experimental chronic poisoning of nitrobenzene. *Kobe J Med Sci* 4:227-239.
- * Young DR, Gossett RW, Baird RB, et al. 1983. Wastewater inputs and marine bioaccumulation of priority pollutant organics off southern California. In: Jolley RL, Brungs WA, Cotruvo JA, eds. *Water chlorination: environmental impact and health effects*. Vol 4, Book 2: Environment, health, and risk. Ann Arbor, MI: Ann Arbor Science Publishers, 871-884.
- Zachariah PK, Juchau MR. 1974. The role of gut flora in the reduction of aromatic nitro-groups. *Drug Metab Dispos* 2:74-78.
- Zeligs M. 1929. Aniline and nitrobenzene poisoning in infants. *Arch Pediatr* 46:502-506.
- A Zen RG, Schlotzhauer PF. 1983. Influence of algae on photolysis rates of chemicals in water. *Environ Sci Technol* 17:462-468.
- * Zepp RG, Braun AM, Hoigne J, et al. 1987a. Photoproduction of hydrated electrons from natural organic solutes in aquatic environments. *Environ Sci Technol* 21:485-490.
- * (Zepp RG, Hoigne J, Bader H. 1987b. Nitrate-induced photooxidation of trace organic chemicals in water. *Environ Sci Technol* 21:443-450.
- Zoldak JJ, Dumdei BE. 1985. Characterization of toxic air emissions from TSDF's in heavily industrialized areas using a mobile MS/MS laboratory. Proceedings of the 78th annual meeting of the Air Pollution Control Association, Detroit, Michigan, June 16-21, 1985, (85-17.8):2-14.