

9. REFERENCES

- Aaseth J, Norseth T. 1986. Copper. In: Friberg L, Nordberg GF, Vouk V, eds. Handbook on the toxicology of metals 2. New York, NY: Elsevier Science Publishers, 233-254.
- *Aburto EM, Cribb AE, Fuentealba IC. 2001a. Effect of chronic exposure to excess dietary copper and dietary selenium supplementation on liver specimens from rats. *Am J Vet Res* 62(9):1423-1427.
- *Aburto EM, Cribb AE, Fuentealba IC, et al. 2001b. Morphological and biochemical assessment of the liver response to excess dietary copper in Fischer 344 rats. *Can J Vet Res* 65(2):97-103.
- Aburto EM, Cribb A, Fuentealba IC, et al. 2001c. The failure of selenium supplementation to prevent copper-induced liver damage in Fischer 344 rats. *Can J Vet Res* 65(2):104-110.
- *ACGIH. 1988. Threshold limit values and biological exposure indices for 1988-1989. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2001. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- Ackerman DJ, Reinecke AJ, Els HJ, et al. 1999. Sperm abnormalities associated with high copper levels in impala (*Aepyceros melampus*) in the Kruger National Park, South Africa. *Ecotoxicol Environ Saf* 43(3):261-266.
- Adachi A, Okiyu M, Nishikawa A, et al. 1998. Metal levels in rain water from Kobe City in Japan. *Bull Environ Contam Toxicol* 60:892-897.
- Adamo P, Dudka S, Wilson MJ. 1996. Chemical and mineralogical forms of Cu and Ni in contaminated soils from the Sudbury mining and smelting region, Canada. *Environ Pollut* 91(1):11-19.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Agarwal K, Sharma A, Talukder G. 1989. Effects of copper on mammalian cell components. *Chem Biol Interact* 69(1):1-16.
- *Agarwal K, Sharma A, Talukder G. 1990. Clastogenic effects of copper sulfate on the bone marrow chromosomes of mice in vivo. *Mutat Res* 243(1):1-6.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register* 54(174):37618-37634.

* Cited in text

9. REFERENCES

*Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction, Agency for Toxic Substances and Disease Registry, Atlanta, GA.

Aggett PJ, Fairweather-Tait S. 1998. Adaptation to high and low copper intakes: Its relevance to estimated safe and adequate daily dietary intakes. *Am J Clin Nutr* 67:1061S-1063S.

*Ahasan HAMN, Chowdhury MAJ, Azhar MA, et al. 1994. Copper sulphate poisoning. *Trop Doct* 24(2):52-53.

Ahmad MS, Fazal F, Rahman A, et al. 1992. Activities of flavonoids for the cleavage of DNA in the presence of Cu(II) correlation with generation of active oxygen species. *Carcinogenesis* 13(4):605-608.

Ahmed HM, Shoka AA. 1994. Toxic interactions between copper sulphate and some organic agrochemicals. *Toxicol Lett* 70(1):109-119.

Ahmed KO, Al-Swaidan HM, Davies BE. 1993. Simultaneous elemental analysis in dust of the city of Riyadh, Saudi Arabia by inductively coupled plasma-mass spectrometry (ICP/MS). *Sci Total Environ* 138:207-212.

Aisen P, Morell AG, Alpert S, et al. 1964. Biliary excretion of caeruloplasmin copper. *Nature* 203:873-874.

*Akintonwa A, Mabadeje AFB, Odutola TA. 1989. Fatal poisonings by copper sulfate ingested from "spiritual water". *Vet Hum Toxicol* 31(5):453-454.

Algerwie MH, Khatri PC. 1998. Serum copper in newborns and their mothers. *Indian J Pediatr* 65(6):899-903.

Alkhatib E, Castor K. 2000. Parameters influencing sediments resuspension and the link to sorption of inorganic compounds. *Environ Monit Assess* 65(3):531-546.

*Allen SK, Allen JM, Lucas S. 1996. Dissolved metal concentrations in surface waters from west-central Indiana contaminated with acidic mine drainage. *Bull Environ Contam Toxicol* 56:240-243.

*Allen-Gil SM, Gubala CP, Landers DH, et al. 1997. Heavy metal accumulation in sediment and freshwater fish in U.S. arctic lakes. *Environ Toxicol Chem* 16(4):733-741.

*Altman PL, Dittmer DS. 1974. *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*American Institute of Nutrition. 1977. Report of the AID ad hoc committee on standards for nutritional studies. *J Nutr* 107:1340-1348.

*American Society for Testing and Materials. 1990. Standard test methods for copper in water. ASTM D 1688, Verlag.

*American Society for Testing and Materials. 2000. Standard test method for elements in water by inductively coupled plasma - mass spectrometry. ASTM D 5673-96, Verlag.

9. REFERENCES

- Amrhein C, Mosher PA, Strong JE, et al. 1994. Trace metal solubility in soils and waters receiving deicing salts. *J Environ Qual* 23(2):219-227.
- *Amrhein C, Strong JE, Mosher PA. 1992. Effect of deicing salts on metal and organic matter mobilization in roadside soils. *Environ Sci Technol* 26(4):703-709.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- *Anderson JR, Aggett FJ, Buseck PR, et al. 1988. Chemistry of individual aerosol particles from Chandler, Arizona, an arid urban environment. *Environ Sci Technol* 22(7):811-818.
- Andrzejak R, Antonowicz J, Tomczyk J, et al. 1993. Lead and cadmium concentrations in blood of people living near a copper smelter in Legnica, Poland. *Sci Total Environ Suppl*:233-236.
- Apgar GA, Kornegay ET. 1996. Mineral balance of finishing pigs fed copper sulfate or a copper-lysine complex at growth-stimulating levels. *J Anim Sci* 74:1594-1600.
- Apte SC, Gardner MJ, Ravenscroft JE. 1990. An investigation of copper complexation in the Severn Estuary using differential pulse cathodic stripping voltammetry. *Mar Chem* 29:63-75.
- Araki S, Murata K, Uchida E, et al. 1993. Radial and median nerve conduction velocities in workers exposed to lead, copper, and zinc: A follow-up study for 2 years. *Environ Res* 61(2):308-316.
- *Araki S, Sata F, Murata K. 1990. Adjustment for urinary flow rate: an improved approach to biological monitoring. *Int Arch Occup Environ Health* 62(6):471-477.
- *Araya M, Chen B, Klevay LM, et al. 2003a. Confirmation of an acute no-observed-adverse-effect and low-observed-adverse-effect level for copper in bottled drinking water in a multi-site international study. *Reg Tox Pharmacol* 38:389-399.
- *Araya M, McGoldrick MC, Klevay LM, et al. 2001. Determination of an acute no-observed-adverse-effect level (NOAEL) for copper in water. *Regul Toxicol Pharmacol* 34(2):137-148.
- *Araya M, Olivares M, Pizarro F, et al. 2003b. Gastrointestinal symptoms and blood indicators of copper load in apparently healthy adults undergoing controlled copper exposure. *Am J Clin Nutr* 77(3):646-650.
- *Araya M, Pena C, Pizarro F, et al. 2003c. Gastric response to acute copper exposure. *Sci Total Environ* 303(3):253-257.
- *Armstrong CW, Moore LW, Hackler RL, et al. 1983. An outbreak of metal fume fever. Diagnostic use of urinary copper and zinc determinations. *J Occup Med* 25:886-888.
- *Arnaud J, Favier A. 1995. Copper, iron, manganese and zinc contents in human colostrum and transitory milk of French women. *Sci Total Environ* 159:9-15.

9. REFERENCES

- *Arredondo M, Uauy R, Gonzalez M. 2000. Regulation of copper uptake and transport in intestinal cell monolayers by acute and chronic copper exposure. *Biochim Biophys Acta* 1474(2):169-176.
- *Askergren A, Mellgren M. 1975. Changes in the nasal mucosa after exposure to copper salt dust. A preliminary report. *Scand J Work Environ Health* 1:45-49.
- Aston N, Morris P, Tanner S. 1996. Retrosine in breast milk influences copper handling in suckling rat pups. *J Hepatol* 25(5):748-755.
- Aston NS, Morris PA, Tanner MS, et al. 1998. An animal model for copper-associated cirrhosis in infancy. *J Pathol* 186(2):215-221.
- Aston NS, Watt N, Tanner MS, et al. 2000. Copper toxicity affects proliferation and viability of human hepatoma cells (HepG2 line). *Hum Exp Toxicol* 19:367-376.
- August D, Janghorbani M, Young VR. 1989. Determination of zinc and copper absorption at three dietary Zn-Cu ratios by using stable isotope methods in young adult and elderly subjects. *Am J Clin Nutr* 50:1457-1463.
- *Aulenbach DB, Meyer MA, Beckwith E, et al. 1987. Removal of heavy metals in POTW. *Environ Progress* 6:91-98.
- *Aulerich RJ, Ringer RK, Bleavins MR, et al. 1982. Effects of supplemental dietary copper on growth, reproductive performance and kit survival of standard dark mink and the acute toxicity of copper to mink. *J Anim Sci* 55(2):337-343.
- *Badri MA, Aston SR. 1983. Observations on heavy metal geochemical associations in polluted and non-polluted estuarine sediments. *Environ Pollut Ser B* 6:181-193.
- Baker DH, Odle J, Funk MA, et al. 1991. Research note: Bioavailability of copper in cupric oxide, cuprous oxide and in copper-lysine complex. *Poult Sci* 70:177-179.
- *Balogh S. 1996. The fate of metals in sewage sludge incinerators. *Water Air Soil Pollut* 91:249-254.
- Baranowska I, Czernicki K, Aleksandrowicz R. 1995. The analysis of lead, cadmium, zinc, copper and nickel content in human bones from the Upper Silesian industrial district. *Sci Total Environ* 159:155-162.
- Baranowska-Dutkiewicz B, Dutkiewicz T. 1991. Evaluation of simultaneous industrial and environmental exposure to metals. *Sci Total Environ* 101:149-151.
- Barash A, Shoham Z, Borenstein R, et al. 1990. Development of human embryos in the presence of a copper intrauterine device. *Gynecol Obstet Invest* 29(3):203-206.
- Barceloux DG. 1999. Copper. *J Toxicol Clin Toxicol* 37(2):217-230.
- Bargagli R, Barghigiani C, Siegel BZ, et al. 1991. Trace metal anomalies in surface soils and vegetation on two active island volcanos: Stromboli and Vulcano (Italy). *Sci Total Environ* 102:209-222.
- Bargagli R, Cateni D, Nelli L, et al. 1997. Environmental impact of trace element emissions from geothermal power plants. *Arch Environ Contam Toxicol* 33:172-181.

9. REFERENCES

- Barnea A, Cho G. 1984. Evidence that copper-amino acid complexes are potent stimulators of the release of luteinizing hormone-releasing hormone from isolated hypothalamic granules. *Endocrinology* 115:936-943.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barranco VP. 1972. Eczematous dermatitis caused by internal exposure to copper. *Arch Dermatol* 106:386-387.
- *Barrie LA, Lindberg SE, Chan WH, et al. 1987. On the concentration of trace metals in precipitation. *Atmos Environ* 21:1133-1135.
- *Batsura YD. 1969. Electron microscope investigation of penetration of copper oxide aerosol from the lungs into the blood and internal organs. *Byull Eksp Biol Med* 68:1175-1178.
- Batzevich VA. 1995. Hair trace element analysis in human ecology studies. *Sci Total Environ* 164:89-98.
- Bauer G, Schachermayer E. 1996. Statistical analysis of heavy metal data from municipal waste incineration residues. *Environ Sci Pollut Res* 3(1):10-16.
- *Bearn AG, Kunkel HG. 1955. Metabolic studies in Wilson's disease using Cu^{64} . *J Lab Clin Med* 45:623-631.
- Beck JN, Sneddon J. 2000. Metal concentrations in soils and sediments in Southwest Louisiana. *Anal Lett* 33(10):1913-1959.
- Beliaeff B, O'Connor TP, Daskalakis DK, et al. 1997. U.S. Mussel watch data from 1986 to 1994: Temporal trend detection at large spatial scales. *Environ Sci Technol* 31:1411-1415.
- Beltran-Garcia MJ, Espinosa A, Herrera N, et al. 2000. Formation of copper oxychloride and reactive oxygen species as causes of uterine injury during copper oxidation of Cu-IUD. *Contraception* 61(2):99-103.
- Benders AA, Li J, Lock RA, et al. 1994. Copper toxicity in cultured human skeletal muscle cells: the involvement of $\text{Na}^+/\text{Ca}^{2+}$ -ATPase and the $\text{Na}^+/\text{Ca}^{2+}$ -exchanger. *Pflugers Arch* 428(5-6):461-467.
- Benedetti MF, Milne CJ, Kinniburgh DG, et al. 1995. Metal ion binding to humic substances: application of the non-ideal competitive adsorption model. *Environ Sci Technol* 29:446-457.
- *Bentur Y, Koren G, McGuigan M, et al. 1988. An unusual skin exposure to copper; clinical and pharmacokinetic evaluation. *J Toxicol Clin Toxicol* 26(5-6):371-380.
- Berg G, Kohlmeier L, Brenner H. 1998. Effect of oral contraceptive progestins on serum copper concentration. *Eur J Clin Nutr* 52:711-715.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.

9. REFERENCES

- *Beveridge SJ, Boettcher B, Walker WR, et al. 1984. Biodistribution of ^{64}Cu in rats after topical application of two lipophilic anti-inflammatory Cu(II) formulations. *Agents Actions* 14(2):291-295.
- *Beyer WN, Cromartie EJ. 1987. A survey of Pb, Cu, Zn, Cd, As, and Se in earthworms and soil from diverse sites. *Environ Monit Assess* 8:27-36.
- Bhandari P, Andrews PLR. 1991a. Erratum: Preliminary evidence for the involvement of the putative 5-HT₄ receptor in zacopride-and copper sulphate-induced vomiting in the ferret. *Eur J Pharmacol* 211(3):430.
- Bhandari P, Andrews PLR. 1991b. Preliminary evidence for the involvement of the putative-5-HT₄ receptor in zacopride-and copper sulphate-induced vomiting in the ferret. *Eur J Pharmacol* 211(3):273-280.
- *Bhave SA, Pandi AN, Pradhan AM, et al. 1982. Liver disease in India. *Arch Dis Child* 57:922-928.
- *Bhave SA, Panditschein AN, Tanner MS. 1987. Comparison of feeding history of children with Indian childhood cirrhosis and paired controls. *J Pediatr Gastroenterol Nutr* 6:562-567.
- *Bhunya SP, Jena GB. 1996. Clastogenic effect of copper sulphate in chick in vivo test system. *Mutat Res* 367(2):57-63.
- *Bhunya SP, Pati PC. 1987. Genotoxicity of an inorganic pesticide, copper sulphate in mouse in vivo test system. *Cytologia* 52:801-808.
- Bingham MJ, McArdle HJ. 1994. A comparison of copper uptake by liver plasma membrane vesicles and uptake by isolated cultured rat hepatocytes. *Hepatology* 20(4):1024-1031.
- Bires J, Kovac G, Vrzgula L. 1991a. Interactions between copper and selenium in sheep in the course of experimentally-produced copper intoxication. *Vet Hum Toxicol* 33(5):489-491.
- Bires J, Kovac G, Vrzgula L. 1991b. Mineral profile of serum in experimental copper intoxication of sheep from industrial emissions. *Vet Hum Toxicol* 33(5):431-435.
- *Blanuša M, Ivicic N, Simeon V. 1990. Lead, iron, copper, zinc and ash in deciduous teeth in relation to age and distance from a lead smelter. *Bull Environ Contam Toxicol* 45(4):478-485.
- Blanuša M, Prester L, Matek M, et al. 1999. Trace elements in soil and coniferous needles. *Bull Environ Contam Toxicol* 62:700-707.
- *Blevins RD, Pancorbo OC. 1986. Metal concentrations in muscle of fish from aquatic systems in east Tennessee. *Water Air Soil Pollut* 29:361-371.
- Blincoe C. 1992. Simulation of copper metabolism by mammals. *Comput Biol Med* 22(1-2):113-122.
- *BNA. 2001. Environmental and Safety Library on the Web. States and Territories. Washington, DC. Bureau of National Affairs Inc. <http://www.esweb.bna.com/>.
- *Bopp RF, Simpson HJ, Chillrud SN, et al. 1993. Sediment-derived chronologies of persistent contaminants in Jamaica Bay, New York. *Estuaries* 16(3B):608-616.

9. REFERENCES

- *Borak J, Cohen H, Hethmon TA. 2000. Copper exposure and metal fume fever: Lack of evidence for a causal relationship. *Am Ind Hyg Assoc J* 61(6):832-836.
- Borga P, Elowson T, Liukko K. 1996. Environmental loads from water-sprinkled softwood timber. 1. Characteristics of an open and a recycling water system. *Environ Toxicol Chem* 15(6):856-867.
- *Boyden R, Potter VR, Elvehjem CA. 1938. Effect of feeding high levels of copper to albino rats. *J Nutr* 15:397-402.
- *Bradley RW, Morris JR. 1986. Heavy metals in fish from a series of metal-contaminated lakes near Sudbury, Ontario. *Water Air Soil Pollut* 27:341-354.
- Braune B, Muir D, DeMarch B, et al. 1999. Spatial and temporal trends of contaminants in Canadian Arctic freshwater and terrestrial ecosystems: A review. *Sci Total Environ* 230:145-207.
- *Breault RF, Colman JA, Aiken GR, et al. 1996. Copper speciation and binding by organic matter in copper-contaminated streamwater. *Environ Sci Technol* 30:3477-3486.
- Bremner I. 1998. Manifestations of copper excess. *Am J Clin Nutr* 67:1069S-1073S.
- *Breslin VT. 1999. Retention of metals in agricultural soils after amending with MSW and MSW-biosolids compost. *Water Air Soil Pollut* 109:163-178.
- *Brewer GJ. 1995. Interactions of zinc and molybdenum with copper in therapy of Wilson's disease. *Nutrition* 11:114-116.
- Brewer GJ. 1998. Wilson disease and canine copper toxicosis. *Am J Clin Nutr* 67:1087S-1090S.
- *Brewer GJ, Yuzbasiyan-Gurkan V. 1992. Wilson disease. *Medicine* 71(3):139-164.
- *Brewer GJ, Dick RD, Schall W, et al. 1992. Use of zinc acetate to treat copper toxicosis in dogs. *J Am Vet Med Assoc* 201(4):564-568.
- *Brewer GJ, Yuzbasiyan-Gurkan V, Johnson V, et al. 1993. Treatment of Wilson's disease with zinc: XI: Interaction with other anticopper agents. *J Am Coll Nutr* 12(1):26-30.
- *Brewer GJ, Yuzbasiyan-Gurkan V, Lee D-Y, et al. 1989. Treatment of Wilson's disease with zinc. VI. Initial treatment studies. *J Lab Clin Med* 114(6):633-638.
- Brown KR, McPherson RG. 1992. Concentrations of copper, zinc and lead in the Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley) from the Georges River, New South Wales. *Sci Total Environ* 12:27-33.
- *Brown KW, Thomas JC, Slowey JF. 1983. The movement of metals applied to soils in sewage effluent. *Water Air Soil Pollut* 19:43-54.
- *Bruce BW, McMahon PB. 1996. Shallow ground-water quality beneath a major urban center: Denver, Colorado, USA. *J Hydrol* 186:129-151.
- *Buchanan SD, Diseker RA III, Sinks T, et al. 1999. Copper in drinking water, Nebraska, 1994. *Int J Occup Environ Health* 5(4):256-261.

9. REFERENCES

- *Buchholz BA, Landsberger S. 1995. Leaching dynamics studies of municipal solid waste incinerator ash. *J Air Waste Manage Assoc* 45:579-590.
- Buckley DE, Smith JN, Winters GV. 1995. Accumulation of contaminant metals in marine sediments of Halifax Harbour, Nova Scotia: Environmental factors and historical trends. *Appl Geochem* 10:175-195.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 2001. *The Merck index: an encyclopedia of chemicals, drugs and biologicals*. Whitehouse Station, NJ: Merck & Co. Inc., 440, 462.
- Bu-Olayan AH, Subrahmanyam MNV. 1996. Trace metals in fish from the Kuwait coast using the microwave acid digestion technique. *Env Int* 22(6):753-758.
- Burba P, Rocha J, Klockow D. 1994. Labile complexes of trace metals in aquatic humic substances: Investigations by means of an ion exchange-based flow procedure. *Fresenius J Anal Chem* 349:800-807.
- Burkitt MJ. 1994. Copper-DNA adducts. *Methods Enzymol* 234:66-79.
- *Bush JA, Mahoney JP, Markowitz H, et al. 1955. Studies on copper metabolism. XVI. Radioactive copper studies in normal subjects and in patients with hepatolenticular degeneration. *J Clin Invest* 34:1766-1778.
- *Butterman WC. 1982. Copper. In: *Bureau of Mines Minerals Yearbook*. Pittsburgh, PA: U.S. Department of the Interior, 279-285.
- Byczkowski JZ, Gearhart JM, Fisher JW. 1994. "Occupational" exposure of infants to toxic chemicals via breast milk. *Nutrition* 10(1):43-48.
- *Cadle SH, Mulawa PA, Hunsanger EC, et al. 1999. Composition of light-duty motor vehicle exhaust particulate matter in the Denver, Colorado area. *Environ Sci Technol* 33:2328-2339.
- *Calabrese EJ, Moore GS. 1979. Can elevated levels of copper in drinking water precipitate acute hemolysis in G-6-PD deficient individuals. *Med Hypotheses* 5:493-498.
- *Camakaris J, Voskoboinik I, Mercer JF. 1999. Molecular mechanisms of copper homeostasis. *Biochem Biophys Res Commun* 261(2):225-232.
- Camner P, Johansson A. 1992. Reaction of alveolar macrophages to inhaled metal aerosols. *Environ Health Perspect* 97:185-188.
- *Campbell KR. 1994. Concentrations of heavy metals associated with urban runoff in fish living in stormwater treatment ponds. *Arch Environ Contam Toxicol* 27:352-356.
- Camusso M, Vigano L, Balestrini R. 1995. Bioconcentration of trace metals in rainbow trout: A field study. *Ecotoxicol Environ Saf* 31:133-141.
- *Cao ZH, Hu ZY. 2000. Copper contamination in paddy soils irrigated with wastewater. *Chemosphere* 41:3-6.
- *Cao Y, Conklin M, Betterton E. 1995. Competitive complexation of trace metals with dissolved humic acid. *Environ Health Perspect Suppl* 103(Suppl 1):29-32.

9. REFERENCES

- *Capar SG, Cunningham WC. 2000. Element and radionuclide concentrations in food: FDA total diet study 1991-1996. *J AOAC Int* 83(1):157-177.
- Carmalt JL, Baptiste KE, Blakley B. 2001. Suspect copper toxicity in an alpaca. *Can Vet J* 42:554-556.
- Carpenter TO, Pendrak ML, Anast CS. 1988. Metabolism of 25-hydroxyvitamin D in copper-laden rat: a model of Wilson's disease. *Am J Physiol* 254(2 Pt 1):E150-E154.
- *Cartwright GE, Wintrobe MM. 1964. Copper metabolism in normal subjects. *Am J Clin Nutr* 14:224-232.
- Castillo RO, Thaler MM, O'Toole C, et al. 1990. Hepatic copper metabolism in a mouse model for Menkes' Kinky Hair Syndrome. *Pediatr Res* 27(5):492-496.
- Catsiki VA, Bei F. 1992. Determination of trace metals in benthic organisms from an unpolluted area: Cyclades Islands (Aegean Sea). *Fresenius Environ Bull* 1(Suppl):S60-S65.
- Catsiki VA, Papathanassiou E, Bei F. 1991. Heavy metal levels in characteristic benthic flora and fauna in the Central Aegean Sea. *Mar Pollut Bull* 13:566-569.
- *CEIDARS. 2000. Chemical speciation. California Emission Inventory and Reporting System. <http://www.arb.ca.gov/emisinv/speciate/speciate.htm>.
- Chaim W, Mazor M. 1992. Pregnancy with an intrauterine device in situ and preterm delivery. *Arch Gynecol Obstet* 252(1):21-24.
- *Chan WH, Tang AJS, Chung DHS, et al. 1986. Concentration and deposition of trace metals in Ontario - 1982. *Water Air Soil Pollut* 29:373-389.
- Chang CC, Tatum HJ. 1970. A study of the antifertility effect of intrauterine copper. *Contraception* 1:265-270.
- Chang CC, Tatum HJ, Kincl FA. 1970. The effect of intrauterine copper and other metals on implantation in rats and hamsters. *Fertil Steril* 21:274-278.
- Chang SI, Reinfelder JR. 2000. Bioaccumulation, subcellular distribution, and trophic transfer of copper in a coastal marine diatom. *Environ Sci Technol* 34:4931-4935.
- Charlesworth SM, Lees JA. 1999. Particulate-associated heavy metals in the urban environment: their transport from source to deposit, Coventry, UK. *Chemosphere* 39(5):833-848.
- *Chattopadhyay A, Sarkar M, Sengupta R, et al. 1999. Antitesticular effect of copper chloride in albino rats. *J Toxicol Sci* 24(5):393-397.
- *Chen M, Ma LQ, Harris WG. 1999. Baseline concentrations of 15 trace elements in Florida surface soils. *J Environ Qual* 28(4):1173-1181.
- *Chen R, Wei L, Chen R-L. 1995. Lung cancer mortality update and prevalence of smoking among copper miners and smelters. *Scand J Work Environ Health* 21:513-516.

9. REFERENCES

- *Chen R, Wei L, Huang H. 1993. Mortality from lung cancer among copper miners. *Br J Ind Med* 50(6):505-509.
- Chowrimootoo GF, Ahmed HA, Seymour CA. 1996. New insights into the pathogenesis of copper toxicosis in Wilson's disease: evidence for copper incorporation and defective canalicular transport of caeruloplasmin. *Biochem J* 315(Pt 3):851-855.
- *Christensen TH, Kjeldsen P, Albrechtsen HJ, et al. 1994. Attenuation of landfill leachate pollutants in aquifers. *Crit Rev Environ Sci* 24:119-202.
- *Chugh KS, Sakhuja V. 1979. Acute copper intoxication. *Int J Artif Organs* 2(4):181-182.
- Chukwuma C. 1994. Contamination of soils and rice by heavy metals in the Enyigba-Abakaliki lead and zinc mine, Nigeria. *Toxicol Environ Chem* 41:125-130.
- *Chuttani HK, Gupta PS, Gulati S, et al. 1965. Acute copper sulfate poisoning. *Am J Med* 39:849-854.
- Clark DR, Bickham JW, Baker DL, et al. 2000. Environmental contaminants in Texas, USA, wetland reptiles: evaluation using blood samples. *Environ Toxicol Chem* 19(9):2259-2265.
- *Clemens S. 2001. Review: Molecular mechanisms of plant metal tolerance and homeostasis. 212:475-486.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Coakley JP, Serodes JB. 1994. Spatial and vertical trends in sediment-phase contaminants in the upper estuary of the St. Lawrence River. *Estuaries* 16(3B):653-669.
- *Coale KH, Bruland KW. 1988. Copper complexation in the Northeast Pacific. *Limnol Oceanogr* 33:1084-1101.
- Cohen HJ, Powers BJ. 1994. A study of respirable versus nonrespirable copper and zinc oxide exposures at a nonferrous foundry. *Am Ind Hyg Assoc J* 55(11):1047-1059.
- Cohen HJ, Powers BJ. 2000. Particle size characterizations of copper and zinc oxide exposures of employees working in a nonferrous foundry using cascade impactors. *Am Ind Hyg Assoc J* 61(3):422-430.
- Cohen JM, Kamphake LJ, Harris EK, et al. 1960. Taste threshold concentrations of metals in drinking water. *J Am Water Works Assoc* 52:660-661.
- *Colborn T, Clement C, eds. 1992. Chemically-induced alterations in sexual and functional development: The wildlife human connection. In: *Advances in modern environmental toxicology* Vol. XXI: Princeton, NJ: Princeton Scientific Publishing.
- *Cole KL, Engstrom DR, Futyma RP, et al. 1990. Past atmospheric deposition of metals in Northern Indiana measured in a peat core from Cowles Bog. *Environ Sci Technol* 24:543-549.
- Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the National Urban Runoff Program. *J Water Pollut Control Fed* 56:898-908.

9. REFERENCES

- *Coleman ME, Elder RS, Basu P. 1992. Trace metals in edible tissues of livestock and poultry. *J AOAC Int* 75(4):615-625.
- Comber SDW, Gardner MJ, Gunn AM, et al. 1996. Kinetics of trace metal sorption to estuarine. *Chemosphere* 33(6):1027-1040.
- *Cordano A. 1998. Clinical manifestations of nutritional copper deficiency in infants and children. *Am J Clin Nutr* 67:1012S-1016S.
- *Cotton FA, Wilkinson G. 1980. Copper. *Advanced inorganic chemistry*. New York, NY: John Wiley and Sons, 798-821.
- Couillard D, Chartier M, Mercier G. 1994. Major factors influencing bacterial leaching of heavy metals (Cu and Zn) from anaerobic sludge. *Environ Pollut* 85:175-184.
- Cox DW. 1999. Disorders of copper transport. *Br Med Bull* 55(3):544-555.
- *Crampton RF, Matthews DM, Poisner R. 1965. Observation on the mechanism of absorption of copper by the small intestine. *J Physiol* 178:111-126.
- *Crawford DW, Bonnevie NL, Wenning RJ. 1995. Sources of pollution and sediment contamination in Newark Bay, New Jersey. *Ecotoxicol Environ Saf* 30:85-100.
- *CRIS. 2003. CRIS Database. Current Research Information System.
- *Cristofori P, Terron A, Marella M, et al. 1992. Copper supplementation in the rat: Preliminary observations on the clinical, hematological and histopathological profile. *Agents Actions* 108:C118-C120.
- Cromwell GL, Lindemann MD, Monegue HJ, et al. 1998. Tribasic copper chloride and copper sulfate as copper sources for weanling pigs. *J Anim Sci* 76:118-123.
- Cunningham WC, Stroube WB Jr. 1987. Application of an instrumental neutron activation analysis procedure to analysis of food. *Sci Total Environ* 63:29-43.
- Cuzzocrea S, Persichini T, Dugo L, et al. 2003. Copper induces type II nitric oxide synthase in vivo. *Free Radic Biol Med* 34(10):1253-1262.
- *Cyr F, Mehra MC, Mallet VN. 1987. Leaching of chemical contaminants from a municipal landfill site. *Bull Environ Contam Toxicol* 38:775-782.
- *Dameron CT, Harrison MD. 1998. Mechanisms for protection against copper toxicity. *Am J Clin Nutr* 67(5):1091S-1097S.
- *Danks DM. 1988. Copper deficiency in humans. *Annu Rev Nutr* 8:235-257.
- Darwish HM, Cheney JC, Schmitt RC, et al. 1984. Mobilization of copper(II) from plasma components and mechanism of hepatic copper transport. *Am J Physiol* 246:G72-79.

9. REFERENCES

- *Daskalakis KD, O'Connor TP. 1995. Distribution of chemical concentrations in US coastal and estuarine sediment. *Mar Environ Res* 40:381-398.
- Dassel de Vergara J, Zietz B, Schneider HB, et al. 1999. Determination of the extent of excessive copper concentrations in the tap-water of households with copper pipes and an assessment of possible health hazards for infants. *Eur J Med Res* 4(11):475-482.
- *Davidson CI, Goold WD, Mathison TP, et al. 1985. Airborne trace elements in Great Smoky Mountains, Olympic, and Glacier National Parks. *Environ Sci Technol* 19:27-34.
- Davidson LA, McOrmond SL, Harris ED. 1994. Characterization of a particulate pathway for copper in K562 cells. *Biochim Biophys Acta* 1221:1-6.
- *Davies DJA, Bennett BG. 1985. Exposure of man to environmental copper - an exposure commitment. *Sci Total Environ* 46:215-227.
- *Davies NT, Campbell JK. 1977. The effect of cadmium on intestinal copper absorption and binding in the rat. *Life Sci* 20:955-960.
- Davies NT, Nightingale R. 1975. The effects of phytate on intestinal absorption and secretion of zinc, and whole-body retention of Zn, copper, iron and manganese in rats. *Br J Nutr* 34:243-258.
- *Davies-Colley RJ, Nelson PO, Williamson KJ. 1984. Copper and cadmium uptake by estuarine sedimentary phases. *Environ Sci Technol* 18:491-499.
- *Davies-Colley RJ, Nelson PO, Williamson KJ. 1985. Sulfide control of cadmium and copper concentrations in anaerobic estuarine sediments. *Mar Chem* 16:173-186.
- *Davis AP, Shokouhian M, Ni S. 2001. Loading estimates of lead, copper, cadmium, and zinc in urban runoff from specific sources. *Chemosphere* 44:997-1009.
- *Davis CD, Johnson WT. 2002. Dietary copper affects azoxymethane-induced intestinal tumor formation and protein kinase C isozyme protein and mRNA expression. *J Nutr* 132:1018-1025.
- Davis GK, Mertz W. 1987. Copper. Mertz W eds. *Trace elements in human and animal nutrition*: San Diego: Academic Press, Inc., 301-364.
- *Dean JA, ed. 1985. *Lange's handbook of chemistry*. New York, NY: McGraw-Hill Book Co., 10-11.
- De Gregori I, Pinochet H, Delgado D, et al. 1994. Heavy metals in bivalve mussels and their habitats from different sites along the Chilean coast. *Bull Environ Contam Toxicol* 52:261-268.
- *Demerec M, Bertani G, Flint J. 1951. A survey of chemicals for mutagenic action on E coli. *Am Nat* 85:119-136.
- *De Vries DJ, Sewell RB, Beart PM. 1986. Effects of copper on dopaminergic function in the rat corpus striatum. *Exp Neurol* 91:546-558.
- Diaz-Barriga F, Santos MA, Mejia JDJ, et al. 1993. Arsenic and cadmium exposure in children living near a smelter complex in San Luis Potosi, Mexico. *Environ Res* 62(2):242-250.

9. REFERENCES

- Dicarlo FJ. 1979. Copper-induced heart malformations in hamsters. *Experientia* 35:827-828.
- Dicarlo FJ. 1980. Syndromes of cardiovascular malformations induced by copper citrate in hamsters. *Teratology* 21:89-101.
- *Diks DM, Allen HE. 1983. Correlation of copper distribution in a freshwater-sediment system to bioavailability. *Bull Environ Contam Toxicol* 30:37-43.
- Di Toro DM, Allens HE, Bergman HL, et al. 2001. Hazard/risk assessment biotic ligand model of the acute toxicity of metals. 1. Technical basis. *Environ Toxicol Chem* 20(10):2383-2396.
- DOI. 1982. Copper. Bureau of mines minerals yearbook: Pittsburgh, PA: Department of the Interior. 279-285.
- *Domergue FL, Védy JC. 1992. Mobility of heavy metals in soil profiles. *Int J Environ Anal Chem* 46:13-23.
- *Domingo JL, Gomez M, Jones MM. 2000. Comparative efficacy of several potential treatments for copper mobilization in copper-overloaded rats. *Biol Trace Elem Res* 74(2):127-139.
- Donley, SA, Ilagan BJ, Rim H, et al. 2002. Copper transport to mammary gland and milk during lactation in rats. *Am J Physiol Endocrinol Metab* 283(4):E667-E675.
- *Dörner K, Dziadzka S, Höhn A, et al. 1989. Longitudinal manganese and copper balances in young infants and preterm infants fed on breast-milk and adapted cow's milk formulas. *Br J Nutr* 61:559-572.
- *DOT. 2002. List of marine pollutants. Hazardous materials regulations and procedures. U.S. Department of Transportation. Code of Federal Regulations. <http://63.141.231.97/cgi-bin/om>. April 10, 2002.
- *Dressler RL, Storm GL, Tzilkowski WM, et al. 1986. Heavy metals in cottontail rabbits on mined lands treated with sewage sludge. *J Environ Qual* 15(3):278-281.
- *Drummond JG, Aranyi C, Schiff LJ, et al. 1986. Comparative study of various methods used for determining health effects of inhaled sulfates. *Environ Res* 41:514-528.
- *Duby P. 1980. Extractive metallurgy. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley and Sons, 739-767.
- Dudka S, Ponce-Hernandez R, Tate G, et al. 1996. Forms of Cu, Ni, and Zn in soils of Sudbury, Ontario and the metal concentrations in plants. *Water Air Soil Pollut* 90:531-542.
- Dunn MA, Green MH, Leach RM. 1991. Kinetics of copper metabolism in rats: a compartmental model. *Am J Physiol* 261:E115-125.
- Dusing DC, Bishop PL, Keener TC. 1992. Effect of redox potential on leaching from stabilized/solidified waste materials. *J Air Waste Manage Assoc* 42:56-62.
- *Eary LE, Rai D, Mattigod SV, et al. 1990. Geochemical factors controlling the mobilization of inorganic constituents from fossil fuel combustion residues: II. Review of the minor elements. *J Environ Qual* 19:202-214.

9. REFERENCES

- *Eckel WP, Jacob TA. 1988. Ambient levels of 24 dissolved metals in U.S. surface and ground waters. *Prepr Pap Natl Meet Am Chem Soc Div Environ Chem* 28:371-372.
- *Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. *Superfund '88. Proceedings of the 9th National Conference* Nov. 28-30, 1988. Washington, DC 282-286.
- Ecker FJ, Hirai E, Chohji T. 1990. Airborne trace metals in snow on the Japan sea side of Japan. *Atmos Environ* 24A(10):2593-2600.
- Eckert GE, Greene LW, Carstens GE, et al. 1999. Copper status of ewes fed increasing amounts of copper from copper sulfate or copper proteinate. *J Anim Sci* 77:244-249.
- *Effler SW, Litten S, Field SD, et al. 1980. Whole lake response to low level copper sulfate treatment. *Water Res* 14:1489-1499.
- Eife R, Weiss M, Barros V, et al. 1999. Chronic poisoning by copper in tap water: I. Copper intoxications with predominantly gastrointestinal symptoms. *Eur J Med Res* 4(6):219-223.
- *Eisenberg M, Topping JJ. 1986. Trace metal residues in fin fish from Maryland waters, 1978-1979. *J Environ Sci Health B* 21:87-102.
- Eitzer BD, Iannucci-Berger WA, Mark G, et al. 1997. Fate of toxic compounds during composting. *Bull Environ Contam Toxicol* 58:953-960.
- Eklind Y, Beck-Friis B, Bengtsson S, et al. 1997. Chemical characterization of source-separated organic household wastes. *Swed J Agric Res* 27:167-178.
- *Ellenhorn MJ, Schonwald S, Ordog G, eds. 1997. *Ellenhorn's medical toxicology*, 2nd ed. Baltimore, MD: Williams and Wilkins, 1554-1556.
- *Elliott HA, Liberati MR, Huang CP. 1986. Competitive adsorption of heavy metals by soils. *J Environ Qual* 15(3):214-219.
- *Ellis R, Morris ER, Hill AD, et al. 1997. Selected mineral intakes of adult African-Americans in the Washington, DC area. *J Food Comp Anal* 10:334-342.
- *EMMI. 1997. Environmental monitoring methods index. Version 1.1. PC#4082. Rockville, MD: U.S. Environmental Protection Agency, Government Institutes.
- EPA. 1979a. National secondary drinking water regulations. U.S. Environmental Protection Agency. *Fed Regist* 40(143):373-374.
- EPA. 1979b. Copper. Water-related environmental fate of 129 priority pollutants. U.S. Environmental Protection Agency. EPA440479029a.
- EPA. 1980a. Ambient water quality criteria for copper. Washington, DC: U.S. Environmental Protection Agency. EPA440580036.

9. REFERENCES

- EPA. 1980b. Primary copper industry. Industrial process profiles for environmental use. Cincinnati, OH: U.S. Environmental Protection Agency. EPA600280170.
- *EPA. 1981. Treatability manual. Volume 1. U.S. Environmental Protection Agency. EPA600282001a, I4.7-1 to I4.7-5.
- *EPA. 1983. Methods for chemical analysis of water and wastes. Washington, DC: U.S. Environmental Protection Agency. EPA600479020.
- *EPA. 1984. Air quality data for metals 1977 through 1979 from The National Air Surveillance Networks. U.S. Environmental Protection Agency. EPA600S483053.
- EPA. 1985. Notification requirements; reportable quantity adjustments, final rule and proposed rule. U.S. Environmental Protection Agency. Fed Regist 50(65):13456-13490.
- EPA. 1986. Test methods for evaluating solid waste1A: Laboratory manual physical/chemical methods. Washington, DC: U.S. Environmental Protection Agency.
- *EPA. 1987a. Assessment of copper as a potentially toxic air pollutant. U.S. Environmental Protection Agency. Fed Regist 52(35):5496-5499.
- EPA. 1987b. Drinking water criteria document for copper. Cincinnati, OH: U.S. Environmental Protection Agency. Research and Development.
- EPA. 1987c. Processes, coefficients, and models for simulating toxic organics and heavy metals in surface waters. Athens, GA: U.S. Environmental Protection Agency. EPA600387015.
- *EPA. 1988a. Mining waste exclusion. Fed Regist 53(203):41288.
- EPA. 1988b. Analysis of clean water act effluent guidelines pollutants: Summary of the chemicals regulated by industrial point source category. Code of Federal Regulations. 40 CFR Parts 400-475. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1988c. Copper. Chronic health assessment for noncarcinogenic effects. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1988d. Drinking water regulations; maximum contaminant level goals and national primary drinking water regulations for lead and copper. U.S. Environmental Protection Agency. Fed Regist 53(160):31516-31578.
- *EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.
- *EPA. 1991. Maximum contaminated level, goals and national primary drinking-water regulation for lead and copper. Final rule. Fed Regist 56:438-470.
- EPA. 1992. Pesticides in ground water database-A compilation of monitoring studies: 1971-1991. United States Environmental Protection Agency. EPA7341292001.

9. REFERENCES

- *EPA 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Washington, DC. U.S. Environmental Protection Agency, Office of Research and Development.
- *EPA. 1995. Engineering forum issue: Determination of background concentrations of inorganics in soils and sediments at hazardous waste sites: U.S. Environmental Protection Agency, Office of Research and Development, Office of Solid Waste and Emergency Response.
- *EPA. 1997a. Automated Form R for Windows: User's guide (RY97). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- *EPA. 1997b. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.
- *EPA. 1999. National recommended water quality criteria-correction. U.S. Environmental Protection Agency, Office of Water. EPA822Z99001.
- *EPA. 2002a. Effluent guidelines and standards. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15. <http://ecfrback.access.gpo.gov>. April 16, 2002.
- *EPA. 2002b. National emission standards for hazardous air pollutants. Lists of pollutants and applicability of part 61. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61.01(b). <http://ecfrback.access.gpo.gov>. April 09, 2002.
- *EPA. 2002c. National primary drinking water regulations. Consumer factsheet on: Copper. [Wysiwyg://196/http://epa.gov/safewater/dwh/c-ioc/copper.html](http://196/http://epa.gov/safewater/dwh/c-ioc/copper.html). April 09, 2002.
- *EPA. 2002d. National primary drinking water regulations. Maximum contaminant level goals for inorganic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.51(b). <http://ecfrback.access.gpo.gov>. April 09, 2002.
- *EPA. 2002e. National secondary drinking water regulations. Secondary maximum contaminant levels. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 143.3. <http://ecfrback.access.gpo.gov/otcg>. April 09, 2002.
- *EPA. 2002f. Pesticide programs. Copper; exemption from the requirement of a tolerance. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1021. <http://ecfr.access.gpo.gov/otcgi/cf>. April 10, 2002.
- *EPA. 2002g. Standards for owner and operators of hazardous waste treatment, storage, and disposal facilities. Groundwater monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX. <http://ecfr.access.gpo.gov>. April 10, 2001.
- *EPA. 2002h. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://ecfr.access.gpo.gov/otcgi>. April 10, 2002.
- *EPA. 2002i. Toxic chemical release reporting: Community right-to-know. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 377.65(a). <http://ecfr.access.gpo.gov/otcgi/cf>. April 09, 2002.

9. REFERENCES

- *EPA. 2002j. Water programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. <http://ecfrback.access.gpo.gov/otcg>. April 10, 2002.
- *EPA. 2002k. Water programs. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. <http://ecfrback.access.gpo.gov/otcg>. April 10, 2002.
- *Epstein O, Spisni R, Parbhoo S, et al. 1982. The effect of oral copper loading and portasystemic shunting on the distribution of copper in the liver, brain, kidney, and cornea of the rat. *Am J Clin Nutr* 35:551-555.
- Ettinger MJ, Darwish HM, Schmitt RC. 1986. Mechanism of copper transport from plasma to hepatocytes. *Fed Proc* 45:2800-2804.
- Evans DW, Dodoo DK, Hanson PJ. 1993. Trace elements concentrations in fish livers: Implications of variations with fish size in pollution monitoring. *Mar Pollut Bull* 26(6):329-334.
- *Evans GW, Leblanc FN. 1976. Copper-binding protein in rat intestine: Amino acid composition and function. *Nutr Rep Int* 14(3):281-288.
- *Evans GW, Majors PF, Cornatzer WE. 1970a. Mechanism for cadmium and zinc antagonism of copper metabolism. *Biochem Biophys Res Commun* 40:1142-1148.
- *Evans GW, Majors PF, Cornatzer WE. 1970b. Induction of ceruloplasmin synthesis by copper. *Biochem Biophys Res Commun* 41(5):1120-1125.
- *Evering WE, Haywood S, Bremner I, et al. 1991a. The protective role of metallothionein in copper overload: I. Differential distribution of immunoreactive metallothionein in copper-loaded rat liver and kidney. *Chem Biol Interact* 78(3):283-295.
- *Evering WE, Haywood S, Bremner I, et al. 1991b. The protective role of metallothionein in copper-overload. II. Transport and excretion of immunoreactive MT-1 in blood, bile and urine of copper-loaded rats. *Chem Biol Interact* 78(3):297-305.
- Fairfax R. 1996. Exposure to copper, lead, and confined spaces in a foundry. *Appl Occup Environ Hyg* 11(12):1379-1381.
- Fairweather-Tait SJ. 1997. Bioavailability of copper. *Eur J Clin Nutr* 51:S24-S26.
- Frag AM, Woodward DF, Goldstein JN, et al. 1998. Concentrations of metals associated with mining waste in sediments, biofilm, benthic macroinvertebrates, and fish from the Coeur d'Alene River Basin, Idaho. *Arch Environ Contam Toxicol* 34:119-127.
- Farrah H, Pickering WF. 1993. Factors influencing the potential mobility and bioavailability of metals in dried lake sediments. *Chem Speciat Bioavail* 5(3):81-96.
- *Farrer P, Mistilis SP. 1967. Absorption of exogenous and endogenous biliary copper in the rat. *Nature* 213:291-292.

9. REFERENCES

- *FDA. 2000. Total diet study statistics on element results. Washington, DC: U.S. Food and Drug Administration.
- *FDA. 2001a. Beverages. Bottled water. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. <http://www.frwebgate.access.gpo.gov/cgi>. April 09, 2002.
- *FDA. 2001b. Clinical chemistry and clinical toxicology devices. Copper test system. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 862.1190. <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001c. Direct food substances affirmed as generally recognized as safe. Copper sulfate. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 184.1261. <http://www.frwebgate.accessgpo.gov/cgi>. April 10, 2002.
- *FDA. 2001d. Food labeling. Nutritional labeling of food. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 101.9(c)(8). <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001e. Listing of color additives exempt from certification. Copper powder. U.S. Food and Drug Administration. Code of Federal Regulations 21 CFR 73.1647. <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001f. Listing of color additives exempt from certification. Copper powder. U.S. Food and Drug Administration. Code of Federal Regulations 21 CFR 73.2647 <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001g. New drugs. Drug products containing certain active ingredients offered over-the-counter. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 310.545(a)(20). <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001h. Nutritional quality guidelines for foods. Statement of purpose. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 104.20(d)(3). <http://www.frwebgate.accessgpo.gov/cgi>. April 09, 2002.
- *FDA. 2001i. Substances generally recognized as safe. Trace minerals added to animal feeds. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 582.80. <http://www.frwebgate.accessgpo.gov/cgi>. April 10, 2002.
- FEDRIP. 1988. Federal Research In Progress Database. National Technical Information Service, Springfield, VA.
- *FEDRIP. 2003. Federal Research In Progress. Dialog Information Services, Inc.
- *Feiler HD, Storch PJ, Southworth R. 1980. Organics in municipal sludges survey of forty cities. Silver Spring, MD; National Conference: Municipal Industrial Sludge Utility Disposal.
- *Feng X, Melander AP, Klaue B. 2000. Contribution of municipal waste incineration to trace metal deposition on the vicinity. *Water Air Soil Pollut* 119:295-316.
- *Fergusson JE, Stewart C. 1992. The transport of airborne trace elements copper, lead, cadmium, zinc and manganese from a city into rural areas. *Sci Total Environ* 121:247-269.

9. REFERENCES

- Ferm VH, Hanlon DP. 1974. Toxicity of copper salts in hamster embryonic development. *Biol Reprod* 11:97-101.
- *Fernandes AC, Filipe PM, Manso CF. 1992. Protective effects of a 21-aminosteroid against copper-induced erythrocyte and plasma lipid peroxidation. *Eur J Pharmacol* 220(2-3):211-216.
- Fernandes A, Mira ML, Azevedo MS, et al. 1988. Mechanisms of hemolysis induced by copper. *Free Radic Res Commun* 4(5):291-298.
- Fewtrell L, Kay D, MacGill S. 2001. A review of the science behind drinking water standards for copper. *Int J Environ Health Res* 11(2):161-167.
- Fields M, Holbrook J, Scholfield D, et al. 1986. Effect of fructose or starch on copper-67 absorption and excretion by the rat. *J Nutr* 116:625-632.
- *Finelli VN, Boscolo P, Salimei E, et al. 1981. Anemia in men occupationally exposed to low levels of copper. *Heavy Met Environ Int Conf* 4th, 475-478.
- *Finley EB, Cerklewski FL. 1983. Influence of ascorbic acid supplementation on copper status in young adult men. *Am J Clin Nutr* 37(4):553-556.
- *Fischer, PWF, Giroux A, L'Abbe AR. 1984. Effect of zinc supplementation on copper status in adult man. *Am J. Clin Nutr* 40:743-746.
- Fischer PWF, L'Abbe MR, Giroux A. 1990. Effects of age, smoking, drinking, exercise and estrogen use on indices of copper status in healthy adults. *Nutr Res* 10(10):1081-1090.
- Fishman JH, Fishman J. 1988. Copper and endogenous mediators of estradiol action. *Biochem Biophys Res Commun* 152(2):783-788.
- Fitzgerald DJ. 1995. Copper guideline values for drinking water: Reviews in need of review? *Regul Toxicol Pharmacol* 21:177-179.
- Fitzgerald DJ. 1996. Copper regulatory level in drinking-water as proposed by Sidhu et al. *Regul Toxicol Pharmacol* 23:173-175.
- Fitzgerald DJ. 1998. Safety guidelines for copper in water. *Am J Clin Nutr* 67(Suppl):1098S-1102S.
- *Fleckman P. 1985. Anatomy and physiology of the nail. *Dermatol Clin* 3(3):373-381.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Ford ES. 2000. Serum copper concentration and coronary heart disease among U.S. adults. *Am J Epidemiol* 151(12):1182-1188.
- Forman SJ, Kumar KS, Redeker AG, et al. 1980. Hemolytic anemia in Wilson disease: Clinical findings and biochemical mechanisms. *Am J Hematol* 9:269-275.

9. REFERENCES

- *Fox DL. 1987. Air pollution. *Anal Chem* 59:280R-294R.
- Fox JG, Zeman DH, Mortimer JD. 1994. Copper toxicosis in sibling ferrets. *J Am Vet Med Assoc* 205(8):1154-1156.
- Fraser JK, Butler CA, Timperley MH, et al. 2000. Formation of copper complexes in landfill leachate and their toxicity to zebrafish embryos. *Environ Toxicol Chem* 19(5):1394-1402.
- *Frazier LM, Hage ML. 1998. Appendix 1 Occupational exposure limits for chemicals. In: *Reproductive hazards of the workplace*. New York: Van Nostrand Reinhold, 537-543.
- Freedman JM, Peisach J. 1989a. Intracellular copper transport in cultured hepatoma cells. *Biochem Biophys Res Commun* 164(1):134-140.
- *Freedman JM, Peisach J. 1989b. Resistance of cultured hepatoma cells to copper toxicity. Purification and characterization of the hepatoma metallothionein. *Biochim Biophys Acta* 992:145-154.
- Freedman JH, Ciriolo MR, Peisach J. 1989. The role of glutathione in copper metabolism and toxicity. *J Biol Chem* 264(10):5598-5605.
- Freedman JH, Pickart L, Weinstein B, et al. 1982. Structure of the Glycyl-L-lysine-Copper(II) complex in solution. *Biochemistry* 21:4540-4544.
- Frias-Espericueta MG, Osuna-Lopez JI, Sandoval-Salazar G, et al. 1999. Distribution of trace metals in different tissues in the rock oyster *Crassostrea iridescens*: Seasonal variation. *Bull Environ Contam Toxicol* 63:73-79.
- *Frost DV, Olson OE. 1972. The two faces of selenium-can selenophobia be cured? *CRC Crit Rev Toxicol* 1:467-514.
- FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines: 8 & 16.
- Fuentealba IC, Bratton GR. 1994. The role of the liver, kidney and duodenum in tolerance in the copper-loaded rat. *Toxicol* 6(4):345-358.
- *Fuentealba IC, Haywood S. 1988. Cellular mechanisms of toxicity and tolerance in the copper-loaded rat. I. Ultrastructural changes in the liver. *Liver* 8:372-380.
- Fuentealba IC, Davis RW, Elmes ME, et al. 1993. Mechanisms of tolerance in the copper-loaded rat liver. *Exp Mol Pathol* 59(1):71-84.
- Fuentealba IC, Haywood S, Foster J. 1989a. Cellular mechanisms of toxicity and tolerance in the copper-loaded rat. II. Pathogenesis of copper toxicity in the liver. *Exp Mol Pathol* 50:26-37.
- Fuentealba IC, Haywood S, Foster J. 1989b. Cellular mechanisms of toxicity and tolerance in the copper-loaded rat. III. Ultrastructural changes and copper localization in the kidney. *Br J Exp Pathol* 70(5):543-556.

9. REFERENCES

- Fuentealba IC, Haywood S, Trafford J. 1989c. Variations in the intralobular distribution of copper in the livers of copper-loaded rats in relation to the pathogenesis of copper storage diseases. *J Comp Pathol* 100(1):1-11.
- *Fuentealba IC, Mullins JE, Aburto EM, et al. 2000. Effect of age and sex on liver damage due to excess dietary copper in Fischer 344 rats. *Clin Toxicol* 38(7):709-717.
- *Fuhrer GJ. 1986. Extractable cadmium, mercury, copper, lead, and zinc in the lower Columbia River Estuary, Oregon and Washington. U.S. Geological Survey Water Resources Investigations Report 86(4088). Portland, Oregon: U.S. Department of Interior.
- *Fukui H, Yamamoto M, Sasaki S, et al. 1993. Involvement of 5-HT₃ receptors and vagal afferents in copper sulfate- and cisplatin-induced emesis in monkeys. *Eur J Pharmacol* 249(1):13-18.
- *Fukui H, Yamamoto M, Sasaki S, et al. 1994. Possible involvement of peripheral 5-HT₄ receptors in copper sulfate-induced vomiting in dogs. *Eur J Pharmacol* 257(1-2):47-52.
- *Furst A. 1971. Trace elements related to specific chronic diseases: Cancer. *Environmental geochemistry in health and disease*. The Geological Society of America, Inc., 123:109-130.
- Gaetke LM, Chow CK. 2003. Copper toxicity, oxidative stress, and antioxidant nutrients. *Toxicology* 189(1-2):147-163.
- Galasinska-Pomykol I, Moniuszko-Jakoniuk J, Pietrewicz T. 1993. Changes in neurosecretory material content in neurohypophysis of rats submitted to chronic treatment with copper. *Ann Med Univ Bialyst Pol* 38(1):72-78.
- *Gallagher CH. 1979. Biochemical and pathological effects of copper deficiency. In: Nriagu JO, ed. *Copper in the environment*. New York, NY: John Wiley & Sons, 58-82.
- Gallagher MD, Nuckols JR, Stallones L, et al. 1998. Exposure to trihalomethanes and adverse pregnancy outcomes. *Epidemiology* 9(5):484-489.
- *Galloway JN, Norton SA, Volchok HL, et al. 1982. Trace metals in atmospheric deposition: A review and assessment. *Atmos Environ* 16(7):1677-1700.
- Gambling L, Danzeisen R, Fosset C, et al. 2003. Iron and copper interactions in development and the effect on pregnancy outcome. *J Nutr* 133(5 Suppl 1):1554S-1556S.
- *Gao L, Li R, Wang K. 1989. Kinetic studies of mobilization of copper (II) from human serum albumin with chelating agents. *J Inorg Biochem* 36(2):83-92.
- *Gao S, Walker WJ, Dahlgren RA. 1997. Simultaneous sorption of Cd, Cu, Ni, Zn, Pb, and Cr on soils treated with sewage sludge supernatant. *Water Air Soil Pollut* 93:331-345.
- Gardner M, Ravenscroft J. 1991. The behavior of copper complexation in rivers and estuaries: Two studies in North East England. *Chemosphere* 23(6):695-713.
- Garnier J-M, Pham MK, Ciffroy P, et al. 1997. Kinetics of trace element complexation with suspended matter and with filterable ligands in freshwater. *Environ Sci Technol* 31:1597-1606.

9. REFERENCES

- *Garrett NE, Lewtas J. 1983. Cellular toxicity in Chinese hamster ovary cells culture I. *Environ Res* 32:455-465.
- Garty J, Kauppi M, Kauppi A. 1996. Accumulation of airborne elements from vehicles in transplanted lichens in urban sites. *J Environ Qual* 25:265-272.
- *Georgopoulos AR, Yonone-Lioy MJ, Opiekun RE, et al. 2001. Environmental copper: Its dynamics and human exposure issues. *J Toxicol Environ Health Part B Crit Rev* 4(4):341-394.
- *Gerhardsson L, Brune D, Lundstrom N-G, et al. 1993. Biological specimen bank for smelter workers. *Sci Total Environ* 139/140:157-173.
- Gerhardsson L, Brune D, Nordberg GF, et al. 1988. Occupation-related cancer in a Nordic copper smeltery. *Arctic Med Res* 47:628-631.
- *Gerritse RG, Driel WV. 1984. The relationship between adsorption of trace metals, organic matter, and pH in temperate soils. *J Environ Qual* 13(2):197-204.
- Gibbs PJ, Miskiewicz AG. 1995. Heavy metals in fish near a major primary treatment sewage plant outfall. *Mar Pollut Bull* 30(10):667-674.
- *Giesy JP, Briese LA, Leversee GJ. 1978. Metal binding capacity of selected Maine surface waters. *Environ Geol* 2(5):257-268.
- *Giesy JP, Newell A, Leversee GJ. 1983. Copper speciation in soft, acid, humic waters: Effects on copper bioaccumulation by and toxicity to *Simocephalus serrulatus*. *Sci Total Environ* 28:23-36.
- *Gill JS, Bhagat CI. 1999. Acute copper poisoning from drinking lime cordial prepared and left overnight in an old urn. *Med J Aust* 170(10):510.
- *Gilman JPW. 1962. Metal carcinogenesis: II. A study on the carcinogenic activity of cobalt, copper, iron, and nickel compounds. *Cancer Res* 22:158-162.
- *Gitlin D, Hughes WL, Janeway CA. 1960. Absorption and excretion of copper in mice. *Nature* 188(4745):150-151.
- *Giusquiani PL, Gigliotti G, Businelli D. 1992. Mobility of heavy metals in urban waste-amended soils. *J Environ Qual* 21:330-335.
- *Giusti L, Yang Y-L, Hewitt CN, et al. 1993. The solubility and partitioning of atmospherically derived trace metals in artificial and natural waters: A review. *Atmos Environ* 27A(10):1567-1578.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Gleason RP. 1968. Exposure to copper dust. *Am Ind Hyg Assoc J* 29:461-462.
- *Goldberg ED. 1986. The mussel watch concept. *Environ Monit Assess* 7:91-103.
- *Goldin A, Bigelow C, Veneman PLM. 1992. Concentrations of metals in ash from municipal solid waste combusters. *Chemosphere* 24(3):271-280.

9. REFERENCES

- *Gollan JL, Deller DJ. 1973. Studies on the nature and excretion of biliary copper in man. *Clin Sci* 44:9-15.
- *Golomb D, Ryan D, Eby N, et al. 1997. Atmospheric deposition of toxics onto Massachusetts Bay-I. Metals. *Atmos Environ* 31(9):1349-1359.
- Gonzalez-Vila FJ, Bautista JM, Del Rio JC, et al. 1993. Evolution of chemicals within the dump profile in a controlled landfill. *Chemosphere* 31(3):2817-2825.
- Gooneratne SR, Gawthorne JM, Howell JM. 1989a. Distribution of Cu, Zn, and Fe in the soluble fraction of the kidney in normal, copper-poisoned, and thiomolybdate-treated sheep. *J Inorg Biochem* 35:37-53.
- Gooneratne SR, Howell JM, Gawthorne JM, et al. 1989b. Subcellular distribution of copper in the kidneys of normal, copper-poisoned, and thiomolybdate-treated sheep. *J Inorg Biochem* 35:23-36.
- Gorlach U, Boutron CF. 1992. Variations in heavy metals concentrations. *J Atmos Chem* 14:205-222.
- *Gotteland M, Araya M, Pizarro F, et al. 2001. Effect of acute copper exposure on gastrointestinal permeability in healthy volunteers. *Dig Dis Sci* 46(9):1909-1914.
- *Gralak MA, Leontowicz M, Morawiec M, et al. 1996. Comparison of the influence of dietary fibre sources with different proportions of soluble and insoluble fibre on Ca, Mg, Fe, Zn, Mn and Cu apparent absorption in rats. *Arch Tierernaehr* 49(4):293-299.
- *Greenberg AE, Trussell RR, Clesceri LS, eds. 1985. Copper: Neocuprione method. In: *Standard methods: For the examination of water and wastewater*. Washington, DC: American Public Health Association, 205-207.
- *Greene FL, Lamb LS, Barwick M, et al. 1987. Effect of dietary copper on colonic tumor production and aortic integrity in the rat. *J Surg Res* 42:503-512.
- Greger JL, Zaikis SC, Abernathy RP, et al. 1978. Zinc, nitrogen, copper, iron and manganese balance in adolescent females fed two levels of zinc. *J Nutr* 108:1449-1456.
- Gregori ID, Pinochet H, Arancibia M, et al. 1996a. Grain size effect on trace metals distribution in sediments from two coastal areas of Chile. *Bull Environ Contam Toxicol* 57:163-170.
- Gregori ID, Pinochet H, Gras N, et al. 1996b. Variability of cadmium, copper and zinc levels in molluscs and associated sediments from Chile. *Environ Pollut* 92(3):359-368.
- *Gregus Z, Klaassen CD. 1986. Disposition of metals in rats: A comparative study of fecal, urinary, and biliary excretion and tissue distribution of eighteen metals. *Toxicol Appl Pharmacol* 85:24-38.
- Gromping AHJ, Ostapczuk P, Emons H. 1997. Wet deposition in Germany: Long-term trends and the contribution of heavy metals. *Chemosphere* 34(9/10):2227-2236.
- *Gross AF, Given PS, Athnasios AK. 1987. Food. *Anal Chem* 59:212R-252R.
- Gulliver JM. 1991. A fatal copper sulfate poisoning. *J Anal Toxicol* 15(6):341-342.

9. REFERENCES

- Gulson BL, Mizon KJ, Korsch, MJ, et al. 2001. Dietary intakes of selected elements from longitudinal 6-day duplicate diets for pregnant and nonpregnant subjects and elemental concentrations of breast milk and infant formula. *Environ Res Sect A* 87:160-174.
- *Gupta UC. 1979. Copper in agricultural crops. Nriagu JO, ed. In: *Copper in the environment. Part I: Ecological Cycling*. New York: John Wiley & Sons Inc.
- *Gutenmann WH, Rutzke M, Kuntz HT, et al. 1994. Elements and polychlorinated biphenyls in sewage sludges of large cities in the United States. *Chemosphere* 28(4):725-728.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. *Similarities and differences between children and adults: Implications for risk assessment*. Washington, DC: International Life Sciences Institute Press.
- *Haddad DS, al-Alousi A, Kantarjian AH. 1991. The effect of copper loading on pregnant rats and their offspring. *Funct Dev Morphol* 1(3):17-22.
- *Haines RC. 1984. Environmental contamination-surveys of heavy metals in urban soils and hazard assessment. *Trace Subst Environ Health* 18:450-460.
- *Hall AC, Young BW, Bremner I. 1979. Intestinal metallothionein and the mutual antagonism between copper and zinc in the rat. *J Inorg Biochem* 11:57-66.
- Hall WS, Pulliam GW. 1995. An assessment of metals in an estuarine wetlands ecosystem. *Arch Environ Contam Toxicol* 29:164-173.
- Hanna LA, Peters JM, Wiley LM, et al. 1997. Comparative effects of essential and nonessential metals on preimplantation mouse embryo development in vitro. *Toxicology* 116(1-3):123-131.
- Harada M, Sakisaka S, Yoshitake S, et al. 1993. Biliary copper excretion in acutely and chronically copper-loaded rats. *Hepatology* 17(1):111-117.
- Harris ED. 1991. Copper transport: An overview. *Proc Soc Exp Biol Med* 196(2):130-140.
- *Harris ED. 1993. The transport of copper: Essential and toxic trace elements in human health and disease. *Prog Clin Biol Res* 380:163-179.
- Harris ED, Percival SS. 1989. Copper transport: Insights into a ceruloplasmin-based delivery system. *Adv Exp Med Biol* 258:95-102.
- Harris ED, Percival SS. 1991. A role for ascorbic acid in copper transport. *Am J Clin Nutr* 54:1193S-1197S.
- *Harris ED, Qian Y, Tiffany-Castiglioni E, et al. 1998. Functional analysis of copper homeostasis in cell culture models: a new perspective on internal copper transport. *Am J Clin Nutr* 67:988S-995S.
- Harris ZL, Gitlin JD. 1996. Genetic and molecular basis for copper toxicity. *Am J Clin Nutr* 63(5):836S-841S.
- *Harrison BJ. 1998. Table 1. Copper concentrations in the environment. In: *Copper information sourcebook- 1998- the world's scientific literature on copper in the environment and health*, 21-62.

9. REFERENCES

- Harrison FL. 1982. A review of the impact of copper released into marine and estuarine environments. U.S. Nuclear Regulatory Commission. Washington, DC: Lawrence Livermore Laboratory. NUREG/CR-2823.
- *Harrison FL, Bishop DJ. 1984. A review of the impact of copper released into freshwater environments. U.S. Nuclear Regulatory Commission. Livermore, CA: Lawrence Livermore National Laboratory. NUREG/CR-3478.
- *Harrison FL, Bishop DJ, Emerson RR, et al. 1980. In: U.S. Nuclear Regulatory Commission eds. Concentration and speciation of copper in waters collected near the San Onofre and Diablo Canyon nuclear power stations: Washington, DC: Lawrence Livermore Laboratory. NUREG/CR-0750.
- Harrison RM, Jones M. 1995. The chemical composition of airborne particles in the UK atmosphere. *Sci Total Environ* 168:195-214.
- Hasan N, Emery D, Baithun D. 1995. Chronic copper intoxication due to ingestion of coins: a report of an unusual case. *Hum Exp Toxicol* 14(6):500-502.
- *Haschke F, Ziegler EE, Edwards BB, et al. 1986. Effect of iron fortification of infant formula on trace mineral absorption. *J Pediatr Gastroenterol Nutr* 5(5):768-773.
- Hassan SM, Garrison AW, Allen HE, et al. 1996. Estimation of partition coefficients for five trace metals in sandy sediments and application to sediment quality criteria. *Environ Toxicol Chem* 15(12):2198-2208.
- *Hawley GG. 1981. *The condensed chemical dictionary*. New York, NY: Van Nostrand Reinhold Company. 273-274.
- Hayashi M, Kuge T, Endoh D, et al. 2000. Hepatic copper accumulation induces DNA strand breaks in the liver cells of Long-Evans Cinnamon strain rats. *Biochem Biophys Res Commun* 276(1):174-178.
- Hayward DG, Petreas MX, Winkler JJ, et al. 1996. Investigation of a wood treatment facility: Impact on an aquatic ecosystem in the San Joaquin River, Stockton, California. *Arch Environ Contam Toxicol* 30:30-39.
- *Haywood S. 1980. The effect of excess dietary copper on the liver and kidney of the male rat. *J Comp Pathol* 90:217-232.
- *Haywood S. 1985. Copper toxicosis and tolerance in the rat: I-changes in copper content of the liver and kidney. *J Pathol* 145:149-158.
- *Haywood S, Comerford B. 1980. The effect of excess dietary copper on plasma enzyme activity and on the copper content of the blood of the male rat. *J Comp Pathol* 90:233-238.
- *Haywood S, Loughran M. 1985. Copper toxicosis and tolerance in the rat. II. Tolerance-a liver protective adaptation. *Liver* 5:267-275.
- *Haywood S, Loughran M, Batt RM. 1985a. Copper toxicosis and tolerance in the rat. III. Intracellular localization of copper in the liver and kidney. *Exp Mol Pathol* 43:209-219.

9. REFERENCES

- *Haywood S, Trafford J, Loughran M. 1985b. Copper toxicosis and tolerance in the rat. IV. Renal tubular excretion of copper. *Br J Exp Pathol* 66:699-707.
- *HazDat. 2002. Agency for Toxic Substances and Disease Registry (ATSDR). Atlanta, GA. <http://www.atsdr.cdc.gov/hazdat.html>. May 8, 2002.
- *HazDat. 2004. Agency for Toxic Substances and Disease Registry (ATSDR). Atlanta, GA. <http://www.atsdr.cdc.gov/hazdat.html>. July 29, 2004.
- *He X-T, Logan TJ, Traina SJ. 1995. Physical and chemical characteristics of selected US municipal solid waste compost. *J Environ Qual* 24:543-552.
- Headley AD. 1996. Heavy metal concentrations in peat profiles from the high Arctic. *Sci Total Environ* 177:105-111.
- Hebert CD, Elwell MR, Travlos GS, et al. 1993. Subchronic toxicity of cupric sulfate administered in drinking water and feed to rats and mice. *Fundam Appl Toxicol* 21(4):461-475.
- Heiny JS, Tate CM. 1997. Concentration, distribution, and comparison of selected trace elements in bed sediment and fish tissue in the South Platte River Basin, U.S.A., 1992-1993. *Arch Environ Contam Toxicol* 32:246-259.
- *Heit M, Klusek CS. 1985. Trace element concentrations in the dorsal muscle of white suckers and brown bullheads from two acidic Adirondack lakes. *Water Air Soil Pollut* 25:87-96.
- Helgen SO, Moore JN. 1996. Natural background determination and impact quantification in trace metal-contaminated river sediments. *Environ Sci Technol* 30:129-135.
- *Hellou J, Fancey LL, Payne JF. 1992a. Concentrations of twenty-four elements in bluefin tuna, *Thunnus thynnus* from the Northwest Atlantic. *Chemosphere* 24(2):211-218.
- *Hellou J, Warren WG, Payne JF, et al. 1992b. Heavy metals and other elements in three tissues of cod, *Gadus morhua* from the Northwest Atlantic. *Mar Pollut Bull* 24(9):452-458.
- Helmers E, Schrems O. 1995. Wet deposition of metals to the tropical north and the south Atlantic Ocean. *Atmos Environ* 29(18):2475-2484.
- *Helz GR, Huggett RJ, Hill JM. 1975. Behavior of Mn, Fe, Cu, Zn, Cd, and Pb discharged from a wastewater treatment plant into an estuarine environment. *Water Res* 9:631-636.
- Heramanson MH. 1993. Historical accumulation of atmospherically derived pollutant trace metals in the arctic as measured in dated sediment cores. *Water Sci Technol* 28(8-9):33-41.
- *Herawati N, Suzuki S, Hayashi K, et al. 2000. Cadmium, copper, and zinc levels in rice and soil of Japan, Indonesia, and China by soil type. *Bull Environ Contam Toxicol* 64:33-39.
- Hering JG, Morel FMM. 1988. Kinetics of trace metal complexation: Role of alkaline-earth metals. *Environ Sci Technol* 22:1469-1478.
- *Hermann R, Newmann-Mahlkau P. 1985. The mobility of zinc, cadmium, copper, lead, iron, and arsenic in ground water as a function of redox potential and pH. *Sci Total Environ* 43:1-12.

9. REFERENCES

- *Hernandez LM, Gonzalez MJ, Rico MC, et al. 1985. Presence and biomagnification of organochlorine pollutants and heavy metals in mammals of Donana National Park (Spain) 1982-1983. *J Environ Sci Health B* 20:633-650.
- Hildemann LM, Markowski GR, Cass GR. 1991. Chemical composition of emissions from urban sources of fine organic aerosol. *Environ Sci Technol* 25:744-759.
- Hirano S, Ebihara H, Sakai S, et al. 1993. Pulmonary clearance and toxicity of intratracheally instilled cupric oxide in rats. *Arch Toxicol* 67(5):312-317.
- *Hirano S, Sakai S, Ebihara H, et al. 1990. Metabolism and pulmonary toxicity of intratracheally instilled cupric sulfate in rats. *Toxicology* 64(3):223-233.
- Hochstein P, Kumar KS, Forman SJ. 1978. Mechanisms of copper toxicity in red cells. *Prog Clin Biol Res* 21:669-686.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hoffmann P, Dedik AN, Deutsch F, et al. 1997. Solubility of single chemical compounds from an atmosphere aerosol in pure water. *Atmos Environ* 31(17):2777-2785.
- *Holak W. 1983. Determination of copper, nickel, and chromium in foods. *J Assoc Off Anal Chem* 66(3):620-624.
- *Holland MK, White IG. 1988. Heavy metals and human spermatozoa. III. The toxicity of copper ions for spermatozoa. *Contraception* 38(6):685-695.
- *Holleran RS. 1981. Copper sulfate overdose. *J Emerg Nurs* 7:136-137.
- *Holmgren GGS, Meyer MW, Chaney RL, et al. 1993. Cadmium, lead, zinc, copper, and nickel in agricultural soils of the United States of America. *J Environ Qual* 22:335-348.
- *Holtzman NA, Elliott DA, Heller RH. 1966. Copper intoxication. *N Engl J Med* 275:347-352.
- *Hoogenraad TU, Koevuet R, deRuyter Korver EG. 1979. Oral zinc sulphate as long-term treatment in Wilson's disease (hepatolenticular degeneration). *Eur Neurol* 18:205-211.
- *Hopps HC. 1977. The biologic bases for using hair and nail for analyses of trace elements. *Sci Total Environ* 7:71-89.
- *Horng C-J. 1996. Simultaneous determination of urinary zinc, cadmium, lead and copper concentrations in steel production workers by differential-pulse anodic stripping voltammetry. *Analyst* 121(10):1511-1514.
- Horowitz AJ, Lum KR, Garbarino JR, et al. 1996. Problems associated with using filtration to define dissolved trace element concentrations in natural water samples. *Environ Sci Technol* 30:954-963.
- Hosovski E, Sunderic D, Sindji M. 1990. [Functional and histologic changes in the kidney in copper poisoning in rats.] *Srp Arh Celok Lek* 118(11-12):445-449. (Serbo-Croatian, Cyrillic)

9. REFERENCES

- *HSDB. 2004. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/html>.
- *Huh CA. 1996. Fluxes and budgets of anthropogenic metals in the Santa Monica and San Pedro Basins off Los Angeles: Review and reassessment. *Sci Total Environ* 179:47-60.
- *Humphries WR, Morrice PC, Bremner I. 1988. A convenient method for the treatment of chronic copper poisoning in sheep using subcutaneous ammonium tetrathiomolybdate. *Vet Rec* 123(2):51-53.
- Hurley JP, Shafer MM, Cowell SE, et al. 1996. Trace metal assessment of Lake Michigan tributaries using low-level techniques. *Environ Sci Technol* 30:2093-2098.
- *Hutchinson TC. 1979. Copper contamination of ecosystems caused by smelter activities. In: Nriagu JO, ed. *Copper in the environment. Part I: Ecological cycling*. New York: John Wiley and Sons Inc.
- Hwang DF, Wang LC, Cheng HM. 1998. Effect of taurine on toxicity of copper in rats. *Food Chem Toxicol* 36(3):239-244.
- *Iannuzzi TJ, Huntley SL, Schmidt CW, et al. 1997. Combined sewer overflows (CSOs) as sources of sediment contamination in the lower Passaic River, New Jersey. I. Priority pollutants and inorganic chemicals. *Chemosphere* 34(2):213-231.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. 31-32, 61.
- *IARC. 2002. Overall evaluation of carcinogenicity to humans. Group 3: Unclassifiable as to carcinogenicity to humans. IARC monographs programme on the evaluation of carcinogenic risks to humans. International Agency for Research on Cancer. <http://193.51.164.11/monoeval/crthgr03htm>. April 09, 2002.
- *IOM. 2001. Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium and zinc. Institute of Medicine, Food and Nutrition Board. Washington DC. National Academy Press.
- *IRIS. 2004. Copper. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0368.htm>. February 10, 2004.
- *Isaac RA, Gil L, Cooperman AN, et al. 1997. Corrosion in drinking water distribution systems: A major contributor of copper and lead to wastewaters and effluents. *Environ Sci Technol* 31:3198-3203.
- *Iyengar V, Woittiez J. 1988. Trace elements in human clinical specimens: Evaluation of literature data to identify reference values. *Clin Chem* 34(3):474-481.
- Jackson DR, Garrett BC, Bishop TA. 1984. Comparison of batch and column methods for assessing leachability of hazardous waste. *Environ Sci Technol* 18(9):668-673.
- *Jacob RA, Skala JH, Omaye ST, et al. 1987. Effect of varying ascorbic acid intakes on copper absorption and ceruloplasmin levels of young men. *J Nutr* 117:2109-2115.
- *Janssen RPT, Peijnenburg WJGM, Posthuma L, et al. 1997. Equilibrium partitioning of heavy metals in Dutch field soils: I. Relationship between metal partition coefficients and soil characteristics. *Environ Toxicol Chem* 16(12):2470-2478.

9. REFERENCES

- *Jantsch W, Kulig K, Rumack BH. 1985. Massive copper sulfate ingestion resulting in hepatotoxicity. *Clin Toxicol* 22(6):585-588.
- *Jenkins D, Russell LL. 1994. Heavy metals contribution of household washing products to municipal wastewater. *Water Environ Res* 66:805-813.
- Jiménez I, Aracena P, Letelier ME, et al. 2002. Chronic exposure of HepG2 cells to excess copper results in depletion of glutathione and induction of metallothionein. *Toxicol in Vitro* 16:167-175.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- *Johansson A, Camner P, Jastrand C, et al. 1983. Rabbit alveolar macrophages after inhalation of soluble cadmium, cobalt, and copper: A comparison with the effects of soluble nickel. *Environ Res* 31:340-354.
- *Johansson A, Curstedt T, Robertson B, et al. 1984. Lung morphology and phospholipids after experimental inhalation of soluble cadmium, copper, and cobalt. *Environ Res* 34:295-309.
- Johns C, Timmerman. 1998. Total cadmium, copper, and zinc in two dreissenid mussels, *Dreissena polymorpha* and *Dreissena bugensis*, at the outflow of Lake Ontario. *J Great Lakes Res* 24(1):55-64.
- *Johnson CA, Sigg L, Zobrist J. 1987. Case studies on the chemical composition of fogwater: The influence of local gaseous emissions. *Atmos Environ* 21(11):2365-2374.
- Johnson PE. 1989. Factors affecting copper absorption in humans and animals. *Adv Exp Med Biol* 258:71-79.
- *Johnson PE, Milne DB, Lykken GI. 1992. Effects of age and sex on copper absorption, biological half-life, and status in humans. *Am J Clin Nutr* 56(5):917-925.
- Johnson PE, Stuart MA, Bowman TD. 1988a. Bioavailability of copper in rats from various foodstuffs and in the presence of different carbohydrates. *Proc Soc Exp Biol Med* 187(1):44-50.
- *Johnson PE, Stuart MA, Hunt JR, et al. 1988b. Copper absorption by women fed intrinsically and extrinsically labeled goose meat, goose liver, peanut butter and sunflower butter. *J Nutr* 118(12):1522-1528.
- *Jolly JL, Edelstein D. 1987. Bureau of mines minerals yearbook-Copper, 1-57.
- Jones MM, Singh PK, Zimmerman LJ, et al. 1995. Effects of some chelating agents on urinary copper excretion by the rat. *Chem Res Toxicol* 8:942-948.
- Junge RE, Thornburg L. 1989. Copper poisoning in four llamas. *J Am Vet Med Assoc* 195(7):987-989.
- Kabala C, Singh BR. 2001. Fractionation and mobility of copper, lead, and zinc in soil profiles in the vicinity of a copper smelter. *J Environ Qual* 30(2):485-492.

9. REFERENCES

- Kahkonen MA, Pantsar-Kallio M, Manninen PKG. 1997. Analysing heavy metal concentrations in the different parts of *Elodea canadensis* and surface sediment with PCA in two boreal lakes in Southern Finland. *Chemosphere* 35(11):2645-2656.
- Kahkonen MA, Suominen KP, Manninen PKG, et al. 1998. 100 Years of sediment accumulation history of organic halogens and heavy metals in recipient and nonrecipient lakes of pulping industry in Finland. *Environ Sci Technol* 32(12):1741-1746.
- Kalac P, Niznanska M, Bevilaqua D, et al. 1996. Concentrations of mercury, copper, cadmium, and lead in fruiting bodies of edible mushrooms in the vicinity of a mercury smelter and a copper smelter. *Sci Total Environ* 177:251-258.
- *Kamamoto Y, Makiura S, Sugihara S, et al. 1973. The inhibitory effects of copper on DL-ethionine carcinogenesis in rats. *Cancer Res* 33:1129-1135.
- Kapur MM, Mokkapatil S, Farooq A, et al. 1984. Copper intravas device (IVD) and male contraception. *Contraception* 29(1):45-54.
- *Karlsson B, Noren L. 1965. Ipecacuanha and copper sulphate as emetics in intoxications in children. *Acta Paediatr Scand* 54:331-335.
- Karthikeyan KG, Elliott HA, Cannon FS. 1997. Adsorption and coprecipitation of copper with the hydrous oxides of iron and aluminum. *Environ Sci Technol* 31:2721-2725.
- Kasama T, Tanaka H. 1989. Effects of oral copper administration to pregnant heterozygous brindled mice on fetal viability and copper levels. *J Nutr Sci Vitaminol* 35(6):627-638.
- Kashulin NA, Ratkin NE, Dauvalter VA, et al. 2001. Impact of airborne pollution on the drainage area of subarctic lakes and fish. *Chemosphere* 42:51-59.
- *Keller C, Vedy J-C. 1994. Heavy metals in the environment-Distribution of copper and cadmium fractions in two forest soils. *J Environ Qual* 23:987-999.
- *Keller JC, Kaminski EJ. 1984. Toxic effects of Cu implants on liver. *Fundam Appl Toxicol* 4:778-783.
- *Kennish MJ. 1998. Trace metal-sediment dynamics in estuaries: Pollution assessment. *Rev Environ Contam Toxicol* 155:69-110.
- Kidwell JM, Phillips LJ, Birchard GF. 1995. Comparative analyses of contaminant levels in bottom feeding and predatory fish using the national contaminant biomonitoring program data. *Bull Environ Contam Toxicol* 54:919-923.
- *Kilbride KM, Paveglio FL, Altstatt AL, et al. 1998. Contaminant loading in drainage and fresh water used for wetland management at Stillwater National Wildlife Refuge. *Arch Environ Contam Toxicol* 35:236-248.
- Kim K-H, Kim D-Y. 1996. Heavy metal pollution in agricultural soils: Measurements in the proximity of abandoned mine land sites (AMLs). *J Environ Sci Health Part A* A31(4):783-795.
- *Kim N, Fergusson J. 1993. Concentrations and sources of cadmium, copper, lead and zinc in house dust in Christchurch, New Zealand. *Sci Total Environ* 138:1-21.

9. REFERENCES

- Kim ND, Fergusson JE. 1994. The concentrations, distribution and sources of cadmium, copper, lead and zinc in the atmosphere of an urban environment. *Sci Total Environ* 144:179-189.
- *Kimball KD. 1973. Seasonal fluctuations of ionic copper in Knights Pond, Massachusetts. *Limnol Oceanogr* 18:169-172.
- *King LD. 1988. Retention of metals by several soils of the southeastern United States. *J Environ Qual* 17(2):239-246.
- King SO, Mach CE, Brezonik PL. 1992. Changes in trace metal concentrations in lake water and biota during experimental acidification of Little Rock Lake, Wisconsin, USA. *Environ Pollut* 78:9-18.
- *Klein D, Scholz P, Drasch GA, et al. 1991. Metallothionein, copper and zinc in fetal and neonatal human liver: changes during development. *Toxicol Lett* 56:61-67.
- Klevay LM. 1998. Lack of recommended dietary allowance for copper may be hazardous to your health. *J Am Coll Nutr* 17(4):322-326.
- *Kline RD, Hays VW, Cromwell GL. 1971. Effects of copper, molybdenum and sulfate on performance, hematology and copper stores of pigs and lambs. *J Anim Sci* 33(4):771-779.
- Klomp AEM, Tops BBJ, van den Berg IET, et al. 2002. Biochemical characterization and subcellular localization of human copper transporter 1 (hCTR1) *Biochem J* 364(2):497-505.
- *Knobeloch L, Schubert C, Hayes J, et al. 1998. Gastrointestinal upsets and new copper plumbing- is there a connection? *Wis Med J* 97(1):49-53.
- Knobeloch L, Ziarnik M, Howard J, et al. 1992. Gastrointestinal upsets associated with ingestion of copper-contaminated water. *Dig Dis Sci* 37(11):1785-1790.
- *Knobeloch L, Ziarnik M, Howard J, et al. 1994. Gastrointestinal upsets associated with ingestion of copper-contaminated water. *Environ Health Perspect* 102:958-961.
- Knudsen E, Sandstrom B, Solgaard P. 1996. Zinc, copper and magnesium absorption from a fibre-rich diet. *J Trace Elem Med Biol* 10:68-76.
- Knulst J, Sodergren A. 1994. Occurrence and toxicity of persistent pollutants in surface microlayers near an incinerator plant. *Chemosphere* 29(6):1339-1347.
- Koch M, Rotard W. 2001. On the contribution of background sources to the heavy metal content of municipal sewage sludge. *Water Sci Technol* 43(2):67-74.
- Komatsu Y, Sadakata I, Ogra Y, et al. 2000. Excretion of copper complexed with thiomolybdate into the bile and blood in LEC rats. *Chem Biol Interact* 124(3):217-231.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Kostova V. 1995. [The neurological screening of workers in the manufacture of copper and aluminum rolled wire]. *Probl Khig* 20:198-209. (Bulgarian)

9. REFERENCES

- *Koutrakis P, Briggs SLK, Leaderer BP. 1992. Source appointment of indoor aerosols in Suffolk and Onondaga Counties, New York. *Environ Sci Technol* 26:521-527.
- Kozanoglou C, Catsiki VA. 1997. Impact of products of a ferronickel smelting plant to the marine benthic life. *Chemosphere* 34(12):2673-2682.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Krumgalz BS. 1993. "Fingerprints" approach to the identification of anthropogenic trace metal sources in the nearshore and estuarine environments. *Estuaries* 16(3A):488-495.
- *Kumar A, Sharma CB. 1987. Hematological indices in copper-poisoned rats. *Toxicol Lett* 38:275-278.
- Kumaratilake JS, Howell JM. 1989a. Intracellular distribution of copper in the liver of copper-loaded-sheep - a subcellular fractionation study. *J Comp Pathol* 101(2):161-176.
- Kumaratilake JS, Howell JM. 1989b. Intravenously administered tetra-thiomolybdate and the removal of copper from the liver of copper-loaded sheep. *J Comp Pathol* 101:177-199.
- Kumaratilake JS, Howell JM. 1989c. Lysosomes in the pathogenesis of liver injury in chronic copper poisoned sheep: An ultrastructural and morphometric study. *J Comp Pathol* 100:381-390.
- Kurisaki E, Kuroda Y, Sato M. 1988. Copper-binding protein in acute copper poisoning. *Forensic Sci Int* 38(1-2):3-11.
- *Kust RN. 1978. Copper compounds. In: *Kirk-Othmer encyclopedia of chemical technology*, Vol 7. 3rd ed. New York, NY: John Wiley & Sons, 97-109.
- Lagos GE, Maggi LC, Peters D, et al. 1999. Model for estimation of human exposure to copper in drinking water. *Sci Total Environ* 239:49-70.
- Lal S, Papeschi R, Duncan RJS, et al. 1974. Effect of copper loading on various tissue enzymes and brain monoamines in the rat. *Toxicol Appl Pharmacol* 28:395-405.
- Lal S, Papeschi R, Duncan RJS. 1983. Trace metals distribution in the surficial sediments of Penobscot Bay, Maine. *Bull Environ Contam Toxicol* 31:566-573.
- Lamb DJ, Avades TY, Allen MD, et al. 2002. Effect of dietary copper supplementation on cell composition and apoptosis in atherosclerotic lesions in cholesterol-fed rabbits. *Atherosclerosis* 164(2):229-236.
- *Lamont DL, Duflou JALC. 1988. Copper sulfate. Not a harmless chemical. *Am J Forensic Med Pathol* 9(3):226-227.

9. REFERENCES

- *Landing WM, Perry JJ Jr, Guentzel JL. 1995. Relationships between the atmospheric deposition of trace elements, major ions, and mercury in Florida: The FAMS Project (1992-1993). *Water Air Soil Pollut* 80:343-352.
- Larsen PF, Gadbois DF, Johnson AC, et al. 1983a. Distribution of polycyclic aromatic hydrocarbons in the surficial sediments of Casco Bay, Maine. *Bull Environ Contam Toxicol* 30:530-535.
- *Larsen PF, Zdanowicz V, Johnson AC. 1983b. Trace metal distribution in the surficial sediments of Penobscot Bay, Maine. *Bull Environ Contam Toxicol* 31:566-573.
- *Lauenstein GG, Daskalakis KD. 1998. U.S. Long-term coastal contaminant temporal trends determined from mollusk monitoring programs, 1965-1993. *Mar Pollut Bull* 37(1-2):6-13.
- *Law LW. 1938. The effects of chemicals on the lethal mutation rate in *Drosophila melanogaster*. *Proc Natl Acad Sci USA* 24:546-550.
- *Lecyk M. 1980. Toxicity of CuSO_4 in mice embryonic development. *Zool Pol* 28:101-105.
- Lee D-Y, Brewer GJ, Wang Y. 1989. Treatment of Wilson's disease with zinc. VII. Protection of the liver from copper toxicity by zinc-induced metallothionein in a rat model. *J Lab Clin Med* 114(6):639-645.
- Lee DY, Schroeder K, Gordon DT. 1988. Enhancement of Cu bioavailability in the rat by phytic acid. *J Nutr* 118(6):712-717.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Levenson CW. 1998. Mechanisms of copper conservation in organs. *Am J Clin Nutr* 67:978S-981S.
- *Levenson CW, Janghorbani M. 1994. Long-term measurement of organ copper turnover in rats by continuous feeding of a stable isotope. *Anal Biochem* 221(2):243-249.
- *Levy DB, Barbarick KA, Siemer EG. 1992. Distribution and partitioning of trace metals in contaminated soils near Leadville, Colorado. *J Environ Qual* 21:185-195.
- *Lewis RJ, ed. 1997. *Hawley's condensed chemical dictionary*. New York, NY: John Wiley & Sons, Inc., 297, 302.
- *Lewis RJ. 2000. *Sax's dangerous properties of industrial materials*. 10th edition. New York: John Wiley & Sons, Inc., 990.
- Lichte FE, Seeley JL, Jackson LL, et al. 1987. Geological and inorganic materials. *Anal Chem* 59:197R-212R.
- *Lide DR, ed. 2000. *CRC handbook of chemistry and physics*. New York, NY: CRC Press, 4-56, 4-58.

9. REFERENCES

- *Lind Y, Glynn AW. 1999. Intestinal absorption of copper from drinking water containing fulvic acids and an infant formula mixture studied in a suckling rat model. *BioMetals* 12:181-187.
- Linde AR, Sanchez-Calan S, Izquierdo JI, et al. 1998. Brown trout as biomonitor of heavy metal pollution: Effect of age on the reliability of the assessment. *Ecotoxicol Environ Saf* 40:120-125.
- Lindeman JH, Lentjes EG, Berger HM. 1995. Diminished protection against copper-induced lipid peroxidation by cord blood plasma of preterm and term infants. *J Parenter Enteral Nutr* 19(5):373-375.
- Linder MC, Hazegh-Azam M. 1996. Copper biochemistry and molecular biology. *Am J Clin Nutr* 63:797S-811S.
- Linder MC, Wooten L, Cerveza P, et al. 1998. Copper transport. *Am J Clin Nutr* 67:965S-971S.
- Linder MC, Zerounian NR, Moriya M, et al. 2003. Iron and copper homeostasis and intestinal absorption using the Caco2 cell model. *Biometals* 16:145-160.
- *Lioy PJ, Daisey JM, Morandi MT, et al. 1987. The airborne toxic element and organic substances (ATEOS) study design. In: Lioy PJ, Daisey JM, eds. *Toxic air pollution: A comprehensive study of non-criteria air pollutants*. Chelsea, MI: Lewis Publishing, Inc., 3-42.
- *Lisk DJ, Gutenmann WH, Rutzke M, et al. 1992. Survey of toxicants and nutrients in composted waste materials. *Arch Environ Contam Toxicol* 22:190-194.
- Liu C, Jiao K. 1990. Ultraviolet irradiation and polarographic adsorptive complex wave techniques for the simple and rapid simultaneous determination of trace amounts of zinc, lead and copper in human hair. *Anal Chim Acta* 238(2):367-374.
- Liu CF, Medeiros DM. 1986. Excess diet copper increases systolic blood pressure in rats. *Biol Trace Elem Res* 9:15-24.
- Liu J, Kashimura S, Hara K, et al. 2001. Death following cupric sulfate emesis. *J Toxicol Clin Toxicol* 39(2):161-163.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- *Llanos RM, Mercer JFB. 2002. The molecular basis of copper homeostasis and copper-related disorders. *DNA Cell Biol* 21(4):259-279.
- *Llewellyn GC, Floyd EA, Hoke GD, et al. 1985. Influence of dietary aflatoxin, zinc, and copper on bone size, organ weight, and body weight in hamsters and rats. *Bull Environ Contam Toxicol* 35:149-156.
- *Lo FB, Araki DK. 1989. Biological monitoring of toxic metals in urine by simultaneous inductively coupled plasma-atomic emission spectrometry. *Am Ind Hyg Assoc J* 50(5):245-251.
- *Lodenius M, Braunschweiler H. 1986. Volatilisation of heavy metals from a refuse dump. *Sci Total Environ* 57:253-255.
- Loehr RC, Rogers LA, Erickson DC. 1992. Mobility of residues at petroleum industry hazardous waste land treatment sites. *Water Sci Technol* 25(3):191-196.

9. REFERENCES

- *Long DT, Angino EE. 1977. Chemical speciation of Cd, Cu, Pb, and Zn in mixed freshwater, seawater, and brine solutions. *Geochim Cosmochim Acta* 41:1183-1191.
- Longerich HP, Friel JK, Fraser C, et al. 1991. Analysis of drinking water of mothers of neural tube defect infants and of normal for 14 selected trace elements by inductively coupled plasma-mass spectrometry (ICP-MS). *Can J Appl Spectrosc* 36(1):15-21.
- Lonnerdal B. 1996. Bioavailability of copper. *Am J Clin Nutr* 63(5):8215-8295.
- Lonnerdal B. 1998. Copper nutrition during infancy and childhood. *Am J Clin Nutr* 67(5):10465-10535.
- *Lopez-Artiguez M, Camean A, Repetto M. 1993. Preconcentration of heavy metals in urine and quantification by inductively coupled plasma atomic emission spectrometry. *J Anal Toxicol* 17(1):18-22.
- Lopez-Artiguez M, Camean AM, Repetto M. 1996. Determination of nine elements in sherry wine by inductively coupled plasma-atomic emission spectrometry. *J AOAC Int* 79(5):1191-1197.
- Lopez-Artiguez M, Grilo A, Soria M-L, et al. 1990. Levels of zinc, copper, and lead in wines from the area south of Seville. *Bull Environ Contam Toxicol* 45:711-717.
- *Loranger S, Tetrault M, Kennedy G, et al. 1996. Manganese and other trace elements in urban snow near an expressway. *Environ Pollut* 92(2):203-211.
- *Lores EM, Pennock JR. 1998. The effect of salinity on binding of Cd, Cr, Cu and Zn to dissolved organic matter. *Chemosphere* 37(5):861-874.
- *Lowe TP, May TW, Brumbaugh WG. 1985. National contaminant biomonitoring program: Concentration of seven elements in freshwater fish, 1978-1981. *Arch Environ Contam Toxicol* 14:363-388.
- Lubach VD, Wurzinger R. 1986. [Trace elements in brittle nails.] *Derm Beruf Umwelt* 34(2):37-39. (German)
- *Luncan-Bouché ML, Couderchet M, Vernet G, et al. 1997. The simultaneous influence of pH and temperature on binding and mobilization of metals in sand: 1-Copper. *Fresenius Environ Bull* 6:711-718.
- Lundborg M, Camner P. 1984. Lysozyme levels in rabbit lung after inhalation of nickel, cadmium, cobalt, and copper chlorides. *Environ Res* 34:335-342.
- *Ma H, Kim SD, Allen HE, et al. 2002. Effect of copper binding by suspended particulate matter on toxicity. *Environ Toxicol Chem* 21(4):710-714.
- *Ma J, Betts NM5. 2000. Zinc and copper intakes and their major food sources for older adults in the 1994-1996 continuing survey of food intakes by individuals (CSFII). *J Nutr* 130(11):2838-2843.
- *Ma LQ, Rao GN. 1997. Heavy metals in the environment-chemical fractionation of cadmium, copper, nickel, and zinc in contaminated soils. *J Environ Qual* 26:259-264.

9. REFERENCES

- *Ma LQ, Tan F, Harris WG. 1997. Concentrations and distributions of eleven metals in Florida soils. *J Environ Qual* 26:769-773.
- *MacCarthy P, Klusman RW. 1987. Water analysis. *Anal Chem* 59:308R-337R.
- *Maessen O, Freedman B, McCurdy R. 1985. Metal mobilization in home well water systems in Nova Scotia. *J Am Water Works Assoc* 77:73-80.
- *Magee AC, Matrone G. 1960. Studies on growth, copper metabolism and iron metabolism of rats fed high levels of zinc. *J Nutr* 72:233-242.
- Maggiore G, De Giacomo C, Sessa F, et al. 1987. Idiopathic hepatic copper toxicosis in a child. *J Pediatr Gastroenterol Nutr* 6:980-983.
- *Makale MT, King GL. 1992. Surgical and pharmacological dissociation of cardiovascular and emetic responses to intragastric CuSO₄. *Am J Physiol* 263(2 Pt 2):R284-R291.
- *Mannsville Chemical Products. 1984. Copper sulfate. *Chemical products synopsis*: 115-117.
- *Marceau N, Aspin N, Sass-Kortsak A. 1970. Absorption of copper 64 from gastrointestinal tract of the rat. *Am J Physiol* 218(2):377-383.
- Marcisz C, Jonderko G, Wieczorek-Latka U, et al. 1998. Respiratory system of workers dealing with casting and processing of copper. *Pneumol Alergol Pol* 66(9-10):433-439.
- *Marinussen PJC, van der Zee SEATM, de Haan F, et al. 1997. Heavy metal (copper, lead, and zinc) accumulation and excretion by the earthworm, *Dendrobaena veneta*. *J Environ Qual* 26:278-284.
- *Mart L, Nurnberg HW. 1984. Trace metal levels in the Eastern Arctic Ocean. *Sci Total Environ* 39:1-14.
- Martens D, Balta-Brouma K, Brotsack R, et al. 1998. Chemical impact of uncontrolled solid waste combustion to the vicinity of the Kourpoupitos Ravine, Crete, Greece. *Chemosphere* 36(14):2855-2866.
- *Martin M, Castle W. 1984. Petrowatch: Petroleum hydrocarbons, synthetic organic compounds, and heavy metals in mussels from the Monterey Bay area of central California. *Mar Pollut Bull* 15:259-266.
- Martinez CE, McBride MB. 1999. Dissolved and labile concentrations of Cd, Cu, Pb, and Zn in aged ferrihydrite-organic matter systems. *Environ Sci Technol* 33:745-750.
- Marx J. 2003. Possible role of environmental copper in Alzheimer's disease. *Science* 301(5635):905.
- *Marzin DR, Phi HV. 1985. Study of the mutagenicity of metal derivatives with *Salmonella typhimurium*. *Mutat Res* 155:49-51.
- *Mason KE. 1979. A conceptus of research on copper metabolism and requirements of man. *J Nutr* 109:1979-2066.
- Mason RW, Edwards IR, Fisher LC. 1989. Teratogenicity of combinations of sodium dichromate, sodium arsenate and copper sulphate in the rat. *Comp Biochem Physiol C* 93(2):407-411.

9. REFERENCES

- *Massie HR, Aiello VR. 1984. Excessive intake of copper: Influence on longevity and cadmium accumulation in mice. *Mech Ageing Dev* 26:195-203.
- Mattie MD, Freedman JH. 2001. Protective effects of aspirin and vitamin E (α -Tocopherol) against copper- and cadmium-induced toxicity. *Biochem Biophys Res Commun* 285(4):921-925.
- *May TW, Wiedmeyer RH, Gober J, et al. 2001. Influence of mining-related activities on concentrations of metals in water and sediment from streams of the Black Hills, South Dakota. *Arch Environ Contam Toxicol* 40:1-9.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- McArdle HJ, Erlich R. 1991. Copper uptake and transfer of the mouse fetus during pregnancy. *J Nutr* 121(2):208-214.
- McArdle HJ, Gross SM, Danks DM. 1988. Uptake of copper by mouse hepatocytes. *J Cell Physiol* 136(2):373-378.
- McArdle HJ, Gross SM, Danks DM, et al. 1990. Role of albumin's copper binding site in copper uptake by mouse hepatocytes. *Am J Physiol* 258:G988-G991.
- McArdle HJ, Guthrie JR, Ackland ML, et al. 1987. Albumin has no role in the uptake of copper by human fibroblasts. *J Inorg Biochem* 31:123-131.
- *McCrary JK, Chapman GA. 1979. Determination of copper complexing capacity of natural river water, well water and artificially reconstituted water. *Water Res* 13:143-150.
- *McIlroy LM, DePinto JV, Young TC, et al. 1986. Partitioning of heavy metals to suspended solids of the Flint River, Michigan. *Environ Toxicol Chem* 5:609-623.
- *Mehra RK, Bremner I. 1984. Species differences in the occurrence of copper-metallothionein in the particulate fractions of the liver of copper-loaded animals. 219:539-546.
- *Meister RT, Sharp DT, Ponkivar E, et al., eds. 2001. *Farm chemicals handbook*, Volume 87. Willoughby, OH: Meister Publishing Co., C106-107.
- *Meranger JC, Subramanian KS, Chalifoux C. 1979. A national survey for cadmium, chromium, copper, lead, zinc, calcium, and magnesium in Canadian drinking water supplies. *Environ Sci Technol* 13:707-711.
- *Mercer JFB, Lazdins I, Stevenson T, et al. 1981. Copper induction of translatable metallothionein messenger RNA. *Biosci Rep* 1:793-800.
- Michael GE, Miday RK, Bercz JP, et al. 1981. Chlorine dioxide water disinfection: A prospective epidemiology study. *Arch Environ Health* 36:20-27.
- *Miller DR, Byrd JE, Perona MJ. 1987. The source of Pb, Cu, and Zn in fogwater. *Water Air Soil Pollut* 32:329-340.

9. REFERENCES

Miller GD, Keen CL, Stern JS, et al. 1996. Copper absorption, endogenous excretion, and distribution in Sprague-Dawley and lean (Fa/Fa) Zucker rats. *Biol Trace Elem Res* 53:261-279.

*Mills GL, Quinn JG. 1984. Dissolved copper and copper-organic complexes in the Narragansett Bay estuary. *Mar Chem* 15:151-172.

*Minear RA, Ball RO, Church RL. 1981. Data base for influent heavy metals in publicly owned treatment works. 1-4. EPA600S281220.

Miszta H. 1989. *In vitro* effect of copper on the stromal cells of bone marrow in rats. *Toxicol Ind Health* 5(6):1117-1123.

*Moffett JW, Zika RG. 1987. Photochemistry of copper complexes in sea water. *Photochemistry of environmental aquatic systems*. ACS Symp Ser 327:116-130.

Moreno MA, Marin C, Vinagre F, et al. 1999. Trace element levels in whole blood samples from residents of the city Badajoz, Spain. *Sci Total Environ* 229:209-215.

Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res* 116:185-216.

Morselli L, Zappoli S, Tirabassi T. 1992. Characterization of the effluents from a municipal solid waste incinerator plant and of their environmental impact. *Chemosphere* 24(12):1775-1784.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.

Mudroch A. 1993. Lake Ontario sediments in monitoring pollution. *Environ Monit Assess* 28:117-129.

*Müller T, Feichtinger H, Berger H, et al. 1996. Endemic tyrolean infantile cirrhosis: an ecogenetic disorder. *Lancet* 347:887-880.

*Müller T, Müller W, Feichtinger H. 1998. Idiopathic copper toxicosis. *Am J Clin Nutr* 67:1082S-1086S.

Müller T, Schaefer H, Rodeck B, et al. 1999. Familial clustering of infantile cirrhosis in Northern Germany: A clue to the etiology of idiopathic copper toxicosis. *J Pediatr* 135(2 Pt 1):189-196.

*Müller-Höcker J, Meyer U, Wiebecke B, et al. 1988. Copper storage disease of the liver and chronic dietary copper intoxication in two further German infants mimicking Indian Childhood Cirrhosis. *Pathol Res Pract* 183(1):39-45.

Müller-Höcker J, Summer KH, Schramel P, et al. 1998. Different pathomorphologic patterns in exogenic infantile copper intoxication of the liver. *Pathol Res Pract* 194(6):377-384.

Mullins JE, Fuentealba IC. 1998. Immunohistochemical detection of metallothionein in liver, duodenum and kidney after dietary copper-overload in rats. *Histol Histopathol* 13:627-633.

*Mullins MJP, Norman JB. 1994. Solubility of metals in windblown dust from mine waste dump sites. *Appl Occup Environ Hyg* 9(3):218-223.

9. REFERENCES

- *Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Arch Environ Contam Toxicol* 13:75-83.
- *Murphy EA. 1993. Effectiveness of flushing on reducing lead and copper levels in school drinking water. *Environ Health Perspect* 101(3):240-241.
- *Murthy RC, Lal S, Saxena DK, et al. 1981. Effect of manganese and copper interaction on behavior and biogenic amines in rats fed a 10% casein diet. *Chem Biol Interact* 37:299-308.
- *Musci G, Bonaccorsi di Patti MC, Calabrese L. 1993. The state of copper sites in human ceruloplasmin. *Arch Biochem Biophys* 306:111-118.
- *Mussalo-Rauhamaa H, Salmela SS, Leppanen A, et al. 1986. Cigarettes as a source of some trace and heavy metals and pesticides in man. *Arch Environ Health* 41(1):49-55.
- *Myers BM, Prendergast FG, Holman R, et al. 1993. Alterations in hepatocyte lysosomes in experimental hepatic copper overload in rats. *Gastroenterology* 105(6):1814-1823.
- Nair J, Sone H, Nagao M, et al. 1996. Copper-dependent formation of miscoding etheno-DNA adducts in the liver of long evans cinnamon (LEC) rats developing hereditary hepatitis and hepatocellular carcinoma. *Cancer Res* 56:1267-1271.
- *NAS. 1980. Copper. Recommended dietary allowances. Washington, DC: National Academy of Sciences, 151-154.
- Nash TH, Gries C. 1995. The use of lichens in atmospheric deposition studies with an emphasis on the Arctic. *Sci Total Environ* 160/161:729-736.
- *NAS. 2000. Copper in drinking water. Prepared by the Board of Environmental Studies and Toxicology, Commission on Life Sciences, National Research Council. Washington, DC: National Academy Press.
- *NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- NATICH. 1988. NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC. National Air Toxics Information Clearinghouse, U.S. Environmental Protection Agency.
- *NCI. 1968. Evaluation of carcinogenic, teratogenic, and mutagenic activities of selected pesticides and industrial chemicals1. Vol 1. Bethesda, MD. Bionetics Research Laboratories, National Cancer Institute. 1-150. NCI-DCCP-CG-1973-1-1. PB223159.
- Nellessen JE, Fletcher JS. 1993. Assessment of published literature on the uptake, accumulation, and translocation of heavy metals by vascular plants. *Chemosphere* 27(9):1669-1680.
- *Nerin C, Domeno C, Garcia JI, et al. 1999. Distribution of Pb, V, Cr, Ni, Cd, Cu and Fe in particles formed from the combustion of waste oils. *Chemosphere* 38(7):1533-1540.
- *Neuhauser EF, Cukic ZV, Malecki MR, et al. 1995. Bioconcentration and biokinetics of heavy metals in the earthworm. *Environ Pollut* 89(3):293-301.

9. REFERENCES

- *Nicholas PO, Brist MB. 1968. Food-poisoning due to copper in the morning tea. *Lancet* 2:40-42.
- NIOSH. 1985. NIOSH pocket guide to chemical hazards. Washington, DC; National Institute for Occupational Safety and Health.
- *NIOSH. 1987. In: Eller PM, ed. NIOSH manual of analytical methods. Cincinnati, OH; National Institute for Occupational Safety and Health.
- *NIOSH. 1988. National occupational exposure survey as of 05/10/88. National Institute for Occupational Safety and Health.
- *NIOSH. 2002. Copper. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npgd0150>.
- *Nishioka H. 1975. Mutagenic activities of metal compounds in bacteria. *Mutat Res* 31:185-189.
- *Nolte J. 1988. Pollution source analysis of river water and sewage sludge. *Environ Technol Lett* 9:857-868.
- Nomiyama K, Nomiyama H, Kameda N, et al. 1999. Mechanism of hepatorenal syndrome in rats of Long-Evans Cinnamon strain, an animal model of fulminant Wilson's disease. *Toxicology* 132(2-3):201-214.
- Norrstrom AC, Jacks G. 1998. Concentration and fractionation of heavy metals in roadside soils receiving de-icing salts. *Sci Total Environ* 218:161-174.
- Nowack B, Xue H, Sigg L. 1997. Influence of natural and anthropogenic ligands on metal transport during infiltration of river water to groundwater. *Environ Sci Technol* 31:866-872.
- *NRC. 1977. Medical and biologic effects of environmental pollutants: Copper. Washington, DC: National Research Council. National Academy of Sciences.
- *NRC. 1993. Pesticides in the diets of infants and children. Washington, DC; National Research Council. National Academy Press.
- *NRC. 1995. Nutrient requirements of laboratory animals, fourth revised edition. Subcommittee on Laboratory Animal Nutrition, Committee on Animal Nutrition, Board of Agriculture, National Research Council. Washington, DC: National Academy Press.
- NRC. 2000. Copper in drinking water. Washington, DC: National Research Council, National Academy Press.
- *Nriagu JO. 1989. A global assessment of natural sources of atmospheric trace metals. *Nature* 338:47-49.
- *Nriagu JO, Coker RD. 1980. Trace metals in humic and fulvic acids from Lake Ontario sediments. *Environ Sci Technol* 14(:):443-446.
- *Nriagu JO, Pacyna JM. 1988. Quantitative assessment of worldwide contamination of air, water and soil by trace metals. *Nature* 333:134-139.

9. REFERENCES

- *Nriagu JO, Lawson G, Wong HKT, et al. 1996. Dissolved trace metals in Lakes Superior, Erie, and Ontario. *Environ Sci Technol* 30:178-187.
- *NTP. 1993. NTP Technical Report on toxicity studies of cupric sulfate administered in drinking water and feed to F344/N rats and B6C3F₁ mice. National Toxicology Program. United States Department of Health and Human Services. NIH Publication 93-3352.
- Nyberg P, Gottfries C-G, Holmgren G, et al. 1982. Advanced catecholaminergic disturbances in the brain in a case of Wilson's disease. *Acta Neurol Scand* 65:71-75.
- *Nygren O, Nilsson C-A, Lindahl R. 1992. Occupational exposure to chromium, copper and arsenic during work with impregnated wood joinery shops. *Ann Occup Hyg* 36(5):509-517.
- Obata H, Sawada N, Isomura H, et al. 1996. Abnormal accumulation of copper in LEC rat liver induces expression of p53 and nuclear matrix-bound p21^{waf1/cip1}. *Carcinogenesis* 17(10):2157-2161.
- O'Day PA, Carroll SA, Randall S, et al. 2000. Metal speciation and bioavailability in contaminated estuary sediments, Alameda Naval Air Station, California. *Environ Sci Technol* 34:3665-3673.
- *O'Dell BL. 1984. Copper. Present knowledge in nutrition. The Nutrition Foundation, Inc. Washington, DC.
- *O'Donohue JW, Reid MA, Varghese A, et al. 1993. Micronodular cirrhosis and acute liver failure due to chronic copper self-intoxication. *Eur J Gastroenterol Hepatol* 5(7):561-562.
- O'Donohue JW, Reid MA, Varghese A, et al. 1999. A case of adult chronic copper self-intoxication resulting in cirrhosis. *Eur J Med Res* 4:252.
- *Ogra Y, Ohmichi M, Suzuki KT. 1996. Mechanisms of selective copper removal by tetrathiomolybdate from metallothionein in LEC rats. *Toxicology* 106(1-3):75-83.
- Okayasu T, Tochimara H, Hyuga T, et al. 1992. Inherited copper toxicity in Long-Evans Cinnamon rats exhibiting spontaneous hepatitis: A model of Wilson's disease. *Pediatr Res* 31(3):253-257.
- *Okonkwo AC, Ku PK, Miller ER, et al. 1979. Copper requirement of baby pigs fed purified diets. *J Nutr* 109:939-948.
- Oldenquist G, Salem M. 1999. Parenteral copper sulfate poisoning causing acute renal failure. *Nephrol Dial Transplant* 14(2):441-443.
- *Olivares M, Araya M, Pizarro F, et al. 2001. Nausea threshold in apparently healthy individuals who drink fluids containing graded concentrations of copper. *Regul Toxicol Pharmacol* 33(3):271-275.
- *Olivares M, Araya M, Uauy R. 2000. Copper homeostasis in infant nutrition: Deficit and excess. *J Pediatr Gastroenterol Nutr* 31(2):102-111.
- *Olivares M, Lonnerdal B, Abrams SA, et al. 2002. Age and copper intake do not affect copper absorption, measured with the use of ⁶⁵Cu as a tracer, in young infants. *Am J Clin Nutr* 76(3):641-645.

9. REFERENCES

- *Olivares M, Pizarro F, Speisky H, et al. 1998. Copper in infant nutrition: safety of World Health Organization provisional guideline value for copper content of drinking water. *J Pediatr Gastroenterol Nutr* 26:251-257.
- Olmez I, Kotra JP, Lowery S, et al. 1985. Airborne lead and trace elements in an indoor shooting range: A study of the DC National Guard armory pistol range. *Environ Toxicol Chem* 4:447-452.
- Olmez I, Sheffield AE, Gordon GE, et al. 1988. Compositions of particles from selected sources in Philadelphia for receptor modeling applications. *J Air Pollut Control Assoc* 38(11):1392-1402.
- Ong CN, Chia SE, Foo SC, et al. 1993. Concentrations of heavy metals in maternal and umbilical cord blood. *BioMetals* 6:61-66.
- OSHA. 1985. Permissible exposure limits (Table Z-1). Occupational Safety and Health Administration. CFR 29(1910.1000):655-659.
- *OSHA. 2002a. Air contaminants. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.119. <http://www.osha.gov/pls/oshaweb/owa>. April 11, 2002.
- *OSHA. 2002b. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <http://www.osha.gov/pls/oshaweb/owa>. April 09, 2002.
- *OSHA. 2002c. Limits for air contaminants. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <http://www.osha.gov/pls/oshaweb/owa>. April 09, 2002.
- O'Shea KS, Kaufman MH. 1979. Influence of copper on the early post-implantation mouse embryo: An in vivo and in vitro study. *Wilhelm Roux's Arch Dev Biol* 186:297-308.
- O'Shea KS, Kaufman MH. 1980. Copper-induced microtubule degeneration and filamentous inclusions in the neuroepithelium of the mouse embryo. *Acta Neuropathol* 49:237-240.
- Ostapczuk P, Burow M, May K, et al. 1997. Mussels and algae as bioindicators for long-term tendencies of element pollution in marine ecosystems. *Chemosphere* 34(9/10):2049-2058.
- Otero XL, Sanchez JM, Macias F. 2000. Bioaccumulation of heavy metals in thionic fluvisols by a marine polycheate: The role of metal studies. *J Environ Qual* 29:1133-1141.
- Othman I, Spyrou NM. 1980. The abundance of some elements in hair and nail from the Machakos District of Kenya. *Sci Total Environ* 16:267-278.
- Overvad K, Wang DY, Olsen J, et al. 1993. Copper in human mammary carcinogenesis: A case-cohort study. *Am J Epidemiol* 137(4):409-414.
- *Owen CA. 1965. Metabolism of radiocopper (Cu^{64}) in the rat. *Am J Physiol* 209:900-904.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.

9. REFERENCES

- Pacakova V, Pockeviciute D, Armalis S, et al. 2000. A study of the distribution of lead, cadmium and copper between water and kaolin, bentonite and a river sediment. *J Environ Monitor* 2:187-191.
- *Page WG. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15(12):1475-1480.
- *Pandit A, Bhawe S. 1996. Present interpretation of the role of copper in Indian childhood cirrhosis. *Am J Clin Nutr* 63(5):830S-835S.
- Pang Y, MacIntosh DL, Ryan B. 2001. A longitudinal investigation of aggregate oral intake of copper. *J Nutr* 131(8):2171-2176.
- *Paode RD, Sofuoglu SC, Sivadechathep J, et al. 1998. Dry deposition fluxes and mass size distributions of Pb, Cu, and Zn measured in southern Lake Michigan during AEOLOS. *Environ Sci Technol* 32:1629-1635.
- Paris I, Dagnino-Subiabre A, Marcelain K, et al. 2001. Copper neurotoxicity is dependent on dopamine-mediated copper uptake and one-electron reduction of aminochrome in a rat substantia nigra neuronal cell line. *J Neurochem* 77(2):519-529.
- Parmer P, Daya S. 2001. The effect of copper on (³H)-tryptophan metabolism in organ cultures of rat pineal glands. *Metab Brain Dis* 16(3/4):199-205.
- Parmer P, Limson J, Nyokong T, et al. 2002. Melatonin protects against copper-mediated free radical damage. *J Pineal Res* 32(4):237-242.
- Parrish CS, Urchrin CG. 1990. Runoff-induced metals in Lakes Bay, New Jersey. *Environ Toxicol Chem* 9:559-567.
- Pascoe GA, Blanchet RJ, Linder G. 1994. Bioavailability of metals and arsenic to small mammals at a mining waste-contaminated wetland. *Arch Environ Contam Toxicol* 27(1):44-50.
- Pascoe GA, Blanchet RJ, Linder G. 1996. Food chain analysis of exposures and risks to wildlife at metals-contaminated wetland. *Arch Environ Contam Toxicol* 30:306-318.
- Pashalidis I, Kontoghiorghes GJ. 2002. Molecular factors affecting the complex formation between deferiprone (L1) and Cu (II) *Arzneim Forsch* 51(12):998-1003.
- Paulson AJ, Gendron JF. 2001. Partitioning of copper at concentrations below the marine water quality criteria. *Environ Toxicol Chem* 20(5):952-959.
- *Pekelharing HLM, Lemmens Ag, Beynen AC. 1994. Iron, copper and zinc status in rats fed on diets containing various concentrations of tin. *Br J Nutr* 71:103-109.
- *Pena MMO, Lee J, Thiele DJ. 1999. A delicate balance: Homeostatic control of copper uptake and distribution. *J Nutr* 129(7):1251-1260.
- *Pennington JAT. 1983. Revision of the Total Diet Study food list and diets. *J Am Diet Assoc* 82:166-173.

9. REFERENCES

- *Pennington JAT, Schoen SA. 1996. Contributions of food groups to estimated intakes of nutritional elements: Results from the FDA total diet studies, 1982-1991. *Int J Vitam Nutr Res* 66(4):342-349.
- Pennington JAT, Schoen SA. 1997. Corrections-Contributions of food groups to estimated intakes of nutritional elements: Results from the FDA total diet studies, 1982-1991. *Int J Vitam Nutr Res* 67(3):350-362.
- Pennington JAT, Capar S, Parfitt C, et al. 1996. History of the Food and Drug Administration's total diet study (part II), 1987-1993. *J Assoc Off Anal Chem* 79(1):163-170.
- *Pennington JAT, Young BE, Wilson DB, et al. 1986. Mineral content of foods and total diets: The selected minerals in foods survey, 1982-1984. *J Am Diet Assoc* 86:876-891.
- *Percival SS, Harris ED. 1989. Ascorbate enhances copper transport from ceruloplasmin into human K562 cells. *J Nutr* 119:779-784.
- *Percival SS, Harris ED. 1990. Copper transport from ceruloplasmin: Characterization of the cellular uptake mechanism. *Am J Physiol* 258:C140-C146.
- *Perwak J, Bysshe S, Goyer M, et al. 1980. An exposure and risk assessment for copper. Washington, DC: EPA. EPA-440/4-81-015.
- *Petruzzelli G. 1997. Soil sorption of heavy metals. Chapter 5. In: Ecological issues and environmental impact assessment, 145-175.
- *Petruzzelli G, Lubrano L, Petronio BM, et al. 1994. Soil sorption of heavy metals as influenced by sewage sludge addition. *J Environ Sci Health Part A* A29(1):31-50.
- Petta CA, Faundes D, Pimentel E, et al. 1996. The use of vaginal ultrasound to identify copper T IUDs at high risk of expulsion. *Contraception* 54:287-289.
- Pettersson R, Kjellman B. 1989. Vomiting and diarrhea are the most common symptoms in children who drink water with high levels of copper. *Lakartidningen* 86(25):2361-2362. (Swedish)
- Pettersson R, Rasmussen F, Oskarsson A. 2003. Copper in drinking water: not a strong risk factor for diarrhoea among young children. A population-based study from Sweden. *Acta Paediatr* 92:473-480.
- Phaneuf D, Cote I, Dumas P, et al. 1999. Evaluation of the contamination of marine algae (seaweed) from the St. Lawrence River and likely to be consumed by humans. *Environ Res* 80:S175-S182.
- Pickart L, Freedman JH, Loker WJ, et al. 1980. Growth modulating plasma tripeptide may function by facilitating copper uptake into cells. *Nature* 288:715-717.
- *Pimentel JC, Marquez F. 1969. 'Vineyard sprayer's lung': a new occupational disease. *Thorax* 24:678-688.
- *Pimentel JC, Menezes AP. 1975. Liver granulomas containing copper in Vineyard Sprayer's lung: A new etiology of hepatic granulomatosis. *Am Rev Respir Dis* 3:189-195.
- *Pinochet H, De Gregori I, Lobos MG, et al. 1999. Selenium and copper in vegetables and fruits grown on long-term impacted soils from Valparaiso region, Chile. *Bull Environ Contam Toxicol* 63:327-334.

9. REFERENCES

- Pip E. 1991. Cadmium, copper and lead in soils and garden produce near a metal smelter at Flin Flon, Manitoba. *Bull Environ Contam Toxicol* 46:790-796.
- Pip E. 1993. Cadmium, copper and lead in wild rice from central Canada. *Arch Environ Contam Toxicol* 24:179-181.
- *Pirof F, Millet J, Kalia YN, et al. 1996b. In vitro study of percutaneous absorption, cutaneous bioavailability and bioequivalence of zinc and copper from five topical formulations. *Skin Pharmacol* 9:259-269.
- *Pirof F, Panisset F, Agache P, et al. 1996a. Simultaneous absorption of copper and zinc through human skin in vitro. *Skin Pharmacol* 9:43-52.
- *Pirrone N, Keeler GJ. 1993. Deposition of trace metals in urban and rural areas in the Lake Michigan basin. *Water Sci Technol* 28(3-5):261-270.
- *Pitt R, Field R, Lalor M, et al. 1995. Urban stormwater toxic pollutants: Assessment, sources, and treatability. *Water Environ Res* 67(3):260-275.
- *Pizarro F, Olivares M, Araya M, et al. 2001. Gastrointestinal effects associated with soluble and insoluble copper in drinking water. *Environ Health Perspect* 109(9):949-952.
- *Pizarro F, Olivares M, Uauy R, et al. 1999. Acute gastrointestinal effects of graded levels of copper in drinking water. *Environ Health Perspect* 107(2):117-121.
- *Plamenac P, Santic Z, Nikulin A, et al. 1985. Cytologic changes of the respiratory tract in vineyard spraying workers. *Eur J Respir Dis* 67:50-55.
- Plette ACC, Nederlof MM, Temminghoff EJM, et al. 1999. Bioavailability of heavy metals in terrestrial and aquatic systems: A quantitative approach. *Environ Toxicol Chem* 18(9):1882-1890.
- *Pocino M, Baute L, Malave I. 1991. Influence of the oral administration of excess copper on the immune response. *Fundam Appl Toxicol* 16(2):249-256.
- *Pocino M, Malave I, Baute L. 1990. Zinc administration restores the impaired immune response observed in mice receiving excess copper by oral route. *Immunopharmacol Immunotoxicol* 12(4):697-713.
- Poulsen OM, Christensen JM, Sabbioni E, et al. 1994. Trace element reference values in tissues from inhabitants of the European community. 5. Review of trace elements in blood, serum and urine and critical evaluation of reference values for the Danish population. *Sci Total Environ* 141:197-215.
- *Poulton DJ, Simpson KJ, Barton DR, et al. 1988. Trace metals and benthic invertebrates in sediments of nearshore Lake Ontario at Hamilton Harbour. *J Great Lakes Res* 14(1):52-65.
- *Prasad AS, Brewer GJ, Schoomaker EB, et al. 1978. Hypocupremia induced by zinc therapy in adults. *JAMA* 240:2166-2168.
- Prasad R, Kaur G, Nath R, et al. 1996. Molecular basis of pathophysiology of Indian childhood cirrhosis: Role of nuclear copper accumulation in liver. *Mol Cell Biochem* 156(1):25-30.

9. REFERENCES

- *Pratt WB, Omdahl JL, Sorenson JRJ. 1985. Lack of effects of copper gluconate supplementation. *Am J Clin Nutr* 42:681-682.
- Price LA, Walker NI, Clague AE, et al. 1996. Chronic copper toxicosis presenting as liver failure in an Australian child. *Pathology* 28:316-320.
- Prieditis H, Adamson IYR. 2002. Comparative pulmonary toxicity of various soluble metals found in urban particulate dusts. *Exp Lung Res* 28(7):563-576.
- Puig S, Thiele DJ. 2002. Molecular mechanisms of copper uptake and distribution. *Curr Opin Chem Biol* 6(2):171-180.
- *Que Hee SS, Finelli VN, Fricke FL, et al. 1982. Metal content of stack emissions, coal and fly ash from some eastern and western power plants in the U.S.A. as obtained by ICP-AES. *Int J Environ Anal Chem* 13:1-18.
- *Raghunath R, Tripathi RM, Khandekar RN, et al. 1997. Retention times of Pb, Cd, Cu and Zn in children's blood. *Sci Total Environ* 207(2-3):133-139.
- Raie RM. 1996. Regional variation in As, Cu, Hg, and Se and interaction between them. *Ecotoxicol Environ Saf* 35:248-252.
- *Rana SVS, Kumar A. 1980. Biological, haematological and histological observations in copper poisoned rats. *Ind Health* 18:9-17.
- *Raspor B, Nurnberg HW, Valenta P, et al. 1984. Studies in seawater and lake water on interactions of trace metals with humic substances isolated from marine and estuarine sediments. *Mar Chem* 15:217-230.
- *Raven KP, Loeppert RH. 1997. Heavy metals in the environment: Trace element composition of fertilizers and soil amendments. *J Environ Qual* 26:551-557.
- *Reed JS, Henningson JC. 1984. Acid precipitation and drinking water supplies. *J Am Water Works Assoc* 76:60-65.
- Reimann C, De Caritat P, Halleraker JH, et al. 1997. Rainwater composition in eight arctic catchments in Northern Europe (Finland, Norway and Russia). *Atmos Environ* 31:159-170.
- *Renwick WH, Edenborn HM. 1983. Metal and bacterial contamination in New Jersey estuarine sediments. *Environ Pollut Ser B* 5:175-185.
- *Rhee HM, Dunlap M. 1990. Acute cardiovascular toxic effects of copper in anesthetized rabbits. *Neurotoxicology* 11:355-360.
- *Rice KC. 1999. Trace-element concentrations in steambed sediment across the conterminous United States. *Environ Sci Technol* 33:2499-2504.
- Rice TM, Clarke RW, Godleski JL, et al. 2001. Differential ability of transition metals to induce pulmonary inflammation. *Toxicol Appl Pharmacol* 177:46-53.

9. REFERENCES

- *Richards BK, Steenhuis TS, Peverly JH. 1998. Metal mobility at an old, heavily loaded sludge application site. *Environ Pollut* 99(3):365-377.
- *Richards MP. 1999. Zinc, copper, and iron metabolism during porcine fetal development. *Biol Trace Elem Res* 69:27-44.
- *Rieuwerts JS, Thornton I, Farago ME, et al. 1998. Factors influencing metal bioavailability in soils: Preliminary investigations for the development of a critical loads approach for metals. *Chem Speciat Bioavail* 10(2):61-75.
- Riley RG, Zachara JM, Wobber FJ. 1992. Chemical contaminants on DOE lands and selection of contaminant mixtures for subsurface science research. Department of Energy. Washington, DC. DE 92 014 826.
- Riondato J, Vanhaecke F, Moens L, et al. 2000. Fast and reliable determination of (ultra-) trace and/or spectrally interfered elements in water by sector field ICP-MS. *J Anal Atom Spectrom* 15(4):341-345.
- *Ritter WF, Eastburn RP. 1978. Leaching of heavy metals from sewage sludge through coastal plain soils. *Commun Soil Sci Plant Anal* 9(9):785-798.
- *Rodeck B, Kardorff R, Melter M. 1999. Treatment of copper associated liver disease in childhood. *Eur J Med Res* 4(6):253-256.
- *Romo-Kroger CM, Morales JR, Dinator MI, et al. 1994. Heavy metals in the atmosphere coming from a copper smelter in Chile. *Atmos Environ* 28(4):705-711.
- *Rope SK, Arthur WJ, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of Southern Idaho. *Environ Monit Assess* 10:1-24.
- *Rösner U. 1998. Effects of historical mining activities on surface water and groundwater-an example from northwest Arizona. *Environ Geol* 33(4):224-230.
- *Roy WR. 1994. Groundwater contamination from municipal landfills in the USA. In: Adriano DC, ed. *Contamination of groundwaters: Case studies*. Northwood, UK. Scientific Review, 411-446.
- *Rubin ES. 1999. Toxic releases from power plants. *Environ Sci Technol* 33:3062-3067.
- Rule JH, Alden RW. 1996a. Interactions of Cd and Cu in aerobic estuarine sediments. I. Partitioning in geochemical fractions of sediments. *Environ Toxicol Chem* 15(4):460-465.
- Rule JH, Alden RW. 1996b. Interactions of Cd and Cu in anaerobic estuarine sediments. II. Bioavailability, body burdens and respiration effects as related to geochemical partitioning. *Environ Toxicol Chem* 15(4):466-471.
- *Rutzke MA, Gutenmann WH, Lisk DJ, et al. 2000. Toxic and nutrient element concentrations in soft tissues of zebra and quagga mussels from Lakes Erie and Ontario. *Chemosphere* 40:1353-1356.
- *Saenko, EL, Yaropolov AI, Harris ED. 1994. The biological functions of ceruloplasmin expressed through copper-binding sites and a cellular receptor. *J Trace Elem Exp Med* 7:69-88.

9. REFERENCES

- Saleh MA, Wilson BL. 1999. Analysis of metal pollutants in the Houston Ship Channel by inductively coupled plasma/mass spectrometry. *Ecotoxicol Environ Saf* 44:113-117.
- *Saltzer EI, Wilson JW. 1968. Allergic contact dermatitis due to copper. *Arch Dermatol* 98:375-376.
- *Saltzman BE, Gross SB, Yeager DW, et al. 1990. Total body burdens and tissue concentrations of lead, cadmium, copper, zinc, and ash in 55 human cadavers. *Environ Res* 52:126-145.
- Sanstead HH. 1982. Copper bioavailability and requirements. *Am J Clin Nutr* 35:809-814.
- Santon A, Irato P, Medici V, et al. 2003. Effect and possible role of Zn treatment in LEC rats, an animal model of Wilson's disease. *Biochim Biophys Acta* 1637:91-97.
- *Santschi PH, Nixon S, Pilson M, et al. 1984. Accumulation of sediments, trace metals (Pb, Cu) and total hydrocarbons in Narragansett Bay, Rhode Island. *Estuarine Coastal Shelf Sci* 19:427-449.
- *Sanudo-Wilhemly SA, Gill GA. 1999. Impact of the clean water act on the levels of toxic metals in urban estuaries: The Hudson River estuary revisited. *Environ Sci Technol* 33(20):1999.
- Sarkar B, Kruck TPA. 1967. Separation of Cu (II) - amino acid complexes and evidence for the existence of histidine-Cu (II)-glutamine and histidine-Cu (II)- serine complexes at physiological pH. *Can J Biochem* 45:2046-2049.
- Sarkar B, Wigfield Y. 1968. Evidence for albumin- Cu(II)- amino acid ternary complex. *Can J Biochem* 46:601-607.
- Sarkar B, Lingertat-Walsh K, Clarke JT. 1993. Copper-histidine therapy for Menkes disease. *J Pediatr* 123:828-830.
- Sato M, Hachiya N, Yamaguchi Y, et al. 1993. Deficiency of HOLO-, but not APO-, ceruloplasmins in genetically copper-intoxicated LEC mutant rat. *Life Sci* 53(18):1411-1416.
- *Sawaki M, Enomoto K, Hattori A, et al. 1994. Role of copper accumulation and metallothionein induction in spontaneous liver cancer development in LEC rats. *Carcinogenesis* 15(9):1833-1837.
- *Scharenberg W, Ebeling E. 1996. Distribution of heavy metals in a woodland food web. *Bull Environ Contam Toxicol* 56:389-396.
- *Scheinberg IH. 1979. Human health effects of copper. In: Nriagu JO, ed. *Copper in the environment. Part II. Health effects.* New York, NY: John Wiley & Sons, 82-101.
- *Scheinberg IH, Sternlieb I. 1994. Is non-Indian childhood cirrhosis caused by excess dietary copper? *Lancet* 344:1515-1516.
- Scheinberg IH, Sternlieb I. 1996. Wilson disease and idiopathic copper toxicosis. *Am J Clin Nutr* 63(5):842S-845S.
- *Schilsky ML. 1996. Wilson disease genetic basis of copper toxicity and natural history. *Sem Liver Dis* 16:83-95.

9. REFERENCES

- Schilsky ML, Blank RR, Czaja MJ, et al. 1989. Hepatocellular copper toxicity and its attenuation by zinc. *J Clin Invest* 84(5):1562-1568.
- Schmitt RC, Darwish HM, Cheney JC, et al. 1983. Copper transport kinetics by isolated rat hepatocytes. *Am J Physiol* 244:G183-G191.
- *Schnoor JL, Sato C, McKechnie, et al. 1987. Processes, coefficients, and models for simulating toxic organics and heavy metals in surface waters. EPA/600/3-87/015. Athens, GA: U.S. Environmental Protection Agency.
- *Schock MR, Neff CH. 1988. Trace metal contamination from brass fittings. *J Am Water Works Assoc* 7:47-56.
- *Schroeder HA, Nason AP, Tipton IH, et al. 1966. Essential trace metals in man: Copper. *J Chronic Dis* 19:1007-1034.
- *Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic trace elements associated with airborne particulate matter: A review. *J Air Pollut Control Assoc* 37(11):1267-1285.
- Schumann K, Classen HG, Dieter HH, et al. 2002. Hohenheim Consensus Workshop: Copper. *Eur J Clin Nutr* 56(6):469-483.
- Schwartz J, Weiss ST. 1990. Dietary factors and their relation to respiratory symptoms. *Am J Epidemiol* 132(1):67-76.
- *Scudlark JR, Conko KM, Church TM. 1994. Atmospheric wet deposition of trace elements to Chesapeake Bay: CBAD study year 1 results. *Atmos Environ* 28(8):1487-1498.
- *Sedlak DL, Phinney JT, Bdesworth WW. 1997. Strongly complexed Cu and Ni in wastewater effluents and surface runoff. *Environ Sci Technol* 31:3010-3016.
- *Semple AB, Parry WH, Phillips DE. 1960. Acute copper poisoning: An outbreak traced to contaminated water from a corroded geyser. *Lancet* 2:700-701.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Philadelphia, PA: WB Saunders, 222-238.
- *Sharda B, Bhandari B. 1984. Copper concentration in plasma, cells, liver, urine, hair and nails in hepatobiliary disorders in children. *Indian Pediatr* 21:167-171.
- Sharma A, Talukder G. 1987. Effects of metals on chromosomes of higher organisms. *Environ Mutagen* 9:191-226.
- *Sharma VK, Millero FJ. 1988. Oxidation of copper (I) in seawater. *Environ Sci Technol* 22(7):768-771.
- Sharunda D, Diseker RA, Sinks T, et al. 1999. Copper in drinking water, Nebraska, 1994. *Int J Occup Environ Health* 5:256-261.
- Shibuya S, Takase Y, Sharma N. 1992. Esophageal ulcer due to ingestion of melted copper. *Dig Dis Sci* 37(11):1785-1790.

9. REFERENCES

- Shiraishi N, Taguchi T, Kinebuchi H. 1991. Copper-induced toxicity in *Macular* mutant mouse: An animal model for menkes' Kinky-Hair disease. *Toxicol Appl Pharmacol* 10(1):89-96.
- Shiraishi N, Taguchi T, Kinebuchi H. 1993. Effect of age and sex on copper-induced toxicity in the macular mutant mouse. An animal model fro Menkes' kinky-hair disease. *Biol Trace Elem Res* 39:129-137.
- *Sideris EG, Charalambous SC, Tsolomyty A, et al. 1988. Mutagenesis, carcinogenesis and the metal elements - DNA interaction. *Prog Clin Biol Res* 259:13-25.
- *Sina JF, Bean CL, Dysart GR, et al. 1983. Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res* 113:357-391.
- *Singh I. 1983. Induction of reverse mutation and mitotic gene conversion by some metal compounds in *Saccharomyces cerevisiae*. *Mutat Res* 117:149-152.
- Singh SP, Ma LQ, Tack FMG, et al. 2000. Trace metal leachability of land-disposed dredged sediments. *J Environ Qual* 29:1124-1132.
- *Sirover MA, Loeb LA. 1976. Infidelity of DNA synthesis in vitro: Screening for potential metal mutagens of carcinogens. *Science* 94:1434-1436.
- *Smith CH, Bidlack WR. 1980. Interrelationship of dietary ascorbic acid and iron on the tissue distribution of ascorbic acid, iron and copper in female guinea pigs. *J Nutr* 110:1398-1408.
- *Sokol RJ, Devereaux M, Mierau GW, et al. 1990. Oxidant injury to hepatic mitochondrial lipids in rats with dietary copper overload. *Gastroenterology* 99(4):1061-1071.
- *Sokol RJ, Devereaux MW, O'Brien K, et al. 1993. Abnormal hepatic mitochondrial respiration and cytochrome C oxidase activity in rats with long-term copper overload. *Gastroenterology* 105(1):178-187.
- Sokol RJ, Devereaux MW, Traber MG, et al. 1989. Copper toxicity and lipid peroxidation in isolated rat hepatocytes: effect of Vitamin E. *Pediatr Res* 25(1):55-62.
- *Sora S, Carbone MLA, Pacciarini M, et al. 1986. Disomic and diploid meiotic products induced in *Saccharomyces cerevisiae* by the salts of 27 elements. *Mutagenesis* 1(1):21-28.
- Speisky H, Navarro P, Cherian MG, et al. 2003. Copper-binding proteins in human erythrocytes: Searching for potential biomarkers of copper over-exposure. *Biometals* 16:113-123.
- *Spitalny KC, Brondum J, Vogt RL, et al. 1984. Drinking-water-induced copper intoxication in a Vermont family. *Pediatrics* 74(6):1103-1106.
- *Stark P. 1981. Vineyard sprayer's lung-a rare occupational disease. *J Can Assoc Radiol* 32:183-184.
- Steinebach OM, Wolterbeek HT. 1994. Role of cytosolic copper, metallothionein and glutathione in copper toxicity in rat hepatoma tissue culture cells. *Toxicology* 9:75-90.

9. REFERENCES

- Steinkuhler C, Sapora O, Carri MT, et al. 1991. Increase of Cu, Zn-superoxide dimutase activity during differentiation of human K562 cells involves activation by copper of a constantly expressed copper-deficient protein. *J Biol Chem* 266:24580-24587.
- Steinnes E. 1990. Lead, cadmium and other metals in Scandinavian surface waters, with emphasis on acidification and atmospheric deposition. *Environ Toxicol Chem* 9:825-831.
- Steinnes E. 1995. A critical evaluation of the use of naturally growing moss to monitor the deposition of atmospheric metals. *Sci Total Environ* 160/161:243-249.
- *Stephenson T, Lester JN. 1987. Heavy metal behaviour during the activated sludge process. I. Extent of soluble and insoluble metal removal. *Sci Total Environ* 63:199-214.
- *Sternlieb I, Scheinberg IH. 1977. Human copper metabolism. In: *Medical and biologic effects of environmental pollutants-Copper*. Washington, DC: National Academy of Sciences.
- Sternlier I, Quintana N, Volenberg I, et al. 1995. An array of mitochondrial alterations in the hepatocytes of Long-Evans Cinnamon rats. *Hepatology* 22:1782-1787.
- *Stewart JH, Lassiter JV. 2001. Copper. In: Bingham E, Cohn B, Powell CH, eds. *Patty's toxicology*. New York, NY: John Wiley & Sons, Inc., 598-599.
- *Stiff MJ. 1971. The chemical states of copper in polluted fresh water and a scheme of analysis to differentiate them. *Water Res* 5:585-599.
- Stilwell DE, Gorny KD. 1997. Contamination of soil with copper, chromium, and arsenic under decks built from pressure treated wood. *Bull Environ Contam Toxicol* 58:22-29.
- Stockert RJ, Grushoff PS, Morell AG, et al. 1986. Transport and intracellular distribution of copper in a human hepatoblastoma cell line, HepG2. *Hepatology* 6:60-64.
- Stokinger HE. 1981. Copper. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Chapter 11. New York, NY: John Wiley & Sons.
- *Strain WH, Hershey CO, McInnes S, et al. 1984. Hazards to groundwater from acid rain. *Trace Subst Environ Health* 18:178-184.
- Strand S, Hofmann WJ, Grambihler A, et al. 1998. Hepatic failure and liver cell damage in acute Wilson's disease involve CD95 (APO-1/Fas) mediated apoptosis. *Nat Med* 4(5):588-593.
- Strickland GT, Leu ML. 1975. Wilson's disease: Clinical and laboratory manifestations in 40 patients. *Am J Med* 54(2):113-137.
- *Strickland GT, Beckner WM, Leu ML. 1972. Absorption of copper in homozygotes and heterozygotes for Wilson's disease and controls: Isotope tracer studies with ⁶⁷Cu and ⁶⁴Cu. *Clin Sci* 43:617-625.
- *Suciu I, Prodan L, Lazar V, et al. 1981. Research on copper poisoning. *Med Lav* 3:190-197.
- *Sugawara N, Li D, Katakura M. 1994. Biliary excretion of copper in Fischer rats treated with copper salt and in Long-Evans Cinnamon (LEC) rats with an inherently abnormal copper metabolism. *Biol Trace Elem Res* 46:125-134.

9. REFERENCES

- *Sugawara N, Li D, Sugawara C, et al. 1995. Response of hepatic function to hepatic copper deposition in rats fed a diet containing copper. *Biol Trace Elem Res* 49:161-169.
- *Sugawara N, Sugawara C, Katakura M, et al. 1991. Harmful effect of administration of copper on LEC rats. *Res Commun Chem Pathol Pharmacol* 73(3):289-297.
- *Sugawara N, Sugawara C, Li D, et al. 1992. Copper metabolism in new mutant Long-Evans Cinnamon (LEC) rats causing hereditary hepatitis: Gastrointestinal absorption and distribution of radiostopic copper (^{64}Cu). *Res Commun Chem Pathol Pharmacol* 76(2):233-243.
- Sullivan JM, Janovitz EB, Robinson FR. 1991. Copper toxicosis in veal calves. *J Vet Diagn Invest* 3(2):161-164.
- Sunderic D, Dozic S, Hosovski E. 1990. Histologic changes in peripheral nerves in rats with chronic copper poisoning. *Srp Arh Celok Lek* 118(7-8):261-264. (Serbo-Croatian, Cyrillic)
- Sunderic D, Hosovsk E, Dasic S. 1990. Histologic changes in the rat brain during chronic copper poisoning. *Srp Arh Celok Lek* 118(5-6):171-174. (Cyrillic)
- *Suttle NF, Mills CF. 1966a. Studies of the toxicity of copper to pigs. 1. Effects of oral supplements of zinc and iron salts on the development of copper toxicosis. *Br J Nutr* 20:135-148.
- *Suttle NF, Mills CF. 1966b. Studies of the toxicity of copper to pigs. 2. Effect of protein source and other dietary components on the response to high and moderate intakes of copper. *Br J Nutr* 20:149-161.
- *Suzuki KT, Kanno S, Misawa S, et al. 1995. Copper metabolism leading to and following acute hepatitis in LEC rats. *Toxicology* 97(1-3):81-92.
- Suzuki KT, Karasawa A, Sunaga H, et al. 1989. Uptake of copper from the bloodstream and its relation to induction of metallothionein synthesis in the rat. *Comp Biochem Physiol C* 94(1):93-97.
- *Sweet CW, Vermette SJ, Landsberger S. 1993. Sources of toxic trace elements in urban air in Illinois. *Environ Sci Technol* 27(12):2502-2510.
- *Sylva RN. 1976. The environmental chemistry of copper (II) in aquatic systems. *Water Res* 10:789-792.
- *Tan WT, Tan GS, Khan ISAN. 1988. Solubilities of trace copper and lead species and the complexing capacity of river water in the Linggi River Basin. *Environ Pollut* 52:221-235.
- *Tanner MS. 1998. Role of copper in Indian childhood cirrhosis. *Am J Clin Nutr* 67:1074S-1081S.
- Tao TY, Liu F, Klomp L, et al. 2003. The copper toxicosis gene product murr1 directly interacts with the Wilson disease protein. *J Biol Chem* 278(43):41593-41596.
- *Taylor GJ, Crowder AA. 1983. Accumulation of atmospherically deposited metals in wetland soils of Sudbury, Ontario. *Water Air Soil Pollut* 19:29-42.
- Tennant J, Stansfield M, Yamaji S, et al. 2002. Effects of copper on the expression of metal transporters in human intestinal Caco-2 cells. *FEBS Lett* 527(1-3):239-244.

9. REFERENCES

Theis TL, Young TC, Huang M, et al. 1994. Leachate characteristics and composition of cyanide-bearing wastes from manufactured gas plants. *Environ Sci Technol* 28:99-106.

*Tinwell H, Ashby J. 1990. Inactivity of copper sulphate in a mouse bone-marrow micronucleus assay. *Mutat Res* 245(3):233-236.

Tkeshelashvili LK, McBride T, Spence K, et al. 1992. Mutation spectrum of copper-induced DNA damage. Additions and corrections. *J Biol Chem* 267(19):13778.

Tollestrup K, Frost FJ, Harter L, et al. 2002. Mortality in children residing near the Asarco Copper Smelter in Ruston, Washington [Abstract]. *Am J Epidemiol* 155(11):S39.

*Town RM, Filella M. 2000. A comprehensive systematic compilation of complexation parameters reported for trace metals in natural waters. *Aquat Sci* 62:252-295.

Toyokuni S, Sagripanti JL. 1994. Increased 8-hydroxydeoxyguanosine in kidney and liver of rats continuously exposed to copper. *Toxicol Appl Pharmacol* 126(1):91-97.

*Toyokuni S, Tanaka T, Nishiyama Y, et al. 1996. Induction of renal cell carcinoma in male wistar rats treated with cupric nitrilotriacetate. *Lab Invest* 75:239-248.

*TRI01. 2003. TRI explorer: Providing access to EPA's toxics release inventory data. U.S. Environmental Protection Agency. Toxic Release Inventory. <http://www.epa.gov/triexplorer>. August 24, 2003.

Trollmann R, Neureiter D, Lang T, et al. 1999. Late manifestation of Indian childhood cirrhosis in a 3-year-old German girl. *Eur J Pediatr* 158(5):375-378.

*Truitt RE, Weber JH. 1981. Copper(II)- and cadmium(II)-binding abilities of some New Hampshire freshwaters determined by dialysis titration. *Environ Sci Technol* 15:1204-1208.

Tshiashala MD, Kabengele K, Lumu BM. 1990. Trace element determination in scalp hair of people working at a copper smelter. *Biol Trace Elem Res* 26-27:287-294.

*Tso W-W, Fung W-P. 1981. Mutagenicity of metallic cations. *Toxicol Lett* 8:195-200.

Tsuda T, Inoue T, Kojima M, et al. 1995. Market basket and duplicate portion estimation of dietary intakes of cadmium, mercury, arsenic, copper, manganese, and zinc by Japanese adults. *J AOAC Int* 78(6):1363-1367.

*Tuddenham WM, Dougall PA. 1978. Copper. In: Kirk Othmer's encyclopedia of chemical technology. Vol. 6, 3rd ed. New York, NY: John Wiley & Sons, 819-869.

*Turnlund JR. 1989. Stable isotope studies of the effect of dietary copper on copper absorption and excretion. *Adv Exp Med Biol* 258:21-28.

Turnlund JR. 1998. Human whole-body copper metabolism. *Am J Clin Nutr* 67:960S-964S.

*Turnlund JR, Keyes WR, Anderson HL, et al. 1989. Copper absorption and retention in young men at three levels of dietary copper by use of the stable isotope ⁶⁵Cu. *Am J Clin Nutr* 49:870-878.

9. REFERENCES

- *Turnlund JR, King JC, Gong B, et al. 1985. A stable isotope study of copper absorption in young men: Effect of phytate and α -cellulose. *Am J Clin Nutr* 42:18-23.
- *Turnlund JR, Michel MC, Keyes WR, et al. 1982. Copper absorption in elderly men determined by using stable ^{65}Cu . *Am J Clin Nutr* 36:587-591.
- *Turnlund JR, Reager RD, Costa F. 1988a. Iron and copper absorption in young and elderly men. *Nutr Res* 8:333-343.
- *Turnlund JR, Swanson CA, King JC. 1983. Copper absorption and retention in pregnant women fed diets based on animal and plant proteins. *J Nutr* 113:2346-2352.
- *Turnlund JR, Wada L, King JC, et al. 1988b. Copper absorption in young men fed adequate and low zinc diets. *Biol Trace Elem Res* 17:31-41.
- *Tyler LD, McBride MB. 1982. Mobility and extractability of cadmium, copper, nickel, and zinc in organic and mineral soil columns. *Soil Sci* 134(3):198-205.
- *Underwood EJ. 1977. Trace elements in human and animal nutrition. 4th ed. New York, NY: Academic Press, 43-87.
- Unlu K. 1998. Transport of metals leaching from land-disposed oil field wastes. *Waste Manage Res* 16(6):541-554.
- *USGS. 1986. Extractable cadmium, mercury, copper, lead, and zinc in the lower Columbia River Estuary, Oregon and Washington. U.S. Geological Survey Water Resources Investigations Report 86(4088):Portland, Oregon: U.S. Department of Interior.
- *USGS. 1994. Copper minerals yearbook. United States Geological Survey. <http://minerals.usgs.gov/minerals/pubs/commodity/copper>.
- *USGS. 2000. Copper minerals yearbook. United States Geological Survey. <http://www.usgs.gov/minerals/pubs/commodity/copper>.
- *USGS. 2001. Copper. U.S. Geological Survey minerals yearbook. United States Geological Survey. <http://www.usgs.gov/minerals/pubs/commodity/copper/coppmyb01>.
- *USGS. 2002. Mineral commodity summary. United States Geological Survey. <http://www.usgs.gov/minerals/pubs/commodity/copper>.
- *Van Campen DR, Mitchell EA. 1965. Absorption of Cu^{64} , Zn^{65} , Mo^{99} , and Fe^{59} from ligated segments of the rat gastrointestinal tract. *J Nutr* 86:120-124.
- Van Campen DR, Scaife PU. 1967. Zinc interference with copper absorption in rats. *Nutrition* 91:473-476.
- Van den Berg GJ, van den Hamer CJA. 1984. Trace metal uptake in liver cells. 1. Influence of albumin in the medium on the uptake of copper by hepatoma cells. *J Inorg Biochem* 22:73-84.

9. REFERENCES

- Van den Broeck K, Helsen L, Vandecasteele C, et al. 1997. Determination and characterization of copper, chromium and arsenic in chromated copper arsenate (CCA) treated wood and its pyrolysis residues by inductively coupled plasma mass spectrometry. *Analyst* 122:695-700.
- van de Sluis B, Rothuizen J, Pearson PL, et al. 2002. Identification of a new copper metabolism gene by positional cloning in a purebred dog population. *Hum Mol Gen* 11(2):165-173.
- *van Ryssen JB. 1994. The effectiveness of using supplementary zinc and molybdenum to reduce the copper content in the liver of hypercuprotic sheep. *J S Afr Vet Assoc* 65(2):59-63.
- Van Veen E, Burton N, Comber S, et al. 2002. Speciation of copper in sewage effluents and its toxicity to *Daphnia Magna*. *Environ Toxicol Chem* 21(2):275-280.
- *Varada KR, Harper RG, Wapnir RA. 1993. Development of copper intestinal absorption in the rat. *Biochem Med Metab Biol* 50(3):277-283.
- *Vaughan LA, Weber CW, Kemberling SR. 1979. Longitudinal changes in the mineral content of human milk. *Am J Clin Nutr* 32:2301-2306.
- Verloo M, Eeckhout M. 1990. Metal species transformations in soils: An analytical approach. *Int J Environ Anal Chem* 39:179-186.
- Videla LA, Fernández V, Tapia G, et al. 2003. Oxidative stress-mediated hepatotoxicity of iron and copper: Role of Kupffer cells. *Biometals* 16:103-111.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- *Villar TG. 1974. Vineyard Sprayer's Lung: Clinical aspects. *Am Rev Respir Dis* 110:545-555.
- *Villar TG, Nogueira T. 1980. Radiology and respiratory function in Vineyard Sprayer's Lung. 30:61-70.
- Viklander M. 1999. Dissolved and particle-bound substances in urban snow. *Water Sci Technol* 39(12):37-32.
- Vinlove MP, Britt J, Cornelius J. 1992. Copper toxicity in a rabbit. *Lab Anim Sci* 42(6):614-615.
- Vodichenska T. 1988. [The biological effect of copper taken up by the body via drinking water.] *Probl Khig* 13:29-36. (Bulgarian)
- Vodichenskaia TS, Dinoeva SK. 1989. [Experimental study of the atherogenic effect of copper after its intake with drinking water.] *Gig Sanit* 2:64-66. (Russian)
- *Vong RJ, Baker BM, Brechtel FJ, et al. 1997. Ionic and trace element composition of cloud water collected on the Olympic peninsula of Washington state. *Atmos Environ* 31(13):1991-2001.
- Von Gunten HR, Sturm M, Moser RN. 1997. 200-Year record of metals in lake sediments and natural background concentrations. *Environ Sci Technol* 31:2193-2197.

9. REFERENCES

- von Muhlen Dahl KE. 1996. Copper tubings, home wells and early childhood cirrhosis. *Eur J Pediatr* 155(12):1061-1062.
- Vrzgulova M. 1993. Histological and submicroscopical findings on the seminiferous parenchyma in rams after copper oxide intoxication from industrial emissions. *Funct Dev Morphol* 3(2):115-119.
- Vulpe CD, Packman S. 1995. Cellular copper transport. *Annu Rev Nutr* 15:293-322.
- Wada H, Zhou XJ, Ishizuki T, et al. 1992. Direct determination of copper in serum by flow-injection analysis. *Anal Chim Acta* 261(1-2):87-95.
- *Wake SA, Mercer JFB. 1985. Induction of metallothionein mRNA in rat liver and kidney after copper chloride injection. *Biochem J* 228:425-432.
- *Walker WR, Reeves RR, Brosnan M, et al. 1977. Perfusion of intact skin by a saline solution of bis(glycinato) copper(II) *Bioinorg Chem* 7:271-276.
- *Walsh FM, Crosson FJ, Bayley J, et al. 1977. Acute copper intoxication. *Am J Dis Child* 131:149-151.
- *Walshe JM. 1996. Treatment of Wilson's disease: the historical background. *Q J Med* 89:252-263.
- *Walshe JM, Yealland M. 1993. Chelation treatment of neurological Wilson's disease. *Q J Med* 86:197-204.
- Wang J, Tian B. 1992. Screen-printed stripping voltammetric/potentiometric electrodes for decentralized testing of trace lead. *Anal Chem* 64(15):1706-1709.
- Wang J, Larson D, Foster N, et al. 1995. Remote electrochemical sensor for trace metal contaminants. *Anal Chem* 67(8):1481-1485.
- Wapnir RA. 1998. Copper absorption and bioavailability. *Am J Clin Nutr* 67:1054S-1060S.
- *Wapnir RA, Devas G, Solans CV. 1993. Inhibition of intestinal copper absorption by divalent cations and low-molecular weight ligands in the rat. *Biol Trace Elem Res* 36:291-305.
- Wataha JC, Lockwood PE, Schedle A, et al. 2002. Ag, Cu, Hg and Ni ions alter the metabolism of human monocytes during extended low-dose exposures. *J Oral Rehabil* 29:133-139.
- *Weant GE. 1985. Sources of copper air emissions. Research Triangle Park, NC. Air and Energy Engineering Research Laboratory, U.S. Environmental Protection Agency. EPA 600/2/-85-046.
- *Weast RC. 1980. CRC handbook of chemistry and physics. 61st edition. Boca Raton, FL: CRC Press, B13, B97-B100.
- *Weber PM, O'Reilly S, Pollycove M, et al. 1969. Gastrointestinal absorption of copper: Studies with ⁶⁴Cu, ⁹⁵Zr, a whole-body counter and the scintillation camera. *J Nucl Med* 10(9):591-596.
- Weiner AL, Cousins RJ. 1980. Copper accumulation and metabolism in primary monolayer cultures of rat liver parenchymal cells. *Biochim Biophys Acta* 629:113-125.

9. REFERENCES

- Weisberg SB, Wilson HT, Heimbuch DG, et al. 2000. Comparison of sediment metal: Aluminum relationships between the eastern and Gulf coasts of the United States. *Environ Monit Assess* 61:373-385.
- *Weiss KC, Linder MC. 1985. Copper transport in rats involving a new plasma protein. *Am J Physiol Endocrinol Metab* 249(12):E77-E88.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Whanger PD, Weswig PH. 1971. Effect of supplementary zinc on the intracellular distribution of hepatic copper in rats. *J Nutr* 101:1093-1098.
- White AR, Cappai R. 2003. Neurotoxicity from glutathione depletion is dependent on extracellular trace copper. *J Neurosci Res* 71(6):889-897.
- *WHO. 1996. Trace elements in human nutrition and health. Copper. Geneva, Switzerland: World Health Organization, 123-143.
- *WHO. 1998. Copper. Geneva: International Programme on Chemical Safety, World Health Organization. Environmental Health Criteria 200.
<http://www.inchem.org/documents/ehc/ehc/ehc200.html>. July 29, 2004.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York: Academic Press.
- *Widdowson EM, Dauncey J, Shaw JCL. 1974. Trace elements in fetal and early postnatal development. *Proc Nutr Soc* 33:275-284.
- *Wijmenga C. 2002. Non-Indian childhood cirrhosis. Using a founder population to identify the underlying genetic defect. In: Massaro EJ, ed. *Handbook of copper pharmacology and toxicology*. Totowa, NJ: Humana Press, 369-382.
- *Wilhelm M, Hafner D, Lombeck I, et al. 1991. Monitoring of cadmium, copper, lead and zinc status in young children using toenails: Comparison with scalp hair. *Sci Total Environ* 103:199-207.
- Williams DE, Vlamis J, Pukite AH, et al. 1984. Metal movement in sludge-treated soils after six years of sludge addition: 1. Cadmium, copper, lead, and zinc. *Soil Sci* 137(5):351-359.
- *Williams DM. 1982. Clinical significance of copper deficiency and toxicity in the world population. *Clinical, biochemical, and nutritional aspects of trace elements*. Chapter 15. New York, NY: Alan R. Liss, Inc.
- Wilson JC. 1989. A prospective New Zealand study of fertility after removal of copper intrauterine contraceptive devices for conception and because of complications: A four-year study. *Am J Obstet Gynecol* 160(2):391-396.
- *Windholz M. 1983. *The Merck Index*. 10th ed. Rahway, NJ: Merck & Co., 358-359; 2484-2485.

9. REFERENCES

- *Wise SA, Zeisler R. 1984. The pilot environmental specimen bank program. *Environ Sci Technol* 18(10):302A-307A.
- *Wong PK. 1988. Mutagenicity of heavy metals. *Bull Environ Contam Toxicol* 40:597-603.
- Wu J, Boyle EA. 1997. Low bank preconcentration technique for the determination of lead, copper, and cadmium in small-volume seawater samples by isotope dilution ICPMS. *Anal Chem* 69:2464-2470.
- *Wu J, Laird DA, Thompson ML. 1999. Sorption and desorption of copper on soil clay components. *J Environ Qual* 28:334-338.
- *Wyllie J. 1957. Copper poisoning at a cocktail party. *Am J Public Health* 47:617.
- Xue H, Sunda WG. 1997. Comparison of Cu^{2+} measurements in lake water determined by ligand exchange and cathodic stripping voltammetry and by ion-selective electrode. *Environ Sci Technol* 31:1902-1909.
- *Xue H, Lurdes MS, Reutlinger M, et al. 1991. Copper (I) in fogwater: Determination and interactions with sulfite. *Environ Sci Technol* 25:1716-1722.
- *Yadrick MK, Kenney MA, Winterfeldt EA. 1989. Iron, copper, and zinc status: Response to supplementation with zinc or zinc and iron in adult females. *Am J Clin Nutr* 49:145-150.
- Yamada T, Kim JK, Suzuki Y. 1993. Reduced efficiency of copper transport from cytosolic to monocytoplasmic fractions in LEC mutant rat. *Res Commun Chem Pathol Pharmacol* 81(2):243-246.
- Yamada T, Sogawa K, Kim J-K, et al. 1998. Increased polyploidy, delayed mitosis and reduced protein phosphatase -1 activity associated with excess copper in the Long Evans Cinnamon rat. *Res Commun Chem Pathol Pharmacol* 99(3):283-304.
- *Yamane Y, Sakai K, Umeda T, et al. 1984. Suppressive effect of cupric acetate on DNA alkylation, DNA synthesis and tumorigenesis in the liver of dimethylnitrosamine-treated rats. *Gann* 75(12):1062-1069.
- Yamauchi T, Yamamoto I. 1990. CuSO_4 as an inhibitor of B cell proliferation. *Jpn J Pharmacol* 54(4):455-460.
- *Yannoni CC, Piorkowski T. 1995. Profile of lead and copper levels in house plumbing and service pipe. *J New Engl Water Works Assoc* 109(3):192-210.
- *Yeats PA. 1988. The distribution of trace metals in ocean waters. *Sci Total Environ* 72:131-149.
- *Yelin G, Taff ML, Sadowski GE, et al. 1987. Copper toxicity following massive ingestion of coins. *Am J Forensic Med Pathol* 8(1):78-85.
- Yu S, Van Der Meer R, Beynen AC. 2002. Excessive hepatic copper accumulation in jaundiced rats fed a high-copper diet. *Biol Trace Elem Res* 88(3):255-269.
- *Yu S, Wests CE, Beynen AC. 1994. Increasing intakes of iron reduces status, absorption and biliary excretion of copper in rats. *Br J Nutr* 71:887-895.

9. REFERENCES

- Zabel M, Lindscheid KR, Mark H. 1990. [Copper sulfate allergy with special reference to internal exposure.] *Z Hautkr* 65(5):481-482; 485-486. (German)
- Zerounian NR, Redekosky C, Malpe R, et al. 2003. Regulation of copper absorption by copper availability in the Caco-2 cell intestinal model. *Am J Physiol Gastrointest Liver Physiol* 284(5):G739-G747.
- Zhang SZ, Noordin MM, Rahman S-O, et al. 2000. Effects of copper overload on hepatic lipid peroxidation and antioxidant defense in rats. *Vet Hum Toxicol* 42(5):261-264.
- Zhou W, Kornegay ET, Lindemann MD, et al. 1994. Stimulation of growth by intravenous injection of copper in weanling pigs. *J Anim Sci* 72:2395-2403.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- *Zietz BP, deVergara JD, Dunkelberg H. 2003b. Copper concentrations in tap water and possible effects on infant's health-results of a study in Lower Saxony, Germany. *Environ Res* 92(2):129-138.
- *Zietz BP, Dieter HH, Lakomek M, et al. 2003a. Epidemiological investigation on chronic copper toxicity to children exposed via the public drinking water supply. *Sci Total Environ* 301(1-3):127-144.
- Zietz BP, Kessler-Gaedtke B, Schneider H, et al. 2002. Results of an investigation on chronic copper toxicity to children exposed via the public drinking water supply [Abstract]. *Naunyn-Schmiedeberg's Arch Pharmacol* 365(Suppl 1):R135.
- Zipper J, Medel M, Prager R. 1969. Suppression of fertility by intrauterine copper and zinc in rabbits. *Am J Obstet Gynecol* 105(4):529-534.