Form D-VH For Vessel Hull Design UNITED STATES COPYRIGHT OFFICE
 OMITED STRIES SOLIMINATED

REGISTRATION NUMBER

DVH 0348

			DATE OF REGISTR	ATION/PUBLICAT	ION
			10 Month	5 Day	07 Year
	A 124 ; saidth bharae ilig phlam is tha lamm ishim as sa		TE CONTINUATION S	HEET. (Form D	VH/CON)
	Please give the make and model of the vessel that embeding the stream 273 SCX & 273				
TLE					
(a)	What is the type or style of the design for which regists Center console model boat				
SIGN(b) heck here if is a single gn.	Provide a brief general statement setting forth the salier 27'8" length, beam of 8'5" and on bottom side of each keel; tourved stem, 28" cockpit freek	d three(3) wo (2) ste	lifting st ps in hull	_bottom;	model
heck here if tering than (C) design.	If this design is derived from an earlier design, describe	e how that design h	as been revised, ada	pted, or rearra	nged.
'H/CON additional igns.		,			
SIGNER(S)	or impossible to ascribe.  Please check here if those conditions are satisfied and  Classification.				
SIGNER(S)	Please check here if those conditions are satisfied and Name:  Glasstream, Inc.  Address: 1143 E. 15th St  Panama City, FL 32405	Name:		······································	
SIGNER(S)	Please check here if those conditions are satisfied and Stream, Inc.  Name:  Address: 1143 E. 15th St  Panama City. FL 32405  If the owner is different from the designer(s) or employer	Name:Address:			
VNER,	Please check here if those conditions are satisfied and Name:  Glasstream, Inc.  Address: 1143 E. 15th St  Panama City, FL 32405	Name:Address:			
VNER, NOT NGNERS)  (a) IORITY	Please check here if those conditions are satisfied and Name:  Glasstream, Inc.  Address: 1143 E. 15th St  Panama City, FL 32405  If the owner is different from the designer(s) or employer Name:	Name:	ide the name and add	iress of the ow	ner:
VNER, NOT SIGNERS)	Please check here if those conditions are satisfied and Name:  Glasstream, Inc.  Address: 1143 E. 15th St  Panama City, FL 32405  If the owner is different from the designer(s) or employer Name:  Address:  Was an application for registration of this design identifie in an application filed in a foreign country that extends the designs of owners who are citizens of the United States, of the persons filing applications in the United States, similar protection to that afforded in 17 U.S.C. chapter 13?	Name:  Address:  r named above, provent ar Date of a Serial No	ide the name and add	d date of appli	ner:

		CORRESPONDENCE	COPYRIG
		/	USE ONLY
DO NOT V	WRITE ABOVE THIS LINE. IF YOU NEED MORE SPACE, USE		
7	Please provide the name and address of the person to w		on may be directed:
	Name: Kruis Retherford		
CONTACT PERSON	Address: 1143 E. 15th St, Panama	City,FL 32405	
		Email address info@gla	asstream.com
	FAX number 850-873-6705	Daytime phone: (850 ) 8	373-6205
	Give the name and account number if the registration fee		
ð	Name of Account:	_	от по обругациони
DEPOSIT ACCOUNT	Account number:		
CERTIFICATION AND SWORN STATEMENTS	DECLARATION: The undersigned, as the applicant or the that willful false statements are punishable by fine or imstatements may jeopardize the validity of this application or and belief:  (1) that the design has been fixed in a useful article (2) that the design is original and was created by (3) that those aspects of the design for which reg (4) that the design has not previously been regist (5) that the applicant is the person entitled to protect of the design has been made public with a design in Following is the exact form of the design notice:  Where on the useful article is the design notice lost the undersigned is not the applicant, he or she is properly	prisonment, or both, under 18 U.S.C. §1001, any resulting registration, hereby declares to the cle; the designer(s), or employer if applicable, nan istration is sought are not protected by a designered on behalf of the applicant or applicant's pection and to registration under chapter 13 of the contice as prescribed by 17 U.S.C. §1306.	and that such willful fall best of his or her knowled, med in the application; in patent; are decessor in title; and title 17, United States Cod
	X Signature	10-11-04	
	Kruis Retherford	Pres.	
	850-873-6205 850-873-6705 Telephone number FAX number	Position or Title info@glasstr	ream.com
Copyright write the C	Office fees are subject to change. For current fees. Copyright Office, or call (202) 707-3000.	Email address . check the Copyright Office website at v	www.copyright.gov.
will be mailed in	Name♥ Glasstream, Inc.	YOU MUST:  • Complete all necessar • Sign your application I SEND ALL 3 FLERM WITHE SAME PACK	in space 9
envelope to this	Number/Street/Apt v 1143 E. 15th Street	1. Application form	for in charles and a second
	Xy/9tate/2iP ♥	to Flegister of Copyris 3. Design material MATERIAL Dept. D-VH	
	Panama City, FL 32405	Dept. D-VH Vesser Hull Pegistration P.O. Box 71380 Washington, D.C. 2002	4-1380
	naity for false representation. "Whoever knowingly makes a false representation mate piter shall pay a penaity of not less than \$500 and not more than \$1,000, and any rights		

EXAMINED BY 7714

CHECKED BY

FORM D-VH

<b>©</b>	Form D-VH/CON For Vessel Hull Design UNITED STATES COPYRIGHT OFFICE
----------	---

	<u>G</u>	For V	essel Hul	II Design ES COPYRIGHT OFFICE	
	REGISTR	ATION	NUMBER		
		DV	H 0348	8	
	DATE OF	REGIS	TRATION	N/PUBLICATION	
•	1	0 .	5	07	

CONTINUATION SHEET RECEIVED

D٥	NOT WRITE AROVE THIS HAS	EOD CODVDICUT OFFICE USE ONLY

O NOT WRITE	ABOVE THIS LINE. FOR COPYRIGHT OFFICE USE ONLY.	10	19	04	
idelitical (	re, if using for multiple designs: Fill in Space A ONLY with new information regarding add to the information on the corresponding Form D-VH. Use an additional Form D-VH/CO of designs.	litional desig N for each d	gns. All o lesign inc	ther informat luded in the i	ion must be registration.
Check her	re, if you are using the continuation sheet for supplemental information regarding the orig	ginal design.		• '.	- - -
lentification f pplication	IDENTIFICATION OF CONTINUATION SHEET: This is a continuation of the application D-VH. Identify the title of the work as it appears in Space 1 (i.e., make and mode	cation for co	opyright sel) of Fo	registration o rm D-VH:	n
	.Glasstream273SCX&273CCX		• • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••••
(2a)	) What is the type or style of the design for which registration is sought?				
ontinuation Space 2					
(2b)	Provide a brief general statement setting forth the salient features of the design.  Two (2) steps in the hull bottom 5'0" forth	ward o	f the	e sterr	tran-
	som and 9'0" forward of stern transomso	uare	ster	ı with	а
	molded-in outboard engine bracket. Transc	m has	18°	deadri	se
	and a "boat only" weight of 3,250lbs.				
(2c)	If this design is derived from an earlier design, explain how that design has been revised,	adapted, or	rearrange	ed.	
			·		
				FIV. 14 1	

Continuation of (check which):	Space 3	Space 4	Space 5	Space

Continuation of Spaces Other than Space 2

MAIL	
TO	

Certificate will be mailed in window envelope

Name

Glasstream, Inc.

Number/Street/Apt

1143 E. 15th Street

City/State/Zip

Panama City, FL 32405

## Complete all necessary spaces SEND ALL ELEMENTS IN THE SAME PACKAGE.

- Application form
  Nonrefundable filing fee in check or money order payable to Register of Copyrights

  MAIL TO:

Dept D-VH Vessel Hull Registration PO Box 71380 Washington, DC 20024-1380




certificate

## 273 SCX 4273 CCX











# GLASSTREAMS

2735CX • 2735CX DMI 0348 2136CX OARY OF CONG

### 273SCX



Length: 27'8" Beam 8'5" Cockpit Freeboard: 28" Cockpit Width: 84" Fuel Capacity: 135 Gallons Dry Weight Boat Only 3700 lbs Rated 250-500 HP Outboard 10 Year Hull Warranty



## STANDARD EQUIPMENT

- High Forformores Set Back Molded Transons
- . High Lift Ventilated Dual Step Hell
- . Fiberglass Grid Stringer System w/2th Density Form
- . Self Balling Cockpit w/Wolded Non Skid Sudgestin
- · Long Life Upholstery Olo Rot) w/Marine Grade UV Virul & S.S. Festimors
- . All Rigging & Wining is Bouted Thru Eosa Access PVT. Rigging Tubes
- . Thru Balted S.S. Hordware
- . 6155. Rush Mount, Pull Up Clasts (5)
- . SS. Bow & Stem Eyes
- . 5.5. Back Mounted Bod Holders (2)
- Aerated Boit Wells. (30 Ed.) w/bight & Removable. Disider, High Speed Pickup
- . Wesh Down Station w/18 Gollon Fresh Water Took w/kuta Shut-aff
- . Large Rope Locker & Ancher Storage
- . Malded Rad Lackers Fort & Sterbookl
- Nevigotional lights

- . Courtery Lighting, Cookpit and Bilge Avea
- (1) 1000 GPH Automotic/Monuel Bilgo Pump.
- · Hom w/Gell
- . Boss Thru Hall w/Searock Shat off Valve
- . High Performance Control Center Features a Malded in Faut Rest, Gove Box, Low Profile Loson Mindshield, Frant Entronce w/Ges-Shock Support. to Head-Additional Starage, & Removable Headliner For Easy Arress to Gauges & Wining
- . Full Instrumentation vs./Eirout Breakers
- . Heat Shink Terminals on All Connections. w/Breakers Affected for Each Accessors
- Hydrodic Stroting
- . Cottler Box w/Cushion
- . Leaning Post w/Rad Holders
- . Sport Steering Wheel
- . Welded S.S. Low Profile Rolls
- (2) SS Drink Holders on Console
- · Standard Pointed Graphics S.S. Linth Pockage

#### CABIN FEATURES

- . 7'6" VBerth w/Removable Cushions
- Fibergless Molded Lines w/Front Stompe
- . Fibergless Blobbed Buildhood w/Wet Bar & Storage Cobinets
- . Besigner Coordinated Interiori
- . Viryl Headiner w/Faam Backing
- [1] Aduntable Beeding Light
- . (1) Wet Barlight
- . Low Profile Back Hotch w/Soren & Sas Shock
- . White Applic Lockable Down & Hatch no/Gas Shack Suggest
- Part and Stoboard Storage
- · Alicand Bulkhood Fourt of Cabin.







#### OPTIONAL EQUIPMENT

Cobin Forn + Air Candillioner (ice operated) + DVD w/6.5" Screen + DVD w/13" Screen + Removable Air Sect + Removable Airt sjec Cooler Sect w/Watching Upholstery Lid + C21 Additional S.S. Rad Holders + Stereo/CD Player w/4 or 6 Specialrs and Remote + Removable 2 or 3 Step Disc Lodder + Dual Battery Switch Locking Electronics Box w/Wap Light + Portable Head + Portable Head w/Maceretor Discharge + Visto Lighting + Docking Lights + Speeder Lights + Bernate Spot Light Roder Arch w/Rocket Lounchers - Rador Arch w/Brow & Rall Book Binnini - Roder Arch W/Box - Flag - Flag - Founder Copting - Custom Pointed Graphics Radiage Hull Color + High Performance Effortless Controls + Color Gauge Bezels + Smort Craft Gauges + Goffrig Gauges + In Doch Depth Finder + Electronics + WHF Remote Oil Fills . Single or Dual Pre-Hig. . Removable Fish Box . Electric Trim Tabs wy/Indicator . Drop out Balster Seat (Dual) Part or Stothood Gunwele Comportments w/13x20 Hetch • Caston Aluminum Troller w/Brokes • S. S. Progs • Tilt Steering



**ERCURY** "I On The Water

GLASSTREAM

Panama City, FL • www.glasstream.com 850-873-6205 • 1-877-822-BOAT



# GLASSIREAM

73CCX • 273CCX • 273CCX



### **273CCX**



Length: 27'8" Beam 8'5"

Cockpit Freeboard: 28"
Cockpit Width: 84"
Fuel Capacity: 135 Gallons
Dry Weight Boat Only 3250 lbs
Rated 250-500 HP Outboard
10 Year Hull Warranty



## STANDARD EQUIPMENT

- . High Performance Set Back Alabéed Transom
- High Lift Youtfloted Dual Step Hull
- Fibergloss Grid Stringer System nv/2fb Density Form Injected
- Self Bailing Codqiit w/Wolded Non Skid Surface
- Long Life Upholstery (No Bot) w/Manine Grade UV Virul & S.S. Fostoners
- All Rigging & Wiving is Routed Thru Easy Access PVC Rigging Tubes
- · Full Instrumentation ny/Circuit Breakers
- Heat Shrink Terminals On All Connections w/Breakers Allocated For Each Accessory
- High Performance Control Center Features a Wolfed In Foot Rest, Glove Box, Law Profile Lexan

Windshield, w/Front Shocked Entry To Head/Additional Storage, and Removable Headliner for Easy Access To Gouars & Wring

- . Raw Water Wash Down Station
- Thru Balted S.S. Hardware
- . 6" S.S. Flush Mount, Pull Up Cleats Cleats (5)
- S.S. Bow & Stem Eyes
- . S.S. Back Mounted Bod Holders (2)
- Welded S.S. Law Profile Bails
- (1) 1000 GPH Automotic/Monuel Bilge Pump
- Aerated Boit well, (30 Gol.) w/Light & Removable Divider, High Speed Pickup
- . Large Rope Locker & Ancher Storage
- . Malded Rad Lockers Part & Storboard

- Nevigational Lights
- . Courtesy Lighting, Cockpit and Bilge Area
- Hom w/Gall
- Fish Bax (52 Gal.)
- . Leaning Post w/Rod Holders
- \*Sport Steering Wheel
- . Bress Thru hall w/Secoads Shut Off Valve
- Hydroulic Steaming
- . (2) S.S. Drink Holders on Console
- Cooler Box w/Custion
- Standard Painted Graphics
- •5.5. Lotch Pockage







#### **OPTIONAL EQUIPMENT**

Removable Sundesk Cushion + Drap Dut Bacing Bolster Seat (Duci) + Removable Aft Seat + Removable Aft Iglos Cacler Seat ny/Matching Uphalstery Lid

2) Additional S.S. Bad Haldes + Stenes or CB m/4 Speakers + Removable 2 or 3 Step Dive Ladder + Duci Battery Switch + Portable Head

Partable Head m/Maceator Dischauge + Ducking Lights + Speader Lights + Remain Spot Light + Locking Bectronics Box m/Map Roading Light + Feech Water Wisch Dave Took (18

Gel.) + Aerated Bait Station, (8 Gel.) + Remain Each m/Roader Launchers + Rader Arch m/Roam & Roll Back Barini + Rodor Arch T-Roy + T-Roy

Perwier Coating + Port Dr Starboard Gunwale Compartments m/13x20 Hatch + Gustom Painted Guphics Package + High Performance Effortless Cantrols

Calor Gouge Bezels + Smart Cosh Gouges + In Dosh Depth Finder + Single or Dual Pherig + Bestric Trim Tobs m/Indicator + Gelftig Gouges

Gustom Aluminum Tooler m/Brokus + Bactronics + WH + S.S. Props + Till Steering



GLASSTREAM

Panama City, FL • www.glasstream.com 850-873-6205 • 1-877-822-BOAT