

Geography and Environment

This section presents a variety of information on the physical environment of the United States, starting with basic area measurement data and ending with climatic data for selected weather stations around the country. The subjects covered between those points are mostly concerned with environmental trends but include related subjects such as land use, water consumption, air pollutant emissions, toxic releases, oil spills, hazardous waste sites, municipal waste and recycling, threatened and endangered wildlife, and the environmental industry.

The information in this section is selected from a wide range of federal agencies that compile the data for various administrative or regulatory purposes, such as the Environmental Protection Agency (EPA), U.S. Geological Survey (USGS), National Oceanic and Atmospheric Administration (NOAA), Natural Resources Conservation Service (NRCS), and National Atlas[®] of the United States. New information on border lengths with Canada and Mexico, coastlines, lakes, and shorelines may be found in Tables 350–352.

Area—For the 2000 census, area measurements were calculated by computer based on the information contained in a single, consistent geographic database, the Topologically Integrated Geographic Encoding & Referencing system (TIGER[®]) database, rather than relying on historical, local, and manually calculated information. Information from the 2000 census may be found in Table 344.

Geography—The USGS conducts investigations, surveys, and research in the fields of geography, geology, topography, geographic information systems, mineralogy, hydrology, and geothermal energy resources as well as natural hazards. The USGS provides United States cartographic data through the Earth Sciences Information Center, water resources data through the *Water Resources of the United States* at <<http://water.usgs.gov/pubs/>>.

In a joint project with the U.S. Census Bureau, during the 1980s, the USGS provided the basic information on geographic features for input into a national geographic and cartographic database prepared by the Census Bureau, called TIGER[®] database. Since then, using a variety of sources, the Census Bureau has updated these features and their related attributes (names, descriptions, etc.) and inserted current information on the boundaries, names, and codes of legal and statistical geographic entities; very few of these updates added aerial water features. Maps prepared by the Census Bureau using the TIGER[®] database show the names and boundaries of entities and are available on a current basis.

An inventory of the nation's land resources by type of use/cover was conducted by the National Resources Inventory Conservation Services (NRCS) every 5 years beginning in 1977 through 1997. Beginning with the release of the 2001 estimates, this program shifted to become an annual release of land use data. The most recent survey results, which were published for the year 2003, covered all nonfederal land for the contiguous 48 states. Tables 350 to 352 provide results from the survey.

Environment—The principal federal agency responsible for pollution abatement and control activities is the Environmental Protection Agency (EPA). It is responsible for establishing and monitoring national air quality standards, water quality activities, solid and hazardous waste disposal, and control of toxic substances. Many of these series now appear in the Envirofacts portion of the EPA Web site at <<http://www.epa.gov/enviro/>>.

The Clean Air Act, which was last amended in 1990, requires the EPA to set National Ambient Air Quality Standards (NAAQS) (CFR part 50) for pollutants considered harmful to public health and the environment. The EPA Office of Air Quality

Planning and Standards (OAQPS) has set National Ambient Air Quality Standards for six principal pollutants, which are called "criteria" pollutants. These pollutants are: Carbon Monoxide, Lead, Nitrogen Dioxide, Particulate Matter (PM_{2.5} and PM₁₀), Ozone, and Sulfur Dioxide. NAAQS are periodically reviewed and revised to include any additional or new health or welfare data. Table 357 gives some of the health-related standards for the six air pollutants having NAAQS. Data gathered from state networks are periodically submitted to EPA's National Aerometric Information Retrieval System (AIRS) for summarization in annual reports on the nationwide status and trends in air quality. For details, see "Air Trends" on the EPA Web site at <<http://www.epa.gov/airtrends/index.html>>.

The Toxics Release Inventory (TRI), published by the EPA, is a valuable source of information on nearly 650 chemicals that are being used, manufactured, treated, transported, or released into the environment. Sections 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and 6607 of the Pollution Prevention Act (PPA), mandate that a publicly-accessible toxic chemical database be developed and maintained by EPA. This database, known as the TRI, contains information concerning waste management activities and the release of toxic chemicals by facilities that manufacture, process, or otherwise use said materials. Data on the release of these chemicals are collected from over 23,000 facilities and facilities added in 1998 that have the equivalent of 10 or more full-time employees and meet the established

thresholds for manufacturing, processing, or "other use" of listed chemicals. Facilities must report their releases and other waste management quantities. Since 1994 federal facilities have been required to report their data regardless of industry classification. In May 1997, EPA added seven new industry sectors that reported to the TRI for the first time in July 1999 for the 1998 reporting year. More current information on this program can be found at <<http://www.epa.gov/tri/index.htm>>.

Climate—NOAA, through the National Weather Service and the National Environmental Satellite, Data, and Information Service, is responsible for climate data. NOAA maintains about 11,600 weather stations, of which over 3,000 produce autographic precipitation records, about 600 take hourly readings of a series of weather elements, and the remainder record data once a day. These data are reported monthly in the Climatological Data and Storm Data, published monthly and annually in the Local Climatological Data (published by location for major cities).

The normal climatological temperatures, precipitation, and degree days listed in this publication are derived for comparative purposes and are averages for the 30-year period, 1971–2000. For stations that did not have continuous records for the entire 30 years from the same instrument site, the normals have been adjusted to provide representative values for the current location. The information in all other tables is based on data from the beginning of the record at that location through 2006.

Table 344. Land and Water Area of States and Other Entities: 2000

[One square mile = 2.59 square kilometers. Area is calculated from the specific boundary recorded for each entity in the U.S. Census Bureau's geographic TIGER® database]

State and other areas	Total area		Land area		Water area					
	Sq. mi.	Sq. km.	Sq. mi.	Sq. km.	Total		Inland (sq. mi.)	Coastal (sq. mi.)	Great Lakes (sq. mi.)	Territorial (sq. mi.)
					Sq. mi.	Sq. km.				
Total	3,803,290	9,850,521	3,541,479	9,172,430	261,811	678,090	79,018	42,241	60,251	77,777
United States	3,794,083	9,826,675	3,537,438	9,161,966	256,645	664,710	78,797	42,225	60,251	75,372
Alabama	52,419	135,765	50,744	131,426	1,675	4,338	956	519	(X)	200
Alaska	663,267	1,717,854	571,951	1,481,347	91,316	236,507	17,243	27,049	(X)	47,024
Arizona	113,998	295,254	113,635	294,312	364	942	364	–	(X)	–
Arkansas	53,179	137,732	52,068	134,856	1,110	2,876	1,110	–	(X)	–
California	163,696	423,970	155,959	403,933	7,736	20,037	2,674	222	(X)	4,841
Colorado	104,094	269,601	103,718	268,627	376	974	376	–	(X)	–
Connecticut	5,543	14,357	4,845	12,548	699	1,809	161	538	(X)	–
Delaware	2,489	6,447	1,954	5,060	536	1,388	72	371	(X)	93
District of Columbia	68	177	61	159	7	18	7	–	(X)	–
Florida	65,755	170,304	53,927	139,670	11,828	30,634	4,672	1,311	(X)	5,845
Georgia	59,425	153,909	57,906	149,976	1,519	3,933	1,016	48	(X)	455
Hawaii	10,931	28,311	6,423	16,635	4,508	11,677	38	–	(X)	4,470
Idaho	83,570	216,446	82,747	214,314	823	2,131	823	–	(X)	–
Illinois	57,914	149,998	55,584	143,961	2,331	6,037	756	–	1,575	–
Indiana	36,418	94,321	35,867	92,895	551	1,427	316	–	235	–
Iowa	56,272	145,743	55,869	144,701	402	1,042	402	–	(X)	–
Kansas	82,277	213,096	81,815	211,900	462	1,197	462	–	(X)	–
Kentucky	40,409	104,446	39,728	102,896	681	1,763	681	–	(X)	–
Louisiana	51,840	134,264	43,562	112,825	8,278	21,440	4,154	1,935	(X)	2,189
Maine	35,385	91,646	30,862	79,931	4,523	11,715	2,264	613	(X)	1,647
Maryland	12,407	32,133	9,774	25,314	2,633	6,819	680	1,843	(X)	110
Massachusetts	10,555	27,336	7,840	20,306	2,715	7,031	423	977	(X)	1,314
Michigan	96,716	250,494	56,804	147,121	39,912	103,372	1,611	–	38,301	–
Minnesota	86,939	225,171	79,610	206,189	7,329	18,982	4,783	–	2,546	–
Mississippi	48,430	125,434	46,907	121,489	1,523	3,945	785	590	(X)	148
Missouri	69,704	180,533	68,886	178,414	818	2,120	818	–	(X)	–
Montana	147,042	380,838	145,552	376,979	1,490	3,859	1,490	–	(X)	–
Nebraska	77,354	200,345	76,872	199,099	481	1,247	481	–	(X)	–
Nevada	110,561	286,351	109,826	284,448	735	1,903	735	–	(X)	–
New Hampshire	9,350	24,216	8,968	23,227	382	989	314	–	(X)	68
New Jersey	8,721	22,588	7,417	19,211	1,304	3,377	396	401	(X)	507
New Mexico	121,590	314,915	121,356	314,309	234	606	234	–	(X)	–
New York	54,556	141,299	47,214	122,283	7,342	19,016	1,895	981	3,988	479
North Carolina	53,819	139,389	48,711	126,161	5,108	13,229	3,960	–	(X)	1,148
North Dakota	70,700	183,112	68,976	178,647	1,724	4,465	1,724	–	(X)	–
Ohio	44,825	116,096	40,948	106,056	3,877	10,040	378	–	3,499	–
Oklahoma	69,898	181,036	68,667	177,847	1,231	3,189	1,231	–	(X)	–
Oregon	98,381	254,805	95,997	248,631	2,384	6,174	1,050	80	(X)	1,254
Pennsylvania	46,055	119,283	44,817	116,075	1,239	3,208	490	–	749	–
Rhode Island	1,545	4,002	1,045	2,706	500	1,295	178	9	(X)	314
South Carolina	32,020	82,932	30,110	77,983	1,911	4,949	1,008	72	(X)	831
South Dakota	77,117	199,731	75,885	196,540	1,232	3,191	1,232	–	(X)	–
Tennessee	42,143	109,151	41,217	106,752	926	2,399	926	–	(X)	–
Texas	268,581	695,621	261,797	678,051	6,784	17,570	5,056	404	(X)	1,324
Utah	84,899	219,887	82,144	212,751	2,755	7,136	2,755	–	(X)	–
Vermont	9,614	24,901	9,250	23,956	365	945	365	–	(X)	–
Virginia	42,774	110,785	39,594	102,548	3,180	8,237	1,006	1,728	(X)	446
Washington	71,300	184,665	66,544	172,348	4,756	12,317	1,553	2,537	(X)	666
West Virginia	24,230	62,755	24,078	62,361	152	394	152	–	(X)	–
Wisconsin	65,498	169,639	54,310	140,663	11,188	28,976	1,830	–	9,358	–
Wyoming	97,814	253,336	97,100	251,489	713	1,847	713	–	(X)	–
Puerto Rico	5,325	13,790	3,425	8,870	1,900	4,921	(NA)	(NA)	(X)	(NA)
Island Areas:	3,866	10,014	600	1,554	3,266	8,460	(NA)	(NA)	(X)	(NA)
American Samoa	584	1,511	77	200	506	1,311	(NA)	(NA)	(X)	(NA)
Guam	571	1,478	210	544	361	934	(NA)	(NA)	(X)	(NA)
No. Mariana Islands	1,975	5,114	179	464	1,796	4,651	(NA)	(NA)	(X)	(NA)
Virgin Islands of the U.S.	737	1,910	134	346	604	1,564	(NA)	(NA)	(X)	(NA)
U.S. minor outlying islands ¹	16	41	16	41	–	–	(NA)	(NA)	(X)	(NA)

– Represents or rounds to zero. NA Not available. X Not applicable. ¹ Baker, Howland, and Jarvis Islands; Johnston Atoll, Kingman Reef, Midway Islands, Navassa Island, Palmyra Atoll, and Wake Island.

Source: U.S. Census Bureau, 2000 Census of Population and Housing, *Summary Population and Housing Characteristics*, Series PHC-1, PHC-3, and unpublished data from the Census TIGER® database.

Table 345. U.S.–Canada and U.S.–Mexico Border Lengths

[For 2006, there were more than 67 million passenger trips between the United States and Canada, and more than 228 million between the United States and Mexico. See Table 1243 for more passenger trip detail. Only those states with international borders are included in the table below. For more information on the National Atlas of the United States, please see <<http://nationalatlas.gov/partners.html>>]

State	Length of international border (statute miles) ¹	State	Length of international border (statute miles) ¹
United States–Canada total	5,525	Ohio	146
Alaska	1,585	Pennsylvania	42
Idaho	45	Vermont	90
Maine	611	Washington	427
Michigan	721		
Minnesota	547	United States–Mexico total	1,933
Montana	545	Arizona	373
New Hampshire	58	California	140
New York	445	New Mexico	180
North Dakota	310	Texas	1,241

¹ Statute mile equals one mile.

Source: U.S. Geological Survey, The National Atlas of the United States, *Borders*; <http://nationalatlas.gov/articles/mapping/a_general.html>.

Table 346. Coastline and Shoreline of the United States by State

[In statute miles. Each statute mile equals one mile. The term **coastline** is used to describe the general outline of the seacoast. For the table below, United States coastline measurements were made from small-scale maps, and the coastline was generalized. The coastlines of large sounds and bays were included. Measurements were made in 1948. **Shoreline** is the term used to describe a more detailed measure of the seacoast. The tidal shoreline figures in the table below were obtained in 1939–1940 from the largest-scale charts and maps then available. Shoreline of the outer coast, offshore islands, sounds, and bays were included, as well as the tidal portion of rivers and creeks. Only states with a coastline or shoreline are included in the following table. For more information on the National Atlas of the United States, please see <<http://nationalatlas.gov/partners.html>>]

State	General coastline	Tidal shoreline	State	General coastline	Tidal shoreline
United States	12,383	88,633	Mississippi	44	359
Alabama	53	607	New Hampshire	13	131
Alaska	6,640	33,904	New Jersey	130	1,792
California	840	3,427	New York	127	1,850
Connecticut	–	618	North Carolina	301	3,375
Delaware	28	381	Oregon	296	1,410
Florida	1,350	8,426	Pennsylvania	–	89
Georgia	100	2,344	Rhode Island	40	384
Hawaii	750	1,052	South Carolina	187	2,876
Louisiana	397	7,721	Texas	367	3,359
Maine	228	3,478	Virginia	112	3,315
Maryland	31	3,190	Washington	157	3,026
Massachusetts	192	1,519			

– Represents zero.

Source: U.S. Geological Survey and National Oceanic Atmospheric Administration, The National Atlas of the United States, *Coastline and Shoreline*; <http://nationalatlas.gov/articles/mapping/a_general.html>.

Table 347. Largest Lakes in the United States

[The list of lakes include manmade lakes and those that are only partially within the United States. For more information on the National Atlas of the United States®, please see <<http://nationalatlas.gov/partners.html>>]

Lake	Location	Area in sq. miles	Lake	Location	Area in sq. miles
Lake Superior	MI-MN-WI-Ontario	31,700	Lake Pontchartrain	Louisiana	631
Lake Huron	MI-Ontario	23,000	Lake Sakakawea ¹	North Dakota	520
Lake Michigan	IL-IN-MI-WI	22,300	Lake Champlain	NY-VT-Quebec	490
Lake Erie	MI-NY-OH-PA-Ontario	9,910	Becharof Lake	Alaska	453
Lake Ontario	NY-Ontario	7,340	Lake St. Clair	MI-Ontario	430
Great Salt Lake	Utah	2,117	Red Lake	Minnesota	427
Lake of the Woods	MN-Manitoba-Ontario	1,485	Selawik Lake	Alaska	404
Iliamna Lake	Alaska	1,014	Fort Peck Lake	Montana	393
Lake Oahe ¹	ND-SD	685	Salton Sea	California	347
Lake Okeechobee	Florida	662	Rainy Lake	MN-Ontario	345

¹ Manmade lakes.

Source: U.S. Geological Survey and National Oceanic Atmospheric Administration, The National Atlas of the United States of America, *Lakes*; <http://nationalatlas.gov/articles/mapping/a_general.html>.

Table 348. Flows of Largest U.S. Rivers—Length, Discharge, and Drainage Area

River	Location of mouth	Source stream (name and location)	Length (miles) ¹	Average discharge at mouth	Drainage area (1,000 sq. mi.)
				(1,000 cubic ft. per second)	
Missouri	Missouri	Red Rock Creek, MT	2,540	76.2	2,529
Mississippi	Louisiana	Mississippi River, MN	2,340	593	1,150
Yukon	Alaska	McNeil River, Canada	1,980	225	2,328
St. Lawrence	Canada	North River, MN	1,900	348	2,396
Rio Grande	Mexico-Texas	Rio Grande, CO	1,900	(²)	336
Arkansas	Arkansas	East Fork Arkansas River, CO	1,460	41	161
Colorado	Mexico	Colorado River, CO	1,450	(²)	246
Atchafalaya ⁶	Louisiana	Tierra Blanca Creek, NM	1,420	58	95.1
Ohio	Illinois-Kentucky	Allegheny River, PA	1,310	281	203
Red	Louisiana	Tierra Blanca Creek, NM	1,290	56	93.2
Brazos	Texas	Blackwater Draw, NM	1,280	(²)	45.6
Columbia	Oregon-Washington	Columbia River, Canada	1,240	265	2,258
Snake	Washington	Snake River, WY	1,040	56.9	108
Platte	Nebraska	Grizzly Creek, CO	990	(²)	84.9
Pecos	Texas	Pecos River, NM	926	(²)	44.3
Canadian	Oklahoma	Canadian River, CO	906	(²)	46.9
Tennessee	Kentucky	Courthouse Creek, NC	886	68	40.9
Colorado (of Texas)	Texas	Colorado River, TX	862	(²)	42.3
North Canadian	Oklahoma	Corrumpa Creek, NM	800	(²)	17.6
Mobile	Alabama	Tickanetley Creek, GA	774	67.2	44.6
Kansas	Kansas	Arikaree River, CO	743	(²)	59.5
Kuskokwim	Alaska	South Fork Kuskokwim River, AK	724	67	48
Yellowstone	North Dakota	North Folk Yellowstone River, WY	692	(²)	70
Tanana	Alaska	Nabesna River, AK	659	41	44.5
Gila	Arizona	Middle Fork Gila River, NM	649	(²)	58.2
Porcupine	Alaska	Porcupine River, Canada	569	23	45.1
Susquehanna	Maryland	Hayden Creek, NY	447	38.2	27.2
Stikine	Alaska	Stikine River, Canada	379	56	20
Susitna	Alaska	Susitna River, AK	313	51	20
Willamette	Oregon	Middle Fork Willamette River, OR	309	37.4	11.4
Copper	Alaska	Copper River, AK	286	59	24.4
Nushagak	Alaska	Nushagak River, AK	285	36	13.4

¹ From source to mouth. ² Drainage area includes both the United States and Canada. ³ The length from the source of the Missouri River to the Mississippi River and thence to the Gulf of Mexico is about 3,710 miles. ⁴ Includes about 167,000 cubic ft. per second diverted from the Mississippi into the Atchafalaya River but excludes the flow of the Red River. ⁵ Excludes the drainage areas of the Red and Atchafalaya Rivers. ⁶ In east-central Louisiana, the Red River flows into the Atchafalaya River, a distributary of the Mississippi River. Data on average discharge, length, and drainage area include the Red River, but exclude all water diverted into the Atchafalaya from the Mississippi River. ⁷ Less than 15,000 cubic feet per second.

Source: U.S. Geological Survey, "Largest Rivers in the United States," <<http://pubs.usgs.gov/of/1987/ofr87-242/>>.

Table 349. Extreme and Mean Elevations by State and Other Areas

[One foot = .305 meter. There are 2,130 square miles of the United States below sea level (Death Valley is the lowest point). There are 20,230 square miles above 10,000 feet (Mount McKinley is the highest point in the United States)]

State and other areas	Highest point			Lowest point			Approximate mean elevation	
	Name	Elevation		Name	Elevation		Feet	Meters
		Feet	Meters		Feet	Meters		
U.S.	Mt. McKinley (AK)	20,320	6,198	Death Valley (CA)	-282	-86	2,500	763
AL	Cheaha Mountain	2,407	734	Gulf of Mexico	()	()	500	153
AK	Mount McKinley	20,320	6,198	Pacific Ocean	()	()	1,900	580
AZ	Humphreys Peak	12,633	3,853	Colorado River	70	21	4,100	1,251
AR	Magazine Mountain	2,753	840	Ouachita River	55	17	650	198
CA	Mount Whitney	14,494	4,419	Death Valley	-282	-86	2,900	885
CO	Mt. Elbert	14,433	4,402	Arikaree River	3,315	1,011	6,800	2,074
CT	Mt. Frissell on south slope	2,380	726	Long Island Sound	()	()	500	153
DE	Ebright Road ²	448	137	Atlantic Ocean	()	()	60	18
DC	Tenleytown at Reno Reservoir	410	125	Potomac River	1	(Z)	150	46
FL	Britton Hill	345	105	Atlantic Ocean	()	()	100	31
GA	Brasstown Bald	4,784	1,459	Atlantic Ocean	()	()	600	183
HI	Pu'u Wekiu, Mauna Kea	13,796	4,208	Pacific Ocean	()	()	3,030	924
ID	Borah Peak	12,662	3,862	Snake River	710	217	5,000	1,525
IL	Charles Mound	1,235	377	Mississippi River	279	85	600	183
IN	Hoosier Hill	1,257	383	Ohio River	320	98	700	214
IA	Howeys Point	1,670	509	Mississippi River	480	146	1,100	336
KS	Mount Sunflower	4,039	1,232	Verdigris River	679	207	2,000	610
KY	Black Mountain	4,145	1,264	Mississippi River	257	78	750	229
LA	Driskill Mountain	535	163	New Orleans	-8	-2	100	31
ME	Mount Katahdin	5,268	1,607	Atlantic Ocean	()	()	600	183
MD	Hoye Crest	3,360	1,025	Atlantic Ocean	()	()	350	107
MA	Mount Greylock	3,491	1,065	Atlantic Ocean	()	()	500	153
MI	Mount Arvon	1,979	604	Lake Erie	571	174	900	275
MN	Eagle Mountain	2,301	702	Lake Superior	601	183	1,200	366
MS	Woodall Mountain	806	246	Gulf of Mexico	()	()	300	92
MO	Taum Sauk Mountain	1,772	540	St. Francis River	230	70	800	244
MT	Granite Peak	12,799	3,904	Kootenai River	1,800	549	3,400	1,037
NE	Panorama Point	5,424	1,654	Missouri River	840	256	2,600	793
NV	Boundary Peak	13,140	4,007	Colorado River	479	146	5,500	1,678
NH	Mount Washington	6,288	1,918	Atlantic Ocean	()	()	1,000	305
NJ	High Point	1,803	550	Atlantic Ocean	()	()	250	76
NM	Wheeler Peak	13,161	4,014	Red Bluff Reservoir	2,842	867	5,700	1,739
NY	Mount Marcy	5,344	1,630	Atlantic Ocean	()	()	1,000	305
NC	Mount Mitchell	6,684	2,039	Atlantic Ocean	()	()	700	214
ND	White Butte	3,506	1,069	Red River of the North	750	229	1,900	580
OH	Campbell Hill	1,550	473	Ohio River	455	139	850	259
OK	Black Mesa	4,973	1,517	Little River	289	88	1,300	397
OR	Mount Hood	11,239	3,428	Pacific Ocean	()	()	3,300	1,007
PA	Mount Davis	3,213	980	Delaware River	()	()	1,100	336
RI	Jerimoth Hill	812	248	Atlantic Ocean	()	()	200	61
SC	Sassafras Mountain	3,560	1,086	Atlantic Ocean	()	()	350	107
SD	Harney Peak	7,242	2,209	Big Stone Lake	966	295	2,200	671
TN	Clingmans Dome	6,643	2,026	Mississippi River	178	54	900	275
TX	Guadalupe Peak	8,749	2,668	Gulf of Mexico	()	()	1,700	519
UT	Kings Peak	13,528	4,126	Beaverdam Wash	2,000	610	6,100	1,861
VT	Mount Mansfield	4,393	1,340	Lake Champlain	95	29	1,000	305
VA	Mount Rogers	5,729	1,747	Atlantic Ocean	()	()	950	290
WA	Mount Rainier	14,411	4,395	Pacific Ocean	()	()	1,700	519
WV	Spruce Knob	4,863	1,483	Potomac River	240	73	1,500	458
WI	Timms Hill	1,951	595	Lake Michigan	579	177	1,050	320
WY	Gannett Peak	13,804	4,210	Belle Fourche River	3,099	945	6,700	2,044
Puerto Rico	Cerro de Punta	4,390	1,339	Atlantic Ocean	()	()	1,800	549
American Samoa	Lata Mountain	3,160	964	Pacific Ocean	()	()	1,300	397
Guam	Mount Lamlam	1,332	406	Pacific Ocean	()	()	330	101
U.S. Virgin Islands	Crown Mountain	1,556	475	Atlantic Ocean	()	()	750	229

Z Less than 0.5 meter. ¹ Sea level. ² At DE-PA state line.

Source: U.S. Geological Survey, for highest and lowest points, "Elevations and Distances in the United States" at <<http://erg.usgs.gov/isb/pubs/booklets/elvadist/elvadist.html>> (released 29 April 2005). For mean elevations see, *Elevations and Distances in the United States*, 1983 edition.

Table 350. Land Cover/Use by Type: 1982 to 2003

[In millions of acres (1,937.7 represents 1,937,700,000), except percent. Excludes Alaska, Hawaii, and District of Columbia. For inventory-specific glossary of key terms, see <http://www.nrcs.usda.gov/technical/NRI/glossaries.html>]

Year	Total surface area	Nonfederal rural land						Developed land	Water areas	Federal land
		Rural land total ¹	Crop-land	Pasture land	Range-land	Forest land	Other rural land			
1982	1,937.7	1,417.2	420.4	131.4	414.5	402.6	48.3	72.8	48.6	399.1
1992	1,937.6	1,400.2	381.2	125.1	406.6	404.0	49.3	86.5	49.4	401.5
2003	1,937.7	1,377.3	367.9	117.0	405.1	405.6	50.2	108.1	50.4	401.9
Percent of total land										
1982	100.0	73.1	21.7	6.8	21.4	20.8	2.5	3.8	2.5	20.6
1992	100.0	72.3	19.7	6.5	21.0	20.9	2.5	4.5	2.5	20.7
2003	100.0	71.1	19.0	6.0	20.9	20.9	2.6	5.6	2.6	20.7

¹ Includes Conservation Reserve Program land not shown separately.

Source: U.S. Department of Agriculture, Natural Resources and Conservation Service, *2003 Annual National Resources Inventory*. See also <http://www.nrcs.usda.gov/technical/NRI/>.

Table 351. Wetlands on Nonfederal Land and Water Areas by Land Cover/Use and Farm Production Region: 2003

[In thousands of acres (110,760 represents 110,760,000). Represents palustrine and estuarine wetlands; see source]

Farm production region ¹							Developed land	Water area
	Total	Crop-land ²	Forest land	Range-land	Other rural land			
Wetlands, total	110,760	16,730	65,440	7,740	15,800	1,590	3,460	
Lake states	22,460	2,710	15,480	–	3,880	160	230	
Southeast	22,360	940	16,010	970	3,460	420	560	
Delta states	17,950	3,240	11,020	270	2,730	190	500	
Northeast	14,150	1,250	10,890	–	1,550	240	220	
Northern plains	7,640	3,020	210	2,870	1,090	80	370	
Appalachian	7,460	400	6,080	–	570	110	300	
Southern plains	5,590	970	2,350	970	520	230	550	
Mountain	4,780	1,570	220	2,010	820	30	130	
Corn belt	4,690	1,330	2,440	–	380	100	440	
Pacific	3,680	1,300	740	650	800	30	160	

– Represents or rounds to zero. ¹ Ten regions established by USDA, Economic Research Service, that group states according to differences in soils, slope of land, climate, distance to market, and storage and marketing facilities. ² Includes pastureland and Conservation Reserve Program (CRP) lands.

Source: U.S. Department of Agriculture, Natural Resources Conservation Service, *2003 Annual National Resources Inventory*. See also <http://www.nrcs.usda.gov/technical/NRI/>.

Table 352. Land Cover/Use by State: 2003

[In thousands of acres (1,937,664 represents 1,937,664,000), except percent. Excludes Alaska, District of Columbia, Hawaii, and Island Areas]

State	Total surface area	Selected nonfederal rural land, percent of total			State	Total surface area	Selected nonfederal rural land, percent of total		
		Crop-land	Range-land	Forest land			Crop-land	Range-land	Forest land
United States	1,937,664	19.0	20.9	20.9	Nebraska	49,510	39.5	46.6	1.6
Alabama	33,424	7.5	0.2	64.4	Nevada	70,763	0.9	11.7	0.4
Arizona	72,964	1.3	44.2	5.7	New Hampshire	5,941	2.1	–	65.6
Arkansas	34,037	22.1	0.1	44.1	New Jersey	5,216	10.1	–	30.8
California	101,510	9.3	17.5	13.7	New Mexico	77,823	2.0	51.3	7.0
Colorado	66,625	12.5	37.2	4.9	New York	31,361	17.1	–	56.1
Connecticut	3,195	5.4	–	53.4	North Carolina	33,709	16.4	–	45.9
Delaware	1,534	29.8	–	22.2	North Dakota	45,251	53.6	24.5	1.0
Florida	37,534	7.7	7.2	33.9	Ohio	26,445	42.5	–	27.3
Georgia	37,741	11.0	–	58.0	Oklahoma	44,738	20.1	31.6	16.5
Idaho	53,488	10.2	12.0	7.5	Oregon	62,161	6.0	15.1	20.5
Illinois	36,059	66.5	–	11.0	Pennsylvania	28,995	17.7	–	53.9
Indiana	23,158	57.5	–	16.5	Rhode Island	813	2.5	–	45.9
Iowa	36,017	70.8	–	6.4	South Carolina	19,939	11.9	–	56.0
Kansas	52,661	50.3	30.1	2.9	South Dakota	49,358	34.6	44.7	1.0
Kentucky	25,863	21.2	–	40.6	Tennessee	26,974	17.6	–	44.3
Louisiana	31,377	17.3	0.9	42.5	Texas	171,052	14.9	56.2	6.2
Maine	20,966	1.8	–	84.0	Utah	54,339	3.1	19.6	3.5
Maryland	7,870	19.3	–	30.1	Vermont	6,154	9.5	–	67.1
Massachusetts	5,339	4.7	–	49.9	Virginia	27,087	10.6	–	48.7
Michigan	37,349	21.7	–	44.7	Washington	44,035	14.7	13.3	28.9
Minnesota	54,010	39.1	–	30.3	West Virginia	15,508	5.3	–	68.1
Mississippi	30,527	16.3	–	54.9	Wisconsin	35,920	28.7	–	40.4
Missouri	44,614	30.7	0.2	28.1	Wyoming	62,603	3.5	44.0	1.5
Montana	94,110	15.4	39.0	5.7					

– Represents zero.

Source: U.S. Department of Agriculture, Natural Resources and Conservation Service, Summary Report, *2003 Annual National Resources Inventory*. See also <http://www.nrcs.usda.gov/technical/NRI/>.

Table 353. U.S. Wetland Resources and Deepwater Habitats by Type: 1998 to 2004

[In thousands of acres (148,618.8 represents 148,618,800). Wetlands and deepwater habitats are defined separately because the term wetland does not include permanent water bodies. Deepwater habitats are permanently flooded land lying below the deepwater boundary of wetlands. Deepwater habitats include environments where surface water is permanent and often deep, so that water, rather than air, is the principal medium within which the dominant organisms live, whether or not they are attached to the substrate. As in wetlands, the dominant plants are hydrophytes; however, the substrates are considered nonsoil because the water is too deep to support emergent vegetation. In general terms, wetlands are lands where saturation with water is the dominant factor determining the nature of soil development and the types of plant and animal communities living in the soil and on its surface. The single feature that most wetlands share is soil or substrate that is at least periodically saturated with or covered by water. Wetlands are lands transitional between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water. For more information on wetlands, see the "Classification of Wetlands and Deepwater Habitats of the United States" at <http://www.fws.gov/nwi/Pubs_Reports/Class_Manual/class_titlepg.htm>]

Wetland or deepwater category	Estimated area, 1998	Estimated area, 2004	Change, 1998 to 2004
All wetlands and deepwater habitats, total	148,618.8	149,058.5	439.7
All deepwater habitats, total	41,046.6	41,304.5	247.9
Lacustrine ¹	16,610.5	16,773.4	162.9
Riverine ²	6,765.5	6,813.3	47.7
Estuarine Subtidal ³	17,680.5	17,717.8	37.3
All wetlands, total	107,562.3	107,754.0	191.8
Intertidal wetlands ⁴	5,328.7	5,300.3	-28.4
Marine intertidal	130.4	128.6	-1.9
Estuarine intertidal nonvegetated	594.1	600.0	5.9
Estuarine intertidal vegetated	4,604.2	4,571.7	-32.4
Freshwater wetlands	102,233.6	102,453.8	220.2
Freshwater nonvegetated	5,918.7	6,633.9	715.3
Freshwater vegetated	96,414.9	95,819.8	-495.1
Freshwater emergent ⁵	26,289.6	26,147.0	-142.6
Freshwater forested ⁶	51,483.1	52,031.4	548.2
Freshwater shrub ⁷	18,542.2	17,641.4	-900.8

¹ The lacustrine system includes deepwater habitats with all of the following characteristics: (1) situated in a topographic depression or a dammed river channel; (2) lacking trees, shrubs, persistent emergents, emergent mosses or lichens with greater than 30 percent coverage; (3) total area exceeds 20 acres (8 hectares). ² The riverine system includes deepwater habitats contained within a channel, with the exception of habitats with water containing ocean derived salts in excess of 0.5 parts per thousand. ³ The estuarine system consists of deepwater tidal habitats and adjacent tidal wetlands that are usually semi-enclosed by land but have open, partly obstructed, or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. Subtidal is where the substrate is continuously submerged by marine or estuarine waters. ⁴ Intertidal is where the substrate is exposed and flooded by tides. Intertidal includes the splash zone of coastal waters. ⁵ Emergent wetlands are characterized by erect, rooted, herbaceous hydrophytes, excluding mosses and lichens. This vegetation is present for most of the growing season in most years. These wetlands are usually dominated by perennial plants. ⁶ Forested wetlands are characterized by woody vegetation that is 20 feet tall or taller. ⁷ Shrub wetlands include areas dominated by woody vegetation less than 20 feet tall. The species include true shrubs, young trees, and trees or shrubs that are small or stunted because of environmental conditions.

Source: U.S. Fish and Wildlife Service, *Status and Trends of Wetlands in the Conterminous United States, 1998 to 2004*, December 2005. See also <http://wetlandsfws.er.usgs.gov/status_trends/national_reports/trends_2005_report.pdf>.

Table 354. U.S. Water Withdrawals Per Day by End Use: 1940 to 2000

[140 represents 140,000,000,000. Includes the District of Columbia, Puerto Rico and U.S. Virgin Islands. Withdrawal signifies water physically withdrawn from a source. Includes fresh and saline water; excludes water used for hydroelectric power]

Year	Total (bil. gal.)	Per capita ¹ (gal.)	Irrigation (bil. gal.)	Public supply (bil. gal.) ²	Rural ³ (bil. gal.)	Industrial and misc. ⁴ (bil. gal.)	Steam electric utilities (bil. gal.)
1940	140	1,027	71	10	3.1	29	23
1950	180	1,185	89	14	3.6	37	40
1955	240	1,454	110	17	3.6	39	72
1960	270	1,500	110	21	3.6	38	100
1965	310	1,602	120	24	4.0	46	130
1970	370	1,815	130	27	4.5	47	170
1975	420	1,972	140	29	4.9	45	200
1980	440	1,953	150	34	5.6	45	210
1985	399	1,650	137	38	7.8	31	187
1990	408	1,620	137	41	7.9	30	195
1995	402	1,500	134	40	8.9	29	190
2000	408	1,430	137	43	9.2	23	196

¹ Based on U.S. Census Bureau resident population as of July 1. ² Includes commercial water withdrawals. ³ Rural farm and nonfarm household and garden use, and water for farm stock and dairies. ⁴ For 1940 to 1960, includes manufacturing and mineral industries, rural commercial industries, air-conditioning, resorts, hotels, motels, military, and other state and federal agencies, and miscellaneous; thereafter, includes manufacturing, mining and mineral processing, ordnance, construction, and miscellaneous.

Source: 1940–1960, U.S. Bureau of Domestic Business Development, based principally on committee prints, *Water Resources Activities in the United States*, for the Senate Committee on National Water Resources, U.S. Senate, thereafter, U.S. Geological Survey, *Estimated Use of Water in the United States in 2000*, circular 1268. See also <<http://water.usgs.gov/pubs/circ/2004/circ1268/>> (released 12 March 2004).

Table 355. Oil Spills in U.S. Water—Number and Volume: 2000 to 2004

[Based on reported discharges into U.S. navigable waters, including territorial waters (extending 3 to 12 miles from the coastline), tributaries, the contiguous zone, onto shoreline, or into other waters that threaten the marine environment. Data found in U.S. Coast Guard polluting incident database]

Spill characteristic	Number of spills				Spill volume (gallons)			
	2000	2002	2003	2004	2000	2002	2003	2004
Total	8,354	4,497	4,192	3,897	1,431,370	638,882	401,140	1,416,714
Size of spill (gallons):								
1 to 100	8,058	4,269	3,975	3,677	39,355	35,728	32,881	31,150
101 to 1,000	219	176	169	170	78,779	62,331	59,661	60,387
1,001 to 3,000	37	34	19	34	67,529	60,706	33,722	66,152
3,001 to 5,000	12	2	12	2	45,512	7,686	44,630	7,840
5,001 to 10,000	16	5	11	4	112,415	37,340	77,366	26,739
10,001 to 50,000	6	8	6	5	108,400	186,065	152,880	86,430
50,001 to 100,000	4	2	—	1	266,380	144,126	—	58,036
100,001 to 1,000,000	2	1	—	4	713,000	104,900	—	1,079,981
1,000,000 and over	—	—	—	—	—	—	—	—
Waterbody:								
Atlantic Ocean	150	83	39	31	135,010	7,852	2,223	332,110
Pacific Ocean	623	103	118	143	36,301	8,336	3,003	345,276
Gulf of Mexico	1,838	733	801	908	112,069	106,465	49,617	31,935
Great Lakes	96	41	37	77	4,535	505	3,339	895
Lakes	32	16	24	6	349	881	175	93
Rivers and canals	1,816	1,415	1,501	1,426	663,404	227,898	165,022	163,841
Bays and sounds	1,248	804	688	569	49,783	46,399	107,419	35,797
Harbors	801	999	714	630	273,095	153,965	19,033	504,321
Other	1,750	303	270	107	156,824	86,581	51,308	2,447
Source:								
Tankship	111	55	38	35	608,176	4,753	4,450	636,834
Tankbarge	229	126	156	143	133,540	30,219	102,874	215,822
All other vessels	5,220	1,635	1,521	1,527	291,927	212,410	103,481	453,901
Facilities	1,054	1,219	1,083	1,099	311,604	198,718	78,202	42,675
Pipelines	25	—	1	1	17,021	—	14,952	15,000
All other nonvessels	566	67	56	37	45,136	2,153	361	12,781
Unknown	1,149	1,395	1,337	1,055	23,966	190,630	96,819	39,700

— Represents zero.

Source: U.S. Coast Guard, *Pollution Incidents In and Around U.S. Waters, A Spill/Release Compendium: 1969–2004* <<http://www.uscg.mil/hq/g-m/nmc/response/stats/ac.htm>>.

Table 356. Hazardous Waste Generated, Shipped, and Received by State and Other Area: 2005

[In thousands of tons (38,347.0 represents 38,347,000). Covers hazardous wastes regulated under the Resource Conservation and Recovery Act (RCRA) of 1976 as amended. Generation quantities exclude hazardous waste received from off site for storage/bulking and subsequently transferred off site for treatment or disposal is excluded from generation quantities. For further information on coverage, see source]

State and other area	Generated	Shipped	Received	State and other area	Generated	Shipped	Received
Total	38,347.0	7,686.3	8,545.9	Montana	7.2	6.0	—
United States	38,256.6	7,622.7	8,534.2	Nebraska	30.9	33.6	36.1
Alabama	874.7	210.0	120.9	Nevada	12.9	16.6	62.0
Alaska	2.4	1.2	0.1	New Hampshire	6.1	6.2	—
Arizona	24.3	26.5	35.6	New Jersey	993.1	322.4	166.2
Arkansas	443.7	284.5	273.3	New Mexico	944.6	5.9	9.0
California	747.2	710.8	1,770.3	New York	1,124.2	195.5	286.5
Colorado	95.5	53.9	23.4	North Carolina	384.1	106.5	91.1
Connecticut	44.0	55.4	22.7	North Dakota	549.7	1.6	0.6
Delaware	14.4	14.1	0.4	Ohio	2,145.4	946.7	853.2
District of Columbia	0.3	0.3	—	Oklahoma	211.9	38.5	48.2
Florida	237.1	39.0	18.0	Oregon	40.3	32.1	93.9
Georgia	480.3	321.4	6.9	Pennsylvania	360.8	316.8	467.2
Hawaii	1.5	1.4	0.4	Rhode Island	6.3	10.3	38.6
Idaho	25.9	28.9	136.0	South Carolina	177.7	219.2	177.4
Illinois	1,164.1	407.7	437.5	South Dakota	1.0	1.2	0.1
Indiana	1,017.4	426.6	642.5	Tennessee	776.1	67.8	23.7
Iowa	52.7	52.5	0.5	Texas	15,224.2	886.2	600.3
Kansas	229.2	132.2	193.9	Utah	78.1	77.8	154.4
Kentucky	1,152.1	206.3	86.9	Vermont	3.5	2.8	0.3
Louisiana	5,460.3	385.1	362.7	Virginia	134.4	83.0	36.8
Maine	4.1	3.5	2.4	Washington	141.9	120.7	33.3
Maryland	39.7	58.4	127.1	West Virginia	72.6	46.4	11.8
Massachusetts	372.7	70.1	28.0	Wisconsin	108.3	111.5	53.8
Michigan	295.8	316.2	440.0	Wyoming	3.1	2.3	—
Minnesota	249.5	62.1	303.6	Guam	0.1	0.1	0.1
Mississippi	1,599.5	27.1	56.7	Navajo Nation	0.1	0.1	—
Missouri	89.8	70.1	199.9	Puerto Rico	87.5	61.2	11.6
				Trust Territories	—	—	—
				Virgin Islands	2.6	2.2	—

— Represents zero or rounds to zero.

Source: U.S. Environmental Protection Agency, *The National Biennial RCRA Hazardous Waste Report (Based on 2005 Data)*, series EPA530-R-03-007. See also <<http://www.epa.gov/epaoswer/hazwaste/data/br05/index.htm>> (released December 2006).

Table 357. National Ambient Air Pollutant Concentrations by Type of Pollutant: 1990 to 2006

[Data represent annual composite averages of pollutant based on daily 24-hour averages of monitoring stations, except carbon monoxide, which is based on the second-highest, nonoverlapping, 8-hour average; ozone, the fourth-highest maximum 8-hour value; and lead, the maximum quarterly average of ambient lead levels. Based on data from the Air Quality System. $\mu\text{g}/\text{m}^3$ = micrograms of pollutant per cubic meter of air; ppm = parts per million]

Pollutant	Unit	Monitoring stations, number	Air quality standard	1990	1995	2000	2003	2004	2005	2006
				Carbon monoxide	ppm	243	² 9	6.0	4.8	3.5
Ozone	ppm	588	³ 0.075	0.085	0.088	0.080	0.080	0.073	0.078	0.077
Sulfur dioxide	ppm	295	⁴ 0.03	0.0081	0.0055	0.0049	0.0043	0.0041	0.0042	0.0038
Particulates (PM-10)	$\mu\text{g}/\text{m}^3$	391	⁵ 150	79.1	66.4	60.8	59.5	52.3	55.8	55.3
Fine particulates (PM-2.5)	$\mu\text{g}/\text{m}^3$	752	⁶ 15	(NA)	(NA)	13.5	12.2	11.8	12.8	11.6
Nitrogen dioxide	ppm	170	⁷ 0.053	0.020	0.019	0.017	0.016	0.015	0.015	0.014
Lead	$\mu\text{g}/\text{m}^3$	44	⁸ 1.5	0.13	0.07	0.07	0.06	0.06	0.08	0.06

NA Not available. ¹ Refers to the primary National Ambient Air Quality Standard. ² Based on 8-hour standard of 9 ppm. ³ Based on annual standard of 0.03 ppm. ⁴ Based on 8-hour standard of 0.075 ppm. On March 12, 2008, EPA revised the level of the primary and secondary 8-hour ozone standards to 0.075 ppm. ⁵ Based on 24-hour (daily) standard of 150 $\mu\text{g}/\text{m}^3$. The particulates (PM-10) standard replaced the previous standard for total suspended particulates in 1987. In 2006, EPA revoked the annual PM-10 standard. ⁶ Based on annual standard of 15 $\mu\text{g}/\text{m}^3$. The PM-2.5 national monitoring network was deployed in 1999. National trend data prior to that time is not available. ⁷ Based on annual standard of 0.053 ppm. ⁸ Based on 3-month standard of 1.5 $\mu\text{g}/\text{m}^3$.

Source: U.S. Environmental Protection Agency, *Latest Findings on National Air Quality - Status and Trends through 2006*; released January 2008; <<http://www.epa.gov/air/airtrends/2007/index.html>>.

Table 358. Selected National Air Pollutant Emissions: 1970 to 2005

[In thousands of tons (12,184 represents 12,184,000), except as indicated. PM-10 is equal to or less than ten microns in diameter; PM-2.5 is equal to or less than 2.5 microns effective diameter. Methodologies to estimate data for 1970 to 1980 period and 1985 to present emissions differ. Beginning with 1985, the methodology for more recent years is described in the document available at <<http://www.epa.gov/ttn/chief/net/2002inventory.html>>]

Year	PM-10	PM-10, misc. ¹	PM-2.5	PM-2.5, misc. ¹	Sulfur dioxide	Nitrogen dioxide	Volatile organic compounds	Carbon monoxide	Lead (tons) ²
1970	12,184	839	(NA)	(NA)	31,218	26,883	34,659	204,043	220,869
1975	6,987	569	(NA)	(NA)	28,043	26,337	30,765	188,398	159,659
1980	6,161	852	(NA)	(NA)	25,925	27,079	31,106	185,407	74,153
1985	3,588	37,736	(NA)	(NA)	23,307	25,757	27,404	176,844	22,890
1990	3,216	24,536	2,326	5,233	23,076	25,529	24,108	154,186	4,975
1995	3,054	22,765	2,203	4,726	18,619	24,956	22,041	126,777	3,929
1999	2,395	20,179	1,897	4,504	17,545	22,845	18,270	114,541	3,356
2000	2,319	20,642	1,821	4,681	16,347	22,598	17,512	114,467	(NA)
2001	2,362	20,573	1,840	4,382	15,932	21,549	17,111	106,262	(NA)
2002	2,340	16,095	1,308	1,795	14,728	21,186	20,749	114,592	1,640
2003	2,312	15,556	1,304	1,750	15,122	20,392	20,141	112,008	(NA)
2004	2,285	15,018	1,300	1,705	14,761	19,490	19,533	109,426	(NA)
2005	2,258	14,479	1,297	1,660	14,709	18,878	18,925	106,843	(NA)

NA Not available. ¹ Sources such as agricultural tilling, construction, mining and quarrying, paved roads, unpaved roads, and wind erosion. ² Beginning 1996, lead and lead compounds are inventoried through the hazardous air pollutants (HAPs) portion of the National Emission Inventory (NEI) every three years.

Source: U.S. Environmental Protection Agency, *National Emissions Inventory (NEI) Air Pollution Emissions Trends Data, 1970-2002*. See also <<http://www.epa.gov/ttn/chief/trends/index.html#tables>>; *Air and Radiation; Air Trends*. See also <<http://www.epa.gov/airtrends/reports.html>>.

Table 359. Selected Air Pollutant Emissions by Pollutant and Source: 2003

[In thousands of tons, except as indicated (17,868 represents 17,868,000. See headnote, Table 358)]

Source	PM-10 ¹	PM-2.5	Sulfur dioxide	Nitrogen dioxide	Volatile organic compounds	Carbon monoxide
Total emissions	17,868	3,054	15,122	20,392	20,141	112,008
Fuel combustion, stationary sources	529	284	13,192	7,169	1,730	5,463
Electric utilities	222	118	10,846	4,390	50	666
Industrial	241	115	1,795	2,072	154	1,263
Other fuel combustion	66	52	551	707	1,526	3,534
Residential						
Industrial processes	1,282	595	1,099	1,045	7,236	3,889
Chemical and allied product manufacturing	37	28	261	71	248	291
Metals processing	69	45	219	71	48	1,013
Petroleum and related industries	23	16	256	336	583	342
Other	854	258	332	431	437	503
Solvent utilization	8	6	-	7	4,297	5
Storage and transport	51	19	5	19	1,230	123
Waste disposal and recycling	240	224	26	110	393	1,613
Highway vehicles	198	142	240	7,750	4,458	60,744
Off highway ²	304	283	463	4,218	3,007	24,111
Miscellaneous ³	15,556	1,750	128	210	3,709	17,801

- Rounds to zero. ¹ Represents both PM-10 and PM-10 fugitive dust; see Table 358. ² Includes emissions from farm tractors and other farm machinery, construction equipment, industrial machinery, recreational marine vessels, and small general utility engines such as lawn mowers. ³ Includes emissions such as from forest fires and other kinds of burning, various agricultural activities, fugitive dust from paved and unpaved roads, and other construction and mining activities, and natural sources.

Source: U.S. Environmental Protection Agency, *National Emissions Inventory (NEI) Air Pollution Emissions Trends Data, 1970-2002*. See also <<http://www.epa.gov/ttn/chief/trends/index.html#tables>>; *Air and Radiation; Air Trends*. See also <<http://www.epa.gov/airtrends/reports.html>>.

Table 360. Emissions of Greenhouse Gases by Type and Source: 1990 to 2006

[In millions of metric tons (6,146.7 represents 6,146,700,000). Metric ton = 2,200 lbs. Emission estimates were mandated by Congress through Section 1605(a) of the Energy Policy Act of 1992 (Title XVI). Data shown below are for gases that contain carbon and are measured in terms of their carbon dioxide equivalent]

Type and source	1990	2000	2002	2003	2004	2005	2006 ¹
CARBON DIOXIDE EQUIVALENT							
Total emissions	6,146.7	6,978.4	6,944.9	7,012.4	7,133.5	7,181.4	7,075.6
Carbon dioxide, total	5,017.5	5,890.5	5,875.9	5,940.4	6,019.9	6,045.0	5,934.4
Energy use by sector							
Residential	961.6	1,181.5	1,196.2	1,224.1	1,221.5	1,253.0	1,204.2
Commercial	787.5	1,015.1	1,018.1	1,027.1	1,041.6	1,065.4	1,045.2
Industrial	1,679.9	1,778.1	1,707.8	1,712.8	1,735.7	1,677.1	1,650.8
Transportation	1,582.6	1,872.6	1,890.9	1,901.4	1,958.6	1,986.2	1,990.1
Energy adjustments ²	-82.4	-59.0	-36.4	-27.3	-42.8	-43.8	-64.8
Adjusted energy subtotal	4,929.3	5,788.3	5,776.6	5,838.2	5,914.6	5,937.8	5,825.5
Other sources	88.2	102.2	99.3	102.2	105.3	107.1	108.8
Methane	708.4	608.0	598.6	603.7	605.9	607.3	605.1
Energy sources	275.0	257.2	254.8	254.0	258.2	255.1	250.4
Agricultural sources	171.1	178.1	178.4	178.9	178.9	181.5	181.1
Waste management	259.6	169.8	162.8	168.1	166.2	168.3	171.2
Industrial processes	2.7	2.9	2.7	2.6	2.6	2.5	2.4
Nitrous oxide	333.7	341.9	332.5	331.7	358.3	368.0	378.9
Agricultural sources	249.5	252.2	247.3	248.3	273.4	279.2	289.1
Energy use	50.8	67.2	64.0	63.7	65.2	68.7	69.5
Industrial processes	28.6	16.6	15.2	13.6	13.6	13.9	13.8
Waste management	4.9	5.8	6.0	6.1	6.1	6.2	6.3
High-GWP gases ³	87.1	138.0	137.8	136.6	149.4	161.2	157.6

¹ 2006 preliminary data. ² CO2 emissions from U.S. Territories are added to the U.S. total, and CO2 emissions from fuels used for international transport (both ocean-going vessels and airplanes), are subtracted to derive total U.S. greenhouse emissions. ³ High-global warming potential gases (Hydrofluorocarbons, Perfluorocarbons, and Sulfur Hexafluoride).

Source: U.S. Energy Information Administration, *Emissions of Greenhouse Gases in the United States, 2006*, Series DOE/EIA-0573 (2006), annual. See also <<http://www.eia.doe.gov/oiat/1605/ggrpt/index.html>>.

Table 361. Municipal Solid Waste Generation, Materials Recovery, Combustion with Energy Recovery, and Discards in the United States: 1980 to 2006

[In millions of tons (151.6 represents 151,600,000), except as indicated. Covers post-consumer residential and commercial solid wastes which comprise the major portion of typical municipal collections. Excludes mining, agricultural and industrial processing, demolition and construction wastes, sewage sludge, and junked autos and obsolete equipment wastes. Based on material-flows estimating procedure and wet weight as generated]

Item and material	1980	1990	2000	2003	2004	2005	2006
Waste generated	151.6	205.2	238.3	240.4	249.2	248.2	251.3
Per person per day (lb.)	3.7	4.5	4.6	4.5	4.7	4.6	4.6
Total materials recovery	14.5	33.2	69.3	74.9	77.9	79.1	81.8
Per person per day (lb.)	0.4	0.7	1.4	1.4	1.5	1.5	1.5
Combustion with energy recovery	2.7	29.7	33.7	33.7	34.4	33.4	31.4
Per person per day (lb.)	0.1	0.6	0.7	0.6	0.6	0.6	0.6
Discards to landfill, other disposal	134.4	142.3	135.3	131.9	136.9	135.6	138.2
Per person per day (lb.)	3.2	3.1	2.6	2.5	2.6	2.5	2.5
PERCENT DISTRIBUTION OF GENERATION							
Total materials in products	71.8	71.4	74.3	73.7	73.9	73.3	73.2
Paper and paperboard	36.4	35.4	36.8	34.5	35.1	34.3	33.9
Glass	10.0	6.4	5.3	5.1	5.1	5.1	5.3
Metals	10.2	8.1	7.7	7.8	7.5	7.5	7.6
Plastics	4.5	8.3	10.6	11.5	11.7	11.7	11.7
Rubber and leather	2.8	2.8	2.7	2.8	2.7	2.7	2.6
Textiles	1.7	2.8	4.0	4.4	4.4	4.5	4.7
Wood	4.6	6.0	5.5	5.7	5.5	5.6	5.5
Other	1.7	1.6	1.8	1.8	1.8	1.8	1.8
Total other waste	28.2	28.6	25.7	26.3	26.1	26.7	26.8
Food wastes	8.6	10.1	11.4	11.7	11.9	12.3	12.4
Yard wastes	18.1	17.1	12.8	13.1	12.7	12.9	12.9
Other wastes	1.5	1.4	1.5	1.5	1.5	1.5	1.5

Source: Franklin Associates, a Division of ERG, Prairie Village, KS, *Municipal Solid Waste in the United States: 2006 Facts and Figures*. See also <<http://www.epa.gov/epaoswer/non-hw/muncpl/msw99.htm>>.

Table 362. Generation and Recovery of Selected Materials in Municipal Solid Waste: 1980 to 2006

[In millions of tons (151.6 represents 151,600,000), except as indicated. Covers post-consumer residential and commercial solid wastes which comprise the major portion of typical municipal collections. Excludes mining, agricultural and industrial processing, demolition wastes, sewage sludge, and junked autos and obsolete equipment wastes. Based on material-flows and construction estimating procedure and wet weight as generated]

Item and material	1980	1990	2000	2003	2004	2005	2006
Waste generated, total ¹	151.6	205.2	238.3	240.4	249.2	248.2	251.3
Paper and paperboard	55.2	72.7	87.7	83.0	87.6	85.1	85.3
Glass	15.1	13.1	12.6	12.3	12.7	12.8	13.2
Metals: Ferrous	12.6	12.6	13.5	14.0	14.0	13.8	14.2
Aluminum	1.7	2.8	3.2	3.2	3.2	3.2	3.3
Other nonferrous	1.2	1.1	1.6	1.6	1.6	1.7	1.7
Plastics	6.8	17.1	25.3	27.6	29.2	29.0	29.5
Food, other	13.0	20.8	27.1	28.2	29.7	30.5	31.3
Yard trimmings	27.5	35.0	30.5	31.5	31.8	32.1	32.4
Materials recovered, total ¹	14.5	33.2	69.3	74.9	77.9	79.1	81.8
Paper and paperboard	11.7	20.2	37.6	40.0	40.8	42.0	44.0
Glass	0.8	2.6	2.9	2.7	2.7	2.8	2.9
Metals: Ferrous	0.4	2.2	4.6	5.1	5.1	4.9	5.1
Aluminum	0.3	1.0	0.9	0.7	0.7	0.7	0.7
Other nonferrous	0.5	0.7	1.1	1.1	1.2	1.2	1.2
Plastics	0.2	0.4	1.5	1.4	1.7	1.8	2.0
Food, other	(Z)	(Z)	0.7	0.8	0.7	0.7	0.7
Yard trimmings	(Z)	4.2	15.8	18.3	19.8	19.9	20.1
Percent of generation recovered, total ¹	9.6	16.2	29.1	31.1	31.3	31.9	32.5
Paper and paperboard	21.3	27.8	42.8	48.2	46.6	49.4	51.6
Glass	5.0	20.1	22.8	21.5	21.6	21.6	21.8
Metals: Ferrous	2.9	17.6	34.1	36.4	36.5	35.7	35.7
Aluminum	17.9	35.9	27.3	21.6	22.3	21.6	21.2
Other nonferrous	46.6	66.4	67.9	66.7	72.6	71.9	71.5
Plastics	0.3	2.2	5.8	5.1	5.9	6.1	6.9
Food, other	(Z)	(Z)	2.5	2.7	2.2	2.3	2.2
Yard trimmings	(Z)	12.0	51.7	58.2	62.4	61.9	62.0

Z Less than 5,000 tons or .05 percent. ¹ Includes products not shown separately.

Source: Franklin Associates, a Division of ERG, Prairie Village, KS, *Municipal Solid Waste in the United States: 2006 Facts and Figures*. Prepared for the U.S. Environmental Protection Agency. See also <<http://www.epa.gov/epaoswer/non-hw/municipal/msw99.htm>>.

Table 363. Municipal Solid Waste—Generation, Recovery, and Discards by Selected Type of Product: 2006

[See headnote, Table 362]

Type of product	Generation (1,000 tons)	Recovery		Discards (1,000 tons)
		Products recovered (1,000 tons)	Percent of generation	
Paper and paperboard products ¹	85,280	44,020	51.6	41,260
Nondurable goods	44,840	20,160	45.0	24,680
Newsprint	8,830	7,780	88.1	1,050
Groundwood inserts	3,530	3,090	87.5	440
Magazines	2,570	1,040	40.5	1,530
Office-type papers	6,320	4,150	65.7	2,170
Standard mail	5,890	2,280	38.7	3,610
Other commercial printing	6,630	1,400	21.1	5,230
Containers and packaging	40,440	23,860	59.0	16,580
Corrugated boxes	31,430	22,630	72.0	8,800
Folding cartons	5,570	890	16.0	4,680
Glass products ¹	13,200	2,880	21.8	10,320
Containers and packaging	11,390	2,880	25.3	8,510
Beer and soft drink bottles	7,500	2,300	30.7	5,200
Wine and liquor bottles	1,670	250	15.0	1,420
Food and other bottles and jars	2,220	330	14.9	1,890
Metal products ¹	19,130	6,950	36.3	12,180
Ferrous	14,220	5,080	35.7	9,140
Aluminum	3,260	690	21.2	2,570
Other nonferrous	1,650	1,180	71.5	470
Plastics ¹	29,490	2,040	6.9	27,450
Plastics in durable goods	8,790	530	6.0	8,260
Plastics in nondurable goods	6,470	(Z)	(Z)	6,470
Plastics in containers and packaging	14,230	1,510	10.6	12,720
Rubber and leather ¹	6,540	870	13.3	5,670
Rubber in tires	2,490	870	34.9	1,620

Z Less than 5,000 tons or .05 percent. ¹ Includes products not shown separately.

Source: Franklin Associates, a Division of ERG, Prairie Village, KS, *Municipal Solid Waste in the United States: 2006 Facts and Figures*. Prepared for the U.S. Environmental Protection Agency. See also <<http://www.epa.gov/epaoswer/non-hw/municipal/msw99.htm>>.

Table 364. Toxic Chemical Releases and Transfers by Media: 2001 to 2006

[In millions of pounds (5,584.8 represents 5,584,800,000), except as indicated. Based on reports filed as required by section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA, or Title III of the Superfund Amendments and Reauthorization Act of 1986), Public Law 99-499. Owners and operators of facilities that are classified within North American Industrial Classification Code groups 31 through 33, 2121, 2122, 2211, 4246, 4247 and 562; have 10 or more full-time employees, and that manufacture, process, or otherwise use any listed toxic chemical in quantities greater than the established threshold in the course of a calendar year are covered and required to report]

Media	2001	2002	2003	2004	2005	2006
Total facilities reporting	25,758	25,051	24,445	24,197	23,797	22,880
Total on- and off-site disposal or other releases	5,584.8	4,750.5	4,442.2	4,238.7	4,353.9	4,248.9
On-site releases	5,088.4	4,260.0	3,958.7	3,726.5	3,820.6	3,725.5
Air emissions ¹	1,630.2	1,613.6	1,584.0	1,540.4	1,512.6	1,408.3
Surface water discharges	243.2	242.5	229.7	245.1	250.4	243.0
Underground injection class I	193.6	206.5	207.2	210.3	211.5	199.7
Underground injection class II-V	22.0	20.5	22.0	27.7	20.2	20.1
RCRA subtitle C landfills ²	173.5	156.0	199.8	155.5	158.5	155.3
Other landfills	311.0	267.2	265.0	257.0	255.8	250.9
Land treatment/application farming	17.2	24.3	18.2	21.5	23.7	26.8
Surface impoundments	973.8	771.6	822.6	726.8	790.9	830.8
Other land disposal	1,523.8	957.8	610.2	542.1	597.0	590.8
Off-site releases	496.4	490.5	483.5	512.2	533.4	523.3
Total transfers offsite for further waste management	4,037.2	3,929.4	3,692.4	3,978.0	3,921.1	3,937.2
Transfers to recycling	2,028.0	2,015.6	1,898.9	2,059.7	2,074.2	2,157.0
Transfers to energy recovery	775.6	739.9	650.0	649.8	608.3	547.7
Transfers to treatment	272.3	264.0	278.9	326.1	336.2	327.4
Transfers to POTWs ³	343.4	304.0	269.8	258.9	262.9	255.1
Transfers to POTWs metal and metal compounds ³	2.2	2.0	1.9	1.7	1.8	2.8
Other off-site transfers	0.9	0.9	0.9	71.5	0.4	0.2
Transfers off-site for disposal or other releases ⁴	614.8	603.1	592.0	610.4	637.2	647.0
Total production-related waste managed	27,098.8	25,992.6	25,054.4	25,818.0	24,785.6	24,368.2
Recycled on-site	7,512.2	7,651.9	7,143.7	7,143.8	6,603.7	6,656.5
Recycled off-site	2,066.7	2,009.9	1,901.0	2,059.3	2,078.5	2,182.0
Energy recovery on-site	2,588.9	2,789.1	2,641.7	2,596.1	2,409.9	2,604.5
Energy recovery off-site	764.7	740.6	649.7	649.0	608.2	547.0
Treated on-site	7,842.2	7,356.2	7,620.3	8,454.7	8,042.1	7,425.6
Treated off-site	611.4	552.6	518.7	564.7	573.6	548.2
Quantity disposed or otherwise release of on- and off-site	5,712.8	4,892.4	4,579.3	4,350.2	4,469.6	4,404.5
Non-production-related waste managed	42.9	18.2	24.9	18.8	23.9	18.2

¹ Air emissions include both fugitive and point source. ² RCRA = Resource Conservation and Recovery Act. ³ POTW (Publicly Owned Treatment Work) is a wastewater treatment facility that is owned by a state or municipality. ⁴ Does not include off-site disposal or other releases transferred to other TRI facilities that reported the amounts as on-site disposal or other releases.

Source: U.S. Environmental Protection Agency, "Toxic Release Inventory (TRI) Program, 2006 TRI Public Data Release eReport." See also <<http://www.epa.gov/tri/tridata/tri06/index.htm>> (released 21 February 2008).

Table 365. Toxic Chemical Releases by Industry: 2006

[In millions of pounds (4,248.9 represents 4,248,900,000), except as indicated. See headnote, Table 364]

Industry	2002 NAICS ¹ code	Total on- and off-site releases	On-site release		Other surface impoundments	Off-site releases/transfers to disposal ²
			Total	Air emissions		
Total³	(X)	4,248.9	3,725.5	1,408.3	827.5	523.3
Coal mining	2121	16.9	16.9	1.2	3.4	(Z)
Metal mining	2122	1,216.4	1,213.1	3.7	658.1	3.4
Electric utilities	2211	1,022.1	951.4	670.4	119.7	70.7
Food/beverages/tobacco	311/312	163.8	156.4	49.1	0.2	7.5
Textiles	313/314	3.7	2.8	2.4	0.2	0.9
Apparel	315	0.1	0.1	0.1	-	0.1
Leather	316	1.4	0.4	0.4	-	1.1
Wood products	321	21.7	20.7	20.0	(Z)	1.0
Paper	322	211.6	205.2	165.1	3.7	6.4
Printing and publishing	323/51	12.9	12.5	12.5	-	0.4
Petroleum	324	76.1	70.1	45.8	0.1	6.0
Chemicals	325	514.3	460.8	188.9	14.2	53.5
Plastics and rubber	326	64.0	55.7	55.1	(Z)	8.3
Stone/clay/glass	327	34.1	28.8	25.6	0.1	5.3
Cement	32731	10.9	10.8	8.9	0.1	0.1
Primary metals	331	468.6	187.8	44.2	25.9	280.8
Fabricated metals	332	62.8	37.4	32.6	(Z)	25.4
Machinery	333	9.6	5.5	5.4	-	4.1
Computers/electronic products	334	9.2	6.4	2.0	-	2.8
Electrical equipment	335	9.4	4.7	4.5	(Z)	4.7
Transportation equipment	336	60.6	51.1	50.0	(Z)	9.5
Furniture	337	9.8	9.7	9.7	-	0.1
Chemical wholesalers	4246	1.3	1.2	1.2	-	0.1
Petroleum bulk terminals	4247	3.3	3.1	2.3	(Z)	0.2
Hazardous waste	562	204.4	177.3	0.4	0.6	27.1
No codes ³	(X)	31.7	30.7	1.8	1.2	1.0

- Represents zero. X Not applicable. Z less than 50,000. ¹ North American Industry Classification System, see text, Section 12. ² Includes off-site disposal to underground injection for Class I wells, Class II to V wells, other surface impoundments, land releases, and other releases, not shown separately. ³ Includes industries with no specific industry identified.

Source: U.S. Environmental Protection Agency, "2006 TRI Public Data Release eReport." See also <<http://www.epa.gov/tri/tridata/tri06/index.htm>> (released 21 February 2008).

Table 366. Toxic Chemical Releases by State and Outlying Area: 2006

[In millions of pounds (4,248.9 represents 4,248,900,000). Based on reports filed as required by section 313 of the Emergency Planning. See headnote, Table 364]

State and outlying area	Total on-and off-site releases, total	On-site release			Off-site releases/transfers to disposal	State and outlying area	Total on-and off-site releases, total	On-site release			Off-site releases/transfers to disposal
		Total ¹	Air emissions	Other surface impoundments				Total ¹	Air emissions	Other surface impoundments	
Total	4,248.9	3,725.5	1,408.3	827.5	523.3	NH	4.2	4.1	4.0	(Z)	0.1
U.S. total	4,240.1	3,718.0	1,401.1	827.5	522.0	NJ	21.8	18.2	11.4	(Z)	3.6
AL	121.1	95.8	54.8	14.2	25.3	NM	23.7	23.5	1.0	0.6	0.2
AK	667.6	667.3	1.9	281.3	0.3	NY	35.5	29.1	16.0	0.8	6.4
AZ	98.6	96.3	4.5	12.9	2.3	NC	134.1	117.4	95.0	5.7	16.7
AR	50.5	39.7	20.1	1.9	10.8	ND	22.3	13.6	3.6	7.4	8.7
CA	43.0	36.1	16.8	(Z)	6.9	OH	291.3	230.1	119.7	12.0	61.3
CO	24.7	18.5	3.0	3.1	6.2	OK	29.7	25.4	15.1	0.5	4.2
CT	4.9	3.5	3.0	(Z)	1.5	OR	23.9	22.8	11.3	(Z)	1.1
DE	15.8	11.1	6.3	(Z)	4.7	PA	154.1	101.1	79.6	0.8	53.0
DC	(Z)	(Z)	(Z)	(Z)	(Z)	RI	0.5	0.3	0.3	-	0.2
FL	119.4	116.3	55.8	9.1	3.1	SC	75.3	62.7	51.7	2.4	12.6
GA	129.8	126.4	98.0	14.8	3.4	SD	7.2	6.6	1.8	(Z)	0.6
HI	3.0	2.8	2.3	-	0.2	TN	131.4	116.9	63.4	28.8	14.6
ID	67.2	66.3	4.0	9.0	0.9	TX	238.5	209.2	81.1	3.9	29.3
IL	112.6	87.7	40.9	8.2	24.9	UT	148.2	145.9	9.9	117.3	2.3
IN	236.9	136.3	73.0	9.9	100.6	VT	0.6	0.2	(Z)	-	0.4
IA	46.8	34.0	25.7	2.2	12.8	VA	70.8	66.0	41.6	1.3	4.8
KS	27.5	23.5	11.9	2.5	4.0	WA	29.5	27.4	9.8	13.4	2.1
KY	97.1	89.6	64.6	8.1	7.5	WV	101.6	85.0	69.1	2.5	16.5
LA	131.6	123.6	50.2	3.3	8.0	WI	46.0	30.4	20.6	(Z)	15.6
ME	10.6	9.2	5.0	-	1.3	WY	15.4	14.2	2.4	1.1	1.2
MD	39.8	36.7	32.0	(Z)	3.1	American Samoa	(Z)	(Z)	(Z)	-	-
MA	7.0	4.9	4.4	0.5	2.1	Guam	0.2	0.2	0.1	(Z)	(Z)
MI	87.2	66.5	48.5	5.4	20.7	Northern Marianas	(Z)	(Z)	(Z)	(Z)	(Z)
MN	26.1	23.5	11.2	6.9	2.6	Puerto Rico	7.7	6.4	6.4	-	1.2
MS	60.8	58.7	24.2	11.1	2.1	U.S. Virgin Islands	0.9	0.9	0.7	-	(Z)
MO	109.9	105.4	17.4	56.9	4.4						
MT	43.3	42.2	4.0	8.2	1.2						
NE	34.8	30.2	7.8	(Z)	4.6						
NV	217.1	215.9	1.6	159.4	1.2						

- Represents zero. Z Less than 50,000. ¹ Includes other types of release not shown separately.

Source: U.S. Environmental Protection Agency, Toxic Release Inventory (TRI) Program, "2006 TRI Public Data Release Report." See also <http://www.epa.gov/tri/tridata/tri06/index.htm> (released 21 February 2008).

Table 367. Hazardous Waste Sites on the National Priority List by State and Outlying Area: 2007

[As of December 31. Includes both proposed and final sites listed on the National Priorities List for the Superfund program as authorized by the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 and the Superfund Amendments and Reauthorization Act (SARA) of 1986. For information on CERCLA and SARA, go to <http://www.epa.gov/superfund/action/law/cercla.htm>

State and outlying area	Total sites	Rank	Percent distribution	Federal	Non-federal	State and outlying area	Total sites	Rank	Percent distribution	Federal	Non-federal
United States	1,294	(X)	(X)	160	1,134	Nebraska	13	32	1.0	1	12
Alabama	15	24	1.2	3	12	Nevada	1	49	0.1	-	1
Alaska	5	45	0.4	5	-	New Hampshire	21	19	1.7	1	20
Arizona	8	43	0.6	2	6	New Jersey	116	1	9.3	8	108
Arkansas	10	40	0.8	-	10	New Mexico	14	30	1.1	1	13
California	96	2	7.7	24	72	New York	87	4	7.0	4	83
Colorado	19	21	1.5	3	16	North Carolina	31	14	2.5	2	29
Connecticut	15	25	1.2	1	14	North Dakota	-	50	0.0	-	-
Delaware	14	27	1.1	1	13	Ohio	38	10	3.0	5	33
District of Columbia	1	(X)	0.1	1	-	Oklahoma	11	39	0.9	1	10
Florida	49	6	3.9	6	43	Oregon	12	36	1.0	2	10
Georgia	16	23	1.3	2	14	Pennsylvania	96	3	7.7	6	90
Hawaii	3	46	0.2	2	1	Rhode Island	12	37	1.0	2	10
Idaho	9	41	0.7	2	7	South Carolina	25	17	2.0	2	23
Illinois	49	7	3.9	5	44	South Dakota	2	47	0.2	1	1
Indiana	32	12	2.6	-	32	Tennessee	14	31	1.1	4	10
Iowa	12	33	1.0	1	11	Texas	47	9	3.8	4	43
Kansas	12	34	1.0	1	11	Utah	19	20	1.5	4	15
Kentucky	14	28	1.1	1	13	Vermont	11	38	0.9	-	11
Louisiana	14	29	1.1	1	13	Virginia	30	15	2.4	11	19
Maine	12	35	1.0	3	9	Washington	48	8	3.8	13	35
Maryland	18	22	1.4	9	9	West Virginia	9	42	0.7	2	7
Massachusetts	32	13	2.6	6	26	Wisconsin	38	11	3.0	-	38
Michigan	67	5	5.4	1	66	Wyoming	2	48	0.2	1	1
Minnesota	25	18	2.0	2	23	Guam	2	(X)	(X)	1	1
Mississippi	6	44	0.5	-	6	Puerto Rico	13	(X)	(X)	1	12
Missouri	29	16	2.3	3	26	Virgin Islands	2	(X)	(X)	-	2

- Represents zero. X Not applicable.

Source: U.S. Environmental Protection Agency, *Supplementary Materials: CERCLIS3/WasteLan Database*; (released 7 May 2008). See also <http://www.epa.gov/superfund/about.htm>.

Table 368. Environmental Industry—Revenues and Employment, by Industry Segment: 2000 to 2007

[218.7 represents \$218,700,000,000. Covers approximately 30,000 private and public companies engaged in revenue-generating environmental activities]

Industry segment	Revenue (bil. dol.)				Employment			
	2000	2005	2006	2007	2000	2005	2006	2007
Industry total	218.7	265.6	282.1	295.1	1,410,500	1,595,100	1,664,800	1,718,000
Analytical services ¹	1.8	1.8	1.8	1.9	20,200	20,000	20,100	20,000
Wastewater treatment works ²	28.7	35.6	37.5	39.2	118,800	141,100	147,600	153,200
Solid waste management ³	39.4	47.8	50.6	52.7	221,400	256,500	269,100	278,200
Hazardous waste management ⁴	8.2	8.7	9.0	9.1	44,800	45,000	45,900	45,600
Remediation/industrial services	10.1	11.0	11.6	12.1	100,200	96,600	100,000	103,100
Consulting and engineering	17.4	22.4	24.0	25.4	184,000	220,800	234,900	246,400
Water equipment and chemicals	19.8	24.8	26.1	27.6	130,500	153,000	159,200	166,100
Instrument manufacturing	3.8	4.8	5.1	5.5	30,200	35,500	37,300	39,200
Air pollution control equipment ⁵	19.0	18.8	18.5	18.3	129,600	123,400	121,200	118,900
Waste management equipment ⁶	10.0	10.1	10.5	10.8	75,500	72,900	74,800	75,400
Process and prevention technology	1.2	1.5	1.7	1.8	29,000	28,100	30,000	30,700
Water utilities ⁷	29.9	35.1	36.6	38.0	130,000	145,200	150,000	154,200
Resource recovery ⁸	16.0	21.0	24.1	25.1	127,000	156,600	166,400	171,900
Clean energy systems and power ⁹	13.4	22.3	24.9	27.7	69,300	100,400	108,300	115,100

¹ Covers environmental laboratory testing and services. ² Mostly revenues collected by municipal entities for sewage or wastewater plants. ³ Covers such activities as collection, transportation, transfer stations, disposal, landfill ownership and management for solid waste and recyclables. ⁴ Transportation and disposal of hazardous, medical, and nuclear waste. ⁵ Includes stationary and mobile sources. ⁶ Includes vehicles, containers, liners, processing, and remediation equipment. ⁷ Revenues generated from the sale of water, majority in public sector. ⁸ Revenues generated from the sale of recovered metals, paper, plastic, etc. ⁹ Revenues generated from the sale of equipment & systems and electricity.

Source: Environmental Business International, Inc., San Diego, CA, *Environmental Business Journal*, monthly (copyright). See also <<http://www.ebiusa.com/>>.

Table 369. Threatened and Endangered Wildlife and Plant Species—Number: 2008

[As of April. Endangered species: One in danger of becoming extinct throughout all or a significant part of its natural range. Threatened species: One likely to become endangered in the foreseeable future]

Item	Mam- mals	Birds	Rep- tiles	Amphib- ians	Fishes	Snails	Clams	Crusta- ceans	Insects	Arach- nids	Plants
Total listings	357	275	119	32	151	76	72	22	61	12	747
Endangered species, total	325	254	79	21	85	65	64	19	51	12	599
United States	69	75	13	13	74	64	62	19	47	12	598
Foreign	256	179	66	8	11	1	2	—	4	—	1
Threatened species, total	32	21	40	11	66	11	8	3	10	—	148
United States	12	15	24	10	65	11	8	3	10	—	146
Foreign	20	6	16	1	1	—	—	—	—	—	2

— Represents zero.

Source: U.S. Fish and Wildlife Service, *Endangered Species Bulletin*, bimonthly; and <<http://ecos.fws.gov/tesspublic/Boxscore.do/>> (accessed 01 May 2008).

Table 370. Tornadoes, Floods, Tropical Storms, and Lightning: 1995 to 2006

Weather type	1995	1998	1999	2000	2001	2002	2003	2004	2005	2006
Tornadoes: ¹										
Number	1,235	1,424	1,343	1,071	1,216	941	1,376	1,819	1,264	1,032
Lives lost	30	130	94	41	40	55	54	35	38	67
Injuries	650	1,868	1,842	882	743	968	1,087	396	537	990
Property loss (mil. dol.)	411	1,714	1,990	424	630	801	1,263	537	422	752
Floods and flash floods:										
Lives lost	80	136	68	38	48	49	85	82	43	76
Injuries	57	6,440	301	47	277	88	65	128	38	23
Property loss (mil. dol.)	1,251	2,325	1,421	1,255	1,220	655	2,541	1,696	1,538	3,768
North Atlantic tropical storms and hurricanes ²:										
Direct deaths on U.S. mainland	19	14	12	15	15	12	21	16	27	10
Property loss in U.S. (bil. dol.)	17	9	19	—	24	51	14	34	1,016	—
Lightning:										
Deaths	85	44	46	51	44	51	44	32	38	48
Injuries	433	283	243	364	371	256	237	280	309	246

— Represents zero. ¹ Source: U.S. National Weather Service, Internet site <<http://www.spc.noaa.gov/climo/tom/monthlytomstats.html>>. A violent, rotating column of air descending from a cumulonimbus cloud in the form of a tubular- or funnel-shaped cloud, usually characterized by movements along a narrow path and wind speeds from 100 to over 300 miles per hour. Also known as a "twister" or "waterspout." ² Source: National Hurricane Center (NHC), Coral Gables, FL, unpublished data. For data on individual hurricanes, see the NHC Internet site at <<http://www.nhc.noaa.gov/>>.

Source: Except as noted, U.S. National Oceanic and Atmospheric Administration (NOAA), National Weather Service (NWS), *Office of Climate, Water, and Weather Services, Natural Hazard Statistics*, monthly. See also NOAA Web site at <<http://www.nws.noaa.gov/om/hazstats.shtml>>.

Table 371. Major U.S. Weather Disasters: 2001 to 2007

[5 represents \$5,000,000,000. Covers only weather-related disasters costing \$1 billion or more]

Event	Description	Time period	Estimated cost ¹ (bil.dol.)	Deaths
Great Plains and eastern drought	Severe drought with periods of extreme heat resulting in major reductions in crop yields, along with very low stream flows, and lake levels.	Entire year 2007	5	(²)
Western wildfires	Continued drought conditions and high winds over much of the western U.S., resulting in numerous wildfires.	Summer–Fall 2007	Over 1	12
Spring freeze	Widespread severe freeze over much of the east and midwest causing losses in fruit crops, field crops, and in the ornamental industry.	Apr. 2007	2	–
Severe storms and tornadoes	Flooding, hail, tornadoes, and severe thunderstorms across numerous eastern and southern states.	Apr. 2007	1.5	9
Freeze	Widespread agricultural freeze over a good portion of California, destroying numerous agricultural crops.	Jan. 2007	1.4	1
Widespread drought	Rather severe drought affected crops in states especially during the spring–summer, centered over the Great Plains region, with other areas affected across portions of the south and far west.	Spring–Summer 2006	Over 6	(²)
Severe storms and tornadoes	Outbreak of tornadoes over portions of the midwest and south during a week-long period.	March 2006	Over 1	10+
Numerous wildfires	Wildfires mainly over the western half of the country, due to dry weather and high wind burning nearly 10 million acres (new record for period since 1960).	Entire year 2006	Over 1	28+
Hurricane Wilma	Category 3 hurricane makes landfall in southwest Florida, causing considerable damage from major flooding and strong winds in south-east Florida.	Oct. 2005	Over 10	35
Hurricane Rita	Category 3 hurricane makes landfall on the Texas-Louisiana border coastal region, causing surge/wind damage along the coast and flood damage in FL, MS, LA, AR, and TX.	Sept. 2005	Over 8	119
Hurricane Katrina	Category 3 hurricane makes landfall as a category 1 near Miami, FL, and on the LA, MS coast, causing massive damage in addition to flood and wind damage in AL, FL, TN, KY, OH, and GA.	Aug. 2005	Over 100	1,300+
Hurricane Dennis	Category 3 hurricane makes landfall in western Florida causing wind and surge damage, also causing wind and flood damage to GA, MS, and TN.	July 2005	Over 2	12+
Midwest drought	Midwest drought causing crop losses in AR, IL, IN, MO, OH, and WI.	Spring–summer 2005	Over 1.0	–
Hurricane Jeanne	Category 3 hurricane makes landfall in east-central Florida, causing considerable damage in Florida and some flood damage in GA, SC, NC, VA, MD, DE, NJ, PA, and NY.	Sept. 2004	Over 6.9	28
Hurricane Ivan	Category 3 hurricane makes landfall on Gulf coast of Alabama causing significant damage in AL and FL and wind/flood damage in GA, SC, NC, LA, MS, WV, MD, TN, KY, OH, DE, NJ, PA, and NY.	Sept. 2004	Over 14	57
Hurricane Frances	Category 2 hurricane makes landfall in east-central Florida causing significant damage in FL and considerable flood damage in GA, SC, NC, and NY.	Sept. 2004	Over 9	48
Hurricane Charley	Category 4 hurricane makes landfall in southwest FL resulting in major damage in FL and some damage in SC and NC.	Aug. 2004	15	34
Southern California wildfires	Dry weather, high winds, and resulting wildfires in southern CA burned 743,000 acres and destroyed 3,700 homes.	Oct.–Nov. 2003	2.5	22
Hurricane Isabel	Category 2 hurricane makes landfall in eastern NC, causing damage along coasts of NC, VA, and MD with wind damage and flooding in NC, VA, MD, DE, WV, NJ, NY, and PA.	Sept. 2003	5	55
Midwest severe storms and tornadoes	Numerous tornadoes over the midwest, MS River valley, and OH/TN River valleys with record 400 tornadoes in one week.	May 2003	Over 3.4	51
Storms and hail	Severe storms and large hail over southern plains, lower MS River valley, and TX.	April 2003	Over 1.6	3
Widespread drought	Moderate to extreme drought over large portions of 30 states.	Spring to fall 2002	Over 10	–
Western fire season	Major fires over 11 western states from Rockies to west coast.	Spring to fall 2002	Over 2.0	21
Tropical Storm Allison	Tropical storm produced rainfall and severe flooding in coastal portions of TX and LA and damage in MS, FL, VA, and PA.	June 2001	5.0	43
Midwest and Ohio Valley hail and tornadoes	Storms, tornadoes, and hail in TX, OK, KS, NE, IA, MO, IL, IN, WI, MI, OH, KY, and PA.	April 2001	Over 1.9	3

– Represents zero. ¹ Represents actual dollar costs at the time of event and is not adjusted for inflation. ² Some deaths reported due to heat but not beyond typical annual averages.Source: U.S. National Oceanic and Atmospheric Administration, National Climatic Data Center, "Billion Dollar U.S. Weather Disasters, 1980–2007" (released 1 January 2008). See also <<http://www.ncdc.noaa.gov/oa/reports/billionz.html>>.

Table 372. Highest and Lowest Temperatures by State Through 2003

State	Highest temperature			Lowest temperature		
	Station	Temperature (°F)	Date	Station	Temperature (°F)	Date
U.S. . .	Greenland Ranch, CA. .	134	Jul. 10, 1913	Prospect Creek, AK . . .	-80	Jan. 23, 1971
AL	Centerville	112	Sep. 5, 1925	New Market	-27	Jan. 30, 1966
AK	Fort Yukon	100	¹ Jun. 27, 1915	Prospect Creek Camp . .	-80	Jan. 23, 1971
AZ	Lake Havasu City	128	Jun. 29, 1994	Hawley Lake	-40	Jan. 7, 1971
AR	Ozark	120	Aug. 10, 1936	Pond	-29	Feb. 13, 1905
CA	Greenland Ranch	134	Jul. 10, 1913	Boca	-45	Jan. 20, 1937
CO	Bennett	118	Jul. 11, 1888	Maybell	-61	Feb. 1, 1985
CT	Danbury	106	Jul. 15, 1995	Coventry	-32	² Jan. 22, 1961
DE	Millsboro	110	Jul. 21, 1930	Millsboro	-17	Jan. 17, 1893
FL	Monticello	109	Jun. 29, 1931	Tallahassee	-2	Feb. 13, 1899
GA	Greenville	112	Aug. 20, 1983	CCC Camp F-16	-17	¹ Jan. 27, 1940
HI	Pahala	100	Apr. 27, 1931	Mauna Kea Obs. 111.2. .	12	May 17, 1979
ID	Orofino	118	Jul. 28, 1934	Island Park Dam	-60	Jan. 18, 1943
IL	East St. Louis.	117	Jul. 14, 1954	Congerville	-36	Jan. 5, 1999
IN	Collegeville	116	Jul. 14, 1936	New Whiteland	-36	Jan. 19, 1994
IA	Keokuk	118	Jul. 20, 1934	Elkader	-47	⁴ Feb. 3, 1996
KS	Alton (near)	121	² Jul. 24, 1936	Lebanon	-40	Feb. 13, 1905
KY	Greensburg	114	Jul. 28, 1930	Shelbyville	-37	Jan. 19, 1994
LA	Plain Dealing	114	Aug. 10, 1936	Minden	-16	Feb. 13, 1899
ME	North Bridgton	105	² Jul. 10, 1911	Van Buren	-48	Jan. 19, 1925
MD	Cumberland & Frederick.	109	² Jul. 10, 1936	Oakland	-40	Jan. 13, 1912
MA	New Bedford & Chester .	107	Aug. 2, 1975	Chester	-35	Jan. 12, 1981
MI	Mio	112	Jul. 13, 1936	Vanderbilt	-51	Feb. 9, 1934
MN	Moorhead	114	² Jul. 6, 1936	Tower	-60	Feb. 2, 1996
MS	Holly Springs	115	Jul. 29, 1930	Corinth	-19	Jan. 30, 1966
MO	Warsaw & Union	118	² Jul. 14, 1954	Warsaw	-40	Feb. 13, 1905
MT	Medicine Lake	117	Jul. 5, 1937	Rogers Pass	-70	Jan. 20, 1954
NE	Minden	118	² Jul. 24, 1936	Oshkosh	-47	² Dec. 22, 1989
NV	Laughlin	125	² Jun. 29, 1994	San Jacinto	-50	Jan. 8, 1937
NH	Nashua	106	Jul. 4, 1911	Mt. Washington	-47	Jan. 29, 1934
NJ	Runyon	110	Jul. 10, 1936	River Vale	-34	Jan. 5, 1904
NM	Waste Isolat Pilot Plt . . .	122	Jun. 27, 1994	Gavilan	-50	Feb. 1, 1951
NY	Troy	108	Jul. 22, 1926	Old Forge	-52	² Feb. 18, 1979
NC	Fayetteville	110	Aug. 21, 1983	Mt. Mitchell	-34	Jan. 21, 1985
ND	Steele	121	Jul. 6, 1936	Parshall	-60	Feb. 15, 1936
OH	Gallipolis (near).	113	² Jul. 21, 1934	Milligan	-39	Feb. 10, 1899
OK	Tipton	120	² Jun. 27, 1994	Watts	-27	² Jan. 18, 1930
OR	Pendleton	119	² Aug. 10, 1898	Seneca	-54	² Feb. 10, 1933
PA	Phoenixville	111	² Jul. 10, 1936	Smethport	-42	¹ Jan. 5, 1904
RI	Providence	104	Aug. 2, 1975	Greene	-25	Feb. 5, 1996
SC	Camden	111	² Jun. 28, 1954	Caesars Head	-19	Jan. 21, 1985
SD	Gannvalley	120	Jul. 5, 1936	McIntosh	-58	Feb. 17, 1936
TN	Perryville	113	² Aug. 9, 1930	Mountain City	-32	Dec. 30, 1917
TX	Monahans	120	² Jun. 28, 1994	Seminole	-23	² Feb. 8, 1933
UT	Saint George	117	Jul. 5, 1985	Peter's Sink	-69	Feb. 1, 1985
VT	Vernon	105	Jul. 4, 1911	Bloomfield	-50	Dec. 30, 1933
VA	Balcony Falls	110	Jul. 15, 1954	Mtn. Lake Bio. Stn.	-30	Jan. 22, 1985
WA	Ice Harbor Dam	118	² Aug. 5, 1961	Mazama & Winthrop . . .	-48	Dec. 30, 1968
WV	Martinsburg	112	² Jul. 10, 1936	Lewisburg	-37	Dec. 30, 1917
WI	Wisconsin Dells	114	Jul. 13, 1936	Couderay	-55	Feb. 4, 1996
WY	Basin	115	Aug. 8, 1983	Riverside R.S.	-66	Feb. 9, 1933

¹ Estimated. ² Also on earlier dates at the same or other places.

Source: U.S. National Oceanic and Atmospheric Administration, National Environmental Satellite, Data, and Information Services (NESDIS), National Climatic Data Center (NCDC), Temperature Extremes and Drought; <<http://www.ncdc.noaa.gov/oa/climate/severeweather/temperatures.html>>.

Table 373. Normal Daily Mean, Maximum, and Minimum Temperatures—Selected Cities

[In Fahrenheit degrees. Airport data except as noted. Based on standard 30-year period, 1971 through 2000]

State	Station	Daily mean temperature			Daily maximum temperature			Daily minimum temperature		
		Jan.	July	Annual average	Jan.	July	Annual average	Jan.	July	Annual average
AL	Mobile	50.1	81.5	66.8	60.7	91.2	77.4	39.5	71.8	56.2
AK	Juneau	25.7	56.8	41.5	30.6	64.3	47.6	20.7	49.2	35.3
AZ	Phoenix	54.2	92.8	72.9	65.0	104.2	84.5	43.4	81.4	61.1
AR	Little Rock	40.1	82.4	62.1	49.5	92.8	72.7	30.8	72.0	51.5
CA	Los Angeles	57.1	69.3	63.3	65.6	75.3	70.6	48.6	63.3	56.1
	Sacramento	46.3	75.4	61.1	53.8	92.4	73.7	38.8	58.3	48.4
	San Diego	57.8	70.9	64.4	65.8	75.8	70.8	49.7	65.9	58.1
	San Francisco	49.4	62.8	57.3	55.9	71.1	65.1	42.9	54.5	49.6
CO	Denver	29.2	73.4	50.1	43.2	88.0	64.2	15.2	58.7	35.8
CT	Hartford	25.7	73.7	50.2	34.1	84.9	60.5	17.2	62.4	40.0
DE	Wilmington	31.5	76.6	54.4	39.3	86.0	63.6	23.7	67.3	45.1
DC	Washington	34.9	79.2	57.5	42.5	88.3	66.4	27.3	70.1	48.6
FL	Jacksonville	53.1	81.6	68.0	64.2	90.8	78.4	41.9	72.4	57.6
	Miami	68.1	83.7	76.7	76.5	90.9	84.2	59.6	76.5	69.1
GA	Atlanta	42.7	80.0	62.2	51.9	89.4	72.0	33.5	70.6	52.3
HI	Honolulu	73.0	80.8	77.5	80.4	87.8	84.7	65.7	73.8	70.2
ID	Boise	30.2	74.7	52.0	36.7	89.2	62.6	23.6	60.3	41.3
IL	Chicago	22.0	73.3	49.1	29.6	83.5	58.3	14.3	63.2	39.8
	Peoria	22.5	75.1	50.8	30.7	85.7	60.7	14.3	64.6	40.9
IN	Indianapolis	26.5	75.4	52.5	34.5	85.6	62.3	18.5	65.2	42.7
IA	Des Moines	20.4	76.1	50.0	29.1	86.0	59.8	11.7	66.1	40.2
KS	Wichita	30.2	81.0	56.4	40.1	92.9	67.4	20.3	69.1	45.2
KY	Louisville	33.0	78.4	57.0	41.0	87.0	66.0	24.9	69.8	47.9
LA	New Orleans	52.6	82.7	68.8	61.8	91.1	78.0	43.4	74.2	59.6
ME	Portland	21.7	68.7	45.8	30.9	78.8	55.2	12.5	58.6	36.3
MD	Baltimore	32.3	76.5	54.6	41.2	87.2	65.1	23.5	65.8	44.2
MA	Boston	29.3	73.9	51.6	36.5	82.2	59.3	22.1	65.5	43.9
MI	Detroit	24.5	73.5	49.8	31.1	83.4	58.4	17.8	63.6	41.0
	Sault Ste. Marie	13.2	63.9	40.1	21.5	75.7	49.6	4.9	52.0	30.5
MN	Duluth	8.4	65.5	39.1	17.9	76.3	48.7	-1.2	54.6	29.3
	Minneapolis-St. Paul	13.1	73.2	45.4	21.9	83.3	54.7	4.3	63.0	35.9
MS	Jackson	45.0	81.4	64.1	55.1	91.4	75.0	35.0	71.4	53.2
MO	Kansas City	26.9	78.5	54.2	36.0	88.8	64.3	17.8	68.2	44.0
	St. Louis	29.6	80.2	56.3	37.9	89.8	65.7	21.2	70.6	46.9
MT	Great Falls	21.7	66.2	43.8	32.1	82.0	56.4	11.3	50.4	31.1
NE	Omaha	21.7	76.7	50.7	31.7	87.4	61.5	11.6	65.9	39.8
NV	Reno	33.6	71.3	51.3	45.5	91.2	67.4	21.8	51.4	35.2
NH	Concord	20.1	70.0	45.9	30.6	82.9	57.7	9.7	57.1	34.1
NJ	Atlantic City	32.1	75.3	53.5	41.4	85.1	63.6	22.8	65.4	43.3
NM	Albuquerque	35.7	78.5	56.8	47.6	92.3	70.4	23.8	64.7	43.2
NY	Albany	22.2	71.1	47.6	31.1	82.2	57.6	13.3	60.0	37.5
	Buffalo	24.5	70.8	48.0	31.1	79.6	55.9	17.8	62.1	39.9
	New York	32.1	76.5	54.6	38.0	84.2	61.7	26.2	68.8	47.5
NC	Charlotte	41.7	80.3	61.4	51.3	90.1	71.7	32.1	70.6	51.0
	Raleigh	39.7	78.8	59.6	49.8	89.1	70.6	29.6	68.5	48.6
ND	Bismarck	10.2	70.4	42.3	21.1	84.5	54.5	-0.6	56.4	30.1
OH	Cincinnati	29.7	76.3	54.2	38.0	86.4	64.0	21.3	66.1	44.3
	Cleveland	25.7	71.9	49.7	32.6	81.4	58.1	18.8	62.3	41.2
	Columbus	28.3	75.1	52.9	36.2	85.3	62.6	20.3	64.9	43.2
OK	Oklahoma City	36.7	82.0	60.1	47.1	93.1	71.1	26.2	70.8	49.2
OR	Portland	39.9	68.1	53.5	45.6	79.3	62.1	34.2	56.9	44.8
PA	Philadelphia	32.3	77.6	55.3	39.0	85.5	63.2	25.5	69.7	47.4
	Pittsburgh	27.5	72.6	51.0	35.1	82.7	60.4	19.9	62.4	41.5
RI	Providence	28.7	73.3	51.1	37.1	82.6	60.2	20.3	64.1	42.0
SC	Columbia	44.6	82.0	63.6	55.1	92.1	74.8	34.0	71.8	52.5
SD	Sioux Falls	14.0	73.0	45.1	25.2	85.6	57.2	2.9	60.3	33.0
TN	Memphis	39.9	82.5	62.4	48.6	92.1	72.1	31.3	72.9	52.5
	Nashville	36.8	79.1	58.9	45.6	88.7	69.0	27.9	69.5	48.8
TX	Dallas-Fort Worth	44.1	85.0	65.5	54.1	95.4	75.8	34.0	74.6	55.1
	El Paso	45.1	83.3	64.7	57.2	94.5	77.1	32.9	72.0	52.1
	Houston	51.8	83.6	68.8	62.3	93.6	79.4	41.2	73.5	58.2
UT	Salt Lake City	29.2	77.0	52.0	37.0	90.6	62.9	21.3	63.4	41.2
VT	Burlington	18.0	70.6	45.2	26.7	81.4	54.5	9.3	59.8	35.8
VA	Norfolk	40.1	79.1	59.6	47.8	86.8	67.8	32.3	71.4	51.4
	Richmond	36.4	77.9	57.6	45.3	87.5	67.8	27.6	68.3	47.4
WA	Seattle-Tacoma	40.9	65.3	52.3	45.8	75.3	59.8	35.9	55.3	44.8
	Spokane	27.3	68.6	47.3	32.8	82.5	57.4	21.7	54.6	37.2
WV	Charleston	33.4	73.9	54.5	42.6	84.9	65.4	24.2	62.9	43.5
WI	Milwaukee	20.7	72.0	47.5	28.0	81.1	55.9	13.4	62.9	39.2
WY	Cheyenne	25.9	67.7	45.0	37.1	81.9	57.6	14.8	53.4	32.3
PR	San Juan	76.6	82.2	79.9	82.4	87.4	85.5	70.8	76.9	74.2

¹ City office data.

Source: U.S. National Oceanic and Atmospheric Administration, National Environmental Satellite, Data, and Information Services (NESDIS), National Climatic Data Center (NCDC), Temperature Extremes and Drought. Weather/Climate events. See also <<http://www.ncdc.noaa.gov/oa/climate/online/ccd/nrmmax.txt>>; and <<http://www.ncdc.noaa.gov/oa/climate/online/ccd/nrmmin.txt>>; and <<http://www.ncdc.noaa.gov/oa/climate/online/ccd/nrmavg.txt>>.

Table 374. Highest Temperature of Record—Selected Cities

[In Fahrenheit degrees. Airport data, except as noted. For period of record through 2006]

State	Station	Length of record (years)	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual ¹
AL	Mobile	65	84	82	90	94	100	102	104	105	99	93	87	81	105
AK	Juneau	62	57	57	61	74	82	86	90	84	73	61	56	54	90
AZ	Phoenix	69	88	92	100	105	113	122	121	116	118	107	95	88	122
AR	Little Rock	65	83	85	91	95	98	105	112	109	106	97	86	80	112
CA	Los Angeles	71	91	92	95	102	97	104	97	98	110	106	101	94	110
	Sacramento	56	70	76	88	95	105	115	114	110	108	104	87	72	115
	San Diego	66	88	90	93	98	96	101	99	98	111	107	97	88	111
	San Francisco	79	72	78	85	92	97	106	105	100	103	99	85	75	106
CO	Denver	64	73	77	84	90	96	104	105	101	97	89	80	75	105
CT	Hartford	52	66	73	89	96	99	100	102	102	99	91	81	76	102
DE	Wilmington	59	75	78	86	94	96	100	102	101	100	91	85	75	102
DC	Washington	65	79	82	89	95	99	101	104	105	101	94	86	79	105
FL	Jacksonville	65	85	88	91	95	100	103	105	102	100	96	88	84	105
	Miami	64	88	89	93	96	96	98	98	98	97	95	91	87	98
GA	Atlanta	58	79	80	89	93	95	101	105	102	98	95	84	79	105
HI	Honolulu	37	88	88	88	91	93	92	94	93	95	94	93	89	95
ID	Boise	67	63	71	81	92	99	109	111	110	102	94	78	65	111
IL	Chicago	48	65	72	88	91	93	104	104	101	99	91	78	71	104
	Peoria	67	70	72	86	92	94	105	104	103	100	93	81	71	105
IN	Indianapolis	67	71	76	85	89	93	102	104	102	100	90	81	74	104
IA	Des Moines	67	67	73	91	93	98	103	105	108	101	95	81	69	108
KS	Wichita	54	75	87	89	96	100	110	113	110	108	97	86	83	113
KY	Louisville	59	77	77	86	91	95	102	106	101	104	92	84	76	106
LA	New Orleans	60	83	85	89	92	96	100	101	102	101	94	87	84	102
ME	Portland	66	64	64	88	85	94	98	99	103	95	88	74	71	103
MD	Baltimore	56	75	79	89	94	98	101	104	105	100	92	83	77	105
MA	Boston	55	66	70	89	94	95	100	102	102	100	90	79	76	102
MI	Detroit	48	62	70	81	89	93	104	102	102	100	98	91	77	104
	Sault Ste. Marie	66	45	49	75	85	89	93	97	98	95	81	67	62	98
MN	Duluth	65	52	55	78	88	90	94	97	97	95	86	71	55	97
	Minneapolis-St. Paul	68	58	61	83	95	97	102	105	102	98	90	77	68	105
MS	Jackson	43	83	85	89	94	99	105	106	107	104	95	88	84	107
MO	Kansas City	34	71	78	86	93	95	105	107	109	106	95	82	74	109
	St. Louis	49	76	85	89	93	94	102	107	107	104	94	85	76	107
MT	Great Falls	69	67	70	78	89	93	101	105	106	98	91	76	69	106
NE	Omaha	70	69	78	89	97	99	105	114	110	104	96	83	72	114
NV	Reno	65	71	75	83	89	97	103	108	105	101	91	77	70	108
NH	Concord	65	68	67	89	95	97	98	102	101	98	90	80	73	102
NJ	Atlantic City	63	78	75	87	94	99	106	104	103	99	90	84	77	106
NM	Albuquerque	67	69	76	85	89	98	107	105	101	100	91	77	72	107
NY	Albany	60	65	68	89	92	94	99	100	99	100	89	82	71	100
	Buffalo	63	72	71	81	94	91	96	97	99	98	87	80	74	99
	New York ²	138	72	75	86	96	99	101	106	104	102	94	84	75	106
NC	Charlotte	67	79	81	90	93	100	103	103	103	104	98	85	78	104
	Raleigh	62	80	84	92	95	97	104	105	105	104	98	88	80	105
ND	Bismarck	67	63	69	81	93	98	111	112	109	105	95	79	65	111
OH	Cincinnati	45	69	75	84	89	93	102	103	102	98	88	81	75	103
	Cleveland	65	73	74	83	88	92	104	103	102	101	90	82	77	104
	Columbus	67	74	75	85	89	94	102	100	101	100	90	80	76	102
OK	Oklahoma City	53	80	92	93	100	104	105	110	110	108	96	87	86	110
OR	Portland	66	66	71	80	90	100	102	107	107	105	92	73	65	107
PA	Philadelphia	65	74	74	87	95	97	100	104	101	100	96	81	73	104
	Pittsburgh	54	72	76	82	89	91	98	103	100	97	87	82	74	103
RI	Providence	53	69	72	85	98	95	97	102	104	100	86	78	77	104
SC	Columbia	59	84	84	91	94	101	107	107	107	101	101	90	83	107
SD	Sioux Falls	61	66	70	87	94	100	110	108	108	104	94	81	63	110
TN	Memphis	65	79	81	85	94	99	104	108	107	103	95	86	81	108
	Nashville	67	78	84	86	91	97	106	107	104	105	94	84	79	107
TX	Dallas-Fort Worth	53	88	95	96	101	103	113	110	109	111	102	89	89	113
	El Paso	67	80	83	89	98	105	114	112	108	104	96	87	80	114
	Houston	37	84	91	91	95	99	103	104	107	109	96	89	85	109
UT	Salt Lake City	78	63	69	78	86	99	104	107	106	100	89	75	69	107
VT	Burlington	63	66	62	84	91	93	100	100	101	98	85	75	67	101
VA	Norfolk	58	80	82	88	97	100	101	103	104	99	95	86	80	104
	Richmond	77	81	83	93	96	100	104	105	102	103	99	86	81	105
WA	Seattle-Tacoma	62	64	70	78	85	93	96	100	99	98	89	74	64	100
	Spokane	59	59	63	71	90	96	101	103	108	98	86	67	56	108
WV	Charleston	59	79	79	89	94	93	98	104	101	102	92	85	80	104
WI	Milwaukee	66	62	68	82	91	93	101	103	103	98	89	77	68	103
WY	Cheyenne	71	66	71	74	83	91	100	100	96	95	83	75	69	100
PR	San Juan	52	92	96	96	97	96	97	95	97	97	98	96	94	98

¹ Represents the highest observed temperature in any month. ² City office data.

 Source: U.S. National Oceanic and Atmospheric Administration, *Comparative Climatic Data*, annual; <http://www.ncdc.noaa.gov/oa/climate/online/ccd/hghtmp.txt>.

Table 375. Lowest Temperature of Record—Selected Cities

[In Fahrenheit degrees. Airport data, except as noted. For period of record through 2006]

State	Station	Length of record (years)												Annual ¹	
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		
AL	Mobile	65	3	11	21	32	43	49	60	59	42	30	22	8	3
AK	Juneau	62	-22	-22	-15	6	25	31	36	27	23	11	-5	-21	-22
AZ	Phoenix	69	17	22	25	32	40	50	61	60	47	34	25	22	17
AR	Little Rock	65	-4	-5	11	28	40	46	54	52	37	29	17	-1	-5
CA	Los Angeles	71	23	32	34	39	43	48	49	51	47	16	34	32	16
	Sacramento	56	23	23	26	31	36	41	48	49	43	36	26	18	18
	San Diego	66	29	36	39	41	48	51	55	57	51	43	38	34	29
	San Francisco	79	24	25	30	31	36	41	43	42	38	34	25	20	20
CO	Denver	64	-25	-30	-11	-2	22	30	43	41	17	3	-8	-25	-30
CT	Hartford	52	-26	-21	-6	9	28	35	44	36	30	17	1	-14	-26
DE	Wilmington	59	-14	-6	2	18	30	41	48	43	36	24	14	-7	-14
DC	Washington	65	-5	4	11	24	34	47	54	49	39	29	16	1	-5
FL	Jacksonville	65	7	19	23	34	45	47	61	59	48	36	21	11	7
	Miami	64	30	32	32	46	53	60	69	68	68	51	39	30	30
GA	Atlanta	58	-8	5	10	26	37	46	53	55	36	28	3	-	-8
HI	Honolulu	37	53	53	55	57	60	65	66	67	66	61	57	54	53
ID	Boise	67	-17	-15	6	19	22	31	35	34	23	11	-3	-25	-25
IL	Chicago	48	-27	-19	-8	7	24	36	40	41	28	17	1	-25	-27
	Peoria	67	-25	-19	-10	14	25	39	47	41	26	19	-2	-23	-25
IN	Indianapolis	67	-27	-21	-7	16	28	37	44	41	28	17	-2	-23	-27
IA	Des Moines	67	-24	-26	-22	9	30	38	47	40	26	14	-4	-22	-26
KS	Wichita	54	-12	-21	-2	15	31	43	51	48	31	18	1	-16	-21
KY	Louisville	59	-22	-19	-1	22	31	42	50	46	33	23	-1	-15	-22
LA	New Orleans	60	14	16	25	32	41	50	60	60	42	35	24	11	11
ME	Portland	66	-26	-39	-21	8	23	33	40	33	23	15	3	-21	-39
MD	Baltimore	56	-7	-3	6	20	32	40	50	45	35	25	13	-	-7
MA	Boston	55	-12	-4	6	16	34	45	50	47	38	28	15	-7	-12
MI	Detroit	48	-21	-15	-4	10	25	36	41	38	29	17	9	-10	-21
	Sault Ste. Marie	66	-36	-35	-24	-2	18	26	36	29	25	16	-10	-31	-36
MN	Duluth	65	-39	-39	-29	-5	17	27	35	32	22	8	-23	-34	-39
	Minneapolis-St. Paul	68	-34	-32	-32	2	18	34	43	39	26	13	-17	-29	-34
MS	Jackson	43	2	10	15	27	38	47	51	54	35	26	17	4	2
MO	Kansas City	34	-17	-19	-10	12	30	42	51	43	31	17	1	-23	-23
	St. Louis	49	-18	-12	-5	22	31	43	51	47	36	23	1	-16	-18
MT	Great Falls	69	-37	-35	-29	-6	15	31	36	30	16	-11	-25	-43	-43
NE	Omaha	70	-23	-21	-16	5	27	38	44	43	25	13	-9	-23	-23
NV	Reno	65	-16	-16	-2	13	18	21	33	24	20	8	1	-16	-16
NH	Concord	65	-33	-37	-16	8	21	30	35	29	21	10	-5	-22	-37
NJ	Atlantic City	63	-10	-11	5	12	25	37	42	40	32	20	10	-7	-11
NM	Albuquerque	67	-17	-5	8	19	16	40	52	50	37	21	-7	-7	-17
NY	Albany	60	-28	-21	-21	10	26	36	40	34	24	16	5	-22	-28
	Buffalo	63	-16	-20	-7	12	26	35	43	38	32	20	9	-10	-20
	New York ²	138	-6	-15	3	12	32	44	52	50	39	28	5	-13	-15
NC	Charlotte	67	-5	5	4	24	32	45	53	50	39	24	11	2	-5
	Raleigh	62	-9	-	11	23	31	38	48	46	37	19	11	4	-9
ND	Bismarck	67	-44	-43	-31	-12	15	30	35	33	11	-10	-30	-43	-44
OH	Cincinnati	45	-25	-11	-11	15	27	39	47	43	31	16	1	-20	-25
	Cleveland	65	-20	-15	-5	10	25	31	41	38	32	19	3	-15	-20
	Columbus	67	-22	-13	-6	14	25	35	43	39	31	20	5	-17	-22
OK	Oklahoma City	53	-4	-3	3	20	37	47	53	51	36	16	11	-8	-8
OR	Portland	66	-2	-3	19	29	29	39	43	44	34	26	13	6	-3
PA	Philadelphia	65	-7	-4	7	19	28	44	51	44	35	25	15	1	-7
	Pittsburgh	54	-22	-12	-1	14	26	34	42	39	31	16	-1	-12	-22
RI	Providence	53	-13	-7	1	14	29	41	48	40	33	20	6	-10	-13
SC	Columbia	59	-1	5	4	26	34	44	54	53	40	23	12	4	-1
SD	Sioux Falls	61	-36	-31	-23	5	17	33	38	34	22	9	-17	-28	-36
TN	Memphis	65	-4	-11	12	29	38	48	52	48	36	25	9	-13	-13
	Nashville	67	-17	-13	2	23	34	42	51	47	36	26	-1	-10	-17
TX	Dallas-Fort Worth	53	4	7	15	29	41	51	59	56	43	29	20	-1	-1
	El Paso	67	-8	8	14	23	31	46	57	56	41	25	1	5	-8
	Houston	37	12	3	22	31	44	52	62	60	48	29	19	7	3
UT	Salt Lake City	78	-22	-30	2	14	25	35	40	37	27	16	-14	-21	-30
VT	Burlington	63	-30	-30	-20	2	24	33	39	35	25	15	-2	-26	-30
VA	Norfolk	58	-3	8	18	28	36	45	54	49	45	27	20	7	-3
	Richmond	77	-12	-10	11	23	31	40	51	46	35	21	10	-1	-12
WA	Seattle-Tacoma	62	-	1	11	29	28	38	43	44	35	28	6	6	-
	Spokane	59	-22	-24	-7	17	24	33	37	35	22	7	-21	-25	-25
WV	Charleston	59	-16	-12	-	19	26	33	46	41	34	17	6	-12	-16
WI	Millwaukee	66	-26	-26	-10	12	21	33	40	44	28	18	-5	-20	-26
WY	Cheyenne	71	-29	-34	-21	-8	16	25	38	36	8	-1	-16	-28	-34
PR	San Juan	52	61	62	60	64	66	69	69	70	69	46	66	59	46

 - Represents zero. ¹ Represents the lowest observed temperature in any month. ² City office data.

 Source: U.S. National Oceanic and Atmospheric Administration, *Comparative Climatic Data*, annual. See also <http://www.ncdc.noaa.gov/oa/climate/online/ccd/lowtmp.txt>.

Table 377. Mean Number of Days With Precipitation of 0.01 Inch or More—Selected Cities

[0.01 is the smallest amount of precipitation numerically recorded, and includes the liquid water equivalent of frozen precipitation. Airport data, except as noted. For period of record through 2006]

State	Station	Length of record (years)	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual
AL	Mobile	65	10	9	10	7	8	11	15	13	9	5	7	9	113
AK	Juneau	62	18	16	17	16	16	15	17	17	21	23	19	21	216
AZ	Phoenix	67	3	4	3	1	-	-	4	4	2	2	2	3	28
AR	Little Rock	64	9	9	10	9	10	8	8	6	7	7	8	9	100
CA	Los Angeles	71	6	6	5	3	1	-	-	1	1	2	3	5	33
	Sacramento	67	10	8	8	5	2	1	1	1	1	3	7	9	56
	San Diego	66	6	6	6	4	2	-	1	-	1	2	4	6	38
	San Francisco	79	11	10	10	6	2	1	1	1	1	3	7	10	63
CO	Denver	64	5	5	8	8	10	8	9	8	6	5	5	5	82
CT	Hartford	52	11	10	11	11	12	11	9	9	9	8	10	11	122
DE	Wilmington	59	10	9	10	11	11	9	9	8	8	7	9	9	110
DC	Washington	65	10	8	10	9	11	9	9	8	8	7	8	9	106
FL	Jacksonville	65	8	7	8	6	7	12	14	14	13	8	6	7	110
	Miami	64	6	6	6	6	10	15	16	17	17	13	8	6	126
GA	Atlanta	72	11	10	11	8	9	10	11	9	7	6	8	10	110
HI	Honolulu	57	9	8	8	6	5	7	5	6	8	8	9	9	88
ID	Boise	67	11	9	9	8	7	5	2	2	3	5	10	11	82
IL	Chicago	48	10	9	12	12	11	9	9	9	9	9	10	10	119
	Peoria	67	9	8	10	11	11	9	8	8	8	8	9	9	108
IN	Indianapolis	67	11	10	12	12	12	10	9	8	7	8	10	11	120
IA	Des Moines	67	7	7	9	10	11	10	9	9	8	7	7	7	101
KS	Wichita	53	5	5	7	7	10	9	7	7	7	6	5	5	80
KY	Louisville	59	11	10	12	11	11	10	10	8	7	7	10	11	118
LA	New Orleans	58	9	8	8	6	7	11	14	13	9	6	7	9	107
ME	Portland	66	11	9	11	11	12	11	9	9	8	9	11	11	122
MD	Baltimore	56	10	9	10	10	11	9	9	9	7	7	8	9	108
MA	Boston	55	11	10	11	11	11	10	9	9	8	9	10	11	120
MI	Detroit	48	13	10	12	12	11	10	9	9	9	9	11	13	128
	Sault Ste. Marie	65	18	14	12	11	11	11	10	10	13	14	17	19	160
MN	Duluth	65	11	9	10	10	12	12	11	11	11	9	10	11	127
	Minneapolis-St. Paul	68	9	7	10	10	11	11	10	9	9	8	8	9	111
MS	Jackson	43	10	9	10	8	9	8	10	9	7	6	8	9	103
MO	Kansas City	34	7	7	9	10	11	10	8	8	8	7	7	6	98
	St. Louis	49	8	8	10	11	11	9	8	8	7	8	9	9	106
MT	Great Falls	69	8	7	9	9	11	12	7	7	7	6	6	7	96
NE	Omaha	70	6	6	8	9	11	10	9	8	8	6	5	6	92
NV	Reno	64	6	6	6	4	4	3	2	2	2	2	4	6	47
NH	Concord	65	10	9	11	11	12	11	10	9	9	9	11	10	122
NJ	Atlantic City	63	10	9	10	11	10	8	9	8	7	7	9	9	107
NM	Albuquerque	67	3	4	4	3	4	3	8	9	5	4	3	4	54
NY	Albany	60	12	10	12	12	13	11	10	10	9	9	11	12	131
	Buffalo	63	19	16	15	14	12	10	10	10	11	11	15	19	162
	New York ¹	137	11	9	11	10	11	10	10	9	8	8	9	10	116
NC	Charlotte	67	10	9	10	8	9	9	11	9	7	6	7	9	104
	Raleigh	62	10	9	10	9	10	9	11	10	7	7	8	9	109
ND	Bismarck	67	7	6	8	7	9	11	9	8	7	5	6	7	90
OH	Cincinnati	59	12	11	12	12	12	10	10	9	7	8	10	11	124
	Cleveland	65	16	14	15	14	13	10	10	9	9	11	14	16	151
	Columbus	67	13	11	13	13	13	11	10	9	8	8	11	12	132
OK	Oklahoma City	67	5	6	7	7	9	8	6	6	7	6	5	5	77
OR	Portland	66	18	15	17	14	12	9	3	4	7	12	18	18	147
PA	Philadelphia	66	10	9	10	10	11	10	9	9	8	7	9	10	112
	Pittsburgh	54	16	13	15	13	12	11	10	9	9	10	12	15	145
RI	Providence	53	11	9	11	11	11	10	8	9	8	8	10	11	117
SC	Columbia	59	10	9	10	8	8	10	11	10	7	6	7	9	105
SD	Sioux Falls	61	6	6	8	9	10	11	9	8	8	6	6	6	93
TN	Memphis	56	10	9	10	9	9	8	8	7	7	6	8	9	100
	Nashville	65	11	10	11	10	11	9	10	8	7	7	9	10	113
TX	Dallas-Fort Worth	53	6	6	7	7	8	6	4	4	6	6	6	6	72
	El Paso	67	3	3	2	1	2	3	7	7	5	4	2	3	42
	Houston	37	10	8	9	6	8	9	9	9	8	7	8	9	100
UT	Salt Lake City	78	10	8	9	9	8	5	4	5	5	6	8	9	86
VT	Burlington	63	14	11	12	12	13	12	12	12	11	11	14	14	148
VA	Norfolk	58	10	9	10	10	10	9	11	10	8	7	8	9	111
	Richmond	69	10	9	10	9	10	9	11	9	8	7	8	9	109
WA	Seattle-Tacoma	62	18	15	16	13	10	9	5	5	8	13	17	18	147
	Spokane	59	14	10	11	9	9	7	4	4	5	7	12	14	106
WV	Charleston	59	15	13	14	13	13	11	12	10	9	9	11	13	143
WI	Milwaukee	66	11	9	11	12	11	10	9	9	8	9	10	10	119
WY	Cheyenne	71	5	6	9	9	12	11	10	10	7	6	6	5	96
PR	San Juan	51	17	13	12	13	16	15	19	18	17	17	18	19	194

- Represents zero. ¹ City office data.

Source: U.S. National Oceanic and Atmospheric Administration, *Comparative Climatic Data*, annual. See also <<http://www.ncdc.noaa.gov/oa/climate/online/ccd/prge01.txt>>.

Table 378. Snow, Hail, Ice Pellets, and Sleet—Selected Cities

[In inches. Airport data, except as noted. For period of record through 2006. T denotes trace. Stations may show snowfall (hail) during the warm months]

State	Station	Length of record (years)	Length of record (years)												Annual
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
AL	Mobile	64	0.1	0.1	0.1	T	T	-	T	-	-	-	T	0.1	0.4
AK	Juneau	62	25.9	18.4	14.5	3.3	T	T	-	-	-	T	1	12.5	21.3
AZ	Phoenix	62	T	-	T	T	T	-	-	-	-	T	-	T	-
AR	Little Rock	56	2.4	1.5	0.5	T	T	-	-	-	-	-	T	0.2	0.6
CA	Los Angeles	62	T	T	T	-	-	-	-	-	-	-	-	-	T
	Sacramento	50	T	T	T	-	-	-	-	-	-	-	-	-	T
	San Diego	60	T	T	T	-	-	-	-	-	-	-	-	T	-
	San Francisco	69	-	-	T	-	-	-	-	-	-	-	-	-	-
CO	Denver	62	8.0	7.4	12.4	8.8	1.6	-	T	T	1.6	3.8	9.0	7.7	60.3
CT	Hartford	49	13.5	12.5	10.1	1.5	-	-	T	-	-	-	0.1	2.1	10.5
DE	Wilmington	56	6.9	6.7	3.2	0.2	T	T	-	-	-	-	0.1	0.9	3.4
DC	Washington	63	5.5	5.6	2.3	T	T	T	T	T	-	-	0.8	3.0	17.1
FL	Jacksonville	60	T	-	-	T	-	T	T	-	-	-	-	-	-
	Miami	59	-	-	-	-	-	T	-	-	-	-	-	-	-
GA	Atlanta	67	1.0	0.5	0.4	T	-	-	T	-	-	-	T	0.2	2.1
HI	Honolulu	52	-	-	-	-	-	-	-	-	-	-	-	-	-
ID	Boise	67	6.4	3.6	1.7	0.6	0.1	T	T	T	T	0.1	2.3	5.6	20.6
IL	Chicago	47	11.4	7.6	6.7	1.6	0.1	T	-	-	-	-	0.4	2.1	8.1
	Peoria	63	6.6	5.0	4.2	0.8	T	T	T	-	T	0.1	2.1	6.2	25.1
IN	Indianapolis	75	6.9	5.5	3.5	0.5	T	T	-	T	-	0.2	1.9	5.4	24.1
IA	Des Moines	63	8.2	7.2	6.1	1.9	T	T	T	-	T	0.3	3.1	6.5	33.6
KS	Wichita	53	3.9	4.2	2.7	0.2	T	T	T	T	-	-	1.4	3.5	15.9
KY	Louisville	59	5.2	4.2	3.1	0.1	T	T	T	T	-	0.1	1.0	2.5	16.3
LA	New Orleans	51	T	0.1	T	T	T	-	-	-	-	-	T	0.1	0.2
ME	Portland	66	19.2	16.4	13.3	2.9	0.2	-	T	-	-	T	0.2	3.3	14.5
MD	Baltimore	56	6.3	7.2	3.6	0.1	T	T	T	-	-	0.2	1.0	3.3	21.4
MA	Boston	69	13.0	12.1	8.2	0.9	-	T	T	T	-	-	T	1.3	7.7
MI	Detroit	48	11.0	9.0	6.8	1.9	T	-	-	-	-	T	0.2	2.5	10.0
	Sault Ste. Marie	59	29.1	18.4	14.4	5.8	0.5	T	T	T	0.1	2.4	15.6	30.7	117.4
MN	Duluth	63	18.1	12.3	13.8	6.7	0.7	T	T	T	0.1	1.6	12.7	15.3	81.5
	Minneapolis-St. Paul	64	10.6	8.0	10.6	2.8	0.1	T	T	T	T	0.5	7.7	9.4	49.9
MS	Jackson	38	0.5	0.2	0.2	T	-	-	-	T	-	-	-	T	0.1
MO	Kansas City	72	5.4	4.4	3.4	0.8	T	-	T	T	T	0.1	1.3	4.4	20.0
	St. Louis	70	5.3	4.5	3.7	0.5	T	T	T	-	-	-	T	1.4	4.0
MT	Great Falls	69	9.3	8.4	10.8	6.9	1.9	0.3	T	T	0.1	1.5	3.5	7.5	58.4
NE	Omaha	71	7.5	6.9	6.3	1.1	0.1	T	T	T	T	0.3	2.6	5.7	30.6
NV	Reno	57	6.1	5.2	4.3	1.2	0.8	-	-	-	-	0.3	2.5	4.6	25
NH	Concord	65	18.0	14.1	11.4	2.7	0.1	T	-	-	-	T	0.1	3.8	13.8
NJ	Atlantic City	57	5.0	5.7	2.5	0.3	T	T	T	-	-	T	0.4	2.4	16.3
NM	Albuquerque	67	2.5	2.1	1.8	0.6	T	T	T	T	T	0.1	1.2	3.0	11.0
NY	Albany	60	17.2	13.4	11.6	2.8	0.1	T	T	-	T	0.2	4.1	14.4	64.4
	Buffalo	63	24.4	17.7	12.5	3.2	0.2	T	T	T	T	0.7	11.1	23.9	94.1
	New York ¹	138	7.7	8.7	5.1	0.9	T	-	T	-	-	-	T	0.9	5.6
NC	Charlotte	67	2.2	1.8	1.2	T	T	T	-	-	-	-	T	0.1	0.5
	Raleigh	62	2.8	2.6	1.3	T	T	T	-	-	-	-	-	0.1	0.8
ND	Bismarck	67	7.8	6.8	8.5	3.9	0.9	T	T	T	T	0.2	1.9	6.8	7.0
OH	Cincinnati	59	7.2	5.5	4.2	0.5	-	T	T	T	-	0.3	2.0	3.8	23.7
	Cleveland	65	14.2	12.3	10.9	2.7	0.1	T	T	-	-	T	0.6	5.1	12.7
	Columbus	59	8.8	6.1	4.5	1.0	T	T	T	-	-	T	0.1	2.2	5.4
OK	Oklahoma City	67	3.2	2.4	1.5	T	T	T	T	T	T	0.6	1.9	9.5	9.5
OR	Portland	55	3.2	1.1	0.4	T	-	T	-	-	T	-	0.4	1.4	6.5
PA	Philadelphia	64	6.2	7.1	3.4	0.3	T	T	-	-	-	-	T	0.7	3.4
	Pittsburgh	54	11.9	9.2	8.3	1.8	0.1	T	T	T	T	0.4	3.4	8.4	43.8
RI	Providence	53	9.9	9.9	7.4	0.7	0.2	-	-	-	-	0.1	1.3	7	36.7
SC	Columbia	58	0.6	0.8	0.2	T	T	-	T	T	-	-	-	T	0.3
SD	Sioux Falls	61	6.9	7.9	9.3	3	T	T	T	T	T	0.9	6.1	6.9	41.4
TN	Memphis	49	2.2	1.4	0.8	T	T	T	-	-	-	-	T	0.1	0.6
	Nashville	60	3.7	3.0	1.5	-	-	T	-	-	T	-	0.4	1.4	10.1
TX	Dallas-Fort Worth	48	1.1	1.0	0.2	T	T	-	-	-	-	-	T	0.1	0.2
	El Paso	57	1.3	0.8	0.4	0.3	T	T	T	-	-	T	-	0.9	1.6
	Houston	72	0.2	0.2	T	T	T	-	-	-	-	-	-	T	0.4
UT	Salt Lake City	78	13.4	9.9	9.1	4.9	0.6	T	T	T	0.1	1.3	6.9	11.9	58.1
VT	Burlington	63	19.4	16.4	13.8	4.1	0.2	-	T	T	-	T	0.2	6.6	18.3
VA	Norfolk	56	3.0	2.9	1.0	-	T	T	-	-	-	-	-	-	1.0
	Richmond	67	5.0	3.9	2.4	0.1	T	-	T	-	-	-	T	0.4	2.0
WA	Seattle-Tacoma	52	4.9	1.6	1.3	0.1	T	-	T	-	-	-	-	1.1	2.4
	Spokane	59	15.2	7.4	3.9	0.6	0.1	T	-	-	-	T	0.4	6.4	14.0
WV	Charleston	52	10.8	8.6	5.4	0.9	-	T	T	T	T	0.2	2.4	5.2	33.9
WI	Milwaukee	66	13.9	9.2	8.3	1.9	0.1	T	T	T	T	0.2	3.0	10.4	47.1
WY	Cheyenne	71	6.1	6.5	11.9	9.3	3.4	0.2	T	T	1.1	3.9	7.2	6.5	55.9
PR	San Juan	51	-	-	-	-	-	-	-	-	-	T	-	-	-

- Represents zero. ¹ City office data.

Source: U.S. National Oceanic and Atmospheric Administration, *Comparative Climatic Data*, annual. See also <<http://www.ncdc.noaa.gov/oa/climate/online/ccd/avgsnf.txt>>.

