

Table 183. Children Immunized Against Specified Diseases: 1995 to 2006

[In percent. Covers civilian noninstitutionalized population ages 19 months to 35 months. Based on estimates from the National Immunization Survey. The health care providers of the children are contacted to verify and/or complete vaccination information. Results are based on race/ethnic status of the child]

Vaccination			2006 ¹					
	1995, total	2000, total	Total	White, non-Hispanic	Black, non-Hispanic	Hispanic ²	American Indian/Alaska Native ³	Asian ³
Diphtheria-tetanus-pertussis (DTP)								
diphtheria-tetanus:								
3+ doses	95.0	94.0	95.8	96.4	93.6	95.9	95.1	96.9
4+ doses	79.0	82.0	85.2	86.6	81.4	84.7	81.9	85.8
Polio: 3+ doses	88.0	90.0	92.9	93.3	90.7	93.4	91.3	92.4
Measles, mumps, rubella vaccine	90.0	91.0	92.4	92.8	91.0	92.1	89.1	94.6
Hib: 3+ doses	92.0	93.0	93.4	94.0	91.1	94.0	93.9	89.4
Hepatitis B: 3+ doses	68.0	90.0	93.4	93.9	91.5	93.6	95.3	91.5
Varicella ⁵	(NA)	68.0	89.3	88.8	89.2	89.8	84.9	92.9
PCV: 3+ doses ⁶	(X)	(X)	87.0	87.2	83.3	89.1	86.8	81.1
4+ DTP/3+ polio/1+ MCV ⁷	76.0	78.0	83.2	84.7	79.1	82.3	80.0	84.9
4+ DTP/3+ polio/1+ MCV/3+ Hib	74.0	76.0	82.3	83.9	78.6	81.7	79.5	80.4
4+ DTP/3+ polio/1+ MCV/3+ Hib/3+ HepB.	55.1	72.8	80.6	82.2	76.8	80.1	78.6	78.4

NA Not available. X Not Applicable. ¹ Children in the Q1/2006–Q4/2006 National Immunization Survey were born between January 2003 and June 2005. ² Children of Hispanic ethnicity may be any race. ³ Non-Hispanic. ⁴ Haemophilus influenzae type B. ⁵ Data collection for varicella (chicken pox) began in July 1996. ⁶ PCV = Pneumococcal conjugate vaccine. ⁷ MCV = Measles containing vaccine.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, National Immunization Program, Data and Statistics, *Immunization Coverage in the U.S.*; <<http://www.cdc.gov/vaccines/stats-surv/imz-coverage.htm#nis>>.