


South Coast Air Quality Management District

**Working Group Meeting
March 6, 2008**

**Proposed Rule 2301
Control of Emissions from New or
Redevelopment Projects**



Mitigation Measures

Strategy Programs

- Operational Emissions
- On- Site Construction Emissions

Operational Emissions


Points Program

- Step I
Implement quantifiable measures as feasible to reduce emissions (DPM to be added for Commercial/Industrial projects)
 - Calculate residual emissions after implementation of quantifiable measures

- Step II
Implement measures from Non-Quantifiable Mitigation Measures List as required:
 - X points for residual emissions between 0-25 tons NO_x per year
 - X points for residual emissions greater than 25 tons NO_x per year

- Infeasibility off-ramp from Step II

Operational Emissions Flowchart



* Project examples, for a complete list see PR2301 concept summary. These numbers are subject to further review

** Preliminary criteria noted for discussion purposes

PR2301

Proposed Applicability *Construction Emissions*

- Includes exhaust emissions only (NO_x and DPM)
 - Emission-based approach
 - Project size as examples

- The previous reference to a 6 month construction period equivalent was deleted
 - Construction time period for each project will vary

PR 2301

Construction Emissions Strategy


Proposed Measure	Compliance Dates
■ Fleet Average to Meet Tier II Standards or Better	Present - 2013
■ Fleet Average to Meet Tier III Standards or Better	2014 - 2020
■ Fleet Average to Meet Tier IV Standards or Better	2021 and beyond

Construction Emissions Strategy

■ Off Ramp Provisions:

- Equipment is unavailable within California for purchase or lease
- Equipment order has been submitted but not processed by the manufacturer or dealer
- Required Tier level cannot be met, through purchase or lease of specialized equipment or device

Construction Emissions Flowchart



- * Equipment exhaust only
- ** CARB In-Use Off-Road Diesel-Fueled Fleets emission standards, including the applicable exemptions



Local Government Delegation

Local Government Delegation

- AQMD may delegate authority to implement Proposed Rule 2301
- Local government to execute a MOU with AQMD specifying procedures to implement Proposed Rule 2301
- Local government submits alternative emission control plan to AQMD for development projects in their jurisdiction
- Local government implementation plan is as stringent as Proposed Rule 2301

Next Steps

- Key Issues
- Identify tasks for next meeting
- Next meeting?

AQMD Contact Information

- Carol Gomez
Planning & Rules Manager
(909) 396-3264
cgomez@aqmd.gov

- Proposed Rule 2301
<http://www.aqmd.gov/rules/proposed/2301/index.html>