



SEVERE ACUTE RESPIRATORY SYNDROME

Public Health Guidance for Community-Level Preparedness and Response to Severe Acute Respiratory Syndrome (SARS) Version 2

Supplement C: Preparedness and Response in Healthcare Facilities

References

Booth CM, Matukas LM, Tomlinson GA, Rachlis AR, Rose D, et al. Clinical features and short-term outcomes of 144 patients with SARS in the Greater Toronto area. *JAMA* 2003;289:2801-9.

CDC. Cluster of severe acute respiratory syndrome cases among protected health-care workers -- Toronto, Canada, April 2003. *MMWR* 2003;52:433-6.

Ho AS, Sung JJY, Chan-Yeung M. An outbreak of severe acute respiratory syndrome among hospital workers in a community hospital in Hong Kong. *Ann Intern Med* 2003 139:564-7.

Peiris JSM, Chu CM, Cheng VCC, et al. Clinical progression and viral load in a community outbreak of coronavirus-associated SARS pneumonia: a prospective study. *Lancet* 2003;361:1767-72.

Seto WH, Tsang D, Yung RWH, Ching TY, et al. Effectiveness of precautions against droplets and contact in prevention of nosocomial transmission of severe acute respiratory syndrome (SARS). *Lancet* 2003;361:1519-20.

Varia M, Wilson S, Sarwal S, McGeer A, et al. Investigation of a nosocomial outbreak of severe acute respiratory syndrome (SARS) in Toronto, Canada. *Can Med Assoc J* 2003;169:285-92.

For more information, visit www.cdc.gov/ncidod/sars or call the CDC public response hotline at (888) 246-2675 (English), (888) 246-2857 (Español), or (866) 874-2646 (TTY)

January 8, 2004

Page 1 of 1