

I. Preliminary OP Cumulative Risk Assessment

(Please note: This section is still undergoing editing)

I. References

Abu-Qare AW, Abdel-Rahman AA, Ahmad H, Kishk AM, and Abou-Donia MB. 2001a. "Absorption, distribution, metabolism and excretion of daily oral doses of [14C]methyl parathion in hens;" *Toxicol Lett.* 2001. Nov 30;125(1-3):1-10.

Abu-Qare AW, Abdel-Rahman A, Brownie C, Kishk AM, and Abou-Donia MB. 2001b. "Inhibition of cholinesterase enzymes following a single dermal dose of chlorpyrifos and methyl parathion, alone and in combination, in pregnant rats;" *J Toxicol Environ Health A.* 2001. Jun 8;63(3):173-89.

Aerts M, Cockrell P, Botts D, Lamberts M, Pernezny K, and Shuler K. 1999. "Crop Profile for Beans (Snap) in Florida." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. October 8, 1999.

Aerts M, Cockrell P, Neussly G, Raid R, Schueneman T, and Seal D. 1999. "Crop Profile for Corn (Sweet) in Florida." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Updated August, 1999.

Bachelor JS, Edmisten KL, and Koenning SR. 1999. "Crop Profile for Cotton in North Carolina." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Updated November, 1999.

Ballee, D. 1990. "A Golfer Exposure Study with Chlorothalonil Used for Golf Course Maintenance–1985." Lab. Proj. No. 1148-85-0059. Unpublished study prepared by Ricerca, Inc. 264 p. MRID 424338-11.

Beckley P. "Crop Profile for Sugarcane in Louisiana." 1999. USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. April 26, 1999.

Belcher T, and Owen N. 1996. "Transferable Residue Study and Postapplication Exposure Study–Malathion Residues in Turf after Handspray Applications to Turf." Lab. Proj. No. 95463. 95470. Unpublished study prepared by ABC Labs California. 397 p. MRID 439450-01.

Black KG. 1993. "Assessment of Children's Exposure to Chlorpyrifos from Contact with a Treated Lawn." A dissertation submitted to the Graduate School-NewBrunswick Rutgers. UMI Dissertation Services.

Blancato JN, Knaak J, Dary C, and Power F. 2000. "Multi-Route Pesticide Exposures from a PBPK Model for Three Pesticides: Chlorpyrifos, Isofenphos, and Parathion." Presented at Annual International Meeting of ISEA, Monterey, CA,

October, 2000; paper submitted for review.

Brandenburg RL, Bailey JE, and Jordan D. 2000. "Crop Profile for Peanuts in North Carolina." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Updated March, 2000.

Breiman L, Friedman JH, Olshen RA, and Stone CA. 1984. *Classification and Regression Trees*. Wadsworth: New York.

Butterfield BW, NGA Research Director. 1997. "National Gardening Survey 1996-97." The National Gardening Association, Inc.

Calabrese EJ. 1991. *Multiple Chemical Interactions*. Lewis Publishers, Inc: Chelsea, Michigan; pp. 3-115 and 355-375.

California Environmental Protection Agency Department of Pesticide Regulation. "Pesticide Use Reporting." Online. Available: <http://www.cdpr.ca.gov/docs/pur/purmain.htm>

Casida JE, Baron RL, Eto M, and Engel JL. 1963. "Potentiation and neurotoxicity induced by certain organophosphates;" *Biochem Pharmacol*. 12: 73-83.

Cherry RH and Schueneman TJ. 1998. Insect Management in Sugarcane. University of Florida Department of Entomology, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences. ENY-406. Available: <http://edis.ifas.ufl.edu>

Clothier JM, and Lewis RG. 1999. "Dermal Transfer Efficiency of Pesticides from Turf Grass to Dry and Wetted Palms." Prepared for U.S. Environmental Protection Agency, National Exposure Research Laboratory, Research Triangle Park, NC.

Cohen SD. 1984. "Mechanisms of Toxicological Interactions Involving Organophosphate Insecticides;" *Fundam Appl Toxicol*. 4:315-324.

Collins RD, and DeVries DM. 1973. "Air Concentrations and Food Residues from Use of Shell's No Pest Insecticide Strips;" *Bull Environ Contam Toxicol*. 9(4): 227-233.

Cronholm G, Knutson A, Merchant M, and Teetes G. 1993. "Managing Insect and Mite pests of Texas Sorghum." Texas Agricultural Extension Service, The Texas A & M University System. B-1220.

Crowe F, Gingrich G, Lundy R, Mellbye M, and Ostlund B. 1999. "Crop Profile for Mint in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised September 2, 1999.

Darnell T, Ewart W, Mielke E, Nelson T, Olsen J, Niederholzer F, Riedl H, and van Buskirk P. 1999. "Crop Profile for Apples in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment program. December 19, 1999.

Davidian M, and Giltinan DM. 1995. *Nonlinear Models for Repeated Measurement Data*. Chapman and Hall: New York.

Doane and GolfTrak. DOANE Marketing Research, Inc. GolfTrak, 1998-1999.

DuBois KP. 1961. "Potentiation of the Toxicity of Organophosphorus Compounds;" *Adv Pest Control Res.* 4:117-151.

DuBois KP. 1969. "Combined Effects of Pesticides." *Canad Med Assoc J.* 100:173-179.

Edmisten KL, York AC, Yelverton FH, Spears JF, Bowman DT, Bacheler J, Koenning SR, Hodges SC, Naderman GC, Brown AB, and Culpepper AS. 2001. "2001 Cotton Information." North Carolina Cooperative Extension Service. AG-417. Available: http://ipmwww.ncsu.edu/Production_Guides/Cotton/contents.html

Eto M. 1974. *Organophosphorus pesticides: organic and biological chemistry*. CRC Press, Cleveland. 387 pp.

Felland CM. 2000. "Crop Profile for Peaches in Pennsylvania." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. May, 2000.

Fenske RA, and Lu C. 1994. "Determination of Handwash Removal Efficiency: Incomplete Removal of the Pesticide Chlorpyrifos from Skin by Standard Handwash Techniques." *Am Ind Hyg Assoc J.* 55:425-432.

Fenske RA, Wong SM, Leffingwell JT, and Spear RC. 1986. "A Video Imaging Technique for Assessing Dermal Exposure II. Fluorescent Tracer Testing." *Am Ind Hyg Assoc.* 47: 771-775.

FIFRA SAP. 2001a. "End Point Selection and Determination of Relative Potency in Cumulative Hazard Assessment: A Pilot Study of Organophosphorus Pesticide Chemicals." Report from the FIFRA Scientific Advisory Panel Meeting of September 27, 2000. FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. SAP Report 2000-0X. Available: <http://www.epa.gov/scipoly/sap/2000/September/>

FIFRA SAP. 2001b. "Case Study of the Cumulative Risk of 24 Organophosphate Pesticides; Cumulative Risk Assessment Method for Dietary Food Exposure; Cumulative Risk Assessment for Residential Exposure; Cumulative Risk Assessment for Drinking Water; Integrated Cumulative Risk Assessment." Report from Session II of the FIFRA Scientific Advisory Panel Meeting of December 7-8, 2000. FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. SAP Report 2001-06. Available: <http://www.epa.gov/scipoly/sap/2001/December/>

FIFRA SAP. 2001c. "Preliminary Cumulative Hazard and Dose Response Assessment for Organophosphorus Pesticides: Determination of Relative Potency and Points of Departure for Cholinesterase Inhibition." Report from the FIFRA Scientific Advisory Panel Meeting of September 5-6, 2001 (Report dated September 11, 2001). FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: <http://www.epa.gov/scipoly/sap/2000/September/>

FIFRA SAP. 2000a. "Proposed Guidance for Conducting Cumulative Hazard Assessments for Pesticides that have a Common Mechanism of Toxicity." Report from Session II of the FIFRA Scientific Advisory Panel Meeting of September 23, 1999. FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. SAP Report 99-05D. Available: <http://www.epa.gov/scipoly/sap/2000/September/>

FIFRA SAP. 2000b. "Cumulative Risk Assessment Methodology Issues of Pesticide Substances that Have a Common Mechanism of Toxicity." Report from Session II of the FIFRA Scientific Advisory Panel Meeting of December 8-9, 1999 (Report dated February 4, 2000). FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. SAP Report 99-06B. Available: <http://www.epa.gov/scipoly/sap/2000/December>

FIFRA SAP. 1999. "Overview of Issues Related to the Standard Operating Procedures for Residential Exposure Assessment." Report from Session I of the FIFRA Scientific Advisory Panel Meeting of September 21, 1999. FIFRA Scientific Advisory Panel, Office of Science Coordination and Policy, Office of Prevention, Pesticides and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. SAP Report 99-05. Available: <http://www.epa.gov/scipoly/sap/1999/September/>

Florida Agricultural Statistics Service. 2000. "Citrus Chemical Usage." Florida Agricultural Statistics Service.

Florida Agricultural Statistics Service. 1999. "Vegetable Chemical Use." Florida Agricultural Statistics Service.

Frawley JP, Weir R, Tusing T, DuBois KP, and Calandra JC. 1963. "Toxicologic Investigations on Delnav." *Toxicol Appl Pharmacol.* 5:605-624.

Frawley JP, Fuyat HN, Hagan EC, Blake JR, and Fitzhugh OG. 1957. "Marked Potentiation in Mammalian Toxicity From Simultaneous Administration of Two Anticholinesterase Compounds;" *J Pharmacol Exp Therap.* 121:96-106.

Gearhart JM, Jepson GW, Clewell HJ, et al. 1994. "Physiologically Based Pharmacokinetic Model for the Inhibition of Acetylcholinesterase by Organophosphate Esters." *Environ Health Perspect.* 102 (Suppl 11), 51-60.

Geno PW, Camann DE, Harding, HJ, Villalobos K, Lewis RG. 1995. "Handwipe Sampling and Analysis Procedure for the Measurement of Dermal Contact with Pesticides." *Arch Environ Contam Toxicol.* 30:132-138.

Glogoza P, McMullen M, Zollinger R, Peel M, and Fisher N. 2000. "Crop Profile for Hard Red Spring and Durum Wheats in North Dakota." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. June, 2000.

Gold RE, and Holcslaw T. 1985. "Dermal and Respiratory Exposure of Applicators and Residents to Dichlorvos-Treated Residences. 0097-6156/85/0273-0353.

Gray M, and Steffey K. 2000. "Insect Pest Management for Field and Forage Crops." *2000 Illinois Agricultural Pest Management Handbook.* Cooperative Extension Service, Agricultural Experiment Station and College of Agricultural, Consumer and Environmental Sciences, University of Illinois.

Gouker, e. 1999. "Determination of Transferable and Total Turf Residues on Turf Treated with Bensulide. Lab. Proj. No. 98703. 44679. Unpublished study prepared by ABC Laboratories, Inc. 265 p. MRID 447990-01.

Groot ME, Lekkerkert MC, and Steenbekkers LPA. 1998. "Mouthing Behaviour of Young Children—An Observational Study." Agricultural University Wageningen, Household and Consumer Studies, Wageningen, Netherlands.

Hanan D, Heer T, Kiyokawa B, Long L, Mielke E, Facteau T, Nelson T, and Olsen J. 1999. "Crop Profile for Cherries (Sweet) in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. September 7, 1999.

Harrington E, and Good G. 2000. "Crop Profile for Pears in New York." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. January 2000.

Hawkins W, Matthews C, Cockrell P, and Aerts M. 1999. "Crop Profile for Tomatoes in Florida." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. April 5, 1999.

Heimlich, R. 2000. Farm Resource Regions. USDA Economic Research Service No. 760. Available: <http://www.econ.ag.gov/whatsnew/issues/regions>

Hertzberg, RC, Rice G, and Teuschler LK. 1999. "Methods for Health Risk Assessment of Combustion Mixtures." *Hazardous Waste Incineration: Evaluating the Human Health and Environmental Risks*. Roberts S, Team C, and Bean J, Editors. CRC Press LC. pp. 105-148.

Hill RH Jr, Head SL, Baker S, Gregg M, Shealy DB, Bailey SL, Williams CC, Sampson EJ, Needham LL. 1995. "Pesticide residues in urine of adults living in the United States: reference range concentrations," *Environ Res*. 71(2) 1995, pp.99-108.

Hofen J. 2000. "Determination of Transferable Turf Residues on Turf Treated with Trichlorfon." Lab. Proj. No. SARS-98-71. 109529. Unpublished study prepared by Stewart Agricultural Research Services, Inc. 177 p. MRID 450672-01

Hogmire HW, and Biggs AR. 1999. "Crop Profile for Apples in West Virginia." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. February 1999.

Ihaka R, and Gentleman R. 1996. "R: A language for data analysis and graphics." *J Comput Graph Stat*. 5 (3): 299–314.

International Life Science Institute. 1998. ILSI Aggregate Exposure Subcommittee Report. "Status Report on Biological Monitoring Research Relevant to Aggregate Exposure Assessment under the Food Quality Protection Act." October 12, 1998.

Jenkins J, and Thomson P. 1998. "Pesticide Use in Oregon's Drainage Basins." Agriculture Chemistry Extension, Department of Environmental and Molecular Toxicology, Oregon State University.

Johnson D, Thompson R, Butterfield B. 1999. "Outdoor Residential Pesticide Use and Usage survey and National Gardening Association Survey." Unpublished study prepared by DOANE Marketing Research, Inc., and Gallup Organization, Inc. 761 p. MRID 449722-02

Jordan DL, Spears JF, York AC, Brandenburg RL, Brown AB, Bailey JE, and Roberson GT. 2001. "2001 Peanut Information." North Carolina Cooperative Extension Service. AG-331.

Karanth S, Olivier K, Liu J, and Pope C. 2001. "In vivo interaction between chlorpyrifos and parathion in adult rats: sequence of administration can markedly influence toxic outcome." In press: *Toxicol Appl Pharmacol*.

Kellogg RL, Goss DW, et al. 1997 (revised maps, 1998). "Potential Priority Watersheds for Protection of Water Quality from Nonpoint Sources Related to Agriculture.: USDA Natural Resources Conservation Service. State of the Land website. <http://www.nhq.nrcs.usda.gov/land/pubs/wqpost2.html>

Kellogg RL, Nehring R, Grube A, Plotkin S, Goss DW, and Wallace S. 1999. "Trends in the Potential for Environmental Risk from Pesticide Loss from Farm Fields." USDA Natural Resources Conservation Service. Available: <http://www.nhq.nrcs.usda.gov/land/pubs/pesttrend.html>

Keplinger ML and Deichmann WB. 1967. "Acute Toxicity of Combinations of Pesticides." *Toxicol Appl Pharmacol*. 10: 586-595.

Kissel JC, Shirai JH, Richter KY, Fenske RA. 1998. "Empirical Investigation of Hand-to-Mouth Transfer of Soil." *Bull Environ Contam Toxicol*. 60:379-386.

Kline and Co. Professional Market Data. 1997-1998.

Kline and Co. Professional Markets for Pesticides and Fertilizers, 1998 and 1999.

Kline and Co. Consumer Markets for Pesticides and Fertilizers, 1995 and 1997.

Klonne D. 1999. "Integrated Report for Evaluation of Potential Exposures to Homeowners and Professional Lawn Care Operators Mixing, Loading, and Applying Granular and Liquid Pesticides to Residential Lawns." Lab. Proj. no. OMA550, OMA001, OMA002. Unpublished study prepared by Ricerca, Inc., and Morse Laboratories. 2213 p. MRID 449722-01.

Korpalski SJ, and Bruce ED. "2000. Agronomic and Statistical Clustering of Agricultural Reentry Transfer Coefficients." Agricultural Reentry Task Force (ARTF). MRID 448026-01.

Lai.J. 1999. "Determination of Transferable Turf Residues on Grass Treated with Acephate." Lab. Proj. No. V11983. 9900130. Unpublished study prepared by Valent U.S.A. Corporation and Weed Systems, Inc. 267 p. MRID 448064-01.

Lavigne A, Matthews C, Cockrell P, and Aerts M. 1999. "Crop Profile for Citrus in Florida." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. February 26, 1999.

Lessard S, Preston D, Glogoza P, Olson D, Lamey A, Gudmestad N, Secor G and Zollinger R. 2000. "Crop Profile for Potatoes in North Dakota." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. December, 2000.

Lindstrom MJ, and Bates DM. 1990. "Nonlinear mixed effects models for repeated measures data." *Biometrics* 46: 673–687.

Lucas RM, Boyle KE, Dever JA, George BJ, and Jeffries CJ. 1995. Final Report. "Volume 1 Results of the 1993 Certified/Commercial Pesticide Applicator Survey." Research Triangle Institute. August 22, 1995.

Mahajna M, Quistad GB, and Casida JE. 1997. "Acephate insecticide toxicity: safety conferred by inhibition of the bioactivating carboxamidase by the metabolite methamidophos." *Chem Res Toxicol.* 10: 64-69.

Magara Y, Aizawa T, Matumoto N, and Souna F. 1994. "Degradation of Pesticides by Chlorination During Water Purification. Groundwater Contamination, Environmental Restoration, and Diffuse Source Pollution." *Water Sci Tech.* 30(7):119-128.

Matthews C, Cockrell P, and Aerts M. 1999. "Crop Profile for Peppers (Bell) in Florida." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. April 5, 1999.

McGrath D, Antonelli A, and Bechinski E. 2001. "Pacific Northwest Insect Management Handbook." Oregon State University.

McGrath D, Burt J, Ocamb CM, and William R. 2001. "Crop Profile for Cauliflower in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. February, 2001. Available: <http://cipm.ncsu.edu/cropprofiles/docs/ORCauliflower.html>

Merricks D. 1997. "Carbaryl Mixer/Loader/Applicator Exposure Study During Application of RP-2 Liquid (21%), Sevin Ready to Use Insect Spray or Sevin 10 Dust to Home Garden Vegetables." Lab. Proj. No. 1519. 10564. ML97-0676-RHP. Unpublished study prepared by Agrisearch Inc., Rhone-Poulenc Ag Co. and Morse Labs., Inc. 358 p. MRID 445980-01.

Merricks L. 2001. "Determination of Dermal (Hand and Forearm) and Inhalation Exposure to Disulfoton Resulting from Residential Application of Bayer Advanced Garden 2-in-1 Systematic Rose and Flower Care to Shrubs and Flower Beds." Lab Prj. No. 4201. Unpublished study prepared by Agrisearch Inc. 178 p. MRID 453334-01.

Mileson BE, Chambers JE, Chen WL, et al. 1998. "Common Mechanism of Toxicity: A Case Study of Organophosphorus Pesticides." *Toxicol Sci.* 41: 8-20.

Moran JW, Saunders, DG, Carter, JE, and Emery KAB. 1987. "Exposure of Workers and Golfers to Flurprimidol from use of Cutlass 50W on Golf Course Turf." Lab Proj. I.D. AAC8606. Unpublished study prepared by Lilly Research Laboratories. 211 p. MRID 401844-14.

Morrison WP, Cronholm GB, Parker RD, Baugh B, Patrick CD, and Archer TL. 1995. "Managing Insect and Mite Pests of Texas Corn." Texas Agricultural Extension Service, The Texas A&M University System. B-1366.

National Center for Food and Agricultural Policy (NCFAP). 2000. "Pesticide Use in U.S. Crop Production: 1997 National Summary Report." November 2000. Available: <http://www.ncfap.org/commissi.htm>

Nigg HN, and Knaak JB. 2000. "Blood Cholinesterase as human biomarkers of organophosphorus pesticide exposures." *Rev Environ Contam Toxicol.* 163: 29-112.

North Carolina State University College of Agriculture and Life Sciences. 2001. "2001 North Carolina Agricultural Chemicals Manual."

North Dakota State University Extension Service. 1997. "Corn Production Guide." North Dakota State University Extension Service in cooperation with the North Dakota Corn Utilization Council: The North Dakota Corn Growers Association. May 1997. A-1130.

OI-Sebae AH, Ahmed NS, and Soliman SA. 1978. "Effect of pre-exposure on acute toxicity of organophosphorus insecticides to white mice." *J Environ Sci Health* B13(1): 11-24.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Snap Beans– Green, Romano, Yellow Wax. *Phaseolus vulgaris*." April 3, 2001.

Oregon State University Cooperative Extension Service. 2001. "Cherry. 2001 Pest Management Guide for the Willamette Valley." Revised February 2001. EM 8329.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Peas – Western Oregon. *Pisum sativum*." April 4, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Peas for Processing – Eastern Oregon. *Pisum sativum*." April 4, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and

Extension Center. 2001. "Commercial Vegetable Production Guides. Cole Crop Insect Control." April 3, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Cauliflower. *Brassica oleracea* (Botrytis Group)." April 3, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Sweet Corn for Processing. *Zea mays*." April 3, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Pumpkin and Winter Squash." August 13, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Broccoli. *Brassica oleracea* (Italica Group)." April 3, 2001.

Oregon State University Cooperative Extension Service. 2001. "Pear. 2001 Pest Management Guide for the Willamette Valley." February 2001. EM 8420.

Oregon State University Cooperative Extension Service. 2001. "Hazelnut. 2001 Pest Management Guide for the Willamette Valley." Revised February, 2001. EM 8328.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Cabbage. *Brassica oleracea* (Capitata Group)." April 3, 2001.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2001. "Commercial Vegetable Production Guides. Dry Bulb Onions – Western Oregon. *Allium cepa*". April 4, 2001.

Oregon State University Cooperative Extension Service. 2001. "Hazelnut. 2001 Pest Management Guide for the Willamette Valley." Revised February 2001. EM 8328.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2000. "Commercial Vegetable Production Guides. Pickling Cucumbers. *Cucumis sativus*." Revised September 18, 2000.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2000. "Commercial Vegetable Production Guides. Slicing (Fresh Market) Cucumbers. *Cucumis sativus*." Revised March 29, 2000.

Oregon State University Cooperative Extension Service, Willamette Research and Extension Center. 2000. "Commercial Vegetable Production Guides. Zucchini and Summer Squash. *Cucurbita pepo*." Revised March 29, 2000.

Oregon State University Extension Service "Oregon Agricultural Information Network." Online. Available: <http://ludwig.arec.orst.edu/EconInfo/>

Orzolek MD, Greaser GL, and Harper JK. 2001. "Cantaloupes. Penn State Cooperative Extension Agricultural Alternatives." The Pennsylvania State University.

Orzolek MD, Fleischer SJ, and MacNab, AA. 1998. "Crop Profile for Pumpkins in Pennsylvania." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared September 14, 1998.

Peel MD, and Riveland N. 1997. "Winter Wheat Production in North Dakota." North Dakota State University Extension Service. Revised September, 1997. Extension Bulletin 33.

Pike D, Steffey K, and Babadoost M. 2000. "Crop Profile for Corn in Illinois." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared July, 2000.

Pinheiro J, and Bates DM. 2000. *Mixed Effects Models in S and S-Plus*. Springer. Berlin.

Pope CN and Padilla S. 1990. "Potentiation of organophosphorus-induced delayed neurotoxicity by phenylmethylsulfonyl fluoride." *J Toxicol Environ Health*. 31: 261-273.

Raun E, Martin A, Mayo ZB, and Watkins J. 2000. "Crop Profile for Sorghum in Nebraska." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared June, 2000.

Reiss R, and Griffin J. 2001 "Analysis of the National Pest Management Assoc. Pest Control Operators (PCO) Product Use and Usage Information Survey." Completion Date May 16, 2001

Riedl H, and Van Buskirk P. 1999. "Crop Profile for Pears in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised October 26, 1999.

Rinehold J, and Jenkins JJ. 1994. "Pesticide Use Survey. Oregon Pesticide Use Estimates for Seed and Specialty Crops, 1992." Oregon State University

Publication No. EM 8658.

Rinehold JW, Jenkins JJ, and Lundy R. 1999. "Pesticide Use in Oregon Peppermint and Spearmint [DRAFT]." Prepared for the Mint Industry Research Council, Stevenson, WA.

Rinehold JW. 1999. "Crop Profile for Christmas Trees in Oregon and Washington." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised January, 1999.

Rinehold JW, and Jenkins JJ. 1994. "Oregon Pesticide Use Estimates for Seed and Specialty Crops, 1992." Oregon State University Cooperative Extension Service. EM 8568.

Richardson JR, Chambers HW, and Chambers JE. 2001. "Analysis of the additivity of *in vitro* inhibition of cholinesterase by mixtures of chlorpyrifos-oxon and azinphos-methyl-oxon." *Toxicol Appl Pharm.* 172: 128-139.

Robert M, and Wade S. (May 5, 1998). Carbaryl Mixer/Loader/Applicator Exposure Study during Application of RP-2 Liquid (21%), Sevin® Ready to Use Insect Spray or Sevin® 10 Dust to Home Garden Vegetables. Check PDMS

Rosenberg P, and Coon JM. 1958. "Potentiation Between Cholinesterase Inhibitors." *Proc Soc Exp Biol Med.* 97: 836-839.

Serat WF, and Bailey JB. 1974. "Estimating the relative toxicologic potential of each pesticide in a mixture of residues on foliage." *Bull Environ Contam Toxicol.* 12(6): 682-686.

Seume FW, and O'Brien RD. 1960. "Potentiation of the Toxicity to Insects and Mice of Phosphorothionates Containing Carboxyester and Carboxamide Groups." *Toxicol Appl Pharmacol.* 2: 495-503.

Singh AK. 1986. "Kinetic analysis of acetylcholinesterase inhibition by combinations of acephate and methamidophos." *Toxicology.* 42(2-3):143-56.

Smith WD, Peedin GF, Fisher LR, Southern PS, Melton TA, Brown AB, Moore CL, Sr, Boyette MD, and Moore JM. 2001. "2001 Flue-Cured Tobacco Information." North Carolina Cooperative Extension Service.

Smith D, McCallum A, Bade D, Bean B, Grichar JC, Patrick C, and Stichler C. 2000. "Crop Profile for Alfalfa in Texas." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared May, 2000.

Smith D, and Moerbe T. 1999. "Crop Profile for Cotton in Texas." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared September 3, 1999.

Sommer JE, and Hines FK. 1991. "Diversity in U.S. Agriculture: A New Delineation by Farming Characteristics." USDA. Economic Research Service. Agricultural Economic Report No. 646.

Southern PS, Fisher L, Melton T, Peedin G, and Smith WD. 1999. "Crop Profile for Tobacco in North Carolina. USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Updated January, 1999.

Su MQ, Kinoshita FK, Frawley JP, and DuBois KP. 1971. "Comparative inhibition of aliesterases and cholinesterases in rats fed eighteen organophosphorus insecticides." *Toxicol Appl Pharmacol.* 20(2): 241-249.

Sutton TB, Walgenbach J, Mitchem W, Unrath CR, Sullivan WT, and Parker M. 1999. "Crop Profile for Apples in North Carolina." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared January, 1999.

Thomson P, Parrott W, and Jenkins J. 1999. "Crop Profile for Hops in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised November 23, 1999.

Thomson P, Parrott W, and Jenkins J. 1999. "Crop Profile for Hazelnuts in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised September 2, 1999.

Thomson P, Parrott W, and Jenkins J. 1999. "Crop Profile for Onions in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared November 9, 1999.

Thomson P, Parrott W, and Jenkins J. 1999. "Crop Profile for Beans in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised September 2, 1999.

Thomson P, Parrott W, and Jenkins J. 1999. "Crop Profile for Raspberries in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Revised September 7, 1999.

Thompson R. 1998. "Agricultural Worker Crop Contact from Reentry Activities Performed in the United States and Canada: Growers Results. Unpublished study prepared by DOANE Marketing Research, Inc. 7147 p. MRID 448026-01.

Thomson P, Parrott W, and Jenkins J. 2000. "Crop Profile for Cucumbers in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared November, 2000.

Thomson P, Parrott W, and Jenkins J. 2000. "Crop Profile for Corn in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared October, 2000.

Thomson P, Parrott W, and Jenkins J. 2000. "Crop Profile for Broccoli in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared November, 2000.

Thomson P, Parrott W, and Jenkins J. 2001. "Crop Profile for Peas in Oregon." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Prepared February, 2001.

Tierney DP, Christensen BR, and Culpepper VC. 2001a. "Drinking water monitoring study for six organophosphate insecticides and four oxons from 44 community water systems in the United States." Syngenta Crop Protection, Inc. Study No. 1330-00.

Tierney DP, Christensen BR, and Culpepper VC. 2001b. "Chlorine degradation of six organophosphorus insecticides and four oxons in a drinking water matrix." Syngenta Crop Protection, Inc. Study No. 1562-00.

Tieze NS, Hester PG, and Shaffer KR. 1994. "Mass Recovery of Malathion in Simulated Open Field Mosquito Adulticide Tests." *Arch Environ Contam Toxicol.* 26: 473-477.

Travis JW. S. Tibbetts and N. Serotkin, editors. 2001. *Pennsylvania Tree Fruit Production Guide 2000-2001*. College of Agricultural Sciences. The Pennsylvania State University. Updated April 3, 2001. 2CDocuPS1/00;2M1/00CP.

U.S. Department of Agriculture, Crop Reporting Board, Statistical Reporting Service. 1977. *Usual Planting and Harvesting Dates for Fresh Market and Processing Vegetables. Agriculture Handbook No. 507.*

U.S. Department of Agriculture, National Agricultural Statistics Service. 1997. *Usual Planting and Harvesting Dates for U.S. Field Crops. Agricultural Handbook No. 628.*

U.S. Department of Agriculture. Science and Technology Programs at AMS. Online. Available: <http://www.ams.usda.gov/science/pdp>

U.S. Food and Drug Administration. Center for Food Safety and Applied Nutrition: "Pesticides, Metals, Chemical Contaminants & Natural Toxins." Online. Available: <http://vm.cfsan.fda.gov/~lrd/pestadd.html>

University of Florida Extension, Palm Beach County Cooperative Extension Service. 2000. Palm Beach County Agricultural Production 1999-2000.

U.S. Environmental Protection Agency. 2001a. "Guidance on Cumulative Risk Assessment of Pesticide Chemicals that Have a Common Mechanism of Toxicity."

Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: <http://www.epa.gov/oppfead1/trac/science/>

U.S. Environmental Protection Agency. 2001b. "Preliminary Cumulative Hazard and Dose Response Assessment for Organophosphorus Pesticides: Determination of Relative Potency and Points of Departure for Cholinesterase Inhibition." Office of Pesticide Programs, US Environmental Protection Agency, Washington, DC. July 31, 2001. <http://www.epa.gov/scipoly/sap>

U.S. Environmental Protection Agency. 2001c. "Supplementary Guidance for Conducting Health Risk Assessment of Chemical Mixtures." Final Draft. Risk Assessment Forum, Office of Research and Development, U.S. Environmental Protection Agency. Washington, DC. NCEA-C-0148. Available: www.epa.gov/ncea/new.htm

U.S. Environmental Protection Agency. 2001d. "General Principles For Performing Aggregate Exposure And Risk Assessments." Final. December 2, 2001 Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: <http://www.epa.gov/oppfead1/trac/science/>

U.S. Environmental Protection Agency. Super Sample PCO Study, Client presentation, March 22, 2001.

U.S. Environmental Protection Agency. 2000a. "Proposed Guidance on Cumulative Risk Assessment of Pesticide Chemicals that Have a Common Mechanism of Toxicity." Public Comment Draft. Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: www.epa.gov/fedrgstr/EPA-PEST/2000/June/Day-30/6049.pdf

U.S. Environmental Protection Agency. 2000c. "Cumulative Risk: A Case Study of the Estimation of Risk from 24 Organophosphate Pesticides", November 2, 2000, Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: <http://www.epa.gov/scipoly/sap/2000/december/sap-casestudy2.pdf>

U.S. Environmental Protection Agency. 2000d. Use of Data on Cholinesterase Inhibition for Risk Assessments of Organophosphorus and Carbamate Pesticides, Office of Pesticide Programs, (issued in revised form in September 2000), Office of Pesticide Programs, US Environmental Protection Agency, Washington DC. Available: <http://www.epa.gov/pesticides/trac/science/cholin.pdf>

U.S. Environmental Protection Agency. 2000e. "Drinking Water Screening Level

Assessment. Part B: Applying a Percent Crop Area Adjustment to Tier 2 Surface Water Model Estimates for Pesticide Drinking Water Exposure Assessments;" Draft Paper. September 1, 2000. Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, U.S. Environmental Protection Agency. Washington, DC. Available: <http://www.epa.gov/pesticides/trac/science>

U.S. Environmental Protection Agency. 1999a. "Guidance for Identifying Pesticide Chemicals and Other Substances That Have A Common Mechanism of Toxicity." Environmental Protection Agency, Office of Pesticide Programs. Fed. Reg. 64:5796-5799. Available: <http://www.gov/fedrgstr/EPA-PEST/1999/February/Day-05/6055.pdf>

U.S. Environmental Protection Agency. 1999b. Memorandum from Margaret Stasikowski, Health Effects Division to Staff. "Translation of Monitoring Data. HED Standard Operating Procedure 99.3 (3/26/99);" March 26, 1999. Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, Washington, D.C.

U.S. Environmental Protection Agency. 1999c. "Guidance for Performing Aggregate Exposure and Risk Assessments;" draft document. October 29, 1999. Office of Pesticide Programs, Office of Prevention, Pesticides, and Toxic Substances, Washington, D.C. 64 FR 61343. Available: <http://www.epa.gov/fedrgstr/EPA-PEST/1999/November/Day-10/>.

U.S. Environmental Protection Agency. 1997a. "Exposure Factors Handbook. Volume 1/General Factors. Update to Exposure Factors Handbook; EPA/600/8/043 - May 1989." Office of Research and Development, National Center for Environmental Assessment, U.S. Environmental Protection Agency. EPA/600/P-95-002Fa. Available: <http://www.epa.gov/ncea/exposfac.htm>

U.S. Environmental Protection Agency. 1997b. "Exposure Factors Handbook. Volume 3/Activity Factors. Update to Exposure Factors Handbook; EPA/600/8/043 - May 1989." Office of Research and Development, National Center for Environmental Assessment, U.S. Environmental Protection Agency. EPA/600/P-95-002Fa. Available: <http://www.epa.gov/ncea/exposfac.htm>

U.S. Environmental Protection Agency. 1992. National Home and Garden Pesticide Use Survey, March 1992. Prepared by Research Triangle Institute.

U.S. Environmental Protection Agency. 1990. "Nonoccupational Pesticide Exposure Study (NOPES) Final Report." Atmospheric Research and Exposure Assessment Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Research Triangle Park, NC 27711

U.S. Geological Survey Hydrologic Investigations Atlas. Online. Available: <http://capp.water.usgs.gov/gwa/gwa.html>

U.S. Geological Survey Circulars. Online. Available: <http://pubs.usgs.gov/products/books/circular.html>

U.S. Geological Survey Fact Sheets. Online. Available:

<http://pubs.usgs.gov/products/books/factsheet.html>

U.S. Geological Survey Professional Papers. Online. Available:
<http://pubs.usgs.gov/products/books/professionalpaper.html>

Vacarro JR, Nolan RJ, Murphey PF, and Berbrich DB. 1996. ASTM STP 1287. Tichenor BA, Ed., American Society of Testing and Materials. pp. 166-183.

Van Duyn J, and Heiniger R. 1999. "Crop Profile for Corn in North Carolina." USDA Office of Pest Management Policy and Pesticide Impact Assessment Program. Updated November, 1999.

Vermont Department of Food, Agriculture, and Markets Pesticide Monitoring Program. Online. Available: <http://www.state.vt.us/agric/pidagchem.htm>

Veterinary Service Market for Companion Animals. 1992. "Part 1: Companion Animal Ownership and Demographics"—The Information Exchange.

Vinlove, F.K.; Torla, R. 1995. "Comprehensive Estimation of U.S. Home Lawn Area." *Journal of Turfgrass Management* 1(1):83-97.

Wester RC, and Maibach HI. 1989. "Dermal Decontamination and Percutaneous Absorption." In: *Percutaneous Absorption*. 2nd ed. R. Bronaugh and H.I. Maibach, editors. New York: Marcel Dekker, pp 335-342.

Young WC, III, Mellbye ME, and Gingrich GA. n.d. The Oregon Grass Seed Industry. Oregon State University, Crop & Soil Science Dept.

Zollinger RK, Dexter AG, Dahl GK, Fitterer SA, McMullen MP, Waldhaus GE, Glogoza P, and Ignaszewski K. 1998. "Pesticide Use and Pest Management Practices for Major Crops in North Dakota" 1996. North Dakota State University Extension Service. Extension report no. 43.