

VITAL STATISTICS OF THE UNITED STATES

1968

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1972

(HSM) 72-1101

NATIONAL CENTER FOR HEALTH STATISTICS

THEODORE D. WOOLSEY, *Director*

PHILIP S. LAWRENCE, Sc.D., *Associate Director*

OSWALD K. SAGEN, Ph.D., *Assistant Director for Health Statistics Development*

WALT R. SIMMONS, M.A., *Assistant Director for Research and Scientific Development*

JAMES E. KELLY, D.D.S., *Dental Advisor*

EDWARD E. MINTY, *Executive Officer*

ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

ROBERT A. ISRAEL, M.S., *Director*

JOHN E. PATTERSON, *Assistant Director for Demographic Affairs*

ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*

JOHN E. PATTERSON, *Acting Chief, Natality Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

ARNE B. NELSON, M.A., *Chief, Vital Records Survey Branch*

MICHAEL J. ZUGZDA, *Chief, Statistical Resources Section*

* U. S. GOVERNMENT PRINTING OFFICE : 1972 O - 470- 419

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 - Price \$6
Stock Number 1722-0225

VITAL STATISTICS OF THE UNITED STATES, 1968

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and d_x by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, by specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Guide to tables in Section I

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-26	-34	-35	-36	-38	-44	-50	-51	-52	-52	-53	-56	-62	-63	-126	-132	-140	-208
Geographic area:																										
Divisions-----										10 ¹	11	12	13	14												
50 largest standard metropolitan statistical areas, 1968-----															15											
States-----											11	12	13	14				18 ¹	19 ⁴	20	21					26
United States-----	1 ²	2 ²	3	4	5	6	7	8	9	10	11	12	13	14		16	17 ³	18	19	20	21	22	23	24	25	26
Years:																										
1900-1968-----	1	2								10 ⁵																
1915-68-----																	17 ⁶									
1959-68-----			3								11															
1968 only-----				4	5	6	7	8	9			12	13	14	15	16		18	19	20	21	22	23	24	25	26
Type of entry:																										
Age-adjusted rates---		2				6																				
Number of deaths-----	1			4								12	13		15	16		18	19	20	21	22	23	24	25	26
Percent distribution of deaths by cause--					5																					
Death rates-----	1	2	3		5	6	7	8	9	10	11	12		14	15	16	17					22				
Characteristics:																										
Age-----			3	4				8	9			12				16										25
10-year age groups--			3						9																	
5-year age groups--							8									16										25
Single years of age after 84-----				4																						
Cause of death:																										
Each cause-----																						22				
Selected causes---						6										16										
281 selected causes-----																							23	24	25	26
69 selected causes--							7	8	9				13	14												
15 leading causes--					5																					
Maternal causes only-----																16	17									
Color-----	1 ⁷	2 ⁷	3 ⁷	4		6		8	9							16	17 ⁷			20		22				26
Month-----																		18		20			23			
Race-----																					21			24	25	
Sex-----	1 ⁸	2	3	4		6		8	9											20	21	22		24	25	26

¹Deaths by place of occurrence.
²Entire United States for 1933-68; death-registration States for 1900-1932.
³Entire United States for 1933-68; birth-registration States for 1915-32.
⁴Deaths by place of occurrence and place of residence.
⁵Data by 5-year averages for 1900-1959 and by single years for 1960-68.
⁶Data by 5-year averages for 1915-39 and by single years for 1940-68.
⁷New Jersey did not require the reporting of color or race in 1962 and 1963.
⁸For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence]

	TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14
	PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-24	-31	-34	-40	-58
Geographic area:															
Divisions-----							6	7							
50 largest standard metropolitan statistical areas, 1968-----									8						
Metropolitan and nonmetropolitan counties-----													12		
Population-size groups-----													12		
States-----							6	7		9	10				14
United States-----		1 ¹	2	3	4	5	6	7		9	10	11	12	13	14
Years:															
1915-68-----		1													
1959-68-----				4											
1964-68-----						6	7								
1968 only-----			2	3		5			8	9	10	11	12	13	14
Type of entry:															
Number of infant deaths-----				3					8	9	10	11	12	13	14
Infant mortality rates (per 1,000 live births)----		1		3			6	7	8						
Infant mortality rates (per 100,000 live births)---			2		4	5									
Characteristics:															
Age:															
Under 1 year-----		1	2	3	4	5	6		8	9	10	11	12	13	14
Under 28 days-----		1	2	3	4			7	8	9	10	11	12	13	14
28 days to 11 months-----				3								11		13	14
Detailed age groups (under 1 day-11 months)-----			2		4					9	10 ²			13	
Cause of death (65 selected causes)-----						5						11	12	13	14
Color-----		1 ³	2		4 ³	5	6	7			10		12	13	14
Month-----											10	11			
Race-----				3						9					
Sex-----			2							9	10 ²				13

¹Entire United States for 1933-68; birth-registration States for 1915-32.

²For the United States only.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-18	-20	-22	-23	-24	-27
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties----						6											
Population-size groups----						6 ¹											
Selected areas-----			3 ²	4 ³													
States-----	1 ⁴						7	8 ⁵	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1942-68-----		2															
1964-68-----							7										
1968 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution---			3														
Rates per 1,000 live births plus fetal deaths-					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 ⁶		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status-----			4														
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 ¹	17 ¹
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹For the United States only.

²Combined totals for 9 States and New York City which report all periods of gestation.

³Combined totals for 39 areas which report legitimacy status.

⁴Fetal deaths by place of occurrence.

⁵Fetal deaths by place of occurrence and place of residence.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1968. Data for geographic areas within the United States are by place of residence]

	TABLE: 4	-1	-2	-3	-4
	PAGE: 4	-2	-4	-12	-17
Geographic area:					
States-----				3	
United States-----		1	2	3	4
Subject matter:					
Accidental poisoning-----					4
Motor vehicle accidents by person injured-----		1	2	3	
Characteristics:					
Age (5-year age groups)-----			2		4
Color-----		1		3	4
Cause of death-----		1			
Race-----			2		
Sex-----		1	2	3	4

Guide to tables in Section 5

[Life tables]

	TABLE: 5	-1	-2	-3	-4	-5	-6
	PAGE: 5	-3	-4	-5	-6	-7	-8
Years:							
1900-1968-----							6 ¹
1968 only-----		1	2	3	4		
Specified years and 1968-----						5 ²	
Type of entry:							
Proportion dying (${}_nq_x$) -----		1	2				
Number surviving (l_x) -----		1	2	3		5	
Number dying (${}_nd_x$)-----		1	2				
Stationary population (${}_nL_x$ and T_x) -----		1	2				
Average remaining lifetime (e_x^o) -----		1	2		4	5	
Estimated average length of life (e_o^o) -----							6
Characteristics:							
Age by:							
Single years-----				3	4		
5-year intervals-----		1	2			5	
Sex-color specific-----			2	3	4	5	6 ³
Sex specific-----		1		3	4		6
Color specific-----			2	3	4		6 ³
Total population-----		1		3	4		6

¹Entire United States for 1929-68; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1968; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

	TABLE: 6	-1	-2	-3
	PAGE: 6	-16	-16	-17
Geographic area:				
Divisions-----				3
States-----		1 ¹		3
United States-----		1 ^{1,2}	2	3
Years:				
1900-1968 ³ -----		1		
1968-----			2	3
Characteristics:				
Age-----			2	3
Color-----			2	
Sex-----			2	

¹Entire United States for 1900-1968; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, and 1960, and estimated as of July 1 for all other years.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1968. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE:	7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	7	-2	-59	-76	-93	-114	-129	-436	-442	-460
Geographic area:										
Counties-----		1 ¹								9
Metropolitan and nonmetropolitan counties-----			2	3						9
Specified urban places-----		1								9
Standard metropolitan statistical areas-----					4				8	
States-----		1 ¹	2	3			6	7 ²		9
United States-----		1	2	3		5		7		9
Population-size groups-----			2							9
Type of entry:										
Number of deaths-----		1	2	3	4	5	6	7	8	9
Number of fetal deaths-----		1	2							
Number of infant deaths-----		1	2	3	4	5	6			
Number of neonatal deaths-----		1	2							
Fetal-death ratios (per 1,000 live births)-----			2							
Infant mortality rates (per 1,000 live births)-----			2							
Neonatal mortality rates (per 1,000 live births)-----			2							
Characteristics:										
Age:										
5-year age groups-----						5	6			
10-year age groups-----				3	4					
Cause of death:										
34 selected causes-----										9
69 selected causes-----						5	6	7	8	
Color-----										
		1	2	3	4	5	6			
Sex-----										
				3	4	5	6			

¹Deaths by place of occurrence and place of residence.
²By place of occurrence.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-68-----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-68-----	1-3
1-3. Death rates by age, color, and sex: United States, 1959-68-----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1968-----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1968-----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1968-----	1-6
1-7. Death rates for 69 selected causes: United States, 1959-68-----	1-7
1-8. Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1968-----	1-8
1-9. Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1968-----	1-26
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1968-----	1-34
1-11. Death rates: United States, each division and State, 1959-68-----	1-35
1-12. Deaths and death rates by age: United States, each division and State, 1968-----	1-36
1-13. Deaths from 69 selected causes: United States, each division and State, 1968-----	1-38
1-14. Death rates for 69 selected causes: United States, each division and State, 1968-----	1-44
1-15. Deaths and rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1968-----	1-50
1-16. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1968--	1-51
1-17. Maternal mortality rates by color: Birth-registration States or United States, 1915-68-----	1-52
1-18. Deaths by month and State of occurrence: United States and each State, 1968-----	1-52
1-19. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1968--	1-53
1-20. Deaths by month, color, and sex: United States and each State, 1968-----	1-56
1-21. Deaths by specified race or national origin and sex: United States and each State, 1968-----	1-62
1-22. Deaths and death rates for each cause, by color and sex: United States, 1968-----	1-63
1-23. Deaths from 281 selected causes, by month: United States, 1968-----	1-126
1-24. Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1968-----	1-132
1-25. Deaths from 281 selected causes, by age, race, and sex: United States, 1968-----	1-140
1-26. Deaths from 281 selected causes, by color and sex: United States and each State, 1968-----	1-206

SECTION 1 - GENERAL MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-68

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	Total	White	All other	Total			White			All other		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES												
1968	1,930,082	1,689,559	240,523	9.7	11.1	8.2	9.6	11.1	8.2	9.9	11.6	8.3
1967	1,851,323	1,627,151	224,172	9.4	10.8	8.0	9.4	10.8	8.0	9.4	10.9	7.9
1966	1,863,149	1,634,461	228,688	9.5	11.0	8.1	9.5	10.9	8.1	9.7	11.3	8.3
1965	1,828,136	1,605,498	222,638	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964	1,798,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963 ¹	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
1962 ¹	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES ²												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,393	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.3	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.9	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.0	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.²Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-68

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1968	7.5	9.6	5.6	7.1	9.2	5.3	10.8	13.3	8.6
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.5	8.6
1963	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.2	8.9
1962 ¹	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.8
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.9	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES²									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.²Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1959-68

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1968	9.7	22.3	0.9	0.4	1.2	1.6	3.2	7.5	17.2	38.5	80.8	196.1
1967	9.4	22.3	0.9	0.4	1.2	1.5	3.1	7.3	16.7	37.5	79.0	194.2
1966	9.5	23.3	0.9	0.4	1.2	1.5	3.1	7.4	17.0	38.4	81.7	200.5
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	194.2
MALE												
1968	11.1	25.2	0.9	0.5	1.8	2.1	4.1	9.8	23.7	51.9	98.8	203.9
1967	10.8	25.2	1.0	0.5	1.7	2.0	3.9	9.6	23.0	50.2	96.2	203.8
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	23.3	51.2	98.5	209.3
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.8	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.6	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
FEMALE												
1968	8.2	19.2	0.8	0.3	0.7	1.0	2.4	5.3	11.4	27.8	68.3	191.7
1967	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.2	27.3	66.9	188.6
1966	8.1	20.3	0.8	0.3	0.6	1.1	2.3	5.2	11.2	28.1	69.6	195.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	195.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
WHITE												
1968	9.6	19.8	0.8	0.4	1.1	1.3	2.7	6.8	16.2	36.9	81.6	205.9
1967	9.4	19.6	0.8	0.4	1.1	1.3	2.7	6.7	15.9	36.1	80.0	203.8
1966	9.5	20.2	0.8	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	208.9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963 ²	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962 ²	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
WHITE, MALE												
1968	11.1	22.7	0.8	0.5	1.7	1.7	3.5	9.1	22.7	50.3	100.0	215.6
1967	10.8	22.4	0.8	0.5	1.6	1.7	3.4	9.0	22.2	48.9	97.6	215.1
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	218.6
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963 ²	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962 ²	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.3	100.5	210.9
WHITE, FEMALE												
1968	8.2	16.8	0.7	0.3	0.6	0.8	2.0	4.7	10.4	26.2	68.9	200.1
1967	8.0	16.7	0.7	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1966	8.1	17.3	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963 ²	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962 ²	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	191.8
ALL OTHER												
1968	9.9	33.6	1.4	0.6	1.9	2.8	7.2	13.5	27.3	57.7	71.2	111.5
1967	9.4	35.4	1.4	0.6	1.7	2.5	6.7	12.9	25.5	53.7	67.3	108.5
1966	9.7	38.8	1.5	0.6	1.7	2.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.6	40.2	1.5	0.6	1.6	2.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	2.3	6.6	13.2	27.1	50.6	69.8	128.0
1963 ²	10.1	41.3	1.7	0.6	1.6	2.2	6.5	13.2	27.9	53.0	74.4	145.7
1962 ²	9.8	41.2	1.7	0.6	1.6	2.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	2.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	2.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	47.4	1.9	0.7	1.6	2.2	6.3	13.3	27.1	46.1	72.5	131.8
ALL OTHER, MALE												
1968	11.6	36.9	1.5	0.7	2.8	5.2	9.2	17.0	33.8	69.8	85.1	115.6
1967	10.9	38.8	1.5	0.7	2.5	4.8	8.5	16.1	30.9	65.0	79.7	114.3
1966	11.3	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 ²	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 ²	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4

See footnotes at end of table.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex, United States, 1959-68

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER, FEMALE												
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.5	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 ²	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962 ²	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	38.5	64.1	122.3

¹Figures for age not stated included in "Total" but not distributed among age groups.²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1968

Age	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over—	243,021	95,621	147,400	89,261	139,490	6,360	7,910
85 years	38,554	16,886	21,668	15,852	20,542	1,034	1,126
86 years	34,383	14,720	19,663	13,852	18,636	868	1,027
87 years	31,132	12,611	18,521	11,836	17,630	775	891
88 years	27,359	10,883	16,476	10,220	15,691	663	785
89 years	22,656	8,754	13,902	8,240	13,286	514	616
90 years	19,682	7,507	12,175	7,015	11,537	492	638
91 years	16,227	6,151	10,076	5,774	9,604	377	472
92 years	13,889	5,070	8,819	4,750	8,400	320	419
93 years	10,795	3,743	7,052	3,484	6,653	259	399
94 years	8,022	2,732	5,290	2,521	5,013	211	277
95 years	6,260	2,073	4,187	1,880	3,919	193	268
96 years	4,463	1,435	3,028	1,277	2,807	158	221
97 years	3,197	1,074	2,123	955	1,972	119	151
98 years	2,273	695	1,578	604	1,408	91	170
99 years	1,454	448	1,006	376	927	72	79
100 years	964	306	658	256	569	50	89
101 years	606	183	423	147	376	36	47
102 years	345	101	244	78	187	23	57
103 years	254	73	181	53	135	20	46
104 years	158	48	110	32	83	16	27
105 years	120	31	89	15	56	16	33
106 years	71	29	42	18	23	11	19
107 years	43	19	24	10	11	9	13
108 years	37	15	22	8	10	7	12
109 years	13	4	9	1	4	3	5
110 years	19	6	13	2	5	4	8
111 years	12	7	5	4	2	3	3
112 years	2	1	1	-	1	1	1
113 years	5	1	4	-	1	1	3
114 years	6	4	2	1	-	3	2
115 years	7	3	4	-	1	3	3
116 years	2	2	-	-	-	2	-
117 years	1	1	-	-	-	1	-
118 years	1	-	1	-	-	-	1
119 years	2	-	2	-	1	-	1
120 years	1	1	-	-	-	1	-
121 years	-	-	-	-	-	-	-
122 years	-	-	-	-	-	-	-
123 years	2	2	-	-	-	2	-
124 years	1	1	-	-	-	1	-
125 years	3	1	2	-	1	1	1

Table 1-5. Mortality from 15 Leading Causes of Death: United States, 1968

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. For method of ranking, see Technical Appendix]

Rank Order	Cause of Death	Rate	Percent of total deaths
	All causes—	965.7	100.0
1	Diseases of heart—390-398, 402, 404, 410-429	372.6	38.6
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	159.4	16.5
3	Cerebrovascular diseases—430-438	105.8	11.0
4	Accidents—E800-E949	57.5	6.0
...	Motor vehicle accidents—E810-E823	27.5	2.8
...	All other accidents—E800-E807, E825-E949	30.0	3.1
5	Influenza and pneumonia—470-474, 480-486	36.8	3.8
6	Certain causes of mortality in early infancy—760-769, 2, 769.4-772, 774-778	21.9	2.3
7	Diabetes mellitus—250	19.2	2.0
8	Arteriosclerosis—440	16.8	1.7
9	Bronchitis, emphysema, and asthma—490-493	16.6	1.7
10	Cirrhosis of liver—571	14.6	1.5
11	Suicide—E950-E959	10.7	1.1
12	Congenital anomalies—740-759	8.4	0.9
13	Homicide—E960-E978	7.3	0.8
14	Peptic ulcer—531-533	4.7	0.5
15	Infections of kidney—590	4.7	0.5
...	All other causes—Residual	108.8	11.3

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1968

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes—	746.7	962.8	561.9	708.6	921.1	527.6	1,077.3	1,390.5	858.6
Major cardiovascular diseases—390-448	363.5	471.4	272.5	351.6	462.7	257.9	481.1	558.6	415.4
Diseases of heart—390-398, 402, 404, 410-429	270.0	365.6	189.1	264.1	362.9	180.5	326.5	391.4	271.4
Hypertension—400, 401, 403	3.4	4.0	2.8	2.6	3.2	2.1	10.6	12.1	9.3
Cerebrovascular disease—430-438	71.5	78.1	66.0	66.3	72.9	60.9	124.4	132.2	117.9
Arteriosclerosis—440	9.6	10.5	8.8	9.6	10.6	8.8	9.9	11.0	9.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	130.2	155.9	109.9	127.4	152.3	107.8	158.3	193.3	128.8
Accidents—E800-E949	55.1	82.5	29.2	52.2	77.7	28.1	77.0	122.1	36.8
Motor vehicle accidents—E810-E823	28.4	43.1	14.6	27.8	41.8	14.5	33.3	53.9	14.9
All other accidents—E800-E807, E825-E949	26.7	39.4	14.7	24.4	35.8	13.6	43.7	68.2	21.9
Influenza and pneumonia—470-474, 480-486	26.8	34.0	21.0	24.1	30.7	18.8	47.5	60.7	35.8
Diabetes mellitus—250	14.7	14.0	15.3	15.4	15.2	15.5	28.0	21.3	33.7
Cirrhosis of liver—571	14.0	19.0	9.5	12.9	17.8	8.5	22.9	29.8	17.0
Bronchitis, emphysema, and asthma—490-493	12.9	22.8	5.1	13.0	23.2	4.9	11.3	17.7	5.8
Tuberculosis, all forms—010-019	2.7	4.2	1.4	2.0	3.1	1.0	9.4	14.1	5.4

SECTION 1 - GENERAL MORTALITY

1-7

Table 1-7. Deaths and Death Rates for 69 Selected Causes: United States, 1968

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision of the International Classification of Diseases, Adapted, 1965]

Cause of death	Number	Rate
All causes	1,930,082	969.77
Bacillary dysentery and amebiasis	004,006	1.11
Bacterial and other diarrheal diseases	008,009	2,940
Tuberculosis, all forms	010-019	6,292
Tuberculosis of respiratory system	010-012	5,009
Tuberculosis, other forms	013-019	1,283
Whooping cough	033	36
Streptococcal sore throat and scarlet fever	034	28
Meningococcal infections	036	741
Septicemia	038	2,991
Acute poliomyelitis	040-043	24
Measles	055	24
Syphilis and its sequelae	090-097	586
Other infective and parasitic diseases	Remainder of 000-136	4,003
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-209	318,547
Malignant neoplasms of buccal cavity and pharynx	140-149	7,294
Malignant neoplasms of digestive organs and peritoneum	150-159	93,563
Malignant neoplasms of respiratory system	160-163	63,485
Malignant neoplasm of breast	174	29,081
Malignant neoplasms of genital organs	180-187	40,936
Malignant neoplasms of urinary organs	188-189	14,792
Malignant neoplasms of all other and unspecified sites	170-173, 190-199	37,247
Leukemia	204-207	14,375
Other neoplasms of lymphatic and hematopoietic tissues	200-203, 208, 209	17,774
Benign neoplasms and neoplasms of unspecified nature	210-239	4,948
Diabetes mellitus	250	38,352
Avitaminoses and other nutritional deficiencies	260-269	2,543
Anemias	280-285	3,494
Meningitis	320	1,707
Major cardiovascular diseases	390-448	1,023,399
Diseases of heart	390-398, 402, 404, 410-429	744,658
Active rheumatic fever and chronic rheumatic heart disease	390-398	16,358
Hypertensive heart disease	402	9,811
Hypertensive heart and renal disease	404	7,887
Ischemic heart disease	410-413	674,747
Acute myocardial infarction	410	369,610
Other acute and subacute forms of ischemic heart disease	411	4,691
Chronic ischemic heart disease	412	300,216
Angina pectoris	413	230
Chronic disease of endocardium and other myocardial insufficiency	424, 428	7,836
All other forms of heart disease	420-423, 425-427, 429	28,019
Hypertension	400, 401, 403	9,063
Cerebrovascular diseases	430-438	211,390
Cerebral hemorrhage	431	47,002
Cerebral thrombosis	433	60,331
Cerebral embolism	434	1,136
All other cerebrovascular diseases	430, 432, 435-438	102,921
Arteriosclerosis	440	33,568
Other diseases of arteries, arterioles, and capillaries	441-448	24,720
Acute bronchitis and bronchiolitis	466	1,432
Influenza and pneumonia	470-474, 480-486	73,492
Influenza	470-474	7,062
Pneumonia	480-486	66,430
Bronchitis, emphysema, and asthma	490-493	33,078
Chronic and unqualified bronchitis	490, 491	6,205
Emphysema	492	24,185
Asthma	493	2,688
Peptic ulcer	531-533	9,460
Appendicitis	540-543	1,485
Hernia and intestinal obstruction	550-553, 560	7,758
Cirrhosis of liver	571	29,183
Cholelithiasis, cholecystitis and cholangitis	574, 575	4,385
Nephritis and nephrosis	580-584	9,311
Acute nephritis and nephrotic syndrome	580, 581	1,294
Chronic and unqualified nephritis and renal sclerosis	582-584	8,017
Infections of kidney	590	9,395
Hyperplasia of prostate	600	2,647
Complications of pregnancy, childbirth, and the puerperium	630-678	899
Abortions	640-645	133
Other complications of pregnancy, childbirth, and the puerperium	630-639, 650-678	726
Congenital anomalies	740-759	16,793
Certain causes of mortality in early infancy	760-769, 2,769, 4,772, 774-778	43,840
Birth injury, difficult labor, and other anoxic and hypoxic conditions	764-768, 772, 776	22,132
Other causes of mortality in early infancy	Remainder of 760-778	21,708
Symptoms and ill-defined conditions	780-796	23,656
All other diseases	Residual	97,305
Accidents	E800-E849	114,864
Motor vehicle accidents	E810-E823	54,862
All other accidents	E800-E807, E825-E849	60,002
Suicide	E850-E859	21,372
Homicide	E860-E878	14,686
Other external causes	E880-E899	4,315

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes-----	965.7	2,226.0	86.4	43.4	41.9	108.8	142.7
2	Male-----	1,114.3	2,515.8	94.5	50.7	53.0	155.9	217.1
3	Female-----	824.0	1,923.4	77.9	35.8	30.3	60.7	73.6
4	White-----	962.7	1,982.3	76.3	40.8	39.0	102.7	128.2
5	Male-----	1,108.3	2,267.0	83.6	47.7	49.2	146.8	196.6
6	Female-----	823.4	1,683.6	68.7	33.6	28.3	57.4	64.5
7	All other-----	987.6	3,359.9	136.9	57.5	59.2	147.6	246.7
8	Male-----	1,158.5	3,689.9	149.9	67.4	76.5	214.6	365.9
9	Female-----	828.4	3,023.3	123.2	47.6	42.0	81.3	138.4
10	Bacillary dysentery and amebiasis-----	0.1	0.4	0.1	0.1	0.0	0.0	-
11	Male-----	0.1	0.5	0.1	0.1	0.0	0.0	-
12	Female-----	0.0	0.4	0.1	0.0	0.0	-	-
13	White-----	0.0	0.1	0.1	0.0	0.0	0.0	-
14	Male-----	0.1	0.1	0.1	0.0	-	0.1	-
15	Female-----	0.0	0.1	0.0	0.0	-	-	-
16	All other-----	0.2	2.0	0.3	0.2	0.1	-	-
17	Male-----	0.2	2.6	0.3	0.2	0.1	-	-
18	Female-----	0.1	1.3	0.3	0.1	0.1	-	-
19	Enteritis and other diarrheal diseases-----	1.5	30.1	1.6	0.3	0.1	0.1	0.1
20	Male-----	1.5	32.3	1.8	0.3	0.1	0.1	0.2
21	Female-----	1.5	27.8	1.5	0.2	0.1	0.1	0.1
22	White-----	1.2	17.3	1.2	0.2	0.1	0.1	0.1
23	Male-----	1.2	18.3	1.4	0.3	0.1	0.2	0.2
24	Female-----	1.2	16.4	1.1	0.2	0.1	0.1	0.1
25	All other-----	3.4	89.6	3.5	0.4	0.2	0.1	0.2
26	Male-----	3.8	98.7	3.9	0.5	0.2	-	0.1
27	Female-----	3.1	80.3	3.0	0.4	0.2	0.2	0.2
28	Tuberculosis, all forms-----	3.1	0.4	0.3	0.1	0.0	0.1	0.2
29	Male-----	4.6	0.5	0.4	0.1	0.0	0.2	0.2
30	Female-----	1.7	0.3	0.2	0.0	0.0	0.1	0.3
31	White-----	2.5	0.2	0.2	0.0	0.0	0.1	0.1
32	Male-----	3.7	0.3	0.2	0.1	0.0	0.1	0.1
33	Female-----	1.3	0.1	0.2	0.0	0.0	0.0	0.1
34	All other-----	7.9	1.0	0.8	0.2	0.1	0.5	1.3
35	Male-----	11.4	1.0	1.0	0.4	0.1	0.8	0.7
36	Female-----	4.6	1.0	0.5	0.1	0.1	0.2	1.8
37	Tuberculosis of respiratory system-----	2.5	0.1	0.1	0.0	0.0	0.1	0.2
38	Male-----	3.8	0.2	0.1	0.0	0.0	0.1	0.1
39	Female-----	1.3	0.1	0.0	0.0	0.0	0.0	0.2
40	White-----	2.0	0.1	0.0	0.0	0.0	0.0	0.1
41	Male-----	3.0	0.2	0.1	0.0	0.0	0.1	0.1
42	Female-----	1.0	-	0.0	0.0	0.0	0.0	0.1
43	All other-----	6.4	0.3	0.3	0.2	-	0.3	0.8
44	Male-----	9.5	0.3	0.5	0.2	-	0.5	0.6
45	Female-----	3.5	0.3	0.1	0.1	-	0.2	0.9
46	Tuberculosis, other forms-----	0.6	0.2	0.2	0.0	0.0	0.1	0.1
47	Male-----	0.8	0.2	0.2	0.1	0.0	0.1	0.0
48	Female-----	0.5	0.2	0.2	-	0.0	0.0	0.1
49	White-----	0.5	0.1	0.1	0.0	0.0	0.0	0.0
50	Male-----	0.7	0.1	0.2	0.0	0.0	0.1	0.0
51	Female-----	0.4	0.1	0.1	-	0.0	0.0	0.0
52	All other-----	1.5	0.7	0.5	0.1	0.1	0.2	0.5
53	Male-----	1.9	0.7	0.6	0.1	0.1	0.3	0.1
54	Female-----	1.2	0.7	0.4	-	0.1	-	0.8
55	Whooping cough-----	0.0	0.8	0.0	0.0	-	-	-
56	Male-----	0.0	0.6	0.1	0.0	-	-	-
57	Female-----	0.0	1.0	0.0	-	-	-	-
58	White-----	0.0	0.5	0.0	0.0	-	-	-
59	Male-----	0.0	0.2	0.0	0.0	-	-	-
60	Female-----	0.0	0.7	-	-	-	-	-
61	All other-----	0.1	2.3	0.2	-	-	-	-
62	Male-----	0.1	2.6	0.2	-	-	-	-
63	Female-----	0.1	2.0	0.1	-	-	-	-
64	Streptococcal sore throat and scarlet fever-----	0.0	0.1	0.0	0.0	0.0	0.0	-
65	Male-----	0.0	0.1	0.0	0.0	0.0	0.0	-
66	Female-----	0.0	0.1	-	-	-	-	-
67	White-----	0.0	0.0	0.0	0.0	0.0	0.0	-
68	Male-----	0.0	0.1	0.0	0.0	0.1	0.0	-
69	Female-----	0.0	-	-	-	-	-	-
70	All other-----	0.0	0.2	-	-	0.0	-	-
71	Male-----	0.0	-	-	-	-	-	-
72	Female-----	0.0	0.3	-	-	0.1	-	-
73	Meningococcal infections-----	0.4	4.6	1.4	0.3	0.2	0.3	0.2
74	Male-----	0.4	5.4	1.6	0.4	0.3	0.4	0.3
75	Female-----	0.3	3.7	1.2	0.3	0.2	0.2	0.1
76	White-----	0.3	4.5	1.2	0.3	0.2	0.3	0.2
77	Male-----	0.4	5.1	1.5	0.3	0.2	0.3	0.3
78	Female-----	0.3	3.9	0.9	0.2	0.2	0.2	0.1
79	All other-----	0.8	4.8	2.6	0.8	0.6	0.7	0.3
80	Male-----	0.9	6.9	2.3	0.9	0.6	1.0	0.3
81	Female-----	0.7	2.7	2.9	0.7	0.6	0.5	0.3
82	Septicemia-----	1.5	23.4	0.6	0.2	0.1	0.2	0.2
83	Male-----	1.7	26.2	0.6	0.3	0.1	0.2	0.2
84	Female-----	1.3	20.3	0.7	0.1	0.1	0.1	0.2
85	White-----	1.3	18.4	0.6	0.2	0.1	0.1	0.2
86	Male-----	1.5	20.8	0.6	0.2	0.1	0.1	0.2
87	Female-----	1.2	15.8	0.6	0.1	0.1	0.1	0.2
88	All other-----	2.9	46.5	1.0	0.4	0.2	0.5	0.5
89	Male-----	3.3	52.0	0.8	0.6	0.2	0.6	0.3
90	Female-----	2.5	41.0	1.3	0.3	0.2	0.4	0.6

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1968

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
142.3	174.5	252.9	383.6	592.4	918.3	1,400.4	2,110.0	3,142.1	4,758.5	6,797.8	10,287.0	19,614.3	1
199.7	228.7	319.9	486.8	767.0	1,224.9	1,914.9	2,923.4	4,258.3	6,453.1	8,653.8	12,073.9	20,388.3	2
86.7	122.4	189.1	286.0	429.0	631.8	927.3	1,388.4	2,210.8	3,487.8	5,486.9	9,092.2	19,167.8	3
118.5	139.0	207.5	328.5	529.7	847.3	1,308.8	1,994.8	2,962.8	4,609.0	6,811.5	10,471.9	20,589.6	4
167.1	182.7	264.5	420.7	692.8	1,144.6	1,817.4	2,816.3	4,098.1	6,286.4	8,693.3	12,346.1	21,560.6	5
70.9	96.3	152.3	239.9	375.9	567.9	840.1	1,267.9	2,021.2	3,354.5	5,488.7	9,234.5	20,012.9	6
321.0	437.5	595.9	837.1	1,146.4	1,579.7	2,287.0	3,300.1	5,146.4	6,695.1	6,610.4	8,020.1	11,148.4	7
454.9	593.9	772.1	1,067.4	1,447.5	2,000.2	2,872.3	4,014.3	5,980.2	8,585.6	8,196.9	9,043.2	11,563.6	8
200.5	303.4	448.4	642.3	882.0	1,209.7	1,761.6	2,650.4	4,402.4	5,259.2	5,464.1	7,223.2	10,586.1	9
0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	10
-	0.1	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.2	11
0.0	-	0.0	0.0	-	-	0.1	0.2	0.1	0.1	0.1	-	-	12
0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	13
-	0.0	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.2	14
0.0	-	0.0	0.0	-	-	0.1	0.1	0.1	0.0	0.1	-	-	15
-	0.1	-	-	-	-	0.2	0.2	0.4	0.5	-	-	-	16
-	0.2	-	-	-	0.2	0.2	0.2	0.3	0.6	-	-	-	17
-	-	-	-	-	-	0.2	0.2	0.5	0.5	-	-	-	18
0.1	0.2	0.2	0.2	0.4	0.6	1.0	1.5	2.2	3.7	5.7	11.6	24.1	19
0.2	0.2	0.2	0.2	0.4	0.6	1.2	1.7	2.4	3.9	5.3	11.5	22.2	20
0.1	0.2	0.2	0.3	0.5	0.6	0.8	1.3	2.0	3.6	6.0	11.8	25.4	21
0.1	0.2	0.2	0.2	0.4	0.6	0.9	1.4	1.9	3.6	5.6	12.1	25.0	22
0.1	0.2	0.2	0.2	0.4	0.5	1.1	1.6	2.1	4.0	5.2	11.8	23.2	23
0.5	0.5	0.3	0.7	0.4	0.6	0.7	1.2	1.7	3.4	5.8	12.3	26.1	24
0.6	0.7	0.3	0.7	0.8	0.9	1.8	2.1	5.3	4.4	7.4	6.5	16.4	25
0.4	0.3	0.3	0.7	0.7	1.4	2.3	2.6	4.7	2.5	6.3	8.1	14.5	26
0.6	1.1	1.8	2.5	3.6	5.1	6.9	9.5	12.4	14.2	16.4	20.3	28.3	28
0.6	1.2	2.4	3.2	5.0	7.6	11.0	15.9	21.5	25.1	29.8	32.5	43.3	29
0.7	0.9	1.3	1.8	2.3	2.8	3.2	3.9	4.8	6.1	7.0	12.2	19.2	30
0.2	0.4	0.6	1.3	2.5	3.7	5.4	7.6	9.9	11.9	14.7	19.3	25.4	31
0.2	0.3	0.9	1.6	3.5	5.4	8.5	12.8	17.5	21.3	26.8	30.1	39.4	32
0.2	0.3	0.4	1.0	1.5	2.1	2.6	3.0	3.5	4.8	6.2	12.2	17.1	33
3.6	6.3	11.0	12.4	14.1	18.6	21.6	29.6	41.1	44.7	37.2	33.1	53.9	34
3.5	7.6	15.1	18.0	19.1	29.3	35.8	47.5	65.0	73.1	64.6	59.5	72.7	35
3.7	5.1	7.5	7.7	9.7	9.3	8.8	13.3	19.8	22.8	17.1	12.6	40.3	36
0.5	0.8	1.5	2.1	2.9	4.1	5.6	7.6	9.8	11.1	13.5	17.2	23.3	37
0.5	1.0	2.1	2.7	4.2	6.3	9.3	13.1	17.4	19.8	24.7	27.8	36.5	38
0.5	0.6	1.0	1.5	1.7	2.0	2.1	2.7	3.4	4.6	5.5	10.1	15.3	39
0.2	0.2	0.5	1.1	1.9	2.9	4.3	6.0	7.7	9.2	12.0	16.4	20.9	40
0.2	0.3	0.7	1.3	2.8	4.4	7.2	10.6	14.1	16.7	22.1	25.6	33.3	41
0.1	0.2	0.3	0.8	1.0	1.5	1.6	2.0	2.5	3.6	4.9	10.2	13.5	42
2.9	5.2	9.2	10.4	11.6	14.8	17.9	23.6	32.8	36.0	31.2	27.2	44.5	43
3.0	7.3	13.1	14.8	16.3	24.6	30.5	38.8	53.3	59.4	55.1	60.0	64.0	44
2.9	3.4	5.8	6.7	7.5	6.3	6.7	9.8	14.6	18.0	13.5	7.4	33.3	45
0.1	0.2	0.3	0.4	0.8	1.1	1.4	2.0	2.6	3.1	3.0	4.2	5.0	46
0.1	0.2	0.4	0.5	0.9	1.3	1.7	2.8	4.1	5.3	5.1	3.7	6.8	47
0.2	0.3	0.2	0.3	0.7	0.8	1.0	1.2	1.4	1.5	2.2	2.2	3.9	48
0.1	0.1	0.1	0.2	0.6	0.8	1.1	1.6	2.1	2.7	2.7	2.9	4.5	49
-	0.2	0.2	0.2	0.7	0.9	1.3	2.2	3.4	4.6	4.8	4.5	6.0	50
0.1	0.1	0.0	0.2	0.5	0.6	0.9	1.0	1.1	1.2	1.3	1.9	3.6	51
0.7	1.1	1.8	2.0	2.5	3.8	3.6	6.0	8.3	8.7	6.0	5.9	9.4	52
0.6	0.3	2.0	3.1	2.8	4.7	5.3	8.7	11.7	13.8	9.4	6.8	12.7	53
0.8	1.7	1.7	1.0	2.2	3.0	2.1	3.4	5.2	4.9	3.5	5.3	6.9	54
-	-	-	-	-	-	-	0.0	-	-	-	-	-	55
-	-	-	-	-	-	-	0.0	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	0.1	-	-	-	-	-	61
-	-	-	-	-	-	-	0.3	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	63
0.0	0.0	0.0	-	-	-	0.0	-	-	0.0	0.1	-	0.2	64
0.0	-	0.0	-	-	-	0.0	-	-	-	0.1	-	0.2	65
-	0.1	-	-	-	-	0.0	-	-	-	0.1	-	0.3	66
-	0.0	0.0	-	-	-	0.0	-	-	0.0	0.1	-	0.2	67
-	-	0.0	-	-	-	0.0	-	-	-	0.1	-	0.3	68
-	0.1	-	-	-	-	0.0	-	-	-	0.1	-	0.3	69
0.1	-	-	-	-	-	-	-	-	-	-	-	0.8	70
0.1	-	-	-	-	-	-	-	-	-	-	-	1.8	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.4	0.0	0.2	73
0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.0	0.0	0.3	-	0.4	74
0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.3	0.2	0.2	0.4	0.1	-	75
0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.3	0.0	0.2	76
0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.3	-	0.0	0.3	-	0.5	77
0.2	0.3	0.3	0.4	0.5	0.2	0.1	0.2	0.2	0.2	0.3	0.1	-	78
0.3	0.3	0.3	0.4	0.5	0.4	0.3	0.3	0.2	-	1.0	-	-	79
0.1	0.3	0.3	0.5	0.4	0.6	0.2	0.2	0.4	-	0.8	-	-	80
-	-	-	0.3	0.6	0.2	0.4	0.5	-	-	1.2	-	-	81
0.2	0.4	0.3	0.6	0.7	1.2	1.8	2.4	3.6	5.2	6.4	11.3	17.0	82
0.2	0.4	0.3	0.7	0.7	1.3	2.1	2.9	4.7	6.9	8.2	13.3	22.4	83
0.2	0.4	0.3	0.6	0.6	1.1	1.4	1.8	2.8	3.9	5.2	10.1	13.8	84
0.2	0.3	0.2	0.5	0.5	0.9	1.5	2.1	3.1	4.6	6.1	11.2	16.9	85
0.2	0.3	0.2	0.5	0.6	1.0	1.9	2.7	4.0	6.2	7.7	12.9	22.5	86
0.1	0.3	0.2	0.5	0.4	0.9	1.2	1.7	2.3	3.5	5.0	10.1	13.6	87
0.3	0.9	1.2	1.5	2.2	3.4	4.0	4.6	9.7	12.5	10.1	13.0	18.0	88
0.3	1.0	1.3	1.8	1.9	3.9	4.9	5.8	12.1	16.3	13.4	17.6	21.8	89
0.3	0.8	1.1	1.3	2.5	3.0	3.1	3.4	7.6	9.7	7.6	9.5	15.3	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis-----040-043	0.0	0.1	0.0	-	0.0	-	0.0
2	Male-----	0.0	0.1	-	-	0.0	-	-
3	Female-----	0.0	-	0.0	-	0.0	-	0.0
4	White-----	0.0	0.1	0.0	-	0.0	-	0.0
5	Male-----	0.0	0.1	-	-	0.0	-	-
6	Female-----	0.0	-	0.0	-	0.0	-	0.0
7	All other-----	0.0	-	-	-	-	-	-
8	Male-----	0.0	-	-	-	-	-	-
9	Female-----	-	-	-	-	-	-	-
10	Measles-----055	0.0	0.2	0.0	0.0	-	0.0	-
11	Male-----	0.0	0.4	0.0	0.0	-	0.0	-
12	Female-----	0.0	0.1	0.0	0.0	-	0.0	-
13	White-----	0.0	0.1	0.0	0.0	-	0.0	-
14	Male-----	0.0	0.3	0.0	0.0	-	0.0	-
15	Female-----	0.0	-	0.0	0.0	-	0.0	-
16	All other-----	0.0	0.7	0.0	0.0	-	-	-
17	Male-----	0.0	1.0	0.0	-	-	-	-
18	Female-----	0.0	0.3	-	0.1	-	-	-
19	Syphilis and its sequelae-----090-097	0.3	0.4	0.0	-	-	-	0.0
20	Male-----	0.4	0.5	-	-	-	-	0.0
21	Female-----	0.2	0.4	0.0	-	-	-	-
22	White-----	0.2	0.2	0.0	-	-	-	0.0
23	Male-----	0.3	0.3	-	-	-	-	0.0
24	Female-----	0.1	0.1	0.0	-	-	-	-
25	All other-----	1.0	1.3	-	-	-	-	-
26	Male-----	1.5	1.3	-	-	-	-	-
27	Female-----	0.6	1.3	-	-	-	-	-
28	Other infective and parasitic diseases-----Remainder of 000-136	2.0	11.8	1.7	0.9	0.5	0.8	0.9
29	Male-----	2.0	13.0	1.7	1.0	0.6	0.8	0.9
30	Female-----	2.0	10.6	1.8	0.7	0.5	0.8	0.9
31	White-----	1.8	10.7	1.6	0.9	0.5	0.8	0.7
32	Male-----	1.9	12.0	1.7	1.0	0.6	0.7	0.7
33	Female-----	1.8	9.4	1.6	0.7	0.5	0.8	0.7
34	All other-----	3.3	17.0	2.2	1.0	0.5	1.1	2.3
35	Male-----	3.2	17.6	1.7	0.9	0.5	1.0	2.4
36	Female-----	3.5	16.3	2.7	1.1	0.5	1.3	2.2
37	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	159.4	4.8	7.8	7.0	5.5	7.5	9.2
38	Male-----	178.0	4.6	8.5	7.7	6.0	9.2	11.0
39	Female-----	141.6	5.0	7.0	6.3	5.0	5.7	7.5
40	White-----	162.8	4.9	8.2	7.5	5.6	7.5	9.3
41	Male-----	180.8	4.8	8.8	8.2	6.1	9.3	11.4
42	Female-----	145.6	5.1	7.5	6.8	5.1	5.7	7.3
43	All other-----	134.8	4.1	5.6	4.5	5.1	7.1	8.3
44	Male-----	157.7	3.6	6.6	5.2	5.5	8.5	7.7
45	Female-----	113.4	4.7	4.6	3.8	4.8	5.7	8.8
46	Malignant neoplasms of buccal cavity and pharynx-----140-149	3.6	0.1	0.0	0.1	0.0	0.1	0.1
47	Male-----	5.5	-	0.1	0.1	0.0	0.2	0.2
48	Female-----	1.9	0.2	-	0.0	0.0	0.0	0.0
49	White-----	3.7	0.1	0.0	0.1	0.0	0.1	0.1
50	Male-----	5.6	-	0.1	0.1	0.1	0.1	0.2
51	Female-----	1.9	0.1	-	0.0	0.0	0.0	0.0
52	All other-----	3.3	0.2	-	-	0.1	0.2	0.2
53	Male-----	5.2	-	-	-	-	0.2	0.2
54	Female-----	1.5	0.3	-	-	0.1	0.1	0.1
55	Malignant neoplasms of digestive organs and peritoneum-----150-159	46.8	0.5	0.1	0.0	0.1	0.3	0.6
56	Male-----	51.6	0.5	0.2	0.0	0.1	0.3	0.6
57	Female-----	42.3	0.5	0.1	0.0	0.1	0.2	0.5
58	White-----	47.7	0.5	0.1	0.1	0.1	0.2	0.5
59	Male-----	51.8	0.6	0.2	0.1	0.1	0.3	0.5
60	Female-----	43.7	0.5	0.1	0.1	0.1	0.2	0.5
61	All other-----	40.7	0.5	0.0	-	0.0	0.6	0.8
62	Male-----	50.0	0.3	-	-	0.1	0.7	1.1
63	Female-----	32.0	0.7	0.1	-	-	0.4	0.5
64	Malignant neoplasms of respiratory system-----160-163	31.8	0.2	0.0	0.0	0.1	0.1	0.2
65	Male-----	53.5	0.2	0.0	0.0	0.1	0.2	0.3
66	Female-----	11.1	0.2	0.1	0.1	0.1	0.1	0.2
67	White-----	32.6	0.2	0.0	0.1	0.1	0.1	0.2
68	Male-----	54.7	0.1	0.0	0.0	0.1	0.2	0.3
69	Female-----	11.4	0.2	0.1	0.1	0.1	0.1	0.1
70	All other-----	25.7	0.2	0.0	-	0.1	0.1	0.2
71	Male-----	44.3	0.3	-	-	-	0.1	0.1
72	Female-----	8.4	-	0.1	-	0.1	0.1	0.3
73	Malignant neoplasm of breast-----174	14.6	0.1	0.0	-	0.0	0.0	0.1
74	Male-----	0.3	-	-	-	-	-	-
75	Female-----	28.2	0.1	0.0	-	0.0	0.0	0.1
76	White-----	15.1	0.1	0.0	-	0.0	0.0	0.1
77	Male-----	0.3	-	-	-	-	-	-
78	Female-----	29.3	0.1	0.0	-	0.0	0.0	0.1
79	All other-----	10.4	-	-	-	-	-	0.2
80	Male-----	0.3	-	-	-	-	-	-
81	Female-----	19.8	-	-	-	-	-	0.3
82	Malignant neoplasms of genital organs-----180-187	20.5	0.1	0.1	0.1	0.2	0.5	1.2
83	Male-----	18.3	0.1	0.1	0.1	0.1	0.5	1.3
84	Female-----	22.6	0.1	0.0	0.1	0.3	0.5	1.0
85	White-----	20.0	0.1	0.0	0.1	0.2	0.5	1.2
86	Male-----	17.8	0.1	0.1	0.1	0.1	0.6	1.5
87	Female-----	22.2	0.1	0.0	0.1	0.3	0.4	0.9
88	All other-----	23.6	-	0.1	0.1	0.2	0.6	0.9
89	Male-----	21.8	-	0.2	-	-	0.2	0.1
90	Female-----	25.4	-	-	0.1	0.3	0.9	1.6

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1968--Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	-	1
0.0	-	-	-	0.0	0.0	0.0	-	-	0.0	-	-	-	2
-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	0.1	-	3
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	-	4
0.0	-	-	-	0.0	0.0	0.0	-	-	-	-	-	-	5
-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	0.1	-	6
-	-	-	-	-	-	-	-	-	0.3	-	-	-	7
-	-	-	-	-	-	-	-	-	0.6	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
0.0	-	-	-	0.0	-	-	-	-	-	-	-	0.1	10
0.0	-	-	-	0.0	-	-	-	-	-	-	-	-	11
0.0	-	-	-	0.0	-	-	-	-	-	-	-	0.1	12
0.0	-	-	-	0.0	-	-	-	-	-	-	-	-	13
-	-	-	-	0.0	-	-	-	-	-	-	-	0.1	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
0.0	0.0	0.1	0.1	0.2	0.4	0.7	1.2	1.6	1.6	2.0	1.5	1.3	19
0.0	0.1	0.1	0.1	0.3	0.5	1.1	2.2	2.6	2.9	3.9	2.2	1.7	20
-	-	0.0	0.1	0.1	0.2	0.4	0.4	0.7	0.7	0.7	1.0	1.0	21
0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.8	1.0	1.0	1.5	1.1	1.3	22
0.0	0.1	0.0	0.0	0.1	0.3	0.6	1.5	1.6	1.8	2.9	1.6	1.7	23
-	-	0.0	0.0	0.0	0.1	0.2	0.2	0.5	0.4	0.5	0.8	1.0	24
0.1	-	0.3	0.4	1.2	2.2	4.2	6.1	8.1	9.8	8.1	5.9	1.6	25
0.1	-	0.5	0.2	1.8	2.8	6.0	9.3	13.6	16.9	15.7	9.5	1.8	26
-	-	0.1	0.6	0.8	1.6	2.5	3.2	3.1	4.4	2.4	3.2	1.4	27
1.0	1.1	1.3	1.7	1.9	2.1	2.4	3.6	4.5	4.9	6.3	7.6	16.3	28
1.0	1.0	1.3	1.9	1.7	1.9	2.6	4.2	5.6	5.9	6.9	8.7	14.5	29
0.9	1.1	1.4	1.5	2.2	2.4	2.3	3.1	3.6	4.1	5.8	6.9	17.4	30
0.8	0.8	0.9	1.3	1.6	1.8	2.1	3.4	4.1	4.9	6.1	7.4	17.1	31
0.8	0.7	0.9	1.4	1.4	1.7	2.3	3.9	5.1	5.8	6.4	8.6	15.7	32
0.8	0.8	1.0	1.2	1.7	1.8	2.0	2.8	3.2	4.2	5.9	6.7	17.9	33
2.1	3.3	4.5	5.0	5.2	5.3	5.5	6.5	9.7	5.2	8.4	10.1	9.4	34
2.1	3.0	4.3	6.3	3.7	3.5	5.3	7.0	10.9	7.5	12.6	9.5	5.5	35
2.0	3.5	4.6	3.9	6.5	7.0	5.6	6.1	8.7	3.4	5.3	10.5	12.5	36
12.7	22.6	43.1	78.0	138.5	230.1	347.3	503.0	679.5	896.2	1,048.3	1,201.2	1,477.6	37
14.1	21.0	37.2	69.2	130.4	239.5	400.4	628.7	882.7	1,219.9	1,406.4	1,585.4	1,816.4	38
11.3	24.2	48.7	86.3	146.0	221.3	391.4	510.0	653.4	795.4	944.2	1,073.0	1,273.0	39
12.4	21.6	41.1	73.5	131.3	221.4	335.9	488.2	656.7	882.1	1,058.0	1,222.9	1,547.7	40
14.1	20.7	36.1	64.1	121.2	226.9	384.7	610.0	856.5	1,194.1	1,414.5	1,613.0	1,913.0	41
10.7	22.6	45.9	82.6	140.8	216.1	291.0	380.4	490.9	648.8	807.4	965.3	1,330.6	42
14.6	30.0	58.5	114.7	202.0	311.6	457.0	655.6	935.0	1,076.8	928.9	934.9	869.5	43
13.7	23.4	46.3	114.0	215.2	360.8	554.4	819.2	1,163.4	1,549.4	1,312.6	1,278.4	1,087.3	44
15.4	35.7	68.7	115.3	190.3	268.3	369.5	506.6	731.3	715.0	647.6	667.4	715.3	45
0.1	0.2	0.5	1.7	4.2	7.4	10.4	14.1	14.7	16.3	18.7	22.4	34.0	46
0.1	0.3	0.7	2.5	5.9	11.6	16.4	23.2	25.3	30.0	33.1	36.0	52.7	47
0.0	0.2	0.4	1.0	2.5	3.5	5.0	6.0	5.9	6.1	8.5	13.3	22.6	48
0.1	0.2	0.5	1.3	3.6	6.7	10.1	14.1	14.4	16.3	19.1	23.3	36.2	49
0.1	0.3	0.6	1.9	5.1	10.4	15.6	23.0	25.1	29.8	33.9	38.0	56.5	50
0.0	0.1	0.3	0.8	2.3	3.3	5.0	6.2	5.6	6.2	8.7	13.6	24.1	51
0.1	0.5	1.3	4.5	8.7	13.7	13.8	14.2	17.4	16.3	14.1	10.7	14.8	52
0.1	0.8	1.3	7.1	13.5	23.0	23.3	25.4	27.2	31.9	24.4	13.5	23.6	53
0.1	0.3	1.3	2.4	4.5	5.5	5.2	4.0	8.7	4.4	6.5	8.4	8.3	54
1.2	3.1	6.8	13.7	27.9	53.6	90.3	140.8	207.4	297.4	377.2	455.8	574.4	55
1.3	3.5	7.5	15.8	32.2	62.7	111.1	175.9	258.8	379.1	469.2	549.1	617.5	56
1.1	2.7	6.1	11.7	23.9	45.1	71.1	109.6	164.6	236.2	312.2	393.4	548.9	57
1.2	2.8	6.1	12.4	25.9	50.0	85.3	134.0	197.6	291.5	381.0	466.0	605.0	58
1.2	3.2	6.7	14.0	29.1	57.8	103.8	166.1	246.1	368.2	471.7	561.3	652.4	59
1.1	2.5	5.5	10.9	22.9	42.7	68.2	105.5	157.3	234.1	317.2	403.1	576.8	60
1.8	5.3	12.0	24.2	45.5	87.1	138.6	211.4	318.0	374.4	330.2	330.2	309.4	61
2.3	6.3	13.6	31.8	60.6	110.0	182.6	275.8	395.3	518.1	439.4	413.5	354.5	62
1.4	4.4	10.6	17.7	32.3	66.9	99.2	152.8	249.0	264.6	250.6	265.3	279.2	63
0.5	1.7	6.1	15.5	30.7	56.9	90.2	131.5	162.5	184.0	165.2	138.4	116.9	64
0.7	2.5	8.7	23.0	48.4	92.4	156.3	240.4	307.1	368.7	327.8	260.1	203.6	65
0.3	1.0	3.6	8.5	14.1	23.7	29.5	34.8	41.9	45.5	50.3	57.0	64.2	66
0.4	1.7	5.8	14.3	28.4	54.9	88.8	129.8	161.6	183.8	167.9	140.7	120.3	67
0.6	2.5	8.0	20.8	43.9	88.0	153.3	237.6	307.1	368.5	333.9	266.7	211.8	68
0.3	0.9	3.6	8.0	13.7	23.8	29.3	34.4	40.9	45.7	51.2	57.5	66.0	69
1.0	2.0	8.7	26.0	51.0	75.1	104.0	148.8	172.5	185.8	131.9	110.1	87.5	70
1.7	3.0	14.6	42.3	89.7	134.6	185.6	269.1	306.6	370.6	297.5	186.5	141.8	71
0.4	1.1	3.8	12.3	17.1	22.7	30.7	39.3	52.8	43.2	38.8	50.5	47.2	72
0.9	3.2	7.5	13.9	23.4	32.1	39.7	43.1	50.8	60.8	69.0	79.0	117.3	73
0.0	0.0	0.1	0.2	0.2	0.4	0.6	0.8	1.2	1.7	1.6	3.3	3.8	74
1.8	6.2	14.5	26.9	45.0	61.6	75.5	80.6	92.1	105.1	116.7	129.6	186.6	75
0.9	2.9	7.2	13.6	23.0	32.0	39.9	43.6	50.4	61.2	70.7	81.5	123.0	76
0.0	0.0	0.1	0.1	0.2	0.4	0.6	0.7	1.1	1.7	1.5	3.3	3.1	77
1.7	5.8	14.1	26.5	44.4	61.7	76.1	81.5	91.4	105.8	119.3	133.2	194.1	78
1.3	5.0	9.4	16.9	26.9	32.4	37.8	37.9	54.3	54.5	49.3	48.5	68.0	79
-	-	-	0.7	0.2	0.4	1.4	1.2	2.7	1.9	3.1	4.1	9.1	80
2.5	9.3	17.2	30.6	50.3	60.5	70.6	71.4	100.3	95.6	84.1	83.2	113.9	81
2.1	3.6	6.4	10.5	17.1	24.1	35.0	54.1	81.1	119.4	159.6	202.1	259.6	82
2.0	1.7	1.5	1.4	2.3	5.5	14.0	35.7	78.0	150.4	236.3	346.3	480.6	83
2.2	5.4	11.1	19.1	31.0	41.5	54.3	70.4	83.8	96.1	105.3	105.7	125.2	84
2.0	3.2	5.7	9.6	15.9	22.3	32.0	48.8	72.9	111.8	155.0	199.5	264.7	85
2.2	1.8	1.6	1.4	2.1	4.3	11.3	30.6	67.3	136.7	226.8	342.4	496.1	86
1.9	4.5	9.6	17.6	28.9	39.2	51.0	64.9	77.6	93.2	104.5	105.2	127.3	87
2.9	6.9	11.8	17.4	27.8	41.1	64.7	108.6	172.8	218.3	213.4	233.7	215.6	88
0.7	1.2	0.7	1.3	4.2	16.9	40.7	87.2	192.6	326.3	346.5	390.5	363.6	89
4.8	11.8	21.1	31.1	48.6	62.4	86.2	128.1	155.2	135.4	115.3	111.6	105.6	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.								
1	Malignant neoplasms of urinary organs-----	183,189	7.4	0.3	0.5	0.4	0.1	0.1
2	Male----	10.2	0.2	0.5	0.4	0.1	0.1	0.2
3	Female----	4.7	0.3	0.5	0.5	0.1	0.1	0.1
4	White-----	7.8	0.3	0.5	0.5	0.1	0.1	0.1
5	Male----	10.7	0.3	0.5	0.5	0.1	0.1	0.2
6	Female----	4.9	0.3	0.5	0.5	0.1	0.1	0.1
7	All other-----	4.9	0.2	0.7	0.3	0.1	0.1	0.2
8	Male----	6.4	-	0.8	0.2	0.1	-	0.1
9	Female----	3.4	0.3	0.6	0.4	0.2	0.2	0.3
10	Malignant neoplasms of all other and unspecified sites----	170-173,190-199	18.6	1.8	2.9	2.2	2.2	2.6
11	Male----	20.2	1.6	3.2	2.2	2.3	3.2	3.1
12	Female----	17.2	2.0	2.7	2.2	2.1	2.0	2.1
13	White-----	19.1	1.8	3.0	2.2	2.2	2.7	2.6
14	Male----	20.6	1.6	3.2	2.3	2.3	3.4	3.1
15	Female----	17.6	2.0	2.8	2.2	2.1	2.1	2.0
16	All other-----	15.5	1.7	2.6	1.9	1.9	2.2	2.8
17	Male----	17.0	1.6	3.2	1.9	2.2	2.5	2.6
18	Female----	14.1	1.7	2.0	1.9	1.7	1.9	3.0
19	Leukemia-----	204-207	7.2	1.5	3.6	3.6	2.1	2.3
20	Male----	8.4	1.6	3.9	4.1	2.3	2.7	2.3
21	Female----	6.1	1.5	3.4	3.2	1.9	1.8	1.5
22	White-----	7.5	1.6	4.0	3.9	2.2	2.3	2.0
23	Male----	8.8	1.7	4.2	4.3	2.3	2.8	2.5
24	Female----	6.4	1.5	3.7	3.5	2.0	1.8	1.5
25	All other-----	4.6	1.3	1.9	2.0	1.8	2.1	1.6
26	Male----	5.3	1.0	2.4	2.7	2.2	2.5	1.6
27	Female----	3.8	1.7	1.5	1.3	1.4	1.6	1.6
28	Other neoplasms of lymphatic and hematopoietic tissues----	200-203,208,209	8.9	0.3	0.4	0.5	0.8	1.4
29	Male----	10.2	0.4	0.6	0.8	1.0	1.9	2.9
30	Female----	7.7	0.2	0.2	0.3	0.5	0.9	1.9
31	White-----	9.3	0.3	0.5	0.6	0.8	1.5	2.5
32	Male----	10.6	0.4	0.7	0.9	1.0	1.9	3.1
33	Female----	8.1	0.2	0.2	0.3	0.5	1.0	2.0
34	All other-----	6.1	0.2	0.2	0.2	0.9	1.4	1.4
35	Male----	7.2	0.3	0.2	0.4	1.0	2.2	1.7
36	Female----	5.0	-	0.2	0.1	0.8	0.6	1.1
37	Benign neoplasms and neoplasms of unspecified nature-----	210-239	2.5	2.6	0.5	0.4	0.5	0.4
38	Male----	2.4	2.9	0.6	0.5	0.5	0.4	0.5
39	Female----	2.5	2.4	0.4	0.4	0.5	0.4	0.4
40	White-----	2.4	2.5	0.5	0.4	0.5	0.4	0.5
41	Male----	2.4	2.9	0.6	0.5	0.5	0.3	0.5
42	Female----	2.5	2.1	0.4	0.3	0.5	0.4	0.4
43	All other-----	2.7	3.1	0.5	0.7	0.7	0.5	0.7
44	Male----	2.2	2.6	0.7	0.4	0.7	0.7	0.8
45	Female----	3.1	3.7	0.3	0.9	0.6	0.3	0.5
46	Diabetes mellitus-----	250	19.2	0.5	0.1	0.2	0.3	0.4
47	Male----	16.2	0.5	0.1	0.1	0.2	0.4	1.1
48	Female----	22.1	0.6	0.2	0.2	0.4	0.5	1.0
49	White-----	18.5	0.5	0.2	0.2	0.3	0.4	1.0
50	Male----	16.0	0.5	0.2	0.1	0.2	0.3	1.0
51	Female----	21.0	0.6	0.2	0.2	0.4	0.4	0.9
52	All other-----	23.9	0.5	-	0.2	0.5	0.8	1.6
53	Male----	17.3	0.3	-	0.2	0.4	0.7	1.7
54	Female----	30.0	0.7	-	0.2	0.5	0.8	1.6
55	Avitaminoses and other nutritional deficiencies-----	260-269	1.3	7.0	0.3	0.1	0.1	0.1
56	Male----	1.3	8.1	0.3	0.1	0.1	0.1	0.1
57	Female----	1.3	5.9	0.3	0.1	0.0	0.1	0.1
58	White-----	1.2	3.8	0.2	0.1	0.0	0.1	0.1
59	Male----	1.1	4.4	0.1	0.0	0.1	0.1	0.0
60	Female----	1.2	3.2	0.3	0.1	0.0	0.1	0.1
61	All other-----	2.0	21.9	0.8	0.1	0.1	0.1	0.2
62	Male----	2.4	25.5	0.9	0.2	0.1	0.1	0.2
63	Female----	1.7	18.3	0.7	0.1	0.1	0.1	0.2
64	Anemias-----	280-285	1.7	1.7	0.9	0.4	0.4	0.4
65	Male----	1.7	1.7	1.0	0.3	0.4	0.4	0.8
66	Female----	1.8	1.7	0.7	0.4	0.4	0.5	0.6
67	White-----	1.6	1.0	0.3	0.3	0.2	0.3	0.4
68	Male----	1.5	1.0	0.4	0.2	0.2	0.3	0.4
69	Female----	1.6	0.9	0.2	0.3	0.3	0.3	0.4
70	All other-----	3.2	5.3	3.7	1.0	1.3	1.3	2.9
71	Male----	3.2	5.2	4.1	1.1	1.3	1.1	3.3
72	Female----	3.1	5.3	3.2	0.9	1.3	1.5	2.5
73	Meningitis-----	320	0.9	15.3	1.8	0.3	0.2	0.3
74	Male----	1.0	18.8	2.2	0.3	0.2	0.3	0.2
75	Female----	0.7	11.6	1.4	0.3	0.2	0.2	0.2
76	White-----	0.7	11.5	1.6	0.3	0.2	0.2	0.2
77	Male----	0.8	14.1	1.8	0.3	0.2	0.2	0.2
78	Female----	0.5	8.8	1.3	0.3	0.2	0.2	0.1
79	All other-----	2.3	32.8	3.1	0.5	0.3	0.8	0.4
80	Male----	3.0	40.8	4.1	0.7	0.5	1.1	0.5
81	Female----	1.7	24.7	2.2	0.3	0.2	0.5	0.4
82	Major cardiovascular diseases-----	390-448	512.1	18.2	2.5	1.5	2.1	3.8
83	Male----	571.1	19.8	2.5	1.5	2.2	4.3	7.2
84	Female----	455.7	16.6	2.5	1.4	2.0	3.4	5.9
85	White-----	523.2	15.2	2.1	1.3	1.9	3.3	5.2
86	Male----	585.2	17.1	2.0	1.4	1.9	3.7	6.0
87	Female----	463.9	13.2	2.1	1.2	1.9	2.9	4.5
88	All other-----	431.7	32.3	4.5	2.2	3.4	7.1	16.3
89	Male----	468.5	32.4	4.8	2.1	4.0	7.5	16.6
90	Female----	397.3	32.3	4.2	2.3	2.8	6.6	16.1

SECTION 1 - GENERAL MORTALITY

1-13

Age Groups, Color, and Sex: United States, 1968-Con.

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.2	0.4	0.9	2.0	3.8	8.0	13.3	21.5	33.0	47.9	60.2	73.4	92.7	1
0.2	0.4	1.2	2.7	5.5	11.8	19.9	32.7	52.2	76.2	96.6	112.4	139.0	2
0.2	0.3	0.6	1.3	2.2	4.4	7.3	11.6	17.0	26.8	34.4	47.4	64.6	3
0.2	0.3	0.8	1.9	3.6	7.7	13.1	21.5	32.4	48.3	62.1	76.0	99.0	4
0.1	0.4	1.1	2.5	5.3	11.5	19.7	32.6	52.2	77.2	100.0	117.5	151.9	5
0.2	0.3	0.5	1.2	2.1	4.1	7.0	11.4	16.1	26.7	35.4	48.6	67.6	6
0.4	0.5	1.4	3.1	5.2	10.6	15.7	22.1	39.4	42.8	36.9	41.4	38.3	7
0.4	0.8	1.7	4.3	7.7	15.2	22.3	31.5	52.9	62.5	57.5	55.4	41.8	8
0.4	0.3	1.1	2.1	3.1	6.4	9.8	13.5	27.4	27.7	21.8	30.5	36.1	9
3.1	4.8	7.9	11.5	18.3	28.5	40.7	56.2	71.2	88.1	101.8	121.6	162.9	10
3.7	5.4	9.0	12.8	20.1	32.3	47.9	67.8	85.7	108.2	121.5	140.3	165.0	11
2.5	4.2	6.8	10.2	16.6	25.0	34.1	45.9	59.0	73.1	88.0	109.2	161.8	12
3.1	4.9	7.9	11.2	17.8	28.1	39.4	55.2	68.7	86.2	102.8	123.1	171.5	13
3.7	5.5	9.1	12.5	19.8	31.8	46.3	67.2	83.0	105.8	123.0	140.5	175.1	14
2.4	4.2	6.6	10.0	16.0	24.6	33.1	44.5	56.7	71.6	88.7	111.6	169.3	15
3.1	4.5	7.8	13.8	22.4	32.4	53.0	66.8	99.1	112.0	89.6	103.6	88.3	16
3.5	4.6	7.8	16.0	22.9	36.8	63.7	73.8	114.4	138.8	103.9	137.8	89.1	17
2.7	4.4	7.8	12.0	21.8	28.6	43.4	60.5	85.4	91.7	79.4	76.8	88.9	18
1.7	2.3	2.9	3.7	4.6	6.7	10.1	15.0	23.7	34.1	44.0	54.8	71.7	19
2.1	2.8	3.0	4.0	5.5	7.4	12.7	19.6	32.0	46.4	58.5	72.4	94.0	20
1.4	1.8	2.8	3.4	3.8	6.0	7.8	10.9	16.9	24.9	33.7	43.0	58.1	21
1.7	2.3	2.8	3.7	4.7	6.7	7.7	10.1	14.7	23.9	34.7	45.2	57.2	22
2.0	2.8	3.1	4.0	5.5	7.4	12.7	19.3	32.6	47.1	60.3	75.2	103.9	23
1.3	1.8	2.6	3.5	3.8	6.0	7.6	10.7	16.7	25.4	34.6	45.1	62.3	24
2.1	2.5	3.3	3.6	4.6	6.3	10.9	17.6	21.8	26.7	29.2	25.4	38.8	25
2.5	3.0	2.3	4.6	5.6	7.5	12.6	22.2	25.7	37.5	37.8	37.8	20.0	26
1.7	2.1	4.0	2.8	3.7	5.2	9.4	13.5	18.4	22.9	22.9	15.8	18.1	27
2.9	3.3	4.2	5.5	8.5	12.9	17.5	26.7	35.1	48.1	52.7	53.7	48.1	28
3.9	4.2	5.6	6.9	10.1	15.4	21.4	32.6	42.5	59.3	61.7	65.5	60.1	29
1.8	2.4	2.9	4.2	7.0	10.5	13.8	21.5	28.9	39.7	46.2	45.8	40.8	30
3.0	3.4	4.4	5.6	8.4	12.8	17.4	26.6	34.7	48.2	54.2	55.5	50.3	31
4.1	4.3	5.7	7.0	10.1	15.3	21.4	32.5	42.2	59.1	63.4	67.8	62.3	32
1.9	2.4	3.0	4.2	6.8	10.6	13.7	21.4	28.5	40.1	47.7	47.4	43.2	33
1.9	2.8	3.0	5.1	9.8	13.0	18.5	28.2	39.6	46.0	34.2	31.4	28.9	34
2.4	3.6	4.3	5.9	10.9	16.5	22.3	33.2	45.9	61.9	42.5	39.2	43.6	35
1.4	2.0	1.8	4.5	8.9	10.0	15.0	23.6	34.0	34.0	28.2	25.3	18.1	36
0.8	1.0	1.3	2.1	2.7	4.2	4.9	6.3	8.4	10.4	10.4	13.8	20.7	37
0.7	0.7	1.1	1.8	2.3	4.0	5.0	7.1	9.4	12.1	11.8	14.5	20.3	38
0.9	1.2	1.5	2.4	3.1	4.3	4.9	5.6	7.5	9.1	9.5	13.3	20.9	39
0.7	0.9	1.2	1.9	2.5	4.0	4.8	6.1	8.0	10.3	9.9	13.9	21.5	40
0.7	0.7	1.1	1.9	2.1	4.0	4.9	6.9	9.3	12.0	11.5	15.0	22.5	41
0.8	1.0	1.3	2.0	2.8	4.1	4.6	5.4	7.0	9.1	8.8	13.1	20.9	42
1.7	1.8	2.3	3.5	4.3	5.5	6.3	8.8	12.1	11.4	16.4	12.4	13.3	43
1.3	0.7	1.3	1.5	3.5	4.9	5.6	9.3	11.3	13.8	15.0	8.1	3.6	44
2.2	2.7	3.2	5.3	5.1	6.1	6.9	8.2	12.8	9.7	17.6	15.8	20.8	45
2.2	3.1	4.6	6.0	9.8	16.6	30.0	50.1	80.9	123.5	167.5	210.6	258.3	46
2.0	3.9	5.4	6.4	10.2	17.7	30.0	47.6	74.1	113.3	145.0	188.1	236.9	47
2.3	2.5	3.8	5.6	9.4	15.6	30.0	52.2	86.6	131.2	183.4	225.6	271.7	48
1.9	2.8	3.9	4.9	7.6	13.7	24.6	43.5	71.7	116.6	166.1	212.5	267.3	49
1.7	3.5	5.1	5.7	8.7	16.0	27.0	44.2	68.7	109.7	145.0	192.0	249.8	50
2.1	2.0	2.8	4.2	6.6	11.6	22.5	42.9	74.2	121.8	180.9	226.0	277.8	51
4.2	6.0	9.4	14.3	28.7	43.7	82.4	117.5	183.9	212.8	183.9	187.6	179.7	52
4.1	6.3	8.5	12.4	24.2	34.6	60.0	82.2	131.5	159.4	144.1	144.6	140.0	53
4.3	5.8	10.2	16.0	32.8	51.7	102.5	149.6	230.6	255.3	214.7	221.1	212.5	54
0.0	0.1	0.2	0.3	0.4	0.7	1.2	1.4	2.4	4.8	8.7	17.6	52.0	55
0.1	0.1	0.2	0.4	0.4	0.7	1.5	2.0	3.3	5.7	10.9	18.8	48.0	56
0.0	0.1	0.2	0.2	0.4	0.6	0.8	1.0	1.7	4.1	7.1	16.8	54.5	57
0.1	0.1	0.2	0.2	0.3	0.6	1.0	1.2	2.0	4.1	6.2	17.7	52.7	58
0.1	0.1	0.1	0.3	0.3	0.6	1.3	1.7	2.7	5.1	10.1	18.9	46.4	59
0.0	0.1	0.2	0.2	0.3	0.6	0.7	0.8	1.4	3.5	6.9	16.8	56.4	60
-	0.3	0.5	0.6	1.0	1.4	3.0	3.6	7.5	13.1	14.4	16.6	46.1	61
-	0.2	0.7	0.8	1.4	1.6	3.7	4.1	10.5	14.4	21.3	17.6	60.0	62
-	0.4	0.4	0.4	0.6	1.3	2.3	3.2	4.9	12.1	9.4	15.8	36.1	63
0.7	0.5	0.5	0.6	0.8	1.1	1.8	2.9	4.4	7.6	11.8	21.1	35.8	64
0.7	0.5	0.5	0.5	0.7	1.1	1.6	3.2	4.7	9.5	13.6	23.1	35.8	65
0.7	0.5	0.6	0.7	0.9	1.1	1.9	2.7	4.1	6.1	10.5	19.8	35.8	66
0.2	0.3	0.3	0.4	0.5	0.9	1.5	2.6	3.9	7.3	11.8	21.9	37.4	67
0.2	0.2	0.2	0.4	0.4	0.9	1.4	2.9	4.2	9.1	13.8	23.7	37.7	68
0.2	0.3	0.4	0.4	0.7	0.8	1.6	2.3	3.7	5.9	10.4	20.7	37.2	69
4.2	2.2	2.5	2.6	3.3	3.1	4.3	6.3	9.7	11.2	11.4	11.8	21.9	70
4.5	2.5	2.8	2.1	3.5	2.8	3.3	6.1	9.7	13.8	11.0	16.2	21.8	71
3.9	2.0	2.2	3.1	3.1	3.4	5.2	6.4	9.7	9.2	11.8	8.4	22.2	72
0.1	0.3	0.3	0.6	0.6	0.8	1.0	0.9	1.3	1.1	1.4	1.7	1.7	73
0.2	0.5	0.4	0.7	0.7	1.1	1.2	1.0	1.2	1.4	2.1	1.8	1.3	74
0.0	0.2	0.2	0.4	0.4	0.5	0.7	0.7	1.3	0.8	0.9	1.6	2.0	75
0.1	0.2	0.2	0.3	0.4	0.7	0.7	0.6	0.9	0.9	1.1	1.4	1.5	76
0.1	0.4	0.2	0.4	0.5	0.9	1.0	0.8	0.9	1.2	1.6	1.3	1.2	77
0.0	0.1	0.2	0.2	0.3	0.5	0.5	0.5	1.0	0.6	0.7	1.4	1.7	78
0.4	0.9	1.3	2.6	1.9	1.7	3.3	3.2	4.8	4.4	5.0	5.9	3.1	79
0.7	1.2	2.2	3.3	2.5	3.0	3.7	3.8	4.7	5.0	7.9	6.8	1.8	80
0.1	0.7	0.6	1.9	1.4	0.5	2.9	2.7	4.9	3.9	2.9	5.3	4.2	81
11.7	26.3	59.3	122.9	227.6	393.1	662.4	1,081.9	1,744.1	2,859.2	4,385.9	7,131.6	14,427.1	82
13.7	32.0	80.9	177.1	338.2	589.0	979.8	1,565.5	2,381.5	3,811.8	5,398.9	8,005.8	14,346.7	83
9.8	20.7	38.7	71.6	124.0	210.2	370.5	652.9	1,212.2	2,144.9	3,670.4	6,547.1	14,494.9	84
9.0	19.3	47.3	104.4	204.0	361.2	616.8	1,018.4	1,640.6	2,767.0	4,404.1	7,281.6	15,206.1	85
10.7	24.9	68.7	158.6	316.2	561.5	940.8	1,519.7	2,306.5	3,725.9	5,448.9	8,229.5	15,245.7	86
7.3	13.7	26.6	52.3	98.4	172.9	318.2	574.8	1,088.3	2,049.7	3,669.7	6,655.7	15,182.6	87
32.4	78.0	149.5	275.0	435.4	690.8	1,103.7	1,738.3	2,900.7	4,054.2	4,152.7	5,292.9	7,665.6	88
37.2	88.6	179.7	339.5	540.6	853.7	1,362.6	2,031.8	3,187.5	4,910.0	4,819.7	5,514.9	7,580.0	89
28.0	68.8	124.2	220.5	342.9	547.4	871.4	1,471.4	2,644.8	3,409.2	3,678.8	5,120.0	7,837.5	90

SECTION I - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular diseases—Con.								
1	Diseases of heart-----390-398,402,404,410-429	372.6	12.1	1.6	0.9	1.1	2.2	3.6
2	Male-----	436.4	13.2	1.6	0.9	1.2	2.6	4.3
3	Female-----	311.7	11.0	1.6	0.9	1.1	1.9	3.0
4	White-----	383.8	9.8	1.3	0.7	0.9	1.9	2.8
5	Male-----	451.4	11.3	1.3	0.8	0.9	2.3	3.5
6	Female-----	319.2	8.1	1.3	0.7	0.9	1.5	2.2
7	All other-----	291.8	23.1	3.1	1.5	2.5	4.4	9.4
8	Male-----	327.1	22.2	3.3	1.4	3.0	4.6	10.1
9	Female-----	258.9	24.0	3.0	1.6	2.0	4.2	8.7
10	Active rheumatic fever and chronic rheumatic heart disease-----390-398	8.2	0.3	0.1	0.2	0.4	0.6	0.8
11	Male-----	7.7	0.4	0.1	0.2	0.4	0.8	0.8
12	Female-----	8.6	0.1	0.1	0.2	0.3	0.5	0.8
13	White-----	8.5	0.2	0.1	0.1	0.2	0.5	0.6
14	Male-----	7.9	0.3	0.1	0.1	0.3	0.7	0.6
15	Female-----	9.0	0.1	0.1	0.1	0.2	0.4	0.6
16	All other-----	6.0	0.5	0.1	0.7	1.2	1.3	2.4
17	Male-----	6.3	0.7	0.1	0.6	1.5	1.3	2.4
18	Female-----	5.7	0.3	0.2	0.9	1.0	1.2	2.4
19	Hypertensive heart disease-----402	4.9	0.1	0.0	0.0	0.0	0.0	0.1
20	Male-----	4.1	0.1	0.0	-	-	0.0	0.1
21	Female-----	5.7	-	-	0.0	0.0	0.0	0.1
22	White-----	4.3	0.1	0.0	-	-	0.0	0.1
23	Male-----	3.4	0.1	0.0	-	-	0.0	0.1
24	Female-----	5.1	-	-	-	-	0.0	0.0
25	All other-----	9.5	-	-	0.0	0.0	0.0	0.4
26	Male-----	8.6	-	-	-	-	0.1	0.2
27	Female-----	10.3	-	-	0.1	0.1	-	0.6
28	Hypertensive heart and renal disease-----404	3.9	-	-	0.0	-	0.0	0.0
29	Male-----	3.8	-	-	0.0	-	0.0	0.0
30	Female-----	4.1	-	-	-	-	0.0	0.0
31	White-----	3.8	-	-	0.0	-	0.0	0.0
32	Male-----	3.6	-	-	0.0	-	0.0	0.0
33	Female-----	3.9	-	-	-	-	0.0	0.0
34	All other-----	5.3	-	-	-	-	-	0.1
35	Male-----	5.4	-	-	-	-	-	-
36	Female-----	5.3	-	-	-	-	-	0.2
37	Ischemic heart disease-----410-413	337.6	0.9	0.1	0.1	0.1	0.2	0.9
38	Male-----	400.7	1.1	0.1	0.1	0.1	0.4	1.2
39	Female-----	277.5	0.7	0.1	0.1	0.0	0.1	0.6
40	White-----	350.6	0.9	0.1	0.1	0.0	0.2	0.6
41	Male-----	417.7	1.2	0.1	0.1	0.0	0.3	0.9
42	Female-----	286.4	0.5	0.1	0.1	0.0	0.1	0.4
43	All other-----	244.2	1.2	0.3	0.2	0.1	0.5	2.6
44	Male-----	276.3	1.0	0.3	0.2	0.3	0.8	3.7
45	Female-----	214.3	1.3	0.2	0.2	-	0.2	1.7
46	Acute myocardial infarction-----410	184.9	0.4	0.0	0.1	0.0	0.2	0.6
47	Male-----	241.9	0.6	0.1	0.0	0.1	0.2	0.8
48	Female-----	130.6	0.1	0.0	0.1	0.0	0.1	0.5
49	White-----	195.4	0.4	0.0	0.0	0.0	0.2	0.5
50	Male-----	256.9	0.7	0.1	0.0	0.0	0.2	0.6
51	Female-----	136.6	0.1	-	0.0	0.0	0.1	0.3
52	All other-----	109.3	0.2	0.1	0.1	0.1	0.3	1.8
53	Male-----	132.0	0.3	0.1	0.1	0.3	0.5	2.3
54	Female-----	88.1	-	0.1	0.1	-	0.2	1.3
55	Other acute and subacute forms of ischemic heart disease-----411	2.3	0.1	0.0	0.0	-	0.0	0.0
56	Male-----	3.0	0.1	0.0	-	-	0.0	0.0
57	Female-----	1.7	0.1	0.0	0.0	-	-	0.0
58	White-----	2.2	0.1	0.0	0.0	-	0.0	0.0
59	Male-----	2.9	0.1	-	-	-	0.1	-
60	Female-----	1.6	0.1	0.0	0.0	-	-	0.0
61	All other-----	3.1	0.2	0.1	-	-	-	0.1
62	Male-----	3.9	-	0.2	-	-	-	0.1
63	Female-----	2.3	0.3	-	-	-	-	-
64	Chronic ischemic heart disease-----412	150.2	0.4	0.1	0.0	0.0	0.0	0.2
65	Male-----	155.6	0.4	0.0	0.0	0.0	0.1	0.4
66	Female-----	145.1	0.4	0.1	0.0	0.0	0.0	0.1
67	White-----	152.8	0.3	0.0	0.0	0.0	0.0	0.2
68	Male-----	157.7	0.3	0.0	0.0	0.0	0.0	0.2
69	Female-----	149.1	0.3	0.0	0.0	0.0	-	0.1
70	All other-----	131.8	0.8	0.1	0.1	-	0.2	0.7
71	Male-----	140.3	0.7	0.1	0.1	-	0.2	1.3
72	Female-----	123.8	1.0	0.2	0.1	-	0.1	0.2
73	Angina pectoris-----413	0.1	-	-	-	-	0.0	0.0
74	Male-----	0.1	-	-	-	-	0.0	-
75	Female-----	0.1	-	-	-	-	-	0.0
76	White-----	0.1	-	-	-	-	-	-
77	Male-----	0.1	-	-	-	-	-	-
78	Female-----	0.1	-	-	-	-	-	-
79	All other-----	0.1	-	-	-	-	0.0	0.1
80	Male-----	0.1	-	-	-	-	0.1	-
81	Female-----	0.1	-	-	-	-	-	0.1
82	Chronic disease of endocardium and other myocardial insufficiency-----424,428	3.9	1.1	0.2	0.0	0.1	0.2	0.3
83	Male-----	4.0	1.2	0.2	0.1	0.1	0.3	0.3
84	Female-----	3.9	1.1	0.2	0.0	0.1	0.1	0.3
85	White-----	3.8	0.8	0.1	0.0	0.1	0.2	0.2
86	Male-----	3.8	0.9	0.1	0.1	0.1	0.2	0.3
87	Female-----	3.8	0.7	0.2	0.0	0.1	0.1	0.2
88	All other-----	4.8	2.8	0.5	0.0	0.1	0.4	0.7
89	Male-----	5.3	2.6	0.6	0.1	0.2	0.6	0.8
90	Female-----	4.4	3.0	0.5	-	0.1	0.2	0.5

SECTION 1 - GENERAL MORTALITY

1-15

Age Groups, Color, and Sex: United States, 1968-Con.

category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
7.0	17.5	43.5	96.5	184.9	322.6	545.5	872.8	1,352.3	2,119.0	3,102.2	4,802.3	9,293.3	1
9.0	23.4	64.9	149.2	292.6	506.9	836.2	1,301.3	1,898.0	2,893.4	3,917.6	5,541.9	9,454.8	2
5.2	11.9	23.1	46.6	84.1	150.5	278.2	492.8	897.0	1,538.3	2,526.3	4,307.7	9,206.9	3
5.4	13.3	36.6	85.6	171.3	304.8	520.3	838.8	1,296.7	2,074.8	3,132.1	4,915.3	9,795.7	4
7.0	19.0	57.7	138.7	281.2	494.2	819.0	1,284.9	1,867.4	2,859.3	3,977.2	5,713.2	10,046.9	5
3.8	7.9	16.2	34.7	67.8	126.9	245.0	444.0	823.4	1,488.1	2,538.0	4,388.4	9,646.5	6
19.2	48.7	95.6	185.9	304.8	487.8	789.8	1,224.6	1,973.6	2,689.6	3,734.2	5,417.2	9,932.8	7
24.0	58.5	123.8	242.0	397.5	629.3	1,005.3	1,467.3	2,226.5	3,330.6	5,226.0	7,833.8	11,998.2	8
14.9	40.2	72.0	138.4	223.4	363.3	596.2	1,003.7	1,747.9	2,204.9	3,382.9	5,248.4	8,951.4	9
1.9	2.9	4.4	7.0	10.7	16.0	22.2	28.7	32.0	33.5	33.1	38.2	45.4	10
1.9	2.9	4.4	7.2	10.7	16.3	22.3	29.5	31.2	34.2	32.3	33.3	43.7	11
1.9	2.8	4.4	6.9	10.7	15.7	22.1	28.0	32.7	33.0	33.7	41.4	46.4	12
1.4	2.3	4.0	6.7	10.6	16.2	22.8	29.5	33.0	34.2	34.3	39.4	48.3	13
1.5	2.4	3.9	6.8	10.7	16.5	22.7	29.9	32.1	34.5	32.9	34.1	46.1	14
1.4	2.2	4.0	6.7	10.4	16.0	22.8	29.0	33.7	33.9	35.2	42.9	49.6	15
5.2	7.0	7.4	9.5	11.8	14.0	17.1	20.8	21.7	24.5	19.1	22.5	19.5	16
5.0	7.0	8.1	11.0	14.4	17.4	19.1	25.4	22.6	29.4	26.0	24.3	25.5	17
5.4	6.9	6.8	8.2	12.6	13.6	15.2	16.7	20.8	20.9	14.1	21.1	15.3	18
0.1	0.5	1.0	1.5	2.8	4.1	6.9	10.9	16.8	27.4	40.9	64.0	123.6	19
0.2	0.5	1.0	1.7	2.8	4.5	7.6	11.5	17.2	27.1	37.0	49.6	86.8	20
0.1	0.4	1.0	1.4	2.7	3.9	6.2	10.4	16.5	27.7	43.6	73.6	146.2	21
0.1	0.1	0.4	0.6	1.5	2.6	4.6	8.4	13.0	23.3	37.6	62.3	123.4	22
0.1	0.1	0.4	0.8	1.6	3.0	5.2	9.4	14.2	23.0	33.4	46.6	84.8	23
0.1	0.1	0.3	0.4	1.3	2.3	4.1	7.5	12.1	23.5	40.6	72.7	146.3	24
0.7	3.1	5.5	9.3	14.3	18.5	28.7	36.5	59.3	81.5	79.9	84.6	125.0	25
0.8	3.3	5.5	9.6	13.8	18.7	31.2	32.9	50.2	79.4	78.7	82.4	101.8	26
0.5	2.8	5.6	9.1	14.6	18.2	26.5	39.8	67.4	83.5	81.2	86.3	144.4	27
0.1	0.2	0.3	0.5	1.0	1.7	2.8	5.4	10.4	18.3	35.1	70.1	175.9	28
0.0	0.3	0.4	0.6	1.1	1.9	3.3	6.7	12.2	22.4	41.3	76.8	176.8	29
0.1	0.2	0.3	0.4	0.9	1.4	2.3	4.2	8.8	15.1	30.7	65.5	175.6	30
0.0	0.1	0.1	0.2	0.5	1.1	1.8	4.0	8.0	15.9	32.8	69.8	184.8	31
0.0	0.2	0.1	0.2	0.6	1.4	2.4	5.2	9.8	19.9	37.9	77.4	188.6	32
0.0	0.1	0.1	0.2	0.4	0.7	1.3	3.0	6.5	12.9	29.3	64.8	162.5	33
0.3	1.1	1.9	3.1	5.0	7.5	12.2	19.6	36.9	48.8	62.4	72.8	98.4	34
0.3	1.3	2.5	4.0	5.1	7.1	12.1	22.7	38.1	54.4	81.1	70.3	87.3	35
0.4	1.0	1.4	2.4	4.9	7.9	12.3	16.7	35.8	44.7	48.8	74.7	108.3	36
2.8	10.5	32.5	79.4	157.0	283.0	485.8	788.7	1,238.1	1,956.9	2,869.7	4,427.7	8,496.7	37
4.2	15.9	53.2	129.5	260.3	459.9	764.5	1,199.1	1,763.7	2,695.8	3,653.7	5,144.4	8,687.0	38
1.5	5.4	12.9	32.0	60.3	117.7	229.6	424.6	799.6	1,402.7	2,316.0	3,948.5	8,391.7	39
2.2	8.5	28.3	72.3	147.7	270.3	467.6	763.9	1,196.5	1,927.6	2,910.2	4,544.4	8,975.9	40
3.4	13.7	48.6	123.2	253.3	452.8	755.5	1,193.2	1,747.3	2,680.0	3,728.1	5,318.9	9,251.0	41
1.1	3.4	8.7	23.4	48.2	98.8	202.3	384.0	739.6	1,364.9	2,335.1	4,032.9	8,812.5	42
7.0	25.5	64.2	138.2	239.1	400.6	662.2	1,044.7	1,703.5	2,333.2	2,376.2	2,997.6	4,337.5	43
10.5	33.2	90.7	185.0	324.9	528.3	853.0	1,258.6	1,938.9	2,898.1	2,791.3	3,201.4	4,441.8	44
3.9	19.0	42.0	98.6	163.7	288.2	490.8	850.1	1,493.4	1,905.8	2,080.0	2,838.9	4,318.1	45
2.0	7.7	24.5	59.0	116.0	203.7	340.7	526.9	781.0	1,123.3	1,475.8	1,932.2	2,916.5	46
3.0	12.1	41.1	98.8	198.4	340.7	552.4	825.6	1,154.9	1,618.0	2,002.9	2,428.8	3,349.9	47
1.1	3.4	8.8	21.4	39.0	75.7	146.0	261.9	469.1	752.3	1,103.5	1,600.1	2,655.9	48
1.8	6.7	22.4	56.7	114.6	203.1	341.7	529.6	781.3	1,134.7	1,519.9	1,998.8	3,088.8	49
2.6	10.8	38.8	97.8	199.8	345.5	562.9	844.6	1,175.9	1,648.2	2,075.3	2,535.0	3,580.7	50
0.9	2.7	6.6	17.2	34.3	69.2	137.8	250.8	454.0	750.6	1,129.4	1,644.8	2,796.7	51
4.0	14.8	40.3	78.1	128.7	209.3	331.4	498.9	778.3	971.9	944.0	1,116.0	1,420.3	52
5.9	21.9	59.3	107.6	186.0	293.9	449.8	631.5	929.2	1,231.9	1,164.6	1,247.3	1,612.7	53
2.2	8.8	24.5	53.2	78.3	134.9	225.1	378.2	643.8	784.7	1,013.7	1,013.7	1,293.1	54
0.1	0.1	0.4	1.1	1.9	3.0	4.4	6.4	9.0	13.2	15.6	23.5	45.5	55
0.1	0.2	0.6	1.8	2.9	4.7	6.8	9.7	13.5	19.8	21.5	29.3	46.7	56
0.0	0.1	0.2	0.4	0.8	1.5	2.2	3.5	5.3	8.2	11.5	19.6	44.9	57
0.0	0.1	0.3	0.9	1.6	2.6	3.9	5.5	8.0	12.3	15.3	23.6	45.9	58
0.1	0.2	0.4	1.5	2.7	4.2	6.0	8.7	12.3	18.8	21.0	29.5	47.3	59
0.0	0.1	0.1	0.3	0.6	1.0	1.9	2.7	4.4	7.5	11.2	19.7	45.1	60
0.2	0.3	1.5	2.7	4.1	7.4	9.5	15.6	20.7	24.3	20.1	21.9	42.2	61
0.3	0.3	2.3	4.4	5.4	9.3	14.7	20.4	26.5	32.5	26.8	27.0	41.8	62
0.1	0.3	0.8	1.3	2.9	5.7	8.8	11.1	15.6	18.0	15.3	17.9	43.1	63
0.7	2.7	7.6	19.3	39.0	76.2	140.6	255.0	447.5	819.7	1,377.4	2,470.6	5,532.5	64
1.1	3.6	11.5	28.9	58.9	114.4	205.0	363.3	594.4	1,057.2	1,628.4	2,644.5	5,288.1	65
0.4	1.9	3.9	10.2	20.5	40.5	81.3	159.1	324.9	641.6	1,200.2	2,327.6	5,688.8	66
0.4	1.7	5.6	14.7	31.5	64.6	121.9	228.5	406.6	780.0	1,374.2	2,520.5	5,838.9	67
0.7	2.7	9.3	23.9	50.8	103.0	186.4	339.4	558.2	1,012.4	1,630.9	2,752.7	5,620.5	68
0.2	0.7	2.1	5.8	13.3	28.6	62.6	130.3	280.9	606.2	1,193.7	2,367.2	5,968.6	69
2.9	10.4	22.2	57.1	106.1	183.7	321.0	529.7	904.2	1,335.4	1,411.4	1,858.6	2,873.4	70
4.2	10.9	28.9	72.8	133.3	224.8	388.4	606.1	982.9	1,630.6	1,599.2	1,925.7	2,785.5	71
1.7	9.9	16.6	43.9	82.2	147.6	260.5	460.2	834.0	1,112.6	1,279.4	1,806.3	2,980.6	72
-	-	0.0	0.0	0.1	0.1	0.2	0.3	0.6	0.7	0.8	1.4	2.2	73
-	-	0.0	0.0	0.1	0.1	0.2	0.5	0.9	0.8	0.9	1.8	2.3	74
-	-	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.5	0.8	1.2	2.1	75
-	-	0.0	0.0	0.1	0.1	0.1	0.3	0.6	0.6	0.8	1.4	2.3	76
-	-	0.0	0.0	0.1	0.1	0.2	0.5	0.9	0.6	1.0	1.8	2.4	77
-	-	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.8	1.2	2.2	78
-	-	0.2	0.2	0.2	0.2	0.3	0.6	0.2	1.6	0.7	1.2	1.6	79
-	-	0.2	0.2	0.2	0.2	0.2	0.6	0.4	3.1	0.8	1.4	1.8	80
-	-	0.1	0.3	0.3	-	0.4	0.5	-	0.5	0.6	1.1	1.4	81
0.4	0.6	0.8	1.1	2.2	2.6	4.7	6.5	10.5	16.7	30.1	53.4	150.5	82
0.5	0.6	0.9	1.3	2.6	3.1	6.5	9.1	13.0	22.2	34.6	57.9	137.3	83
0.2	0.6	0.7	0.9	1.9	2.1	3.1	4.2	8.4	12.6	26.9	50.3	158.8	84
0.3	0.4	0.6	0.9	2.0	2.2	4.2	5.5	8.7	15.4	29.1	52.6	153.5	85
0.4	0.4	0.8	1.0	2.2	2.6	5.8	8.0	10.9	20.3	33.3	58.0	141.5	86
0.2	0.4	0.4	0.7	1.8	1.9	2.7	3.3	6.9	11.8	26.1	49.0	160.5	87
0.9	1.8	2.6	3.1	4.5	5.5	9.9	16.5	30.6	33.8	42.3	63.3	125.0	88
1.6	1.7	2.2	4.3	6.5	7.3	13.3	20.4	35.4	46.9	49.6	56.8	105.5	89
0.4	2.0	3.1	2.1	2.8	3.9	6.9	13.0	26.4	23.8	37.1	68.4	141.7	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Major cardiovascular diseases--Con.							
2	Diseases of heart--Con.							
3	All other forms of heart disease-----420-423,425-427,429	14.0	9.7	1.2	0.5	0.6	1.1	1.5
4	Male----	16.2	10.3	1.2	0.5	0.6	1.1	1.8
5	Female----	11.9	9.1	1.1	0.5	0.6	1.1	1.2
6	White-----	12.9	7.8	1.0	0.5	0.5	0.9	1.2
7	Male----	15.0	8.7	1.0	0.5	0.5	1.0	1.6
8	Female----	10.9	6.9	0.9	0.5	0.5	0.9	0.9
9	All other-----	21.9	18.6	2.2	0.5	1.0	2.2	3.2
10	Male----	25.2	18.0	2.4	0.6	1.0	1.8	3.0
11	Female----	18.9	19.3	2.1	0.5	0.9	2.6	3.3
12	Hypertension-----400,401,403	4.5	0.1	0.0	0.0	0.0	0.0	0.1
13	Male----	4.9	0.1	0.0	0.0	0.0	0.0	0.1
14	Female----	4.2	0.1	0.0	0.0	0.1	0.1	0.2
15	White-----	3.9	0.1	0.0	0.0	0.0	0.0	0.1
16	Male----	4.2	0.1	0.0	0.0	0.0	0.0	0.0
17	Female----	3.7	0.1	-	-	0.0	0.0	0.1
18	All other-----	9.0	-	0.0	0.1	0.0	0.2	0.7
19	Male----	9.8	-	-	0.1	-	0.2	0.8
20	Female----	8.2	-	0.1	0.1	0.1	0.2	0.5
21	Cerebrovascular diseases-----430-438	105.8	5.2	0.8	0.5	0.8	1.3	2.2
22	Male----	99.1	5.5	0.8	0.6	0.9	1.3	2.3
23	Female----	112.1	4.8	0.9	0.5	0.8	1.3	2.2
24	White-----	104.9	4.6	0.8	0.5	0.8	1.2	1.8
25	Male----	97.4	5.0	0.7	0.5	0.8	1.2	2.0
26	Female----	112.0	4.1	0.8	0.5	0.8	1.2	1.7
27	All other-----	112.2	7.9	1.2	0.7	0.8	2.3	5.2
28	Male----	111.5	8.2	1.3	0.7	1.0	2.4	4.8
29	Female----	112.8	7.7	1.0	0.6	0.7	2.3	5.5
30	Cerebral hemorrhage-----431	23.5	2.2	0.2	0.2	0.2	0.4	0.6
31	Male----	23.1	2.0	0.2	0.2	0.3	0.4	0.7
32	Female----	23.9	2.4	0.2	0.2	0.2	0.4	0.5
33	White-----	22.7	2.0	0.2	0.2	0.2	0.4	0.5
34	Male----	22.1	1.7	0.2	0.2	0.2	0.4	0.5
35	Female----	23.3	2.2	0.2	0.2	0.2	0.4	0.4
36	All other-----	29.3	3.3	0.3	0.2	0.2	0.7	1.6
37	Male----	30.6	3.3	0.3	0.2	0.3	0.8	1.9
38	Female----	28.2	3.3	0.3	0.1	0.1	0.6	1.3
39	Cerebral thrombosis-----433	30.2	0.3	0.0	0.0	0.0	0.0	0.1
40	Male----	27.9	0.5	-	-	0.0	0.0	0.1
41	Female----	32.4	0.1	0.0	0.0	0.0	0.1	0.1
42	White-----	30.8	0.3	0.0	-	0.0	0.0	0.1
43	Male----	28.2	0.4	-	-	0.0	-	0.1
44	Female----	33.3	0.1	0.0	-	0.0	0.1	0.1
45	All other-----	25.7	0.3	-	0.0	-	0.2	0.2
46	Male----	25.3	0.7	-	-	-	0.3	0.1
47	Female----	26.1	-	-	0.1	-	-	0.2
48	Cerebral embolism-----434	0.6	0.1	-	0.0	-	0.0	0.0
49	Male----	0.5	-	-	-	-	0.0	-
50	Female----	0.6	0.1	-	0.0	-	-	0.0
51	White-----	0.6	0.1	-	-	-	-	0.0
52	Male----	0.6	-	-	-	-	-	-
53	Female----	0.6	0.1	-	-	-	-	0.0
54	All other-----	0.4	-	-	0.0	-	0.0	-
55	Male----	0.4	-	-	-	-	0.1	-
56	Female----	0.5	-	-	0.1	-	-	-
57	All other cerebrovascular diseases-----430,432,435-438	51.5	2.6	0.6	0.3	0.6	0.9	1.5
58	Male----	47.6	3.1	0.6	0.4	0.6	0.9	1.5
59	Female----	55.2	2.1	0.6	0.3	0.6	0.9	1.5
60	White-----	50.8	2.3	0.5	0.3	0.6	0.8	1.3
61	Male----	46.6	2.8	0.5	0.4	0.6	0.8	1.3
62	Female----	54.8	1.7	0.6	0.3	0.6	0.8	1.2
63	All other-----	56.7	4.3	0.9	0.4	0.6	1.4	3.4
64	Male----	55.2	4.2	1.0	0.4	0.7	1.1	2.7
65	Female----	58.1	4.3	0.7	0.4	0.6	1.6	3.9
66	Arteriosclerosis-----440	16.8	0.0	0.0	0.0	-	0.0	-
67	Male----	15.0	0.1	-	0.0	-	-	-
68	Female----	16.5	-	0.0	-	-	0.0	-
69	White-----	17.7	0.0	0.0	0.0	-	0.0	-
70	Male----	15.7	0.1	-	0.0	-	-	-
71	Female----	19.7	-	0.0	-	-	0.0	-
72	All other-----	10.1	-	-	-	-	-	-
73	Male----	10.2	-	-	-	-	-	-
74	Female----	10.1	-	-	-	-	-	-
75	Other diseases of arteries, arterioles, and capillaries-----441-448	12.4	0.9	0.1	0.0	0.1	0.2	0.5
76	Male----	15.7	0.9	0.1	0.1	0.1	0.3	0.5
77	Female----	9.2	0.8	0.1	0.0	0.1	0.2	0.6
78	White-----	12.9	0.8	0.0	0.1	0.1	0.2	0.5
79	Male----	16.5	0.7	0.0	0.1	0.1	0.3	0.5
80	Female----	9.4	0.9	0.0	0.0	0.1	0.2	0.5
81	All other-----	8.6	1.3	0.2	-	0.0	0.2	1.1
82	Male----	9.9	2.0	0.2	-	0.1	0.4	0.9
83	Female----	7.5	0.7	0.2	-	-	-	1.3
84	Acute bronchitis and bronchiolitis-----466	0.7	11.3	0.9	0.1	0.1	0.1	0.2
85	Male----	0.9	13.1	1.1	0.1	0.1	0.1	0.2
86	Female----	0.6	9.3	0.7	0.1	0.1	0.1	0.1
87	White-----	0.7	8.7	0.8	0.1	0.1	0.1	0.2
88	Male----	0.8	10.7	1.0	0.1	0.1	0.1	0.2
89	Female----	0.5	6.6	0.6	0.0	0.1	0.1	0.1
90	All other-----	1.2	23.1	1.6	0.2	0.2	0.2	0.2
91	Male----	1.3	24.5	1.6	0.2	0.2	0.1	-
92	Female----	1.1	21.7	1.5	0.3	0.1	0.3	0.3

SECTION 1 - GENERAL MORTALITY

I-17

Age Groups, Color, and Sex: United States, 1968-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
1.8	2.9	4.5	6.9	11.2	15.2	23.1	32.7	44.5	66.2	93.3	149.0	301.3	1
2.1	3.2	5.0	8.9	15.0	21.2	32.0	45.3	60.7	91.7	118.6	179.8	323.2	2
1.5	2.5	4.0	5.0	7.6	9.7	14.9	21.5	31.0	47.1	75.4	128.4	288.3	3
1.4	1.9	3.2	5.0	9.0	12.4	19.3	27.5	37.6	58.4	88.1	146.8	309.8	4
1.7	2.1	3.8	6.7	12.7	17.8	27.4	39.3	53.2	81.5	111.7	178.2	348.8	5
1.1	1.7	2.7	3.3	5.6	7.2	11.8	17.1	24.7	41.2	71.6	126.0	295.0	6
5.1	10.2	13.9	22.7	30.2	41.8	59.7	86.4	121.7	167.8	225.5	314.4	427.3	7
5.9	12.1	14.8	28.2	36.4	53.5	76.7	107.3	141.2	199.2	272.5	366.6	486.6	8
4.3	8.5	13.2	18.1	24.8	31.5	44.5	67.4	104.2	126.2	171.8	231.9	306.6	9
0.6	1.1	2.0	2.6	3.7	4.1	5.3	7.5	11.7	21.2	35.3	62.0	133.1	10
0.4	1.1	2.3	2.9	4.4	4.9	6.9	9.4	13.4	27.1	44.2	78.5	158.0	11
0.7	1.1	1.6	2.3	3.0	3.4	3.9	5.8	10.3	16.8	29.0	51.0	118.1	12
0.2	0.4	0.6	1.0	1.8	2.4	3.6	5.6	9.3	18.3	33.7	61.1	138.1	13
0.1	0.4	0.7	1.2	2.1	3.0	5.1	7.6	11.2	23.7	42.1	77.1	164.5	14
0.2	0.4	0.6	0.9	1.5	1.9	2.3	3.9	7.8	14.3	27.7	50.6	122.4	15
3.2	6.5	12.1	15.4	19.9	19.6	21.9	26.7	38.3	58.3	84.4	123.4	189.8	16
2.7	7.1	15.4	18.3	25.2	22.8	24.9	27.4	36.6	69.7	109.2	166.6	236.6	17
3.7	5.9	9.3	13.0	15.2	16.8	19.2	26.0	39.9	50.0	64.7	96.8	141.6	18
3.5	6.5	12.0	20.8	33.6	56.2	92.0	160.2	304.7	575.9	999.8	1,772.5	3,611.7	19
3.5	6.3	11.4	21.1	34.5	62.3	107.3	192.5	359.2	683.4	1,114.9	1,830.2	3,369.5	20
3.5	6.6	12.5	20.5	32.8	50.5	77.9	131.6	259.2	495.3	918.5	1,733.9	3,764.1	21
2.8	4.6	8.6	15.1	26.1	44.6	74.7	134.8	262.6	533.7	987.3	1,797.4	3,791.8	22
2.8	4.6	8.3	15.4	26.6	50.4	88.6	166.6	318.5	637.0	1,101.4	1,866.5	3,563.5	23
2.8	4.6	8.8	14.8	25.5	39.1	61.9	106.7	216.3	456.4	907.1	1,751.8	3,927.4	24
8.6	20.8	37.8	67.5	100.4	164.1	259.5	422.5	775.0	1,124.3	1,146.3	1,466.9	2,048.4	25
8.8	20.4	36.4	70.8	106.7	177.2	291.4	456.6	796.9	1,276.3	1,271.7	1,425.7	1,909.1	26
8.4	21.1	38.9	64.8	94.9	152.6	230.9	391.5	755.6	1,011.7	1,059.4	1,498.9	2,183.3	27
0.9	2.0	4.0	7.5	12.4	21.0	32.4	50.0	80.7	131.4	202.0	320.7	550.2	28
1.0	2.2	4.3	8.3	13.8	24.4	38.4	60.8	94.3	154.6	225.4	329.6	514.5	29
0.8	1.7	3.7	6.7	11.2	17.9	26.9	40.3	69.4	114.1	185.4	314.7	572.7	30
0.7	1.1	2.5	4.7	9.0	16.7	26.4	43.3	71.0	123.2	200.4	325.1	574.5	31
0.7	1.4	2.6	5.2	9.9	19.9	31.4	54.1	84.4	145.5	223.2	377.6	641.1	32
0.6	0.9	2.3	4.2	8.2	13.7	21.7	33.8	59.9	106.4	184.5	316.8	594.4	33
2.4	8.3	15.6	30.5	42.3	61.1	91.1	118.9	189.4	239.0	219.5	266.9	339.1	34
3.0	8.8	18.1	36.1	49.0	67.1	107.0	129.7	201.2	270.6	251.2	240.5	314.5	35
1.9	7.8	13.5	25.8	36.5	55.8	76.8	109.0	178.8	215.5	197.1	287.4	362.5	36
0.1	0.2	0.5	1.3	3.0	6.8	15.6	36.1	80.7	171.8	320.1	581.6	1,198.8	37
0.1	0.2	0.5	1.5	3.4	8.5	19.3	45.6	96.3	207.5	360.5	597.6	1,089.6	38
0.1	0.3	0.5	1.1	2.5	5.2	12.2	27.7	67.7	145.1	291.6	571.0	1,287.0	39
0.1	0.1	0.4	1.0	2.2	5.4	12.6	30.8	70.7	161.1	317.5	592.7	1,286.5	40
0.1	0.1	0.3	1.1	2.7	6.8	16.2	40.3	88.0	195.8	357.4	610.8	1,161.8	41
0.1	0.2	0.5	0.9	1.7	4.0	9.3	22.3	56.4	135.0	289.4	580.7	1,328.7	42
0.1	0.8	1.2	3.9	9.7	20.2	44.4	91.3	192.5	311.4	530.3	846.2	1,610.9	43
0.3	1.0	1.5	4.8	9.8	24.8	50.2	99.1	186.0	356.3	596.9	950.0	1,655.5	44
-	0.7	1.0	3.2	9.7	16.1	39.2	84.1	198.3	278.2	317.6	443.2	669.4	45
0.0	0.0	0.1	0.1	0.1	0.3	0.7	1.1	1.8	3.3	5.4	8.8	16.8	46
-	0.0	0.0	0.1	0.2	0.3	0.3	1.0	2.3	3.6	5.4	9.2	16.0	47
0.0	0.1	0.1	0.0	0.1	0.3	0.4	1.1	1.4	3.1	5.4	8.5	17.3	48
0.0	0.0	0.1	0.1	0.1	0.3	0.6	1.0	1.7	3.1	5.5	9.0	17.7	49
-	-	0.0	0.1	0.2	0.4	0.9	1.1	2.4	3.4	5.6	9.6	16.7	50
0.0	0.1	0.1	0.1	0.1	0.3	0.4	0.9	1.2	2.9	5.4	8.7	18.4	51
-	0.1	0.2	0.1	0.2	0.5	0.8	1.7	3.1	5.7	4.0	5.9	8.6	52
-	0.2	-	0.2	0.2	0.4	0.2	1.2	1.9	6.9	2.4	5.4	10.9	53
-	-	0.3	-	0.2	0.7	0.4	2.4	4.2	4.9	5.3	6.3	6.9	54
2.5	4.2	7.4	11.9	18.1	28.0	43.3	73.1	141.5	269.3	472.3	861.4	1,845.9	55
2.4	3.9	6.6	11.1	17.1	29.1	48.6	85.0	166.3	317.7	523.6	893.8	1,749.5	56
2.6	4.5	8.2	12.7	19.0	27.1	38.4	62.5	120.8	233.1	436.1	839.7	1,907.2	57
2.0	3.3	5.7	9.4	14.7	22.2	35.1	59.8	119.2	246.4	463.8	870.6	1,933.0	58
2.0	3.1	5.4	9.0	13.8	23.2	40.1	71.1	143.8	292.3	515.2	908.5	1,844.0	59
2.1	3.4	5.9	9.7	15.5	21.2	30.5	49.7	98.8	212.0	427.7	845.6	1,985.9	60
6.0	11.6	20.8	33.1	48.1	82.4	123.2	210.7	390.1	568.1	772.5	747.9	1,089.8	61
5.5	10.4	16.8	29.8	47.5	85.2	133.0	226.8	407.8	642.5	621.3	729.5	1,038.2	62
6.5	12.6	24.2	35.8	48.6	80.0	114.4	196.0	374.3	513.1	539.4	762.1	1,144.4	63
0.0	0.0	0.1	0.3	0.6	1.8	3.8	10.6	25.9	63.0	141.4	341.7	1,123.5	64
0.0	0.0	0.1	0.4	0.7	2.3	5.2	13.7	32.1	79.6	165.4	362.7	1,078.9	65
0.0	0.1	0.1	0.2	0.5	1.3	2.6	7.9	20.7	50.6	124.5	327.7	1,152.1	66
0.0	0.0	0.1	0.3	0.5	1.5	3.3	9.1	22.7	59.7	141.5	350.0	1,201.5	67
0.0	0.0	0.0	0.3	0.5	2.1	4.7	12.1	28.6	75.5	166.3	372.8	1,163.8	68
-	0.1	0.2	0.2	0.5	1.0	1.9	6.4	17.8	47.8	124.0	335.0	1,224.0	69
0.1	-	0.2	0.5	1.6	4.3	9.2	26.3	61.3	106.5	140.3	239.6	446.1	70
0.1	-	0.2	0.7	1.8	5.1	9.8	29.2	69.6	131.9	155.1	250.0	440.0	71
0.1	-	0.1	0.4	1.4	3.6	8.8	23.6	53.8	87.4	130.0	231.6	456.9	72
0.7	1.1	1.8	2.7	4.8	8.5	15.7	30.8	49.5	80.1	107.1	153.1	265.5	73
0.8	1.2	2.2	3.5	6.1	12.6	24.1	48.7	78.9	128.4	156.8	192.5	285.5	74
0.5	1.0	1.3	2.0	3.6	4.6	7.9	14.8	24.9	44.0	72.0	126.7	253.7	75
0.6	0.9	1.5	2.3	4.4	7.8	14.9	30.0	49.2	80.5	109.6	157.8	279.0	76
0.7	1.0	2.0	3.0	5.7	11.9	23.4	48.5	80.8	130.4	161.8	199.9	307.0	77
0.4	0.9	1.0	1.7	3.1	3.9	7.0	13.7	22.9	43.1	72.9	130.0	262.4	78
1.2	2.0	3.9	5.7	8.7	14.9	23.3	38.3	52.5	75.5	77.5	95.9	148.4	79
1.6	2.5	4.0	7.7	9.5	19.3	31.2	51.3	58.0	101.9	99.2	110.8	123.6	80
0.9	1.6	3.8	3.9	8.0	11.1	16.3	26.5	47.6	55.3	61.8	84.2	169.4	81
0.1	0.1	0.3	0.2	0.3	0.5	0.9	0.9	1.5	1.5	2.5	3.9	10.4	82
0.1	0.2	0.3	0.3	0.3	0.6	1.2	1.3	2.3	2.5	3.7	5.0	9.8	83
0.0	0.1	0.2	0.1	0.3	0.4	0.6	0.6	0.9	0.7	1.7	3.2	10.8	84
0.0	0.1	0.2	0.1	0.2	0.4	0.8	0.9	1.6	1.5	2.6	4.1	11.0	85
0.1	0.2	0.3	0.2	0.3	0.6	1.1	1.2	2.4	2.6	3.8	5.2	10.1	86
-	0.1	0.2	0.1	0.2	0.3	0.6	0.6	1.0	0.8	1.7	3.4	11.5	87
0.3	0.2	0.5	0.6	0.9	1.0	1.7	0.8	0.7	1.1	2.0	1.8	5.5	88
0.1	-	0.7	0.7	0.9	0.6	2.3	1.5	1.6	1.9	2.4	2.7	7.3	89
0.4	0.3	0.4	0.6	0.9	1.4	1.0	0.3	-	0.5	1.8	1.1	4.2	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cat-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Influenza and pneumonia-----470-474, 480-486	36.8	230.8	9.6	1.9	1.7	2.6	3.2
2	Male-----	41.6	256.2	9.9	1.9	1.7	3.1	3.5
3	Female--	32.2	204.3	9.2	1.9	1.7	2.1	2.8
4	White-----	35.0	170.4	7.2	1.6	1.6	2.3	2.9
5	Male-----	39.1	194.6	7.5	1.6	1.6	2.7	3.2
6	Female--	31.1	144.9	6.9	1.6	1.5	1.9	2.6
7	All other-----	49.3	512.0	21.4	3.7	2.6	4.3	5.4
8	Male-----	59.6	546.7	22.4	3.5	2.3	5.6	6.1
9	Female--	39.7	476.7	20.3	3.9	3.0	3.0	4.9
10	Influenza-----470-474	3.5	3.9	0.5	0.1	0.2	0.3	0.3
11	Male-----	3.4	4.0	0.5	0.1	0.2	0.3	0.2
12	Female--	3.7	3.8	0.6	0.1	0.2	0.3	0.3
13	White-----	3.6	2.1	0.5	0.1	0.1	0.3	0.3
14	Male-----	3.4	2.1	0.4	0.1	0.2	0.3	0.2
15	Female--	3.8	2.2	0.6	0.1	0.1	0.2	0.4
16	All other-----	3.3	12.0	0.7	0.2	0.2	0.4	0.3
17	Male-----	3.3	13.1	1.0	0.1	0.1	0.2	0.3
18	Female--	3.2	11.0	0.3	0.3	0.3	0.5	0.3
19	Pneumonia-----480-486	33.2	226.9	9.0	1.8	1.5	2.3	2.9
20	Male-----	38.2	252.2	9.4	1.8	1.5	2.7	3.3
21	Female--	28.5	200.5	8.6	1.8	1.6	1.8	2.5
22	White-----	31.5	168.2	6.7	1.5	1.4	2.0	2.6
23	Male-----	35.7	192.5	7.1	1.6	1.4	2.3	3.0
24	Female--	27.4	142.7	6.3	1.5	1.4	1.7	2.2
25	All other-----	46.0	500.0	20.7	3.5	2.4	3.9	5.1
26	Male-----	56.3	533.7	21.4	3.4	2.2	5.3	5.7
27	Female--	36.4	465.7	20.0	3.6	2.7	2.5	4.6
28	Bronchitis, emphysema, and asthma-----490-493	16.6	5.1	0.9	0.3	0.3	0.4	0.6
29	Male-----	26.9	5.6	0.9	0.3	0.3	0.4	0.6
30	Female--	6.7	4.6	0.8	0.4	0.3	0.5	0.7
31	White-----	17.5	4.5	0.7	0.3	0.2	0.3	0.4
32	Male-----	28.6	5.0	0.8	0.2	0.3	0.3	0.4
33	Female--	6.9	4.0	0.6	0.3	0.2	0.4	0.5
34	All other-----	9.8	7.9	1.6	0.7	0.8	1.0	2.2
35	Male-----	14.7	8.5	1.6	0.7	0.7	0.9	2.1
36	Female--	5.3	7.3	1.5	0.6	0.9	1.1	2.3
37	Chronic and unqualified bronchitis-----490, 491	3.1	4.2	0.5	0.1	0.1	0.1	0.1
38	Male-----	4.7	4.6	0.5	0.1	0.0	0.1	0.1
39	Female--	1.6	3.8	0.5	0.1	0.1	0.0	0.1
40	White-----	3.3	3.8	0.4	0.1	0.0	0.1	0.1
41	Male-----	5.0	4.1	0.4	0.1	0.0	0.1	0.1
42	Female--	1.7	3.4	0.4	0.1	0.0	0.0	0.0
43	All other-----	1.8	6.4	0.9	0.1	0.1	0.2	0.2
44	Male-----	2.8	7.2	1.0	0.1	0.1	0.2	0.3
45	Female--	1.0	5.7	0.8	-	0.1	0.1	0.1
46	Emphysema-----492	12.1	0.6	0.0	0.0	0.0	0.0	0.0
47	Male-----	20.9	0.7	0.0	0.0	0.0	0.0	0.1
48	Female--	3.7	0.4	0.0	0.0	0.0	0.1	0.0
49	White-----	13.1	0.5	0.0	0.0	0.0	0.0	0.0
50	Male-----	22.6	0.6	0.0	0.0	0.0	0.0	0.1
51	Female--	4.0	0.4	-	0.0	0.0	0.0	0.0
52	All other-----	5.2	0.7	0.0	0.1	0.1	0.1	0.1
53	Male-----	9.1	1.0	-	0.1	0.1	-	0.2
54	Female--	1.5	0.3	0.1	0.1	0.1	0.2	-
55	Asthma-----493	1.3	0.3	0.3	0.2	0.2	0.3	0.5
56	Male-----	1.3	0.3	0.4	0.2	0.2	0.2	0.4
57	Female--	1.4	0.4	0.3	0.2	0.2	0.4	0.6
58	White-----	1.1	0.2	0.3	0.1	0.2	0.2	0.3
59	Male-----	1.1	0.3	0.3	0.1	0.2	0.2	0.3
60	Female--	1.2	0.1	0.2	0.1	0.1	0.3	0.4
61	All other-----	2.8	0.8	0.6	0.5	0.6	0.7	1.8
62	Male-----	2.8	0.3	0.6	0.5	0.5	0.7	1.5
63	Female--	2.8	1.3	0.6	0.5	0.7	0.8	2.2
64	Peptic ulcer-----531-533	4.7	1.6	0.1	0.0	0.0	0.1	0.2
65	Male-----	6.6	1.9	0.1	0.0	0.1	0.1	0.2
66	Female--	3.0	1.4	0.1	0.0	0.0	0.1	0.1
67	White-----	4.9	1.1	0.1	0.0	0.0	0.1	0.1
68	Male-----	6.8	1.3	0.1	0.0	0.1	0.1	0.2
69	Female--	3.1	0.9	0.1	0.0	0.1	0.1	0.1
70	All other-----	3.8	4.0	0.1	-	0.1	0.1	0.4
71	Male-----	5.5	4.6	0.2	-	0.1	0.2	0.8
72	Female--	2.2	3.3	-	-	-	-	-
73	Appendicitis-----540-543	0.7	0.4	0.2	0.2	0.2	0.2	0.2
74	Male-----	0.9	0.5	0.2	0.2	0.2	0.3	0.2
75	Female--	0.6	0.2	0.2	0.2	0.2	0.2	0.1
76	White-----	0.7	0.4	0.2	0.2	0.2	0.2	0.1
77	Male-----	0.9	0.6	0.2	0.2	0.2	0.3	0.3
78	Female--	0.5	0.2	0.2	0.2	0.2	0.2	0.0
79	All other-----	1.0	0.2	0.2	0.3	0.5	0.2	0.2
80	Male-----	1.1	-	0.1	0.4	0.4	0.2	0.2
81	Female--	0.8	0.3	0.4	0.2	0.6	0.2	0.2
82	Hernia and intestinal obstruction-----550-553, 560	3.9	18.7	0.4	0.2	0.1	0.2	0.2
83	Male-----	3.6	21.9	0.6	0.2	0.1	0.3	0.2
84	Female--	4.1	15.2	0.2	0.1	0.1	0.1	0.2
85	White-----	3.9	18.1	0.4	0.1	0.1	0.2	0.2
86	Male-----	3.5	21.2	0.6	0.2	0.1	0.2	0.2
87	Female--	4.2	14.9	0.1	0.1	0.1	0.1	0.2
88	All other-----	3.9	21.1	0.5	0.2	0.2	0.3	0.4
89	Male-----	4.4	25.5	0.6	0.4	0.1	0.6	0.6
90	Female--	3.4	16.7	0.3	0.1	0.2	0.1	0.3

SECTION 1 - GENERAL MORTALITY

1-19

Age Groups, Color, and Sex: United States, 1968-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.7	5.3	7.5	11.1	16.0	24.0	34.0	52.4	82.0	144.9	245.4	454.4	1,169.7	1
4.1	6.0	9.2	13.6	20.1	32.0	46.0	74.6	115.3	212.3	335.8	562.9	1,290.4	2
3.3	4.6	5.9	8.7	12.2	16.5	23.0	32.6	54.2	94.4	181.4	381.9	1,097.7	3
2.7	3.7	4.8	8.1	12.7	20.5	29.7	46.5	74.4	137.6	243.4	460.5	1,277.9	4
2.9	3.9	5.7	9.8	15.5	27.0	40.0	67.1	106.5	201.0	331.0	570.0	1,364.5	5
2.5	3.4	3.9	6.5	10.0	14.4	20.3	28.3	47.8	90.2	181.8	388.1	1,146.8	6
10.7	17.2	27.7	35.2	45.8	56.3	75.2	112.9	166.8	239.8	268.1	380.5	664.8	7
12.9	22.2	37.5	46.8	62.9	80.1	104.4	151.6	210.1	356.9	391.3	483.8	732.7	8
8.8	12.9	19.5	25.5	30.8	35.4	49.1	77.7	128.1	150.0	177.6	300.0	622.2	9
0.5	0.3	0.6	1.0	1.7	2.5	3.5	6.0	10.0	13.7	23.3	48.1	140.9	10
0.3	0.3	0.5	1.0	1.6	2.9	4.1	7.6	12.5	16.6	26.6	51.6	132.2	11
0.7	0.4	0.6	1.1	1.9	2.2	3.0	4.7	7.9	11.6	20.9	45.8	146.4	12
0.5	0.3	0.4	0.8	1.6	2.3	3.2	5.6	9.5	13.4	23.5	48.8	148.2	13
0.3	0.2	0.4	0.8	1.5	2.5	3.6	7.2	12.2	16.3	26.7	52.4	140.8	14
0.6	0.3	0.4	0.8	1.7	2.2	2.8	4.2	7.3	11.1	21.3	46.5	152.7	15
0.8	0.8	1.7	2.8	3.0	4.4	6.5	10.4	15.6	18.5	20.8	39.1	77.3	16
0.4	0.8	1.3	2.3	2.6	6.7	8.4	11.1	16.3	20.6	26.0	41.9	67.3	17
1.1	0.8	1.9	3.2	3.4	2.3	4.8	9.8	14.9	17.0	17.1	36.8	86.1	18
3.2	4.9	6.9	10.0	14.3	21.5	30.5	46.4	72.0	131.2	222.1	406.3	1,028.8	19
3.7	5.7	8.6	12.6	18.5	29.2	41.9	67.1	102.8	195.7	309.2	511.4	1,158.2	20
2.6	4.2	5.3	7.6	10.3	14.3	20.0	28.0	46.3	82.8	160.5	336.1	951.2	21
2.3	3.4	4.4	7.3	11.1	18.2	26.5	40.9	64.9	124.2	219.9	411.6	1,079.7	22
1.9	3.7	5.3	9.0	14.0	24.6	36.4	59.9	94.3	184.7	304.3	517.6	1,223.7	23
9.9	3.1	3.6	5.7	8.3	12.2	17.5	24.2	40.5	79.1	160.5	341.7	994.1	24
12.4	16.4	26.0	32.5	42.8	52.0	68.8	102.5	151.2	221.3	247.3	341.4	587.5	25
7.6	21.4	36.2	44.5	60.2	73.4	96.0	140.5	193.8	336.3	365.4	441.9	665.5	26
0.9	1.1	1.8	3.8	7.1	14.9	30.1	54.7	82.7	116.8	134.5	137.3	154.7	28
0.8	0.9	1.8	4.5	9.7	21.9	48.6	94.4	153.7	232.8	271.9	272.5	280.0	29
1.1	1.3	1.8	3.2	4.7	8.3	13.1	19.4	23.4	29.9	37.4	46.9	78.5	30
0.6	0.8	1.4	3.0	6.5	14.0	30.2	56.0	85.2	120.8	139.7	163.3	165.7	31
0.6	0.7	1.3	3.7	8.6	20.5	48.8	97.0	159.1	241.0	283.3	286.0	305.1	32
0.7	1.0	1.5	2.4	4.4	7.9	13.0	19.7	23.9	30.8	38.7	49.0	82.9	33
3.4	3.1	5.1	10.3	13.0	23.0	29.4	41.0	54.9	64.9	71.5	63.9	59.4	34
2.7	3.2	5.8	11.9	19.3	35.4	46.7	67.6	95.7	126.9	140.2	121.6	90.9	35
4.1	3.1	4.6	8.9	7.5	12.2	13.8	16.7	18.4	17.0	20.6	18.9	36.1	36
0.1	0.1	0.3	0.6	1.1	2.6	5.0	9.6	14.0	19.7	25.7	28.6	43.3	37
0.1	0.1	0.3	0.7	1.5	3.7	7.6	15.8	24.1	37.1	48.7	52.4	69.9	38
0.1	0.1	0.3	0.4	0.8	1.5	2.5	4.0	5.6	6.7	9.4	12.6	27.0	39
0.1	0.1	0.2	0.4	1.1	2.4	5.0	9.7	14.5	20.3	26.7	29.9	46.3	40
0.1	0.1	0.3	0.5	1.4	3.5	7.7	15.9	24.9	38.1	50.9	55.2	75.4	41
0.1	0.1	0.2	0.3	0.8	1.5	2.5	4.2	5.9	6.9	9.7	13.2	29.0	42
0.3	0.5	0.5	1.8	1.4	3.9	4.5	8.3	8.8	12.3	13.1	11.8	17.2	43
0.4	0.3	0.2	2.5	2.1	6.3	6.7	14.9	15.2	23.8	22.8	21.6	29.1	44
0.1	0.6	0.7	1.3	0.8	1.8	2.5	2.4	3.1	3.4	5.9	4.2	8.3	45
0.1	0.3	0.7	2.0	4.3	10.2	22.3	41.5	64.5	92.0	103.5	102.2	103.6	46
0.2	0.4	0.8	2.9	6.5	16.3	38.1	74.7	124.9	189.4	217.5	212.0	201.9	47
0.0	0.2	0.6	1.2	2.2	4.4	7.7	12.0	14.1	19.1	23.1	28.7	43.8	48
0.1	0.3	0.6	1.9	4.1	9.9	22.8	43.1	67.0	95.5	107.9	107.0	111.3	49
0.1	0.3	0.7	2.6	6.1	15.7	38.9	77.8	130.0	196.7	226.9	223.8	221.5	50
0.0	0.2	0.5	1.2	2.3	4.5	8.0	12.5	14.7	19.9	24.3	30.0	46.1	51
0.3	0.4	1.2	3.5	5.8	12.4	17.2	24.3	36.3	46.3	50.7	42.6	36.7	52
0.6	0.8	1.7	5.6	10.9	22.2	30.5	43.7	69.3	95.6	108.7	81.1	56.4	53
-	-	0.8	1.7	1.4	3.8	5.2	6.6	6.9	8.3	7.6	12.6	22.2	54
0.7	0.7	0.9	1.2	1.7	2.1	2.9	3.6	4.2	5.1	5.3	6.6	7.8	55
0.5	0.5	0.7	0.9	1.7	1.9	2.8	3.8	4.8	6.3	5.8	8.0	8.1	56
0.9	0.9	1.0	1.5	1.8	2.4	2.9	3.4	3.7	4.1	4.9	5.6	7.7	57
0.4	0.5	0.6	0.8	1.3	1.6	2.4	3.1	3.7	5.0	5.0	6.3	8.1	58
0.3	0.3	0.3	0.6	1.1	1.3	2.2	3.3	4.2	6.3	5.5	7.0	8.5	59
0.5	0.7	0.7	1.0	1.4	1.9	2.5	3.0	3.3	4.0	4.7	5.8	7.9	60
2.9	2.3	3.5	5.0	5.8	6.8	7.7	8.3	9.7	6.3	7.7	9.5	5.5	61
1.7	2.0	4.0	3.8	6.3	6.9	9.5	9.0	11.3	7.5	8.7	18.9	5.5	62
3.9	2.5	3.1	6.0	5.4	6.6	6.1	7.7	8.3	5.3	7.1	2.1	5.6	63
0.4	0.6	1.3	2.1	3.5	5.6	9.1	13.1	19.3	25.9	34.3	45.7	69.1	64
0.7	0.9	1.9	3.0	5.3	8.4	14.2	20.7	30.8	43.0	54.7	67.7	90.4	65
0.2	0.4	0.8	1.3	1.8	3.0	4.4	6.3	9.7	13.1	19.9	31.0	56.2	66
0.3	0.5	1.0	1.8	3.3	5.4	8.8	12.9	19.1	25.8	35.5	47.5	73.2	67
0.5	0.7	1.3	2.6	4.9	8.0	13.8	20.5	30.6	42.6	56.8	70.9	98.6	68
0.2	0.3	0.6	1.0	1.8	3.0	4.3	6.1	9.6	13.2	20.5	32.1	58.1	69
1.1	1.8	4.0	4.6	5.6	7.7	11.7	15.0	21.5	27.5	19.8	24.3	33.6	70
1.8	3.2	6.3	6.3	9.6	12.0	18.1	22.2	33.5	47.5	29.9	32.4	71	71
0.5	0.6	2.1	3.2	2.0	3.9	5.8	8.5	10.8	12.1	12.4	17.9	37.5	72
0.2	0.2	0.2	0.4	0.5	0.8	1.2	1.7	2.6	3.3	4.6	6.9	9.1	73
0.2	0.2	0.2	0.6	0.6	1.0	1.7	2.5	3.4	4.7	6.9	9.0	10.2	74
0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.9	1.9	2.3	3.0	5.4	8.5	75
0.1	0.2	0.1	0.3	0.3	0.7	1.0	1.4	2.5	3.2	4.7	7.1	9.4	76
0.2	0.2	0.1	0.5	0.5	0.9	1.6	2.2	3.3	4.4	7.1	9.3	10.4	77
0.1	0.1	0.2	0.1	0.2	0.5	0.5	0.8	1.8	2.2	3.0	5.6	8.8	78
0.7	0.5	0.7	1.3	2.0	1.9	2.6	3.9	3.3	5.2	3.4	4.1	7.0	79
0.7	-	1.0	1.8	1.9	1.8	3.3	5.5	4.7	8.1	4.7	5.4	9.1	80
0.6	0.8	0.4	0.8	2.0	2.0	2.1	2.4	2.1	2.9	2.4	3.2	5.6	81
0.3	0.4	0.8	1.0	1.6	2.9	4.2	7.1	11.3	19.1	31.3	49.4	87.1	82
0.4	0.3	0.6	1.0	1.5	2.8	4.5	7.4	12.3	21.6	33.6	50.7	76.1	83
0.3	0.5	0.9	1.1	1.8	3.0	3.9	6.9	10.6	17.2	29.7	48.5	93.9	84
0.3	0.3	0.5	0.9	1.5	2.6	3.7	6.5	10.5	18.5	31.7	50.1	92.2	85
0.3	0.2	0.4	0.9	1.3	2.4	3.9	6.6	11.3	20.9	33.5	50.7	78.3	86
0.2	0.4	0.7	0.9	1.6	2.8	3.5	6.5	9.9	16.8	30.5	49.7	100.4	87
0.9	1.3	2.5	2.3	3.2	5.9	8.9	13.1	20.6	26.4	26.8	40.8	43.0	88
1.0	1.3	2.7	1.8	3.2	6.3	10.2	15.7	22.6	31.3	35.4	50.0	60.0	89
0.9	1.1	2.4	2.6	3.2	5.5	7.7	10.6	18.8	22.8	20.6	33.7	30.6	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cats-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver-----571	14.6	1.5	0.2	0.1	0.1	0.2	0.6
2	Male----	19.3	1.4	0.2	0.1	0.1	0.1	0.6
3	Female--	10.1	1.5	0.3	0.1	0.1	0.3	0.7
4	White-----	14.1	1.4	0.2	0.1	0.1	0.2	0.4
5	Male----	18.8	1.4	0.1	0.1	0.1	0.1	0.3
6	Female--	9.6	1.4	0.3	0.0	0.1	0.3	0.5
7	All other-----	18.2	1.8	0.3	0.1	0.2	0.5	2.3
8	Male----	22.8	1.6	0.3	-	0.1	0.2	2.5
9	Female--	13.9	2.0	0.3	0.2	0.3	0.8	2.1
10	Cholelithiasis, cholecystitis and cholangitis-----574,575	2.2	0.1	-	-	0.0	0.0	0.1
11	Male----	1.9	-	-	-	-	-	0.0
12	Female--	2.4	0.1	-	-	0.0	0.0	0.2
13	White-----	2.3	0.0	-	-	0.0	0.0	0.1
14	Male----	2.1	-	-	-	-	-	0.0
15	Female--	2.6	0.1	-	-	0.0	0.0	0.2
16	All other-----	1.2	0.2	-	-	-	0.1	0.1
17	Male----	0.9	-	-	-	-	-	-
18	Female--	1.5	0.3	-	-	-	0.2	0.1
19	Nephritis and nephrosis-----580-584	4.7	0.8	0.2	0.3	0.4	0.8	1.1
20	Male----	5.2	0.9	0.2	0.3	0.4	0.9	1.4
21	Female--	4.1	0.8	0.3	0.3	0.4	0.7	0.8
22	White-----	4.0	0.7	0.2	0.3	0.4	0.6	0.9
23	Male----	4.6	0.9	0.2	0.3	0.4	0.7	1.2
24	Female--	3.4	0.6	0.3	0.2	0.3	0.6	0.6
25	All other-----	9.6	1.2	0.4	0.5	0.8	2.1	2.7
26	Male----	10.3	0.7	0.2	0.6	0.6	2.8	3.3
27	Female--	9.0	1.7	0.5	0.4	0.9	1.5	2.2
28	Acute nephritis and nephrotic syndrome-----580,581	0.6	0.6	0.2	0.1	0.1	0.1	0.2
29	Male----	0.7	0.6	0.1	0.1	0.1	0.1	0.2
30	Female--	0.6	0.5	0.2	0.1	0.1	0.1	0.2
31	White-----	0.6	0.6	0.1	0.1	0.1	0.1	0.1
32	Male----	0.7	0.8	0.1	0.1	0.1	0.1	0.1
33	Female--	0.5	0.4	0.1	0.1	0.1	0.1	0.1
34	All other-----	1.2	0.5	0.4	0.3	0.3	0.2	0.5
35	Male----	1.3	-	0.2	0.3	0.3	0.3	0.6
36	Female--	1.1	1.0	0.5	0.3	0.3	0.2	0.5
37	Chronic and unqualified nephritis and renal sclerosis-----582-584	4.0	0.2	0.1	0.2	0.3	0.7	1.0
38	Male----	4.5	0.2	0.0	0.2	0.3	0.8	1.3
39	Female--	3.5	0.2	0.1	0.2	0.3	0.6	0.7
40	White-----	3.4	0.1	0.1	0.2	0.3	0.5	0.8
41	Male----	3.9	0.1	0.0	0.2	0.3	0.6	1.1
42	Female--	2.9	0.1	0.1	0.2	0.3	0.5	0.5
43	All other-----	8.5	0.7	-	0.2	0.5	1.9	2.2
44	Male----	9.0	0.7	-	0.3	0.3	2.3	2.7
45	Female--	7.9	0.7	-	0.2	0.6	1.3	1.7
46	Infections of kidney-----590	4.7	0.9	0.1	0.0	0.1	0.2	0.2
47	Male----	4.5	1.1	0.1	0.0	0.0	0.2	0.2
48	Female--	4.9	0.7	0.1	0.0	0.2	0.1	0.2
49	White-----	4.4	0.9	0.0	0.0	0.1	0.1	0.2
50	Male----	4.1	1.2	0.0	0.0	0.0	0.2	0.2
51	Female--	4.6	0.5	0.1	0.1	0.2	0.1	0.2
52	All other-----	7.1	1.2	0.1	0.1	0.1	0.2	0.6
53	Male----	6.8	1.0	0.2	0.1	0.1	0.2	0.3
54	Female--	7.3	1.3	-	-	0.1	0.2	0.8
55	Hyperplasia of prostate-----600	1.3	-	-	-	-	-	-
56	Male----	2.7	-	-	-	-	-	-
57	White-----	1.3	-	-	-	-	-	-
58	Male----	2.7	-	-	-	-	-	-
59	All other-----	1.5	-	-	-	-	-	-
60	Male----	3.0	-	-	-	-	-	-
61	Complications of pregnancy, childbirth, and the puerperium-----630-678	0.4	-	-	-	0.0	0.5	1.2
62	Female--	0.8	-	-	-	0.1	1.0	2.4
63	White-----	0.3	-	-	-	0.0	0.3	0.8
64	Female--	0.5	-	-	-	0.0	0.6	1.5
65	All other-----	1.5	-	-	-	0.1	2.0	4.5
66	Female--	3.0	-	-	-	0.2	3.9	8.5
67	Abortions-----640-645	0.1	-	-	-	0.0	0.1	0.2
68	Female--	0.1	-	-	-	0.0	0.1	0.4
69	White-----	0.0	-	-	-	-	0.0	0.1
70	Female--	0.1	-	-	-	-	0.0	0.2
71	All other-----	0.3	-	-	-	0.0	0.4	1.1
72	Female--	0.6	-	-	-	0.1	0.7	2.2
73	Other complications of pregnancy, childbirth, and the puerperium-----630-639,690-678	0.4	-	-	-	0.0	0.5	1.0
74	Female--	0.7	-	-	-	0.0	0.9	1.9
75	White-----	0.2	-	-	-	0.0	0.3	0.7
76	Female--	0.5	-	-	-	0.0	0.6	1.3
77	All other-----	1.2	-	-	-	0.1	1.6	3.3
78	Female--	2.4	-	-	-	0.1	3.2	6.3
79	Congenital anomalies-----740-759	8.4	322.6	9.4	3.0	1.9	2.2	1.9
80	Male----	9.3	343.3	9.8	3.2	2.0	2.5	2.3
81	Female--	7.5	301.0	9.1	2.8	1.8	1.9	1.6
82	White-----	8.2	333.5	9.3	3.0	1.8	2.2	1.9
83	Male----	9.0	354.7	9.6	3.2	1.9	2.5	2.2
84	Female--	7.3	311.3	9.0	2.8	1.7	1.9	1.6
85	All other-----	10.1	271.8	10.0	2.8	2.5	2.0	2.2
86	Male----	11.4	289.2	10.5	2.9	2.9	2.5	3.0
87	Female--	8.9	254.0	9.5	2.7	2.2	1.6	1.6

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1968-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.3	6.3	13.4	22.5	31.8	42.0	46.1	47.4	44.4	38.1	31.3	24.5	22.8	1
2.8	7.6	16.5	28.4	41.0	56.5	64.4	70.4	66.7	57.3	47.9	34.0	29.0	2
1.8	5.1	10.5	16.9	23.2	28.5	29.2	26.9	25.7	23.8	19.7	18.2	19.0	3
1.2	3.8	9.9	18.8	28.5	39.9	45.1	47.9	44.5	38.6	32.5	25.6	24.2	4
1.4	4.8	12.5	24.5	37.1	53.4	63.2	71.2	67.5	57.6	49.7	35.4	31.4	5
1.0	2.8	7.3	13.3	20.4	27.1	28.4	27.3	25.5	24.4	20.4	19.2	19.9	6
10.7	25.2	40.0	53.0	60.9	61.8	55.6	42.1	42.4	31.1	17.8	11.2	10.2	7
13.9	29.9	48.8	62.4	76.9	85.8	76.3	62.7	58.8	52.5	27.6	17.6	10.9	8
7.9	21.2	32.5	45.0	46.9	40.6	37.0	23.3	27.8	14.6	10.6	6.3	9.7	9
0.1	0.2	0.3	0.5	0.7	1.3	2.3	4.3	7.3	13.5	20.9	33.1	57.0	10
0.1	0.0	0.2	0.5	0.8	1.5	2.3	4.6	7.4	13.6	22.4	34.6	51.8	11
0.2	0.3	0.4	0.6	0.7	1.1	2.3	4.0	7.2	13.4	19.8	32.1	60.2	12
0.1	0.1	0.3	0.5	0.7	1.2	2.2	4.3	7.1	13.7	21.4	34.6	61.1	13
0.1	0.0	0.2	0.4	0.8	1.5	2.3	4.8	7.4	13.8	23.4	36.5	56.3	14
0.1	0.2	0.4	0.5	0.5	1.0	2.2	3.9	6.8	13.6	20.1	33.3	64.0	15
0.1	0.5	0.4	0.8	1.4	1.8	2.3	3.9	9.5	11.2	14.1	14.8	21.1	16
-	-	0.7	0.7	0.9	2.2	1.4	3.2	7.4	10.6	11.0	13.5	18.2	17
0.3	1.0	0.1	0.8	1.8	1.4	3.1	4.5	11.5	11.7	16.5	15.8	23.6	18
1.3	1.8	2.9	3.8	4.6	5.9	8.3	10.6	14.5	18.8	26.9	38.8	74.6	19
1.5	2.0	3.0	4.6	5.8	7.1	9.5	12.7	18.7	24.6	34.3	51.4	89.3	20
1.1	1.6	2.7	3.2	3.4	4.8	7.1	8.6	10.9	14.5	21.6	30.4	65.7	21
1.0	1.3	1.8	2.6	3.3	3.3	4.3	6.5	8.6	11.7	16.0	24.3	36.4	22
1.2	1.6	2.0	3.4	4.3	5.4	7.9	10.8	15.9	21.1	30.8	47.9	87.7	23
0.8	1.0	1.7	1.9	2.3	3.2	5.2	6.7	8.3	12.2	19.7	28.8	62.3	24
3.8	5.8	10.7	13.7	16.0	21.2	25.3	30.6	44.8	55.6	58.1	68.0	99.2	25
3.8	5.6	11.0	15.0	19.4	23.2	25.1	32.9	49.4	70.0	74.8	90.5	101.8	26
3.7	5.9	10.4	12.7	12.9	19.5	25.5	28.4	40.6	44.7	45.9	50.5	98.6	27
0.2	0.2	0.4	0.5	0.7	0.8	1.2	1.4	2.0	2.7	3.7	5.2	7.3	28
0.2	0.2	0.4	0.6	0.9	0.9	1.3	1.5	2.5	3.6	5.9	7.0	8.7	29
0.2	0.2	0.4	0.3	0.5	0.7	1.0	1.3	1.6	2.0	2.1	3.9	6.5	30
0.1	0.1	0.3	0.3	0.5	0.6	1.0	1.3	1.8	2.5	3.4	5.0	6.7	31
0.1	0.1	0.2	0.4	0.7	0.8	1.2	1.4	2.3	3.5	5.5	6.8	7.5	32
0.1	0.1	0.4	0.2	0.3	0.5	0.8	1.2	1.5	1.8	2.0	3.8	6.2	33
0.8	0.8	1.1	1.6	2.2	2.0	2.9	2.9	4.2	5.2	6.4	7.7	13.3	34
0.7	0.7	1.8	2.1	2.8	2.0	2.3	2.6	5.1	5.6	10.2	9.5	18.2	35
0.9	1.0	0.6	1.1	1.7	2.0	3.3	3.2	3.5	4.9	3.5	6.3	9.7	36
1.1	1.6	2.5	3.4	3.9	5.2	7.1	9.2	12.4	16.1	23.2	33.6	67.2	37
1.3	1.8	2.6	4.0	4.9	6.3	8.2	11.3	16.2	21.0	28.4	44.4	89.6	38
0.9	1.4	2.4	2.8	2.9	4.2	6.1	7.3	9.3	12.5	19.6	26.4	59.2	39
0.9	1.2	1.5	2.3	2.8	3.7	5.5	7.4	9.9	13.5	20.8	31.5	65.1	40
1.1	1.4	1.8	3.0	3.6	4.7	6.7	9.4	13.6	17.6	25.3	41.1	80.2	41
0.6	0.9	1.3	1.7	2.0	2.7	4.4	5.6	6.8	10.4	17.7	25.1	56.1	42
2.9	5.0	9.5	12.2	13.8	19.2	22.4	27.6	40.6	50.4	51.7	60.4	85.9	43
3.1	5.0	9.1	12.9	16.6	21.1	22.8	30.3	44.4	64.4	64.6	81.1	83.6	44
2.8	5.0	9.9	11.6	11.2	17.5	22.1	25.2	37.2	39.8	42.4	44.2	88.9	45
0.3	0.6	1.0	1.6	2.7	3.9	6.0	9.7	14.4	25.5	37.4	63.9	127.1	46
0.2	0.4	0.7	1.2	2.1	3.3	5.2	9.3	14.6	31.4	45.7	75.8	149.5	47
0.5	0.8	1.3	1.9	3.4	4.5	6.7	10.1	14.3	21.0	31.6	55.9	113.7	48
0.3	0.5	0.7	1.0	2.0	2.9	4.5	7.8	11.4	22.6	35.5	63.6	132.0	49
0.1	0.4	0.5	0.8	1.5	2.5	4.0	7.4	11.8	27.4	42.9	74.0	155.8	50
0.4	0.6	0.9	1.1	2.4	3.3	5.0	8.2	11.1	19.1	30.3	56.7	117.9	51
0.8	1.7	3.0	6.3	9.5	13.0	19.9	29.2	47.7	62.1	59.7	68.0	84.4	52
0.4	1.0	2.2	4.1	7.2	10.4	17.0	28.9	44.4	83.1	77.2	95.9	101.8	53
1.1	2.3	3.6	8.2	11.5	15.4	22.5	29.4	50.7	46.1	47.1	46.3	72.2	54
-	-	-	-	0.0	0.1	0.5	1.3	3.3	8.7	14.3	26.0	54.2	55
-	-	-	-	0.0	0.3	1.0	2.8	7.2	20.3	34.6	64.8	143.3	56
-	-	-	-	0.1	0.4	1.0	2.7	7.8	13.6	25.4	56.2	96.2	57
-	-	-	-	0.0	0.2	0.8	2.1	5.9	18.2	32.9	64.0	150.7	58
-	-	-	-	-	0.5	1.5	4.9	9.9	20.4	23.5	32.5	37.5	59
-	-	-	-	-	1.0	3.3	10.2	21.0	46.9	55.1	74.3	87.3	60
1.4	1.5	1.3	0.6	0.1	-	-	-	-	0.0	-	-	-	61
2.8	2.9	2.6	1.2	0.1	-	-	-	-	0.0	-	-	-	62
0.8	1.0	0.9	0.4	0.1	-	-	-	-	-	-	-	-	63
1.7	1.9	1.8	0.9	0.1	-	-	-	-	-	-	-	-	64
3.8	5.2	4.4	2.0	0.1	-	-	-	-	0.3	-	-	-	65
11.1	9.6	8.1	3.6	0.2	-	-	-	-	0.5	-	-	-	66
0.3	0.2	0.1	0.1	-	-	-	-	-	-	-	-	-	67
0.6	0.4	0.2	0.2	-	-	-	-	-	-	-	-	-	68
0.2	0.1	0.1	0.0	-	-	-	-	-	-	-	-	-	69
0.4	0.2	0.1	0.1	-	-	-	-	-	-	-	-	-	70
1.3	0.8	0.5	0.5	-	-	-	-	-	-	-	-	-	71
2.5	1.6	0.8	1.0	-	-	-	-	-	-	-	-	-	72
1.1	1.3	1.2	0.5	0.1	-	-	-	-	0.0	-	-	-	73
2.2	2.5	2.4	1.0	0.1	-	-	-	-	0.0	-	-	-	74
0.7	0.8	0.8	0.4	0.1	-	-	-	-	-	-	-	-	75
1.3	1.7	1.7	0.8	0.1	-	-	-	-	-	-	-	-	76
4.3	4.4	3.9	1.4	0.1	-	-	-	-	0.3	-	-	-	77
8.5	8.1	7.2	2.6	0.2	-	-	-	-	0.5	-	-	-	78
1.8	1.8	1.6	1.9	2.4	2.8	3.1	3.0	2.9	2.9	3.3	3.6	5.3	79
2.1	2.1	1.8	2.1	2.6	3.1	3.4	3.2	2.8	3.2	3.9	4.8	8.3	80
1.5	1.5	1.5	1.7	2.3	2.4	2.8	2.8	2.9	2.7	2.9	2.8	3.5	81
1.8	1.8	1.5	1.9	2.3	2.7	3.1	2.9	2.8	2.9	3.3	3.6	5.4	82
1.9	2.1	1.7	2.1	2.5	3.1	3.5	2.9	2.6	3.1	3.8	5.0	8.5	83
1.6	1.5	1.4	1.7	2.2	2.4	2.7	2.9	2.9	2.7	2.9	2.7	3.6	84
1.9	1.8	2.4	1.9	3.3	3.3	3.5	3.9	4.4	3.5	4.4	3.6	4.7	85
3.4	2.5	2.3	2.3	3.0	3.7	3.3	6.1	5.1	3.8	5.5	2.7	7.3	86
0.6	1.3	2.2	1.5	3.5	3.0	3.8	1.9	3.8	3.4	3.5	4.2	2.8	87

SECTION I - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
 [Rates per 100,000 population in specified group. Numbers after causes of death are cate-

	Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain causes of mortality in early							
2	infancy-----760-769.2,769.4-772,774-778	21.9	1,275.7	0.2	0.1	0.1	0.0	0.0
3	Male-----	26.5	1,474.7	0.3	0.1	0.0	0.1	0.0
4	Female-----	17.6	1,068.0	0.2	0.1	0.1	0.0	0.0
5	White-----	18.8	1,167.4	0.2	0.0	0.1	0.0	0.0
6	Male-----	23.1	1,368.5	0.3	0.0	0.1	0.0	0.0
7	Female-----	14.7	956.4	0.2	0.0	0.0	0.0	0.0
8	All other-----	44.4	1,779.9	0.2	0.2	0.1	0.2	-
9	Male-----	51.6	1,976.1	0.2	0.2	-	0.2	-
	Female-----	37.7	1,579.7	0.2	0.1	0.1	0.2	-
10	Birth injury, difficult labor, and other anoxic and hypoxic							
11	conditions-----764-768,772,776	11.1	643.6	0.2	0.0	0.0	0.0	0.0
12	Male-----	13.9	772.6	0.2	0.0	0.0	0.0	0.0
13	Female-----	8.4	508.9	0.1	0.0	0.0	0.0	0.0
14	White-----	9.7	602.8	0.2	0.0	0.0	0.0	0.0
15	Male-----	12.4	734.6	0.2	-	0.1	0.0	0.0
16	Female-----	7.2	464.5	0.1	0.0	0.0	0.0	0.0
17	All other-----	20.8	833.5	0.2	0.1	0.1	0.1	-
18	Male-----	24.9	952.0	0.2	0.1	-	0.2	-
	Female-----	17.0	712.7	0.2	0.1	0.1	0.1	-
19	Other causes of mortality in early infancy-----Remainder of 760-778	10.9	632.1	0.1	0.0	0.0	0.0	-
20	Male-----	12.6	702.1	0.1	0.0	-	0.0	-
21	Female-----	9.2	539.0	0.1	0.0	0.0	0.0	-
22	White-----	9.1	564.6	0.1	0.0	0.0	0.0	-
23	Male-----	10.7	633.9	0.1	0.0	-	0.0	-
24	Female-----	7.6	491.9	0.1	0.0	0.0	-	-
25	All other-----	23.6	946.4	0.1	0.1	-	0.0	-
26	Male-----	26.8	1,024.2	0.1	0.1	-	-	-
27	Female-----	20.7	887.0	0.1	-	-	0.1	-
28	Symptoms and ill-defined conditions-----780-796	11.8	86.3	2.0	0.4	0.4	1.2	2.1
29	Male-----	14.5	97.1	2.3	0.5	0.4	1.5	2.7
30	Female-----	9.3	75.1	1.6	0.3	0.4	0.9	1.5
31	White-----	8.8	56.2	1.4	0.2	0.3	0.8	1.6
32	Male-----	11.0	65.0	1.6	0.3	0.3	1.0	2.1
33	Female-----	6.6	47.1	1.2	0.2	0.3	0.6	1.2
34	All other-----	34.0	226.4	5.1	1.2	1.0	3.7	5.3
35	Male-----	40.4	249.0	6.2	1.6	1.1	4.7	7.3
36	Female-----	28.0	203.3	4.1	0.7	1.0	2.7	3.5
37	All other diseases-----Residual	48.7	66.5	8.4	4.0	3.9	6.9	9.7
38	Male-----	55.2	75.2	9.1	4.1	4.3	7.9	11.1
39	Female-----	42.5	57.5	7.7	3.8	3.5	5.9	8.5
40	White-----	47.4	59.3	8.1	3.9	3.8	6.2	8.3
41	Male-----	53.4	67.0	8.7	4.1	4.3	7.5	9.5
42	Female-----	41.7	51.2	7.4	3.8	3.3	5.0	7.1
43	All other-----	57.8	100.2	10.2	4.1	4.9	11.2	20.4
44	Male-----	68.7	114.1	11.2	4.2	4.7	10.4	22.4
45	Female-----	47.5	86.0	9.2	4.1	5.1	12.0	18.7
46	Accidents-----E800-E849	57.5	73.6	31.4	20.3	20.4	65.0	74.8
47	Male-----	81.4	78.7	35.8	25.8	29.8	100.4	128.6
48	Female-----	34.6	68.1	26.8	14.5	10.7	28.9	24.9
49	White-----	55.5	61.7	27.7	18.6	19.1	65.4	73.7
50	Male-----	77.7	66.1	31.8	23.7	27.7	99.9	126.5
51	Female-----	34.3	37.1	23.4	13.2	10.2	30.0	24.6
52	All other-----	71.4	128.7	50.2	29.5	28.1	62.7	82.6
53	Male-----	108.2	138.6	56.5	37.3	42.7	103.6	144.3
54	Female-----	37.2	118.7	43.7	21.6	13.6	22.2	26.6
55	Motor vehicle accidents-----E810-E823	27.5	9.3	11.1	10.6	9.3	45.3	55.5
56	Male-----	40.8	9.4	12.2	13.2	12.6	66.4	94.5
57	Female-----	14.7	9.2	9.9	8.0	5.8	23.7	19.3
58	White-----	27.2	9.6	10.4	10.0	9.4	47.4	56.2
59	Male-----	40.0	10.1	11.2	12.5	12.6	69.0	95.3
60	Female-----	14.8	9.0	9.6	7.5	6.1	25.2	19.8
61	All other-----	29.6	8.1	14.1	13.9	8.8	32.1	50.6
62	Male-----	46.3	6.2	17.0	16.9	13.1	49.8	88.9
63	Female-----	19.9	10.0	11.0	10.8	4.6	14.6	15.9
64	All other accidents-----E800-E807, E825-E849	30.0	64.2	20.4	9.6	11.1	19.7	19.3
65	Male-----	40.6	69.3	23.7	12.6	17.2	34.0	34.1
66	Female-----	19.9	58.9	16.9	6.5	4.9	5.2	5.6
67	White-----	28.4	52.1	17.2	8.5	9.8	18.0	17.5
68	Male-----	37.7	56.0	20.5	11.2	15.1	30.9	31.1
69	Female-----	19.4	48.1	13.7	5.7	4.2	4.8	4.9
70	All other-----	41.9	120.6	36.2	15.6	19.3	30.5	32.0
71	Male-----	61.9	132.4	39.5	20.4	29.6	53.8	55.4
72	Female-----	23.2	108.7	32.6	10.8	9.0	7.5	10.7
73	Suicide-----E950-E959	10.7	0.0	0.6	5.1	9.6
74	Male-----	15.8	0.0	0.9	7.8	14.8
75	Female-----	5.9	-	0.2	2.2	4.7
76	White-----	11.5	0.0	0.6	5.3	9.7
77	Male-----	16.9	0.0	1.0	8.3	15.0
78	Female-----	6.3	-	0.2	2.2	4.8
79	All other-----	4.8	-	0.3	3.5	8.5
80	Male-----	7.3	-	0.3	4.7	13.1
81	Female-----	-	0.3	2.2	4.4
82	Homicide-----E960-E978	7.3	4.8	1.4	0.6	0.9	6.9	14.0
83	Male-----	11.8	4.6	1.4	0.6	1.1	11.0	23.2
84	Female-----	3.1	4.9	1.4	0.6	0.6	2.7	5.5
85	White-----	3.9	4.1	1.1	0.5	0.5	3.3	6.5
86	Male-----	5.9	3.9	1.0	0.5	0.5	5.0	10.6
87	Female-----	1.9	4.2	1.1	0.5	0.5	1.6	2.8
88	All other-----	32.4	7.9	3.2	1.2	3.0	29.5	67.8
89	Male-----	54.6	7.8	3.5	1.2	4.7	49.6	115.4
90	Female-----	11.6	8.0	2.9	1.3	1.3	9.5	24.5

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1968-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-	0.0	0.2	1
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-	0.1	-	2
0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.0	-	-	-	3
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	-	0.3	4
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	0.0	0.2	5
0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0	-	-	0.1	-	6
0.1	-	0.2	0.1	-	-	-	-	-	0.5	-	-	-	7
-	-	0.3	0.2	-	-	-	-	-	0.6	-	-	-	8
0.1	-	-	-	-	-	-	-	-	0.5	-	-	-	9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.1	10
0.0	0.0	0.1	-	-	0.0	0.0	0.0	-	0.0	-	0.1	-	11
0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	0.1	12
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.1	13
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.1	-	14
-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	0.1	15
0.1	-	0.2	-	-	-	-	-	-	-	-	-	-	16
-	-	0.3	-	-	-	-	-	-	-	-	-	-	17
0.1	-	-	-	-	-	-	-	-	-	-	-	-	18
0.0	-	-	0.0	0.0	0.0	0.0	-	0.1	0.0	-	-	0.1	19
-	-	-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	-	-	20
0.0	-	-	-	-	-	-	-	0.0	0.0	-	-	0.1	21
0.0	-	-	-	0.0	0.0	0.0	-	0.1	-	-	-	0.1	22
-	-	-	-	0.0	0.0	0.0	-	0.1	-	-	-	-	23
0.0	-	-	-	-	-	-	-	0.0	-	-	-	0.1	24
-	-	-	0.1	-	-	-	-	-	0.5	-	-	-	25
-	-	-	0.2	-	-	-	-	-	0.6	-	-	-	26
-	-	-	-	-	-	-	-	-	0.5	-	-	-	27
2.6	3.2	4.9	7.2	9.2	13.1	18.4	25.8	34.3	41.6	56.5	84.0	232.8	28
3.1	3.5	5.6	9.2	11.8	18.9	27.2	37.5	51.5	59.2	76.5	110.4	219.7	29
2.1	2.9	4.1	5.2	6.7	7.6	10.3	15.4	20.0	28.4	42.3	66.4	196.6	30
1.7	1.7	3.0	4.6	6.5	9.4	13.7	18.7	23.8	30.0	43.4	67.7	173.6	31
2.1	1.9	3.6	6.1	9.0	14.3	21.3	28.0	38.4	43.7	59.9	88.7	193.3	32
1.3	1.5	2.4	3.1	4.1	4.9	6.7	10.5	11.8	19.8	31.7	53.8	161.8	33
9.2	14.4	18.9	28.2	32.8	47.2	64.1	99.2	151.7	192.1	213.1	284.6	552.3	34
11.3	16.7	22.1	36.6	37.8	63.4	85.8	134.1	192.6	256.9	269.3	351.4	587.3	35
7.3	12.5	16.3	21.0	28.3	32.9	44.7	67.4	115.3	142.7	172.4	232.6	533.3	36
10.9	15.2	23.1	30.5	42.1	55.9	80.0	113.7	165.8	223.1	305.4	397.3	655.1	37
11.2	16.5	25.6	34.1	49.4	68.2	101.8	148.6	212.9	312.0	394.6	490.3	747.5	38
10.6	14.1	20.6	27.1	35.3	44.3	60.0	82.7	126.5	173.9	242.4	335.1	599.6	39
8.3	10.9	17.3	24.4	35.9	50.5	73.7	108.0	157.6	226.4	307.4	404.7	687.1	40
8.6	11.5	18.6	26.5	41.5	61.8	93.8	141.8	202.2	282.4	394.4	499.3	786.7	41
8.0	10.3	16.0	22.3	30.6	39.9	55.3	78.0	120.5	169.6	246.3	342.3	628.0	42
30.3	47.4	67.0	80.8	97.2	105.9	141.0	172.9	258.0	319.9	280.9	305.9	377.3	43
31.4	56.1	83.4	100.5	122.1	130.1	180.9	217.8	327.6	437.5	397.6	390.5	452.7	44
29.3	39.9	53.3	64.2	75.4	84.6	105.2	132.1	195.8	230.1	195.3	240.0	325.0	45
56.5	48.0	47.1	48.5	50.5	56.5	62.7	68.7	82.9	106.0	150.9	240.9	514.5	46
93.8	78.4	74.5	75.0	77.9	87.1	96.2	101.7	118.3	149.3	193.4	280.0	500.6	47
20.3	18.8	21.0	23.3	24.8	28.0	31.9	39.5	53.4	73.5	120.9	214.8	523.7	48
53.0	43.3	42.6	44.1	46.2	53.1	58.7	65.0	77.2	103.1	151.7	246.6	547.1	49
87.8	69.9	67.0	67.5	70.3	80.6	89.1	95.9	108.8	144.2	287.3	409.7	786.7	50
19.0	17.2	19.0	21.7	23.6	27.3	30.7	37.6	50.9	72.3	122.3	219.8	553.5	51
82.2	83.3	80.7	84.2	87.8	88.3	101.0	107.4	147.3	144.1	141.3	171.0	232.0	52
140.3	146.3	135.7	140.9	147.6	149.8	165.3	160.1	220.2	215.0	192.9	198.6	232.7	53
29.8	29.3	34.6	36.2	35.2	34.2	43.2	59.4	82.3	89.8	103.5	149.5	234.7	54
36.8	27.9	24.7	25.2	24.6	26.9	28.2	29.6	34.7	38.1	46.3	45.8	39.8	55
59.7	44.1	37.4	38.0	36.5	40.4	41.4	42.7	47.5	56.5	71.4	75.6	69.5	56
14.5	12.2	13.1	12.7	13.5	14.2	16.1	18.0	23.9	24.3	28.6	25.9	21.7	57
35.4	26.0	23.4	23.5	23.1	25.8	26.8	28.9	33.2	37.9	46.9	46.5	41.6	58
57.1	40.6	35.1	35.1	33.5	38.3	38.5	41.1	44.4	55.7	71.4	77.4	74.2	59
14.1	11.7	12.1	12.4	13.2	14.1	16.0	18.1	24.0	24.5	29.7	26.0	22.2	60
47.3	41.9	34.7	39.0	38.2	37.1	41.9	37.2	51.0	40.3	38.9	37.9	24.2	61
79.9	71.8	56.1	62.9	64.1	61.4	69.8	59.2	81.7	65.6	70.9	55.4	34.5	62
17.8	16.3	16.8	18.8	15.5	15.7	16.9	17.2	23.6	20.9	15.3	24.2	16.7	63
19.7	20.2	22.3	23.3	25.9	29.6	34.5	39.1	48.2	67.9	104.6	195.1	474.7	64
34.1	34.3	37.1	37.1	41.4	46.7	54.8	59.0	70.7	92.8	122.0	204.3	431.1	65
5.8	6.5	8.3	10.2	11.3	13.7	15.9	21.5	29.5	49.3	92.3	188.9	502.0	66
17.7	17.3	19.2	20.6	23.2	27.3	32.0	36.1	43.9	65.2	104.7	200.1	505.5	67
30.7	29.3	31.9	32.4	36.8	42.3	50.7	54.9	64.4	88.4	122.0	209.8	462.1	68
4.9	5.6	7.0	9.3	10.3	13.2	14.8	19.5	27.0	47.8	92.6	193.8	531.3	69
34.9	41.4	46.0	45.1	49.5	51.2	59.1	70.1	96.3	109.8	102.3	133.1	207.8	70
60.4	74.5	79.6	77.9	83.5	88.4	95.6	100.9	138.5	149.4	122.0	143.2	198.2	71
12.0	13.0	17.8	17.4	19.7	18.4	26.3	42.2	58.7	68.9	88.2	125.3	218.1	72
11.4	12.8	15.2	17.1	18.6	20.7	22.1	21.4	19.6	19.6	20.8	20.7	22.1	73
16.3	18.1	20.9	23.1	25.5	29.1	33.8	34.3	33.7	35.6	40.3	43.9	50.7	74
6.7	7.7	9.9	11.4	12.1	12.8	11.5	10.0	7.9	7.6	7.0	5.2	4.7	75
11.6	13.2	16.2	18.2	22.1	23.6	22.8	20.7	20.4	21.8	22.1	24.2	24.2	76
16.3	18.3	22.0	24.2	27.0	30.8	35.8	36.5	35.6	37.0	42.5	47.2	56.8	77
7.0	8.1	10.6	12.3	13.1	13.9	10.7	10.7	8.3	8.0	7.2	5.4	4.9	78
9.9	10.0	8.0	8.3	7.7	7.7	7.9	6.7	7.9	9.3	9.1	4.1	3.9	79
16.0	16.1	12.0	13.2	12.1	12.6	13.3	11.4	12.8	18.1	15.0	6.8	5.5	80
4.5	4.8	4.7	4.2	3.8	3.4	3.1	2.4	3.5	2.4	4.7	2.1	2.8	81
15.1	15.5	13.9	12.0	10.0	7.9	6.8	5.8	5.1	3.7	3.5	3.1	3.7	82
23.0	25.5	22.6	19.2	16.7	13.3	11.5	9.6	8.7	6.6	5.4	5.0	5.5	83
5.6	5.9	5.7	5.1	3.7	2.9	2.5	2.3	2.1	1.6	2.1	1.9	2.6	84
6.9	6.9	6.6	6.0	4.7	4.7	4.1	3.9	3.6	3.0	2.9	2.8	3.4	85
11.0	11.0	10.5	9.1	8.4	7.5	6.6	6.3	5.9	5.0	4.3	4.4	4.8	86
2.8	2.9	3.0	3.0	2.3	2.0	1.8	1.8	1.6	1.4	2.0	1.7	2.6	87
77.1	79.4	69.1	61.2	51.8	38.0	33.2	24.7	22.4	13.6	10.1	7.7	6.3	88
134.4	140.6	121.1	108.1	93.0	68.9	59.8	43.7	38.9	26.9	18.1	12.2	10.9	89
25.5	26.9	25.6	21.6	15.5	10.7	9.4	7.4	7.6	3.4	4.1	4.2	2.8	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Other external causes-----E980-E999	2.2	2.9	1.0	0.3	0.3	1.6	2.7
2	Male----	3.1	3.4	1.1	0.3	0.6	2.5	4.2
3	Female--	1.3	2.4	1.0	0.3	0.1	0.6	1.3
4	White-----	1.8	2.1	0.7	0.2	0.3	1.3	2.3
5	Male----	2.6	2.5	0.7	0.2	0.5	2.1	3.4
6	Female--	1.1	1.6	0.6	0.2	0.1	0.5	1.2
7	All other-----	4.5	6.9	2.8	0.5	0.7	3.5	5.9
8	Male----	6.8	7.8	2.9	0.5	1.3	5.3	9.8
9	Female--	2.4	6.0	2.7	0.6	0.1	1.7	2.4

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-25

Age Groups, Color, and Sex: United States, 1968-Con.

[Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.6	2.9	3.1	3.1	3.2	3.2	3.0	3.4	2.5	2.8	2.6	3.1	4.0	1
3.9	4.3	4.3	4.1	4.4	4.5	4.5	5.3	3.8	4.6	4.8	5.0	5.8	2
1.4	1.6	1.9	2.2	2.2	2.1	1.6	1.7	1.5	1.5	1.1	1.8	2.9	3
2.0	2.2	2.3	2.5	2.8	2.9	2.9	3.2	2.3	2.6	2.7	3.1	3.6	4
2.8	3.2	3.1	3.1	3.6	3.9	4.2	4.8	3.3	4.3	4.8	5.2	5.8	5
1.1	1.3	1.5	1.9	2.1	1.9	1.6	1.7	1.5	1.4	1.2	1.8	2.3	6
7.6	8.3	9.0	8.7	7.0	6.4	4.6	5.3	4.8	5.2	2.0	2.4	7.0	7
12.2	13.8	14.8	13.3	11.4	10.0	7.7	9.6	8.6	8.1	3.9	2.7	5.5	8
3.6	3.5	4.2	4.7	3.2	3.2	1.9	1.3	1.4	2.9	0.6	2.1	8.3	9

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes-----	965.7	2,226.0	86.4	42.6	124.2	157.3	320.8	747.1	1,724.3	3,848.5	8,078.8	19,614.3
Male-----	1,114.3	2,515.8	94.5	51.8	183.0	213.2	406.5	984.2	2,370.6	5,185.4	9,883.8	20,386.3
Female-----	824.0	1,923.4	77.9	33.1	66.8	103.3	239.5	525.3	1,139.7	2,783.7	6,829.2	19,167.8
White-----	962.7	1,982.3	76.3	39.9	114.4	128.0	270.6	680.8	1,623.0	3,687.0	8,156.7	20,589.6
Male-----	1,108.3	2,267.0	83.6	48.5	169.0	174.4	345.8	907.6	2,269.6	5,029.7	10,004.2	21,560.6
Female-----	823.4	1,683.6	68.7	31.0	60.8	82.7	198.1	487.3	1,038.1	2,622.8	6,887.5	20,012.9
All other-----	987.6	3,359.9	136.9	58.3	190.0	375.5	716.7	1,346.9	2,734.8	5,769.6	7,120.6	11,148.4
Male-----	1,158.5	3,689.9	149.9	71.7	277.7	518.9	920.3	1,703.3	3,379.0	6,979.9	8,508.5	11,563.6
Female-----	828.4	3,023.3	123.2	44.9	106.3	249.2	545.3	1,033.5	2,153.0	4,759.7	6,094.7	10,986.1
Bacillary dysentery and amebiasis-----004,006	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
Male-----	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
Female-----	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
White-----	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
Male-----	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2
Female-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
All other-----	0.2	2.0	0.3	0.1	-	0.0	-	0.0	0.3	0.2	-	-
Male-----	0.2	2.6	0.3	0.2	-	0.1	-	0.1	0.3	0.2	-	-
Female-----	0.1	1.3	0.3	0.1	-	-	-	-	0.4	0.2	-	-
Enteritis and other diarrheal diseases-----008,009	1.5	30.1	1.6	0.2	0.1	0.2	0.2	0.5	1.2	2.8	7.9	24.1
Male-----	1.5	32.3	1.8	0.2	0.1	0.2	0.2	0.5	1.4	3.0	7.5	22.2
Female-----	1.5	27.8	1.5	0.2	0.1	0.2	0.2	0.5	1.0	2.7	8.2	25.4
White-----	1.2	17.3	1.2	0.2	0.1	0.1	0.2	0.5	1.1	2.6	8.0	25.0
Male-----	1.2	18.3	1.4	0.2	0.2	0.1	0.2	0.5	1.3	2.9	7.6	23.2
Female-----	1.2	16.4	1.1	0.2	0.1	0.1	0.2	0.5	0.9	2.4	8.2	26.1
All other-----	3.4	89.6	3.5	0.3	0.1	0.5	0.5	0.8	1.9	4.9	7.1	16.4
Male-----	3.8	98.7	3.9	0.4	0.0	0.6	0.5	1.0	2.5	3.8	7.0	14.5
Female-----	3.1	80.3	3.0	0.3	0.3	0.3	0.5	0.7	1.4	5.9	7.2	18.1
Tuberculosis, all forms-----010-019	3.1	0.4	0.3	0.0	0.2	0.8	2.2	4.3	8.1	13.2	17.9	28.3
Male-----	4.6	0.5	0.4	0.1	0.2	0.9	2.8	6.2	13.2	23.0	30.8	43.3
Female-----	1.7	0.3	0.2	0.0	0.2	0.8	1.5	2.6	3.5	5.4	8.9	19.2
White-----	2.5	0.2	0.2	0.0	0.1	0.3	1.0	3.0	6.4	10.8	16.4	25.4
Male-----	3.7	0.3	0.2	0.0	0.1	0.3	1.2	4.4	10.5	19.1	28.0	39.4
Female-----	1.3	0.1	0.2	0.0	0.1	0.3	0.7	1.8	2.8	4.1	8.4	17.1
All other-----	7.9	1.0	0.8	0.1	0.8	4.9	11.7	16.2	25.1	42.5	35.8	53.9
Male-----	11.4	1.0	1.0	0.2	0.8	5.4	16.5	23.8	41.0	68.1	62.7	72.7
Female-----	4.6	1.0	0.5	0.1	0.9	4.4	7.6	9.5	10.7	21.1	15.5	40.3
Tuberculosis of respiratory system-----010-012	2.5	0.1	0.1	0.0	0.1	0.6	1.8	3.4	6.5	10.4	14.8	23.3
Male-----	3.8	0.2	0.1	0.0	0.1	0.8	2.4	5.2	11.0	18.4	25.8	36.5
Female-----	1.3	0.1	0.0	0.0	0.1	0.5	1.3	1.8	2.4	3.9	7.2	15.3
White-----	2.0	0.1	0.0	0.0	0.0	0.2	0.8	2.4	5.1	8.4	13.6	20.9
Male-----	3.0	0.2	0.1	0.0	0.1	0.2	1.0	3.6	8.7	15.2	23.3	33.3
Female-----	1.0	-	0.0	0.0	0.0	0.2	0.6	1.2	1.8	3.0	6.9	13.5
All other-----	6.4	0.3	0.3	0.1	0.5	4.0	9.8	13.1	20.4	34.1	29.8	44.5
Male-----	9.5	0.3	0.5	0.1	0.5	5.0	14.0	20.1	34.2	55.6	54.2	60.0
Female-----	3.5	0.3	0.1	0.0	0.5	3.2	6.3	6.9	8.1	16.0	11.3	33.3
Tuberculosis, other forms-----013-019	0.6	0.2	0.2	0.0	0.1	0.2	0.4	0.9	1.6	2.8	3.0	5.0
Male-----	0.8	0.2	0.2	0.0	0.1	0.1	0.5	1.1	2.2	4.6	5.0	6.8
Female-----	0.5	0.2	0.2	0.0	0.1	0.2	0.3	0.7	1.1	1.4	1.7	3.9
White-----	0.5	0.1	0.1	0.0	0.0	0.1	0.2	0.7	1.3	2.4	2.8	4.5
Male-----	0.7	0.1	0.2	0.0	0.0	0.1	0.2	0.8	1.7	3.9	4.7	6.0
Female-----	0.4	0.1	0.1	0.0	0.0	0.1	0.1	0.5	1.0	1.2	1.5	3.6
All other-----	1.5	0.7	0.5	0.1	0.3	0.9	1.9	3.1	4.7	8.4	6.0	9.4
Male-----	1.9	0.7	0.6	0.1	0.2	0.5	2.6	3.7	6.9	12.5	8.5	12.7
Female-----	1.2	0.7	0.4	0.0	0.4	1.2	1.3	2.6	2.7	5.1	4.2	6.9
Whooping cough-----023	0.0	0.8	0.0	0.0	-	-	-	-	0.0	-	-	-
Male-----	0.0	0.6	0.1	0.0	-	-	-	-	0.0	-	-	-
Female-----	0.0	1.0	0.0	0.0	-	-	-	-	-	-	-	-
White-----	0.0	0.5	0.0	0.0	-	-	-	-	-	-	-	-
Male-----	0.0	0.2	0.0	0.0	-	-	-	-	-	-	-	-
Female-----	0.0	0.7	-	-	-	-	-	-	-	-	-	-
All other-----	0.1	2.3	0.2	-	-	-	-	-	0.1	-	-	-
Male-----	0.1	2.6	0.2	-	-	-	-	-	0.1	-	-	-
Female-----	0.1	2.0	0.1	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever-----034	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.2
Male-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.2
Female-----	0.0	0.1	-	0.0	-	0.0	-	-	0.0	0.0	0.1	0.3
White-----	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.2
Male-----	0.0	0.1	0.0	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Female-----	0.0	-	-	-	-	0.0	-	-	0.0	0.0	0.1	0.3
All other-----	0.0	0.2	-	0.0	-	0.0	-	-	-	-	-	0.8
Male-----	0.0	-	-	-	-	0.1	-	-	-	-	-	1.8
Female-----	0.0	0.3	-	0.0	-	-	-	-	-	-	-	-
Meningococcal infections-----036	0.4	4.6	1.4	0.3	0.3	0.1	0.1	0.2	0.2	0.1	0.2	0.2
Male-----	0.4	5.4	1.6	0.3	0.4	0.1	0.1	0.2	0.2	0.0	0.2	0.4
Female-----	0.3	3.7	1.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.3	-
White-----	0.3	4.5	1.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2
Male-----	0.4	5.1	1.5	0.3	0.3	0.1	0.1	0.1	0.2	0.0	0.2	0.5
Female-----	0.3	3.9	0.9	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	-
All other-----	0.8	4.8	2.6	0.7	0.6	0.3	0.3	0.4	0.3	0.1	0.6	-
Male-----	0.9	6.9	2.3	0.7	0.7	0.3	0.4	0.5	0.1	0.2	0.5	-
Female-----	0.7	2.7	2.9	0.6	0.4	0.2	0.3	0.4	0.5	-	0.8	-
Septicemia-----038	1.5	23.4	0.6	0.1	0.2	0.3	0.5	0.9	2.0	4.3	8.2	17.0
Male-----	1.7	26.2	0.6	0.2	0.2	0.3	0.5	1.0	2.5	5.6	10.0	22.4
Female-----	1.3	20.3	0.7	0.1	0.2	0.3	0.5	0.8	1.6	3.3	7.0	13.8
White-----	1.3	18.4	0.6	0.1	0.1	0.2	0.4	0.7	1.8	3.8	8.0	16.9
Male-----	1.5	20.8	0.6	0.1	0.2	0.2	0.4	0.8	2.2	4.9	9.6	22.9
Female-----	1.2	15.8	0.6	0.1	0.1	0.2	0.4	0.6	1.5	2.9	6.9	13.6
All other-----	2.9	46.5	1.0	0.3	0.5	0.6	1.4	2.8	4.2	10.9	11.1	18.0
Male-----	3.3	52.0	0.8	0.4	0.5	0.6	1.6	2.8	5.3	13.7	14.9	21.8
Female-----	2.5	41.0	1.3	0.2	0.5	0.5	1.2	2.7	3.3	8.5	8.3	15.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table I-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.
 [Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute poliomyelitis-----040-043	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Male-----	0.0	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Female-----	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
White-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Male-----	0.0	0.1	-	0.0	-	0.0	-	0.0	0.0	-	-	-
Female-----	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
All other-----	0.0	-	-	-	-	-	-	-	-	0.1	-	-
Male-----	0.0	-	-	-	-	-	-	-	-	0.2	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Measles-----055	0.0	0.2	0.0	0.0	0.0	0.0	-	0.0	-	-	-	0.1
Male-----	0.0	0.4	0.0	0.0	0.0	-	-	-	-	-	-	-
Female-----	0.0	0.1	0.0	0.0	0.0	0.0	-	0.0	-	-	-	0.1
White-----	0.0	0.1	0.0	0.0	0.0	0.0	-	0.0	-	-	-	0.1
Male-----	0.0	0.3	0.0	0.0	0.0	-	-	-	-	-	-	-
Female-----	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-
All other-----	0.0	0.7	0.0	0.0	-	-	-	0.0	-	-	-	-
Male-----	0.0	1.0	0.1	-	-	-	-	-	-	-	-	-
Female-----	0.0	0.3	-	0.0	-	-	-	-	-	-	-	-
Syphilis and its sequelae-----090-097	0.3	0.4	0.0	-	0.0	0.0	0.1	0.3	1.0	1.6	1.8	1.3
Male-----	0.4	0.5	-	-	0.0	0.0	0.1	0.4	1.6	2.7	3.3	1.7
Female-----	0.2	0.4	0.0	-	-	-	0.1	0.2	0.4	0.7	0.8	1.0
White-----	0.2	0.2	0.0	-	-	-	0.0	0.1	0.6	1.0	1.3	1.3
Male-----	0.3	0.3	-	-	0.0	0.0	0.0	0.2	1.0	1.7	2.4	1.7
Female-----	0.1	0.1	0.0	-	-	-	0.0	0.1	0.2	0.5	0.6	1.0
All other-----	1.0	1.3	-	-	-	0.0	0.3	1.7	5.0	8.8	7.3	1.6
Male-----	1.5	1.3	-	-	-	0.1	0.3	2.3	7.5	14.9	13.4	1.8
Female-----	0.6	1.3	-	-	-	-	0.3	1.2	2.8	3.6	2.6	1.4
Other infective and parasitic diseases-----Remainder of 000-136	2.0	11.8	1.7	0.7	0.9	1.0	1.5	2.0	3.0	4.7	6.8	16.3
Male-----	2.0	13.0	1.7	0.8	0.8	1.0	1.6	1.8	3.3	5.8	7.5	14.5
Female-----	2.0	10.6	1.8	0.6	0.9	1.0	1.5	2.3	2.7	3.9	6.2	17.4
White-----	1.8	10.7	1.6	0.7	0.7	0.8	1.1	1.7	2.7	4.4	6.6	17.1
Male-----	1.9	12.0	1.7	0.8	0.7	0.8	1.2	1.6	3.0	5.4	7.2	15.7
Female-----	1.8	9.4	1.6	0.6	0.7	0.8	1.1	1.8	2.4	3.6	6.2	17.9
All other-----	3.3	17.0	2.2	0.7	1.6	2.6	4.7	5.2	6.0	7.9	9.0	9.4
Male-----	3.2	17.6	1.7	0.7	1.6	2.5	5.3	3.6	6.1	9.6	11.4	5.5
Female-----	3.5	16.3	2.7	0.8	1.7	2.7	4.2	6.7	5.8	6.5	7.2	12.5
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-209	159.4	4.8	7.8	6.3	8.2	17.3	61.2	182.0	418.3	774.2	1,104.4	1,477.6
Male-----	178.0	4.6	8.5	6.9	10.0	17.3	53.8	182.2	503.5	1,025.1	1,470.8	1,816.4
Female-----	141.6	5.0	7.0	5.7	6.2	17.3	69.3	181.8	341.3	574.4	830.8	1,273.0
White-----	162.8	4.9	8.2	6.6	8.3	16.7	58.0	174.1	405.7	755.9	1,118.6	1,547.7
Male-----	180.8	4.8	8.8	7.2	10.3	17.2	50.7	171.5	486.7	1,000.3	1,485.8	1,913.3
Female-----	145.6	5.1	7.5	5.9	6.4	16.2	65.1	176.7	332.4	562.1	866.4	1,330.6
All other-----	134.8	4.1	5.6	4.8	7.6	21.8	86.7	252.7	544.8	992.1	931.0	867.5
Male-----	157.7	3.6	6.6	5.3	8.2	18.2	80.3	282.6	671.9	1,311.5	1,300.0	1,087.3
Female-----	113.4	4.7	4.6	4.2	7.1	25.0	92.0	226.4	429.9	724.5	654.7	715.3
Malignant neoplasms of buccal cavity and pharynx-----140-149	3.6	0.1	0.0	0.0	0.1	0.1	1.1	5.7	12.1	15.4	20.1	34.0
Male-----	5.5	-	0.1	0.1	0.2	0.2	1.6	8.6	19.4	27.3	34.2	52.7
Female-----	1.9	0.2	-	0.0	0.0	0.1	0.7	3.0	5.5	6.0	10.3	22.6
White-----	3.7	0.1	0.0	0.1	0.1	0.1	0.9	5.1	11.9	15.3	20.6	36.2
Male-----	5.6	-	0.1	0.1	0.2	0.2	1.3	7.6	19.0	27.1	35.4	56.5
Female-----	1.9	0.1	-	0.0	0.0	0.1	0.6	2.7	5.5	5.9	10.5	24.1
All other-----	3.3	0.2	-	0.0	0.2	0.3	2.9	11.0	13.9	17.0	12.8	14.8
Male-----	5.2	-	-	-	0.2	0.5	4.2	17.9	24.2	29.0	20.4	23.6
Female-----	1.5	0.3	-	0.1	0.1	0.2	1.8	5.0	4.7	6.9	7.2	8.3
Malignant neoplasms of digestive organs and peritoneum-----150-159	46.8	0.5	0.1	0.1	0.4	2.1	10.4	40.1	113.3	246.8	406.0	574.4
Male-----	51.6	0.5	0.2	0.1	0.5	2.3	11.8	46.7	140.4	309.6	497.9	617.5
Female-----	42.3	0.5	0.1	0.1	0.4	1.9	9.0	34.0	88.8	196.7	342.4	548.9
White-----	47.7	0.5	0.1	0.1	0.4	1.9	9.4	37.4	107.6	238.9	412.3	605.0
Male-----	51.8	0.6	0.2	0.1	0.4	2.1	10.5	42.7	132.0	298.1	503.9	652.4
Female-----	43.7	0.5	0.1	0.1	0.3	1.7	8.3	32.3	85.4	191.9	349.3	576.8
All other-----	40.7	0.5	0.0	0.0	0.7	3.4	18.1	64.7	170.8	340.7	330.2	309.4
Male-----	50.0	0.3	-	0.0	0.9	4.1	22.7	83.4	223.9	442.4	429.9	354.5
Female-----	32.0	0.7	0.1	-	0.5	2.8	14.1	48.3	122.8	255.5	255.8	279.2
Malignant neoplasms of respiratory system-----160-163	31.8	0.2	0.0	0.1	0.2	1.1	11.0	43.1	109.1	171.9	155.3	116.9
Male-----	53.5	0.2	0.0	0.1	0.2	1.6	16.1	69.3	194.3	333.1	303.5	203.6
Female-----	11.1	0.2	0.1	0.1	0.6	6.2	18.6	31.9	43.5	52.8	64.2	64.2
White-----	32.6	0.2	0.0	0.1	0.2	1.0	10.2	41.0	107.6	171.4	157.9	120.3
Male-----	54.7	0.1	0.0	0.1	0.3	1.5	14.6	64.9	191.5	333.3	309.8	211.8
Female-----	11.4	0.2	0.1	0.1	0.1	0.6	5.9	18.5	31.7	43.1	53.6	66.0
All other-----	25.7	0.2	0.0	0.0	0.1	1.5	17.4	62.1	123.8	177.9	124.0	87.5
Male-----	44.3	0.3	-	-	0.1	2.3	28.5	110.4	222.6	331.2	231.3	141.8
Female-----	8.4	-	0.1	0.1	0.2	0.7	8.0	19.7	34.5	48.8	43.0	47.2
Malignant neoplasm of breast-----174	14.6	0.1	0.0	0.0	0.0	2.0	10.8	27.5	41.2	55.1	72.7	117.3
Male-----	0.3	-	-	-	-	0.0	0.1	0.3	0.7	1.4	2.2	3.8
Female-----	28.2	0.1	0.0	0.0	0.1	3.9	21.0	52.9	77.9	97.9	121.5	186.6
White-----	15.1	0.1	0.0	0.0	0.0	1.8	10.5	27.3	41.6	55.2	74.7	123.0
Male-----	0.3	-	-	-	-	0.0	0.1	0.3	0.6	1.3	2.1	3.1
Female-----	29.3	0.1	0.0	0.0	0.1	3.6	20.6	52.6	78.6	97.9	124.5	194.1
All other-----	10.4	-	-	-	0.1	3.1	13.2	29.4	37.9	54.4	49.0	68.0
Male-----	0.3	-	-	-	-	-	0.3	0.3	1.3	2.4	3.5	9.1
Female-----	19.8	-	-	-	0.1	5.8	23.9	55.0	70.9	98.4	83.8	113.9
Malignant neoplasms of genital organs-----180-187	20.5	0.1	0.1	0.1	0.8	2.8	8.5	20.5	43.7	97.9	175.2	259.6
Male-----	18.3	0.1	0.1	0.1	0.9	1.9	1.4	3.8	23.8	108.6	275.9	480.6
Female-----	22.6	0.1	0.0	0.2	0.7	3.7	15.2	36.0	61.7	89.3	105.5	125.2
White-----	20.0	0.1	0.0	0.1	0.8	2.6	7.7	19.0	39.7	90.0	171.4	264.7
Male-----	17.8	0.1	0.1	0.1	1.0	2.0	1.5	3.2	20.0	96.8	268.3	496.1
Female-----	22.2	0.1	0.0	0.2	0.7	3.1	13.8	33.8	57.4	84.6	104.8	127.3
All other-----	23.6	-	0.1	0.1	0.7	4.8	14.6	34.0	84.1	191.1	220.8	215.6
Male-----	21.8	-	0.2	-	0.2	0.9	1.0	10.1	61.3	243.9	362.7	363.6
Female-----	25.4	-	-	0.2	1.2	8.1	26.1	55.0	104.7	147.0	114.0	105.6

¹Figures for age not stated included in "total" but not distributed among age groups.

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.												
Malignant neoplasms of urinary organs-----168-189	7.4	0.3	0.5	0.3	0.1	0.3	1.5	5.8	17.1	39.5	65.0	92.7
Male-----	10.2	0.2	0.5	0.3	0.1	0.3	2.0	8.5	25.7	62.3	102.3	139.0
Female-----	4.7	0.3	0.5	0.3	0.1	0.2	1.0	3.2	9.3	21.4	39.2	64.6
White-----	7.8	0.3	0.5	0.3	0.1	0.2	1.4	5.6	16.9	39.4	67.2	99.0
Male-----	10.7	0.3	0.5	0.3	0.1	0.3	1.8	8.2	25.6	62.8	106.3	151.9
Female-----	4.9	0.3	0.5	0.3	0.1	0.2	0.9	3.1	9.1	20.9	40.4	67.6
All other-----	4.9	0.2	0.7	0.2	0.1	0.5	2.2	7.7	18.5	40.8	38.5	38.3
Male-----	6.4	-	0.8	0.1	0.0	0.6	3.0	11.2	26.4	56.6	56.7	41.8
Female-----	3.4	0.3	0.6	0.3	0.2	0.3	1.6	4.6	11.4	27.5	24.9	36.1
Malignant neoplasms of all other and unspecified sites-----170-173, 190-199	18.6	1.8	2.9	2.2	2.6	3.9	9.7	23.2	47.8	78.6	109.1	162.9
Male-----	20.2	1.6	3.2	2.2	3.2	4.5	11.0	25.9	56.9	95.2	128.2	165.0
Female-----	17.2	2.0	2.7	2.1	2.1	3.3	8.5	20.6	39.5	65.3	95.9	161.8
White-----	19.1	1.8	3.0	2.2	2.6	3.9	9.6	22.7	46.6	76.4	110.3	171.5
Male-----	20.6	1.6	3.2	2.3	3.3	4.6	10.9	25.5	56.8	92.7	129.3	175.1
Female-----	17.6	2.0	2.8	2.2	2.0	3.3	8.4	20.1	38.4	63.5	97.2	169.3
All other-----	15.5	1.7	2.6	1.9	2.4	3.8	10.8	27.0	59.1	104.3	94.6	88.3
Male-----	17.0	1.6	3.2	2.0	2.5	4.0	11.9	29.4	68.2	123.7	116.4	89.1
Female-----	14.1	1.7	2.0	1.8	2.4	3.5	9.9	25.0	50.9	88.1	78.5	86.9
Leukemia-----204-207	7.2	1.5	3.6	2.9	2.1	2.0	3.3	5.6	12.4	28.3	48.0	71.7
Male-----	8.4	1.6	3.9	3.2	2.6	2.4	3.5	6.4	15.8	38.1	63.5	94.0
Female-----	6.1	1.5	3.4	2.5	1.7	1.6	3.1	4.8	9.2	20.5	37.2	58.1
White-----	7.5	1.6	4.0	3.1	2.2	1.9	3.3	5.6	12.2	28.6	49.6	77.8
Male-----	8.8	1.7	4.2	3.3	2.6	2.3	3.5	6.4	15.7	38.7	65.8	103.9
Female-----	6.4	1.5	3.7	2.8	1.7	1.5	3.0	4.9	9.0	20.6	38.5	62.3
All other-----	4.6	1.3	1.9	1.9	1.9	2.3	3.4	5.4	13.9	23.8	27.8	18.8
Male-----	5.5	1.0	2.4	2.5	2.1	2.7	3.5	6.5	16.8	30.2	37.8	20.0
Female-----	3.8	1.7	1.5	1.3	1.6	1.9	3.4	4.4	11.2	18.4	20.4	18.1
Other neoplasms of lymphatic and hematopoietic tissues-----200-203, 208, 209	8.9	0.3	0.4	0.7	1.9	3.1	4.9	10.6	21.7	40.8	53.0	68.1
Male-----	10.2	0.4	0.6	0.9	2.4	4.1	6.2	12.6	26.5	49.6	63.1	80.1
Female-----	7.7	0.2	0.2	0.4	1.4	2.1	3.6	8.7	17.4	33.8	46.1	40.8
White-----	9.3	0.3	0.5	0.7	1.9	3.2	5.0	10.5	21.6	40.6	54.7	50.3
Male-----	10.6	0.4	0.7	0.9	2.4	4.2	6.4	12.5	26.4	49.4	65.0	62.3
Female-----	8.1	0.2	0.2	0.4	1.4	2.1	3.7	8.6	17.2	33.7	47.6	43.2
All other-----	6.1	0.2	0.2	0.6	1.4	2.3	4.0	11.3	22.8	42.2	33.2	28.9
Male-----	7.2	0.3	0.2	0.7	2.0	3.0	5.1	13.5	27.2	52.0	41.3	43.6
Female-----	5.0	-	0.2	0.4	0.9	1.7	3.1	9.4	18.8	34.0	27.2	18.1
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.5	2.6	0.5	0.5	0.4	0.9	1.7	3.4	5.5	9.3	11.7	20.7
Male-----	2.4	2.9	0.6	0.5	0.5	0.7	1.5	3.1	5.9	10.6	12.8	20.3
Female-----	2.5	2.4	0.4	0.4	0.4	1.1	2.0	3.6	5.2	8.2	10.9	20.9
White-----	2.4	2.5	0.5	0.4	0.4	0.8	1.6	3.2	5.4	9.0	11.4	21.5
Male-----	2.4	2.9	0.6	0.5	0.4	0.7	1.5	3.0	5.8	10.4	12.8	22.5
Female-----	2.5	2.1	0.4	0.4	0.4	0.9	1.6	3.4	5.0	7.9	10.4	20.9
All other-----	2.7	3.1	0.5	0.7	0.6	1.8	2.9	4.9	7.4	11.8	15.0	13.3
Male-----	2.2	2.6	0.7	0.6	0.7	1.0	1.4	4.1	7.2	12.2	12.4	3.6
Female-----	3.1	3.7	0.3	0.8	0.4	2.4	4.2	5.5	7.5	11.5	17.0	20.8
Diabetes mellitus-----250	19.2	0.5	0.1	0.2	0.7	2.6	5.3	13.0	39.2	99.5	183.3	258.3
Male-----	16.2	0.5	0.1	0.2	0.7	2.9	5.9	13.8	38.0	90.6	160.5	236.9
Female-----	22.1	0.6	0.2	0.3	0.7	2.4	4.7	12.3	40.3	106.6	199.1	271.7
White-----	18.5	0.5	0.2	0.2	0.6	2.3	4.5	10.5	33.3	91.5	183.1	267.3
Male-----	16.0	0.5	0.2	0.2	0.6	2.6	5.4	12.2	34.8	86.2	161.9	249.8
Female-----	21.0	0.6	0.2	0.3	0.7	2.0	3.6	9.0	31.9	95.7	197.7	277.8
All other-----	23.9	0.5	-	0.3	1.1	5.1	11.9	35.7	97.9	195.5	185.2	179.7
Male-----	17.3	0.3	-	0.3	1.1	5.1	10.4	29.0	69.9	142.2	144.3	140.0
Female-----	30.0	0.7	-	0.3	1.1	5.0	13.1	41.5	123.2	240.9	217.0	212.5
Avitaminoses and other nutritional deficiencies-----260-269	1.3	7.0	0.3	0.1	0.1	0.1	0.2	0.5	1.3	3.5	12.0	52.0
Male-----	1.3	8.1	0.3	0.1	0.1	0.1	0.3	0.6	1.7	4.3	13.8	48.0
Female-----	1.3	5.9	0.3	0.0	0.1	0.1	0.2	0.5	0.9	2.8	10.7	54.5
White-----	1.2	3.8	0.2	0.0	0.1	0.1	0.2	0.5	1.1	2.9	11.7	53.7
Male-----	1.1	4.4	0.1	0.1	0.1	0.1	0.2	0.5	1.5	3.7	13.2	46.4
Female-----	1.2	3.2	0.3	0.0	0.1	0.0	0.2	0.5	0.7	2.3	10.6	56.4
All other-----	2.0	21.9	0.8	0.1	0.1	0.1	0.6	1.2	3.3	9.8	15.2	46.1
Male-----	2.4	25.5	0.9	0.2	0.1	0.1	0.7	1.5	3.9	12.0	19.9	60.0
Female-----	1.7	18.3	0.7	0.1	0.1	0.2	0.4	0.9	2.7	7.9	11.7	36.1
Anemias-----280-285	1.7	1.7	0.9	0.4	0.5	0.6	0.6	0.9	2.3	5.8	15.2	35.8
Male-----	1.7	1.7	1.0	0.4	0.6	0.6	0.5	0.9	2.3	6.7	17.0	35.8
Female-----	1.8	1.7	0.7	0.4	0.5	0.6	0.7	1.0	2.3	5.0	14.0	35.8
White-----	1.6	1.0	0.3	0.3	0.3	0.2	0.3	0.7	2.0	5.4	15.5	37.4
Male-----	1.5	1.0	0.4	0.2	0.3	0.2	0.3	0.7	2.1	6.3	17.3	37.7
Female-----	1.6	0.9	0.2	0.3	0.3	0.2	0.4	0.7	1.9	4.7	14.2	37.2
All other-----	3.2	5.3	3.7	1.1	2.0	3.3	2.6	3.2	5.2	10.3	11.6	21.9
Male-----	3.2	5.2	4.1	1.1	2.0	3.6	2.5	3.2	4.5	11.3	12.9	21.8
Female-----	3.1	5.3	3.2	1.1	1.9	3.0	2.6	3.2	5.7	9.5	10.6	22.2
Meningitis-----320	0.9	15.3	1.8	0.3	0.2	0.2	0.5	0.7	0.9	1.2	1.5	1.7
Male-----	1.0	18.8	2.2	0.3	0.3	0.3	0.6	0.9	1.1	1.3	2.0	1.3
Female-----	0.7	11.6	1.4	0.2	0.2	0.1	0.3	0.4	0.7	1.1	1.2	2.0
White-----	0.7	11.5	1.6	0.2	0.2	0.1	0.3	0.5	0.7	0.9	1.2	1.5
Male-----	0.8	14.1	1.8	0.2	0.2	0.2	0.3	0.7	0.9	1.0	1.5	1.2
Female-----	0.5	8.8	1.3	0.2	0.2	0.1	0.2	0.4	0.5	0.8	1.0	1.7
All other-----	2.3	32.8	3.1	0.4	0.6	0.6	1.9	1.8	3.3	4.6	5.4	3.1
Male-----	3.0	40.8	4.1	0.6	0.8	0.9	2.7	2.7	3.8	4.8	7.5	1.8
Female-----	1.7	24.7	2.2	0.3	0.5	0.4	1.3	1.0	2.8	4.5	3.8	4.2
Major cardiovascular diseases-----390-448	512.1	18.2	2.5	1.8	5.1	18.5	92.3	306.1	853.9	2,291.4	5,393.9	14,427.1
Male-----	571.1	19.8	2.5	1.9	5.6	22.2	130.8	457.2	1,244.5	2,985.7	6,336.4	14,346.7
Female-----	455.7	16.6	2.5	1.7	4.6	14.9	55.8	164.9	500.6	1,630.6	4,741.4	14,494.9
White-----	523.2	15.2	2.1	1.6	4.2	13.8	77.1	278.8	800.7	2,136.1	5,461.6	15,206.1
Male-----	585.2	17.1	2.0	1.7	4.7	17.3	115.5	432.8	1,202.9	2,910.8	6,446.8	15,245.7
Female-----	463.9	13.2	2.1	1.5	3.6	10.3	40.0	133.9	436.9	1,522.1	4,784.7	15,182.6
All other-----	431.7	32.3	4.5	2.8	11.0	53.7	212.4	553.5	1,384.2	3,364.9	4,565.3	7,665.6
Male-----	468.5	32.4	4.8	3.0	11.3	60.8	260.0	685.5	1,659.5	3,848.4	5,075.6	7,580.0
Female-----	397.3	32.3	4.2									

SECTION 1 - GENERAL MORTALITY

1-29

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases--Con.												
Diseases of heart-----390-398,402,404,410-429	372.6	12.1	1.6	1.0	2.9	11.9	71.0	250.2	695.0	1,687.4	3,726.4	9,293.3
Male-----	436.4	13.2	1.6	1.0	3.3	15.6	108.6	394.3	1,046.4	2,318.4	4,501.7	9,454.8
Female-----	311.7	11.0	1.6	1.0	2.4	8.3	35.3	115.6	377.1	1,184.7	3,189.6	9,206.9
White-----	383.8	9.8	1.3	0.8	2.3	9.1	62.2	234.9	666.2	1,639.0	3,787.4	9,795.7
Male-----	451.4	11.3	1.3	0.8	2.8	12.6	99.9	382.5	1,030.0	2,289.7	4,600.3	10,046.9
Female-----	319.2	8.1	1.3	0.8	1.8	5.7	25.8	95.9	337.1	1,123.3	3,229.0	9,646.5
All other-----	291.8	23.1	3.1	2.0	6.5	33.0	140.8	389.5	982.0	2,261.7	2,981.4	4,932.8
Male-----	327.1	22.2	3.3	2.1	6.9	39.9	183.1	504.8	1,210.3	2,690.1	3,376.1	4,998.2
Female-----	258.9	24.0	3.0	1.8	6.2	26.9	105.2	288.1	775.7	1,938.5	2,693.2	4,951.4
Active rheumatic fever and chronic rheumatic heart disease-----390-398	8.2	0.3	0.1	0.3	0.7	2.3	5.8	13.2	25.2	32.7	35.0	45.4
Male-----	7.7	0.4	0.1	0.3	0.8	2.4	5.9	13.4	25.6	32.5	32.7	43.7
Female-----	8.6	0.1	0.1	0.3	0.7	2.3	5.7	13.1	24.8	32.8	36.5	46.4
White-----	8.5	0.2	0.1	0.2	0.6	1.9	5.4	13.3	25.8	33.5	36.2	48.3
Male-----	7.9	0.3	0.1	0.2	0.7	1.9	5.4	13.5	26.0	33.1	33.3	46.1
Female-----	9.0	0.1	0.1	0.1	0.5	1.8	5.4	13.1	25.7	33.8	38.1	49.6
All other-----	6.0	0.5	0.1	1.0	1.7	6.0	8.5	12.8	18.7	22.8	20.3	19.5
Male-----	6.3	0.7	0.1	1.0	1.8	5.9	9.6	12.5	21.9	25.2	25.4	25.5
Female-----	5.7	0.3	0.2	0.9	1.7	6.1	7.5	13.1	15.9	20.9	16.6	15.3
Hypertensive heart disease-----402	4.9	0.1	0.0	0.0	0.1	0.3	1.3	3.4	8.7	21.5	49.4	123.6
Male-----	4.1	0.1	0.0	-	0.1	0.3	1.3	3.6	9.4	21.4	41.5	86.8
Female-----	5.7	-	-	0.0	0.1	0.2	1.2	3.2	8.1	21.5	54.8	146.2
White-----	4.3	0.1	0.0	-	0.0	0.1	0.5	2.0	6.4	17.5	46.7	123.4
Male-----	3.4	0.1	0.0	-	0.1	0.1	0.6	2.3	7.1	17.9	38.1	84.8
Female-----	5.1	-	-	-	0.0	0.1	0.4	1.7	5.7	17.2	52.6	146.3
All other-----	9.5	-	-	0.0	0.2	1.8	7.4	16.2	32.2	68.2	81.6	125.0
Male-----	8.6	-	-	-	0.1	2.0	7.5	16.1	32.0	61.4	80.1	101.8
Female-----	10.3	-	-	0.1	0.3	1.6	7.3	16.3	32.4	74.1	83.0	144.4
Hypertensive heart and renal disease-----404	3.9	-	-	0.0	0.0	0.1	0.4	1.3	4.0	13.8	48.0	175.9
Male-----	3.8	-	-	0.0	0.0	0.2	0.5	1.5	4.8	16.5	54.1	176.8
Female-----	4.1	-	-	-	0.0	0.1	0.3	1.2	3.2	11.6	43.7	175.6
White-----	3.8	-	-	0.0	0.0	0.1	0.1	0.8	2.8	11.5	46.4	184.8
Male-----	3.6	-	-	0.0	0.0	0.1	0.2	1.0	3.6	14.1	52.1	188.6
Female-----	3.9	-	-	-	0.0	0.0	0.1	0.6	2.1	9.4	42.5	182.5
All other-----	5.3	-	-	-	0.0	0.7	2.5	6.2	15.5	41.7	66.2	98.4
Male-----	5.4	-	-	-	-	0.8	3.2	6.0	16.8	44.4	77.1	87.3
Female-----	5.3	-	-	-	0.1	0.7	1.9	6.3	14.3	39.5	58.1	108.3
Ischemic heart disease-----410-413	337.6	0.9	0.1	0.1	0.5	6.4	56.9	216.8	624.1	1,552.2	3,441.7	8,496.7
Male-----	400.7	1.1	0.1	0.1	0.7	9.6	92.8	355.0	960.9	2,157.4	4,189.8	8,687.0
Female-----	277.5	0.7	0.1	0.1	0.3	3.3	22.8	87.6	319.4	1,070.2	2,923.8	8,391.7
White-----	350.6	0.9	0.1	0.1	0.4	5.1	51.3	206.1	603.3	1,518.1	3,510.7	8,975.9
Male-----	417.7	1.2	0.1	0.1	0.5	8.2	87.5	348.2	953.7	2,144.4	4,299.0	9,251.0
Female-----	286.4	0.5	0.1	0.1	0.3	2.2	16.4	72.3	286.4	1,021.7	2,969.2	8,812.5
All other-----	244.2	1.2	0.3	0.2	1.4	15.7	101.2	313.8	831.2	1,956.9	2,601.1	4,337.5
Male-----	276.3	1.0	0.3	0.2	2.0	20.9	138.0	419.0	1,033.0	2,307.0	2,942.3	4,441.8
Female-----	214.3	1.3	0.2	0.1	0.9	11.1	70.3	221.3	649.1	1,665.4	2,352.1	4,318.1
Acute myocardial infarction-----410	184.9	0.4	0.0	0.0	0.4	4.6	42.4	177.6	425.7	930.6	1,643.4	2,936.5
Male-----	241.9	0.6	0.1	0.1	0.5	7.2	71.0	265.9	675.9	1,350.5	2,156.1	3,349.9
Female-----	130.6	0.1	0.0	0.0	0.3	2.2	15.3	56.4	199.4	596.2	1,288.4	2,655.9
White-----	195.4	0.4	0.0	0.0	0.3	4.1	40.3	156.7	427.7	926.8	1,695.9	3,088.8
Male-----	256.9	0.7	0.1	0.0	0.4	6.4	69.5	269.1	690.4	1,377.0	2,240.2	3,580.7
Female-----	136.6	0.1	-	0.0	0.2	1.7	12.1	50.9	190.1	587.8	1,321.9	2,796.7
All other-----	109.3	0.2	0.1	0.1	1.0	9.0	59.3	166.0	405.4	856.3	1,006.2	1,420.3
Male-----	132.0	0.3	0.1	0.2	1.2	13.3	83.5	235.9	530.4	1,045.3	1,199.0	1,612.7
Female-----	88.1	-	0.1	0.1	0.7	5.3	38.8	104.5	292.5	698.4	866.8	1,293.1
Other acute and subacute forms of ischemic heart disease-----411	2.3	0.1	0.0	0.0	0.0	0.1	0.7	2.4	5.3	10.9	18.5	45.5
Male-----	3.0	0.1	0.0	-	0.0	0.1	1.2	3.8	8.1	16.2	24.3	46.7
Female-----	1.7	0.1	0.0	0.0	0.0	0.1	0.3	1.2	2.8	6.6	14.5	44.9
White-----	2.2	0.1	0.0	0.0	0.0	0.1	0.6	2.1	4.6	9.9	18.3	45.9
Male-----	2.9	0.1	-	-	0.0	0.1	1.0	3.4	7.2	15.1	24.0	47.3
Female-----	1.6	0.1	0.0	0.0	0.0	0.0	0.2	0.8	2.3	5.8	14.4	45.1
All other-----	3.1	0.2	0.1	-	0.0	0.3	2.1	5.6	12.2	22.1	20.8	42.2
Male-----	3.9	-	0.2	-	0.0	0.3	3.4	7.2	17.2	28.8	26.9	41.8
Female-----	2.3	0.3	-	-	-	0.2	1.0	4.2	7.6	16.6	16.2	43.1
Chronic ischemic heart disease-----412	150.2	0.4	0.1	0.0	0.1	1.6	13.7	56.7	192.8	610.1	1,778.8	5,532.5
Male-----	155.6	0.4	0.0	0.0	0.2	2.3	20.5	85.2	276.5	789.9	2,008.2	5,288.1
Female-----	145.1	0.4	0.1	0.0	0.0	1.1	7.1	30.0	117.1	467.0	1,619.9	5,688.8
White-----	152.8	0.3	0.0	0.0	0.1	1.0	10.4	47.2	170.7	570.9	1,795.5	5,838.9
Male-----	157.7	0.3	0.0	0.0	0.1	1.6	16.9	75.6	255.7	751.6	2,033.5	5,620.5
Female-----	148.1	0.3	0.0	0.0	0.0	0.4	4.0	20.6	93.9	427.6	1,692.0	5,966.6
All other-----	131.8	0.8	0.1	0.0	0.4	6.4	39.7	142.0	413.3	1,077.7	1,573.2	2,873.4
Male-----	140.3	0.7	0.1	0.0	0.7	7.3	51.0	175.6	485.0	1,231.4	1,719.4	2,785.5
Female-----	123.8	1.0	0.2	0.0	0.1	5.6	30.2	112.4	348.5	950.2	1,468.3	2,980.6
Angina pectoris-----413	0.1	-	-	-	0.0	-	0.0	0.1	0.2	0.6	1.0	2.2
Male-----	0.1	-	-	-	0.0	-	0.0	0.1	0.4	0.9	1.2	2.3
Female-----	0.1	-	-	-	0.0	-	0.0	0.0	0.1	0.4	0.9	2.1
White-----	0.1	-	-	-	-	-	0.0	0.1	0.2	0.6	1.1	2.3
Male-----	0.1	-	-	-	-	-	0.0	0.1	0.3	0.8	1.3	2.4
Female-----	0.1	-	-	-	-	-	0.0	0.0	0.1	0.4	0.9	2.2
All other-----	0.1	-	-	-	0.0	-	0.2	0.2	0.4	0.8	0.9	1.6
Male-----	0.1	-	-	-	0.0	-	0.2	0.2	0.4	1.4	1.0	1.8
Female-----	0.1	-	-	-	0.0	-	0.2	0.2	0.5	0.2	0.8	1.4
Chronic disease of endocardium and other myocardial insufficiency-----424,428	3.9	1.1	0.2	0.1	0.2	0.5	1.0	2.4	5.5	13.2	38.6	150.5
Male-----	4.0	1.2	0.2	0.1	0.3	0.6	1.1	2.8	7.7	16.9	43.0	137.3
Female-----	3.9	1.1	0.2	0.1	0.2	0.4	0.8	2.0	3.6	10.3	35.7	158.8
White-----	3.8	0.8	0.1	0.1	0.2	0.3	0.7	2.1	4.8	11.7	37.7	153.5
Male-----	3.8	0.9	0.1	0.1	0.2	0.4	0.9	2.4	6.8	14.9	42.2	141.5
Female-----	3.8	0.7	0.2	0.1	0.2	0.3	0.5	1.8	3.0	9.1	34.6	160.5
All other-----	4.8	2.8	0.5	0.1	0.5	1.4	2.9	5.0	12.8	31.9	49.9	125.0
Male-----	5.3	2.6	0.6	0.1	0.7	1.6	3.2	6.9	16.4	39.8	52.2	105.5
Female-----	4.4	3.0	0.5	0.0	0.3	1.1	2.6	3.3				

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases--Con.												
Diseases of heart--Con.												
All other forms of heart diseases-----420-423, 425-427, 429	14.0	9.7	1.2	0.6	1.3	2.3	5.8	13.1	27.5	54.0	113.7	301.3
Male	16.2	10.3	1.2	0.5	1.4	2.6	7.0	17.9	38.0	73.8	140.6	323.2
Female	11.9	9.1	1.1	0.6	1.1	2.0	4.5	8.6	17.9	38.3	95.1	288.3
White	12.9	7.8	1.0	0.5	1.1	1.6	4.2	10.6	23.1	46.8	109.7	309.8
Male	15.0	8.7	1.0	0.5	1.3	1.9	5.3	15.1	32.8	65.2	135.5	334.8
Female	10.9	6.9	0.9	0.5	0.9	1.3	3.0	6.4	14.3	32.1	91.9	295.0
All other	21.9	18.6	2.2	0.7	2.6	7.5	18.3	35.6	71.5	140.2	327.3	837.3
Male	25.2	18.0	2.4	0.8	2.3	8.8	21.5	44.3	90.3	172.4	399.0	1,014.6
Female	18.9	19.3	2.1	0.7	2.9	6.3	15.7	27.9	54.6	113.4	235.1	608.6
Hypertension-----400, 401, 403	4.5	0.1	0.0	0.0	0.1	0.8	2.3	3.9	6.3	15.9	45.1	133.1
Male	4.9	0.1	0.0	0.0	0.1	0.8	2.6	4.6	8.0	19.2	56.5	158.0
Female	4.2	0.1	0.0	0.0	0.1	0.9	2.0	3.2	4.8	13.2	37.2	118.1
White	3.9	0.1	0.0	0.0	0.0	0.3	0.8	2.1	4.5	13.3	43.8	138.1
Male	4.2	0.1	0.0	0.0	0.0	0.3	1.0	2.5	6.2	16.6	54.7	164.5
Female	3.7	0.1	0.0	0.0	0.1	0.3	0.7	1.7	3.0	10.7	36.3	122.4
All other	9.0	-	0.0	0.0	0.4	4.8	13.8	19.8	24.0	46.4	61.2	89.8
Male	9.8	-	0.0	0.0	0.4	4.7	16.9	24.1	26.0	49.2	77.6	109.1
Female	8.2	-	0.1	0.1	0.3	4.8	11.1	16.0	22.2	44.1	49.1	76.4
Cerebrovascular diseases-----430-438	105.8	5.2	0.8	0.7	1.7	4.9	16.6	44.3	123.1	423.2	1,283.5	3,611.7
Male	99.1	5.5	0.8	0.7	1.8	4.8	16.4	47.7	145.8	496.1	1,372.2	3,389.5
Female	112.1	4.8	0.9	0.6	1.7	5.0	16.7	41.2	102.6	365.1	1,222.1	3,764.1
White	104.9	4.6	0.8	0.7	1.5	3.6	12.0	34.9	102.2	381.9	1,285.0	3,791.8
Male	97.4	5.0	0.7	0.7	1.5	3.6	12.0	37.9	123.9	454.1	1,376.0	3,563.5
Female	112.0	4.1	0.8	0.6	1.4	3.6	12.0	32.0	82.6	324.6	1,222.5	3,927.4
All other	112.2	7.9	1.2	0.7	3.5	14.3	52.7	129.9	331.6	915.6	2,662.5	7,045.4
Male	111.5	8.2	1.3	0.8	3.4	14.1	53.7	139.3	364.7	980.8	2,828.4	7,909.1
Female	112.8	7.7	1.0	0.7	3.7	14.4	51.8	121.6	301.6	862.3	2,217.0	6,136.3
Cerebral hemorrhage-----431	23.5	2.2	0.2	0.2	0.5	1.4	5.8	16.5	40.4	102.9	245.6	550.2
Male	23.1	2.0	0.2	0.2	0.5	1.5	6.4	18.8	48.5	119.8	262.9	514.5
Female	23.9	2.4	0.2	0.2	0.4	1.2	5.3	14.3	33.1	89.4	233.6	572.7
White	22.7	2.0	0.2	0.2	0.4	0.9	3.6	12.7	34.1	93.9	246.3	574.5
Male	22.1	1.7	0.2	0.2	0.4	1.0	3.9	14.7	41.7	110.4	264.2	541.1
Female	23.3	2.2	0.2	0.2	0.4	0.7	3.3	10.8	27.3	80.9	233.9	594.4
All other	29.3	3.3	0.3	0.2	1.1	5.1	23.1	51.0	103.4	209.3	236.6	339.1
Male	30.6	3.3	0.3	0.3	1.3	5.6	27.1	57.4	117.1	227.8	247.3	314.5
Female	28.2	3.3	0.3	0.1	1.0	4.7	19.6	45.4	91.0	194.1	229.4	362.5
Cerebral thrombosis-----433	30.2	0.3	0.0	0.0	0.1	0.2	0.9	4.8	25.0	120.5	416.1	1,198.8
Male	27.9	0.5	-	0.0	0.1	0.2	1.0	5.8	31.2	143.3	445.8	1,089.6
Female	32.4	0.1	0.0	0.0	0.1	0.2	0.8	3.8	19.3	102.4	395.6	1,267.0
White	30.8	0.3	0.0	0.0	0.1	0.1	0.7	3.7	20.9	110.5	418.6	1,266.5
Male	28.2	0.4	-	0.0	0.0	0.1	0.8	4.7	27.1	133.9	448.3	1,161.8
Female	33.3	0.1	0.0	0.0	0.1	0.2	0.7	2.8	15.3	91.9	398.2	1,328.7
All other	25.7	0.3	-	0.0	0.2	0.5	2.6	14.6	65.1	240.4	385.0	610.9
Male	25.3	0.7	-	0.0	0.2	0.6	3.1	16.7	71.9	251.3	416.4	545.5
Female	26.1	-	-	0.0	0.1	0.3	2.1	12.7	59.0	231.6	362.6	669.4
Cerebral embolism-----434	0.6	0.1	-	0.0	0.0	0.0	0.1	0.2	0.8	2.5	6.7	16.8
Male	0.5	-	-	0.0	0.0	0.0	0.1	0.3	1.0	2.9	6.8	16.0
Female	0.6	0.1	-	0.0	0.0	0.0	0.1	0.2	0.7	2.1	6.6	17.3
White	0.6	0.1	-	-	0.0	0.0	0.1	0.2	0.8	2.3	6.4	17.7
Male	0.6	-	-	-	-	-	0.1	0.3	1.0	2.8	7.1	15.7
Female	0.6	0.1	-	-	0.0	0.0	0.1	0.2	0.6	2.0	6.6	18.4
All other	0.4	-	-	0.0	0.0	0.0	0.1	0.4	1.2	4.2	4.7	8.6
Male	0.4	-	-	0.0	0.0	0.1	0.1	0.3	1.0	3.8	3.5	10.9
Female	0.5	-	-	0.0	-	-	0.1	0.4	1.3	4.5	5.7	6.9
All other cerebrovascular diseases-----430, 432, 435-438	51.5	2.6	0.6	0.4	1.2	3.3	9.8	22.8	56.9	197.3	615.2	1,845.9
Male	47.6	3.1	0.6	0.5	1.1	3.1	9.0	22.8	65.1	230.2	656.7	1,749.5
Female	55.2	2.1	0.6	0.4	1.2	3.5	10.5	22.8	49.5	171.2	586.4	1,907.2
White	50.8	2.3	0.5	0.4	1.0	2.6	7.6	18.3	46.4	175.2	613.3	1,933.0
Male	46.6	2.8	0.5	0.5	1.1	2.5	7.3	18.3	54.1	207.0	656.4	1,844.0
Female	54.8	1.7	0.6	0.4	1.0	2.7	7.9	18.2	39.4	149.9	583.8	1,985.9
All other	56.7	4.3	0.9	0.5	2.2	8.6	26.9	64.0	161.9	461.7	1,089.8	3,089.8
Male	55.2	4.2	1.0	0.6	1.8	7.8	23.3	64.9	174.6	497.8	661.2	1,038.2
Female	58.1	4.3	0.7	0.5	2.6	9.4	30.0	63.1	150.4	432.2	619.2	1,144.4
Arteriosclerosis-----440	16.8	0.0	0.0	0.0	0.0	0.0	0.2	1.2	6.9	42.1	215.0	1,123.5
Male	15.0	0.1	-	0.0	-	0.0	0.2	1.5	9.0	52.1	236.4	1,078.9
Female	18.5	-	0.0	-	0.0	0.0	0.1	0.9	5.0	34.1	200.1	1,152.1
White	17.7	0.0	0.0	0.0	0.0	0.0	0.2	1.0	5.9	39.0	218.1	1,201.5
Male	15.7	0.1	-	0.0	-	0.0	0.2	1.3	8.1	48.5	240.4	1,163.8
Female	19.7	-	0.0	-	0.0	0.0	0.1	0.7	4.0	31.4	202.8	1,224.0
All other	10.1	-	-	-	-	-	0.1	0.3	2.8	16.8	79.5	446.1
Male	10.2	-	-	-	-	-	0.1	0.4	3.3	18.4	93.5	440.0
Female	10.1	-	-	-	-	-	0.1	0.3	2.4	15.3	67.8	456.9
Other diseases of arteries, arterioles, and capillaries-----441-448	12.4	0.9	0.1	0.1	0.4	0.8	2.2	6.5	22.6	62.9	124.0	265.5
Male	15.7	0.9	0.1	0.1	0.4	1.0	2.8	9.2	35.2	99.8	169.7	285.5
Female	9.2	0.8	0.1	0.1	0.4	0.7	1.7	4.1	11.1	33.5	92.4	253.7
White	12.9	0.8	0.0	0.1	0.3	0.8	1.9	6.0	21.8	63.0	127.3	279.0
Male	16.5	0.7	0.0	0.1	0.4	0.9	2.5	8.7	34.7	102.0	175.5	307.0
Female	9.4	0.9	0.0	0.1	0.3	0.7	1.4	3.5	10.1	32.0	94.2	262.4
All other	8.6	1.3	0.2	0.0	0.6	1.6	4.8	11.6	30.0	61.7	84.2	148.4
Male	9.9	2.0	0.2	0.0	0.6	2.0	5.9	14.0	40.1	74.8	103.5	123.6
Female	7.5	0.7	0.2	-	0.6	1.2	3.8	9.4	20.8	50.8	69.8	169.4
Acute bronchitis and bronchiolitis-----466	0.7	11.3	0.9	0.1	0.1	0.1	0.2	0.4	0.9	1.5	3.0	10.4
Male	0.9	13.1	1.1	0.1	0.1	0.1	0.3	0.5	1.2	2.4	4.2	9.8
Female	0.6	9.3	0.7	0.1	0.1	0.1	0.2	0.4	0.6	0.8	2.3	10.8
White	0.7	8.7	0.8	0.1	0.1	0.1	0.2	0.3	0.8	1.6	3.1	11.0
Male	0.8	10.7	1.0	0.1	0.2	0.1	0.2	0.4	1.1	2.5	4.3	10.1
Female	0.5	6.6	0.6	0.1	0.1	0.0	0.1	0.3	0.6	0.9	2.3	11.5
All other	1.2	23.1	1.6	0.2	0.2	0.2	0.6	1.0	1.3	0.9	1.9	5.5
Male	1.3	24.5	1.6	0.2	0.0	0.1	0.7	0.8	1.9	1.7	2.5	7.3
Female	1.1	21.7	1.5	0.2	0.3	0.3	0.5	1.2	0.7	0.2	1.5	4.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-31

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Influenza and pneumonia-----470-474,480-486	36.8	230.8	9.6	1.8	2.8	4.4	9.3	19.8	42.4	109.5	322.1	1,169.7
Male----	41.6	256.2	9.9	1.8	3.3	4.9	11.5	25.8	58.9	156.3	417.5	1,290.4
Female----	32.2	204.3	9.2	1.8	2.4	3.9	7.3	14.2	27.5	72.2	256.1	1,097.7
White-----	35.0	170.4	7.2	1.6	2.6	3.2	6.5	16.4	37.4	102.2	323.2	1,227.9
Male----	39.1	194.6	7.5	1.6	2.9	3.4	7.9	21.0	52.3	146.7	416.8	1,364.5
Female----	31.1	144.9	6.9	1.5	2.2	2.9	5.3	12.1	24.0	66.9	258.8	1,146.8
All other-----	49.3	512.0	21.4	3.2	4.8	13.8	31.5	50.7	91.9	196.2	308.8	664.8
Male----	59.6	546.7	22.4	2.9	5.8	17.2	42.2	70.8	125.4	266.4	425.4	732.7
Female----	39.7	476.7	20.3	3.5	3.8	10.7	22.5	32.9	61.7	137.2	221.5	622.2
Influenza-----470-474	3.5	3.9	0.5	0.1	0.3	0.4	0.8	2.1	4.7	11.6	32.4	140.9
Male----	3.4	4.0	0.5	0.1	0.3	0.3	0.8	2.2	5.7	14.3	35.6	132.2
Female----	3.7	3.8	0.6	0.1	0.3	0.5	0.8	2.0	3.8	9.6	30.2	146.4
White-----	3.6	2.1	0.5	0.1	0.3	0.4	0.6	1.9	4.3	11.2	32.8	148.2
Male----	3.4	2.1	0.4	0.1	0.3	0.3	0.7	1.9	5.3	13.9	35.9	140.8
Female----	3.8	2.2	0.6	0.1	0.3	0.5	0.6	1.9	3.4	9.1	30.7	152.7
All other-----	3.3	12.0	0.7	0.2	0.3	0.8	2.2	3.7	8.2	16.8	27.4	77.3
Male----	3.3	13.1	1.0	0.1	0.3	0.6	1.8	4.5	9.6	18.0	31.8	67.3
Female----	3.2	11.0	0.3	0.3	0.4	1.0	2.6	2.9	7.0	15.8	24.2	86.1
Pneumonia-----480-486	33.2	226.9	9.0	1.7	2.6	4.0	8.5	17.7	37.7	97.9	289.7	1,028.8
Male----	38.2	252.2	9.4	1.7	3.0	4.6	10.7	23.6	53.3	142.0	381.9	1,158.2
Female----	28.5	200.5	8.6	1.7	2.1	3.4	6.5	12.2	23.7	62.7	225.9	951.2
White-----	31.5	168.2	6.7	1.5	2.3	2.8	5.9	14.5	33.1	91.0	290.4	1,079.7
Male----	35.7	192.5	7.1	1.5	2.6	3.1	7.2	19.0	47.0	132.8	380.9	1,223.7
Female----	27.4	142.7	6.3	1.4	2.0	2.5	4.7	10.2	20.6	57.9	228.2	994.1
All other-----	46.0	500.0	20.7	3.0	4.4	12.9	29.3	47.0	83.7	179.4	281.4	587.5
Male----	56.3	533.7	21.4	2.8	5.5	16.6	40.4	66.3	115.8	248.4	393.5	665.5
Female----	36.4	465.7	20.0	3.2	3.4	9.7	19.9	30.0	54.7	121.5	197.4	536.1
Bronchitis, emphysema, and asthma-----490-493	16.6	5.1	0.9	0.3	0.5	1.0	2.9	10.8	41.3	97.6	135.5	154.7
Male----	26.9	5.6	0.9	0.3	0.5	0.9	3.2	15.5	69.3	187.1	272.1	280.0
Female----	6.7	4.6	0.8	0.3	0.6	1.2	2.5	6.4	16.0	26.3	40.9	78.5
White-----	17.5	4.5	0.7	0.3	0.4	0.7	2.3	10.0	42.0	100.8	141.0	165.7
Male----	28.6	5.0	0.8	0.3	0.3	0.6	2.5	14.3	70.6	194.0	284.3	305.1
Female----	6.9	4.0	0.6	0.3	0.4	0.8	2.0	6.1	16.1	27.0	42.6	82.9
All other-----	9.8	7.9	1.6	0.7	1.5	3.3	7.7	17.6	34.5	58.9	68.7	59.4
Male----	14.7	8.5	1.6	0.7	1.4	2.9	8.9	26.7	56.0	107.7	133.3	90.9
Female----	5.3	7.3	1.5	0.7	1.6	3.6	6.8	9.7	15.1	17.8	20.0	36.1
Chronic and unqualified bronchitis-----490,491	3.1	4.2	0.5	0.1	0.1	0.1	0.4	1.8	7.1	16.5	26.7	43.3
Male----	4.7	4.6	0.5	0.1	0.1	0.1	0.5	2.6	11.4	29.6	50.0	69.9
Female----	1.6	3.8	0.5	0.1	0.0	0.1	0.4	1.1	3.2	6.1	10.6	27.0
White-----	3.3	3.8	0.4	0.1	0.1	0.1	0.3	1.7	7.2	17.0	27.9	46.3
Male----	5.0	4.1	0.4	0.1	0.1	0.1	0.4	2.4	11.5	30.5	52.4	75.4
Female----	1.7	3.4	0.4	0.1	0.0	0.1	0.3	1.1	3.3	6.3	11.0	29.0
All other-----	1.8	6.4	0.9	0.1	0.2	0.4	1.1	2.6	6.2	10.2	12.6	17.2
Male----	2.8	7.2	1.0	0.1	0.3	0.4	1.3	4.0	10.3	18.5	22.4	29.1
Female----	1.0	5.7	0.8	0.1	0.1	0.3	1.0	1.2	2.5	3.2	5.3	8.3
Emphysema-----492	12.1	0.6	0.0	0.0	0.0	0.2	1.4	7.1	31.0	76.5	103.0	103.6
Male----	20.9	0.7	0.0	0.0	0.0	0.3	1.9	11.2	54.7	152.1	215.5	201.9
Female----	3.7	0.4	0.0	0.0	0.0	0.1	0.9	3.3	9.7	16.3	25.2	43.8
White-----	13.1	0.5	0.0	0.0	0.0	0.2	1.3	6.9	32.1	79.5	107.6	111.3
Male----	22.6	0.6	0.0	0.0	0.0	0.2	1.7	10.6	56.5	158.4	225.8	221.3
Female----	4.0	0.4	-	0.0	0.0	0.1	0.8	3.3	10.1	17.0	26.4	46.1
All other-----	5.2	0.7	0.0	0.1	0.1	0.3	2.3	8.8	20.3	40.4	47.8	36.7
Male----	9.1	1.0	-	0.1	0.1	0.7	3.6	16.1	36.4	79.4	98.5	56.4
Female----	1.5	0.3	0.1	0.1	0.1	-	1.3	2.5	5.8	7.5	9.4	22.2
Asthma-----493	1.3	0.3	0.3	0.2	0.4	0.7	1.1	1.9	3.2	4.6	5.7	7.8
Male----	1.3	0.3	0.4	0.2	0.3	0.5	0.8	1.7	3.3	5.5	6.6	8.1
Female----	1.4	0.4	0.3	0.2	0.5	0.9	1.3	2.1	3.1	3.9	5.2	7.7
White-----	1.1	0.2	0.3	0.1	0.3	0.5	0.7	1.4	2.7	4.3	5.1	8.1
Male----	1.1	0.3	0.3	0.2	0.2	0.3	0.5	1.2	2.7	5.1	6.1	8.5
Female----	1.2	0.1	0.2	0.1	0.4	0.6	0.9	1.6	2.7	3.6	5.1	7.9
All other-----	2.8	0.8	0.6	0.5	1.2	2.6	4.2	6.3	8.0	8.3	8.4	5.5
Male----	2.8	0.3	0.6	0.5	1.0	1.8	3.9	6.6	9.3	9.8	12.4	5.5
Female----	2.8	1.3	0.6	0.6	1.4	3.3	4.5	6.0	6.8	7.1	5.3	5.6
Peptic ulcer-----531-533	4.7	1.6	0.1	0.0	0.1	0.5	1.7	4.5	10.9	22.2	38.5	69.1
Male----	6.6	1.9	0.1	0.0	0.2	0.8	2.4	6.8	17.1	36.0	59.4	90.4
Female----	3.0	1.4	0.1	0.0	0.1	0.3	1.0	2.4	5.3	11.3	24.0	56.2
White-----	4.9	1.1	0.1	0.0	0.1	0.4	1.4	4.3	10.7	22.1	39.9	73.2
Male----	6.8	1.3	0.1	0.0	0.1	0.6	2.0	6.4	16.8	35.7	61.8	98.6
Female----	3.1	0.9	0.1	0.0	0.1	0.2	0.8	2.3	5.1	11.2	24.8	58.1
All other-----	3.8	4.0	0.1	0.0	0.2	1.4	4.3	6.6	13.1	25.9	21.4	33.6
Male----	5.5	4.6	0.2	0.1	0.4	2.4	6.3	10.7	19.9	38.8	30.8	29.1
Female----	2.2	3.3	-	-	-	0.5	2.6	2.9	7.0	11.3	14.3	37.5
Appendicitis-----540-543	0.7	0.4	0.2	0.2	0.2	0.2	0.3	0.6	1.4	2.9	5.4	9.1
Male----	0.9	0.5	0.2	0.2	0.3	0.2	0.4	0.8	2.1	4.0	7.7	10.2
Female----	0.6	0.2	0.2	0.2	0.1	0.2	0.2	0.5	0.8	2.0	3.9	8.5
White-----	0.7	0.4	0.2	0.2	0.2	0.2	0.2	0.5	1.2	2.8	5.6	9.4
Male----	0.9	0.6	0.2	0.2	0.3	0.2	0.3	0.7	1.9	3.8	7.9	10.4
Female----	0.5	0.2	0.2	0.2	0.1	0.1	0.3	0.6	2.0	4.0	4.0	8.8
All other-----	1.0	0.2	0.2	0.4	0.2	0.6	1.0	1.9	3.2	4.1	3.6	7.0
Male----	1.1	-	0.1	0.4	0.2	0.4	1.4	1.9	4.3	6.0	5.0	9.1
Female----	0.8	0.3	0.4	0.4	0.2	0.7	0.6	2.0	2.2	2.4	2.6	5.6
Hernia and intestinal obstruction-----550-553,560	3.9	18.7	0.4	0.1	0.2	0.4	0.9	2.2	5.5	14.7	38.0	87.1
Male----	3.6	21.9	0.6	0.1	0.3	0.4	0.8	2.1	5.8	16.2	39.8	76.1
Female----	4.1	15.2	0.2	0.1	0.1	0.4	1.0	2.4	5.3	13.6	36.7	93.9
White-----	3.9	18.1	0.4	0.1	0.2	0.3	0.7	2.0	5.0	14.1	38.5	92.2
Male----	3.5	21.2	0.6	0.1	0.2	0.3	0.6	1.8	5.1	15.4	39.7	78.3
Female----	4.2	14.9	0.1	0.1	0.3	0.8	2.1	4.9	13.0	37.6	100.4	
All other-----	3.9	21.1	0.5	0.2	0.4	1.1	2.4	4.4	10.7	22.9	31.9	43.0
Male----	4.4	25.5	0.6	0.3	0.6	1.1	2.2	4.6	12.7	25.9	40.8	60.0
Female----	3.4	16.7	0.3	0.1	0.2	1.0	2.5	4.3	9.0	20.4	25.3	30.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cirrhosis of liver-----571	14.6	1.5	0.2	0.1	0.4	4.2	18.1	36.6	46.7	41.6	28.8	22.8
Male----	19.3	1.4	0.2	0.1	0.3	5.0	22.7	48.3	67.1	62.7	42.9	29.0
Female----	10.1	1.5	0.3	0.1	0.5	3.3	13.8	25.7	28.1	24.8	19.1	19.0
White-----	14.1	1.4	0.2	0.1	0.3	2.4	14.5	33.9	46.4	42.0	30.0	24.2
Male----	18.8	1.4	0.1	0.1	0.2	3.0	18.8	44.9	66.8	63.3	44.6	31.4
Female----	9.6	1.4	0.3	0.1	0.4	1.8	10.4	23.6	27.9	25.0	19.9	19.9
All other----	18.2	1.8	0.3	0.1	1.3	17.5	46.5	61.3	49.6	37.8	15.4	10.2
Male----	22.8	1.6	0.3	0.0	1.1	21.2	59.7	81.0	70.2	56.4	23.9	10.9
Female----	13.9	2.0	0.3	0.3	1.4	14.2	38.8	44.0	31.0	22.3	9.1	9.7
Cholelithiasis, cholecystitis and cholangitis-----574,575	2.2	0.1	-	0.0	0.1	0.1	0.4	1.0	3.2	10.0	25.4	57.0
Male----	1.9	-	-	-	0.0	0.1	0.3	1.2	3.3	10.0	26.8	51.8
Female----	2.4	0.1	-	0.0	0.1	0.2	0.5	0.9	3.0	10.0	24.4	60.2
White-----	2.3	0.0	-	0.0	0.1	0.1	0.4	0.9	3.2	10.0	26.3	61.1
Male----	2.1	-	-	-	0.0	0.1	0.3	1.1	3.4	10.1	28.1	56.3
Female----	2.6	0.1	-	0.0	0.1	0.2	0.5	0.8	3.0	9.8	25.0	64.0
All other----	1.2	0.2	-	-	0.1	0.3	0.6	1.6	3.0	10.2	14.3	21.1
Male----	0.9	-	-	-	-	-	0.7	1.5	2.2	8.6	11.9	18.2
Female----	1.5	0.3	-	-	0.1	0.6	0.5	1.7	3.7	11.5	16.2	23.6
Nephritis and nephrosis-----580-584	4.7	0.8	0.2	0.4	1.0	1.5	3.4	5.2	9.3	16.4	31.3	74.6
Male----	5.2	0.9	0.2	0.4	1.2	1.7	3.8	6.4	11.0	21.2	40.4	89.3
Female----	4.1	0.8	0.3	0.3	0.8	1.3	3.0	4.1	7.8	12.5	24.9	65.7
White-----	4.0	0.7	0.2	0.3	0.7	1.1	2.2	3.8	7.5	13.6	28.7	71.7
Male----	4.6	0.9	0.2	0.3	0.9	1.4	2.7	4.8	9.2	18.1	36.9	87.7
Female----	3.4	0.6	0.3	0.3	0.6	0.9	1.8	2.7	5.9	10.1	23.1	62.3
All other----	9.6	1.2	0.4	0.6	2.4	4.7	12.2	18.4	27.6	49.1	61.7	99.2
Male----	10.3	0.7	0.2	0.6	3.0	4.7	13.0	21.2	28.6	57.3	80.6	101.8
Female----	9.0	1.7	0.5	0.7	1.8	4.8	11.6	16.0	26.8	42.3	47.5	98.6
Acute nephritis and nephrotic syndrome-----580,581	0.6	0.6	0.2	0.1	0.1	0.2	0.4	0.7	1.3	2.3	4.2	7.3
Male----	0.7	0.6	0.1	0.1	0.2	0.2	0.5	0.9	1.4	3.0	6.3	8.7
Female----	0.6	0.5	0.2	0.1	0.1	0.2	0.4	0.6	1.2	1.8	2.8	6.5
White-----	0.6	0.6	0.1	0.1	0.1	0.1	0.3	0.6	1.1	2.1	4.0	6.7
Male----	0.7	0.8	0.1	0.1	0.1	0.1	0.3	0.7	1.3	2.8	6.0	7.5
Female----	0.5	0.4	0.1	0.1	0.1	0.1	0.3	0.4	0.9	1.6	2.6	6.2
All other----	1.2	0.5	0.4	0.3	0.4	0.8	1.4	2.1	2.9	4.6	6.9	13.3
Male----	1.3	-	0.2	0.3	0.4	0.7	2.0	2.4	2.5	5.3	10.0	18.2
Female----	1.1	1.0	0.5	0.3	0.3	0.9	0.8	1.8	3.3	4.0	4.5	9.7
Chronic and unqualified nephritis and renal sclerosis-----582-584	4.0	0.2	0.1	0.3	0.8	1.3	3.0	4.5	8.0	14.0	27.0	67.2
Male----	4.5	0.2	0.0	0.3	1.0	1.6	3.3	5.5	9.6	18.2	34.2	80.6
Female----	3.5	0.2	0.1	0.3	0.6	1.1	2.6	3.5	6.6	10.7	22.1	59.2
White-----	3.4	0.1	0.1	0.2	0.6	1.0	2.0	3.2	6.4	11.5	24.7	65.1
Male----	3.9	0.1	0.0	0.2	0.8	1.3	2.4	4.1	7.9	15.3	31.0	80.2
Female----	2.9	0.1	0.1	0.2	0.5	0.7	1.5	2.3	5.0	8.5	20.5	56.1
All other----	8.5	0.7	-	0.4	2.0	3.9	10.8	16.3	24.7	44.5	54.8	85.9
Male----	9.0	0.7	-	0.3	2.6	4.0	11.0	18.7	26.1	52.0	70.6	83.6
Female----	7.9	0.7	-	0.4	1.5	3.8	10.7	14.1	23.5	38.3	43.0	88.9
Infections of kidney-----590	4.7	0.9	0.1	0.1	0.2	0.5	1.3	3.3	7.7	19.2	47.1	127.1
Male----	4.5	1.1	0.1	0.0	0.2	0.3	1.0	2.6	7.1	21.7	56.5	149.5
Female----	4.9	0.7	0.1	0.1	0.2	0.6	1.6	3.9	8.2	17.3	40.6	113.7
White-----	4.4	0.9	0.0	0.1	0.2	0.4	0.9	2.4	6.0	16.4	45.8	132.0
Male----	4.1	1.2	0.0	0.0	0.2	0.3	0.7	2.0	5.5	18.4	54.1	155.8
Female----	4.6	0.5	0.1	0.1	0.1	0.5	1.0	2.8	6.5	14.7	40.2	117.9
All other----	7.1	1.2	0.1	0.1	0.4	1.2	4.6	11.1	24.0	53.5	62.7	84.4
Male----	6.8	1.0	0.2	0.1	0.3	0.7	3.1	8.7	22.3	59.2	84.1	101.8
Female----	7.3	1.3	-	0.1	0.5	1.7	5.9	13.3	25.6	48.8	46.8	72.2
Hyperplasia of prostate-----600	1.3	-	-	-	-	-	-	0.1	0.9	5.6	18.6	54.2
Male----	2.7	-	-	-	-	-	-	0.2	1.8	12.7	45.5	143.3
White-----	1.3	-	-	-	-	-	-	0.1	0.7	4.9	17.9	56.2
Male----	2.7	-	-	-	-	-	-	0.1	1.4	11.1	44.0	150.7
All other----	1.5	-	-	-	-	-	-	0.2	3.0	14.1	26.8	37.5
Male----	3.0	-	-	-	-	-	-	0.5	6.3	30.9	62.2	87.3
Complications of pregnancy, childbirth, and the puerperium-----630-678	0.4	-	-	0.0	0.8	1.5	1.0	0.0	-	0.0	-	-
Female----	0.8	-	-	0.0	1.7	2.9	1.9	0.1	-	0.0	-	-
White-----	0.3	-	-	0.0	0.5	0.9	0.7	0.0	-	-	-	-
Female----	0.5	-	-	0.0	1.0	1.8	1.3	0.1	-	-	-	-
All other----	1.5	-	-	0.0	3.0	5.5	3.2	0.0	-	0.1	-	-
Female----	3.0	-	-	0.1	5.9	10.4	5.8	0.1	-	0.2	-	-
Abortions-----640-645	0.1	-	-	0.0	0.1	0.3	0.1	-	-	-	-	-
Female----	0.1	-	-	0.0	0.3	0.5	0.2	-	-	-	-	-
White-----	0.0	-	-	-	0.0	0.2	0.1	-	-	-	-	-
Female----	0.1	-	-	-	0.1	0.3	0.1	-	-	-	-	-
All other----	0.3	-	-	0.0	0.7	1.1	0.5	-	-	-	-	-
Female----	0.6	-	-	0.0	1.4	2.1	0.9	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium-----630-639,650-678	0.4	-	-	0.0	0.7	1.2	0.8	0.0	-	0.0	-	-
Female----	0.7	-	-	0.0	1.4	2.3	1.6	0.1	-	0.0	-	-
White-----	0.2	-	-	0.0	0.5	0.8	0.6	0.0	-	-	-	-
Female----	0.5	-	-	0.0	0.9	1.5	1.2	0.1	-	-	-	-
All other----	1.2	-	-	0.0	2.3	4.4	2.7	0.0	-	0.1	-	-
Female----	2.4	-	-	0.1	4.5	8.3	4.9	0.1	-	0.2	-	-
Congenital anomalies-----740-759	8.4	322.6	9.4	2.5	2.1	1.8	1.8	2.6	3.1	2.9	3.4	5.3
Male----	9.3	343.3	9.8	2.6	2.4	2.1	2.0	2.8	3.3	3.0	4.2	6.3
Female----	7.5	301.0	9.1	2.3	1.7	1.5	1.6	2.4	2.8	2.8	2.9	3.5
White-----	8.2	333.5	9.3	2.4	2.1	1.8	1.7	2.5	3.0	2.8	3.4	5.4
Male----	9.0	354.7	9.6	2.6	2.4	2.0	1.9	2.8	3.2	2.8	4.2	6.5
Female----	7.3	311.3	9.0	2.3	1.8	1.6	1.6	2.3	2.8	2.8	2.8	3.6
All other----	10.1	271.8	10.0	2.7	2.1	1.9	2.2	3.3	3.7	4.1	4.1	4.7
Male----	11.4	289.2	10.5	2.9	2.7	3.0	2.5	3.3	4.5	4.6	4.5	7.3
Female----	8.9	254.0	9.5	2.4	1.6	0.9	1.9	3.3	2.9	3.6	3.8	2.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-33

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778												
infancy-----	21.9	1,275.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2
Male----	26.5	1,474.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-
Female--	17.6	1,068.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.3
White-----	18.8	1,167.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2
Male----	23.1	1,368.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-
Female--	14.7	956.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.3
All other-----	44.4	1,779.9	0.2	0.1	0.1	0.0	0.1	-	-	0.2	-	-
Male----	51.6	1,976.1	0.2	0.1	0.1	-	0.2	-	-	0.2	-	-
Female--	37.7	1,579.7	0.2	0.1	0.1	0.1	-	-	-	0.2	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions-----764-768,772,776												
Birth injury, difficult labor, and other anoxic and hypoxic conditions-----	11.1	643.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Male----	13.9	772.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Female--	8.4	508.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.1
White-----	9.7	602.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Male----	12.4	734.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Female--	7.2	464.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.1
All other-----	20.8	833.5	0.2	0.1	0.1	0.0	0.1	-	-	-	-	-
Male----	24.9	952.0	0.2	0.1	0.1	-	0.2	-	-	-	-	-
Female--	17.0	712.7	0.2	0.1	0.0	0.1	-	-	-	-	-	-
Other causes of mortality in early infancy-----Remainder of 760-778												
Other causes of mortality in early infancy-----	10.9	632.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-	0.1
Male----	12.6	702.1	0.1	0.0	0.0	-	0.0	0.0	0.0	0.1	-	-
Female--	9.2	559.0	0.1	0.0	0.0	0.0	-	-	-	0.0	-	0.1
White-----	9.1	564.6	0.1	0.0	0.0	0.0	-	-	0.0	0.0	-	0.1
Male----	10.7	633.9	0.1	0.0	0.0	-	-	0.0	0.0	0.1	-	-
Female--	7.6	491.9	0.1	0.0	-	0.0	-	-	-	0.0	-	0.1
All other-----	23.6	946.4	0.1	0.0	0.0	-	0.0	-	-	0.2	-	-
Male----	26.8	1,024.2	0.1	0.1	-	-	0.1	-	-	0.2	-	-
Female--	20.7	867.0	0.1	-	0.0	-	-	-	-	0.2	-	-
Symptoms and ill-defined conditions-----780-796												
Symptoms and ill-defined conditions-----	11.8	86.3	2.0	0.4	1.6	2.9	6.1	11.0	21.8	37.5	66.6	212.8
Male----	14.5	97.1	2.3	0.4	2.0	3.3	7.5	15.2	31.9	54.7	88.7	239.7
Female--	9.3	75.1	1.6	0.3	1.2	2.4	4.7	7.1	12.7	23.8	51.3	196.6
White-----	8.8	56.2	1.4	0.3	1.2	1.7	3.8	7.9	16.0	26.5	52.3	173.6
Male----	11.0	65.0	1.6	0.3	1.3	2.0	4.9	11.3	24.3	40.6	70.3	193.5
Female--	6.6	47.1	1.2	0.2	0.9	1.4	2.8	4.5	8.5	15.4	39.9	161.8
All other-----	34.0	226.4	5.1	1.1	4.4	11.6	23.5	39.4	79.6	168.0	239.0	552.3
Male----	40.4	249.0	6.2	1.4	5.8	13.8	29.4	49.7	107.2	217.3	299.5	587.3
Female--	28.0	203.3	4.1	0.8	3.0	9.7	18.6	30.4	54.7	126.7	194.0	533.3
All other diseases-----Residual												
All other diseases-----	48.7	66.5	8.4	3.9	8.2	12.9	26.9	48.6	95.4	195.2	339.2	655.1
Male----	55.2	75.2	9.1	4.2	9.3	13.6	30.0	58.3	123.0	254.8	429.0	747.5
Female--	42.5	57.5	7.7	3.7	7.1	12.2	24.0	39.6	70.5	147.8	276.9	599.6
White-----	47.4	59.3	8.1	3.9	7.2	9.5	21.0	42.8	89.4	187.8	343.2	687.1
Male----	53.4	67.0	8.7	4.2	8.4	9.9	22.7	51.2	115.5	244.8	432.0	786.7
Female--	41.7	51.2	7.4	3.5	6.0	9.1	19.3	35.0	65.8	142.7	282.1	628.0
All other-----	57.8	100.2	10.2	4.5	15.1	38.3	73.9	101.2	155.1	282.9	289.9	377.3
Male----	68.7	114.1	11.2	4.4	15.4	42.7	92.0	125.8	197.3	369.8	395.0	452.7
Female--	47.5	86.0	9.2	4.5	14.9	34.3	58.7	79.7	117.1	210.1	211.3	325.0
Accidents-----E800-E949												
Accidents-----	57.5	73.6	31.4	20.3	69.5	52.5	47.8	53.3	65.5	93.0	183.9	514.5
Male----	81.4	78.7	35.8	27.8	112.9	86.7	74.8	82.3	98.7	131.4	224.5	500.6
Female--	34.6	68.1	26.8	12.6	27.0	19.6	22.2	26.3	35.4	62.5	155.9	523.7
White-----	55.5	61.7	27.7	18.9	69.2	48.5	43.4	49.5	61.6	88.6	186.6	547.1
Male----	77.7	66.1	31.8	25.7	111.7	79.5	67.3	75.2	92.2	123.8	227.1	536.2
Female--	34.3	57.1	23.4	11.7	27.5	18.2	20.4	25.3	33.9	60.6	158.7	553.5
All other-----	71.4	128.7	50.2	28.8	71.2	82.7	82.4	88.0	103.8	146.1	252.0	232.0
Male----	108.2	138.6	56.5	39.8	120.6	143.1	138.3	148.6	163.0	218.2	195.0	232.7
Female--	37.2	118.7	43.7	17.8	24.1	29.6	35.4	34.7	50.4	85.4	120.0	234.7
Motor vehicle accidents-----E810-E823												
Motor vehicle accidents-----	27.5	9.3	11.1	10.0	49.9	32.6	25.0	25.7	28.8	36.2	46.1	39.8
Male----	40.8	9.4	12.2	12.9	78.9	52.5	37.7	38.4	42.0	51.3	72.9	69.5
Female--	14.7	9.2	9.9	6.9	21.7	13.5	12.9	13.8	17.0	24.1	27.6	21.7
White-----	27.2	9.6	10.4	9.7	51.4	31.0	23.5	24.4	27.7	35.3	46.8	41.6
Male----	40.0	10.1	11.2	12.5	80.7	49.5	35.1	35.8	39.6	49.2	73.6	74.2
Female--	14.8	9.0	9.6	6.8	22.7	12.9	12.3	13.6	17.0	24.2	28.3	22.2
All other-----	29.6	8.1	14.1	11.5	40.0	44.8	36.9	37.7	39.8	46.7	38.5	24.2
Male----	46.3	6.2	17.0	15.1	66.1	76.2	59.6	62.8	65.1	75.5	65.2	34.5
Female--	13.9	10.0	11.0	7.8	15.2	17.1	17.8	15.6	17.1	22.5	18.5	16.7
All other accidents-----E800-E807,E825-E949												
All other accidents-----	30.0	64.2	20.4	10.4	19.5	19.9	22.8	27.6	36.6	56.9	137.8	474.7
Male----	40.6	69.3	23.7	14.9	34.0	34.2	37.1	43.9	56.7	80.1	151.6	431.1
Female--	19.9	58.9	16.9	5.7	5.4	6.1	9.3	12.5	18.5	38.4	128.3	502.0
White-----	28.4	52.1	17.2	9.1	17.8	17.5	19.9	25.1	33.9	53.3	139.8	505.5
Male----	37.7	56.0	20.5	13.2	31.0	30.0	32.1	39.4	52.6	74.6	153.5	462.1
Female--	19.4	48.1	13.7	5.0	4.8	5.2	8.2	11.7	17.0	36.4	130.4	531.3
All other-----	41.9	120.6	36.2	17.4	31.2	37.9	45.5	50.3	64.0	99.3	113.5	207.8
Male----	61.9	132.4	39.5	24.7	54.5	66.9	78.7	85.8	97.9	142.7	129.9	198.2
Female--	23.2	108.7	32.6	10.0	8.9	12.5	17.6	19.1	33.3	63.0	101.5	218.1
Suicide-----E950-E959												
Suicide-----	10.7	0.3	7.1	12.1	16.2	19.6	21.8	19.6	20.8	22.1
Male----	15.8	0.5	10.9	17.1	22.0	27.2	34.0	34.5	41.6	50.7
Female--	5.9	0.1	3.4	7.2	10.7	12.4	10.8	7.7	6.3	4.7
White-----	11.5	0.3	7.3	12.3	17.2	20.9	23.2	20.5	21.9	24.2
Male----	16.9	0.5	11.3	17.2	23.2	28.8	36.1	36.2	44.2	56.8
Female--	6.3	0.1	3.4	7.5	11.5	13.4	11.6	8.1	6.5	4.9
All other-----	4.8	0.1	5.6	10.0	8.2	7.7	7.4	8.4	7.3	3.9
Male----	7.3	0.2	8.2	16.0	12.6	12.3	12.4	14.9	11.9	5.5
Female--	2.4	0.1	3.1	4.6	4.5	3.6	2.8	3.0	3.8	2.8
Homicide-----E960-E978												
Homicide-----	7.3	4.8	1.4	0.7	10.1	15.3	12.9	9.0	6.3	4.5	3.3	3.7
Male----	11.8	4.6	1.4	0.9	16.4	25.2	20.8	15.1	10.6	7.8	5.2	5.5
Female--	3.1	4.9	1.4	0.6	4.0	5.7	5.4	3.3	2.4	1.9	2.0	2.6
White-----	3.9	4.1	1.1	0.5	4.8	6.9	6.3	5.0	4.0	3.3	2.9	3.4
Male----	5.9	3.9	1.0	0.5	7.5	11.0	9.8	8.0	6.4	5.6	4.3	4.8
Female--	1.9	4.2	1.1	0.5	2.2	2.8	2.9	2.2	1.8	1.5	1.9	2.6
All other-----	32.4	7.9	3.2	2.1	45.9	78.1	65.2	45.4	29.5	18.9	9.2	6.3
Male----	54.6	7.8	3.5	2.9	77.1	137.3	114.6	81.8	52.7	34.3	15.9	10.9
Female--	11.6	8.0	2.9	1.3								

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1968-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other external causes ² -----E980-E999	2.2	2.9	1.0	0.3	2.1	2.8	3.1	3.2	3.2	2.6	2.8	4.0
Male-----	3.1	3.4	1.1	0.4	3.2	4.1	4.2	4.4	4.9	4.1	4.8	5.8
Female--	1.3	2.4	1.0	0.2	1.0	1.5	2.0	2.1	1.7	1.5	1.4	2.9
White-----	1.8	2.1	0.7	0.3	1.7	2.1	2.4	2.9	3.0	2.5	2.9	3.6
Male-----	2.6	2.5	0.7	0.4	2.7	3.0	3.1	3.8	4.5	3.8	5.0	5.8
Female--	1.1	1.6	0.6	0.1	0.8	1.2	1.7	2.0	1.7	1.4	1.4	2.3
All other-----	4.5	6.9	2.8	0.6	4.5	7.9	8.8	6.7	4.9	4.9	2.1	7.0
Male-----	6.8	7.8	2.9	0.9	7.2	12.9	14.1	10.7	8.5	8.4	3.5	5.5
Female--	2.4	6.0	2.7	0.4	2.0	3.6	4.5	3.2	1.6	2.0	1.1	8.3

¹Figures for age not stated included in "total" but not distributed among age groups.

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1968

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England ¹	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1968-----	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967-----	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966-----	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965-----	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964-----	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963-----	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962-----	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961-----	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960-----	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59-----	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54-----	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49-----	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44-----	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39-----	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34-----	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29-----	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24-----	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19-----	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14-----	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09-----	15.2	16.2	---	---	---	---	---	---	---	---
1900-04-----	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

1-35

Table 1-11. Death Rates: United States, Each Division and State, 1959-68

[Rates per 1,000 population in each area]

Division and State	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959
United States	9.7	9.4	9.5	9.4	9.4	9.6	9.5	9.3	9.5	9.4
Geographic divisions:										
New England ¹	10.4	10.3	10.3	10.5	9.8	10.4	10.5	10.4	10.6	10.4
Middle Atlantic	10.7	10.2	10.4	10.3	10.4	10.6	10.4	10.4	10.5	10.4
East North Central	9.7	9.5	9.7	9.6	9.6	9.8	9.6	9.4	9.6	9.5
West North Central	10.3	10.1	10.3	10.2	10.2	10.3	10.1	9.9	10.1	10.0
South Atlantic	9.5	9.1	9.2	9.1	9.0	9.2	9.0	8.8	9.1	8.8
East South Central	9.8	9.4	9.6	9.5	9.5	9.8	9.5	9.2	9.5	9.3
West South Central	9.1	8.6	8.7	8.6	8.6	8.8	8.7	8.4	8.7	8.4
Mountain	8.2	7.9	7.9	7.8	7.9	8.0	7.8	7.7	8.1	8.0
Pacific	8.4	8.3	8.5	8.4	8.5	8.5	8.4	8.4	8.7	8.5
New England:										
Maine	11.4	11.4	11.1	11.0	11.0	11.2	11.2	10.8	11.1	11.3
New Hampshire	10.6	10.6	10.5	10.9	10.8	11.1	10.8	10.9	11.0	11.3
Vermont	10.7	10.9	11.1	11.4	11.4	11.4	11.1	11.1	11.4	11.3
Massachusetts ¹	10.9	10.7	10.7	11.0	9.6	10.5	10.8	10.8	11.0	10.7
Rhode Island	10.6	10.4	10.5	10.9	10.5	10.8	10.5	10.3	10.5	10.3
Connecticut	9.0	8.9	9.1	9.1	9.1	9.5	9.4	9.2	9.4	9.3
Middle Atlantic:										
New York	10.7	10.2	10.3	10.2	10.3	10.5	10.4	10.5	10.6	10.6
New Jersey	9.7	9.4	9.6	9.6	9.6	9.8	9.7	9.7	9.8	9.7
Pennsylvania	11.2	10.8	11.0	10.9	10.8	11.1	10.9	10.6	10.7	10.6
East North Central:										
Ohio	9.7	9.4	9.6	9.6	9.5	9.8	9.6	9.4	9.6	9.4
Indiana	9.8	9.6	9.9	9.8	9.7	10.1	9.7	9.5	9.7	9.6
Illinois	10.3	10.1	10.4	10.2	10.1	10.4	10.2	10.1	10.2	10.1
Michigan	8.9	8.8	8.9	8.9	8.8	9.0	8.8	8.6	8.7	8.6
Wisconsin	9.8	9.5	9.7	9.7	9.5	9.8	9.5	9.3	9.7	9.6
West North Central:										
Minnesota	9.3	9.2	9.3	9.1	9.4	9.3	9.1	9.0	9.3	9.2
Iowa	10.8	10.5	10.8	10.7	10.6	10.6	10.4	10.2	10.4	10.4
Missouri	11.3	11.0	11.5	11.2	11.1	11.5	11.2	10.9	11.2	11.0
North Dakota	8.9	8.5	8.9	8.5	8.6	8.5	8.5	8.2	8.6	8.6
South Dakota	10.0	9.5	9.7	9.5	9.4	9.4	9.3	9.1	9.7	9.4
Nebraska	10.4	10.1	10.2	10.2	10.1	10.0	9.8	9.7	10.0	9.9
Kansas	9.8	9.6	9.8	9.7	9.8	10.0	9.8	9.6	9.7	9.5
South Atlantic:										
Delaware	9.2	8.8	9.3	9.0	8.7	9.2	9.1	8.9	9.4	9.0
Maryland	8.7	8.4	8.8	8.7	8.5	9.0	8.8	8.8	9.0	8.8
District of Columbia	10.9	10.9	11.4	11.2	11.5	11.7	11.4	11.4	11.5	11.6
Virginia	8.7	8.2	8.3	8.4	8.4	8.6	8.5	8.3	8.7	8.4
West Virginia	11.0	10.7	10.8	10.6	10.3	10.7	10.2	9.8	9.7	9.5
North Carolina	8.7	8.4	8.5	8.4	8.3	8.5	8.3	8.0	8.4	8.0
South Carolina	8.8	8.4	8.6	8.5	8.5	8.7	8.3	8.3	8.7	8.4
Georgia	9.1	8.5	8.6	8.7	8.7	9.0	8.8	8.5	9.0	8.6
Florida	11.3	10.6	10.5	10.3	10.1	10.1	9.8	9.4	9.7	9.2
East South Central:										
Kentucky	10.3	10.0	9.9	9.8	9.7	10.2	9.8	9.6	9.9	9.6
Tennessee	9.4	9.2	9.3	9.1	9.2	9.5	9.2	9.0	9.2	9.0
Alabama	9.4	9.0	9.4	9.3	9.3	9.5	9.3	8.9	9.3	9.0
Mississippi	10.2	9.6	10.0	9.8	9.8	10.2	10.0	9.5	10.0	9.8
West South Central:										
Arkansas	10.5	9.9	9.9	9.9	10.0	10.3	10.1	9.6	10.0	9.6
Louisiana	9.2	8.7	9.0	9.0	9.0	9.1	9.0	8.7	9.1	8.8
Oklahoma	10.2	10.0	10.1	9.7	9.8	10.0	9.9	9.6	9.8	9.6
Texas	8.5	8.0	8.1	7.9	8.0	8.1	8.0	7.7	8.1	7.8
Mountain:										
Montana	9.5	9.4	9.8	9.4	9.8	9.4	9.2	9.2	9.7	9.8
Idaho	8.6	8.4	8.6	8.6	8.5	8.5	8.0	8.1	8.1	8.3
Wyoming	9.4	8.8	8.1	8.5	8.5	8.5	8.3	7.9	8.5	8.2
Colorado	8.7	8.3	8.3	8.3	8.5	8.4	8.5	8.3	8.7	8.7
New Mexico	7.1	6.9	6.8	6.7	6.8	6.9	6.7	6.6	6.9	6.7
Arizona	8.3	7.9	7.9	7.6	7.8	7.8	7.6	7.5	7.8	7.6
Utah	6.7	6.4	6.8	6.7	6.6	6.8	6.6	6.5	6.8	6.8
Nevada	7.9	7.5	7.2	7.4	7.5	7.5	7.8	8.4	8.9	8.6
Pacific:										
Washington	9.3	9.5	9.8	9.2	9.5	9.3	9.3	9.2	9.3	9.3
Oregon	9.5	9.5	9.7	9.4	9.6	9.7	9.5	9.4	9.5	9.6
California	8.3	8.2	8.3	8.3	8.4	8.4	8.3	8.3	8.6	8.3
Alaska	4.9	4.7	4.8	5.0	5.8	5.4	5.4	5.4	5.8	5.1
Hawaii ²	5.3	5.2	5.2	5.1	5.1	5.4	5.1	5.2	5.6	5.4

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.²Figure for 1959 is by place of occurrence.

SECTION 1 - GENERAL MORTALITY

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1968

[Rates per 100,000 population in each area]

Division and State	Number							Rate					
	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total ¹	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	1,930,082	89,301	37,209	134,152	479,038	1,189,697	685	965.7	482.6	62.9	215.7	1,174.2	6,217.7
Geographic divisions:													
New England	119,060	4,452	1,679	5,970	27,335	79,549	75	1,039.8	431.0	51.9	173.0	1,109.8	6,430.8
Middle Atlantic	393,224	14,813	5,536	24,278	100,371	248,305	121	1,065.6	460.3	54.4	214.0	1,184.3	6,520.6
East North Central	384,620	17,685	7,208	25,301	93,977	240,389	60	971.3	480.4	60.3	211.2	1,144.3	6,493.5
West North Central	165,657	6,134	3,120	8,722	34,028	113,603	50	1,031.4	431.7	64.6	186.8	1,034.6	6,068.5
South Atlantic	284,803	15,331	6,421	24,582	78,379	159,923	167	949.3	533.8	71.3	250.3	1,377.0	5,994.1
East South Central	128,128	7,150	2,885	9,735	31,790	76,485	83	978.2	578.0	72.3	237.8	1,268.6	6,279.6
West South Central	174,200	9,672	4,167	13,773	43,170	103,382	36	906.9	512.6	70.1	227.5	1,186.0	5,996.6
Mountain	64,608	3,885	1,772	5,416	15,732	37,778	25	1,064.3	450.6	43.8	168.1	1,130.3	6,475.0
Pacific	215,782	10,179	4,421	16,375	54,456	130,283	68	841.6	432.8	59.0	196.8	1,067.8	5,767.3
New England:													
Maine	11,117	448	189	520	2,334	7,619	7	1,139.0	487.0	64.9	184.4	1,178.8	6,568.1
New Hampshire	7,430	274	106	411	1,622	5,013	4	1,058.4	415.2	52.2	190.3	1,150.4	6,426.9
Vermont	4,562	182	90	230	961	3,099	-	1,073.4	466.7	70.3	176.9	1,144.0	6,456.3
Massachusetts	59,433	2,113	799	2,787	13,500	40,197	37	1,086.7	433.9	52.4	172.0	1,135.4	6,493.9
Rhode Island	9,728	365	109	469	2,289	6,475	21	1,064.3	450.6	43.8	168.1	1,150.3	6,475.0
Connecticut	26,790	1,070	386	1,553	6,629	17,146	6	904.2	399.3	45.9	168.1	1,016.7	6,212.3
Middle Atlantic:													
New York	193,167	7,328	2,682	12,574	48,740	121,780	63	1,068.5	453.2	54.6	225.9	1,167.7	6,372.6
New Jersey	66,782	2,816	992	4,438	18,076	42,417	43	969.7	452.7	50.3	198.6	1,147.0	6,388.1
Pennsylvania	131,275	4,669	1,862	7,266	33,355	84,108	15	1,119.3	476.9	56.7	205.0	1,231.7	6,821.4
East North Central:													
Ohio	102,993	4,380	1,854	6,594	25,264	64,893	8	972.7	456.3	57.6	201.5	1,153.1	6,710.8
Indiana	49,562	2,363	1,000	3,242	11,414	31,533	10	979.3	489.2	65.3	208.6	1,121.2	6,596.9
Illinois	113,192	5,266	1,904	7,847	28,659	69,497	19	1,029.9	518.3	59.6	237.4	1,205.2	6,519.4
Michigan	77,473	3,965	1,686	5,536	19,918	46,347	21	886.5	480.0	62.0	209.6	1,136.9	6,314.3
Wisconsin	41,400	1,711	764	2,082	8,722	28,119	2	980.8	432.1	59.2	172.5	1,015.4	6,153.0
West North Central:													
Minnesota	33,903	1,400	701	1,708	7,061	23,030	3	929.6	413.0	61.0	162.7	975.3	5,757.5
Iowa	29,900	1,045	529	1,360	5,576	21,383	7	1,077.9	430.0	64.0	173.9	966.4	6,180.1
Missouri	52,168	1,865	916	3,041	11,566	34,748	32	1,128.0	469.8	69.4	220.4	1,191.1	6,399.3
North Dakota	5,601	206	120	295	1,174	3,805	1	893.3	349.2	60.0	168.6	946.8	5,853.8
South Dakota	6,539	286	152	369	1,257	4,473	2	996.8	454.0	71.4	207.3	952.3	5,662.0
Nebraska	15,024	529	292	765	2,938	10,500	-	1,044.1	403.8	67.1	185.2	995.9	5,865.9
Kansas	22,522	803	410	1,184	4,456	15,664	5	982.2	424.9	59.8	171.3	956.2	6,024.6
South Atlantic:													
Delaware	4,896	226	79	382	1,363	2,841	5	916.9	418.5	47.9	226.0	1,323.3	6,607.0
Maryland	32,642	1,682	726	2,792	9,421	18,018	3	869.5	457.1	64.6	230.6	1,278.3	6,528.3
District of Columbia	8,805	440	144	1,036	2,845	4,337	3	1,088.4	517.6	66.1	412.7	1,589.4	6,285.8
Virginia	39,814	2,156	832	3,548	11,119	22,127	32	866.5	490.0	60.2	227.1	1,272.1	6,395.1
West Virginia	19,789	817	350	1,194	4,993	12,429	6	1,098.2	541.1	65.7	218.3	1,264.2	6,473.4
North Carolina	44,339	2,812	1,179	4,413	12,419	23,501	15	865.7	579.8	75.4	253.8	1,301.8	6,041.4
South Carolina	23,453	1,602	714	2,434	7,184	11,500	19	880.4	600.0	82.7	271.7	1,555.0	6,318.7
Georgia	41,385	2,639	1,094	4,181	12,147	21,255	69	906.0	560.3	77.2	276.7	1,456.5	6,125.4
Florida	69,680	2,997	1,303	4,602	16,888	43,915	15	1,132.8	536.7	74.6	238.0	1,463.4	5,329.5
East South Central:													
Kentucky	33,083	1,442	682	2,236	7,654	21,064	5	1,027.4	485.5	70.5	222.3	1,226.6	6,402.4
Tennessee	37,478	1,824	790	2,831	9,679	22,352	2	942.8	510.9	68.2	220.5	1,229.9	6,107.1
Alabama	33,553	1,997	810	2,907	8,796	18,976	67	943.0	589.1	74.0	263.6	1,299.3	6,141.1
Mississippi	24,014	1,887	603	1,761	5,661	14,093	9	1,024.5	773.4	78.0	251.6	1,354.3	6,585.5
West South Central:													
Arkansas	20,947	921	444	1,294	4,712	13,576	-	1,054.7	482.2	75.8	219.0	1,211.3	6,007.1
Louisiana	34,350	2,226	927	3,073	9,223	18,898	3	921.9	565.5	76.8	267.0	1,380.7	6,539.1
Oklahoma	25,740	949	520	1,594	5,799	16,854	24	1,021.4	441.4	72.0	198.0	1,121.7	5,955.5
Texas	93,163	5,576	2,276	7,812	23,436	54,054	9	848.7	513.4	66.4	222.8	1,134.4	5,837.4
Mountain:													
Montana	6,552	280	173	435	1,527	4,133	4	945.5	437.5	77.2	217.5	1,083.0	6,168.7
Idaho	6,012	297	156	404	1,324	3,829	2	855.2	456.9	68.4	192.4	939.0	5,890.8
Wyoming	2,961	145	80	210	699	1,827	-	940.0	483.3	77.7	228.3	1,027.9	6,090.0
Colorado	17,726	900	394	1,380	3,995	11,055	2	867.6	481.3	61.9	204.1	1,032.3	6,141.7
New Mexico	7,157	584	273	808	1,841	3,643	6	711.4	507.8	77.6	281.5	1,064.2	5,440.3
Arizona	13,780	923	364	1,239	3,667	7,578	9	828.6	518.5	68.4	233.8	1,277.7	5,491.3
Utah	6,886	483	221	538	1,511	4,132	1	666.0	423.7	62.3	168.7	883.6	5,738.9
Nevada	3,534	273	111	402	1,168	1,579	1	787.1	525.0	83.5	261.0	1,424.4	5,848.1
Pacific:													
Washington	30,466	1,323	607	1,963	7,208	19,349	16	930.0	481.1	61.7	185.5	1,075.8	6,282.1
Oregon	19,048	767	414	1,088	4,489	12,281	9	948.6	464.8	71.1	176.3	1,051.3	5,738.8
California	160,806	7,600	3,200	12,615	41,131	96,222	38	833.2	422.7	57.3	200.9	1,073.9	5,693.6
Alaska	1,349	180	81	303	435	347	3	492.3	529.4	81.8	315.6	1,061.0	5,783.3
Hawaii	4,113	309	119	406	1,193	2,084	2	527.3	386.3	47.2	150.4	903.8	5,082.9

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-13. Deaths From 69 Selected Causes:

[Numbers after causes of death are category numbers of the Eighth

Division and State		Total	Bacillary dysentery and amebiasis (004,006)	Enteritis and other diarrheal diseases (005,008)	Tuberculosis, all forms (010-019)	Tuberculosis of respiratory system (010-012)	Tuberculosis, other forms (011-019)	Whooping cough (033)	Streptococcal sore throat and scarlet fever (054)	Menigeococcal infections (055)	Septicemia (036)	Acute poliomyelitis (040-045)	Measles (055)
1	United States-----	1,930,082	111	2,940	6,292	5,009	1,283	36	28	741	2,991	24	24
Geographic divisions:													
2	New England-----	119,060	-	109	292	238	54	-	1	39	180	1	1
3	Middle Atlantic-----	393,224	9	395	1,461	1,242	219	3	3	106	569	1	5
4	East North Central-----	384,620	18	448	1,131	876	255	2	4	121	415	4	4
5	West North Central-----	165,657	4	255	307	220	87	-	3	36	185	1	1
6	South Atlantic-----	284,803	14	533	1,098	898	200	13	5	171	627	1	4
7	East South Central-----	128,128	20	325	625	511	114	4	2	58	211	1	2
8	West South Central-----	174,200	20	431	630	505	125	12	6	107	412	11	2
9	Mountain-----	64,608	12	182	223	170	53	1	1	31	115	1	2
10	Pacific-----	215,782	14	262	525	349	176	1	3	72	277	4	3
New England:													
11	Maine-----	11,117	-	14	21	15	6	-	1	4	11	1	-
12	New Hampshire-----	7,430	-	3	7	5	2	-	-	1	3	-	-
13	Vermont-----	4,562	-	9	13	11	2	-	-	1	5	-	-
14	Massachusetts-----	59,433	-	37	184	156	28	-	-	19	108	-	-
15	Rhode Island-----	9,728	-	7	23	15	8	-	-	5	11	-	1
16	Connecticut-----	26,790	-	39	44	36	8	-	-	9	42	-	-
Middle Atlantic:													
17	New York-----	193,167	7	196	718	612	106	1	-	50	283	-	3
18	New Jersey-----	68,782	1	76	243	206	37	2	1	15	85	-	-
19	Pennsylvania-----	131,275	1	123	500	424	76	-	2	41	201	1	2
East North Central:													
20	Ohio-----	102,993	3	133	266	219	47	1	2	29	121	2	2
21	Indiana-----	49,562	2	62	144	125	19	1	1	15	67	-	-
22	Illinois-----	113,192	11	118	378	259	119	-	-	41	89	1	2
23	Michigan-----	77,473	2	78	273	223	50	-	1	27	106	1	-
24	Wisconsin-----	41,400	-	57	70	50	20	-	-	9	32	-	-
West North Central:													
25	Minnesota-----	33,903	-	50	44	25	19	-	1	6	54	-	-
26	Iowa-----	29,900	1	47	49	33	16	-	-	6	29	-	-
27	Missouri-----	52,168	2	62	143	112	31	-	1	13	63	-	1
28	North Dakota-----	5,601	1	10	10	5	5	-	-	1	7	-	-
29	South Dakota-----	6,539	-	14	10	7	3	-	1	2	7	-	-
30	Nebraska-----	15,024	-	27	16	14	2	-	-	4	10	-	-
31	Kansas-----	22,522	-	45	35	24	11	-	-	4	17	1	-
South Atlantic:													
32	Delaware-----	4,896	-	8	19	18	1	-	-	1	5	-	-
33	Maryland-----	32,642	-	25	175	152	23	-	1	12	77	-	-
34	District of Columbia-----	8,805	-	13	84	79	5	1	-	1	14	-	-
35	Virginia-----	39,814	2	51	166	140	26	4	-	15	84	-	1
36	West Virginia-----	19,789	-	36	100	90	10	1	-	7	26	1	1
37	North Carolina-----	44,339	4	88	144	109	35	-	1	38	107	-	2
38	South Carolina-----	23,453	1	114	96	76	20	2	1	35	37	-	1
39	Georgia-----	41,385	5	99	110	82	28	1	-	34	128	-	-
40	Florida-----	69,680	2	99	204	152	52	4	2	28	149	-	-
East South Central:													
41	Kentucky-----	33,083	-	53	150	121	29	2	1	15	62	-	-
42	Tennessee-----	37,478	4	60	180	145	35	-	-	24	51	-	1
43	Alabama-----	33,533	2	99	206	174	32	1	1	12	53	-	1
44	Mississippi-----	24,014	14	113	89	71	18	1	-	7	45	-	-
West South Central:													
45	Arkansas-----	20,947	2	45	96	72	24	2	1	5	38	-	-
46	Louisiana-----	34,350	2	87	141	112	29	-	-	25	103	2	-
47	Oklahoma-----	25,740	2	39	74	58	16	2	2	12	51	1	1
48	Texas-----	93,163	14	260	319	263	56	8	3	65	220	8	1
Mountain:													
49	Montana-----	6,552	-	9	17	16	1	-	-	5	1	-	-
50	Idaho-----	6,012	-	9	11	10	1	-	-	2	5	-	-
51	Wyoming-----	2,961	-	3	3	2	1	-	-	1	1	-	-
52	Colorado-----	17,726	1	32	42	27	15	-	1	6	34	-	1
53	New Mexico-----	7,157	4	38	32	21	11	-	-	3	12	-	-
54	Arizona-----	13,780	6	61	102	81	21	1	1	4	43	1	1
55	Utah-----	6,886	-	27	8	7	1	-	-	2	16	-	-
56	Nevada-----	3,534	-	3	8	6	2	-	-	6	3	-	-
Pacific:													
57	Washington-----	30,466	-	46	58	40	18	-	2	9	35	1	-
58	Oregon-----	19,048	-	17	27	21	6	-	-	5	21	-	1
59	California-----	160,806	14	186	409	271	138	1	1	52	203	3	2
60	Alaska-----	1,349	-	3	10	5	5	-	-	2	3	-	-
61	Hawaii-----	4,113	-	10	21	12	9	-	-	4	15	-	-

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1968

Revision, International Classification of Diseases, Adapted, 1965]

Syphilis and its sequelae (080-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory system (160-183)	Malignant neoplasms of breast (174)	Malignant neoplasms of genital organs (180-187)	Malignant neoplasms of urinary organs (188,189)	Malignant neoplasms of all other and unspecified sites (170-173,190-199)	Leukemia (204-207)	Other neoplasms of lymphatic and hematopoietic tissues (200-203,205,206)	Benign neoplasms and neoplasms of unspecified nature (210-255)	Diabetes mellitus (250)	Vitaminoses and other nutritional deficiencies (260-269)	Aneurysms (280-285)	
586	4,003	318,547	7,294	93,563	63,485	29,081	40,936	14,792	37,247	14,375	17,774	4,948	38,352	2,543	3,494	1
26	235	20,940	600	6,627	4,010	1,978	2,485	1,072	2,252	779	1,137	353	2,417	138	220	2
99	662	69,427	1,535	21,998	13,639	7,028	8,002	3,331	7,647	2,685	3,562	1,087	8,203	382	638	3
99	736	63,897	1,386	19,173	12,384	6,011	8,286	2,991	7,097	2,960	3,609	876	8,822	460	661	4
51	306	27,311	509	8,272	4,734	2,456	3,757	1,314	4,417	1,417	1,818	349	3,220	262	301	5
98	665	43,444	1,063	11,715	9,290	3,630	5,970	1,932	5,728	1,904	2,212	843	5,360	363	551	6
47	304	18,571	467	5,024	3,731	1,455	2,779	745	2,460	874	1,036	301	2,316	189	273	7
63	449	27,424	647	7,276	6,071	2,129	3,799	1,091	3,588	1,336	1,487	377	3,518	299	393	8
23	177	9,580	172	2,706	1,737	862	1,272	475	1,179	560	617	176	1,128	125	103	9
80	469	37,953	915	10,772	7,909	3,532	4,586	1,841	4,242	1,860	2,296	566	3,368	325	354	10
3	24	1,908	39	591	375	148	278	90	201	75	111	35	204	14	29	11
4	8	1,214	36	372	236	98	162	69	130	53	58	29	182	13	17	12
2	8	724	19	205	139	66	104	44	68	31	48	7	83	4	4	13
4	118	10,285	295	3,296	1,969	1,011	1,485	532	1,107	341	551	183	1,106	87	102	14
4	16	1,830	52	596	355	180	206	85	180	73	103	19	285	5	22	15
5	61	4,979	159	1,567	936	475	552	252	566	206	266	80	557	15	46	16
42	308	34,775	775	11,220	6,759	3,642	3,876	1,670	3,680	1,322	1,831	551	3,677	162	296	17
14	120	12,813	286	4,099	2,672	1,303	1,485	605	1,294	469	600	185	1,531	75	143	18
43	234	21,839	474	6,679	4,208	2,083	2,641	1,056	2,673	894	1,131	351	2,995	145	199	19
42	207	17,201	341	5,098	3,486	1,573	2,223	795	1,923	798	964	249	2,432	127	183	20
11	72	7,816	144	2,223	1,565	724	1,060	346	958	392	404	114	1,144	80	74	21
15	197	18,558	445	5,764	3,639	1,722	1,865	896	1,865	811	1,054	258	2,029	89	156	22
23	182	13,262	294	3,818	2,650	1,249	1,703	602	1,547	622	777	173	2,318	100	162	23
8	78	7,060	162	2,270	1,044	743	938	352	804	337	410	82	899	64	86	24
14	57	5,885	96	1,884	861	585	767	294	595	328	475	71	614	50	57	25
9	61	4,933	102	1,511	830	455	692	266	530	244	303	69	628	52	69	26
18	89	8,275	162	2,354	1,652	696	1,102	370	1,074	379	486	112	1,019	89	82	27
2	9	982	9	339	141	78	146	46	95	61	67	6	88	8	14	28
1	18	1,095	14	341	158	92	174	58	112	64	82	18	104	6	9	29
1	24	2,537	53	810	419	229	363	107	242	141	173	27	289	11	22	30
6	48	3,604	73	1,033	653	321	513	173	406	200	232	46	478	46	48	31
2	14	819	15	242	166	66	100	40	113	33	44	15	124	4	11	32
11	61	5,778	114	1,634	1,247	510	731	274	743	230	295	134	845	47	75	33
4	26	1,487	45	470	321	138	198	60	132	49	74	34	202	5	13	34
17	88	6,019	141	1,618	1,297	542	804	257	778	275	307	121	693	45	65	35
7	34	3,045	53	848	660	218	442	145	377	139	163	50	326	32	42	36
15	125	5,854	160	1,466	1,065	524	878	236	930	280	315	128	866	51	103	37
10	67	3,008	69	752	617	243	472	123	417	132	183	72	496	28	53	38
15	120	5,465	153	1,409	1,107	461	813	232	789	246	255	103	669	78	87	39
17	130	11,969	313	3,276	2,810	928	1,532	565	1,449	520	576	186	1,139	73	102	40
8	65	4,923	146	1,451	996	406	655	201	572	214	282	75	667	81	71	41
9	101	5,690	138	1,496	1,192	438	849	229	743	279	326	73	577	39	74	42
19	79	4,751	115	1,193	919	364	787	197	693	220	263	93	633	29	69	43
11	59	3,207	68	884	624	247	488	118	452	161	165	60	439	40	59	44
10	38	3,089	65	830	649	207	451	92	461	137	197	50	367	17	49	45
15	85	5,247	125	1,346	1,213	429	711	202	739	236	246	91	927	52	93	46
7	61	4,078	83	1,070	842	317	572	159	585	206	244	58	451	56	59	47
31	265	15,010	374	4,030	3,367	1,176	2,065	638	1,803	757	800	178	1,773	174	192	48
1	8	1,082	22	309	189	94	150	67	124	57	70	9	122	9	15	49
1	14	930	13	256	143	85	137	44	114	63	75	24	103	10	8	50
2	10	389	7	112	67	35	64	19	43	20	22	10	58	5	5	51
7	43	2,593	40	759	426	249	348	115	314	162	180	41	297	39	26	52
5	26	1,039	16	313	172	83	139	53	146	54	63	19	121	15	19	53
4	45	2,077	50	579	462	171	238	96	250	105	126	43	238	36	17	54
2	19	917	15	239	129	102	140	50	122	67	53	21	123	11	10	55
1	12	553	9	139	149	43	56	31	66	32	28	9	66	4	3	56
3	51	4,925	99	1,418	984	433	662	229	557	233	290	85	577	45	42	57
5	34	3,245	73	872	674	306	408	153	376	195	188	40	280	35	28	58
72	366	28,865	706	8,166	6,072	2,730	3,431	1,416	3,223	1,365	1,756	447	2,397	229	280	59
-	3	190	9	42	29	9	18	11	21	1	10	4	18	1	-	60
-	15	768	28	274	190	54	67	32	65	46	52	10	96	15	4	61

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes:

[Numbers after causes of death are category numbers of the Eighth

Division and State	Meningitis (520)	Major cardiovascular diseases (350-448)	Diseases of heart (350-398, 402, 404, 410-489)	Active rheumatic fever and chronic rheumatic heart disease (350-398)	Hypertensive heart disease (402)	Hypertensive heart and renal disease (404)	Ischemic heart disease (410-412)	Acute myocardial infarction (410)	Other acute and subacute forms of ischemic heart disease (411)	Chronic ischemic heart diseases (412)	Angina pectoris (413)	Chronic disease of endocardium and other myocardial insufficiency (424, 428)
1 United States-----	1,707	1,023,399	744,658	16,358	9,811	7,887	674,747	369,610	4,691	300,216	230	7,836
Geographic divisions:												
2 New England-----	85	64,942	48,317	1,136	833	305	44,234	23,804	554	19,861	15	498
3 Middle Atlantic-----	301	214,700	165,918	4,020	1,841	1,228	153,477	75,113	591	77,757	16	1,285
4 East North Central-----	272	211,412	155,352	3,396	2,593	2,087	140,763	78,028	687	62,008	40	1,630
5 West North Central-----	121	90,587	63,560	1,273	754	883	57,472	34,112	282	23,033	45	879
6 South Atlantic-----	335	146,215	103,417	1,983	1,150	1,357	92,621	51,755	1,309	39,519	38	1,151
7 East South Central-----	115	67,294	46,125	643	608	668	40,889	25,187	142	15,534	26	703
8 West South Central-----	185	88,146	61,890	872	899	507	54,177	34,041	575	19,542	19	864
9 Mountain-----	90	29,692	21,048	753	211	234	18,511	10,901	99	7,506	5	256
10 Pacific-----	203	110,411	79,031	2,282	922	618	72,603	36,669	452	35,456	26	570
New England:												
11 Maine-----	9	6,242	4,588	84	53	49	4,182	2,577	15	1,587	3	90
12 New Hampshire-----	3	4,139	2,934	58	53	34	2,664	1,642	7	1,013	2	47
13 Vermont-----	4	2,446	1,790	45	22	13	1,643	845	5	792	1	24
14 Massachusetts-----	32	32,398	24,309	606	559	121	22,111	11,482	94	10,527	8	246
15 Rhode Island-----	10	5,402	4,201	61	45	22	3,923	1,697	395	1,831	-	27
16 Connecticut-----	27	14,315	10,497	262	101	66	9,711	5,561	38	4,111	1	64
Middle Atlantic:												
17 New York-----	172	104,392	81,799	2,037	1,005	393	76,346	34,237	210	41,491	8	407
18 New Jersey-----	53	37,932	29,519	695	264	187	27,387	13,280	196	13,910	1	284
19 Pennsylvania-----	76	72,376	54,600	1,288	572	648	49,744	27,596	185	21,956	7	594
East North Central:												
20 Ohio-----	71	56,616	41,087	1,022	749	729	37,040	19,619	196	17,212	13	321
21 Indiana-----	30	27,359	19,009	404	235	535	16,785	10,163	92	6,525	5	316
22 Illinois-----	95	64,205	49,078	936	946	435	44,664	24,063	182	20,412	7	569
23 Michigan-----	56	40,217	29,663	703	471	195	27,162	15,811	132	11,212	7	216
24 Wisconsin-----	20	23,015	16,515	331	192	193	15,112	8,372	85	6,647	8	208
West North Central:												
25 Minnesota-----	30	18,508	12,829	349	156	105	11,774	6,695	80	4,995	4	138
26 Iowa-----	18	16,940	11,890	190	130	232	10,678	6,757	47	3,867	7	192
27 Missouri-----	42	28,027	19,646	390	268	310	17,483	9,877	82	7,492	32	268
28 North Dakota-----	3	2,987	2,113	52	17	14	1,944	1,272	8	664	-	15
29 South Dakota-----	6	3,519	2,492	38	28	16	2,263	1,515	10	738	-	28
30 Nebraska-----	10	8,245	5,858	102	86	115	5,330	3,244	29	2,056	1	86
31 Kansas-----	12	12,361	8,732	144	69	91	8,000	4,752	26	3,221	1	152
South Atlantic:												
32 Delaware-----	6	2,525	1,989	53	21	24	1,821	920	4	897	-	14
33 Maryland-----	44	16,361	12,688	298	101	140	11,617	5,242	56	6,318	1	118
34 District of Columbia-----	10	3,834	2,751	54	42	38	2,502	780	8	1,713	1	23
35 Virginia-----	41	20,521	14,890	239	141	209	13,511	7,022	681	5,802	6	235
36 West Virginia-----	11	10,631	7,653	130	84	101	6,922	3,934	25	2,960	3	85
37 North Carolina-----	56	22,892	15,718	292	138	289	13,787	8,510	50	5,221	6	141
38 South Carolina-----	40	12,331	8,376	103	105	165	7,441	4,458	19	2,962	2	114
39 Georgia-----	55	21,550	14,095	216	288	156	12,253	8,059	88	4,094	12	254
40 Florida-----	72	35,770	25,297	598	230	235	22,767	12,830	378	9,552	7	167
East South Central:												
41 Kentucky-----	22	18,081	13,009	202	134	175	11,698	7,204	35	4,456	3	144
42 Tennessee-----	28	20,453	14,035	204	121	185	12,893	8,106	28	4,757	2	197
43 Alabama-----	34	16,940	11,169	167	204	204	9,532	5,836	30	3,659	7	194
44 Mississippi-----	31	11,820	7,912	98	186	104	6,766	4,041	49	2,662	14	168
West South Central:												
45 Arkansas-----	12	11,384	7,860	109	115	74	6,900	4,523	18	2,359	-	83
46 Louisiana-----	45	17,445	12,752	129	158	67	11,460	6,213	31	5,214	2	233
47 Oklahoma-----	22	13,724	9,518	135	139	87	8,486	5,929	36	2,516	5	115
48 Texas-----	106	45,593	31,760	499	487	279	27,331	17,376	490	9,453	12	433
Mountain:												
49 Montana-----	6	3,224	2,213	61	25	24	1,891	1,252	15	624	-	40
50 Idaho-----	6	3,047	2,176	66	22	25	1,920	1,250	8	661	1	29
51 Wyoming-----	2	1,467	1,048	31	9	12	930	577	5	348	-	20
52 Colorado-----	13	8,664	6,144	225	38	95	5,464	3,050	30	2,382	2	70
53 New Mexico-----	15	2,696	1,851	78	24	10	1,608	987	8	613	-	20
54 Arizona-----	23	5,952	4,255	143	55	31	3,814	2,061	26	1,725	2	30
55 Utah-----	10	3,211	2,339	117	26	30	1,994	1,222	5	767	-	35
56 Nevada-----	15	1,431	1,022	32	12	7	890	502	2	386	-	12
Pacific:												
57 Washington-----	36	16,256	11,638	298	123	152	10,536	6,309	182	4,040	5	101
58 Oregon-----	12	10,246	7,161	184	61	121	6,535	3,469	36	3,028	2	45
59 California-----	148	81,738	58,634	1,743	720	339	54,104	26,127	220	27,739	18	408
60 Alaska-----	4	389	285	7	3	-	231	173	-	57	1	3
61 Hawaii-----	3	1,782	1,313	51	15	6	1,197	591	14	592	-	13

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

All other forms of heart disease (420-423, 425-427, 429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Cerebral hemorrhage (431)	Cerebral thrombosis (432)	Cerebral embolism (434)	All other cerebrovascular diseases (430, 432, 435-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Acute bronchitis and bronchiolitis (456)	Influenza and pneumonia (470-474, 480-486)	Influenza (470-474)	Pneumonia (480-486)	Bronchitis, emphysema, and asthma (490-495)	Chronic and unqualified bronchitis (490, 491)	Emphysema (492)	
28,019	9,063	211,390	47,002	60,331	1,136	102,921	33,568	24,720	1,432	73,492	7,062	66,430	33,078	6,205	24,185	1
1,311	516	12,184	3,427	4,202	79	4,476	2,212	1,713	86	5,275	412	4,863	1,934	440	1,313	2
4,067	1,591	36,026	8,293	11,134	258	16,341	6,439	4,726	309	15,449	1,051	14,398	5,379	1,217	3,612	3
4,883	1,916	42,104	10,123	12,590	231	19,160	7,147	4,893	331	13,428	1,238	12,190	6,465	1,136	4,774	4
2,299	771	20,434	4,434	5,489	138	10,373	3,641	2,181	101	6,574	1,069	5,505	3,008	594	2,296	5
5,155	1,624	33,079	7,409	9,499	131	16,040	4,421	3,674	169	11,222	1,041	10,181	4,806	850	3,560	6
2,614	846	16,871	3,597	4,520	70	8,684	2,051	1,401	90	4,581	494	4,087	1,919	370	1,387	7
4,571	823	20,520	4,392	4,277	120	11,731	2,873	2,040	98	6,964	761	6,203	2,978	513	2,266	8
1,083	233	6,326	1,246	1,415	41	3,624	1,184	901	76	2,841	367	2,474	2,037	374	1,532	9
2,036	743	23,846	4,081	7,205	68	12,492	3,600	3,191	172	7,158	629	6,529	4,552	781	3,445	10
130	53	1,186	339	351	5	491	239	176	7	384	68	316	216	43	156	11
78	43	801	207	266	2	326	267	94	6	255	30	225	162	37	112	12
43	30	453	111	155	2	185	107	66	4	235	65	170	97	29	61	13
666	225	6,030	1,826	2,122	51	2,031	961	873	49	2,993	131	2,862	905	187	621	14
103	46	907	235	314	5	353	130	118	3	306	31	275	131	35	83	15
291	119	2,807	709	994	14	1,090	508	386	17	1,102	87	1,015	423	109	280	16
1,611	712	16,785	4,072	4,880	119	7,714	2,962	2,134	171	8,737	534	8,203	2,673	747	1,635	17
702	305	6,277	1,400	2,176	43	2,658	981	850	67	2,367	147	2,220	877	191	621	18
1,754	574	12,964	2,821	4,078	96	5,969	2,496	1,742	71	4,345	370	3,975	1,829	279	1,356	19
1,225	494	11,612	2,563	3,615	71	5,363	1,939	1,484	73	3,475	367	3,108	1,778	364	1,265	20
734	242	6,213	1,589	1,721	43	2,860	1,248	647	21	1,660	173	1,487	921	115	729	21
1,528	730	11,441	3,242	3,424	56	4,719	1,737	1,219	162	4,290	249	4,041	1,665	323	1,198	22
916	290	8,005	1,736	2,546	38	3,685	1,273	986	53	2,567	229	2,338	1,473	201	1,128	23
479	160	4,833	993	1,284	23	2,533	950	557	22	1,436	220	1,216	628	133	454	24
307	112	4,457	882	1,115	15	2,445	627	483	23	1,254	166	1,088	522	107	376	25
460	147	3,772	822	984	23	1,943	701	430	14	1,155	213	942	584	87	470	26
927	287	6,329	1,338	1,893	73	3,025	1,176	589	38	2,219	304	1,915	898	143	688	27
71	25	639	150	129	2	358	134	76	1	251	35	216	95	25	64	28
119	27	785	170	170	1	444	119	96	3	212	30	182	135	29	95	29
139	70	1,805	417	491	10	887	321	191	10	626	133	493	351	76	250	30
276	103	2,647	655	707	14	1,271	563	316	12	857	188	669	423	57	353	31
56	12	380	79	119	5	177	82	62	1	199	9	190	91	9	76	32
414	145	2,645	570	645	10	1,420	455	428	26	1,144	91	1,053	491	102	342	33
92	38	822	160	288	2	372	121	102	6	426	26	400	136	25	74	34
555	203	4,246	870	1,127	20	2,229	680	502	24	1,873	194	1,479	653	130	461	35
331	150	2,196	544	630	4	1,018	350	282	18	816	73	743	399	72	305	36
1,071	275	5,687	1,235	1,654	20	2,778	650	562	25	1,684	178	1,506	633	148	419	37
448	152	3,205	831	1,480	13	1,480	353	245	10	818	109	709	304	50	237	38
928	289	5,853	1,623	1,574	20	2,636	655	458	20	1,996	233	1,763	624	115	453	39
1,260	360	8,045	1,447	2,631	37	3,930	1,075	1,033	39	2,466	128	2,338	1,475	199	1,193	40
656	142	3,937	878	1,044	13	2,002	594	399	21	1,245	94	1,151	575	120	408	41
435	256	5,138	903	1,402	27	2,806	629	395	31	1,392	182	1,210	569	135	396	42
933	249	4,651	1,117	1,355	11	2,168	518	353	19	1,094	118	976	477	79	368	43
590	199	3,145	699	719	19	1,708	310	254	19	850	100	750	298	36	215	44
579	146	2,823	658	575	8	1,582	340	215	5	803	134	669	336	74	250	45
705	155	3,663	793	782	11	2,077	477	398	18	1,357	133	1,224	511	85	377	46
556	122	3,303	757	688	34	1,824	484	297	10	892	128	764	488	67	381	47
2,731	400	10,731	2,184	2,232	67	6,248	1,572	1,130	65	3,912	366	3,546	1,643	287	1,258	48
172	15	722	140	185	3	394	179	95	6	245	30	215	183	37	134	49
114	17	652	134	150	3	365	114	88	3	209	28	181	168	24	132	50
46	12	306	69	48	-	189	48	53	1	122	21	101	105	17	82	51
252	64	1,792	335	383	16	1,058	393	271	22	948	147	801	525	98	389	52
111	36	636	169	141	3	323	95	78	13	365	41	324	177	33	123	53
182	55	1,243	216	300	6	721	231	168	21	575	67	508	588	115	437	54
137	17	665	115	153	8	389	86	104	7	245	27	218	167	32	122	55
69	17	310	68	55	2	185	38	44	3	132	6	126	124	18	99	56
428	94	3,446	599	896	10	1,941	671	407	24	1,155	167	988	637	120	471	57
216	49	2,303	401	719	4	1,179	470	263	15	597	49	548	461	106	340	58
1,320	580	17,664	2,969	5,494	53	9,148	2,412	2,448	127	5,178	408	4,770	3,348	540	2,566	59
41	3	72	13	17	-	42	18	11	2	40	3	37	20	5	13	60
31	17	361	99	79	1	182	29	62	4	188	2	186	86	10	55	61

Table 1-13. Deaths From 69 Selected Causes:

[Numbers after causes of death are category numbers of the Eighth

	Division and State	Asthma (485)	Peptic ulcer (551-553)	Appendicitis (540-543)	Hernia and intestinal obstruction (550-555,560)	Cirrhosis of liver (571)	Cholelithiasis, cholecystitis and cholangitis (574,575)	Nephritis and nephrosis (580-584)	Acute nephritis and nephrotic syndrome (580,581)	Chronic and unqualified nephritis and renal sclerosis (585-594)	Infections of kidney (590)	Hypertonia of prostate (600)
1	United States-----	2,688	9,460	1,485	7,758	29,183	4,385	9,311	1,294	8,017	9,395	2,647
2	Geographic divisions:											
3	New England-----	181	619	73	470	1,935	249	561	88	473	482	110
4	Middle Atlantic-----	550	2,111	298	1,582	7,311	863	1,776	238	1,538	1,529	536
5	East North Central-----	555	1,966	304	1,553	5,432	878	1,752	224	1,528	1,722	583
6	West North Central-----	188	803	152	754	1,586	472	736	110	626	725	258
7	South Atlantic-----	396	1,248	214	1,072	3,896	539	1,513	220	1,293	1,720	379
8	East South Central-----	162	494	97	451	988	299	800	85	715	866	230
9	West South Central-----	199	713	133	692	2,035	404	1,089	170	919	1,097	216
10	Mountain-----	131	420	58	315	1,074	228	290	43	247	315	86
11	Pacific-----	326	1,086	156	869	4,926	453	794	116	678	939	249
12	New England:											
13	Maine-----	17	64	3	52	114	27	64	10	54	47	14
14	New Hampshire-----	13	36	5	32	90	15	37	5	32	44	7
15	Vermont-----	7	28	6	23	43	8	16	4	12	19	5
16	Massachusetts-----	97	322	40	219	994	126	257	41	216	228	49
17	Rhode Island-----	13	42	5	35	165	18	77	14	63	44	6
18	Connecticut-----	34	127	14	109	529	55	110	14	96	100	29
19	Middle Atlantic:											
20	New York-----	291	1,139	155	752	4,377	427	847	119	728	763	309
21	New Jersey-----	65	363	47	269	1,239	164	302	34	268	283	86
22	Pennsylvania-----	194	609	96	561	1,695	272	627	85	542	483	141
23	East North Central:											
24	Ohio-----	149	557	81	407	1,369	218	426	55	371	542	171
25	Indiana-----	77	233	44	227	582	98	262	39	223	216	57
26	Illinois-----	144	623	83	435	1,752	236	554	62	492	476	178
27	Michigan-----	144	346	65	309	1,260	194	362	56	306	311	105
28	Wisconsin-----	41	207	31	175	469	132	148	12	136	177	72
29	West North Central:											
30	Minnesota-----	39	167	39	156	333	102	104	17	87	106	49
31	Iowa-----	27	150	31	126	233	82	117	19	98	103	49
32	Missouri-----	67	226	32	219	583	133	279	33	246	299	75
33	North Dakota-----	6	30	3	26	48	21	23	2	21	19	13
34	South Dakota-----	11	30	11	34	56	21	16	5	11	19	9
35	Nebraska-----	25	87	12	77	141	63	74	14	60	66	29
36	Kansas-----	13	113	24	116	192	50	123	20	103	113	34
37	South Atlantic:											
38	Delaware-----	6	19	7	35	77	11	32	3	29	21	4
39	Maryland-----	47	145	26	130	675	60	153	32	121	124	37
40	District of Columbia-----	37	49	9	30	337	15	50	4	46	74	7
41	Virginia-----	62	163	30	144	532	83	223	24	199	212	50
42	West Virginia-----	22	113	22	73	220	46	93	13	80	112	32
43	North Carolina-----	66	179	36	164	450	106	266	48	218	289	63
44	South Carolina-----	17	87	14	93	189	34	132	11	121	181	40
45	Georgia-----	56	183	25	147	404	60	271	30	241	289	61
46	Florida-----	83	310	45	256	1,012	124	293	55	238	418	85
47	East South Central:											
48	Kentucky-----	47	136	23	142	303	81	184	21	163	181	43
49	Tennessee-----	38	161	40	118	295	102	214	21	193	290	92
50	Alabama-----	30	118	17	113	248	78	229	21	208	243	44
51	Mississippi-----	47	79	17	78	142	38	173	22	151	192	51
52	West South Central:											
53	Arkansas-----	12	66	15	76	153	52	156	29	127	132	41
54	Louisiana-----	49	135	27	129	365	65	192	29	163	202	34
55	Oklahoma-----	40	133	11	108	322	55	194	26	168	184	37
56	Texas-----	98	379	80	379	1,195	232	547	86	461	579	104
57	Mountain:											
58	Montana-----	12	37	5	32	80	26	28	3	25	19	8
59	Idaho-----	12	34	4	25	54	19	29	3	26	32	7
60	Wyoming-----	6	24	1	12	38	11	7	3	4	15	3
61	Colorado-----	34	135	17	86	317	60	71	13	58	91	18
62	New Mexico-----	11	40	7	44	165	30	33	3	30	28	14
63	Arizona-----	36	87	10	68	257	53	73	8	65	96	22
64	Utah-----	13	40	10	31	81	22	36	6	30	23	11
65	Nevada-----	7	23	4	17	102	7	13	4	9	11	3
66	Pacific:											
67	Washington-----	46	156	18	117	438	56	108	24	84	100	31
68	Oregon-----	15	86	14	71	254	24	71	9	62	83	22
69	California-----	242	808	122	662	4,145	361	579	79	500	721	191
70	Alaska-----	2	4	-	2	26	1	3	1	2	2	1
71	Hawaii-----	21	32	2	17	63	11	33	3	30	33	4

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1968—Con.

Revision, International Classification of Diseases, Adapted, 1965]

Complications of pregnancy, child-birth, and the puerperium (650-676)	Abortions (640-645)	Other complications of pregnancy, child-birth, and the puerperium (650-659, 680-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769, 770-772, 774-778)	Birth injury, difficult labor, and other anoxic and hypoxic conditions (784-786, 772, 776)	Other causes of mortality in early infancy (remainder of 760-776)	Symptoms and ill-defined conditions (780-786)	All other diseases (residual)	Accidents (E800-E849)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E849)	Suicide (E850-E859)	Homicide (E860-E876)	Other external causes (E880-E899)	
859	133	726	16,793	43,840	22,132	21,708	23,656	97,305	114,864	54,862	60,002	21,372	14,686	4,315	1
26	3	23	930	2,278	1,100	1,178	847	6,346	5,428	2,113	3,315	988	323	121	2
150	30	120	2,993	7,737	3,780	3,957	4,479	19,612	16,460	7,298	9,162	2,929	2,120	1,550	3
157	22	135	3,422	9,088	4,727	4,361	1,628	18,004	21,147	10,433	10,714	4,073	2,706	599	4
42	6	36	1,301	3,122	1,569	1,553	1,930	7,987	10,148	5,050	5,098	1,642	670	346	5
162	26	136	2,658	7,135	3,530	3,605	5,367	15,472	19,499	9,374	10,125	3,455	3,482	455	6
90	10	80	1,134	3,253	1,558	1,695	4,274	5,963	9,130	4,360	4,770	1,247	1,349	216	7
113	12	101	1,606	4,540	2,353	2,187	3,146	9,057	12,737	6,307	6,430	1,831	2,052	234	8
46	7	39	708	1,786	952	834	1,088	4,016	5,748	2,882	2,866	1,213	432	169	9
73	17	56	2,041	4,901	2,563	2,338	897	10,848	14,567	7,045	7,522	3,994	1,552	645	10
3	-	3	84	210	120	90	105	527	562	220	342	90	16	8	11
4	-	4	65	128	59	69	87	341	380	168	212	99	11	3	12
1	-	1	33	96	46	50	50	244	269	111	158	62	8	5	13
13	3	10	458	1,088	511	577	420	3,305	2,653	938	1,715	409	182	56	14
5	-	5	67	199	109	90	13	479	399	169	230	62	23	12	15
5	-	5	223	557	255	302	170	1,450	1,165	507	658	266	83	37	16
85	20	65	1,467	3,780	1,833	1,947	1,572	8,962	7,590	3,287	4,303	1,215	1,257	1,256	17
32	4	28	556	1,483	739	744	288	3,018	3,048	1,349	1,699	530	372	102	18
33	6	27	970	2,474	1,208	1,266	2,619	7,632	5,822	2,662	3,160	1,184	491	192	19
43	6	37	887	2,269	1,112	1,157	381	5,109	5,584	2,642	2,942	1,163	644	129	20
19	1	18	465	1,163	574	589	243	2,354	3,109	1,509	1,600	542	293	61	21
50	9	41	916	2,644	1,672	972	382	4,799	5,478	2,621	2,857	997	951	279	22
37	5	32	765	2,128	980	1,148	454	3,603	4,708	2,508	2,200	928	721	103	23
8	1	7	389	884	389	495	168	2,139	2,268	1,153	1,115	443	97	27	24
5	1	4	348	676	317	359	157	1,726	2,189	1,123	1,066	342	78	86	25
5	2	3	204	560	272	288	60	1,358	1,788	916	872	290	48	32	26
17	1	16	341	933	471	462	1,416	2,445	2,919	1,419	1,500	491	407	160	27
2	-	2	59	102	59	43	29	295	388	205	183	57	6	7	28
1	-	1	64	144	84	60	62	308	518	256	262	58	19	9	29
4	1	3	124	272	134	138	44	688	939	451	488	136	36	20	30
8	1	7	161	435	232	203	162	1,167	1,407	680	727	266	76	32	31
2	-	2	45	113	62	51	16	268	292	150	142	64	40	6	32
15	3	12	321	859	388	471	186	1,862	1,916	850	1,066	397	365	64	33
6	3	3	64	252	62	190	213	691	486	140	346	55	157	14	34
14	4	10	410	1,066	561	505	534	2,220	2,742	1,168	1,574	631	422	56	35
7	-	7	177	390	198	192	542	910	1,176	487	689	164	83	46	36
36	4	32	405	1,372	660	712	1,172	2,347	3,440	1,858	1,582	521	561	116	37
20	3	17	234	609	289	320	579	1,110	1,975	907	1,068	247	334	51	38
28	5	23	445	1,082	585	497	588	2,387	3,240	1,716	1,524	497	690	29	39
34	4	30	557	1,392	725	667	1,537	3,677	4,232	2,098	2,134	879	830	73	40
12	2	10	280	695	348	347	226	1,695	2,263	1,011	1,252	369	281	52	41
27	2	25	353	857	441	416	455	1,723	2,547	1,255	1,292	415	402	71	42
28	6	22	300	879	417	462	1,787	1,534	2,566	1,296	1,270	314	427	16	43
23	-	23	201	822	352	470	1,806	1,011	1,754	798	956	149	239	77	44
11	-	11	150	381	190	191	652	884	1,464	696	768	166	161	38	45
23	3	20	379	1,021	531	490	197	1,888	2,661	1,267	1,394	310	440	36	46
9	-	9	175	479	256	223	463	1,373	1,633	800	833	254	151	69	47
70	9	61	902	2,659	1,376	1,283	1,834	4,912	6,979	3,544	3,435	1,101	1,300	71	48
1	-	1	64	134	63	71	169	315	550	269	281	96	24	22	49
3	-	3	44	138	65	73	61	333	559	276	283	90	21	9	50
3	-	3	20	77	40	37	17	189	281	139	142	62	15	4	51
5	1	4	175	438	246	192	98	1,095	1,276	625	651	341	120	48	52
7	-	7	81	261	123	138	233	512	886	455	431	147	59	11	53
15	3	12	161	367	200	167	191	921	1,236	622	614	238	125	42	54
5	-	5	119	235	151	84	285	427	578	303	275	130	35	21	55
7	3	4	44	136	64	72	34	224	382	193	189	109	33	12	56
7	-	7	282	609	314	295	212	1,694	2,020	968	1,052	445	129	57	57
2	-	2	154	357	182	175	238	904	1,304	680	624	304	67	24	58
61	17	44	1,516	3,696	1,942	1,754	363	7,919	10,615	5,187	5,448	3,151	1,308	522	59
-	-	-	19	83	46	37	45	89	353	82	271	37	26	9	60
3	-	3	70	156	79	77	39	242	275	148	127	57	22	33	61

SECTION I - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Division and State	Total	Bacillary dysentery and amebiasis (004,008)	Eneritis and other diarrheal diseases (008,009)	Tuberculosis, all forms (010-019)	Tuberculosis of respiratory system (010-012)	Tuberculosis, other forms (013-019)	Whooping cough (025)	Streptococcal sore throat and scarlet fever (034)	Meningococcal infections (036)	Septicemia (036)	Acute poliomyelitis (040-042)	Mesles (055)
1 United States	965.7	0.1	1.5	3.1	2.5	0.6	0.0	0.0	0.4	1.5	0.0	0.0
Geographic divisions:												
2 New England	1,039.8	-	1.0	2.6	2.1	0.5	-	0.0	0.3	1.6	0.0	0.0
3 Middle Atlantic	1,065.6	0.0	1.1	4.0	3.4	0.6	0.0	0.0	0.3	1.5	0.0	0.0
4 East North Central	971.3	0.0	1.1	2.9	2.2	0.6	0.0	0.0	0.3	1.0	0.0	0.0
5 West North Central	1,031.4	0.0	1.6	1.9	1.4	0.5	-	0.0	0.2	1.2	0.0	0.0
6 South Atlantic	949.3	0.0	1.8	3.7	3.0	0.7	0.0	0.0	0.6	2.1	0.0	0.0
7 East South Central	978.2	0.2	2.5	4.8	3.9	0.9	0.0	0.0	0.4	1.6	0.0	0.0
8 West South Central	906.9	0.1	2.2	3.3	2.6	0.7	0.1	0.0	0.6	2.1	0.1	0.0
9 Mountain	817.1	0.2	2.3	2.8	2.1	0.7	0.0	0.0	0.4	1.5	0.0	0.0
10 Pacific	841.6	0.1	1.0	2.0	1.4	0.7	0.0	0.0	0.3	1.1	0.0	0.0
New England:												
11 Maine	1,139.0	-	1.4	2.2	1.5	0.6	-	0.1	0.4	1.1	0.1	-
12 New Hampshire	1,058.4	-	0.4	1.0	0.7	0.3	-	-	0.1	0.4	-	-
13 Vermont	1,073.4	-	2.1	3.1	2.6	0.5	-	-	0.2	1.2	-	-
14 Massachusetts	1,086.7	-	0.7	3.4	2.9	0.5	-	-	0.3	2.0	-	-
15 Rhode Island	1,064.3	-	0.8	2.5	1.6	0.9	-	-	0.5	1.2	-	0.1
16 Connecticut	904.2	-	1.3	1.5	1.2	0.3	-	-	0.3	1.4	-	-
Middle Atlantic:												
17 New York	1,068.5	0.0	1.1	4.0	3.4	0.6	0.0	-	0.3	1.6	-	0.0
18 New Jersey	969.7	0.0	1.1	3.4	2.9	0.5	0.0	0.0	0.2	1.2	-	-
19 Pennsylvania	1,119.3	0.0	1.0	4.3	3.6	0.6	-	0.0	0.3	1.7	0.0	0.0
East North Central:												
20 Ohio	972.7	0.0	1.3	2.5	2.1	0.4	0.0	0.0	0.3	1.1	0.0	0.0
21 Indiana	979.3	0.0	1.2	2.8	2.5	0.4	0.0	0.0	0.3	1.3	-	-
22 Illinois	1,029.9	0.1	1.1	3.4	2.4	1.1	-	-	0.4	0.8	0.0	0.0
23 Michigan	886.5	0.0	0.9	3.1	2.6	0.6	-	0.0	0.3	1.2	0.0	-
24 Wisconsin	980.8	-	1.4	1.7	1.2	0.5	-	-	0.2	0.8	-	-
West North Central:												
25 Minnesota	929.6	-	1.4	1.2	0.7	0.5	-	0.0	0.2	1.5	-	-
26 Iowa	1,077.9	0.0	1.7	1.8	1.2	0.6	-	-	0.2	1.0	-	-
27 Missouri	1,128.0	0.0	1.3	3.1	2.4	0.7	-	0.0	0.3	1.4	-	0.0
28 North Dakota	893.3	0.2	1.6	1.6	0.8	0.8	-	-	0.2	0.8	-	-
29 South Dakota	996.8	-	2.1	1.5	1.1	0.5	-	0.2	0.3	1.1	-	-
30 Nebraska	1,044.1	-	1.9	1.1	1.0	0.1	-	-	0.3	0.7	-	-
31 Kansas	982.2	-	2.0	1.5	1.0	0.5	-	-	0.2	0.7	0.0	-
South Atlantic:												
32 Delaware	916.9	-	1.5	3.6	3.4	0.2	-	-	0.2	0.9	-	-
33 Maryland	869.5	-	0.7	4.7	4.0	0.6	-	0.0	0.3	2.1	-	-
34 District of Columbia	1,088.4	-	1.6	10.4	9.8	0.6	0.1	-	0.1	1.7	-	-
35 Virginia	866.5	0.0	1.1	3.6	3.0	0.6	0.1	-	0.3	1.8	-	-
36 West Virginia	1,098.2	-	2.0	5.5	5.0	0.6	0.1	-	0.4	1.4	0.1	0.1
37 North Carolina	865.7	0.1	1.7	2.8	2.1	0.7	-	0.0	0.7	2.1	-	0.0
38 South Carolina	880.4	0.0	4.3	3.6	2.9	0.8	0.1	0.0	1.3	1.4	-	0.0
39 Georgia	906.0	0.1	2.2	2.4	1.8	0.6	0.0	-	0.7	2.8	-	-
40 Florida	1,132.8	0.0	1.6	3.3	2.5	0.8	0.1	0.0	0.5	2.4	-	-
East South Central:												
41 Kentucky	1,027.4	-	1.6	4.7	3.8	0.9	0.1	0.0	0.5	1.9	-	-
42 Tennessee	942.8	0.1	1.5	4.5	3.6	0.9	-	-	0.6	1.3	-	0.0
43 Alabama	943.0	0.1	2.8	5.8	4.9	0.9	0.0	0.0	0.3	1.5	-	0.0
44 Mississippi	1,024.5	0.6	4.8	3.8	3.0	0.8	0.0	-	0.3	1.9	-	-
West South Central:												
45 Arkansas	1,054.7	0.1	2.3	4.8	3.6	1.2	0.1	0.1	0.3	1.9	-	-
46 Louisiana	921.9	0.1	2.3	3.8	3.0	0.8	-	-	0.7	2.8	0.1	-
47 Oklahoma	1,021.4	0.1	1.5	2.9	2.3	0.6	0.1	0.1	0.5	2.0	0.0	0.0
48 Texas	848.7	0.1	2.4	2.9	2.4	0.5	0.1	0.0	0.6	2.0	0.1	0.0
Mountain:												
49 Montana	945.5	-	1.3	2.5	2.3	0.1	-	-	0.7	0.1	-	-
50 Idaho	855.2	-	1.3	1.6	1.4	0.1	-	-	0.3	0.7	-	-
51 Wyoming	940.0	-	1.0	1.0	0.6	0.3	-	-	1.0	0.3	-	-
52 Colorado	867.6	0.0	1.6	2.1	1.3	0.7	-	0.0	0.3	1.7	-	0.0
53 New Mexico	711.4	0.4	3.8	3.2	2.1	1.1	-	-	0.3	1.2	-	-
54 Arizona	828.6	0.4	3.7	6.1	4.9	1.3	0.1	-	0.2	2.6	0.1	0.1
55 Utah	666.0	0.1	2.6	0.8	0.7	0.1	-	-	0.2	1.5	-	-
56 Nevada	787.1	-	0.7	1.8	1.3	0.4	-	-	1.3	0.7	-	-
Pacific:												
57 Washington	930.0	-	1.4	1.8	1.2	0.5	-	0.1	0.3	1.1	0.0	-
58 Oregon	948.6	-	0.8	1.3	1.0	0.3	-	-	0.2	1.0	-	0.0
59 California	833.2	0.1	1.0	2.1	1.4	0.7	0.0	0.0	0.3	1.1	0.0	0.0
60 Alaska	492.3	-	1.1	3.6	1.8	1.8	-	-	0.7	1.1	-	-
61 Hawaii	527.3	-	1.3	2.7	1.5	1.2	-	-	0.5	1.9	-	-

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1968

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory system (160-169)	Malignant neoplasm of breast (174)	Malignant neoplasms of genital organs (180-187)	Malignant neoplasms of urinary organs (188,189)	Malignant neoplasms of all other and unspecified sites (170-173,190-199)	Leukemia (204-207)	Other neoplasms of lymphatic and hematopoietic tissues (200-203,208,209)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Diabetes mellitus (260)	Avitaminoses and other nutritional deficiencies (260-269)	Anemias (280-289)	
0.3	2.0	159.4	3.6	46.8	31.8	14.6	20.5	7.4	18.6	7.2	8.9	2.5	19.2	1.3	1.7	1
0.2	2.1	182.9	5.2	57.9	35.0	17.3	21.7	9.4	19.7	6.8	9.9	3.1	21.1	1.2	1.9	2
0.3	1.8	188.1	4.2	59.6	37.0	19.0	21.7	9.0	19.0	7.3	9.7	2.9	22.2	1.0	1.7	3
0.3	1.9	161.4	3.5	48.4	31.3	15.2	20.9	7.6	17.9	7.5	9.1	2.2	22.3	1.2	1.7	4
0.3	1.9	170.0	3.2	51.5	29.4	15.3	23.4	8.2	19.0	8.8	11.3	2.2	20.0	1.6	1.9	5
0.3	2.2	144.8	3.5	39.0	31.0	12.1	19.9	6.4	19.1	6.3	7.4	2.8	17.9	1.2	1.8	6
0.4	2.3	141.8	3.6	38.4	28.5	11.1	21.2	5.7	18.8	6.7	7.9	2.3	17.7	1.4	2.1	7
0.3	2.3	142.8	3.4	37.9	31.6	11.1	19.8	5.7	18.7	7.0	7.7	2.0	18.3	1.6	2.0	8
0.3	2.2	121.2	2.2	34.2	22.0	10.9	16.1	6.0	14.9	7.1	7.8	2.2	14.3	1.6	1.3	9
0.3	1.8	148.0	3.6	42.0	30.8	13.8	17.9	7.2	16.5	7.3	9.0	2.3	13.1	1.3	1.4	10
0.3	2.5	195.5	4.0	60.6	38.4	15.2	28.5	9.2	20.6	7.7	11.4	3.6	20.9	1.4	3.0	11
0.6	1.1	172.9	5.1	53.0	33.6	14.0	23.1	9.8	18.5	7.5	8.3	4.1	25.9	1.9	2.4	12
0.5	1.9	170.4	4.5	48.2	32.7	15.5	24.5	10.4	16.0	7.3	11.3	1.6	19.5	0.9	0.9	13
0.1	2.2	188.1	5.4	60.3	36.0	18.5	21.6	9.7	20.2	6.2	10.1	3.3	20.2	1.6	1.9	14
0.4	1.8	200.2	5.7	65.2	38.8	19.7	22.5	9.3	19.7	8.0	11.3	2.1	31.2	0.5	2.4	15
0.2	2.1	168.0	5.4	52.9	31.6	16.0	18.6	8.5	19.1	7.0	9.0	2.7	18.8	0.5	1.6	16
0.2	1.7	192.4	4.3	62.1	37.4	20.1	21.4	9.2	20.4	7.3	10.1	3.0	20.3	0.9	1.6	17
0.2	1.7	180.6	4.0	57.8	37.7	18.4	20.9	8.5	18.2	6.6	8.5	2.6	21.6	1.1	2.0	18
0.4	2.0	186.2	4.0	56.9	35.9	17.8	22.5	9.0	22.8	7.6	9.6	3.0	25.5	1.2	1.7	19
0.4	2.0	162.5	3.2	48.1	32.9	14.9	21.0	7.5	18.2	7.5	9.1	2.4	23.0	1.2	1.7	20
0.2	1.4	154.4	2.8	43.9	30.9	14.3	20.9	6.8	18.9	7.7	8.0	2.3	22.6	1.6	1.5	21
0.1	1.8	168.8	4.0	52.4	33.1	15.7	21.5	8.2	17.0	7.4	9.6	2.3	18.5	0.8	1.4	22
0.3	2.1	151.8	3.4	43.7	30.3	14.3	19.5	6.9	17.7	7.1	8.9	2.0	26.5	1.1	1.9	23
0.2	1.8	167.3	3.8	53.8	24.7	17.6	22.2	8.3	19.0	8.0	9.7	1.9	21.3	1.5	2.0	24
0.4	1.6	161.4	2.6	51.7	23.6	16.0	21.0	8.1	16.3	9.0	13.0	1.9	16.8	1.4	1.6	25
0.3	2.2	177.8	3.7	54.5	29.9	16.4	24.9	9.6	19.1	8.8	10.9	2.5	22.6	1.9	2.5	26
0.4	1.9	178.9	3.5	50.9	35.7	15.0	23.8	8.0	23.2	8.2	10.5	2.4	22.0	1.9	1.8	27
0.3	1.4	156.6	1.4	54.1	22.5	12.4	23.3	7.3	15.2	9.7	10.7	1.0	14.0	1.3	2.2	28
0.2	2.7	166.9	2.1	52.0	24.1	14.0	26.5	8.8	17.1	9.8	12.5	2.7	15.9	0.9	1.4	29
0.1	1.7	176.3	3.7	56.3	29.1	15.9	25.2	7.4	16.8	9.8	12.0	1.9	20.1	0.8	1.5	30
0.3	2.1	157.2	3.2	45.1	28.5	14.0	22.4	7.5	17.7	8.7	10.1	2.0	20.8	2.0	2.1	31
0.4	2.6	153.4	2.8	45.3	31.1	12.4	18.7	7.5	21.2	6.2	8.2	2.8	23.2	0.7	2.1	32
0.3	1.6	153.9	3.0	43.5	33.2	13.6	19.5	7.3	19.8	6.1	7.9	3.6	22.5	1.3	2.0	33
0.5	3.2	183.8	5.6	58.1	39.7	17.1	24.5	7.4	16.3	6.1	9.1	4.2	25.0	0.6	1.6	34
0.4	1.9	131.0	3.1	35.2	28.2	11.8	17.5	5.6	16.9	6.0	6.7	2.6	15.1	1.0	1.4	35
0.4	1.9	169.0	2.9	47.1	36.6	12.1	24.5	8.0	20.9	7.7	9.0	2.8	18.1	1.8	2.3	36
0.3	2.4	114.3	3.1	28.6	20.8	10.2	17.1	4.6	18.2	5.5	6.1	2.5	16.9	1.0	2.0	37
0.4	2.5	112.9	2.6	28.2	23.2	9.1	17.7	4.6	15.7	5.0	6.9	2.7	18.6	1.1	2.0	38
0.3	2.6	119.6	3.3	30.8	24.2	10.1	17.8	5.1	17.3	5.4	5.6	2.3	14.6	1.7	1.9	39
0.3	2.1	194.6	5.1	53.3	45.7	15.1	24.9	9.2	23.6	8.5	9.4	3.0	18.5	1.2	1.7	40
0.2	2.0	152.9	4.5	45.1	30.9	12.6	20.3	6.2	17.8	6.6	8.8	2.3	20.7	2.5	2.2	41
0.2	2.5	143.1	3.5	37.6	30.0	11.0	21.4	5.8	18.7	7.0	8.2	1.8	14.5	1.0	1.9	42
0.5	2.2	133.5	3.2	33.5	25.8	10.2	22.1	5.5	19.5	6.2	7.4	2.6	17.8	0.8	1.9	43
0.5	2.5	136.8	2.9	37.7	26.6	10.5	20.8	5.0	19.3	6.9	7.0	2.6	18.7	1.7	2.5	44
0.5	1.9	155.5	3.3	41.8	32.7	10.4	22.7	4.6	23.2	6.9	9.9	2.5	18.5	0.9	2.5	45
0.4	2.3	140.8	3.4	36.1	32.6	11.5	19.1	5.4	19.8	6.3	6.6	2.4	24.9	1.4	2.5	46
0.3	2.4	161.8	3.3	42.5	33.4	12.6	22.7	6.3	23.2	8.2	9.7	2.3	17.9	2.2	2.3	47
0.3	2.4	136.7	3.4	36.7	30.7	10.7	18.8	5.8	16.4	6.9	7.3	1.6	16.2	1.6	1.7	48
0.1	1.2	156.1	3.2	44.6	27.3	13.6	21.6	9.7	17.9	8.2	10.1	1.3	17.6	1.3	2.2	49
0.1	2.0	132.3	1.8	36.4	20.3	12.1	19.5	6.3	16.2	9.0	10.7	3.4	14.7	1.4	1.1	50
0.6	3.2	123.5	2.2	35.6	21.3	11.1	20.3	6.0	13.7	6.3	7.0	3.2	18.4	0.3	1.3	51
0.3	2.1	126.9	2.0	37.2	20.9	12.2	17.0	5.6	15.4	7.9	8.8	2.0	14.5	1.9	1.6	52
0.5	2.6	103.3	1.6	31.1	17.1	8.3	13.8	5.3	14.5	5.4	5.4	1.9	12.0	1.5	1.9	53
0.2	2.7	124.9	3.0	34.8	27.8	10.3	14.3	5.8	15.0	6.3	6.3	2.6	14.3	2.2	1.0	54
0.2	1.8	88.7	1.5	23.1	12.5	9.9	13.5	4.8	11.8	6.5	5.1	2.0	11.9	1.1	1.0	55
0.2	2.7	123.2	2.0	31.0	33.2	9.6	12.5	6.9	14.7	7.1	6.2	2.0	14.7	0.9	0.7	56
0.1	1.6	150.3	3.0	43.3	30.0	13.2	20.2	7.0	17.0	7.7	8.9	2.6	17.6	1.4	1.3	57
0.2	1.7	161.6	3.6	43.4	33.6	15.2	20.3	7.6	18.7	9.7	9.4	2.0	13.9	1.7	1.4	58
0.4	1.9	149.6	3.7	42.3	31.5	14.1	17.8	7.3	16.7	7.1	9.1	2.3	12.4	1.2	1.5	59
1	1.1	54.7	3.3	10.6	6.6	3.3	6.6	4.0	7.7	0.4	3.6	1.5	6.6	0.4	-	60
1	1.9	98.5	3.6	35.1	19.2	6.9	8.6	4.1	8.3	5.9	6.7	1.3	12.3	1.9	0.5	61

SECTION I - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Division and State	Meningitis (360)	Major cardiovascular diseases (360-448)	Diseases of heart (360-398, 402, 403, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (360-398)	Hypertensive heart disease (402)	Hypertensive heart and renal disease (404)	Ischemic heart disease (410-413)	Acute myocardial infarction (410)	Other acute and subacute forms of ischemic heart disease (411)	Chronic ischemic heart disease (412)	Angina pectoris (413)	Chronic disease of endocardium and other myocardial insufficiency (424, 426)
1 United States	0.9	512.1	372.6	8.2	4.9	3.9	337.6	184.9	2.3	150.2	0.1	3.9
Geographic divisions:												
2 New England	0.7	567.2	422.0	9.9	7.3	2.7	386.3	207.9	4.8	173.5	0.1	4.3
3 Middle Atlantic	0.8	581.8	449.6	10.9	5.0	3.3	415.9	203.6	1.6	210.7	0.0	3.5
4 East North Central	0.7	533.9	392.3	8.6	6.5	5.3	355.5	197.0	1.7	156.6	0.1	4.1
5 West North Central	0.8	564.0	393.7	7.9	4.7	5.5	337.8	212.4	1.8	143.4	0.3	5.5
6 South Atlantic	1.1	487.4	344.7	6.6	3.8	4.5	308.7	172.5	4.4	131.7	0.1	3.8
7 East South Central	0.9	513.8	352.2	4.9	4.6	5.1	312.2	192.3	1.1	118.6	0.2	5.4
8 West South Central	1.0	458.9	322.2	4.5	4.7	2.6	282.1	177.2	3.0	101.7	0.1	4.5
9 Mountain	1.1	375.5	266.2	9.5	2.7	3.0	234.1	137.9	1.3	94.9	0.1	3.2
10 Pacific	0.8	430.7	308.3	8.9	3.6	2.4	283.2	143.0	1.8	138.3	0.1	2.2
New England:												
11 Maine	0.9	639.5	470.1	8.6	5.4	5.0	428.5	264.0	1.5	162.6	0.3	9.2
12 New Hampshire	0.4	589.6	417.9	8.3	7.5	4.8	379.5	233.9	1.0	144.3	0.3	6.7
13 Vermont	0.9	575.5	421.2	10.6	5.2	3.1	386.6	198.8	1.2	186.4	0.2	5.6
14 Massachusetts	0.6	592.4	444.5	11.1	10.2	2.2	404.3	209.9	1.7	192.5	0.1	4.5
15 Rhode Island	1.1	591.0	459.6	8.9	4.9	2.4	429.2	185.7	43.2	200.3	-	3.0
16 Connecticut	0.9	483.1	354.2	8.8	3.4	2.2	327.7	187.7	1.3	138.7	0.0	2.2
Middle Atlantic:												
17 New York	1.0	577.5	452.5	11.3	5.6	2.2	422.3	189.4	1.2	231.7	0.0	2.3
18 New Jersey	0.7	534.8	416.2	9.8	3.7	2.6	386.1	187.2	2.8	196.1	0.0	4.0
19 Pennsylvania	0.6	617.1	465.6	11.0	4.9	5.5	424.1	235.3	1.6	187.2	0.1	5.1
East North Central:												
20 Ohio	0.7	534.7	388.1	9.7	7.1	6.9	349.8	185.3	1.9	162.6	0.1	3.0
21 Indiana	0.6	540.6	375.6	8.0	4.6	10.6	331.7	200.8	1.8	128.9	0.1	6.2
22 Illinois	0.9	584.2	446.5	8.5	8.6	4.0	405.4	218.9	1.7	185.7	0.1	5.2
23 Michigan	0.6	460.2	339.4	8.0	5.4	2.2	310.8	180.9	1.5	128.3	0.1	2.5
24 Wisconsin	0.5	545.2	391.3	7.8	4.5	4.6	358.0	198.3	2.0	157.5	0.2	4.9
West North Central:												
25 Minnesota	0.8	507.5	351.8	9.6	4.3	2.9	322.8	183.6	2.2	137.0	0.1	3.8
26 Iowa	0.6	610.7	428.6	7.1	4.7	8.4	384.9	243.6	1.7	139.4	0.3	6.9
27 Missouri	0.9	606.0	424.8	8.4	5.8	6.7	378.0	213.6	1.8	162.0	0.7	5.8
28 North Dakota	0.5	476.4	337.0	8.3	2.7	2.2	310.0	202.9	1.3	105.9	-	2.4
29 South Dakota	0.9	536.4	379.9	5.8	4.3	2.4	345.0	230.9	1.5	112.5	-	4.3
30 Nebraska	0.7	573.0	407.1	7.1	6.0	8.0	370.4	225.4	2.0	142.9	0.1	6.0
31 Kansas	0.5	539.1	380.8	6.3	3.0	4.0	348.9	207.2	1.1	140.5	0.0	6.6
South Atlantic:												
32 Delaware	1.1	472.8	372.5	9.9	3.9	4.5	341.0	172.3	0.7	168.0	-	2.6
33 Maryland	1.2	435.8	338.0	7.9	2.7	3.7	309.5	139.6	1.5	168.3	0.0	3.1
34 District of Columbia	1.2	473.9	340.0	6.7	5.2	4.7	309.3	96.4	1.0	211.7	0.1	2.8
35 Virginia	0.9	446.6	324.0	5.2	3.1	4.5	294.0	152.8	14.8	126.3	0.1	5.1
36 West Virginia	0.6	590.0	424.7	7.2	4.7	5.6	384.1	218.3	1.4	164.3	0.2	4.7
37 North Carolina	1.1	446.9	306.9	5.7	2.7	5.6	269.2	166.1	1.0	101.9	0.1	2.8
38 South Carolina	1.5	462.9	314.4	3.9	3.9	6.2	279.3	167.3	0.7	111.2	0.1	4.3
39 Georgia	1.2	467.4	308.6	4.7	6.3	3.4	268.2	176.4	1.9	89.6	0.3	5.6
40 Florida	1.2	581.5	410.6	9.7	3.7	3.8	370.1	208.6	6.1	155.3	0.1	2.7
East South Central:												
41 Kentucky	0.7	561.5	404.0	6.3	4.2	5.4	363.3	223.7	1.1	138.4	0.1	4.5
42 Tennessee	0.7	514.5	353.1	5.1	3.0	4.7	324.4	203.9	0.7	119.7	0.1	5.0
43 Alabama	1.0	476.1	313.9	3.9	4.7	5.7	267.9	164.0	0.8	102.8	0.2	5.5
44 Mississippi	1.3	504.3	337.5	4.2	7.9	4.4	288.7	172.4	2.1	113.6	0.6	7.2
West South Central:												
45 Arkansas	0.6	573.2	395.8	5.5	5.8	3.7	347.4	227.7	0.9	118.8	-	4.2
46 Louisiana	1.2	468.2	342.2	3.5	4.2	1.8	307.6	166.7	0.8	139.9	0.1	6.3
47 Oklahoma	0.9	544.6	377.7	5.4	5.5	3.5	336.7	235.3	1.4	99.8	0.2	4.6
48 Texas	1.0	415.4	289.3	4.5	4.4	2.5	249.0	158.3	4.5	86.1	0.1	3.9
Mountain:												
49 Montana	0.9	465.2	319.3	8.8	3.6	3.5	272.9	180.7	2.2	90.0	-	5.8
50 Idaho	0.9	433.4	309.5	9.4	3.1	3.6	273.1	177.8	1.1	94.0	0.1	4.1
51 Wyoming	0.6	465.7	332.7	9.8	2.9	3.8	295.2	183.2	1.6	110.5	-	6.3
52 Colorado	0.6	424.1	300.7	11.0	1.9	4.7	267.4	149.3	1.5	116.6	0.1	3.4
53 New Mexico	1.5	268.0	184.0	7.8	2.4	1.0	159.8	98.1	0.8	60.9	-	2.0
54 Arizona	1.4	357.9	255.9	8.6	3.3	1.9	229.3	123.9	1.6	103.7	0.1	1.8
55 Utah	1.0	310.5	226.2	11.3	2.5	2.9	192.8	118.2	0.5	74.2	-	3.4
56 Nevada	3.3	318.7	227.6	7.1	2.7	1.6	198.2	111.8	0.4	66.0	-	2.7
Pacific:												
57 Washington	1.1	496.2	355.3	9.1	3.8	4.6	321.6	192.6	5.6	123.3	0.2	3.1
58 Oregon	0.6	510.3	356.6	9.1	3.0	6.0	325.4	172.8	1.8	150.8	0.1	2.2
59 California	0.8	423.5	303.8	9.0	3.7	1.8	280.3	135.4	1.1	143.7	0.1	2.1
60 Alaska	1.5	142.0	104.0	2.6	1.1	-	84.3	63.1	-	20.8	0.4	1.1
61 Hawaii	0.4	228.5	168.3	6.5	1.9	0.8	153.5	75.8	1.8	75.9	-	1.7

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1968-Con.

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966)

All other forms of heart disease (420-425, 425-427, 429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-438)	Cerebral hemorrhage (431)	Cerebral thrombosis (433)	Cerebral embolism (434)	All other cerebrovascular diseases (430, 432, 435-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Acute bronchitis and bronchiolitis (466)	Influenza and pneumonia (470-474, 480-486)	Influenza (470-474)	Pneumonia (460-466)	Bronchitis, emphysema, and asthma (480-485)	Chronic and unqualified bronchitis (480, 481)	Emphysema (482)	
14.0	4.5	105.8	23.5	30.2	0.6	51.5	16.8	12.4	0.7	26.8	3.5	33.2	16.6	3.1	12.1	1
11.4	4.5	106.4	29.9	36.7	0.7	39.1	19.3	15.0	0.8	46.1	3.6	42.5	16.9	3.8	11.5	2
11.0	4.3	97.6	22.5	30.2	0.7	44.3	17.4	12.8	0.8	41.9	2.8	39.0	14.6	3.3	9.8	3
12.3	4.8	106.3	25.6	31.8	0.6	48.4	18.0	12.4	0.8	33.9	3.1	30.8	16.3	2.9	12.1	4
14.3	4.8	127.2	27.6	34.2	0.9	64.6	22.7	13.6	0.6	40.9	6.7	34.3	18.7	3.3	14.3	5
17.2	5.4	110.3	24.7	31.7	0.4	53.5	14.7	12.2	0.6	37.4	3.5	33.9	16.0	2.8	11.9	6
20.0	6.5	128.8	27.5	34.5	0.5	66.3	15.7	10.7	0.7	35.0	3.8	31.2	14.7	2.8	10.6	7
23.8	4.3	105.8	22.3	22.3	0.6	61.1	15.0	10.6	0.5	36.3	4.0	32.3	15.5	2.7	11.8	8
13.7	2.9	80.0	15.8	17.9	0.5	45.8	15.0	11.4	1.0	35.9	4.6	31.3	25.8	4.7	19.4	9
7.9	2.9	93.0	15.9	28.1	0.3	48.7	14.0	12.4	0.7	27.9	2.5	25.5	17.8	3.0	13.4	10
13.3	5.4	121.5	34.7	36.0	0.5	50.3	24.5	18.0	0.7	39.3	7.0	32.4	22.1	4.4	16.0	11
11.1	6.1	114.1	29.5	37.9	0.3	46.4	38.0	13.4	0.9	36.3	4.3	32.1	23.1	5.3	16.0	12
10.1	7.1	106.6	26.1	36.5	0.5	43.5	25.2	15.5	0.9	55.3	15.3	40.0	22.8	6.8	14.4	13
12.2	4.1	110.3	33.4	38.8	0.9	37.1	17.6	16.0	0.9	54.7	2.4	52.3	16.5	3.4	11.4	14
11.3	5.0	99.2	25.7	34.4	0.5	38.6	14.2	12.9	0.3	33.5	3.4	30.1	14.3	3.8	9.1	15
9.8	4.0	94.7	23.9	33.5	0.5	36.8	17.1	13.0	0.6	37.2	2.9	34.3	14.3	3.7	9.4	16
8.9	3.9	92.8	22.5	27.0	0.7	42.7	16.4	11.8	0.9	48.3	3.0	45.4	14.8	4.1	9.0	17
9.9	4.3	88.5	19.7	30.7	0.6	37.5	13.8	12.0	0.9	33.4	2.1	31.3	12.4	2.7	8.8	18
15.0	4.9	110.5	24.1	34.8	0.8	50.9	21.3	14.9	0.6	37.0	3.2	33.9	15.6	2.4	11.6	19
11.6	4.7	109.7	24.2	34.1	0.7	50.7	18.3	14.0	0.7	32.8	3.5	29.4	16.8	3.4	11.9	20
14.5	4.8	122.8	31.4	34.0	0.8	56.5	24.7	12.8	0.4	32.8	3.4	29.4	18.2	2.3	14.4	21
13.9	6.6	104.1	29.5	31.2	0.5	42.9	15.8	11.1	1.5	39.0	2.3	36.8	15.1	2.9	10.9	22
10.5	3.3	91.6	19.9	29.1	0.4	42.2	14.6	11.3	0.6	29.4	2.6	26.8	16.9	2.3	12.9	23
11.3	3.8	114.5	23.5	30.4	0.5	60.0	22.5	13.2	0.5	34.0	5.2	28.8	14.9	3.2	10.8	24
8.4	3.1	122.2	24.2	30.6	0.4	67.0	17.2	13.2	0.6	34.4	4.6	29.8	14.3	2.9	10.3	25
16.6	5.3	136.0	29.6	35.5	0.8	70.0	25.3	15.5	0.5	41.6	7.7	34.0	21.1	3.1	16.9	26
20.0	6.2	136.8	28.9	40.9	1.6	65.4	25.4	12.7	0.8	48.0	6.6	41.4	19.4	3.1	14.9	27
11.3	4.0	101.9	23.9	20.6	0.3	37.1	21.4	12.1	0.2	40.0	5.6	34.4	15.2	4.0	10.2	28
18.1	4.1	119.7	25.9	25.9	0.2	67.7	18.1	14.6	0.5	32.3	4.6	27.7	20.6	4.4	14.5	29
9.7	4.9	125.4	29.0	34.1	0.7	61.6	22.3	13.3	0.7	43.5	9.2	34.3	24.4	5.3	17.4	30
12.0	4.5	115.4	28.6	30.8	0.6	55.4	24.6	13.8	0.5	37.4	8.2	29.2	18.4	2.5	15.4	31
10.5	2.2	71.2	14.8	22.3	0.9	33.1	15.4	11.6	0.2	37.3	1.7	35.6	17.0	1.7	14.2	32
11.0	3.9	70.5	15.2	17.2	0.3	37.8	12.1	11.4	0.7	30.5	2.4	28.1	13.1	2.7	9.1	33
11.4	4.7	101.6	19.8	35.6	0.2	46.0	15.0	12.6	0.7	52.7	3.2	49.4	16.8	3.1	9.1	34
12.1	4.4	92.4	18.9	24.5	0.4	48.5	14.8	10.9	0.5	36.4	4.2	32.2	14.2	2.8	10.0	35
18.4	8.3	121.9	30.2	35.0	0.2	56.5	19.4	15.6	1.0	45.3	4.1	41.2	22.1	4.0	16.9	36
20.9	5.4	111.0	24.1	32.3	0.4	54.2	12.7	11.0	0.5	32.9	3.5	29.4	12.4	2.9	8.2	37
16.8	5.7	120.3	33.1	31.2	0.5	55.6	13.3	9.2	0.4	30.7	4.1	26.6	11.4	1.9	8.9	38
20.3	6.3	128.1	35.3	34.5	0.4	57.7	14.3	10.0	0.4	43.7	5.1	38.6	13.7	2.5	9.9	39
20.5	5.9	130.8	23.5	42.8	0.6	63.9	17.5	16.8	0.6	40.1	2.1	38.0	24.0	3.2	19.4	40
20.4	4.4	122.3	27.3	32.4	0.4	62.2	18.4	12.4	0.7	38.7	2.9	35.7	17.9	3.7	12.7	41
10.9	6.4	129.3	22.7	35.3	0.7	70.6	15.8	9.9	0.6	35.0	4.6	30.4	14.3	3.4	10.0	42
26.2	7.0	130.7	31.4	38.1	0.3	60.9	14.6	9.9	0.5	30.7	3.3	27.4	13.4	2.2	10.3	43
25.2	8.5	134.2	29.8	30.7	0.8	72.9	13.2	10.8	0.8	36.3	4.3	32.0	12.7	1.5	9.2	44
29.2	7.4	142.1	33.1	29.0	0.4	79.7	17.1	10.8	0.3	40.4	6.7	33.7	16.9	3.7	12.6	45
18.9	4.2	98.3	21.3	21.0	0.3	55.7	12.8	10.7	0.5	36.4	3.6	32.9	13.7	2.3	10.1	46
22.1	4.8	131.1	30.0	27.3	1.3	72.4	19.2	11.8	0.4	35.4	5.1	30.3	19.4	2.7	15.1	47
24.9	3.6	97.8	19.9	20.3	0.6	56.9	14.3	10.3	0.6	35.6	3.3	32.3	15.0	2.6	11.5	48
24.8	2.2	104.2	20.2	26.7	0.4	56.9	25.8	13.7	0.9	35.4	4.3	31.0	26.4	5.3	19.3	49
16.2	2.4	92.7	19.1	21.3	0.4	51.9	16.2	12.5	0.4	29.7	4.0	25.7	23.9	3.4	18.8	50
14.6	3.8	97.1	21.9	15.2	0.2	60.0	15.2	16.8	0.3	38.7	6.7	32.1	33.3	5.4	26.0	51
12.3	3.1	87.7	16.4	18.7	0.8	51.8	19.2	13.3	1.1	46.4	7.2	39.2	25.7	4.8	19.2	52
11.0	3.6	63.2	16.8	14.0	0.3	32.1	9.4	7.8	1.3	36.3	4.1	32.2	17.6	3.3	13.2	53
10.9	3.3	74.7	13.0	18.0	0.4	43.4	13.9	10.1	1.3	34.6	4.0	30.5	35.4	6.9	26.3	54
13.2	1.6	64.3	11.1	14.8	0.8	37.6	6.3	10.1	0.7	23.7	2.6	21.1	16.2	3.1	11.8	55
15.4	3.8	69.0	15.1	12.2	0.4	41.2	8.5	9.8	0.7	29.4	1.3	28.1	27.6	4.0	22.0	56
13.1	2.9	105.2	18.3	27.4	0.3	59.2	20.5	12.4	0.7	35.3	5.1	30.2	19.4	3.7	14.4	57
10.8	2.4	114.7	20.0	35.8	0.2	58.7	23.4	13.1	0.7	29.7	2.4	27.3	23.0	5.3	16.9	58
6.8	3.0	91.5	15.4	28.5	0.3	47.4	12.5	12.7	0.7	26.8	2.1	24.7	17.3	2.8	13.3	59
15.0	1.1	26.3	4.7	6.2	-	15.3	6.6	4.0	0.7	14.6	1.1	13.5	7.3	1.8	4.7	60
4.0	2.2	46.3	12.7	10.1	0.1	23.3	3.7	7.9	0.5	24.1	0.3	23.8	11.0	1.3	7.1	61

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Division and State	Asthma (483)	Peptic ulcer (531-533)	Appendicitis (540-543)	Hernia and intestinal obstruction (550-553,560)	Cirrhosis of liver (571)	Cholelithiasis, cholecystitis and cholangitis (574,575)	Nephritis and nephrosis (580-584)	Acute nephritis and nephrotic syndrome (590,591)	Chronic and unequalled nephritis and renal sclerosis (592-594)	Infectious of kidney (599)	Hyperplasia of prostate (600)
1 United States-----	1.3	4.7	0.7	3.9	14.6	2.2	4.7	0.6	4.0	4.7	1.3
Geographic divisions:											
2 New England-----	1.6	5.4	0.6	4.1	16.9	2.2	4.9	0.8	4.1	4.2	1.0
3 Middle Atlantic-----	1.5	5.7	0.8	4.3	19.8	2.3	4.8	0.6	4.2	4.1	1.5
4 East North Central-----	1.4	5.0	0.8	3.9	13.7	2.2	4.4	0.6	3.9	4.3	1.5
5 West North Central-----	1.2	5.0	0.9	4.7	9.9	2.9	4.6	0.7	3.9	4.5	1.6
6 South Atlantic-----	1.3	4.2	0.7	3.6	13.0	1.8	5.0	0.7	4.3	5.7	1.3
7 East South Central-----	1.2	3.8	0.7	3.4	7.5	2.3	6.1	0.6	5.5	6.6	1.8
8 West South Central-----	1.0	3.7	0.7	3.6	10.6	2.1	5.7	0.9	4.8	5.7	1.1
9 Mountain-----	1.7	5.3	0.7	4.0	13.6	2.9	3.7	0.5	3.1	4.0	1.1
10 Pacific-----	1.3	4.2	0.6	3.4	19.2	1.8	3.1	0.5	2.6	3.7	1.0
New England:											
11 Maine-----	1.7	6.6	0.3	5.3	11.7	2.8	6.6	1.0	5.5	4.8	1.4
12 New Hampshire-----	1.9	5.1	0.7	4.6	12.8	2.1	5.3	0.7	4.6	6.3	1.0
13 Vermont-----	1.6	6.6	1.4	5.4	10.1	1.9	3.8	0.9	2.8	4.5	1.2
14 Massachusetts-----	1.8	5.9	0.7	4.0	18.2	2.3	4.7	0.7	3.9	4.2	0.9
15 Rhode Island-----	1.4	4.6	0.5	3.8	18.1	2.0	8.4	1.5	6.9	4.8	0.7
16 Connecticut-----	1.1	4.3	0.5	3.7	17.9	1.9	3.7	0.5	3.2	3.4	1.0
Middle Atlantic:											
17 New York-----	1.6	6.3	0.9	4.2	24.2	2.4	4.7	0.7	4.0	4.2	1.7
18 New Jersey-----	0.9	5.1	0.7	3.8	17.5	2.3	4.3	0.5	3.8	4.0	1.2
19 Pennsylvania-----	1.7	5.2	0.8	4.8	14.5	2.3	5.3	0.7	4.6	4.1	1.2
East North Central:											
20 Ohio-----	1.4	5.3	0.8	3.8	12.9	2.1	4.0	0.5	3.5	5.1	1.6
21 Indiana-----	1.5	4.6	0.9	4.5	11.5	1.9	5.2	0.8	4.4	4.3	1.1
22 Illinois-----	1.3	5.7	0.8	4.0	15.9	2.1	5.0	0.6	4.5	4.3	1.6
23 Michigan-----	1.6	4.0	0.7	3.5	14.4	2.2	4.1	0.6	3.5	3.6	1.2
24 Wisconsin-----	1.0	4.9	0.7	4.1	11.1	3.1	3.5	0.3	3.2	4.2	1.7
West North Central:											
25 Minnesota-----	1.1	4.6	1.1	4.3	9.1	2.8	2.9	0.5	2.4	2.9	1.3
26 Iowa-----	1.0	5.4	1.1	4.5	8.4	3.0	4.2	0.7	3.5	3.7	1.8
27 Missouri-----	1.4	4.9	0.7	4.7	12.6	2.9	6.0	0.7	5.3	6.5	1.6
28 North Dakota-----	1.0	4.8	0.5	4.1	7.7	3.3	3.7	0.3	3.3	3.0	2.1
29 South Dakota-----	1.7	4.6	1.7	5.2	8.5	3.2	2.4	0.8	1.7	2.9	1.4
30 Nebraska-----	1.7	6.0	0.8	5.4	9.8	4.4	5.1	1.0	4.2	4.6	2.0
31 Kansas-----	0.6	4.9	1.0	5.1	8.4	2.2	5.4	0.9	4.5	4.9	1.5
South Atlantic:											
32 Delaware-----	1.1	3.6	1.3	6.6	14.4	2.1	6.0	0.6	5.4	3.9	0.7
33 Maryland-----	1.3	3.9	0.7	3.5	18.0	1.6	4.1	0.9	3.2	3.3	1.0
34 District of Columbia-----	4.6	6.1	1.1	3.7	41.7	1.9	6.2	0.5	5.7	9.1	0.9
35 Virginia-----	1.3	3.5	0.7	3.1	11.6	1.8	4.9	0.5	4.3	4.6	1.1
36 West Virginia-----	1.2	6.3	1.2	4.1	12.2	2.6	5.2	0.7	4.4	6.2	1.8
37 North Carolina-----	1.3	3.5	0.7	3.2	8.8	2.1	5.2	0.9	4.3	5.6	1.2
38 South Carolina-----	0.6	3.0	0.5	3.5	7.1	1.3	5.0	0.4	4.5	6.8	1.5
39 Georgia-----	1.2	4.0	0.5	3.2	8.8	1.3	5.9	0.7	5.3	6.3	1.3
40 Florida-----	1.3	5.0	0.7	4.2	16.5	2.0	4.8	0.9	3.9	6.8	1.4
East South Central:											
41 Kentucky-----	1.5	4.2	0.7	4.4	9.4	2.5	5.7	0.7	5.1	5.6	1.3
42 Tennessee-----	1.0	4.1	1.0	3.0	7.4	2.6	5.4	0.5	4.9	6.3	2.3
43 Alabama-----	0.8	3.3	0.5	3.2	7.0	2.2	6.4	0.6	5.8	6.8	1.2
44 Mississippi-----	2.0	3.4	0.7	3.3	6.1	1.6	7.4	0.9	6.4	8.2	2.2
West South Central:											
45 Arkansas-----	0.6	3.3	0.8	3.8	7.7	2.6	7.9	1.5	6.4	6.6	2.1
46 Louisiana-----	1.3	3.6	0.7	3.5	9.8	1.7	5.2	0.8	4.4	5.4	0.9
47 Oklahoma-----	1.6	5.3	0.4	4.3	12.8	2.2	7.7	1.0	6.7	7.3	1.5
48 Texas-----	0.9	3.5	0.7	3.5	10.9	2.1	5.0	0.8	4.2	5.3	0.9
Mountain:											
49 Montana-----	1.7	5.3	0.7	4.6	11.5	3.8	4.0	0.4	3.6	2.7	1.2
50 Idaho-----	1.7	4.8	0.6	3.6	7.7	2.7	4.1	0.4	3.7	4.6	1.0
51 Wyoming-----	1.9	7.6	0.3	3.8	12.1	3.5	2.2	1.0	1.3	4.8	1.0
52 Colorado-----	1.7	6.6	0.8	4.2	15.5	2.9	3.5	0.6	2.8	4.5	0.9
53 New Mexico-----	1.1	4.0	0.7	4.4	16.4	3.0	3.3	0.3	3.0	2.8	1.4
54 Arizona-----	2.2	5.2	0.6	4.1	14.3	3.2	4.4	0.5	3.9	5.8	1.3
55 Utah-----	1.3	3.9	1.0	3.0	7.8	2.1	3.5	0.6	2.9	2.2	1.1
56 Nevada-----	1.6	5.1	0.9	3.8	22.7	1.6	2.9	0.9	2.0	2.4	0.7
Pacific:											
57 Washington-----	1.4	4.8	0.5	3.6	13.4	1.7	3.3	0.7	2.6	3.1	0.9
58 Oregon-----	0.7	4.3	0.7	3.5	12.6	1.2	3.5	0.4	3.1	4.1	1.1
59 California-----	1.3	4.2	0.6	3.4	21.5	1.9	3.0	0.4	2.6	3.7	1.0
60 Alaska-----	0.7	1.5	-	0.7	9.5	0.4	1.1	0.4	0.7	0.7	0.4
61 Hawaii-----	2.7	4.1	0.3	2.2	8.1	1.4	4.2	0.6	3.8	4.2	0.5

SECTION I - GENERAL MORTALITY

United States, Each Division and State, 1968-Con.

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965)

Complications of pregnancy, child-birth, and the puerperium (630-676)	Abortions (640-645)	Other complications of pregnancy, childbirth, and the puerperium (680-685, 680-676)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-766, 769, 4-772, 774-776)	Birth injury, difficult labor, and other anoxic and hypoxic conditions (764-766, 772, 776)	Other causes of mortality in early infancy (remainder of 760-776)	Symptoms and ill-defined conditions (760-766)	All other diseases (residual)	Accidents (E800-E846)	Motor vehicle accidents (E810-E823)	All other accidents (E850-E877, E825-E846)	Suicide (E860-E869)	Homicide (E880-E876)	Other external causes (E890-E899)	
0.4	0.1	0.4	8.4	21.9	11.1	10.9	11.8	48.7	57.5	27.5	30.0	10.7	7.3	2.2	1
0.2	0.0	0.2	8.1	19.9	9.6	10.3	7.4	55.4	47.4	18.5	29.0	8.6	2.8	1.1	2
0.4	0.1	0.3	8.1	21.0	10.2	10.7	12.1	53.1	44.6	19.8	24.8	7.9	5.7	4.2	3
0.4	0.1	0.3	8.6	23.0	11.9	11.0	4.1	45.5	53.4	26.3	27.1	10.3	6.8	1.5	4
0.3	0.0	0.2	8.1	19.4	9.8	9.7	12.0	49.7	63.2	31.4	31.7	10.2	4.2	2.2	5
0.5	0.1	0.5	8.9	23.8	11.8	12.0	17.9	51.6	65.0	31.2	33.7	11.5	11.6	1.5	6
0.7	0.1	0.6	8.7	24.8	11.9	12.9	32.6	45.5	69.7	33.3	36.4	9.5	10.3	1.6	7
0.6	0.1	0.5	8.4	23.6	12.3	11.4	16.4	47.2	66.3	32.8	33.5	9.5	10.7	1.1	8
0.6	0.1	0.5	9.0	22.6	12.0	10.5	13.8	50.8	72.7	36.4	36.2	15.3	5.5	2.1	9
0.3	0.1	0.2	8.0	19.1	10.0	9.1	3.5	42.3	56.8	27.5	29.3	15.6	6.1	2.5	10
0.3	-	0.3	8.6	21.5	12.3	9.2	10.8	54.0	57.6	22.5	35.0	9.2	1.6	0.8	11
0.6	-	0.6	9.3	18.2	8.4	9.8	12.4	48.6	54.1	23.9	30.2	14.1	1.6	0.4	12
0.2	-	0.2	7.8	22.6	10.8	11.8	11.8	57.4	63.3	26.1	37.2	14.6	1.9	1.2	13
0.2	0.1	0.2	8.4	19.9	9.3	10.6	7.7	60.4	48.5	17.2	31.4	7.5	3.3	1.0	14
-	-	-	7.3	21.8	11.9	9.8	1.6	52.4	43.7	18.5	25.2	6.8	2.5	1.3	15
0.2	-	0.2	7.5	18.8	8.6	10.2	5.7	48.9	39.3	17.1	22.2	9.0	2.8	1.2	16
0.5	0.1	0.4	8.1	20.9	10.1	10.8	8.7	49.6	42.0	18.2	23.8	6.7	7.0	6.9	17
0.5	0.1	0.4	7.8	20.9	10.4	10.5	4.1	42.5	43.0	19.0	24.0	7.5	5.2	1.4	18
0.3	0.1	0.2	8.3	21.1	10.3	10.8	22.3	65.1	49.6	22.7	26.9	10.1	4.2	1.6	19
0.4	0.1	0.3	8.4	21.4	10.5	10.9	3.6	48.3	52.7	25.0	27.8	11.0	6.1	1.2	20
0.4	0.0	0.4	9.2	23.0	11.3	11.6	4.8	46.5	61.4	29.8	31.6	10.7	5.8	1.2	21
0.5	0.1	0.4	8.3	24.1	15.2	8.8	3.5	43.7	49.8	23.8	26.0	9.1	8.7	2.5	22
0.4	0.1	0.4	8.8	24.4	11.2	13.1	5.2	41.2	53.9	28.7	25.2	10.6	8.3	1.2	23
0.2	0.0	0.2	9.2	20.9	9.2	11.7	4.0	50.7	53.7	27.3	26.4	10.5	2.3	0.6	24
0.1	0.0	0.1	9.5	18.5	8.7	9.8	4.3	47.3	60.0	30.8	29.2	9.4	2.1	2.4	25
0.2	0.1	0.1	7.4	20.2	9.8	10.4	2.2	49.0	64.5	33.0	31.4	10.5	1.7	1.2	26
0.4	0.0	0.3	7.4	20.2	10.2	10.0	30.6	52.9	63.1	30.7	32.4	10.6	8.8	3.5	27
0.3	-	0.3	9.4	16.3	9.4	6.9	4.6	47.0	61.9	32.7	29.2	9.1	1.0	1.1	28
0.2	-	0.2	9.8	22.0	12.8	9.1	9.5	47.0	79.0	39.0	39.9	8.8	2.9	1.4	29
0.3	0.1	0.2	8.6	18.9	9.3	9.6	3.1	47.8	65.3	31.3	33.9	9.6	2.5	1.4	30
0.3	0.0	0.3	7.0	19.0	10.1	8.9	7.1	50.9	61.4	29.7	31.7	11.6	3.3	1.4	31
0.4	-	0.4	8.4	21.2	11.6	9.6	3.0	50.2	54.7	28.1	26.6	12.0	7.5	1.1	32
0.4	0.1	0.3	8.6	22.9	10.3	12.5	5.0	49.6	51.0	22.6	28.4	10.6	9.7	1.7	33
0.7	0.4	0.4	7.9	31.1	7.7	23.5	26.3	85.4	60.1	17.3	42.8	6.8	19.4	1.7	34
0.3	0.1	0.2	8.9	23.2	12.2	11.0	11.6	48.3	59.7	25.4	34.3	13.7	9.2	1.2	35
0.4	-	0.4	9.8	21.6	11.0	10.7	30.1	50.5	65.3	27.0	38.2	9.1	4.6	2.6	36
0.7	0.1	0.6	7.9	26.8	12.9	13.9	22.9	45.8	67.2	36.3	30.9	10.2	11.0	2.3	37
0.8	0.1	0.6	8.8	22.9	10.8	12.0	21.7	41.7	74.1	34.0	40.1	9.3	12.5	1.9	38
0.6	0.1	0.5	9.7	23.7	12.4	10.9	12.9	52.3	70.9	37.6	33.4	10.9	15.1	0.6	39
0.6	0.1	0.5	9.1	22.6	11.8	10.8	25.0	59.8	68.8	34.1	34.7	14.3	13.5	1.2	40
0.4	0.1	0.3	8.7	21.6	10.8	10.8	7.0	52.6	70.3	31.4	38.9	11.5	8.7	1.6	41
0.7	0.1	0.6	8.9	21.6	11.1	10.5	11.4	43.3	64.1	31.6	32.5	10.4	10.1	1.8	42
0.8	0.2	0.6	8.4	24.7	11.7	13.0	50.2	43.1	72.1	36.4	35.7	8.8	12.0	0.4	43
1.0	-	1.0	8.6	35.1	15.0	20.1	77.0	43.1	74.8	34.0	40.8	6.4	10.2	3.3	44
0.6	-	0.6	7.6	19.2	9.6	9.6	32.8	44.5	73.7	35.0	38.7	8.4	8.1	1.9	45
0.6	0.1	0.5	10.2	27.4	14.3	13.2	5.3	50.7	71.4	34.0	37.4	8.3	11.8	1.0	46
0.4	-	0.4	6.9	19.0	10.2	8.8	18.4	54.5	64.8	31.7	33.1	10.1	6.0	2.7	47
0.6	0.1	0.6	8.2	24.2	12.5	11.7	16.7	44.7	63.6	32.3	31.3	10.0	11.8	0.6	48
0.1	-	0.1	9.2	19.3	9.1	10.2	24.4	45.5	79.4	38.8	40.5	13.9	3.5	3.2	49
0.4	-	0.4	6.3	19.6	9.2	10.4	8.7	47.4	79.5	39.3	40.3	12.8	3.0	1.3	50
1.0	-	1.0	6.3	24.4	12.7	11.7	5.4	60.0	89.2	44.1	45.1	19.7	4.8	1.3	51
0.2	0.0	0.2	8.6	21.4	12.0	9.4	4.8	53.6	62.5	30.6	31.9	16.7	5.9	2.3	52
0.7	-	0.7	8.1	25.9	12.2	13.7	23.2	50.9	88.1	45.2	42.8	14.6	5.9	1.1	53
0.9	0.2	0.7	9.7	22.1	12.0	10.0	11.5	55.4	74.3	37.4	36.9	14.3	7.5	2.5	54
0.5	-	0.5	11.5	22.7	14.6	8.1	27.6	41.3	55.9	29.3	26.6	12.6	3.4	2.0	55
1.6	0.7	0.9	9.8	30.3	14.3	16.0	7.6	49.9	85.1	43.0	42.1	24.3	7.3	2.7	56
0.2	-	0.2	8.6	18.6	9.6	9.0	6.5	51.7	61.7	29.5	32.1	13.6	3.9	1.7	57
0.1	-	0.1	7.7	17.8	9.1	8.7	11.9	45.0	64.9	33.9	31.1	15.1	3.3	1.2	58
0.3	0.1	0.2	7.9	19.2	10.1	9.1	1.9	41.0	55.0	26.8	28.2	16.3	6.8	2.7	59
-	-	-	6.9	30.3	16.8	13.5	16.4	32.5	128.8	29.9	98.9	13.5	9.5	3.3	60
0.4	-	0.4	9.0	20.0	10.1	9.9	5.0	31.0	35.3	19.0	16.3	7.3	2.8	4.2	61

Plc in p. 100

SECTION 1 - GENERAL MORTALITY

Table 1-15 Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1968

[Standard metropolitan statistical areas are those defined by the Bureau of the Budget for 1968 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
50 largest U.S. SMSA's	875,561	9.5	Detroit, Mich	36,964	9.0	Philadelphia, Pa.-N.J.	49,631	10.3
Alcon, Ohio	5,951	8.8	Wayne	27,954	10.4	Philadelphia, Pa.	25,796	12.7
Summit	5,109	9.2	Macomb	3,293	5.5	Bucks, Pa.	2,731	7.2
Portage	842	7.1	Oakland	5,717	6.8	Chester, Pa.	2,280	8.4
Albany-Schenectady-Troy, N.Y.	7,897	11.1	Fort Worth, Tex	5,856	8.6	Delaware, Pa.	2,615	9.4
Albany	3,229	11.3	Tarrant	5,364	8.4	Montgomery, Pa.	2,340	8.6
Hensselaer	1,754	11.3	Johnson	492	11.4	Burlington, N.J.	2,024	6.5
Schenectady	1,850	11.5	Hartford, Conn	7,091	8.8	Camden, N.J.	4,436	9.8
Saratoga	1,064	9.5	Hartford	7,091	8.8	Gloucester, N.J.	1,409	8.7
Anaheim-Santa Ana-Garden Grove, Calif.	7,653	6.1	Houston, Tex	13,432	7.2	Phoenix, Ariz	7,201	8.3
Orange	7,653	6.1	Harris	11,748	7.2	MariCopa	7,201	8.3
Atlanta, Ga.	10,688	8.0	Brazoria	638	5.9	Pittsburgh, Pa.	26,799	11.2
De Kalb	2,343	6.2	Fort Bend	329	6.3	Allegheny	18,507	11.6
Fulton	6,376	10.2	Liberty	353	10.4	Beaver	2,087	10.3
Clayton	404	4.7	Montgomery	364	8.6	Washington	2,522	11.7
Cobb	1,065	5.9	Indianapolis, Ind	10,059	9.5	Westmoreland	3,683	10.0
Gwinnett	500	8.0	Marion	7,302	9.5	Portland, Oreg.-Wash	9,480	9.9
Baltimore, Md.	19,760	10.0	Boone	334	11.7	Milwaukie, Oreg.	6,296	11.7
Baltimore (city)	11,908	13.2	Hamilton	461	9.5	Clackamas, Oreg.	1,253	8.0
Anne Arundel	1,835	6.6	Hancock	320	9.8	Washington, Oreg.	903	6.3
Baltimore	4,420	7.7	Hendricks	358	6.9	Clark, Wash	1,028	8.4
Carroll	610	9.0	Johnson	549	10.5	Providence-Pawtucket-Warwick, R.I.	8,423	11.3
Harford	655	6.1	Morgan	345	8.2	Kent	1,224	9.0
Howard	332	6.3	Shelby	390	10.3	Providence	6,814	12.0
Birmingham, Ala.	7,444	10.1	Kansas City, Mo.-Kans	11,420	9.3	Bristol	385	8.8
Jefferson	6,479	10.0	Clay, Mo.	701	6.4	Rochester, N.Y.	8,048	9.4
Shelby	369	10.6	Jackson, Mo.	7,246	11.3	Mumroe	6,295	9.2
Walker	596	10.1	Cass, Mo.	337	8.0	Livingston	552	10.7
Boston, Mass.	35,401	10.9	Platte, Mo.	208	6.6	Orleans	424	10.5
Suffolk	9,986	14.5	Johnson, Kans	1,091	5.2	Wayne	777	9.8
Essex	6,885	11.0	Wyandotte, Kans	1,837	9.4	Sacramento, Calif	6,021	7.9
Middlesex	13,125	9.8	Los Angeles-Long Beach, Calif	61,410	9.0	Sacramento	4,716	7.8
Norfolk	5,405	9.2	Los Angeles	61,410	9.0	Placer	646	8.4
Bridgeport, Conn	6,812	8.7	Louisville, Ky.-Ind	8,043	10.0	Yolo	659	7.7
Fairfield	6,812	8.7	Jefferson, Ky	6,886	10.2	St. Louis, Mo.-Ill	23,255	10.0
Buffalo, N.Y.	13,911	10.5	Clark, Ind	635	9.1	St. Louis (city), Mo.	9,996	14.9
Erie	11,662	10.7	Floyd, Ind	522	9.2	Franklin, Mo.	534	9.6
Niagara	2,249	9.6	Memphis, Tenn.-Ark	6,802	8.8	Jefferson, Mo.	670	6.6
Chicago, Ill.	68,972	10.1	Shelby, Tenn.	6,313	8.8	St. Charles, Mo.	519	6.5
Cook	58,915	10.9	Crittenden, Ark	489	9.3	St. Louis, Mo.	6,458	7.2
Du Page	2,630	6.0	Miami, Fla.	12,512	10.9	Madison, Ill.	2,243	9.1
Kane	2,113	8.3	Dade	12,512	10.9	St. Clair, Ill.	2,835	10.5
Lake	2,438	6.8	Milwaukee, Wis.	12,594	9.4	San Antonio, Tex.	6,378	7.5
McHenry	1,008	9.6	Milwaukee	10,323	10.0	Bexar	6,063	7.5
Will	1,868	8.0	Ozaukee	343	7.1	Guadalupe	315	8.6
Cincinnati, Ohio-Ky.-Ind	13,840	10.1	Washington	462	7.9	San Bernardino-Riverside-Ontario, Calif	9,563	8.8
Hamilton, Ohio	9,578	10.4	Waukesha	1,466	7.0	Riverside	4,212	9.8
Clermont, Ohio	712	7.5	Minneapolis-St. Paul, Minn.	13,839	8.3	San Bernardino	5,351	8.1
Warren, Ohio	569	6.7	Hennepin	8,109	9.0	San Diego, Calif.	9,441	7.7
Boone, Ky.	245	8.7	Ramsey	4,045	9.2	San Diego	9,441	7.7
Campbell, Ky.	1,040	12.0	Anoka	601	4.4	San Francisco-Oakland, Calif.	27,583	9.2
Kenton, Ky.	1,424	11.3	Dakota	633	5.2	Alameda	9,551	9.2
Dearborn, Ind.	272	9.1	Washington	451	6.1	San Francisco	2,396	13.5
Cleveland, Ohio	20,505	9.9	New Haven, Conn	7,140	9.8	Contra Costa	3,610	6.7
Cuyahoga	18,137	10.4	New Haven	7,140	9.8	Marin	1,353	6.9
Cauga	401	6.4	New Orleans, La.	10,302	9.7	San Mateo	3,673	7.0
Lake	1,316	7.1	Orleans	7,680	12.0	San Jose, Calif.	5,625	5.7
Medina	651	8.4	Jefferson	1,810	5.7	Santa Clara	5,625	5.7
Columbus, Ohio	7,593	8.7	St. Bernard	268	5.5	Seattle-Everett, Wash.	12,227	9.1
Franklin	6,845	8.7	St. Tammany	544	8.7	King	10,263	9.3
Delaware	417	10.1	New York, N.Y.	124,215	10.8	Snohomish	1,964	8.2
Pickaway	331	8.3	New York (city)	95,033	11.9	Tampa-St. Petersburg, Fla.	13,453	14.6
Dallas, Tex.	11,523	7.9	Bronx (Bronx Borough)	16,472	10.8	Hillsborough	4,819	10.4
Dallas	9,454	7.6	Kings (Brooklyn Borough)	30,367	11.4	Pinellas	8,634	18.8
Collin	563	9.7	New York (Manhattan Borough)	23,989	15.9	Toledo, Ohio-Mich.	6,586	9.7
Denton	534	7.0	Queens (Queens Borough)	21,667	10.8	Lucas, Ohio	5,041	10.5
Ellis	517	11.2	Richmond (Richmond Borough)	2,538	8.9	Wood, Ohio	632	7.5
Kaufman	402	12.4	Nassau	11,422	7.9	Monroe, Mich.	913	8.1
Rockwall	53	8.3	Rockland	1,459	6.9	Washington, D.C.-Md.-Va.	19,303	7.0
Dayton, Ohio	6,903	8.3	Suffolk	7,634	7.3	District of Columbia	8,805	11.0
Montgomery	5,134	8.7	Westchester	8,667	9.7	Montgomery, Md.	2,931	6.2
Greene	717	6.0	Newark, N.J.	18,546	9.9	Prince Georges, Md.	3,197	5.3
Miami	750	8.4	Essex	10,928	11.3	Alexandria (city), Va.	963	8.9
Prelb	302	8.5	Morris	2,524	6.9	Arlington, Va.	1,186	6.8
Denver, Colo.	9,180	8.1	Union	5,094	9.3	Fairfax, Va.	1,513	3.3
Denver	5,660	11.5	Patterson-Clifton-Passaic, N.J.	12,286	9.1	Loudoun, Va.	288	7.7
Adams	776	4.7	Passaic	4,615	9.9	Prince William, Va.	420	4.6
Arapahoe	823	6.0	Bergen	7,671	8.6			
Boulder	765	6.7						
Jefferson	1,196	5.3						

SECTION 1 - GENERAL MORTALITY

1-51

Table 1-16. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States,

1968

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	859	98	184	182	162	150	74	9
White-----	484	47	102	95	94	92	48	6
All other--	375	51	82	87	68	58	26	3
Ectopic pregnancy (631)-----	79	6	18	24	19	9	3	-
White-----	36	4	6	10	7	6	3	-
All other--	43	2	12	14	12	3	-	-
Toxemia of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	146	29	37	19	18	27	14	2
White-----	78	11	20	12	8	16	10	1
All other--	68	18	17	7	10	11	4	1
Hemorrhage of pregnancy and childbirth (632,651-653)-----	104	6	18	19	27	20	13	1
White-----	62	5	12	11	18	6	9	1
All other--	42	1	6	8	9	14	4	-
Abortions (640-645)-----	133	11	33	40	23	14	12	-
White-----	58	1	12	20	12	8	5	-
All other--	75	10	21	20	11	6	7	-
Abortion induced for legal indications (640,641)-----	2	-	-	2	-	-	-	-
White-----	2	-	-	2	-	-	-	-
All other--	-	-	-	-	-	-	-	-
Abortion induced for other reasons (642)-----	55	3	12	18	11	8	3	-
White-----	29	-	7	9	7	5	1	-
All other--	26	3	5	9	4	3	2	-
Spontaneous abortion (643)-----	22	3	4	6	5	2	2	-
White-----	13	1	3	5	2	1	1	-
All other--	9	2	1	1	3	1	1	-
Other and unspecified abortions (644,645)-----	54	5	17	14	7	4	7	-
White-----	14	-	2	4	3	2	3	-
All other--	40	5	15	10	4	2	4	-
Sepsis of childbirth and the puerperium (670,671,673)-----	154	16	39	33	26	25	14	1
White-----	107	12	26	21	16	22	10	1
All other--	47	4	13	12	10	3	4	1
All other complications of pregnancy, childbirth, and the puerperium (630,633-635,654-662,672,674-678)-----	233	28	36	45	46	55	18	5
White-----	137	13	25	20	30	34	11	4
All other--	96	15	11	25	16	21	7	1
Delivery without mention of complications (650)-----	10	2	3	2	3	-	-	-
White-----	6	1	1	1	3	-	-	-
All other--	4	1	2	1	-	-	-	-
RATE PER 100,000 LIVE BIRTHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	24.5	16.3	14.1	20.1	38.6	72.8	122.4	237.5
White-----	16.6	10.9	9.2	12.0	26.5	53.8	96.6	198.3
All other--	63.6	29.8	42.4	76.5	105.6	165.8	242.1	392.7
Ectopic pregnancy (631)-----	2.3	1.0	1.4	2.7	4.5	4.4	5.0	-
White-----	1.2	0.9	0.5	1.3	2.0	3.5	6.0	-
All other--	7.3	1.2	6.2	12.3	18.6	8.6	-	-
Toxemia of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	4.2	4.8	2.8	2.1	4.3	13.1	23.2	52.8
White-----	2.7	2.6	1.8	1.5	2.3	9.4	20.1	33.0
All other--	11.5	10.5	8.8	6.2	15.5	31.4	37.3	130.9
Hemorrhage of pregnancy and childbirth (632,651-653)-----	3.0	1.0	1.4	2.1	6.4	9.7	21.5	26.4
White-----	2.1	1.2	1.1	1.4	5.1	3.5	18.1	33.0
All other--	7.1	0.6	3.1	7.0	14.0	40.0	37.3	-
Abortions (640-645)-----	3.8	1.8	2.5	4.4	5.5	6.8	19.9	-
White-----	2.0	0.2	1.1	2.5	3.4	4.7	10.1	-
All other--	12.7	5.8	10.8	17.6	17.1	17.2	65.2	-
Abortion induced for legal indications (640,641)-----	0.1	-	-	0.2	-	-	-	-
White-----	0.1	-	-	0.3	-	-	-	-
All other--	-	-	-	-	-	-	-	-
Abortion induced for other reasons (642)-----	1.6	0.5	0.9	2.0	2.6	3.9	5.0	-
White-----	1.0	-	0.6	1.1	2.0	2.9	2.0	-
All other--	4.4	1.8	2.6	7.9	6.2	8.6	18.6	-
Spontaneous abortion (643)-----	0.6	0.5	0.3	0.7	1.2	1.0	3.3	-
White-----	0.4	0.2	0.3	0.6	0.6	0.6	2.0	-
All other--	1.5	1.2	0.5	0.9	4.7	2.9	9.3	-
Other and unspecified abortions (644,645)-----	1.5	0.8	1.3	1.5	1.7	1.9	11.6	-
White-----	0.5	-	0.2	0.5	0.8	1.2	6.0	-
All other--	6.8	2.9	7.7	8.8	6.2	5.7	37.3	-
Sepsis of childbirth and puerperium (670,671,673)-----	4.4	2.7	3.0	3.7	6.2	12.1	23.2	26.4
White-----	3.7	2.8	2.3	2.7	4.5	12.9	20.1	-
All other--	8.0	2.3	6.7	10.6	15.5	8.6	37.3	130.9
All other complications of pregnancy, childbirth, and the puerperium (630,633-635, 654-662,672,674-678)-----	6.7	4.7	2.8	5.0	11.0	26.7	29.8	131.9
White-----	4.7	3.0	2.2	2.5	8.4	19.9	22.1	132.2
All other--	16.3	8.8	5.7	22.0	24.8	60.0	65.2	130.9
Delivery without mention of complications (650)-----	0.3	0.3	0.2	0.2	0.7	-	-	-
White-----	0.2	0.2	0.1	0.1	0.8	-	-	-
All other--	0.7	0.6	1.0	0.9	-	-	-	-

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

SECTION 1 - GENERAL MORTALITY

Table 1-17. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-68

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	Total	White	All other	Year	Total	White	All other
1968	24.5	16.6	63.6	1951	75.0	54.9	201.3
1967	28.0	19.5	69.5	1950	83.3	61.1	221.6
1966	29.1	20.2	72.4	1949	90.3	68.1	234.8
1965	31.6	21.0	83.7	1948	116.6	89.4	301.0
1964	33.3	22.3	89.9	1947	134.5	108.6	334.6
1963 ¹	35.8	24.0	96.9	1946	156.7	130.7	358.9
1962 ¹	35.2	23.8	95.9	1945	207.2	172.1	454.8
1961	36.9	24.9	101.3	1944	227.9	189.4	506.0
1960	37.1	26.0	97.9	1943	245.2	210.5	509.9
1959	37.4	25.8	102.1	1942	258.7	221.8	544.0
1958	37.6	26.3	101.8	1941	316.5	266.0	678.1
1957	41.0	27.5	118.3	1940	376.0	319.8	773.5
1956	40.9	28.7	110.7	1935-39	493.9	439.9	875.5
1955	47.0	32.8	130.3	1930-34 ²	636.0	575.4	1,080.7
1954	52.4	37.2	143.8	1925-29	668.6	615.0	1,163.7
1953	61.1	44.1	166.1	1920-24	689.5	649.2	1,134.3
1952	67.8	48.9	188.1	1915-19	727.9	700.3	1,253.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²For 1932-34, Mexicans are included with "All other."

Table 1-18. Deaths by Month and State of Occurrence: United States and Each State, 1968

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,930,082	195,655	197,880	161,920	150,924	154,587	150,891	153,950	153,199	145,116	155,201	159,030	191,729
Alabama	33,273	3,637	2,883	2,829	2,569	2,633	2,613	2,585	2,606	2,477	2,536	2,767	3,138
Alaska	1,326	95	86	117	86	84	110	131	122	110	116	119	150
Arizona	14,021	1,254	1,158	1,242	1,147	1,157	1,039	1,007	1,025	1,111	1,259	1,609	1,609
Arkansas	20,983	2,422	1,754	1,659	1,606	1,679	1,654	1,664	1,680	1,590	1,713	1,616	1,926
California	160,839	14,133	13,196	13,325	12,966	13,056	12,577	12,783	12,825	12,519	13,259	13,482	16,718
Colorado	18,265	1,759	1,504	1,492	1,416	1,483	1,434	1,428	1,433	1,378	1,509	1,663	1,766
Connecticut	26,594	2,795	2,103	2,161	1,979	2,122	1,953	2,259	2,017	2,095	2,157	2,169	2,790
Delaware	5,071	491	425	414	413	376	409	400	408	388	398	432	517
District of Columbia	10,497	1,034	850	919	805	853	840	872	863	763	850	854	1,035
Florida	71,379	7,266	6,666	6,775	5,714	5,555	5,308	5,269	5,263	5,097	5,413	5,982	7,071
Georgia	41,965	4,495	3,599	3,543	3,191	3,236	3,178	3,248	3,541	3,180	3,398	3,451	3,905
Hawaii	4,270	384	417	322	328	358	338	354	360	315	360	344	380
Idaho	5,809	513	437	441	462	531	476	513	450	474	490	468	554
Illinois	111,082	10,958	8,708	9,381	8,795	8,903	8,821	8,817	8,842	8,379	9,040	9,121	11,317
Indiana	49,243	4,820	3,900	4,109	3,942	4,051	4,004	3,941	4,113	3,650	4,005	3,923	4,785
Iowa	29,886	3,281	2,250	2,465	2,344	2,403	2,466	2,295	2,387	2,261	2,397	2,499	2,838
Kansas	22,144	2,526	1,656	1,729	1,784	1,777	1,739	1,741	1,803	1,691	1,805	1,791	2,102
Kentucky	32,913	3,332	2,680	2,800	2,566	2,699	2,614	2,472	2,784	2,534	2,704	2,652	3,076
Louisiana	34,574	3,882	2,859	3,019	2,511	2,871	2,646	2,643	2,817	2,645	2,762	2,867	3,052
Maine	11,101	1,174	954	844	817	860	820	981	923	837	899	944	1,048
Maryland	32,097	3,292	2,611	2,725	2,462	2,532	2,504	2,696	2,537	2,443	2,525	2,534	3,196
Massachusetts	59,820	6,595	4,901	4,989	4,447	4,726	4,556	4,989	4,374	4,326	4,742	4,914	6,261
Michigan	76,633	6,762	5,852	6,205	6,071	6,314	6,238	6,239	6,337	5,783	6,324	6,582	7,926
Minnesota	34,426	3,312	2,735	2,849	2,675	2,673	2,844	2,706	2,759	2,577	2,849	2,872	3,575
Mississippi	23,647	2,712	1,982	1,928	1,793	1,860	1,888	1,805	1,839	1,792	1,924	1,918	2,206
Missouri	52,836	5,885	4,248	4,440	4,116	4,325	4,175	4,084	3,899	4,045	4,208	4,252	5,159
Montana	6,496	559	476	575	535	525	502	559	541	498	539	531	656
Nebraska	15,068	1,666	1,201	1,282	1,136	1,226	1,170	1,142	1,225	1,136	1,252	1,164	1,438
Nevada	3,733	351	275	310	255	301	302	321	299	298	357	320	344
New Hampshire	7,371	748	630	575	566	559	579	625	573	593	595	618	710
New Jersey	67,078	6,837	5,357	5,477	5,236	5,270	5,326	5,713	5,279	4,981	5,361	5,439	6,802
New Mexico	7,150	635	608	531	565	546	581	574	530	581	633	560	786
New York	192,324	20,118	15,246	15,971	14,992	15,496	14,712	16,086	14,552	14,232	15,429	15,676	19,814
North Carolina	44,593	4,408	3,648	3,834	3,511	3,515	3,451	3,495	3,840	3,347	3,561	3,761	4,222
North Dakota	5,710	520	485	468	447	433	458	456	483	449	488	468	595
Ohio	102,699	9,898	8,433	8,612	8,162	8,094	8,247	8,170	8,571	7,725	8,244	8,312	10,231
Oklahoma	25,008	2,887	2,105	2,072	2,006	1,977	1,927	1,931	1,985	1,905	1,928	2,014	2,271
Oregon	18,967	1,620	1,566	1,593	1,599	1,581	1,434	1,570	1,479	1,437	1,676	1,603	1,809
Pennsylvania	190,903	13,160	11,009	10,770	10,228	10,561	10,278	10,463	10,197	9,635	10,212	11,104	13,326
Rhode Island	9,704	1,128	753	834	723	721	753	802	719	721	767	821	986
South Carolina	23,033	2,429	1,952	2,081	1,740	1,740	1,723	1,786	1,968	1,711	1,767	1,970	2,166
South Dakota	6,444	668	530	529	501	523	551	506	468	515	562	504	587
Tennessee	39,374	4,154	3,186	3,358	3,004	3,207	3,050	3,080	3,258	2,971	3,161	3,204	3,741
Texas	93,908	10,324	7,943	7,983	7,382	7,486	7,076	7,262	7,341	7,107	7,351	7,704	8,949
Utah	7,136	662	562	585	497	652	576	589	581	553	578	599	664
Vermont	4,610	494	396	348	330	338	356	381	373	345	387	420	442
Virginia	39,098	4,018	3,285	3,305	3,011	3,062	3,041	3,021	3,233	2,902	3,051	3,134	3,994
Washington	30,661	2,924	2,696	2,516	2,468	2,480	2,396	2,444	2,465	2,326	2,580	2,510	2,856
West Virginia	20,046	2,058	1,712	1,763	1,568	1,682	1,579	1,586	1,586	1,475	1,595	1,642	1,852
Wisconsin	41,399	4,305	3,203	3,461	3,231	3,257	3,351	3,296	3,332	3,343	3,433	3,250	4,137
Wyoming	2,953	269	222	239	232	238	246	254	291	234	224	233	271

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1968

[Unit of residence is defined as the county or county equivalent of which decedent was a resident.]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of interstate non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States-----	1,930,082	1,572,399	357,683	289,543	68,140	1,191	96	692	1,126	2,127	529	1,052	335	1,028	2,552	1,206	51	535
Alabama-----	33,273	27,501	5,772	4,861	911	...	-	1	5	17	-	2	6	3	219	226	-	-
Alaska-----	1,326	992	334	261	73	-	...	1	-	14	2	-	-	-	2	-	-	2
Arizona-----	14,021	12,145	1,876	943	933	3	2	...	7	213	37	7	-	2	12	3	-	9
Arkansas-----	20,983	16,086	4,897	3,735	1,162	4	-	3	...	21	4	-	-	2	8	3	-	1
California-----	160,839	143,597	17,282	15,122	2,160	5	11	194	13	...	67	20	4	4	56	6	32	30
Colorado-----	18,265	13,348	4,917	3,849	1,068	3	1	43	8	91	...	3	1	4	19	5	1	5
Connecticut-----	26,394	23,199	3,195	2,539	856	1	-	1	-	18	4	...	1	-	45	2	1	-
Delaware-----	5,071	4,124	947	437	510	2	-	-	-	1	-	3	...	5	6	1	-	-
District of Columbia-----	10,497	7,777	2,720	-	2,720	7	-	3	8	25	3	9	2	...	36	24	-	2
Florida-----	71,379	60,047	11,332	7,081	4,251	159	1	7	13	31	11	113	11	13	...	251	2	1
Georgia-----	41,965	30,214	11,751	9,965	1,786	380	-	2	7	13	-	6	-	1	343	...	1	1
Hawaii-----	4,270	3,948	322	114	208	1	2	1	-	64	6	3	-	-	10	5	...	4
Idaho-----	5,809	4,552	1,257	925	332	-	2	6	-	32	4	-	-	-	1	-	-	...
Illinois-----	111,082	96,318	14,764	12,382	2,382	10	1	22	40	75	15	13	2	7	120	8	-	1
Indiana-----	49,243	39,665	9,578	7,721	1,857	5	-	4	2	14	4	-	-	-	57	5	1	1
Iowa-----	29,886	22,982	6,904	5,629	1,275	-	-	6	3	41	7	-	-	2	14	5	-	2
Kansas-----	22,144	17,150	4,994	3,777	1,217	2	1	10	20	36	49	-	-	2	6	-	1	3
Kentucky-----	32,913	25,156	7,757	6,263	1,494	6	-	4	5	13	1	2	-	5	42	8	-	-
Louisiana-----	34,574	26,299	8,275	7,295	980	57	-	2	97	29	1	5	1	2	66	11	-	1
Maine-----	11,101	9,097	2,004	1,688	356	-	-	-	-	3	-	32	-	4	17	-	-	1
Maryland-----	32,057	22,895	9,162	6,980	2,182	6	-	1	2	18	5	10	134	717	70	17	-	-
Massachusetts-----	59,820	48,888	10,932	9,114	1,818	2	-	2	3	17	1	302	3	5	82	11	-	1
Michigan-----	16,633	12,944	3,689	2,994	1,195	12	-	10	7	43	5	3	1	4	92	9	1	1
Minnesota-----	34,426	26,519	7,907	6,189	1,718	-	3	12	3	40	10	5	1	2	19	4	-	4
Mississippi-----	29,647	18,373	5,274	4,425	849	250	-	6	38	9	4	1	-	-	54	6	-	-
Missouri-----	52,836	37,182	15,654	12,854	2,800	6	3	14	143	49	16	2	-	1	22	5	1	1
Montana-----	6,496	5,123	1,373	1,127	246	-	-	2	-	18	8	3	1	-	6	1	-	23
Nebraska-----	15,068	11,525	3,543	2,838	705	-	1	6	4	36	20	1	-	2	2	-	-	-
Nevada-----	3,733	2,999	774	253	521	-	2	20	-	274	9	3	1	1	12	-	-	12
New Hampshire-----	7,371	5,892	1,479	824	655	1	-	-	1	2	-	19	-	4	10	-	-	-
New Jersey-----	67,078	54,665	12,413	10,153	2,260	3	-	2	2	10	1	25	29	6	98	8	1	-
New Mexico-----	7,150	5,587	1,563	1,056	507	3	-	145	1	54	49	1	-	-	4	1	-	-
New York-----	192,324	168,245	24,079	20,573	3,506	11	3	6	3	66	4	252	5	19	271	11	1	2
North Carolina-----	44,593	33,941	10,652	9,197	1,455	11	-	3	2	12	4	7	3	17	134	66	-	1
North Dakota-----	5,710	3,740	1,970	1,454	516	1	-	-	-	19	1	-	-	-	1	-	-	1
Ohio-----	102,699	86,300	16,399	13,761	2,638	12	2	13	4	30	5	9	2	7	143	11	-	-
Oklahoma-----	25,008	20,168	4,840	4,295	545	-	-	9	45	51	22	1	-	2	3	1	-	1
Oregon-----	18,967	15,354	3,613	2,920	693	-	6	9	-	201	6	-	-	1	4	1	1	75
Pennsylvania-----	130,903	111,129	19,774	16,675	3,099	6	-	5	1	30	3	30	108	18	112	8	-	2
Rhode Island-----	9,704	8,048	1,656	1,186	470	-	-	1	-	-	-	91	1	-	11	3	-	-
South Carolina-----	23,033	18,484	4,549	3,838	711	14	-	1	1	7	-	6	1	6	66	132	-	-
South Dakota-----	6,444	4,294	2,150	1,723	427	1	-	3	2	8	12	3	-	1	-	-	-	3
Tennessee-----	39,374	30,540	8,834	5,882	2,952	163	-	-	453	9	3	3	-	6	45	283	-	-
Texas-----	93,908	75,888	18,020	15,743	2,277	30	1	50	176	147	38	5	2	3	79	38	2	2
Utah-----	7,138	5,661	1,477	1,007	470	-	-	38	-	66	26	1	-	-	4	-	-	124
Vermont-----	4,610	3,482	1,128	712	416	-	-	-	-	1	-	32	-	-	4	-	-	-
Virginia-----	39,058	23,105	15,953	14,300	1,653	10	-	1	3	13	3	12	6	114	66	17	1	-
Washington-----	30,661	26,583	4,076	3,096	980	-	54	11	-	101	6	4	-	-	7	2	3	206
West Virginia-----	20,046	14,283	5,763	4,033	1,730	2	-	-	1	5	-	-	5	35	16	3	-	-
Wisconsin-----	41,399	34,155	7,244	5,930	1,314	2	-	9	2	16	2	3	1	1	34	5	-	1
Wyoming-----	2,953	2,328	625	324	301	-	-	3	1	24	51	1	1	1	1	-	-	11

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1968—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																			
	Ill.	Ind.	Iowa	Kans.	Ky.	Ia.	Maine	Mi.	Mass.	Mtch.	Minn.	Miss.	Mo.	Mont.	Nebr.	NeV.	N.H.	N.J.	N. Mex.	
United States.....	4,492	2,176	1,289	1,595	1,664	756	372	2,767	1,431	2,035	1,195	1,216	2,132	302	661	322	714	3,964	514	
Alabama.....	12	9	5	1	9	18	-	2	4	18	1	130	9	-	1	-	-	4	2	
Alaska.....	1	-	-	-	-	-	-	2	1	4	2	-	1	1	-	-	1	-	1	
Arizona.....	73	19	37	15	3	5	3	4	9	54	28	-	24	17	10	20	1	12	47	
Arkansas.....	41	4	3	35	6	40	-	2	1	12	3	44	246	2	3	-	-	2	2	
California.....	154	28	48	32	10	13	2	18	48	66	59	6	60	20	34	159	3	41	27	
Colorado.....	57	8	26	126	1	7	4	4	4	18	18	1	36	15	100	7	2	8	70	
Connecticut.....	1	3	2	-	1	1	15	11	141	7	2	1	1	1	1	1	11	49	1	
Delaware.....	-	1	1	-	1	-	-	136	1	1	1	-	-	-	-	-	-	31	1	
District of Columbia.....	8	6	1	3	13	3	2	1,691	12	10	3	1	9	1	1	-	-	2	2	
Florida.....	268	175	35	9	43	22	50	78	187	404	38	20	45	2	12	1	32	275	2	
Georgia.....	25	16	1	2	8	7	2	11	15	31	5	8	10	-	-	2	-	26	1	
Hawaii.....	10	2	-	-	-	1	2	4	3	11	3	-	3	-	1	1	1	1	1	
Idaho.....	5	1	2	3	1	-	-	1	-	-	1	-	-	23	-	14	-	-	5	
Illinois.....	...	742	123	14	68	10	1	7	8	146	31	29	348	2	10	7	2	19	2	
Indiana.....	739	...	11	4	232	3	2	4	4	290	5	7	21	1	2	1	-	10	3	
Iowa.....	514	12	...	8	3	2	1	-	2	8	86	3	180	1	205	1	-	2	4	
Kansas.....	32	4	17	...	1	5	-	2	3	5	7	3	688	-	59	2	-	3	4	
Kentucky.....	107	451	1	1	...	6	-	2	4	56	4	5	11	-	1	-	-	2	-	
Louisiana.....	12	5	7	3	3	...	-	5	4	12	2	195	17	-	-	1	-	2	-	
Maine.....	2	1	1	3	-	-	...	3	106	2	-	1	5	-	1	-	90	27	-	
Maryland.....	17	4	1	-	4	3	3	...	15	11	3	4	6	-	1	3	4	88	1	
Massachusetts.....	13	11	6	3	2	2	121	16	...	8	4	-	3	-	-	-	382	72	1	
Michigan.....	145	139	9	3	19	5	1	4	10	...	12	5	30	-	4	1	2	12	1	
Minnesota.....	147	38	246	16	8	2	1	6	2	57	...	16	4	30	29	25	2	4	2	
Mississippi.....	37	8	4	2	4	233	-	1	1	9	2	...	15	-	2	-	-	2	-	
Missouri.....	1,078	39	74	986	24	6	-	5	4	28	14	13	...	2	17	3	-	9	3	
Montana.....	3	1	8	3	1	-	-	1	2	8	11	1	3	...	4	2	-	11	2	
Nebraska.....	19	2	317	87	2	-	-	-	-	5	17	2	24	6	...	-	-	1	2	
Nevada.....	6	5	7	6	1	2	-	4	2	4	2	-	8	8	2	...	1	1	2	
New Hampshire.....	5	-	1	1	-	-	113	4	186	1	-	-	-	-	-	-	...	7	-	
New Jersey.....	11	7	1	4	4	2	7	31	45	18	5	3	5	-	1	-	9	...	-	
New Mexico.....	13	4	1	14	-	3	1	3	-	4	4	1	7	1	-	1	-	2	...	
New York.....	44	10	5	6	10	5	21	48	150	40	10	4	18	2	5	-	15	1,344	1	
North Carolina.....	16	1	1	-	12	6	1	33	18	9	1	6	-	-	-	-	-	35	1	
North Dakota.....	2	-	-	-	1	-	2	5	-	-	360	-	-	24	2	-	-	-	1	
Ohio.....	64	276	13	7	501	2	4	14	15	374	13	2	17	1	3	1	2	26	1	
Oklahoma.....	13	6	2	95	2	4	-	1	2	4	6	1	59	2	3	1	-	4	9	
Oregon.....	5	2	6	1	1	2	-	-	-	2	6	4	4	11	4	7	-	2	2	
Pennsylvania.....	26	17	4	1	10	5	2	183	18	38	4	-	6	-	1	-	-	1,375	2	
Rhode Island.....	1	1	-	-	1	-	3	1	309	1	-	-	-	-	-	-	4	10	-	
South Carolina.....	8	6	1	-	3	-	1	11	14	8	-	5	2	1	-	-	-	14	-	
South Dakota.....	11	2	83	4	-	-	-	-	-	4	114	-	1	11	76	-	-	-	1	
Tennessee.....	54	27	3	5	423	18	-	10	4	33	2	658	96	-	1	1	-	10	4	
Texas.....	71	35	25	65	10	299	-	10	6	23	19	44	62	3	13	5	3	17	300	
Utah.....	3	1	3	2	-	-	-	3	-	2	4	-	2	12	4	62	-	2	5	
Vermont.....	1	-	-	-	-	-	3	-	56	2	-	-	-	-	-	-	140	12	-	
Virginia.....	14	10	5	4	27	9	2	163	11	12	15	3	4	-	2	1	5	51	1	
Washington.....	8	6	4	7	3	2	1	1	3	8	10	-	7	69	6	3	1	3	-	
West Virginia.....	7	5	1	-	187	1	-	220	-	8	-	-	1	2	-	1	-	11	-	
Wisconsin.....	577	24	133	5	5	1	-	2	-	148	254	5	5	2	4	1	-	4	1	
Wyoming.....	12	2	5	6	-	1	1	-	1	11	5	-	2	31	40	10	-	3	5	

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1968—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																			All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	4,349	1,201	407	2,932	1,277	774	2,471	494	1,131	522	1,056	1,532	218	368	2,409	785	1,473	1,315	309	1,930,082
Alabama-----	11	9	1	15	1	-	8	-	7	-	117	21	-	-	10	1	2	4	-	33,553
Alaska-----	-	-	-	1	-	7	-	-	-	-	1	1	-	-	1	24	-	-	3	1,349
Arizona-----	24	3	6	34	17	14	18	1	1	6	5	52	16	1	3	26	3	22	5	13,780
Arkansas-----	4	-	-	5	368	2	3	1	-	-	53	224	-	1	1	4	-	4	-	20,947
California-----	152	11	13	69	30	166	61	-4	3	15	10	112	50	1	13	123	7	41	9	160,806
Colorado-----	34	2	11	24	18	11	14	1	2	31	8	77	20	2	3	12	5	7	90	17,726
Connecticut-----	446	5	-	7	-	-	28	29	1	-	-	-	-	9	3	1	3	-	-	26,730
Delaware-----	15	6	-	3	1	-	185	1	-	-	-	-	-	9	-	-	1	-	-	4,896
District of Columbia-----	34	18	1	20	4	2	52	2	18	-	12	11	1	1	590	3	35	3	-	8,805
Florida-----	915	61	1	315	5	4	278	33	43	6	57	26	1	7	67	6	32	83	-	69,680
Georgia-----	51	106	-	35	4	1	30	4	463	1	125	13	2	-	14	1	6	4	-	41,385
Hawaii-----	11	-	-	8	3	4	7	1	1	-	3	9	1	1	-	11	1	1	4	4,113
Idaho-----	-	-	1	1	1	78	1	2	-	3	2	5	38	-	1	87	-	1	10	6,012
Illinois-----	48	4	5	47	10	5	26	1	3	6	22	28	5	-	21	11	14	240	2	113,192
Indiana-----	20	3	1	285	6	3	27	-	2	2	24	16	-	-	13	1	7	14	1	49,562
Iowa-----	2	3	3	10	7	-	5	-	-	63	-	13	-	-	3	5	2	48	2	29,900
Kansas-----	5	1	-	4	181	3	3	1	-	3	1	36	1	-	1	4	2	5	1	22,522
Kentucky-----	10	8	-	291	3	1	11	-	6	-	188	8	-	-	60	4	161	5	-	33,083
Louisiana-----	12	9	-	15	15	1	6	1	6	1	19	341	2	-	4	3	2	2	1	34,350
Maine-----	31	-	-	3	1	-	10	2	-	1	-	-	-	3	4	-	-	1	-	11,117
Maryland-----	91	21	2	23	2	2	360	3	18	-	8	7	-	1	327	2	165	1	1	32,642
Massachusetts-----	268	5	-	20	-	3	34	339	2	-	2	3	-	47	12	1	4	4	1	59,433
Michigan-----	35	5	1	221	3	1	41	2	7	-	20	24	1	-	7	5	12	219	1	77,473
Minnesota-----	15	2	242	14	11	4	8	1	-	174	4	10	2	2	16	2	2	485	4	33,903
Mississippi-----	6	5	1	12	3	1	2	-	3	-	94	25	1	-	5	-	2	-	-	24,034
Missouri-----	20	5	1	28	64	3	13	4	3	4	23	33	1	-	7	5	3	14	1	52,168
Montana-----	1	-	31	-	6	7	1	-	-	9	-	5	5	-	27	-	-	5	39	6,552
Nebraska-----	5	-	2	5	6	6	1	-	-	76	1	6	-	-	1	8	-	5	27	15,024
Nevada-----	9	1	4	6	3	18	3	-	-	2	-	8	21	-	23	22	2	4	2	3,534
New Hampshire-----	48	2	-	1	-	-	6	5	1	-	1	-	-	234	-	2	-	1	-	7,430
New Jersey-----	966	14	-	20	1	-	864	9	4	-	4	4	-	2	21	1	9	3	-	68,782
New Mexico-----	9	1	-	7	29	3	5	-	-	2	3	121	4	-	2	1	1	1	1	7,157
New York-----	...	28	-	81	2	4	603	26	15	-	11	22	-	43	35	9	17	18	1	193,167
North Carolina-----	78	...	2	30	1	-	41	-	435	-	87	7	2	1	345	1	21	2	-	44,339
North Dakota-----	2	-	...	2	1	4	-	-	-	76	-	1	-	-	1	7	-	2	-	5,601
Ohio-----	85	10	1	...	7	-	334	2	6	1	35	22	-	3	27	8	508	15	-	102,993
Oklahoma-----	6	1	1	8	...	1	2	-	1	2	5	152	1	-	5	4	2	3	2	25,740
Oregon-----	4	3	5	4	1	...	4	-	-	1	-	2	3	-	-	304	-	1	2	19,048
Pennsylvania-----	446	25	-	413	2	-	...	3	6	1	4	7	4	1	41	2	121	2	3	131,275
Rhode Island-----	23	3	-	-	-	-	2	...	-	-	-	-	-	2	1	-	-	1	-	9,728
South Carolina-----	46	270	-	5	2	-	34	2	...	5	9	4	1	1	16	3	4	1	-	23,453
South Dakota-----	-	-	41	1	2	4	2	-	-	...	1	4	2	-	3	1	1	4	25	6,539
Tennessee-----	8	95	-	34	10	1	10	2	14	1	...	20	-	-	427	3	5	7	-	37,478
Texas-----	71	10	6	32	428	10	28	2	17	11	21	...	1	1	17	9	7	19	4	93,163
Utah-----	2	-	-	2	2	8	3	-	-	-	-	11	...	-	3	6	-	2	67	6,886
Vermont-----	145	-	-	1	-	-	12	5	1	-	-	-	-	...	-	1	-	-	-	4,562
Virginia-----	93	434	-	32	3	5	70	4	34	3	67	11	1	3	...	2	304	1	1	39,814
Washington-----	10	1	12	7	4	378	3	-	1	7	2	5	7	1	-	-	1	4	1	30,466
West Virginia-----	12	9	3	708	4	-	206	-	6	-	6	2	-	-	263	...	-	-	-	19,789
Wisconsin-----	14	2	6	17	3	4	3	1	1	4	1	12	-	-	2	-	-	...	2	41,400
Wyoming-----	6	-	3	6	2	5	3	-	-	4	-	10	25	-	-	4	1	3	...	2,961

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1968

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States-----	1,930,082	195,655	157,880	161,920	150,924	154,587	150,891	153,950	153,199	145,116	155,201	159,030	191,729
White-----	1,087,220	108,002	88,411	90,659	85,567	87,379	85,612	87,004	86,292	82,344	87,543	89,983	108,424
Male-----	842,862	87,653	69,469	71,261	65,357	67,208	65,279	66,946	66,907	62,772	67,658	69,047	83,305
Female-----	1,689,559	171,453	138,155	142,079	132,710	135,314	132,012	135,051	133,735	127,066	136,099	139,000	166,885
All other-----	951,154	94,535	77,394	79,565	75,240	76,341	74,907	76,209	75,428	72,138	76,597	78,568	94,232
Male-----	738,405	76,918	60,761	62,514	57,470	58,973	57,105	58,842	58,307	54,928	59,502	60,432	72,653
Female-----	240,523	24,202	19,725	19,841	18,214	19,273	18,879	18,899	19,464	18,050	19,102	20,030	24,844
Male-----	136,066	13,467	11,017	11,094	10,327	11,038	10,705	10,795	10,864	10,206	10,946	11,415	14,192
Female-----	104,457	10,735	8,708	8,747	7,887	8,235	8,174	8,104	8,600	7,844	8,156	8,615	10,652
Alabama-----	33,533	3,677	2,906	2,854	2,590	2,649	2,619	2,607	2,645	2,480	2,564	2,822	3,140
Male-----	19,282	2,106	1,609	1,629	1,484	1,494	1,533	1,539	1,525	1,430	1,477	1,647	1,809
Female-----	14,271	1,571	1,297	1,225	1,106	1,155	1,086	1,068	1,120	1,050	1,087	1,175	1,331
White-----	22,623	2,434	1,911	1,914	1,774	1,803	1,730	1,796	1,799	1,679	1,765	1,943	2,077
Male-----	13,349	1,434	1,101	1,116	1,033	1,037	1,057	1,078	1,078	975	1,068	1,151	1,221
Female-----	9,274	998	810	798	741	766	673	718	721	704	697	792	856
All other-----	10,930	1,245	995	940	815	846	889	811	846	801	799	879	1,063
Male-----	5,933	672	508	513	451	477	476	461	447	455	409	496	588
Female-----	4,997	573	487	427	365	389	413	350	399	346	390	383	475
Alaska-----	1,349	107	90	122	88	85	111	125	122	109	120	122	148
Male-----	916	70	59	89	54	60	67	89	92	86	85	75	90
Female-----	433	37	31	33	34	25	44	36	30	23	35	47	58
White-----	932	71	64	87	59	58	79	83	84	71	77	94	105
Male-----	666	54	43	67	40	39	48	58	65	57	61	62	72
Female-----	266	17	21	20	19	19	31	25	19	14	16	32	33
All other-----	417	36	26	35	29	27	32	42	38	38	43	28	43
Male-----	250	16	16	22	14	21	19	31	27	29	24	13	18
Female-----	167	20	10	13	15	6	13	11	11	9	19	15	25
Arizona-----	13,780	1,193	1,101	1,171	1,092	1,127	1,048	1,042	1,048	1,050	1,111	1,244	1,533
Male-----	8,501	722	675	715	676	700	642	649	644	658	681	782	957
Female-----	5,279	471	426	456	416	427	406	393	404	392	430	462	596
White-----	12,360	1,072	991	1,098	981	1,018	932	917	947	937	1,020	1,112	1,375
Male-----	7,610	642	607	641	609	641	581	569	586	582	629	690	833
Female-----	4,750	430	384	417	372	377	351	348	361	355	391	422	542
All other-----	1,420	121	110	113	111	109	116	125	101	113	91	132	178
Male-----	891	80	68	74	67	59	61	80	58	76	52	92	124
Female-----	529	41	42	39	44	50	55	45	37	39	40	40	54
Arkansas-----	20,947	2,421	1,755	1,675	1,605	1,674	1,654	1,666	1,672	1,583	1,702	1,620	1,920
Male-----	12,186	1,346	1,029	978	935	976	955	995	978	952	970	967	1,105
Female-----	8,761	1,075	726	697	670	698	699	671	694	631	732	653	815
White-----	16,316	1,891	1,386	1,313	1,262	1,290	1,267	1,299	1,296	1,213	1,342	1,266	1,491
Male-----	9,608	1,055	821	770	746	766	744	791	769	734	774	785	853
Female-----	6,708	836	565	543	516	524	523	508	527	479	568	481	638
All other-----	4,631	530	369	362	343	384	387	367	376	370	360	354	429
Male-----	2,578	291	208	208	189	210	211	204	209	218	196	182	252
Female-----	2,053	239	161	154	154	174	176	163	167	152	164	172	177
California-----	160,806	14,049	13,103	13,253	12,929	13,064	12,628	12,849	12,869	12,609	13,315	13,469	16,669
Male-----	90,597	7,835	7,391	7,545	7,336	7,318	7,155	7,217	7,384	7,047	7,434	7,658	9,477
Female-----	70,209	6,214	5,712	5,708	5,593	5,746	5,473	5,632	5,485	5,562	5,881	5,811	7,192
White-----	148,796	13,014	12,181	12,302	12,004	12,134	11,661	11,937	11,896	11,641	12,279	12,393	15,354
Male-----	83,326	7,204	6,824	6,963	6,800	6,758	6,550	6,669	6,886	6,478	6,797	7,002	8,693
Female-----	65,470	5,810	5,357	5,339	5,204	5,376	5,111	5,268	5,308	5,163	5,482	5,391	6,661
All other-----	12,010	1,035	922	951	925	930	967	912	973	968	1,026	1,076	1,315
Male-----	7,271	631	567	582	536	560	605	548	596	569	637	656	784
Female-----	4,739	404	355	369	389	370	362	364	377	399	389	420	531
Colorado-----	17,726	1,732	1,483	1,454	1,390	1,443	1,376	1,349	1,360	1,310	1,482	1,606	1,741
Male-----	9,968	967	833	800	758	847	763	727	794	744	835	918	982
Female-----	7,758	765	650	654	632	596	613	622	566	566	647	688	759
White-----	17,131	1,664	1,429	1,412	1,334	1,403	1,328	1,302	1,315	1,264	1,433	1,560	1,687
Male-----	9,634	927	802	776	731	824	730	703	768	722	810	891	950
Female-----	7,497	737	627	636	603	579	598	599	547	542	623	669	737
All other-----	595	68	54	42	56	40	48	47	45	46	49	46	54
Male-----	334	40	31	24	27	23	33	24	26	22	25	27	32
Female-----	261	28	23	18	29	17	15	23	19	24	24	19	22
Connecticut-----	26,790	2,804	2,128	2,196	1,987	2,129	1,973	2,258	2,121	2,033	2,164	2,180	2,817
Male-----	14,575	1,453	1,124	1,189	1,086	1,166	1,045	1,255	1,200	1,102	1,181	1,220	1,554
Female-----	12,215	1,351	1,004	1,007	901	963	928	1,003	921	931	983	960	1,263
White-----	25,525	2,696	2,041	2,087	1,892	2,029	1,860	2,151	2,022	1,927	2,063	2,082	2,675
Male-----	13,859	1,393	1,069	1,122	1,029	1,113	993	1,192	1,143	1,040	1,129	1,161	1,475
Female-----	11,666	1,303	972	965	863	916	867	959	879	887	934	921	1,200
All other-----	1,265	108	87	109	95	100	113	107	99	106	101	98	142
Male-----	716	60	55	67	57	53	52	63	57	62	52	59	79
Female-----	549	48	32	42	38	47	61	44	42	44	49	39	63
Delaware-----	4,896	481	409	404	392	366	403	400	379	367	387	405	503
Male-----	2,792	289	222	235	234	219	232	230	204	206	218	203	300
Female-----	2,104	192	187	169	158	147	171	170	175	161	169	202	203
White-----	3,973	394	318	326	316	294	328	326	316	297	321	319	418
Male-----	2,224	229	172	180	182	173	192	180	172	160	177	159	248
Female-----	1,749	165	146	146	134	121	136	146	144	137	144	160	170
All other-----	923	87	91	78	76	72	75	74	63	70	66	86	85
Male-----	568	60	50	55	52	46	40	50	32	46	41	44	52
Female-----	355	27	41	23	24	26	35	24	31	24	25	42	33
District of Columbia-----	8,805	872	694	769	663	712	667	729	726	659	712	715	887
Male-----	4,859	463	377	417	362	391	373	417	411	347	407	412	482
Female-----	3,946	409	317	352	301	321	294	312	315	312	305	303	405
White-----	3,639	401											

SECTION 1 - GENERAL MORTALITY

1-57

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1968-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Florida-----	69,680	6,802	6,086	6,204	5,428	5,475	5,388	5,410	5,417	5,268	5,477	5,883	6,842
Male-----	41,453	4,015	3,649	3,670	3,287	3,273	3,218	3,243	3,101	3,181	3,263	3,457	4,096
Female-----	28,227	2,787	2,437	2,534	2,141	2,202	2,170	2,167	2,316	2,087	2,214	2,426	2,746
White-----	58,919	5,796	5,088	5,290	4,608	4,617	4,541	4,585	4,575	4,480	4,617	5,005	5,717
Male-----	35,379	3,435	3,064	3,169	2,811	2,776	2,733	2,774	2,669	2,733	2,782	2,983	3,450
Female-----	23,540	2,361	2,024	2,121	1,797	1,841	1,808	1,811	1,906	1,747	1,835	2,022	2,267
All other-----	10,761	1,006	998	914	820	858	847	825	842	788	860	878	1,125
Male-----	6,074	580	585	501	476	497	485	469	432	448	481	474	646
Female-----	4,687	426	413	413	344	361	362	356	410	340	379	404	479
Georgia-----	41,385	4,422	3,548	3,505	3,150	3,181	3,158	3,205	3,465	3,150	3,334	3,400	3,867
Male-----	23,275	2,460	1,995	1,884	1,752	1,821	1,763	1,806	1,944	1,798	1,898	1,946	2,208
Female-----	18,110	1,962	1,553	1,621	1,398	1,360	1,395	1,399	1,521	1,352	1,436	1,454	1,659
White-----	27,991	2,924	2,342	2,408	2,160	2,106	2,169	2,240	2,359	2,153	2,275	2,297	2,556
Male-----	16,103	1,676	1,349	1,321	1,231	1,239	1,246	1,268	1,351	1,270	1,300	1,358	1,494
Female-----	11,888	1,248	993	1,087	929	869	923	972	1,008	883	975	939	1,062
All other-----	13,394	1,498	1,206	1,097	990	1,073	989	965	1,106	997	1,059	1,103	1,311
Male-----	7,172	784	646	563	521	582	517	538	593	528	598	588	714
Female-----	6,222	714	560	534	469	491	472	427	513	469	461	515	597
Hawaii-----	4,113	347	368	400	314	343	328	340	318	305	348	335	367
Male-----	2,517	218	241	241	182	210	204	196	208	181	199	202	235
Female-----	1,596	129	127	159	132	133	124	144	110	124	149	133	132
White-----	1,175	96	112	110	94	90	89	94	91	91	104	108	96
Male-----	687	60	64	58	55	57	53	52	56	58	55	60	59
Female-----	488	36	48	52	39	33	36	42	35	33	49	48	37
All other-----	2,938	251	256	290	220	253	239	246	227	214	244	227	271
Male-----	1,830	158	177	183	127	153	151	144	152	123	144	142	176
Female-----	1,108	93	79	107	93	100	88	102	75	91	100	85	95
Idaho-----	6,012	547	453	465	468	545	488	530	455	505	491	472	593
Male-----	3,626	319	260	278	308	337	289	329	272	307	307	271	349
Female-----	2,386	228	193	187	160	208	199	201	183	198	184	201	244
White-----	5,917	538	443	453	463	537	482	526	450	496	481	463	585
Male-----	3,571	315	258	272	306	332	284	326	270	300	298	265	345
Female-----	2,346	223	185	181	157	205	198	200	180	196	183	198	240
All other-----	95	9	10	12	5	8	6	4	5	9	10	9	8
Male-----	55	4	2	6	2	5	5	3	2	7	9	6	4
Female-----	40	5	8	6	3	3	1	1	3	2	1	3	4
Illinois-----	113,192	11,161	8,905	9,560	8,992	9,060	9,006	9,085	9,033	8,524	9,155	9,238	11,473
Male-----	63,710	4,966	5,278	5,095	5,095	5,032	5,170	5,179	5,118	4,804	5,134	5,253	6,534
Female-----	49,482	5,014	3,939	4,282	3,897	4,028	3,836	3,906	3,915	3,720	4,021	3,985	4,939
White-----	99,429	9,887	7,813	8,509	7,918	7,971	7,945	7,964	7,892	7,512	7,990	8,104	9,924
Male-----	55,854	5,442	4,350	4,699	4,487	4,390	4,535	4,544	4,472	4,220	4,448	4,600	5,667
Female-----	43,575	4,445	3,463	3,810	3,431	3,581	3,410	3,420	3,420	3,292	3,542	3,504	4,257
All other-----	13,763	1,274	1,092	1,051	1,074	1,089	1,061	1,121	1,141	1,012	1,165	1,134	1,549
Male-----	7,856	705	616	579	608	642	635	646	646	584	686	653	867
Female-----	5,907	569	476	472	466	447	426	486	495	428	479	481	682
Indiana-----	49,562	4,898	3,951	4,145	3,950	4,060	4,025	3,945	4,102	3,685	4,045	3,929	4,827
Male-----	27,463	2,687	2,297	2,297	2,182	2,235	2,239	2,164	2,245	2,067	2,271	2,200	2,695
Female-----	22,099	2,211	1,770	1,848	1,768	1,825	1,786	1,781	1,857	1,618	1,774	1,729	2,132
White-----	46,146	4,566	3,709	3,851	3,680	3,755	3,755	3,696	3,810	3,440	3,785	3,637	4,462
Male-----	25,497	2,507	2,047	2,142	2,034	2,054	2,076	2,015	2,076	1,920	2,105	2,038	2,483
Female-----	20,649	2,059	1,662	1,709	1,646	1,701	1,679	1,681	1,734	1,520	1,680	1,599	1,979
All other-----	3,416	332	242	294	270	305	270	249	292	245	260	292	365
Male-----	1,966	180	134	155	148	181	163	149	169	147	166	162	212
Female-----	1,450	152	108	139	122	124	107	100	123	98	94	130	153
Iowa-----	29,900	3,278	2,270	2,470	2,339	2,399	2,453	2,320	2,383	2,240	2,386	2,502	2,860
Male-----	16,695	1,793	1,280	1,378	1,326	1,321	1,364	1,315	1,324	1,261	1,343	1,423	1,567
Female-----	13,205	1,485	990	1,092	1,013	1,078	1,089	1,005	1,059	979	1,043	1,079	1,293
White-----	29,581	3,248	2,244	2,435	2,312	2,368	2,432	2,292	2,358	2,207	2,368	2,478	2,839
Male-----	16,526	1,773	1,268	1,361	1,308	1,305	1,355	1,300	1,313	1,245	1,336	1,407	1,555
Female-----	13,055	1,475	976	1,074	1,004	1,063	1,077	992	1,045	962	1,032	1,071	1,284
All other-----	319	30	26	35	27	31	21	28	25	33	18	24	21
Male-----	169	20	12	17	18	16	9	15	11	16	7	16	12
Female-----	150	10	14	18	9	15	12	13	14	17	11	8	9
Kansas-----	22,522	2,556	1,687	1,765	1,832	1,797	1,789	1,775	1,812	1,715	1,827	1,837	2,130
Male-----	12,569	1,357	988	959	1,040	1,008	1,002	996	1,014	964	1,041	1,026	1,174
Female-----	9,953	1,199	699	806	792	789	787	779	798	751	786	811	956
White-----	21,373	2,436	1,613	1,675	1,737	1,699	1,700	1,669	1,713	1,625	1,730	1,754	2,022
Male-----	11,912	1,290	939	910	988	963	944	939	954	912	983	981	1,109
Female-----	9,461	1,146	674	765	749	736	756	730	759	713	747	773	913
All other-----	1,149	120	74	90	95	98	89	106	99	90	97	83	108
Male-----	657	67	49	49	52	45	58	57	60	52	58	45	65
Female-----	492	53	25	41	43	53	31	49	39	38	39	38	43
Kentucky-----	33,083	3,366	2,714	2,833	2,577	2,710	2,603	2,486	2,804	2,510	2,695	2,687	3,098
Male-----	18,824	1,844	1,515	1,625	1,496	1,539	1,455	1,450	1,581	1,457	1,568	1,532	1,762
Female-----	14,259	1,522	1,199	1,208	1,081	1,171	1,148	1,036	1,223	1,053	1,127	1,155	1,336
White-----	29,837	3,029	2,465	2,572	2,312	2,437	2,353	2,262	2,502	2,262	2,440	2,424	2,779
Male-----	17,041	1,664	1,384	1,483	1,346	1,376	1,318	1,345	1,408	1,319	1,417	1,392	1,589
Female-----	12,796	1,365	1,081	1,089	966	1,061	1,035	917	1,094	943	1,023	1,032	1,190
All other-----	3,246	337	249	261	265	273	250	224	302	248	255	263	319
Male-----	1,783	180	131	142	150	163	137	105	175	138	151	140	173
Female-----	1,463	157	118	119	115	110	113	119	129	110	104	123	146
Louisiana-----	34,350	3,827	2,850	2,992	2,479	2,868	2,636	2,646	2,798	2,617	2,762	2,848	3,027
Male-----	19,495	2,140	1,626	1,694	1,412	1,662	1,522	1,521	1,596	1,453	1,597	1,606	1,696
Female-----	14,855	1,68											

Table 1-20 Deaths by Month, Color, and Sex: United States and Each State, 1968-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	11,117	1,194	969	873	833	867	817	950	870	829	906	946	1,061
Male	6,105	672	521	478	441	484	426	512	501	470	484	519	597
Female	5,012	522	448	395	392	383	391	438	369	359	422	429	464
White	11,068	1,185	965	865	829	862	815	947	869	827	902	944	1,058
Male	6,071	666	519	471	438	480	425	509	501	468	483	516	595
Female	4,997	519	446	394	391	382	390	438	368	359	419	428	463
All other	49	9	4	8	4	5	2	3	1	2	4	4	3
Male	34	6	2	7	3	4	1	3	-	2	1	3	2
Female	15	3	2	1	1	1	-	-	1	-	3	1	1
Maryland	32,642	3,330	2,678	2,762	2,536	2,582	2,548	2,739	2,609	2,438	2,554	2,616	3,250
Male	18,340	1,812	1,498	1,553	1,455	1,478	1,415	1,545	1,440	1,365	1,429	1,483	1,867
Female	14,302	1,518	1,180	1,209	1,081	1,104	1,133	1,194	1,169	1,073	1,125	1,133	1,383
White	26,173	2,692	2,142	2,200	2,030	2,060	2,054	2,199	2,096	1,941	2,085	2,070	2,604
Male	14,569	1,454	1,205	1,235	1,164	1,170	1,114	1,224	1,139	1,082	1,144	1,168	1,470
Female	11,604	1,238	937	965	866	890	940	975	957	859	941	902	1,134
All other	6,469	638	536	562	506	522	494	540	513	497	469	546	646
Male	3,771	358	293	318	291	308	301	321	301	283	285	315	397
Female	2,698	280	243	244	215	214	193	219	212	214	184	231	249
Massachusetts	59,433	6,588	4,872	4,989	4,429	4,706	4,516	4,962	4,331	4,256	4,689	4,874	6,221
Male	31,523	3,340	2,528	2,666	2,306	2,486	2,416	2,646	2,361	2,350	2,464	2,593	3,367
Female	27,910	3,248	2,344	2,323	2,123	2,220	2,100	2,316	1,970	1,906	2,225	2,281	2,854
White	57,952	6,444	4,756	4,864	4,319	4,597	4,391	4,830	4,218	4,156	4,557	4,742	6,078
Male	30,663	3,259	2,462	2,601	2,245	2,419	2,341	2,564	2,301	2,298	2,389	2,513	3,271
Female	27,289	3,185	2,294	2,263	2,074	2,178	2,050	2,266	1,917	1,858	2,168	2,229	2,807
All other	1,481	144	116	125	110	107	125	132	113	100	132	132	143
Male	860	81	66	65	61	69	75	82	60	52	75	80	96
Female	621	63	50	60	49	42	50	50	53	48	57	52	47
Michigan	77,473	6,880	5,983	6,336	6,189	6,364	6,277	6,244	6,341	5,787	6,380	6,665	8,027
Male	44,390	3,889	3,414	3,624	3,508	3,641	3,674	3,643	3,591	3,305	3,652	3,813	4,636
Female	33,083	2,991	2,569	2,712	2,681	2,723	2,603	2,601	2,790	2,482	2,728	2,852	3,391
White	68,879	6,151	5,378	5,672	5,529	5,672	5,572	5,526	5,642	5,170	5,684	5,903	6,979
Male	39,408	3,478	3,071	3,235	3,123	3,221	3,258	3,228	3,208	2,935	3,271	3,354	4,026
Female	29,471	2,673	2,307	2,438	2,406	2,451	2,314	2,298	2,434	2,235	2,413	2,549	2,953
All other	8,594	729	605	663	660	692	705	718	699	617	696	762	1,048
Male	4,982	411	343	389	385	420	416	415	383	370	381	459	610
Female	3,612	318	262	274	275	272	289	303	316	247	315	303	438
Minnesota	33,903	3,313	2,706	2,839	2,657	2,621	2,762	2,623	2,683	2,526	2,806	2,837	3,530
Male	19,328	1,830	1,543	1,596	1,534	1,534	1,578	1,515	1,527	1,449	1,608	1,637	1,998
Female	14,575	1,483	1,163	1,243	1,123	1,087	1,184	1,108	1,156	1,077	1,198	1,201	1,532
White	33,570	3,281	2,693	2,824	2,635	2,580	2,714	2,597	2,648	2,516	2,780	2,825	3,477
Male	19,140	1,814	1,538	1,585	1,501	1,506	1,553	1,494	1,510	1,446	1,593	1,631	1,969
Female	14,430	1,467	1,155	1,239	1,134	1,074	1,161	1,103	1,138	1,070	1,187	1,194	1,508
All other	333	32	13	15	22	41	48	26	35	10	26	12	53
Male	188	16	5	11	13	28	25	21	17	3	15	5	29
Female	145	16	8	4	9	13	23	5	18	7	11	7	24
Mississippi	24,014	2,746	2,000	1,944	1,832	1,878	1,931	1,821	1,878	1,830	1,957	1,943	2,254
Male	13,722	1,521	1,133	1,086	1,079	1,081	1,089	1,031	1,094	1,035	1,078	1,164	1,297
Female	10,292	1,225	867	858	753	797	842	756	784	795	879	779	957
White	13,496	1,478	1,093	1,095	1,076	1,015	1,054	1,043	1,112	1,062	1,110	1,099	1,259
Male	7,962	847	638	629	649	606	607	630	684	625	627	676	744
Female	5,534	631	455	466	427	409	447	413	428	437	483	423	515
All other	10,518	1,268	907	849	756	863	877	778	766	768	847	844	995
Male	5,760	674	495	457	430	475	482	435	410	410	451	488	553
Female	4,758	594	412	392	326	388	395	343	356	358	396	356	442
Missouri	52,168	5,836	4,188	4,379	4,062	4,261	4,089	3,995	3,913	4,004	4,146	4,178	5,117
Male	28,965	3,161	2,281	2,431	2,306	2,358	2,287	2,314	2,170	2,277	2,279	2,285	2,816
Female	23,203	2,675	1,907	1,948	1,756	1,903	1,802	1,681	1,743	1,727	1,867	1,893	2,301
White	46,613	5,276	3,775	3,929	3,658	3,824	3,666	3,538	3,459	3,561	3,681	3,722	4,524
Male	25,863	2,851	2,065	2,174	2,070	2,107	2,047	2,061	1,930	2,030	2,013	2,037	2,478
Female	20,750	2,425	1,710	1,755	1,588	1,717	1,619	1,477	1,529	1,531	1,668	1,685	2,046
All other	5,555	560	413	450	404	437	423	454	454	445	465	456	593
Male	3,102	310	216	257	236	251	240	253	240	247	266	248	338
Female	2,453	250	197	193	168	186	183	204	214	196	199	208	255
Montana	6,552	576	481	600	534	529	497	545	546	496	543	539	666
Male	3,978	336	296	374	301	317	304	333	334	312	322	336	413
Female	2,574	240	185	226	233	212	193	212	212	184	221	203	253
White	6,285	563	467	572	507	514	475	514	522	473	521	521	636
Male	3,833	327	288	354	289	307	292	316	320	300	313	329	398
Female	2,452	236	179	218	218	207	183	198	202	173	208	192	238
All other	267	13	14	28	27	15	22	31	24	23	22	18	30
Male	145	9	8	20	12	10	12	17	14	12	9	7	15
Female	122	4	6	8	15	5	10	14	10	11	13	11	15
Nebraska	15,024	1,650	1,206	1,279	1,111	1,220	1,176	1,139	1,227	1,142	1,248	1,168	1,458
Male	8,411	905	678	672	629	671	681	648	661	640	730	665	831
Female	6,613	745	528	607	482	549	495	491	566	502	518	503	627
White	14,583	1,599	1,180	1,246	1,081	1,173	1,139	1,110	1,193	1,100	1,214	1,136	1,412
Male	8,153	879	660	652	614	639	660	631	642	620	706	642	808
Female	6,430	720	520	594	467	534	479	479	551	480	508	494	604
All other	441	51	26	33	30	47	37	29	34	42	34	32	46
Male	258	26	18	20	15	32	21	17	19	20	24	23	23
Female	183	25	8	13	15	15	16	12	15	22	10	9	23
Nevada	3,534	321	275	282	250	301	287	300	288	278	310	307	335
Male	2,252	207	164	190	159	185	193	191	183	181	199	190	210
Female	1,282	114	111	92	91	116	94	109	105	97	111	117	125
White	3,284	296	251	263	225	279	274	279	268	257	286	290	316
Male	2,102	194	152	177									

SECTION I - GENERAL MORTALITY

1-59

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1968-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Hampshire-----	7,430	786	657	589	580	561	563	609	555	585	566	629	750
Male----	4,058	439	336	304	304	328	316	333	334	330	305	322	388
Female--	3,372	347	321	286	276	233	247	276	221	255	261	307	362
White-----	7,423	785	656	588	578	561	562	609	555	585	565	629	750
Male----	4,054	439	335	323	303	328	315	333	334	330	304	322	388
Female--	3,369	346	321	265	275	233	247	276	221	255	261	307	362
All other-----	7	1	1	1	2	-	1	-	-	-	1	-	-
Male----	4	-	1	-	1	-	1	-	-	-	-	-	-
Female--	3	1	-	1	1	-	-	-	-	-	1	-	-
New Jersey-----	68,782	7,035	5,548	5,692	5,365	5,441	5,449	5,785	5,368	5,085	5,465	5,584	6,965
Male----	37,748	3,815	3,017	3,067	2,950	3,048	2,999	3,150	2,966	2,842	2,982	3,087	3,825
Female--	31,034	3,220	2,531	2,625	2,415	2,393	2,450	2,635	2,402	2,243	2,483	2,497	3,140
White-----	61,905	6,419	4,966	5,158	4,832	4,930	4,880	5,157	4,818	4,588	4,983	5,011	6,208
Male----	33,844	3,457	2,708	2,761	2,639	2,750	2,675	2,803	2,659	2,555	2,683	2,759	3,395
Female--	28,061	2,962	2,258	2,397	2,193	2,180	2,205	2,354	2,159	2,033	2,255	2,252	2,813
All other-----	6,877	616	582	534	533	511	569	628	550	497	527	573	757
Male----	3,904	358	309	306	311	298	324	347	307	287	299	328	430
Female--	2,973	258	273	228	222	213	245	281	243	210	228	245	327
New Mexico-----	7,157	643	608	543	569	550	584	580	535	579	610	561	795
Male----	4,334	399	368	334	358	338	348	355	304	353	375	337	465
Female--	2,823	244	240	209	211	212	236	225	231	226	235	224	330
White-----	6,480	580	549	492	515	494	538	523	478	535	553	505	718
Male----	3,926	363	333	303	326	301	318	324	275	321	337	306	419
Female--	2,554	217	216	189	189	193	220	199	203	214	216	199	299
All other-----	677	63	59	51	54	56	46	57	57	44	57	56	77
Male----	408	36	35	31	32	37	30	31	29	32	38	31	46
Female--	269	27	24	20	22	19	16	26	28	12	19	25	31
New York-----	193,167	20,289	15,446	16,118	15,085	15,538	14,703	16,135	14,601	14,224	15,420	15,696	19,912
Male----	105,263	10,772	8,363	8,707	8,198	8,511	8,161	8,846	7,985	7,863	8,404	8,633	10,820
Female--	87,904	9,517	7,083	7,411	6,887	7,027	6,542	7,289	6,616	6,361	7,016	7,063	9,092
White-----	173,567	18,487	13,902	14,583	13,566	13,888	13,226	14,533	13,091	12,757	13,824	14,043	17,685
Male----	94,453	9,780	7,499	7,857	7,355	7,528	7,329	7,906	7,145	7,024	7,472	7,677	9,581
Female--	79,414	8,707	6,403	6,726	6,211	6,252	5,897	6,627	5,946	5,733	6,342	6,366	8,104
All other-----	19,600	1,802	1,544	1,535	1,519	1,658	1,477	1,602	1,510	1,467	1,606	1,653	2,227
Male----	11,110	992	864	850	843	983	832	940	840	839	932	956	1,239
Female--	8,490	810	680	685	676	675	645	662	670	628	674	697	988
North Carolina-----	44,339	4,418	3,642	3,809	3,515	3,498	3,437	3,448	3,791	3,316	3,553	3,724	4,188
Male----	25,735	2,493	2,068	2,151	2,093	2,033	1,990	2,035	2,171	1,963	2,109	2,170	2,459
Female--	18,604	1,925	1,574	1,658	1,422	1,465	1,447	1,413	1,620	1,353	1,444	1,554	1,729
White-----	31,983	3,096	2,612	2,739	2,562	2,497	2,528	2,531	2,727	2,433	2,611	2,660	2,987
Male----	18,758	1,775	1,517	1,569	1,533	1,453	1,483	1,498	1,573	1,457	1,559	1,562	1,779
Female--	13,225	1,321	1,095	1,170	1,029	1,044	1,045	1,033	1,154	976	1,052	1,098	1,208
All other-----	12,356	1,322	1,030	1,070	953	1,001	909	917	1,064	883	942	1,064	1,201
Male----	6,977	718	551	582	560	580	507	537	598	506	550	608	680
Female--	5,379	604	479	488	393	421	402	380	466	377	392	456	521
North Dakota-----	5,601	505	472	471	458	436	452	448	470	424	477	457	531
Male----	3,348	305	274	276	278	263	256	248	289	247	293	272	347
Female--	2,253	200	198	195	180	173	196	200	181	177	184	185	184
White-----	5,473	495	462	460	451	426	443	432	457	416	465	446	520
Male----	3,272	297	269	269	275	258	253	240	280	241	285	264	341
Female--	2,201	198	193	191	176	168	190	192	177	175	180	182	179
All other-----	128	10	10	11	7	10	9	16	13	8	12	11	11
Male----	76	8	5	7	3	5	3	8	9	6	8	8	6
Female--	52	2	5	4	4	5	6	8	4	2	4	3	5
Ohio-----	102,993	9,895	8,496	8,673	8,191	8,118	8,285	8,142	8,602	7,737	8,267	8,339	10,248
Male----	57,283	5,447	4,654	4,728	4,565	4,501	4,663	4,484	4,764	4,400	4,608	4,690	5,779
Female--	45,710	4,448	3,842	3,945	3,626	3,617	3,622	3,658	3,838	3,337	3,659	3,649	4,469
White-----	93,595	9,077	7,775	7,906	7,460	7,379	7,559	7,371	7,795	7,002	7,517	7,520	9,234
Male----	51,993	5,005	4,259	4,284	4,154	4,099	4,264	4,063	4,308	3,987	4,190	4,212	5,168
Female--	41,602	4,072	3,516	3,622	3,306	3,280	3,295	3,208	3,487	3,015	3,327	3,308	4,066
All other-----	9,398	818	721	767	731	739	726	771	807	735	750	819	1,014
Male----	5,290	442	395	444	411	402	399	421	456	413	418	478	611
Female--	4,108	376	326	323	320	337	327	350	351	322	332	341	403
Oklahoma-----	25,740	2,964	2,180	2,142	2,058	2,039	1,971	2,001	2,047	1,945	1,992	2,062	2,339
Male----	14,672	1,671	1,249	1,245	1,204	1,178	1,105	1,187	1,175	1,101	1,098	1,171	1,288
Female--	11,068	1,293	931	897	854	861	866	814	872	844	894	891	1,051
White-----	23,133	2,671	1,968	1,935	1,861	1,827	1,738	1,801	1,835	1,727	1,815	1,861	2,094
Male----	13,191	1,501	1,128	1,127	1,086	1,054	972	1,064	1,060	983	1,005	1,060	1,151
Female--	9,942	1,170	840	808	775	773	766	737	775	744	810	801	943
All other-----	2,607	293	212	207	197	212	233	200	212	218	177	201	245
Male----	1,481	170	121	118	118	124	133	123	115	118	93	111	137
Female--	1,126	123	91	89	79	88	100	77	97	100	84	90	108
Oregon-----	19,048	1,648	1,573	1,625	1,617	1,582	1,428	1,565	1,475	1,423	1,687	1,615	1,810
Male----	11,224	962	960	960	980	900	830	885	889	845	1,010	942	1,061
Female--	7,824	686	613	665	637	682	598	680	586	578	677	673	749
White-----	18,687	1,628	1,535	1,603	1,584	1,562	1,397	1,532	1,442	1,401	1,643	1,582	1,778
Male----	10,991	951	934	945	961	888	809	860	865	832	981	925	1,040
Female--	7,696	677	601	658	623	674	588	672	577	569	662	657	738
All other-----	361	20	38	22	33	20	31	33	33	22	44	33	32
Male----	233	11	26	15	19	12	21	25	24	13	29	17	21
Female--	128	9	12	7	14	8	10	8	9	9	15	16	11
Pennsylvania-----	131,275	13,177	11,037	10,847	10,274	10,576	10,271	10,533	10,182	9,692	10,251	11,126	13,309
Male----	72,142	7,244	6,065	5,891	5,706	5,866	5,701	5,717	5,544	5,300	5,670	6,076	7,392
Female--	59,133	5,933	4,972	4,956	4,568	4,710	4,570	4,816	4,638	4,392	4,581	5,050	5,917
White-----	119,916	12,102	10,135	9,918	9,396	9,691	9,391	9,628	9,243				

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1968 -Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rhode Island-----	9,728	1,127	773	830	725	726	740	787	735	713	752	828	992
Male-----	5,131	572	408	431	387	385	387	395	385	372	395	477	537
Female--	4,597	555	365	399	338	341	353	392	350	341	357	351	455
White-----	9,471	1,096	750	815	710	712	717	766	713	696	733	804	959
Male-----	4,989	559	394	420	378	377	378	384	372	365	383	461	518
Female--	4,482	537	356	395	332	335	339	382	341	331	350	343	441
All other-----	257	31	23	15	15	14	23	21	22	17	19	24	33
Male-----	142	13	14	11	9	6	9	11	13	7	12	16	19
Female--	115	18	9	4	6	6	14	10	9	10	7	8	14
South Carolina-----	23,453	2,484	1,971	2,115	1,754	1,774	1,748	1,807	2,000	1,760	1,816	2,012	2,212
Male-----	13,380	1,359	1,146	1,174	1,019	1,023	984	1,014	1,161	1,033	1,035	1,138	1,294
Female--	10,073	1,125	825	941	735	751	764	793	839	727	781	874	918
White-----	14,804	1,494	1,228	1,330	1,105	1,148	1,107	1,177	1,268	1,115	1,201	1,275	1,356
Male-----	8,672	839	735	746	666	684	629	677	756	688	691	743	816
Female--	6,132	655	493	584	439	464	478	500	512	427	510	532	538
All other-----	8,649	990	743	785	649	626	641	630	732	645	615	737	856
Male-----	4,708	520	411	428	353	339	355	337	405	345	344	395	476
Female--	3,941	470	332	357	296	287	286	293	327	300	271	342	380
South Dakota-----	6,539	695	538	558	496	541	557	490	476	528	555	508	597
Male-----	3,941	407	322	313	308	326	332	303	288	338	330	307	367
Female--	2,598	288	216	245	188	215	225	187	188	190	225	201	230
White-----	6,167	657	493	528	468	514	529	456	458	495	527	474	568
Male-----	3,715	385	294	294	289	310	317	281	277	316	317	287	348
Female--	2,452	272	199	234	179	204	212	175	181	179	210	187	220
All other-----	372	38	45	30	28	27	28	34	18	33	28	34	29
Male-----	226	22	28	19	19	16	15	22	11	22	13	20	19
Female--	146	16	17	11	9	11	13	12	7	11	15	14	10
Tennessee-----	37,478	3,972	3,043	3,195	2,848	3,063	2,876	2,913	3,104	2,839	3,000	3,045	3,580
Male-----	21,321	2,192	1,719	1,825	1,634	1,751	1,654	1,660	1,811	1,640	1,694	1,700	2,041
Female--	16,157	1,780	1,324	1,370	1,214	1,312	1,222	1,253	1,293	1,199	1,306	1,345	1,539
White-----	29,918	3,166	2,444	2,553	2,317	2,458	2,295	2,328	2,485	2,285	2,380	2,411	2,796
Male-----	17,170	1,752	1,381	1,479	1,333	1,410	1,338	1,342	1,484	1,331	1,357	1,345	1,618
Female--	12,748	1,414	1,063	1,074	984	1,048	957	986	1,001	954	1,023	1,066	1,178
All other-----	7,560	806	599	642	531	605	581	585	619	554	620	634	784
Male-----	4,151	440	338	346	301	341	316	318	327	309	337	355	423
Female--	3,409	366	261	296	230	264	265	267	292	245	283	279	361
Texas-----	93,163	10,227	7,846	7,901	7,312	7,388	7,027	7,226	7,334	7,068	7,317	7,638	8,879
Male-----	53,464	5,721	4,439	4,604	4,279	4,246	4,110	4,107	4,200	4,067	4,257	4,353	5,081
Female--	39,699	4,506	3,407	3,297	3,033	3,142	2,917	3,119	3,134	3,001	3,060	3,285	3,798
White-----	78,949	8,677	6,663	6,702	6,202	6,264	5,908	6,136	6,197	5,925	6,233	6,530	7,502
Male-----	45,430	4,838	3,792	3,943	3,644	3,634	3,481	3,483	3,547	3,434	3,620	3,716	4,298
Female--	33,519	3,839	2,871	2,759	2,558	2,630	2,427	2,653	2,650	2,591	2,613	2,814	3,204
All other-----	14,214	1,550	1,183	1,199	1,110	1,124	1,119	1,090	1,137	1,133	1,084	1,107	1,377
Male-----	8,034	883	647	661	635	612	629	624	653	633	637	637	783
Female--	6,180	667	536	538	475	512	490	466	484	500	447	471	594
Utah-----	6,886	669	561	564	485	636	543	562	559	524	562	580	641
Male-----	4,011	375	313	343	282	371	323	335	327	291	334	343	374
Female--	2,875	294	248	221	203	265	220	227	232	233	228	237	267
White-----	6,708	648	547	551	476	625	525	545	548	509	547	559	628
Male-----	3,888	359	304	333	277	361	313	323	322	281	323	329	363
Female--	2,820	289	243	218	199	264	212	222	226	228	224	230	265
All other-----	178	21	14	13	9	11	18	17	11	15	15	21	13
Male-----	123	16	9	10	5	10	10	12	5	10	11	14	11
Female--	55	5	5	3	4	1	8	5	6	5	4	7	2
Vermont-----	4,562	487	388	340	324	344	361	372	358	344	400	413	431
Male-----	2,472	236	205	188	167	196	207	198	187	188	212	235	253
Female--	2,090	251	183	152	157	148	154	174	171	156	188	178	178
White-----	4,558	487	387	340	324	344	361	372	357	343	399	413	431
Male-----	2,469	236	204	188	167	196	207	198	187	187	211	235	253
Female--	2,089	251	183	152	157	148	154	174	170	156	188	178	178
All other-----	4	-	1	-	-	-	-	-	1	1	1	-	-
Male-----	3	-	1	-	-	-	-	-	-	-	1	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
Virginia-----	39,814	4,128	3,361	3,392	3,044	3,112	3,101	3,064	3,288	2,961	3,121	3,200	4,042
Male-----	22,901	2,312	1,980	1,953	1,756	1,805	1,824	1,747	1,887	1,701	1,783	1,843	2,310
Female--	16,913	1,816	1,381	1,439	1,288	1,307	1,277	1,317	1,401	1,260	1,338	1,357	1,732
White-----	29,982	3,111	2,503	2,566	2,356	2,332	2,309	2,313	2,487	2,242	2,361	2,428	2,974
Male-----	17,159	1,718	1,477	1,481	1,335	1,335	1,358	1,313	1,436	1,274	1,337	1,392	1,683
Female--	12,823	1,393	1,026	1,085	1,021	997	951	1,000	1,051	968	1,004	1,036	1,291
All other-----	9,832	1,017	858	826	688	780	792	751	801	719	760	772	1,068
Male-----	5,742	594	503	472	421	470	466	434	451	427	426	451	627
Female--	4,090	423	355	354	267	310	326	317	350	292	334	321	441
Washington-----	30,466	2,892	2,707	2,491	2,461	2,481	2,384	2,429	2,422	2,266	2,579	2,505	2,849
Male-----	17,652	1,656	1,549	1,464	1,415	1,462	1,368	1,407	1,386	1,315	1,515	1,497	1,618
Female--	12,814	1,236	1,158	1,027	1,046	1,019	1,016	1,022	1,036	951	1,064	1,008	1,231
White-----	29,328	2,807	2,617	2,391	2,362	2,385	2,284	2,339	2,334	2,187	2,485	2,411	2,726
Male-----	16,931	1,601	1,482	1,401	1,349	1,406	1,317	1,345	1,330	1,272	1,449	1,439	1,540
Female--	12,397	1,206	1,135	990	1,013	979	967	994	1,004	915	1,036	972	1,186
All other-----	1,138	85	90	100	99	96	100	90	88	79	94	94	123
Male-----	721	55	67	63	66	56	51	62	56	43	66	58	78
Female--	417	30	23	37	33	40	49	28	32	36	28	36	45
West Virginia-----	19,789	2,052	1,691	1,748	1,558	1,667	1,574	1,484	1,548	1,457	1,554	1,610	1,846
Male-----	11,561	1,178	961	999	949	1,006	935	889	914	834	875	938	1,083
Female--	8,228	874	730	749	609	661	639	595	634	623	679	672	763
White-----	18,535	1,935	1,575	1,647	1,446	1,557	1,486	1,392	1,436	1,363	1,461	1,496	1,741
Male-----	10,830	1,112	893	943	893	935	881	832	849	785	824	867	1,016

SECTION 1 - GENERAL MORTALITY

I-61

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1968-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin-----	41,400	4,316	3,251	3,502	3,261	3,257	3,336	3,240	3,282	3,111	3,413	3,266	4,165
Male----	23,425	2,399	1,794	1,947	1,868	1,847	1,913	1,836	1,894	1,752	1,967	1,832	2,376
Female--	17,975	1,917	1,457	1,555	1,393	1,410	1,423	1,404	1,388	1,359	1,446	1,434	1,789
White-----	40,501	4,236	3,195	3,440	3,180	3,185	3,264	3,168	3,218	3,031	3,335	3,187	4,062
Male----	22,912	2,346	1,765	1,916	1,827	1,811	1,871	1,795	1,856	1,708	1,915	1,790	2,312
Female--	17,589	1,890	1,430	1,524	1,353	1,374	1,393	1,373	1,362	1,323	1,420	1,397	1,750
All other-----	899	80	56	62	81	72	72	72	64	80	78	79	103
Male----	513	53	29	31	41	36	42	41	38	44	52	42	64
Female--	386	27	27	31	40	36	30	31	26	36	26	37	39
Wyoming-----	2,961	272	232	255	246	243	248	245	252	230	228	243	267
Male----	1,837	174	145	165	164	151	152	144	164	140	138	138	162
Female--	1,124	98	87	90	82	92	96	101	88	90	90	105	105
White-----	2,864	265	228	250	243	232	242	239	244	222	218	239	262
Male----	1,797	170	144	161	163	143	150	141	159	136	133	136	161
Female--	1,087	95	84	89	80	89	92	98	85	86	85	103	101
All other-----	77	7	4	5	3	11	6	6	8	8	10	4	5
Male----	40	4	1	4	1	8	2	3	5	4	5	2	1
Female--	37	3	3	1	2	3	4	3	3	4	5	2	4

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Specified Race or National Origin and Sex: United States, and Each State, 1968

Area	Total			White		Negro		Indian ¹		Chinese		Japanese		Other	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,930,082	1,087,220	842,862	951,154	738,405	127,793	99,889	3,288	2,242	1,450	461	1,508	1,034	2,027	831
Alabama-----	33,553	19,282	14,271	13,349	9,274	5,929	4,996	2	-	1	-	-	-	1	1
Alaska-----	1,349	916	433	666	266	16	7	225	157	1	-	-	-	1	2
Arizona-----	13,780	8,501	5,279	7,610	4,750	338	190	534	333	12	2	3	4	4	-
Arkansas-----	20,947	12,186	8,761	9,608	6,708	2,970	2,051	2	-	4	2	1	-	1	-
California-----	160,806	90,597	70,209	83,326	65,470	5,467	3,999	178	102	545	196	552	316	529	126
Colorado-----	17,726	9,968	7,758	9,634	7,497	264	214	33	21	8	1	21	22	8	3
Connecticut-----	26,790	14,575	12,215	13,889	11,666	702	540	4	2	3	2	3	1	4	4
Delaware-----	4,896	2,792	2,104	2,224	1,749	555	348	-	-	1	1	-	-	12	5
District of Columbia-----	8,805	4,859	3,946	1,861	1,778	2,970	2,156	1	1	19	8	1	-	7	3
Florida-----	69,680	41,453	28,227	35,379	23,540	6,048	4,677	9	6	7	1	5	-	5	3
Georgia-----	41,385	23,275	18,110	16,103	11,888	7,164	6,217	1	-	2	1	2	3	3	1
Hawaii-----	4,113	2,517	1,596	687	488	14	8	1	-	139	94	668	532	² 1,008	³ 474
Idaho-----	6,012	3,626	2,386	3,571	2,346	7	5	42	27	-	-	6	8	-	-
Illinois-----	113,192	63,710	49,482	55,854	43,575	7,681	5,830	40	27	63	11	41	24	31	15
Indiana-----	49,562	27,463	22,099	25,497	20,649	1,951	1,444	4	2	5	-	1	3	5	1
Iowa-----	29,900	16,695	13,205	16,526	13,055	155	138	11	12	2	-	-	-	1	-
Kansas-----	22,522	12,569	9,953	11,912	9,461	636	462	16	27	2	-	-	-	3	3
Kentucky-----	33,083	18,824	14,259	17,041	12,796	1,779	1,455	3	2	-	-	1	-	1	4
Louisiana-----	34,350	19,495	14,855	12,767	9,259	6,706	5,578	13	14	3	1	-	3	6	-
Maine-----	11,117	6,105	5,012	6,071	4,997	14	9	19	5	1	-	-	-	-	1
Maryland-----	32,642	18,340	14,302	14,569	11,604	3,740	2,688	6	1	11	2	1	1	13	6
Massachusetts-----	59,433	31,523	27,910	30,663	27,289	793	594	8	8	53	14	-	1	6	4
Michigan-----	77,473	44,390	33,083	39,408	29,471	4,867	3,555	72	49	33	6	5	1	5	1
Minnesota-----	33,903	19,328	14,575	19,140	14,430	102	82	82	60	4	1	-	1	-	1
Mississippi-----	24,014	13,722	10,292	7,962	5,534	5,732	4,737	19	15	8	5	1	1	-	-
Missouri-----	52,168	28,965	23,203	25,863	20,750	3,084	2,440	5	6	7	4	1	2	5	1
Montana-----	6,552	3,978	2,574	3,833	2,452	10	8	128	112	2	1	3	1	2	2
Nebraska-----	15,024	8,411	6,613	8,153	6,430	203	150	47	29	-	-	6	2	2	2
Nevada-----	3,534	2,252	1,282	2,102	1,182	101	66	35	28	5	2	2	3	7	1
New Hampshire-----	7,430	4,058	3,372	4,054	3,369	4	2	-	-	-	1	-	-	-	-
New Jersey-----	68,782	37,748	31,034	33,844	28,061	3,762	2,883	6	1	24	4	5	3	107	82
New Mexico-----	7,157	4,334	2,823	3,926	2,554	86	59	313	207	3	2	3	-	3	1
New York-----	193,167	105,263	87,904	94,153	79,414	10,948	8,310	101	76	340	62	33	11	88	31
North Carolina-----	44,339	25,735	18,604	18,758	13,225	6,803	5,259	167	113	3	2	-	2	4	3
North Dakota-----	5,601	3,348	2,253	3,272	2,201	5	1	70	51	1	-	-	-	-	-
Ohio-----	102,993	57,283	45,710	51,993	41,602	5,250	4,090	14	9	16	3	2	-	8	6
Oklahoma-----	25,740	14,672	11,068	13,191	9,942	1,081	859	396	264	1	-	-	-	3	3
Oregon-----	19,048	11,224	7,824	10,991	7,696	124	76	53	31	17	5	23	13	16	3
Pennsylvania-----	131,275	72,142	59,133	65,772	54,144	6,323	4,970	5	6	24	3	2	2	16	8
Rhode Island-----	9,728	5,131	4,597	4,989	4,482	129	109	10	6	2	-	-	-	1	-
South Carolina-----	23,453	13,380	10,073	8,672	6,132	4,703	3,938	5	1	-	-	-	-	-	2
South Dakota-----	6,539	3,941	2,598	3,715	2,452	3	-	222	146	-	-	-	-	1	-
Tennessee-----	37,478	21,321	16,157	17,170	12,748	4,145	3,406	-	2	4	-	1	1	1	-
Texas-----	93,163	53,464	39,699	45,430	33,519	7,988	6,160	7	6	20	4	4	4	15	6
Utah-----	6,886	4,011	2,875	3,888	2,820	35	18	49	27	11	-	26	10	2	-
Vermont-----	4,562	2,472	2,090	2,469	2,089	2	1	-	-	1	-	-	-	-	-
Virginia-----	39,814	22,901	16,913	17,159	12,823	5,720	4,075	3	2	7	2	2	2	10	9
Washington-----	30,466	17,652	12,814	16,931	12,397	332	182	212	157	25	13	78	52	74	13
West Virginia-----	19,789	11,561	8,228	10,830	7,705	730	523	1	-	-	-	-	-	-	-
Wisconsin-----	41,400	23,425	17,975	22,912	17,589	405	314	94	66	9	4	4	1	1	1
Wyoming-----	2,961	1,837	1,124	1,797	1,087	17	10	20	25	1	-	1	1	1	1

¹ Includes deaths among Aleuts and Eskimos.² Includes 423 deaths among Hawaiians and Part-Hawaiians. (In addition there were 32 deaths among Hawaiians and Part-Hawaiians residing in other States.)³ Includes 327 deaths among Hawaiians and Part-Hawaiians. (In addition there were 13 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both Sexes	Male	Female	Male	Female	Male	Female	Both Sexes	Male	Female	Male	Female	Male	Female		
	All causes	1,930,082	1,087,220	842,862	951,154	738,405	136,066	104,457	965.7	1,114.3	824.0	1,108.3	823.4	1,158.5	828.4		
	I. INFECTIVE AND PARASITIC DISEASES																
000-009	Intestinal infectious diseases	3,138	1,558	1,580	1,070	1,165	488	415	1.6	1.6	1.5	1.2	1.3	4.2	3.3		
000	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Classical	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	El Tor	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
001	Typhoid fever	7	3	4	2	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
002	Paratyphoid fever	5	4	1	-	1	4	-	0.0	0.0	0.0	-	0.0	0.0	-		
.0	Paratyphoid fever A	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Paratyphoid fever B	4	4	-	-	-	4	-	0.0	0.0	-	-	-	0.0	-		
.2	Paratyphoid fever C	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	-		
.9	Paratyphoid fever, unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
003	Other Salmonella infections	65	36	29	23	18	13	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	With food as vehicle of infection	2	2	-	1	-	1	-	0.0	0.0	-	-	-	0.0	-		
.9	Without mention of food as vehicle of infection	63	34	29	22	18	12	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
004	Bacillary dysentery	60	33	27	16	17	17	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Flexner	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Boyd	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Sonne	3	1	2	-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0		
.4	Schmitz (Stutzer)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified bacillary	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified	54	30	24	14	15	16	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
005	Food poisoning (bacterial)	10	4	6	2	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Staphylococcal	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Botulism	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Due to other clostridia	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified bacterial food poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Food poisoning, unspecified	5	1	4	-	3	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0		
006	Amebiasis	51	36	15	31	10	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	With liver abscess	22	16	6	15	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Without mention of liver abscess	29	20	9	16	6	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
007	Other protozoal intestinal diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Balantidiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Giardiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Coccidiosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
008	Enteritis due to other specified organisms	351	171	180	132	137	39	43	0.2	0.2	0.2	0.2	0.2	0.3	0.3		
.0	Escherichia coli	11	8	3	5	1	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other specified bacteria	28	14	14	12	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Bacterial enteritis, unspecified	24	14	10	10	6	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Enteritis due to specified virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other organism not elsewhere classifiable	288	135	153	105	118	30	35	0.1	0.1	0.1	0.1	0.1	0.3	0.3		
009	Diarrheal diseases	2,589	1,271	1,318	864	976	407	342	1.3	1.3	1.3	1.0	1.1	3.5	2.7		
.0	Dysentery, unspecified	17	8	9	7	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Diarrhea	413	216	197	119	109	97	88	0.2	0.2	0.2	0.1	0.1	0.8	0.7		
.2	Gastroenteritis and colitis	2,159	1,047	1,112	738	860	309	252	1.1	1.1	1.1	0.9	1.0	2.6	2.0		
.9	Other diarrheal diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
010-019	Tuberculosis-----	6,292	4,502	1,790	3,168	1,205	1,334	585	3.1	4.6	1.7	3.7	1.3	11.4	4.6	
010	Silicotuberculosis-----	230	226	4	195	3	31	1	0.1	0.2	0.0	0.2	0.0	0.3	0.0	
011	Pulmonary tuberculosis-----	4,505	3,321	1,184	2,270	771	1,051	413	2.3	3.4	1.2	2.6	0.9	8.9	3.3	
*.0	Active, minimal-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.1	Active, moderately advanced-----	82	60	22	42	14	18	8	0.0	0.1	0.0	0.0	0.0	0.2	0.1	
*.2	Active, far advanced-----	1,024	800	224	556	145	244	79	0.5	0.8	0.2	0.6	0.2	2.1	0.6	
*.3	Active, stage unspecified-----	413	321	92	221	59	100	33	0.2	0.3	0.1	0.3	0.1	0.9	0.3	
*.4	Miliary, lung, not otherwise specified-----	90	61	29	41	11	20	18	0.0	0.1	0.0	0.0	0.0	0.2	0.1	
*.5	Radiologic evidence alone-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Pulmonary tuberculosis not otherwise specified-----	2,891	2,077	814	1,408	539	669	275	1.4	2.1	0.8	1.6	0.6	5.7	2.2	
012	Other respiratory tuberculosis-----	274	145	129	116	106	29	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2	
.0	Primary-----	5	1	4	1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.1	Pleurisy specified as tuberculous-----	24	17	7	12	6	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Pleurisy with effusion without mention of cause-----	238	124	114	101	93	23	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	
.3	Tuberculous laryngitis-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-	
.9	Other respiratory tuberculosis-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
013	Tuberculosis of meninges and central nervous system-----	129	79	50	35	22	44	28	0.1	0.1	0.0	0.0	0.0	0.4	0.2	
.0	Tuberculous meningitis-----	121	74	47	32	22	42	25	0.1	0.1	0.0	0.0	0.0	0.4	0.2	
.9	Other central nervous system-----	8	5	3	3	-	2	3	0.0	0.0	0.0	0.0	-	0.0	0.0	
014	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	45	21	24	9	10	12	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
015	Tuberculosis of bones and joints-----	40	24	16	14	13	10	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.0	Of vertebral column-----	38	22	16	14	13	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.1	Of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Of other specified bones and joints-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	
.9	Of unspecified bones and joints-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	
016	Tuberculosis of genitourinary system-----	46	29	17	25	14	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Kidney-----	34	21	13	21	12	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.1	Other urinary organs-----	4	2	2	2	1	1	0	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.2	Genital organs (male and female)-----	5	4	1	1	-	3	1	0.0	0.0	0.0	0.0	-	0.0	0.0	
*.9	Genitourinary system, site unspecified-----	3	2	1	1	1	1	0	0.0	0.0	0.0	0.0	0.0	-	0.0	
017	Tuberculosis of other organs-----	39	19	20	15	11	4	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
.0	Of skin and subcutaneous cellular tissue-----	7	-	7	-	2	-	5	0.0	-	0.0	-	0.0	-	0.0	
.1	Of peripheral lymphatic glands-----	6	2	4	1	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Of other organs-----	26	17	9	14	7	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
018	Disseminated tuberculosis-----	206	107	99	56	40	51	59	0.1	0.1	0.1	0.1	0.0	0.4	0.5	
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Acute miliary tuberculosis, unspecified-----	9	5	4	2	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.9	Other forms of disseminated tuberculosis-----	197	102	95	54	36	48	59	0.1	0.1	0.1	0.1	0.0	0.4	0.5	
019	Late effects of tuberculosis-----	778	531	247	433	215	98	32	0.4	0.5	0.2	0.5	0.2	0.8	0.3	
.0	Respiratory tuberculosis-----	762	521	241	428	211	93	30	0.4	0.5	0.2	0.5	0.2	0.8	0.2	
.1	Of central nervous system-----	5	2	3	1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.2	Of genitourinary system-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
*.3	Of vertebral column-----	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	
*.4	Of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Of other bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Of other specified organs-----	3	2	1	-	-	2	1	0.0	0.0	0.0	-	-	-	0.0	
020-027	Zoonotic bacterial diseases-----	23	17	6	12	3	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020	Plague-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Bubonic-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Pulmonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
021	Tularemia-----	1	-	1	-	-	-	-	0.0	-	0.0	-	-	-	0.0	
022	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
	Poliomyelitis and other enterovirus diseases of central nervous system--Con.															
045	Aseptic meningitis due to enterovirus-----	50	25	25	20	19	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Coxsackie virus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	ECHO virus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Aseptic meningitis, unspecified-----	50	25	25	20	19	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
046	Other enterovirus diseases of central nervous system-----	49	92	20	24	17	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050-057	Viral diseases accompanied by exanthems-----	253	139	114	120	103	19	11	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
050	Smallpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Variola major-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Variola minor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
051	Cowpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
052	Chickenpox-----	99	61	38	55	34	6	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
053	Herpes zoster-----	69	32	37	31	36	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Of eye-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.1	Of other parts of face-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-	
*.2	Of trunk-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.9	Of other and unspecified sites-----	57	25	32	24	31	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
054	Herpes simplex-----	37	21	16	16	14	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
055	Measles-----	24	12	12	8	10	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
056	Rubella-----	24	13	11	10	9	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
057	Other viral exanthems-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Erythema infectiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Exanthema subitum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
060-068	Arthropod-borne viral diseases-----	398	226	172	202	147	24	25	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
060	Yellow fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Sylvatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Urban-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
061	Dengue-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-	
062	Mosquito-borne viral encephalitis-----	7	5	2	5	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.0	Japanese encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Western equine encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Eastern equine encephalitis-----	6	5	1	5	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	
.3	St. Louis encephalitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.4	Murray Valley encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
063	Tick-borne viral encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Russian spring-summer (taiga) encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Louping ill-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Central European encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
064	Viral encephalitis transmitted by other arthropods-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
065	Viral encephalitis, unspecified-----	347	200	147	176	126	24	21	0.2	0.2	0.1	0.2	0.1	0.2	0.2	
066	Late effects of viral encephalitis-----	42	20	22	20	19	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	
067	Arthropod-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Crimean hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Omsk hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Kyasanur Forest disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other tick-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Mosquito-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Hemorrhagic nephros-nephritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified arthropod-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Arthropod-borne viral diseases--Con.														
068	Other arthropod-borne viral diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Phlebotomus fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Tick-borne fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Mosquito-borne fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other arthropod-borne viral diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
070-079	Other viral diseases-----	1,444	600	844	510	692	90	152	0.7	0.6	0.8	0.6	0.8	0.8	1.2
070	Infectious hepatitis-----	877	327	550	270	451	57	99	0.4	0.3	0.5	0.3	0.5	0.5	0.8
071	Rabies-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
072	Mumps-----	25	9	16	8	15	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
073	Psittacosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
074	Specific diseases due to Coxsackie virus-----	19	10	9	5	7	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Herpangina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Epidemic pleurodynia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Coxsackie myocarditis-----	17	9	8	4	6	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
075	Infectious mononucleosis-----	14	7	7	7	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
076	Trachoma, active-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
077	Late effects of trachoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
078	Other viral diseases of the conjunctiva-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Inclusion conjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Epidemic keratoconjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Acute adenoviral follicular conjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Viral conjunctivitis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
079	Other viral diseases-----	508	247	261	220	212	27	49	0.3	0.3	0.3	0.3	0.2	0.2	0.4
.0	Molluscum contagiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Viral warts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lymphocytic choriomeningitis-----	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Cat-scratch disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Foot-and-mouth disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Cytomegalic inclusion disease-----	32	19	13	15	11	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
.9	Viral infection, unspecified-----	468	224	244	202	197	22	47	0.2	0.2	0.2	0.2	0.2	0.2	0.4
080-089	Rickettsioses and other arthropod-borne diseases-----	33	19	14	18	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
080	Epidemic louse-borne typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
081	Other typhus-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.0	Endemic flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Brill's disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mite-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
082	Tick-borne rickettsioses-----	21	12	9	12	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Spotted fevers-----	21	12	9	12	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Boutonneuse fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	North Asian tick-borne typhus fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
083	Other rickettsioses-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Rickettsial pox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Q-fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Wolhynian fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate					
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Rickettsioses and other arthropod-borne diseases--Con.														
084	Malaria-----	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Falciparum malaria (malignant tertian)-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Vivax malaria (benign tertian)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Malariae malaria (quartan)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified forms-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
085	Leishmaniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
086	American trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With other organ involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Without mention of organ involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
087	Other trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Gambian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Rhodesian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	African trypanosomiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Trypanosomiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
088	Relapsing fever-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
089	Other arthropod-borne diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Bartonellosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-099	Syphilis and other venereal diseases-----	593	434	159	251	84	183	75	0.3	0.4	0.2	0.3	0.1	1.6	0.6
090	Congenital syphilis-----	28	17	11	11	6	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Early congenital syphilis, symptomatic-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Early congenital syphilis, latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Early congenital syphilis, unspecified-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.3	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Juvenile neurosyphilis,-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Other late congenital syphilis, symptomatic-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Late congenital syphilis, latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Late congenital syphilis, unspecified-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.9	Congenital syphilis, unspecified-----	11	5	6	3	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
091	Early syphilis, symptomatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Primary syphilis, except extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis of skin and mucous membranes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Secondary syphilis, relapse (treated or untreated)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other recently acquired syphilis, symptomatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Early syphilis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
093	Cardiovascular syphilis-----	338	240	98	124	46	116	52	0.2	0.2	0.1	0.1	0.1	1.0	0.4
.0	Aneurysm of aorta, specified as syphilitic-----	53	37	16	25	7	12	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.9	Other cardiovascular syphilis-----	285	203	82	99	39	104	43	0.1	0.2	0.1	0.1	0.0	0.9	0.3
094	Syphilis of central nervous system-----	191	153	38	101	27	52	11	0.1	0.2	0.0	0.1	0.0	0.4	0.1
.0	Tabes dorsalis-----	42	34	8	28	7	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	General paresis-----	49	40	9	29	8	11	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Other syphilis of central nervous system-----	100	79	21	44	12	35	9	0.1	0.1	0.0	0.1	0.0	0.3	0.1
095	Other forms of late syphilis with symptoms-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Syphilis and other venereal diseases--Con.														
097	Other syphilis and not specified-----	23	16	7	10	2	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Late syphilis, unspecified-----	8	5	3	5	-	-	3	0.0	0.0	0.0	0.0	-	-	0.0
.9	Syphilis, unspecified-----	15	11	4	5	2	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
098	Gonococcal infections-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.0	Acute, of genitourinary tract-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chronic, of genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other sites-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.9	Site unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
099	Other venereal diseases-----	6	4	2	2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Chancroid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Lymphogranuloma venereum-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.2	Granuloma inguinale-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Other and unspecified-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
100-104	Other spirochetal diseases-----	11	5	6	4	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100	Leptospirosis-----	9	5	4	4	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Leptospirosis icterohemorrhagica-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.8	Other-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Unspecified-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
101	Vincent's angina-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
102	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Initial lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Multiple papillomata and "wet crab" yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other early skin lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hyperkeratosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Gummata, ulcers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Gangosa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Bone and joint lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other manifestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Latent yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Yaws, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Pinta-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Primary lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intermediate lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Late lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Mixed lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Other spirochetal infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Nonvenereal endemic syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Mycoses-----	445	283	162	231	121	52	41	0.2	0.3	0.2	0.3	0.1	0.4	0.3
110	Dermatophytosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.0	Of scalp and beard-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of foot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Of other and unspecified sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Dermatomycoses, other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Pityriasis versicolor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tinea nigra-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tinea blanca-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Moniliasis-----	112	58	54	50	45	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
113	Actinomycesis-----	16	14	2	12	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
114	Coccidioidomycosis-----	58	40	18	26	9	14	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

6th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Mycoses--Con.														
115	Histoplasmosis-----	58	42	16	36	10	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
116	Blastomycosis-----	111	74	37	61	28	13	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.0	European-----	96	64	32	55	26	9	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.1	North American-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	South American-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	15	10	5	6	2	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
117	Other systemic mycoses-----	90	55	35	46	28	9	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.0	Rhinosporidiosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Sporotrichosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Chromomycosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Aspergillosis-----	28	20	8	16	7	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Maduroomycosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	26	11	15	8	12	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	36	24	12	22	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
120-129	Helminthiasis -----	18	12	6	7	3	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
120	Schistosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Schistosoma hematobium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Schistosoma mansoni-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Schistosoma japonicum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Cutaneous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Other trematode infestations-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Opisthorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Clonorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Fascioliasis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.4	Fasciolopsiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hydatidosis-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of liver-----	3	3	-	3	-	-	-	0.0	0.0	-	-	-	0.0	-
.1	Of lung-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.8	Of other specified site-----	1	1	-	1	-	-	-	0.0	0.0	-	-	0.0	-	-
.9	Of unspecified site-----	1	1	-	1	-	-	-	0.0	0.0	-	-	0.0	-	-
123	Other cestode infestations-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Taenia solium infestation, intestinal form-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cysticercosis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Taenia saginata infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Taeniasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Diphyllobothriasis, intestinal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Sparganosis (larval diphyllobothriasis)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Hymenolepiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Trichiniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Filarial infestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Wuchereriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Brugia filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Loiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Onchocerciasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acanthocheilonemiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Mansonellosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Helminthiases--Con.														
126	Ancylostomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Ancylostoma duodenale-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Necator americanus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other Ancylostoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
127	Other intestinal helminthiases-----	9	5	4	2	1	3	3	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Ascariasis-----	7	4	3	1	-	3	3	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Strongyloidiasis-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	
.2	Trichuriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Enterobiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Other intestinal nematode infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Mixed intestinal helminthiasis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.9	Intestinal helminthiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
128	Other and unspecified helminthiases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Larva migrans, visceral-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
129	Intestinal parasitism, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
130-136	Other infective and parasitic diseases-----	596	268	328	188	220	80	108	0.3	0.3	0.3	0.2	0.2	0.7	0.9
130	Toxoplasmosis-----	20	11	9	9	7	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Congenital, active-----	9	3	6	3	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Late effects of intrauterine infection-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Unspecified-----	10	7	3	5	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
131	Trichomoniasis urogenitalis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Pediculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	Acariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other infestations-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Myiasis-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Phthirus infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other arthropod infestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hirudiniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Sarcoidosis-----	238	88	150	43	72	45	78	0.1	0.1	0.1	0.1	0.1	0.4	0.6
136	Other and unspecified infective and parasitic diseases-----	335	168	167	135	139	33	28	0.2	0.2	0.2	0.2	0.2	0.3	0.2
	II. NEOPLASMS														
140-149	Malignant neoplasms of buccal cavity and pharynx-----	7,294	5,383	1,911	4,769	1,718	614	193	3.6	5.5	1.9	5.6	1.9	5.2	1.5
140	Malignant neoplasm of lip-----	184	163	21	161	20	2	1	0.1	0.2	0.0	0.2	0.0	0.0	0.0
.0	Upper lip-----	10	7	3	7	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip-----	47	44	3	43	3	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-
.2	Both lips-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Lip unspecified-----	125	110	15	109	14	1	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
141	Malignant neoplasm of tongue-----	1,704	1,251	453	1,119	418	132	35	0.9	1.3	0.4	1.3	0.5	1.1	0.3
.0	Base of tongue-----	172	136	36	122	31	14	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Dorsal surface of tongue-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Borders and tip of tongue-----	4	2	2	2	2	-	-	0.0	0.0	-	0.0	-	-	-
.3	Ventral surface of tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified-----	1,527	1,113	414	995	384	118	30	0.8	1.1	0.4	1.2	0.4	1.0	0.2
142	Malignant neoplasm of salivary gland-----	995	362	233	329	214	33	19	0.3	0.4	0.2	0.4	0.2	0.3	0.2
.0	Parotid gland-----	459	271	188	247	175	24	13	0.2	0.3	0.2	0.3	0.2	0.2	0.1
.8	Other specified salivary gland-----	74	51	23	46	20	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.9	Unspecified salivary gland-----	62	40	22	36	19	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Malignant neoplasms of digestive organs and peritoneum-Con.														
158	Malignant neoplasms of peritoneum and retroperitoneal tissue	862	415	447	376	411	39	36	0.4	0.4	0.4	0.4	0.5	0.3	0.3
.0	Retroperitoneal tissue	567	290	277	264	257	26	20	0.3	0.3	0.3	0.3	0.3	0.2	0.2
.9	Other parts	295	125	170	112	154	13	16	0.1	0.1	0.2	0.1	0.2	0.1	0.1
159	Malignant neoplasms of unspecified digestive organs	710	351	359	300	293	51	66	0.4	0.4	0.4	0.3	0.3	0.4	0.5
160-163	Malignant neoplasms of respiratory system	63,485	52,178	11,307	46,977	10,252	5,201	1,055	31.8	53.5	11.1	54.7	11.4	44.3	8.4
160	Malignant neoplasms of nose, nasal cavities, middle ear, and accessory sinuses	649	387	262	342	233	45	29	0.3	0.4	0.3	0.4	0.3	0.4	0.2
.0	Nose (internal) and nasal cavities	128	77	51	75	48	2	3	0.1	0.1	0.0	0.1	0.1	0.0	0.0
.1	Eustachian tube and middle ear	33	17	16	15	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus	363	223	140	187	120	36	20	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.8	Other sinuses	65	36	29	33	27	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified sinus	60	34	26	32	23	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
161	Malignant neoplasm of larynx	2,836	2,533	303	2,226	255	307	48	1.4	2.6	0.3	2.6	0.3	2.6	0.4
.0	Glottis (true vocal cord)	33	31	2	28	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Other specified parts	121	105	16	95	14	10	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Part unspecified	2,682	2,397	285	2,103	239	294	46	1.3	2.5	0.3	2.5	0.3	2.5	0.4
162	Malignant neoplasms of trachea, bronchus, and lung	59,367	48,831	10,536	44,025	9,573	4,806	963	29.7	50.0	10.3	51.3	10.7	40.9	7.6
.0	Trachea	131	106	25	98	23	8	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Bronchus and lung	59,236	48,725	10,511	43,927	9,550	4,798	961	29.6	49.9	10.3	51.2	10.6	40.9	7.6
163	Malignant neoplasms of other and unspecified respiratory organs	633	427	206	384	191	43	15	0.3	0.4	0.2	0.4	0.2	0.4	0.1
.0	Pleura	289	186	103	168	96	18	7	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Mediastinum	305	218	87	196	79	22	8	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.9	Site unspecified	39	23	16	20	16	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
170-174	Malignant neoplasms of bone, connective tissue, skin, and breast	36,672	4,666	32,006	4,342	29,300	324	2,706	18.3	4.8	31.3	5.1	32.7	2.8	21.5
170	Malignant neoplasms of bone	1,768	1,015	753	903	687	112	66	0.9	1.0	0.7	1.1	0.8	1.0	0.5
.0	Bones of skull and face	232	128	104	115	90	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Lower jaw bone	179	122	57	111	49	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Vertebral column (excluding sacrum and coccyx)	274	162	112	148	108	14	4	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.3	Ribs, sternum, and clavicle	79	49	30	42	28	7	2	0.0	0.1	0.0	0.0	0.0	0.1	0.0
.4	Long bones of upper limb and scapula	77	42	35	39	34	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Upper limb, short bones	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Pelvic bones, sacrum, and coccyx	165	88	77	84	71	4	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb, long bones	254	142	112	125	102	17	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Lower limb, short bones	18	6	12	5	12	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified	489	276	213	234	192	42	21	0.2	0.3	0.2	0.3	0.2	0.4	0.2
171	Malignant neoplasms of connective and other soft tissue	1,423	765	658	691	583	74	75	0.7	0.8	0.6	0.8	0.7	0.6	0.6
.0	Head, face, and neck	63	40	23	39	19	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk	262	139	123	127	107	12	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	78	45	33	40	30	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Lower limb (including hip)	283	164	119	143	104	21	15	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.9	Site unspecified	737	377	360	342	323	35	37	0.4	0.4	0.4	0.4	0.4	0.3	0.3
172	Malignant melanoma of skin	2,976	1,712	1,264	1,666	1,227	46	37	1.5	1.8	1.2	1.9	1.4	0.4	0.3
.0	Lips	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Eyelids, including canthi	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal	30	24	6	24	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face	73	43	30	43	28	-	2	0.0	0.0	0.0	0.1	0.0	-	0.0
.4	Scalp and neck	100	67	33	67	33	-	-	0.1	0.1	0.0	0.1	0.0	-	-
.5	Scrotum	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Trunk, except scrotum	238	163	75	162	73	1	2	0.1	0.2	0.1	0.2	0.1	0.0	0.0
.7	Upper limb	139	83	56	80	56	3	-	0.1	0.1	0.1	0.1	0.1	0.0	-
.8	Lower limb	220	93	127	82	119	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Site unspecified	2,165	1,231	934	1,200	909	31	25	1.1	1.3	0.9	1.4	1.0	0.3	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Malignant neoplasms of bone, connective tissue, skin, and breast--Con.																
173	Other malignant neoplasms of skin-----	1,424	909	515	856	482	53	33	0.7	0.9	0.5	1.0	0.5	0.5	0.3		
.0	Lips-----	49	47	2	47	2	-	-	0.0	0.0	0.0	0.1	0.0	-	-		
.1	Eyelids, including canthi-----	16	6	10	6	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Ear and external auricular canal-----	91	59	32	59	30	-	2	0.0	0.1	0.0	0.1	0.0	-	0.0		
.3	Other and unspecified parts of face-----	599	369	230	362	224	7	6	0.3	0.4	0.2	0.4	0.2	0.1	0.0		
.4	Scalp and neck-----	219	159	60	150	56	9	4	0.1	0.2	0.1	0.2	0.1	0.1	0.0		
.5	Scrotum-----	17	17	-	14	-	3	-	0.0	0.0	-	0.0	-	-	0.0		
.6	Trunk, except scrotum-----	205	98	107	81	93	17	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.7	Upper limb-----	51	36	15	33	14	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Lower limb-----	47	29	18	20	17	9	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.9	Site unspecified-----	130	89	41	84	36	5	5	0.1	0.1	0.0	0.1	0.0	0.0	0.0		
174	Malignant neoplasm of breast-----	29,081	265	28,816	226	26,321	39	2,495	14.6	0.3	28.2	0.3	29.3	0.3	19.8		
180-189	Malignant neoplasms of genitourinary organs-----	55,728	27,775	27,953	24,458	24,323	3,317	3,630	27.9	28.5	27.3	28.5	27.1	28.2	28.8		
180	Malignant neoplasm of cervix uteri-----	7,108	...	7,108	...	5,548	...	1,560	3.6	...	6.9	...	6.2	...	12.4		
181	Chorionepithelioma-----	40	...	40	...	32	...	8	0.0	...	0.0	...	0.0	...	0.1		
182	Other malignant neoplasm of uterus-----	5,611	...	5,611	...	4,806	...	805	2.8	...	5.5	...	5.4	...	6.4		
.0	Corpus uteri-----	1,756	...	1,756	...	1,521	...	235	0.9	...	1.7	...	1.7	...	1.9		
.9	Uterus, unspecified-----	3,855	...	3,855	...	3,285	...	570	1.9	...	3.8	...	3.7	...	4.5		
183	Malignant neoplasms of ovary, fallopian tube, and broad ligament-----	9,489	...	9,489	...	8,761	...	728	4.7	...	9.3	...	9.8	...	5.8		
.0	Ovary-----	9,353	...	9,353	...	8,635	...	718	4.7	...	9.1	...	9.6	...	5.7		
.1	Fallopian tube and broad ligament-----	130	...	130	...	122	...	8	0.1	...	0.1	...	0.1	...	0.1		
.9	Part unspecified-----	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0		
184	Malignant neoplasms of other and unspecified female genital organs-----	878	...	878	...	782	...	96	0.4	...	0.9	...	0.9	...	0.8		
.0	Vagina-----	313	...	313	...	279	...	34	0.2	...	0.3	...	0.3	...	0.3		
.1	Vulva-----	498	...	498	...	454	...	44	0.2	...	0.5	...	0.5	...	0.3		
.8	Other specified sites-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-		
.9	Site unspecified-----	65	...	65	...	47	...	18	0.0	...	0.1	...	0.1	...	0.1		
185	Malignant neoplasm of prostate-----	16,848	16,848	...	14,364	...	2,484	...	8.4	17.3	...	16.7	...	21.1	...		
186	Malignant neoplasm of testis-----	697	697	...	669	...	28	...	0.3	0.7	...	0.8	...	0.2	...		
187	Malignant neoplasms of other and unspecified male genital organs-----	265	265	...	217	...	48	...	0.1	0.3	...	0.3	...	0.4	...		
.0	Penis-----	228	228	...	184	...	44	...	0.1	0.2	...	0.2	...	0.4	...		
.8	Other specified sites-----	17	17	...	14	...	3	...	0.0	0.0	...	0.0	...	0.0	...		
.9	Site unspecified-----	20	20	...	19	...	1	...	0.0	0.0	...	0.0	...	0.0	...		
188	Malignant neoplasm of bladder-----	8,492	5,986	2,506	5,572	2,231	414	275	4.2	6.1	2.4	6.5	2.5	3.5	2.2		
189	Malignant neoplasms of other and unspecified urinary organs-----	6,300	3,979	2,321	3,636	2,163	343	158	3.2	4.1	2.3	4.2	2.4	2.9	1.3		
.0	Kidney, except pelvis-----	5,834	3,725	2,109	3,439	1,971	306	138	2.9	3.8	2.1	4.0	2.2	2.6	1.1		
.1	Pelvis of kidney-----	66	41	25	35	23	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Ureter-----	217	126	91	123	85	3	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0		
.9	Other and unspecified-----	183	87	96	59	84	28	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
190-199	Malignant neoplasms of other and unspecified sites-----	29,656	15,282	14,374	13,572	12,808	1,710	1,566	14.8	15.7	14.1	15.8	14.3	14.6	12.4		
190	Malignant neoplasm of eye-----	363	179	184	174	173	5	11	0.2	0.2	0.2	0.2	0.2	0.0	0.1		
191	Malignant neoplasm of brain-----	5,776	3,357	2,419	3,175	2,262	182	157	2.9	3.4	2.4	3.7	2.5	1.5	1.2		
192	Malignant neoplasms of other parts of nervous system-----	1,732	1,005	727	940	657	65	70	0.9	1.0	0.7	1.1	0.7	0.6	0.6		
.0	Cranial nerves (including optic)-----	19	10	9	9	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Cerebral meninges-----	28	12	16	10	12	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Spinal cord-----	155	83	72	76	63	7	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.3	Spinal meninges-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.4	Peripheral nerves-----	114	55	59	50	49	5	10	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
.5	Sympathetic nervous system-----	328	180	148	158	132	22	16	0.2	0.2	0.1	0.2	0.1	0.2	0.1		
.9	Site unspecified-----	1,085	664	421	636	392	28	29	0.5	0.7	0.4	0.7	0.4	0.2	0.2		
193	Malignant neoplasm of thyroid gland-----	1,017	387	630	351	362	36	68	0.5	0.4	0.6	0.4	0.6	0.3	0.5		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Malignant neoplasms of other and unspecified sites--Con.														
194	Malignant neoplasms of other endocrine glands-----	383	218	165	196	148	22	17	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.0	Suprarenal gland-----	266	149	117	137	106	12	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.1	Parathyroid gland-----	9	8	1	6	-	2	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Thymus-----	67	40	27	33	26	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Pituitary gland and craniopharyngeal duct-----	23	10	13	10	11	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Pineal gland-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Other-----	10	5	5	4	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified endocrine gland-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
195	Malignant neoplasms of ill-defined sites-----	2,691	1,125	1,566	957	1,386	168	180	1.3	1.2	1.5	1.1	1.5	1.4	1.4
.0	Abdomen and intra-abdominal-----	1,439	510	929	413	833	97	96	0.7	0.5	0.9	0.5	0.9	0.8	0.8
.1	Pelvis, pelvic viscera, and rectovaginal septum-----	347	48	299	41	264	7	35	0.2	0.0	0.3	0.0	0.3	0.1	0.3
.9	Other-----	905	567	338	503	289	64	49	0.5	0.6	0.3	0.6	0.3	0.5	0.4
196	Secondary and unspecified malignant neoplasms of lymph nodes-----	188	112	76	99	72	13	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Head, face, and neck-----	93	60	33	55	31	5	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Intrathoracic-----	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Intra-abdominal-----	8	4	4	4	4	-	4	0.0	0.0	0.0	0.0	0.0	-	-
.3	Axillary and upper limb-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Inguinal and lower limb-----	11	5	6	4	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Other specified site-----	11	7	4	6	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple sites-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	51	29	22	24	20	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
197	Secondary malignant neoplasms of respiratory and digestive systems-----	5,459	2,900	2,559	2,512	2,274	388	285	2.7	3.0	2.5	2.9	2.5	3.3	2.3
.0	Lung specified as secondary-----	691	370	321	330	286	40	35	0.3	0.4	0.3	0.4	0.3	0.3	0.3
.1	Mediastinum specified as secondary-----	14	11	3	9	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Pleura specified as secondary-----	99	47	52	39	46	8	6	0.0	0.0	0.1	0.0	0.1	0.1	0.0
.3	Other respiratory organs specified as secondary-----	11	6	5	5	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Small intestine, including duodenum, specified as secondary-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Large intestine and rectum specified as secondary-----	41	17	24	15	21	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Peritoneum specified as secondary-----	108	44	64	41	57	3	7	0.1	0.0	0.1	0.0	0.1	0.0	0.1
.7	Liver specified as secondary-----	1,465	764	701	673	624	91	77	0.7	0.8	0.7	0.8	0.7	0.8	0.6
.8	Liver, unspecified-----	2,981	1,611	1,370	1,374	1,217	237	153	1.5	1.7	1.3	1.6	1.4	2.0	1.2
.9	Other digestive organs specified as secondary-----	42	25	17	21	13	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
198	Other secondary malignant neoplasms-----	2,304	1,143	1,161	1,002	1,046	141	115	1.2	1.2	1.1	1.2	1.2	1.2	0.9
.0	Bladder specified as secondary-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other urinary organs specified as secondary-----	11	6	5	5	5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Skin specified as secondary-----	50	33	17	32	16	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Brain specified as secondary-----	503	287	216	253	200	34	16	0.3	0.3	0.2	0.3	0.2	0.3	0.1
.4	Other parts of nervous system specified as secondary-----	43	28	15	26	11	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Bone specified as secondary-----	352	194	158	176	149	18	9	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.9	Other sites specified as secondary-----	1,342	593	749	508	664	85	85	0.7	0.6	0.7	0.6	0.7	0.7	0.7
199	Malignant neoplasm without specification of site-----	9,743	4,856	4,887	4,166	4,228	690	659	4.9	5.0	4.8	4.9	4.7	5.9	5.2
.0	Multiple-----	8,507	4,234	4,293	3,653	3,759	561	534	4.3	4.3	4.2	4.3	4.2	4.8	4.2
.1	Other-----	1,236	642	594	513	469	129	125	0.6	0.7	0.6	0.6	0.5	1.1	1.0
200-209	Neoplasms of lymphatic and hematopoietic tissues-----	32,149	18,086	14,063	16,598	12,946	1,488	1,117	16.1	18.5	13.7	19.3	14.4	12.7	8.9
200	Lymphosarcoma and reticulum cell sarcoma-----	6,801	3,745	3,056	3,504	2,880	241	176	3.4	3.8	3.0	4.1	3.2	2.1	1.4
.0	Reticulum cell sarcoma-----	2,495	1,350	1,145	1,263	1,086	87	59	1.2	1.4	1.1	1.5	1.2	0.7	0.5
.1	Lymphosarcoma-----	4,306	2,395	1,911	2,241	1,794	154	117	2.2	2.5	1.9	2.6	2.0	1.3	0.9
201	Hodgkin's disease-----	3,353	1,976	1,377	1,830	1,304	146	73	1.7	2.0	1.3	2.1	1.5	1.2	0.6
202	Other neoplasms of lymphoid tissue-----	2,450	1,322	1,128	1,217	1,050	105	78	1.2	1.4	1.1	1.4	1.2	0.9	0.6
.0	Giant follicular lymphoma-----	126	72	54	72	51	-	3	0.1	0.1	0.1	0.1	0.1	-	0.0
.1	Mycosis fungoides-----	100	52	48	46	44	6	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.2	Other primary malignant neoplasms of lymphoid tissue-----	2,220	1,195	1,025	1,096	954	99	71	1.1	1.2	1.0	1.3	1.1	0.8	0.6
.9	Other forms of lymphoma-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
203	Multiple myeloma-----	4,088	2,225	1,863	1,907	1,579	318	284	2.0	2.3	1.8	2.2	1.8	2.7	2.3

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Neoplasms of lymphatic and hematopoietic tissues--Con.														
204	Lymphatic leukemia-----	5,007	2,967	2,040	2,729	1,888	238	152	2.5	3.0	2.0	3.2	2.1	2.0	1.2
.0	Acute-----	1,842	1,060	782	961	730	99	52	0.9	1.1	0.8	1.1	0.8	0.8	0.4
.1	Chronic-----	2,177	1,332	845	1,223	781	109	64	1.1	1.4	0.8	1.4	0.9	0.9	0.5
.9	Unspecified-----	988	575	413	545	377	30	36	0.5	0.6	0.4	0.6	0.4	0.3	0.3
205	Myeloid leukemia-----	5,415	2,974	2,441	2,749	2,254	225	187	2.7	3.0	2.4	3.2	2.5	1.9	1.5
.0	Acute-----	3,126	1,732	1,394	1,618	1,298	114	96	1.6	1.8	1.4	1.9	1.4	1.0	0.8
.1	Chronic-----	1,519	824	695	740	622	84	73	0.8	0.8	0.7	0.9	0.7	0.7	0.6
.9	Unspecified-----	770	418	352	391	334	27	18	0.4	0.4	0.3	0.5	0.4	0.2	0.1
206	Monocytic leukemia-----	720	406	314	380	291	26	23	0.4	0.4	0.3	0.4	0.3	0.2	0.2
.0	Acute-----	533	300	233	284	212	16	21	0.3	0.3	0.2	0.3	0.2	0.1	0.2
.1	Chronic-----	17	7	10	6	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Unspecified-----	170	99	71	90	69	9	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
207	Other and unspecified leukemia-----	3,273	1,827	1,406	1,672	1,284	155	122	1.6	1.9	1.4	1.9	1.4	1.3	1.0
.0	Leukemia, acute-----	1,847	1,011	836	929	773	82	63	0.9	1.0	0.8	1.1	0.9	0.7	0.5
.1	Leukemia, chronic-----	120	66	54	59	51	7	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Erythremia, acute-----	146	107	39	100	38	7	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Leukemia, unspecified-----	1,120	643	477	584	422	59	55	0.6	0.7	0.5	0.7	0.5	0.5	0.4
208	Polycythemia vera-----	506	314	192	303	185	11	7	0.3	0.3	0.2	0.4	0.2	0.1	0.1
209	Myelofibrosis-----	576	330	246	307	231	23	15	0.3	0.3	0.2	0.4	0.3	0.2	0.1
210-228	Benign neoplasms-----	1,867	773	1,094	675	904	98	190	0.9	0.8	1.1	0.8	1.0	0.8	1.5
210	Benign neoplasms of buccal cavity and pharynx-----	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Lip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tongue-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Salivary gland-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Floor of mouth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and unspecified parts of mouth-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Tonsil-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other parts of oropharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Nasopharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Hypopharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Pharynx, unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
211	Benign neoplasms of other parts of digestive system-----	221	119	102	105	96	14	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Esophagus-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Stomach-----	33	18	15	14	13	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Small intestine-----	28	15	13	14	12	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Large intestine, except rectum-----	100	58	42	52	39	6	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Rectum-----	21	10	11	8	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Liver and biliary passages-----	17	8	9	8	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Pancreas-----	13	7	6	6	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Peritoneum and retroperitoneal tissue-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Unspecified site-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
212	Benign neoplasms of respiratory system-----	76	51	25	46	24	5	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.0	Nose, nasal cavities, middle ear, and accessory sinuses-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Larynx-----	9	7	2	5	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Trachea-----	5	1	4	1	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Bronchus and lung-----	44	30	14	27	14	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Pleura-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Mediastinum-----	12	7	5	7	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Unspecified site-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
213	Benign neoplasms of bone and cartilage-----	18	9	9	6	9	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.0	Exostosis-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
*.1	Osteoma-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.2	Chondroma, enchondroma, and myxochondroma-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Other and unspecified-----	11	7	4	4	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Benign neoplasms--Con.																		
214	Lipoma	9	6	3	6	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
*.0	Skin and subcutaneous tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Spermatic cord	-	-	...	-	...	-	...	-	-	-	-	-	-	-	-	-	-	-
*.9	Other and unspecified	9	6	3	6	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
215	Other benign neoplasms of muscular and connective tissues	50	18	32	17	29	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
216	Benign neoplasm of skin	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.0	Epidermis	2	2	-	2	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-
.1	Hair follicles and sebaceous glands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sweat glands and sweat ducts	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-
.8	Other	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.9	Unspecified	1	-	1	-	1	-	-	0.0	-	-	-	-	-	-	-	-	-	-
217	Benign neoplasm of breast	5	-	5	-	5	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0
218	Uterine fibroma	152	...	152	...	87	...	65	0.1	...	0.1	...	0.1	...	0.1	0.5
219	Other benign neoplasm of uterus	7	...	7	...	6	...	1	0.0	...	0.0	...	0.0	...	0.0	0.0
.0	Papilloma, polyp	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	0.0
.1	Benign cyst	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
.9	Other and unspecified	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
220	Benign neoplasm of ovary	81	...	81	...	67	...	14	0.0	...	0.1	...	0.1	...	0.1	0.1
*.0	Teratoma (dermoid) not specified as malignant	5	...	5	...	2	...	3	0.0	...	0.0	...	0.0	...	0.0	0.0
*.1	Cystadenoma and benign ovarian cyst	71	...	71	...	60	...	11	0.0	...	0.1	...	0.1	...	0.1	0.1
*.2	Fibroma	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
*.9	Other and unspecified	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
221	Benign neoplasms of other female genital organs	5	...	5	...	5	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
.0	Fallopian tube and broad ligament	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
.1	Vagina	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
.2	Vulva	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...	-	-	-
.8	Other specified sites	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...	-	-	-
.9	Unspecified site	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	0.0
222	Benign neoplasms of male genital organs	1	1	...	1	0.0	0.0	...	0.0
.0	Testis	-	-	...	-	...	-	...	-	-	...	-	...	-	-	...	-	-	-
.1	Penis	-	-	...	-	...	-	...	-	-	...	-	...	-	-	...	-	-	-
.8	Other specified sites	1	1	...	1	0.0	0.0	...	0.0
.9	Unspecified site	-	-	...	-	...	-	...	-	-	...	-	...	-	-	...	-	-	-
223	Benign neoplasms of kidney and other urinary organs	16	10	6	10	5	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
.0	Kidney, except pelvis	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.1	Pelvis of kidney	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Ureter	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-
.3	Bladder	10	7	3	7	2	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
.8	Other specified sites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified site	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-
224	Benign neoplasm of eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225	Benign neoplasms of brain and other parts of nervous system	762	299	463	261	402	38	61	0.4	0.3	0.5	0.3	0.4	0.3	0.4	0.3	0.5	0.3	0.5
.0	Brain	189	92	97	79	79	13	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Cranial nerves (including optic)	90	36	54	33	51	3	3	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
.2	Cerebral meninges	309	106	203	93	175	13	28	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.2
.3	Spinal cord	14	8	6	7	6	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.4	Spinal meninges	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
.5	Peripheral nerves	12	5	7	5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.6	Sympathetic nervous system	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	-	-	-	-	-	0.0
.9	Unspecified site	139	49	90	42	79	7	11	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1
226	Benign neoplasms of endocrine glands	249	135	114	121	91	14	23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.0	Suprarenal gland	34	14	20	12	18	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Thyroid	20	8	12	8	10	-	2	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
.2	Pituitary gland and craniopharyngeal duct (pouch)	170	97	73	85	58	12	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Pineal gland	22	14	8	14	5	-	3	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
*.4	Carotid body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other specified endocrine glands	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	-	-	-	-	0.0
.9	Unspecified site	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Benign neoplasms--Con.														
227	Hemangioma and lymphangioma-----	112	58	54	42	44	16	10	0.1	0.1	0.1	0.0	0.0	0.1	0.1
*.0	Hemangioma (of skin)-----	22	8	14	7	10	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Hemangioma of other sites-----	49	21	28	15	22	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
*.2	Lymphangioma-----	41	29	12	20	12	9	-	0.0	0.0	0.0	0.0	0.0	0.1	-
228	Benign neoplasms of other and unspecified organs and tissues	87	58	29	51	27	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
230-239	Neoplasms of unspecified nature-----	3,081	1,572	1,509	1,413	1,307	159	202	1.5	1.6	1.5	1.6	1.5	1.4	1.6
230	Neoplasms of unspecified nature of digestive organs-----	328	153	175	135	154	18	21	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.0	Esophagus-----	18	10	8	9	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Stomach-----	48	24	24	24	19	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Small intestine-----	14	8	6	6	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Large intestine, excluding rectum-----	94	40	54	34	49	6	5	0.0	0.0	0.1	0.0	0.1	0.1	0.0
.4	Rectum-----	17	8	9	7	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Liver and biliary passages-----	44	16	28	14	26	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Pancreas-----	45	23	22	19	20	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Peritoneum-----	31	17	14	16	12	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified site-----	17	7	10	6	7	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
231	Neoplasms of unspecified nature of respiratory organs-----	350	260	90	239	77	21	13	0.2	0.3	0.1	0.3	0.1	0.2	0.1
.0	Nose, nasal cavities, middle ear, and accessory sinuses-----	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Larynx-----	11	8	3	6	-	2	3	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Trachea-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Bronchus and lung-----	251	193	58	177	52	16	6	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.4	Pleura-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Mediastinum-----	67	45	22	44	19	1	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.9	Unspecified site-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
232	Neoplasms of unspecified nature of skin and musculoskeletal system-----	34	20	14	19	13	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Bone and cartilage-----	15	11	4	10	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Muscular and connective tissue-----	13	6	7	6	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Skin-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
233	Neoplasm of unspecified nature of breast-----	6	2	4	2	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
234	Neoplasm of unspecified nature of uterus-----	15	...	15	...	9	...	6	0.0	...	0.0	...	0.0	...	0.0
.0	Carcinoma in situ of cervix uteri-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Cervix uteri, other-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.9	Other and unspecified part-----	10	...	10	...	6	...	4	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of ovary-----	10	...	10	...	9	...	1	0.0	...	0.0	...	0.0	...	0.0
236	Neoplasms of unspecified nature of other female genital organs-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.0	Fallopian tube and broad ligaments-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Vagina-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Vulva-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.8	Other specified sites-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Unspecified site-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
237	Neoplasms of unspecified nature of other genitourinary organs-----	100	52	48	50	44	2	4	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.0	Testis-----	2	2	...	2	...	-	...	0.0	0.0	...	0.0	0.0	0.0	0.0
.1	Penis-----	1	1	...	-	...	1	...	0.0	0.0	...	0.0	...	0.0	...
.2	Other and unspecified male genital organs-----	-	-	...	-	...	-	-	-	...	-	...	-	...	-
.3	Kidney, except pelvis-----	49	19	30	19	27	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Pelvis of kidney-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Ureter-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Bladder-----	46	29	17	28	16	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified urinary organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Neoplasms of unspecified nature--Con.														
238	Neoplasms of unspecified nature of eye, brain, and other parts of nervous system	1,970	996	974	895	877	101	117	1.0	1.0	1.0	1.0	1.0	0.9	0.9
.0	Eye	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Brain	1,911	963	948	866	835	97	113	1.0	1.0	0.9	1.0	0.9	0.8	0.9
.2	Cranial nerves (including optic nerve)	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Cerebral meninges	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Spinal cord	45	23	22	21	18	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Spinal meninges	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Peripheral nerves	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sympathetic nervous system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified site	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
239	Neoplasms of unspecified nature of other and unspecified organs	267	89	178	73	142	16	36	0.1	0.1	0.2	0.1	0.2	0.1	0.3
.0	Buccal cavity and pharynx	20	9	11	6	11	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Endocrine glands	28	8	20	7	18	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified sites	219	72	147	60	113	12	34	0.1	0.1	0.1	0.1	0.1	0.1	0.3
	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES														
240-246	Diseases of thyroid gland	802	188	614	158	518	30	96	0.4	0.2	0.6	0.2	0.6	0.3	0.8
240	Simple goiter	42	10	32	8	23	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Endemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Sporadic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified	42	10	32	8	23	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
241	Nontoxic nodular goiter	18	6	12	5	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Endemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Sporadic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified	18	6	12	5	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
242	Thyrotoxicosis with or without goiter	350	78	272	58	209	20	63	0.2	0.1	0.3	0.1	0.2	0.2	0.5
.0	Toxic diffuse goiter	33	6	27	4	19	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Toxic nodular goiter	22	3	19	2	14	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Thyrotoxicosis without mention of goiter	295	69	226	52	176	17	50	0.1	0.1	0.2	0.1	0.2	0.1	0.4
243	Cretinism of congenital origin	15	2	13	2	12	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
244	Myxedema	334	82	252	76	238	6	14	0.2	0.1	0.2	0.1	0.3	0.1	0.1
245	Thyroiditis	15	4	11	3	7	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Acute	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-
*.1	Chronic	8	1	7	1	5	-	2	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Unspecified	6	3	3	2	1	1	2	0.0	0.0	0.0	0.0	0.0	-	0.0
246	Other diseases of thyroid gland	28	6	22	6	18	-	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
250-258	Diseases of other endocrine glands	39,626	16,365	23,261	14,231	19,370	2,134	3,891	19.8	16.8	22.7	16.6	21.6	18.2	30.9
250	Diabetes mellitus	38,352	15,781	22,571	13,744	18,793	2,037	3,778	19.2	16.2	22.1	16.0	21.0	17.3	30.0
*.0	With mention of acidosis or coma	3,848	1,432	2,416	1,074	1,762	358	654	1.9	1.5	2.4	1.3	2.0	3.0	5.2
*.9	Without mention of acidosis or coma	34,504	14,349	20,155	12,670	17,031	1,679	3,124	17.3	14.7	19.7	14.8	19.0	14.3	24.8
251	Disorders of pancreatic internal secretion other than diabetes mellitus	172	102	70	72	45	30	25	0.1	0.1	0.1	0.1	0.1	0.3	0.2
252	Diseases of parathyroid gland	73	22	51	20	39	2	12	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Hyperparathyroidism	49	11	38	11	26	-	12	0.0	0.0	0.0	0.0	0.0	-	0.1
.1	Hypoparathyroidism	21	9	12	7	12	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other and unspecified	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
253	Diseases of pituitary gland	241	110	131	90	109	20	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Anterior pituitary hyperfunction	19	12	7	12	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Anterior pituitary hypofunction	72	24	48	20	44	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Chromophobe adenoma, pituitary	68	39	29	29	21	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.9	Other and unspecified	82	35	47	29	37	6	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
254	Diseases of thymus gland	58	41	17	35	15	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	<i>Diseases of other endocrine glands--Con.</i>														
255	Diseases of adrenal glands-----	479	193	286	166	247	27	39	0.2	0.2	0.3	0.2	0.3	0.2	0.3
.0	Adrenal cortical hyperfunction-----	20	5	15	5	10	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Adrenal cortical hypofunction-----	171	61	210	50	97	11	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Pheochromocytoma-----	47	22	25	18	16	4	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.9	Other and unspecified-----	241	105	136	93	124	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
256	Ovarian dysfunction-----	9	...	9	...	8	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	Hyperfunction-----	8	...	8	...	7	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Hypofunction-----
.9	Other and unspecified-----	1	...	1	...	1	0.0	...	0.0	...	0.0
257	Testicular dysfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.0	Hyperfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.1	Hypofunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.9	Other and unspecified-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
258	Polyglandular dysfunction and other diseases of endocrine glands-----	242	116	126	104	114	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Cushing's syndrome-----	47	10	37	9	36	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Polyglandular dysfunction-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other and unspecified diseases of endocrine system-----	192	104	88	93	77	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
260-269	Avitaminoses and other nutritional deficiencies-----	2,543	1,232	1,311	955	1,102	277	209	1.3	1.3	1.3	1.1	1.2	2.4	1.7
260	Vitamin A deficiencies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Night blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Xerophthalmia and keratomalacia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other manifestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
261	Thiamine deficiency-----	16	11	5	10	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
262	Niacin deficiency-----	15	6	9	5	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
263	Other vitamin B deficiencies-----	18	16	2	11	2	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Ariboflavinosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Vitamin B ₆ deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Unspecified-----	16	14	2	9	2	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
264	Ascorbic acid deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
265	Vitamin D deficiencies-----	12	8	4	5	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Rickets, active-----	5	4	1	1	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Rickets, late effect-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Osteomalacia-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
266	Other vitamin deficiency states-----	15	6	9	5	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Vitamin K deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	15	6	9	5	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
267	Protein malnutrition-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
268	Nutritional marasmus-----	449	198	251	156	210	42	41	0.2	0.2	0.2	0.2	0.2	0.4	0.3
269	Other nutritional deficiencies-----	2,013	984	1,029	760	865	224	164	1.0	1.0	1.0	0.9	1.0	1.9	1.3
.0	Sprue and steatorrhea-----	21	7	14	4	14	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Malabsorption syndrome, unspecified-----	95	42	53	32	47	10	6	0.0	0.0	0.1	0.0	0.1	0.1	0.0
.9	Other and unspecified-----	1,897	935	962	724	804	211	158	0.9	1.0	0.9	0.8	0.9	1.8	1.3
270-279	Other metabolic diseases-----	3,383	1,755	1,628	1,593	1,401	162	227	1.7	1.8	1.6	1.9	1.6	1.4	1.8
270	Congenital disorders of amino-acid metabolism-----	28	12	16	12	14	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Phenylketonuria-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Cystinuria-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other disorders of amino-acid transport-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Cystinosis-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Maple syrup disease-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-
.5	Disorders of purine and pyrimidine metabolism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Alkaptonuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	9	5	4	5	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other metabolic diseases--Con.														
271	Congenital disorders of carbohydrate metabolism-----	29	13	16	12	13	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Von Gierke's disease-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other and unspecified glycogen storage diseases-----	18	8	10	7	7	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Galactosemia-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.3	Fructosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	Congenital disorders of lipid metabolism-----	81	46	35	44	33	2	2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.0	Xanthomatosis-----	39	22	17	22	16	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.1	Familial lipoprotein deficiency disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Lipid storage disorders-----	39	23	16	21	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
273	Other and unspecified congenital disorders of metabolism-----	849	442	407	422	385	20	22	0.4	0.5	0.4	0.5	0.4	0.2	0.2
.0	Cystic fibrosis-----	597	284	313	279	302	5	11	0.3	0.3	0.3	0.3	0.3	0.0	0.1
.1	Disorders of porphyrin metabolism-----	23	13	10	10	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Hemochromatosis-----	99	74	25	73	24	1	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Hepatolenticular degeneration-----	23	14	9	12	7	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Other disorders involving metabolism of minerals-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Defective bilirubin excretion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Disorders of steroid metabolism-----	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other-----	84	44	40	36	35	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Unspecified-----	8	5	3	5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
274	Gout-----	300	244	56	207	44	37	12	0.2	0.3	0.1	0.2	0.0	0.3	0.1
275	Plasma protein abnormalities-----	191	94	97	85	93	9	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Agammaglobulinemia-----	28	14	14	11	14	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Hypogammaglobulinemia-----	18	13	5	12	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Aalbuminemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Bisalbuminemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Oryoglobulinemia-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Macroglobulinemia-----	61	31	30	30	29	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	80	33	47	29	44	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
276	Amyloidosis-----	222	134	88	115	78	19	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
277	Obesity not specified as of endocrine origin-----	1,255	528	727	483	582	45	145	0.6	0.5	0.7	0.6	0.6	0.4	1.1
278	Other hyperalimentation-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.0	Hypervitaminosis A-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Carotinemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Hypervitaminosis D-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
279	Other and unspecified metabolic diseases-----	426	241	185	213	159	28	26	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS														
280-289	Diseases of the blood and blood-forming organs-----	5,008	2,444	2,564	1,974	2,107	470	457	2.5	2.5	2.5	2.3	2.3	4.0	3.6
280	Iron deficiency anemias-----	135	55	80	46	66	9	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
281	Other deficiency anemias-----	486	193	293	169	266	24	27	0.2	0.2	0.3	0.2	0.3	0.2	0.2
.0	Pernicious anemia-----	374	144	230	128	213	16	17	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.1	Other vitamin B ₁₂ deficiency anemias-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Folic acid deficiency anemia-----	29	13	16	9	14	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Vitamin B ₆ deficiency anemia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.4	Protein deficiency anemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified deficiency anemias-----	81	35	46	31	38	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
282	Hereditary hemolytic anemias-----	581	288	293	80	106	208	187	0.3	0.3	0.3	0.1	0.1	1.8	1.5
.0	Familial acholuric jaundice-----	6	6	-	5	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Hereditary elliptocytosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Anemias due to glucose 6-phosphate dehydrogenase deficiency-----	3	2	1	-	1	2	-	0.0	0.0	0.0	-	0.0	0.0	-
.3	Other hereditary nonspherocytic hemolytic anemias-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of the blood and blood-forming organs--Con.														
	Hereditary hemolytic anemias--Con.														
.4	Mediterranean anemia-----	27	14	13	12	9	2	4	0.0	0.0	0.0	0.0	0.0	0.0	
.5	Hemoglobinopathies-----	365	190	175	-	4	190	171	0.2	0.2	0.2	-	0.0	1.6	
.9	Other-----	179	75	104	62	92	13	12	0.1	0.1	0.1	0.1	0.1	0.1	
283	Acquired hemolytic anemias-----	130	59	71	55	62	4	9	0.1	0.1	0.1	0.1	0.1	0.1	
.0	Acute-----	42	21	21	20	19	1	2	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Other-----	88	38	50	35	43	3	7	0.0	0.0	0.0	0.0	0.0	0.1	
284	Aplastic anemia-----	1,175	585	590	535	529	50	61	0.6	0.6	0.6	0.6	0.6	0.4	
285	Other and unspecified anemias-----	987	465	522	383	427	82	95	0.5	0.5	0.5	0.4	0.5	0.7	
.0	Hypochromic anemia with iron loading-----	18	13	5	11	5	2	-	0.0	0.0	0.0	0.0	0.0	-	
.8	Other specified anemias-----	8	5	3	5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	
.9	Anemia, unspecified-----	961	447	514	367	419	80	95	0.5	0.5	0.5	0.4	0.5	0.7	
286	Coagulation defects-----	260	164	96	143	82	21	14	0.1	0.2	0.1	0.2	0.1	0.2	
.0	Hemophilia-----	56	55	1	52	1	3	-	0.0	0.1	0.0	0.1	0.0	0.0	
.1	Christmas disease-----	11	10	1	7	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Plasma thromboplastin antecedent deficiency-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.3	Vascular hemophilia-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Hemorrhagic fibrinolysis-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	
.5	Circulating anticoagulants-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.9	Other-----	179	91	88	76	75	15	13	0.1	0.1	0.1	0.1	0.1	0.1	
287	Purpura and other hemorrhagic conditions-----	610	296	314	263	290	33	24	0.3	0.3	0.3	0.3	0.3	0.2	
.0	Allergic purpura-----	56	30	26	26	23	4	3	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Thrombocytopenia-----	446	208	238	188	220	20	18	0.2	0.2	0.2	0.2	0.2	0.1	
.2	Hemorrhagic thrombocythemia-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	
.3	Thrombocytopathy-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.9	Other and unspecified-----	106	57	49	48	46	9	3	0.1	0.1	0.0	0.1	0.1	0.1	
288	Agranulocytosis-----	263	124	139	111	130	13	9	0.1	0.1	0.1	0.1	0.1	0.1	
289	Other diseases of blood and blood-forming organs-----	381	215	166	189	149	26	17	0.2	0.2	0.2	0.2	0.2	0.1	
.0	Polycythemia, secondary-----	32	21	11	17	7	4	4	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Chronic lymphadenitis-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	
.2	Nonspecific mesenteric lymphadenitis-----	15	11	4	10	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Lymphadenitis, unspecified, except mesenteric-----	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
*.4	Hypersplenism-----	54	20	34	19	33	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
*.5	Other diseases of spleen-----	97	52	45	47	39	5	6	0.0	0.1	0.0	0.1	0.0	0.0	
.9	Other and unspecified-----	174	106	68	92	63	14	5	0.1	0.1	0.1	0.1	0.1	0.0	
	V. MENTAL DISORDERS														
290-299	Psychoses-----	1,483	937	546	756	488	181	58	0.7	1.0	0.5	0.9	0.5	1.5	
290	Senile and presenile dementias-----	542	240	302	225	287	15	15	0.3	0.2	0.3	0.3	0.3	0.1	
.0	Senile dementia-----	345	144	201	132	189	12	12	0.2	0.1	0.2	0.2	0.2	0.1	
.1	Presenile dementia-----	197	96	101	93	98	3	3	0.1	0.1	0.1	0.1	0.1	0.0	
291	Alcoholic psychoses-----	637	576	61	433	38	143	23	0.3	0.6	0.1	0.5	0.0	1.2	
.0	Delirium tremens-----	600	548	52	407	30	141	22	0.3	0.6	0.1	0.5	0.0	1.2	
.1	Korsakov's psychosis (alcoholic)-----	18	13	5	11	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Other alcoholic hallucinosis-----	4	4	-	4	-	-	-	0.0	0.0	-	-	-	-	
.3	Alcoholic paranoia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	15	11	4	11	3	-	1	0.0	0.0	0.0	0.0	0.0	0.0	
294	Psychoses associated with other physical conditions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Childbirth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified physical condition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
295	Schizophrenia-----	164	61	103	50	87	11	16	0.1	0.1	0.1	0.1	0.1	0.1	
.0	Simple type-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.1	Hebephrenic type-----	10	4	6	4	5	-	1	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Catatonic type-----	36	10	26	8	20	2	6	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Paranoid type-----	16	11	5	8	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Acute schizophrenia episode-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	0.0	
.5	Latent schizophrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Psychoses--Con.														
	Schizophrenia--Con.														
.6	Residual schizophrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Schizoaffective type-----	2	-	2	-	2	-	0.0	-	0.0	-	0.0	-	0.0	
.8	Other-----	35	14	21	12	19	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified type-----	59	19	40	15	35	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
296.	Affective psychoses-----	45	18	27	15	25	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Involuntal melancholia-----	10	2	8	2	7	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Manic-depressive psychosis, manic type-----	7	5	2	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Manic-depressive psychosis, depressed type-----	22	9	13	8	13	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Manic-depressive psychosis, circular type-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	6	2	4	2	4	-	0.0	0.0	0.0	0.0	0.0	-	-	
297	Paranoid states-----	6	4	2	4	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
.0	Paranoia-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Involuntal paraphrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	5	3	2	3	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
298	Other psychoses-----	13	8	5	7	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Reactive depressive psychosis-----	4	2	2	2	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
.1	Reactive excitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Reactive confusion-----	9	6	3	5	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Acute paranoid reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Reactive psychosis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
299	Unspecified psychosis-----	76	30	46	22	44	8	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
300-309	Neuroses, personality disorders, and other nonpsychotic mental disorders-----	4,918	3,552	1,366	2,541	1,003	1,011	363	2.5	3.6	1.3	3.0	1.1	8.6	2.9
300	Neuroses-----	20	7	13	4	12	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Anxiety neurosis-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	0.0
.1	Hysterical neurosis-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.2	Phobic neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Obsessive-compulsive neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Depressive neurosis-----	12	5	7	4	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Neurasthenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Depersonalization syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hypochondriacal neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified neurosis-----	5	2	3	-	3	2	-	0.0	0.0	0.0	-	0.0	0.0	0.0
301	Personality disorders-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	0.0
.0	Paranoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Affective-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Schizoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Explosive-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Anankastic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hysterical-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Asthenic-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.7	Antisocial-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
302	Sexual deviations-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
.0	Homosexuality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Fetishism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pedophilia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Transvestitism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Exhibitionism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Voyeurism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Sadism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.7	Masochism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Neuroses, personality disorders, and other nonpsychotic mental disorders--Con.														
303	Alcoholism-----	3,904	3,007	897	2,125	590	882	307	2.0	3.1	0.9	2.5	0.7	7.5	2.4
.0	Episodic excessive drinking-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Habitual excessive drinking-----	4	4	-	4	-	-	-	0.0	0.0	-	-	-	-	-
.2	Alcoholic addiction-----	2,058	1,605	453	1,149	278	456	175	1.0	1.6	0.4	1.3	0.3	3.9	1.4
.9	Other and unspecified alcoholism-----	1,841	1,397	444	972	312	425	132	0.9	1.4	0.4	1.1	0.3	3.6	1.0
304	Drug dependence-----	219	165	54	87	32	78	22	0.1	0.2	0.1	0.1	0.0	0.7	0.2
.0	Opium, opium alkaloids, and their derivatives-----	23	18	5	9	3	9	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Synthetic analgesics with morphinelike effects-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Barbiturates-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other hypnotics and sedatives or tranquilizers-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Cocaine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Cannabis sativa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other psychostimulants-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.7	Hallucinogenics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	7	6	1	5	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	181	137	44	69	24	68	20	0.1	0.1	0.0	0.1	0.0	0.6	0.2
305	Physical disorders of presumably psychogenic origin-----	16	11	5	10	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Musculoskeletal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Respiratory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Cardiovascular-----	14	10	4	9	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Hemic and lymphatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Gastrointestinal-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Genitourinary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Endocrine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Organs of special sense-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
306	Special symptoms not elsewhere classifiable-----	103	32	71	31	69	1	2	0.1	0.0	0.1	0.0	0.1	0.0	0.0
.0	Stammering and stuttering-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Specific learning disturbances-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other psychomotor disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Specific disorders of sleep-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.5	Feeding disturbances-----	92	29	63	28	62	1	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0
.6	Enuresis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Encopresis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Cephalalgia-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other-----	9	3	6	3	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
307	Transient situational disturbances-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
308	Behavior disorders of childhood-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
309	Mental disorders not specified as psychotic associated with physical conditions-----	648	325	323	280	292	45	31	0.3	0.3	0.3	0.3	0.3	0.4	0.2
310-315	Mental retardation-----	227	128	99	103	75	25	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2
310	Borderline mental retardation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
311	Mild mental retardation-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Mental retardation--Con.														
312	Moderate mental retardation-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
313	Severe mental retardation-----	52	26	26	21	17	5	9	0.0	0.0	0.0	0.0	0.0	0.1	
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	52	26	26	21	17	5	9	0.0	0.0	0.0	0.0	0.0	0.1	
314	Profound mental retardation-----	21	10	11	5	8	5	3	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	21	10	11	5	8	5	3	0.0	0.0	0.0	0.0	0.0	0.0	
315	Unspecified mental retardation-----	149	88	61	74	50	14	11	0.1	0.1	0.1	0.1	0.1	0.1	
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	149	88	61	74	50	14	11	0.1	0.1	0.1	0.1	0.1	0.1	
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS														
320-324	Inflammatory diseases of central nervous system-----	2,543	1,522	1,021	1,071	740	451	281	1.3	1.6	1.0	1.2	0.8	3.8	2.2
320	Meningitis-----	1,707	1,023	684	671	470	352	214	0.9	1.0	0.7	0.8	0.5	3.0	1.7
.0	H. influenzae-----	251	153	98	112	85	41	13	0.1	0.2	0.1	0.1	0.1	0.3	0.1
.1	Pneumococcus-----	396	221	175	133	113	88	62	0.2	0.2	0.2	0.2	0.1	0.7	0.5
.8	Due to other specified organisms-----	144	82	62	64	44	18	18	0.1	0.1	0.1	0.1	0.0	0.2	0.1
.9	With no organism specified as cause-----	916	567	349	362	228	205	121	0.5	0.6	0.3	0.4	0.3	1.7	1.0
321	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	70	41	29	30	22	11	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
322	Intracranial and intraspinal abscesses-----	321	208	113	165	84	43	29	0.2	0.2	0.1	0.2	0.1	0.4	0.2
323	Encephalitis, myelitis, and encephalomyelitis-----	347	195	152	165	128	30	24	0.2	0.2	0.1	0.2	0.1	0.3	0.2
324	Late effects of intracranial abscess or pyogenic infection-----	98	55	43	40	36	15	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1
330-333	Hereditary and familial diseases of nervous system-----	1,033	693	340	645	316	48	24	0.5	0.7	0.3	0.8	0.4	0.4	0.2
330	Hereditary neuromuscular disorders-----	680	498	182	458	163	40	19	0.3	0.5	0.2	0.5	0.2	0.3	0.2
.0	Neuropathic muscular atrophy-----	9	4	5	3	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Familial progressive spinal muscular atrophy-----	69	36	33	33	28	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Amyotonia congenita-----	64	37	27	37	26	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Progressive muscular dystrophy-----	130	101	29	89	26	12	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
*.4	Myotonia atrophica-----	400	314	86	290	77	24	9	0.2	0.3	0.1	0.3	0.1	0.2	0.1
*.9	Other-----	8	6	2	6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
331	Hereditary diseases of the striatopallidal system-----	208	108	100	103	97	5	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.0	Hereditary chorea-----	198	104	94	99	92	5	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Dystonia musculorum deformans-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Progressive familial myoclonic epilepsy-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
332	Hereditary ataxia-----	38	22	16	20	16	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Hereditary spinal ataxia-----	32	19	13	18	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Hereditary cerebellar ataxia-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other and unspecified-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
333	Other hereditary and familial diseases of nervous system-----	107	65	42	64	40	1	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.0	Amaurotic family idiocy-----	26	14	12	14	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Progressive cerebral leukodystrophy-----	48	27	21	27	19	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Other and unspecified-----	33	24	9	23	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
340-349	Other diseases of central nervous system-----	12,260	6,535	5,725	5,653	5,092	882	633	6.1	6.7	5.6	6.6	5.7	7.5	5.0
340	Multiple sclerosis-----	1,647	665	982	616	896	49	86	0.8	0.7	1.0	0.7	1.0	0.4	0.7
341	Other demyelinating diseases of central nervous system-----	558	232	326	223	310	9	16	0.3	0.2	0.3	0.3	0.3	0.1	0.1
342	Paralysis agitans-----	3,193	1,699	1,494	1,638	1,451	61	43	1.6	1.7	1.5	1.9	1.6	0.5	0.3

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate								
		Total			White		All other			Total			White		All other			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female			
	Other diseases of central nervous system--Con.																	
343	Cerebral spastic infantile paralysis-----	649	372	277	318	217	54	60	0.3	0.4	0.3	0.4	0.2	0.5	0.5			
*.0	Spastic hemiplegia-----	8	6	2	6	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0			
*.1	Other spastic paralysis-----	159	93	66	82	50	11	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1			
*.2	Athetoid-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0			
*.9	Other and unspecified-----	477	270	207	227	165	43	42	0.2	0.3	0.2	0.3	0.2	0.4	0.3			
344	Other cerebral paralyses-----	727	419	308	340	254	79	54	0.4	0.4	0.3	0.4	0.3	0.7	0.4			
*.0	Monoplegia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.1	Hemiplegia-----	242	115	127	90	107	25	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2			
*.2	Paraplegia-----	168	124	44	95	31	29	13	0.1	0.1	0.0	0.1	0.0	0.2	0.1			
*.3	Quadriplegia-----	43	29	14	23	12	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
*.9	Other and unspecified-----	274	151	123	132	104	19	19	0.1	0.2	0.1	0.2	0.1	0.2	0.2			
345	Epilepsy-----	1,972	1,212	760	813	570	399	190	1.0	1.2	0.7	0.9	0.6	3.4	1.5			
.0	Generalized nonconvulsive-----	7	2	5	2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0			
.1	Generalized convulsive-----	409	252	157	198	122	54	35	0.2	0.3	0.2	0.2	0.1	0.5	0.3			
.2	Status epilepticus-----	600	375	225	241	168	134	57	0.3	0.4	0.2	0.3	0.2	1.1	0.5			
*.3	Partial (focalized), temporal lobe or psychomotor type-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.4	Partial (focalized), motor type-----	2	1	1	-	1	-	-	0.0	0.0	0.0	-	0.0	0.0	-			
*.5	Partial (focalized), other and unspecified type-----	10	5	5	4	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-			
.9	Other and unspecified-----	944	577	367	368	271	209	96	0.5	0.6	0.4	0.4	0.3	1.8	0.8			
346	Migraine-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-			
347	Other diseases of brain-----	1,745	907	838	797	695	150	143	0.9	0.9	0.8	0.9	0.8	1.3	1.1			
.0	Catalepsy and narcolepsy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.1	Cerebral and cortical atrophy-----	322	159	163	134	145	25	18	0.2	0.2	0.2	0.2	0.2	0.2	0.1			
*.9	Other and unspecified-----	1,423	748	675	663	550	125	125	0.7	0.8	0.7	0.7	0.6	1.1	1.0			
348	Motor neuron diseases-----	1,596	928	668	862	635	66	33	0.8	1.0	0.7	1.0	0.7	0.6	0.3			
.0	Amiotrophic lateral sclerosis-----	1,410	828	582	768	558	60	24	0.7	0.8	0.6	0.9	0.6	0.5	0.2			
.1	Progressive bulbar palsy-----	82	43	39	43	35	-	4	0.0	0.0	0.0	0.1	0.0	-	0.0			
.2	Other progressive muscular atrophy-----	66	38	28	34	27	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.9	Other and unspecified manifestations-----	38	19	19	17	15	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
349	Other diseases of spinal cord-----	169	99	70	84	62	15	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1			
.0	Syringomyelia and syringobulbia-----	52	32	20	27	20	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-			
*.1	Spinal paralysis, monoplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.2	Spinal paralysis, hemiplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.3	Spinal paralysis, paraplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.4	Spinal paralysis, quadriplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.5	Spinal paralysis, other and unspecified-----	10	7	3	7	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-			
*.6	Compression, old, or not specified as traumatic-----	13	11	2	6	1	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
*.9	Other and unspecified-----	94	49	45	44	38	5	7	0.0	0.1	0.0	0.1	0.0	0.0	0.1			
350-358	Diseases of nerves and peripheral ganglia-----	282	148	134	126	112	22	22	0.1	0.2	0.1	0.1	0.1	0.2	0.2			
350	Facial paralysis-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-			
351	Trigeminal neuralgia-----	8	4	4	4	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-			
352	Brachial neuritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
353	Sciatica-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-			
354	Polynneuritis and polyradiculitis-----	196	105	91	91	80	14	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1			
355	Other and unspecified forms of neuralgia and neuritis-----	16	4	12	4	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0			
*.0	Cranial not elsewhere classifiable-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-			
*.1	Spinal not elsewhere classifiable-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-			
*.9	Other and unspecified-----	12	3	9	3	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0			
356	Other diseases of cranial nerves-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0			
357	Other diseases of peripheral nerves except autonomic-----	49	27	22	20	14	7	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
*.0	Cervical and brachial plexus-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-			
*.1	Axillary nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.2	Median nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.3	Ulnar nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
*.9	Other and unspecified-----	48	27	21	20	13	7	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1			

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of nerves and peripheral ganglia--Con.														
358	Diseases of peripheral autonomic nervous system-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	
*.0	Horner's syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Carotid sinus syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	
360-369	Inflammatory diseases of eye-----	17	7	10	6	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
360	Conjunctivitis and ophthalmia-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
361	Blepharitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
362	Hordeolum-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
363	Keratitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.0	With ulceration-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Without mention of ulcer-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
364	Iritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
365	Choroiditis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
366	Other inflammation of uveal tract-----	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
367	Inflammation of optic nerve and retina-----	2	-	2	-	2	-	1	0.0	-	0.0	-	0.0	0.0	
368	Inflammation of lacrimal glands and ducts-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
369	Other inflammatory diseases of eye-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Abscess and cellulitis of orbit-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
370-379	Other diseases and conditions of eye-----	82	42	40	34	33	8	7	0.0	0.0	0.0	0.0	0.0	0.1	
370	Refractive errors-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
*.0	Myopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Hyperopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Presbyopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.3	Astigmatism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
371	Corneal opacity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.0	Postoperative-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
372	Pterygium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
373	Strabismus-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	
*.0	Esotropia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
*.1	Exotropia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
*.2	Hypertropia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
374	Cataract-----	48	22	26	19	24	3	2	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Traumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Secondary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Other specified type, excluding senile-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Senile and unspecified type-----	48	22	26	19	24	3	2	0.0	0.0	0.0	0.0	0.0	0.0	
375	Glaucoma-----	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Primary, acute-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	0.0	
.1	Chronic (primary)-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	0.0	
.2	Secondary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
376	Detachment of retina-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
377	Other diseases of retina and optic nerve-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.0	Vascular lesions of retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Degeneration of retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Amblyopia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.3	Color blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Other diseases of retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Papilledema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Other diseases of optic nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases and conditions of eye--Con.														
378	Other diseases of eye-----	11	6	5	4	3	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Chalazion-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.1	Trichiasis and entropion-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.2	Other diseases of eyelid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Diseases of conjunctiva and lacrimal tract not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Diseases of cornea not elsewhere classifiable-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
*.5	Prolapse of iris-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Other diseases of iris, choroid, and uveal tract-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
*.7	Aphakia, acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other diseases of lens-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.9	Diseases of eyeball, ocular muscle, and orbit not elsewhere classifiable-----	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
379	Blindness-----	8	4	4	2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined-----	8	4	4	2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380-389	Diseases of ear and mastoid process-----	222	114	108	91	83	23	25	0.1	0.1	0.1	0.1	0.1	0.2	0.2
380	Otitis externa-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
381	Otitis media without mention of mastoiditis-----	157	77	80	62	60	15	20	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.0	Acute-----	23	13	10	9	7	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	21	13	8	12	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	113	51	62	41	47	10	15	0.1	0.1	0.1	0.0	0.1	0.1	0.1
382	Otitis media with mastoiditis-----	23	12	11	9	8	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	7	1	6	1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Unspecified-----	10	6	4	4	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
383	Mastoiditis without mention of otitis media-----	28	16	12	11	10	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Unspecified-----	18	10	8	6	7	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
384	Other inflammatory diseases of ear-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.0	Labyrinthitis-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
385	Ménière's disease-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
386	Otosclerosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
387	Other diseases of ear and mastoid process-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Cholesteatoma of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Wax in ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Perforation tympanic membrane, nontraumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
388	Deaf mutism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
389	Other deafness-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Deafness, both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness in one ear and partial deafness in other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Impairment of hearing, one or both ears-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
	VII. DISEASES OF THE CIRCULATORY SYSTEM														
390-392	Active rheumatic fever-----	363	186	177	148	148	38	29	0.2	0.2	0.2	0.2	0.2	0.3	0.2
390	Rheumatic fever without mention of heart involvement-----	26	14	12	7	11	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
391	Rheumatic fever with heart involvement-----	330	168	162	137	134	31	28	0.2	0.2	0.2	0.2	0.1	0.3	0.2
.0	Active rheumatic pericarditis-----	183	102	81	86	70	16	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis-----	31	15	16	12	11	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Active rheumatic myocarditis-----	21	6	15	4	10	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other active rheumatic heart disease-----	95	45	50	35	43	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Active rheumatic fever--Con.														
392	Chorea-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Without mention of heart involvement-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
393-398	Chronic rheumatic heart disease-----	15,995	7,337	8,658	6,639	7,967	698	691	8.0	7.5	8.5	7.7	8.9	5.9	5.5
393	Diseases of pericardium-----	100	64	36	55	32	9	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
394	Diseases of mitral valve-----	4,205	1,541	2,664	1,393	2,485	148	179	2.1	1.6	2.6	1.6	2.8	1.3	1.4
.0	Specified as rheumatic-----	2,862	993	1,869	909	1,757	84	112	1.4	1.0	1.8	1.1	2.0	0.7	0.9
.9	Not specified as rheumatic-----	1,343	548	795	484	728	64	67	0.7	0.6	0.8	0.6	0.8	0.5	0.5
395	Diseases of aortic valve-----	3,361	2,608	1,353	2,390	1,235	218	118	2.0	2.7	1.3	2.8	1.4	1.9	0.9
.0	Specified as rheumatic-----	1,573	1,015	558	948	512	67	46	0.8	1.0	0.5	1.1	0.6	0.6	0.4
.9	Not specified as rheumatic-----	2,388	1,593	795	1,442	723	151	72	1.2	1.6	0.8	1.7	0.8	1.3	0.6
396	Diseases of mitral and aortic valves-----	1,234	577	657	515	609	62	48	0.6	0.6	0.6	0.6	0.7	0.5	0.4
.0	Specified as rheumatic-----	889	391	498	349	467	42	31	0.4	0.4	0.5	0.4	0.5	0.4	0.2
.9	Not specified as rheumatic-----	345	186	159	166	142	20	17	0.2	0.2	0.2	0.2	0.2	0.2	0.1
397	Diseases of other endocardial structures-----	695	290	405	269	378	21	27	0.3	0.3	0.4	0.3	0.4	0.2	0.2
*.0	Of tricuspid valve-----	35	14	21	13	18	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Of other and unspecified endocardial structures, specified as rheumatic-----	660	276	384	256	360	20	24	0.3	0.3	0.4	0.3	0.4	0.2	0.2
398	Other heart disease specified as rheumatic-----	5,800	2,257	3,543	2,017	3,228	240	315	2.9	2.3	3.5	2.4	3.6	2.0	2.5
400-404	Hypertensive disease-----	26,761	12,418	14,343	9,618	11,348	2,800	2,995	13.4	12.7	14.0	11.2	12.7	23.8	23.8
400	Malignant hypertension-----	1,636	869	767	451	398	418	369	0.8	0.9	0.7	0.5	0.4	3.6	2.9
.0	Without mention of organ damage-----	137	72	65	33	29	39	36	0.1	0.1	0.1	0.0	0.0	0.3	0.3
.1	With heart involvement-----	98	48	50	29	28	19	22	0.0	0.0	0.0	0.0	0.0	0.2	0.2
.2	With cerebrovascular involvement-----	528	232	296	155	194	77	102	0.3	0.2	0.3	0.2	0.2	0.7	0.8
.3	With renal involvement-----	541	316	225	132	83	184	142	0.3	0.3	0.2	0.2	0.1	1.6	1.1
.9	With multiple organ involvement-----	332	201	131	102	64	99	67	0.2	0.2	0.1	0.1	0.1	0.8	0.5
401	Essential benign hypertension-----	1,277	499	778	372	627	127	151	0.6	0.5	0.8	0.4	0.7	1.1	1.2
402	Hypertensive heart disease-----	9,811	3,965	5,846	2,952	4,543	1,013	1,303	4.9	4.1	5.7	3.4	5.1	8.6	10.3
403	Hypertensive renal disease-----	6,150	3,384	2,766	2,775	2,258	609	508	3.1	3.5	2.7	3.2	2.5	5.2	4.0
404	Hypertensive heart and renal disease-----	7,887	3,701	4,186	3,068	3,522	633	664	3.9	3.8	4.1	3.6	3.9	5.4	5.3
410-413	Ischemic heart disease-----	674,747	390,912	283,835	358,457	256,809	32,455	27,026	337.6	400.7	277.5	417.7	286.4	276.3	214.3
410	Acute myocardial infarction-----	369,610	236,017	133,593	220,517	122,482	15,500	11,111	184.9	241.9	130.6	256.9	136.6	132.0	88.1
.0	With hypertensive disease-----	32,788	16,411	16,377	14,583	14,437	1,828	1,940	16.4	16.8	16.0	17.0	16.1	15.6	15.4
.9	Without mention of hypertensive disease-----	336,822	219,606	117,216	205,934	108,045	13,672	9,171	168.5	225.1	114.6	239.9	120.5	116.4	72.7
411	Other acute and subacute forms of ischemic heart disease-----	4,691	2,945	1,746	2,489	1,455	456	291	2.3	3.0	1.7	2.9	1.6	3.9	2.3
.0	With hypertensive disease-----	333	170	163	139	148	31	15	0.2	0.2	0.2	0.2	0.2	0.3	0.1
.9	Without mention of hypertensive disease-----	4,358	2,775	1,583	2,350	1,307	425	276	2.2	2.8	1.5	2.7	1.5	3.6	2.2
412	Chronic ischemic heart disease-----	300,216	151,815	148,401	135,333	132,791	16,482	15,610	150.2	155.6	145.1	157.7	148.1	140.3	123.8
*.1	Chronic ischemic heart disease with or without cardiovascular disease with hypertensive disease-----	20,334	8,884	11,450	7,707	10,022	1,177	1,428	10.2	9.1	11.2	9.0	11.2	10.0	11.3
*.2	Cardiovascular disease without mention of chronic ischemic heart disease with hypertensive disease-----	24,703	10,594	14,109	7,318	10,280	3,276	3,829	12.4	10.9	13.8	8.5	11.5	27.9	30.4
*.3	Chronic ischemic heart disease with or without cardiovascular disease without mention of hypertensive disease-----	212,787	111,550	101,237	101,987	93,204	9,563	8,033	106.5	114.3	99.0	118.8	103.9	81.4	63.7
*.4	Cardiovascular disease without mention of chronic ischemic heart disease without mention of hypertensive disease-----	42,392	20,787	21,605	18,321	19,285	2,466	2,320	21.2	21.3	21.1	21.3	21.5	21.0	18.4
413	Angina pectoris-----	230	135	95	118	81	17	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	With hypertensive disease-----	46	23	23	21	19	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of hypertensive disease-----	184	112	72	97	62	15	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
420-429	Other forms of heart disease-----	35,855	19,695	16,160	16,118	13,229	3,577	2,931	17.9	20.2	15.8	18.8	14.8	30.5	23.2
420	Acute pericarditis, nonrheumatic-----	81	43	38	36	28	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
421	Acute and subacute endocarditis-----	651	399	252	331	212	68	40	0.3	0.4	0.2	0.4	0.2	0.6	0.3
.0	Acute and subacute bacterial endocarditis-----	619	386	233	322	197	64	36	0.3	0.4	0.2	0.4	0.2	0.5	0.3
.9	Other acute endocarditis-----	32	13	19	9	15	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
422	Acute myocarditis-----	628	324	304	263	252	61	52	0.3	0.3	0.3	0.3	0.3	0.5	0.4
423	Chronic disease of pericardium, nonrheumatic-----	470	284	186	231	150	53	36	0.2	0.3	0.2	0.3	0.2	0.5	0.3
424	Chronic disease of endocardium-----	1,345	672	673	581	605	91	68	0.7	0.7	0.7	0.7	0.7	0.8	0.5
.0	Of mitral valve, nonrheumatic-----	81	28	53	28	53	-	-	0.0	0.0	0.1	0.0	0.1	-	-
.1	Of aortic valve, nonrheumatic-----	277	162	115	147	106	15	9	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.9	Of other endocardial structures-----	987	482	505	406	446	76	59	0.5	0.5	0.5	0.5	0.5	0.6	0.5
425	Cardiomyopathy-----	1,040	731	309	533	221	198	88	0.5	0.7	0.3	0.6	0.2	1.7	0.7
426	Pulmonary heart disease-----	1,355	734	621	644	533	90	88	0.7	0.8	0.6	0.8	0.6	0.8	0.7
427	Symptomatic heart disease-----	16,851	8,638	8,213	7,186	6,819	1,452	1,394	8.4	8.9	8.0	8.4	7.6	12.4	11.1
.0	Congestive heart failure-----	10,318	5,198	5,120	4,287	4,257	911	863	5.2	5.3	5.0	5.0	4.7	7.8	6.8
.1	Left ventricular failure-----	497	262	235	211	204	51	31	0.2	0.3	0.2	0.2	0.2	0.4	0.2
*.2	Cardiac arrest not otherwise specified-----	3,208	1,768	1,440	1,439	1,086	329	354	1.6	1.8	1.4	1.7	1.2	2.8	2.8
*.3	Other heart block-----	527	271	256	240	240	31	16	0.3	0.3	0.3	0.3	0.3	0.3	0.1
*.4	Atrial fibrillation or flutter-----	1,096	482	614	436	559	46	55	0.5	0.5	0.6	0.5	0.6	0.4	0.4
*.5	Paroxysmal tachycardia (atrial)-----	60	30	30	26	27	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.6	Ventricular fibrillation or flutter-----	504	272	232	241	205	31	27	0.3	0.3	0.2	0.3	0.2	0.3	0.2
*.9	Other and unspecified disorders of heart rhythm-----	641	355	286	306	241	49	45	0.3	0.4	0.3	0.4	0.3	0.4	0.4
428	Other myocardial insufficiency-----	6,491	3,188	3,303	2,657	2,817	531	486	3.2	3.3	3.2	3.1	3.1	4.5	3.9
429	Ill-defined heart disease-----	6,943	4,682	2,261	3,656	1,592	1,026	669	3.5	4.8	2.2	4.3	1.8	8.7	5.3
*.0	Cardiac enlargement and hypertrophy-----	373	254	119	189	94	65	25	0.2	0.3	0.1	0.2	0.1	0.6	0.2
*.9	Other and unspecified heart disease-----	6,570	4,428	2,142	3,467	1,498	961	644	3.3	4.5	2.1	4.0	1.7	8.2	5.1
430-438	Cerebrovascular diseases-----	211,390	96,701	114,689	83,602	100,468	13,099	14,221	105.8	99.1	112.1	97.4	112.0	111.5	112.8
430	Subarachnoid hemorrhage-----	9,467	4,027	5,440	3,318	4,465	709	975	4.7	4.1	5.3	3.9	5.0	6.0	7.7
.0	With hypertension (benign)-----	1,369	583	786	404	588	179	198	0.7	0.6	0.8	0.5	0.7	1.5	1.6
.9	Without mention of hypertension-----	8,098	3,444	4,654	2,914	3,877	530	777	4.1	3.5	4.5	3.4	4.3	4.5	6.2
431	Cerebral hemorrhage-----	47,002	22,538	24,464	18,947	20,914	3,591	3,550	23.5	23.1	23.9	22.1	23.3	30.6	28.2
.0	With hypertension (benign)-----	12,645	5,791	6,854	4,504	5,492	1,287	1,362	6.3	5.9	6.7	5.2	6.1	11.0	10.8
.9	Without mention of hypertension-----	34,357	16,747	17,610	14,443	15,422	2,304	2,188	17.2	17.2	17.2	16.8	17.2	19.6	17.4
432	Occlusion of precerebral arteries-----	3,139	1,835	1,304	1,658	1,188	177	116	1.6	1.9	1.3	1.9	1.3	1.5	0.9
.0	With hypertension (benign)-----	214	120	94	102	85	18	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.9	Without mention of hypertension-----	2,925	1,715	1,210	1,556	1,103	159	107	1.5	1.8	1.2	1.8	1.2	1.4	0.8
433	Cerebral thrombosis-----	60,331	27,186	33,145	24,209	29,859	2,977	3,286	30.2	27.9	32.4	28.2	33.3	25.3	26.1
.0	With hypertension (benign)-----	3,682	1,504	2,178	1,215	1,810	289	368	1.8	1.5	2.1	1.4	2.0	2.5	2.9
.9	Without mention of hypertension-----	56,649	25,682	30,967	22,994	28,049	2,688	2,918	28.3	26.3	30.3	26.8	31.3	22.9	23.1
434	Cerebral embolism-----	1,136	517	619	474	558	43	61	0.6	0.5	0.6	0.6	0.6	0.4	0.5
.0	With hypertension (benign)-----	68	33	35	27	31	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Without mention of hypertension-----	1,068	484	584	447	527	37	57	0.5	0.5	0.6	0.5	0.6	0.3	0.5
435	Transient cerebral ischemia-----	71	29	42	25	39	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	With hypertension (benign)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Without mention of hypertension-----	69	28	41	24	38	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
436	Acute but ill-defined cerebrovascular disease-----	56,769	26,046	30,723	21,809	25,978	4,237	4,745	28.4	26.7	30.0	25.4	29.0	36.1	37.6
.0	With hypertension (benign)-----	8,119	3,322	4,797	2,474	3,653	848	1,144	4.1	3.4	4.7	2.9	4.1	7.2	9.1
.9	Without mention of hypertension-----	48,650	22,724	25,926	19,335	22,325	3,389	3,601	24.3	23.3	25.3	22.5	24.9	28.9	28.6
437	Generalized ischemic cerebrovascular disease-----	30,526	13,099	17,427	11,940	16,133	1,159	1,294	15.3	13.4	17.0	13.9	18.0	9.9	10.3
.0	With hypertension (benign)-----	1,290	476	814	410	714	66	100	0.6	0.5	0.8	0.5	0.8	0.6	0.8
.9	Without mention of hypertension-----	29,236	12,623	16,613	11,530	15,419	1,093	1,194	14.6	12.9	16.2	13.4	17.2	9.3	9.5
438	Other and ill-defined cerebrovascular diseases-----	2,949	1,424	1,525	1,222	1,334	202	191	1.5	1.5	1.5	1.4	1.5	1.7	1.5
.0	With hypertension (benign)-----	350	136	214	107	160	29	54	0.2	0.1	0.2	0.1	0.2	0.2	0.4
.9	Without mention of hypertension-----	2,599	1,288	1,311	1,115	1,174	173	137	1.3	1.3	1.3	1.3	1.3	1.5	1.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
440-448	Diseases of arteries, arterioles, and capillaries-----	58,288	29,984	28,304	27,621	26,092	2,363	2,212	29.2	30.7	27.7	32.2	29.1	20.1	17.5		
440	Arteriosclerosis-----	33,568	14,645	18,923	13,448	17,651	1,197	1,272	16.8	15.0	18.5	15.7	19.7	10.2	10.1		
.0	Of aorta-----	99	63	36	57	32	6	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
.1	Of renal artery-----	25	11	14	9	11	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Of arteries of the extremities-----	105	61	44	55	39	6	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.3	Of other specified arteries-----	28	13	15	12	15	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.9	Generalized and unspecified-----	33,311	14,497	18,814	13,315	17,554	1,182	1,260	16.7	14.9	18.4	15.5	19.6	10.1	10.0		
441	Aortic aneurysm (nonsyphilitic)-----	13,228	9,617	3,611	9,014	3,214	603	397	6.6	9.9	3.5	10.5	3.6	5.1	3.1		
.0	Dissecting aneurysm of aorta (any part)-----	3,128	2,114	1,014	1,883	855	231	159	1.6	2.2	1.0	2.2	1.0	2.0	1.3		
.1	Aneurysm of thoracic aorta-----	1,111	695	416	609	360	86	56	0.6	0.7	0.4	0.7	0.4	0.7	0.4		
.2	Aneurysm of abdominal aorta-----	5,699	4,449	1,250	4,316	1,167	133	83	2.9	4.6	1.2	5.0	1.3	1.1	0.7		
.9	Unspecified aortic aneurysm-----	3,290	2,359	931	2,206	832	153	99	1.6	2.4	0.9	2.6	0.9	1.3	0.8		
442	Other aneurysms-----	1,232	700	532	620	451	80	81	0.6	0.7	0.5	0.7	0.5	0.7	0.6		
443	Other peripheral vascular disease-----	405	225	180	197	153	28	27	0.2	0.2	0.2	0.2	0.2	0.2	0.2		
.0	Raynaud's syndrome-----	17	3	14	2	13	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Thromboangiitis obliterans (Buerger's disease)-----	61	48	13	46	11	2	2	0.0	0.0	0.0	0.1	0.0	0.0	0.0		
.2	Chilblains-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified-----	327	174	153	149	129	25	24	0.2	0.2	0.1	0.2	0.1	0.2	0.2		
444	Arterial embolism and thrombosis-----	6,067	2,802	3,265	2,597	3,066	205	199	3.0	2.9	3.2	3.0	3.4	1.7	1.6		
.0	Of abdominal aorta-----	255	143	112	140	106	3	6	0.1	0.1	0.1	0.2	0.1	0.0	0.0		
.1	Of other aortas-----	237	149	88	141	82	8	6	0.1	0.2	0.1	0.2	0.1	0.1	0.0		
.2	Of mesenteric artery-----	4,262	1,849	2,413	1,712	2,266	137	147	2.1	1.9	2.4	2.0	2.5	1.2	1.2		
.3	Of renal artery-----	124	73	51	65	49	8	2	0.1	0.1	0.0	0.1	0.1	0.1	0.0		
.4	Of arteries of the extremities-----	617	287	330	272	315	15	15	0.3	0.3	0.3	0.3	0.4	0.1	0.1		
.9	Of other and unspecified arteries-----	572	301	271	287	248	34	23	0.3	0.3	0.3	0.3	0.3	0.3	0.2		
445	Gangrene-----	2,673	1,360	1,313	1,182	1,134	178	179	1.3	1.4	1.3	1.4	1.3	1.5	1.4		
.0	Arteriosclerotic gangrene-----	2,198	1,121	1,077	997	945	124	132	1.1	1.1	1.1	1.2	1.1	1.1	1.0		
.9	Gangrene not elsewhere classifiable-----	475	239	236	185	189	54	47	0.2	0.2	0.2	0.2	0.2	0.5	0.4		
446	Polyarteritis nodosa and allied conditions-----	664	370	294	328	252	42	42	0.3	0.4	0.3	0.4	0.3	0.4	0.3		
.0	Polyarteritis nodosa-----	275	156	119	139	108	17	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1		
*.1	Hemorrhagic pulmonary renal syndrome-----	38	29	9	26	8	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.2	Other hypersensitivity angiitis-----	41	23	18	21	15	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.3	Wegener's granulomatosis-----	54	27	27	23	26	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.4	Cranial arteritis-----	10	1	9	1	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
*.5	Thrombotic microangiopathy-----	125	47	78	40	58	7	20	0.1	0.0	0.1	0.0	0.1	0.1	0.2		
*.6	Pulseless disease-----	7	3	4	4	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
*.9	Other-----	114	84	30	76	26	8	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
447	Other diseases of arteries and arterioles-----	411	247	164	218	150	29	14	0.2	0.3	0.2	0.3	0.2	0.2	0.1		
448	Diseases of capillaries-----	40	18	22	17	21	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
450-458	Diseases of veins and lymphatics and other diseases of circulatory system-----	16,893	8,541	8,352	7,235	7,188	1,306	1,164	8.5	8.8	8.2	8.4	8.0	11.1	9.2		
450	Pulmonary embolism and infarction-----	9,686	4,999	4,687	4,181	3,976	818	711	4.8	5.1	4.6	4.9	4.4	7.0	5.6		
451	Phlebitis and thrombophlebitis-----	3,182	1,452	1,730	1,269	1,522	183	208	1.6	1.5	1.7	1.5	1.7	1.6	1.6		
.0	Of lower extremities-----	1,778	819	959	710	853	109	106	0.9	0.8	0.9	0.8	1.0	0.9	0.8		
.9	Of other and unspecified sites-----	1,404	633	771	559	669	74	102	0.7	0.6	0.8	0.7	0.7	0.6	0.8		
452	Portal vein thrombosis-----	71	35	36	31	32	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
453	Other venous embolism and thrombosis-----	2,145	1,026	1,119	887	978	139	141	1.1	1.1	1.1	1.0	1.1	1.2	1.1		
454	Varicose veins of lower extremities-----	287	131	156	117	141	14	15	0.1	0.1	0.2	0.1	0.2	0.1	0.1		
.0	With ulcer-----	68	31	37	28	34	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.1	With stasis dermatitis without ulcer-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
*.9	Other and unspecified without ulcer-----	216	98	118	87	107	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
455	Hemorrhoids-----	46	26	20	21	19	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
456	Varicose veins of other sites-----	511	316	195	283	177	33	18	0.3	0.3	0.2	0.3	0.2	0.3	0.1		
.0	Of esophagus-----	461	295	166	262	151	33	15	0.2	0.3	0.2	0.3	0.2	0.3	0.1		
.1	Of scrotum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Of other sites-----	50	21	29	21	26	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of veins and lymphatics and other diseases of circulatory system--Con.														
457	Noninfective disease of lymphatic channels-----	30	12	18	11	14	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
458	Other diseases of circulatory system-----	935	544	391	435	329	109	62	0.5	0.6	0.4	0.5	0.4	0.9	0.5
.0	Hypotension-----	131	68	63	52	49	16	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.1	Obstruction of inferior and superior vena cava-----	14	9	5	7	3	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified circulatory diseases-----	790	467	323	376	277	91	46	0.4	0.5	0.3	0.4	0.3	0.8	0.4
	VIII. DISEASES OF THE RESPIRATORY SYSTEM														
460-466	Acute respiratory infections, except influenza-----	2,216	1,268	948	1,002	723	266	225	1.1	1.3	0.9	1.2	0.8	2.3	1.8
460	Acute nasopharyngitis (common cold)-----	55	32	23	16	13	16	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
461	Acute sinusitis-----	9	7	2	6	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Acute maxillary sinusitis-----	1	-	1	-	1	-	-	0.0	0.0	0.0	-	-	-	-
*.1	Acute frontal sinusitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.9	Other and unspecified acute sinusitis-----	7	6	1	5	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
462	Acute pharyngitis-----	54	28	26	19	17	9	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
463	Acute tonsillitis-----	52	33	19	26	15	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
464	Acute laryngitis and tracheitis-----	238	140	98	107	69	33	29	0.1	0.1	0.1	0.1	0.1	0.3	0.2
465	Acute upper respiratory infections of multiple or unspecified sites-----	376	193	183	144	148	49	35	0.2	0.2	0.2	0.2	0.2	0.4	0.3
466	Acute bronchitis and bronchiolitis-----	1,432	835	597	684	460	151	137	0.7	0.9	0.6	0.8	0.5	1.3	1.1
470-474	Influenza-----	7,062	3,277	3,785	2,885	3,379	392	406	3.5	3.4	3.7	3.4	3.8	3.3	3.2
470	Influenza, unqualified-----	2,117	1,001	1,116	876	1,006	125	110	1.1	1.0	1.1	1.0	1.1	1.1	0.9
471	Influenza with pneumonia-----	4,662	2,143	2,519	1,890	2,244	253	275	2.3	2.2	2.5	2.2	2.5	2.2	2.2
472	Influenza with other respiratory manifestations-----	177	88	89	79	74	9	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
473	Influenza with digestive manifestations-----	74	30	44	27	39	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
474	Influenza with nervous manifestations-----	32	15	17	13	16	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
480-486	Pneumonia-----	66,430	37,285	29,145	30,675	24,550	6,610	4,595	33.2	38.2	28.5	35.7	27.4	56.3	36.4
480	Viral pneumonia-----	2,105	1,086	1,019	936	857	150	162	1.1	1.1	1.0	1.1	1.0	1.3	1.3
481	Pneumococcal pneumonia-----	7,086	4,276	2,810	3,364	2,297	912	513	3.5	4.4	2.7	3.9	2.6	7.8	4.1
482	Other bacterial pneumonia-----	1,493	968	525	791	442	177	83	0.7	1.0	0.5	0.9	0.5	1.5	0.7
.0	Friedländer's bacillus-----	245	176	69	149	56	27	13	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Hemophilus influenzae-----	17	12	5	9	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Streptococcus-----	46	31	15	25	15	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.3	Staphylococcus-----	444	264	180	226	154	38	26	0.2	0.3	0.2	0.3	0.2	0.3	0.2
.9	Other-----	741	485	256	382	213	103	43	0.4	0.5	0.3	0.4	0.2	0.9	0.3
483	Pneumonia due to other specified organisms-----	177	101	76	91	63	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
484	Acute interstitial pneumonia-----	1,833	1,083	750	752	474	331	276	0.9	1.1	0.7	0.9	0.5	2.8	2.2
485	Bronchopneumonia, organism unspecified-----	31,101	17,270	13,831	14,502	11,946	2,768	1,885	15.6	17.7	13.5	16.9	13.3	23.6	14.9
486	Pneumonia, unspecified-----	22,635	12,501	10,134	10,239	8,471	2,262	1,663	11.3	12.8	9.9	11.9	9.4	19.3	13.2
490-493	Bronchitis, emphysema, and asthma-----	33,078	26,262	6,816	24,536	6,153	1,726	663	16.6	26.9	6.7	28.6	6.9	14.7	5.3
490	Bronchitis, unqualified-----	843	447	396	359	342	88	54	0.4	0.5	0.4	0.4	0.4	0.7	0.4
491	Chronic bronchitis-----	5,362	4,147	1,215	3,908	1,147	239	68	2.7	4.3	1.2	4.6	1.3	2.0	0.5
492	Emphysema-----	24,185	20,434	3,751	19,361	3,568	1,073	183	12.1	20.9	3.7	22.6	4.0	9.1	1.5
493	Asthma-----	2,688	1,234	1,454	908	1,096	326	358	1.3	1.3	1.4	1.1	1.2	2.8	2.8
500-508	Other diseases of upper respiratory tract-----	515	312	203	247	168	65	35	0.3	0.3	0.2	0.3	0.2	0.6	0.3
500	Hypertrophy of tonsils and adenoids-----	53	33	20	23	13	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
501	Peritonsillar abscess-----	15	9	6	3	4	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
502	Chronic pharyngitis and nasopharyngitis-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Chronic pharyngitis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic nasopharyngitis-----	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of upper respiratory tract--Con.														
503	Chronic sinusitis-----	41	27	14	24	11	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Maxillary sinusitis (chronic)-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.1	Frontal sinusitis (chronic)-----	6	5	1	4	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
*.9	Other and unspecified sinusitis (chronic)-----	31	19	12	17	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
504	Deflected nasal septum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
505	Nasal polyp-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
506	Chronic laryngitis-----	7	1	6	1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
507	Hay fever-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
508	Other diseases of upper respiratory tract-----	389	235	154	191	133	44	21	0.2	0.2	0.2	0.2	0.1	0.4	0.2
*.0	Paralysis of vocal cords or larynx-----	23	11	12	10	9	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Polyp of vocal cords or larynx-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
*.2	Edema of larynx-----	86	51	35	38	30	13	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0
*.3	Other diseases of vocal cords or larynx not elsewhere classifiable-----	148	91	57	74	51	17	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
*.4	Retropharyngeal abscess-----	9	6	3	3	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified diseases of upper respiratory tract-----	120	74	46	64	41	10	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
510-519	Other diseases of respiratory system-----	14,139	9,879	4,260	8,695	3,723	1,184	537	7.1	10.1	4.2	10.1	4.2	10.1	4.3
510	Empyema-----	393	290	103	234	90	56	13	0.2	0.3	0.1	0.3	0.1	0.5	0.1
511	Pleurisy-----	403	248	155	209	131	39	24	0.2	0.3	0.2	0.2	0.1	0.3	0.2
.0	Without mention of effusion or tuberculosis-----	128	85	43	69	35	16	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Other specified forms of effusion, except tuberculous-----	273	161	112	138	96	23	16	0.1	0.2	0.1	0.2	0.1	0.2	0.1
512	Spontaneous pneumothorax-----	201	146	55	115	44	31	11	0.1	0.1	0.1	0.1	0.0	0.3	0.1
513	Abscess of lung-----	878	642	236	493	183	149	53	0.4	0.7	0.2	0.6	0.2	1.3	0.4
514	Pulmonary congestion and hypostasis-----	1,063	552	511	452	437	100	74	0.5	0.6	0.5	0.5	0.5	0.9	0.6
515	Pneumoconiosis due to silica and silicates-----	1,633	1,604	29	1,542	27	62	2	0.8	1.6	0.0	1.8	0.0	0.5	0.0
.0	Silicosis-----	327	323	4	295	4	28	2	0.2	0.3	0.0	0.3	0.0	0.2	0.0
.1	Anthracosilicosis-----	1,068	1,058	10	1,047	9	11	1	0.5	1.1	0.0	1.2	0.0	0.1	0.0
.2	Asbestosis-----	29	26	3	25	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other, including pneumoconiosis, unspecified-----	209	197	12	175	11	22	1	0.1	0.2	0.0	0.2	0.0	0.2	0.0
516	Other pneumoconioses and related diseases-----	15	14	1	14	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Due to inhalation of other inorganic dust-----	7	6	1	6	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Due to inhalation of other dust-----	8	8	-	8	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Due to inhalation of fumes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia-----	3,462	2,272	1,190	2,077	1,106	195	84	1.7	2.3	1.2	2.4	1.2	1.7	0.7
518	Bronchiectasis-----	1,299	783	516	701	482	82	34	0.6	0.8	0.5	0.8	0.5	0.7	0.3
519	Other diseases of respiratory system-----	4,792	3,328	1,464	2,858	1,222	470	242	2.4	3.4	1.4	3.3	1.4	4.0	1.9
.0	Pulmonary collapse-----	484	232	252	199	216	33	36	0.2	0.2	0.2	0.2	0.2	0.3	0.3
.1	Acute edema of lung-----	568	337	231	258	174	79	57	0.3	0.3	0.2	0.3	0.2	0.7	0.5
.2	Other diseases of lung-----	3,172	2,424	748	2,117	643	307	105	1.6	2.5	0.7	2.5	0.7	2.6	0.8
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IX. DISEASES OF THE DIGESTIVE SYSTEM														
520-529	Diseases of oral cavity, salivary glands, and jaws-----	170	68	102	57	90	11	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
520	Disorders of tooth development and eruption-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Anodontia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Supernumerary teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Abnormalities of size and form-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Mottled teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Enamel hypoplasia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hereditary disturbances in tooth structure not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Disturbances in tooth eruption-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Teething syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of oral cavity, salivary glands, and jaws--Con.														
521	Diseases of hard tissues of teeth-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.0	Dental caries-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Attrition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Abrasion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Erosion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Resorption-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hypercementosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Ankylosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Postoperative color changes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Irradiated enamel-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
522	Diseases of pulp and periapical tissues-----	13	4	9	1	5	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pulpitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Necrosis of the pulp-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pulp degenerations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Abnormal hard tissue formation in pulp-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute apical periodontitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Periapical abscess-----	10	3	7	1	4	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Chronic apical periodontitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Fistula from periapical lesions-----	1	1	-	-	-	1	-	0.0	0.0	-	-	0.0	-	-
.8	Radicular cyst-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other and unspecified-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
523	Periodontal diseases-----	7	4	3	1	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute gingivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chronic gingivitis-----	2	1	1	-	-	-	1	0.0	0.0	0.0	-	-	0.0	0.0
.2	Gingival recession-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute periodontitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.4	Chronic periodontitis-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.5	Periodontosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Accretions on teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
524	Dentofacial anomalies, including malocclusion-----	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Major anomalies of jaw size-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Anomalies of jaw-cranial base relationship-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Anomalies of dental arch relationship-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Anomalies of tooth position-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Malocclusion, unqualified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Dentofacial functional abnormalities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
525	Other diseases and conditions of the teeth and supporting structures-----	19	8	11	6	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acquired absence of teeth-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Atrophy of edentulous alveolar ridge-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	18	7	11	5	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
526	Diseases of the jaws-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Developmental dental cysts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Fissural cysts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other cysts of jaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Reparative giant cell granuloma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Inflammatory conditions-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.5	Alveolitis-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
527	Diseases of the salivary glands-----	74	24	50	22	48	2	2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
.0	Atrophy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hypertrophy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sialoadenitis-----	59	19	40	18	38	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Abscess-----	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Fistula-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Sialolithiasis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Diseases of oral cavity, salivary glands, and jaws--Con.																		
	Diseases of the salivary glands--Con.																		
.6	Mucocoele-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Disturbances of salivary secretion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Sialosis-----	2	-	2	-	2	-	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-
.9	Other and unspecified-----	2	1	1	-	1	1	-	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-
528	Diseases of the oral soft tissues, excluding gingiva and tongue-----	34	17	17	17	12	-	5	0.0	0.0	0.0	0.0	0.0	-	-	-	-	0.0	-
.0	Stomatitis-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	0.0
.1	Cancerum oris-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	-	-	-	-	0.0
.2	Oral aphthous ulcerations-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	-	-	-	-	0.0
.3	Cellulitis and abscess-----	11	5	6	5	4	-	2	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
.4	Cysts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Diseases of lips-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-
.6	Leukoplakia of oral mucosa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbances of keratinization-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Oral submucous fibrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	17	12	5	12	4	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0
529	Diseases of the tongue and other oral conditions-----	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.0	Glossitis-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.1	Geographic tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Median rhomboid glossitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hypertrophy of tongue papillae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Atrophy of tongue papillae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Plicated tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Glossodynia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Leukoplakia and other disturbances of keratinization of the tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
530-537	Diseases of esophagus, stomach, and duodenum-----	12,552	8,447	4,105	7,556	3,725	891	380	6.3	8.7	4.0	6.8	4.2	7.6	3.0	-	-	-	-
530	Diseases of esophagus-----	975	640	335	565	300	75	35	0.5	0.7	0.3	0.7	0.3	0.6	0.3	-	-	-	-
.0	Functional disorders of esophagus-----	55	27	28	24	22	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.1	Inflammatory diseases of esophagus-----	280	197	83	183	75	14	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1	-	-	-	-
*.2	Diverticulum of esophagus, acquired-----	29	19	10	17	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.3	Obstruction of esophagus-----	191	110	81	97	74	13	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-	-
*.4	Rupture of esophagus-----	187	135	52	115	47	20	5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-	-
*.9	Other-----	233	152	81	129	72	23	9	0.1	0.2	0.1	0.2	0.1	0.2	0.1	-	-	-	-
531	Ulcer of stomach-----	3,829	2,401	1,428	2,108	1,304	293	124	1.9	2.5	1.4	2.5	1.5	2.5	1.0	-	-	-	-
*.0	With hemorrhage only-----	2,234	1,419	815	1,262	750	157	65	1.1	1.5	0.8	1.5	0.8	1.3	0.5	-	-	-	-
*.1	With perforation only-----	915	543	372	475	327	68	45	0.5	0.6	0.4	0.6	0.4	0.6	0.4	-	-	-	-
*.2	With hemorrhage and perforation-----	148	94	54	78	53	16	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-	-
*.9	Other and unspecified-----	532	345	187	293	174	52	13	0.3	0.4	0.2	0.3	0.2	0.4	0.1	-	-	-	-
532	Ulcer of duodenum-----	4,413	3,186	1,227	2,924	1,117	262	110	2.2	3.3	1.2	3.4	1.2	2.2	0.9	-	-	-	-
*.0	With hemorrhage only-----	2,249	1,671	578	1,552	521	119	57	1.1	1.7	0.6	1.8	0.6	1.0	0.5	-	-	-	-
*.1	With perforation only-----	1,360	919	441	824	403	95	38	0.7	0.9	0.4	1.0	0.4	0.8	0.3	-	-	-	-
*.2	With hemorrhage and perforation-----	221	161	60	150	56	11	4	0.1	0.2	0.1	0.2	0.1	0.1	0.1	-	-	-	-
*.9	Other and unspecified-----	583	435	148	398	137	37	11	0.3	0.4	0.1	0.5	0.2	0.3	0.1	-	-	-	-
533	Peptic ulcer, site unspecified-----	1,218	851	367	763	329	88	38	0.6	0.9	0.4	0.9	0.4	0.7	0.3	-	-	-	-
.0	With perforation-----	522	365	157	321	139	44	18	0.3	0.4	0.2	0.4	0.2	0.4	0.1	-	-	-	-
.9	Without mention of perforation-----	696	486	210	442	190	44	20	0.3	0.5	0.2	0.5	0.2	0.4	0.2	-	-	-	-
534	Gastrojejunal ulcer-----	721	499	222	443	204	56	18	0.4	0.5	0.2	0.5	0.2	0.5	0.1	-	-	-	-
*.0	With hemorrhage only-----	631	429	202	381	184	48	18	0.3	0.4	0.2	0.4	0.2	0.4	0.1	-	-	-	-
*.1	With perforation only-----	43	33	10	31	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.2	With hemorrhage and perforation-----	16	13	3	12	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.9	Other and unspecified-----	31	24	7	19	7	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
535	Gastritis and duodenitis-----	523	323	200	273	181	50	19	0.3	0.3	0.2	0.3	0.2	0.4	0.2	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate								
		Total			White		All other			Total			White		All other			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female			
	Diseases of esophagus, stomach, and duodenum--Con.																	
536	Disorders of function of stomach-----	157	88	69	71	60	17	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Disorders of gastric secretion-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-
.1	Disorders of gastric motility-----	110	59	51	50	46	9	5	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.9	Other-----	43	25	18	17	14	8	4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
537	Other diseases of stomach and duodenum-----	716	459	257	409	230	50	27	0.4	0.5	0.3	0.5	0.3	0.4	0.3	0.4	0.2	0.2
*.0	Pyloric stenosis, acquired-----	117	70	47	63	39	7	8	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1
*.9	Other and unspecified-----	599	389	210	346	191	43	19	0.3	0.4	0.2	0.4	0.2	0.4	0.2	0.4	0.2	0.2
540-543	Appendicitis-----	1,485	888	597	755	490	133	107	0.7	0.9	0.6	0.9	0.5	1.1	0.8			
540	Acute appendicitis-----	1,360	812	548	693	447	119	101	0.7	0.8	0.5	0.8	0.5	1.0	0.8			
.0	With peritonitis-----	1,263	754	509	641	416	113	93	0.6	0.8	0.5	0.7	0.5	1.0	0.7			
.9	Without mention of peritonitis-----	97	58	39	52	31	6	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1
541	Appendicitis, unqualified-----	105	60	45	49	40	11	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
542	Other appendicitis-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-
543	Other diseases of appendix-----	17	13	4	10	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
550-553	Hernia of abdominal cavity-----	3,090	1,521	1,569	1,345	1,429	176	140	1.5	1.6	1.5	1.6	1.6	1.5	1.1			
550	Inguinal hernia without mention of obstruction-----	148	134	14	121	11	13	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
551	Other hernia of abdominal cavity without mention of obstruction-----	1,334	638	696	568	642	70	54	0.7	0.7	0.7	0.7	0.7	0.6	0.4			
.0	Femoral-----	16	3	13	3	12	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
.1	Umbilical-----	168	89	79	69	65	20	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
.2	Ventral-----	183	60	123	54	107	6	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Diaphragmatic-----	801	363	438	336	420	27	18	0.4	0.4	0.4	0.4	0.5	0.2	0.1	0.1	0.1	0.1
.8	Of other specified site-----	25	15	10	15	9	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
.9	Of unspecified site-----	141	108	33	91	29	17	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
552	Inguinal hernia with obstruction-----	452	357	95	303	89	54	6	0.2	0.4	0.1	0.4	0.1	0.5	0.0	0.0	0.0	0.0
553	Other hernia of abdominal cavity with obstruction-----	1,156	392	764	353	687	39	77	0.6	0.4	0.7	0.4	0.8	0.3	0.6			
.0	Femoral-----	218	60	158	58	154	2	4	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0
.1	Umbilical-----	163	47	116	46	84	1	32	0.1	0.0	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.0
.2	Ventral-----	275	57	218	55	194	2	24	0.1	0.1	0.2	0.1	0.2	0.0	0.2	0.0	0.2	0.2
.3	Diaphragmatic-----	101	29	72	28	70	1	2	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
.8	Of other specified site-----	126	48	78	40	68	8	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
.9	Of unspecified site-----	273	151	122	126	117	25	5	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.0	0.0
560-569	Other diseases of intestine and peritoneum-----	15,462	7,481	7,981	6,542	7,184	939	797	7.7	7.7	7.8	7.6	8.0	8.0	6.3			
560	Intestinal obstructions without mention of hernia-----	4,668	2,040	2,628	1,696	2,336	344	292	2.3	2.1	2.6	2.0	2.6	2.9	2.3			
.0	Intussusception-----	99	60	39	47	30	13	9	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1
.1	Paralytic ileus-----	438	210	228	177	204	33	24	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2
.2	Volvulus-----	977	483	494	391	441	92	53	0.5	0.5	0.5	0.5	0.5	0.8	0.4			
.3	Impaction of intestine-----	197	70	127	65	123	5	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
*.4	Adhesions with obstruction-----	640	265	375	226	332	39	43	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.3
*.9	Other and unspecified-----	2,317	952	1,365	790	1,206	162	159	1.2	1.0	1.3	0.9	1.3	1.4	1.3			
561	Gastroenteritis and colitis, except ulcerative, of noninfectious origin-----	60	26	34	22	27	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
562	Diverticula of intestine-----	3,412	1,559	1,953	1,858	1,378	81	95	1.7	1.5	1.9	1.6	2.1	0.7	0.8			
.0	Small intestine-----	45	17	28	15	28	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Colon-----	3,367	1,442	1,925	1,363	1,830	79	95	1.7	1.5	1.9	1.6	2.0	0.7	0.8			
563	Chronic enteritis and ulcerative colitis-----	1,135	531	604	496	562	35	42	0.6	0.5	0.6	0.6	0.6	0.3	0.3			
.0	Regional enteritis-----	247	110	137	107	125	3	12	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.1	Ulcerative colitis-----	805	389	416	366	393	23	23	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2
.9	Other-----	83	32	51	23	44	9	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
564	Functional disorders of intestines-----	81	39	42	36	38	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation-----	17	9	8	7	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Irritable colon-----	46	22	24	21	22	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	18	8	10	8	9	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
565	Anal fissure and fistula-----	5	4	1	3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Anal fissure-----	1	1	-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-
.1	Anal fistula-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of intestine and peritoneum--Con.														
566	Abscess of anal and rectal regions-----	106	59	47	45	37	14	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1
567	Peritonitis-----	1,130	612	518	513	427	99	91	0.6	0.6	0.5	0.6	0.5	0.8	0.7
*.0	With abscess-----	297	160	137	137	115	23	22	0.1	0.2	0.1	0.2	0.1	0.2	0.2
*.9	Unspecified-----	833	452	381	376	312	76	69	0.4	0.5	0.4	0.4	0.3	0.6	0.5
568	Peritoneal adhesions-----	129	52	77	43	72	9	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
569	Other diseases of intestines and peritoneum-----	4,736	2,659	2,077	2,310	1,826	349	251	2.4	2.7	2.0	2.7	2.0	3.0	2.0
*.0	Proctitis-----	8	3	5	1	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.1	Prolapse of rectum-----	12	4	8	3	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.2	Other rectal and anal diseases-----	150	77	73	64	58	13	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.3	Fistula of intestine-----	187	79	108	71	99	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.4	Perforation or ulceration of intestine not otherwise specified-----	643	355	288	301	255	54	33	0.3	0.4	0.3	0.4	0.3	0.5	0.3
*.9	Other-----	3,726	2,141	1,595	1,870	1,401	271	194	1.9	2.2	1.6	2.2	1.6	2.3	1.5
570-577	Diseases of liver, gallbladder, and pancreas-----	40,959	24,629	16,330	21,172	13,884	3,457	2,446	20.5	25.2	16.0	24.7	15.5	29.4	19.4
570	Acute and subacute necrosis of liver-----	687	315	372	249	303	66	69	0.3	0.3	0.4	0.3	0.3	0.6	0.5
571	Cirrhosis of liver-----	29,183	18,821	10,362	16,142	8,607	2,679	1,755	14.6	19.3	10.1	18.8	9.6	22.8	13.9
.0	Alcoholic-----	10,036	6,873	3,163	5,738	2,511	1,135	652	5.0	7.0	3.1	6.7	2.8	9.7	5.2
*.8	Other specified-----	5,694	3,330	2,364	2,739	1,918	591	446	2.8	3.4	2.3	3.2	2.1	5.0	3.5
*.9	Unspecified-----	13,453	8,618	4,835	7,665	4,178	953	657	6.7	8.8	4.7	8.9	4.7	8.1	5.2
572	Suppurative hepatitis and liver abscess-----	192	131	61	103	48	28	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
573	Other diseases of liver-----	1,856	989	867	805	717	184	150	0.9	1.0	0.8	0.9	0.8	1.6	1.2
*.0	Hepatitis not otherwise specified-----	499	210	289	181	225	29	64	0.2	0.2	0.3	0.2	0.3	0.2	0.5
*.9	Other and unspecified-----	1,357	779	578	624	492	155	86	0.7	0.8	0.6	0.7	0.5	1.3	0.7
574	Cholelithiasis-----	2,545	1,088	1,457	1,031	1,371	57	86	1.3	1.1	1.4	1.2	1.5	0.5	0.7
*.0	With acute cholecystitis-----	462	202	260	190	247	12	13	0.2	0.2	0.3	0.2	0.3	0.1	0.1
*.1	With other cholecystitis-----	994	415	579	393	540	22	39	0.5	0.4	0.6	0.5	0.6	0.2	0.3
*.9	Other and unspecified-----	1,089	471	618	448	584	23	34	0.5	0.5	0.6	0.5	0.7	0.2	0.3
575	Cholecystitis and cholangitis, without mention of calculus-----	1,840	809	1,031	755	928	54	103	0.9	0.8	1.0	0.9	1.0	0.5	0.8
576	Other diseases of gallbladder and biliary ducts-----	1,575	681	894	630	830	51	64	0.8	0.7	0.9	0.7	0.9	0.4	0.5
*.0	Obstruction-----	537	240	297	240	279	23	18	0.3	0.2	0.3	0.3	0.3	0.2	0.1
*.1	Fistula-----	62	23	39	19	39	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.9	Other and unspecified-----	976	418	558	394	512	24	46	0.5	0.4	0.5	0.5	0.6	0.2	0.4
577	Diseases of pancreas-----	3,081	1,795	1,286	1,457	1,080	338	206	1.5	1.8	1.3	1.7	1.2	2.9	1.6
.0	Acute pancreatitis-----	2,713	1,561	1,152	1,281	974	280	178	1.4	1.6	1.1	1.5	1.1	2.4	1.4
.1	Chronic pancreatitis-----	239	148	91	103	71	45	20	0.1	0.2	0.1	0.1	0.1	0.4	0.2
.9	Other diseases of pancreas-----	129	86	43	73	35	13	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1
	X. DISEASES OF THE GENITOURINARY SYSTEM														
580-584	Nephritis and nephrosis-----	9,311	5,119	4,192	3,909	3,054	1,210	1,138	4.7	5.2	4.1	4.6	3.4	10.3	9.0
580	Acute nephritis-----	826	476	350	374	261	102	89	0.4	0.5	0.3	0.4	0.3	0.9	0.7
581	Nephrotic syndrome-----	468	244	224	195	174	49	50	0.2	0.3	0.2	0.2	0.2	0.4	0.4
582	Chronic nephritis-----	6,783	3,723	3,060	2,835	2,203	888	857	3.4	3.8	3.0	3.3	2.5	7.6	6.8
583	Nephritis, unqualified-----	1,115	616	499	455	369	161	130	0.6	0.6	0.5	0.5	0.4	1.4	1.0
584	Renal sclerosis, unqualified-----	119	60	59	50	47	10	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
590-599	Other diseases of urinary system-----	16,155	8,254	7,901	6,737	6,490	1,517	1,411	8.1	8.5	7.7	7.8	7.2	12.9	11.2
590	Infections of kidney-----	9,395	4,347	5,048	3,548	4,123	799	925	4.7	4.5	4.9	4.1	4.6	6.8	7.3
.0	Chronic pyelonephritis-----	5,717	2,618	3,099	2,104	2,455	514	644	2.9	2.7	3.0	2.5	2.7	4.4	5.1
.1	Other pyelonephritis, pyelitis, and pyelocystitis-----	3,424	1,599	1,825	1,344	1,560	255	265	1.7	1.6	1.8	1.6	1.7	2.2	2.1
.2	Abscess of kidney and perirenal tissue-----	145	72	73	54	66	18	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.9	Other-----	109	58	51	46	42	12	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
591	Hydronephrosis-----	235	141	94	125	81	16	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
592	Calculus of kidney and ureter-----	989	500	489	453	436	47	53	0.5	0.5	0.5	0.5	0.5	0.4	0.4

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

6th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of urinary system--Con.														
593	Other diseases of kidney and ureter-----	2,685	1,490	1,195	1,171	926	319	269	1.3	1.5	1.2	1.4	1.0	2.7	2.1
.0	Renal dwarfism-----	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Acute tubular nephrosis-----	250	148	102	127	81	21	21	0.1	0.2	0.1	0.1	0.1	0.2	0.2
.2	Other renal disease-----	2,279	1,253	1,026	970	785	283	241	1.1	1.3	1.0	1.1	0.9	2.4	1.9
.3	Obstruction of ureter not elsewhere classifiable-----	115	67	48	57	42	10	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Hydro-ureter-----	8	5	3	2	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Other diseases of ureter-----	27	14	13	13	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
594	Calculus of other parts of urinary system-----	68	45	23	41	21	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
595	Cystitis-----	373	195	178	173	163	22	15	0.2	0.2	0.2	0.2	0.2	0.2	0.1
596	Other diseases of bladder-----	399	292	107	240	100	52	7	0.2	0.3	0.1	0.3	0.1	0.4	0.1
*.0	Fistula of bladder-----	59	25	34	24	33	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Diverticulum of bladder (acquired)-----	15	13	2	12	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.2	Contracture of bladder (sphincter)-----	126	110	16	84	14	26	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
*.3	Paralysis of bladder-----	11	5	6	5	5	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified diseases of bladder-----	188	139	49	115	46	24	3	0.1	0.1	0.0	0.1	0.1	0.2	0.0
597	Urethritis (nonvenereal)-----	13	10	3	10	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
598	Stricture of urethra-----	178	171	7	100	5	71	2	0.1	0.2	0.0	0.1	0.0	0.6	0.0
599	Other diseases of urinary tract-----	1,820	1,063	757	876	632	187	125	0.9	1.1	0.7	1.0	0.7	1.6	1.0
*.0	Urinary tract infection not elsewhere classifiable-----	1,566	852	714	716	598	136	116	0.8	0.9	0.7	0.8	0.7	1.2	0.9
*.1	Fistula, urinary, not elsewhere classifiable-----	12	10	2	4	2	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
*.2	Caruncle of urethra-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.9	Other and unspecified diseases of urinary tract-----	241	201	40	156	31	45	9	0.1	0.2	0.0	0.2	0.0	0.4	0.1
600-607	Diseases of male genital organs-----	3,550	3,550	...	3,081	...	469	...	1.8	3.6	...	3.6	...	4.0	...
600	Hyperplasia of prostate-----	2,647	2,647	...	2,290	...	357	...	1.3	2.7	...	2.7	...	3.0	...
601	Prostatitis-----	202	202	...	177	...	25	...	0.1	0.2	...	0.2	...	0.2	...
602	Other diseases of prostate-----	526	526	...	467	...	59	...	0.3	0.5	...	0.5	...	0.5	...
603	Hydrocele-----	3	3	...	1	...	2	...	0.0	0.0	...	0.0	...	0.0	...
604	Orchitis and epididymitis-----	22	22	...	21	...	1	...	0.0	0.0	...	0.0	...	0.0	...
605	Redundant prepuce and phimosis-----	2	2	...	1	...	1	...	0.0	0.0	...	0.0	...	0.0	...
606	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
607	Other diseases of male genital organs-----	148	148	...	124	...	24	...	0.1	0.2	...	0.1	...	0.2	...
.0	Leukoplakia of penis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.1	Erythroplasia of penis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.2	Chronic ulceration of penis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.3	Balanitis-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.4	Seminal vesiculitis-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.5	Other inflammatory diseases-----	38	38	...	31	...	7	...	0.0	0.0	...	0.0	...	0.1	...
.6	Spermatocele-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.7	Torsion of testis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.8	Atrophy of testicle-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.9	Other-----	107	107	...	90	...	17	...	0.1	0.1	...	0.1	...	0.1	...
610-616	Diseases of breast, ovary, fallopian tube, and parametrium-----	298	3	295	3	193	-	102	0.1	0.0	0.3	0.0	0.2	-	0.8
610	Chronic cystic disease of breast-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
611	Other diseases of breast-----	17	3	14	3	10	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Acute mastitis not associated with lactation-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Fissure of nipple-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	13	1	12	1	9	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
612	Acute salpingitis and oophoritis-----	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0
613	Chronic salpingitis and oophoritis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
614	Salpingitis and oophoritis, unqualified-----	55	...	55	...	23	...	32	0.0	...	0.1	...	0.0	...	0.3

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of breast, ovary, fallopian tube, and parametrium-Con.														
615	Other diseases of ovary and fallopian tube-----	11	...	11	...	8	...	3	0.0	...	0.0	...	0.0	...	0.0
.0	Prolapse of ovary-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.1	Hydrosalpinx-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Ovarian cyst, retention-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.9	Other-----	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
616	Diseases of parametrium and pelvic peritoneum (female)-----	208	...	208	...	147	...	61	0.1	...	0.2	...	0.2	...	0.5
.0	Pelvic inflammatory disease-----	191	...	191	...	130	...	61	0.1	...	0.2	...	0.1	...	0.5
.1	Pelvic peritoneal adhesions, female-----	9	...	9	...	9	...	-	0.0	...	0.0	...	0.0	...	-
.2	Pelvic congestion, female-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Other-----	8	...	8	...	8	...	-	0.0	...	0.0	...	0.0	...	-
620-629	Diseases of uterus and other female genital organs-----	473	...	473	...	374	...	99	0.2	...	0.5	...	0.4	...	0.8
620	Infective diseases of cervix uteri-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	Chronic cervicitis-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.9	Other cervicitis-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
621	Other diseases of cervix-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	Leukoplakia of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Erythroplasia of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Hyperplastic endometritis of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Chronic erosion and ulceration of cervix-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.4	Old laceration of cervix-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.5	Stricture of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.6	Atrophy of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Other-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
622	Infective diseases of uterus (except cervix), vagina, and vulva-----	40	...	40	...	27	...	13	0.0	...	0.0	...	0.0	...	0.1
.0	Infective diseases of uterus, except cervix-----	32	...	32	...	22	...	10	0.0	...	0.0	...	0.0	...	0.1
.1	Vaginitis and vulvitis-----	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
623	Uterovaginal prolapse-----	76	...	76	...	68	...	8	0.0	...	0.1	...	0.1	...	0.1
.0	Cystocele-----	22	...	22	...	21	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Rectocele-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.2	Urthrocele-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Vaginal enterocele-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
*.4	Uterine prolapse-----	40	...	40	...	35	...	5	0.0	...	0.0	...	0.0	...	0.0
*.9	Other and unspecified-----	11	...	11	...	9	...	2	0.0	...	0.0	...	0.0	...	0.0
624	Malposition of uterus-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.0	Retroversion and retroflexion-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Unspecified-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
625	Other diseases of uterus-----	203	...	203	...	152	...	51	0.1	...	0.2	...	0.2	...	0.4
.0	Atrophy of uterus-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.1	Subinvolution of uterus-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.2	Hyperplasia of endometrium-----	5	...	5	...	5	...	-	0.0	...	0.0	...	0.0	...	-
.3	Endometriosis-----	15	...	15	...	13	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Other-----	181	...	181	...	132	...	49	0.1	...	0.2	...	0.1	...	0.4
626	Disorders of menstruation-----	30	...	30	...	22	...	8	0.0	...	0.0	...	0.0	...	0.1
.0	Absent-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Scanty-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Excessive-----	9	...	9	...	6	...	3	0.0	...	0.0	...	0.0	...	0.0
.3	Painful-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.4	Frequent-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.5	Irregular-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.6	Intermenstrual bleeding-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.7	Postmenopausal bleeding-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Other-----	11	...	11	...	7	...	4	0.0	...	0.0	...	0.0	...	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

6th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of uterus and other female genital organs--Con.														
627	Menopausal symptoms-----	2	...	2	...	2	-	0.0	...	0.0	...	0.0	...	-	
628	Sterility, female-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
629	Other diseases of female genital organs-----	113	...	113	...	96	17	0.1	...	0.1	...	0.1	...	0.1	
.0	Leukoplakia of vagina-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.1	Karythroplasia of vagina and vulva-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.2	Kraurosis of vulva-----	1	...	1	...	1	-	0.0	...	0.0	...	0.0	...	-	
.3	Leukorrhea-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.4	Unspecified infection-----	59	...	59	...	51	8	0.0	...	0.1	...	0.1	...	0.1	
.5	Vaginal bleeding-----	14	...	14	...	10	4	0.0	...	0.0	...	0.0	...	0.0	
.6	Old laceration-----	1	...	1	...	1	-	0.0	...	0.0	...	0.0	...	-	
.7	Stricture or atresia of vagina and hymen-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.8	Rectovaginal fistula-----	9	...	9	...	8	1	0.0	...	0.0	...	0.0	...	0.0	
.9	Other-----	29	...	29	...	25	4	0.0	...	0.0	...	0.0	...	0.0	
	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM														
630-634	Complications of pregnancy-----	155	...	155	...	80	75	0.1	...	0.2	...	0.1	...	0.6	
630	Infections of genital tract during pregnancy-----	4	...	4	...	1	3	0.0	...	0.0	...	0.0	...	0.0	
631	Ectopic pregnancy-----	79	...	79	...	36	43	0.0	...	0.1	...	0.0	...	0.3	
.0	Abdominal pregnancy with sepsis-----	1	...	1	...	-	1	0.0	...	0.0	...	-	...	0.0	
.1	Tubal pregnancy with sepsis-----	2	...	2	...	-	2	0.0	...	0.0	...	-	...	0.0	
.2	Ovarian pregnancy with sepsis-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.3	Other or unspecified ectopic pregnancy with sepsis-----	3	...	3	...	3	-	0.0	...	0.0	...	0.0	...	-	
.4	Abdominal pregnancy without mention of sepsis-----	1	...	1	...	-	1	0.0	...	0.0	...	-	...	0.0	
.5	Tubal pregnancy without mention of sepsis-----	33	...	33	...	18	15	0.0	...	0.0	...	0.0	...	0.1	
.6	Ovarian pregnancy without mention of sepsis-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.9	Other or unspecified ectopic pregnancy without mention of sepsis-----	39	...	39	...	15	24	0.0	...	0.0	...	0.0	...	0.2	
632	Hemorrhage of pregnancy-----	12	...	12	...	9	3	0.0	...	0.0	...	0.0	...	0.0	
.0	Placenta previa-----	2	...	2	...	1	1	0.0	...	0.0	...	0.0	...	0.0	
.1	Premature separation of placenta-----	1	...	1	...	1	-	0.0	...	0.0	...	0.0	...	-	
.2	Hemorrhage from marginal sinus-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.3	Threatened abortion-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.4	Due to afibrinogenemia-----	6	...	6	...	5	1	0.0	...	0.0	...	0.0	...	0.0	
.9	Other and unspecified-----	3	...	3	...	2	1	0.0	...	0.0	...	0.0	...	0.0	
633	Anemia of pregnancy-----	2	...	2	...	1	1	0.0	...	0.0	...	0.0	...	0.0	
.0	Macrocytic anemia of pregnancy-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.1	Iron deficiency anemia of pregnancy-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
.9	Other and unspecified anemias of pregnancy-----	2	...	2	...	1	1	0.0	...	0.0	...	0.0	...	0.0	
634	Other complications of pregnancy-----	58	...	58	...	33	25	0.0	...	0.1	...	0.0	...	0.2	
*.0	Hydatidiform mole-----	4	...	4	...	4	-	0.0	...	0.0	...	0.0	...	-	
*.1	Placental abnormalities not elsewhere classifiable-----	1	...	1	...	-	1	0.0	...	0.0	...	-	...	0.0	
*.2	Missed abortion and missed delivery-----	2	...	2	...	-	2	0.0	...	0.0	...	-	...	0.0	
*.3	Hydramnios-----	3	...	3	...	2	1	0.0	...	0.0	...	0.0	...	0.0	
*.4	Premature rupture of membrane without delivery-----	1	...	1	...	-	1	0.0	...	0.0	...	-	...	0.0	
*.5	Rh incompatibility-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
*.6	Habitual aborter, undelivered-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
*.7	False labor-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
*.8	Air embolism during pregnancy-----	4	...	4	...	4	-	0.0	...	0.0	...	0.0	...	-	
*.9	Other-----	43	...	43	...	23	20	0.0	...	0.0	...	0.0	...	0.2	
635-639	Urinary infections and toxemias of pregnancy and the puerperium-----	151	...	151	...	82	69	0.1	...	0.1	...	0.1	...	0.5	
635	Urinary infections arising during pregnancy and the puerperium-----	5	...	5	...	4	1	0.0	...	0.0	...	0.0	...	0.0	
.0	Pyelitis and pyelonephritis-----	3	...	3	...	3	-	0.0	...	0.0	...	0.0	...	-	
*.1	Cystitis-----	-	...	-	...	-	-	-	...	-	...	-	...	-	
*.9	Other and unspecified-----	2	...	2	...	1	1	0.0	...	0.0	...	0.0	...	0.0	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Urinary infections and toxemias of pregnancy and the puerperium--Con.														
636	Renal diseases arising during pregnancy and the puerperium--	6	...	6	...	6	...	0.0	...	0.0	...	0.0	...	-	
637	Preeclampsia, eclampsia, and toxemia, unspecified-----	133	...	133	...	69	...	0.1	...	0.1	...	0.1	...	0.5	
.0	Preeclampsia-----	23	...	23	...	11	...	0.0	...	0.0	...	0.0	...	0.1	
.1	Eclampsia-----	67	...	67	...	33	...	0.0	...	0.1	...	0.0	...	0.3	
.9	Toxemia, unspecified-----	43	...	43	...	25	...	0.0	...	0.0	...	0.0	...	0.1	
638	Hyperemesis gravidarum-----	2	...	2	...	-	...	0.0	...	0.0	...	-	...	0.0	
.0	With neuritis-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Without mention of neuritis-----	2	...	2	...	-	...	0.0	...	0.0	...	-	...	0.0	
639	Other toxemias of pregnancy and the puerperium-----	5	...	5	...	3	...	0.0	...	0.0	...	0.0	...	0.0	
.0	Acute and subacute necrosis of liver-----	4	...	4	...	2	...	0.0	...	0.0	...	0.0	...	0.0	
.9	Other-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
640-645	Abortions-----	133	...	133	...	58	...	0.1	...	0.1	...	0.1	...	0.6	
640	Abortion induced for medical indications-----	2	...	2	...	2	...	0.0	...	0.0	...	0.0	...	-	
.0	With sepsis-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
.1	With toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Without mention of sepsis or toxemia-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
641	Abortion induced for other legal indications-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.0	With sepsis-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.1	With toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Without mention of sepsis or toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
642	Abortion induced for other reasons-----	55	...	55	...	29	...	0.0	...	0.1	...	0.0	...	0.2	
.0	With sepsis-----	25	...	25	...	14	...	0.0	...	0.0	...	0.0	...	0.1	
.1	With hemorrhage-----	2	...	2	...	1	...	0.0	...	0.0	...	0.0	...	0.0	
.2	With sepsis and hemorrhage-----	2	...	2	...	1	...	0.0	...	0.0	...	0.0	...	0.0	
.3	With laceration of pelvic organ (with or without mention of sepsis or hemorrhage)-----	2	...	2	...	1	...	0.0	...	0.0	...	0.0	...	0.0	
.9	Without mention of sepsis, hemorrhage, or laceration-----	24	...	24	...	12	...	0.0	...	0.0	...	0.0	...	0.1	
643	Spontaneous abortion-----	22	...	22	...	13	...	0.0	...	0.0	...	0.0	...	0.1	
.0	With sepsis-----	9	...	9	...	6	...	0.0	...	0.0	...	0.0	...	0.0	
.1	With toxemia-----	4	...	4	...	3	...	0.0	...	0.0	...	0.0	...	0.0	
.2	With sepsis and toxemia-----	2	...	2	...	-	...	0.0	...	0.0	...	-	...	0.0	
.9	Without mention of sepsis or toxemia-----	7	...	7	...	4	...	0.0	...	0.0	...	0.0	...	0.0	
644	Abortion not specified as induced or spontaneous-----	53	...	53	...	14	...	0.0	...	0.1	...	0.0	...	0.3	
.0	With sepsis-----	40	...	40	...	11	...	0.0	...	0.0	...	0.0	...	0.2	
.1	With toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.2	With sepsis and toxemia-----	4	...	4	...	1	...	0.0	...	0.0	...	0.0	...	0.0	
.9	Without mention of sepsis or toxemia-----	9	...	9	...	2	...	0.0	...	0.0	...	0.0	...	0.1	
645	Other abortions-----	1	...	1	...	-	...	0.0	...	0.0	...	-	...	0.0	
.0	With sepsis-----	1	...	1	...	-	...	0.0	...	0.0	...	-	...	0.0	
.1	With toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Without mention of sepsis or toxemia-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
650-662	Deliveries-----	229	...	229	...	136	...	0.1	...	0.2	...	0.2	...	0.7	
650	Delivery without mention of complication-----	10	...	10	...	6	...	0.0	...	0.0	...	0.0	...	0.0	
651	Delivery complicated by placenta previa or antepartum hemorrhage-----	52	...	52	...	35	...	0.0	...	0.1	...	0.0	...	0.1	
*.0	Placenta previa-----	17	...	17	...	12	...	0.0	...	0.0	...	0.0	...	0.0	
*.1	Premature separation of placenta-----	30	...	30	...	19	...	0.0	...	0.0	...	0.0	...	0.1	
*.9	Other antepartum hemorrhage-----	5	...	5	...	4	...	0.0	...	0.0	...	0.0	...	0.0	
652	Delivery complicated by retained placenta-----	3	...	3	...	2	...	0.0	...	0.0	...	0.0	...	0.0	
653	Delivery complicated by other postpartum hemorrhage-----	37	...	37	...	16	...	0.0	...	0.0	...	0.0	...	0.2	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Deliveries--Con.																		
654	Delivery complicated by abnormality of bony pelvis-----	1	...	1	1	0.0	...	0.0	...	-	0.0
*.0	Android-----	-	...	-	-	-	...	-	...	-	-
*.1	Anthropoid-----	-	...	-	-	-	...	-	...	-	-
*.2	Flat-----	-	...	-	-	-	...	-	...	-	-
*.3	Combined type-----	-	...	-	-	-	...	-	...	-	-
*.9	Other and unspecified-----	1	...	1	1	0.0	...	0.0	...	-	0.0
655	Delivery complicated by fetopelvic disproportion-----	5	...	5	3	...	0.0	...	0.0	...	0.0	0.0	...	0.0
656	Delivery complicated by malpresentation of fetus-----	8	...	8	2	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.0	Breech presentation-----	3	...	3	1	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.1	Transverse presentation-----	2	...	2	1	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.2	Brow presentation-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.3	Face presentation-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.4	Compound or shoulder presentation-----	3	...	3	-	...	0.0	...	0.0	...	-	0.0	...	0.0
*.8	Other specified-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.9	Unspecified-----	-	...	-	-	...	-	...	-	...	-	-	...	-
657	Delivery complicated by prolonged labor of other origin-----	11	...	11	9	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.0	Multiple pregnancy-----	2	...	2	1	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.1	Uterine inertia-----	8	...	8	7	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.2	Cervical dystocia-----	1	...	1	1	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.9	Other and unspecified-----	-	...	-	-	...	-	...	-	...	-	-	...	-
658	Delivery with laceration of perineum without mention of other laceration-----	1	...	1	-	...	0.0	...	0.0	...	-	0.0	...	0.0
*.0	First degree-----	1	...	1	-	...	0.0	...	0.0	...	-	0.0	...	0.0
*.1	Second degree-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.2	Third degree-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.9	Unspecified degree-----	-	...	-	-	...	-	...	-	...	-	-	...	-
659	Delivery with rupture of uterus-----	30	...	30	19	...	0.0	...	0.0	...	0.0	0.0	...	0.1
660	Delivery with other obstetrical trauma-----	12	...	12	8	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.0	Laceration of urethra-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.1	Laceration of cervix-----	8	...	8	6	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.9	Other and unspecified obstetrical trauma-----	4	...	4	2	...	0.0	...	0.0	...	0.0	0.0	...	0.0
661	Delivery with other complications-----	49	...	49	31	...	0.0	...	0.0	...	0.0	0.0	...	0.1
*.0	Premature rupture of membranes-----	5	...	5	4	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.1	Precipitate labor-----	1	...	1	1	...	0.0	...	0.0	...	0.0	0.0	...	-
*.2	Previous cesarean section-----	4	...	4	2	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.3	Umbilical cord complication-----	1	...	1	1	...	0.0	...	0.0	...	0.0	0.0	...	-
*.8	Other specified complications-----	13	...	13	9	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.9	Unspecified complication-----	25	...	25	14	...	0.0	...	0.0	...	0.0	0.0	...	0.1
662	Anesthetic death in uncomplicated delivery-----	10	...	10	5	...	0.0	...	0.0	...	0.0	0.0	...	0.0
670-678	Complications of the puerperium-----	191	...	191	128	...	0.1	...	0.2	...	0.1	0.1	...	0.5
670	Sepsis of childbirth and the puerperium-----	27	...	27	20	...	0.0	...	0.0	...	0.0	0.0	...	0.1
671	Puerperal phlebitis and thrombosis-----	15	...	15	10	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.0	Lower extremities-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.9	Other and unspecified sites-----	15	...	15	10	...	0.0	...	0.0	...	0.0	0.0	...	0.0
672	Pyrexia of unknown origin during the puerperium-----	-	...	-	-	...	-	...	-	...	-	-	...	-
673	Puerperal pulmonary embolism-----	112	...	112	77	...	0.1	...	0.1	...	0.1	0.1	...	0.3
.0	Air embolism-----	5	...	5	5	...	0.0	...	0.0	...	0.0	0.0	...	-
.1	Amniotic fluid embolism-----	74	...	74	50	...	0.0	...	0.1	...	0.1	0.1	...	0.2
.9	Other and unspecified-----	33	...	33	22	...	0.0	...	0.0	...	0.0	0.0	...	0.1
674	Cerebral hemorrhage in the puerperium-----	7	...	7	4	...	0.0	...	0.0	...	0.0	0.0	...	0.0
675	Puerperal blood dyscrasias-----	5	...	5	3	...	0.0	...	0.0	...	0.0	0.0	...	0.0
676	Anemia of the puerperium-----	1	...	1	1	...	0.0	...	0.0	...	0.0	0.0	...	-
677	Other and unspecified complications of the puerperium-----	24	...	24	13	...	0.0	...	0.0	...	0.0	0.0	...	0.1
.0	Sudden death from unknown cause in the puerperium-----	3	...	3	1	...	0.0	...	0.0	...	0.0	0.0	...	0.0
*.1	Retained placenta, complicating puerperium-----	1	...	1	1	...	0.0	...	0.0	...	0.0	0.0	...	-
*.2	Other delayed postpartum hemorrhage-----	-	...	-	-	...	-	...	-	...	-	-	...	-
*.9	Other and unspecified-----	20	...	20	11	...	0.0	...	0.0	...	0.0	0.0	...	0.1
678	Mastitis and other disorders of lactation-----	-	...	-	-	...	-	...	-	...	-	-	...	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE																
680-686	Infections of skin and subcutaneous tissue-----	491	271	220	221	188	50	32	0.2	0.3	0.2	0.3	0.2	0.4	0.3		
680	Boil and carbuncle-----	22	15	7	14	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Of face-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Of neck-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Of trunk-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Of upper arm and forearm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of hand-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Of buttock-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.6	Of other parts of lower extremity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Of other and multiple sites-----	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.9	Of unspecified site-----	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
681	Cellulitis of finger and toe-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
682	Other cellulitis and abscesses-----	350	188	162	148	141	40	21	0.2	0.2	0.2	0.2	0.2	0.3	0.2		
.0	Of head and neck-----	37	16	21	12	18	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Of trunk-----	101	63	38	50	31	13	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
.2	Of upper arm and forearm-----	23	11	12	9	11	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Of hand, except fingers-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Of leg-----	99	52	47	42	42	10	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
.5	Of foot, except toes-----	18	11	7	7	6	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Of other, multiple, and unspecified sites-----	70	34	36	27	32	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
683	Acute lymphadenitis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
684	Impetigo-----	5	2	3	1	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
685	Pilonidal cyst-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
686	Other local infections of skin and subcutaneous tissue-----	106	61	45	53	38	8	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
.0	Pyoderma-----	15	7	8	6	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Pyogenic granuloma-----	27	20	7	19	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.2	Dermatitis infectiosa exzematoides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Other-----	64	34	30	28	25	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
690-698	Other inflammatory conditions of skin and subcutaneous tissue-----	531	190	341	153	277	37	64	0.3	0.2	0.3	0.2	0.3	0.3	0.5		
690	Seborrheic dermatitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
691	Infantile eczema and related conditions-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
692	Other eczema and dermatitis-----	40	21	19	16	17	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Due to detergents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to food-----	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.6	Due to plants, except food-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.7	Due to radiation, except sunburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Due to sunburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Due to other and unspecified causes-----	34	16	18	11	17	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
693	Dermatitis herpetiformis-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
694	Pemphigus-----	106	52	54	45	48	7	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
695	Erythematous conditions-----	364	109	255	85	200	24	55	0.2	0.1	0.2	0.1	0.2	0.2	0.4		
.0	Toxic erythema-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Erythema multiforme-----	42	22	20	17	15	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Erythema nodosum-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Rosacea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Lupus erythematosus-----	291	64	227	53	177	11	50	0.1	0.1	0.2	0.1	0.2	0.1	0.4		
.9	Other and unspecified-----	29	22	7	14	7	8	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
696	Psoriasis and similar disorders-----	13	5	8	5	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Psoriatic arthropathy-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Other psoriasis-----	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Parapsoriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Pityriasis rosea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other inflammatory conditions of skin and subcutaneous tissue--Con.														
.4	Pityriasis rubra pilaris-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
697	Lichen-----	1	-	1	-	-	1	0.0	-	0.0	-	-	-	0.0	
.0	Planus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Nitidus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	1	-	1	-	-	1	0.0	-	0.0	-	-	-	0.0	
698	Pruritus and related conditions-----	3	-	3	-	3	-	0.0	-	0.0	-	0.0	-	-	
.0	Pruritus ani-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Lichenification and lichen simplex chronicus-----	3	-	3	-	3	-	0.0	-	0.0	-	0.0	-	-	
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other pruritic conditions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
700-709	Other diseases of skin and subcutaneous tissue-----	796	305	491	231	391	74	100	0.4	0.3	0.5	0.3	0.4	0.6	0.8
700	Corns and callosities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
701	Other hypertrophic and atrophic conditions of skin-----	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Circumscribed scleroderma-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Keratoderma, acquired-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Striae atrophicae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Keloid scar-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.9	Other hypertrophic and atrophic conditions of skin-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
702	Other dermatoses-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
703	Diseases of nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.0	Ingrowing nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
704	Diseases of hair and hair follicles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
705	Diseases of sweat glands-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.0	Anhidrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Prickly heat-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
706	Diseases of sebaceous glands-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.0	Acne varioliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sebaceous cyst-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.3	Seborrhea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Chronic ulcer of skin-----	770	292	478	222	382	70	96	0.4	0.3	0.5	0.3	0.4	0.6	0.8
*.0	Decubitus ulcer-----	637	213	424	158	340	55	84	0.3	0.2	0.4	0.2	0.4	0.5	0.7
*.1	Lower extremity, except decubitus ulcer-----	72	39	33	29	26	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
*.9	Other-----	61	40	21	35	16	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
708	Urticaria-----	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Angioneurotic edema-----	7	4	3	3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
709	Other diseases of skin-----	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Cicatrix-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Tattoo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other diseases of skin-----	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE														
710-718	Arthritis and rheumatism, except rheumatic fever-----	2,237	770	1,467	694	1,332	76	135	1.1	0.8	1.4	0.8	1.5	0.6	1.1
710	Acute arthritis due to pyogenic organisms-----	38	20	18	19	15	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of upper extremity (including shoulder)-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Arthritis and rheumatism, except rheumatic fever--Con.														
	Acute arthritis due to pyogenic organisms--Con.														
*.2	Of hip-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.3	Of other parts of lower extremity-----	11	6	5	5	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.9	Of other and unspecified sites-----	19	11	8	11	5	3	0.0	0.0	0.0	0.0	0.0	-	0.0	
711	Acute nonpyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions-----	1,407	469	938	437	874	32	64	0.7	0.5	0.9	0.5	1.0	0.3	0.5
.0	Juvenile rheumatoid arthritis-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Rheumatoid arthritis with splenoadenomegaly and leukopenia-----	15	7	8	7	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Palindromic rheumatism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other rheumatoid arthritis-----	1,350	427	923	395	860	32	63	0.7	0.4	0.9	0.5	1.0	0.3	0.5
.4	Spondylitis ankylopoietica-----	37	32	5	32	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
713	Osteoarthritis and allied conditions-----	322	122	200	106	183	16	17	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis-----	282	98	184	87	169	11	15	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.1	Spondylitis osteoarthritis-----	40	24	16	19	14	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Traumatic spondylopathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	Other specified forms of arthritis-----	14	8	6	7	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Traumatic arthritis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Other-----	12	6	6	5	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
715	Arthritis, unspecified-----	289	94	195	79	173	15	22	0.1	0.1	0.2	0.1	0.2	0.1	0.2
716	Polymyositis and dermatomyositis-----	146	49	97	40	71	9	26	0.1	0.1	0.1	0.0	0.1	0.1	0.2
.0	Dermatomyositis-----	78	24	54	22	35	2	19	0.0	0.0	0.1	0.0	0.0	0.0	0.2
.1	Polymyositis-----	68	25	43	18	36	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
717	Other nonarticular rheumatism-----	10	4	6	4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Lumbago-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Scapulohumeral myofibrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other muscular rheumatism, fibrositis, and myalgia-----	10	4	6	4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
718	Rheumatism, unspecified-----	11	4	7	2	5	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
720-729	Osteomyelitis and other diseases of bone and joint-----	786	363	423	308	393	55	30	0.4	0.4	0.4	0.4	0.4	0.5	0.2
720	Osteomyelitis and periostitis-----	162	91	71	72	61	19	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis-----	8	4	4	4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic osteomyelitis-----	39	27	12	23	12	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Unspecified osteomyelitis-----	114	60	54	45	45	15	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
721	Osteitis deformans-----	94	51	43	44	41	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
722	Osteochondrosis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Juvenile osteochondrosis of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile osteochondrosis of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Other juvenile osteochondrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Slipped upper femoral epiphysis, nontraumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Apophysitis, calcaneal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Osteochondritis dissecans-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.9	Other and unspecified forms of osteochondrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Other diseases of bone-----	291	99	192	87	182	12	10	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoporosis-----	164	39	125	37	120	2	5	0.1	0.0	0.1	0.0	0.1	0.0	0.0
.1	Hypertrophic pulmonary osteoarthropathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Spontaneous fracture-----	70	29	41	27	38	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.3	Cyst of bone, except jaw-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.4	Hyperostosis of skull-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
*.5	Aseptic necrosis of bone-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
*.6	Arrest of growth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.7	Calcaneal spur-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other diseases of bone-----	51	28	23	21	21	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Osteomyelitis and other diseases of bone and joint--Con.														
724	Internal derangement of joint-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.0	Recurrent dislocation of shoulder-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.1	Other shoulder derangements-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Recurrent dislocation of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Other elbow derangements-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Recurrent dislocation of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Other knee derangements-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Derangements of other joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
725	Displacement of intervertebral disc-----	57	35	22	28	19	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Cervical-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Lumbar and lumbosacral-----	21	13	8	12	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other specified sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified site-----	30	18	12	13	10	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
726	Affection of sacroiliac joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
727	Ankylosis of joint-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of spine-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other and multiple sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Of unspecified site-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
728	Vertebrogenic pain syndrome-----	10	6	4	4	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Cervicalgia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cervicocranial syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Diffuse cervicobrachial syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Radicular syndrome of upper limbs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Cervical myelopathy-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.5	Pain in thoracic spine-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Thoracic myelopathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Lumbalgia-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.8	Radicular syndrome of lower limbs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	6	4	2	3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
729	Other diseases of joint-----	161	74	87	66	83	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
*.0	Pseudarthrosis of spine following fusion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Other diseases of spine not elsewhere classifiable-----	12	10	2	9	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.2	Disease of shoulder not elsewhere classifiable-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
*.3	Disease of elbow not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Flexion contracture of fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Disease of hip not elsewhere classifiable-----	118	41	77	38	75	3	2	0.1	0.0	0.1	0.0	0.1	0.0	0.0
*.6	Loose body in knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.7	Chondromalacia of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Disease of knees not elsewhere classifiable-----	21	17	4	15	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Disease of joint not elsewhere classifiable-----	9	5	4	4	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730-738	Other diseases of musculoskeletal system-----	1,919	581	1,338	503	1,065	78	273	1.0	0.6	1.3	0.6	1.2	0.7	2.2
730	Bunion-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
731	Synovitis, bursitis, and tenosynovitis-----	9	5	4	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.0	Of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of shoulder-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.2	Of elbow-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Of hand and finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Of hip and buttock-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
*.6	Of knee-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of musculoskeletal system--Con.														
	Synovitis, bursitis, and tenosynovitis--Con.														
*.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Of foot and toe-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Of other and unspecified sites-----	3	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
732	Infective myositis and other inflammatory diseases of tendon and fascia-----	5	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
733	Other diseases of muscle, tendon, and fascia-----	340	147	193	130	166	17	0.2	0.2	0.2	0.2	0.2	0.1	0.2	
.0	Myasthenia gravis-----	267	109	158	97	133	12	0.1	0.1	0.2	0.1	0.1	0.1	0.2	
.1	Muscular atrophy (idiopathic)-----	13	10	3	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.2	Myositis ossificans-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.3	Calcium deposit in tendon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Short Achilles tendon-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.5	Contracture of palmar fascia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Residual foreign body in tissue or bone-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
*.9	Other and unspecified diseases of muscle, tendon, and fascia-----	57	27	30	24	28	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
734	Diffuse diseases of connective tissue-----	1,409	358	1,051	301	812	57	0.7	0.4	1.0	0.4	0.9	0.5	1.9	
.0	Progressive systemic sclerosis-----	466	145	321	120	258	25	0.2	0.1	0.3	0.1	0.3	0.2	0.5	
.1	Systemic lupus erythematosus-----	807	157	650	129	490	28	0.4	0.2	0.6	0.2	0.5	0.2	1.3	
.9	Other and unspecified-----	136	56	80	52	64	4	0.1	0.1	0.1	0.1	0.1	0.0	0.1	
735	Curvature of spine-----	138	58	80	56	76	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	
*.0	Scoliosis-----	20	10	10	9	10	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.1	Kyphosis-----	19	5	14	5	13	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.2	Kyphoscoliosis-----	93	40	53	39	50	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	
*.9	Other and unspecified curvature of spine-----	6	3	3	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
736	Flat foot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
737	Hallux valgus and varus-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.0	Hallux valgus and unspecified hallux-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.1	Hallux varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
738	Other deformities-----	16	10	6	8	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Of nasal bone-----	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	
*.1	Of head-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Of forearm, excluding fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.3	Of fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Of leg not elsewhere classifiable-----	2	-	2	-	2	-	0.0	-	0.0	-	0.0	-	-	
*.6	Of ankle and foot, excluding toes, acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.7	Of toes not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Of other specified sites-----	14	10	4	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.9	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
	XIV. CONGENITAL ANOMALIES														
740-759	Congenital anomalies-----	16,793	9,075	7,718	7,740	6,590	1,335	8.4	9.3	7.5	9.0	7.3	11.4	8.9	
740	Anencephalus-----	966	406	560	379	522	27	0.5	0.4	0.5	0.4	0.6	0.2	0.3	
741	Spina bifida-----	932	388	544	355	508	33	0.5	0.4	0.5	0.4	0.6	0.3	0.3	
.0	With hydrocephalus-----	613	258	355	241	329	17	0.3	0.3	0.3	0.3	0.4	0.1	0.2	
.9	Without mention of hydrocephalus-----	319	130	189	114	179	16	0.2	0.1	0.2	0.1	0.2	0.1	0.1	
742	Congenital hydrocephalus-----	907	488	419	411	345	77	0.5	0.5	0.4	0.5	0.4	0.7	0.6	
743	Other congenital anomalies of nervous system-----	801	393	408	336	346	57	0.4	0.4	0.4	0.4	0.4	0.5	0.5	
.0	Encephalocele-----	105	41	64	39	52	2	0.1	0.0	0.1	0.0	0.1	0.0	0.1	
.1	Microcephalus-----	228	103	125	85	108	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
.2	Other specified anomalies of brain-----	153	82	71	66	64	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
.3	Other specified anomalies of spinal cord-----	4	3	1	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	-	
.4	Neurofibromatosis-----	38	19	19	16	15	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other specified anomalies of nervous system-----	16	5	11	4	9	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified anomalies of brain, spinal cord, and nervous system-----	257	140	117	125	97	15	0.1	0.1	0.1	0.1	0.1	0.1	0.2	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Congenital anomalies--Con.																
744	Congenital anomalies of eye-----	12	7	5	5	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.0	Anophthalmos-----	8	5	3	3	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Microphthalmos-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Buphthalmos-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Congenital cataract-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.4	Goloboma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Aniridia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Retinitis pigmentosa-----	1	1	-	1	-	-	-	0.0	0.0	-	-	0.0	-	-	-	-
*.7	Congenital blepharoptosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other specified anomalies of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified anomalies of eye-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-
745	Congenital anomalies of ear, face, and neck-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.0	Anomalies of ear causing impairment of hearing-----	2	2	-	2	-	-	-	0.0	0.0	-	-	0.0	-	-	-	-
.1	Accessory auricle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other specified anomalies of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified anomalies of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Branchial cleft, cyst, or fistula and preauricular sinus-----	1	1	-	1	-	-	-	0.0	0.0	-	-	0.0	-	-	-	-
.5	Webbing of neck-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified anomalies of face and neck-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified anomalies of face and neck-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
746	Congenital anomalies of heart-----	6,825	3,834	2,991	3,237	2,498	597	493	3.4	3.9	2.9	3.8	2.8	5.1	3.9	-	-
.0	Common truncus-----	133	87	46	73	36	14	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1
.1	Transposition of great vessels-----	509	357	152	323	129	34	23	0.3	0.4	0.1	0.4	0.1	0.3	0.2	0.2	0.2
.2	Tetralogy of Fallot-----	503	286	217	248	186	38	31	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2
.3	Ventricular septal defect-----	632	294	338	251	285	43	53	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4
.4	Atrial septal defect-----	393	179	214	153	188	26	26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.5	Septum atrioventriculare commune-----	95	53	42	47	30	6	12	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.6	Anomalies of heart valves-----	598	355	243	310	211	45	32	0.3	0.4	0.2	0.4	0.2	0.4	0.3	0.3	0.3
.7	Fibroelastosis cordis-----	237	132	105	88	67	44	38	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Other specified anomalies of heart-----	642	392	250	345	210	47	40	0.3	0.4	0.2	0.4	0.2	0.4	0.3	0.3	0.3
.9	Unspecified anomalies of heart-----	3,083	1,699	1,384	1,999	1,156	300	228	1.5	1.7	1.4	1.6	1.3	2.6	1.8	-	-
747	Other congenital anomalies of circulatory system-----	1,196	663	533	561	467	102	66	0.6	0.7	0.5	0.7	0.5	0.9	0.5	0.5	-
.0	Patent ductus arteriosus-----	215	104	111	82	87	22	24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Coarctation of aorta-----	270	152	118	133	110	19	8	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.2	Other anomalies of aorta-----	81	45	36	39	31	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
.3	Stenosis or atresia of pulmonary artery-----	195	107	88	93	77	14	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.4	Anomalies of great veins-----	120	77	43	66	41	11	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.5	Absence of hypoplasia of umbilical artery-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.6	Other anomalies of peripheral vascular system-----	140	81	59	64	51	17	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Other specified anomalies of circulatory system-----	169	96	73	83	65	13	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Unspecified anomalies of circulatory system-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-	-	-
748	Congenital anomalies of respiratory system-----	574	349	225	285	191	64	34	0.3	0.4	0.2	0.3	0.2	0.5	0.3	0.3	-
.0	Choanal atresia-----	6	4	2	3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other anomalies of nose-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Web of larynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other anomalies of larynx, trachea, and bronchus-----	74	51	23	43	17	8	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.4	Congenital cystic lung-----	122	80	42	62	37	18	5	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.2	0.0
.5	Agenesis of lung-----	40	28	12	27	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Other anomalies of lung-----	301	167	134	133	115	34	19	0.2	0.2	0.1	0.2	0.1	0.3	0.2	0.2	0.2
.8	Other specified anomalies of respiratory system-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	0.0
.9	Unspecified anomalies of respiratory system-----	21	14	7	13	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
749	Cleft palate and cleft lip-----	48	28	20	20	14	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.0	Cleft palate-----	29	15	14	9	10	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.1	Cleft lip-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-
.2	Cleft palate with cleft lip-----	17	11	6	10	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

6th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Congenital anomalies--Con.																
750	Other congenital anomalies of upper alimentary tract-----	238	142	96	126	77	16	19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	
.0	Anomalies of tongue-----	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Pyloric stenosis-----	32	25	7	21	5	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.2	Tracheo-esophageal fistula-----	95	57	38	52	32	5	6	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	
*.3	Esophageal atresia and stenosis-----	48	27	21	25	19	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other specified anomalies of upper alimentary tract-----	47	26	21	24	18	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified anomalies of upper alimentary tract-----	11	5	6	3	1	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
751	Other congenital anomalies of digestive system-----	805	457	348	366	266	91	82	0.4	0.5	0.3	0.4	0.3	0.8	0.7		
.0	Meckel's diverticulum-----	50	32	18	29	14	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.1	Anomalies of intestinal fixation-----	67	38	29	31	26	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.2	Hirschsprung's disease-----	82	64	18	54	14	10	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
*.3	Atresia and stenosis of rectum and anal canal-----	51	36	15	30	12	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.4	Other anomalies of intestine-----	271	143	128	111	98	32	30	0.1	0.1	0.1	0.1	0.1	0.3	0.2		
*.5	Atresia of biliary ducts-----	68	29	39	22	28	7	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
*.6	Other anomalies of gallbladder, bile ducts, and liver-----	176	90	86	67	62	23	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
.7	Anomalies of pancreas-----	10	6	4	6	3	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0		
.8	Other specified anomalies of digestive system-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.9	Unspecified anomalies of digestive system-----	20	13	7	10	5	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
752	Congenital anomalies of genital organs-----	21	11	10	10	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Indeterminate sex-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Undescended testicle-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Hypospadias-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
.3	Epispadias-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.4	Congenital hydrocele-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Anomalies of ovary, fallopian tube, and uterus-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.6	Anomalies of vagina and external female genitalia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Pseudohermaphroditism-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.8	Other specified anomalies of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified anomalies of genital organs-----	13	6	7	5	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
753	Congenital anomalies of urinary system-----	1,379	783	596	691	524	92	72	0.7	0.8	0.6	0.8	0.6	0.8	0.6		
.0	Renal agenesis-----	212	133	79	124	71	9	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.1	Cystic kidney disease-----	923	479	444	426	387	53	57	0.5	0.5	0.4	0.5	0.4	0.5	0.5		
.2	Obstructive defects of urinary tract-----	72	58	14	52	13	6	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
.3	Other specified anomalies of kidney-----	48	26	22	25	19	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Other specified anomalies of ureter-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.5	Extrophy of urinary bladder-----	8	3	5	3	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Atresia and stenosis of urethra and bladder neck-----	36	32	4	20	4	12	-	0.0	0.0	0.0	0.0	0.0	0.1	-		
.8	Other specified anomalies of bladder and urethra-----	11	8	3	7	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Unspecified anomalies of urinary system-----	67	44	23	34	20	10	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
754	Clubfoot (congenital)-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
*.0	Talipes cavus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.1	Talipes equinovarus-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
*.2	Talipes calcaneovalgus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.8	Talipes, other specified types, not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Talipes, unspecified type-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
755	Other congenital anomalies of limbs-----	28	14	14	11	11	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Polydactyly-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0		
.1	Syndactyly-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Reduction deformity of upper limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Reduction deformity of lower limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Reduction deformity, unspecified limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other anomaly of upper limb (including shoulder girdle)-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Congenital dislocation of hip-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.7	Other anomaly of lower limb (including pelvic girdle)-----	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Generalized flexion contracture of limb joints-----	14	8	6	7	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Other and unspecified anomalies of unspecified limb-----	2	1	1	-	-	-	-	0.0	0.0	0.0	-	-	-	0.0		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
Congenital anomalies--Con.																	
756	Other congenital anomalies of musculoskeletal system-----	406	209	197	175	176	34	21	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	
.0	Anomalies of skull and face bones-----	83	39	44	34	39	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.1	Anomalies of lumbosacral joint-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-	-	
*.2	Other anomalies of spine-----	34	13	21	12	20	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.3	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Other anomalies of ribs and sternum-----	47	23	24	16	21	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.5	Chondrodystrophy-----	39	17	22	16	20	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.6	Osteogenesis imperfecta-----	34	19	15	15	13	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.7	Other generalized anomalies of skeleton-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.8	Other specified anomalies of muscle, tendon, and fascia-----	127	75	52	64	47	11	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.9	Unspecified anomalies of musculoskeletal system-----	29	17	12	12	9	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
757	Congenital anomalies of skin, hair, and nails-----	40	22	18	17	17	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Hereditary edema of legs-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Pigmented nevus-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.2	Other specified anomalies of skin-----	37	22	15	17	14	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Specified anomalies of hair-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Specified anomalies of nails-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified anomalies of skin, hair, and nails-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
758	Other and unspecified congenital anomalies-----	249	132	117	104	91	28	26	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
.0	Anomalies of spleen-----	7	3	4	3	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Anomalies of adrenal gland-----	27	13	14	11	13	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Anomalies of thyroid gland-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Anomalies of other endocrine glands-----	8	6	2	5	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Other specified congenital anomalies-----	76	40	36	31	31	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.9	Unspecified congenital anomaly-----	127	70	57	54	41	16	16	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
759	Congenital syndromes affecting multiple systems-----	1,357	743	614	645	522	98	92	0.7	0.8	0.6	0.8	0.6	0.8	0.7		
.0	Situs inversus-----	5	5	10	3	7	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Conjoined twins-----	28	6	22	5	19	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other forms of monster-----	22	11	11	11	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.3	Down's disease-----	229	129	100	112	85	17	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.4	Other syndromes due to autosomal abnormality-----	97	42	55	40	48	2	7	0.0	0.0	0.1	0.0	0.1	0.0	0.1		
.5	Syndromes due to sex chromosome abnormality-----	15	3	12	3	11	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.6	Tuberous sclerosis-----	26	15	11	14	11	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.8	Other specified syndromes-----	84	48	36	39	32	9	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.9	Multiple congenital anomalies, unspecified-----	841	484	357	418	299	66	58	0.4	0.5	0.3	0.5	0.3	0.6	0.5		
XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY																	
760-778	Certain causes of mortality in early infancy-----	43,840	25,879	17,961	19,814	13,206	6,065	4,755	21.9	26.5	17.6	23.1	14.7	51.6	37.7		
760	Chronic circulatory and genitourinary diseases in mother-----	21	8	13	6	10	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Chronic rheumatic heart disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Congenital heart disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Chronic hypertension-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Other chronic diseases of circulatory system-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.4	Chronic nephritis-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.5	Other chronic diseases of genitourinary system-----	7	1	6	1	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
761	Other maternal conditions unrelated to pregnancy-----	473	288	185	240	153	48	32	0.2	0.3	0.2	0.3	0.2	0.4	0.3		
.0	Syphilis-----	4	1	3	-	1	1	2	0.0	0.0	0.0	-	0.0	0.0	0.0		
.1	Diabetes mellitus-----	239	145	94	136	82	9	12	0.1	0.1	0.1	0.2	0.1	0.1	0.1		
.2	Influenza-----	14	11	3	7	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.3	Rubella-----	27	13	14	11	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Toxoplasmosis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.5	Injury-----	34	23	11	14	8	9	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.6	Operation-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.7	Chemical substances transmitted through placenta-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
.9	Other maternal causes-----	143	88	55	66	43	22	12	0.1	0.1	0.1	0.1	0.0	0.2	0.1		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
Certain causes of mortality in early infancy--Con.															
762	Toxemia of pregnancy-----	232	133	99	96	67	37	32	0.1	0.1	0.1	0.1	0.1	0.3	0.3
.0	Renal diseases arising during pregnancy-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Preeclampsia of pregnancy-----	54	33	21	23	12	10	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.2	Eclampsia of pregnancy-----	57	36	21	29	11	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.3	Toxemia, unspecified-----	113	61	52	41	41	20	11	0.1	0.1	0.1	0.0	0.0	0.2	0.1
.4	Hyperemesis gravidarum-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.5	Acute and subacute necrosis of liver arising during pregnancy-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other toxemia of pregnancy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	Maternal antepartum and intrapartum infection-----	250	144	106	96	68	48	38	0.1	0.1	0.1	0.1	0.1	0.4	0.3
.0	Pyelitis and pyelonephritis of pregnancy-----	19	11	8	8	7	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other infections of genitourinary tract during pregnancy-----	31	13	18	9	14	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	200	120	80	79	47	41	33	0.1	0.1	0.1	0.1	0.1	0.3	0.3
764	Difficult labor with abnormality of bones, organs, or tissues of pelvis-----	33	19	14	18	12	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	With birth injury to brain-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With birth injury to spinal cord-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	With other or unspecified birth injury-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	With asphyxia, anoxia, or hypoxia-----	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	18	10	8	9	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
765	Difficult labor with disproportion but no mention of abnormality of pelvis-----	48	34	14	29	8	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	With birth injury to brain-----	17	14	3	12	-	2	3	0.0	0.0	0.0	0.0	-	0.0	0.0
.1	With birth injury to spinal cord-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	With other or unspecified birth injury-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	With asphyxia, anoxia, or hypoxia-----	23	15	8	12	5	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
766	Difficult labor with malposition of fetus-----	424	289	135	224	97	65	38	0.2	0.3	0.1	0.3	0.1	0.6	0.3
.0	With birth injury to brain-----	92	60	32	46	21	14	11	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.1	With birth injury to spinal cord-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	With birth injury to bone or nerve-----	2	1	1	1	-	-	-	0.0	0.0	0.0	0.0	-	-	0.0
.3	With other or unspecified birth injury-----	10	8	2	6	2	2	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	With asphyxia, anoxia, or hypoxia-----	224	153	71	121	57	32	14	0.1	0.2	0.1	0.1	0.1	0.3	0.1
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	91	64	27	48	15	16	12	0.0	0.1	0.0	0.1	0.0	0.1	0.1
767	Difficult labor with abnormality of forces of labor-----	69	45	24	27	18	18	6	0.0	0.0	0.0	0.0	0.0	0.2	0.0
.0	With birth injury to brain-----	15	11	4	5	3	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	With birth injury to spinal cord-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	With other or unspecified birth injury-----	4	1	3	-	2	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.4	With asphyxia, anoxia, or hypoxia-----	35	21	14	16	11	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	14	11	3	6	2	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
768	Difficult labor with other and unspecified complications-----	143	88	55	71	41	17	14	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.0	With birth injury to brain-----	52	35	17	31	11	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With birth injury to spinal cord-----	1	-	1	-	-	-	-	0.0	-	0.0	-	0.0	-	-
.2	With birth injury to bone or nerve-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	With other or unspecified birth injury-----	5	3	2	2	2	1	2	0.0	0.0	0.0	-	0.0	-	-
.4	With asphyxia, anoxia, or hypoxia-----	57	33	24	25	19	8	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	27	16	11	12	8	4	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
Certain causes of mortality in early infancy--Con.																	
769	Other complications of pregnancy and childbirth-----	5,591	3,126	2,465	2,388	1,832	738	633	2.8	3.2	2.4	2.8	2.0	6.3	5.0		
.0	Incompetent cervix-----	289	160	129	131	112	29	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1		
.1	Premature rupture of membranes-----	964	555	409	445	308	110	101	0.5	0.6	0.4	0.5	0.3	0.9	0.8		
.2	Hydramnios-----	203	112	91	103	82	9	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.4	Multiple pregnancy-----	4,044	2,248	1,796	1,667	1,302	581	494	2.0	2.3	1.8	1.9	1.5	4.9	3.9		
.5	Maternal death, unspecified-----	6	1	5	1	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
.9	Other-----	85	50	35	41	25	9	10	0.0	0.1	0.0	0.0	0.0	0.1	0.1		
770	Conditions of placenta-----	2,595	1,546	1,049	1,348	882	198	167	1.3	1.6	1.0	1.6	1.0	1.7	1.3		
.0	Placenta previa-----	501	291	210	254	177	37	33	0.3	0.3	0.2	0.3	0.2	0.3	0.3		
.1	Premature separation of placenta-----	1,818	1,090	728	955	615	135	113	0.9	1.1	0.7	1.1	0.7	1.1	0.9		
.2	Placental infarction-----	40	28	12	25	9	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Other-----	92	55	37	49	32	6	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
.9	Unspecified-----	144	82	62	65	49	17	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
771	Conditions of umbilical cord-----	420	243	177	187	148	56	29	0.2	0.2	0.2	0.2	0.2	0.5	0.2		
.0	Compression of cord-----	64	32	32	24	27	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.1	Prolapse of cord without mention of compression-----	167	105	62	79	55	26	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.9	Other-----	189	106	83	84	66	22	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
772	Birth injury without mention of cause-----	2,103	1,288	815	951	563	337	252	1.1	1.3	0.8	1.1	0.6	2.9	2.0		
.0	To brain-----	1,887	1,155	732	847	498	308	234	0.9	1.2	0.7	1.0	0.6	2.6	1.9		
.1	To spinal cord-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	To bone or nerve-----	10	6	4	5	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Other and unspecified-----	199	122	77	95	61	27	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
774	Hemolytic disease of newborn, with kernicterus-----	32	21	11	17	10	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	With RH incompatibility-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	With ABO incompatibility-----	1	1	-	-	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	With other or unspecified blood incompatibility-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Without mention of cause-----	23	16	7	13	6	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
775	Hemolytic disease of newborn, without mention of kernicterus-----	922	482	440	446	408	36	32	0.5	0.5	0.4	0.5	0.5	0.3	0.3		
.0	With RH incompatibility-----	312	159	153	153	148	6	5	0.2	0.2	0.1	0.2	0.2	0.1	0.0		
.1	With ABO incompatibility-----	18	10	8	9	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	With other or unspecified blood incompatibility-----	14	11	3	10	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Without mention of cause-----	578	302	276	274	252	28	24	0.3	0.3	0.3	0.3	0.3	0.2	0.2		
776	Anoxic and hypoxic conditions not elsewhere classifiable-----	19,312	11,801	7,511	9,321	5,680	2,480	1,831	9.7	12.1	7.3	10.9	6.3	21.1	14.5		
.0	Aspiration of content of birth canal-----	547	313	234	244	153	69	81	0.3	0.3	0.2	0.3	0.2	0.6	0.6		
.1	Hyaline membrane disease-----	4,554	2,961	1,593	2,515	1,300	446	293	2.3	3.0	1.6	2.9	1.4	3.8	2.3		
.2	Respiratory distress syndrome-----	3,719	2,319	1,400	1,824	1,056	495	344	1.9	2.4	1.4	2.1	1.2	4.2	2.7		
.3	Fetal distress-----	66	34	32	24	24	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.4	Intrauterine anoxia-----	149	75	74	57	59	18	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.9	Asphyxia of newborn, unspecified-----	10,277	6,099	4,178	4,657	3,088	1,442	1,090	5.1	6.3	4.1	5.4	3.4	12.3	8.6		
777	Immaturity, unqualified-----	9,431	5,328	4,103	3,674	2,732	1,654	1,371	4.7	5.5	4.0	4.3	3.0	14.1	10.9		
778	Other conditions of fetus or newborn-----	1,741	996	745	675	477	321	268	0.9	1.0	0.7	0.8	0.5	2.7	2.1		
.0	Fetal blood loss before birth-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Postmaturity-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Hemorrhagic disease of newborn-----	439	270	169	196	118	74	51	0.2	0.3	0.2	0.2	0.1	0.6	0.4		
.3	Cold injury syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other-----	1,297	724	573	477	356	247	217	0.6	0.7	0.6	0.6	0.4	2.1	1.7		
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS																	
780-789	Symptoms referable to systems or organs-----	3,041	1,786	1,255	1,420	978	366	277	1.5	1.8	1.2	1.7	1.1	3.1	2.2		
780	Certain symptoms referable to nervous system and special senses-----	148	86	62	56	44	30	18	0.1	0.1	0.1	0.1	0.0	0.3	0.1		
.0	Coma and stupor-----	22	12	10	6	7	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.1	Delirium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Convulsions-----	124	73	51	49	36	24	15	0.1	0.1	0.0	0.1	0.0	0.2	0.1		
.3	Abnormal involuntary movement-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

Sth Revi- sion No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Symptoms referable to systems or organs--Con.																
	Certain symptoms referable to nervous system and special senses--Con.																
.4	Disturbance of coordination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Vertigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Disturbance of sleep-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Disturbance of memory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Meningismus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses-----	56	31	25	26	20	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Oculomotor disturbance-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Photophobia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Disturbance of hearing except deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Disturbance of speech-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other disturbance of sensation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Encephalopathy-----	56	31	25	26	20	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Hallucinations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
782	Symptoms referable to cardiovascular and lymphatic systems--	2,324	1,382	942	1,114	758	268	184	1.2	1.4	0.9	1.3	0.8	2.3	1.5	1.5	1.5
.0	Precordial pain-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Palpitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	-	-
.3	Pallor and cyanosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute heart failure, undefined-----	2,212	1,328	884	1,073	715	255	169	1.1	1.4	0.9	1.3	0.8	2.2	1.3	1.3	1.3
.5	Syncope or collapse-----	20	12	8	9	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy-----	9	4	5	3	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.8	Splenomegaly-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Shock without mention of trauma-----	81	36	45	28	34	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
783	Symptoms referable to respiratory system-----	156	102	54	75	36	27	18	0.1	0.1	0.1	0.1	0.0	0.2	0.1	0.1	0.1
.0	Epistaxis-----	9	5	4	4	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	112	74	38	54	28	20	10	0.1	0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.1
.2	Dyspnea-----	14	5	9	3	3	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Cough-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.4	Excess of sputum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest-----	19	16	3	12	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract-----	117	70	47	64	40	6	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1
.0	Anorexia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.1	Nausea and vomiting-----	9	4	5	1	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.5	Hematemesis-----	105	64	41	61	35	3	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
.6	Heccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Eructation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	44	18	26	16	17	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Abdominal swelling (not referable to any particular organ)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hepatomegaly-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Jaundice (not of newborn)-----	14	5	9	5	7	-	2	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.3	Ascites-----	4	2	2	2	-	-	2	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.4	Flatulence-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Abdominal pain-----	18	6	12	4	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Incontinence of feces-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Melena (not of newborn)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.8	Visible peristalsis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Railway accidents--Con.														
	Railway accident involving collision with rolling stock--Con.														
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
E801	Railway accident involving collision with other object-----	7	7	-	6	-	1	0.0	0.0	-	0.0	-	0.0	-	
.0	Railway employee-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	3	3	-	3	-	-	0.0	0.0	-	0.0	-	-	-	
.8	Other specified persons-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.9	Unspecified person-----	1	1	-	-	-	1	0.0	0.0	-	-	-	0.0	-	
E802	Railway accident involving derailment without antecedent collision-----	9	9	-	9	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Railway employee-----	6	6	-	6	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.9	Unspecified person-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
E803	Railway accident involving explosion, fire, or burning-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Railway employee-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Passenger on railway-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E804	Fall in, on, or from train-----	80	78	2	70	2	8	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
.0	Railway employee-----	22	22	-	20	-	2	0.0	0.0	-	0.0	-	0.0	0.0	
.1	Passenger on railway-----	9	8	1	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Pedestrian-----	4	4	-	4	-	-	0.0	0.0	-	0.0	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	6	6	-	6	-	-	0.0	0.0	-	0.0	-	-	-	
.9	Unspecified person-----	39	38	1	34	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E805	Hit by rolling stock-----	713	611	102	444	90	167	0.4	0.6	0.1	0.5	0.1	1.4	0.1	
.0	Railway employee-----	77	77	-	71	-	6	0.0	0.1	-	0.1	-	0.1	-	
.1	Passenger on railway-----	2	2	-	1	-	1	0.0	0.0	-	0.0	-	0.0	-	
.2	Pedestrian-----	596	498	98	351	86	147	0.3	0.5	0.1	0.4	0.1	1.3	0.1	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	2	2	-	1	-	1	0.0	0.0	-	0.0	-	0.0	-	
.9	Unspecified person-----	36	32	4	20	4	12	0.0	0.0	0.0	0.0	0.0	0.1	-	
E806	Other specified railway accidents-----	7	7	-	7	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Railway employee-----	5	5	-	5	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E807	Railway accident of unspecified nature-----	25	23	2	20	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Railway employee-----	8	8	-	7	-	1	0.0	0.0	-	0.0	-	0.0	-	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
		14	12	2	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
E810- E819	Motor vehicle traffic accidents	53,801	38,970	14,831	33,627	13,097	5,343	1,734	26.9	39.9	14.5	39.2	14.6	45.5	13.8		
E810	Motor vehicle traffic accident involving collision with train	1,970	1,095	475	978	442	117	33	0.8	1.1	0.5	1.1	0.5	1.0	0.3		
E811	Motor vehicle traffic accident involving collision with streetcar	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0		
E812	Motor vehicle traffic accident involving collision with another motor vehicle	19,207	12,901	6,306	11,498	5,797	1,403	569	9.6	13.2	6.2	13.4	6.4	11.9	4.5		
E813	Motor vehicle traffic accident involving collision with other vehicle	726	622	104	519	100	103	4	0.4	0.6	0.1	0.6	0.1	0.9	0.0		
E814	Motor vehicle traffic accident involving collision with pedestrian	8,927	6,278	2,649	4,882	2,150	1,396	499	4.5	6.4	2.6	5.7	2.4	11.9	4.0		
E815	Other motor vehicle traffic accidents involving collisions	7,108	5,638	1,470	4,936	1,282	702	188	3.6	5.8	1.4	5.8	1.4	6.0	1.5		
E816	Noncollision motor vehicle traffic accident due to loss of control	8,383	6,680	1,703	5,866	1,505	814	198	4.2	6.8	1.7	6.8	1.7	6.9	1.6		
E817	Noncollision motor vehicle traffic accident while boarding or alighting	32	25	7	21	7	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E818	Other noncollision motor vehicle traffic accidents	892	687	205	593	181	94	24	0.4	0.7	0.2	0.7	0.2	0.8	0.2		
E819	Motor vehicle traffic accident of unspecified nature	6,952	5,041	1,911	4,332	1,693	709	218	3.5	5.2	1.9	5.0	1.9	6.0	1.7		
E820- E823	Motor vehicle nontraffic accidents	1,061	818	243	718	219	100	24	0.5	0.8	0.2	0.8	0.2	0.9	0.2		
E820	Motor vehicle nontraffic accident involving collision with moving object	580	422	158	367	137	55	21	0.3	0.4	0.2	0.4	0.2	0.5	0.2		
E821	Motor vehicle nontraffic accident involving collision with stationary object	67	54	13	51	13	3	-	0.0	0.1	0.0	0.1	0.0	0.0	-		
E822	Motor vehicle nontraffic accident while boarding or alighting	27	13	14	12	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E823	Motor vehicle nontraffic accidents of other and unspecified nature	387	329	58	288	55	41	3	0.2	0.3	0.1	0.3	0.1	0.3	0.0		
E825- E827	Other road vehicle accidents	264	167	97	145	91	22	6	0.1	0.2	0.1	0.2	0.1	0.2	0.0		
E825	Streetcar accident	6	6	-	5	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.0	Pedestrian	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Pedal cyclist	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Occupant of streetcar	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.8	Other specified persons	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified person	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
E826	Pedal cycle accident	73	48	25	41	22	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Pedestrian	8	5	3	4	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Pedal cyclist	61	42	19	36	17	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.8	Other specified persons	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.9	Unspecified person	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E827	Other nonmotor road vehicle accidents	185	113	72	99	69	14	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.0	Pedestrian	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.8	Other specified persons	173	107	66	95	63	12	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.9	Unspecified person	10	5	5	3	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E830- E838	Water transport accidents	1,625	1,468	157	1,229	122	239	35	0.8	1.5	0.2	1.4	0.1	2.0	0.3		
E830	Accident to watercraft causing submersion	837	747	90	632	67	115	23	0.4	0.8	0.1	0.7	0.1	1.0	0.2		
.0	Occupant of small boat	812	722	90	611	67	111	23	0.4	0.7	0.1	0.7	0.1	0.9	0.2		
.1	Occupant of other watercraft, crew	15	15	-	12	-	3	-	0.0	0.0	-	0.0	-	0.0	-		
.2	Occupant of other watercraft, not crew	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.3	Docker, stevedore	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified person	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Water transport accidents--Con.																		
E831	Accidents to watercraft causing other injuries-----	47	39	8	31	8	8	-	0.0	0.0	0.0	0.0	0.0	0.1	-	-	-	-	-
.0	Occupant of small boat-----	31	24	7	24	7	-	-	0.0	0.0	0.0	0.0	0.0	0.1	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	15	15	-	7	-	8	-	0.0	0.0	-	-	-	0.1	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E832	Other accidental submersion or drowning in water transport--	585	541	44	443	32	98	12	0.3	0.6	0.0	0.5	0.0	0.8	0.1	-	-	-	-
.0	Occupant of small boat-----	524	480	44	393	32	87	12	0.3	0.5	0.0	0.5	0.0	0.7	0.1	-	-	-	-
.1	Occupant of other watercraft, crew-----	46	46	-	39	-	7	-	0.0	0.0	-	0.0	-	0.1	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	9	9	-	5	-	4	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
E833	Fall on stairs or ladder in water transport-----	8	7	1	7	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.0	Occupant of small boat-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
E834	Other falls from one level to another in water transport--	12	11	1	8	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
.0	Occupant of small boat-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.8	Other specified persons-----	1	1	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.9	Unspecified person-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
E835	Other and unspecified falls in water transport-----	18	16	2	13	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
.0	Occupant of small boat-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	10	10	-	7	-	3	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
E836	Machinery accident in water transport-----	8	8	-	4	-	4	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.0	Occupant of small boat-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	-	-	-	-	-	1	-	0.0	0.0	-	-	-	-	-	-	-	-	-
E837	Explosion, fire, or burning in water transport-----	18	18	-	17	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.0	Occupant of small boat-----	7	7	-	6	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	11	11	-	11	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E838	Other and unspecified water transport accidents-----	92	81	11	74	11	7	-	0.0	0.1	0.0	0.1	0.0	0.1	-	-	-	-	-
.0	Occupant of small boat-----	42	35	7	34	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	14	14	-	13	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
.3	Docker, stevedore-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.8	Other specified persons-----	13	13	-	12	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
.9	Unspecified person-----	17	13	4	11	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
EE40- EE45	Air and space transport accidents-----	1,904	1,592	312	1,569	309	23	3	1.0	1.6	0.3	1.8	0.3	0.2	0.0		
EE40	Accident to powered aircraft at takeoff or landing-----	164	128	36	126	36	2	-	0.1	0.1	0.0	0.1	0.0	0.0	-		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	25	25	-	25	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Occupant of commercial aircraft, crew-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other occupants of commercial aircraft-----	36	20	16	20	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Occupant of other and unspecified aircraft-----	82	66	16	65	16	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-		
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.9	Unspecified person-----	13	11	2	10	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
EE41	Accident to other and unspecified powered aircraft-----	1,676	1,407	269	1,388	266	19	3	0.8	1.4	0.3	1.6	0.3	0.2	0.0		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	213	212	1	205	1	7	-	0.1	0.2	0.0	0.2	0.0	0.1	-		
.2	Occupant of commercial aircraft, crew-----	48	45	3	44	3	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-		
.3	Other occupants of commercial aircraft-----	238	167	71	160	69	7	2	0.1	0.2	0.1	0.2	0.1	0.1	0.0		
.4	Occupant of other and unspecified aircraft-----	774	641	133	637	132	4	1	0.4	0.7	0.1	0.7	0.1	0.0	0.0		
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.9	Unspecified person-----	399	340	59	340	59	-	-	0.2	0.3	0.1	0.4	0.1	-	-		
EE42	Accident to unpowered aircraft-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Occupant of other and unspecified aircraft-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified person-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-		
EE43	Fall in, on, or from aircraft-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Occupant of other and unspecified aircraft-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EE44	Other specified air transport accidents-----	53	46	7	45	7	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Occupant of other and unspecified aircraft-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
.5	Ground crew, airline employee-----	8	8	-	8	-	-	-	0.0	0.0	-	0.0	-	-	-		
.8	Other specified persons-----	28	24	4	23	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.9	Unspecified person-----	10	7	3	7	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
EE45	Accident involving spacecraft-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Occupant of military aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Occupant of other and unspecified aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified person-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
✓ E850- E859	Accidental poisoning by drugs and medicaments-----	1,692	1,063	629	717	513	346	116	0.8	1.1	0.6	0.8	0.6	2.9	0.9
E850	Accidental poisoning by antibiotics and other														
	anti-infectives-----	15	9	6	6	3	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Penicillin, any-----	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.1	Antifungal antibiotics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Chloramphenicol-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.3	Erythromycins, streptomycins, tetracyclines-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other antibiotics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Arsenic anti-infectives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Silver and its compounds-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Quinoline and hydroxyquinoline derivatives-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other anti-infectives-----	4	2	2	1	-	1	2	0.0	0.0	0.0	0.0	-	0.0	0.0
E851	Accidental poisoning by hormones and synthetic substitutes-----	8	3	5	3	2	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Adrenals-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Androgens and anabolic congeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Estrogens-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Insulins and antidiabetic agents-----	6	2	4	2	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Anterior pituitary extracts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Posterior pituitary extracts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Progestogens-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Thyroid and thyroid derivatives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Antithyroid agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other hormones and synthetic substitutes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E852	Accidental poisoning by primarily systemic and hematologic agents-----	27	15	12	10	10	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Antihistaminic and antiemetic drugs-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	0.0	-	-
.1	Antineoplastic agents-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.2	Electrolytic, caloric, and water balance agents-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.3	Vitamins-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other primarily systemic agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Iron and its compounds-----	11	7	4	3	2	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Anticoagulants-----	7	3	4	3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Vitamin K products-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other coagulants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other primarily hematologic agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E853	Accidental poisoning by analgesics and antipyretics-----	390	284	106	179	77	105	29	0.2	0.3	0.1	0.2	0.1	0.9	0.2
.0	Opiates and synthetic analogues-----	229	198	31	115	14	83	17	0.1	0.2	0.0	0.1	0.0	0.7	0.1
.1	Salicylates and congeners-----	120	63	57	51	48	12	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Cinchophen and congeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Colchicine-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Aniline derivatives-----	8	3	5	1	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Other coal tar derivatives-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.9	Other analgesics and antipyretics-----	31	20	11	12	9	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E854	Accidental poisoning by other sedatives and hypnotics-----	827	548	279	345	229	203	50	0.4	0.6	0.3	0.4	0.3	1.7	0.4
.0	Barbiturates-----	321	151	170	128	155	23	15	0.2	0.2	0.2	0.1	0.2	0.2	0.1
.1	Chloral hydrate-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Paraldehyde-----	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Bromides-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other sedatives and hypnotics-----	489	386	103	207	68	179	35	0.2	0.4	0.1	0.2	0.1	1.5	0.3
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs-----	99	47	52	41	50	6	2	0.0	0.0	0.1	0.0	0.1	0.1	0.0
.0	Antidepressants-----	20	10	10	7	10	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Tranquillizers-----	68	28	40	26	38	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other psychotherapeutic agents-----	2	2	-	2	-	-	-	0.0	0.0	-	-	-	-	-
.3	Parasympathomimetics (cholinergics)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Parasympatholytics (anticholinergics)-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Sympathomimetics (adrenergics)-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Autonomic nervous system relaxants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Malé	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Accidental poisoning by drugs and medicaments--Con.														
B356	Accidental poisoning by other central nervous system depressants and stimulants-----	25	19	6	17	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Anticonvulsants-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	Skeletal muscle relaxants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Anesthetic gases-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other central nervous system depressants-----	3	1	2	-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.4	Amphetamine-----	13	10	3	10	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.8	Other central nervous system stimulants-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B357	Accidental poisoning by cardiovascular drugs-----	46	19	27	12	18	7	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Cardiac depressants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cardiac tonics-----	43	18	25	11	16	7	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.2	Cholesterol lowering agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Ganglionic blocking agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vasodilators-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Other hypotensive agents-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Sclerosing agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
B358	Accidental poisoning by gastrointestinal drugs-----	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Antacids and antidiarrhea agents-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Intestinal irritant cathartics-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Emollient cathartics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Saline cathartics-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Fecal softeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other cathartics-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Emetics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B359	Accidental poisoning by other and unspecified drugs and medicaments-----	248	117	131	102	115	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Local anesthetics-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Mercurial diuretics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Xanthine derivatives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other diuretics-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Agents acting directly on musculoskeletal system-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Liniments-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.6	Ointments-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other medicaments for external use-----	10	8	2	7	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other specified drugs-----	21	10	11	10	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Drugs, unspecified-----	212	98	114	84	100	14	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
B360- B369	Accidental poisoning by other solid and liquid substances-----	891	553	338	423	254	130	84	0.4	0.6	0.3	0.5	0.3	1.1	0.7
B360	Accidental poisoning by alcohol-----	182	125	57	83	41	42	16	0.1	0.1	0.1	0.1	0.0	0.4	0.1
B361	Accidental poisoning by cleansing and polishing agents-----	23	16	7	11	2	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B362	Accidental poisoning by disinfectants-----	9	7	2	5	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0
B363	Accidental poisoning by paints and varnishes-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
B364	Accidental poisoning by petroleum products and other solvents-----	70	55	15	39	7	16	8	0.0	0.1	0.0	0.0	0.0	0.1	0.1
B365	Accidental poisoning by pesticides, fertilizers, or plant foods-----	72	45	27	26	14	19	13	0.0	0.0	0.0	0.0	0.0	0.2	0.1
B366	Accidental poisoning by heavy metals and their fumes-----	53	28	25	19	11	9	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
B367	Accidental poisoning by corrosives and caustics not elsewhere classifiable-----	28	18	10	12	6	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
B368	Accidental poisoning by noxious foodstuffs and poisonous plants-----	10	4	6	3	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
B369	Accidental poisoning by other and unspecified solid and liquid substances-----	442	253	189	223	167	30	22	0.2	0.3	0.2	0.3	0.2	0.3	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
E870- E877	Accidental poisoning by gases and vapors-----	1,526	1,128	398	958	325	170	73	0.8	1.2	0.4	1.1	0.4	1.4	0.6	
E870	Accidental poisoning by gas distributed by pipeline-----	243	160	83	124	68	36	15	0.1	0.2	0.1	0.1	0.1	0.3	0.1	
E871	Accidental poisoning by liquefied petroleum gas distributed in mobile containers-----	28	22	6	21	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E872	Accidental poisoning by other utility gases-----	24	17	7	14	4	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E873	Accidental poisoning by motor vehicle exhaust gas-----	698	542	156	474	132	68	24	0.3	0.6	0.2	0.6	0.1	0.6	0.2	
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels-----	139	92	47	71	34	21	13	0.1	0.1	0.0	0.1	0.0	0.2	0.1	
E875	Accidental poisoning by other carbon monoxide-----	209	141	68	121	55	20	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
E876	Accidental poisoning by other gases and vapors-----	161	135	26	117	22	18	4	0.1	0.1	0.0	0.1	0.0	0.2	0.0	
E877	Accidental poisoning by unspecified gases and vapors-----	24	19	5	16	5	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
E880- E887	Accidental falls-----	18,651	9,314	9,337	8,251	8,789	1,063	548	9.3	9.5	9.1	9.6	9.8	9.1	4.3	
E880	Fall on or from stairs or steps-----	1,872	1,126	746	962	678	164	68	0.9	1.2	0.7	1.1	0.8	1.4	0.5	
E881	Fall on or from ladder or scaffolding-----	450	429	21	389	21	40	-	0.2	0.4	0.0	0.5	0.0	0.3	-	
E882	Fall from or out of building or other structure-----	871	757	114	620	85	137	29	0.4	0.8	0.1	0.7	0.1	1.2	0.2	
E883	Fall into hole or other opening in surface-----	176	159	17	130	17	29	-	0.1	0.2	0.0	0.2	0.0	0.2	-	
E884	Other falls from one level to another-----	1,665	953	712	827	658	126	54	0.8	1.0	0.7	1.0	0.7	1.1	0.4	
E885	Fall on same level from slipping, stumbling, or tripping-----	918	379	539	360	521	19	18	0.5	0.4	0.5	0.4	0.6	0.2	0.1	
E886	Fall on same level from collision with or pushing or shoving by another person-----	40	27	13	24	13	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
E887	Other and unspecified falls-----	12,659	5,484	7,175	4,939	6,796	545	379	6.3	5.6	7.0	5.8	7.6	4.6	3.0	
E890- E899	Accidents caused by fires and flames-----	7,335	4,296	3,039	3,041	2,137	1,255	902	3.7	4.4	3.0	3.5	2.4	10.7	7.2	
E890	Accident caused by conflagration in private dwelling-----	4,341	2,528	1,813	1,706	1,247	822	566	2.2	2.6	1.8	2.0	1.4	7.0	4.5	
E891	Accident caused by conflagration in other building or structure-----	307	241	66	209	63	32	3	0.2	0.2	0.1	0.2	0.1	0.3	0.0	
E892	Accident caused by conflagration not in building or structure-----	139	125	14	102	10	23	4	0.1	0.1	0.0	0.1	0.0	0.2	0.0	
E893	Accident caused by ignition of clothing-----	974	379	595	300	430	79	165	0.5	0.4	0.6	0.3	0.5	0.7	1.3	
E894	Accident caused by ignition of highly inflammable material-----	252	194	58	156	47	38	11	0.1	0.2	0.1	0.2	0.1	0.3	0.1	
E895	Accident caused by controlled fire in private dwelling-----	116	58	58	26	27	32	31	0.1	0.1	0.1	0.0	0.0	0.3	0.2	
E896	Accident caused by controlled fire in other building or structure-----	16	12	4	12	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
E897	Accident caused by controlled fire not in building or structure-----	50	39	11	29	9	10	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
E898	Accidents caused by other specified fires or flames-----	556	365	191	285	160	80	31	0.3	0.4	0.2	0.3	0.2	0.7	0.2	
E899	Accident caused by unspecified fire-----	584	355	229	216	141	139	88	0.3	0.4	0.2	0.3	0.2	1.2	0.7	
E900- E909	Accidents due to natural and environmental factors-----	1,539	1,113	426	841	327	272	99	0.8	1.1	0.4	1.0	0.4	2.3	0.8	
E900	Excessive heat-----	251	172	59	132	52	40	7	0.1	0.2	0.1	0.2	0.1	0.5	0.1	
E901	Excessive cold-----	494	366	128	248	78	118	50	0.2	0.4	0.1	0.5	0.1	1.0	0.4	
E902	High and low air pressure-----	11	9	2	8	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
E903	Effects of travel and motion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E904	Hunger, thirst, exposure, and neglect-----	313	213	100	135	72	78	28	0.2	0.2	0.1	0.2	0.1	0.7	0.2	
E905	Bites and stings of venomous animals and insects-----	69	56	13	54	10	2	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	
E906	Other accidents caused by animals-----	128	97	51	89	28	8	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	
E907	Lightning-----	129	112	17	95	12	17	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	
E908	Cataclysm-----	162	86	76	78	73	8	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
E909	Accidents due to other natural and environmental factors-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	
E910- E929	Other accidents-----	20,960	16,668	4,292	15,350	5,369	5,358	908	10.5	17.1	4.2	15.5	3.8	28.4	7.2	
E910	Accidental drowning and submersion-----	5,950	4,977	973	3,678	808	1,299	165	3.0	5.1	1.0	4.5	0.9	11.1	1.5	
.0	In recreational activities-----	2,101	1,860	241	1,293	196	567	45	1.1	1.9	0.2	1.5	0.2	4.8	0.4	
.9	Other and unspecified-----	3,849	3,117	732	2,385	612	732	120	1.9	3.2	0.7	2.8	0.7	6.2	1.0	

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Other accidents--Con.																		
E911	Inhalation and ingestion of food causing obstruction or suffocation-----	2,417	1,405	1,012	1,132	829	273	183	1.2	1.4	1.0	1.3	0.9	2.3	1.5				
E912	Inhalation and ingestion of other object causing obstruction or suffocation-----	683	416	267	329	200	87	67	0.3	0.4	0.3	0.4	0.2	0.7	0.5				
E913	Accidental mechanical suffocation-----	1,534	1,053	481	847	360	206	121	0.8	1.1	0.5	1.0	0.4	1.8	1.0				
.0	In bed or cradle-----	633	367	266	277	202	90	64	0.3	0.4	0.3	0.3	0.2	0.8	0.5				
.9	Other and unspecified-----	901	686	215	570	158	116	57	0.5	0.7	0.2	0.7	0.2	1.0	0.5				
E914	Foreign body accidentally entering eye and adnexa-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-				
E915	Foreign bodies accidentally entering other orifices-----	88	49	39	40	33	9	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0				
E916	Struck accidentally by falling objects-----	1,393	1,336	57	1,136	48	200	9	0.7	1.4	0.1	1.3	0.1	1.7	0.1				
E917	Striking against or struck accidentally by objects-----	835	742	93	646	84	96	9	0.4	0.8	0.1	0.8	0.1	0.8	0.1				
E918	Caught accidentally in or between objects-----	506	483	23	410	19	73	4	0.3	0.5	0.0	0.5	0.0	0.6	0.0				
E919	Overexertion and strenuous movements-----	23	22	1	19	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
E920	Accident caused by cutting or piercing instrument-----	178	148	30	104	23	44	7	0.1	0.2	0.0	0.1	0.0	0.4	0.1				
.0	Powered hand tool-----	23	21	2	18	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.1	Other hand tools-----	30	29	1	15	-	14	1	0.0	0.0	0.0	0.0	-	0.1	0.0				
.2	Other machinery-----	13	12	1	10	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.8	Other-----	87	66	21	51	15	15	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0				
.9	Unspecified-----	25	20	5	10	5	10	-	0.0	0.0	0.0	0.0	0.0	0.1	-				
E921	Accident caused by explosion of pressure vessel-----	57	49	8	42	4	7	4	0.0	0.1	0.0	0.0	0.0	0.1	0.0				
.0	Boiler-----	29	22	7	18	4	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
.1	Gas cylinder-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-				
.8	Other-----	23	22	1	19	-	3	1	0.0	0.0	0.0	0.0	-	0.0	0.0				
E922	Accident caused by firearm missile-----	2,394	2,049	345	1,610	226	439	119	1.2	2.1	0.3	1.9	0.3	3.7	0.9				
.0	Accidentally self-inflated-----	518	493	25	418	23	75	2	0.3	0.5	0.0	0.5	0.0	0.6	0.0				
.9	Other and unspecified-----	1,876	1,556	320	1,192	203	364	117	0.9	1.6	0.3	1.4	0.2	3.1	0.9				
E923	Accident caused by explosive material-----	642	505	137	444	109	61	28	0.3	0.5	0.1	0.5	0.1	0.5	0.2				
.0	Fireworks-----	14	12	2	12	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-				
.1	Blasting material-----	46	45	1	44	1	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-				
.2	Explosive gas-----	255	195	60	174	46	21	14	0.1	0.2	0.1	0.2	0.1	0.2	0.1				
.8	Other-----	116	103	13	89	8	14	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0				
.9	Unspecified-----	211	150	61	125	52	25	9	0.1	0.2	0.1	0.1	0.1	0.2	0.1				
E924	Accident caused by hot substance, corrosive liquid, and steam-----	276	149	127	101	90	48	37	0.1	0.2	0.1	0.1	0.1	0.4	0.3				
E925	Accident caused by electric current-----	1,048	968	80	877	70	91	10	0.5	1.0	0.1	1.0	0.1	0.8	0.1				
.0	Home wiring and appliance-----	211	164	47	145	39	19	8	0.1	0.2	0.0	0.2	0.0	0.2	0.1				
.1	Industrial wiring and appliance-----	162	159	3	152	3	7	-	0.1	0.2	0.0	0.2	0.0	0.1	-				
.8	Other-----	567	544	23	483	21	61	2	0.3	0.6	0.0	0.6	0.0	0.5	0.0				
.9	Unspecified-----	108	101	7	97	7	4	-	0.1	0.1	0.0	0.1	0.0	0.0	-				
E926	Accident caused by radiation-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0				
.0	Nonionizing-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-				
.1	Ionizing-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	-				
E927	Vehicle accidents not elsewhere classifiable-----	47	43	4	39	3	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
E928	Machinery accidents not elsewhere classifiable-----	921	893	28	823	26	70	2	0.5	0.9	0.0	1.0	0.0	0.6	0.0				
E929	Other and unspecified accidents-----	1,965	1,380	585	1,052	455	328	130	1.0	1.4	0.6	1.2	0.5	2.8	1.0				
E930- E936	Surgical and medical complications and misadventures-----	2,023	1,069	954	909	837	160	117	1.0	1.1	0.9	1.1	0.9	1.4	0.9				
E930	Complications and misadventures in operative therapeutic procedures-----	1,282	704	578	608	515	96	63	0.6	0.7	0.6	0.7	0.6	0.8	0.5				
.0	In surgical treatment, excluding effects of anesthetic management-----	1,224	678	546	585	489	93	57	0.6	0.7	0.5	0.7	0.5	0.8	0.5				
.1	In anesthesia during operative treatment-----	54	24	30	21	24	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
.2	In infusion or transfusion during operative treatment-----	2	-	2	-	2	-	-	0.0	-	0.0	-	-	-	-				
.9	In other procedures during operative treatment-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-				

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Surgical and medical complications and misadventures--Con.														
E931	Complications and misadventures in other and unspecified therapeutic procedures-----	626	306	320	250	277	56	43	0.3	0.3	0.3	0.3	0.3	0.5	0.3
.0	In use of X-rays and radioactive substances-----	30	8	22	7	21	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	In administration of drugs and biologicals-----	331	153	178	122	148	31	30	0.2	0.2	0.2	0.1	0.2	0.3	0.2
.2	In infusion and transfusion-----	53	30	23	22	22	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	In local applications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	In other therapeutic procedures-----	86	46	40	37	38	9	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	In unspecified therapeutic procedure-----	126	69	57	62	48	7	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E932	Complications and misadventures in diagnostic procedures-----	80	45	35	43	32	2	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.0	In surgical procedures, excluding effects of anesthetic management-----	11	6	5	6	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	In anesthesia-----	9	5	4	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	In use of X-rays or radioactive substances-----	5	2	3	1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	In administration of drugs and biologicals-----	13	5	8	5	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	In other diagnostic procedures-----	39	25	14	24	12	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	In unspecified diagnostic procedure-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E933	Complications and misadventures in prophylaxis with bacterial vaccines-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	BCG vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Typhoid and paratyphoid vaccine-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Cholera vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Plague vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Tetanus vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Diphtheria vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Pertussis vaccine, including combinations with a pertussis component-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Other and unspecified bacterial vaccines-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Mixed bacterial vaccines, except combinations with a pertussis component-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E934	Complications and misadventures in prophylaxis with other vaccines-----	8	3	5	2	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Smallpox vaccine-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	Rabies vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Typhus vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Yellow fever vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Measles vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Poliomyelitis vaccine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other and unspecified viral and rickettsial vaccines-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified vaccines-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E935	Complications and misadventures in other prophylactic procedures-----	11	3	8	2	4	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	In surgical procedures, excluding effects of anesthetic management-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	In anesthesia during prophylactic procedures-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.2	In use of X-rays and radioactive substances-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	In administration of drugs and biologicals-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.9	In other and unspecified procedures-----	3	1	2	1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
E936	Complications and misadventures in other nontherapeutic procedures-----	14	7	7	3	4	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	In surgical procedures, excluding effects of anesthetic management-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	In anesthesia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	In other and unspecified procedures-----	13	7	6	3	3	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
E940-E949	Late effects of accidental injuries-----	743	462	281	389	251	73	30	0.4	0.5	0.3	0.5	0.3	0.6	0.2
E940	Late effect of motor vehicle accident-----	132	95	37	80	34	15	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E941	Late effect of other transport accident-----	8	6	2	4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E942	Late effect of accidental poisoning-----	12	8	4	8	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E943	Late effect of accidental fall-----	209	91	118	75	108	16	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E944	Late effect of accident caused by fire-----	3	-	3	-	1	-	2	0.0	-	0.0	-	0.0	-	0.0
E945	Late effect of accident due to natural and environmental factors-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E946	Late effects of other accidents-----	263	212	51	178	42	34	9	0.1	0.2	0.0	0.2	0.0	0.3	0.1
E947	Late effect of surgical operation-----	90	39	51	34	46	5	5	0.0	0.0	0.0	0.0	0.1	0.0	0.0
E948	Late effect of irradiation-----	8	2	6	6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E949	Late effects of other surgical and medical procedures-----	16	7	9	6	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E950-E959	Suicide-----	21,372	15,379	5,993	14,520	5,692	859	301	10.7	15.8	5.9	16.9	6.3	7.3	2.4
E950	Suicide from poisoning by solid or liquid substance-----	3,276	1,197	2,079	1,142	1,977	55	102	1.6	1.2	2.0	1.3	2.2	0.5	0.8
*.0	Barbituric acid and derivatives-----	1,602	539	1,063	526	1,030	13	33	0.8	0.6	1.0	0.6	1.1	0.1	0.3
*.1	Salicylates and congeners-----	73	26	47	25	45	1	2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
*.2	Psychotherapeutic agents-----	145	46	99	46	94	-	5	0.1	0.0	0.1	0.1	0.1	-	0.0
*.3	Other and unspecified drugs-----	815	257	558	246	533	11	25	0.4	0.3	0.5	0.3	0.6	0.1	0.2
*.4	Corrosive aromatics-----	15	7	8	6	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.5	Strychnine-----	29	23	6	22	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.6	Iye and potash (caustic alkali)-----	46	19	27	14	20	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
*.7	Arsenic and its compounds-----	44	25	19	22	16	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.8	Fluorides-----	21	8	13	6	8	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified solid and liquid substances-----	486	247	239	229	219	18	20	0.2	0.3	0.2	0.3	0.2	0.2	0.2
E951	Suicide from poisoning by gas in domestic use-----	56	41	15	40	15	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E952	Suicide from poisoning by other gases-----	2,352	1,722	630	1,696	620	26	10	1.2	1.8	0.6	2.0	0.7	0.2	0.1
*.0	Motor vehicle exhaust gas-----	1,913	1,408	505	1,385	496	23	9	1.0	1.4	0.5	1.6	0.6	0.2	0.1
*.1	Other carbon monoxide-----	420	297	123	294	122	3	1	0.2	0.3	0.1	0.3	0.1	0.0	0.0
*.9	Other and unspecified gases and vapors-----	19	17	2	17	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E953	Suicide by hanging, strangulation, and suffocation-----	3,099	2,265	834	2,105	795	160	39	1.6	2.3	0.8	2.5	0.9	1.4	0.3
E954	Suicide by submersion or drowning-----	479	253	226	214	207	39	19	0.2	0.3	0.2	0.2	0.2	0.3	0.2
E955	Suicide by firearm and explosive-----	10,911	9,078	1,833	8,587	1,733	491	100	5.5	9.3	1.8	10.0	1.9	4.2	0.8
E956	Suicide by cutting and piercing instrument-----	389	296	93	281	90	15	3	0.2	0.3	0.1	0.3	0.1	0.1	0.0
E957	Suicide by jumping from high place-----	472	308	164	267	148	41	16	0.2	0.3	0.2	0.3	0.2	0.3	0.1
E958	Suicide by other and unspecified means-----	336	219	117	188	105	31	12	0.2	0.2	0.1	0.2	0.1	0.3	0.1
E959	Late effect of self-inflicted injury-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
E960-E969	Homicide-----	14,336	11,179	3,157	4,943	1,699	6,236	1,458	7.2	11.5	3.1	5.8	1.9	53.1	11.6
E960	Fight, brawl, or rape-----	170	148	22	100	10	48	12	0.1	0.2	0.0	0.1	0.0	0.4	0.1
E961	Assault by corrosive or caustic substance, except poisoning-----	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.1
E962	Assault by poisoning-----	28	18	10	13	9	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E963	Assault by hanging and strangulation-----	364	113	251	81	173	32	78	0.2	0.1	0.2	0.1	0.2	0.3	0.6
E964	Assault by submersion or drowning-----	47	31	16	24	13	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E965	Assault by firearm and explosive-----	9,425	7,598	1,827	3,328	943	4,270	884	4.7	7.8	1.8	3.9	1.1	36.4	7.0
E966	Assault by cutting and piercing instrument-----	2,626	2,161	465	720	196	1,441	269	1.3	2.2	0.5	0.8	0.2	12.3	2.1
E967	Assault by jumping from high place-----	26	18	8	10	6	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E968	Assault by other and unspecified means-----	1,635	1,079	556	659	348	420	208	0.8	1.1	0.5	0.8	0.4	3.6	1.6
E969	Late effect of injury purposely inflicted by other person-----	11	10	1	6	1	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E970-E978	Legal intervention-----	350	344	6	163	1	181	5	0.2	0.4	0.0	0.2	0.0	1.5	0.0
E970	Injury due to legal intervention by firearm-----	343	338	5	158	1	180	4	0.2	0.3	0.0	0.2	0.0	1.5	0.0
E971	Injury due to legal intervention by explosive-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E972	Injury due to legal intervention by gas-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E973	Injury due to legal intervention by blunt object-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1968-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Legal intervention--Con.														
E974	Injury due to legal intervention by cutting and piercing instrument-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E975	Injuries due to legal intervention by other specified means--	5	5	-	4	-	1	0.0	0.0	-	0.0	-	0.0	-	
E976	Injury due to legal intervention by unspecified means-----	1	-	1	-	-	1	0.0	-	0.0	-	-	-	0.0	
E977	Late effect of injury due to legal intervention-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E978	Legal execution-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E980- E989	Injuries undetermined whether accidentally or purposely inflicted-----	4,238	2,926	1,312	2,139	1,015	787	2.1	3.0	1.3	2.5	1.1	6.7	2.4	
E980	Poisoning by solid or liquid substance, undetermined whether accidentally or purposely inflicted-----	911	456	455	361	402	95	53	0.5	0.5	0.4	0.4	0.4	0.8	
*.0	Barbituric acid and derivatives-----	290	121	169	114	155	7	14	0.1	0.1	0.2	0.1	0.2	0.1	
*.1	Salicylates and congeners-----	15	6	9	6	8	-	1	0.0	0.0	0.0	0.0	0.0	0.0	
*.2	Psychotherapeutic agents-----	37	11	26	10	24	1	2	0.0	0.0	0.0	0.0	0.0	0.0	
*.3	Other and unspecified drugs-----	364	217	147	148	123	69	24	0.2	0.2	0.1	0.2	0.1	0.6	
*.4	Corrosive aromatics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Strychnine-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
*.6	Lye and potash (caustic alkali)-----	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	
*.7	Arsenic and its compounds-----	8	5	3	3	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.8	Fluorides-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	0.0	
*.9	Other and unspecified solid and liquid substances-----	189	89	100	75	89	14	11	0.1	0.1	0.1	0.1	0.1	0.1	
E981	Poisoning by gas in domestic use, undetermined whether accidentally or purposely inflicted-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	
E982	Poisoning by other gases, undetermined whether accidentally or purposely inflicted-----	178	135	43	124	42	11	1	0.1	0.1	0.0	0.1	0.0	0.1	
E983	Hanging, strangulation, or suffocation, undetermined whether accidentally or purposely inflicted-----	107	85	22	73	16	12	6	0.1	0.1	0.0	0.1	0.0	0.1	
E984	Submersion or drowning, undetermined whether accidentally or purposely inflicted-----	360	276	84	210	70	66	14	0.2	0.3	0.1	0.2	0.1	0.6	
E985	Injury by firearm and explosive, undetermined whether accidentally or purposely inflicted-----	802	652	150	493	115	159	35	0.4	0.7	0.1	0.6	0.1	1.4	
E986	Injury by cutting and piercing instrument, undetermined whether accidentally or purposely inflicted-----	49	43	6	17	5	26	1	0.0	0.0	0.0	0.0	0.0	0.2	
E987	Falling from high place, undetermined whether accidentally or purposely inflicted-----	408	287	141	176	105	91	36	0.2	0.3	0.1	0.2	0.1	0.8	
E988	Injuries by other and unspecified means, undetermined whether accidentally or purposely inflicted-----	1,395	991	404	671	255	320	149	0.7	1.0	0.4	0.8	0.3	2.7	
E989	Late effect of injury undetermined whether accidentally or purposely inflicted-----	24	17	7	10	5	7	2	0.0	0.0	0.0	0.0	0.0	0.1	
E990- E999	Injuries resulting from operations of war-----	77	77	-	61	-	16	-	0.0	0.1	-	0.1	-	0.1	
E990	Injury due to war operations by fire and conflagration-----	7	7	-	5	-	2	-	0.0	0.0	-	0.0	-	0.0	
E991	Injury due to war operations by bullets and fragments-----	24	24	-	17	-	7	-	0.0	0.0	-	0.0	-	0.1	
E992	Injury due to war operations by explosion of marine weapons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E993	Injuries due to war operations by other explosions-----	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	
E994	Injury due to war operations by destruction of aircraft-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
E995	Injuries due to war operations by other and unspecified forms of conventional warfare-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	
E996	Injury due to war operations by nuclear weapons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E997	Injuries due to war operations by other forms of unconventional warfare-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E998	Injury due to war operations but occurring after cessation of hostilities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
E999	Late effect of injury due to war operations-----	31	31	-	27	-	4	-	0.0	0.0	-	0.0	-	0.0	

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes-----	1,930,082	195,655	157,880	161,920	150,924	154,587	150,891	153,950	153,199	145,116	155,201	159,030	191,729
I. Infective and parasitic diseases-----	17,776	1,941	1,614	1,494	1,346	1,361	1,372	1,428	1,379	1,315	1,381	1,357	1,788
Cholera-----000	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever-----001	7	-	1	3	-	-	-	1	-	1	1	-	-
Paratyphoid fever and other Salmonella infections-----002,003	70	6	5	7	2	8	6	7	9	7	3	6	4
Bacillary dysentery and amebiasis-----004,006	111	11	8	11	5	5	11	8	11	12	13	6	10
Food poisoning (bacterial)-----005	10	-	-	3	-	2	-	1	1	2	-	-	1
Enteritis and other diarrheal diseases-----008,009	2,940	326	312	267	191	196	206	237	255	226	210	217	297
Tuberculosis, all forms-----010-019	6,292	712	577	518	519	508	487	504	476	440	473	478	600
Tuberculosis of respiratory system-----010-012	5,009	566	461	402	414	402	401	389	377	358	371	388	480
Tuberculosis of meninges and central nervous system-----013	129	11	6	17	10	10	10	14	9	9	8	10	15
Tuberculosis of intestines, peritoneum, and mesenteric glands-----014	45	6	2	2	1	5	8	3	4	2	4	4	4
Tuberculosis of bones and joints-----015	40	5	6	3	1	6	-	5	2	2	2	2	6
Disseminated tuberculosis-----018	206	21	21	14	19	24	14	19	18	13	13	15	15
Other tuberculosis, including late effects-----016,017,019	863	103	81	80	74	61	54	74	66	56	75	59	80
Plague-----020	1	-	-	-	-	-	-	-	-	-	1	-	-
Anthrax-----022	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis-----023	1	-	-	-	-	-	-	1	-	-	-	-	-
Leprosy-----030	5	1	1	-	-	2	-	-	-	1	-	-	-
Diphtheria-----032	30	5	3	2	1	-	-	1	3	5	2	2	6
Whooping cough-----033	36	3	5	6	2	2	2	2	4	1	5	3	1
Streptococcal sore throat and scarlet fever-----034	28	7	2	3	2	2	-	1	1	2	4	2	2
Erysipelas-----035	9	4	1	1	1	-	-	1	1	-	-	-	-
Meningococcal infections-----036	741	147	76	89	57	57	42	43	22	44	35	42	87
Tetanus-----037	86	4	4	3	12	10	6	11	9	9	8	4	6
Septicemia-----038	2,991	262	236	212	226	222	252	270	254	244	270	249	294
Other bacterial diseases-----007,021,024-027,031,039	398	41	31	26	34	27	34	34	38	37	31	35	30
Acute poliomyelitis-----040-043	24	3	5	1	2	2	1	2	2	1	2	-	3
Late effects of acute poliomyelitis-----044	106	13	9	9	9	9	6	14	7	7	6	9	8
Smallpox-----050	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-----055	24	1	3	4	3	2	4	1	2	1	1	1	1
Yellow fever-----060	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral encephalitis-----062-065	353	36	28	17	28	32	23	22	24	27	42	32	44
Late effects of viral encephalitis-----066	42	5	-	3	2	7	4	5	4	5	1	3	3
Infectious hepatitis-----070	877	61	58	80	73	71	81	85	69	76	74	67	82
Rabies-----071	1	-	-	-	-	-	-	-	-	-	1	-	-
Other viral diseases-----045,046,051-054,056,057,061,067,068,072-079	895	126	87	89	54	58	78	32	50	50	65	68	138
Typhus and other rickettsioses-----080-083	25	-	-	-	1	3	4	5	10	-	-	-	-
Malaria-----084	7	1	-	1	-	2	1	2	-	-	-	-	-
Trypanosomiasis-----086,087	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing fever-----088	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-----090-097	586	53	69	48	44	49	39	42	48	50	48	47	49
Congenital syphilis-----090	28	4	5	2	-	1	2	1	1	2	4	2	4
Early syphilis, symptomatic-----091	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta, specified as syphilitic-----093.0	53	4	8	3	4	6	4	5	2	3	6	6	2
Other cardiovascular syphilis-----093.9	285	19	31	29	30	25	19	18	27	22	21	21	25
Tabes dorsalis-----094.0	42	5	4	4	2	4	1	5	2	3	3	3	6
General paresis-----094.1	49	5	7	3	1	3	3	5	8	5	3	3	3
Other syphilis of central nervous system-----094.9	100	13	11	5	7	9	7	4	15	8	6	9	6
All other syphilis-----095,097.0,097.9	29	3	3	2	-	1	3	3	2	2	4	3	3
Gonococcal infections-----098	1	-	-	1	-	-	-	-	-	-	-	-	-
Schistosomiasis-----120	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatidosis-----122	6	1	-	-	-	1	3	-	-	1	-	-	-
Filarial infestations-----125	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis-----126	-	-	-	-	-	-	-	-	-	-	-	-	-
Other helminthiasis-----121,123,124,127-129	12	-	3	1	1	-	3	-	2	-	1	-	1
Other infective and parasitic diseases-----Remainder of 000-136	1,058	111	90	89	77	84	79	96	77	66	84	84	121
II. Neoplasms-----	323,495	28,066	25,009	27,000	25,828	26,880	26,115	27,100	27,142	26,214	27,437	27,270	29,434
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	318,547	27,640	24,628	26,597	25,435	26,505	25,745	26,672	26,722	25,809	27,029	26,848	28,917
Malignant neoplasms of buccal cavity and pharynx-----140-149	7,294	651	532	568	617	637	552	626	631	566	629	653	632
Of lip-----140	184	12	8	21	15	18	13	20	11	17	8	23	18
Of tongue-----141	1,704	169	136	132	152	137	121	151	148	131	141	153	133
Of other and unspecified parts of buccal cavity-----142-145	2,240	198	159	172	188	212	164	196	210	158	206	189	188
Of pharynx-----146-149	3,166	272	229	243	262	270	254	259	262	260	274	288	293
Malignant neoplasms of digestive organs and peritoneum-----150-159	93,563	8,086	7,258	7,842	7,624	7,774	7,557	7,919	7,840	7,650	7,938	7,796	8,279
Of esophagus-----150	5,804	493	449	502	446	480	459	519	502	478	473	468	535
Of stomach-----151	16,901	1,428	1,344	1,388	1,387	1,353	1,407	1,463	1,354	1,312	1,441	1,417	1,607
Of small intestine, including duodenum-----152	665	74	57	59	52	54	49	58	49	43	65	61	44
Of large intestine, except rectum-----153	34,030	2,946	2,610	2,810	2,776	2,862	2,772	2,883	2,869	2,792	2,915	2,868	2,927
Cecum, appendix, and ascending colon-----153.0	4,394	412	307	388	360	366	342	386	357	362	383	379	352
Transverse colon, including hepatic and splenic flexures-----153.1	1,451	131	102	105	102	125	131	136	119	127	125	129	119

SECTION 1 - GENERAL MORTALITY

I-127

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms--Con.													
Descending colon-----153.2	1,135	112	86	84	85	98	78	88	114	86	108	94	102
Sigmoid colon-----153.3	5,573	496	446	434	474	488	472	445	495	452	446	450	475
Large intestine (including colon), part unspecified-----153.8	19,829	1,644	1,528	1,666	1,636	1,637	1,631	1,682	1,639	1,610	1,714	1,709	1,733
Intestinal tract, part unspecified-----153.9	1,648	151	141	133	119	148	118	146	145	155	139	107	146
Of rectum and rectosigmoid junction-----154	10,405	931	812	903	808	892	800	850	901	842	874	848	944
Of liver and intrahepatic bile ducts, specified as primary-----155	2,196	209	182	170	184	198	166	210	174	163	198	158	184
Of gallbladder and bile ducts-----156	4,609	374	374	399	406	368	354	384	368	390	396	379	417
Of pancreas-----157	17,381	1,501	1,303	1,487	1,422	1,440	1,428	1,424	1,483	1,497	1,449	1,467	1,480
Of peritoneum, retroperitoneal tissue, and unspecified digestive organs-----158,159	1,572	130	127	124	143	127	122	128	140	133	127	130	141
Malignant neoplasms of respiratory system-----160-163													
Of larynx-----161	63,485	5,510	4,909	5,313	5,081	5,252	5,158	5,260	5,187	5,093	5,387	5,466	5,869
Of trachea, bronchus, and lung-----162	2,836	267	220	230	218	224	220	237	238	211	237	227	307
Of other parts of respiratory system-----160,163	59,367	5,135	4,580	4,977	4,767	4,930	4,823	4,923	4,847	4,777	5,037	5,125	5,446
Malignant neoplasms of bone, connective tissue, skin, and breast-----170-174													
Of bone-----170	36,672	3,210	2,861	3,097	2,856	3,053	2,895	3,060	3,106	2,959	3,059	3,075	3,441
Of connective and other soft tissue-----171	1,768	162	131	163	157	152	133	130	161	132	159	146	142
Of skin-----172,173	1,423	129	127	126	101	115	121	99	99	122	113	120	151
Of breast-----174	4,400	362	338	387	353	377	354	393	374	362	357	345	398
Malignant neoplasms of genital organs-----180-187													
Of cervix uteri-----180	29,081	2,557	2,265	2,421	2,245	2,409	2,287	2,438	2,472	2,343	2,430	2,464	2,750
Of other parts of uterus-----181,182	40,936	3,586	3,183	3,426	3,186	3,387	3,326	3,483	3,468	3,361	3,506	3,435	3,589
Of ovary, fallopian tube, and broad ligament-----183	7,108	568	592	622	561	584	579	612	608	600	605	585	592
Of other and unspecified female genital organs-----184	5,651	488	423	490	431	498	459	467	441	492	508	474	480
Of prostate-----185	9,489	834	698	737	766	812	737	815	859	812	802	823	794
Of all other and unspecified male genital organs-----186,187	16,848	1,529	1,335	1,411	1,298	1,342	1,389	1,434	1,390	1,318	1,420	1,431	1,551
Malignant neoplasms of urinary organs-----188,189													
Of bladder-----188	8,492	728	682	724	662	733	667	649	723	699	690	779	756
Of other and unspecified urinary organs-----189	6,300	546	521	511	466	546	526	540	482	513	571	525	573
Malignant neoplasms of other and unspecified sites-----190-199													
Of eye-----190	29,656	2,465	2,264	2,479	2,352	2,409	2,432	2,484	2,622	2,450	2,538	2,457	2,704
Of brain and other parts of nervous system-----191,192	363	24	23	31	37	30	33	30	30	27	23	42	33
Of thyroid gland-----193	7,508	639	600	613	578	593	618	626	660	616	670	633	662
Other-----194-199	1,017	79	95	78	69	75	74	85	90	89	93	82	108
Leukemia-----200-207	20,768	1,723	1,546	1,757	1,668	1,711	1,707	1,743	1,842	1,718	1,752	1,700	1,901
Lymphatic leukemia-----204	14,375	1,240	1,092	1,209	1,114	1,212	1,173	1,247	1,204	1,124	1,176	1,179	1,405
Myeloid leukemia-----205	5,007	508	358	416	396	406	424	410	404	394	384	397	510
Monocytic leukemia-----206	5,415	469	426	455	413	461	445	420	465	438	442	453	528
Other and unspecified leukemia-----207	720	72	60	66	54	70	52	42	66	56	61	56	65
Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209	3,233	291	248	272	251	275	252	275	269	236	289	273	302
Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209													
Lymphosarcoma and reticulum cell sarcoma-----200	17,774	1,518	1,326	1,428	1,477	1,502	1,459	1,504	1,499	1,394	1,555	1,483	1,669
Hodgkin's disease-----201	6,801	560	523	550	576	572	572	605	612	518	566	564	583
Multiple myeloma-----203	3,353	354	300	321	337	329	316	317	331	331	378	344	444
All other neoplasms of lymphatic and hematopoietic tissues-----202,208,209	4,088	323	258	277	262	320	288	271	283	273	319	309	349
Benign neoplasms and neoplasms of unspecified nature-----210-239													
Benign neoplasms of female genital organs-----218-221	4,948	426	381	403	393	375	370	428	420	405	408	422	517
Benign neoplasms of eye, brain, and other parts of nervous system-----224,225	245	15	15	31	23	20	16	21	23	16	21	26	18
Other benign neoplasms-----210-217,222,223,226-228	762	54	63	67	57	51	72	68	65	61	66	70	68
Neoplasms of unspecified nature of female genital organs-----234-236	860	70	63	63	67	75	73	69	66	70	72	69	103
Neoplasms of unspecified nature of eye, brain, and other parts of nervous system-----238	26	2	2	-	2	3	3	4	2	2	3	1	2
Other neoplasms of unspecified nature-----230-233,237,239	1,970	188	156	155	154	142	129	167	168	181	165	167	198
III. Endocrine, nutritional, and metabolic diseases-----240-249													
Nontoxic goiter-----240,241	46,354	4,780	3,791	3,890	3,669	3,619	3,604	3,730	3,613	3,277	3,715	3,826	4,840
Thyrotoxicosis with or without goiter-----242	60	7	7	6	4	6	6	2	4	2	3	4	9
All other diseases of thyroid gland-----243-246	350	38	38	29	30	28	29	25	25	19	25	29	35
Diabetes mellitus-----250	392	41	32	39	30	38	30	28	23	26	36	33	36
Diseases of pituitary gland-----253	38,352	3,942	3,124	3,186	3,066	3,007	2,959	3,078	3,002	2,689	3,061	3,209	4,029
Diseases of thymus gland-----254	241	27	18	22	19	20	19	20	24	12	16	20	24
Diseases of adrenal gland-----255	58	3	3	4	7	3	3	5	6	8	7	4	5
Niacin deficiency-----262	479	51	36	46	35	32	56	38	35	34	32	30	54
Other avitaminoses and nutritional deficiencies-----260,261,263-269	15	3	-	-	2	2	3	-	1	2	-	-	2
Cystic fibrosis-----273.0	2,528	308	193	226	176	173	209	192	194	189	224	195	249
All other endocrine and metabolic diseases-----251,252,256-258,270-272,273.1-279	597	46	54	52	49	42	50	47	39	60	49	49	60
Total													
	3,282	314	286	280	251	268	262	293	260	236	262	253	337

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IV. Diseases of the blood and blood-forming organs-----	5,008	469	351	425	378	424	406	430	401	404	440	406	474
Anemias-----280-285	3,494	336	241	298	261	285	288	294	256	280	317	290	348
Deficiency anemias-----280,281	621	69	42	50	46	55	46	60	39	50	54	52	58
Hemolytic anemias-----282,283	711	62	53	60	43	52	49	67	63	63	72	65	76
Aplastic anemia-----284	1,375	94	73	106	100	100	106	107	84	91	111	91	112
Other and unspecified anemias-----285	987	111	73	82	72	78	87	78	66	76	80	82	102
Purpura and other hemorrhagic conditions-----287	610	48	45	61	53	64	50	49	49	49	43	49	50
All other diseases of blood and blood-forming organs-----286,288,289	904	85	65	66	64	75	68	87	96	75	80	67	76
V. Mental disorders-----	6,628	688	496	575	528	472	492	505	555	451	537	596	733
Senile and presenile dementias-----290	542	69	41	52	50	39	45	31	42	40	46	39	48
Alcoholic psychoses-----291	637	74	48	46	54	56	37	57	67	37	37	52	72
All other psychoses-----294-299	304	30	26	35	21	23	28	20	22	22	27	26	24
Alcoholism-----303	3,904	379	282	329	306	268	288	309	324	279	335	359	446
Other neuroses, personality disorders, and nonschizophrenic mental disorders-300-302,304-309	1,014	109	78	98	74	69	73	72	85	64	78	98	116
Mental retardation-----310-315	227	27	21	15	23	17	21	16	15	9	14	22	27
VI. Diseases of the nervous system and sense organs-----	16,439	1,686	1,302	1,350	1,272	1,293	1,308	1,289	1,295	1,235	1,340	1,349	1,720
Meningitis-----320	1,707	206	173	154	154	135	118	124	89	81	128	147	198
Hereditary neuromuscular disorders-----330	680	80	54	60	41	54	48	48	44	49	51	63	88
Multiple sclerosis-----340	1,647	177	120	130	134	127	138	125	152	119	140	113	172
Paralysis agitans-----342	3,153	306	268	247	229	231	248	247	269	251	289	282	326
Cerebral spastic infantile paralysis-----343	649	77	51	49	42	46	57	51	57	56	45	50	68
Epilepsy-----345	1,972	186	162	167	157	158	158	177	176	145	162	142	182
Inflammatory diseases of eye-----360-369	17	2	2	3	2	-	-	2	-	1	1	1	3
Cataract-----374	48	4	2	3	2	6	7	4	7	5	3	4	4
Glaucoma-----375	8	-	2	-	1	-	-	-	2	-	1	-	2
Otitis media and mastoiditis-----381-383	208	28	19	24	21	20	15	9	7	14	15	16	20
All other diseases of nervous system and sense organs-----321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,310	620	449	513	489	516	519	505	495	512	503	532	657
VII. Diseases of the circulatory system--	1,040,292	108,202	86,912	88,487	82,052	83,515	81,146	81,426	80,728	77,154	83,241	85,500	101,929
Active rheumatic fever-----390-392	363	34	31	35	32	31	36	28	27	19	29	22	39
Chronic rheumatic heart disease-----393-398	15,995	1,605	1,363	1,493	1,321	1,314	1,260	1,226	1,137	1,139	1,234	1,257	1,646
Diseases of mitral valve-----394	4,205	421	372	389	363	348	329	319	307	282	334	339	402
Diseases of aortic valve-----395	3,961	385	326	373	314	339	311	300	299	319	313	306	376
Diseases of other endocardial structures-----397	695	72	80	54	54	61	53	40	51	42	47	59	82
Other rheumatic heart diseases-----393,396,398	7,134	727	585	677	590	566	567	567	480	496	540	553	786
Hypertensive disease-----400-404	26,761	3,034	2,298	2,280	2,092	2,116	2,054	2,057	1,970	1,992	2,160	2,161	2,547
Malignant hypertension-----400	1,636	174	135	128	126	135	120	132	131	124	146	138	147
Essential benign hypertension-----401	1,277	130	97	116	116	93	87	88	111	103	104	111	121
Hypertensive heart disease-----402	9,811	1,135	848	790	756	843	730	755	719	730	773	760	972
Hypertensive renal disease-----403	6,150	684	547	534	474	448	477	491	439	467	501	498	590
Hypertensive heart and renal disease-----404	7,887	911	671	712	620	597	640	591	570	568	636	654	717
Ischemic heart disease-----410-413	674,747	69,780	55,727	56,961	53,715	54,365	52,780	52,838	52,334	50,133	53,863	55,605	66,646
With hypertensive disease (.0)	78,204	8,145	6,604	6,674	6,402	6,310	6,287	5,946	5,793	5,636	6,204	6,458	7,745
Without mention of hypertensive disease (.9)	596,543	61,635	49,123	50,287	47,313	48,055	46,493	46,892	46,541	44,497	47,659	49,147	58,901
Acute myocardial infarction-----410	369,610	36,495	29,978	31,177	29,778	30,621	29,421	29,096	28,849	28,125	29,818	30,498	35,754
Other acute or subacute forms of ischemic heart disease-----411	4,691	483	418	415	359	376	370	361	345	313	396	403	452
Chronic ischemic heart disease-----412	300,216	32,776	25,316	25,349	23,565	23,348	22,968	23,364	23,119	21,679	23,633	24,686	30,413
Angina pectoris-----413	230	26	15	20	13	20	21	17	21	16	16	18	27
Other forms of acute disease-----420-429	35,855	3,803	3,014	3,011	2,705	2,821	2,788	2,830	2,750	2,581	2,897	3,028	3,627
Nonrheumatic acute pericarditis and acute myocarditis-----420,422	709	73	68	45	58	56	51	52	45	59	46	64	92
Acute and subacute endocarditis-----421	651	61	46	57	45	65	57	50	56	50	56	48	60
Chronic disease of endocardium-----424	1,345	140	135	111	105	102	91	111	95	107	104	116	128
Of mitral valve, nonrheumatic-----424.0	81	10	6	10	9	8	4	5	7	6	5	4	7
Of aortic valve, nonrheumatic-----424.1	277	30	23	22	18	15	22	24	21	22	21	25	34
Of other endocardial structures-----424.9	987	100	106	79	78	79	65	82	67	79	78	87	87
Symptomatic heart disease-----427	16,851	1,732	1,384	1,431	1,258	1,299	1,352	1,321	1,311	1,175	1,343	1,484	1,761
Other myocardial insufficiency-----428	6,491	761	574	532	510	515	485	532	471	485	512	510	604
All other forms of heart disease-----423,425,426,429	9,808	1,036	807	835	729	784	752	764	772	705	836	806	982
Cerebrovascular disease-----430-438	211,390	21,961	18,078	18,280	16,376	16,887	16,437	16,488	16,603	15,686	16,895	17,288	20,411
With hypertension (benign) (.0)	27,739	2,877	2,430	2,484	2,260	2,316	2,150	2,021	2,156	1,980	2,220	2,283	2,562
Without mention of hypertension (.9)	183,651	19,084	15,648	15,796	14,116	14,571	14,287	14,467	14,447	13,706	14,675	15,005	17,849
Subarachnoid hemorrhage-----430	9,467	802	773	854	828	790	751	703	756	709	809	810	882
Cerebral hemorrhage-----431	47,002	4,935	4,078	4,211	3,688	3,907	3,634	3,566	3,619	3,429	3,727	3,823	4,385
Cerebral thrombosis-----433	60,331	6,259	5,213	5,239	4,699	4,743	4,724	4,812	4,692	4,421	4,822	4,895	5,812
Cerebral embolism-----434	1,136	131	97	89	91	98	94	95	80	82	74	80	125
Other specified acute cerebrovascular diseases-----432,435	3,210	308	278	280	275	259	249	258	237	233	269	264	300
Acute but ill-defined cerebrovascular disease-----436	56,769	5,981	4,726	4,812	4,246	4,472	4,302	4,382	4,607	4,394	4,518	4,673	5,656
Other cerebrovascular diseases-----437,438	33,475	3,545	2,913	2,795	2,549	2,618	2,683	2,672	2,632	2,438	2,676	2,743	3,251
Diseases of arteries, arterioles, and capillaries-----440-448	58,288	6,352	5,041	5,046	4,498	4,627	4,473	4,535	4,543	4,266	4,752	4,753	5,402
Arteriosclerosis-----440	33,568	4,101	2,943	2,919	2,539	2,543	2,585	2,631	2,608	2,288	2,630	2,625	3,156
Aortic aneurysm (nonsyphilitic)-----441	13,228	1,223	1,180	1,150	1,062	1,052	997	962	1,017	1,038	1,157	1,180	1,250
Gangrene-----445	2,673	253	237	261	209	236	211	232	198	203	196	206	231
All other diseases of arteries, arterioles, and capillaries-----442-444,446-448	8,819	775	681	716	688	796	720	710	720	737	769	742	765
Diseases of veins and lymphatics and other diseases of circulatory system-----450-458	16,893	1,633	1,360	1,381	1,313	1,354	1,318	1,424	1,364	1,338	1,411	1,386	1,611
Venous thrombosis and embolism-----450-453	15,084	1,437	1,220	1,226	1,160	1,192	1,178	1,273	1,227	1,191	1,263	1,252	1,465
Other diseases of circulatory system-----454-458	1,809	196	140	155	153	162	140	151	137	147	148	134	146

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA): Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system--	123,440	19,808	11,292	9,867	8,275	7,910	7,696	7,847	7,681	7,086	8,187	9,194	18,597
Acute upper respiratory infections-----460-650	784	112	77	65	70	53	41	37	46	40	50	66	127
Acute bronchitis and bronchiolitis-----466	1,432	267	130	114	90	84	76	63	60	65	89	111	283
Influenza-----470-474	7,062	2,889	715	195	72	40	30	20	28	38	83	166	2,788
Pneumonia-----480-486	66,430	10,798	6,319	5,970	4,462	4,160	4,104	4,156	4,129	3,704	4,349	5,061	9,628
Viral pneumonia-----480	2,105	373	212	146	118	86	79	58	88	100	127	166	552
Bacterial pneumonia-----481,482	8,579	1,402	826	793	578	495	537	503	554	486	515	644	1,246
Acute interstitial pneumonia-----484	1,833	230	186	164	135	115	124	95	111	110	153	177	233
Bronchopneumonia, organism unspecified-----485	31,101	4,965	2,927	2,631	2,122	2,000	1,959	2,097	1,972	1,726	2,011	2,310	4,381
Pneumonia due to other and unspecified organisms-----483,486	22,812	3,818	2,168	1,836	1,509	1,464	1,405	1,403	1,404	1,282	1,543	1,764	3,216
Bronchitis, emphysema, and asthma-----490-493	33,078	4,155	2,875	2,743	2,475	2,425	2,360	2,412	2,320	2,199	2,480	2,593	4,041
Bronchitis, unqualified-----490	843	147	73	79	63	48	57	39	51	36	43	70	137
Chronic bronchitis-----491	5,362	718	448	454	395	398	388	398	364	335	399	396	669
Emphysema-----492	24,185	2,985	2,152	1,991	1,806	1,792	1,726	1,782	1,720	1,624	1,807	1,925	2,875
Asthma-----493	2,688	305	202	219	211	187	189	193	185	204	231	202	360
Hypertrophy of tonsils and adenoids-----500	53	7	3	2	3	2	11	9	3	6	3	2	2
Empyema and abscess of lung-----510,513	1,271	132	99	103	97	111	107	106	86	92	101	104	133
Pleurisy-----511	403	42	33	26	31	28	38	24	34	23	28	43	43
Other chronic interstitial pneumonia-----517	3,462	412	264	290	287	284	229	263	274	246	236	291	386
Bronchiectasis-----518	1,299	161	121	107	92	113	92	105	79	76	107	97	149
Other diseases of respiratory system-----501-508, 512, 514-516, 519	8,166	843	656	652	596	610	608	652	624	587	661	660	1,017
IX. Diseases of the digestive system----	73,718	6,634	3,915	6,253	5,812	5,971	5,670	6,009	5,999	5,792	6,189	6,264	7,210
Diseases of teeth and supporting structures-----520-525	50	7	4	6	2	3	5	2	1	2	6	6	6
Peptic ulcer-----531-533	9,460	900	774	864	713	755	731	754	736	727	777	800	929
Ulcer of stomach-----531	3,829	381	344	374	289	284	289	316	287	292	282	336	355
Ulcer of duodenum-----532	4,413	397	349	383	336	371	339	347	363	326	360	375	467
Peptic ulcer, site unspecified-----533	1,218	122	81	107	88	100	103	91	86	109	135	89	107
Gastritis and duodenitis-----535	523	39	44	36	39	32	38	36	51	39	49	54	66
Appendicitis-----540-543	1,485	145	119	116	114	142	127	150	132	127	109	115	89
Hernia and intestinal obstruction-----550-553,560	7,758	701	626	652	594	633	625	634	632	682	653	649	677
Gastroenteritis and colitis, except ulcerative, of noninfectious origin-----561	60	3	6	4	2	3	3	3	11	7	5	7	6
Diverticula of intestine-----562	3,412	302	285	260	262	289	269	268	285	271	289	302	330
Chronic enteritis and ulcerative colitis-----563	1,135	108	93	97	77	102	91	86	91	94	90	108	98
Cirrhosis of liver-----571	29,183	2,606	2,325	2,497	2,256	2,334	2,163	2,361	2,320	2,241	2,426	2,520	3,134
Alcoholic-----571.0	10,036	875	764	855	761	745	748	789	818	809	841	921	1,110
Other specified-----*571.8	5,694	501	467	513	453	485	414	465	431	416	462	491	596
Unspecified-----*571.9	13,453	1,230	1,094	1,129	1,042	1,104	1,001	1,107	1,071	1,016	1,123	1,108	1,428
Cholelithiasis, cholecystitis and cholangitis-----574,575	4,385	339	384	382	415	362	373	355	383	319	401	324	348
Other diseases of digestive system-----526-530, 534, 536, 537, 564-570, 572, 573, 576, 577	16,267	1,484	1,255	1,339	1,338	1,316	1,245	1,360	1,397	1,283	1,384	1,379	1,527
X. Diseases of the genitourinary system--	29,787	2,915	2,433	2,499	2,335	2,435	2,372	2,437	2,428	2,275	2,447	2,437	2,774
Nephritis and nephrosis-----580-584	9,311	925	770	865	745	790	763	724	699	674	677	763	916
Acute nephritis-----580	826	81	66	74	61	74	66	71	59	55	78	78	82
Nephrotic syndrome-----581	468	45	47	49	37	40	31	31	33	30	32	37	56
Chronic and unqualified nephritis and renal sclerosis-----582-584	8,017	799	657	742	647	676	666	634	595	585	590	648	778
Infections of kidney-----590	9,395	918	783	762	744	735	767	787	764	718	769	782	866
Calculi of urinary system-----592,594	1,057	102	88	89	90	72	97	81	94	69	92	80	103
Other diseases of urinary system-----591,593,595-599	5,703	518	433	436	402	488	419	454	531	433	542	480	567
Hyperplasia of prostate-----600	2,647	286	219	221	222	214	198	240	201	219	212	209	206
Diseases of breast-----610,611	18	4	-	-	3	-	2	-	2	1	3	-	3
Other diseases of genital organs-----601-607, 612-629	1,656	162	140	126	129	136	126	151	137	161	152	123	113
XI. Complications of pregnancy, childbirth, and the puerperium----	859	87	80	70	69	73	54	77	62	66	84	70	67
Ectopic pregnancy-----631	79	9	2	4	8	3	5	6	9	7	10	6	10
Toxemias of pregnancy and the puerperium, except abortion with toxemia-----636-639	146	11	10	11	16	17	10	13	9	9	21	12	7
Hemorrhage of pregnancy and childbirth-----632,651-653	104	7	14	9	9	8	7	9	9	13	7	5	7
Abortions-----640-645	133	13	8	19	14	9	9	11	8	7	13	11	11
Abortion induced for legal indications-----640,641	2	-	-	-	-	-	-	-	-	1	-	-	1
Abortion induced for other reasons-----642	55	7	4	5	7	5	5	2	4	5	6	3	2
Spontaneous abortion-----643	22	2	1	4	2	2	2	3	1	-	1	2	2
Other and unspecified abortions-----644, 645	54	4	3	10	5	2	2	6	3	1	6	6	6
Sepsis of childbirth and the puerperium-----670,671,673	154	17	18	11	7	15	9	15	8	7	18	17	12
All other complications of pregnancy, childbirth, and the puerperium-----630,633-635, 654-662, 672, 674-678	233	29	25	15	14	20	14	23	19	22	15	17	20
Delivery without mention of complications-----650	10	1	3	1	1	1	-	-	-	1	-	2	-
XII. Diseases of the skin and subcutaneous tissue-----	1,818	182	143	174	130	142	136	150	162	140	133	143	183
Infections of skin and subcutaneous tissue-----680-686	491	53	34	53	32	33	42	45	39	40	33	40	47
Other diseases of skin and subcutaneous tissue-----690-709	1,327	129	109	121	98	109	94	105	123	100	100	103	136

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XIII. Diseases of the musculoskeletal system and connective tissue-----	4,942	487	406	428	372	386	372	370	389	410	407	421	494
Arthritis and spondylitis-----710-715	2,070	229	168	170	158	166	147	147	166	172	167	174	206
Nonarticular rheumatism and rheumatism unspecified-----716-718	167	15	13	19	14	9	3	12	14	24	15	13	16
Osteomyelitis and periostitis-----720	162	10	16	12	12	14	13	9	20	15	16	10	15
Ankylosis and acquired musculoskeletal deformities-----727,735-738	162	19	12	12	9	14	15	12	14	5	11	14	25
Other diseases of musculoskeletal system and connective tissue-----721-726,728-734	2,381	214	197	215	179	183	194	190	175	194	198	210	232
XIV. Congenital anomalies-----	16,793	1,491	1,350	1,466	1,408	1,436	1,365	1,347	1,373	1,314	1,368	1,401	1,474
Spina bifida-----741	932	76	78	77	82	84	87	73	89	81	66	67	72
Congenital hydrocephalus and other congenital anomalies of nervous system-----740,742,743	2,674	223	189	224	212	241	213	229	214	206	225	245	253
Congenital anomalies of heart-----746	6,825	638	544	635	593	583	555	532	539	530	560	557	557
Other congenital anomalies of circulatory system-----747	1,196	102	79	106	95	102	96	91	84	106	110	109	116
Cleft palate and cleft lip-----749	48	3	4	2	3	7	1	-	5	7	4	8	4
All other congenital anomalies-----744,745,748,750-759	5,118	449	456	422	423	417	413	422	442	384	403	415	472
XV. Certain causes of mortality in early infancy-----	43,840	3,484	3,283	3,366	3,430	3,844	3,894	4,100	4,081	3,673	3,579	3,511	3,595
XVI. Symptoms and ill-defined conditions-----	23,656	2,707	2,068	2,068	1,774	1,773	1,762	1,695	1,820	1,646	1,820	2,001	2,522
Senility without mention of psychosis-----794	1,514	204	119	143	97	118	112	112	122	84	128	123	152
Symptoms and other ill-defined conditions-----780-792,795,796	22,142	2,503	1,949	1,925	1,677	1,655	1,650	1,583	1,698	1,562	1,692	1,878	2,370
XVII. Accidents, poisonings, and violence-----	155,237	12,028	11,435	12,508	12,246	13,053	13,127	14,010	14,091	12,664	12,896	13,284	13,895
Accidents-----E800-E949	114,864	8,946	8,340	9,061	8,792	9,537	9,949	10,547	10,558	9,278	9,475	9,946	10,435
Railway accidents-----E800-E807	849	48	68	64	65	68	104	91	95	63	69	56	58
Motor vehicle accidents-----E810-E823	54,862	3,475	3,633	4,236	4,165	4,645	4,633	4,839	5,189	4,894	4,918	5,276	4,959
Motor vehicle traffic accidents-----E810-E819	53,801	3,420	3,571	4,143	4,079	4,529	4,522	4,713	5,083	4,804	4,823	5,212	4,902
Motor vehicle traffic accident involving collision with train-----E810	1,570	144	161	111	94	102	102	105	135	120	151	164	181
Motor vehicle traffic accident involving collision with another motor vehicle-----E812	19,207	1,124	1,251	1,415	1,434	1,623	1,641	1,762	1,890	1,755	1,664	1,949	1,699
Motor vehicle traffic accident involving collision with pedestrian-----E814	8,927	737	600	735	653	664	644	681	735	731	836	940	971
Other motor vehicle traffic accidents involving collision-----E811, E813, E815	7,838	486	558	666	653	720	716	630	718	715	616	738	622
Noncollision motor vehicle traffic accidents-----E816-E818	9,307	466	592	730	705	854	843	887	935	858	877	803	757
Motor vehicle traffic accident of unspecified nature-----E819	6,952	463	409	486	540	566	576	648	670	625	679	618	672
Motor vehicle nontraffic accidents-----E820-E823	1,061	55	62	93	86	116	111	126	106	90	95	64	57
Other road vehicle accidents-----E825-E827	264	9	11	15	29	23	33	33	39	27	21	16	8
Water transport accidents-----E830-E838	1,625	37	47	138	167	224	226	218	184	163	77	67	77
Air and space transport accidents-----E840-E845	1,904	129	105	127	103	229	136	180	216	152	212	128	187
Accidental poisoning-----E850-E877	4,109	513	376	356	291	296	238	273	291	261	329	382	503
Accidental poisoning by drugs and medicaments-----E850-E859	1,692	154	141	130	133	151	112	136	152	146	145	137	155
Accidental poisoning by other solid and liquid substances-----E860-E869	891	89	65	75	67	68	74	91	81	64	67	77	73
Accidental poisoning by gases and vapors-----E870-E877	1,526	270	170	151	91	77	52	46	58	51	117	168	275
Accidental falls-----E880-E887	18,651	1,969	1,604	1,508	1,405	1,459	1,346	1,522	1,493	1,479	1,577	1,556	1,733
Fall from one level to another-----E880-E884	5,034	409	399	352	388	401	382	499	451	449	487	434	383
Fall on same level-----E885, E886	958	155	104	89	68	63	53	68	51	68	77	68	94
Other and unspecified falls-----E887	12,659	1,405	1,101	1,067	949	995	911	955	991	962	1,013	1,054	1,256
Accidents caused by fires and flames-----E890-E899	7,335	1,028	956	854	582	466	347	322	319	350	445	659	1,007
Accidental drowning and submersion-----E910	5,950	156	154	312	419	588	1,286	1,269	907	372	180	156	151
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	3,100	265	259	262	266	216	207	264	236	243	269	299	314
Accident caused by firearm missile-----E922	2,394	201	164	187	201	160	180	162	171	195	237	299	237
Accidents mainly of industrial type-----E916-E921, E923-E928	5,928	317	348	409	541	531	585	663	694	517	521	433	369
Accident caused by cutting or piercing instrument-----E920	178	10	10	8	10	23	21	19	20	14	14	17	12
Accident caused by explosive material-----E923	642	48	49	45	83	56	53	60	81	40	47	37	43
Accident caused by hot substance, corrosive liquid, steam, or radiation-----E924, E926	278	14	31	22	26	26	27	25	19	13	25	25	25
Accident caused by electric current-----E925	1,048	43	33	61	81	71	134	168	191	96	83	60	27
Other accidents mainly of industrial type-----E916-E919, E921, E927, E928	3,782	202	225	273	341	355	350	391	363	354	352	294	262
Surgical and medical complications and misadventures-----E930-E936	2,023	175	137	160	150	149	151	155	179	164	170	191	242
All other accidents-----E900-E909, E913-E915, E929, E940-E949	5,870	624	478	433	408	433	477	556	545	398	450	428	590

SECTION 1 - GENERAL MORTALITY

1-131

Table 1-23. Deaths From 281 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Suicide—E950-E959	21,372	1,720	1,712	1,924	1,862	1,870	1,680	1,868	1,801	1,756	1,760	1,666	1,733
Suicide from poisoning by solid or liquid substance—E950	3,276	253	257	290	266	275	265	305	281	283	291	252	258
Suicide from poisoning by gases—E951, E952	2,408	197	206	249	251	205	170	181	166	184	210	189	200
Suicide by hanging, strangulation, and suffocation—E953	3,099	255	226	285	270	271	246	288	273	281	239	255	210
Suicide by firearm and explosive—E955	10,911	890	897	957	939	957	866	935	920	870	896	866	918
Suicide by all other means—E954, E956-E959	1,678	125	126	143	156	162	133	159	161	138	124	104	147
Homicide—E960-E978	14,686	1,011	1,083	1,228	1,184	1,275	1,148	1,208	1,362	1,288	1,280	1,300	1,319
Assault by firearm and explosive—E965	9,425	635	672	769	769	824	721	755	873	823	829	858	877
Assault by cutting and piercing instrument—E966	2,626	159	206	238	204	221	232	233	246	221	234	224	208
Assault by other means—E960-E964, E967-E969	2,285	188	177	171	180	201	169	187	214	223	187	192	196
Legal execution—E978	-	-	-	-	-	-	-	-	-	-	-	-	-
Other legal intervention—E970-E977	350	29	28	30	31	29	26	33	29	21	30	26	38
Injuries undetermined whether accidentally or purposely inflicted—E980-E989	4,238	349	299	290	384	362	340	383	358	334	374	365	400
Injuries resulting from operations of war—E990-E999	77	2	1	5	4	9	10	4	12	8	7	7	8

Table 1-24. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ALL CAUSES.....	1,930,082	1,087,220	842,862	1,685,559	951,154	738,405
02 I. INFECTIVE AND PARASITIC DISEASES.....	17,776	10,556	7,220	12,990	7,684	5,306
03 CHOLERA.....000	-	-	-	-	-	-
04 TYPHOID FEVER.....001	7	3	4	4	2	2
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	70	40	30	42	23	19
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	111	69	42	74	47	27
07 FOOD POISONING (BACTERIAL).....005	10	4	6	6	2	4
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,940	1,442	1,498	2,105	996	1,113
09 TUBERCULOSIS, ALL FORMS.....010-019	6,292	4,592	1,700	4,373	3,168	1,205
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	5,009	3,692	1,317	3,461	2,581	880
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	129	79	50	57	35	22
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	45	21	24	19	9	10
13 TUBERCULOSIS OF BONES AND JOINTS.....015	40	24	16	27	14	13
14 DISSEMINATED TUBERCULOSIS.....018	206	107	99	96	56	40
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	863	579	284	713	473	240
16 PLAGUE.....020	1	1	-	1	1	-
17 ANTHRAX.....022	-	-	-	-	-	-
18 BRUCELLOSIS.....023	1	-	1	1	-	1
19 LEPROSY.....030	5	2	3	1	1	-
20 DIPHTHERIA.....032	30	17	13	19	13	6
21 WHOOPING COUGH.....033	36	19	17	17	7	10
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	28	16	12	24	14	10
23 ERYSIPELAS.....035	9	2	7	8	2	6
24 MENINGOCOCCAL INFECTIONS.....036	741	424	317	547	320	227
25 TETANUS.....037	86	45	41	48	27	21
26 SEPTICEMIA.....038	2,991	1,637	1,354	2,285	1,249	1,036
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	398	222	176	306	169	137
28 ACUTE POLIOMYELITIS.....040-043	24	12	12	23	11	12
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	106	59	47	103	57	46
30 SMALL POX.....050	-	-	-	-	-	-
31 MEASLES.....055	24	12	12	18	8	10
32 YELLOW FEVER.....060	-	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	355	206	149	309	182	127
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	42	20	22	39	20	19
35 INFECTIOUS HEPATITIS.....070	877	327	550	721	270	451
36 RABIES.....071	1	-	1	1	-	1
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	895	454	441	766	396	370
38 TYPHUS AND OTHER RICKETTSOSSES.....080-083	25	13	12	25	13	12
39 MALARIA.....084	7	5	2	6	4	2
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-
41 RELAPSING FEVER.....088	1	1	-	1	1	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	586	420	156	332	249	83
43 CONGENITAL SYPHILIS.....090	28	17	11	17	11	6
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	53	37	16	32	25	7
46 OTHER CARDIOVASCULAR SYPHILIS.....093,0	285	203	82	138	99	39
47 TABES DORSALIS.....094,0	42	34	8	35	28	7
48 GENERAL PARESIS.....094,1	49	40	9	37	29	8
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	100	79	21	56	44	12
50 ALL OTHER SYPHILIS.....095,097,0,097,9	29	20	9	17	13	4
51 GONOCOCCAL INFECTIONS.....098	1	-	1	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-	-
53 HYDATIDOSIS.....122	6	5	1	6	5	1
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	12	7	5	12	2	2
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,058	560	498	771	425	346
58 II. NEOPLASMS.....	323,495	176,039	147,456	290,016	157,255	132,761
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	318,547	173,694	144,853	285,717	155,167	130,550
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,294	5,383	1,911	6,487	4,769	1,718
61 OF LIP.....140	184	163	21	181	161	20
62 OF TONGUE.....141	1,704	1,251	453	1,537	1,119	418
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,240	1,503	737	2,005	1,334	671
64 OF PHARYNX.....146-149	3,166	2,466	700	2,764	2,155	609
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	93,563	50,324	43,239	83,654	44,451	39,203
66 OF ESOPHAGUS.....150	5,804	4,360	1,444	4,514	3,363	1,151
67 OF STOMACH.....151	16,901	10,330	6,571	14,427	8,600	5,728
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	665	341	324	607	313	294
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	34,030	15,690	18,340	31,446	14,492	16,954
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	4,394	1,876	2,518	4,053	1,715	2,338
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	1,451	626	825	1,368	591	777
72 DESCENDING COLON.....153,2	1,135	513	622	1,037	476	561
73 SIGMOID COLON.....153,3	5,573	2,700	2,873	5,262	2,551	2,711
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,9	19,829	9,246	10,583	18,182	8,482	9,700
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1,648	729	919	1,544	677	867
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,405	5,841	4,564	9,555	5,378	4,177
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,196	1,466	730	1,799	1,158	641
78 OF GALLBLADDER AND BILE DUCTS.....156	4,609	1,613	2,996	4,318	1,500	2,818
79 OF PANCREAS.....157	17,381	9,917	7,464	15,608	8,872	6,736
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,572	766	806	1,380	676	704
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	63,485	52,178	11,307	57,229	46,977	10,252
82 OF LARYNX.....161	2,836	2,533	303	2,481	2,226	255
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	59,367	48,831	10,536	53,598	44,025	9,573
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....163,163	1,282	814	468	1,150	726	424
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	36,672	4,666	32,006	33,642	4,342	29,300
86 OF BONE.....170	1,768	1,015	753	1,590	903	687
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,423	765	658	1,274	691	583
88 OF SKIN.....172,173	4,400	2,621	1,779	4,231	2,522	1,709
89 OF BREAST.....174	29,081	265	28,816	26,547	226	26,321

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1968

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
227,682	127,793	99,889	5,530	3,288	2,242	1,911	1,450	461	2,542	1,508	1,034	2,858	2,027	831	01
4,403	2,654	1,749	248	133	115	33	25	8	33	18	15	69	42	27	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	04
26	16	10	2	1	1	-	-	-	-	-	-	-	-	-	05
32	18	14	4	4	-	1	-	-	1	-	-	-	-	-	06
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	07
725	389	336	92	52	40	2	1	1	5	1	4	7	3	4	08
1,767	1,237	530	84	46	38	20	18	2	18	12	6	30	21	9	09
1,443	1,041	402	53	31	22	17	15	2	16	10	6	19	14	5	10
63	41	22	8	3	5	-	-	-	-	-	-	-	-	-	11
24	12	12	2	-	2	-	-	-	-	-	-	-	-	-	12
11	8	3	-	-	-	1	1	-	-	-	-	1	1	-	13
97	48	49	11	3	8	-	-	-	-	-	-	2	2	2	14
129	87	42	10	9	1	2	2	-	2	2	-	7	6	1	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	19
11	4	7	-	-	-	-	-	-	-	-	-	-	-	-	20
19	12	7	-	-	-	-	-	-	-	-	-	-	-	-	21
3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	22
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
178	97	81	11	4	7	-	-	-	-	-	-	5	3	2	24
38	18	20	-	-	-	-	-	-	-	-	-	-	-	-	25
666	365	301	22	11	11	4	3	1	4	3	1	10	6	4	26
87	49	38	2	1	1	-	-	-	1	1	-	2	2	-	27
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	29
4	2	2	2	2	-	-	-	-	-	-	-	-	-	-	30
41	22	19	4	2	2	-	-	-	-	-	-	1	-	1	31
2	2	2	-	-	-	1	-	1	-	-	-	-	-	-	32
142	53	89	6	1	5	1	-	1	3	1	2	4	2	2	33
117	52	65	7	3	4	2	2	-	1	-	1	2	1	1	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
254	181	73	-	-	-	-	-	-	-	-	-	-	-	-	42
11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	43
21	12	9	-	-	-	-	-	-	-	-	-	-	-	-	44
147	104	43	-	-	-	-	-	-	-	-	-	-	-	-	45
7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	46
12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	47
44	35	9	-	-	-	-	-	-	-	-	-	-	-	-	48
12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	49
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
7	4	3	-	-	-	1	1	-	-	-	-	-	-	-	56
270	126	144	11	6	5	1	-	1	-	-	-	5	3	2	57
31,588	17,582	14,900	438	222	216	450	334	116	576	341	235	427	299	128	58
30,971	17,349	13,622	425	216	209	443	329	114	567	327	230	424	296	128	59
752	565	187	10	10	-	23	20	3	14	12	2	8	7	1	60
2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	61
159	126	33	1	1	-	2	2	-	2	1	1	3	2	1	62
222	157	65	1	1	-	1	1	-	8	7	1	3	3	-	63
369	281	88	7	7	-	20	17	3	4	4	-	2	2	-	64
9,207	5,420	3,787	123	55	68	168	133	35	283	168	115	128	97	31	65
1,252	964	288	3	2	1	13	13	-	14	11	3	8	7	1	66
2,252	1,488	764	32	20	12	34	25	9	123	76	47	33	22	11	67
52	24	28	1	1	-	1	1	-	3	2	1	1	-	1	68
2,428	1,111	1,317	28	9	19	50	38	12	49	24	25	29	16	13	69
321	152	169	2	2	2	7	4	3	9	5	4	2	-	2	70
79	34	45	-	-	-	-	-	-	3	1	2	1	-	1	71
91	34	57	2	1	1	1	1	-	3	3	3	1	1	1	72
282	131	151	3	-	3	9	7	2	9	5	4	8	6	2	73
1,553	710	843	21	8	13	32	25	7	25	13	12	16	8	8	74
102	59	52	-	-	-	1	1	-	-	-	-	-	-	-	75
797	424	373	5	2	3	14	13	1	17	8	9	17	16	1	76
335	252	83	5	3	2	29	26	3	13	13	1	14	14	-	77
227	85	142	28	8	11	7	7	4	21	9	12	4	4	-	78
1,679	985	694	19	9	10	15	10	5	39	24	15	21	17	4	79
185	87	98	2	1	1	1	-	1	3	1	2	1	1	-	80
5,892	4,905	987	57	48	9	134	109	25	88	67	21	85	72	13	81
343	295	48	1	1	-	3	3	-	5	5	-	3	3	-	82
5,431	4,531	907	52	45	7	127	104	23	81	61	20	78	65	13	83
118	79	39	4	2	2	4	2	2	2	1	1	4	4	-	84
2,910	298	2,612	30	8	22	21	1	27	30	4	26	39	13	26	85
169	105	64	1	1	-	1	-	1	2	1	1	5	5	-	86
132	63	69	5	3	2	1	-	1	3	2	1	8	6	2	87
161	92	69	4	4	-	-	-	-	2	1	1	2	2	-	88
2,448	38	2,410	20	-	20	19	1	18	23	-	23	24	-	24	89

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	40,936	17,810	23,126	35,179	15,250	19,929
02 OF CERVIX UTERI.....180	7,108	...	7,108	5,548	...	5,548
03 OF OTHER PARTS OF UTERUS.....181,182	5,651	...	5,651	4,838	...	4,838
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	9,489	...	9,489	8,761	...	8,761
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	878	...	878	782	...	782
06 OF PROSTATE.....185	16,848	16,848	...	14,364	14,364	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	962	962	...	886	886	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	14,792	9,965	4,827	13,402	9,208	4,394
09 OF BLADDER.....188	8,492	5,986	2,506	7,803	5,572	2,231
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,300	3,979	2,321	5,799	3,636	2,163
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	29,656	15,282	14,374	26,380	13,572	12,808
12 OF EYE.....190	363	179	184	347	174	173
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	7,508	4,362	3,146	7,034	4,115	2,919
14 OF THYROID GLAND.....193	1,017	387	630	913	351	562
15 OTHER.....194-199	20,768	10,354	10,414	18,086	8,932	9,154
16 LEUKEMIA.....204-207	14,375	8,174	6,201	13,247	7,530	5,717
17 LYMPHATIC LEUKEMIA.....204	5,007	2,967	2,040	4,617	2,729	1,888
18 MYELOID LEUKEMIA.....205	5,415	2,974	2,441	5,003	2,749	2,254
19 MONOCYTIC LEUKEMIA.....206	720	406	314	671	380	291
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	3,233	1,827	1,406	2,956	1,672	1,284
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	17,774	9,912	7,862	16,297	9,068	7,229
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,801	3,745	3,056	6,384	3,504	2,880
23 HODGKIN'S DISEASE.....201	3,353	1,976	1,377	3,134	1,830	1,304
24 MULTIPLE MYELOMA.....203	4,088	2,225	1,863	3,486	1,907	1,579
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	3,532	1,966	1,566	3,293	1,827	1,466
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,948	2,345	2,603	4,299	2,088	2,211
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	245	...	245	165	...	165
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	762	299	463	663	261	402
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	860	474	386	751	414	337
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	26	...	26	19	...	19
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	1,970	996	974	1,752	895	857
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,085	576	509	949	518	431
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,354	19,540	26,814	39,328	16,937	22,391
34 NONTOXIC GOITER.....240,241	60	16	44	47	13	34
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	350	78	272	267	58	209
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	94	298	362	87	275
37 DIABETES MELLITUS.....250	38,352	15,781	22,571	32,537	13,744	18,793
38 DISEASES OF PITUITARY GLAND.....253	241	110	131	199	90	109
39 DISEASES OF THYMUS GLAND.....254	58	41	17	50	35	15
40 DISEASES OF ADRENAL GLAND.....255	479	193	286	413	166	247
41 NIACIN DEFICIENCY.....262	15	6	9	12	5	7
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,528	1,226	1,302	2,045	950	1,095
43 CYSTIC FIBROSIS.....273-0	597	284	313	581	279	302
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,282	1,711	1,571	2,815	1,510	1,305
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,008	2,444	2,564	4,081	1,974	2,107
46 ANEMIAS.....280-285	3,494	1,645	1,849	2,724	1,268	1,456
47 DEFICIENCY ANEMIAS.....280,281	621	248	373	547	215	332
48 HEMOLYTIC ANEMIAS.....282,283	711	347	364	303	135	168
49 APLASTIC ANEMIA.....284	1,175	585	590	1,064	535	529
50 OTHER AND UNSPECIFIED ANEMIAS.....285	987	465	522	810	383	427
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	610	296	314	553	263	290
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	904	503	401	804	443	361
53 V. MENTAL DISORDERS.....	6,628	4,617	2,011	4,966	3,400	1,566
54 SENILE AND PRESENILE DEMENTIAS.....290	542	240	302	512	225	287
55 ALCOHOLIC PSYCHOSES.....291	637	576	61	471	433	38
56 ALL OTHER PSYCHOSES.....294-299	304	121	183	261	98	163
57 ALCOHOLISM.....303	3,904	3,007	897	2,715	2,125	590
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	1,014	545	469	829	416	413
59 MENTAL RETARDATION.....310-315	227	128	99	178	103	75
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,439	9,061	7,378	14,011	7,626	6,385
61 MENINGITIS.....320	1,707	1,023	684	1,141	671	470
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	680	498	182	621	458	163
63 MULTIPLE SCLEROSIS.....340	1,647	665	982	1,512	616	896
64 PARALYSIS AGITANS.....342	3,193	1,699	1,494	3,089	1,638	1,451
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	649	372	277	535	318	217
66 EPILEPSY.....345	1,972	1,212	760	1,303	813	570
67 INFLAMMATORY DISEASES OF EYE.....360-369	17	7	10	15	6	9
68 CATARACT.....374	48	22	26	43	19	24
69 GLAUCOMA.....375	8	4	4	6	3	3
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	208	105	103	160	82	78
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,310	3,454	2,856	5,506	3,002	2,504
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,040,292	565,774	474,518	932,687	509,438	423,249
73 ACTIVE RHEUMATIC FEVER.....390-392	363	186	177	296	148	148
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	15,995	7,337	8,658	14,606	6,639	7,967
75 DISEASES OF MITRAL VALVE.....394	4,205	1,541	2,664	3,878	1,393	2,485
76 DISEASES OF AORTIC VALVE.....395	3,961	2,608	1,353	3,625	2,390	1,235
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	695	290	405	647	269	378
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	7,134	2,898	4,236	6,456	2,887	3,869
79 HYPERTENSIVE DISEASE.....400-404	26,761	12,418	14,343	20,966	9,618	11,348
80 MALIGNANT HYPERTENSION.....400	1,636	869	767	849	451	398
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,277	499	778	999	372	627
82 HYPERTENSIVE HEART DISEASE.....402	9,811	3,965	5,846	7,495	2,952	4,543
83 HYPERTENSIVE RENAL DISEASE.....403	6,150	3,384	2,766	5,033	2,775	2,258
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	7,887	3,701	4,186	6,590	3,068	3,522

SECTION 1 - GENERAL MORTALITY

1-135

or National Origin and Sex: United States, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other		
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
5,575	2,494	3,081	70	20	50	21	10	11	45	18	27	46	18	28
1,497	...	1,497	33	...	33	2	...	2	14	...	14	14	...	14
797	...	797	9	...	9	2	...	2	1	...	1	4	...	4
692	...	692	7	...	7	7	...	7	10	...	10
95	...	95	1	...	1
2,426	2,426	...	16	16	...	9	9	...	16	16	...	17	...	17
68	68	...	4	4	...	1	1	...	2	2	...	1	...	1
1,119	701	418	23	17	6	10	9	1	21	16	5	17	14	3
662	397	265	10	5	5	3	3	...	9	6	3	5	2	3
457	304	153	13	12	1	7	6	1	12	10	2	12	11	1
3,105	1,603	1,502	65	29	36	35	28	7	31	17	14	40	33	7
16	5	11
445	231	214	6	2	4	8	5	3	7	2	5	8	7	1
96	32	64	5	2	3	1	1	1	1	1	1
2,548	1,335	1,213	54	25	29	27	23	4	22	14	6	31	25	6
1,039	586	453	19	13	6	17	10	7	28	19	6	25	16	9
365	219	146	6	6	...	7	5	2	5	4	1	7	4	3
377	207	170	10	4	6	5	2	3	13	7	6	7	5	2
43	21	22	4	4	...	2	1	1
254	139	115	3	3	...	5	3	2	6	4	2	9	6	3
1,372	777	595	28	16	12	14	9	5	27	16	11	36	26	10
372	214	158	7	3	4	7	7	...	17	9	8	14	8	6
203	134	69	3	2	1	3	1	2	4	4	1	6	5	1
576	301	275	11	7	4	2	...	2	4	2	2	9	8	1
221	128	93	7	4	3	2	1	1	2	1	1	7	5	2
617	239	378	13	6	7	7	5	2	9	4	5	3	3	...
79	...	79	1	1
95	35	60	2	2	...	1	1
103	56	47	4	2	2	1	1	...	1
6	...	6	1	...	1
209	98	111	4	1	3	1	...	1	4	2	2
125	50	75	4	3	1	3	3	...	3	1	2	1	1	...
6,625	2,385	4,240	177	84	93	59	44	15	81	37	44	84	53	31
12	3	9	1	...	1
77	17	60	1	1	1	2	2	...	1	2	1	...
27	6	21	2	1	1	1	1	1	...
5,498	1,869	3,629	141	68	73	47	32	15	62	27	39	67	41	26
41	20	21	1	...	1
8	6	2
59	24	35	3	2	1	1	1	...	2	...	2	1	...	1
3	1	2
440	247	193	20	10	10	6	6	...	12	8	4	5	5	...
15	5	10
445	187	258	8	3	5	3	3	...	3	2	1	8	6	2
890	446	444	13	7	6	7	5	2	8	4	4	9	8	1
751	366	385	8	4	4	4	2	2	4	2	2	3	3	...
73	33	40	1	1	1
405	210	195	2	1	1	1	1	...
102	44	58	3	2	1	2	1	1	3	2	1	1	1	...
171	79	92	4	2	2	1	...	1	1	1	...
46	25	21	2	2	1	1	1	...	4	2	2	4	3	1
93	55	38	3	1	2	2	2	2	2	2	...
1,534	1,136	398	112	69	43	5	5	...	3	3	...	8	4	4
29	15	14	1	...	1
155	132	23	10	10	...	1	1
41	22	19	1	1	1	...	1
1,085	822	263	96	53	43	2	2	...	1	1	...	5	4	1
180	125	55	2	2	...	2	2	...	1	...	1
44	20	24	5	5
2,280	1,356	924	90	41	49	12	6	6	20	12	8	26	20	6
521	328	193	35	19	16	2	1	1	3	1	2	5	3	2
57	38	19	1	1	...	1	1	...
130	47	83	1	1	...	3	...	3	1	1	...
98	59	39	2	...	2	1	...	1	1
108	51	57	4	1	3	3	2	1	2	2	...
567	388	179	15	7	8	3	1	2	4	3	1
2	1	1
5	3	2
2	1	1
45	22	23	2	1	1	1	...	1
745	418	327	31	12	19	6	5	1	9	7	2	13	10	3
102,943	53,259	49,684	1,392	806	586	897	683	214	1,179	689	490	1,194	899	295
64	37	27	2	1	1	1	...	1
1,265	632	633	50	26	24	15	11	4	19	7	12	40	22	18
295	137	158	7	2	5	4	2	2	9	2	7	12	5	7
313	202	111	7	3	4	4	4	...	4	2	2	8	7	1
41	17	24	4	3	1	3	1	2
616	276	340	32	18	14	7	5	2	6	3	3	17	9	8
5,671	2,728	2,943	38	18	20	23	13	10	33	20	13	30	21	9
781	416	365	3	1	2	2	1	1	1	...	1
269	122	147	2	1	1	2	1	1	2	1	1	3	2	1
2,261	980	1,281	11	6	5	17	9	8	14	9	5	13	9	4
1,088	591	497	10	4	6	1	1	...	11	7	4	7	6	1
1,272	619	653	12	6	6	3	2	1	4	2	2	6	4	2

Table 1-24. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	674,747	390,912	283,835	615,266	358,457	256,809
02 WITH HYPERTENSIVE DISEASE (.0)	78,204	36,082	42,122	64,674	29,768	34,906
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	596,543	354,830	241,713	550,592	328,689	221,903
04 ACUTE MYOCARDIAL INFARCTION.....410	369,610	236,017	133,593	342,999	220,517	122,482
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,691	2,945	1,746	3,944	2,489	1,455
06 CHRONIC ISCHEMIC HEART DISEASE.....412	300,216	151,815	148,401	268,124	135,333	132,791
07 ANGINA PECTORIS.....413	230	135	95	199	118	81
08 OTHER FORMS OF HEART DISEASE.....420-429	35,895	19,695	16,160	29,347	16,118	13,229
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	709	367	342	579	299	280
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	651	399	252	543	331	212
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,345	672	673	1,186	581	605
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	81	28	53	81	28	53
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	277	162	115	253	147	106
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	987	482	505	852	406	446
15 SYMPTOMATIC HEART DISEASE.....427	16,851	8,638	8,213	14,005	7,186	6,819
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	6,491	3,188	3,303	5,474	2,657	2,817
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	9,808	6,431	3,377	7,560	5,064	2,496
18 CEREBROVASCULAR DISEASES.....430-438	211,390	96,701	114,689	184,070	83,602	100,468
19 WITH HYPERTENSION (BENIGN) (.0)	27,739	11,966	15,773	21,778	9,244	12,534
20 WITHOUT MENTION OF HYPERTENSION (.9)	183,651	84,735	98,916	162,292	74,358	87,934
21 SUBARACHNOID HEMORRHAGE.....430	9,467	4,027	5,440	7,783	3,318	4,465
22 CEREBRAL HEMORRHAGE.....431	47,002	22,538	24,464	39,861	18,947	20,914
23 CEREBRAL THROMBOSIS.....433	60,331	27,186	33,145	54,068	24,209	29,859
24 CEREBRAL EMBOLISM.....434	1,136	517	619	1,032	474	558
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,210	1,864	1,346	2,910	1,683	1,227
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	56,769	26,046	30,723	47,787	21,809	25,978
27 OTHER CEREBROVASCULAR DISEASES.....437,438	33,475	14,523	18,952	30,629	13,162	17,467
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,288	29,984	28,304	53,713	27,621	26,092
29 ARTERIOSCLEROSIS.....440	33,568	14,645	18,923	31,099	13,448	17,651
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	13,228	9,617	3,611	12,228	9,014	3,214
31 GANGRENE.....445	2,673	1,360	1,313	2,316	1,182	1,134
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,191	4,362	4,457	8,070	3,977	4,093
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	16,893	8,541	8,352	14,423	7,235	7,188
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,084	7,512	7,572	12,876	6,368	6,508
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,809	1,029	780	1,547	867	680
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	123,440	78,283	45,157	106,736	68,040	38,696
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	784	433	351	581	318	263
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,432	835	597	1,144	684	460
39 INFLUENZA.....470-474	7,062	3,277	3,785	6,264	2,885	3,379
40 PNEUMONIA.....480-486	66,430	37,285	29,145	55,225	30,675	24,550
41 VIRAL PNEUMONIA.....480	2,105	1,086	1,019	1,793	956	837
42 BACTERIAL PNEUMONIA.....481,482	8,579	5,244	3,335	6,894	4,155	2,739
43 ACUTE INTERSTITIAL PNEUMONIA.....484	1,833	1,083	750	1,226	752	474
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	31,101	17,270	13,831	26,448	14,502	11,946
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	22,812	12,602	10,210	18,864	10,330	8,534
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	33,078	26,262	6,816	30,689	24,536	6,153
47 BRONCHITIS, UNQUALIFIED.....490	843	447	396	701	359	342
48 CHRONIC BRONCHITIS.....491	5,362	4,147	1,215	5,055	3,908	1,147
49 EMPHYSEMA.....492	24,185	20,434	3,751	22,929	19,361	3,568
50 ASTHMA.....493	2,688	1,234	1,454	2,004	908	1,096
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	53	33	20	36	23	13
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,271	932	339	1,000	727	273
53 PLEURISY.....511	403	248	155	340	209	131
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,462	2,272	1,190	3,183	2,077	1,106
55 BRONCHIECTASIS.....518	1,299	783	516	1,183	701	482
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	8,166	5,923	2,243	7,091	5,205	1,886
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,718	43,034	30,684	64,229	37,427	26,802
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	50	22	28	36	13	23
59 PEPTIC ULCER.....531-533	9,460	6,438	3,022	8,545	5,795	2,750
60 ULCER OF STOMACH.....531	3,829	2,401	1,428	3,412	2,108	1,304
61 ULCER OF DUODENUM.....532	4,413	3,186	1,227	4,041	2,924	1,117
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,218	851	367	1,092	763	329
63 GASTRITIS AND DUODENITIS.....535	523	323	200	454	273	181
64 APPENDICITIS.....540-543	1,485	888	597	1,245	755	490
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	7,758	3,561	4,197	6,806	3,041	3,765
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	60	26	34	49	22	27
67 DIVERTICULA OF INTESTINE.....562	3,412	1,459	1,953	3,236	1,278	1,958
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,135	531	604	1,058	496	562
69 CIRRHOSIS OF LIVER.....571	29,183	18,821	10,362	24,749	16,142	8,607
70 ALCOHOLIC.....571.0	10,036	6,873	3,163	8,249	5,738	2,511
71 OTHER SPECIFIED.....571.8	5,694	3,330	2,364	4,657	2,739	1,918
72 UNSPECIFIED.....571.9	13,453	8,618	4,835	11,843	7,665	4,178
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	4,385	1,897	2,488	4,085	1,786	2,299
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	16,267	9,068	7,199	13,966	7,726	6,240
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	29,787	16,926	12,861	23,841	13,730	10,111
76 NEPHRITIS AND NEPHROSIS.....580-584	9,311	5,119	4,192	6,963	3,909	3,054
77 ACUTE NEPHRITIS.....580	826	476	350	635	374	261
78 NEPHROTIC SYNDROME.....581	468	244	224	369	195	174
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	8,017	4,399	3,618	5,959	3,340	2,619
80 INFECTIONS OF KIDNEY.....590	9,395	4,347	5,048	7,671	3,548	4,123
81 CALCULI OF URINARY SYSTEM.....592,594	1,057	545	512	951	494	457
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	5,703	3,362	2,341	4,605	2,695	1,910
83 HYPERPLASIA OF PROSTATE.....600	2,647	2,647	...	2,290	2,290	...
84 DISEASES OF BREAST.....610,611	18	3	15	14	3	11
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,656	903	753	1,347	791	556
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	859	...	859	484	...	484
87 ECTOPIC PREGNANCY.....631	79	...	79	36	...	36
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	146	...	146	78	...	78
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	104	...	104	62	...	62

SECTION I - GENERAL MORTALITY

I-137

or National Origin and Sex: United States, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
56,636	30,472	26,164	768	481	287	576	454	122	710	440	270	791	608	183	01
13,024	5,999	7,025	76	30	46	124	90	34	135	71	64	171	124	47	02
43,612	24,473	19,139	692	451	241	452	364	88	575	369	206	620	484	136	03
25,185	14,475	10,710	459	307	152	276	216	60	337	228	109	354	274	80	04
713	433	280	17	11	6	3	3	—	7	5	2	7	4	3	05
30,709	15,548	15,161	291	162	129	297	235	62	365	207	158	430	330	100	06
29	16	13	1	1	—	—	—	—	1	—	1	—	—	—	07
6,320	3,455	2,865	104	61	43	29	19	10	23	17	6	32	25	7	08
126	65	61	1	1	—	—	—	—	2	1	1	1	1	—	09
99	61	38	5	3	2	2	2	—	—	—	—	2	2	—	10
154	87	67	2	2	—	—	—	—	1	1	—	1	1	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
24	15	9	—	—	—	—	—	—	—	—	—	—	—	—	13
130	72	58	2	2	—	—	—	—	1	1	—	1	1	—	14
2,760	1,399	1,361	51	27	24	13	10	3	7	5	2	15	11	4	15
989	515	474	9	3	6	3	1	2	12	9	3	4	3	1	16
2,192	1,328	864	36	25	11	10	6	4	1	1	—	9	7	2	17
26,251	12,464	13,787	323	158	165	190	134	56	315	164	151	241	179	62	18
5,761	2,607	3,154	48	23	25	40	23	17	67	33	34	45	36	9	19
20,490	9,857	10,633	275	135	140	150	111	39	248	131	117	196	143	53	20
1,583	661	922	33	11	22	11	5	6	28	12	16	29	20	9	21
6,854	3,411	3,443	87	45	42	49	34	15	73	38	35	78	63	15	22
6,029	2,833	3,196	62	30	32	57	40	17	77	45	32	38	29	9	23
101	41	60	2	1	1	—	—	—	1	1	—	—	—	—	24
281	169	112	4	2	2	3	2	1	8	4	4	4	4	—	25
8,692	4,065	4,627	96	51	45	50	37	13	80	38	42	64	46	18	26
2,711	1,284	1,427	39	18	21	20	16	4	48	26	22	28	17	11	27
4,345	2,214	2,131	65	34	31	53	42	11	72	40	32	40	33	7	28
2,367	1,134	1,233	39	17	22	26	20	6	28	19	9	9	7	2	29
919	550	369	10	7	3	19	15	4	29	12	17	23	19	4	30
345	168	177	5	3	2	3	3	—	3	3	—	1	1	—	31
714	362	352	11	7	4	5	4	1	12	6	6	6	6	1	32
2,391	1,257	1,134	42	27	15	11	10	1	7	1	6	19	11	8	33
2,150	1,111	1,039	31	19	12	8	7	1	6	1	5	13	6	7	34
241	146	95	11	8	3	3	3	—	1	—	1	6	5	1	35
15,681	9,564	6,117	480	286	194	135	116	19	197	137	60	211	140	71	36
192	110	82	9	4	5	—	—	—	—	—	—	2	1	1	37
268	134	134	10	10	—	2	2	—	3	2	1	5	3	2	38
748	359	389	34	19	15	4	4	—	7	7	—	5	3	2	39
10,568	6,191	4,377	321	188	133	86	76	10	107	73	34	123	82	41	40
293	139	154	14	7	7	3	3	—	1	—	1	1	1	—	41
1,577	1,015	562	60	36	24	17	15	2	9	7	2	22	16	6	42
563	303	260	16	7	9	4	4	—	7	6	1	17	11	6	43
4,416	2,610	1,806	90	51	39	42	37	5	58	39	19	47	31	16	44
3,719	2,124	1,595	141	87	54	20	17	3	32	21	11	36	23	13	45
2,211	1,598	613	51	34	17	26	20	6	53	39	14	48	35	13	46
134	84	50	6	2	4	—	—	—	1	1	—	1	1	—	47
279	217	62	11	8	3	7	7	—	8	7	1	2	1	—	48
1,158	993	165	24	21	3	11	9	2	35	28	7	28	22	6	49
640	304	336	10	3	7	8	5	3	9	3	6	17	11	6	50
17	10	7	—	—	—	—	—	—	—	—	—	—	—	—	51
261	198	63	6	4	2	2	2	—	1	1	—	1	—	—	52
59	36	23	3	3	—	—	—	—	1	—	—	—	—	—	53
242	174	68	18	12	6	4	2	2	9	4	5	6	3	3	54
95	72	23	4	1	3	3	2	1	8	5	3	2	2	4	55
1,020	682	338	24	11	13	8	8	—	8	6	2	15	11	4	56
8,731	5,176	3,555	452	203	249	81	70	11	95	60	35	130	98	32	57
12	7	5	2	2	—	—	—	—	—	—	—	—	—	—	58
836	591	245	17	10	7	18	14	4	22	15	7	22	13	9	59
376	268	108	6	2	4	9	7	2	14	9	5	12	7	5	60
337	238	99	11	8	3	9	7	2	7	5	2	8	4	4	61
123	85	38	—	—	—	—	—	—	1	1	—	2	2	—	62
64	48	16	3	—	3	1	1	—	—	—	—	1	1	—	63
229	129	100	8	3	5	—	—	—	2	1	1	1	1	—	64
904	495	409	26	13	13	3	2	1	7	3	4	12	7	5	65
11	4	7	—	—	—	—	—	—	—	—	—	—	—	—	66
170	77	93	4	2	2	—	—	—	1	1	—	1	1	—	67
48	31	37	7	2	5	—	—	—	—	—	—	—	—	—	68
4,071	2,482	1,589	263	111	152	24	22	2	26	20	6	50	44	6	69
1,589	1,036	553	173	76	97	5	5	—	8	7	1	12	11	1	70
977	558	419	35	12	23	3	3	—	5	3	2	17	15	2	71
1,505	888	617	55	23	32	16	14	2	13	10	2	21	18	3	72
249	83	166	34	16	18	5	5	—	8	6	2	4	1	3	73
2,117	1,229	888	88	44	44	30	26	4	28	13	15	38	30	8	74
5,681	3,037	2,644	106	63	43	46	33	13	46	26	20	67	37	30	75
2,242	1,137	1,105	35	24	11	20	16	4	19	14	5	32	19	13	76
184	96	88	4	3	1	1	1	—	—	—	—	2	2	—	77
95	45	50	1	1	—	2	2	—	—	—	—	1	1	—	78
1,963	996	967	30	20	10	17	13	4	19	14	5	29	16	13	79
1,643	764	879	32	12	20	12	9	3	16	4	12	21	10	11	80
99	46	53	3	2	1	2	2	—	1	—	1	1	1	—	81
1,049	640	409	29	18	11	6	1	5	7	5	2	7	3	4	82
343	343	...	6	6	...	3	3	...	2	2	...	3	3	...	83
4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	84
301	107	194	1	1	—	3	2	1	1	1	—	3	1	2	85
350	...	350	10	...	10	2	...	2	4	...	4	9	...	9	86
42	...	42	1	...	1	—	...	—	—	...	—	—	...	—	87
64	...	64	1	...	1	—	...	—	—	...	—	3	...	3	88
37	...	37	1	...	1	—	...	—	2	...	2	2	...	2	89

Table I-24. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ABORTIONS.....640-645	133	...	133	58	...	58
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	2	...	2	2
03 ABORTION INDUCED FOR OTHER REASONS.....642	55	...	55	29	...	29
04 SPONTANEOUS ABORTION.....643	22	...	22	13	...	13
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	54	...	54	14	...	14
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	154	...	154	107	...	107
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	233	...	233	137	...	137
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....659	10	...	10	6	...	6
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,818	766	1,052	1,461	605	856
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	491	271	220	409	221	188
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,327	495	832	1,052	384	668
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,942	1,714	3,228	4,295	1,505	2,790
13 ARTHRITIS AND SPONDYLITIS.....710-715	2,070	713	1,357	1,898	648	1,250
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	167	57	110	128	46	82
15 OSTEOMYELITIS AND PERIOSTITIS.....720	162	91	71	133	72	61
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	162	73	89	153	69	84
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,381	780	1,601	1,983	670	1,313
18 XIV. CONGENITAL ANOMALIES.....	16,793	9,075	7,718	14,330	7,740	6,590
19 SPINA BIFIDA.....741	932	388	544	863	355	508
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,674	1,287	1,387	2,339	1,126	1,213
21 CONGENITAL ANOMALIES OF HEART.....746	6,825	3,834	2,991	5,735	3,237	2,498
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,196	663	533	1,028	561	467
23 CLEFT PALATE AND CLEFT LIP.....749	48	28	20	34	20	14
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	5,118	2,875	2,243	4,331	2,441	1,890
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,840	25,879	17,961	33,020	19,814	13,206
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	23,656	14,183	9,473	15,386	9,442	5,944
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,514	588	926	1,083	391	692
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	22,142	13,595	8,547	14,303	9,051	5,252
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	155,237	109,329	45,908	127,698	88,537	39,161
30 ACCIDENTS.....E800-E949	114,864	79,424	35,440	97,465	66,711	30,754
31 RAILWAY ACCIDENTS.....E800-E807	849	743	106	658	564	94
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	54,862	39,788	15,074	47,661	34,345	13,316
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	53,801	38,970	14,831	46,724	33,627	13,097
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,570	1,095	475	1,420	978	442
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	19,207	12,901	6,306	17,235	11,498	5,737
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,927	6,278	2,649	7,032	4,882	2,150
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	7,838	6,263	1,575	6,839	5,457	1,382
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,307	7,392	1,915	8,173	6,480	1,693
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,952	5,041	1,911	6,025	4,332	1,693
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,061	818	243	937	718	219
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	264	167	97	236	145	91
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,625	1,468	157	1,351	1,229	122
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,904	1,592	312	1,878	1,569	309
44 ACCIDENTAL POISONING.....E850-E877	4,109	2,744	1,365	3,190	2,098	1,092
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1,692	1,063	629	1,230	717	513
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	891	553	338	677	423	254
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,526	1,128	398	1,283	958	325
48 ACCIDENTAL FALLS.....E880-E887	18,651	9,314	9,337	17,040	8,251	8,789
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	5,034	3,424	1,610	4,387	2,928	1,459
50 FALL ON SAME LEVEL.....E885-E886	958	406	552	918	384	534
51 OTHER AND UNSPECIFIED FALLS.....E887	12,659	5,484	7,175	11,735	4,939	6,796
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	7,335	4,296	3,039	5,178	3,041	2,137
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	5,950	4,977	973	4,486	3,678	808
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	3,100	1,821	1,279	2,490	1,461	1,029
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,394	2,049	345	1,836	1,610	226
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	5,928	5,330	598	5,119	4,641	478
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E924	178	148	30	127	104	23
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	642	505	137	553	444	109
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	278	149	129	192	101	91
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,048	968	80	947	877	70
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,782	3,568	214	3,300	3,115	185
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	2,023	1,669	354	1,746	909	837
63 ALL OTHER ACCIDENTS.....E900-E905, E913-E915, E929, E940-E949	5,870	4,058	1,812	4,596	3,170	1,426
64 SUICIDE.....E950-E959	21,372	15,379	5,993	20,212	14,520	5,692
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,276	1,197	2,079	3,119	1,142	1,977
66 SUICIDE FROM POISONING BY GASES.....E951, E952	2,408	1,763	645	2,371	1,736	635
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,099	2,265	834	2,900	2,105	795
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	10,911	9,078	1,833	10,320	8,587	1,733
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,678	1,076	602	1,502	950	552
70 HOMICIDE.....E960-E978	14,686	11,523	3,163	6,806	5,106	1,700
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	9,425	7,598	1,827	4,271	3,328	943
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	2,626	2,161	465	916	720	196
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,285	1,420	865	1,455	895	560
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	350	344	6	164	163	1
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	4,238	2,926	1,312	3,154	2,139	1,015
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	77	77	-	61	61	-

SECTION 1 - GENERAL MORTALITY

1-139

or National Origin and Sex: United States, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
73	...	73	-	...	-	1	...	1	1	...	1	-	...	-	91
-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	92
25	...	25	-	...	-	-	...	-	1	...	1	-	...	-	93
9	...	9	-	...	-	-	...	-	-	...	-	-	...	-	94
39	...	39	-	...	-	1	...	1	-	...	-	-	...	-	95
42	...	42	2	...	2	-	...	-	1	...	1	2	...	2	96
89	...	89	4	...	4	1	...	1	-	...	-	2	...	2	97
3	...	3	1	...	1	-	...	-	-	...	-	-	...	-	98
338	153	185	10	6	4	5	2	3	2	-	2	2	-	2	99
76	46	30	4	4	-	-	-	-	-	-	-	2	-	2	10
262	107	155	6	2	4	5	2	3	2	-	2	-	-	-	11
609	199	410	13	4	9	4	3	1	12	2	10	9	1	8	12
161	62	99	6	2	4	1	1	-	2	-	2	2	-	2	13
37	10	27	1	-	1	1	1	-	-	-	-	-	-	-	14
29	19	10	-	-	-	-	-	-	-	-	-	-	-	-	15
9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	16
373	104	269	6	2	4	2	1	1	10	2	8	7	1	6	17
2,275	1,229	1,046	82	46	36	12	7	5	30	10	11	64	34	30	18
63	31	32	3	1	2	-	-	-	1	-	1	2	1	1	19
312	150	162	11	6	5	1	1	-	5	3	2	6	1	5	20
1,002	548	454	37	20	17	5	2	3	13	8	5	33	19	14	21
156	92	64	6	5	1	-	-	-	1	1	-	5	4	1	22
12	7	5	1	1	-	-	-	-	-	-	-	1	-	1	23
730	401	329	24	13	11	6	4	2	10	7	3	17	9	9	24
10,324	5,785	4,539	241	121	120	29	22	7	46	24	22	180	113	67	25
7,910	4,506	3,404	278	174	104	14	12	2	21	13	8	47	36	11	26
406	181	225	20	12	8	1	1	-	4	3	1	-	-	-	27
7,504	4,325	3,179	258	162	96	13	11	2	17	10	7	47	36	11	28
25,520	19,329	6,200	1,388	1,023	365	120	83	37	189	123	66	322	243	79	29
15,838	11,565	4,273	1,114	820	294	68	50	18	136	94	42	243	184	59	30
153	143	10	35	33	2	-	-	-	2	2	-	1	1	-	31
6,450	4,914	1,536	526	379	147	30	21	9	59	35	24	136	94	42	32
6,335	4,821	1,514	521	375	146	30	21	9	59	35	24	132	91	41	33
131	106	25	12	6	6	2	2	-	-	-	-	5	3	2	34
1,775	1,280	495	112	73	39	16	12	4	22	12	10	47	26	21	35
1,719	1,271	448	130	94	36	8	5	3	14	10	4	24	16	8	36
900	730	170	63	48	15	1	1	1	10	6	4	25	22	3	37
961	782	179	133	101	32	2	2	-	11	6	5	27	21	6	38
849	652	197	71	53	18	1	1	1	11	6	4	27	21	6	39
115	93	22	5	4	1	-	-	-	2	1	1	4	3	1	40
14	12	2	12	9	3	1	1	-	-	-	-	4	3	1	41
232	201	31	28	25	3	3	3	-	6	5	1	5	5	-	42
14	13	1	8	6	2	-	-	-	-	-	-	4	4	-	43
868	616	252	40	23	17	1	1	-	2	2	-	8	4	4	44
439	355	194	17	7	10	1	1	-	2	2	-	5	3	2	45
200	122	78	11	7	4	-	-	-	-	-	-	3	1	2	46
229	159	70	12	9	3	-	-	-	2	2	-	-	-	-	47
1,476	970	506	65	47	18	13	9	4	32	20	12	25	17	8	48
587	443	144	30	27	3	1	1	1	13	12	1	16	14	2	49
38	22	16	1	1	1	-	-	-	1	1	1	-	-	-	50
851	505	346	34	20	14	12	9	3	18	8	10	9	3	6	51
2,059	1,187	872	84	55	29	1	1	-	3	2	1	10	10	-	52
1,318	1,175	143	106	87	19	6	6	-	13	11	2	21	20	1	53
567	333	234	29	15	14	1	-	1	7	7	-	6	5	1	54
539	421	118	16	15	1	-	-	-	7	-	-	3	3	-	55
745	640	105	43	36	7	3	3	-	7	7	-	11	11	-	56
48	41	7	3	3	-	-	-	-	-	-	-	-	-	-	57
83	56	27	4	3	1	-	-	-	1	1	-	1	1	-	58
84	47	37	2	1	1	-	-	-	-	-	-	-	-	-	59
89	79	10	5	5	-	1	1	-	1	1	-	5	5	-	60
441	417	24	29	24	5	2	2	-	5	5	-	5	5	-	61
252	145	107	9	5	4	5	2	3	4	2	2	7	6	1	62
1,151	795	356	113	85	28	4	3	1	1	1	-	5	4	1	63
954	722	232	101	76	25	34	18	16	37	19	18	34	24	10	64
120	41	79	19	6	13	10	5	5	5	1	4	3	2	1	65
27	20	7	2	2	-	-	-	-	-	-	-	2	2	1	66
135	122	13	24	19	5	16	8	8	14	5	5	10	6	4	67
520	429	91	49	45	4	5	3	2	6	4	2	11	10	1	68
152	110	42	7	4	3	3	2	1	7	6	1	7	4	3	69
7,701	6,283	1,418	128	95	33	11	9	2	9	6	3	31	24	7	70
5,081	4,212	871	51	44	7	5	4	1	3	2	1	14	10	4	71
1,667	1,406	261	29	23	6	3	2	1	3	3	2	8	7	1	72
770	489	281	45	25	20	3	3	-	3	1	2	9	7	2	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
183	178	5	3	3	-	-	-	-	-	-	-	-	-	-	75
1,012	735	277	45	32	13	7	6	1	7	4	3	13	10	3	76
15	15	-	-	-	-	-	-	-	-	-	-	1	1	-	77

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
21,473	18,055	19,194	28,574	46,856	71,148	99,614	136,059	172,217	208,481	245,065	262,598	230,532	154,084	68,615	17,647	2,675	685	01
15,722	12,469	12,332	17,635	28,915	44,531	64,175	80,119	112,179	128,517	142,415	138,375	108,424	63,854	25,203	5,725	839	410	02
5,751	5,586	6,862	10,939	17,941	26,617	35,439	46,949	60,047	79,964	102,646	124,223	122,109	90,230	43,412	11,922	1,836	275	03
12,520	9,253	8,751	12,987	22,436	36,266	54,334	76,768	98,401	113,148	128,682	127,965	101,732	60,000	23,544	5,092	625	262	04
4,417	4,012	4,720	7,715	13,329	20,884	28,677	38,502	50,955	67,285	91,812	114,934	115,246	85,785	41,207	11,033	1,465	183	05
2,965	3,029	3,358	4,430	6,161	7,901	9,380	11,732	12,972	14,485	12,584	9,668	6,041	3,433	1,472	586	188	142	06
1,240	1,454	1,988	3,040	4,392	5,521	6,486	8,164	9,791	12,288	10,468	8,872	6,522	4,177	2,087	847	356	86	07
237	187	223	218	318	364	461	619	797	884	753	742	651	421	187	47	26	6	08
94	120	154	184	220	212	276	274	291	391	366	417	340	260	118	42	15	6	09
265	259	317	429	647	857	1,041	1,277	1,523	1,628	1,541	1,443	1,181	702	278	89	17	8	10
133	134	159	244	372	489	633	856	1,048	1,114	990	872	616	323	123	40	6	7	11
132	125	158	195	275	368	408	421	475	514	551	571	565	379	155	49	11	1	12
99	84	82	112	206	332	428	670	798	840	802	728	539	283	110	31	3	3	13
83	74	87	95	172	232	288	316	367	384	455	500	526	343	139	43	6	1	14
34	50	73	131	158	148	189	223	238	259	175	128	67	30	8	7	1	4	15
43	48	61	93	97	131	113	190	101	120	88	63	38	28	14	6	4	2	16
6	3	10	7	6	5	16	13	12	15	13	16	10	5	2	2	1	2	17
																		18
																		19
																		20
																		21
																		22
																		23
																		24
																		25
																		26
																		27
	1		1	1				1	1						1			28
	1		1	1				1	1						1			29
									1									30
										1								31
																		32
																		33
	1		1															34
																		35
																		36
		1	1	1	2	6	2	4	6	6	2	5	1					37
			1	1	1	1	1	1	1	3	3	2	1					38
																		39
																		40
																		41
																		42
																		43
																		44
																		45
	1	3	1	6	4	4	9	12	5	6	3	4	1					46
		3		4	4	4	5	5	2	4	1	4	1					47
	1		1	2			4	7	3	2	2	2						48
		2		4	4	3	4	4	2	3	1	4	1					49
			1	2	2	1	3	5	3	3	2							50
								1	1	1								51
								1	1	1								52
																		53
								1										54
						1	1	3										55
						1	1											56
								1										57
																		58
								1										59
																		60
																		61
																		62
																		63
20	18	23	26	29	54	64	94	120	143	190	221	261	171	95	28	5		64
12	10	12	12	13	26	33	56	65	71	85	85	103	59	34	9	2		65
8	8	11	14	16	28	31	38	55	72	105	136	158	112	61	19	3		66
11	6	8	10	9	22	26	46	56	59	81	77	97	56	32	7	1		67
6	5	9	12	11	22	29	32	40	55	93	122	153	104	59	18	1		68
1	4	4	2	4	4	5	10	9	11	3	7	6	2	1	2	1		69
1	3	1	2	4	6	2	6	5	16	12	13	5	6	2	1	1		70
						2			1	1			1	1				71
1		1		1				1	1		1		2			1		72
37	79	117	206	303	437	557	674	778	825	732	635	456	238	87	20	6	5	73
12	37	66	133	192	292	398	514	617	650	553	477	292	139	50	12	2	5	74
25	42	51	73	111	145	159	163	168	175	179	158	164	99	37	8	4		75
6	12	20	42	83	183	254	360	447	483	436	395	248	114	41	8		1	76
8	13	15	19	56	82	107	118	118	118	132	129	152	82	30	5	2		77
6	25	43	90	105	105	131	141	156	157	109	69	39	19	5	2		4	78
16	26	31	49	50	61	48	38	47	50	42	25	12	13	5	3	2		79
		3	1	4	4	13	13	7	10	8	13	5	6	4	2	2		80
1	3	5	5	5	2	4	4	3	7	5	4		4	2				81
23	62	91	172	254	345	442	542	618	650	572	520	385	200	69	16	4	4	82
9	33	56	113	160	241	330	435	502	526	437	395	250	120	42	8	1	4	83
14	29	35	59	94	104	112	137	116	124	135	125	135	80	27	8	3		84
4	12	12	34	70	148	209	304	369	389	342	325	211	98	34	6		1	85
5	6	11	17	46	55	77	75	79	82	98	102	128	66	22	5	1		86
5	21	42	78	89	89	111	122	137	129	88	58	34</						

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	2	1	2	9	8	6	14	31	28	23	26	22	10	2	-	-	01
-	-	2	1	2	9	7	4	13	28	25	23	22	18	7	2	-	-	02
-	-	-	-	-	-	1	2	1	3	3	-	4	4	3	-	-	-	03
-	-	2	1	2	9	7	3	13	28	25	23	22	18	6	2	-	-	04
-	-	-	-	-	-	1	2	1	2	3	-	4	4	3	-	-	-	05
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
1	1	7	9	47	102	204	223	277	244	189	193	120	54	25	7	-	1	10
1	1	6	6	29	70	154	172	202	186	152	137	73	40	17	4	-	1	11
-	-	1	3	18	32	50	51	75	58	37	56	47	14	8	3	-	-	12
1	1	5	5	17	53	132	150	179	171	141	131	72	39	17	4	-	1	13
-	-	-	3	13	23	44	48	73	55	37	53	46	14	7	2	-	-	14
-	-	1	1	12	17	20	22	22	14	9	6	1	1	-	-	-	-	15
-	-	1	1	5	9	6	3	2	1	-	3	1	-	1	1	-	-	16
-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	18
5	3	6	23	64	149	204	295	294	269	258	254	197	140	58	10	-	-	19
4	3	1	15	45	97	152	212	220	193	182	166	108	71	23	4	-	-	20
1	-	5	8	19	52	52	83	74	76	76	88	89	69	35	6	-	-	21
4	2	1	11	36	71	125	183	202	176	167	157	103	64	22	3	-	-	22
1	-	5	6	13	45	46	74	70	63	71	82	86	68	33	5	-	-	23
-	1	-	4	9	24	27	28	18	15	14	6	3	6	1	1	-	-	24
-	-	-	-	6	7	6	9	4	13	4	6	3	1	2	1	-	-	25
-	-	-	-	-	2	-	-	-	1	1	3	2	1	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	27
12	4	12	29	94	239	388	491	563	431	366	253	158	55	28	9	1	-	28
11	2	9	16	70	169	294	373	454	356	302	204	120	41	15	4	1	-	29
1	2	3	13	24	70	94	118	109	75	64	49	38	14	13	5	-	-	30
9	2	5	13	48	135	230	325	408	318	277	188	116	40	15	4	-	-	31
-	1	2	6	18	57	75	105	100	67	60	47	34	14	13	5	-	-	32
2	4	3	21	33	53	43	40	35	23	15	4	1	-	-	-	1	-	33
1	1	1	7	6	13	17	13	8	8	4	2	4	-	-	-	-	-	34
-	-	-	1	1	1	11	5	6	3	2	1	-	-	-	-	-	-	35
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	36
86	156	343	765	1,673	3,352	5,815	8,770	11,491	13,764	15,318	14,571	10,214	5,253	1,616	228	20	12	37
45	84	189	411	939	1,870	3,283	5,171	6,751	7,810	8,367	7,502	4,931	2,217	594	79	6	4	38
41	72	154	354	734	1,482	2,532	3,599	4,740	5,954	6,951	7,069	5,283	3,036	1,022	149	14	8	39
35	68	151	329	746	1,524	2,742	4,386	5,805	6,794	7,538	6,944	4,625	2,071	553	72	5	3	40
36	61	123	278	607	1,272	2,158	3,124	4,164	5,237	6,406	6,643	5,031	2,901	970	139	10	6	41
9	16	37	77	162	328	507	739	879	943	772	500	263	112	36	7	1	1	42
5	10	25	70	113	193	353	451	555	680	513	396	229	123	47	10	4	2	43
1	-	1	5	11	18	34	46	67	73	57	58	43	34	5	-	-	-	44
-	1	6	6	14	17	21	24	21	37	32	30	23	12	5	-	-	-	45
1	3	12	39	108	303	598	818	963	899	786	614	364	217	68	7	2	-	46
1	2	10	28	85	228	440	623	777	723	594	443	238	130	35	2	-	-	47
-	1	2	11	23	75	158	195	186	176	192	171	126	87	33	5	2	-	48
1	2	8	18	42	137	292	428	603	574	501	385	211	125	33	2	-	-	49
-	1	-	2	9	40	94	156	148	140	169	156	116	83	30	5	2	-	50
-	-	2	10	42	90	146	191	171	141	87	53	24	5	2	-	-	-	51
-	-	2	9	12	35	64	39	36	35	23	15	10	4	3	-	-	-	52
-	-	-	-	1	1	2	4	3	8	6	5	3	-	-	-	-	-	53
-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	54
10	33	53	148	291	568	957	1,412	1,880	2,359	2,827	2,824	2,121	1,054	296	57	5	1	55
8	13	25	77	163	368	594	965	1,259	1,554	1,759	1,702	1,187	500	127	25	2	-	56
2	20	28	71	128	200	363	447	621	805	1,068	1,122	934	554	169	32	3	1	57
6	11	16	54	116	288	478	755	1,021	1,254	1,496	1,536	1,086	443	114	22	2	-	58
2	15	20	53	98	163	288	362	513	669	943	1,020	880	516	153	29	2	-	59
-	2	8	22	46	72	105	202	219	271	247	144	90	42	12	3	-	-	60
-	4	5	16	22	30	66	76	105	124	117	92	50	34	15	3	1	1	61
-	-	1	1	1	8	11	8	19	29	16	22	11	15	1	-	-	-	62
-	1	3	2	8	9	9	9	3	12	8	8	4	4	1	-	-	-	63
2	4	4	12	22	39	57	55	90	100	106	78	53	29	11	2	-	-	64
1	2	2	8	14	22	31	24	47	58	51	37	21	8	3	1	-	-	65
1	2	2	4	8	17	26	21	43	42	55	41	32	21	8	1	-	-	66
1	2	2	7	12	18	30	32	41	53	48	35	20	7	3	1	-	-	67
1	2	2	4	6	15	22	20	38	37	50	38	30	21	7	1	-	-	68
-	-	-	1	1	4	1	2	6	5	3	1	-	-	-	-	-	-	69
-	-	-	-	2	2	3	1	4	5	5	3	2	-	1	-	-	-	70
-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	71
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	72
30	74	147	282	613	1,162	1,845	2,948	3,910	4,839	5,677	5,568	4,010	2,130	670	88	4	4	73
10	45	73	125	290	507	853	1,415	1,941	2,358	2,750	2,560	1,733	764	219	25	2	1	74
20	29	74	157	323	655	992	1,533	1,969	2,481	2,927	3,008	2,277	1,366	451	63	3	3	75
7	37	62	106	259	452	777	1,291	1,752	2,132	2,549	2,431	1,657	731	212	23	2	-	76
18	25	66	134	283	587	891	1,376	1,772	2,223	2,735	2,854	2,176	1,311	432	60	2	3	77
3	8	11	16	30	54	73	112	175	211	191	116	66	29	6	2	-	1	78
2	4	7	23	38	61	95	152	191	247	183	145	94	51	18	3	-	-	79
-	-	3	3	1	1	3	5	15	15	10	13	10	4	1	-	-	-	80
-	-	1	1	2	7	6	12	14	11	9	9	7	4	1	-	-	-	81
1	8	14	26	71	121	207	308	456	582	784	750	618	333	100	11	-	1	82
-	4	10	9	43	57	91	148	209	266	341	327	239	96	29	3	-	-	83
-	4	4	17	28	44	116	160	247	316	443	423	379	237	71	8	-	1	84
1	4	9	17	36	51	81	131	186	243	314	303	229	91	28	3	-	-	85
-	3	2	15	21	58	105	144	223	292	412	400	358	229	68	7	-	1	86
-	1	1	4	7	6	10	16	23	21	26	22	9	4	1	-	-	-	87
-	1	1	2	7	5	10	15	22	23	31	20	20	8	3	1	-	-	88
-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	89
-	-	1	-	-	1	1	1	2	1	-	3	1	-	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
2	3	8	10	24	61	70	103	177	210	241	241	179	88	28	4	-	01
-	1	6	6	12	27	32	48	80	95	106	103	65	32	11	2	-	02
-	2	2	4	12	34	38	55	97	115	135	138	114	56	17	2	-	03
-	1	5	5	12	25	28	45	75	90	96	102	62	32	11	2	-	04
2	2	1	4	11	28	33	51	92	107	128	132	110	55	17	2	-	05
-	1	1	1	-	2	4	3	5	5	10	1	2	-	-	-	-	06
-	-	1	-	1	6	5	4	-	8	5	6	3	1	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	09
4	3	5	12	22	47	59	113	121	168	183	177	134	63	21	3	-	10
1	1	2	3	9	22	23	33	62	77	85	72	70	24	9	-	-	11
3	2	3	9	13	25	36	60	59	91	98	105	64	39	12	3	-	12
1	-	1	1	8	20	23	48	55	69	83	65	69	23	9	-	-	13
3	2	2	7	13	22	31	53	47	82	90	98	61	36	11	3	-	14
-	1	-	2	-	2	5	5	7	7	2	6	1	1	-	-	-	15
-	-	1	1	-	2	5	7	12	9	8	7	2	2	1	-	-	16
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	17
-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	18
5	13	14	45	110	202	328	529	629	769	920	924	651	332	91	6	1	19
2	9	3	19	56	90	145	262	324	387	463	442	305	147	40	3	-	20
3	4	11	26	54	112	183	267	305	382	457	482	346	185	51	3	-	21
1	7	2	17	55	83	138	245	301	356	444	428	290	140	39	3	1	22
3	3	11	22	47	98	170	246	279	354	440	464	337	181	51	3	-	23
1	2	1	1	1	7	7	13	21	29	18	13	10	5	1	-	-	24
-	1	-	4	7	12	12	20	25	26	15	17	9	3	-	-	-	25
-	-	-	1	-	-	4	-	2	2	1	1	5	2	-	-	-	26
-	-	-	-	-	2	1	1	1	2	2	1	-	1	-	-	-	27
13	44	104	172	362	690	1,108	1,746	2,361	2,888	3,282	3,209	2,192	1,191	386	59	2	28
4	28	51	78	159	294	525	838	1,190	1,433	1,627	1,495	953	421	120	16	-	29
9	16	53	94	203	396	583	908	1,171	1,455	1,655	1,714	1,239	770	266	43	2	30
3	24	44	69	138	259	475	760	1,062	1,287	1,494	1,419	908	401	116	14	-	31
7	14	49	80	180	360	520	804	1,046	1,277	1,538	1,615	1,177	733	253	41	2	32
1	4	7	8	21	34	47	71	116	136	126	68	42	19	3	2	-	33
2	2	4	14	21	33	59	101	122	170	112	94	58	35	12	2	-	34
-	-	-	-	-	1	3	7	12	10	7	8	3	1	-	-	-	35
-	-	-	-	2	3	4	3	3	8	5	5	4	2	1	-	-	36
5	3	2	17	24	41	73	149	166	222	267	267	236	123	44	5	1	37
3	2	1	10	11	17	37	66	76	100	128	121	101	44	10	1	-	38
1	1	1	7	13	24	36	83	90	122	139	146	135	79	34	4	-	39
3	1	-	10	10	14	32	62	73	87	118	114	39	44	9	1	-	40
1	1	1	6	11	21	32	78	85	111	127	145	133	77	-32	4	-	41
-	-	-	-	1	3	5	4	3	13	9	6	2	-	-	-	-	42
-	-	-	-	1	3	4	5	5	11	12	1	2	2	1	-	-	43
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
13	16	39	82	187	355	653	1,000	1,315	1,535	1,628	1,538	1,161	622	228	27	5	46
9	4	23	41	105	184	346	595	790	923	961	868	604	291	85	9	-	47
4	12	16	41	82	171	307	405	525	612	667	670	557	331	143	18	3	48
7	3	20	36	89	166	314	533	716	834	895	819	582	274	79	9	-	49
4	11	14	30	68	147	264	352	464	547	630	636	532	319	140	17	2	50
1	1	3	5	16	17	27	58	69	81	58	46	20	16	5	-	-	51
1	1	2	9	14	24	41	51	60	65	36	32	23	11	2	1	-	52
-	-	-	-	-	1	5	4	1	8	1	3	2	1	1	-	-	53
-	-	-	2	-	-	2	2	1	-	8	2	2	1	1	-	-	54
16	11	17	31	56	91	198	234	328	340	322	261	150	75	16	2	-	55
6	7	10	18	38	62	148	169	228	237	217	174	83	34	9	-	-	56
10	4	7	13	18	29	50	65	100	103	105	87	67	41	7	2	-	57
4	3	7	9	20	35	101	123	170	204	190	153	77	30	7	-	-	58
10	3	4	9	15	24	46	57	86	88	93	78	61	39	6	2	-	59
2	4	3	8	13	22	41	37	48	28	22	16	5	1	1	-	-	60
-	1	3	4	3	5	4	7	13	12	11	9	6	2	1	-	-	61
-	-	-	1	5	5	6	9	10	5	5	5	1	3	1	-	-	62
-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	63
1	1	8	26	50	110	216	359	506	729	892	805	568	266	62	8	-	64
1	1	3	16	25	46	82	158	179	241	318	275	159	93	13	1	-	65
-	-	5	10	25	64	134	201	327	488	574	530	409	173	49	7	-	66
1	1	2	14	20	41	73	148	165	223	293	265	152	88	11	1	-	67
-	-	3	6	22	58	122	184	296	458	541	513	393	169	47	6	-	68
-	-	1	2	4	4	7	9	12	14	20	8	2	-	2	-	-	69
-	-	2	3	1	5	11	13	29	25	25	12	12	3	-	1	-	70
-	-	-	1	1	1	2	1	2	4	5	2	5	5	-	-	-	71
-	-	-	1	2	1	1	4	2	5	5	5	4	1	2	-	-	72
6	11	44	117	312	637	1,190	1,809	2,307	2,760	2,836	2,836	1,645	780	240	32	3	73
4	7	32	80	202	411	727	1,139	1,426	1,610	1,603	1,340	846	373	95	14	-	74
2	4	12	37	110	226	463	670	881	1,150	1,233	1,298	799	407	145	18	3	75
3	6	24	69	173	349	619	1,013	1,246	1,431	1,464	1,232	787	350	86	12	-	76
1	4	9	33	91	196	396	568	774	993	1,133	1,220	767	388	140	16	2	77
1	1	8	11	28	61	103	119	166	176	132	101	50	18	2	2	-	78
-	-	2	4	19	28	65	100	103	152	95	73	26	17	5	2	1	79
-	-	-	-	1	1	5	7	14	3	7	7	9	5	1	-	-	80
-	-	1	-	-	2	2	2	4	5	5	5	6	2	-	-	-	81
7	3	19	28	34	87	101	135	192	203	244	245	142	80	25	5	1	82
5	3	11	18	17	42	62	73	104	106	114	103	60	24	8	2	-	83
2	-	8	10	15	45	39	62	88	97	130	142	82	56	17	3	1	84
5	3	10	16	17	38	58	63	91	89	102	88	53	23	8	2	-	85
-	-	5	7	15	42	35	49	73	82	112	128	76	55	15	3	-	86
-	-	1	2	2	4	4	9	13	16	12	15	6	1	-	-	-	87
-	-	2	3	2	3	4	12	14	15	18	13	6	1	-	-	-	88
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	89
-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

I-157

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
35	65	190	689	1,898	3,683	6,168	8,766	10,731	10,782	9,476	6,381	3,101	1,112	278	57	2	12	01
23	46	136	481	1,364	2,810	4,840	7,274	9,225	9,268	8,137	5,242	2,336	740	182	32	1	10	02
12	19	54	208	534	873	1,328	1,492	1,506	1,514	1,339	1,139	765	372	96	25	1	2	03
22	34	118	393	1,107	2,298	4,178	6,476	8,302	8,480	7,544	4,915	2,198	689	161	26	1	6	04
9	16	46	181	446	762	1,201	1,345	1,358	1,362	1,250	1,073	717	344	92	23	1	2	05
1	11	17	84	248	500	640	775	863	739	552	298	107	38	20	6	-	-	06
2	2	7	27	86	104	120	143	141	146	80	54	45	23	3	1	-	-	07
-	1	1	4	9	12	22	23	60	49	41	29	31	13	1	-	-	-	08
1	1	1	-	2	7	7	4	7	6	9	12	3	5	1	1	-	-	09
-	1	4	12	65	147	289	437	490	473	401	269	154	63	24	6	-	1	10
-	-	2	10	56	124	242	391	462	439	351	243	138	51	20	5	-	-	11
-	1	2	11	23	47	88	133	161	146	107	67	37	14	5	-	-	-	12
-	-	2	5	37	88	205	350	409	383	317	230	127	50	18	4	-	1	13
-	1	2	7	14	34	74	121	141	128	95	61	32	11	4	1	-	-	14
-	-	2	5	17	34	74	121	141	128	95	61	32	11	4	1	-	-	15
-	-	-	4	9	13	13	5	5	6	5	1	-	1	-	-	-	-	16
-	-	-	-	-	2	-	1	1	1	-	2	-	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
20	49	170	639	1,787	3,452	5,779	8,176	10,070	10,122	8,930	5,971	2,862	1,012	234	47	1	11	19
14	35	123	447	1,283	2,633	4,536	6,771	8,641	8,699	7,694	4,922	2,156	671	155	25	1	9	20
6	14	47	192	504	819	1,243	1,405	1,429	1,423	1,236	1,049	706	341	79	22	-	2	21
13	23	107	367	1,044	2,166	3,919	6,028	7,780	7,985	7,142	4,617	2,033	622	137	20	1	5	22
5	11	40	165	423	720	1,132	1,267	1,293	1,285	1,153	987	664	315	75	20	1	2	23
1	11	15	76	230	458	596	722	803	668	512	278	97	37	18	5	-	4	24
1	2	6	27	79	93	105	134	130	133	74	50	39	21	3	1	-	-	25
-	1	1	4	9	9	21	21	58	46	40	27	26	12	-	-	-	-	26
-	1	1	-	2	6	6	4	6	5	2	12	3	5	1	1	-	-	27
15	15	16	38	46	84	100	153	171	187	145	141	85	37	20	4	1	-	28
9	11	11	24	27	53	62	112	122	130	92	77	42	18	7	2	-	-	29
6	4	5	14	19	31	38	41	49	57	53	64	43	19	13	2	1	-	30
9	11	9	21	26	44	54	98	113	112	85	68	38	17	6	2	-	-	31
4	4	4	14	16	28	35	37	41	49	52	61	37	18	13	2	1	-	32
-	-	2	3	8	7	7	13	8	16	6	9	3	1	-	-	-	-	33
1	-	1	-	3	2	2	4	7	7	1	3	1	1	-	-	-	-	34
1	-	-	-	1	1	1	1	1	1	1	1	1	1	1	-	-	-	35
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
184	265	532	1,120	2,083	3,324	4,052	4,536	4,280	4,186	3,868	3,384	2,321	1,303	537	123	18	7	37
102	85	107	166	231	312	368	433	486	541	454	446	333	193	73	19	2	1	38
82	180	425	954	1,852	3,012	3,684	4,103	3,794	3,645	3,414	2,938	1,988	1,110	464	104	16	6	39
89	78	101	156	218	299	367	398	448	498	427	424	312	184	71	16	2	1	40
68	152	354	821	1,622	2,669	3,330	3,744	3,504	3,328	3,202	2,781	1,906	1,055	442	95	12	6	41
13	7	6	10	13	13	20	31	34	38	25	21	18	7	2	3	-	-	42
12	26	65	127	212	331	340	343	284	313	209	155	80	55	22	9	4	-	43
-	-	-	-	-	-	1	4	4	5	2	1	3	2	-	-	-	-	44
2	2	6	6	18	12	14	16	6	4	3	2	2	-	-	-	-	-	45
69	27	24	32	41	70	93	135	180	202	184	150	125	60	25	5	-	-	46
43	16	14	16	26	40	48	81	106	121	101	82	71	32	11	3	-	-	47
26	11	10	16	15	30	45	54	74	81	83	68	54	28	14	2	-	-	48
32	14	14	13	22	36	44	69	100	105	90	78	66	31	10	2	-	-	49
22	9	8	14	11	27	40	49	68	75	78	64	54	27	14	1	-	-	50
11	2	-	3	4	4	4	11	6	15	10	4	4	1	1	1	-	-	51
4	2	2	2	3	3	5	5	6	5	5	4	-	1	-	1	-	-	52
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	54
44	44	38	45	63	101	111	140	138	152	134	116	80	35	13	2	-	1	55
26	26	23	23	29	55	59	72	75	90	69	65	38	15	5	1	-	1	56
18	18	15	22	34	46	52	68	63	62	65	51	42	20	8	1	-	-	57
25	22	19	20	27	51	51	64	68	82	65	62	35	14	5	1	-	1	58
12	14	12	18	30	38	45	60	59	54	62	48	40	19	8	1	-	-	59
1	4	4	3	2	4	7	6	4	5	4	3	3	-	-	-	-	-	60
4	3	3	4	3	8	7	7	4	8	3	3	2	1	-	-	-	-	61
-	-	-	-	-	-	1	2	3	3	-	-	-	1	-	-	-	-	62
2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	63
60	77	120	198	279	346	370	407	445	464	420	451	345	231	116	32	9	-	64
33	42	68	120	166	203	238	250	275	294	246	273	194	133	55	12	2	-	65
27	35	52	78	113	143	132	157	170	170	174	178	151	98	61	20	7	-	66
32	41	66	116	163	199	231	241	254	282	237	262	184	129	54	12	2	-	67
26	33	52	75	111	138	128	149	159	156	167	171	150	96	59	20	6	-	68
1	1	2	4	3	4	7	9	20	11	8	10	8	3	1	-	-	-	69
1	2	-	3	2	5	4	8	11	14	7	6	1	2	2	1	1	-	70
-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	72
11	117	350	845	1,700	2,807	3,478	3,854	3,517	3,368	3,130	2,667	1,771	977	383	84	9	6	73
-	1	2	7	10	14	23	30	30	36	38	26	30	13	2	3	-	-	74
11	116	348	838	1,690	2,793	3,455	3,824	3,487	3,332	3,092	2,641	1,741	964	381	81	9	6	75
-	1	2	7	6	13	21	24	26	29	35	22	27	10	2	1	-	-	76
8	96	282	714	1,470	2,466	3,117	3,486	3,218	3,043	2,895	2,498	1,662	913	361	73	6	6	77
-	-	-	-	4	1	2	5	4	7	3	4	3	-	2	-	-	-	78
3	19	60	118	204	315	324	323	263	286	194	142	77	51	20	8	3	-	79
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	80
-	1	6	6	16	12	14	15	6	3	3	1	2	-	-	-	-	-	81
175	268	398	721	1,200	2,056	2,610	3,402	4,414	5,383	6,149	6,164	4,525	2,359	730	119	9	5	82
95	125	93	81	81	135	289	653	1,368	2,353	3,320	3,779	3,110	1,646	514	88	6	5	83
80	143	305	640	1,199	1,921	2,330	2,749	3,046	3,030	2,829	2,385	1,419	713	216	31	3	4	84
94	120	86	77	73	111	206	478	1,069	1,858	2,798	3,339	2,821	1,506	470	73	5	2	85
65	105	222	488	976	1,605	1,981	2,336	2,563	2,583	2,550	2,189	1,313	663	197	25	2	1	86
1	2	6	3	8	23	82	172	294	489	508	431	279	130	43	15	1	3	87
14	37	79	144	210	307	332	402	470	433	270	192	102	43					

SECTION 1 - GENERAL MORTALITY

1-161

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
60	91	157	291	546	985	1,574	2,098	2,666	2,961	3,082	2,750	1,939	981	321	68	6	3	01
38	56	78	145	269	477	794	1,140	1,459	1,574	1,606	1,299	863	338	101	20	2	2	02
22	35	79	146	277	508	780	958	1,207	1,387	1,476	1,076	643	220	48	4	4	1	03
33	43	64	115	210	385	669	928	1,266	1,334	1,417	1,190	782	311	92	18	2	1	04
16	30	59	109	223	409	661	801	1,040	1,188	1,317	1,344	1,010	610	207	41	4	-	05
5	13	14	29	55	84	124	202	177	230	179	101	72	22	7	1	-	-	06
6	5	17	37	52	94	118	150	162	192	154	102	62	31	13	6	-	-	07
-	-	-	1	4	8	1	10	16	10	10	8	9	5	2	1	-	-	08
-	-	3	-	2	5	1	7	5	7	5	5	4	2	-	1	-	-	09
289	217	252	326	451	558	723	985	1,224	1,575	1,757	1,699	1,228	682	169	33	4	3	10
170	128	150	165	239	322	389	590	752	965	1,024	936	450	346	74	18	3	1	11
119	89	102	161	212	236	334	395	472	610	733	763	578	336	95	15	1	2	12
156	110	132	151	211	290	352	536	676	899	964	888	622	339	72	17	2	1	13
104	76	87	132	192	212	305	350	421	557	695	724	563	327	94	12	1	2	14
13	15	15	13	23	31	32	53	71	63	57	41	28	6	1	1	1	1	15
15	13	13	24	16	23	28	42	49	50	38	39	15	8	1	3	-	-	16
1	3	3	1	5	1	5	1	1	3	3	7	-	1	1	-	-	-	17
-	-	2	5	4	1	1	3	2	3	-	-	-	1	-	-	-	-	18
83	33	41	41	74	108	169	303	408	554	632	667	506	300	82	15	1	1	19
57	22	28	27	43	64	96	198	263	355	387	377	263	164	40	7	-	-	20
26	11	13	14	31	44	73	105	145	199	245	290	243	136	42	8	1	1	21
50	20	25	27	36	57	88	174	230	329	364	356	246	161	39	7	-	-	22
23	8	10	13	29	37	63	95	123	180	228	274	238	181	42	6	1	1	23
6	2	3	-	6	7	7	24	33	25	21	18	17	2	-	-	-	-	24
3	3	3	1	-	7	10	10	22	18	17	16	5	5	2	-	-	-	25
1	-	-	-	1	-	1	-	-	1	2	3	-	1	-	-	-	-	26
-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	27
119	130	148	183	252	308	348	440	504	611	663	627	424	218	45	8	-	-	28
63	78	90	86	137	173	189	244	297	363	367	334	221	99	19	4	-	-	29
56	52	58	97	115	135	159	196	207	248	296	293	203	119	26	4	-	-	30
57	64	78	76	119	157	171	227	272	342	345	324	215	96	19	4	-	-	31
49	47	50	82	101	127	149	171	189	233	281	279	195	117	25	3	-	-	32
7	12	11	9	17	16	16	17	23	20	22	8	6	3	-	-	-	-	33
7	5	6	12	13	8	9	22	16	14	15	14	8	2	1	1	-	-	34
-	2	1	1	1	-	2	2	2	1	2	-	-	-	-	-	-	-	35
-	-	2	3	1	-	1	3	2	1	-	-	-	-	-	-	-	-	36
17	9	18	17	29	32	54	58	72	84	98	73	59	41	7	1	-	-	37
12	7	6	9	15	21	28	40	40	52	59	38	29	20	2	1	-	-	38
5	7	12	8	14	11	26	18	32	32	39	35	30	21	5	-	-	-	39
12	2	6	9	15	20	26	37	34	48	56	36	29	20	2	1	-	-	40
4	6	9	6	14	10	24	17	30	30	38	32	30	20	5	-	-	-	41
-	-	-	-	-	1	1	2	4	4	3	1	-	-	-	-	-	-	42
1	1	3	2	-	1	2	1	2	2	1	3	-	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
70	45	45	85	96	110	152	184	240	326	364	332	239	123	35	9	3	2	46
38	26	26	43	44	64	76	108	152	195	211	187	137	63	13	6	3	1	47
32	19	19	42	52	46	76	76	88	131	153	145	102	60	22	3	-	-	48
37	24	23	39	41	56	67	98	140	180	199	172	132	62	12	5	2	1	49
28	15	18	31	48	38	69	67	79	114	148	139	100	59	22	3	-	-	50
1	1	1	4	-	7	8	10	11	14	11	14	5	1	1	1	-	-	51
4	4	1	9	3	7	7	9	9	16	5	6	2	-	-	-	-	-	52
-	1	2	3	3	1	1	-	1	1	1	1	-	-	-	-	-	-	53
-	-	-	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	54
357	363	361	475	673	1,023	1,395	1,698	2,183	2,329	2,476	2,034	1,203	455	117	21	3	-	55
212	246	228	308	407	589	806	998	1,251	1,282	1,308	987	588	218	51	13	-	-	56
145	117	133	167	266	434	589	700	932	1,047	1,168	1,047	615	237	66	8	3	-	57
197	229	206	282	371	527	725	902	1,137	1,164	1,209	933	559	198	50	10	-	-	58
134	106	119	154	234	376	533	628	843	949	1,098	999	591	230	61	8	2	-	59
14	17	21	26	33	58	77	87	99	106	92	48	27	19	1	3	-	-	60
9	10	13	12	30	55	53	68	83	95	67	42	23	7	5	-	1	-	61
1	-	1	-	3	4	4	9	15	12	7	6	2	1	-	-	-	-	62
2	1	1	1	2	3	3	4	6	3	3	6	1	-	-	-	-	-	63
102	83	108	169	255	407	565	668	871	925	890	746	457	173	48	7	1	-	64
66	59	71	111	154	235	305	379	493	490	445	373	221	85	21	2	-	-	65
36	24	37	58	101	172	260	289	378	435	445	373	236	88	27	5	1	-	66
59	56	66	102	143	215	279	355	461	457	421	359	214	83	21	2	-	-	67
30	20	32	56	92	155	246	275	354	408	426	356	233	88	24	5	1	-	68
6	3	5	9	10	18	24	20	22	30	23	13	6	2	-	-	-	-	69
5	4	4	2	8	16	12	12	20	27	17	14	2	-	3	-	-	-	70
1	-	-	-	1	2	2	4	10	3	1	1	1	-	-	-	-	-	71
1	-	1	-	1	1	2	2	4	-	2	3	1	-	-	-	-	-	72
234	244	215	225	221	264	280	301	294	268	283	207	98	36	7	2	-	-	73
132	166	132	152	139	156	162	192	171	161	155	95	37	14	2	2	-	-	74
102	78	83	73	82	108	118	109	123	107	128	112	61	22	5	-	-	-	75
127	153	119	139	131	141	151	178	164	146	143	92	36	13	2	2	-	-	76
98	77	80	67	71	96	113	102	119	100	123	112	61	21	5	-	-	-	77
5	13	13	13	7	15	9	11	7	13	9	2	1	-	-	-	-	-	78
-	1	3	6	11	12	5	5	4	6	5	-	-	1	-	-	-	-	79
-	-	-	-	1	-	2	3	-	2	3	1	-	-	-	-	-	-	80
1	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	81
1	2	6	29	64	167	293	402	618	662	741	599	345	122	32	5	-	-	82
-	1	3	16	36	90	185	215	352	357	421	283	186	59	16	5	-	-	83
-	1	3	13	28	77	108	187	266	305	320	316	159	63	16	-	-	-	84
-	1	1	14	26	74	150	175	299	301	372	253	174	48	16	3	-	-	85
-	1	1	10	17	55	80	143	222	253	282	294	146	60	14	-	-	-	86
-	-	2	2	10	15	35	38	52	51	47	26	11	10	2	-	-	-	87
-	-	2	3	10	22	27	44	42	51	37	19	13	3	2	-	-	-	88
-	-	-	-	-	1	-	2	1	5	2	4	1	-	-	-	-	-	89
-	-	-	-	1	-	1	-	2	1	1	3	-	-	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
20	34	32	52	133	185	257	327	400	474	562	482	303	124	30	7	2	-	01
14	20	22	29	78	108	154	212	235	274	287	236	144	60	12	4	-	-	02
6	14	10	23	55	77	103	115	165	200	275	246	159	64	18	3	2	-	03
11	19	20	27	71	97	145	194	213	260	273	229	135	54	11	3	-	-	04
5	8	6	21	54	70	94	108	148	188	267	237	151	61	18	3	1	-	05
3	1	1	2	6	10	9	18	18	12	13	7	9	6	1	1	-	-	06
1	5	4	1	1	5	9	7	17	11	8	9	8	3	-	-	1	-	07
-	-	1	-	1	1	-	-	4	2	1	-	-	-	-	-	-	-	08
-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	09
72	107	106	150	256	321	453	477	515	555	536	403	309	176	64	12	4	-	10
39	46	38	62	108	131	212	231	272	285	268	189	130	73	19	2	1	-	11
33	61	68	88	148	190	241	246	263	270	268	214	179	103	45	10	3	-	12
32	37	34	54	99	111	188	207	240	256	246	170	124	73	18	2	-	-	13
28	44	49	65	110	157	207	213	212	233	248	184	164	93	42	9	2	-	14
7	9	4	7	7	20	22	23	30	29	20	15	4	-	-	-	1	-	15
5	17	18	23	38	33	32	32	30	35	19	29	14	10	2	1	1	-	16
-	-	-	-	2	-	2	1	2	2	2	4	2	-	1	-	-	-	17
-	-	1	-	-	-	2	1	1	1	1	1	1	-	1	-	-	-	18
2	10	8	18	38	41	23	13	7	19	15	20	16	9	3	-	-	-	19
-	8	4	11	21	22	18	12	5	11	12	12	12	9	3	-	-	-	20
-	2	4	7	17	19	5	1	2	8	2	8	4	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	22
13	13	18	34	45	68	92	107	97	109	65	38	17	4	1	-	-	-	23
9	5	10	14	18	20	36	42	37	39	23	12	7	3	-	-	-	-	24
4	8	8	20	27	48	56	65	60	70	42	26	10	1	1	-	-	-	25
8	3	9	12	17	18	30	34	33	37	19	10	7	3	-	-	-	-	26
4	6	7	17	20	43	47	54	54	63	39	24	8	1	1	-	-	-	27
1	2	1	1	1	2	6	8	4	2	3	1	-	-	-	-	-	-	28
-	2	1	3	7	5	9	11	6	6	3	2	2	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	30
15	22	19	18	35	42	60	67	69	104	106	67	59	26	7	3	-	-	31
7	13	9	10	14	26	36	31	51	60	59	39	25	11	3	1	-	-	32
8	9	10	8	21	16	24	36	18	44	47	28	34	15	4	2	-	-	33
6	11	9	9	12	21	32	27	44	49	54	34	24	11	3	1	-	-	34
6	6	8	6	16	15	22	31	18	41	45	26	33	13	4	2	-	-	35
1	2	2	1	5	4	4	4	6	11	5	5	1	-	-	-	-	-	36
2	3	2	2	5	2	2	2	4	3	2	2	1	2	-	-	-	-	37
-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	1	3	3	1	-	4	2	1	3	4	4	-	-	-	-	-	41
-	-	1	2	1	1	-	3	1	1	3	4	2	-	-	-	-	-	42
-	-	-	1	2	-	-	1	1	-	-	-	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	44
37	50	55	63	124	139	220	211	254	212	203	116	46	18	1	-	-	-	45
20	22	18	34	68	68	106	109	126	115	100	56	22	11	-	-	-	-	46
17	28	37	29	56	71	114	102	128	97	102	60	24	7	1	-	-	-	47
16	20	16	29	65	56	97	102	112	105	98	50	22	11	-	-	-	-	48
15	19	28	23	49	66	102	93	114	87	98	54	23	6	1	-	-	-	49
4	2	2	5	3	12	8	6	14	10	2	5	-	-	-	-	-	-	50
2	9	8	6	7	5	10	9	13	10	5	6	1	-	-	-	-	-	51
-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	52
-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	53
5	12	5	14	11	30	58	75	86	110	144	158	167	119	52	9	4	-	54
3	6	1	4	8	17	34	49	58	71	86	82	76	48	16	1	-	-	55
2	6	4	10	3	13	24	26	28	39	58	76	91	71	36	8	3	-	56
2	3	-	4	5	16	29	44	51	65	75	76	71	48	15	1	-	-	57
1	5	1	6	3	10	18	20	20	30	51	64	86	64	33	7	2	-	58
1	3	1	3	3	1	4	5	6	6	10	4	3	-	-	-	1	-	59
1	1	3	4	-	3	6	6	8	8	7	11	5	7	2	1	1	-	60
-	-	-	-	-	-	1	-	1	-	1	2	2	-	1	-	-	-	61
-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	62
276	343	456	685	967	1,546	2,297	3,531	4,739	6,110	7,163	7,280	5,382	2,839	927	210	34	14	63
143	158	259	381	487	776	1,164	1,721	2,176	2,572	2,866	2,687	1,958	1,034	294	56	10	3	64
133	185	197	304	480	770	1,133	1,810	2,563	3,538	4,297	4,593	3,424	1,805	633	154	24	11	65
120	126	206	308	395	601	959	1,418	1,854	2,178	2,562	2,466	1,828	962	260	49	8	1	66
109	140	137	208	322	507	786	1,258	1,947	2,820	3,709	4,188	3,193	1,689	591	134	20	6	67
20	29	50	67	88	165	193	278	300	353	274	201	121	64	21	7	1	2	68
24	45	58	93	150	256	336	528	592	684	560	385	224	111	39	3	3	5	69
3	3	3	6	4	10	12	25	22	41	30	20	9	8	13	1	-	-	70
-	-	2	3	8	7	11	24	24	34	28	20	7	5	3	1	1	-	71
1	-	1	2	1	5	3	3	4	9	10	7	5	6	2	-	-	-	72
1	-	1	1	-	3	-	-	3	2	3	2	3	1	-	-	-	-	73
-	-	-	2	1	5	3	3	1	7	5	2	2	5	-	-	-	-	74
-	-	1	-	-	-	-	-	2	1	2	2	3	1	-	-	-	-	75
-	-	-	2	1	3	3	1	-	6	5	3	2	5	2	-	-	-	76
-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	77
-	-	-	-	-	2	-	-	1	1	1	2	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	80
2	4	9	15	11	17	31	34	42	53	47	40	22	14	5	-	1	-	81
1	1	2	4	1	3	9	15	9	11	11	7	4	-	-	-	-	-	82
1	3	7	11	10	14	22	19	33	42	36	33	18	14	5	-	1	-	83
1	1	1	2	1	2	4	11	5	10	9	7	4	-	-	-	-	-	84
1	1	5	6	6	8	16	14	26	33	31	25	17	12	5	-	1	-	85
-	-	1	1	1	4	5	4	4	-	2	-	-	-	-	-	-	-	86
-	2	2	5	4	6	5	4	7	9	5	7	1	2	-	-	-	-	87
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	89

SECTION I - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	8	1	-	1	-	10	-	-	3
02	MALE.....	94	1	1	-	-	-	2	-	-	1
03	FEMALE..	298	7	-	-	1	-	8	-	-	2
04	WHITE.....MALE.....	87	1	1	-	-	-	2	-	-	1
05	FEMALE..	275	6	-	-	1	-	7	-	-	1
06	NEGRO.....MALE.....	6	-	-	-	-	-	-	-	-	-
07	FEMALE..	21	1	-	-	-	-	1	-	-	1
08	OTHER RACES..MALE.....	1	-	-	-	-	-	-	-	-	-
09	FEMALE..	2	-	-	-	-	-	-	-	-	-
10	DIABETES MELLITUS.....250	38,352	18	6	5	6	5	40	34	67	75
11	MALE.....	19,781	8	4	1	3	2	18	14	23	35
12	FEMALE..	22,571	10	2	4	3	3	22	20	44	42
13	WHITE.....MALE.....	13,744	7	4	1	3	2	17	11	17	24
14	FEMALE..	18,793	8	2	4	3	3	20	17	37	32
15	NEGRO.....MALE.....	1,869	1	-	-	-	-	1	3	6	9
16	FEMALE..	3,629	2	-	-	-	-	2	3	7	9
17	OTHER RACES..MALE.....	168	-	-	-	-	-	-	-	-	-
18	FEMALE..	149	-	-	-	-	-	-	-	-	1
19	DISEASES OF PITUITARY GLAND.....253	241	1	2	1	1	2	7	-	4	3
20	MALE.....	110	-	2	-	-	1	3	-	1	2
21	FEMALE..	131	1	-	1	1	1	4	-	3	1
22	WHITE.....MALE.....	90	-	2	-	-	1	3	-	1	2
23	FEMALE..	109	-	-	1	1	1	3	-	2	1
24	NEGRO.....MALE.....	20	-	-	-	-	-	-	-	-	-
25	FEMALE..	21	1	-	-	-	-	1	-	1	-
26	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	1	-	-	-	-	-	-	-	-	-
28	DISEASES OF THYMUS GLAND.....254	58	43	5	1	-	1	50	-	-	-
29	MALE.....	41	29	4	1	-	1	35	-	-	-
30	FEMALE..	17	14	1	-	-	-	15	-	-	-
31	WHITE.....MALE.....	35	25	3	1	-	1	30	-	-	-
32	FEMALE..	15	12	1	-	-	-	13	-	-	-
33	NEGRO.....MALE.....	6	4	1	-	-	-	5	-	-	-
34	FEMALE..	2	2	-	-	-	-	2	-	-	-
35	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	DISEASES OF ADRENAL GLAND.....255	479	17	5	2	2	2	28	5	7	4
38	MALE.....	193	7	2	-	2	1	12	4	5	2
39	FEMALE..	286	10	3	2	-	1	16	1	2	2
40	WHITE.....MALE.....	166	7	2	-	1	-	10	4	5	1
41	FEMALE..	247	7	2	2	-	1	12	1	2	2
42	NEGRO.....MALE.....	24	-	-	-	1	1	2	-	-	1
43	FEMALE..	35	3	1	-	-	-	4	-	-	-
44	OTHER RACES..MALE.....	3	-	-	-	-	-	-	-	-	-
45	FEMALE..	4	-	-	-	-	-	4	-	-	-
46	NIACIN DEFICIENCY.....262	15	-	-	-	-	-	-	-	-	-
47	MALE.....	6	-	-	-	-	-	-	-	-	-
48	FEMALE..	9	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	5	-	-	-	-	-	-	-	-	-
50	FEMALE..	7	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	1	-	-	-	-	-	-	-	-	-
52	FEMALE..	2	-	-	-	-	-	-	-	-	-
53	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,528	241	21	9	8	8	287	13	11	13
56	MALE.....	1,226	142	11	4	3	3	163	7	7	6
57	FEMALE..	1,302	99	10	5	5	5	124	6	4	7
58	WHITE.....MALE.....	950	64	3	1	2	3	73	4	5	5
59	FEMALE..	1,095	44	9	3	2	-	60	3	3	4
60	NEGRO.....MALE.....	247	74	7	3	1	-	85	3	1	1
61	FEMALE..	193	54	1	2	2	3	62	1	1	1
62	OTHER RACES..MALE.....	29	4	1	-	-	-	5	-	1	-
63	FEMALE..	14	1	-	-	1	-	2	-	-	-
64	CYSTIC FIBROSIS.....273.0	597	126	21	23	28	37	235	137	108	63
65	MALE.....	284	68	11	7	14	13	113	57	51	32
66	FEMALE..	313	58	10	16	14	24	122	80	57	31
67	WHITE.....MALE.....	279	65	10	7	14	13	109	57	51	31
68	FEMALE..	302	54	7	13	14	24	112	79	57	31
69	NEGRO.....MALE.....	5	3	1	-	-	-	4	-	-	1
70	FEMALE..	10	4	3	2	-	-	9	1	-	-
71	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	1	-	-	1	-	-	1	-	-	-
73	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,282	145	38	20	17	12	232	51	41	23
74	MALE.....	1,711	84	21	12	8	7	132	27	28	16
75	FEMALE..	1,571	61	17	8	9	5	100	24	13	7
76	WHITE.....MALE.....	1,510	68	16	11	7	7	109	23	26	14
77	FEMALE..	1,305	50	15	7	7	4	83	23	11	5
78	NEGRO.....MALE.....	187	15	5	1	1	-	22	4	1	2
79	FEMALE..	258	10	2	1	2	1	16	1	2	2
80	OTHER RACES..MALE.....	14	1	-	-	-	-	1	-	1	-
81	FEMALE..	8	1	-	-	-	-	1	-	-	-
82	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,008	146	74	37	39	25	321	105	96	107
83	MALE.....	2,444	89	44	24	23	18	198	56	51	54
84	FEMALE..	2,564	57	30	13	16	7	123	49	45	53
85	WHITE.....MALE.....	1,974	62	12	14	11	11	110	35	30	39
86	FEMALE..	2,107	38	12	3	6	4	63	35	25	34
87	NEGRO.....MALE.....	446	25	30	10	12	7	84	19	20	14
88	FEMALE..	444	19	18	10	9	3	59	14	20	18
89	OTHER RACES..MALE.....	24	2	2	-	-	-	4	2	1	1
90	FEMALE..	13	-	-	-	1	-	1	-	-	1

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968--Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	1	2	7	10	16	22	36	45	49	64	65	35	22	3	-	-	-	01
-	-	-	3	3	3	4	10	14	11	14	17	5	7	-	-	-	-	02
2	1	2	4	7	13	18	26	31	38	50	48	30	15	3	-	-	-	03
-	-	-	3	2	3	4	8	12	10	14	17	5	6	-	-	-	-	04
1	1	1	4	5	10	16	26	28	36	45	47	29	15	3	-	-	-	05
-	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-	06
1	-	1	-	2	3	2	-	2	2	5	-	1	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	08
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	09
159	274	346	516	729	1,175	1,803	2,918	4,086	5,369	6,361	6,470	4,719	2,394	674	116	16	11	10
79	124	208	299	379	594	929	1,397	1,827	2,236	2,500	2,318	1,689	853	217	37	4	3	11
80	150	138	217	350	581	874	1,521	2,259	3,133	3,861	4,152	3,030	1,541	457	79	12	8	12
64	95	170	248	304	456	759	1,139	1,545	1,898	2,245	2,135	1,582	799	198	33	4	1	13
65	116	97	144	235	368	585	1,030	1,695	2,469	3,335	3,787	2,820	1,438	424	65	9	5	14
14	26	36	49	71	132	159	236	264	301	230	163	100	48	15	4	-	2	15
15	34	40	71	110	206	281	471	542	634	501	350	203	99	31	14	3	3	16
1	3	2	2	4	6	11	22	18	37	25	20	7	6	4	-	-	-	17
-	-	1	2	5	7	8	20	22	30	25	15	7	4	2	-	-	-	18
7	5	7	12	13	24	24	20	33	22	33	17	6	3	1	-	-	-	19
2	1	5	6	5	9	9	13	16	10	14	11	1	1	1	-	-	-	20
5	4	2	6	8	15	15	7	17	12	19	6	5	2	-	-	-	-	21
2	1	3	4	4	8	6	12	13	8	12	8	1	1	1	-	-	-	22
5	3	2	5	4	9	14	6	15	12	15	6	5	2	-	-	-	-	23
-	-	2	2	1	1	3	1	3	2	2	3	-	-	-	-	-	-	24
-	1	-	1	4	6	-	1	2	-	4	-	-	-	-	-	-	-	25
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	1	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	28
1	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	29
1	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	30
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
6	7	11	13	15	42	56	51	45	56	41	49	28	10	2	1	1	1	37
4	3	1	5	1	15	23	23	25	19	16	20	10	4	-	-	1	-	38
2	4	10	8	14	27	33	28	20	37	25	29	18	6	2	1	-	1	39
2	3	-	2	1	13	20	22	20	15	15	20	9	3	-	-	1	-	40
2	3	8	7	9	22	24	23	18	35	24	27	18	6	2	1	-	1	41
1	-	1	2	2	2	3	1	4	4	1	1	1	1	-	-	-	-	42
1	1	1	1	4	5	9	5	2	2	1	-	-	-	-	-	-	-	43
1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	44
-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	45
-	-	1	-	-	1	1	1	1	-	-	5	4	-	1	-	-	-	46
-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	47
-	-	1	-	-	-	-	1	-	-	-	3	4	-	-	-	-	-	48
-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	-	-	-	49
-	-	-	-	-	-	-	1	-	-	-	2	4	-	-	-	-	-	50
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
11	6	10	22	35	48	72	112	116	162	245	331	390	322	215	90	16	1	55
5	5	4	10	21	25	36	71	74	101	125	173	169	136	65	18	5	-	56
6	1	6	12	14	23	36	41	42	61	120	158	221	186	150	72	11	1	57
3	5	3	6	16	18	28	55	60	74	102	146	156	120	53	15	3	-	58
4	1	4	9	11	19	29	30	30	47	95	143	206	176	141	66	10	-	59
2	-	2	3	3	7	8	14	12	25	19	27	11	15	4	3	1	-	60
2	-	1	3	3	4	7	10	11	12	22	14	15	9	8	5	-	1	61
-	-	1	1	-	-	-	2	2	2	4	1	2	1	8	1	1	-	62
-	-	-	-	-	-	-	1	1	2	3	1	-	1	1	1	1	-	63
40	9	1	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	64
23	4	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	65
17	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	66
23	4	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	67
17	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
47	37	67	96	153	217	283	356	367	389	361	294	173	68	24	2	-	1	73
28	20	37	53	77	125	151	192	207	181	182	136	77	32	10	-	-	-	74
19	17	30	43	76	92	132	164	160	208	179	158	96	36	14	2	-	1	75
24	17	27	42	67	100	136	171	196	161	162	128	68	32	7	-	-	-	76
13	10	19	30	51	68	99	127	135	182	159	147	92	35	14	2	-	-	77
3	3	9	10	10	22	14	20	10	19	19	8	9	-	2	-	-	-	78
6	7	11	12	23	24	32	36	25	24	20	11	4	1	-	-	-	1	79
1	-	1	1	-	3	1	1	1	1	1	-	-	-	1	-	-	-	80
-	-	-	1	2	-	1	1	1	2	-	-	-	-	-	-	-	-	81
140	112	89	100	137	178	206	285	367	434	576	623	607	357	126	39	1	2	82
73	58	40	46	60	76	112	133	194	221	303	299	264	141	47	15	1	2	83
67	54	49	54	77	102	94	152	173	213	273	324	343	216	79	24	-	-	84
41	21	21	27	45	48	94	110	166	189	276	280	250	135	41	14	1	1	85
41	21	30	33	46	76	69	121	145	180	251	302	332	205	75	23	-	-	86
32	37	16	19	13	28	18	23	24	31	26	17	13	5	5	1	-	1	87
26	33	18	21	29	25	25	31	28	32	21	20	8	11	4	1	-	-	88
-	-	3	-	2	-	-	-	4	1	2	2	1	1	1	-	-	-	89
-	-	1	-	2	1	-	-	-	1	1	2	3	-	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER PSYCHOSES.....294-299	304	-	-	-	-	-	-	-	-	4
02	MALE....	121	-	-	-	-	-	-	-	-	1
03	FEMALE..	183	-	-	-	-	-	-	-	-	3
04	WHITE.....MALE....	98	-	-	-	-	-	-	-	-	1
05	FEMALE..	163	-	-	-	-	-	-	-	-	2
06	NEGRO.....MALE....	22	-	-	-	-	-	-	-	-	-
07	FEMALE..	19	-	-	-	-	-	-	-	-	1
08	OTHER RACES..MALE....	1	-	-	-	-	-	-	-	-	-
09	FEMALE..	1	-	-	-	-	-	-	-	-	-
10	ALCOHOLISM.....303	3,904	-	-	2	-	-	2	1	-	18
11	MALE....	3,007	-	-	1	-	-	1	1	-	16
12	FEMALE..	897	-	-	1	-	-	1	-	-	2
13	WHITE.....MALE....	2,125	-	-	1	-	-	1	-	-	11
14	FEMALE..	590	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	822	-	-	-	-	-	-	1	-	4
16	FEMALE..	263	-	-	1	-	-	1	-	-	1
17	OTHER RACES..MALE....	60	-	-	-	-	-	-	-	-	1
18	FEMALE..	44	-	-	-	-	-	-	-	-	1
19	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	1,014	2	2	-	-	-	4	2	9	31
20	MALE....	545	1	1	-	-	-	2	1	4	24
21	FEMALE..	469	1	1	-	-	-	2	1	5	7
22	WHITE.....MALE....	416	1	-	-	-	-	1	1	3	12
23	FEMALE..	413	1	-	-	-	-	1	1	4	4
24	NEGRO.....MALE....	125	-	1	-	-	-	1	-	1	12
25	FEMALE..	55	-	-	-	-	-	-	-	1	3
26	OTHER RACES..MALE....	4	-	-	-	-	-	-	-	-	-
27	FEMALE..	1	-	1	-	-	-	1	-	-	-
28	MENTAL RETARDATION.....310-315	227	8	8	8	8	4	36	36	24	33
29	MALE....	128	6	5	4	7	2	24	17	14	20
30	FEMALE..	99	2	3	4	1	2	12	19	10	13
31	WHITE.....MALE....	103	4	3	4	5	2	18	15	9	17
32	FEMALE..	75	2	3	3	2	10	15	5	8	8
33	NEGRO.....MALE....	20	1	2	-	2	-	5	1	4	2
34	FEMALE..	24	-	-	1	1	-	2	4	5	5
35	OTHER RACES..MALE....	5	1	-	7	-	1	1	1	1	1
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,439	1,011	308	218	164	108	1,809	395	391	557
38	MALE....	9,061	596	178	117	88	56	1,035	209	236	376
39	FEMALE..	7,378	415	130	101	76	52	774	186	155	181
40	WHITE.....MALE....	7,626	411	137	81	73	48	750	171	197	314
41	FEMALE..	6,385	281	92	84	59	40	556	144	122	142
42	NEGRO.....MALE....	1,356	167	38	31	13	8	257	36	37	56
43	FEMALE..	924	120	35	16	15	11	197	36	30	38
44	OTHER RACES..MALE....	79	18	3	5	2	-	28	2	2	6
45	FEMALE..	69	14	3	1	2	1	21	6	3	1
46	MENINGITIS.....320	1,707	524	116	81	49	30	800	66	38	50
47	MALE....	1,023	329	72	52	28	17	498	37	21	28
48	FEMALE..	684	195	44	29	21	13	302	29	17	22
49	WHITE.....MALE....	671	204	46	35	21	15	321	25	14	15
50	FEMALE..	470	121	30	24	15	11	201	24	14	16
51	NEGRO.....MALE....	328	111	23	15	6	2	157	12	6	12
52	FEMALE..	193	66	13	5	5	2	91	4	3	6
53	OTHER RACES..MALE....	24	14	3	2	1	-	20	-	1	1
54	FEMALE..	21	8	1	-	1	-	10	1	-	-
55	HEREDITARY NEUROMUSCULAR DISORDERS.....330	680	96	18	9	4	4	131	16	55	142
56	MALE....	498	57	8	5	3	3	76	6	50	137
57	FEMALE..	182	39	10	4	1	1	55	10	5	5
58	WHITE.....MALE....	458	54	7	5	3	3	72	6	45	132
59	FEMALE..	163	36	7	4	1	-	48	7	4	5
60	NEGRO.....MALE....	38	3	1	-	-	-	4	-	5	5
61	FEMALE..	19	3	3	-	-	1	7	3	1	-
62	OTHER RACES..MALE....	2	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	MULTIPLE SCLEROSIS.....340	1,647	1	-	-	-	1	2	1	3	14
65	MALE....	665	1	-	-	-	1	2	-	2	5
66	FEMALE..	982	-	-	-	-	-	-	1	1	9
67	WHITE.....MALE....	618	1	-	-	-	-	1	-	1	5
68	FEMALE..	396	-	-	-	-	-	-	1	-	9
69	NEGRO.....MALE....	47	-	-	-	-	-	-	-	1	-
70	FEMALE..	83	-	-	-	-	1	1	-	1	-
71	OTHER RACES..MALE....	2	-	-	-	-	-	-	-	-	-
72	FEMALE..	3	-	-	-	-	-	-	-	-	-
73	PARALYSIS AGITANS.....342	3,193	-	-	-	-	-	-	-	-	-
74	MALE....	1,699	-	-	-	-	-	-	-	-	-
75	FEMALE..	1,494	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE....	1,638	-	-	-	-	-	-	-	-	-
77	FEMALE..	1,451	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	59	-	-	-	-	-	-	-	-	-
79	FEMALE..	39	-	-	-	-	-	-	-	-	-
80	OTHER RACES..MALE....	2	-	-	-	-	-	-	-	-	-
81	FEMALE..	4	-	-	-	-	-	-	-	-	-
82	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	649	47	33	24	28	22	154	86	82	86
83	MALE....	372	28	24	11	18	6	87	42	48	50
84	FEMALE..	277	19	9	13	10	16	67	44	34	36
85	WHITE.....MALE....	318	20	20	7	15	5	67	36	42	41
86	FEMALE..	217	10	4	9	8	14	45	34	28	28
87	NEGRO.....MALE....	51	8	4	4	2	1	19	5	6	8
88	FEMALE..	57	9	5	4	2	2	22	8	6	8
89	OTHER RACES..MALE....	3	-	-	-	1	-	1	1	-	1
90	FEMALE..	3	-	-	-	-	-	-	2	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
10	6	3	10	8	23	22	23	34	32	40	34	28	15	10	2	-	-	01	
4	3	3	2	5	6	13	8	17	12	16	12	10	3	3	1	-	-	02	
6	3	-	8	3	17	9	15	17	20	24	22	18	12	5	1	-	-	03	
2	1	1	-	2	6	10	6	15	11	14	12	9	3	4	1	-	-	04	
2	2	5	3	16	7	14	14	15	18	24	21	17	12	4	1	-	-	05	
2	2	2	2	3	-	3	2	2	1	2	-	-	-	1	-	-	-	06	
3	1	-	3	-	1	2	1	2	2	-	1	1	-	1	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	08	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09	
74	92	180	356	498	643	562	537	433	310	120	46	21	7	-	1	-	3	10	
61	71	127	269	344	486	433	413	371	246	100	42	18	6	-	-	-	2	11	
13	21	53	87	154	157	129	124	62	64	20	4	3	1	-	1	-	1	12	
31	31	53	146	199	320	332	334	320	207	83	38	13	6	-	-	-	-	13	
7	2	22	38	87	104	105	96	52	54	15	3	3	1	-	1	-	-	14	
27	39	70	115	135	154	99	73	45	35	14	4	5	-	-	-	-	2	15	
6	14	24	43	62	40	22	28	10	7	3	1	1	-	-	-	-	1	16	
3	1	4	8	10	12	2	6	6	4	3	-	-	-	-	-	-	-	17	
-	5	7	6	5	13	2	6	-	3	2	-	-	-	-	-	-	-	18	
73	50	26	26	19	27	28	30	48	55	96	139	155	129	48	18	1	-	19	
61	38	18	10	12	15	19	24	31	33	52	64	68	49	15	4	1	-	20	
12	12	8	16	7	12	9	6	17	22	44	75	87	80	33	14	-	-	21	
31	22	7	8	6	11	17	20	27	26	44	55	63	46	11	4	1	-	22	
8	7	7	7	6	11	9	4	14	21	40	68	81	75	31	14	-	-	23	
30	16	11	2	6	3	2	4	4	7	7	8	5	2	4	-	-	-	24	
4	5	1	9	1	1	-	2	3	1	4	7	6	5	2	-	-	-	25	
-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
18	11	6	5	7	12	5	10	9	4	2	4	3	1	-	1	-	-	28	
12	5	3	2	2	9	3	7	3	2	1	2	2	-	-	-	-	-	29	
6	6	3	3	5	3	2	3	6	2	1	2	1	1	-	-	-	-	30	
9	4	3	1	2	8	2	6	3	2	1	1	1	-	-	1	-	-	31	
6	4	2	2	5	2	2	2	4	2	1	2	2	1	-	-	-	-	32	
2	1	-	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-	33	
1	2	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
468	345	373	552	761	898	1,023	1,213	1,350	1,575	1,675	1,453	938	470	155	32	3	3	37	
300	206	230	307	414	487	574	696	754	870	929	739	449	186	54	8	1	1	38	
168	139	143	245	347	411	449	517	596	705	746	714	489	284	101	24	2	2	39	
239	163	166	204	292	387	471	581	683	795	858	695	426	173	51	8	1	1	40	
140	102	100	163	273	352	391	452	534	649	694	686	468	271	98	24	2	2	41	
58	41	61	101	119	98	101	107	66	70	42	20	12	3	-	-	-	-	42	
24	32	41	58	71	58	58	62	59	54	48	25	17	11	3	-	-	-	43	
3	5	3	2	3	2	2	8	5	5	2	3	3	1	-	-	-	-	44	
2	5	2	4	3	1	-	3	3	2	4	3	4	2	-	-	-	-	45	
29	14	35	37	70	67	83	94	70	83	57	54	38	18	2	1	-	1	46	
16	11	25	23	43	42	57	57	40	36	32	34	16	5	1	-	-	-	47	
13	3	10	14	27	25	26	37	30	47	25	20	22	13	1	1	-	-	48	
12	6	18	10	23	28	42	41	27	24	24	24	11	5	-	-	-	1	49	
9	2	5	10	13	16	23	23	20	33	17	15	17	10	1	1	-	-	50	
4	5	7	13	19	14	15	13	12	13	8	9	5	-	8	-	-	-	51	
4	1	4	3	12	8	3	13	10	13	7	5	4	2	-	-	-	-	52	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	1	1	2	1	-	1	-	1	1	-	1	1	-	-	-	-	-	54
75	24	9	17	12	29	29	51	30	22	19	10	7	2	-	-	-	-	55	
71	21	6	10	9	13	18	30	19	11	10	7	3	1	-	-	-	-	56	
4	3	3	7	3	16	11	21	11	11	9	6	4	1	-	-	-	-	57	
65	17	6	8	8	12	18	22	17	11	9	3	3	1	-	-	-	-	58	
4	2	3	7	3	13	10	19	11	10	9	3	4	1	-	-	-	-	59	
4	3	-	2	1	1	-	7	2	-	1	1	-	-	-	-	-	-	60	
-	1	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	
21	25	54	129	184	236	259	228	192	136	77	57	19	5	5	-	-	-	64	
7	6	21	49	69	90	105	97	84	59	37	22	6	1	3	-	-	-	65	
14	19	33	80	115	146	154	131	108	77	40	35	13	4	2	-	-	-	66	
6	6	19	42	62	84	97	92	82	53	36	21	5	1	3	-	-	-	67	
12	14	23	66	105	134	144	118	104	77	40	31	12	4	2	-	-	-	68	
1	-	2	7	6	6	8	4	2	6	1	1	1	-	-	-	-	-	69	
2	3	10	14	10	12	10	13	3	-	-	4	1	-	-	-	-	-	70	
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	71	
-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	72	
-	-	-	1	7	19	45	120	247	477	796	769	461	199	49	3	-	-	73	
-	-	-	5	10	25	64	64	141	281	447	391	228	91	15	1	-	-	74	
-	-	-	2	9	20	56	56	106	196	349	378	233	108	34	2	-	-	75	
-	-	-	5	9	23	58	58	136	275	426	379	224	87	15	1	-	-	76	
-	-	-	2	9	17	53	53	104	187	340	374	225	105	33	2	-	-	77	
-	-	-	2	1	2	5	5	5	6	21	11	4	4	-	-	-	-	78	
-	-	-	3	3	3	3	3	2	9	9	3	6	2	1	-	-	-	79	
-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	80	
-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	81	
65	36	21	16	25	27	5	12	4	5	8	7	6	2	2	-	-	-	82	
47	25	12	10	7	18	2	8	2	3	5	2	1	1	2	-	-	-	83	
18	11	9	6	18	9	3	4	2	2	3	5	5	1	1	-	-	-	84	
43	23	11	10	6	18	1	5	2	3	4	2	1	1	2	-	-	-	85	
18	6	8	6	16	8	2	4	2	2	4	4	-	-	-	-	-	-	86	
4	2	1	-	1	-	1	3	-	-	1	-	-	-	-	-	-	-	87	
-	5	1	-	2	1	1	-	-	-	1	1	-	1	-	-	-	-	88	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	90	

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
174	151	129	180	222	210	160	110	105	83	51	32	22	13	3	-	-	1	01	
108	90	90	119	143	129	99	78	63	43	32	15	12	6	2	-	-	-	02	
66	61	39	61	79	81	61	32	42	40	19	17	10	7	1	-	-	1	03	
77	67	51	67	82	80	56	53	51	36	26	12	11	5	-	-	-	-	04	
50	45	25	36	57	66	46	27	33	34	16	17	8	5	1	-	-	1	05	
29	23	37	51	61	49	42	24	12	7	6	3	1	1	2	-	-	-	06	
15	15	14	23	22	15	15	5	8	5	3	-	2	2	-	-	-	-	07	
2	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	08	
1	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	09	
-	-	-	-	2	-	-	-	-	1	4	2	1	3	1	-	-	-	10	
-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	11	
-	-	-	-	2	-	-	-	-	-	3	1	1	1	1	-	-	-	12	
-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	13	
-	-	-	-	1	-	-	-	-	-	3	1	1	1	1	-	-	-	14	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	2	5	7	9	12	9	3	1	-	-	-	19	
-	-	-	-	-	-	-	1	2	3	4	5	6	1	-	-	-	-	20	
-	-	-	-	-	-	-	1	3	4	5	7	3	2	1	-	-	-	21	
-	-	-	-	-	-	-	2	3	3	4	5	5	-	-	-	-	-	22	
-	-	-	-	-	-	-	1	3	3	4	5	3	2	1	-	-	-	23	
-	-	-	-	-	-	-	1	-	-	1	7	1	1	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	25	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	1	-	-	-	-	3	-	1	2	-	1	-	-	28	
-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	29	
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	30	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	31	
-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
6	6	3	11	9	7	14	12	16	9	11	14	4	2	1	-	-	-	37	
2	4	1	5	5	2	6	6	8	4	5	4	2	1	-	-	-	-	38	
4	2	2	6	4	5	8	6	8	5	6	10	2	1	1	-	-	-	39	
2	4	-	2	4	2	5	5	7	4	5	4	2	1	-	-	-	-	40	
4	2	1	5	3	3	8	4	5	2	4	10	1	1	1	-	-	-	41	
-	-	1	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	42	
-	-	1	1	1	2	-	2	3	3	1	-	1	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	
98	89	122	161	230	302	428	584	681	752	640	496	370	221	91	27	3	1	46	
49	49	75	91	133	182	262	355	395	429	355	258	175	76	31	6	1	-	47	
49	40	47	70	97	120	166	229	286	323	285	238	195	145	60	21	2	1	48	
34	40	61	65	102	154	229	305	359	386	322	241	164	69	31	6	1	-	49	
43	31	35	53	73	103	141	203	252	301	257	224	192	142	58	21	2	1	50	
14	8	13	25	30	26	32	46	31	38	33	17	8	6	-	-	-	-	51	
5	7	11	16	23	17	25	24	33	22	26	12	3	3	2	-	-	-	52	
1	1	1	1	1	2	1	4	5	5	5	-	3	1	-	-	-	-	53	
1	2	1	1	1	-	-	2	1	-	2	2	-	-	-	-	-	-	54	
1,116	1,654	3,113	7,023	15,463	28,069	43,575	65,708	89,953	117,882	149,786	172,022	161,689	112,952	51,887	13,525	1,992	303	55	
561	917	1,815	4,606	10,741	20,040	31,382	46,396	61,011	73,028	85,444	87,600	72,763	44,835	18,334	4,166	583	168	56	
555	737	1,298	2,417	4,722	8,029	12,193	19,312	28,942	44,854	64,342	84,432	88,926	68,117	33,553	9,359	1,409	135	57	
408	634	1,255	3,464	8,615	16,862	27,093	40,380	53,885	64,659	77,391	81,354	68,615	42,310	17,222	3,715	454	100	58	
360	475	758	1,471	3,085	5,729	9,034	15,024	23,276	37,088	57,198	78,079	84,001	64,940	31,950	8,706	1,137	86	59	
139	273	544	1,101	2,046	3,051	4,113	5,741	6,770	7,940	7,666	5,839	3,788	2,293	1,005	428	116	66	60	
188	249	523	908	1,601	2,253	3,079	4,201	5,545	7,588	6,950	6,115	4,693	3,011	1,531	629	263	46	61	
14	10	16	41	80	127	176	275	356	429	387	407	360	232	107	23	13	2	62	
7	13	17	38	36	47	80	87	121	178	194	238	232	166	72	24	9	3	63	
13	11	9	12	17	26	27	23	34	36	36	24	24	8	3	1	-	-	64	
5	3	4	4	9	15	16	15	18	15	22	9	12	5	2	-	-	-	65	
8	8	5	8	8	11	11	8	16	21	14	15	12	3	1	1	-	-	66	
2	3	3	3	4	8	13	14	17	15	20	8	12	5	2	-	-	-	67	
4	7	5	7	8	11	10	6	14	20	14	14	11	3	1	1	-	-	68	
3	1	1	1	5	6	3	1	1	1	2	1	-	-	-	-	-	-	69	
4	1	-	1	-	-	1	1	2	1	1	1	-	-	-	-	-	-	70	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
114	227	308	482	842	1,260	1,709	2,136	2,308	2,089	1,688	1,255	831	394	124	27	5	3	73	
56	114	154	238	419	609	837	1,025	1,115	928	732	508	287	147	41	7	3	2	74	
58	113	154	244	423	651	872	1,111	1,193	1,161	956	747	544	247	83	20	2	1	75	
38	79	113	190	357	554	769	944	1,029	870	687	476	269	138	38	5	3	1	76	
39	72	105	196	364	569	797	1,040	1,132	1,102	913	724	525	236	83	20	2	1	77	
15	32	39	42	56	55	61	72	74	55	42	28	16	8	3	2	-	-	78	
17	38	46	40	56	77	72	69	56	51	38	20	18	11	-	-	-	-	79	
3	3	2	6	6	7	9	12	3	3	3	4	2	1	-	-	-	-	80	
2	3	3	8	3	5	3	2	5	8	5	3	1	-	-	-	-	-	81	
34	58	73	118	261	373	495	586	608	518	375	293	196	113	43	11	1	1	82	
10	14	29	47	98	154	199	222	212	179	152	98	55	32	14	2	1	-	83	
24	44	44	71	163	219	296	364	396	339	223	195	141	81	29	9	-	-	84	
9	11	21	36	84	141	180	202	200	168	143	91	51	31	12	-	1	-	85	
16	33	34	63	142	198	276	348	374	327	216	188	136	79	29	9	-	-	86	
1	3	8	9	14	13	16	16	11	11	9	7	3	1	2	2	-	-	87	
7	9	10	7	19	18	17	15	21	10	6	5	2	-	-	-	-	-	88	
-	-	2	-	-	-	3	4	1	-	-	-	1	-	-	-	-	-	89	
1	2	-	1	2	3	3	1	1	2	1	2	-	-	-	-	-	-	90	

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
CHRONIC RHEUMATIC HEART DISEASE--CON.											
01	DISEASES OF AORTIC VALVE.....395	3,961	1	1	2	-	-	4	2	5	34
02	MALE.....	2,608	1	1	-	-	2	1	4	28	
03	FEMALE.....	1,353	-	-	2	-	-	2	1	6	
04	WHITE.....MALE.....	2,390	1	1	-	-	2	1	3	25	
05	FEMALE.....	1,235	-	-	2	-	-	2	1	5	
06	NEGRO.....MALE.....	202	-	-	-	-	-	-	-	1	
07	FEMALE.....	111	-	-	-	-	-	-	-	2	
08	OTHER RACES..MALE.....	16	-	-	-	-	-	-	-	1	
09	FEMALE.....	7	-	-	-	-	-	-	1	1	
10	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	695	-	-	-	-	-	-	1	1	2
11	MALE.....	290	-	-	-	-	-	-	1	-	2
12	FEMALE.....	405	-	-	-	-	-	-	-	1	-
13	WHITE.....MALE.....	269	-	-	-	-	-	-	1	-	1
14	FEMALE.....	378	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	17	-	-	-	-	-	-	-	-	-
16	FEMALE.....	24	-	-	-	-	-	-	-	1	-
17	OTHER RACES..MALE.....	4	-	-	-	-	-	-	-	-	1
18	FEMALE.....	3	-	-	-	-	-	-	-	-	-
19	OTHER RHEUMATIC HEART DISEASES.....393,396,398	7,134	1	-	-	1	1	3	16	33	44
20	MALE.....	2,898	1	-	-	1	-	2	8	17	27
21	FEMALE.....	4,236	-	-	-	-	1	8	8	16	17
22	WHITE.....MALE.....	2,587	1	-	-	1	2	3	3	8	21
23	FEMALE.....	3,869	-	-	-	-	-	3	3	10	10
24	NEGRO.....MALE.....	276	-	-	-	-	-	5	5	8	4
25	FEMALE.....	340	-	-	-	-	1	1	3	6	6
26	OTHER RACES..MALE.....	35	-	-	-	-	-	-	-	1	2
27	FEMALE.....	27	-	-	-	-	-	-	2	-	1
28	HYPERTENSIVE DISEASE.....400-404	26,761	4	1	1	-	1	7	7	7	18
29	MALE.....	12,618	3	-	1	-	1	5	5	1	8
30	FEMALE.....	14,343	1	1	-	-	2	2	2	6	10
31	WHITE.....MALE.....	9,618	3	-	1	-	1	5	4	1	5
32	FEMALE.....	11,348	1	-	-	-	-	1	-	4	8
33	NEGRO.....MALE.....	2,728	-	-	-	-	-	1	-	-	3
34	FEMALE.....	2,943	-	1	-	-	-	1	2	2	2
35	OTHER RACES..MALE.....	72	-	-	-	-	-	-	-	-	-
36	FEMALE.....	52	-	-	-	-	-	-	-	-	-
37	MALIGNANT HYPERTENSION.....400	1,636	-	-	-	-	1	1	2	3	6
38	MALE.....	869	-	-	-	-	1	1	1	1	3
39	FEMALE.....	767	-	-	-	-	-	-	1	2	3
40	WHITE.....MALE.....	451	-	-	-	-	1	1	1	1	1
41	FEMALE.....	398	-	-	-	-	-	-	-	1	1
42	NEGRO.....MALE.....	416	-	-	-	-	-	-	-	-	2
43	FEMALE.....	365	-	-	-	-	-	-	1	1	2
44	OTHER RACES..MALE.....	2	-	-	-	-	-	-	-	-	-
45	FEMALE.....	4	-	-	-	-	-	-	-	-	-
46	ESSENTIAL BENIGN HYPERTENSION.....401	1,277	-	1	-	-	-	1	-	-	-
47	MALE.....	499	-	-	-	-	-	-	-	-	-
48	FEMALE.....	778	-	1	-	-	-	1	-	-	-
49	WHITE.....MALE.....	372	-	-	-	-	-	-	-	-	-
50	FEMALE.....	627	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	122	-	-	-	-	-	-	-	-	-
52	FEMALE.....	147	-	1	-	-	-	1	-	-	-
53	OTHER RACES..MALE.....	5	-	-	-	-	-	-	-	-	-
54	FEMALE.....	4	-	-	-	-	-	-	-	-	-
55	HYPERTENSIVE HEART DISEASE.....402	9,811	2	-	1	-	-	3	1	1	6
56	MALE.....	3,965	2	-	1	-	-	3	-	-	3
57	FEMALE.....	5,846	-	-	-	-	-	-	1	1	3
58	WHITE.....MALE.....	2,952	2	-	1	-	-	3	-	-	2
59	FEMALE.....	4,543	-	-	-	-	-	-	-	-	3
60	NEGRO.....MALE.....	980	-	-	-	-	-	-	-	-	1
61	FEMALE.....	1,281	-	-	-	-	-	-	1	1	-
62	OTHER RACES..MALE.....	33	-	-	-	-	-	-	-	-	-
63	FEMALE.....	22	-	-	-	-	-	-	-	-	-
64	HYPERTENSIVE RENAL DISEASE.....403	6,150	2	-	-	-	-	2	2	3	2
65	MALE.....	3,384	1	-	-	-	-	1	2	-	-
66	FEMALE.....	2,766	1	-	-	-	-	1	-	3	2
67	WHITE.....MALE.....	2,775	1	-	-	-	-	1	1	-	-
68	FEMALE.....	2,258	1	-	-	-	-	1	-	3	2
69	NEGRO.....MALE.....	591	-	-	-	-	-	-	1	-	-
70	FEMALE.....	497	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE.....	18	-	-	-	-	-	-	-	-	-
72	FEMALE.....	11	-	-	-	-	-	-	-	-	-
73	HYPERTENSIVE HEART AND RENAL DISEASE.....404	7,887	-	-	-	-	-	-	2	-	4
74	MALE.....	3,701	-	-	-	-	-	-	2	-	2
75	FEMALE.....	4,186	-	-	-	-	-	-	-	-	2
76	WHITE.....MALE.....	3,068	-	-	-	-	-	-	2	-	2
77	FEMALE.....	3,522	-	-	-	-	-	-	-	-	2
78	NEGRO.....MALE.....	619	-	-	-	-	-	-	-	-	-
79	FEMALE.....	653	-	-	-	-	-	-	-	-	-
80	OTHER RACES..MALE.....	14	-	-	-	-	-	-	-	-	-
81	FEMALE.....	11	-	-	-	-	-	-	-	-	-
82	ISCHEMIC HEART DISEASE.....410-413	674,747	31	9	3	2	4	49	20	11	44
83	MALE.....	390,912	20	2	3	1	4	31	10	7	33
84	FEMALE.....	283,835	11	6	-	1	-	18	10	4	11
85	WHITE.....MALE.....	358,457	17	2	2	1	2	24	7	3	23
86	FEMALE.....	256,809	7	3	-	1	-	11	7	4	8
87	NEGRO.....MALE.....	30,472	3	1	1	-	2	7	2	4	8
88	FEMALE.....	26,164	4	3	-	-	-	7	2	-	3
89	OTHER RACES..MALE.....	1,983	-	-	-	-	-	-	1	-	2
90	FEMALE.....	862	-	-	-	-	-	-	1	-	-

SECTION 1 - GENERAL MORTALITY.

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
17	40	57	87	163	227	363	497	576	539	514	392	266	136	34	8	-	-	01
14	30	39	64	126	173	275	368	410	352	300	208	124	72	15	3	-	-	02
3	10	18	23	37	54	88	129	166	187	214	184	142	64	19	5	-	-	03
11	24	30	57	112	159	254	336	377	327	281	193	114	67	14	3	-	-	04
2	7	13	20	34	45	77	113	152	174	195	176	138	57	19	5	-	-	05
3	6	8	7	12	14	19	30	29	24	19	12	10	5	1	-	-	-	06
1	3	5	3	3	9	11	16	14	11	16	8	4	7	1	-	-	-	07
-	-	1	-	2	-	2	2	4	1	-	3	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	09
7	10	7	15	33	80	72	91	88	100	82	53	32	13	6	2	-	-	10
2	5	4	8	13	36	30	39	35	50	29	20	12	2	1	1	-	-	11
5	5	3	7	20	44	42	52	53	50	53	33	20	11	5	1	-	-	12
1	4	2	7	12	34	28	35	34	48	27	19	12	2	1	1	-	-	13
4	2	3	6	17	38	41	50	49	47	52	32	20	11	5	1	-	-	14
1	1	2	1	1	2	1	3	1	2	1	1	-	-	-	-	-	-	15
1	2	-	1	3	6	1	2	2	3	1	1	-	-	-	-	-	-	16
-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	17
-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	18
56	119	171	262	385	580	779	962	1,036	932	717	517	337	132	41	6	4	2	19
30	65	82	119	182	246	333	396	458	347	251	182	96	41	11	1	2	2	20
26	54	89	143	203	334	446	566	578	585	466	335	241	91	30	5	1	1	21
17	40	60	90	149	220	307	371	418	327	236	173	92	38	11	1	2	1	22
17	30	55	107	171	288	403	529	557	554	450	328	231	89	30	5	2	1	23
10	22	21	25	29	26	25	23	33	18	13	8	3	2	-	-	-	-	24
8	24	31	29	31	44	43	36	19	27	15	6	9	2	-	-	-	-	25
3	3	1	4	4	-	1	2	7	2	2	1	1	1	-	-	-	-	26
1	-	3	7	1	2	-	1	2	4	1	1	1	-	-	-	-	-	27
44	94	197	368	565	889	1,079	1,459	1,941	2,581	3,444	4,299	4,394	3,384	1,532	397	46	9	28
22	40	104	203	307	482	591	828	1,059	1,293	1,690	1,958	1,840	1,265	570	124	18	5	29
22	54	93	165	258	407	488	631	882	1,288	1,754	2,341	2,554	2,119	962	273	28	4	30
13	13	33	62	114	230	352	535	774	972	1,365	1,669	1,657	1,168	525	106	14	1	31
9	18	24	48	83	181	248	353	571	876	1,387	2,044	2,347	1,977	903	245	20	1	32
8	27	71	140	192	250	237	288	277	311	315	278	171	93	42	17	3	4	33
12	36	69	117	174	224	237	276	307	406	359	290	196	137	59	27	8	2	34
1	-	-	-	1	2	2	5	8	10	11	11	12	4	3	1	1	-	35
1	-	-	-	1	2	3	2	4	6	8	7	11	5	-	1	-	1	36
15	53	86	163	203	246	194	179	147	110	91	75	33	21	8	-	-	-	37
7	20	41	94	107	150	110	118	77	53	37	29	10	6	4	-	-	-	38
8	33	45	69	96	84	61	70	57	54	46	23	15	4	-	-	-	-	39
2	5	10	22	39	64	67	78	56	40	25	24	7	5	3	-	-	-	40
4	10	12	22	30	44	44	35	45	40	38	40	17	12	3	-	-	-	41
5	15	31	72	68	86	42	40	21	12	12	5	3	1	1	-	-	-	42
4	23	33	47	66	51	39	26	24	17	16	6	5	3	1	-	-	-	43
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	45
1	1	9	6	21	33	54	78	74	137	165	197	209	194	77	17	3	-	46
-	1	6	3	12	18	28	41	42	64	71	75	65	53	16	3	1	-	47
1	-	3	3	9	15	26	37	32	73	94	122	144	141	61	14	2	-	48
-	1	1	1	6	8	17	29	28	44	55	61	57	48	12	2	-	-	49
-	-	-	-	5	8	19	22	20	47	71	103	130	132	57	11	-	-	50
-	-	-	-	2	6	10	10	12	20	16	14	6	5	4	-	1	-	51
-	-	-	-	3	7	10	12	13	20	16	14	6	5	4	-	1	-	52
-	-	-	-	4	7	6	15	12	25	22	18	14	9	4	3	2	-	53
-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	54
17	17	50	108	188	331	450	670	890	1,117	1,413	1,579	1,434	1,038	385	96	12	5	55
10	10	27	53	99	165	234	355	442	520	598	591	445	283	93	27	4	3	56
7	7	23	55	89	166	216	315	448	597	815	988	989	755	292	69	8	2	57
8	4	7	20	41	86	142	221	329	391	471	491	384	252	78	19	2	1	58
1	3	3	15	24	71	114	188	298	403	643	850	907	687	271	55	7	-	59
2	6	20	32	57	79	92	131	108	124	123	95	57	27	14	8	2	2	60
5	4	20	40	65	95	101	127	147	191	169	135	77	66	21	14	1	1	61
-	-	-	-	-	-	1	-	3	5	4	5	4	4	1	-	-	-	62
-	-	-	-	-	-	1	-	3	3	3	3	5	2	-	-	-	-	63
6	16	26	55	93	160	198	262	390	530	835	1,091	1,148	833	388	99	9	2	64
3	6	14	32	55	86	117	162	240	287	489	602	630	412	199	42	5	-	65
1	10	12	23	38	74	81	100	150	243	406	489	518	421	189	57	4	2	66
2	2	5	13	18	38	59	107	181	226	346	535	571	384	187	35	5	-	67
1	4	5	6	15	34	34	49	89	171	282	438	484	401	180	53	4	1	68
1	4	9	19	37	47	58	54	58	59	81	63	55	28	10	7	-	-	69
1	6	7	17	22	39	47	51	61	70	63	50	30	20	9	3	-	-	70
1	-	-	-	-	1	1	1	1	2	2	4	4	-	2	-	-	-	71
-	-	-	-	1	-	-	-	-	2	1	1	4	-	-	-	-	-	72
5	7	26	36	60	119	183	270	440	687	940	1,357	1,570	1,298	674	185	22	2	73
2	3	16	21	34	63	102	152	258	369	495	661	690	511	258	52	8	2	74
3	4	10	15	26	56	81	118	182	318	445	696	880	787	416	133	14	-	75
2	1	8	6	10	34	67	100	180	271	408	558	638	479	245	50	7	-	76
1	1	3	5	9	24	37	59	119	215	353	613	809	745	392	126	9	-	77
-	2	8	15	24	28	35	51	77	96	83	101	50	32	15	2	-	-	78
2	3	7	10	17	32	44	57	63	103	89	81	70	39	24	7	5	-	79
-	-	-	-	-	-	-	-	-	2	4	2	2	-	-	-	1	-	80
-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	81
132	356	1,157	3,676	9,701	18,857	30,695	47,203	64,372	82,148	100,779	110,857	99,225	66,386	30,055	7,735	1,098	191	82
87	262	855	2,932	7,495	15,114	24,094	35,581	46,008	53,227	59,497	58,423	46,197	27,150	10,843	2,527	322	117	83
45	94	302	744	2,006	3,743	6,601	11,622	18,364	28,921	41,282	52,434	39,236	19,212	5,308	1,176	776	74	84
55	188	655	2,386	6,572	13,259	21,495	31,913	41,691	48,244	54,860	54,878	43,828	25,666	10,199	2,179	255	77	85
29	63	168	442	1,298	2,679	4,990	9,271	15,159	24,620	37,356	48,898	50,331	37,492	18,340	4,952	639	52	86
28	73	194	517	1,075	1,765	2,475	3,476	4,090	4,691	4,387	3,283	2,153	1,332	581	233	60	38	87
16	30	131	290	697	1,046	1,570	2,300	3,126	4,189	3,826	3,400	2,558	1,648	829	342	132	22	88

SECTION I - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15	37	154	388	1,100	2,121	3,553	5,813	8,077	10,775	12,590	13,402	10,865	6,334	2,396	510	50	17	01
8	21	76	229	663	1,325	2,235	3,530	4,713	5,509	5,803	5,339	3,859	1,955	660	135	13	6	02
7	16	78	159	437	796	1,318	2,283	3,364	5,266	6,787	8,063	7,006	4,379	1,736	375	37	11	03
3	5	37	118	412	915	1,676	2,747	3,803	4,478	4,913	4,738	3,490	1,743	568	104	12	4	04
5	4	21	56	179	423	777	1,491	2,423	4,076	5,762	7,224	6,464	4,055	1,596	325	18	5	05
5	16	39	109	244	393	538	754	865	984	842	559	337	196	84	30	1	2	06
2	12	57	99	253	368	524	777	916	1,159	1,003	815	526	307	134	48	18	6	07
-	-	-	2	7	17	21	29	45	47	48	42	32	16	8	1	-	-	08
-	-	-	4	5	5	17	15	25	31	22	24	16	17	6	2	1	-	09
117	319	1,003	3,288	8,601	16,736	27,142	41,390	56,295	71,373	88,189	97,455	88,360	60,052	27,659	7,225	1,048	174	10
79	241	779	2,703	7,032	13,789	21,859	32,051	41,295	47,718	53,694	53,084	42,338	25,195	10,183	2,292	309	111	11
38	78	224	585	1,569	2,947	5,283	9,339	15,000	23,655	34,495	44,371	46,022	34,857	17,476	4,933	739	63	12
52	183	618	2,268	6,160	12,344	19,819	29,166	37,888	43,766	49,947	50,140	40,338	23,923	9,631	2,075	243	73	13
24	59	147	386	1,119	2,256	4,213	7,780	12,736	20,544	31,594	41,674	43,867	33,437	16,744	4,627	621	47	14
23	57	155	408	831	1,372	1,937	2,722	3,225	3,707	3,545	2,724	1,816	1,136	497	203	59	36	15
14	18	74	191	444	678	1,046	1,523	2,210	3,030	2,823	2,585	2,032	1,341	695	294	114	16	16
4	1	6	27	41	73	103	163	182	245	202	220	184	136	55	14	7	2	17
-	1	3	8	6	13	24	36	54	81	78	112	123	79	37	12	4	-	18
96	257	842	2,771	7,209	13,936	22,096	33,102	43,006	51,821	57,851	57,011	43,301	24,453	9,240	2,176	266	106	19
60	188	650	2,263	5,869	11,519	17,849	25,709	31,678	34,854	35,710	32,027	21,811	11,087	3,752	771	101	69	20
36	69	192	508	1,340	2,417	4,247	7,393	11,328	16,967	22,141	24,984	21,490	13,366	5,488	1,405	165	37	21
40	146	518	1,906	5,216	10,457	16,403	23,775	29,512	32,466	33,739	30,548	20,888	10,555	3,511	679	79	43	22
23	52	130	332	958	1,908	3,493	6,315	9,902	15,113	20,545	23,650	20,527	12,823	5,245	1,293	132	26	23
18	41	128	337	626	1,005	1,372	1,810	2,037	2,230	1,853	1,353	828	474	220	85	20	25	24
13	16	60	167	380	500	726	1,046	1,392	1,799	1,536	1,266	907	513	234	108	32	11	25
2	1	4	20	27	57	74	124	129	158	118	126	95	58	21	7	2	1	26
-	1	2	9	2	9	28	32	34	55	60	68	56	30	9	4	1	-	27
2	8	16	45	131	223	329	427	523	600	679	604	526	339	179	42	4	2	28
1	6	11	33	107	171	245	318	373	408	437	343	263	130	74	12	3	2	29
1	2	5	12	24	52	84	109	150	192	242	263	209	105	30	1	-	-	30
-	4	9	19	80	140	199	255	303	340	385	309	243	117	68	10	1	1	31
-	1	3	6	15	33	52	86	108	147	205	235	244	195	93	25	1	-	32
-	2	2	14	25	30	43	61	67	66	50	31	19	10	5	2	2	1	33
-	1	2	6	9	19	32	22	39	44	37	24	17	12	10	5	-	-	34
-	-	-	-	2	1	3	2	2	2	2	2	1	3	1	-	-	-	35
-	-	-	-	-	-	-	1	3	1	-	3	-	-	-	-	-	-	36
33	91	299	856	2,356	4,689	8,264	13,658	20,817	29,690	42,215	53,210	55,366	41,578	20,628	5,514	828	83	37
26	68	194	633	1,717	3,418	5,994	9,543	13,938	17,938	23,332	26,038	24,107	15,925	7,014	1,644	218	46	38
23	71	205	639	1,711	3,411	5,994	9,543	13,938	17,938	23,332	26,038	24,107	15,925	7,014	1,644	218	46	38
15	38	128	459	1,275	2,657	4,888	7,873	11,859	15,412	20,723	24,007	22,682	14,987	6,617	1,490	175	33	40
5	10	35	104	324	737	1,445	2,867	5,144	9,350	16,591	24,997	29,543	24,467	12,997	3,631	506	26	41
9	30	64	165	423	729	1,059	1,604	1,984	2,394	2,479	1,898	1,305	847	356	146	38	12	42
2	13	69	116	306	525	812	1,230	1,693	2,346	2,252	2,110	1,633	1,122	585	229	100	11	43
-	-	2	9	19	32	47	66	95	132	130	133	120	91	41	8	5	1	44
-	-	1	3	9	9	13	18	42	56	40	65	83	64	32	10	4	-	45
1	-	-	4	5	9	6	16	26	37	34	32	32	16	8	3	-	-	46
-	-	-	3	2	6	6	11	19	27	18	15	16	8	3	-	-	-	47
-	-	-	1	3	3	3	5	7	10	16	17	16	8	5	3	-	-	48
-	-	-	2	1	5	5	10	17	26	13	14	15	7	3	-	-	-	49
-	-	-	1	1	1	1	3	5	10	15	16	15	7	5	3	-	-	50
-	-	-	1	1	1	1	1	1	1	5	1	1	1	1	-	-	-	51
-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	52
-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	53
-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	54
265	273	380	600	978	1,614	1,529	2,702	3,198	3,650	4,273	4,766	4,535	3,376	1,665	458	99	21	55
151	167	205	329	609	1,025	1,271	1,791	2,088	2,222	2,514	2,450	2,135	1,382	599	153	26	10	56
114	106	175	271	369	589	658	911	1,110	1,428	1,759	2,316	2,400	1,994	1,066	305	73	11	57
118	114	122	227	412	780	972	1,404	1,650	1,768	2,083	2,134	1,946	1,273	551	133	15	5	58
77	69	101	154	224	410	460	665	807	1,052	1,450	2,046	2,184	1,869	980	277	49	5	59
32	51	81	99	191	238	287	376	424	438	421	304	178	103	43	20	11	5	60
36	35	70	114	142	176	192	241	301	371	303	267	211	117	85	27	24	5	61
1	2	2	3	6	7	12	11	14	16	10	12	11	6	5	-	-	-	62
-	1	4	3	3	3	6	5	2	5	6	3	5	8	1	1	-	1	63
27	26	26	36	41	56	49	53	46	38	38	43	35	28	8	6	1	-	64
14	14	9	19	28	26	25	22	29	22	22	24	20	12	3	-	-	-	65
13	12	17	17	13	30	24	31	17	16	16	19	15	16	5	6	1	-	66
14	7	7	18	17	24	19	18	25	18	21	19	20	10	3	-	-	-	67
7	10	13	11	8	23	22	28	15	14	16	17	14	15	5	1	-	-	68
-	7	2	11	2	2	6	3	4	4	1	4	-	2	-	-	-	-	69
-	2	4	6	5	7	2	3	2	2	2	2	1	1	-	-	-	-	70
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
19	17	21	21	28	59	50	84	69	72	73	53	31	20	5	-	-	-	73
12	10	14	12	18	40	39	47	51	48	46	24	18	7	1	-	-	-	74
7	7	7	9	10	19	11	37	18	24	27	29	13	4	-	-	-	-	75
9	7	8	8	12	28	34	38	47	43	42	21	18	7	-	-	-	-	76
5	6	5	6	6	14	9	32	17	21	26	28	12	3	-	-	-	-	77
3	3	6	4	6	12	3	5	3	5	3	2	-	-	-	-	-	-	78
2	2	2	3	4	5	2	5	1	1	1	1	-	-	-	-	-	-	79
-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
2	9	7	9	18	49	48	92	109	152	175	224	199	150	75	11	2	-	82
1	5	5	8	11	27	26	54											

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER FORMS OF HEART DISEASE--CON. CHRONIC DISEASE OF ENDOCARDIUM--CON.											
01	OF MITRAL VALVE, NONRHEUMATIC.....424.0	81	-	-	-	-	-	-	-	-	-
02	MALE.....	28	-	-	-	-	-	-	-	-	-
03	FEMALE.....	53	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE.....	28	-	-	-	-	-	-	-	-	-
05	FEMALE.....	53	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
07	FEMALE.....	-	-	-	-	-	-	-	-	-	-
08	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	OF AORTIC VALVE, NONRHEUMATIC.....424.1	277	-	-	-	1	-	1	-	-	-
11	MALE.....	162	-	-	-	1	-	1	-	-	-
12	FEMALE.....	115	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	147	-	-	-	1	-	1	-	-	-
14	FEMALE.....	106	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	15	-	-	-	-	-	-	-	-	-
16	FEMALE.....	9	-	-	-	-	-	-	-	-	-
17	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	987	2	3	-	-	-	5	1	3	4
20	MALE.....	482	2	2	-	-	-	4	1	1	1
21	FEMALE.....	505	-	1	-	-	-	1	-	2	3
22	WHITE.....MALE.....	406	1	2	-	-	-	3	1	1	1
23	FEMALE.....	446	-	1	-	-	-	1	-	2	3
24	NEGRO.....MALE.....	72	1	-	-	-	-	1	-	1	-
25	FEMALE.....	58	-	-	-	-	-	-	-	-	-
26	OTHER RACES..MALE.....	4	-	-	-	-	-	-	-	-	-
27	FEMALE.....	1	-	-	-	-	-	-	-	-	-
28	SYMPTOMATIC HEART DISEASE.....427	16,851	220	45	15	14	15	309	54	50	83
29	MALE.....	8,638	125	19	5	10	10	149	25	30	37
30	FEMALE.....	8,213	95	26	10	4	5	140	29	20	46
31	WHITE.....MALE.....	7,186	87	11	4	8	9	119	21	24	28
32	FEMALE.....	6,819	49	15	6	3	4	81	24	13	31
33	NEGRO.....MALE.....	1,399	37	8	1	2	1	49	4	6	8
34	FEMALE.....	1,361	44	6	4	1	1	56	5	6	15
35	OTHER RACES..MALE.....	53	1	-	-	-	-	1	-	-	1
36	FEMALE.....	33	2	1	-	-	-	3	-	1	-
37	OTHER MYOCARDIAL INSUFFICIENCY.....428	6,491	37	15	6	4	2	64	8	21	29
38	MALE.....	3,188	19	3	4	2	-	29	7	11	23
39	FEMALE.....	3,303	18	12	2	1	2	35	1	10	6
40	WHITE.....MALE.....	2,657	12	2	1	-	-	15	6	9	16
41	FEMALE.....	2,817	9	6	2	1	2	20	1	9	4
42	NEGRO.....MALE.....	515	7	1	3	3	-	14	1	2	6
43	FEMALE.....	474	8	6	-	-	-	14	-	1	2
44	OTHER RACES..MALE.....	16	-	-	-	-	-	-	-	-	1
45	FEMALE.....	12	1	-	-	-	-	1	-	-	-
46	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	9,808	77	15	9	11	7	119	33	41	67
47	MALE.....	6,431	39	6	5	7	5	62	17	19	41
48	FEMALE.....	3,377	38	9	4	4	2	57	16	22	26
49	WHITE.....MALE.....	5,064	28	4	4	2	4	42	12	13	33
50	FEMALE.....	2,496	31	4	2	4	2	43	14	19	20
51	NEGRO.....MALE.....	1,328	11	2	1	5	1	20	5	6	8
52	FEMALE.....	864	7	5	2	-	-	14	2	3	6
53	OTHER RACES..MALE.....	39	-	-	-	-	-	-	-	-	-
54	FEMALE.....	17	-	-	-	-	-	-	-	-	-
55	CEREBROVASCULAR DISEASES.....430-438	211,390	177	50	30	23	22	302	109	169	242
56	MALE.....	96,701	97	22	18	10	11	158	60	89	123
57	FEMALE.....	114,689	80	28	12	13	11	144	49	80	119
58	WHITE.....MALE.....	83,602	72	18	11	8	7	116	49	75	94
59	FEMALE.....	100,468	57	22	9	11	9	108	39	70	91
60	NEGRO.....MALE.....	12,464	24	4	7	1	4	40	10	14	23
61	FEMALE.....	13,787	20	6	2	2	2	32	10	9	28
62	OTHER RACES..MALE.....	635	1	-	-	1	-	2	1	-	6
63	FEMALE.....	434	3	-	1	-	-	4	-	1	-
64	WITH HYPERTENSION (BENIGN) (.0).....	27,739	3	1	-	1	1	6	2	4	7
65	MALE.....	11,966	1	-	-	-	1	2	1	1	5
66	FEMALE.....	15,773	2	1	-	1	-	4	1	3	2
67	WHITE.....MALE.....	9,244	1	-	-	-	-	1	1	1	4
68	FEMALE.....	12,534	1	1	-	1	-	3	1	3	1
69	NEGRO.....MALE.....	2,607	-	-	-	-	-	1	-	-	1
70	FEMALE.....	3,154	1	-	-	-	1	1	-	-	1
71	OTHER RACES..MALE.....	115	-	-	-	-	-	1	-	-	-
72	FEMALE.....	85	-	-	-	-	-	-	-	-	-
73	WITHOUT MENTION OF HYPERTENSION (.9).....	183,651	174	49	30	22	21	296	107	165	235
74	MALE.....	84,735	96	22	18	10	10	156	59	88	118
75	FEMALE.....	98,916	78	27	12	12	11	140	48	77	117
76	WHITE.....MALE.....	74,358	71	18	11	8	7	115	48	74	90
77	FEMALE.....	87,934	56	21	9	10	9	105	38	67	90
78	NEGRO.....MALE.....	9,857	24	4	7	1	3	39	10	14	22
79	FEMALE.....	10,633	19	6	2	2	2	31	10	9	27
80	OTHER RACES..MALE.....	520	1	-	-	1	-	2	1	-	6
81	FEMALE.....	349	3	-	1	-	-	4	-	1	-
82	SUBARACHNOID HEMORRHAGE.....430	9,467	29	7	2	2	6	46	28	73	102
83	MALE.....	4,027	17	5	1	-	3	26	13	34	48
84	FEMALE.....	5,440	12	2	1	2	3	20	15	39	54
85	WHITE.....MALE.....	3,318	12	4	1	-	3	20	11	28	36
86	FEMALE.....	4,465	8	1	1	2	3	15	13	34	39
87	NEGRO.....MALE.....	661	5	1	-	-	-	6	2	6	9
88	FEMALE.....	922	2	1	-	-	-	3	2	4	15
89	OTHER RACES..MALE.....	48	-	-	-	-	-	-	-	-	3
90	FEMALE.....	53	2	-	-	-	-	2	-	1	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	4	2	5	6	9	7	10	17	11	10	-	-	01	
-	-	-	-	-	3	1	3	3	3	3	4	3	3	2	-	-	02	
-	-	-	-	-	1	1	2	3	6	4	6	14	8	8	-	-	03	
-	-	-	-	-	3	1	3	3	3	3	4	3	3	2	-	-	04	
-	-	-	-	-	1	1	2	3	6	4	6	14	8	8	-	-	05	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09	
1	-	-	1	1	2	7	23	23	33	55	57	33	27	12	1	-	10	
1	-	-	1	1	6	15	15	18	20	42	31	13	9	3	-	-	11	
-	-	-	-	-	1	1	8	5	13	13	20	20	18	9	1	-	12	
1	-	-	1	1	4	14	15	15	16	38	30	13	9	3	-	-	13	
-	-	-	-	-	1	7	7	4	11	12	25	19	17	9	1	-	14	
-	-	-	-	-	-	2	1	3	4	4	1	-	-	-	-	-	15	
-	-	-	-	-	-	1	1	1	2	1	1	1	1	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
1	9	7	8	17	43	39	64	80	110	113	157	149	112	53	10	2	19	
-	5	5	7	10	23	19	36	53	61	51	75	70	42	15	3	-	20	
1	4	2	1	7	20	26	28	27	49	62	82	79	70	38	7	2	21	
-	3	4	6	8	17	12	28	44	50	41	70	62	40	14	2	-	22	
1	3	2	1	6	19	17	21	21	43	55	73	73	62	36	5	2	23	
-	1	-	1	2	6	7	8	9	11	8	5	8	2	1	1	-	24	
-	1	-	-	1	1	3	7	6	6	1	8	7	8	2	2	-	25	
-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	27	
87	93	132	212	356	542	730	1,063	1,418	1,716	2,150	2,506	2,438	1,787	821	233	55	16	28
45	51	69	95	194	334	432	639	839	976	1,175	1,256	1,119	740	305	88	15	5	29
42	42	63	117	162	208	298	424	579	740	975	1,250	1,319	1,047	516	145	40	11	30
37	38	39	63	129	258	328	494	651	783	981	1,111	1,021	683	283	82	10	3	31
29	26	37	75	95	147	200	303	424	548	810	1,115	1,222	990	480	137	27	5	32
8	12	29	31	62	73	101	143	181	185	189	139	94	53	19	6	5	2	33
12	16	23	41	66	60	95	118	154	188	163	134	94	54	35	8	13	5	34
-	1	1	1	3	3	3	2	7	8	5	6	4	4	3	-	-	-	35
1	-	3	1	1	3	3	3	1	4	2	1	3	3	1	-	-	1	36
43	36	58	83	116	221	229	368	420	544	687	939	997	900	548	148	31	7	37
22	28	26	43	69	126	135	249	274	307	394	443	434	347	170	43	7	1	38
21	8	32	40	47	95	94	119	146	237	293	496	563	553	378	105	24	-	39
15	19	17	31	45	108	201	216	231	333	386	400	322	155	32	4	1	40	
16	6	18	18	33	78	76	94	104	169	252	443	505	517	342	96	16	-	41
6	9	9	12	23	30	26	47	57	75	61	54	31	24	14	11	3	-	42
5	2	14	20	14	16	18	25	41	68	39	53	57	33	36	8	8	-	43
1	-	-	-	1	1	1	1	1	1	3	3	3	1	1	-	-	-	44
-	-	-	2	-	1	-	-	1	-	2	-	1	3	-	1	-	-	45
87	92	136	239	419	687	823	1,042	1,136	1,128	1,150	1,001	835	491	208	60	10	4	46
57	59	82	152	289	472	614	780	821	785	781	593	458	222	100	19	4	4	47
30	33	54	87	130	215	209	262	315	343	369	408	377	269	108	41	6	-	48
42	40	47	100	200	354	466	608	649	624	624	409	409	199	90	17	1	1	49
19	18	26	43	74	127	135	178	219	240	275	339	325	247	97	33	3	-	50
15	19	35	51	87	115	142	166	167	154	155	99	45	22	9	2	3	3	51
11	14	27	44	52	87	71	82	96	102	92	68	51	20	11	8	3	-	52
-	-	-	1	2	3	6	6	5	7	2	1	4	1	1	-	-	-	53
-	1	1	-	2	1	3	2	-	1	2	1	1	2	-	-	-	-	54
336	442	713	1,354	2,541	4,037	6,094	8,938	13,076	20,218	29,658	38,623	39,721	28,668	12,527	3,126	428	68	55
167	247	341	628	1,252	2,002	3,264	4,996	7,386	10,841	15,082	17,828	16,435	10,599	4,178	906	120	29	56
169	225	372	726	1,289	2,035	2,830	3,942	5,690	9,377	14,576	20,795	23,286	18,069	8,349	2,220	308	39	57
125	155	218	409	822	1,353	2,392	3,743	5,820	8,793	13,040	16,213	15,380	9,965	3,903	795	90	12	58
116	159	223	446	824	1,418	1,577	2,836	4,214	7,201	12,492	18,994	21,862	17,190	7,909	2,042	233	24	59
39	58	118	217	419	587	849	1,209	1,497	1,961	1,957	1,524	963	581	249	107	25	17	60
50	59	142	270	451	599	832	1,085	1,451	2,138	2,022	1,730	1,365	837	419	173	71	14	61
3	4	5	2	11	22	23	44	69	87	85	91	92	53	26	4	5	-	62
3	7	7	10	14	18	21	21	25	38	62	71	59	42	21	5	4	1	63
19	40	99	278	606	1,072	1,697	2,227	2,928	3,707	4,364	4,333	3,564	1,978	658	136	7	7	64
8	19	55	129	307	532	886	1,166	1,561	1,794	1,932	1,626	1,178	563	163	33	1	4	65
11	21	44	149	299	540	811	1,061	1,367	1,913	2,432	2,707	2,386	1,415	495	103	6	3	66
3	8	21	56	170	311	611	798	1,170	1,375	1,590	1,415	1,047	506	134	20	1	1	67
3	10	13	55	157	300	490	690	943	1,394	2,021	2,414	2,192	1,315	443	84	1	1	68
7	10	33	72	137	216	271	355	372	399	328	198	119	47	27	13	-	3	69
-	9	31	94	139	238	311	360	418	515	396	278	185	96	50	18	5	2	70
-	1	1	1	-	5	4	13	19	20	14	13	12	10	2	-	-	-	71
1	2	-	-	3	2	10	11	6	4	15	15	9	4	2	1	-	-	72
317	402	614	1,076	1,935	2,965	4,397	6,711	10,148	16,511	25,254	34,290	36,157	26,690	11,869	2,990	421	61	73
159	198	286	499	945	1,470	2,372	3,830	5,825	9,047	13,150	16,202	15,257	10,036	4,015	873	119	25	74
158	204	328	577	990	1,495	2,019	2,881	4,323	7,464	12,144	18,088	20,900	16,654	7,854	2,117	302	36	75
122	147	197	353	652	1,082	1,781	2,945	4,650	7,418	11,450	14,798	14,333	9,459	3,769	775	89	11	76
113	149	210	391	667	1,118	1,487	2,146	3,271	5,807	10,471	16,580	19,670	15,875	7,466	1,958	232	23	77
34	48	85	145	282	371	578	854	1,125	1,562	1,629	1,326	844	534	222	94	25	14	78
43	50	111	176	312	361	521	725	1,033	1,623	1,626	1,452	1,180	741	369	155	66	12	79
3	3	4	1	11	17	19	31	50	67	71	78	80	43	24	4	5	-	80
2	5	7	10	11	16	11	10	19	34	47	56	50	38	19	4	4	1	81
167	240	371	606	940	1,249	1,257	1,118	915	798	601	487	276	139	42	7	-	5	82
79	109	162	256	409	509	522	491	407	350	260	194	97	55	12	1	-	2	83
88	131	209	350	531	749	735	627	508	448	341	293	179	84	30	6	-	3	84
63	85	124	198	322	409	423	412	344	295	220	177	89	49	11	-	-	2	85
60	94	147	235	398	615	614	538	437	380	313	258	161	77	29	5	-	3	86
15	22	37	58	86	81	95	71	53	50	40	16	7	5	1	1	-	-	87
27	35	60	109	126	124													

SECTION 1 - GENERAL MORTALITY

1-179

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
92	112	216	451	914	1,492	2,280	3,150	4,078	5,356	6,769	7,802	7,187	4,546	1,796	427	48	19
52	61	118	235	495	800	1,277	1,788	2,334	2,846	3,412	3,604	2,960	1,685	581	131	16	7
40	51	98	216	419	692	1,003	1,362	1,744	2,510	3,357	4,198	4,227	2,861	1,215	296	32	12
35	40	65	126	276	520	747	1,328	1,889	2,329	2,979	3,285	2,782	1,584	537	110	9	2
27	36	43	119	234	455	691	994	1,333	1,995	2,913	3,863	3,954	2,712	1,140	272	19	9
15	20	50	107	212	272	324	437	422	488	413	301	160	92	38	21	6	5
12	12	51	95	180	230	308	359	403	505	428	322	261	142	70	24	12	3
2	1	3	2	7	8	6	23	23	29	20	18	18	9	6	1	1	08
1	3	4	2	5	7	4	9	8	10	16	13	12	7	5	-	1	09
15	14	25	56	161	357	738	1,515	2,946	5,355	8,848	12,366	13,034	9,415	4,223	1,070	145	18
7	8	10	26	89	199	447	899	1,748	2,907	4,579	5,765	5,366	3,385	1,382	307	36	10
8	6	15	30	72	158	291	616	1,198	2,448	4,269	6,601	7,668	6,030	2,841	763	109	8
6	6	4	17	60	143	325	683	1,408	2,429	4,009	5,261	5,033	3,204	1,300	276	30	5
6	6	10	23	49	95	201	428	881	1,877	3,696	6,061	7,247	5,760	2,697	715	89	5
1	2	9	29	55	116	215	325	555	458	574	305	164	74	30	5	5	15
2	-	5	6	23	62	87	187	311	561	557	518	407	262	140	45	20	2
-	-	-	-	-	1	6	1	15	20	15	30	28	17	8	1	1	17
-	-	-	1	-	1	3	1	6	10	16	22	14	8	4	3	-	1
1	1	5	8	9	17	35	64	87	121	170	209	197	148	48	10	2	-
-	-	1	1	6	10	18	45	41	70	80	86	83	58	16	1	-	-
1	1	4	7	3	7	17	19	46	51	90	123	114	90	32	9	2	-
1	1	5	1	5	8	17	40	38	65	69	83	79	53	15	1	-	-
1	1	4	5	3	6	13	17	37	39	80	114	108	87	31	9	1	-
-	-	-	-	1	2	1	4	3	5	10	3	4	5	1	-	-	-
-	-	-	2	-	1	4	2	8	12	10	9	6	3	1	-	1	-
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5	11	11	31	58	92	183	283	363	445	548	529	351	208	65	15	-	-
2	5	5	13	25	66	129	198	238	280	330	280	173	73	23	6	-	-
3	6	5	18	33	26	54	85	125	165	218	249	178	135	42	9	-	-
2	3	3	10	29	53	110	174	214	243	305	268	165	70	22	6	-	-
3	5	3	14	15	24	46	74	104	146	201	239	173	128	41	8	-	-
-	2	3	3	5	12	19	21	21	36	23	12	7	3	1	-	-	-
-	1	2	3	8	8	10	21	19	15	8	4	7	1	1	-	-	-
-	-	-	-	1	1	-	3	3	1	2	-	1	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	2	2	1	-	-	-	-	-
19	37	52	159	365	698	1,301	2,247	3,543	5,710	8,538	10,648	11,026	8,016	3,379	832	119	21
11	19	28	73	165	353	699	1,242	1,974	3,082	4,314	4,871	4,619	3,069	1,190	259	37	9
8	18	24	86	200	343	602	1,005	1,569	2,628	4,224	5,777	6,407	4,947	2,189	573	82	12
5	12	11	38	96	207	448	855	1,418	2,340	3,590	4,325	4,264	2,832	1,097	220	24	3
5	9	7	37	92	178	325	624	1,047	1,860	3,449	5,152	5,910	4,659	2,043	502	55	6
3	7	16	35	68	146	244	380	542	716	689	520	327	220	89	37	11	6
6	8	16	49	106	165	272	377	515	758	602	478	272	139	70	27	6	4
-	1	1	-	2	2	7	7	14	26	35	26	28	17	4	2	2	-
-	1	1	-	1	-	5	4	7	10	22	23	19	16	7	1	-	-
37	27	33	43	94	132	300	561	1,144	2,433	4,184	6,582	7,650	6,196	2,974	765	114	5
19	15	16	24	53	72	172	333	644	1,306	2,107	3,028	3,137	2,274	974	201	31	1
18	12	17	19	41	60	128	228	500	1,127	2,077	3,554	4,513	3,922	2,000	564	83	4
14	9	11	19	34	53	122	251	509	1,092	1,868	2,814	2,968	2,173	921	182	27	-
14	8	9	13	33	45	87	161	375	904	1,840	3,307	4,309	3,767	1,928	531	69	1
5	5	5	5	18	19	50	81	131	208	227	198	153	92	45	18	3	1
-	3	3	6	8	15	40	66	123	218	232	238	192	145	67	32	11	3
-	1	-	-	1	-	-	1	4	6	12	16	16	9	8	1	1	5
1	1	-	-	-	-	1	1	2	5	5	9	12	10	5	1	3	54
81	87	123	204	365	648	1,114	1,895	3,377	4,998	7,272	9,602	11,089	9,621	5,586	1,697	306	6
37	54	65	123	227	391	783	1,364	2,393	3,349	4,589	5,153	4,986	3,839	1,946	522	92	2
44	33	58	81	138	257	331	531	984	1,649	2,783	4,449	6,103	5,782	3,640	1,175	214	4
29	42	50	98	176	327	663	1,188	2,117	3,021	4,215	4,830	4,719	3,679	1,859	476	75	2
31	25	47	53	107	196	249	411	795	1,357	2,489	4,123	5,803	5,547	3,509	1,117	187	2
8	12	14	25	46	62	116	169	257	313	352	297	247	145	77	44	17	-
13	8	11	27	29	61	78	114	186	286	315	286	221	125	55	27	2	61
-	-	1	5	2	4	7	19	15	22	26	20	15	10	2	-	-	62
-	-	1	-	-	4	6	3	6	11	11	11	14	14	6	3	-	-
-	4	5	6	36	72	196	372	866	1,716	3,245	5,463	7,658	7,437	4,719	1,488	276	4
-	3	3	3	22	38	123	241	524	968	1,756	2,645	3,257	2,906	1,618	451	85	-
-	1	2	3	14	34	73	131	342	748	1,489	2,818	4,401	4,531	3,101	1,037	191	4
-	2	2	2	18	28	98	199	424	789	1,545	2,448	3,072	2,781	1,553	415	69	-
-	-	2	2	11	25	53	89	253	593	1,309	2,597	4,181	4,367	3,002	995	167	2
-	1	-	1	4	10	25	41	97	172	203	184	174	113	58	35	16	-
-	1	-	1	3	9	20	40	88	151	174	216	213	154	97	40	24	2
-	-	-	-	-	-	-	-	-	1	3	7	13	11	7	1	-	-
-	-	-	-	-	-	-	2	1	4	8	5	7	10	2	-	-	-
19	21	32	65	112	248	458	874	1,578	2,095	2,599	2,376	1,662	812	220	38	1	1
8	15	26	51	82	189	378	727	1,289	1,676	2,022	1,657	973	416	86	8	1	74
11	6	6	14	30	59	80	147	289	419	577	719	689	396	134	30	-	-
6	11	19	37	60	159	323	642	1,180	1,607	1,931	1,603	933	404	81	7	-	1
8	6	5	6	17	40	48	107	240	348	524	678	656	373	125	28	-	77
2	4	7	14	19	29	53	81	98	64	79	46	34	12	5	1	1	-
3	-	1	7	13	19	29	36	48	69	50	40	27	19	6	2	-	-
-	-	-	-	3	1	2	4	11	5	12	8	6	-	-	-	-	-
-	-	-	1	-	-	3	4	1	2	3	1	6	4	3	-	-	-
2	3	4	8	18	39	65	102	198	289	428	531	543	319	92	13	-	-
-	2	-	4	9	10	28	40	65	116	162	229	254	144	39	3	-	82
-	1	-	4	2	8	11	25	37	82	127	199	277	292	175	53	10	-
-	-	-	4	6	7	24	30	46	93	129	201	234	235	133	33	3	-
-	-	3	2	1	7	7	15	26	57	105	178	253	266	160	43	8	-
-	1	-	-	3	4	10	18	22	33	52	77	104	14	9	5	-	-
2	1	1	2	1	1	4	10	11	25	22	20	24	26	15	9	2	-
-	-	-	-	-	-	-	-	1	1	-	3	2	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--CON.											
01	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,819	25	3	1	3	1	33	9	13	32
02	MALE....	4,362	13	2	1	1	1	18	6	5	21
03	FEMALE....	4,457	12	1	-	2	-	15	3	8	11
04	WHITE.....MALE....	3,977	8	2	1	-	-	11	6	5	17
05	FEMALE....	4,093	11	-	-	1	-	12	3	8	11
06	NEGRO.....MALE....	362	5	-	-	1	1	7	-	-	4
07	FEMALE....	352	1	1	-	1	-	3	-	-	-
08	OTHER RACES..MALE....	23	-	-	-	-	-	-	-	-	-
09	FEMALE....	12	-	-	-	-	-	-	-	-	-
10	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	16,893	40	9	7	2	5	63	9	10	61
11	MALE....	8,541	24	6	4	2	4	40	6	6	18
12	FEMALE....	8,352	16	3	3	-	1	23	3	4	43
13	WHITE.....MALE....	7,235	17	4	3	1	2	27	5	4	16
14	FEMALE....	7,188	12	3	2	-	1	18	2	4	24
15	NEGRO.....MALE....	1,257	7	2	1	1	2	13	1	2	2
16	FEMALE....	1,134	4	-	-	-	-	4	1	-	19
17	OTHER RACES..MALE....	49	-	-	-	-	-	-	-	-	-
18	FEMALE....	30	-	-	1	-	-	1	-	-	-
19	VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,084	15	8	2	-	2	27	5	6	44
20	MALE....	7,512	7	5	2	-	2	16	3	4	9
21	FEMALE....	7,572	8	3	-	-	-	11	2	2	35
22	WHITE.....MALE....	6,368	5	3	2	-	1	11	2	2	9
23	FEMALE....	6,508	6	3	-	-	-	9	1	2	19
24	NEGRO.....MALE....	1,111	2	2	-	-	1	5	1	2	-
25	FEMALE....	1,039	2	-	-	-	-	2	1	-	16
26	OTHER RACES..MALE....	33	-	-	-	-	-	-	-	-	-
27	FEMALE....	25	-	-	-	-	-	-	-	-	-
28	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,809	25	1	5	2	3	36	4	4	17
29	MALE....	1,029	17	1	2	2	2	24	3	2	9
30	FEMALE....	780	8	-	3	-	1	12	1	2	8
31	WHITE.....MALE....	867	12	1	1	1	1	16	3	2	7
32	FEMALE....	680	6	-	2	-	1	9	1	2	5
33	NEGRO.....MALE....	146	5	-	1	1	1	8	-	-	2
34	FEMALE....	95	2	-	-	-	-	2	-	-	3
35	OTHER RACES..MALE....	16	-	-	-	-	-	-	-	-	-
36	FEMALE....	5	-	-	1	-	-	1	-	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	123,440	9,322	1,022	486	286	194	11,302	609	514	710
38	MALE....	78,283	5,304	552	280	148	107	6,391	326	270	413
39	FEMALE....	45,157	4,018	468	206	138	87	4,911	283	244	297
40	WHITE.....MALE....	68,040	3,372	350	188	107	78	4,095	238	217	316
41	FEMALE....	38,696	2,376	294	130	92	64	2,956	202	178	228
42	NEGRO.....MALE....	9,564	1,807	189	87	39	28	2,150	82	49	92
43	FEMALE....	6,117	1,562	165	67	44	21	1,859	77	61	65
44	OTHER RACES..MALE....	679	125	13	5	2	1	146	6	4	5
45	FEMALE....	344	80	9	3	2	2	96	4	5	4
46	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	784	301	48	40	13	19	421	25	13	18
47	MALE....	433	173	28	27	8	14	250	16	8	10
48	FEMALE....	351	128	20	13	5	5	171	9	5	8
49	WHITE.....MALE....	318	107	22	21	6	13	169	14	7	10
50	FEMALE....	263	80	16	10	4	3	113	9	3	5
51	NEGRO.....MALE....	110	61	6	6	2	1	76	2	1	-
52	FEMALE....	82	45	3	3	1	1	53	-	2	3
53	OTHER RACES..MALE....	5	5	-	-	-	-	5	-	-	-
54	FEMALE....	6	3	1	-	-	-	5	-	-	-
55	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,432	386	78	35	15	11	525	23	20	20
56	MALE....	835	230	46	18	12	8	314	15	9	10
57	FEMALE....	597	156	32	17	3	3	211	8	11	10
58	WHITE.....MALE....	684	155	35	14	11	4	219	11	6	9
59	FEMALE....	460	91	22	10	3	1	127	4	9	6
60	NEGRO.....MALE....	134	63	10	4	-	4	81	4	3	1
61	FEMALE....	134	63	9	7	-	2	81	4	2	4
62	OTHER RACES..MALE....	17	12	1	-	1	-	14	-	-	-
63	FEMALE....	3	2	1	-	-	-	3	-	-	-
64	INFLUENZA.....470-474	7,062	133	42	19	13	6	213	18	32	52
65	MALE....	3,277	70	20	10	7	2	109	7	17	29
66	FEMALE....	3,785	63	22	9	6	4	104	11	15	23
67	WHITE.....MALE....	2,885	30	15	6	4	1	56	5	15	26
68	FEMALE....	3,379	30	19	8	6	4	67	7	11	17
69	NEGRO.....MALE....	359	37	5	4	3	1	50	2	2	3
70	FEMALE....	389	29	3	1	-	-	33	4	4	6
71	OTHER RACES..MALE....	33	3	-	-	-	-	3	-	-	-
72	FEMALE....	17	4	-	-	-	-	4	-	-	-
73	PNEUMONIA.....480-486	66,430	7,774	735	316	197	116	9,138	385	313	414
74	MALE....	37,285	4,413	353	177	94	62	5,139	197	158	250
75	FEMALE....	29,145	3,361	342	139	103	54	3,999	188	155	164
76	WHITE.....MALE....	30,675	2,780	237	110	64	44	3,235	143	127	185
77	FEMALE....	24,550	1,964	200	87	60	41	2,352	130	116	133
78	NEGRO.....MALE....	6,191	1,536	144	63	29	17	1,789	49	29	62
79	FEMALE....	4,377	1,337	135	49	41	12	1,574	55	38	28
80	OTHER RACES..MALE....	419	97	12	4	1	1	115	5	2	3
81	FEMALE....	218	60	7	3	2	1	73	3	1	3
82	VIRAL PNEUMONIA.....480	2,105	702	68	19	14	11	814	28	15	15
83	MALE....	1,086	402	35	14	7	6	464	14	6	8
84	FEMALE....	1,019	300	33	5	7	5	350	14	9	7
85	WHITE.....MALE....	936	326	26	11	5	6	374	10	4	6
86	FEMALE....	857	208	23	4	5	4	244	10	9	4
87	NEGRO.....MALE....	139	71	5	2	2	-	84	2	2	2
88	FEMALE....	154	87	9	1	2	1	100	4	-	2
89	OTHER RACES..MALE....	11	5	-	1	-	-	6	2	-	-
90	FEMALE....	8	5	1	-	-	-	6	-	-	1

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	EMPHYEMA AND ABSCESS OF LUNG.....510,513	1,271	17	4	4	5	1	31	3	6	26
02	MALE....	932	11	3	1	2	1	18	3	3	16
03	FEMALE..	339	6	1	3	3	-	13	-	3	10
04	WHITE.....MALE....	727	6	1	1	2	1	11	2	3	15
05	FEMALE..	273	3	1	2	3	-	9	-	3	10
06	NEGRO.....MALE....	198	5	2	-	-	-	7	1	-	-
07	FEMALE..	63	2	-	1	-	-	3	-	-	-
08	OTHER RACES..MALE....	7	-	-	-	-	-	-	-	-	1
09	FEMALE..	3	1	-	-	-	-	1	-	-	-
10	PLEURISY.....511	403	29	3	1	-	-	33	-	4	8
11	MALE....	248	11	3	1	-	-	15	-	4	6
12	FEMALE..	155	18	-	-	-	-	18	-	-	2
13	WHITE.....MALE....	209	10	3	1	-	-	14	-	3	5
14	FEMALE..	131	13	-	-	-	-	13	-	-	1
15	NEGRO.....MALE....	36	-	-	-	-	-	-	-	1	1
16	FEMALE..	23	4	-	-	-	-	4	-	-	1
17	OTHER RACES..MALE....	3	1	-	-	-	-	1	-	-	-
18	FEMALE..	1	1	-	-	-	-	1	-	-	-
19	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,462	24	6	1	2	1	34	11	13	13
20	MALE....	2,272	14	2	1	1	1	19	9	8	5
21	FEMALE..	1,190	10	4	-	1	-	15	2	5	8
22	WHITE.....MALE....	2,077	11	2	1	-	-	14	9	7	4
23	FEMALE..	1,106	9	3	-	1	-	13	2	4	6
24	NEGRO.....MALE....	174	2	-	-	1	1	5	-	-	1
25	FEMALE..	68	1	1	-	2	-	2	-	1	2
26	OTHER RACES..MALE....	21	-	-	-	-	-	-	-	1	-
27	FEMALE..	16	-	-	-	-	-	-	-	-	-
28	BRONCHIECTASIS.....518	1,299	1	-	1	-	-	2	2	7	6
29	MALE....	783	-	-	1	-	-	1	1	4	2
30	FEMALE..	516	1	-	-	-	-	1	1	3	4
31	WHITE.....MALE....	701	-	-	1	-	-	1	1	4	2
32	FEMALE..	482	-	-	-	-	-	-	1	2	3
33	NEGRO.....MALE....	72	-	-	-	-	-	-	-	-	-
34	FEMALE..	23	1	-	-	-	-	1	-	1	1
35	OTHER RACES..MALE....	10	-	-	-	-	-	-	-	-	-
36	FEMALE..	11	-	-	-	-	-	-	-	-	-
37	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	8,166	482	43	29	20	18	592	50	37	69
38	MALE....	5,923	284	24	24	10	9	351	31	23	49
39	FEMALE..	2,243	198	19	5	10	9	241	19	14	20
40	WHITE.....MALE....	5,205	201	15	16	8	8	248	25	20	35
41	FEMALE..	1,886	131	14	7	9	7	165	16	12	15
42	NEGRO.....MALE....	682	78	6	4	2	1	97	6	3	14
43	FEMALE..	338	61	5	1	1	2	70	3	2	4
44	OTHER RACES..MALE....	36	5	-	1	-	-	6	-	-	-
45	FEMALE..	19	6	-	-	-	-	6	-	-	1
46	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,718	1,092	107	54	45	32	1,331	162	156	292
47	MALE....	43,034	649	61	38	22	14	784	97	73	155
48	FEMALE..	30,684	444	46	16	23	18	547	65	83	137
49	WHITE.....MALE....	37,427	482	46	31	18	9	586	75	52	118
50	FEMALE..	26,802	342	33	10	20	15	420	49	56	98
51	NEGRO.....MALE....	5,176	152	13	6	3	5	179	20	21	36
52	FEMALE..	3,555	90	12	5	2	3	112	13	24	34
53	OTHER RACES..MALE....	431	15	2	1	1	-	19	2	1	1
54	FEMALE..	327	12	1	1	1	-	15	3	3	5
55	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	50	9	-	-	-	-	9	4	1	1
56	MALE....	22	5	-	-	-	-	5	2	-	-
57	FEMALE..	28	4	-	-	-	-	4	2	1	1
58	WHITE.....MALE....	13	4	-	-	-	-	4	1	-	-
59	FEMALE..	23	4	-	-	-	-	4	2	-	1
60	NEGRO.....MALE....	7	-	-	-	-	-	-	1	-	-
61	FEMALE..	5	-	-	-	-	-	-	-	1	-
62	OTHER RACES..MALE....	2	1	-	-	-	-	1	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	PEPTIC ULCER.....531-533	9,460	56	7	4	-	1	68	3	10	16
65	MALE....	6,438	33	4	3	-	-	40	2	7	10
66	FEMALE..	3,022	23	3	1	-	1	28	1	3	6
67	WHITE.....MALE....	5,795	19	3	2	-	-	24	2	5	8
68	FEMALE..	2,750	13	3	1	-	1	18	1	3	6
69	NEGRO.....MALE....	591	13	1	1	-	-	15	-	2	2
70	FEMALE..	245	8	-	-	-	-	8	-	-	-
71	OTHER RACES..MALE....	52	1	-	-	-	-	1	-	-	-
72	FEMALE..	27	2	-	-	-	-	2	-	-	-
73	ULCER OF STOMACH.....531	3,829	43	2	2	-	1	48	3	5	10
74	MALE....	2,401	25	2	1	-	-	28	2	3	7
75	FEMALE..	1,428	18	-	1	-	1	20	1	2	3
76	WHITE.....MALE....	2,198	16	1	1	-	-	18	2	3	6
77	FEMALE..	1,304	10	-	1	-	1	12	1	2	3
78	NEGRO.....MALE....	268	9	1	-	-	-	10	-	-	1
79	FEMALE..	108	7	-	-	-	-	7	-	-	-
80	OTHER RACES..MALE....	25	-	-	-	-	-	-	-	-	-
81	FEMALE..	16	1	-	-	-	-	1	-	-	-
82	ULCER OF DUODENUM.....532	4,413	11	5	2	-	-	18	-	3	6
83	MALE....	3,186	6	2	2	-	-	10	-	2	3
84	FEMALE..	1,227	5	3	-	-	-	8	-	1	3
85	WHITE.....MALE....	2,924	2	2	1	-	-	5	-	1	2
86	FEMALE..	1,117	3	3	-	-	-	6	-	1	3
87	NEGRO.....MALE....	238	3	-	1	-	-	4	-	1	1
88	FEMALE..	99	1	-	-	-	-	1	-	-	-
89	OTHER RACES..MALE....	24	1	-	-	-	-	1	-	-	-
90	FEMALE..	11	1	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
20	24	33	47	54	88	112	118	120	160	171	118	77	46	12	2	2	1	01
14	10	26	33	36	67	86	95	88	121	136	89	55	27	5	2	1	1	02
6	14	7	14	18	21	26	23	32	39	25	29	22	19	7	-	1	-	03
11	7	13	16	21	42	57	74	72	98	116	85	51	26	5	2	-	-	04
5	10	3	6	13	14	19	17	28	33	30	28	21	17	7	-	-	-	05
3	3	13	17	15	22	29	21	16	23	19	3	4	-	-	-	1	1	06
1	4	4	8	4	6	7	6	4	6	5	1	1	2	-	-	1	-	07
-	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-	-	08
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	09
5	10	4	9	19	22	28	31	39	45	45	49	25	18	8	-	1	-	10
2	8	3	4	12	13	16	20	22	32	32	32	12	9	6	-	-	-	11
3	2	1	5	7	9	12	11	17	13	13	17	13	9	2	-	1	-	12
2	8	3	3	6	9	9	16	18	29	29	30	11	8	6	-	-	-	13
3	2	-	5	5	7	11	8	14	12	13	14	13	8	2	-	-	-	14
-	-	-	1	1	4	7	4	4	2	3	2	-	1	-	-	-	-	15
-	-	1	-	2	2	1	3	1	1	1	3	-	1	-	-	1	-	16
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15	7	12	25	54	105	186	254	373	554	587	568	389	185	64	11	2	-	19
8	5	5	17	25	66	104	179	272	386	414	387	235	95	27	4	2	-	20
7	2	7	8	29	39	82	75	101	168	173	181	154	90	37	7	-	-	21
8	5	4	10	20	51	84	158	248	353	394	364	222	91	26	4	1	-	22
6	2	2	4	22	29	74	71	99	159	163	173	151	86	33	7	-	-	23
-	-	1	7	4	14	20	19	21	30	18	18	11	3	1	-	1	-	24
1	-	4	4	6	10	5	3	2	8	9	5	1	4	1	-	-	-	25
-	-	-	-	1	1	-	2	3	3	2	5	2	1	-	-	-	-	26
-	-	1	-	1	-	3	1	-	1	1	3	2	-	3	-	-	-	27
7	9	14	22	47	48	78	109	126	168	166	207	169	83	24	5	-	-	28
5	6	10	12	27	27	47	66	86	102	103	121	98	50	11	4	-	-	29
2	3	4	10	20	21	31	43	40	66	63	86	71	33	13	1	-	-	30
3	6	6	8	18	23	40	60	73	92	98	115	91	45	11	4	-	-	31
1	1	3	10	19	16	29	39	38	59	62	84	68	33	13	1	-	-	32
2	-	4	4	9	4	7	5	12	9	4	6	7	2	-	-	-	-	33
-	2	-	-	-	4	2	4	1	5	1	1	1	-	-	-	-	-	34
-	-	-	-	-	-	-	1	1	1	1	1	3	3	-	-	-	-	35
1	-	1	-	1	1	-	-	1	2	1	1	2	-	-	-	-	-	36
64	72	77	115	167	262	426	669	971	1,076	1,146	1,027	702	377	185	62	18	2	37
37	42	46	70	93	157	294	511	777	869	938	803	483	223	96	23	5	2	38
27	30	31	45	74	105	132	158	194	207	208	224	219	154	89	39	13	-	39
32	24	30	47	64	110	248	439	691	772	884	761	452	208	89	21	4	1	40
19	22	25	28	54	81	102	126	164	176	185	205	208	148	87	37	11	1	41
5	17	15	22	28	44	68	81	81	96	53	40	29	14	7	1	1	1	42
8	8	4	17	20	24	26	31	30	30	21	18	11	5	2	2	2	-	43
-	1	1	1	1	1	1	6	5	1	2	2	2	1	-	1	-	-	44
-	2	-	-	-	3	4	1	4	1	2	1	-	1	-	-	-	-	45
424	690	1,191	2,340	4,080	5,689	7,084	7,769	8,047	8,089	7,834	7,491	5,770	3,536	1,397	287	45	14	46
215	402	682	1,372	2,485	3,519	4,519	5,069	5,270	5,042	4,512	4,011	2,735	1,454	510	104	17	7	47
209	288	509	968	1,595	2,170	2,565	2,700	2,777	3,047	3,322	3,480	3,035	2,082	887	183	28	4	48
148	222	402	910	1,911	2,864	3,857	4,460	4,757	4,548	4,150	3,780	2,610	1,381	488	92	12	7	49
153	170	288	633	1,138	1,722	2,188	2,334	2,484	2,715	3,079	3,309	2,912	2,007	840	174	26	7	50
63	171	263	440	541	624	620	573	444	444	322	200	108	59	16	10	3	3	51
53	107	201	294	419	412	353	337	270	309	230	154	117	64	42	8	2	-	52
4	9	17	22	33	31	42	36	53	50	40	31	17	14	6	2	2	-	53
3	11	20	41	38	36	24	29	23	23	13	17	6	11	5	1	-	-	54
4	4	3	3	3	3	-	3	4	1	3	-	2	2	-	-	-	-	55
-	1	2	1	1	1	-	1	1	-	2	-	1	2	-	-	-	-	56
4	3	1	2	2	2	-	2	1	1	-	-	1	-	-	-	-	-	57
-	1	-	1	1	1	-	-	2	-	-	-	1	2	-	-	-	-	58
3	2	1	1	1	2	-	2	1	1	1	-	1	-	-	-	-	-	59
-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	60
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
26	56	71	148	258	421	612	882	1,067	1,283	1,334	1,324	1,025	599	209	43	5	-	64
17	43	51	102	178	309	441	659	794	931	948	874	608	312	89	22	1	-	65
9	13	20	46	80	112	171	223	273	386	386	450	417	287	120	21	4	-	66
10	30	32	64	140	254	382	581	718	845	872	836	584	298	87	22	1	-	67
9	9	16	31	57	99	149	195	241	321	361	429	400	268	114	19	4	-	68
7	13	18	37	36	55	54	75	70	81	66	30	19	10	1	-	-	-	69
-	4	4	15	20	11	20	24	31	29	24	20	15	14	5	1	-	-	70
-	-	1	1	2	-	5	3	6	5	10	8	5	4	1	-	-	-	71
-	-	-	-	3	2	2	4	1	2	1	1	2	5	1	1	-	-	72
15	21	25	50	106	179	238	343	427	529	525	552	402	256	82	11	2	-	73
8	16	18	30	68	126	166	237	298	358	343	349	197	110	31	6	-	-	74
7	5	7	20	38	53	72	106	129	171	182	203	205	146	51	5	2	-	75
5	10	8	21	54	97	140	204	262	318	307	329	185	103	30	6	-	-	76
7	4	5	15	26	46	66	95	112	157	170	195	196	137	48	5	2	-	77
3	6	10	9	14	29	23	32	34	37	31	15	8	5	1	-	-	-	78
-	1	2	5	9	6	6	9	16	12	11	8	7	6	3	-	-	-	79
-	-	-	-	-	-	3	1	2	3	5	5	4	2	-	-	-	-	80
-	-	-	-	3	1	-	2	1	2	1	-	2	3	-	-	-	-	81
8	25	41	62	118	187	284	427	506	601	695	598	483	255	111	23	2	-	82
6	20	29	47	88	140	210	335	392	463	496	412	314	156	52	11	-	-	83
2	5	12	15	30	47	74	92	114	138	159	186	169	99	59	12	2	-	84
2	14	21	31	67	122	188	306	359	424	464	398	308	150	51	11	-	-	85
2	4	10	10	21	43	62	79	103	126	148	177	161	91	57	11	2	-	86
4	6	7	16	19	18	20	27	29	37	27	12	6	4	-	-	-	-	87
-	1	2	5	9	3	10	11	11	12	11	8	8	6	1	-	-	-	88
-	-	1	-	2	-	2	2	4	2	5	2	2	2	1	-	-	-	89
-	-	-	-	-	1	2	2	-	-	-	1	-	2	1	1	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
PEPTIC ULCER--CON.											
01	PEPTIC ULCER, SITE UNSPECIFIED.....533	1,218	2	-	-	-	-	2	-	2	-
02	MALE.....	851	2	-	-	-	-	2	-	2	-
03	FEMALE..	367	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE.....	763	1	-	-	-	-	1	-	1	-
05	FEMALE..	329	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE.....	85	1	-	-	-	-	1	-	1	-
07	FEMALE..	38	-	-	-	-	-	-	-	-	-
08	OTHER RACES..MALE.....	3	-	-	-	-	-	-	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
GASTRITIS AND DUODENITIS.....535											
10	MALE.....	523	6	2	3	1	-	12	4	3	6
11	FEMALE..	323	2	1	3	1	-	7	2	3	3
12	WHITE.....MALE.....	200	4	1	-	-	-	5	2	-	3
13	FEMALE..	273	1	1	2	1	-	5	1	2	2
14	NEGRO.....MALE.....	181	4	1	-	-	-	5	2	1	3
15	FEMALE..	48	1	-	1	-	-	2	1	1	1
16	OTHER RACES..MALE.....	16	-	-	-	-	-	-	-	-	-
17	FEMALE..	2	-	-	-	-	-	-	-	-	-
18	FEMALE..	3	-	-	-	-	-	-	-	-	-
APPENDICITIS.....540-543											
19	MALE.....	1,485	13	4	8	5	10	40	41	43	40
20	FEMALE..	888	9	2	6	1	3	21	24	20	24
21	WHITE.....MALE.....	597	4	2	2	4	7	19	17	23	16
22	FEMALE..	755	9	2	6	1	2	20	17	14	22
23	NEGRO.....MALE.....	490	3	2	1	3	4	13	14	15	14
24	FEMALE..	129	-	-	-	-	1	1	7	6	2
25	OTHER RACES..MALE.....	100	-	-	1	1	3	5	2	6	1
26	FEMALE..	4	-	-	-	-	-	-	-	-	-
27	FEMALE..	7	1	-	-	-	-	1	1	2	1
HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560											
28	MALE.....	7,758	639	26	14	11	6	696	32	24	33
29	FEMALE..	3,561	384	19	12	9	4	428	20	10	24
30	WHITE.....MALE.....	4,197	255	7	2	2	2	268	12	14	9
31	FEMALE..	3,041	306	17	11	6	2	342	14	8	17
32	NEGRO.....MALE.....	3,765	205	3	2	2	2	214	11	11	8
33	FEMALE..	495	72	2	1	2	2	79	4	2	7
34	OTHER RACES..MALE.....	409	48	3	-	-	-	51	-	3	1
35	FEMALE..	25	6	-	-	1	-	7	2	-	-
36	FEMALE..	23	2	1	-	-	-	3	1	-	-
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561											
37	MALE.....	60	9	2	1	-	-	12	-	-	-
38	FEMALE..	26	4	1	-	-	-	5	-	-	-
39	WHITE.....MALE.....	34	5	1	1	-	-	7	-	-	-
40	FEMALE..	22	1	1	-	-	-	2	-	-	-
41	NEGRO.....MALE.....	27	3	-	-	-	-	3	-	-	-
42	FEMALE..	4	3	-	-	-	-	3	-	-	-
43	OTHER RACES..MALE.....	7	2	1	1	-	-	4	-	-	-
44	FEMALE..	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
DIVERTICULA OF INTESTINE.....562											
46	MALE.....	3,412	1	-	-	-	-	1	1	-	2
47	FEMALE..	1,459	1	-	-	-	-	1	1	-	2
48	WHITE.....MALE.....	1,953	-	-	-	-	-	-	-	-	-
49	FEMALE..	1,378	-	-	-	-	-	-	1	-	2
50	NEGRO.....MALE.....	1,858	-	-	-	-	-	-	-	-	-
51	FEMALE..	77	1	-	-	-	-	1	-	-	-
52	OTHER RACES..MALE.....	93	-	-	-	-	-	-	-	-	-
53	FEMALE..	4	-	-	-	-	-	-	-	-	-
54	FEMALE..	2	-	-	-	-	-	-	-	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563											
55	MALE.....	1,135	29	4	2	1	1	37	3	6	26
56	FEMALE..	531	21	2	2	1	1	27	2	3	14
57	WHITE.....MALE.....	604	8	2	-	-	-	10	1	3	12
58	FEMALE..	496	13	1	1	1	1	17	2	3	13
59	NEGRO.....MALE.....	562	5	2	-	-	-	7	-	2	11
60	FEMALE..	31	6	-	1	-	-	7	-	1	1
61	OTHER RACES..MALE.....	37	1	-	-	-	-	1	1	1	1
62	FEMALE..	4	2	1	-	-	-	3	4	-	-
63	FEMALE..	5	2	-	-	-	-	2	-	-	-
CIRRHOSIS OF LIVER.....571											
64	MALE.....	29,183	50	21	6	6	1	84	20	21	42
65	FEMALE..	18,821	25	8	3	1	-	37	13	8	12
66	WHITE.....MALE.....	10,362	25	13	3	5	1	47	7	13	30
67	FEMALE..	16,142	20	6	1	1	-	28	13	7	10
68	NEGRO.....MALE.....	8,607	19	12	1	4	1	37	4	8	20
69	FEMALE..	2,482	4	1	1	-	-	6	-	1	2
70	OTHER RACES..MALE.....	1,589	5	1	2	1	-	9	2	5	8
71	FEMALE..	197	1	1	1	-	-	3	-	-	-
72	FEMALE..	166	1	-	-	-	-	1	1	-	2
ALCOHOLIC.....571.0											
73	MALE.....	10,036	-	1	-	-	-	1	-	1	1
74	FEMALE..	6,873	-	1	-	-	-	1	-	1	-
75	WHITE.....MALE.....	3,163	-	-	-	-	-	-	-	-	1
76	FEMALE..	5,738	-	1	-	-	-	1	-	1	-
77	NEGRO.....MALE.....	2,511	-	-	-	-	-	-	-	-	-
78	FEMALE..	1,036	-	-	-	-	-	-	-	-	-
79	OTHER RACES..MALE.....	553	-	-	-	-	-	-	-	-	1
80	FEMALE..	99	-	-	-	-	-	-	-	-	-
81	FEMALE..	99	-	-	-	-	-	-	-	-	-
OTHER SPECIFIED.....*571.B											
82	MALE.....	5,694	25	15	5	2	-	47	10	11	23
83	FEMALE..	3,330	12	4	2	-	-	18	7	4	4
84	WHITE.....MALE.....	2,364	13	11	3	2	-	29	3	7	19
85	FEMALE..	2,739	10	3	-	-	-	13	7	3	3
86	NEGRO.....MALE.....	1,918	10	10	1	1	-	22	2	4	10
87	FEMALE..	558	2	-	1	-	-	3	-	1	1
88	OTHER RACES..MALE.....	419	3	1	2	1	-	7	-	3	7
89	FEMALE..	33	-	1	1	-	-	2	-	-	-
90	FEMALE..	27	-	-	-	-	-	-	1	-	2

SECTION 1 - GENERAL MORTALITY

1-187

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	10	5	36	34	55	90	112	134	153	154	174	140	88	16	9	1	-	01
3	7	4	25	22	43	65	87	104	110	109	113	97	46	6	5	1	-	02
-	3	1	11	12	12	25	25	30	43	45	61	43	42	10	6	4	-	03
3	6	3	12	19	35	54	71	97	103	101	109	91	45	6	5	1	-	04
-	1	1	6	10	10	21	21	26	38	43	57	43	40	9	3	-	-	05
-	-	1	12	3	8	11	16	7	7	8	3	5	1	-	-	-	-	06
-	2	-	5	2	2	4	4	4	5	2	4	-	2	1	1	-	-	07
-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
7	4	9	13	21	29	36	41	44	59	71	58	60	34	10	1	-	1	10
4	4	6	10	14	14	27	28	24	36	47	38	32	17	5	1	-	1	11
3	-	3	3	7	15	9	13	20	23	24	20	28	17	5	-	-	-	12
3	4	3	5	10	12	22	25	22	29	41	34	31	15	5	1	-	1	13
3	-	2	3	6	13	7	12	19	19	22	17	27	16	5	-	-	-	14
1	-	2	5	4	2	5	3	2	7	6	4	1	1	-	-	-	-	15
-	-	1	1	1	1	2	1	1	3	1	3	1	1	-	-	-	-	16
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	17
-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	18
23	26	22	22	45	59	88	114	135	171	170	178	154	76	32	5	-	1	19
18	14	11	11	35	35	52	81	95	104	103	111	81	31	16	1	-	-	20
5	12	11	11	10	24	36	33	40	67	67	67	73	45	16	4	-	1	21
16	9	11	5	24	24	43	67	76	92	90	105	77	27	15	1	-	-	22
3	7	5	8	4	11	25	23	31	61	61	63	70	41	16	4	-	1	23
2	5	-	6	10	10	9	14	18	12	13	5	4	4	1	-	-	-	24
2	4	6	3	5	13	11	10	9	6	6	4	3	4	-	-	-	-	25
-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	26
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
32	44	45	87	128	196	317	407	581	753	984	1,211	1,107	687	316	65	11	2	28
18	24	18	35	57	84	147	210	284	371	477	538	455	226	101	26	4	2	29
14	20	27	52	71	110	170	197	297	382	507	673	652	461	215	39	7	2	30
13	17	10	19	46	68	116	166	230	313	427	493	418	205	94	22	3	-	31
11	13	19	35	52	89	139	160	257	328	460	638	620	451	204	38	7	-	32
4	7	8	16	11	16	31	43	52	54	50	45	34	19	6	4	1	2	33
3	7	7	16	18	21	30	35	38	52	44	32	30	10	10	1	-	-	34
1	-	-	-	-	2	-	-	1	2	4	-	3	2	1	-	-	-	35
-	-	1	1	1	-	1	2	2	2	3	3	2	-	1	-	-	-	36
1	2	-	-	2	1	4	4	3	5	6	5	10	4	1	-	-	-	37
-	2	-	-	2	1	1	3	-	1	2	3	5	1	-	-	-	-	38
1	-	-	-	-	-	3	1	3	4	4	2	5	3	1	-	-	-	39
1	1	-	-	2	1	1	3	1	2	2	3	5	1	-	-	-	-	40
-	-	-	-	-	-	2	-	2	4	4	2	5	3	1	-	-	-	41
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	4	16	41	68	147	203	309	419	513	637	508	365	140	32	3	1	46
1	-	3	9	30	42	94	125	177	185	222	244	168	110	40	4	1	-	47
-	1	1	7	11	26	53	78	132	234	291	393	340	255	100	28	1	1	48
1	-	3	7	26	37	84	122	159	177	214	232	163	108	38	4	-	-	49
-	-	-	6	22	49	66	66	125	218	285	383	325	248	93	27	2	1	50
-	-	-	2	4	5	10	3	18	6	8	10	5	2	2	1	-	-	51
-	1	1	3	4	4	4	12	7	16	5	10	15	7	6	1	-	-	52
-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	54
46	32	39	44	61	79	87	88	112	109	133	107	83	31	11	1	-	-	55
27	16	10	25	32	39	45	51	40	51	54	44	34	14	3	-	-	-	56
19	16	29	19	29	40	42	37	72	58	79	63	49	17	8	1	-	-	57
26	16	9	24	30	39	39	48	40	49	50	41	33	14	3	-	-	-	58
17	14	26	19	27	37	37	31	68	56	75	62	47	17	8	1	-	-	59
1	-	1	1	1	3	6	3	3	2	4	3	1	1	-	-	-	-	60
2	2	3	-	2	5	5	-	-	2	-	1	-	-	-	-	-	-	61
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	63
96	291	698	1,516	2,745	3,817	4,556	4,475	3,866	2,944	1,963	1,211	550	209	58	15	-	6	64
43	175	411	910	1,685	2,380	2,959	2,998	2,702	2,014	1,264	766	305	98	29	9	-	3	65
53	116	287	606	1,060	1,437	1,597	1,477	1,164	930	699	445	245	111	29	6	-	3	66
21	77	231	616	1,306	1,941	2,537	2,670	2,487	1,863	1,180	731	292	94	29	7	-	2	67
33	54	137	372	737	1,132	1,370	1,300	1,076	850	669	427	239	107	27	5	-	3	68
20	94	169	277	356	420	393	305	186	135	73	28	11	3	2	2	-	1	69
19	57	134	205	292	279	211	166	76	71	29	15	6	2	2	1	-	-	70
2	4	11	17	23	19	29	23	29	16	11	7	2	1	-	-	-	-	71
1	5	16	29	31	26	16	11	12	9	1	3	-	2	-	-	-	-	72
30	112	306	680	1,199	1,619	1,742	1,599	1,218	807	443	193	58	23	1	1	-	2	73
18	72	186	420	771	1,060	1,180	1,109	897	614	338	142	42	19	1	1	-	1	74
12	40	120	260	428	559	562	490	321	193	105	51	16	4	-	-	-	1	75
6	27	100	294	589	859	1,007	974	818	562	312	130	38	18	1	-	-	1	76
7	13	51	155	286	445	493	426	296	171	100	48	15	4	-	-	-	1	77
10	41	79	116	166	187	158	127	66	48	23	10	3	1	-	1	-	-	78
5	23	57	85	121	95	58	60	22	18	5	2	1	-	-	-	-	-	79
2	4	7	10	16	14	15	8	13	4	3	2	1	-	-	-	-	-	80
-	4	12	20	21	19	11	4	3	4	-	1	-	-	-	-	-	-	81
43	99	164	357	573	755	855	765	662	543	365	250	107	50	8	5	-	2	82
18	55	88	191	329	455	542	476	423	323	185	136	55	15	4	2	-	-	83
25	44	76	166	244	300	313	289	239	220	180	114	52	35	4	3	-	2	84
10	24	45	118	238	344	444	419	397	292	175	132	54	15	4	2	-	-	85
13	22	32	98	173	230	266	255	222	195	171	110	52	33	4	2	-	2	86
8	31	40	71	88	108	92	52	24	27	7	4	1	-	-	-	-	-	87
12	21	42	62	69	69	44	33	14	23	9	3	-	-	-	1	-	-	88
-	-	3	2	3	3	6	5	2	4	3	-	-	-	-	-	-	-	89
-	1	2	6	2	1	3	1	3	2	-	1	-	2	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
23	80	228	479	973	1,443	1,959	2,111	1,986	1,594	1,155	768	385	136	49	9	-	2	01
7	48	137	299	585	865	1,237	1,413	1,382	1,077	741	488	208	64	24	6	-	2	02
16	32	91	180	388	578	722	698	604	517	414	280	177	72	25	3	-	1	03
5	26	86	204	479	738	1,086	1,277	1,272	1,009	693	469	200	61	24	5	-	1	04
13	19	54	119	278	457	611	619	558	484	398	269	172	70	23	3	-	1	05
2	22	50	90	102	125	143	126	96	60	43	14	7	2	2	1	-	1	06
2	13	35	58	102	115	109	73	40	30	15	10	5	2	2	-	-	-	07
-	-	1	5	4	2	8	10	14	8	5	5	1	1	2	-	-	-	08
1	-	2	3	8	6	2	6	6	3	1	1	-	-	-	-	-	-	09
17	15	19	34	63	90	141	219	348	483	695	806	742	477	186	36	7	1	10
3	5	2	12	27	49	80	105	177	224	300	358	311	181	51	10	1	1	11
14	10	17	22	36	41	61	114	171	259	395	448	431	296	135	26	6	-	12
3	5	2	8	23	44	69	99	166	205	283	344	301	179	47	7	-	1	13
13	8	10	21	30	29	53	99	154	226	371	420	416	295	131	25	5	-	14
-	-	-	4	4	4	10	5	10	12	11	11	5	1	2	2	-	-	15
1	2	6	4	4	12	7	12	16	23	23	21	15	10	2	1	1	-	16
-	-	-	1	1	1	1	1	1	6	5	3	5	1	1	1	1	-	17
-	-	1	1	-	-	1	3	1	5	1	7	-	1	2	-	-	-	18
171	215	281	457	713	926	1,096	1,333	1,578	1,862	1,962	1,954	1,525	1,052	434	89	19	2	19
84	118	168	257	424	563	673	808	974	1,125	1,093	1,035	735	462	176	31	10	-	20
87	97	113	200	289	363	423	525	604	737	869	919	794	590	258	58	9	2	21
55	62	101	161	303	444	564	679	857	974	991	961	705	438	170	28	9	8	22
60	63	72	137	216	288	357	446	510	631	770	868	762	571	241	55	8	2	23
28	51	63	92	115	111	102	121	103	134	89	64	28	19	4	2	1	1	24
25	29	39	53	71	68	62	71	88	102	94	48	31	16	17	3	1	-	25
1	5	4	4	6	8	7	8	14	17	13	10	2	5	2	1	1	-	26
2	5	2	10	2	7	4	8	6	4	5	3	1	3	-	-	-	-	27
280	295	371	605	883	1,153	1,406	1,904	2,452	3,089	3,877	4,355	4,081	2,803	1,235	291	48	13	28
154	133	164	256	412	549	715	1,001	1,378	1,799	2,413	2,644	2,440	1,661	680	154	28	5	29
126	162	207	349	471	604	691	903	1,074	1,290	1,464	1,711	1,641	1,142	555	137	20	8	30
120	96	114	162	273	366	502	725	1,017	1,370	1,974	2,279	2,187	1,512	626	134	21	2	31
84	100	112	203	264	387	442	626	792	949	1,204	1,510	1,513	1,040	518	124	13	3	32
33	35	47	89	133	178	205	266	346	411	418	348	232	139	46	18	6	3	33
40	58	89	144	203	210	234	270	270	333	251	194	122	95	34	11	6	4	34
1	2	3	5	6	5	8	10	15	18	21	17	21	10	8	2	1	-	35
2	4	6	2	4	7	15	7	12	8	9	7	6	7	3	2	1	1	36
170	165	199	322	470	548	644	803	862	959	969	1,038	870	581	270	65	8	6	37
105	93	109	163	272	337	372	443	489	565	543	548	462	284	110	23	2	3	38
65	72	90	159	198	211	272	360	373	394	424	490	408	297	160	42	6	3	39
76	66	75	97	181	224	258	335	376	438	431	453	395	246	97	18	2	1	40
44	43	48	84	107	127	163	238	266	277	334	412	360	250	146	36	2	-	41
28	25	32	64	86	107	108	103	104	120	108	88	60	35	10	5	-	2	42
21	27	39	74	90	81	108	116	102	114	90	78	48	45	13	6	4	2	43
1	2	2	2	5	4	6	5	9	7	4	7	7	3	3	3	-	-	44
-	2	3	1	1	3	1	6	5	3	2	4	4	2	1	1	-	-	45
22	14	18	28	34	55	53	70	68	93	91	97	75	34	19	4	-	-	46
10	8	7	15	22	35	27	35	35	54	59	64	48	18	7	3	-	-	47
12	6	11	13	12	20	26	35	33	39	32	33	27	16	12	1	-	-	48
6	4	4	8	12	24	19	28	30	46	52	53	45	16	6	1	-	-	49
7	4	5	12	8	11	19	25	25	31	26	29	22	15	10	1	-	-	50
4	4	3	6	10	11	7	7	5	6	7	10	3	2	2	1	-	-	51
5	2	6	1	4	9	7	9	8	6	6	4	5	1	1	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
4	10	4	15	21	25	31	42	47	42	47	44	41	22	8	4	-	-	55
4	2	3	6	12	16	19	26	22	22	21	30	15	10	2	1	-	-	56
-	8	1	9	9	12	16	25	20	20	26	14	26	12	6	3	-	-	57
3	1	2	2	9	11	17	23	18	17	19	28	11	7	1	-	-	-	58
-	3	-	6	5	7	8	10	21	18	22	12	25	10	5	2	-	-	59
1	1	1	4	3	5	1	3	4	4	2	1	4	3	1	1	-	-	60
-	5	1	3	4	4	2	4	4	2	2	2	1	2	1	1	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
144	141	177	279	415	468	560	691	747	824	831	897	754	525	243	57	8	6	64
91	83	99	142	238	286	326	382	432	489	463	454	399	256	101	19	2	3	65
53	58	78	137	177	182	234	309	315	335	368	443	355	269	142	38	6	3	66
67	61	69	87	160	191	222	284	328	375	360	372	339	223	90	17	2	1	67
37	36	43	66	94	109	136	203	220	228	284	371	313	225	131	33	2	-	68
23	20	28	54	73	91	100	93	95	110	99	77	53	30	8	2	-	2	69
16	20	32	70	82	70	97	101	90	104	80	72	42	42	10	5	4	2	70
1	2	2	1	5	4	4	5	5	4	4	5	7	3	3	-	-	-	71
-	2	3	1	1	3	1	5	5	3	2	-	-	2	1	-	-	1	72
36	41	70	113	190	328	424	580	793	957	1,311	1,445	1,432	1,032	414	110	19	2	73
17	11	24	40	70	120	171	242	358	440	693	730	681	478	164	50	9	-	74
19	30	46	73	120	208	253	338	435	517	618	715	751	554	250	60	10	2	75
14	8	18	27	45	79	120	169	259	326	560	632	610	441	151	45	8	-	76
11	21	30	47	61	133	167	230	324	371	523	635	707	521	238	56	7	1	77
3	3	6	12	25	41	69	71	98	110	125	91	65	35	11	5	1	-	78
7	8	14	26	56	74	77	107	106	144	91	74	42	29	10	3	2	1	79
-	-	-	1	-	-	2	2	1	4	8	7	6	2	2	-	-	-	80
1	1	2	3	1	9	1	1	5	2	4	6	2	4	2	1	1	-	81
9	8	6	9	14	33	48	78	104	155	173	171	134	79	29	4	1	-	82
4	4	4	3	4	14	23	40	58	88	105	82	65	34	14	2	-	-	83
5	4	2	6	10	19	25	38	46	67	68	89	69	45	15	2	1	-	84
4	3	3	3	4	12	22	35	49	80	96	76	60	32	12	2	-	-	85
4	3	1	4	7	16	18	32	40	60	59	87	67	40	15	2	1	-	86
-	1	1	-	-	1	1	4	9	7	9	6	4	2	1	-	-	-	87
1	1	1	1	3	3	6	6	6	7	9	2	2	5	-	-	-	-	88
-	-	-	-	-	1	-	1	-										

SECTION 1 - GENERAL MORTALITY

I-191

Age, Race, and Sex: United States, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
45	49	49	89	131	151	215	319	479	629	739	909	848	532	277	63	9	4	01
28	24	23	48	62	65	118	194	300	387	459	552	494	311	161	35	6	1	02
17	25	26	41	69	86	97	125	179	242	280	357	354	221	116	28	3	3	03
24	18	15	33	41	39	79	127	208	284	371	474	447	280	143	29	5	1	04
14	15	15	27	40	55	60	94	130	180	228	324	324	204	106	25	3	2	05
2	6	8	13	20	26	39	65	88	101	85	75	43	29	16	5	-	-	06
3	10	10	14	29	29	33	31	47	59	49	32	26	16	10	2	-	1	07
-	-	-	2	1	-	-	2	4	2	3	3	4	2	2	1	1	-	08
-	-	1	-	-	2	4	-	2	3	3	1	4	1	-	-	-	-	09
-	-	-	-	-	2	16	47	109	217	447	554	582	426	196	39	11	1	10
-	-	-	-	-	2	11	33	74	163	372	484	527	393	190	35	6	-	11
-	-	-	-	-	5	5	14	34	53	70	70	52	30	6	3	5	1	12
-	-	-	-	-	-	-	-	1	1	5	-	3	3	-	1	-	-	13
-	-	1	1	-	-	1	2	1	3	2	3	2	1	1	-	-	-	14
-	-	1	1	-	-	1	2	1	3	1	3	2	1	-	-	-	-	15
-	-	1	1	-	-	1	2	1	3	1	3	2	1	-	-	-	-	16
-	-	1	1	-	-	1	2	1	2	-	2	2	1	-	-	-	-	17
-	-	1	1	-	-	1	2	1	2	1	2	2	1	-	-	-	-	18
-	-	1	1	-	-	1	2	1	1	1	1	1	-	-	-	-	-	19
-	-	1	1	-	-	1	2	1	1	1	1	1	-	-	-	-	-	20
-	-	1	1	-	-	1	2	1	1	1	1	1	-	-	-	-	-	21
-	-	1	1	-	-	1	2	1	1	1	1	1	-	-	-	-	-	22
20	32	46	71	78	91	58	75	104	169	236	235	213	152	48	10	-	-	23
-	1	4	1	4	11	15	35	64	102	165	178	156	128	34	5	-	-	24
20	31	42	70	74	80	43	40	40	67	71	57	57	24	14	5	-	-	25
-	1	3	1	2	8	12	26	51	79	143	160	148	120	32	5	-	-	26
11	18	18	41	49	56	33	30	31	59	60	50	53	24	13	5	-	-	27
-	-	-	-	2	3	3	9	13	20	21	18	8	8	2	-	-	-	28
8	12	24	29	25	23	10	10	9	11	7	4	-	1	-	-	-	-	29
-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	30
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
184	182	162	150	74	7	-	-	-	-	1	-	-	-	-	-	-	1	32
102	95	94	92	48	6	-	-	-	-	-	-	-	-	-	-	-	-	33
77	78	64	54	23	1	-	-	-	-	1	-	-	-	-	-	-	1	34
5	9	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	35
18	24	19	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	36
6	10	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	37
11	14	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
37	19	18	27	14	1	-	-	-	-	-	-	-	-	-	-	-	1	40
20	12	8	16	10	1	-	-	-	-	-	-	-	-	-	-	-	1	41
16	6	9	10	4	-	-	-	-	-	-	-	-	-	-	-	-	1	42
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
18	19	27	20	13	1	-	-	-	-	-	-	-	-	-	-	-	-	44
12	11	18	6	9	1	-	-	-	-	-	-	-	-	-	-	-	-	45
5	7	8	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	46
1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
33	40	23	14	12	-	-	-	-	-	-	-	-	-	-	-	-	-	48
12	20	12	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	49
21	19	11	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
12	18	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	56
7	9	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	57
5	8	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
4	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	60
3	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
17	14	7	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	64
2	4	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	65
15	10	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
39	33	26	25	14	1	-	-	-	-	-	-	-	-	-	-	-	-	68
26	21	16	22	10	-	-	-	-	-	-	-	-	-	-	-	-	-	69
11	11	9	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	70
2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
36	45	46	55	18	4	-	-	-	-	1	-	-	-	-	-	-	-	72
25	20	30	34	11	4	-	-	-	-	-	-	-	-	-	-	-	-	73
11	21	15	20	6	-	-	-	-	-	1	-	-	-	-	-	-	-	74
-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	75
3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
29	35	29	49	51	82	70	125	158	156	211	230	231	157	60	22	5	-	80
10	6	8	21	25	37	26	59	87	77	91	99	93	54	11	4	1	-	81
19	29	21	28	26	45	44	66	71	79	120	131	138	103	49	18	4	-	82
9	5	3	11	20	26	19	47	69	57	79	77	81	47	9	3	1	-	83
12	19	11	17	16	35	31	51	55	61	103	116	126	95	46	17	3	-	84
1	1	5	10	4	11	7	12	18	18	11	22	10	6	2	1	-	-	85
7	9	10	11	8	10	11	14	16	17	16	15	11	8	3	1	1	-	86
-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	87
-	1	-	-	2	-	2	1	-	1	1	-	1	-	-	-	-	-	88

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	491	40	4	3	3	2	52	4	4	2
02	MALE.....	271	21	2	-	3	1	27	3	2	2
03	FEMALE..	220	19	2	3	-	1	25	1	2	-
04	WHITE.....MALE.....	221	15	1	-	1	1	18	1	2	2
05	FEMALE..	188	15	1	2	-	-	18	-	-	-
06	NEGRO.....MALE.....	46	6	-	-	2	-	8	2	-	-
07	FEMALE..	30	4	1	1	-	1	7	1	2	-
08	OTHER RACES..MALE.....	4	-	1	-	-	-	1	-	-	-
09	FEMALE..	2	-	-	-	-	-	-	-	-	-
10	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,327	12	3	1	2	1	19	4	9	24
11	MALE.....	495	8	3	1	2	-	14	2	2	5
12	FEMALE..	832	4	-	-	-	1	5	2	7	19
13	WHITE.....MALE.....	384	7	2	1	2	-	12	2	1	4
14	FEMALE..	668	3	-	-	-	1	4	1	6	13
15	NEGRO.....MALE.....	107	1	1	-	-	-	2	1	1	1
16	FEMALE..	155	1	-	-	-	-	1	1	-	5
17	OTHER RACES..MALE.....	4	-	-	-	-	-	-	-	-	-
18	FEMALE..	9	-	-	-	-	-	-	-	1	1
19	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,942	18	4	-	4	3	29	22	40	90
20	MALE.....	1,714	13	1	-	3	1	18	9	9	19
21	FEMALE..	3,228	5	3	-	1	2	11	13	31	71
22	WHITE.....MALE.....	1,505	11	1	-	3	1	16	6	8	16
23	FEMALE..	2,790	4	1	-	-	2	7	11	22	48
24	NEGRO.....MALE.....	199	2	-	-	-	-	2	3	1	3
25	FEMALE..	410	1	2	-	1	-	4	2	8	23
26	OTHER RACES..MALE.....	10	-	-	-	-	-	-	-	-	-
27	FEMALE..	28	-	-	-	-	-	-	-	1	-
28	ARTHRITIS AND SPONDYLITIS.....710-715	2,070	-	2	-	-	-	2	3	5	3
29	MALE.....	713	-	1	-	-	-	1	-	2	1
30	FEMALE..	1,357	-	1	-	-	-	1	3	3	2
31	WHITE.....MALE.....	648	-	1	-	-	-	-	-	2	1
32	FEMALE..	1,250	-	-	-	-	-	-	3	3	2
33	NEGRO.....MALE.....	62	-	-	-	-	-	-	-	-	-
34	FEMALE..	99	-	1	-	-	-	1	-	-	-
35	OTHER RACES..MALE.....	3	-	-	-	-	-	-	-	-	-
36	FEMALE..	8	-	-	-	-	-	-	-	-	-
37	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	167	1	1	-	1	-	3	3	4	4
38	MALE.....	57	1	-	-	1	-	2	1	1	-
39	FEMALE..	110	-	1	-	-	-	1	1	3	4
40	WHITE.....MALE.....	46	1	-	-	1	-	2	1	1	-
41	FEMALE..	82	-	-	-	-	-	-	1	1	2
42	NEGRO.....MALE.....	10	-	-	-	-	-	-	1	-	-
43	FEMALE..	27	-	1	-	-	-	1	-	1	2
44	OTHER RACES..MALE.....	1	-	-	-	-	-	-	-	-	-
45	FEMALE..	1	-	-	-	-	-	-	-	1	-
46	OSTEOMYELITIS AND PERIOSTITIS.....720	162	2	-	-	-	-	2	2	-	1
47	MALE.....	91	-	-	-	-	-	-	1	-	1
48	FEMALE..	71	2	-	-	-	-	2	1	-	-
49	WHITE.....MALE.....	72	-	-	-	-	-	-	1	-	1
50	FEMALE..	61	1	-	-	-	-	1	-	-	-
51	NEGRO.....MALE.....	19	-	-	-	-	-	-	-	-	-
52	FEMALE..	10	1	-	-	-	-	1	1	-	-
53	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE..	-	-	-	-	-	-	-	-	-	-
55	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	162	1	-	-	-	1	2	1	2	4
56	MALE.....	73	1	-	-	-	1	2	-	-	2
57	FEMALE..	89	-	-	-	-	-	-	1	2	2
58	WHITE.....MALE.....	69	1	-	-	-	1	2	-	-	2
59	FEMALE..	84	-	-	-	-	-	-	1	1	2
60	NEGRO.....MALE.....	4	-	-	-	-	-	-	-	-	-
61	FEMALE..	5	-	-	-	-	-	-	-	1	-
62	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE..	-	-	-	-	-	-	-	-	-	-
64	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,381	14	1	-	3	2	20	13	29	78
65	MALE.....	780	11	-	-	2	-	13	6	6	15
66	FEMALE..	1,601	3	1	-	1	2	7	7	23	63
67	WHITE.....MALE.....	670	9	-	-	2	-	11	4	5	12
68	FEMALE..	1,313	3	1	-	-	2	6	6	17	42
69	NEGRO.....MALE.....	104	2	-	-	-	2	2	2	1	3
70	FEMALE..	269	-	-	-	1	-	1	1	6	21
71	OTHER RACES..MALE.....	6	-	-	-	-	-	-	-	-	-
72	FEMALE..	19	-	-	-	-	-	-	-	-	-
73	XIV. CONGENITAL ANOMALIES.....	16,793	11,052	655	360	207	204	12,478	629	387	396
74	MALE.....	9,075	6,007	338	184	115	114	6,758	341	209	227
75	FEMALE..	7,718	5,045	317	174	92	90	5,720	288	178	169
76	WHITE.....MALE.....	7,740	5,122	279	151	99	89	5,740	294	168	197
77	FEMALE..	6,590	4,283	256	144	77	76	4,839	245	147	149
78	NEGRO.....MALE.....	1,229	810	55	28	15	25	933	42	39	26
79	FEMALE..	1,046	702	54	31	12	14	813	42	30	19
80	OTHER RACES..MALE.....	106	75	4	5	1	-	85	5	2	4
81	FEMALE..	82	60	4	1	3	-	68	1	1	1
82	SPINA BIFIDA.....741	932	744	47	27	12	11	841	24	23	10
83	MALE.....	388	308	15	11	8	6	348	10	9	5
84	FEMALE..	544	436	32	16	4	5	493	14	14	5
85	WHITE.....MALE.....	355	279	14	11	8	6	318	9	9	5
86	FEMALE..	508	403	31	15	4	5	458	14	13	5
87	NEGRO.....MALE.....	31	27	1	-	-	-	28	1	-	-
88	FEMALE..	32	29	1	1	-	-	31	-	1	-
89	OTHER RACES..MALE.....	2	2	-	-	-	-	2	-	-	-
90	FEMALE..	4	4	-	-	-	-	4	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,674	1,909	136	87	59	52	2,243	136	77	56
02	MALE.....	1,287	890	69	41	26	27	1,053	69	44	35
03	FEMALE.....	1,387	1,019	67	46	33	25	1,190	67	33	21
04	WHITE.....MALE.....	1,126	799	53	36	26	21	935	62	29	25
05	FEMALE.....	1,213	906	52	42	29	21	1,050	56	25	16
06	NEGRO.....MALE.....	150	85	15	4	-	6	110	7	14	8
07	FEMALE.....	162	105	13	3	4	4	129	11	7	5
08	OTHER RACES..MALE.....	11	6	1	1	-	-	8	-	1	2
09	FEMALE.....	12	8	2	1	-	-	11	-	1	-
10	CONGENITAL ANOMALIES OF HEART.....746	6,825	4,371	303	176	101	102	5,053	360	194	210
11	MALE.....	3,834	2,500	173	92	62	61	2,888	202	102	121
12	FEMALE.....	2,991	1,871	130	84	39	41	2,165	158	92	89
13	WHITE.....MALE.....	3,237	2,099	151	71	48	46	2,415	168	86	108
14	FEMALE.....	2,498	1,536	105	66	30	36	1,773	132	76	81
15	NEGRO.....MALE.....	548	367	20	19	13	15	434	29	15	12
16	FEMALE.....	454	308	24	18	6	5	361	25	16	7
17	OTHER RACES..MALE.....	49	34	2	2	1	-	39	5	1	1
18	FEMALE.....	39	27	1	-	3	-	31	1	-	1
19	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,196	744	31	5	4	9	793	28	23	38
20	MALE.....	663	418	14	2	1	5	440	16	13	19
21	FEMALE.....	533	326	17	3	3	4	353	12	10	19
22	WHITE.....MALE.....	561	352	14	1	1	4	372	15	10	18
23	FEMALE.....	467	284	15	3	3	4	309	10	10	16
24	NEGRO.....MALE.....	92	57	-	1	-	1	59	1	3	1
25	FEMALE.....	64	41	2	-	-	-	43	2	-	3
26	OTHER RACES..MALE.....	10	9	-	-	-	-	9	-	-	-
27	FEMALE.....	2	1	-	-	-	-	1	-	-	-
28	CLEFT PALATE AND CLEFT LIP.....749	48	44	-	1	-	-	45	1	1	-
29	MALE.....	28	26	-	-	-	-	26	1	-	-
30	FEMALE.....	20	18	-	1	-	-	19	-	1	-
31	WHITE.....MALE.....	20	20	-	-	-	-	20	-	-	-
32	FEMALE.....	14	12	-	1	-	-	13	-	1	-
33	NEGRO.....MALE.....	7	5	-	-	-	-	5	1	-	-
34	FEMALE.....	5	5	-	-	-	-	5	-	-	-
35	OTHER RACES..MALE.....	1	1	-	-	-	-	1	-	-	-
36	FEMALE.....	1	1	-	-	-	-	1	-	-	-
37	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	5,118	3,240	138	64	31	30	3,503	80	69	82
38	MALE.....	2,875	1,865	67	38	18	15	2,003	43	41	47
39	FEMALE.....	2,243	1,375	71	26	13	15	1,500	37	28	35
40	WHITE.....MALE.....	2,441	1,573	47	32	16	12	1,680	40	34	41
41	FEMALE.....	1,890	1,142	56	17	11	10	1,236	33	22	31
42	NEGRO.....MALE.....	401	269	19	4	2	3	297	3	7	5
43	FEMALE.....	329	214	14	9	2	5	244	4	6	4
44	OTHER RACES..MALE.....	33	23	1	2	-	-	26	-	1	1
45	FEMALE.....	24	19	1	-	-	-	20	-	-	-
46	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,840	43,707	17	10	8	2	43,744	12	11	8
47	MALE.....	25,879	25,808	10	3	5	2	25,828	6	5	5
48	FEMALE.....	17,961	17,899	7	7	3	-	17,916	6	6	3
49	WHITE.....MALE.....	19,814	19,761	8	3	5	1	19,778	2	5	3
50	FEMALE.....	13,206	13,160	6	5	3	-	13,174	4	4	1
51	NEGRO.....MALE.....	5,785	5,769	2	-	-	1	5,772	3	-	2
52	FEMALE.....	4,539	4,523	1	2	-	-	4,526	2	2	2
53	OTHER RACES..MALE.....	280	278	-	-	-	-	278	1	-	-
54	FEMALE.....	216	216	-	-	-	-	216	-	-	-
55	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	23,656	2,958	163	72	48	19	3,260	80	80	217
56	MALE.....	14,183	1,700	97	39	33	11	1,890	52	42	135
57	FEMALE.....	9,473	1,258	66	33	15	8	1,380	28	38	82
58	WHITE.....MALE.....	9,442	938	60	18	20	4	1,040	26	26	78
59	FEMALE.....	5,944	648	37	18	10	6	719	17	24	49
60	NEGRO.....MALE.....	4,506	725	33	20	9	6	793	18	13	54
61	FEMALE.....	3,404	574	25	14	5	2	620	11	13	33
62	OTHER RACES..MALE.....	235	37	4	1	4	1	47	8	3	3
63	FEMALE.....	125	36	4	1	-	-	41	-	1	-
64	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,514	-	-	-	-	-	-	-	-	-
65	MALE.....	588	-	-	-	-	-	-	-	-	-
66	FEMALE.....	926	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE.....	391	-	-	-	-	-	-	-	-	-
68	FEMALE.....	692	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE.....	181	-	-	-	-	-	-	-	-	-
70	FEMALE.....	225	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE.....	16	-	-	-	-	-	-	-	-	-
72	FEMALE.....	9	-	-	-	-	-	-	-	-	-
73	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	22,142	2,958	163	72	48	19	3,260	80	80	217
74	MALE.....	13,595	1,700	97	39	33	11	1,880	52	42	135
75	FEMALE.....	8,547	1,258	66	33	15	8	1,380	28	38	82
76	WHITE.....MALE.....	9,051	938	60	18	20	4	1,040	26	26	78
77	FEMALE.....	5,252	648	37	18	10	6	719	17	24	49
78	NEGRO.....MALE.....	4,325	725	33	20	9	6	793	18	13	54
79	FEMALE.....	3,179	574	25	14	5	2	620	11	13	33
80	OTHER RACES..MALE.....	219	37	4	1	4	1	47	8	3	3
81	FEMALE.....	116	36	4	1	-	-	41	-	1	-
82	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	155,237	2,783	1,582	1,349	1,145	1,035	7,894	4,421	4,492	14,203
83	MALE.....	109,329	1,519	837	778	699	637	4,470	2,843	3,335	11,116
84	FEMALE.....	45,908	1,264	745	571	446	398	3,424	1,578	1,157	3,087
85	WHITE.....MALE.....	88,537	1,047	590	569	508	486	3,200	2,217	2,630	9,119
86	FEMALE.....	39,161	866	534	416	317	277	2,410	1,203	937	2,647
87	NEGRO.....MALE.....	19,320	445	227	186	178	138	1,174	593	664	1,857
88	FEMALE.....	6,200	382	192	143	119	107	943	352	202	396
89	OTHER RACES..MALE.....	1,472	27	20	23	13	13	96	33	41	140
90	FEMALE.....	547	16	15	12	10	14	71	23	18	44

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACCIDENTS.....E800-E949	114,864	2,520	1,445	1,240	1,079	979	7,263	4,236	4,133	11,754
02	MALE....	79,424	1,378	761	724	663	613	4,139	2,748	3,065	9,165
03	FEMALE..	35,440	1,142	684	516	416	366	3,124	1,488	1,068	2,589
04	WHITE.....MALE....	66,711	954	547	540	486	471	2,998	2,149	2,451	7,898
05	FEMALE..	30,754	786	500	381	297	258	2,222	1,143	872	2,315
06	NEGRO.....MALE....	11,565	399	196	161	164	129	1,049	566	575	1,157
07	FEMALE..	4,273	342	165	124	105	95	835	323	181	243
08	OTHER RACES..MALE....	1,148	25	18	23	13	13	92	33	39	110
09	FEMALE..	413	14	15	11	10	13	67	22	15	31
10	RAILWAY ACCIDENTS.....E800-E807	849	-	5	8	2	4	19	20	42	53
11	MALE....	743	-	3	5	-	3	11	17	34	48
12	FEMALE..	106	-	2	3	2	1	8	3	8	5
13	WHITE.....MALE....	564	-	3	4	-	7	12	24	30	38
14	FEMALE..	94	-	2	3	2	1	8	3	7	5
15	NEGRO.....MALE....	143	-	-	-	-	2	2	5	10	10
16	FEMALE..	10	-	-	-	-	-	-	-	1	-
17	OTHER RACES..MALE....	36	-	-	1	-	1	2	-	-	-
18	FEMALE..	2	-	-	-	-	-	-	-	-	-
19	MOTOR VEHICLE ACCIDENTS.....E810-E823	54,862	319	403	396	413	456	1,987	2,223	1,882	8,189
20	MALE....	39,788	165	190	228	236	284	1,103	1,403	1,300	6,064
21	FEMALE..	15,074	154	213	168	177	172	884	820	582	2,125
22	WHITE.....MALE....	34,345	146	154	168	172	228	868	1,131	1,112	5,455
23	FEMALE..	13,316	124	177	144	140	131	716	648	516	1,944
24	NEGRO.....MALE....	4,914	17	30	50	61	53	211	266	174	555
25	FEMALE..	1,536	28	28	20	32	35	143	159	62	154
26	OTHER RACES..MALE....	529	2	6	10	3	3	24	6	12	54
27	FEMALE..	222	2	8	4	5	6	25	13	4	27
28	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	53,801	313	306	340	373	428	1,760	2,168	1,854	8,100
29	MALE....	38,970	164	147	191	215	262	979	1,370	1,275	5,987
30	FEMALE..	14,831	149	159	149	158	166	781	798	579	2,113
31	WHITE.....MALE....	33,627	146	116	140	155	208	765	1,104	1,089	5,384
32	FEMALE..	13,097	121	131	126	124	126	628	628	513	1,932
33	NEGRO.....MALE....	4,821	16	25	42	57	51	191	261	174	550
34	FEMALE..	1,514	26	22	19	29	34	130	157	62	154
35	OTHER RACES..MALE....	522	2	6	9	3	3	23	5	12	53
36	FEMALE..	220	2	6	4	5	6	23	13	4	27
37	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,570	11	5	11	6	8	45	49	51	253
38	MALE....	1,095	6	5	7	1	7	26	21	20	187
39	FEMALE..	475	5	4	4	5	1	19	28	31	66
40	WHITE.....MALE....	978	5	5	6	1	6	23	19	17	174
41	FEMALE..	442	4	4	3	4	1	16	27	29	64
42	NEGRO.....MALE....	106	1	-	1	-	-	2	1	3	12
43	FEMALE..	25	1	-	-	-	-	1	1	1	-
44	OTHER RACES..MALE....	11	-	-	-	-	1	1	1	1	1
45	FEMALE..	8	-	-	1	1	2	2	1	1	2
46	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	19,207	166	108	82	69	81	506	339	489	2,735
47	MALE....	12,901	86	53	39	34	48	260	169	310	1,866
48	FEMALE..	6,306	80	55	43	35	33	246	170	179	869
49	WHITE.....MALE....	11,498	77	45	32	29	45	228	152	280	1,733
50	FEMALE..	5,737	65	46	40	30	26	207	150	160	810
51	NEGRO.....MALE....	1,280	8	6	6	5	3	28	17	28	124
52	FEMALE..	495	14	5	3	5	5	32	18	17	50
53	OTHER RACES..MALE....	123	1	2	1	-	-	4	-	2	9
54	FEMALE..	74	1	4	-	-	2	7	2	2	9
55	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,927	7	89	168	215	258	737	1,241	486	531
56	MALE....	6,278	3	49	106	141	160	459	810	324	390
57	FEMALE..	2,649	4	40	62	74	98	278	431	162	141
58	WHITE.....MALE....	4,882	2	37	71	95	115	320	615	260	305
59	FEMALE..	2,150	2	31	46	53	72	204	307	137	123
60	NEGRO.....MALE....	1,271	1	10	31	45	44	131	193	63	79
61	FEMALE..	448	2	8	14	18	25	67	118	25	13
62	OTHER RACES..MALE....	125	-	2	4	1	1	8	2	1	6
63	FEMALE..	51	-	1	2	3	1	7	6	-	5
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,838	32	23	18	17	28	118	273	408	1,542
65	MALE....	6,263	17	11	11	8	15	62	211	325	1,205
66	FEMALE..	1,575	15	12	7	9	13	56	62	83	337
67	WHITE.....MALE....	5,457	15	5	7	6	15	52	184	282	1,078
68	FEMALE..	1,382	11	11	7	8	10	47	56	75	300
69	NEGRO.....MALE....	730	2	2	2	2	-	8	27	38	116
70	FEMALE..	170	3	1	-	1	2	7	5	7	34
71	OTHER RACES..MALE....	76	-	-	2	-	-	2	2	5	11
72	FEMALE..	23	1	-	-	-	1	2	1	1	3
73	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,307	45	42	40	33	30	190	142	281	1,903
74	MALE....	7,392	21	14	18	16	19	88	88	208	1,498
75	FEMALE..	1,915	24	28	22	17	11	102	54	73	405
76	WHITE.....MALE....	6,480	19	11	17	12	16	75	77	169	1,350
77	FEMALE..	1,693	21	24	20	14	10	89	47	67	366
78	NEGRO.....MALE....	782	1	2	-	3	2	8	9	35	126
79	FEMALE..	179	3	3	1	2	-	9	4	6	35
80	OTHER RACES..MALE....	130	1	1	1	1	1	5	2	4	22
81	FEMALE..	43	-	1	1	1	1	4	3	-	4
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,952	52	35	21	33	23	164	124	139	1,136
83	MALE....	5,041	31	15	10	15	13	84	71	88	841
84	FEMALE..	1,911	21	20	11	18	10	80	53	51	295
85	WHITE.....MALE....	4,332	28	5	7	12	11	67	57	81	744
86	FEMALE..	1,693	18	15	10	15	7	65	41	45	269
87	NEGRO.....MALE....	652	3	5	2	2	2	14	14	7	93
88	FEMALE..	197	3	5	1	3	2	14	11	6	22
89	OTHER RACES..MALE....	57	-	1	1	1	-	3	-	-	4
90	FEMALE..	21	-	-	-	-	1	1	1	-	4

SECTION 1 - GENERAL MORTALITY

1-197

Age, Race, and Sex: United States, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
11,258	7,164	5,280	5,319	5,921	6,062	6,131	6,092	5,611	5,502	5,459	5,829	5,399	3,962	1,871	474	68	76	01	
9,315	5,855	4,228	4,105	4,457	4,523	4,563	4,476	3,901	3,569	3,295	3,092	2,514	1,549	612	159	28	66	02	
1,943	1,309	1,052	1,214	1,464	1,539	1,568	1,616	1,710	1,933	2,164	2,737	2,885	2,413	1,259	315	40	10	03	
8,052	4,863	3,346	3,288	3,602	3,680	3,826	3,765	3,352	3,003	2,951	2,847	2,367	1,473	577	148	22	53	04	
1,687	1,075	845	965	1,204	1,310	1,377	1,409	1,486	1,696	1,979	2,561	2,743	2,320	1,212	292	34	7	05	
1,118	883	777	744	791	781	680	641	497	508	321	220	134	65	30	11	4	13	06	
222	200	179	226	241	212	169	190	209	218	175	160	135	86	42	20	5	2	07	
145	109	105	73	64	62	57	70	52	58	23	25	13	11	5	--	--	--	08	
34	34	28	23	19	17	22	17	15	19	10	16	7	7	5	3	1	1	09	
56	55	47	68	64	70	73	88	49	35	34	24	24	16	4	--	--	8	10	
52	49	44	64	59	64	70	79	44	29	24	15	17	11	4	--	--	8	11	
4	6	3	4	5	6	3	9	5	6	10	9	7	5	--	--	--	--	12	
44	36	22	44	49	46	57	66	36	19	17	11	16	9	3	--	--	8	13	
3	4	2	3	3	5	3	6	5	6	10	9	7	5	--	--	--	--	14	
7	10	13	14	8	16	12	11	6	6	7	3	7	2	1	--	--	--	15	
1	1	--	1	2	1	--	3	--	--	--	--	--	--	--	--	--	--	16	
1	3	9	6	2	2	1	2	2	4	--	1	1	--	--	--	--	1	17	
--	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18	
8,354	4,664	3,063	2,795	3,080	2,957	2,918	2,738	2,418	2,301	1,960	1,789	1,027	383	92	15	3	24	19	
6,847	3,728	2,377	2,062	2,255	2,120	2,119	1,925	1,638	1,435	1,246	1,141	679	258	56	10	2	20	20	
1,507	936	686	733	825	837	799	813	780	866	714	648	348	125	36	5	1	4	21	
6,069	3,163	1,944	1,724	1,873	1,754	1,817	1,625	1,435	1,225	1,141	1,051	638	246	51	8	2	13	22	
1,354	796	571	612	690	736	711	732	715	798	671	622	325	118	32	5	--	4	23	
681	493	380	310	352	336	275	264	186	186	98	85	38	9	4	2	--	7	24	
133	111	96	104	122	93	73	73	59	59	40	23	21	6	3	--	1	--	25	
97	72	53	28	30	30	27	36	17	24	7	5	3	3	1	--	--	--	26	
20	29	19	17	13	8	14	8	6	9	3	3	2	1	1	--	--	--	27	
8,287	4,590	3,002	2,741	3,022	2,900	2,868	2,676	2,372	2,264	1,928	1,767	997	374	89	15	3	24	28	
6,786	3,661	2,322	2,015	2,201	2,071	2,072	1,872	1,598	1,410	1,224	1,128	662	251	54	10	2	20	29	
1,501	929	680	726	821	829	796	804	774	854	704	639	335	123	35	5	1	4	30	
6,015	3,100	1,899	1,684	1,823	1,708	1,775	1,584	1,398	1,203	1,120	1,039	621	239	49	8	2	13	31	
1,348	789	566	605	687	728	709	725	709	786	662	613	313	116	31	5	--	4	32	
674	489	371	303	345	334	270	252	183	183	97	84	38	9	4	2	--	7	33	
133	111	95	104	121	93	73	71	59	59	39	20	6	3	3	--	1	--	34	
97	72	52	28	28	29	27	36	17	24	7	5	3	3	1	--	--	--	35	
20	29	19	17	13	8	14	8	6	9	3	3	2	1	1	--	--	--	36	
191	140	106	105	99	86	89	89	69	81	59	34	18	5	1	--	--	--	37	
138	108	79	78	73	59	66	60	45	50	41	26	12	5	1	--	--	--	38	
53	32	27	27	26	27	23	29	24	31	18	8	6	6	--	--	--	--	39	
127	90	68	66	65	51	54	58	41	47	37	23	12	5	1	--	--	--	40	
50	26	25	23	25	23	22	26	23	31	18	8	6	6	--	--	--	--	41	
6	17	10	11	8	8	12	2	4	3	4	3	--	--	--	--	--	--	42	
2	4	2	4	1	4	1	3	1	--	--	--	--	--	--	--	--	--	43	
5	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	44	
1	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	45	
2,792	1,657	1,139	1,077	1,160	1,176	1,178	1,096	1,013	910	747	720	330	110	25	3	--	5	46	
2,108	1,257	824	736	779	761	781	708	620	521	451	449	214	67	14	1	--	5	47	
684	400	315	341	381	415	397	388	393	389	296	271	116	43	11	2	--	--	48	
1,894	1,086	698	640	653	660	706	616	553	459	426	426	204	66	13	1	--	4	49	
627	350	274	300	328	374	352	357	370	366	283	264	112	41	10	2	--	--	50	
196	152	117	88	115	92	71	79	59	55	24	23	9	1	1	--	--	--	51	
52	42	33	39	49	36	37	27	21	19	13	6	2	1	1	--	--	--	52	
18	19	9	8	11	9	4	13	8	7	1	--	--	--	--	--	--	--	53	
5	8	8	2	4	5	8	4	2	4	--	1	2	1	--	--	--	--	54	
370	286	265	278	382	402	450	501	553	608	587	605	406	176	45	8	2	8	55	
314	233	214	203	280	309	356	380	400	397	369	393	272	126	32	1	--	8	56	
56	53	51	75	102	93	94	121	153	211	218	212	134	50	13	--	--	--	57	
239	162	140	151	190	215	272	297	327	322	314	344	250	118	29	7	1	4	58	
46	37	29	55	72	78	80	101	126	180	198	203	116	47	11	--	--	--	59	
60	59	61	45	82	87	75	75	66	67	49	46	20	5	3	1	--	4	60	
7	13	19	16	27	14	11	18	25	26	18	7	18	3	2	--	1	--	61	
15	12	13	7	8	7	9	8	7	8	6	3	2	3	--	--	--	--	62	
3	3	3	4	3	1	3	2	2	5	2	2	--	--	--	--	--	--	63	
1,680	844	478	400	412	366	356	291	207	161	110	108	62	15	4	1	--	2	64	
1,453	706	391	311	330	283	286	222	166	103	88	63	47	9	1	--	--	1	65	
227	138	87	89	82	83	70	69	41	58	22	45	15	6	3	1	--	--	66	
1,287	607	315	265	286	233	242	188	149	88	83	61	46	9	1	--	--	1	67	
198	110	74	70	66	75	67	64	38	53	20	44	15	5	3	1	--	--	68	
151	86	66	45	42	45	39	30	17	13	5	1	1	--	--	--	--	--	69	
28	22	12	14	14	8	3	5	3	5	1	--	--	--	--	--	--	--	70	
15	13	10	1	2	5	5	4	--	2	--	--	--	--	--	--	--	--	71	
1	6	1	5	2	--	--	--	--	--	1	--	--	--	--	--	--	--	--	72
2,013	1,009	625	513	525	491	423	356	267	199	165	103	66	23	7	2	--	4	73	
1,730	839	528	404	413	391	325	277	199	145	121	69	46	16	4	--	--	3	74	
283	170	97	109	112	100	98	79	68	54	44	34	20	7	3	2	--	1	75	
1,559	719	437	331	356	327	289	238	184	123	117	65	44	15	3	--	--	2	76	
256	147	77	92	97	82	84	70	65	49	41	32	20	6	3	2	--	1	77	
144	102	77	65	51	61	32	31	14	16	4	3	2	1	--	--	--	1	78	
19	14	14	14	14	16	11	9	3	5	3	2	2	1	--	--	--	--	79	
27	18	14	8	6	3	4	8	1	6	--	1	--	--	--	--	--	--	80	
8	9	6	3	1	3	3	--	--	--	--	--	--	--	--	--	--	--	81	
1,241	654	389	368	444	379	372	343	263	305	260	197	115	45	7	1	1	5	82	
1,043	518	286	283	326	268	258	225	168	194	154	128	71	28	2	1	1	3	83	
198	136	103	85	118	111	114	118	95	111	106	69	44	17	5	--	--	2	84	
909	436	241	231	278	222	212	187	144	164	143	120	65	26	2	--	1	2	85	
171	119	87	65	99	96	104	107	87	107	102	62	44	17	4	--	--	2	86	
117	73	40	49	47	41														

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
MOTOR VEHICLE ACCIDENTS--CON.											
01	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,061	6	97	56	40	28	227	55	28	89
02	MALE.....	818	1	43	37	21	22	124	33	25	77
03	FEMALE..	243	5	54	19	19	6	103	22	3	12
04	WHITE.....MALE.....	718	-	38	28	17	20	103	27	23	71
05	FEMALE..	219	3	46	18	16	5	88	20	3	12
06	NEGRO.....MALE.....	93	1	5	8	4	2	20	5	2	5
07	FEMALE..	22	2	6	1	3	1	13	2	-	-
08	OTHER RACES..MALE.....	7	-	-	1	-	-	1	1	-	1
09	FEMALE..	2	-	2	-	-	-	2	-	-	-
10	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	264	-	-	1	2	1	4	27	58	28
11	MALE.....	167	-	-	1	2	1	4	14	30	12
12	FEMALE..	97	-	-	-	-	-	-	13	28	16
13	WHITE.....MALE.....	145	-	-	1	2	1	4	13	26	12
14	FEMALE..	91	-	-	-	-	-	-	10	27	16
15	NEGRO.....MALE.....	12	-	-	-	-	-	-	1	3	-
16	FEMALE..	2	-	-	-	-	-	-	1	-	-
17	OTHER RACES..MALE.....	10	-	-	-	-	-	-	-	1	-
18	FEMALE..	4	-	-	-	-	-	-	2	1	-
19	WATER TRANSPORT ACCIDENTS.....E830-E838	1,625	4	1	7	8	10	30	66	105	161
20	MALE.....	1,468	2	1	5	7	8	23	50	80	137
21	FEMALE..	157	2	2	2	1	2	7	16	25	24
22	WHITE.....MALE.....	1,229	2	1	5	7	8	23	40	61	124
23	FEMALE..	122	2	2	2	1	2	7	11	12	21
24	NEGRO.....MALE.....	201	-	-	-	-	-	-	9	15	11
25	FEMALE..	31	-	-	-	-	-	-	4	13	3
26	OTHER RACES..MALE.....	38	-	-	-	-	-	-	1	4	2
27	FEMALE..	4	-	-	-	-	-	-	1	-	-
28	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,904	5	2	3	4	10	24	31	35	105
29	MALE.....	1,592	3	1	1	3	9	15	15	20	70
30	FEMALE..	312	2	1	2	3	7	15	16	15	35
31	WHITE.....MALE.....	1,569	2	1	1	1	3	8	14	20	66
32	FEMALE..	309	2	1	2	3	7	15	16	15	35
33	NEGRO.....MALE.....	13	-	-	-	-	-	-	-	-	1
34	FEMALE..	1	-	-	-	-	-	-	-	-	-
35	OTHER RACES..MALE.....	10	1	-	-	-	-	1	1	-	3
36	FEMALE..	2	-	-	-	-	-	-	-	-	-
37	ACCIDENTAL POISONING.....E850-E877	4,109	49	128	84	42	29	332	42	66	384
38	MALE.....	2,744	31	72	42	19	19	183	24	42	277
39	FEMALE..	1,365	18	56	42	23	10	149	18	24	107
40	WHITE.....MALE.....	2,098	16	34	31	14	14	109	20	39	204
41	FEMALE..	1,092	13	31	28	16	7	95	16	19	81
42	NEGRO.....MALE.....	616	14	36	10	4	4	70	3	2	70
43	FEMALE..	252	4	24	14	7	2	51	2	4	24
44	OTHER RACES..MALE.....	30	1	-	1	1	1	4	1	1	3
45	FEMALE..	21	1	1	-	-	1	3	-	1	2
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1,692	23	57	38	18	14	150	10	10	171
47	MALE.....	1,063	17	31	24	9	8	89	8	6	139
48	FEMALE..	629	6	26	14	9	6	61	2	4	32
49	WHITE.....MALE.....	717	11	17	18	7	5	58	6	5	81
50	FEMALE..	513	5	21	13	8	4	51	2	3	17
51	NEGRO.....MALE.....	335	5	14	5	2	2	28	1	1	56
52	FEMALE..	104	-	5	1	1	1	8	-	1	14
53	OTHER RACES..MALE.....	11	1	-	1	-	-	3	1	-	2
54	FEMALE..	12	1	-	-	-	1	2	-	-	1
55	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	891	15	58	39	14	8	134	6	11	32
56	MALE.....	553	10	33	16	5	5	69	4	7	24
57	FEMALE..	338	5	25	23	9	3	65	2	4	8
58	WHITE.....MALE.....	423	3	14	12	3	4	36	3	6	20
59	FEMALE..	254	2	6	10	4	2	24	1	3	7
60	NEGRO.....MALE.....	122	7	19	4	1	1	32	1	-	4
61	FEMALE..	78	3	18	13	5	1	40	1	-	1
62	OTHER RACES..MALE.....	8	-	-	-	-	-	1	-	1	-
63	FEMALE..	6	-	1	-	-	-	1	-	1	-
64	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,526	11	13	7	10	7	48	26	45	181
65	MALE.....	1,128	4	8	2	5	6	25	12	29	114
66	FEMALE..	398	7	5	5	5	1	23	14	16	67
67	WHITE.....MALE.....	958	2	3	1	4	5	15	11	28	193
68	FEMALE..	325	6	4	5	4	1	20	13	13	57
69	NEGRO.....MALE.....	159	2	5	1	1	1	10	1	1	10
70	FEMALE..	70	1	1	-	1	-	3	1	3	9
71	OTHER RACES..MALE.....	11	-	-	-	-	-	-	-	-	1
72	FEMALE..	3	-	-	-	-	-	-	-	-	1
73	ACCIDENTAL FALLS.....E880-E887	18,651	132	90	73	48	16	359	102	91	217
74	MALE.....	9,314	72	50	45	30	7	204	65	75	194
75	FEMALE..	9,337	60	40	28	18	9	155	37	16	23
76	WHITE.....MALE.....	8,251	48	32	29	21	5	135	45	65	170
77	FEMALE..	8,789	40	24	21	10	5	100	25	13	17
78	NEGRO.....MALE.....	970	23	18	15	8	1	65	18	7	19
79	FEMALE..	506	20	14	7	8	3	52	11	2	6
80	OTHER RACES..MALE.....	93	1	-	1	1	1	4	2	3	5
81	FEMALE..	42	-	2	-	-	1	3	1	1	-
82	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	5,034	97	62	57	36	10	262	75	67	138
83	MALE.....	3,424	51	35	35	23	4	148	49	59	127
84	FEMALE..	1,610	46	27	22	13	6	114	26	8	11
85	WHITE.....MALE.....	2,928	33	21	22	16	2	94	35	51	114
86	FEMALE..	1,459	31	18	18	7	5	79	18	7	9
87	NEGRO.....MALE.....	443	17	14	12	6	1	50	12	5	9
88	FEMALE..	144	15	9	4	6	-	34	8	1	2
89	OTHER RACES..MALE.....	53	1	-	1	1	1	4	2	3	4
90	FEMALE..	7	-	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
ACCIDENTAL FALLS--CON.											
01	FALL ON SAME LEVEL.....E885,E886	958	1	-	1	2	-	4	-	3	13
02	MALE.....	406	1	-	1	2	-	4	-	2	11
03	FEMALE.....	552	-	-	-	-	-	-	-	1	2
04	WHITE.....MALE.....	384	1	-	1	2	-	4	-	2	9
05	FEMALE.....	534	-	-	-	-	-	-	-	1	2
06	NEGRO.....MALE.....	22	-	-	-	-	-	-	-	-	2
07	FEMALE.....	16	-	-	-	-	-	-	-	-	-
08	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	2	-	-	-	-	-	-	-	-	-
10	OTHER AND UNSPECIFIED FALLS.....E887	12,659	34	28	15	10	6	93	27	21	66
11	MALE.....	5,484	20	15	9	5	3	52	16	14	56
12	FEMALE.....	7,175	14	13	6	5	3	41	11	7	10
13	WHITE.....MALE.....	4,939	14	11	6	3	3	37	10	12	47
14	FEMALE.....	6,796	9	6	3	3	2	21	7	5	6
15	NEGRO.....MALE.....	505	6	4	3	2	-	15	6	2	8
16	FEMALE.....	346	5	5	3	2	3	18	3	1	4
17	OTHER RACES..MALE.....	40	-	-	-	-	-	-	-	-	1
18	FEMALE.....	33	-	2	-	-	-	2	1	1	-
19	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	7,335	191	237	239	232	187	1,086	487	199	146
20	MALE.....	4,296	96	132	121	146	91	586	242	112	87
21	FEMALE.....	3,039	95	105	118	86	96	500	245	87	59
22	WHITE.....MALE.....	3,041	43	73	72	79	50	317	154	80	59
23	FEMALE.....	2,137	58	57	55	45	49	264	147	59	42
24	NEGRO.....MALE.....	1,187	50	55	45	63	40	253	86	32	27
25	FEMALE.....	872	36	47	59	40	44	226	96	28	17
26	OTHER RACES..MALE.....	68	3	4	4	1	3	16	2	-	1
27	FEMALE.....	30	1	1	4	1	3	10	2	-	-
28	ACCIDENTAL DROWNING AND SUBMERSION.....E910	5,950	57	230	226	164	132	809	690	821	1,201
29	MALE.....	4,977	27	139	147	128	107	548	548	671	1,115
30	FEMALE.....	973	30	91	79	36	25	261	142	150	86
31	WHITE.....MALE.....	3,678	24	130	136	117	54	501	413	417	809
32	FEMALE.....	808	25	82	73	31	20	231	124	104	69
33	NEGRO.....MALE.....	1,175	3	7	5	9	8	32	121	242	286
34	FEMALE.....	143	5	8	3	4	3	23	17	40	15
35	OTHER RACES..MALE.....	124	-	2	6	2	5	15	14	12	20
36	FEMALE.....	22	-	1	3	1	2	7	1	6	2
37	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	3,100	771	134	52	31	19	1,007	65	50	85
38	MALE.....	1,821	425	73	30	15	10	553	36	25	69
39	FEMALE.....	1,279	346	61	22	16	9	454	29	25	16
40	WHITE.....MALE.....	1,461	290	50	21	9	7	377	28	21	58
41	FEMALE.....	1,029	229	45	16	14	8	312	21	21	11
42	NEGRO.....MALE.....	333	126	20	9	5	3	163	8	4	14
43	FEMALE.....	234	113	15	6	2	1	137	8	4	2
44	OTHER RACES..MALE.....	27	9	3	-	1	-	13	-	-	-
45	FEMALE.....	16	4	1	-	-	-	5	-	-	-
46	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,394	4	13	15	25	28	85	113	308	489
47	MALE.....	2,049	-	7	7	18	20	52	82	268	446
48	FEMALE.....	345	4	6	8	7	8	33	31	40	43
49	WHITE.....MALE.....	1,610	-	4	3	14	10	31	60	220	334
50	FEMALE.....	226	3	4	4	4	5	20	24	26	28
51	NEGRO.....MALE.....	421	-	3	4	3	10	20	22	46	103
52	FEMALE.....	118	1	2	4	2	3	12	7	14	15
53	OTHER RACES..MALE.....	18	-	-	-	1	-	1	-	2	9
54	FEMALE.....	1	-	-	-	1	-	1	-	-	-
55	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,928	57	76	73	58	47	311	193	247	408
56	MALE.....	5,338	36	31	51	34	36	188	123	216	391
57	FEMALE.....	590	21	45	22	24	11	123	70	31	17
58	WHITE.....MALE.....	4,641	27	20	39	26	31	143	106	193	348
59	FEMALE.....	478	15	28	14	18	9	84	57	23	16
60	NEGRO.....MALE.....	640	9	9	12	8	5	43	15	20	37
61	FEMALE.....	105	6	16	8	5	2	37	11	7	1
62	OTHER RACES..MALE.....	57	-	2	-	-	-	2	2	3	6
63	FEMALE.....	7	-	1	-	1	-	2	2	1	-
64	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	178	1	3	1	6	2	13	19	12	10
65	MALE.....	148	-	3	-	6	2	11	14	7	10
66	FEMALE.....	30	1	-	1	-	-	2	5	5	-
67	WHITE.....MALE.....	104	-	1	-	6	2	9	12	4	6
68	FEMALE.....	23	-	-	1	-	-	1	4	4	-
69	NEGRO.....MALE.....	41	-	1	-	-	-	1	2	2	4
70	FEMALE.....	7	1	-	-	-	-	1	1	1	-
71	OTHER RACES..MALE.....	3	-	1	-	-	-	1	-	1	-
72	FEMALE.....	-	-	-	-	-	-	-	-	-	-
73	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	642	6	6	7	8	4	31	19	31	45
74	MALE.....	505	5	1	4	5	1	16	9	25	42
75	FEMALE.....	137	1	5	3	3	3	15	10	6	3
76	WHITE.....MALE.....	444	4	1	4	2	1	12	7	20	38
77	FEMALE.....	109	1	3	3	3	3	13	5	5	3
78	NEGRO.....MALE.....	56	1	-	3	-	-	4	2	3	3
79	FEMALE.....	27	-	2	-	-	-	2	5	1	1
80	OTHER RACES..MALE.....	5	-	-	-	-	-	-	-	2	1
81	FEMALE.....	1	-	-	-	-	-	-	-	-	-
82	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	278	22	41	24	9	4	100	11	1	1
83	MALE.....	149	14	13	15	5	2	49	5	1	1
84	FEMALE.....	129	8	28	9	4	2	51	6	-	-
85	WHITE.....MALE.....	101	5	7	7	1	-	24	2	1	1
86	FEMALE.....	91	6	15	3	1	-	25	4	-	-
87	NEGRO.....MALE.....	47	5	5	8	4	2	24	3	-	-
88	FEMALE.....	37	2	12	6	3	2	25	2	-	-
89	OTHER RACES..MALE.....	1	-	1	-	-	-	1	-	-	-
90	FEMALE.....	1	-	1	-	-	-	1	-	-	-

SECTION I - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
ACCIDENTS MAINLY OF INDUSTRIAL TYPE--CON.											
01	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,048	10	1	8	7	5	31	33	66	117
02	MALE....	968	8	-	7	4	2	21	24	56	107
03	FEMALE..	80	2	1	1	3	3	10	9	10	10
04	WHITE.....MALE....	877	6	-	6	4	2	18	21	53	98
05	FEMALE..	70	1	1	1	3	3	9	8	7	9
06	NEGRO.....MALE....	79	2	-	1	-	-	3	2	3	8
07	FEMALE..	10	1	-	-	-	-	1	1	3	1
08	OTHER RACES..MALE....	12	-	-	-	-	-	-	1	-	1
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,782	18	25	33	28	32	136	111	137	235
11	MALE....	3,568	9	14	25	14	29	91	71	127	231
12	FEMALE..	214	9	11	8	14	3	45	40	10	4
13	WHITE.....MALE....	3,115	8	11	22	13	26	80	64	115	205
14	FEMALE..	185	7	9	6	11	3	36	36	7	4
15	NEGRO.....MALE....	417	1	3	3	1	3	11	6	12	22
16	FEMALE..	24	2	2	2	2	-	8	2	2	2
17	OTHER RACES..MALE....	36	-	-	-	-	-	-	2	1	4
18	FEMALE..	5	-	-	-	1	-	1	2	1	-
19	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	2,023	36	10	6	4	2	58	18	11	19
20	MALE....	1,069	21	4	4	2	1	32	14	7	13
21	FEMALE..	954	15	6	2	2	1	26	4	4	6
22	WHITE.....MALE....	909	14	2	3	2	-	21	14	7	6
23	FEMALE..	837	13	4	2	1	-	21	4	3	5
24	NEGRO.....MALE....	145	7	2	1	-	1	11	4	-	7
25	FEMALE..	107	2	1	-	-	1	4	-	1	1
26	OTHER RACES..MALE....	15	-	-	-	-	-	-	-	-	-
27	FEMALE..	10	-	-	-	1	-	1	-	-	-
28	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,870	895	116	57	46	38	1,152	159	218	269
29	MALE....	4,058	500	58	37	25	23	643	115	185	242
30	FEMALE..	1,812	395	58	20	21	15	509	44	33	27
31	WHITE.....MALE....	3,170	342	43	27	22	20	454	99	166	215
32	FEMALE..	1,426	262	44	17	12	14	349	37	27	22
33	NEGRO.....MALE....	795	150	14	10	3	2	179	12	18	20
34	FEMALE..	356	127	10	3	9	1	150	7	5	5
35	OTHER RACES..MALE....	93	8	1	-	-	1	10	4	1	7
36	FEMALE..	30	6	4	-	-	-	19	-	1	-
37	SUICIDE.....E950-E959	21,372	2	116	916
38	MALE....	15,379	2	95	716
39	FEMALE..	5,993	-	21	200
40	WHITE.....MALE....	14,520	2	90	658
41	FEMALE..	5,692	-	17	173
42	NEGRO.....MALE....	722	-	5	42
43	FEMALE..	232	-	2	21
44	OTHER RACES..MALE....	137	-	-	16
45	FEMALE..	69	-	2	6
46	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,276	-	10	128
47	MALE....	1,197	-	2	55
48	FEMALE..	2,079	-	8	73
49	WHITE.....MALE....	1,142	-	2	50
50	FEMALE..	1,977	-	4	59
51	NEGRO.....MALE....	41	-	4	4
52	FEMALE..	79	-	2	9
53	OTHER RACES..MALE....	14	-	-	1
54	FEMALE..	23	-	2	5
55	SUICIDE FROM POISONING BY GASES.....E951,E952	2,408	-	1	74
56	MALE....	1,763	-	1	61
57	FEMALE..	645	-	-	13
58	WHITE.....MALE....	1,736	-	1	60
59	FEMALE..	635	-	-	13
60	NEGRO.....MALE....	20	-	-	-
61	FEMALE..	7	-	-	-
62	OTHER RACES..MALE....	7	-	-	1
63	FEMALE..	3	-	-	-
64	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,099	2	50	157
65	MALE....	2,265	2	45	147
66	FEMALE..	834	-	5	10
67	WHITE.....MALE....	2,105	2	43	132
68	FEMALE..	795	-	5	10
69	NEGRO.....MALE....	122	-	2	9
70	FEMALE..	13	-	-	-
71	OTHER RACES..MALE....	38	-	-	6
72	FEMALE..	26	-	-	-
73	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	10,911	-	55	496
74	MALE....	9,078	-	47	415
75	FEMALE..	1,833	-	8	81
76	WHITE.....MALE....	8,587	-	44	384
77	FEMALE..	1,733	-	8	73
78	NEGRO.....MALE....	429	-	3	26
79	FEMALE..	91	-	-	8
80	OTHER RACES..MALE....	62	-	-	5
81	FEMALE..	9	-	-	-
82	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,678	-	-	61
83	MALE....	1,076	-	-	38
84	FEMALE..	602	-	-	23
85	WHITE.....MALE....	950	-	-	32
86	FEMALE..	552	-	-	18
87	NEGRO.....MALE....	110	-	-	3
88	FEMALE..	42	-	-	4
89	OTHER RACES..MALE....	16	-	-	3
90	FEMALE..	8	-	-	1

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ALL CAUSES.....	1,930,082	1,087,220	842,862	951,154	738,405	136,061	104,457
02 I. INFECTIVE AND PARASITIC DISEASES.....	17,776	10,556	7,220	7,684	5,306	2,877	1,914
03 CHOLERA.....000	-	-	-	-	-	-	-
04 TYPHOID FEVER.....001	7	3	4	2	2	1	2
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	70	40	30	23	19	17	11
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	111	69	42	47	27	22	15
07 FOOD POISONING (BACTERIAL).....005	10	4	6	2	4	2	2
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,940	1,442	1,498	996	1,113	446	385
09 TUBERCULOSIS, ALL FORMS.....010-019	6,292	4,502	1,790	3,168	1,205	1,334	585
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	5,009	3,692	1,317	2,581	880	1,111	437
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	129	79	50	35	22	44	28
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	45	21	24	9	10	12	14
13 TUBERCULOSIS OF BONES AND JOINTS.....015	40	24	16	14	13	10	3
14 DISSEMINATED TUBERCULOSIS.....018	206	107	99	56	40	51	59
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	863	579	284	473	240	106	44
16 PLAGUE.....020	1	1	-	1	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-	-
18 BRUCELLOSIS.....023	1	-	1	-	1	-	-
19 LEPROSY.....030	5	2	3	1	-	1	3
20 DIPHTHERIA.....032	30	17	13	13	6	4	7
21 WHOOPING COUGH.....033	36	19	17	7	10	12	7
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	28	16	12	14	10	2	2
23 ERYSIPELAS.....035	9	2	7	2	6	-	1
24 MENINGOCOCCAL INFECTIONS.....036	741	424	317	320	227	104	90
25 TETANUS.....037	86	45	41	27	21	18	20
26 SEPTICEMIA.....038	2,991	1,637	1,354	1,249	1,036	388	318
27 OTHER BACTERIAL DISEASES.....007,021,024-027,C31,039	398	222	176	169	137	53	39
28 ACUTE POLIOMYELITIS.....040-043	24	12	12	11	12	1	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	106	59	47	57	46	2	1
30 SMALLPOX.....050	-	-	-	-	-	-	-
31 MEASLES.....055	24	12	12	8	10	4	2
32 YELLOW FEVER.....060	-	-	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	355	206	149	182	127	24	22
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	42	20	22	20	19	-	3
35 INFECTIOUS HEPATITIS.....070	877	327	550	270	451	57	99
36 RABIES.....071	1	-	1	-	1	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,C56,C57,061,067,068,072-079	895	454	441	396	370	58	71
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	25	13	12	13	12	1	-
39 MALARIA.....084	7	5	2	4	2	1	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-	-
41 RELAPSING FEVER.....088	1	1	-	1	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	586	430	156	249	83	181	73
43 CONGENITAL SYPHILIS.....090	28	17	11	11	6	6	5
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	53	37	16	25	7	12	9
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	285	203	82	99	39	104	43
47 TABES DORSALIS.....094,0	42	24	8	28	7	6	1
48 GENERAL PARESIS.....094,1	49	40	9	29	8	11	1
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	100	79	21	44	12	35	9
50 ALL OTHER SYPHILIS.....095,097,0,097,9	29	20	9	13	4	7	5
51 GONOCOCCAL INFECTIONS.....098	1	-	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	6	5	1	5	1	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	12	7	5	2	2	5	3
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,058	560	498	425	346	135	152
58 II. NEOPLASMS.....	323,495	176,039	147,456	157,255	132,761	18,784	14,695
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	318,547	173,694	144,853	155,167	130,550	18,527	14,303
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,294	5,383	1,911	4,769	1,718	614	193
61 OF LIP.....140	184	163	21	161	20	2	1
62 OF TONGUE.....141	1,704	1,251	453	1,119	418	132	35
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,240	1,503	737	1,334	671	169	66
64 OF PHARYNX.....146-149	3,166	2,466	700	2,155	609	311	91
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	93,563	50,324	43,239	44,451	39,203	5,873	4,036
66 OF ESOPHAGUS.....150	5,804	4,360	1,444	3,363	1,151	997	293
67 OF STOMACH.....151	16,901	10,330	6,571	8,699	5,728	1,631	843
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	665	341	324	313	294	28	30
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	34,030	15,690	18,340	14,492	16,954	1,198	1,386
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	4,394	1,876	2,518	1,715	2,338	161	180
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	1,451	626	825	591	777	35	48
72 DESCENDING COLON.....153,2	1,135	513	622	476	561	37	61
73 SIGMOID COLON.....153,3	5,573	2,700	2,873	2,551	2,711	149	162
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	19,829	9,246	10,583	8,482	9,790	764	883
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1,648	729	919	677	867	52	52
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,405	5,841	4,564	5,378	4,177	463	387
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,196	1,466	730	1,158	661	308	89
78 OF GALLBLADDER AND BILE DUCTS.....156	4,609	1,613	2,996	1,500	2,818	113	178
79 OF PANCREAS.....157	17,381	9,917	7,464	8,872	6,736	1,045	728
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,572	766	806	676	704	90	102
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	63,485	52,178	11,307	46,977	10,252	5,201	1,055
82 OF LARYNX.....161	2,836	2,533	303	2,226	255	307	48
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	59,367	48,831	10,536	44,025	9,573	4,806	963
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,282	814	468	726	424	88	44
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	36,672	4,666	32,006	4,342	29,300	324	2,706
86 OF BONE.....170	1,768	1,015	753	903	687	112	66
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,423	765	658	691	583	74	75
88 OF SKIN.....172,173	4,400	2,621	1,779	2,522	1,709	99	70
89 OF BREAST.....174	29,081	265	28,816	226	26,321	39	2,495

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
33,553	13,349	9,274	5,933	4,997	1,349	666	266	250	167	13,780	7,610	4,750	891	529	01
473	142	73	167	91	21	6	3	7	5	268	116	59	56	37	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	05
2	-	-	1	1	-	-	-	-	-	6	4	-	2	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
99	19	18	34	28	3	-	-	3	-	61	11	10	23	17	08
206	66	22	84	34	10	3	-	3	4	102	57	20	16	9	09
174	55	19	73	27	5	2	-	-	3	81	41	18	13	9	10
7	2	-	3	2	1	-	-	-	1	3	1	-	2	-	11
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	12
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	13
5	1	-	2	2	-	-	-	-	-	-	-	-	-	-	14
17	8	2	4	3	4	1	-	3	-	17	14	2	1	-	15
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	1	-	-	1	-	-	-	-	-	2	1	-	1	-	19
1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
12	5	2	2	3	2	-	2	-	-	4	2	1	-	1	22
5	-	-	4	1	-	-	-	-	-	3	2	1	-	-	23
53	20	15	12	6	3	2	-	1	-	43	15	17	5	6	24
10	6	1	1	2	-	-	-	-	-	2	1	1	1	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	27
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	28
3	-	2	1	-	-	-	-	-	-	3	1	2	-	-	29
16	6	6	1	3	1	-	-	-	1	10	7	2	-	1	30
9	3	1	2	3	1	-	-	-	-	6	3	2	1	-	31
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
19	5	-	11	3	-	-	-	-	-	4	2	1	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	37
11	2	-	6	3	-	-	-	-	-	3	1	1	1	-	38
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	39
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	40
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
19	5	-	11	3	-	-	-	-	-	4	2	1	1	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	45
11	2	-	6	3	-	-	-	-	-	3	1	1	1	-	46
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	47
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	48
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
30	9	3	12	6	-	-	-	-	-	17	8	1	5	3	56
4,844	1,972	1,567	641	664	154	73	37	26	13	2,120	1,152	845	74	49	57
4,751	1,940	1,539	629	643	150	73	36	25	14	2,077	1,130	826	73	48	58
115	61	27	17	10	9	3	1	5	-	50	32	16	2	-	59
6	4	1	-	1	-	-	-	-	-	1	1	-	-	-	60
25	15	3	5	2	-	-	-	-	-	10	3	6	1	-	61
39	15	13	6	5	-	-	-	-	-	16	10	6	-	-	62
45	27	10	6	2	9	3	1	5	-	23	18	4	1	-	63
1,193	457	414	178	144	42	23	8	6	5	579	290	248	23	18	64
67	30	13	16	8	2	2	-	-	-	22	18	2	2	-	65
229	98	53	54	24	5	3	1	1	1	112	55	42	12	3	66
6	3	2	-	1	-	-	-	-	-	1	-	1	-	-	67
403	132	182	38	51	16	9	4	1	2	199	89	101	5	4	68
40	15	15	7	3	3	3	-	-	-	28	12	15	-	1	69
9	2	3	-	4	-	-	-	-	-	7	3	4	-	-	70
17	6	7	2	2	-	-	-	-	-	4	3	1	-	-	71
47	12	28	2	5	3	1	2	-	-	26	12	13	-	1	72
281	94	124	27	36	10	5	2	1	2	127	57	63	5	2	73
9	3	5	-	1	-	-	-	-	-	7	2	5	-	-	74
105	45	32	13	15	4	2	1	1	-	49	25	24	-	-	75
35	15	6	9	5	2	2	-	-	-	10	5	4	-	1	76
38	15	15	3	5	3	2	1	1	1	46	12	24	3	7	77
278	105	99	40	34	8	3	2	2	1	128	77	47	1	3	78
32	14	12	5	1	2	2	-	-	-	12	9	3	-	-	79
919	630	101	161	27	29	19	5	4	1	462	364	75	17	6	80
41	24	2	14	1	2	2	-	-	-	13	12	-	1	-	81
857	595	91	146	25	27	17	5	4	1	442	347	74	16	5	82
21	11	8	1	1	-	-	-	-	-	7	5	1	-	1	83
524	77	319	10	118	11	2	7	-	2	217	38	176	-	3	84
37	12	18	5	2	1	1	-	-	-	7	3	4	-	-	85
20	10	2	1	7	-	-	-	-	-	14	13	1	-	-	86
103	52	42	4	5	1	1	-	-	-	25	20	5	-	-	87
364	3	257	-	104	9	-	7	-	2	171	2	166	-	3	88

Table I-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.							
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	40,936	17,810	23,126	15,250	19,929	2,560	3,197
02 OF CERVIX UTERI.....180	7,108	...	7,108	...	5,548	...	1,560
03 OF OTHER PARTS OF UTERUS.....181,182	5,651	...	5,651	...	4,838	...	813
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	9,489	...	9,489	...	8,761	...	728
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	878	...	878	...	782	...	96
06 OF PROSTATE.....185	16,848	16,848	...	14,364	...	2,484	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	962	962	...	886	...	76	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	14,792	9,965	4,827	9,208	4,394	757	433
09 OF BLADDER.....188	8,492	5,986	2,506	5,572	2,231	414	275
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,300	3,979	2,321	3,636	2,163	343	158
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	29,656	15,282	14,374	13,572	12,808	1,710	1,566
12 OF EYE.....190	363	179	184	174	173	5	11
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	7,508	4,362	3,146	4,115	2,919	247	227
14 OF THYROID GLAND.....193	1,017	387	630	351	562	36	68
15 OTHER.....194-199	20,768	10,354	10,414	8,932	9,154	1,422	1,260
16 LEUKEMIA.....204-207	14,375	8,174	6,201	7,530	5,717	644	484
17 LYMPHATIC LEUKEMIA.....204	5,007	2,967	2,040	2,729	1,888	238	152
18 MYELOID LEUKEMIA.....205	5,415	2,974	2,441	2,749	2,254	225	187
19 MONOCYtic LEUKEMIA.....206	720	406	314	380	291	26	23
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	3,233	1,827	1,406	1,672	1,284	155	122
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	17,774	9,912	7,862	9,068	7,229	844	633
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,801	3,745	3,056	3,504	2,880	241	176
23 HODGKIN'S DISEASE.....201	3,353	1,976	1,377	1,830	1,304	146	73
24 MULTIPLE MYELOMA.....203	4,088	2,225	1,863	1,907	1,579	311	284
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	3,532	1,966	1,566	1,827	1,466	139	100
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,948	2,345	2,603	2,088	2,211	257	392
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	245	...	245	...	165	...	80
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	762	299	463	261	402	38	61
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	860	474	386	414	337	60	49
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	26	...	26	...	19	...	7
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	1,970	996	974	895	857	101	117
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,085	576	509	518	431	58	78
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,354	19,540	26,814	16,937	22,391	2,603	4,423
34 NONTOXIC GOITER.....240,241	60	16	44	13	34	3	10
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	350	78	272	58	209	7	63
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	94	298	87	275	7	23
37 DIABETES MELLITUS.....250	38,352	15,781	22,571	13,744	18,793	2,037	3,778
38 DISEASES OF PITUITARY GLAND.....253	241	110	131	90	109	20	22
39 DISEASES OF THYMUS GLAND.....254	58	41	17	35	15	6	2
40 DISEASES OF ADRENAL GLAND.....255	479	193	286	166	247	27	39
41 NIACIN DEFICIENCY.....262	15	6	9	5	7	1	2
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,528	1,226	1,302	950	1,095	276	207
43 CYSTIC FIBROSIS.....273,0	597	284	313	279	302	5	11
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	3,282	1,711	1,571	1,510	1,305	201	266
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,008	2,444	2,564	1,974	2,107	470	457
46 ANEMIAS.....280-285	3,494	1,645	1,849	1,268	1,456	377	393
47 DEFICIENCY ANEMIAS.....280,281	621	248	373	215	332	33	41
48 HEMOLYTIC ANEMIAS.....282,283	711	347	364	135	168	212	196
49 APLASTIC ANEMIA.....284	1,175	585	590	535	529	50	61
50 OTHER AND UNSPECIFIED ANEMIAS.....285	987	465	522	383	427	82	95
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	610	296	314	263	290	33	24
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	904	503	401	443	361	60	40
53 V. MENTAL DISORDERS.....	6,628	4,617	2,011	3,400	1,566	1,217	445
54 SENILE AND PRESENILE DEMENTIAS.....290	542	240	302	225	287	15	15
55 ALCOHOLIC PSYCHOSES.....291	637	576	61	433	38	143	23
56 ALL OTHER PSYCHOSES.....294-299	304	121	183	98	163	25	20
57 ALCOHOLISM.....303	3,904	3,007	897	2,125	590	882	307
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	1,014	545	469	416	413	120	56
59 MENTAL RETARDATION.....310-315	227	128	99	103	75	25	24
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,439	9,061	7,378	7,626	6,385	1,435	993
61 MENINGITIS.....320	1,707	1,023	684	671	470	352	214
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	680	498	182	458	163	47	19
63 MULTIPLE SCLEROSIS.....340	1,647	665	982	616	896	42	86
64 PARALYSIS AGITANS.....342	3,193	1,699	1,494	1,638	1,451	61	43
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	649	372	277	318	217	54	60
66 EPILEPSY.....345	1,972	1,212	760	813	570	304	190
67 INFLAMMATORY DISEASES OF EYE.....360-369	17	7	10	6	9	1	1
68 CATARACT.....374	48	22	26	19	24	3	2
69 GLAUCOMA.....375	8	4	4	3	3	1	1
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	208	105	103	82	78	24	25
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,310	3,454	2,856	3,002	2,504	457	352
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,040,292	565,774	474,518	509,438	423,249	56,346	51,269
73 ACTIVE RHEUMATIC FEVER.....390-392	363	186	177	148	148	34	29
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	15,995	7,337	8,658	6,639	7,967	647	691
75 DISEASES OF MITRAL VALVE.....394	4,205	1,541	2,664	1,393	2,485	144	179
76 DISEASES OF AORTIC VALVE.....395	3,961	2,608	1,353	2,390	1,235	218	118
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	695	290	405	269	378	21	27
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	7,134	2,898	4,236	2,587	3,869	315	367
79 HYPERTENSIVE DISEASE.....400-404	26,761	12,418	14,343	9,618	11,348	2,871	2,995
80 MALIGNANT HYPERTENSION.....400	1,636	869	767	451	398	41	369
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,277	499	778	372	427	127	151
82 HYPERTENSIVE HEART DISEASE.....402	9,811	3,965	5,846	2,952	4,543	1,013	1,303
83 HYPERTENSIVE RENAL DISEASE.....403	6,150	3,384	2,766	2,775	2,258	670	508
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	7,887	3,701	4,186	3,068	3,522	438	464

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
787	194	274	112	207	18	7	6	3	2	238	94	124	12	8
223	...	108	...	115	5	...	3	...	2	32	...	27	...	5
97	...	49	...	48	1	...	1	35	...	33	...	2
142	...	105	...	37	2	...	2	60	...	59	...	1
15	...	12	...	7	5	...	5
288	178	...	108	...	7	5	...	2	...	102	91	...	11	...
20	16	...	4	...	3	2	...	1	...	4	3	...	1	...
197	102	54	29	12	11	8	...	2	1	96	67	24	3	...
109	59	28	12	10	4	3	...	1	...	54	41	11	1	...
88	43	26	17	2	7	5	...	1	1	42	26	13	2	...
533	196	197	67	73	19	6	5	4	4	204	115	77	6	6
6	3	2	1	1	2
93	48	34	5	6	3	2	1	52	35	17
13	5	5	1	2	1	1	7	5	2
421	140	156	61	64	15	4	4	4	3	143	75	56	6	6
220	113	62	21	24	1	1	...	105	57	41	5	2
94	50	24	12	8	32	25	6	1	...
69	37	20	6	6	52	22	24	3	1
17	8	6	...	3	3	2	1
40	18	12	3	7	1	1	...	18	8	...	1	...
263	110	91	34	28	10	5	4	...	1	126	73	45	5	3
89	34	36	10	9	6	3	3	50	33	14	2	1
44	18	20	5	1	2	1	1	20	12	8
70	27	15	14	14	1	30	12	13	3	2
60	31	20	5	4	1	1	...	26	16	10
93	32	28	12	21	4	...	1	1	2	43	22	19	1	1
3	...	2	...	1	1
6	2	2	...	2	7	1	6
11	5	2	1	3	6	5	1
1	1	1	1
46	14	18	8	6	2	...	1	...	1	23	11	12
26	11	4	3	8	1	...	1	6	5	...	1	...
742	198	253	119	172	20	11	7	1	1	332	128	164	19	21
6	...	3	...	3	1	1
9	2	6	...	1	5	2	1	...	2
633	170	216	96	151	18	10	6	1	1	238	90	123	11	14
3	1	1	...	1	3	1	1
10	2	6	1	1	6	2	4
2	1	1
27	3	8	13	3	1	1	36	12	13	7	4
10	5	5	1	...	1	7	4	3
42	14	7	9	12	32	16	16
88	37	15	16	20	32	15	13	4	...
69	22	12	15	20	17	5	8	4	...
8	1	3	2	2	2	2
18	1	...	9	8	5	1	1	3	...
17	10	4	2	1	10	4	5	1	...
26	10	5	2	9
9	7	2	6	4	2
10	8	1	1	9	6	3
121	46	24	34	17	27	11	2	3	11	79	48	17	13	1
11	7	2	1	1	6	2	4
9	5	...	3	1	2	2	4	2	...	2	...
26	5	11	8	2	1	1
48	19	5	16	8	25	9	2	3	11	59	39	8	11	1
16	6	4	3	3	8	4	4
11	4	2	3	2	1	...	1
263	93	69	53	48	14	2	2	5	5	139	68	49	14	8
34	8	4	12	10	4	1	3	23	10	5	5	3
10	5	3	1	1	1	1	4	1	3
14	3	6	2	3	15	6	8	1	...
25	13	11	1	...	1	1	20	11	9
16	7	4	2	3	1	...	1	5	4	1
42	9	7	16	10	4	...	1	2	1	12	8	2	2	...
1	...	1
...
2	...	2
119	48	31	19	21	3	1	1	1	...	60	28	22	6	4
17,203	6,869	5,141	2,619	2,574	400	232	83	49	36	6,084	3,474	2,275	207	128
6	2	...	3	1	1	1	2	2	...	1	...
133	47	41	24	19	6	2	4	...	1	140	62	67	6	5
35	15	10	6	4	1	1	42	14	26	1	1
38	15	11	8	4	34	24	8	2	...
3	1	1	...	1	2	...	2	4	2	2
57	16	19	12	10	3	1	2	60	22	31	3	4
420	127	159	175	159	6	4	...	1	1	141	63	64	8	6
76	8	8	34	26	3	2	1
43	12	14	11	6	2	2	3	1	2
167	28	49	45	45	3	2	...	1	...	55	22	27	3	3
130	31	29	41	29	1	1	49	25	20	3	1
204	48	59	44	53	31	13	15	2	1

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	674,747	390,912	283,835	358,457	256,809	32,455	27,026
02 WITH HYPERTENSIVE DISEASE (.0)	78,204	36,082	42,122	29,768	34,906	6,314	7,216
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	596,543	354,830	241,713	328,689	221,903	26,141	19,810
04 ACUTE MYOCARDIAL INFARCTION.....410	369,610	236,017	133,593	220,517	122,482	15,500	11,111
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,691	2,945	1,746	2,489	1,455	456	291
06 CHRONIC ISCHEMIC HEART DISEASE.....412	300,216	151,815	148,401	135,333	132,791	16,482	15,610
07 ANGINA PECTORIS.....413	230	135	95	118	81	17	14
08 OTHER FORMS OF HEART DISEASE.....420-429	35,855	19,695	16,160	16,118	13,229	3,577	2,931
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	709	367	342	299	280	68	62
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	651	399	252	331	212	68	40
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,345	672	673	581	605	91	68
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	81	28	53	28	53	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	277	162	115	147	106	15	9
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	987	482	505	406	446	76	59
15 SYMPTOMATIC HEART DISEASE.....427	16,851	8,638	8,213	7,186	6,819	1,452	1,394
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	6,491	3,188	3,303	2,657	2,817	531	486
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	9,808	6,431	3,377	5,064	2,496	1,367	881
18 CEREBROVASCULAR DISEASES.....430-438	211,390	96,701	114,689	83,602	100,468	13,099	14,221
19 WITH HYPERTENSION (BENIGN) (.0)	27,739	11,966	15,773	9,244	12,534	2,722	3,239
20 WITHOUT MENTION OF HYPERTENSION (.9)	183,651	84,735	98,916	74,358	87,934	10,377	10,982
21 SUBARACHNOID HEMORRHAGE.....430	9,467	4,027	5,440	3,318	4,465	709	975
22 CEREBRAL HEMORRHAGE.....431	47,002	22,538	24,464	18,947	20,914	3,591	3,550
23 CEREBRAL THROMBOSIS.....433	60,331	27,186	33,145	24,209	29,859	2,977	3,286
24 CEREBRAL EMBOLISM.....434	1,136	517	619	474	558	43	61
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,210	1,864	1,346	1,683	1,227	181	119
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	56,769	26,046	30,723	21,809	25,978	4,237	4,745
27 OTHER CEREBROVASCULAR DISEASES.....437,438	33,475	14,523	18,952	13,162	17,467	1,361	1,485
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,288	29,984	28,304	27,621	26,092	2,363	2,212
29 ARTERIOSCLEROSIS.....440	33,568	14,648	18,920	13,448	17,651	1,197	1,272
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	13,228	9,617	3,611	9,014	3,214	603	397
31 GANGRENE.....445	2,673	1,360	1,313	1,182	1,134	178	179
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,819	4,362	4,457	3,977	4,093	385	364
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	16,893	8,541	8,352	7,235	7,188	1,306	1,164
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,084	7,512	7,572	6,368	6,508	1,144	1,064
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,809	1,029	780	867	680	162	100
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	123,440	78,283	45,157	68,040	38,696	10,243	6,461
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	784	433	351	318	263	115	88
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,432	835	597	684	460	151	137
39 INFLUENZA.....470-474	7,062	3,277	3,785	2,885	3,379	392	406
40 PNEUMONIA.....480-486	66,430	37,285	29,145	30,675	24,550	6,610	4,595
41 VIRAL PNEUMONIA.....480	2,105	1,086	1,019	936	857	150	162
42 BACTERIAL PNEUMONIA.....481,482	8,579	5,244	3,335	4,155	2,739	1,089	596
43 ACUTE INTERSTITIAL PNEUMONIA.....484	1,833	1,083	750	752	474	331	276
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	31,101	17,270	13,831	14,502	11,946	2,768	1,885
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	22,812	12,602	10,210	10,330	8,534	2,272	1,676
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	33,078	26,262	6,816	24,536	6,153	1,726	663
47 BRONCHITIS, UNQUALIFIED.....490	843	447	396	359	342	88	54
48 CHRONIC BRONCHITIS.....491	5,362	4,147	1,215	3,908	1,147	239	68
49 EMPHYSEMA.....492	24,185	20,434	3,751	19,361	3,568	1,073	183
50 ASTHMA.....493	2,688	1,234	1,454	908	1,096	326	358
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	53	33	20	23	13	10	7
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,271	932	339	727	273	205	66
53 PLEURISY.....511	403	248	155	209	131	39	24
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,462	2,272	1,190	2,077	1,106	195	84
55 BRONCHIECTASIS.....518	1,299	783	516	701	482	82	34
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	8,166	5,923	2,243	5,205	1,886	718	357
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,718	43,034	30,684	37,427	26,802	5,607	3,882
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	50	22	28	13	23	9	5
59 PEPTIC ULCER.....531-533	9,460	6,438	3,022	5,795	2,750	643	272
60 ULCER OF STOMACH.....531	3,829	2,401	1,428	2,108	1,304	293	124
61 ULCER OF DUODENUM.....532	4,413	3,186	1,227	2,924	1,117	262	110
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,218	851	367	763	329	88	38
63 GASTRITIS AND DUODENITIS.....535	523	323	200	273	181	50	19
64 APPENDICITIS.....540-543	1,485	888	597	755	490	133	107
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	7,758	3,561	4,197	3,041	3,765	520	432
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	60	26	34	22	27	4	7
67 DIVERTICULA OF INTESTINE.....562	3,412	1,459	1,953	1,378	1,858	81	95
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,135	531	604	496	562	35	42
69 CIRRHOSIS OF LIVER.....571	29,183	18,821	10,362	16,142	8,607	2,679	1,755
70 ALCOHOLIC.....571.0	10,036	6,873	3,163	5,738	2,511	1,135	652
71 OTHER SPECIFIED.....571.8	5,694	3,330	2,364	2,739	1,918	591	446
72 UNSPECIFIED.....571.9	13,453	8,618	4,835	7,665	4,178	953	657
73 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....574,575	4,385	1,897	2,488	1,786	2,299	111	189
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	16,267	9,068	7,199	7,726	6,240	1,342	959
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	29,787	16,926	12,861	13,730	10,111	3,196	2,750
76 NEPHRITIS AND NEPHROSIS.....580-584	9,311	5,119	4,192	3,509	3,054	1,210	1,138
77 ACUTE NEPHRITIS.....580	826	476	350	374	261	102	89
78 NEPHROTIC SYNDROME.....581	468	244	224	195	174	49	50
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	8,017	4,399	3,618	3,340	2,619	1,059	999
80 INFECTIONS OF KIDNEY.....590	9,395	4,347	5,048	3,548	4,123	799	925
81 CALCULI OF URINARY SYSTEM.....592,594	1,057	545	512	494	457	51	55
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	5,703	3,362	2,341	2,695	1,910	667	431
83 HYPERPLASIA OF PROSTATE.....600	2,647	2,647	...	2,290	...	357	...
84 DISEASES OF BREAST.....610,611	18	3	15	3	11	-	4
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,656	903	753	791	556	112	197
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	859	...	859	...	484	...	375
87 ECTOPIC PREGNANCY.....631	79	...	79	...	36	...	43
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	146	...	146	...	78	...	68
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	104	...	104	...	62	...	42

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ABORTIONS.....640-645	133	...	133	...	58	...	75
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	2	...	2	...	2	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	55	...	55	...	29	...	26
04 SPONTANEOUS ABORTION.....643	22	...	22	...	13	...	9
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	54	...	54	...	14	...	40
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	154	...	154	...	107	...	47
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	233	...	233	...	137	...	96
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....659	19	...	10	...	6	...	4
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,818	766	1,052	605	856	161	196
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	491	271	220	221	188	50	32
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,327	495	832	384	668	111	164
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,942	1,714	3,228	1,505	2,790	209	439
13 ARTHRITIS AND SPONDYLITIS.....710-715	2,070	713	1,357	648	1,250	65	107
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	167	57	110	46	82	11	28
15 OSTEOMYELITIS AND PERIOSTITIS.....720	162	91	71	72	61	19	10
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	162	73	89	69	84	4	5
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,381	780	1,601	676	1,313	110	288
18 XIV. CONGENITAL ANOMALIES.....	16,793	9,075	7,718	7,746	6,590	1,335	1,128
19 SPINA BIFIDA.....741	932	388	544	355	508	32	36
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,674	1,287	1,387	1,126	1,213	161	174
21 CONGENITAL ANOMALIES OF HEART.....746	6,825	3,834	2,991	3,237	2,498	597	493
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,196	663	533	561	467	102	66
23 CLEFT PALATE AND CLEFT LIP.....749	48	28	20	20	14	8	6
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	5,118	2,875	2,243	2,441	1,890	434	353
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,840	25,879	17,961	19,814	13,206	6,065	4,755
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	23,656	14,183	9,473	9,442	5,944	4,741	3,529
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,514	588	526	391	692	197	234
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	22,142	13,595	8,547	9,051	5,252	4,544	3,295
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	155,237	109,229	45,508	88,537	39,161	20,792	6,747
30 ACCIDENTS.....E800-E949	114,864	79,424	35,440	66,711	30,754	12,713	4,686
31 RAILWAY ACCIDENTS.....E800-E807	849	743	106	564	94	179	12
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	54,862	39,788	15,074	34,345	13,316	5,443	1,758
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	53,801	38,970	14,831	33,627	13,097	5,343	1,734
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,570	1,095	475	978	442	117	33
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	19,207	12,901	6,306	11,498	5,737	1,403	569
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,927	6,278	2,649	4,882	2,150	1,396	499
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,838	6,263	1,575	5,457	1,382	806	193
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,307	7,392	1,915	6,480	1,693	912	222
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,952	5,041	1,911	4,332	1,693	709	218
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,061	818	243	718	219	100	24
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	264	167	97	185	91	22	6
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,625	1,468	157	1,229	122	239	35
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,904	1,592	312	1,569	309	23	3
44 ACCIDENTAL POISONING.....E850-E877	4,109	2,744	1,365	2,098	1,092	646	273
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1,692	1,063	629	717	513	346	116
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E866	891	553	338	423	254	130	84
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,526	1,128	398	958	325	170	73
48 ACCIDENTAL FALLS.....E880-E887	18,651	9,314	9,337	8,251	8,789	1,063	548
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	5,034	3,424	1,610	2,928	1,459	496	151
50 FALL ON SAME LEVEL.....E885-E886	958	406	552	384	534	22	18
51 OTHER AND UNSPECIFIED FALLS.....E887	12,659	5,484	7,175	4,939	6,796	545	379
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	7,335	4,296	3,039	3,041	2,137	1,255	902
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	5,950	4,977	973	3,678	808	1,299	165
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	3,100	1,821	1,279	1,461	1,029	360	250
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,394	2,049	345	1,610	226	439	119
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,928	5,338	590	4,641	478	697	112
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	178	148	30	104	23	44	7
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	642	505	137	444	109	61	28
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	278	149	129	101	91	48	38
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,048	968	80	877	70	91	10
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,782	3,568	214	3,115	185	453	29
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	2,023	1,069	954	909	837	160	117
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,870	4,058	1,812	3,170	1,426	888	386
64 SUICIDE.....E950-E959	21,372	15,379	5,993	14,520	5,692	859	301
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,276	1,197	2,079	1,142	1,977	55	182
66 SUICIDE FROM POISONING BY GASES.....E951,E952	2,408	1,763	645	1,736	635	27	10
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,099	2,265	834	2,105	795	160	39
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	10,911	9,078	1,833	8,587	1,733	451	100
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,678	1,076	602	950	552	126	50
70 HOMICIDE.....E960-E978	14,686	11,523	3,163	5,106	1,700	6,417	1,463
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	9,425	7,598	1,827	3,328	943	4,270	884
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	2,626	2,161	465	720	196	1,441	269
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	2,285	1,420	865	895	560	525	305
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	350	344	6	163	1	181	5
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED.....E980-E989	4,238	2,926	1,312	2,139	1,015	787	297
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	77	77	-	61	-	16	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6	...	-	...	6	-	...	-	...	-	3	...	2	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
5	...	-	...	5	-	...	-	...	-	2	...	2	...	1
3	...	2	...	1	-	...	-	...	-	1	...	-	...	1
6	...	2	...	4	-	...	-	...	-	2	...	2	...	1
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
28	7	10	5	6	-	-	-	-	-	26	8	14	2	2
6	2	1	2	1	-	-	-	-	-	11	2	6	2	1
22	5	9	3	5	-	-	-	-	-	15	6	8	-	1
107	29	51	8	19	5	1	2	-	2	67	22	43	2	-
48	14	23	7	4	3	1	-	-	2	34	15	18	1	-
1	-	-	-	1	-	-	-	-	-	3	1	2	-	-
1	-	1	-	-	-	-	-	-	-	4	2	1	-	-
3	3	-	-	-	-	-	-	-	-	4	2	1	-	-
54	12	27	1	14	2	-	2	-	-	26	2	22	1	-
300	134	97	34	35	19	4	9	3	3	161	70	65	14	12
27	9	13	2	3	1	-	1	-	-	4	1	3	-	-
46	18	15	2	11	5	1	2	-	2	27	12	10	3	2
113	48	38	16	11	7	3	4	-	-	69	26	30	8	5
22	11	7	3	1	1	-	1	-	-	13	8	3	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	48	24	11	9	5	-	1	3	1	48	23	19	3	3
879	324	198	203	154	83	29	24	12	18	367	185	123	26	33
1,787	487	264	568	468	45	14	6	14	11	191	66	31	63	31
77	14	27	15	21	6	1	-	2	3	11	3	3	3	2
1,710	473	237	953	447	39	13	6	12	8	180	63	28	60	29
3,323	1,631	604	845	243	425	226	66	102	31	1,641	933	386	235	87
2,566	1,312	503	561	190	353	191	56	82	24	1,236	792	277	184	73
26	14	1	11	-	-	-	-	-	-	22	5	2	11	-
1,296	732	261	245	98	82	48	20	9	5	622	367	131	88	36
1,279	723	257	244	55	75	42	20	8	5	611	357	131	87	36
38	18	14	6	-	1	1	-	-	-	13	8	3	1	34
422	222	115	68	17	31	15	14	2	2	210	125	57	18	10
180	91	23	51	15	10	4	1	1	4	120	68	16	27	9
146	82	22	33	9	5	3	1	1	1	42	26	7	5	4
313	203	44	60	6	20	13	3	3	1	140	92	24	23	10
180	107	39	26	8	8	6	1	1	1	77	38	24	13	2
17	9	4	1	3	7	6	1	-	-	11	10	-	1	-
1	1	-	-	-	-	-	-	-	-	12	2	4	6	-
41	32	3	6	-	41	16	3	20	2	6	6	-	-	-
44	43	1	-	-	90	67	17	4	2	34	29	4	1	-
65	25	17	15	8	13	3	4	1	5	55	23	22	4	6
16	5	7	2	2	8	2	1	1	4	25	9	13	1	2
31	7	7	11	6	1	1	-	-	-	16	4	7	2	3
18	13	3	2	-	4	2	1	-	1	14	10	2	1	1
248	101	108	24	15	14	7	2	4	1	93	44	41	7	1
48	27	9	8	4	4	3	1	1	1	21	13	6	2	-
8	5	2	-	1	-	-	-	-	-	6	3	3	-	-
192	69	97	16	10	10	4	2	2	1	66	28	32	5	1
223	57	46	66	54	25	11	2	7	5	57	23	13	14	7
140	79	4	49	8	36	8	2	25	1	85	44	18	18	5
57	18	11	18	10	11	4	2	4	1	46	31	9	2	4
114	59	11	32	12	10	8	1	1	-	39	28	4	5	2
140	84	7	42	7	15	12	-	3	-	52	36	7	8	1
9	3	2	3	1	1	-	-	1	-	4	3	-	1	-
12	5	2	3	2	2	2	-	-	-	8	2	4	2	-
2	1	-	1	-	-	-	-	-	-	2	-	1	1	-
26	16	1	6	3	3	3	-	-	-	13	9	1	3	-
91	59	2	29	1	9	7	-	2	-	25	22	1	1	-
23	10	8	4	1	2	-	2	-	-	17	12	4	1	-
148	57	25	49	17	14	7	1	4	2	96	48	18	19	11
314	216	62	30	6	37	17	7	11	2	238	171	57	6	4
16	7	6	1	2	7	5	-	2	-	21	8	12	1	-
11	9	2	-	-	2	-	1	1	-	21	18	3	-	-
19	12	5	2	-	4	3	1	-	-	23	16	4	2	1
254	183	44	25	2	20	13	1	6	-	160	120	36	3	1
14	5	5	2	2	4	1	-	3	-	13	9	2	-	2
427	93	37	253	44	26	14	1	8	3	125	46	37	36	6
312	65	30	183	34	19	14	-	5	-	71	26	24	18	3
86	15	3	62	6	3	-	1	1	1	22	8	2	11	1
24	10	4	6	4	4	-	-	2	2	31	11	11	7	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	3	-	2	-	-	-	-	-	-	1	1	-	-	-
15	9	2	1	3	9	4	2	1	2	41	13	15	9	4
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	20,947	9,608	6,708	2,578	2,053
02 I. INFECTIVE AND PARASITIC DISEASES.....	237	99	46	51	41
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	1	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....CC4,006	2	-	1	-	1
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	45	11	12	13	9
09 TUBERCULOSIS, ALL FORMS.....010-019	96	51	15	20	10
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	72	36	12	16	8
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	-	1	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	-	1	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	1	-	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	20	14	3	2	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	2	-	-	1	1
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	5	2	1	-	2
25 TETANUS.....037	2	1	-	-	1
26 SEPTICEMIA.....038	38	16	9	4	9
27 OTHER BACTERIAL DISEASES.....007,C21,024-027,031,039	3	1	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	1	-	-	1
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	1	1	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	2	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,C72-079	7	3	1	2	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	-	1	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	10	1	-	6	3
43 CONGENITAL SYPHILIS.....090	1	-	-	1	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	9	1	-	5	3
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANGYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	16	7	1	5	3
58 II. NEOPLASMS.....	3,139	1,477	1,068	327	267
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	3,089	1,456	1,048	323	262
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	65	38	20	5	2
61 OF LIP.....140	1	-	1	-	-
62 OF TONGUE.....141	11	6	3	2	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	23	9	10	3	1
64 OF PHARYNX.....146-149	30	23	6	-	1
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	830	347	308	92	83
66 OF ESOPHAGUS.....150	46	26	10	8	2
67 OF STOMACH.....151	165	81	37	29	18
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	1	2	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	320	117	140	30	33
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	31	11	12	2	6
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	7	5	1	-	1
72 DESCENDING COLON.....153.2	7	2	5	-	-
73 SIGMOID COLON.....153.3	36	16	15	4	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	225	78	100	22	25
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	14	5	7	2	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	56	22	20	7	7
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	21	12	5	4	-
78 OF GALLBLADDER AND BILE DUCTS.....156	40	10	24	2	4
79 OF PANCREAS.....157	165	77	64	11	13
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	14	1	6	1	6
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	649	478	85	66	20
82 OF LARYNX.....161	29	24	1	4	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	609	449	81	59	20
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	11	5	3	3	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	288	43	203	4	38
86 OF BONE.....170	21	11	5	2	3
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	11	6	4	1	-
88 OF SKIN.....172,173	49	26	22	1	-
89 OF BREAST.....174	207	-	172	-	35

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
160,806	83,326	65,470	7,271	4,739	17,726	9,634	7,497	334	261	26,790	13,859	11,666	716	549	01
1,305	666	439	114	90	167	75	77	7	8	200	92	82	17	9	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	04
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	05
14	9	4	-	1	1	1	-	-	-	-	-	-	-	-	06
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	07
186	80	84	9	13	32	13	15	1	3	39	15	20	1	3	08
409	227	108	52	22	42	22	13	4	3	44	31	7	5	1	09
271	153	66	38	14	27	17	7	2	1	36	25	6	5	-	10
14	7	1	5	1	2	1	-	1	-	-	-	-	-	-	11
4	1	2	-	1	1	-	-	-	1	-	-	-	-	-	12
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	13
17	10	3	1	3	-	-	-	-	-	-	-	-	-	-	14
101	55	35	8	3	12	4	6	1	1	8	6	1	-	1	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	22
52	22	22	2	6	6	4	1	1	1	9	1	5	1	2	23
7	4	2	-	1	1	-	-	-	-	2	1	1	1	-	24
203	108	64	14	17	34	13	21	-	-	42	22	18	2	-	25
28	14	12	1	1	7	6	1	-	-	7	7	7	-	-	26
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
12	9	2	1	-	3	1	2	-	-	3	1	2	-	-	29
2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
33	18	11	1	3	3	3	-	-	-	3	2	1	-	-	32
5	2	2	1	1	1	-	-	-	-	2	2	5	1	-	33
103	45	49	5	4	8	-	8	-	-	6	2	5	1	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
68	38	27	2	1	12	4	7	1	1	17	7	7	1	2	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
72	38	16	12	6	7	4	1	-	2	5	3	-	2	-	41
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
13	7	2	3	1	2	2	-	-	-	1	-	-	1	-	44
33	17	7	5	4	1	1	-	-	-	-	-	-	-	-	45
4	2	2	-	4	-	-	-	-	-	1	1	-	-	-	46
6	5	1	1	-	1	1	-	-	-	1	1	-	-	-	47
12	4	5	3	-	2	-	-	-	2	2	1	-	1	-	48
3	2	-	1	-	1	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	54
97	41	29	14	13	9	4	5	-	-	20	8	8	3	1	55
29,312	14,534	12,684	1,257	837	2,634	1,323	1,235	46	30	5,059	2,623	2,263	104	69	58
28,865	14,339	12,473	1,243	810	2,593	1,307	1,212	46	28	4,979	2,592	2,219	103	65	59
706	442	216	36	12	40	25	13	2	-	159	118	31	9	1	60
12	10	2	-	2	2	2	-	-	-	2	2	-	-	-	61
168	95	63	7	3	9	5	3	1	-	37	27	7	3	-	62
188	114	65	7	2	15	12	3	-	-	57	39	16	1	1	63
338	223	86	22	7	14	6	7	1	-	63	50	8	5	-	64
8,166	3,917	3,568	445	236	759	376	356	19	8	1,567	802	707	34	24	65
514	309	132	55	18	28	20	4	4	-	107	74	23	8	2	66
1,515	783	558	123	51	123	60	56	5	2	299	176	108	12	3	67
78	35	37	2	4	8	5	3	-	-	12	7	5	-	-	68
2,826	1,219	1,443	88	76	275	113	159	2	1	583	258	308	5	12	69
391	154	210	16	11	33	12	20	1	-	72	32	38	-	2	70
124	57	62	2	3	23	5	18	-	-	23	9	14	-	-	71
82	39	39	1	3	13	6	7	-	-	13	5	7	-	1	72
513	225	257	16	15	37	21	16	-	-	84	37	44	-	3	73
1,598	703	802	52	41	165	67	97	-	1	347	157	179	5	6	74
118	41	73	1	3	4	2	1	-	-	44	18	26	-	-	75
878	433	385	42	18	76	48	24	1	3	171	96	69	5	1	76
213	113	59	35	6	18	8	7	2	1	21	13	6	2	-	77
404	128	250	14	12	48	17	29	1	1	81	28	51	-	2	78
1,619	844	650	80	45	172	99	70	3	-	276	144	126	2	4	79
116	53	54	6	6	11	6	4	1	-	17	6	11	-	-	80
6,072	4,469	1,175	354	74	426	336	81	6	3	936	724	179	29	4	81
206	160	24	19	3	13	11	-	2	-	67	57	7	3	-	82
5,747	4,245	1,107	327	68	407	321	79	4	3	852	656	167	25	4	83
119	64	44	8	3	6	4	2	-	-	17	11	5	1	-	84
3,425	418	2,844	22	145	314	40	269	-	5	590	64	514	2	10	85
141	71	59	6	5	5	4	1	-	-	22	11	10	-	1	86
137	76	51	7	3	19	9	10	-	-	26	11	14	1	-	87
421	251	163	4	3	41	26	14	-	1	67	39	27	1	-	88
2,730	20	2,571	5	134	249	1	244	-	4	475	3	463	-	9	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		ARKANSAS				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	451	181	148	64	58
02	OF CERVIX UTERI.....180	78	...	49	...	29
03	OF OTHER PARTS OF UTERUS.....181,182	48	...	35	...	13
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	72	...	58	...	14
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	6	...	2
06	OF PROSTATE.....185	238	174	...	64	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	7	7
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	92	46	29	13	4
09	OF BLADDER.....188	50	28	14	8	...
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	42	18	15	5	4
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	380	163	139	40	38
12	OF EYE.....190	8	4	4
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	72	39	28	4	1
14	OF THYROID GLAND.....193	7	3	2	...	2
15	OTHER.....194-199	293	117	105	36	35
16	LEUKEMIA.....204-207	137	61	49	18	9
17	LYMPHATIC LEUKEMIA.....204	54	21	22	6	5
18	MYELOID LEUKEMIA.....205	46	18	15	9	4
19	MONOCYTTIC LEUKEMIA.....206	7	3	3	1	...
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	30	19	9	2	...
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	197	99	67	21	10
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	72	33	28	6	5
23	HODGKIN'S DISEASE.....201	38	18	17	1	2
24	MULTIPLE MYELOMA.....203	44	16	15	11	2
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	43	32	7	3	1
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	50	21	20	4	5
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	...	1	...	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	...	2	1	...
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	8	3	3	1	1
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	24	11	10	1	2
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	12	7	3	1	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	446	132	185	53	76
34	NONTOXIC GOITER.....240,241	1	...	1
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	...	2
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	1	1
37	DIABETES MELLITUS.....250	367	103	155	40	69
38	DISEASES OF PITUITARY GLAND.....253	4	1	3
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	11	6	4	...	1
41	NIACIN DEFICIENCY.....262	1	1
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	16	1	6	9	...
43	CYSTIC FIBROSIS.....273-0	5	3	2
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	38	17	11	4	6
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	63	24	20	6	13
46	ANEMIAS.....280-285	49	17	15	5	12
47	DEFICIENCY ANEMIAS.....280,281	10	2	5	...	3
48	HEMOLYTIC ANEMIAS.....282,283	5	...	1	2	2
49	APLASTIC ANEMIA.....284	13	6	4	...	3
50	OTHER AND UNSPECIFIED ANEMIAS.....285	21	9	5	3	4
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	4	2	...	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	7	3	3	1	...
53	V. MENTAL DISORDERS.....	49	24	9	14	2
54	SENILE AND PRESENILE DEMENTIAS.....290	3	2	1
55	ALCOHOLIC PSYCHOSES.....291	4	3	1
56	ALL OTHER PSYCHOSES.....294-299	1	1
57	ALCOHOLISM.....303	30	13	4	12	1
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	8	4	4
59	MENTAL RETARDATION.....310-315	3	1	...	2	...
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	147	58	55	21	13
61	MENINGITIS.....320	12	5	2	5	...
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	6	5	1
63	MULTIPLE SCLEROSIS.....340	6	1	5
64	PARALYSIS AGITANS.....342	19	7	10	2	...
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	12	4	5	1	2
66	EPILEPSY.....345	27	12	7	6	2
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	2	1	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	63	23	24	7	9
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	11,517	5,256	3,887	1,242	1,132
73	ACTIVE RHEUMATIC FEVER.....390-392	4	1	2	...	1
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	105	47	40	7	11
75	DISEASES OF MITRAL VALVE.....394	28	9	15	...	4
76	DISEASES OF AORTIC VALVE.....395	22	12	6	1	3
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	...	2
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	53	26	17	6	4
79	HYPERTENSIVE DISEASE.....400-404	335	105	117	63	50
80	MALIGNANT HYPERTENSION.....400	24	6	...	13	4
81	ESSENTIAL BENIGN HYPERTENSION.....401	17	1	7	4	5
82	HYPERTENSIVE HEART DISEASE.....402	115	29	42	20	24
83	HYPERTENSIVE RENAL DISEASE.....403	105	42	38	15	10
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	74	27	29	11	7

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,431	1,349	1,801	127	154	348	153	182	8	5	552	209	315	16	12	01
565	...	504	...	61	57	...	53	...	4	87	...	80	...	7	02
445	...	410	...	35	37	...	37	...	-	72	...	71	...	1	03
875	...	819	...	56	88	...	87	...	1	154	...	153	...	1	04
70	...	60	...	2	5	...	5	...	-	14	...	11	...	3	05
1,374	1,253	...	121	...	151	143	...	8	...	214	198	...	16	...	06
102	96	...	6	...	10	10	...	-	...	11	07
1,416	875	459	56	26	115	80	34	1	...	252	179	68	2	3	08
827	540	246	25	16	61	42	18	1	-	152	110	39	1	2	09
589	335	213	31	10	54	38	16	-	-	100	69	29	1	1	10
2,524	1,264	1,092	95	73	249	115	130	3	1	451	218	224	4	5	11
36	12	21	-	3	-	-	-	-	-	6	4	2	-	-	12
757	468	282	15	12	71	39	31	1	-	109	62	46	-	1	13
93	35	51	3	4	8	2	6	-	-	11	4	7	-	-	14
1,638	769	738	77	54	170	74	93	2	1	325	148	169	4	4	15
1,365	722	555	50	38	162	88	68	3	3	206	125	77	3	1	16
438	226	183	19	10	54	26	26	1	1	52	34	18	-	-	17
587	315	228	21	23	73	41	30	1	1	81	49	29	2	1	18
45	26	22	1	-	5	5	-	-	-	16	9	7	-	-	19
291	155	122	9	5	30	16	12	1	1	57	33	23	1	-	20
1,756	883	763	58	52	180	94	79	4	3	264	153	104	4	5	21
767	377	355	18	17	93	53	38	1	1	91	51	38	1	1	22
295	159	116	11	9	26	14	11	1	-	58	32	22	3	1	23
376	187	152	18	19	40	17	21	1	1	48	30	16	-	2	24
318	160	140	11	7	21	10	9	1	1	69	40	28	-	1	25
447	195	211	14	27	41	16	23	-	2	80	31	44	1	4	26
14	...	10	...	4	4	...	2	...	2	1	...	1	27
65	23	36	2	4	4	3	1	-	-	5	-	3	-	2	28
90	43	39	5	3	5	2	3	-	-	14	6	8	-	-	29
2	...	2	...	-	1	...	1	...	-	1	...	1	...	-	30
180	94	70	5	11	17	6	11	-	-	38	14	22	1	1	31
96	35	54	2	5	10	5	5	-	-	21	11	9	-	1	32
3,102	1,282	1,485	143	192	392	159	215	11	7	644	279	334	12	19	33
6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	34
16	5	6	1	4	3	-	3	-	-	5	-	5	-	-	35
31	7	22	-	2	5	2	2	-	1	6	2	3	1	1	36
2,397	972	1,154	116	155	297	118	167	8	4	557	242	291	8	16	37
22	12	8	-	2	1	1	-	-	-	1	-	1	-	-	38
8	6	2	-	-	1	1	-	-	-	-	-	-	-	-	39
41	17	20	1	3	12	2	8	-	2	5	-	3	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
225	94	119	12	4	39	14	23	2	-	15	6	8	1	-	42
69	30	36	-	3	3	1	2	-	-	6	4	2	-	-	43
283	137	116	13	17	31	20	10	1	-	49	23	21	2	3	44
410	171	185	32	22	44	17	22	3	2	74	26	40	5	3	45
280	105	128	27	20	26	7	16	2	1	46	13	28	3	2	46
48	13	32	2	1	1	1	-	-	-	11	5	6	-	-	47
58	12	22	18	6	3	2	2	1	-	8	2	3	2	1	48
109	52	43	6	8	13	2	10	-	1	14	4	9	1	-	49
65	28	31	1	5	9	4	4	1	-	13	2	10	-	1	50
63	28	29	4	2	4	-	3	-	1	6	4	2	-	-	51
67	38	28	1	-	14	10	3	1	-	22	9	10	2	1	52
536	309	167	42	18	54	37	13	2	2	123	79	30	11	3	53
52	22	28	1	1	4	3	1	-	-	2	1	1	-	-	54
50	33	7	10	-	6	5	-	1	-	6	4	-	2	-	55
20	5	13	1	1	2	1	1	-	-	4	1	3	-	-	56
316	203	74	25	14	39	25	11	1	2	90	64	14	9	3	57
87	42	39	4	2	2	2	-	-	-	12	4	8	-	-	58
11	4	6	1	-	1	1	-	-	-	9	5	4	-	-	59
1,434	697	594	71	72	181	97	81	3	-	235	120	98	10	7	60
148	59	59	18	12	13	10	3	-	-	27	11	10	3	3	61
61	41	14	2	4	7	5	2	-	-	13	8	5	-	-	62
134	48	81	-	5	26	13	13	-	-	30	12	17	1	-	63
320	174	137	5	4	32	14	18	-	-	54	31	23	-	-	64
36	19	9	2	6	5	3	2	-	-	6	3	2	1	-	65
156	67	62	15	15	20	12	8	-	-	22	12	9	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
6	3	3	-	-	1	1	-	-	-	1	1	-	-	-	68
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	69
15	9	1	3	2	5	1	3	1	-	1	-	1	-	-	70
554	277	227	26	24	71	38	31	2	-	81	42	31	4	4	71
82,910	42,379	35,735	2,751	2,045	8,925	4,680	4,005	111	129	14,602	7,330	6,755	269	248	72
32	16	12	2	2	6	5	-	1	-	1	-	1	-	-	73
1,711	740	879	47	45	219	87	121	6	5	261	120	137	1	3	74
501	164	316	7	14	73	29	40	3	1	65	24	40	-	1	75
565	342	191	20	12	39	22	14	3	-	59	40	17	1	1	76
51	16	32	1	2	8	3	5	-	-	8	3	5	-	-	77
594	218	340	19	17	99	33	62	-	4	129	53	75	-	1	78
1,639	640	808	102	89	197	74	112	3	8	286	126	137	10	13	79
89	31	29	16	13	8	2	6	-	-	13	6	2	4	1	80
83	22	56	4	1	9	2	7	-	-	15	4	10	1	-	81
720	246	389	44	41	38	13	19	-	6	101	42	51	1	7	82
408	211	159	21	17	47	22	23	1	1	91	44	42	3	2	83
339	130	175	17	17	95	35	57	2	1	66	30	32	1	3	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	6,900	3,472	2,227	638	563
02 WITH HYPERTENSIVE DISEASE (.0).....	796	240	292	111	153
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	6,104	3,232	1,935	527	410
04 ACUTE MYOCARDIAL INFARCTION.....410	4,523	2,503	1,288	416	316
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	18	8	2	6	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,359	961	937	216	245
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	662	299	188	106	69
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	3	1	-	2
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	7	3	4	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	26	8	7	9	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	25	7	7	9	2
15 SYMPTOMATIC HEART DISEASE.....427	268	116	96	28	28
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	57	19	21	8	9
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	298	150	59	61	28
18 CEREBROVASCULAR DISEASES.....430-438	2,823	1,039	1,043	358	383
19 WITH HYPERTENSION (BENIGN) (.0).....	357	97	130	61	69
20 WITHOUT MENTION OF HYPERTENSION (.9).....	2,466	942	913	297	314
21 SUBARACHNOID HEMORRHAGE.....430	75	29	33	2	11
22 CEREBRAL HEMORRHAGE.....431	658	261	236	78	83
23 CEREBRAL THROMBOSIS.....433	575	206	217	70	82
24 CEREBRAL EMBOLISM.....434	8	4	4	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	18	13	5	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,098	375	371	173	179
27 OTHER CEREBROVASCULAR DISEASES.....437,438	391	151	177	35	28
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	555	239	223	49	44
29 ARTERIOSCLEROSIS.....440	340	128	154	29	29
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	89	54	24	7	4
31 GANGRENE.....445	27	8	7	6	6
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	99	49	38	7	5
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	133	54	47	21	11
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	116	46	43	17	10
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	17	8	4	4	1
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,294	664	361	167	102
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	10	-	6	2	2
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	5	2	1	1	1
39 INFLUENZA.....470-474	134	32	64	20	18
40 PNEUMONIA.....480-486	669	294	205	103	67
41 VIRAL PNEUMONIA.....480	23	10	9	2	2
42 BACTERIAL PNEUMONIA.....481,482	76	33	25	12	6
43 ACUTE INTERSTITIAL PNEUMONIA.....484	8	7	1	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	227	116	64	24	23
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	335	128	106	65	36
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	336	253	50	26	7
47 BRONCHITIS, UNQUALIFIED.....490	8	5	2	-	1
48 CHRONIC BRONCHITIS.....491	66	45	18	3	-
49 EMPHYSEMA.....492	250	201	28	18	3
50 ASTHMA.....493	12	2	2	5	3
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	17	12	-	4	1
53 PLEURISY.....511	2	-	2	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	41	22	15	4	-
55 BRONCHIECTASIS.....518	14	5	6	3	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	66	44	12	4	6
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	534	246	195	53	40
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	66	42	18	4	2
60 ULCER OF STOMACH.....531	19	9	6	3	1
61 ULCER OF DUODENUM.....532	40	28	10	1	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	7	5	2	-	-
63 GASTRITIS AND DUODENITIS.....535	4	1	1	1	1
64 APPENDICITIS.....540-543	15	5	6	3	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	76	27	32	8	9
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	30	11	15	2	2
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	9	4	3	1	1
69 CIRRHOSIS OF LIVER.....571	153	80	42	20	11
70 ALCOHOLIC.....571.0	31	18	5	5	3
71 OTHER SPECIFIED.....571.8	19	9	5	4	1
72 UNSPECIFIED.....571.9	103	53	32	11	7
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	52	22	27	1	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	129	54	51	13	11
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	414	163	117	84	50
76 NEPHRITIS AND NEPHROSIS.....580-584	156	52	39	36	29
77 ACUTE NEPHRITIS.....580	16	5	5	3	3
78 NEPHROTIC SYNDROME.....581	13	5	3	2	3
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	127	42	31	31	23
80 INFECTIONS OF KIDNEY.....590	132	53	50	17	12
81 CALCULI OF URINARY SYSTEM.....592,594	7	3	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	57	18	19	15	5
83 HYPERPLASIA OF PROSTATE.....600	41	29	-	12	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	21	8	5	4	4
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	11	...	5	...	6
87 ECTOPIC PREGNANCY.....631	1	...	1	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	-	...	1
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	3	...	1	...	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
54,104	30,051	21,161	1,734	1,158	5,464	3,131	2,207	64	62	9,711	5,237	4,166	168	140
6,299	2,663	2,997	332	307	480	210	252	6	12	817	344	431	22	20
47,805	27,388	18,164	1,402	851	4,984	2,921	1,955	58	50	8,894	4,893	3,735	146	120
26,127	15,970	9,057	706	394	3,050	1,956	1,032	29	33	5,561	3,356	1,998	100	67
220	118	90	8	4	30	16	13	1	-	38	20	18	-	-
27,739	13,954	12,009	1,019	757	2,382	1,157	1,162	34	29	4,111	1,820	2,150	68	73
18	9	5	1	3	2	2	-	-	-	1	1	-	-	-
1,728	797	782	86	63	322	170	137	6	9	355	171	159	15	10
80	28	42	6	4	3	2	-	-	1	11	6	3	1	1
73	39	23	8	3	6	5	-	1	-	8	5	3	-	-
96	39	46	3	8	11	9	2	-	-	11	6	4	1	-
6	3	3	-	-	1	1	-	-	-	1	1	1	-	-
32	15	9	1	1	3	2	1	-	-	6	3	2	1	-
58	21	34	2	7	7	6	1	-	-	4	3	1	-	-
798	359	384	34	21	169	84	77	2	6	197	94	94	4	5
312	131	157	11	13	59	24	34	-	1	53	26	23	4	16
369	201	130	24	14	74	46	24	3	1	75	34	32	5	4
17,664	7,121	9,439	574	530	1,792	743	1,006	16	27	2,807	1,131	1,568	48	60
2,124	735	1,166	94	129	172	58	107	3	4	338	114	206	7	11
15,540	6,386	8,273	480	401	1,620	685	899	13	23	2,469	1,017	1,362	41	49
993	344	541	48	60	82	37	42	-	3	125	49	66	3	7
2,969	1,236	1,504	109	120	335	144	182	4	5	709	296	382	15	16
5,494	2,195	2,954	188	157	383	164	207	5	7	994	383	580	11	20
53	26	27	-	-	16	8	8	-	-	14	4	9	1	-
388	208	155	17	8	21	12	9	-	-	45	32	11	1	1
3,548	1,604	2,097	132	115	585	243	329	2	11	499	214	264	9	12
3,819	1,508	2,161	80	70	370	135	229	5	1	421	153	256	8	4
4,860	2,477	2,136	143	104	664	349	298	8	9	894	424	440	19	11
2,412	979	1,327	57	49	393	180	203	5	5	508	220	274	7	7
1,542	1,077	381	53	31	159	109	45	2	3	180	122	52	5	1
163	81	75	5	2	19	9	9	1	-	51	22	28	1	-
743	340	353	28	22	93	51	41	-	1	155	60	86	6	3
1,172	537	518	63	54	261	121	124	7	9	287	121	147	8	11
1,064	479	479	54	52	249	115	118	7	9	255	104	135	6	10
108	58	39	9	2	12	6	6	-	-	32	17	12	2	1
9,931	5,803	3,271	569	288	1,666	1,073	543	34	16	1,758	1,059	604	47	48
52	33	11	4	4	9	7	1	-	1	9	7	1	1	-
127	69	41	12	5	22	14	8	-	-	17	8	7	1	-
408	172	204	21	11	147	75	72	-	-	87	36	45	2	4
4,770	2,386	1,871	331	182	801	460	307	24	10	1,015	538	412	36	29
217	106	89	13	9	42	22	18	2	-	35	19	15	1	-
583	321	196	50	16	113	74	32	4	3	131	79	40	6	6
532	264	143	69	56	10	4	4	-	2	9	3	4	2	8
2,040	1,012	849	124	55	343	191	145	5	2	386	200	166	12	8
1,398	683	594	75	46	293	169	108	13	3	454	237	187	15	15
3,348	2,431	728	136	53	525	412	102	7	4	423	334	78	6	5
61	24	32	-	5	12	9	3	-	-	13	9	4	-	-
479	343	117	16	3	86	60	23	3	-	96	82	14	-	-
2,566	1,988	463	95	20	393	332	55	4	2	280	227	47	5	1
242	76	116	25	25	34	11	21	-	2	34	16	13	1	4
4	-	2	1	1	1	1	-	-	-	-	-	-	-	-
90	55	24	8	3	15	10	4	1	-	24	19	5	-	-
27	13	12	-	2	3	2	1	-	-	2	2	-	-	-
368	207	141	13	7	51	31	18	1	1	47	32	15	-	-
127	65	50	6	6	19	12	7	-	-	18	14	4	-	-
610	372	187	37	14	73	49	23	1	-	116	69	37	1	9
7,956	4,228	3,032	469	227	831	444	351	15	21	1,177	650	460	41	26
4	-	3	-	1	-	-	-	-	-	-	-	-	-	-
808	477	283	37	11	135	76	56	1	2	127	87	34	3	3
337	180	135	15	7	55	28	25	-	2	43	27	14	1	1
406	263	121	18	4	65	37	27	1	-	59	42	14	1	2
65	34	27	4	-	15	11	4	-	-	25	18	6	1	-
60	34	22	2	2	8	7	1	-	-	7	6	-	-	-
122	63	47	8	4	17	11	5	-	1	14	7	6	-	1
662	275	343	18	26	86	41	43	2	-	109	47	54	5	3
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
358	162	188	7	1	37	16	21	-	-	57	23	32	1	1
107	38	62	3	4	7	2	5	-	-	16	7	9	-	-
4,145	2,390	1,338	285	132	317	183	110	10	14	529	324	178	17	10
2,025	1,190	611	160	64	107	70	27	3	7	191	115	64	8	4
999	545	338	74	42	83	40	36	3	4	55	22	28	2	3
1,121	655	389	51	26	127	73	47	4	3	283	187	86	7	3
361	158	179	15	9	60	31	29	-	-	55	23	30	1	1
1,327	630	566	94	37	164	77	81	2	4	263	126	117	14	6
2,125	1,073	816	125	111	265	148	102	10	5	334	179	125	14	16
579	247	231	55	46	71	33	33	3	2	110	58	37	8	7
45	18	22	3	2	12	6	5	1	-	4	1	2	1	-
34	13	19	1	1	1	-	1	-	-	10	4	5	-	-
500	216	190	51	43	58	27	27	2	2	96	53	30	7	6
721	300	353	35	33	91	42	43	3	3	100	38	54	2	6
75	39	32	2	2	10	6	4	-	-	13	7	6	-	-
412	234	144	16	18	54	36	17	1	-	54	34	17	2	1
191	181	...	10	...	18	15	...	3	...	29	27	...	2	...
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
146	72	55	7	12	21	16	5	-	-	28	15	11	-	2
61	...	43	...	18	5	...	5	...	-	5	...	4	...	1
8	...	6	...	2	-	...	-	...	-	-	...	-	...	-
9	...	8	...	1	-	...	-	...	-	-	...	1	...	-
4	...	4	...	-	-	...	-	...	-	-	...	1	...	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	1	...	1
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	4	...	2	...	2
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	21	7	9	1	4
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	5	3	1	-	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	16	4	8	1	3
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	63	17	35	5	6
13 ARTHRITIS AND SPONDYLITIS.....710-715	27	9	14	2	2
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	3	1	1	-	1
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	1	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	31	6	19	3	3
18 XIV. CONGENITAL ANOMALIES.....	150	66	55	16	13
19 SPINA BIFIDA.....741	7	4	3	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	18	7	8	2	1
21 CONGENITAL ANOMALIES OF HEART.....746	67	30	21	11	5
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	10	3	5	1	1
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	48	22	18	2	6
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	381	148	100	80	53
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	652	213	155	155	129
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	103	12	27	25	39
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	549	201	128	130	90
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,829	1,014	406	303	106
30 ACCIDENTS.....E800-E949	1,464	810	355	213	86
31 RAILWAY ACCIDENTS.....E800-E807	12	7	1	3	1
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	696	414	148	100	34
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	684	409	143	98	34
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	35	23	9	2	1
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	175	99	36	30	10
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	84	46	8	23	7
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	61	38	17	4	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	61	44	8	8	1
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	268	159	65	31	13
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	12	5	5	2	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	3	2	-	1	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	21	18	2	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	9	9	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	30	15	10	4	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	6	2	3	1	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	6	2	2	1	1
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	18	11	5	2	-
48 ACCIDENTAL FALLS.....E880-E887	161	66	80	8	7
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	29	14	9	6	-
50 FALL ON SAME LEVEL.....E885,E886	2	-	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	130	52	69	2	7
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	102	29	25	35	13
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	86	49	12	21	4
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	19	6	5	2	6
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	58	40	6	8	4
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	101	76	10	14	1
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	2	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	9	5	2	1	1
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	-	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	20	13	3	4	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	69	56	4	9	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	21	9	6	1	5
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	145	70	50	15	10
64 SUICIDE.....E950-E959	166	126	31	8	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	12	6	6	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	7	6	1	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	10	7	2	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	134	106	20	7	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	3	1	2	-	-
70 HOMICIDE.....E960-E978	161	55	12	77	17
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	116	39	10	56	11
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	26	6	2	17	1
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	17	9	-	3	5
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	1	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E98C-E989	37	22	8	5	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,896	2,224	1,749	568	355
02 I. INFECTIVE AND PARASITIC DISEASES.....	49	16	11	12	10
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	8	1	2	3	2
09 TUBERCULOSIS, ALL FORMS.....010-019	19	6	3	6	4
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	18	5	3	6	4
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	1	1	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	1	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	5	2	2	-	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	-	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	1	-	-	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	5	4	1	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	1	-	1	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	1	-	1	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	1	1	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	-	-	1	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	1	1	2	2
58 II. NEOPLASMS.....	834	376	320	85	53
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	819	371	311	84	53
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	15	10	3	-	2
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	4	2	1	-	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	7	5	2	-	-
64 OF PHARYNX.....146-149	4	2	-	-	1
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	242	106	86	32	18
66 OF ESOPHAGUS.....150	15	4	2	6	3
67 OF STOMACH.....151	39	14	15	7	3
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	-	-	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	100	40	43	8	9
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	13	4	7	-	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	9	4	3	1	1
72 DESCENDING COLON.....153.2	1	-	1	-	-
73 SIGMOID COLON.....153.3	17	7	9	1	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	58	25	21	6	6
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	2	-	2	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	20	11	5	3	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	5	4	-	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	18	7	10	-	1
79 OF PANCREAS.....157	41	25	9	6	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	4	1	2	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	166	116	24	24	2
82 OF LARYNX.....161	9	3	-	6	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	155	112	23	18	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	2	1	-	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	93	9	57	-	17
86 OF BONE.....170	2	-	2	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	4	2	2	-	-
88 OF SKIN.....172,173	11	6	3	-	2
89 OF BREAST.....174	66	1	50	-	15

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,805	1,861	1,778	2,998	2,168	69,680	35,379	23,540	6,074	4,687	41,385	16,103	11,888	7,172	6,222	01
143	24	14	66	39	635	265	161	136	73	512	140	115	141	116	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	1	1	3	1	-	1	1	2	-	-	1	-	04
-	-	-	-	-	2	2	-	-	-	5	2	1	-	-	05
13	2	-	6	5	99	32	28	23	16	99	18	23	33	25	06
84	16	8	45	15	204	98	31	55	20	110	40	18	36	16	07
79	15	7	43	14	152	71	17	48	16	82	30	12	30	10	08
-	-	-	-	-	5	1	-	3	1	6	-	2	1	3	09
1	-	-	1	-	1	1	-	1	-	1	-	-	-	1	10
-	-	-	-	-	7	2	1	2	2	8	2	1	4	-	11
4	1	1	1	1	38	23	13	1	1	13	8	3	1	1	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	1	-	2	-	-	1	1	2	-	-	1	1	16
-	-	-	-	-	2	-	-	2	2	1	-	-	1	-	17
-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	18
1	-	-	-	-	28	8	10	8	2	34	12	5	11	6	19
1	1	-	-	7	7	3	1	3	-	3	1	-	-	2	20
14	2	-	5	7	149	63	50	21	15	128	32	32	30	34	21
1	-	-	1	-	19	5	9	3	2	25	15	4	3	3	22
-	-	-	-	-	6	3	3	-	-	2	-	2	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	1	-	8	5	1	2	-	5	2	2	-	1	26
1	1	-	-	2	25	10	9	2	4	18	3	8	2	5	27
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	-	3	-	-	25	11	10	3	1	25	6	11	5	3	29
1	-	-	1	-	1	-	1	-	-	2	-	2	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
4	-	-	3	1	17	4	2	8	3	15	2	-	9	4	33
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	34
-	-	-	-	-	3	1	-	2	-	1	-	-	1	-	35
4	-	-	3	1	5	1	1	2	2	10	1	6	1	3	36
-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	37
-	-	-	-	-	6	2	1	4	-	3	1	-	2	-	38
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
13	2	2	3	6	31	17	6	3	5	31	7	5	1	12	42
1,521	329	317	480	395	12,155	6,320	4,437	817	581	5,568	2,192	1,884	741	751	58
1,487	319	310	474	384	11,969	6,245	4,357	806	561	5,465	2,161	1,860	720	724	59
45	16	9	15	5	313	210	63	32	8	153	70	45	21	17	60
-	-	-	-	-	4	3	1	-	-	4	3	1	-	-	61
15	6	2	7	-	74	50	14	9	1	19	10	5	2	2	62
15	4	6	3	2	98	61	23	11	3	61	19	26	9	7	63
15	6	1	5	3	137	96	25	12	4	69	38	13	10	8	64
470	77	86	191	116	3,276	1,639	1,268	229	140	1,409	503	532	197	177	65
86	8	5	59	14	220	118	40	43	19	113	46	24	34	9	66
93	8	13	52	20	548	283	170	70	25	237	83	69	53	32	67
4	1	-	1	2	15	9	5	-	1	7	5	1	-	1	68
136	25	38	29	44	1,196	581	530	38	47	475	150	223	42	60	69
20	3	6	5	6	129	61	57	4	7	46	15	19	4	8	70
6	2	2	1	1	47	25	20	1	1	16	7	4	2	3	71
6	-	1	4	1	44	23	17	-	4	11	3	6	1	1	72
16	3	8	-	5	147	74	66	2	5	50	16	27	3	4	73
86	16	20	19	31	765	369	342	27	27	339	103	163	30	43	74
2	1	1	-	-	64	29	28	4	3	13	6	4	2	1	75
38	11	7	11	9	339	171	141	13	14	125	32	48	19	26	76
12	-	1	6	5	86	52	23	11	-	32	14	6	11	1	77
17	6	5	5	1	160	53	101	5	1	49	11	28	4	6	78
75	15	15	26	19	652	344	234	44	30	344	156	123	27	38	79
9	3	2	2	2	60	28	24	5	3	27	6	10	7	4	80
321	119	34	137	31	2,810	2,151	390	241	28	1,107	733	149	188	37	81
25	13	3	8	1	115	94	9	12	-	53	34	5	10	4	82
285	102	30	123	30	2,665	2,036	373	229	27	1,030	689	140	172	29	83
11	4	1	6	-	30	21	8	-	1	24	10	4	6	4	84
165	10	71	6	78	1,239	185	924	16	114	616	93	375	12	136	85
9	3	3	3	-	64	35	19	5	5	33	18	9	4	2	86
6	1	3	2	-	56	23	20	4	9	25	8	8	5	4	87
12	6	3	1	2	191	117	68	5	1	97	63	27	2	5	88
138	-	62	-	76	928	10	817	2	99	461	4	331	1	125	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	100	27	58	10	5
02 OF CERVIX UTERI.....180	22	...	18	...	4
03 OF OTHER PARTS OF UTERUS.....181,182	20	...	19	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	21	...	21	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	-	...	-	...	-
06 OF PROSTATE.....185	35	26	...	9	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	2	1	...	1	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	40	23	9	8	...
09 OF BLADDER.....188	26	18	4	4	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	14	5	5	4	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	96	37	49	7	3
12 OF EYE.....190	-	-	-	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	12	6	5	1	-
14 OF THYROID GLAND.....193	2	1	-	-	1
15 OTHER.....194-199	82	30	44	6	2
16 LEUKEMIA.....204-207	33	19	10	1	3
17 LYMPHATIC LEUKEMIA.....204	12	6	4	-	2
18 MYELOID LEUKEMIA.....205	14	10	2	1	1
19 MONOCYTTIC LEUKEMIA.....206	1	1	-	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	6	2	4	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	44	24	15	2	3
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	19	14	4	1	-
23 HODGKIN'S DISEASE.....201	10	4	6	-	-
24 MULTIPLE MYELOMA.....203	11	5	3	-	3
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4	1	2	1	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	15	5	9	1	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	...	1	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	-	2	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	1	1	-	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	9	3	5	1	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	1	1	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	142	49	70	9	14
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37 DIABETES MELLITUS.....250	124	41	64	7	12
38 DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39 DISEASES OF THYMUS GLAND.....254	1	1	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	1	1	-	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	4	2	1	1	-
43 CYSTIC FIBROSIS.....273.0	1	-	1	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	11	4	4	1	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	17	5	6	2	4
46 ANEMIAS.....280-285	11	5	2	2	2
47 DEFICIENCY ANEMIAS.....280,281	2	-	-	-	-
48 HEMOLYTIC ANEMIAS.....282,283	-	-	1	1	-
49 APLASTIC ANEMIA.....284	2	2	-	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	7	3	1	1	2
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	1	-	1	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	5	-	3	-	2
53 V. MENTAL DISORDERS.....	20	14	2	4	-
54 SENILE AND PRESENILE DEMENTIAS.....290	-	-	-	-	-
55 ALCOHOLIC PSYCHOSES.....291	4	4	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57 ALCOHOLISM.....303	14	10	-	4	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	1	-	1	-	-
59 MENTAL RETARDATION.....310-315	1	-	1	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	35	12	14	9	-
61 MENINGITIS.....320	6	1	2	3	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	1	-	1	-	-
63 MULTIPLE SCLEROSIS.....340	2	1	1	-	-
64 PARALYSIS AGIYANS.....342	4	2	2	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	-	-	-	-	-
66 EPILEPSY.....345	2	2	-	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	4	1	-	3	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	16	5	8	3	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,577	1,166	998	233	180
73 ACTIVE RHEUMATIC FEVER.....390-392	6	2	3	1	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	47	16	26	1	4
75 DISEASES OF MITRAL VALVE.....394	12	3	8	-	1
76 DISEASES OF AORTIC VALVE.....395	11	6	3	1	1
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	5	2	2	-	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	19	5	13	-	1
79 HYPERTENSIVE DISEASE.....400-404	57	23	16	10	8
80 MALIGNANT HYPERTENSION.....400	3	-	-	3	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	2	-	2	-	-
82 HYPERTENSIVE HEART DISEASE.....402	21	8	9	2	2
83 HYPERTENSIVE RENAL DISEASE.....403	7	3	2	1	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	24	12	3	4	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
198	26	49	43	80	1,532	604	672	118	138	813	201	317	123	172	01
46	...	14	...	32	247	...	175	...	72	220	...	127	...	93	02
31	...	10	...	21	172	...	139	...	33	99	...	56	...	43	03
47	...	24	...	23	361	...	333	...	28	153	...	122	...	31	04
5	...	1	...	4	30	...	25	...	5	17	...	12	...	5	05
68	26	...	42	...	702	586	...	116	...	306	189	...	117	...	06
1	-	...	1	...	20	18	...	2	...	18	12	...	6	...	07
60	16	12	18	14	565	349	156	38	22	232	118	58	30	26	08
36	9	6	10	11	349	230	82	24	13	132	68	30	18	16	09
24	7	6	8	3	216	119	74	14	9	100	50	28	12	10	10
105	21	20	33	31	1,138	534	465	68	71	634	230	210	85	109	11
-	-	-	-	-	17	8	6	1	2	9	4	4	-	-	12
20	5	4	5	6	258	146	94	11	7	140	76	43	13	8	13
4	-	2	-	2	40	13	19	1	7	17	9	6	-	2	14
81	16	14	28	23	823	367	346	55	55	468	141	157	72	98	15
49	16	11	10	12	520	271	197	37	15	246	109	90	25	22	16
19	4	4	6	5	163	85	58	15	5	91	41	28	11	11	17
19	8	4	1	6	218	102	100	12	4	87	37	36	7	7	18
4	2	1	1	-	20	13	6	1	-	15	11	2	1	1	19
7	2	2	2	1	119	71	33	9	6	53	20	24	6	3	20
74	18	18	21	17	576	302	222	27	25	255	104	84	39	28	21
17	3	5	7	2	209	119	74	8	8	89	42	33	8	6	22
17	8	3	3	3	91	47	38	4	2	49	21	20	3	5	23
22	2	3	8	9	151	74	59	9	9	63	20	13	17	13	24
18	5	7	3	3	125	62	51	6	6	54	21	18	11	4	25
34	10	7	6	11	186	75	80	11	20	103	31	24	21	27	26
1	...	2	...	1	5	...	3	...	2	7	...	1	...	6	27
4	1	2	-	1	28	6	17	2	3	15	4	7	2	2	28
9	2	1	2	4	23	10	10	-	3	12	4	2	2	4	29
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	30
13	5	2	3	3	81	37	33	6	5	45	18	11	11	5	31
7	2	2	1	2	48	22	17	3	6	23	5	3	6	9	32
224	38	32	64	90	1,389	511	532	109	237	878	222	294	125	237	33
-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	34
5	-	1	-	4	13	2	9	1	1	9	-	1	2	6	35
3	-	3	-	-	7	-	7	-	-	8	2	4	-	2	36
202	33	26	59	84	1,139	429	427	86	197	669	171	226	88	184	37
-	-	-	-	-	10	2	5	-	3	5	2	-	-	3	38
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	39
2	-	-	1	1	12	5	3	2	2	10	2	6	1	1	40
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	41
5	1	2	2	-	72	25	27	9	11	78	7	22	25	24	42
-	-	-	-	-	21	8	13	-	-	14	4	10	-	-	43
7	4	-	2	1	111	39	38	11	23	83	33	25	8	17	44
17	1	3	6	7	157	67	54	26	10	113	23	30	23	37	45
13	1	2	5	5	102	36	34	24	8	87	21	17	20	29	46
1	1	-	-	-	25	12	6	5	2	11	4	4	-	3	47
6	-	-	3	3	18	5	1	10	2	30	3	2	12	13	48
4	-	?	1	1	32	11	17	3	1	21	7	6	3	5	49
2	-	-	1	1	27	8	10	6	3	25	7	5	5	8	50
1	-	-	1	-	19	9	9	-	1	9	1	6	-	2	51
3	-	1	-	2	36	22	11	2	1	17	1	7	3	6	52
68	13	4	42	9	247	121	74	39	13	262	102	51	81	28	53
1	-	-	1	-	22	5	15	2	-	9	2	4	3	-	54
4	-	-	4	-	29	20	3	3	3	24	13	1	9	1	55
-	-	-	-	-	12	1	9	1	1	3	2	1	-	-	56
60	13	4	34	9	140	79	25	29	7	197	76	31	66	24	57
1	-	-	1	-	41	13	22	4	2	26	9	12	3	2	58
2	-	-	2	-	3	3	-	-	-	3	-	2	-	1	59
91	11	9	50	21	576	279	168	72	57	361	105	106	87	63	60
10	-	1	6	3	72	21	11	27	13	55	9	8	22	16	61
4	3	1	-	-	18	11	2	2	3	20	12	4	3	1	62
7	3	-	3	1	38	17	16	3	2	21	5	12	1	3	63
5	3	1	1	-	100	59	39	1	1	38	18	15	3	2	64
3	-	-	2	1	10	4	5	1	-	18	6	10	1	1	65
35	-	1	27	7	64	23	19	12	10	75	17	9	29	20	66
1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	67
-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	68
2	-	-	-	-	12	6	2	2	2	7	1	4	2	-	69
24	2	5	10	7	260	137	73	24	26	126	37	44	26	19	71
4,005	948	1,015	1,080	962	36,401	18,869	13,110	2,215	2,207	21,806	8,424	6,695	3,372	3,315	72
3	1	1	1	-	10	3	3	3	1	9	3	2	3	1	73
51	12	12	11	16	588	256	262	36	34	207	87	65	29	26	74
16	4	7	1	4	155	51	79	11	14	59	26	28	3	2	75
17	4	3	7	3	169	96	53	13	7	60	37	5	12	6	76
2	-	-	-	2	27	13	11	-	3	10	4	4	1	1	77
16	4	2	3	7	237	96	119	12	10	78	20	28	13	17	78
118	15	15	43	45	825	289	284	120	132	733	145	169	214	205	79
21	-	-	13	8	60	12	10	19	19	77	11	6	27	33	80
3	-	1	1	1	44	13	19	5	7	47	8	12	15	12	81
42	8	8	6	20	230	64	81	36	49	288	46	65	81	96	82
14	2	2	7	3	256	113	85	38	20	165	40	43	48	34	83
38	5	4	16	13	235	87	89	22	37	156	40	43	43	30	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,821	872	665	165	119
02 WITH HYPERTENSIVE DISEASE (.01).....	271	88	103	36	44
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,550	784	562	129	75
04 ACUTE MYOCARDIAL INFARCTION.....410	920	512	306	58	44
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4	2	2	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	897	358	357	107	75
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	70	32	27	6	5
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	3	1	1	-	1
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	1	1	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	7	5	2	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	6	4	2	-	-
15 SYMPTOMATIC HEART DISEASE.....427	41	17	18	4	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	7	3	4	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	11	5	2	2	2
18 CEREBROVASCULAR DISEASES.....430-438	380	133	176	36	35
19 WITH HYPERTENSION (BENIGN) (.01).....	44	12	17	6	9
20 WITHOUT MENTION OF HYPERTENSION (.9).....	336	121	159	30	26
21 SUBARACHNOID HEMORRHAGE.....430	21	7	10	-	4
22 CEREBRAL HEMORRHAGE.....431	79	31	33	9	6
23 CEREBRAL THROMBOSIS.....433	119	40	65	8	6
24 CEREBRAL EMBOLISM.....434	5	2	2	1	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	4	4	-	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	95	32	41	10	12
27 OTHER CEREBROVASCULAR DISEASES.....437,438	57	17	25	8	7
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	144	70	66	3	5
29 ARTERIOSCLEROSIS.....440	82	30	48	2	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	37	28	8	-	1
31 GANGRENE.....445	4	1	3	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	21	11	7	1	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	52	18	19	11	4
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	48	15	18	11	4
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	4	3	1	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	329	176	78	50	25
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1	1	-	-	-
39 INFLUENZA.....470-474	9	1	5	1	2
40 PNEUMONIA.....480-486	190	89	50	31	20
41 VIRAL PNEUMONIA.....480	5	2	1	1	1
42 BACTERIAL PNEUMONIA.....481,482	25	6	10	7	2
43 ACUTE INTERSTITIAL PNEUMONIA.....484	20	5	5	6	4
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	87	44	23	12	8
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	53	32	11	5	5
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	91	67	14	8	2
47 BRONCHITIS, UNQUALIFIED.....490	-	-	-	-	-
48 CHRONIC BRONCHITIS.....491	9	7	1	1	-
49 EMPHYSEMA.....492	76	59	10	6	1
50 ASTHMA.....493	6	1	3	1	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	9	3	1	4	1
53 PLEURISY.....511	1	-	-	1	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	11	6	3	2	-
55 BRONCHIECTASIS.....518	1	-	1	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	16	9	4	3	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	207	99	75	23	10
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	19	13	6	-	-
60 ULCER OF STOMACH.....531	5	4	1	-	-
61 ULCER OF DUODENUM.....532	5	3	2	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	9	6	3	-	-
63 GASTRITIS AND DUODENITIS.....535	1	-	1	-	-
64 APPENDICITIS.....540-543	7	4	2	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,562	35	10	17	6	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	8	5	1	1	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1	1	-	-	-
69 CIRRHOSIS OF LIVER.....571	77	39	25	9	4
70 ALCOHOLIC.....571.0	22	10	7	4	1
71 OTHER SPECIFIED.....571.8	19	12	4	3	-
72 UNSPECIFIED.....571.9	36	17	14	2	3
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	11	5	6	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	48	22	17	6	3
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	87	36	29	11	11
76 NEPHRITIS AND NEPHROSIS.....580-584	32	12	10	6	4
77 ACUTE NEPHRITIS.....580	2	1	-	-	1
78 NEPHROTIC SYNDROME.....581	1	1	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	29	10	10	6	3
80 INFECTIONS OF KIDNEY.....590	21	9	9	1	2
81 CALCULI OF URINARY SYSTEM.....592,594	6	-	5	-	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	20	8	5	4	3
83 HYPERPLASIA OF PROSTATE.....600	4	4	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	4	3	-	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	...	1	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,502	670	632	667	533	22,767	12,993	7,566	1,126	1,082	12,253	5,678	3,616	1,575	1,384	01
541	77	89	194	181	2,400	1,015	859	220	306	1,896	549	553	373	421	02
1,961	593	543	473	352	20,367	11,978	6,707	906	776	10,357	5,129	3,663	1,262	963	03
780	273	220	162	125	12,830	8,031	3,859	537	403	8,059	4,199	2,181	952	727	04
8	2	4	1	1	378	222	103	29	24	88	30	17	20	21	05
1,713	395	407	504	407	9,552	4,734	3,603	560	655	4,094	1,444	1,414	601	635	06
1	-	1	-	-	7	6	1	-	-	12	5	4	2	1	07
115	16	21	49	29	1,427	649	467	173	138	1,182	343	318	275	246	08
5	-	-	3	2	44	16	12	13	3	16	5	4	3	4	09
5	-	-	3	2	32	17	9	4	2	13	2	4	3	4	10
6	2	2	2	-	37	17	16	3	1	37	9	16	9	3	11
2	-	2	-	-	1	1	1	-	-	1	-	1	-	-	12
2	1	-	1	-	13	6	5	1	1	5	-	3	-	2	13
2	1	-	1	-	23	11	10	2	-	31	9	12	9	1	14
54	9	9	20	16	796	352	283	81	80	607	181	177	128	121	15
17	2	4	8	3	130	49	52	14	15	217	54	62	51	50	16
28	3	6	13	6	388	198	95	58	37	292	92	55	81	64	17
822	142	238	198	244	8,045	3,267	3,530	587	661	5,853	1,595	1,949	1,069	1,240	18
101	18	15	28	40	963	314	355	127	167	1,184	239	271	292	382	19
721	124	223	170	204	7,082	2,953	3,175	460	494	4,669	1,356	1,678	777	858	20
50	5	14	16	15	357	103	183	28	43	236	73	78	42	43	21
160	29	42	47	42	1,447	575	547	154	171	1,623	400	427	363	433	22
288	49	95	62	82	2,631	1,136	1,194	155	146	1,574	471	633	214	256	23
2	2	-	-	-	37	14	18	2	3	20	4	11	1	4	24
26	8	4	7	7	156	90	52	7	7	59	22	23	8	6	25
135	21	32	34	48	1,864	727	767	169	201	1,784	449	533	380	422	26
161	28	51	32	50	1,553	622	769	72	90	557	176	244	61	76	27
223	66	75	44	38	2,108	1,121	787	101	99	1,113	419	417	134	143	28
121	30	56	17	18	1,075	448	522	46	59	655	196	274	81	104	29
57	25	8	14	10	642	489	106	29	18	213	123	47	25	18	30
9	2	3	2	2	91	30	34	15	12	60	20	18	11	11	31
36	9	8	11	8	300	154	125	11	10	185	80	78	17	10	32
171	26	21	67	57	631	291	211	69	60	456	154	159	73	70	33
156	24	18	62	52	577	270	190	63	54	395	129	139	62	65	34
15	2	3	5	5	54	21	21	6	6	61	25	20	11	5	35
676	142	125	248	161	4,507	2,521	1,233	490	263	2,984	1,228	736	588	432	36
2	-	-	2	-	27	5	11	9	2	18	3	2	10	3	37
6	1	-	1	4	39	18	17	2	2	20	5	7	4	4	38
26	4	11	2	9	128	48	50	18	12	233	71	75	47	40	39
400	69	80	148	103	2,338	1,055	780	317	186	1,763	525	491	407	340	40
3	-	2	-	1	54	19	22	6	7	62	16	17	14	15	41
60	6	9	36	9	345	164	95	58	28	199	69	31	58	41	42
5	1	-	2	2	106	32	18	32	24	89	20	11	25	33	43
216	42	49	67	58	1,349	626	467	172	84	527	162	190	90	85	44
116	20	20	43	33	484	214	178	49	43	886	258	242	220	166	45
136	50	22	40	24	1,475	1,109	256	88	22	624	452	95	56	21	46
4	-	1	1	2	21	5	14	1	1	19	8	8	1	2	47
21	11	3	5	2	178	128	38	10	2	96	70	17	7	2	48
74	36	16	19	3	1,193	962	165	63	3	453	360	57	35	1	49
37	3	2	15	17	83	14	39	14	16	56	14	13	13	16	50
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	51
21	3	3	12	3	54	31	4	15	4	28	14	2	10	2	52
4	-	1	3	-	13	6	3	3	1	3	2	-	1	-	53
11	2	2	5	2	128	86	33	6	3	64	37	21	3	3	54
7	4	-	2	1	51	24	22	3	2	16	6	4	6	1	55
63	9	6	33	15	252	138	57	29	28	215	113	39	44	19	56
589	123	98	240	128	2,622	1,265	987	201	169	1,239	527	390	162	160	57
1	-	-	1	-	-	-	-	-	-	2	-	1	-	1	58
49	14	7	21	7	310	197	69	35	9	183	97	36	32	18	59
34	10	6	13	5	123	71	32	19	1	62	33	15	10	4	60
12	3	1	6	2	150	105	28	11	6	84	48	11	15	10	61
3	1	-	2	-	37	21	9	5	2	37	16	10	7	4	62
3	-	-	2	1	17	8	7	2	-	5	4	1	-	-	63
9	1	2	5	1	45	23	13	5	4	25	8	8	6	3	64
30	3	13	5	9	256	99	112	22	23	147	44	61	20	22	65
1	-	1	-	-	-	-	-	-	-	5	1	3	1	-	66
23	4	12	6	1	129	57	63	5	4	45	14	27	1	3	67
2	-	-	-	2	47	26	20	1	-	22	9	9	2	2	68
337	76	40	145	76	1,012	511	368	61	72	404	200	115	38	51	69
98	29	8	45	16	299	148	101	26	24	147	79	38	12	18	70
108	14	20	38	36	223	94	94	11	24	65	27	21	5	12	71
131	33	12	62	24	490	269	173	24	24	192	94	56	21	21	72
15	5	4	1	5	124	50	64	3	7	60	24	26	2	8	73
119	20	19	54	26	682	294	271	67	50	341	126	103	60	52	74
180	27	23	63	67	1,202	537	349	184	132	887	272	213	205	197	75
50	4	4	22	20	293	113	77	50	53	271	79	38	79	75	76
4	-	1	1	2	33	16	5	4	8	20	6	2	6	6	77
-	-	-	-	-	22	12	5	3	2	10	1	2	2	5	78
46	4	3	21	18	238	85	67	43	43	241	72	34	71	64	79
74	16	10	16	32	418	167	158	49	44	289	73	109	41	66	80
7	1	1	4	1	44	23	13	5	3	25	8	13	2	2	81
36	3	8	15	10	289	120	89	57	23	206	64	47	55	40	82
7	3	...	4	...	85	67	...	18	...	61	40	...	21	...	83
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	84
6	-	-	2	4	71	46	12	5	8	35	8	6	7	14	85
6	...	-	...	6	34	...	13	...	21	28	...	8	...	20	86
-	...	-	...	-	5	...	-	...	5	5	...	2	...	3	87
-	...	-	...	-	6	...	3	...	3	7	...	3	...	4	88
1	...	-	...	1	5	...	3	...	2	3	...	1	...	2	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	DELANARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	1	...	-	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	2	3	1	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	2	1	1	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	15	3	8	3	1
13 ARTHRITIS AND SPONDYLITIS.....710-715	8	1	6	1	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	5	1	1	2	1
18 XIV. CONGENITAL ANOMALIES.....	45	15	16	9	5
19 SPINA BIFIDA.....741	-	-	-	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	7	1	3	2	1
21 CONGENITAL ANOMALIES OF HEART.....746	20	7	7	3	3
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1	-	-	1	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	17	7	6	3	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	113	53	25	24	11
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	16	3	9	3	1
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	4	1	3	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	12	2	6	3	1
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	402	199	84	90	29
30 ACCIDENTS.....E800-E949	292	149	56	64	23
31 RAILWAY ACCIDENTS.....E800-E807	4	4	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	150	76	20	41	13
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	148	75	20	40	13
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	9	1	-	7	1
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	19	8	3	7	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	25	13	4	5	3
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	11	10	1	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	16	2	2	8	4
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	68	41	10	13	4
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	2	1	-	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	-	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	3	2	-	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1	1	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	6	2	-	3	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2	-	-	2	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1	1	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	3	1	-	1	1
48 ACCIDENTAL FALLS.....E880-E887	45	23	17	1	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	7	4	2	-	1
50 FALL ON SAME LEVEL.....E885, E886	1	-	1	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	37	19	14	1	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	25	13	7	5	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	22	11	3	7	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	10	2	5	1	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2	2	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	7	3	-	4	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	4	3	-	1	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3	-	-	3	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3	2	-	-	1
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	13	8	3	1	1
64 SUICIDE.....E950-E959	64	35	23	6	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	4	1	3	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	13	9	4	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	9	3	4	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	32	22	8	2	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	6	-	4	2	-
70 HOMICIDE.....E960-E978	40	11	4	19	6
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	25	9	1	11	4
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	-	1	4	2
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	6	2	2	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	6	4	1	1	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	...	-	...	3	4	...	2	...	2	5	...	-	...	5	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
1	...	-	...	1	1	...	1	...	-	3	...	-	...	3	03
2	...	-	...	2	1	...	-	...	1	1	...	-	...	1	04
1	...	-	...	1	2	...	1	...	1	1	...	-	...	1	05
1	...	-	...	1	7	...	3	...	4	3	...	1	...	2	06
1	...	-	...	1	7	...	2	...	5	5	...	1	...	4	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
16	1	3	7	5	78	22	36	12	8	60	15	21	12	12	09
4	-	-	3	1	20	9	5	4	2	14	4	5	3	2	10
12	1	3	4	4	58	13	31	8	6	46	11	16	9	10	11
28	6	8	7	7	177	51	94	13	19	116	42	49	8	17	12
8	2	3	-	3	67	14	45	2	6	45	18	19	4	4	13
1	-	-	1	1	12	6	5	-	1	6	4	1	1	-	14
1	-	-	-	1	9	5	-	4	-	4	1	3	-	-	15
1	4	1	-	-	6	2	4	-	-	1	-	1	-	-	16
17	4	4	6	3	83	24	40	7	12	60	19	25	3	13	17
64	8	6	24	26	557	250	196	50	61	445	175	141	78	51	18
2	-	1	1	-	25	11	12	1	1	33	12	18	1	2	19
5	-	-	3	2	82	37	32	3	10	73	19	32	10	12	20
26	3	4	6	13	240	105	80	21	34	180	74	49	33	24	21
3	-	-	2	1	53	23	19	7	4	23	15	7	1	-	22
-	-	-	-	-	2	1	1	-	-	4	2	-	2	-	23
28	5	1	12	10	155	73	52	18	12	132	53	35	31	13	24
252	16	7	137	92	1,392	540	332	276	244	1,082	381	248	265	188	25
213	40	31	92	50	1,537	661	347	306	223	588	135	115	167	171	26
-	-	-	-	-	75	23	29	13	10	163	20	40	36	67	27
213	40	31	92	50	1,462	638	318	293	213	425	115	75	131	104	28
712	134	83	392	103	6,014	3,100	1,417	1,128	369	4,456	2,120	792	1,117	427	29
486	96	63	255	72	4,232	2,247	1,047	686	252	3,240	1,607	622	710	301	30
1	1	-	-	-	23	13	2	7	1	21	14	-	5	2	31
140	26	15	73	26	2,098	1,166	539	291	102	1,716	956	339	329	92	32
138	26	15	71	26	2,053	1,142	531	282	98	1,677	935	333	317	92	33
3	-	-	2	1	57	29	20	6	2	58	31	16	7	4	34
41	8	5	21	7	630	361	195	53	21	689	374	186	88	41	35
49	8	6	25	10	349	170	90	64	25	226	100	24	72	30	36
16	2	-	13	1	252	152	43	49	8	157	96	23	35	3	37
4	1	1	-	2	274	167	54	37	16	455	286	64	94	11	38
25	7	3	10	5	491	263	129	73	26	92	48	20	21	3	39
2	-	-	2	-	45	24	8	9	4	39	21	6	12	-	40
1	1	-	-	-	10	2	4	4	-	4	1	1	1	1	41
5	-	-	5	-	97	58	7	22	10	44	30	1	12	1	42
2	2	-	-	-	75	66	7	2	-	32	30	2	-	-	43
5	2	-	2	1	141	65	42	17	17	103	37	21	29	16	44
3	1	-	1	1	36	14	19	2	1	27	9	11	5	2	45
1	1	-	-	-	60	21	17	10	12	37	12	4	13	8	46
1	-	-	1	-	45	30	6	5	4	39	16	6	11	6	47
124	33	32	51	8	492	228	202	44	18	325	126	137	39	23	48
35	9	4	19	3	120	65	18	13	4	86	48	15	21	2	49
3	-	2	1	-	27	10	17	-	-	20	6	12	1	1	50
86	24	26	31	5	345	133	167	31	14	219	72	110	17	20	51
39	5	4	21	9	223	77	49	53	44	293	79	50	78	86	52
19	2	-	15	2	391	202	44	126	19	189	84	16	74	15	53
29	5	3	13	8	91	41	28	10	12	80	18	21	21	20	54
33	2	1	25	5	99	62	8	23	6	104	66	4	21	13	55
16	5	1	7	3	163	108	13	37	5	169	104	4	56	5	56
-	-	-	-	-	10	6	1	2	1	7	3	-	3	1	57
2	2	-	-	-	22	12	3	6	1	8	3	-	2	3	58
2	-	1	-	1	8	3	2	2	1	11	1	2	7	1	59
-	-	-	-	-	41	31	2	7	1	36	28	-	8	-	60
12	3	-	7	2	82	56	5	20	1	107	69	2	36	-	61
2	1	1	-	-	102	50	39	9	4	26	11	6	5	4	62
70	11	6	43	10	227	109	63	41	14	134	51	20	40	23	63
55	20	14	16	5	879	570	274	26	9	497	331	117	37	12	64
5	1	3	-	1	194	78	112	1	3	38	19	-	-	1	65
2	2	-	-	-	66	50	16	-	-	29	23	6	-	-	66
8	1	3	3	1	67	47	16	4	-	31	24	3	4	-	67
22	7	4	11	-	482	357	105	15	5	375	255	83	30	7	68
18	9	4	2	3	70	38	25	6	1	24	11	6	3	4	69
157	15	4	113	25	830	240	84	402	104	690	170	49	359	112	70
96	12	1	71	12	580	168	51	293	68	500	134	31	257	78	71
40	2	1	29	8	130	27	6	74	23	111	9	5	80	17	72
19	-	2	12	5	108	37	27	31	13	70	26	13	14	17	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
2	1	-	1	-	12	8	-	4	-	9	1	-	8	-	75
14	3	2	8	1	71	42	12	13	4	25	9	4	10	2	76
-	-	-	-	-	2	1	-	1	-	4	3	-	1	-	77

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,113	687	488	1,830	1,108
02 I. INFECTIVE AND PARASITIC DISEASES.....	65	4	4	33	24
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND ANEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	10	1	1	2	6
09 TUBERCULOSIS, ALL FORMS.....010-019	21	-	-	16	5
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	12	-	-	9	3
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	-	-	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	-	-	7	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	4	-	-	1	3
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	2	-	2	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	15	1	3	6	5
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	2	-	-	2	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	5	-	-	2	3
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	2	-	-	1	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	-	-	1	1
58 II. NEOPLASMS.....	778	110	104	347	217
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	768	108	103	343	214
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	28	3	5	19	1
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	6	-	2	3	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	11	2	-	9	-
64 OF PHARYNX.....146-149	11	1	3	7	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	274	33	23	130	88
66 OF ESOPHAGUS.....150	13	3	-	8	2
67 OF STOMACH.....151	88	5	2	47	34
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	-	-	3	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	65	10	12	21	22
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	12	3	2	1	6
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1	-	-	-	1
72 DESCENDING COLON.....153.2	4	-	1	1	2
73 SIGMOID COLON.....153.3	12	1	1	6	4
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	34	5	8	12	9
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	2	1	-	1	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	23	3	3	12	5
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	14	-	-	13	1
78 OF GALLBLADDER AND BILE DUCTS.....156	20	3	-	7	10
79 OF PANCREAS.....157	45	9	5	18	13
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	3	-	1	1	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	150	31	11	83	25
82 OF LARYNX.....161	6	2	-	4	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	142	29	11	77	25
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	2	-	-	2	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	71	3	28	8	32
86 OF BONE.....170	4	-	-	3	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	-	-	4	2
88 OF SKIN.....172,173	6	3	1	1	1
89 OF BREAST.....174	54	-	26	-	28

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,012	3,571	2,346	55	40	113,192	55,854	43,575	7,856	5,907	49,562	25,497	20,649	1,966	1,450	01
42	26	13	3	-	852	375	256	136	85	375	200	130	27	18	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	5	2	-	2	1	1	-	-	1	-	05
-	-	-	-	-	11	5	3	3	-	2	2	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
9	4	5	-	-	118	43	45	19	11	62	23	31	4	4	08
11	7	1	3	-	378	184	71	83	40	144	94	29	12	9	09
10	6	1	3	-	259	140	43	59	17	125	82	25	10	8	10
1	1	-	-	-	10	3	2	1	4	3	1	-	1	1	11
-	-	-	-	-	6	-	-	1	5	-	-	-	-	-	12
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	27	10	2	5	10	3	1	1	1	1	14
-	-	-	-	-	75	30	24	17	4	13	10	3	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	1	1	-	-	41	18	14	5	4	15	9	5	1	-	23
-	-	-	-	-	5	1	2	-	2	1	1	-	-	-	24
5	5	-	-	-	99	33	33	14	9	67	33	27	3	4	25
-	-	-	-	-	18	11	5	1	1	5	1	2	1	1	26
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	4	1	3	-	-	1	-	1	-	-	29
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	22	11	10	-	1	10	6	3	1	-	32
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	33
3	1	2	-	-	50	13	31	2	4	13	2	11	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
7	4	3	-	-	39	20	16	-	3	24	14	8	2	-	36
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	1	-	-	-	15	7	2	4	2	11	6	4	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	45
1	1	-	-	-	7	3	1	2	1	6	3	2	1	-	46
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	47
-	-	-	-	-	5	3	1	1	-	2	2	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	55
4	3	1	-	-	51	25	19	2	5	14	7	6	1	-	56
954	527	420	5	2	18,816	9,149	7,650	1,146	871	7,930	3,910	3,553	281	186	58
930	512	411	5	2	18,558	9,039	7,535	1,131	853	7,816	3,856	3,458	279	183	59
13	11	2	-	-	445	302	102	30	11	144	99	30	11	4	60
-	-	-	-	-	13	12	1	-	-	4	2	1	1	-	61
2	1	1	-	-	114	83	21	7	3	34	19	11	3	1	62
7	6	1	-	-	127	75	43	7	2	46	30	9	5	2	63
4	4	-	-	-	191	132	37	16	6	60	48	9	2	1	64
256	136	119	-	1	5,764	2,711	2,366	424	263	2,223	1,057	1,014	90	62	65
6	5	1	-	-	323	193	50	62	18	122	76	26	14	6	66
51	35	16	-	-	1,046	503	379	111	53	330	196	105	20	9	67
4	3	1	-	-	38	13	17	6	2	20	11	9	-	-	68
90	38	52	-	-	2,078	913	976	94	95	875	343	490	20	22	69
13	2	11	-	-	324	129	167	18	10	88	36	48	1	3	70
2	1	1	-	-	102	41	54	5	2	41	14	25	1	1	71
3	3	-	-	-	106	50	50	2	4	35	8	25	1	1	72
20	7	13	-	-	428	199	202	12	15	134	63	67	3	1	73
49	24	25	-	-	1,052	468	475	53	56	524	202	294	13	15	74
3	1	2	-	-	66	26	28	4	8	53	20	31	1	1	75
25	11	14	-	-	702	361	271	39	31	244	126	104	9	5	76
2	2	-	-	-	150	74	41	28	7	56	29	21	5	1	77
11	3	7	-	1	316	96	208	3	9	122	45	65	3	9	78
63	36	27	-	-	1,031	515	391	81	44	422	216	178	18	10	79
4	3	1	-	-	80	43	33	-	4	32	15	16	1	-	80
143	116	26	1	-	3,639	2,666	550	354	69	1,565	1,215	245	92	13	81
4	3	-	1	-	180	137	15	22	6	76	58	9	8	1	82
133	109	24	-	-	3,385	2,490	506	329	60	1,453	1,138	224	80	11	83
6	4	2	-	-	74	39	29	3	3	36	19	12	4	1	84
110	13	96	1	-	2,089	224	1,677	16	172	899	91	763	5	40	85
10	5	4	1	-	105	62	35	5	3	45	18	24	2	1	86
2	1	1	-	-	77	40	32	3	2	30	14	16	-	-	87
13	6	7	-	-	185	111	65	5	4	100	53	45	1	1	88
85	1	84	-	-	1,722	11	1,545	3	163	724	6	678	2	38	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	67	6	12	21	28
02 OF CERVIX UTERI.....180	15	...	5	...	10
03 OF OTHER PARTS OF UTERUS.....181,182	6	...	3	...	3
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	19	...	4	...	15
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184
06 OF PROSTATE.....185	24	5	...	19	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	3	1	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	32	5	8	15	4
09 OF BLADDER.....188	12	3	2	5	2
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	20	2	6	10	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	48	12	5	20	11
12 OF EYE.....190
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	14	4	1	6	3
14 OF THYROID GLAND.....193	2	2	...
15 OTHER.....194-199	32	8	4	12	8
16 LEUKEMIA.....204-207	46	10	6	20	10
17 LYMPHATIC LEUKEMIA.....204	16	4	3	6	3
18 MYELOID LEUKEMIA.....205	12	2	2	6	2
19 MONOCYTTIC LEUKEMIA.....206	8	2	1	4	1
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	10	2	...	4	4
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	52	5	5	27	15
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	25	1	2	13	9
23 HODGKIN'S DISEASE.....201	10	2	1	5	2
24 MULTIPLE MYELOMA.....203	11	1	1	6	3
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	6	1	1	3	1
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	10	2	1	4	3
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	2	...
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	4	1	1	...	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	4	1	...	2	1
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	133	11	16	53	53
34 NONTOXIC GOITER.....240,241
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	3	1	2
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246
37 DIABETES MELLITUS.....250	96	6	10	35	45
38 DISEASES OF PITUITARY GLAND.....253	1	...	1
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255	3	1	2
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	15	...	4	9	2
43 CYSTIC FIBROSIS.....273,0	2	2
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	13	2	1	8	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	10	1	2	5	2
46 ANEMIAS.....280-285	4	...	1	2	1
47 DEFICIENCY ANEMIAS.....280,281
48 HEMOLYTIC ANEMIAS.....282,283	2	...	1	1	...
49 APLASTIC ANEMIA.....284
50 OTHER AND UNSPECIFIED ANEMIAS.....285	2	1	1
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	3	2	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	3	1	1	1	...
53 V. MENTAL DISORDERS.....	12	2	1	6	3
54 SENILE AND PRESENTILE DEMENTIAS.....290	1	1
55 ALCOHOLIC PSYCHOSES.....291
56 ALL OTHER PSYCHOSES.....294-299	1	1
57 ALCOHOLISM.....303	6	2	...	4	...
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	4	...	1	2	1
59 MENTAL RETARDATION.....310-315
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	29	5	4	15	5
61 MENINGITIS.....320	3	2	1
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	2	...	1	1	...
63 MULTIPLE SCLEROSIS.....340	1	1
64 PARALYSIS AGITANS.....342	2	1	1
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	2	...
66 EPILEPSY.....345	3	...	1	2	...
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,321-333,341,344,346-358,370-373,376-380,384-389	15	2	1	8	4
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,808	320	219	792	477
73 ACTIVE RHEUMATIC FEVER.....390-392	2	1	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	49	8	5	16	20
75 DISEASES OF MITRAL VALVE.....394	16	4	2	3	7
76 DISEASES OF AORTIC VALVE.....395	12	2	2	5	3
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	1	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	19	2	1	7	9
79 HYPERTENSIVE DISEASE.....400-404	38	4	6	17	11
80 MALIGNANT HYPERTENSION.....400
81 ESSENTIAL BENIGN HYPERTENSION.....401	4	...	2	1	1
82 HYPERTENSIVE HEART DISEASE.....402	15	...	3	7	5
83 HYPERTENSIVE RENAL DISEASE.....403	13	4	...	6	3
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	6	...	1	3	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
137	74	62	-	1	2,362	890	1,172	109	191	1,060	368	626	31	35	01
15	...	19	...	-	402	...	304	...	98	213	...	201	...	12	02
14	...	13	...	1	359	...	315	...	44	183	...	169	...	14	03
29	...	29	...	-	540	...	503	...	45	239	...	232	...	7	04
1	...	1	...	-	54	...	50	...	4	26	...	24	...	2	05
67	67	940	832	...	108	...	375	344	...	31	...	06
7	7	59	58	...	1	...	24	24	07
44	31	11	2	-	896	606	228	37	25	346	226	105	11	4	08
21	15	6	-	-	521	366	113	24	18	188	132	47	7	2	09
23	16	5	2	-	375	240	115	13	7	158	94	58	4	2	10
89	48	41	-	-	1,498	684	670	80	64	783	377	369	23	14	11
-	-	-	-	-	20	10	7	2	1	7	3	4	-	-	12
14	11	3	-	-	366	199	143	12	12	172	98	69	5	-	13
5	3	2	-	-	51	19	29	1	2	23	10	12	-	-	14
70	34	36	-	-	1,061	456	491	65	49	581	266	284	18	13	15
43	37	26	-	-	811	429	331	27	24	392	193	188	4	7	16
23	13	10	-	-	243	129	103	5	6	161	87	70	1	3	17
22	15	7	-	-	308	157	130	13	8	110	44	61	2	3	18
3	1	2	-	-	66	39	24	2	1	44	21	22	-	1	19
15	8	7	-	-	194	104	74	7	9	77	41	35	1	-	20
75	46	28	1	-	1,054	527	439	54	34	404	230	158	12	4	21
22	14	8	-	-	438	209	195	26	8	148	91	51	4	2	22
23	15	7	1	-	175	88	74	7	6	86	49	33	3	1	23
19	11	8	-	-	226	114	82	17	13	79	41	34	3	1	24
11	6	5	-	-	215	116	88	4	7	91	49	40	2	-	25
24	15	9	-	-	258	110	115	15	18	114	54	55	2	3	26
-	...	-	...	-	13	...	11	...	2	5	...	3	...	2	27
4	3	1	-	-	51	19	21	6	5	14	8	5	-	1	28
2	1	1	-	-	57	32	19	5	1	12	6	6	-	-	29
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	30
10	7	3	-	-	89	31	48	2	8	60	31	28	1	-	31
8	4	4	-	-	48	28	16	2	2	20	9	10	-	1	32
136	60	72	2	2	2,340	854	1,170	110	206	1,388	525	759	40	64	33
1	1	-	-	-	7	2	3	-	2	1	-	1	-	-	34
1	1	-	-	-	21	2	13	3	3	11	3	6	-	2	35
1	-	1	-	-	12	3	8	-	1	8	2	5	-	1	36
103	43	57	2	1	2,029	718	1,032	97	182	1,144	429	629	35	51	37
-	-	-	-	-	5	3	1	-	1	8	5	2	1	-	38
5	4	1	-	-	20	4	12	-	4	-	3	8	1	-	39
-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	40
10	4	5	-	1	89	46	29	5	9	80	32	43	1	4	41
-	-	-	-	-	26	15	11	-	-	13	7	6	-	-	42
15	7	8	-	-	130	61	60	5	4	109	44	59	2	4	43
16	9	7	-	-	232	88	96	21	27	111	45	58	5	3	44
8	5	3	-	-	156	56	62	18	20	74	23	45	4	2	45
1	-	1	-	-	30	9	15	4	2	12	4	7	1	-	46
-	-	-	-	-	34	6	9	9	10	13	3	5	3	2	47
2	2	-	-	-	45	21	18	2	4	30	12	18	-	-	48
5	3	2	-	-	47	20	20	3	4	19	4	15	-	-	49
4	3	1	-	-	32	14	14	1	3	13	6	6	1	-	50
4	1	3	-	-	44	18	20	2	4	24	16	7	-	1	51
16	8	8	-	-	229	124	51	43	11	126	65	44	12	5	52
1	-	1	-	-	30	10	20	-	-	22	5	15	-	2	53
1	1	-	-	-	34	20	1	11	2	12	8	1	3	-	54
1	1	-	-	-	5	5	-	-	-	10	4	6	-	-	55
11	5	6	-	-	118	70	15	28	5	54	36	7	9	2	56
2	1	1	-	-	35	14	14	4	3	18	5	13	-	-	57
-	-	-	-	-	7	5	1	-	1	10	7	2	-	-	58
64	39	25	-	-	887	397	360	82	48	421	209	179	19	14	59
6	5	1	-	-	95	37	27	16	15	30	14	10	1	5	60
1	1	-	-	-	28	16	9	2	1	24	19	5	-	-	61
9	6	3	-	-	105	33	57	6	9	53	23	29	1	-	62
11	6	5	-	-	158	79	74	4	1	86	43	41	2	-	63
5	2	3	-	-	39	19	13	2	5	9	5	3	-	-	64
8	6	2	-	-	115	51	26	30	8	41	19	13	6	3	65
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	66
-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	67
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	68
1	-	1	-	-	13	6	6	1	-	9	4	3	1	1	69
23	13	10	-	-	330	154	146	21	9	167	81	74	8	4	70
3,104	1,796	1,287	7	14	65,099	32,044	26,746	3,306	3,003	27,745	14,154	12,000	847	744	72
1	-	1	-	-	16	4	8	-	4	12	5	6	-	1	73
65	30	35	-	-	920	367	468	44	41	392	157	217	8	10	74
17	6	11	-	-	255	78	159	7	11	95	29	64	1	1	75
21	16	5	-	-	213	126	71	12	4	74	45	28	1	-	76
1	-	1	-	-	41	16	24	-	1	28	14	12	1	1	77
26	8	18	-	-	411	147	214	25	25	195	69	113	5	8	78
64	29	34	-	1	2,111	760	825	255	271	1,012	424	498	49	41	79
3	3	-	-	-	105	32	23	29	21	34	15	10	5	4	80
-	-	-	-	-	58	17	33	2	6	35	17	17	6	3	81
22	4	18	-	-	946	270	331	167	178	235	85	115	17	18	82
14	8	5	-	1	567	268	208	42	49	173	80	73	12	8	83
25	14	11	-	-	435	173	230	15	17	535	235	283	9	8	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,197	241	122	540	294
02 WITH HYPERTENSIVE DISEASE (.0).....	278	30	31	139	78
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	919	211	91	401	216
04 ACUTE MYOCARDIAL INFARCTION.....410	591	138	49	279	125
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	14	2	-	7	5
06 CHRONIC ISCHEMIC HEART DISEASE.....412	592	101	73	254	164
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	44	7	8	22	7
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	-	-	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	2	-	-	2	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	-	-	2	-
15 SYMPTOMATIC HEART DISEASE.....427	19	1	6	8	4
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	11	3	1	5	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	12	3	1	7	1
18 CEREBROVASCULAR DISEASES.....430-438	361	36	57	154	114
19 WITH HYPERTENSION (BENIGN) (.0).....	74	9	5	33	27
20 WITHOUT MENTION OF HYPERTENSION (.9).....	287	27	52	121	87
21 SUBARACHNOID HEMORRHAGE.....430	31	-	6	14	11
22 CEREBRAL HEMORRHAGE.....431	99	10	11	52	26
23 CEREBRAL THROMBOSIS.....433	79	11	13	31	24
24 CEREBRAL EMBOLISM.....434	1	1	-	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	7	-	1	5	1
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	89	7	15	35	32
27 OTHER CEREBROVASCULAR DISEASES.....437,438	55	7	11	17	20
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	91	16	16	37	22
29 ARTERIOSCLEROSIS.....440	29	5	9	9	6
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	46	9	4	20	13
31 GANGRENE.....445	3	1	2	2	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	13	1	3	6	3
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	26	7	5	6	8
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	19	5	3	5	6
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	7	2	2	1	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	321	44	23	163	91
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	1	-	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	4	-	-	1	3
39 INFLUENZA.....470-474	2	-	-	2	-
40 PNEUMONIA.....480-486	186	21	13	100	52
41 VIRAL PNEUMONIA.....480	3	1	1	-	1
42 BACTERIAL PNEUMONIA.....481,482	23	3	1	13	6
43 ACUTE INTERSTITIAL PNEUMONIA.....484	22	1	1	13	7
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	80	11	7	43	19
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	58	5	3	31	19
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	86	20	4	43	19
47 BRONCHITIS, UNQUALIFIED.....490	1	-	-	1	-
48 CHRONIC BRONCHITIS.....491	9	1	-	6	2
49 EMPHYSEMA.....492	55	16	4	26	9
50 ASTHMA.....493	21	3	-	10	8
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	2	-	1	-	1
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	14	-	2	6	6
55 BRONCHIECTASIS.....518	11	1	-	5	5
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	15	2	2	8	3
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	200	45	30	84	41
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	32	3	1	15	13
60 ULCER OF STOMACH.....531	18	1	1	9	7
61 ULCER OF DUODENUM.....532	13	2	-	5	6
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1	-	-	1	-
63 GASTRITIS AND DUODENITIS.....535	3	2	-	1	-
64 APPENDICITIS.....540-543	2	1	-	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	17	3	2	6	6
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	6	3	2	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	-	-	-	-	-
69 CIRRHOSIS OF LIVER.....571	63	19	15	24	5
70 ALCOHOLIC.....571.0	21	10	7	4	-
71 OTHER SPECIFIED.....571.8	15	3	4	7	1
72 UNSPECIFIED.....571.9	27	6	4	13	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	11	1	1	4	5
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	66	13	9	32	12
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	90	14	4	39	33
76 NEPHRITIS AND NEPHROSIS.....580-584	33	2	2	19	10
77 ACUTE NEPHRITIS.....580	2	-	-	2	-
78 NEPHROTIC SYNDROME.....581	1	-	-	1	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	30	2	2	16	10
80 INFECTIONS OF KIDNEY.....590	33	5	1	11	16
81 CALCULI OF URINARY SYSTEM.....592,594	4	1	-	2	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	12	3	-	3	6
83 HYPERPLASIA OF PROSTATE.....600	4	2	-	2	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	4	1	1	2	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	-	...	3
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	-	...	1
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

1-235

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,920	1,200	704	5	11	44,664	23,420	17,600	1,971	1,673	16,785	9,334	6,527	500	424	01
208	91	116	-	1	4,617	1,851	2,297	203	266	1,904	762	897	117	128	02
1,712	1,109	588	5	10	40,047	21,569	15,303	1,768	1,407	14,881	8,572	5,630	383	296	03
1,250	832	408	4	6	24,063	14,152	8,050	1,085	776	10,163	6,229	3,480	269	185	04
8	5	3	-	-	182	91	80	10	1	92	46	39	3	4	05
661	362	293	1	5	20,412	9,174	9,467	875	896	6,525	3,057	3,005	228	235	06
1	1	-	-	-	7	3	3	1	-	5	2	3	-	-	07
143	82	61	-	-	2,097	932	624	292	249	1,050	492	487	41	30	08
2	2	-	-	-	44	20	18	2	4	14	6	6	-	-	09
1	-	1	-	-	43	23	11	7	2	17	11	5	-	-	10
5	1	4	-	-	64	31	29	2	2	51	23	28	-	-	11
1	-	1	-	-	4	1	3	-	-	5	2	3	-	-	12
-	-	-	-	-	18	10	6	1	1	6	2	4	-	-	13
4	1	3	-	-	42	20	20	1	1	40	19	21	-	-	14
54	22	32	-	-	518	253	204	34	27	515	236	236	27	16	15
24	16	8	-	-	505	212	231	30	32	265	121	133	6	5	16
57	41	16	-	-	923	393	131	217	182	188	95	79	8	6	17
652	309	339	2	2	11,441	4,733	5,485	507	636	6,213	2,651	3,171	200	191	18
66	23	42	1	-	1,679	633	766	144	136	784	274	410	52	48	19
586	286	297	1	2	9,762	4,100	4,719	443	500	5,429	2,377	2,761	148	143	20
13	7	6	-	-	443	166	193	33	51	203	78	102	9	14	21
134	66	66	1	1	3,242	1,399	1,475	190	178	1,589	654	823	60	52	22
150	74	75	1	-	3,424	1,364	1,751	137	172	1,721	813	834	39	35	23
3	2	1	-	-	56	26	24	3	3	43	20	22	1	-	24
7	5	2	-	-	172	100	59	8	5	62	32	30	-	-	25
226	104	122	-	-	2,428	983	1,149	138	158	1,691	681	866	71	73	26
119	51	67	-	1	1,676	695	834	78	69	904	373	494	20	17	27
202	115	87	-	-	2,956	1,455	1,355	78	68	1,895	909	926	25	35	28
114	55	59	-	-	1,737	751	915	38	33	1,248	524	687	14	23	29
58	42	16	-	-	617	420	166	17	14	349	252	84	7	6	30
6	4	2	-	-	156	76	66	8	6	70	28	38	1	3	31
24	14	10	-	-	446	208	208	15	15	228	105	117	3	3	32
57	31	26	-	-	894	373	381	79	61	386	182	168	24	12	33
51	27	24	-	-	794	325	336	75	58	329	151	146	21	11	34
6	4	2	-	-	100	48	45	4	3	57	31	22	3	1	35
436	296	124	7	9	6,791	3,627	1,955	726	483	2,902	1,697	926	178	101	36
5	3	2	-	-	31	19	9	-	3	16	6	9	1	-	37
3	2	1	-	-	162	57	44	35	26	21	9	8	2	2	38
28	15	13	-	-	249	118	116	5	10	173	83	74	5	11	39
181	99	77	2	3	4,041	1,827	1,293	542	379	1,487	722	578	109	78	40
3	1	1	-	1	127	52	49	13	13	72	28	38	3	3	41
20	11	8	1	-	413	199	121	52	41	176	99	58	13	6	42
1	1	-	-	-	64	29	26	6	3	58	18	18	7	15	43
55	30	24	-	1	2,676	1,165	801	417	293	610	311	231	43	25	44
102	56	44	1	1	761	382	296	54	29	571	266	233	43	29	45
168	138	23	5	2	1,665	1,233	301	93	38	921	706	168	37	10	46
3	3	-	-	-	60	30	19	9	2	15	8	3	2	2	47
21	18	2	-	1	263	177	80	16	10	100	71	24	3	2	48
132	112	15	4	1	1,198	975	162	55	6	729	597	101	29	2	49
12	5	6	1	-	144	51	60	13	20	77	30	40	3	4	50
4	3	-	-	-	3	2	-	1	-	1	1	-	-	-	51
-	-	-	-	-	54	34	12	7	1	31	19	9	3	-	52
12	6	4	-	2	37	25	7	1	4	9	6	2	1	-	53
6	6	-	-	-	189	114	56	10	9	77	45	27	5	-	54
29	24	4	-	1	59	29	26	4	-	16	9	7	-	-	55
203	116	78	2	7	301	169	91	28	13	150	91	44	15	-	56
-	-	-	-	-	4	1	1	2	-	2	-	2	-	-	58
34	28	6	-	-	623	395	175	35	18	233	139	78	13	3	59
12	10	2	-	-	259	151	84	13	11	89	50	33	5	1	60
17	14	3	-	-	295	198	72	19	6	108	70	32	5	1	61
5	4	1	-	-	69	46	19	3	1	36	19	13	3	1	62
1	-	1	-	-	26	13	9	4	-	12	6	5	-	-	63
4	3	1	-	-	83	37	32	8	6	44	31	13	-	-	64
25	11	14	-	-	435	190	210	23	12	227	99	114	11	3	65
-	-	-	-	-	9	4	2	2	1	2	1	1	-	-	66
9	4	5	-	-	194	78	99	8	9	82	31	49	-	-	67
2	2	-	-	-	93	39	44	4	6	31	21	10	-	-	68
54	28	19	1	6	1,752	999	475	169	109	582	317	209	28	28	69
15	4	6	1	4	451	272	92	59	28	140	81	43	11	5	70
5	3	2	-	-	326	146	123	34	23	118	52	49	7	10	71
34	21	11	-	2	975	581	260	76	58	324	184	117	10	13	72
19	10	9	-	-	236	106	124	1	5	98	29	66	2	1	73
55	30	23	1	1	867	426	334	69	38	437	200	197	26	14	74
89	55	32	1	1	1,612	785	527	148	152	755	398	276	43	38	75
29	16	12	-	1	554	236	175	67	76	262	138	95	15	14	76
3	2	1	-	-	44	17	17	6	4	27	15	6	4	2	77
-	-	-	-	-	18	8	3	3	4	12	8	2	1	1	78
26	14	11	-	1	492	211	155	58	68	223	115	87	10	11	79
32	18	13	1	-	476	205	195	31	45	216	85	108	10	13	80
4	3	1	-	-	71	35	32	2	2	23	11	10	2	-	81
13	8	5	-	-	259	135	89	19	16	138	76	46	9	7	82
7	7	...	-	...	178	151	...	27	...	57	52	...	5	...	83
4	3	1	-	-	74	23	36	2	13	59	36	17	2	4	85
3	...	3	...	-	50	...	25	...	25	19	...	12	...	7	86
2	...	2	...	-	6	...	3	...	3	2	...	1	...	1	87
1	...	1	...	-	7	...	5	...	2	7	...	4	...	3	88
-	...	-	...	-	4	...	3	...	1	2	...	1	...	1	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	-	...	2
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	3	-	-	1	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	-	-	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1	-	-	1	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	9	2	1	1	5
13 ARTHRITIS AND SPONDYLITIS.....710-715	3	1	-	-	2
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	5	1	-	1	3
18 XIV. CONGENITAL ANOMALIES.....	70	9	10	26	25
19 SPINA BIFIDA.....741	4	-	1	1	2
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	9	-	2	2	5
21 CONGENITAL ANOMALIES OF HEART.....746	31	1	2	16	12
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	1	-	2	1
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	-	-	1
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	21	7	5	5	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	156	24	21	64	47
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	39	7	3	20	9
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	4	-	-	3	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	35	7	3	17	8
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	387	89	46	181	71
30 ACCIDENTS.....E800-E949	275	56	31	136	52
31 RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	148	35	12	67	34
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	142	33	12	64	33
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	54	12	5	20	17
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	28	8	2	11	7
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	32	9	3	15	5
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	23	3	1	15	4
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	5	1	1	3	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	6	2	-	3	1
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	-	-	-	1
42 WATER TRANSPORT ACCIDENTS.....E830-E838	2	1	-	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	8	2	4	2	-
44 ACCIDENTAL POISONING.....E850-E877	4	-	2	2	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1	-	1	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	-	-	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	3	-	1	2	-
48 ACCIDENTAL FALLS.....E880-E887	39	7	5	17	10
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	22	4	2	15	1
50 FALL ON SAME LEVEL.....E885-E886	1	-	-	-	1
51 OTHER AND UNSPECIFIED FALLS.....E887	16	3	3	2	8
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	4	-	1	2	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	30	5	3	21	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	12	2	3	7	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	1	-	-	1	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	11	2	1	8	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	5	1	1	3	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	6	1	-	5	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	10	1	-	5	4
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5	1	-	3	1
64 SUICIDE.....E950-E959	57	16	6	25	10
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	5	2	2	1	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	3	1	-	2	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	18	1	-	9	8
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	20	11	1	7	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	11	1	3	6	1
70 HOMICIDE.....E960-E978	22	7	1	10	4
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	15	5	1	6	3
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	2	-	-	2	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	5	2	-	2	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	33	10	8	10	5
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	9	...	3	...	6	1	...	1	...	-
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-
-	...	-	...	-	4	...	1	...	3	-	...	1	...	-
-	...	-	...	-	2	...	1	...	1	4	...	2	...	2
-	...	-	...	-	21	...	9	...	12	3	...	3	...	-
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
5	2	3	-	-	90	28	41	10	11	43	14	23	1	5
3	1	2	-	-	27	13	6	4	4	11	7	3	1	-
2	1	1	-	-	63	15	35	6	7	32	7	20	-	5
22	9	13	-	-	225	72	135	7	11	121	38	73	1	9
10	3	7	-	-	78	23	51	2	2	54	16	37	-	1
1	-	1	-	-	8	5	3	-	-	-	-	-	-	-
2	2	2	-	-	6	2	2	2	-	4	2	1	1	-
9	4	5	-	-	5	1	4	-	-	6	4	1	-	1
44	23	21	-	-	128	41	75	3	9	57	16	34	-	7
2	1	1	-	-	916	435	312	100	69	465	210	213	26	16
6	2	4	-	-	50	23	25	1	1	26	6	19	1	-
19	10	9	-	-	150	68	60	11	11	81	32	47	2	-
3	1	2	-	-	361	176	104	49	32	188	90	81	9	8
-	-	-	-	-	69	30	26	9	4	36	20	13	2	1
14	9	5	-	-	2	1	-	1	-	1	-	1	-	-
138	82	52	3	1	284	137	97	29	21	133	62	52	12	7
61	34	25	2	-	382	170	116	64	32	243	107	114	13	9
14	10	4	-	-	15	4	8	2	1	34	10	23	-	1
47	24	21	2	-	367	166	108	62	31	209	97	91	13	8
675	489	163	23	4	7,705	4,327	1,860	1,184	334	4,005	2,451	1,130	312	112
559	399	138	19	3	5,478	3,255	1,435	595	193	3,109	1,918	936	181	74
5	4	-	1	-	81	50	12	18	1	25	18	5	2	-
276	195	68	11	2	2,621	1,639	725	205	52	1,509	1,005	409	70	25
273	192	68	11	2	2,575	1,610	718	196	51	1,476	980	402	69	25
15	11	4	-	-	100	63	32	4	1	73	49	23	1	-
78	52	23	1	2	1,056	641	344	55	16	494	310	159	20	5
15	12	2	1	-	421	233	112	61	15	187	103	60	16	8
15	10	5	-	-	468	325	84	46	13	177	128	32	15	2
51	40	9	2	-	301	205	77	16	3	128	97	21	7	3
99	67	25	7	-	229	143	69	14	3	417	293	107	10	7
3	3	-	-	-	46	29	7	9	1	33	25	7	1	-
7	4	3	-	-	14	7	7	-	-	3	1	2	-	-
4	4	-	-	-	73	61	5	6	1	18	14	1	3	-
16	16	-	-	-	49	42	6	1	-	25	22	3	-	-
12	9	3	-	-	258	133	54	51	20	82	42	25	14	1
2	2	-	-	-	99	38	28	26	7	17	3	7	6	1
-	7	-	-	-	39	14	10	8	7	15	9	4	2	-
10	7	3	-	-	120	81	16	17	6	50	30	14	6	-
76	50	25	-	1	854	418	324	86	26	532	247	260	14	11
19	17	2	-	-	323	189	73	47	14	107	78	18	6	5
9	5	4	-	-	35	15	18	2	-	14	8	6	-	-
48	28	19	-	1	496	214	233	37	12	411	161	236	8	6
18	11	7	-	-	348	165	91	57	35	205	101	77	15	12
25	17	6	2	-	265	179	36	45	5	131	100	18	12	1
9	5	4	-	-	131	60	42	17	12	69	36	21	4	8
15	12	3	-	-	95	48	13	27	7	46	32	10	2	2
42	42	-	-	-	306	227	28	44	7	235	174	37	20	4
-	-	-	-	-	11	4	2	5	-	8	4	1	2	1
1	1	-	-	-	34	26	3	5	-	60	33	25	-	2
1	1	-	-	-	29	9	7	8	5	9	6	1	1	1
2	2	-	-	-	52	41	3	7	1	41	36	2	3	-
38	38	-	-	-	180	147	13	19	1	117	95	8	14	-
12	3	8	1	-	80	43	25	7	5	56	22	24	7	3
42	27	11	4	-	303	183	67	31	22	173	104	44	18	7
90	69	18	3	-	997	680	261	43	13	542	386	141	13	2
8	2	6	-	-	119	40	69	5	5	49	19	30	-	-
13	9	3	1	-	127	75	52	-	-	86	58	26	1	1
10	6	3	1	-	204	140	52	12	-	83	53	27	2	1
57	50	6	1	-	447	370	55	19	3	292	233	49	10	-
2	2	-	-	-	100	55	33	7	5	32	23	9	-	-
21	12	7	1	1	951	240	95	508	108	293	117	31	111	34
12	7	4	1	-	581	144	50	326	61	191	79	17	77	18
2	2	-	-	-	197	27	17	128	25	39	18	1	17	3
6	2	3	1	-	145	59	28	37	21	58	18	13	14	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	28	10	-	17	1	5	-	-	3	-
8	8	-	-	-	278	151	69	38	20	60	29	22	7	2
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	29,900	16,526	13,055	169	150
02 I. INFECTIVE AND PARASITIC DISEASES.....	202	100	96	3	3
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	-	1	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	47	21	25	1	-
09 TUBERCULOSIS, ALL FORMS.....010-019	49	32	17	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	33	22	11	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	1	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	15	9	6	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	1	-	1	-	-
24 MENINGOCOCCAL INFECTIONS.....036	6	2	4	-	-
25 TETANUS.....037	1	1	-	-	-
26 SEPTICEMIA.....038	29	13	15	1	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	3	2	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	1	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	9	3	6	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	1	-	-
35 INFECTIOUS HEPATITIS.....070	11	6	5	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	20	9	10	-	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	9	6	2	-	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	7	4	2	-	1
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	2	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	1	-	-	-	1
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	12	4	7	1	-
58 II. NEOPLASMS.....	5,002	2,672	2,274	31	25
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	4,933	2,644	2,236	29	24
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	102	75	27	-	-
61 OF LIP.....140	7	7	-	-	-
62 OF TONGUE.....141	19	13	6	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	36	23	13	-	-
64 OF PHARYNX.....146-149	40	32	8	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,511	782	711	9	9
66 OF ESOPHAGUS.....150	73	62	9	-	2
67 OF STOMACH.....151	205	120	84	1	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	6	4	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	673	302	363	6	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	85	32	51	1	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	44	18	24	2	-
72 DESCENDING COLON.....153.2	16	4	12	-	-
73 SIGMOID COLON.....153.3	104	48	55	1	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	384	182	200	1	1
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	40	18	21	1	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	170	99	71	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	18	11	6	-	1
78 OF GALLBLADDER AND BILE DUCTS.....156	87	25	61	-	1
79 OF PANCREAS.....157	245	149	92	1	3
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	30	8	21	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	830	673	146	10	1
82 OF LARYNX.....161	24	23	1	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	782	634	138	9	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	24	16	7	1	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	561	61	496	-	4
86 OF BONE.....170	26	13	13	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	21	12	9	-	-
88 OF SKIN.....172,173	59	33	26	-	-
89 OF BREAST.....174	455	3	448	-	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,522	11,912	9,461	657	492	33,083	17,041	12,796	1,783	1,463	34,350	12,767	9,259	6,728	5,596	01
156	88	54	9	5	356	187	118	37	14	460	137	73	136	114	02
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	03
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	04
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	05
45	18	23	3	1	53	21	24	7	1	87	16	19	30	22	08
35	24	6	2	3	150	80	43	21	6	141	52	24	34	31	09
24	19	4	1	1	121	67	33	16	3	112	41	19	29	23	10
1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	11
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12
2	1	1	1	1	3	1	2	1	1	6	2	1	1	2	13
6	5	1	1	1	7	1	2	1	3	21	9	4	3	5	15
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
1	1	1	1	1	1	1	1	1	1	6	3	1	1	3	20
1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
4	3	1	1	1	15	12	3	1	1	25	7	5	7	6	24
1	1	1	1	1	1	1	1	1	1	5	1	1	1	4	25
17	12	2	2	1	62	32	21	5	4	103	30	9	36	28	26
5	3	2	1	1	5	3	3	1	2	13	2	3	5	3	27
1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	28
2	1	1	1	1	5	3	2	1	1	2	1	1	1	1	29
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	31
7	4	3	1	1	8	2	5	1	1	7	4	2	1	1	32
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	33
5	1	4	1	1	11	3	8	1	1	19	4	6	2	7	34
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	35
11	6	5	1	1	21	12	9	1	1	14	7	2	2	5	36
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	37
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	38
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	39
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	40
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41
6	3	1	2	1	8	5	1	2	1	15	2	1	11	1	42
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
3	1	1	2	1	4	3	1	1	1	8	2	1	6	1	45
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47
1	1	1	1	1	3	2	1	1	1	5	1	3	1	1	48
1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	49
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	55
13	10	3	1	1	14	10	2	1	1	15	7	1	4	3	56
3,650	1,854	1,615	114	67	4,998	2,474	2,039	273	212	5,338	2,067	1,553	921	797	58
3,604	1,834	1,591	114	65	4,923	2,448	1,997	272	206	5,247	2,034	1,526	904	783	59
73	56	14	2	1	146	100	32	9	5	125	66	23	25	11	60
4	4	1	1	1	6	5	1	1	1	4	4	1	1	1	61
14	13	1	1	1	38	24	7	4	3	28	14	8	3	3	62
17	13	3	1	1	46	32	14	1	2	34	19	5	6	4	63
38	26	10	1	1	56	39	10	5	2	59	29	10	16	4	64
1,033	484	483	44	22	1,451	712	612	68	59	1,346	446	410	281	209	65
54	32	12	2	2	90	44	24	15	7	101	36	11	37	17	66
181	97	68	11	5	250	150	80	11	9	304	79	62	106	57	67
7	2	5	1	1	11	3	6	1	2	8	3	3	2	1	68
405	168	219	9	9	563	237	289	15	22	409	129	167	43	70	69
59	22	34	3	3	73	25	46	1	1	38	14	14	2	8	70
14	5	9	1	1	15	8	6	1	1	12	3	6	2	3	71
22	3	16	2	1	24	12	9	1	2	15	2	10	2	1	72
58	29	27	1	1	59	22	34	1	2	37	15	16	1	5	73
246	104	132	6	4	372	164	184	10	14	297	91	116	38	52	74
6	5	1	1	1	20	6	10	2	2	10	4	5	1	1	75
107	55	46	3	3	129	60	57	5	7	131	39	46	31	15	76
21	10	10	1	1	39	16	16	4	3	21	10	4	5	2	77
43	15	26	1	1	64	26	37	1	1	57	17	28	3	9	78
202	102	89	9	2	279	161	94	17	7	291	125	84	50	32	79
13	3	8	2	1	26	15	9	1	2	24	8	5	4	7	80
653	312	110	26	5	996	724	167	62	23	1,213	766	158	232	57	81
27	21	3	3	4	40	32	4	4	1	52	30	5	15	2	82
611	480	104	23	4	942	683	160	77	22	1,127	723	142	210	52	83
15	11	3	1	1	14	9	3	1	1	34	13	11	7	13	84
415	59	346	1	9	527	70	424	6	27	562	65	331	19	147	85
22	12	9	1	1	24	11	12	1	1	37	15	12	7	3	86
14	7	6	1	1	12	7	4	1	1	26	9	9	4	4	87
58	38	19	1	1	85	47	33	4	1	70	39	23	7	1	88
321	2	312	1	7	406	5	375	1	25	429	2	287	1	139	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	692	351	331	5	5
02 OF CERVIX UTERI.....180	73	...	71	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	73	...	71	...	2
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	176	...	175	...	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	14	...	14
06 OF PROSTATE.....185	345	340	...	5	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	11	11
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	266	175	88	1	2
09 OF BLADDER.....188	148	105	42	1	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	118	70	46	1	1
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	424	203	219	1	1
12 OF EYE.....190	8	4	4
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	129	71	58
14 OF THYROID GLAND.....193	21	8	12	...	1
15 OTHER.....194-199	266	120	145	1	...
16 LEUKEMIA.....204-207	244	159	85
17 LYMPHATIC LEUKEMIA.....204	116	73	43
18 MYELOID LEUKEMIA.....205	79	52	27
19 MONOCYTTIC LEUKEMIA.....206	10	6	4
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	39	28	11
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	303	165	133	3	2
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	86	45	40	...	1
23 HODGKIN'S DISEASE.....201	61	33	26	2	...
24 MULTIPLE MYELOMA.....203	61	27	22	1	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	95	50	45
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	69	28	38	2	1
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	20	5	15
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	18	11	4	2	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	17	7	10
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	11	5	6
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	764	342	414	3	5
34 NONTOXIC GOITER.....240,241	1	...	1
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	7	2	5
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	9	3	6
37 DIABETES MELLITUS.....250	628	276	344	3	5
38 DISEASES OF PITUITARY GLAND.....253	3	...	3
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255	5	3	2
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	52	25	27
43 CYSTIC FIBROSIS.....273,0	7	4	3
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	52	29	23
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	89	45	43	1	...
46 ANEMIAS.....280-285	69	33	36
47 DEFICIENCY ANEMIAS.....280,281	15	6	9
48 HEMOLYTIC ANEMIAS.....282,283	11	7	4
49 APLASTIC ANEMIA.....284	22	14	8
50 OTHER AND UNSPECIFIED ANEMIAS.....285	21	6	15
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	9	7	2
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	11	5	5	1	...
53 V. MENTAL DISORDERS.....	61	33	27	1	...
54 SENILE AND PRESENILE DEMENTIAS.....290	20	9	11
55 ALCOHOLIC PSYCHOSES.....291	5	5
56 ALL OTHER PSYCHOSES.....294-299	10	5	5
57 ALCOHOLISM.....303	11	8	3
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	11	3	7	1	...
59 MENTAL RETARDATION.....310-315	4	3	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	308	162	141	4	1
61 MENINGITIS.....320	18	15	3
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	17	14	3
63 MULTIPLE SCLEROSIS.....340	38	11	27
64 PARALYSIS AGITANS.....342	98	49	49
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	9	6	3
66 EPILEPSY.....345	25	10	13	2	...
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374	1	1
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	5	2	3
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	97	54	40	2	1
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	17,128	9,242	7,743	68	75
73 ACTIVE RHEUMATIC FEVER.....390-392	5	2	3
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	193	89	101	3	...
75 DISEASES OF MITRAL VALVE.....394	45	18	26	1	...
76 DISEASES OF AORTIC VALVE.....395	50	30	19	1	...
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	12	5	7
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	86	36	49	1	...
79 HYPERTENSIVE DISEASE.....400-404	509	201	303	1	4
80 MALIGNANT HYPERTENSION.....400	20	6	14
81 ESSENTIAL BENIGN HYPERTENSION.....401	23	6	17
82 HYPERTENSIVE HEART DISEASE.....402	130	43	86	...	1
83 HYPERTENSIVE RENAL DISEASE.....403	104	57	46	...	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	232	89	140	1	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
513	239	241	17	16	655	250	304	49	52	711	183	199	145	184
81	...	73	...	8	129	...	112	...	17	178	...	75	...	103
65	...	62	...	3	76	...	60	...	16	89	...	36	...	53
102	...	98	...	4	139	...	120	...	19	105	...	80	...	25
9	...	8	...	1	12	...	12	11	...	8	...	3
239	222	...	17	...	289	241	...	48	...	313	173	...	140	...
17	17	10	9	...	1	...	15	10	...	5	...
173	108	54	9	2	201	125	62	9	5	202	97	54	28	...
96	58	30	7	1	95	61	26	5	3	110	50	26	20	...
77	50	24	2	1	106	64	36	4	2	92	47	28	8	...
312	148	153	6	5	451	196	210	28	17	606	216	195	105	90
7	4	3	-	-	12	7	4	-	1	5	1	4	-	12
105	54	50	1	-	105	45	50	7	3	113	61	31	12	9
8	2	4	-	2	16	3	12	-	1	19	1	8	5	13
192	88	96	5	3	318	141	144	21	12	469	153	152	88	76
200	108	86	4	2	214	111	84	11	8	236	94	81	34	27
88	50	35	2	1	71	39	28	3	1	73	31	29	7	16
68	36	30	1	1	79	35	35	5	4	76	28	24	15	7
12	7	4	-	-	15	8	5	1	1	25	9	10	4	18
32	15	17	1	-	49	29	16	2	2	62	26	18	8	19
232	120	104	5	3	282	160	102	10	10	62	26	18	8	20
76	37	39	-	-	108	61	41	2	4	246	101	75	35	35
43	24	17	2	-	55	34	16	4	1	80	40	27	9	21
58	31	22	2	3	63	34	23	2	4	44	19	16	4	22
55	28	26	1	-	63	34	23	2	4	71	21	18	15	23
46	20	24	-	2	56	31	22	2	1	71	21	18	15	24
4	...	3	...	1	75	26	42	1	6	51	21	14	7	25
4	2	4	...	1	4	4	91	33	27	17	14
12	5	7	-	-	10	3	7	-	...	3	...	1	...	2
...	11	3	8	-	...	11	2	4	...	27
18	10	7	-	1	24	11	12	1	-	17	1	6	9	28
6	3	3	-	-	25	9	15	-	1	29
608	243	323	11	31	833	286	447	37	63	1,075	223	366	161	325
2	-	2	-	-	1	-	-	1	-	42	21	11	5	31
1	-	1	-	-	2	1	1	-	-	18	9	5	2	32
8	4	4	-	-	8	2	6	-	-	1	-	-	1	34
478	188	255	9	26	667	229	362	23	52	4	-	2	126	35
...	4	2	1	1	-	3	196	320	126	285
8	3	5	-	-	5	2	2	2	36
...	4	1	2	1	37
8	5	2	3	-	-	8	2	3	2	38
46	18	24	2	2	81	22	39	11	9	2	1	1	...	39
16	5	10	1	1	10	5	5	-	-	8	1	9	15	40
49	25	22	-	2	55	23	29	1	2	50	8	9	15	41
...	7	3	3	1	42
63	30	27	3	3	95	47	41	2	5	64	14	22	13	43
48	24	18	3	3	71	30	34	2	5	44
10	7	2	-	1	13	7	5	-	-	123	31	36	34	45
9	2	3	2	2	4	1	2	-	-	93	15	30	29	46
19	10	8	1	-	28	10	17	-	-	12	2	4	4	47
10	5	5	-	-	26	12	10	2	2	33	-	5	16	48
7	4	3	-	-	26	12	10	2	2	26	9	14	2	49
8	2	6	-	-	14	9	5	-	-	22	4	7	7	50
76	48	25	2	1	114	73	27	9	5	9	6	-	2	51
13	7	6	-	-	15	8	7	-	-	21	10	6	3	52
...	16	13	1	1	1	95	38	15	38	53
2	-	2	-	-	5	1	4	-	-	8	5	3	-	54
45	33	10	2	-	59	41	9	7	2	6	3	-	3	55
12	4	7	-	1	17	9	5	1	2	2	7	29	2	56
4	4	-	-	-	2	1	1	-	-	60	22	7	29	57
210	113	85	6	6	264	137	99	17	11	11	3	3	5	58
12	6	5	1	-	22	8	7	5	2	8	5	2	-	59
10	8	2	-	-	10	6	3	1	-	11	3	3	5	60
27	11	16	-	-	26	12	13	-	1	286	105	68	67	46
63	36	26	1	-	42	21	20	1	-	105	68	67	67	61
...	27	20	4	3	-	9	9	4	20	12
16	12	1	1	2	36	22	8	3	3	14	8	2	4	62
...	32	18	10	3	63
...	18	3	6	3	64
6	3	3	-	-	4	2	1	-	-	39	15	6	10	65
76	37	32	3	4	96	46	42	4	4	66
12,535	6,471	5,517	295	252	18,392	9,296	7,389	887	820	17,740	6,540	5,137	3,060	3,003
3	2	1	-	-	5	2	2	-	1	4	1	3	-	73
141	73	62	2	4	197	86	101	7	3	125	46	43	21	74
33	11	20	-	2	47	18	27	2	-	30	6	17	4	75
44	30	15	1	-	40	23	14	2	1	38	21	9	6	76
4	3	1	-	-	5	3	2	-	-	6	2	2	1	77
58	29	26	1	2	105	42	58	3	2	51	17	15	10	78
263	113	130	8	12	451	159	212	30	50	380	78	84	94	79
7	2	2	1	2	24	9	6	6	3	40	4	2	16	80
20	5	14	-	1	15	2	11	1	1	22	3	9	4	81
69	26	36	2	5	134	45	69	5	15	158	29	33	35	82
76	39	33	3	1	103	45	49	6	3	93	28	25	22	83
91	41	45	2	3	175	58	77	12	28	67	14	15	17	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,678	6,251	4,342	40	45
02 WITH HYPERTENSIVE DISEASE (.0).....	974	401	562	4	7
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,704	5,850	3,780	36	38
04 ACUTE MYOCARDIAL INFARCTION.....410	6,757	4,342	2,361	26	28
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	47	21	26	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	3,867	1,882	1,954	14	17
07 ANGINA PECTORIS.....413	7	6	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	652	294	347	4	7
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	13	5	8	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	3	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	32	19	13	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	2	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	1	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	27	16	11	-	-
15 SYMPTOMATIC HEART DISEASE.....427	293	136	153	1	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	160	74	83	1	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	150	57	89	2	2
18 CEREBROVASCULAR DISEASES.....430-438	3,772	1,731	2,011	15	15
19 WITH HYPERTENSION (BENIGN) (.0).....	401	151	246	1	3
20 WITHOUT MENTION OF HYPERTENSION (.9).....	3,371	1,580	1,765	14	12
21 SUBARACHNOID HEMORRHAGE.....430	110	45	65	-	-
22 CEREBRAL HEMORRHAGE.....431	822	387	430	5	6
23 CEREBRAL THROMBOSIS.....433	984	447	529	2	6
24 CEREBRAL EMBOLISM.....434	23	10	10	3	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	37	23	14	-	4
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,102	520	573	5	5
27 OTHER CEREBROVASCULAR DISEASES.....437,438	694	259	390	-	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,131	571	552	4	4
29 ARTERIOSCLEROSIS.....440	701	316	380	3	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	218	150	68	-	-
31 GANGRENE.....445	52	26	25	-	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	160	79	79	1	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	188	103	84	1	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	166	92	73	1	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	22	11	11	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,932	1,229	685	10	8
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	6	4	2	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	14	8	6	-	-
39 INFLUENZA.....470-474	213	89	124	-	-
40 PNEUMONIA.....480-486	942	528	404	5	5
41 VIRAL PNEUMONIA.....480	32	14	18	-	-
42 BACTERIAL PNEUMONIA.....481,482	76	50	26	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	26	18	8	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	361	213	143	2	3
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	447	233	209	3	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	584	492	87	3	2
47 BRONCHITIS, UNQUALIFIED.....490	14	5	8	1	-
48 CHRONIC BRONCHITIS.....491	73	61	12	-	-
49 EMPHYSEMA.....492	470	414	53	2	1
50 ASTHMA.....493	27	12	14	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	21	16	5	-	-
53 PLEURISY.....511	7	3	4	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	43	23	18	1	1
55 BRONCHIECTASIS.....518	27	18	9	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	75	48	26	1	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	926	513	401	6	6
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	150	93	57	-	-
60 ULCER OF STOMACH.....531	55	31	24	-	-
61 ULCER OF DUODENUM.....532	84	54	30	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	11	8	3	-	-
63 GASTRITIS AND DUODENITIS.....535	5	2	3	-	-
64 APPENDICITIS.....540-543	31	18	12	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,569	126	51	71	1	3
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	1	1	-	-
67 DIVERTICULA OF INTESTINE.....562	52	23	29	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	17	6	11	-	-
69 CIRRHOSIS OF LIVER.....571	233	153	79	1	-
70 ALCOHOLIC.....571.0	58	43	15	-	-
71 OTHER SPECIFIED.....571.8	50	27	23	-	-
72 UNSPECIFIED.....571.9	125	83	41	1	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	82	34	47	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	228	132	91	3	2
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	386	247	137	2	-
76 NEPHRITIS AND NEPHROSIS.....580-584	117	68	48	1	-
77 ACUTE NEPHRITIS.....580	14	8	6	-	-
78 NEPHROTIC SYNDROME.....581	5	2	3	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	98	58	39	1	-
80 INFECTIONS OF KIDNEY.....590	103	51	51	1	-
81 CALCULI OF URINARY SYSTEM.....592,594	16	8	8	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	84	59	25	-	-
83 HYPERPLASIA OF PROSTATE.....600	49	49	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	17	12	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	5	-	5	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,000	4,463	3,217	189	131	11,698	6,324	4,335	591	448	11,460	4,743	3,174	1,826	1,717	01
823	327	436	28	32	1,240	503	568	77	92	1,662	389	475	345	453	02
7,177	4,136	2,781	161	99	10,458	5,821	3,767	514	356	9,798	4,354	2,699	1,481	1,264	03
4,752	2,978	1,610	105	59	7,204	4,368	2,234	383	219	6,213	3,145	1,558	849	661	04
26	9	16	1	-	35	21	14	-	-	31	19	7	3	2	05
3,221	1,475	1,591	83	72	4,456	1,933	2,086	208	229	5,214	1,579	1,608	973	1,054	06
1	1	-	-	-	3	2	1	-	-	2	-	1	1	-	07
428	202	207	11	8	800	407	304	44	45	938	228	243	231	236	08
9	4	4	-	1	9	6	3	-	-	8	-	4	2	2	09
3	-	3	-	-	8	7	1	-	-	15	3	1	4	-	10
28	12	16	-	-	20	11	8	-	1	15	4	4	3	4	11
3	1	2	-	-	2	2	-	-	-	1	-	1	-	-	12
5	1	4	-	-	2	2	-	-	-	4	3	-	1	-	13
20	10	10	-	-	16	9	6	-	1	10	1	3	2	4	14
191	93	90	5	3	387	170	167	27	23	556	140	153	124	139	15
124	55	64	3	2	124	44	58	6	16	218	38	50	64	66	16
73	38	30	3	2	252	169	67	11	5	133	43	31	34	25	17
2,647	1,117	1,392	63	75	3,937	1,704	1,844	172	217	3,663	1,022	1,198	706	737	18
277	105	147	12	13	376	138	176	22	40	498	103	122	116	157	19
2,370	1,012	1,245	51	62	3,561	1,566	1,668	150	177	3,165	919	1,076	590	580	20
112	46	60	1	5	108	40	55	4	9	159	45	52	24	38	21
655	274	347	16	16	878	393	398	35	52	793	209	226	174	184	22
707	302	369	15	21	1,044	451	513	43	37	782	252	296	109	125	23
14	9	5	-	-	13	6	5	1	1	11	3	3	2	3	24
40	21	17	1	1	57	30	24	3	3	27	15	7	4	1	25
626	251	326	16	23	1,237	541	539	59	98	1,438	350	431	335	322	26
493	204	268	12	9	600	243	310	27	20	453	148	183	58	64	27
875	413	430	19	17	993	475	449	29	40	875	321	295	129	130	28
563	241	303	8	11	594	244	302	19	29	477	139	196	63	79	29
175	109	99	4	3	168	120	38	5	5	193	104	32	34	23	30
40	17	19	3	1	56	28	26	1	1	42	13	12	6	11	31
101	46	49	4	2	175	83	83	4	5	163	65	55	26	17	32
174	88	78	3	5	311	139	142	14	16	295	101	97	53	44	33
155	78	70	2	5	273	116	130	13	14	260	86	87	46	41	34
19	10	8	1	-	38	23	12	1	2	35	15	10	7	3	35
1,455	864	526	39	28	2,136	1,201	731	128	76	2,203	850	507	522	324	36
8	5	1	1	1	10	3	5	2	-	19	6	4	7	2	37
12	8	3	1	-	21	12	8	-	1	18	7	5	3	3	38
188	72	111	3	2	94	39	51	2	2	133	42	51	16	24	39
669	338	293	22	16	1,151	567	460	75	49	1,224	347	294	347	236	40
40	20	14	4	2	30	11	16	1	2	39	13	7	10	9	41
79	42	32	4	1	132	73	50	9	-	137	49	28	42	18	42
11	6	4	1	-	9	5	3	-	1	44	6	12	13	13	43
297	154	134	8	1	431	209	168	33	21	418	117	103	119	79	44
242	116	109	5	12	549	269	223	32	25	586	162	144	163	117	45
423	342	68	9	4	575	413	120	28	14	511	323	79	82	27	46
5	-	4	1	-	16	3	11	-	2	23	10	3	8	2	47
52	41	10	1	-	104	77	20	4	3	62	38	12	10	2	48
353	298	47	5	3	408	317	72	18	1	377	263	55	50	9	49
13	3	7	2	1	47	16	17	6	8	49	12	9	14	14	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
13	7	4	1	1	19	13	3	2	1	30	13	2	11	4	52
6	4	1	-	1	4	1	2	1	-	9	1	3	3	2	53
52	34	17	1	-	66	35	30	-	1	54	30	15	4	5	54
18	12	5	1	-	28	16	12	-	-	15	7	5	2	1	55
69	44	22	-	3	168	102	40	18	8	188	73	49	47	19	56
775	408	326	24	17	1,053	548	420	47	38	1,170	468	368	189	145	57
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	58
113	70	39	2	2	136	93	33	7	3	135	68	30	23	14	59
49	25	22	2	-	44	25	16	3	-	60	23	16	11	10	60
50	35	13	-	2	71	52	14	3	2	58	32	12	11	3	61
14	10	4	-	-	21	16	3	1	1	17	13	2	1	1	62
5	3	2	-	-	9	4	4	-	1	12	4	2	5	1	63
24	14	8	2	-	23	12	8	2	1	27	7	3	7	10	64
116	50	58	3	5	142	56	72	8	6	129	31	43	25	30	65
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	66
55	25	30	-	-	55	24	27	2	2	63	25	31	3	4	67
10	3	7	-	-	13	6	7	-	-	9	4	3	-	2	68
192	115	58	12	7	303	201	77	13	12	365	180	101	58	26	69
60	40	12	5	3	76	60	12	2	2	86	38	19	21	8	70
23	13	8	1	1	58	34	16	5	3	97	38	30	18	11	71
105	62	38	6	3	169	107	49	6	7	182	104	52	19	7	72
50	20	30	-	-	81	33	48	-	-	65	13	37	3	12	73
210	108	94	5	3	289	119	143	15	12	363	136	116	65	46	74
360	187	133	21	19	547	252	210	41	44	658	185	167	182	124	75
123	52	53	9	9	184	80	68	17	19	192	44	45	60	43	76
6	3	3	-	-	9	3	2	2	2	23	4	4	13	2	77
14	5	6	1	2	12	8	3	-	1	6	1	3	-	2	78
103	44	44	8	7	163	69	63	15	16	163	39	38	47	39	79
113	57	46	5	5	181	65	87	14	15	202	55	63	47	37	80
12	5	6	-	1	18	7	9	1	1	18	8	8	1	1	81
51	23	22	4	2	88	43	33	7	5	165	43	40	46	36	82
34	32	-	2	-	43	41	-	2	-	34	18	-	16	-	83
27	18	6	1	2	33	16	13	-	4	47	17	11	12	7	85
8	...	8	...	-	12	...	10	...	2	23	...	7	...	16	86
2	...	2	...	-	-	...	-	...	-	3	...	-	...	3	87
-	...	-	...	-	2	...	2	...	-	9	...	4	...	5	88
1	...	1	...	-	3	...	3	...	-	1	...	-	...	1	89

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	---	2	---	---
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	2	---	2	---	---
03 ABORTION INDUCED FOR OTHER REASONS.....642	2	---	2	---	---
04 SPONTANEOUS ABORTION.....643	---	---	---	---	---
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	---	---	---	---	---
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....676,671,673	---	---	---	---	---
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	3	---	3	---	---
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	---	---	---	---	---
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	26	9	17	---	---
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	11	1	10	---	---
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	15	8	7	---	---
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	89	30	57	---	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	50	15	34	---	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	1	---	---	1
15 OSTEOMYELITIS AND PERIOSTITIS.....720	3	1	2	---	---
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	3	2	1	---	---
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	31	11	20	---	---
18 XIV. CONGENITAL ANOMALIES.....	204	103	98	1	2
19 SPINA BIFIDA.....741	6	3	3	---	---
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	29	12	17	---	---
21 CONGENITAL ANOMALIES OF HEART.....746	83	44	38	---	1
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	15	8	6	---	1
23 CLEFT PALATE AND CLEFT LIP.....749	1	---	1	---	---
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	70	36	33	1	---
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	560	317	222	11	10
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	60	37	21	1	1
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	4	2	2	---	---
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	56	35	19	1	1
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,158	1,445	674	27	12
30 ACCIDENTS.....E800-E949	1,788	1,190	571	18	9
31 RAILWAY ACCIDENTS.....E800-E807	11	8	2	1	---
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	916	653	255	6	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	896	634	252	6	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	45	36	9	---	---
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	437	273	160	3	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	69	51	18	---	---
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	110	84	25	---	1
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	206	172	31	3	---
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	29	20	9	---	---
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	20	17	3	---	---
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	4	---	---	---
42 WATER TRANSPORT ACCIDENTS.....E830-E838	19	16	3	---	---
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	14	12	2	---	---
44 ACCIDENTAL POISONING.....E850-E877	58	32	23	2	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	14	7	6	1	---
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	4	3	---	1
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	36	21	14	1	---
48 ACCIDENTAL FALLS.....E880-E887	302	133	166	2	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	84	54	29	1	---
50 FALL ON SAME LEVEL.....E885-E886	43	17	25	1	---
51 OTHER AND UNSPECIFIED FALLS.....E887	175	62	112	---	---
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	89	54	32	---	3
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	71	61	7	3	---
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	38	20	18	---	---
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	21	14	4	2	1
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	130	113	16	1	---
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	4	3	1	---	---
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	16	14	2	---	---
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	7	2	5	---	---
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	15	15	---	---	---
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	88	79	8	1	---
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	21	10	10	---	1
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	94	60	33	1	---
64 SUICIDE.....E950-E959	290	217	72	1	---
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	37	14	23	---	---
66 SUICIDE FROM POISONING BY GASES.....E951, E952	48	33	15	---	---
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	58	43	14	1	---
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	138	124	14	---	---
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	9	3	6	---	---
70 HOMICIDE.....E960-E978	48	18	23	6	1
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	24	9	12	5	---
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	8	4	3	---	---
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	13	4	8	1	---
74 LEGAL EXECUTION.....E978	---	---	---	---	---
75 OTHER LEGAL INTERVENTION.....E970-E977	1	1	---	---	---
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	30	18	8	2	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	---	---	---

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	...	1	...	-	2	...	-	...	2	3	...	1	...	2	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	03
1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	04
2	...	2	...	-	2	...	2	...	-	3	...	1	...	2	05
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	06
2	...	2	...	-	3	...	3	...	-	4	...	1	...	3	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
23	7	15	-	1	33	14	12	2	5	39	9	10	12	8	09
6	3	2	-	1	6	2	4	-	-	9	4	1	2	2	10
17	4	13	-	-	27	12	8	2	5	30	5	9	10	6	11
60	28	29	-	3	84	29	39	7	9	96	27	36	11	22	12
34	17	17	-	-	54	21	26	5	2	27	8	11	4	4	13
1	-	1	-	-	4	1	1	1	1	5	-	1	1	3	14
3	2	1	-	-	3	1	1	-	1	3	2	-	-	1	15
2	1	1	-	-	1	1	-	-	2	2	1	1	-	-	16
20	8	9	-	3	22	5	11	1	5	59	16	23	6	14	17
161	76	73	7	5	280	132	116	15	17	379	136	91	79	73	18
6	3	3	-	-	22	9	12	1	-	22	6	9	1	6	19
31	13	16	2	-	37	22	13	1	1	53	18	16	10	9	20
63	32	24	3	4	105	45	44	9	7	160	53	36	37	34	21
14	6	8	-	-	13	3	7	1	2	18	9	4	3	2	22
47	22	22	2	1	103	53	40	3	7	124	50	26	27	21	23
435	241	147	28	19	695	357	250	44	44	1,021	307	194	278	242	25
162	77	72	8	5	226	108	86	16	16	197	70	52	48	27	26
52	19	30	2	1	25	7	17	-	1	36	9	15	9	3	27
110	58	42	6	4	201	101	69	16	15	161	61	37	39	24	28
1,781	1,175	486	90	30	2,965	1,900	762	221	82	3,447	1,574	579	990	304	29
1,407	942	394	53	18	2,263	1,440	628	130	65	2,661	1,248	473	693	247	30
6	5	1	-	-	30	22	5	3	-	15	3	2	10	3	31
68C	486	158	26	10	1,011	708	228	51	24	1,267	637	243	303	84	32
654	468	152	24	10	989	693	222	50	24	1,244	624	236	301	83	33
48	27	18	3	-	26	18	7	-	1	45	21	13	8	3	34
246	175	62	5	4	388	257	108	11	12	491	252	123	87	29	35
43	24	13	4	2	161	109	34	13	5	192	76	24	66	26	36
72	55	13	4	-	115	86	19	7	3	182	103	27	40	12	37
128	99	23	4	2	245	187	40	15	3	179	96	22	56	5	38
117	88	23	4	2	54	36	14	4	-	155	76	27	44	8	39
26	18	6	2	-	22	15	6	1	-	23	13	7	2	1	40
8	7	1	-	-	8	5	2	1	-	4	2	-	2	-	41
14	8	2	2	2	27	23	3	-	1	100	76	1	20	3	42
33	28	5	-	-	13	5	8	-	-	9	8	-	1	-	43
49	32	12	2	3	51	32	16	1	2	47	15	12	8	12	44
13	6	6	-	-	9	4	5	-	-	18	6	6	2	4	45
9	6	3	-	-	11	4	7	-	-	14	1	4	3	6	46
27	20	3	2	1	31	24	4	1	2	15	8	2	3	2	47
250	114	134	1	1	378	162	196	12	8	295	114	167	43	31	48
61	39	21	1	-	82	50	27	5	-	57	32	12	12	1	49
13	3	10	-	-	21	8	12	-	1	9	5	3	-	1	50
176	72	103	-	1	275	104	157	7	7	229	77	92	31	29	51
59	35	20	3	1	188	83	64	19	22	227	69	34	62	62	52
69	47	12	9	1	106	76	16	13	1	173	73	7	87	6	53
31	19	9	3	-	62	32	24	5	1	84	23	17	25	19	54
22	20	2	-	-	47	37	3	6	1	93	43	12	33	5	55
94	85	4	5	-	179	160	11	7	1	193	123	10	56	4	56
3	2	1	-	-	3	3	-	-	-	10	4	-	4	-	57
7	7	-	-	-	18	15	1	2	-	34	22	5	7	-	58
2	1	-	1	-	3	2	-	-	1	7	2	2	1	2	59
16	14	1	1	-	32	28	3	1	-	38	29	1	8	-	60
66	61	2	3	-	123	112	7	4	-	104	64	2	36	2	61
12	7	5	-	-	36	16	16	3	1	47	14	12	16	5	62
8C	49	29	2	-	127	79	36	9	3	107	48	16	27	16	63
266	187	70	8	1	369	268	86	11	4	310	209	68	25	8	64
19	5	13	-	1	35	13	21	1	-	23	6	-	2	-	65
29	17	12	-	-	29	21	8	-	-	5	4	-	-	-	66
33	21	11	1	-	49	37	11	-	1	19	12	5	2	-	67
170	135	28	7	-	233	183	41	8	1	244	176	43	18	7	68
15	9	6	-	-	23	14	5	3	-	19	11	4	3	1	69
76	30	13	25	8	281	155	37	77	12	440	180	30	264	46	70
61	25	11	19	6	224	126	28	62	8	300	65	23	184	28	71
8	4	-	4	-	29	15	1	11	2	74	11	3	51	9	72
6	1	2	1	2	23	9	8	4	2	56	22	4	22	8	73
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
1	-	-	1	-	5	5	-	-	-	10	2	-	7	1	75
32	16	9	4	3	51	36	11	3	1	35	16	8	8	3	76
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	77

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	11,117	6,071	4,997	34	15
02 I. INFECTIVE AND PARASITIC DISEASES.....	79	44	35	-	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	14	7	7	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	21	14	7	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	15	10	5	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	5	4	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	-	1	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	4	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	11	7	4	-	-
27 OTHER BACTERIAL DISEASES.....C07,021,024-027,C31,039	2	2	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	1	-	1	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	2	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	3	2	1	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	8	2	6	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,C57,061,067,068,072-079	3	1	2	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	1	2	-	-
43 CONGENITAL SYPHILIS.....090	1	-	1	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	1	1	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	1	-	1	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	4	2	2	-	-
58 II. NEOPLASMS.....	1,943	1,043	893	4	3
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,908	1,020	881	4	3
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	39	29	10	-	-
61 OF LIP.....140	5	3	2	-	-
62 OF TONGUE.....141	7	6	1	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	14	7	7	-	-
64 OF PHARYNX.....146-149	13	13	-	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	591	313	276	1	1
66 OF ESOPHAGUS.....150	38	25	13	-	-
67 OF STOMACH.....151	100	61	39	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	3	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	216	97	118	-	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	30	12	18	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	13	5	8	-	-
72 DESCENDING COLON.....153.2	4	1	3	-	-
73 SIGMOID COLON.....153.3	35	17	18	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	107	51	55	-	1
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	27	11	16	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	86	45	41	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	14	8	5	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	21	7	14	-	-
79 OF PANCREAS.....157	104	62	42	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	9	5	4	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	375	308	66	1	-
82 OF LARYNX.....161	18	12	6	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	351	292	58	1	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	4	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	201	30	169	1	1
86 OF BONE.....170	12	10	2	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	13	4	9	-	-
88 OF SKIN.....172,173	28	12	15	1	-
89 OF BREAST.....174	148	4	143	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,642	14,569	11,604	3,771	2,698	59,433	30,663	27,289	960	621	77,473	39,408	29,471	4,982	3,612	01
362	131	86	89	56	474	270	176	17	11	693	309	200	111	73	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	05
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	06
25	10	9	3	3	37	17	20	-	-	1	-	1	-	-	07
175	67	23	57	28	184	132	42	7	3	78	35	29	3	3	08
152	61	19	51	21	156	116	31	7	2	273	128	53	69	23	09
2	-	1	1	1	1	-	1	-	-	223	108	38	61	10	10
2	-	-	1	1	-	-	-	-	-	5	2	1	1	1	11
1	-	-	-	1	2	1	1	-	-	2	-	1	1	1	12
8	3	-	2	3	5	2	2	-	1	1	-	1	-	1	13
10	3	3	3	1	20	13	7	-	-	39	18	13	5	3	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	20
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	22
12	4	5	2	1	19	11	8	-	-	27	9	9	4	5	23
1	1	-	-	-	-	-	-	-	-	4	1	2	1	1	24
77	27	24	16	10	108	50	47	7	4	106	47	34	16	9	25
6	2	2	2	-	19	8	11	-	-	12	7	4	-	1	26
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	27
1	1	-	-	-	3	2	1	-	-	6	4	2	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	1	2	1	-	5	4	1	-	-	-	-	-	-	-	32
2	-	1	-	-	2	2	-	-	-	32	18	8	2	4	33
13	2	7	-	4	18	7	10	1	-	1	1	-	-	-	34
12	5	5	2	-	30	18	12	-	-	42	9	25	5	3	35
1	1	-	-	-	-	-	-	-	-	42	23	15	2	2	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
11	1	1	5	4	8	4	3	1	-	23	7	2	7	7	42
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	44
10	1	1	5	3	4	2	1	1	-	1	3	2	6	3	45
-	-	-	-	-	2	2	2	-	-	14	1	-	1	1	46
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	48
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	55
19	8	7	1	3	40	15	20	1	4	1	1	-	-	-	56
5,912	2,708	2,243	570	391	10,468	5,428	4,839	116	85	13,435	6,676	5,415	792	552	58
5,778	2,651	2,181	564	382	10,285	5,338	4,751	113	83	13,262	6,620	5,326	780	536	59
114	78	20	13	3	295	218	68	7	2	294	196	73	19	6	60
6	5	1	-	-	5	4	1	-	-	4	3	1	-	-	61
20	12	4	3	1	71	49	20	2	-	69	44	19	4	2	62
33	22	7	2	2	90	64	25	1	-	76	53	19	4	-	63
55	39	8	8	-	129	101	22	4	2	145	96	34	11	4	64
1,634	678	646	207	103	3,296	1,661	1,559	41	35	3,818	1,917	1,511	234	156	65
135	60	22	41	12	212	147	54	7	4	255	154	44	44	13	66
259	96	93	48	22	586	343	228	11	4	713	392	239	58	24	67
7	3	4	-	-	16	6	9	-	1	28	18	8	1	1	68
613	254	284	42	33	1,294	560	712	12	10	1,890	635	647	92	56	69
72	27	35	7	3	185	62	116	3	4	158	68	81	2	7	70
26	15	9	2	-	50	19	31	-	-	56	25	29	-	2	71
20	14	3	2	1	25	13	12	-	-	41	15	21	2	3	72
101	49	45	1	6	219	112	104	2	1	266	131	120	9	6	73
367	142	178	26	21	690	302	378	6	4	781	359	351	38	33	74
27	7	14	4	2	125	52	71	1	1	88	37	45	1	5	75
199	89	79	17	14	389	201	180	3	5	410	226	152	15	17	76
34	13	8	11	2	63	43	14	5	1	98	59	26	10	3	77
55	17	32	4	2	142	57	83	-	2	204	70	121	6	7	78
289	130	105	41	13	552	287	254	3	8	664	339	247	45	33	79
43	16	19	3	5	42	17	25	-	-	56	24	27	3	2	80
1,247	866	189	153	39	1,969	1,575	360	26	8	2,650	1,974	383	252	41	81
72	48	7	16	1	107	92	13	2	-	113	96	8	8	1	82
1,154	805	176	135	38	1,836	1,465	340	24	7	2,490	1,850	358	242	40	83
21	13	6	2	-	26	18	7	-	1	47	28	17	2	1	84
664	93	490	11	70	1,221	119	1,086	2	14	1,553	178	1,251	16	108	85
44	26	16	4	1	52	28	21	2	1	88	44	36	6	2	86
31	15	10	4	2	34	14	20	-	-	61	28	28	1	4	87
75	43	32	3	1	124	70	54	-	-	155	94	51	7	3	88
510	9	432	3	66	1,011	7	991	-	13	1,249	12	1,136	2	99	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		MAINE				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	278	107	170	-	1
02	OF CERVIX UTERI.....180	61	...	60	...	1
03	OF OTHER PARTS OF UTERUS.....181,182	38	...	38	...	-
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	65	...	65	...	-
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	7	...	7	...	-
06	OF PROSTATE.....185	101	101	-
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	6	6	32	1	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	90	57	16	1	-
09	OF BLADDER.....188	48	31	16	1	-
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	42	26	16	-	-
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	148	74	74	-	-
12	OF EYE.....190	-	-	-	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	32	23	9	-	-
14	OF THYROID GLAND.....193	7	-	7	-	-
15	OTHER.....194-199	109	51	58	-	-
16	LEUKEMIA.....204-207	75	42	33	-	-
17	LYMPHATIC LEUKEMIA.....204	32	19	13	-	-
18	MYELOID LEUKEMIA.....205	22	12	10	-	-
19	MONOCYTIC LEUKEMIA.....206	3	1	2	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	18	10	8	-	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOTETIC TISSUES.....200-203,208,209	111	60	51	-	-
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	41	24	17	-	-
23	HODGKIN'S DISEASE.....201	27	9	18	-	-
24	MULTIPLE MYELOMA.....203	23	11	12	-	-
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES.....202,208,209	20	16	4	-	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	95	23	12	-	-
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	...	1	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	1	1	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	3	3	-	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	17	11	6	-	-
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	11	8	3	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	249	106	142	1	-
34	NONTOXIC GOITER.....240,241	-	-	-	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	1	-	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	1	2	-	-
37	DIABETES MELLITUS.....250	204	87	116	1	-
38	DISEASES OF PITUITARY GLAND.....253	2	-	2	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	3	-	3	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	14	7	7	-	-
43	CYSTIC FIBROSIS.....273.0	3	2	1	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	19	8	11	-	-
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	34	12	22	-	-
46	ANEMIAS.....280-285	29	10	19	-	-
47	DEFICIENCY ANEMIAS.....280,281	4	1	3	-	-
48	HEMOLYTIC ANEMIAS.....282,283	3	2	1	-	-
49	APLASTIC ANEMIA.....284	15	4	11	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	7	3	4	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	1	1	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	3	1	2	-	-
53	V. MENTAL DISORDERS.....	33	22	11	-	-
54	SENILE AND PRESENILE DEMENTIAS.....290	6	2	4	-	-
55	ALCOHOLIC PSYCHOSES.....291	4	4	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	1	-	1	-	-
57	ALCOHOLISM.....303	12	9	3	-	-
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	9	6	3	-	-
59	MENTAL RETARDATION.....310-315	1	1	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	95	53	42	-	-
61	MENINGITIS.....320	9	6	3	-	-
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	5	4	1	-	-
63	MULTIPLE SCLEROSIS.....340	15	4	11	-	-
64	PARALYSIS AGITANS.....342	19	10	9	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	3	-	3	-	-
66	EPILEPSY.....345	14	8	6	-	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,241,344,346-358,370-373,376-380,384-389	29	20	9	-	-
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	6,335	3,358	2,958	14	5
73	ACTIVE RHEUMATIC FEVER.....390-392	2	-	2	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	82	40	42	-	-
75	DISEASES OF MITRAL VALVE.....394	21	7	14	-	-
76	DISEASES OF AORTIC VALVE.....395	27	20	7	-	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	1	-	1	-	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	33	13	20	-	-
79	HYPERTENSIVE DISEASE.....400-404	155	63	92	-	-
80	MALIGNANT HYPERTENSION.....400	7	3	4	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	4	-	4	-	-
82	HYPERTENSIVE HEART DISEASE.....402	53	20	33	-	-
83	HYPERTENSIVE RENAL DISEASE.....403	42	21	21	-	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	49	19	30	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
731	243	346	61	81	1,183	510	644	16	13	1,703	630	865	98	110	01
152	...	109	...	43	151	...	143	...	8	292	...	244	...	48	02
96	...	76	...	20	192	...	190	...	2	223	...	202	...	21	03
166	...	150	...	16	289	...	286	...	3	413	...	376	...	37	04
13	...	11	...	2	25	...	25	...	-	47	...	43	...	4	05
289	228	...	61	...	503	488	...	15	...	681	588	...	93	...	06
15	15	...	-	...	23	22	...	1	...	47	42	...	5	...	07
274	167	79	17	11	532	344	182	6	-	602	396	164	28	14	08
156	97	42	9	8	295	198	95	2	-	376	263	87	19	7	09
118	70	37	8	3	237	146	87	4	-	226	133	77	9	7	10
589	253	225	64	47	897	437	445	7	8	1,243	593	531	61	58	11
5	4	1	-	-	7	1	6	-	-	16	7	8	1	-	12
125	69	49	4	3	253	139	113	-	1	363	216	121	14	12	13
23	8	10	3	2	33	11	22	-	-	43	16	24	1	2	14
436	172	165	57	42	604	286	304	7	7	821	354	378	45	44	15
230	122	81	15	12	341	194	145	1	1	622	339	232	32	19	16
88	57	21	5	5	119	69	49	1	-	165	94	60	7	4	17
61	28	22	7	4	123	64	58	-	1	257	142	94	12	9	18
16	6	7	1	2	8	4	4	-	-	43	19	22	1	1	19
65	31	31	2	1	91	57	34	-	-	157	84	56	12	5	20
295	151	105	23	16	591	280	262	7	2	777	397	316	40	24	21
109	58	40	6	5	184	103	78	3	-	302	156	129	11	6	22
59	34	21	2	2	120	63	55	2	-	140	74	53	10	3	23
79	32	27	13	7	115	54	58	1	2	179	79	79	13	8	24
48	27	17	2	2	132	60	71	1	-	156	88	55	6	7	25
134	57	62	6	9	183	90	88	3	2	173	56	89	12	16	26
8	...	6	...	2	6	...	6	...	-	11	...	8	...	3	27
18	4	12	1	1	20	9	9	1	1	38	8	23	2	5	28
20	11	7	2	-	35	15	20	-	-	41	21	13	5	2	29
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	30
58	27	23	2	6	80	41	37	1	1	47	14	27	2	4	31
30	15	14	1	-	42	25	16	1	-	34	13	16	3	2	32
1,016	314	442	117	143	1,326	569	719	18	20	2,692	1,029	1,356	119	188	33
2	-	1	-	1	1	-	1	-	-	3	-	3	-	-	34
7	2	3	-	2	3	-	3	-	-	12	2	8	-	2	35
10	1	7	-	2	16	6	10	-	-	16	1	14	-	1	36
845	256	377	91	121	1,106	452	620	16	18	2,318	858	1,192	104	164	37
6	2	2	2	-	9	6	3	-	-	7	1	5	1	-	38
-	-	-	-	-	2	2	-	-	-	5	3	2	-	-	39
14	8	4	-	2	12	6	6	-	-	24	8	15	1	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
47	13	14	14	6	87	49	35	2	1	100	50	35	7	8	42
15	5	9	1	-	22	11	11	-	-	24	15	9	-	-	43
70	27	25	9	9	68	37	30	-	1	183	91	73	6	13	44
99	28	46	11	14	148	70	75	1	2	237	98	92	19	28	45
75	19	32	11	13	102	47	53	1	1	162	59	64	14	25	46
8	2	4	-	2	28	11	17	-	-	32	11	19	1	1	47
19	3	5	6	5	9	2	5	1	1	43	8	9	13	13	48
20	7	11	1	1	37	21	16	-	-	54	28	21	-	5	49
28	7	12	4	5	28	13	15	-	-	33	12	15	-	6	50
9	2	6	-	1	24	13	11	-	-	33	14	16	2	1	51
15	7	8	-	-	22	10	11	-	1	42	25	12	3	2	52
191	85	24	57	25	144	92	46	4	2	244	128	54	45	17	53
7	3	3	1	-	22	6	15	-	1	17	8	9	-	-	54
17	13	-	2	2	19	17	2	-	-	26	23	1	1	1	55
4	2	2	-	-	5	2	3	-	-	14	5	6	3	-	56
98	50	10	27	11	79	59	15	4	1	145	75	22	34	14	57
60	16	7	27	10	16	6	10	-	-	35	14	14	5	2	58
5	1	2	-	2	3	2	1	-	-	7	3	2	2	-	59
314	109	112	61	32	500	242	243	9	6	712	321	284	58	49	60
44	15	11	7	11	32	18	12	1	1	56	30	13	9	4	61
7	5	2	-	-	20	15	4	1	-	40	23	10	5	2	62
29	9	15	1	4	48	20	28	-	-	83	25	45	1	8	63
51	27	21	2	1	122	50	72	-	-	121	63	54	4	4	64
15	8	4	3	-	11	9	2	-	-	21	10	5	2	-	65
55	8	13	28	6	68	37	24	4	3	87	30	27	21	9	66
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	67
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
7	1	3	1	2	3	1	2	-	-	7	1	3	1	2	70
106	36	43	19	8	194	92	97	3	2	295	134	126	15	20	71
16,631	7,428	6,426	1,461	1,316	33,187	16,447	16,122	329	289	40,813	20,864	16,365	1,980	1,604	72
9	3	4	2	-	10	5	4	1	-	17	9	6	-	2	73
289	109	128	28	24	596	218	368	3	7	686	293	336	28	26	74
61	16	32	6	7	134	35	95	1	3	182	58	113	5	6	75
78	42	18	12	6	141	80	61	-	-	167	97	56	8	6	76
11	4	6	-	1	17	8	9	-	-	24	12	11	1	-	77
135	47	72	10	10	304	95	203	2	4	313	126	159	14	14	78
386	98	159	60	69	905	360	510	18	17	956	342	409	92	113	79
43	10	8	10	15	20	7	8	2	3	60	20	13	11	16	80
22	6	10	3	3	38	20	17	1	-	45	22	16	3	4	81
101	21	53	15	12	559	189	347	11	12	471	138	214	55	64	82
80	31	27	10	12	167	88	74	4	1	185	85	69	14	17	83
140	30	61	22	27	121	56	64	-	1	195	77	97	9	12	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	4,182	2,311	1,862	6	3
02 WITH HYPERTENSIVE DISEASE (.0).....	423	193	229	-	1
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,759	2,118	1,633	6	2
04 ACUTE MYOCARDIAL INFARCTION.....419	2,577	1,590	982	4	1
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	15	8	7	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,587	712	871	2	2
07 ANGINA PECTORIS.....413	3	1	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	220	124	94	2	-
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	3	3	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	1	3	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	12	7	5	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	11	6	5	-	-
15 SYMPTOMATIC HEART DISEASE.....427	74	40	33	1	-
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	78	47	31	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	46	26	19	1	-
18 CEREBROVASCULAR DISEASES.....430-438	1,186	546	635	4	1
19 WITH HYPERTENSION (BENIGN) (.0).....	174	79	94	1	-
20 WITHOUT MENTION OF HYPERTENSION (.9).....	1,012	467	541	3	1
21 SUBARACHNOID HEMORRHAGE.....430	42	17	25	-	-
22 CEREBRAL HEMORRHAGE.....431	339	164	173	2	-
23 CEREBRAL THROMBOSIS.....433	351	154	195	1	1
24 CEREBRAL EMBOLISM.....434	5	1	4	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	20	12	8	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	237	113	123	1	-
27 OTHER CEREBROVASCULAR DISEASES.....437,438	192	85	107	-	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	415	221	192	2	-
29 ARTERIOSCLEROSIS.....440	239	105	133	1	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	91	66	25	-	-
31 GANGRENE.....445	27	20	7	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	58	30	27	1	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	93	53	39	-	1
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	79	43	35	-	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	14	10	4	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	693	430	259	3	1
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	2	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	7	1	6	-	-
39 INFLUENZA.....470-474	68	22	46	-	-
40 PNEUMONIA.....480-486	316	180	134	2	-
41 VIRAL PNEUMONIA.....480	19	12	7	-	-
42 BACTERIAL PNEUMONIA.....481,482	34	28	6	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	7	5	2	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	160	86	74	-	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	96	49	45	2	-
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	216	162	53	1	-
47 BRONCHITIS, UNQUALIFIED.....490	4	4	-	-	-
48 CHRONIC BRONCHITIS.....491	39	34	5	-	-
49 EMPHYSEMA.....492	156	118	37	1	-
50 ASTHMA.....493	17	6	11	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	7	3	4	-	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	27	21	6	-	-
55 BRONCHIECTASIS.....518	14	10	4	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	36	24	11	-	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	374	208	162	3	1
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	64	40	23	1	-
60 ULCER OF STOMACH.....531	23	15	8	-	-
61 ULCER OF DUODENUM.....532	35	22	12	1	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	6	3	3	-	-
63 GASTRITIS AND DUODENITIS.....535	1	1	-	-	-
64 APPENDICITIS.....540-543	3	2	1	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	52	21	31	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	23	10	13	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	6	1	5	-	-
69 CIRRHOSIS OF LIVER.....571	114	73	40	1	-
70 ALCOHOLIC.....571.0	38	27	10	1	-
71 OTHER SPECIFIED.....571.8	13	6	7	-	-
72 UNSPECIFIED.....571.9	63	40	23	-	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	27	9	17	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	83	50	32	1	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	168	94	74	-	-
76 NEPHRITIS AND NEPHROSIS.....580-584	64	33	31	-	-
77 ACUTE NEPHRITIS.....580	4	2	2	-	-
78 NEPHROTIC SYNDROME.....581	6	1	5	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	54	30	24	-	-
80 INFECTIONS OF KIDNEY.....590	47	15	28	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	5	4	1	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	28	19	9	-	-
83 HYPERPLASIA OF PROSTATE.....600	14	14	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	10	5	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	3	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
11,617	5,597	4,267	949	804	22,111	11,783	9,971	187	170	27,162	14,952	10,006	1,297	907
1,861	644	715	228	274	1,807	682	1,088	12	25	3,155	1,263	1,433	221	238
9,756	4,953	3,552	721	530	20,304	11,101	8,883	175	145	24,007	13,689	8,573	1,076	669
5,242	2,926	1,807	295	214	11,482	6,788	4,523	94	77	15,811	9,711	5,080	629	391
56	34	17	4	1	94	53	40	1	—	132	67	56	4	5
6,318	2,637	2,442	650	589	10,527	4,938	5,404	92	93	11,212	5,171	4,866	664	511
1	—	1	—	—	8	4	4	—	—	7	3	4	—	—
532	221	182	59	70	912	465	422	16	9	1,132	502	484	76	70
17	7	2	4	4	18	9	9	—	—	29	11	13	2	3
13	2	6	—	5	31	17	13	1	—	30	16	9	4	1
16	7	6	3	—	32	13	19	—	—	35	11	21	2	1
—	—	—	—	—	1	1	—	—	—	2	1	1	—	—
3	2	—	1	—	13	5	8	—	—	4	2	2	—	—
13	5	6	2	—	18	7	11	—	—	29	8	18	2	1
271	107	103	21	40	400	212	176	8	4	634	277	275	38	44
102	38	38	15	11	214	90	115	4	5	181	89	81	8	3
113	60	27	16	10	217	124	90	3	—	223	98	85	22	18
2,645	901	1,189	273	282	6,030	2,388	3,528	57	57	8,005	3,379	3,892	355	379
367	100	145	43	79	790	267	504	11	8	1,207	429	606	82	90
2,278	801	1,044	230	203	5,240	2,121	3,024	46	49	6,798	2,950	3,286	273	289
203	61	77	31	34	254	93	152	4	5	379	140	180	24	35
570	193	233	77	67	1,826	763	1,020	20	23	1,736	769	790	90	87
645	237	296	57	55	2,122	805	1,290	18	9	2,546	1,069	1,244	104	129
10	5	5	—	—	51	17	33	—	1	38	23	14	—	1
46	19	19	5	3	95	50	36	4	5	115	69	33	7	6
781	264	345	71	101	1,027	437	576	5	9	2,190	912	1,089	95	94
390	122	214	32	22	655	223	421	6	5	1,001	397	542	35	27
883	394	390	60	39	1,834	881	911	25	17	2,259	1,140	972	80	67
455	171	241	20	23	961	379	564	8	10	1,273	552	657	37	27
247	156	87	20	4	496	351	151	11	3	963	383	143	24	13
50	18	25	2	5	78	34	41	—	—	93	52	31	9	1
131	49	57	18	7	299	137	155	6	1	330	153	141	10	26
270	105	107	30	28	789	347	408	22	12	596	247	257	52	40
238	94	97	23	24	721	311	379	19	12	539	210	238	52	39
32	11	10	7	4	68	36	29	3	—	57	37	19	—	1
1,959	972	561	276	150	4,396	2,595	1,655	95	51	4,540	2,585	1,360	375	220
14	6	3	4	1	15	9	5	1	—	28	9	10	5	4
26	9	9	2	6	49	30	17	2	—	53	25	19	4	5
91	29	52	6	4	131	61	69	—	1	229	111	99	9	10
1,053	429	397	181	106	2,862	1,509	1,247	66	40	2,338	1,111	850	225	152
24	12	9	1	2	99	47	47	3	2	84	37	33	5	9
134	56	39	25	14	292	164	116	7	5	295	152	85	40	18
96	28	11	35	22	33	22	11	—	—	49	18	12	7	43
402	176	138	58	30	1,527	776	692	41	18	797	363	318	72	44
397	157	140	62	38	911	500	381	15	15	1,113	541	402	96	74
491	337	91	43	20	905	709	178	11	7	1,473	1,092	262	88	31
8	3	4	1	—	19	13	6	—	—	23	10	10	3	—
94	64	21	6	3	168	129	36	2	1	178	127	37	11	3
342	262	53	21	6	621	523	90	6	2	1,128	909	155	57	7
47	8	13	15	11	97	44	46	3	4	144	46	60	17	21
2	—	1	—	—	—	—	—	—	—	4	—	3	1	—
40	19	10	7	4	48	31	15	2	—	41	25	7	6	3
9	4	4	1	—	5	4	1	—	—	17	9	7	—	1
37	24	7	5	1	78	53	23	2	—	138	87	35	12	4
17	6	8	2	1	47	31	14	1	1	36	15	14	5	2
179	109	39	24	7	256	158	86	10	2	183	101	54	20	8
1,412	624	436	243	109	2,489	1,415	1,001	47	26	2,937	1,527	1,059	179	172
1	—	1	—	—	1	—	1	—	—	4	—	—	—	—
145	76	40	25	4	322	216	98	6	2	346	215	102	19	10
80	43	24	10	3	132	74	55	3	—	153	84	55	10	4
48	24	13	11	—	156	117	35	2	2	145	97	37	7	61
17	9	3	4	1	34	25	8	—	—	48	34	10	2	2
11	6	3	2	—	21	13	8	—	—	20	13	4	2	1
26	13	10	2	1	40	22	15	2	1	65	32	22	4	7
130	43	55	23	9	219	99	114	4	2	309	118	157	14	20
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
54	16	27	6	5	136	49	86	—	1	145	63	76	2	4
11	1	8	1	1	46	19	27	—	—	47	19	25	1	2
675	319	159	134	63	994	626	340	21	7	1,260	712	368	98	82
145	73	35	24	13	230	162	62	5	1	430	251	111	38	30
252	99	43	78	32	193	114	69	8	2	262	135	89	20	18
278	147	81	32	18	571	350	209	8	4	568	326	168	40	34
60	24	29	3	4	126	55	68	—	3	194	74	110	2	8
299	126	104	47	22	583	316	243	14	10	547	277	195	37	38
494	200	164	74	56	796	401	355	19	21	1,043	506	366	84	87
153	58	39	34	22	257	129	112	7	9	362	162	121	41	38
25	7	6	7	5	26	16	9	—	1	31	16	8	4	3
7	2	1	3	1	15	10	5	—	—	25	12	9	1	3
121	49	32	24	16	216	103	98	7	8	306	134	104	36	32
124	34	62	16	12	228	93	123	6	6	311	117	142	21	31
25	11	8	3	3	23	10	13	—	—	30	14	13	1	2
134	58	47	15	14	198	102	87	6	3	176	89	63	15	9
37	31	—	4	—	49	49	—	—	—	105	100	—	5	—
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
21	8	8	—	5	40	18	19	—	3	59	24	27	1	7
15	—	7	—	8	13	—	11	—	2	37	—	19	—	18
—	—	—	—	—	1	—	1	—	—	3	—	—	—	3
1	—	—	—	1	—	—	—	—	—	9	—	—	—	5
3	—	3	—	—	1	—	1	—	—	5	—	4	—	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	1	...	1	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	2	4	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	1	-	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	5	2	3	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	30	9	21	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	17	7	10	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	-	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	12	2	10	-	-
18 XIV. CONGENITAL ANOMALIES.....	84	47	36	-	1
19 SPINA BIFIDA.....741	7	1	6	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	16	9	7	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	30	20	10	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	2	-	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	2	-	2	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	27	17	9	-	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	210	117	91	1	1
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	105	57	46	1	1
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	21	7	13	-	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	84	50	33	1	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	676	469	198	7	2
30 ACCIDENTS.....E800-E949	562	386	170	4	2
31 RAILWAY ACCIDENTS.....E800-E807	3	2	-	-	1
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	220	163	55	1	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	210	154	54	1	1
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	3	3	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	56	36	20	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	32	23	8	-	1
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	39	26	12	1	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	67	56	11	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	13	10	3	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	10	9	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	13	12	1	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	8	8	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	23	16	7	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	8	5	3	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	3	1	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	12	10	2	-	-
48 ACCIDENTAL FALLS.....E880-E887	93	44	49	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	28	22	6	-	-
50 FALL ON SAME LEVEL.....E885,E886	5	1	4	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	60	21	39	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	54	31	23	-	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	40	33	6	1	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	17	7	10	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	14	13	1	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	36	33	3	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	4	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	1	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	4	3	1	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	27	25	2	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	10	4	5	1	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	31	20	10	1	-
64 SUICIDE.....E950-E959	90	67	22	1	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	6	1	5	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	14	8	6	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	15	12	3	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	50	43	6	1	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	5	3	2	-	-
70 HOMICIDE.....E960-E978	16	10	4	2	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	12	7	4	1	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	1	1	-	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3	2	-	1	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	7	5	2	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3	...	1	...	2	3	...	1	...	2	5	...	2	...	3
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1
-	...	-	...	-	2	...	-	...	2	1	...	1	...	-
3	...	1	...	2	-	...	-	...	-	2	...	-	...	04
3	...	1	...	2	3	...	3	...	-	6	...	3	...	06
5	...	2	...	3	5	...	5	...	-	9	...	6	...	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	08
41	6	21	8	6	62	18	39	1	4	55	19	24	8	4
11	1	6	3	1	21	6	13	1	1	14	5	4	4	1
30	5	15	5	5	41	12	26	-	3	41	14	20	4	3
88	20	41	7	20	164	54	104	1	5	228	79	130	3	16
34	5	21	2	6	64	20	42	-	2	99	32	63	1	3
2	-	2	-	-	3	2	1	-	-	8	2	5	-	1
5	1	1	2	1	9	3	5	-	1	5	4	1	-	15
7	2	4	1	-	4	1	3	-	-	9	3	6	-	16
40	12	13	2	13	84	28	53	1	2	107	38	55	2	12
321	141	100	43	37	458	250	192	7	9	765	379	296	39	51
18	7	9	1	1	31	18	12	-	1	50	23	22	1	4
43	19	15	3	6	74	32	40	-	2	126	59	49	8	10
142	64	41	22	15	198	115	76	4	3	318	158	122	17	21
19	11	3	3	2	28	12	13	2	1	55	28	20	2	5
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-
99	40	32	14	13	126	72	51	1	2	213	109	82	11	11
859	364	215	159	121	1,088	597	403	50	38	2,128	939	648	300	241
186	67	60	32	27	420	262	142	9	7	454	219	124	73	38
13	2	10	1	-	13	4	9	-	-	24	7	16	1	-
173	65	50	31	27	407	258	133	9	7	430	212	108	72	38
2,742	1,372	620	563	187	3,300	1,953	1,167	137	43	6,460	3,730	1,679	797	254
1,516	981	468	328	139	2,653	1,549	999	76	29	4,708	2,834	1,325	387	162
23	19	1	3	-	15	11	3	1	-	17	14	1	2	30
850	460	188	154	48	938	668	237	25	8	2,508	1,613	672	158	65
830	451	187	153	48	925	657	235	25	8	2,458	1,578	659	156	65
6	3	1	2	-	4	4	-	-	-	82	58	21	3	34
266	133	83	36	14	244	152	86	4	2	1,060	629	347	55	29
184	70	43	55	16	236	159	65	9	3	386	218	112	41	15
140	92	16	25	7	256	206	45	4	1	416	309	71	29	7
91	64	9	17	1	81	63	15	3	-	383	280	69	22	12
152	89	35	18	10	104	73	24	5	2	131	84	39	6	2
11	9	1	1	-	13	11	2	-	-	50	35	13	2	-
1	-	1	-	-	4	2	2	-	-	8	7	-	1	-
35	25	1	9	-	33	30	3	-	-	95	71	6	16	2
22	18	3	1	-	26	18	8	-	-	51	40	11	-	-
67	26	9	21	11	71	48	22	1	-	140	76	49	9	6
31	9	3	16	3	29	15	14	-	-	40	12	18	7	3
14	6	2	2	4	15	11	4	-	-	25	12	12	-	1
22	11	4	3	4	27	22	4	1	-	75	52	19	2	2
333	139	143	30	21	870	369	487	9	5	736	343	324	48	21
119	63	33	17	6	195	118	76	1	-	189	109	48	23	9
16	6	9	-	1	62	20	42	-	-	26	12	13	-	1
198	70	101	13	14	613	231	369	8	5	521	222	263	25	11
150	48	41	33	28	201	100	77	12	12	295	133	91	44	27
118	68	11	33	6	109	70	26	13	-	196	145	23	24	4
67	28	26	7	6	101	47	48	5	1	130	66	41	15	8
32	24	1	5	2	21	16	2	2	1	76	49	9	14	4
87	64	9	12	2	75	64	8	3	-	180	141	21	13	5
3	3	-	-	-	-	-	-	-	-	8	3	3	1	1
5	4	-	-	1	11	10	1	-	-	20	17	2	-	1
9	3	4	1	1	5	2	2	1	-	10	2	4	2	2
21	17	3	1	-	15	15	-	-	-	27	23	2	2	2
45	37	2	10	-	44	37	5	2	-	115	96	10	8	1
48	20	18	5	5	63	34	26	1	2	47	18	21	4	4
83	42	16	15	10	126	72	50	4	-	229	118	56	39	16
397	250	104	32	11	409	270	125	12	2	928	616	254	46	12
71	20	44	3	4	94	38	55	-	1	121	38	76	3	4
36	29	6	-	1	65	50	13	1	1	168	105	60	2	1
66	40	18	7	1	86	56	26	4	-	148	97	42	8	1
191	143	29	16	3	108	94	10	4	-	409	331	49	25	4
33	18	7	6	2	56	32	21	3	-	82	45	27	8	2
365	113	30	193	29	182	91	32	47	12	721	223	74	356	68
219	77	13	110	19	81	40	9	26	6	515	158	47	261	49
94	20	8	58	8	48	24	6	15	3	98	22	13	57	6
45	15	9	19	2	51	26	17	5	3	97	40	14	31	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	-	6	-	2	1	-	1	-	11	3	-	7	1
63	27	18	10	8	55	42	11	2	-	102	56	26	8	12
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	33,903	19,140	14,430	188	145
02 I. INFECTIVE AND PARASITIC DISEASES.....	226	109	111	5	1
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	-	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	50	21	26	3	-
09 TUBERCULOSIS, ALL FORMS.....010-019	44	27	17	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	25	15	10	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	2	1	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	2	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	1	1	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	13	8	5	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHThERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	-	1	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	6	2	4	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	54	21	32	1	-
27 OTHER BACTERIAL DISEASES.....C07,021,024-027,C31,039	5	2	3	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	4	-	-	-
30 SMALL POX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	3	1	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	11	6	5	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	15	7	7	1	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	-	-	-	-
39 MALARIA.....084	1	-	1	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	14	9	5	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	1	-	1	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	6	4	2	-	-
47 TABES DORSALIS.....094,0	7	5	2	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	17	9	7	-	1
58 II. NEOPLASMS.....	5,956	3,120	2,787	19	20
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,885	3,094	2,752	19	20
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	96	62	32	2	-
61 OF LIP.....140	2	2	-	-	-
62 OF TONGUE.....141	20	10	10	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	24	13	10	1	-
64 OF PHARYNX.....146-149	50	37	12	1	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,884	1,001	873	5	5
66 OF ESOPHAGUS.....150	91	66	24	1	-
67 OF STOMACH.....151	376	234	142	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	19	10	9	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	676	311	360	1	4
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	112	43	69	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	30	8	21	1	-
72 DESCENDING COLON.....153,2	24	10	14	-	-
73 SIGMOID COLON.....153,3	131	68	62	-	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	358	173	182	-	3
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	21	9	12	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	202	128	74	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	33	23	9	-	1
78 OF GALLBLADDER AND BILE DUCTS.....156	117	33	84	-	-
79 OF PANCREAS.....157	339	186	150	3	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	31	10	21	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	861	714	144	2	1
82 OF LARYNX.....161	31	29	1	1	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	814	671	141	1	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	16	14	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	711	56	647	2	6
86 OF BONE.....170	29	14	15	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	33	9	21	2	1
88 OF SKIN.....172,173	64	32	32	-	-
89 OF BREAST.....174	585	1	579	-	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MISSISSIPPI					MISSOURI					MONTANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
24,014	7,962	5,534	5,760	4,758	52,168	25,863	20,750	3,102	2,453	6,552	3,833	2,452	145	122	01
339	76	54	111	98	392	175	142	56	19	41	25	11	3	2	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
14	4	1	5	4	2	2	-	-	-	-	-	-	-	-	05
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	06
113	12	14	44	43	62	18	34	6	4	9	4	4	-	1	07
89	28	9	33	19	143	77	39	24	3	17	12	2	3	-	08
71	26	8	22	15	112	67	23	20	2	16	11	2	3	-	09
4	-	-	2	2	2	-	1	-	1	-	-	-	-	-	10
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	11
5	-	1	3	1	1	-	1	-	-	-	1	1	-	-	12
3	-	-	3	3	2	-	2	-	-	-	-	-	-	-	13
6	2	-	3	1	25	10	12	3	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	20
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	21
7	2	4	1	-	13	10	2	1	-	5	2	3	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
45	9	13	12	11	63	30	24	8	1	1	1	-	-	-	24
5	2	-	1	2	10	3	3	3	1	1	-	-	-	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	27
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	28
6	3	-	2	1	8	3	4	-	1	-	-	-	-	-	29
18	5	7	1	5	11	4	3	1	3	-	-	-	-	-	30
12	3	2	2	5	31	12	16	2	1	6	4	2	-	-	31
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
11	2	-	6	3	18	11	1	5	1	1	1	-	-	-	35
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	36
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	37
5	1	-	3	1	8	3	1	4	-	-	-	-	-	-	38
1	-	-	1	-	4	4	-	-	-	-	-	-	-	-	39
1	1	-	-	-	3	2	-	-	1	1	1	-	-	-	40
1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
15	5	3	3	4	23	4	11	5	3	-	-	-	-	-	44
3,267	1,206	890	613	558	8,387	4,131	3,408	454	394	1,091	604	465	8	14	58
3,207	1,191	871	602	543	8,275	4,084	3,356	449	386	1,082	602	458	8	14	59
68	35	15	13	5	162	101	39	15	7	22	16	6	-	-	60
2	2	-	-	-	7	7	-	-	-	-	-	-	-	-	61
9	4	3	2	-	41	27	13	1	-	5	2	3	-	-	62
25	14	4	4	3	39	21	13	3	2	6	4	2	-	-	63
32	15	8	7	2	75	46	13	11	5	11	10	1	-	-	64
884	311	243	178	152	2,354	1,066	1,030	155	103	309	174	131	2	2	65
46	17	7	18	4	151	86	20	36	9	21	15	6	-	-	66
213	65	39	54	55	381	204	123	34	20	65	44	21	-	-	67
8	2	3	-	3	10	5	3	1	-	-	-	-	-	-	68
267	95	97	38	37	923	349	499	35	40	88	39	47	2	-	69
26	9	8	4	5	118	46	64	4	4	7	2	5	-	-	70
8	2	4	1	1	37	12	21	1	3	3	1	2	-	-	71
11	5	4	-	2	36	13	19	2	2	2	-	2	-	-	72
29	11	8	7	3	150	68	77	2	3	10	4	6	-	-	73
186	66	72	25	23	544	201	293	25	25	58	30	26	2	-	74
7	2	1	1	3	38	9	25	1	3	8	2	6	-	-	75
62	21	11	18	12	227	112	93	11	11	33	20	13	-	-	76
22	9	4	8	1	45	24	14	5	2	4	3	1	-	-	77
27	11	14	1	1	134	44	85	2	3	20	7	12	-	1	78
210	82	62	35	31	443	223	181	26	13	78	46	31	-	-	79
29	9	6	6	8	40	19	12	5	4	-	-	-	-	-	80
624	383	75	141	25	1,652	1,257	251	109	35	189	158	27	3	1	81
21	13	1	7	-	69	55	9	5	-	9	8	1	-	-	82
593	367	73	131	22	1,553	1,184	231	103	35	174	147	24	3	-	83
10	3	1	3	3	30	18	11	1	-	6	3	2	-	-	84
333	43	182	10	98	877	107	691	7	72	114	12	99	-	3	85
18	7	6	2	3	48	27	15	3	3	6	4	2	-	-	86
11	5	1	2	3	32	13	16	2	1	3	2	1	-	-	87
57	28	22	5	2	101	63	36	1	1	11	6	5	-	-	88
247	3	153	1	90	696	4	624	1	67	94	-	91	-	3	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	767	391	370	2	4
02 OF CERVIX UTERI.....180	55	...	53	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	112	...	111	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	191	...	190	...	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	16	...	16	...	-
06 OF PROSTATE.....185	372	370	...	2	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	21	21
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	294	150	101	2	1
09 OF BLADDER.....188	157	104	52	1	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	137	86	49	2	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	469	229	235	3	2
12 OF EYE.....190	8	5	3	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	159	93	64	1	1
14 OF THYROID GLAND.....193	17	6	11	-	-
15 OTHER.....194-199	285	125	157	2	1
16 LEUKEMIA.....204-207	328	201	125	1	1
17 LYMPHATIC LEUKEMIA.....204	125	82	42	-	1
18 MYELOID LEUKEMIA.....205	150	84	65	1	-
19 MONOCYTTIC LEUKEMIA.....206	8	4	4	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	45	31	14	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	475	250	225	-	-
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	170	84	86	-	-
23 HODGKIN'S DISEASE.....201	76	49	27	-	-
24 MULTIPLE MYELOMA.....203	111	63	48	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	118	54	64	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	71	36	35	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	19	6	13	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	16	8	8	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	12	3	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	18	10	8	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	772	331	426	8	7
34 NONTOXIC GOITER.....240,241	1	-	1	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	7	2	5	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	-	3	-	-
37 DIABETES MELLITUS.....250	614	264	337	8	5
38 DISEASES OF PITUITARY GLAND.....253	8	4	4	-	-
39 DISEASES OF THYMUS GLAND.....254	1	-	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	11	3	8	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	50	20	28	-	2
43 CYSTIC FIBROSIS.....273-0	4	2	2	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	73	36	37	-	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	83	39	38	3	3
46 ANEMIAS.....280-285	57	27	25	2	3
47 DEFICIENCY ANEMIAS.....280,281	6	3	3	-	-
48 HEMOLYTIC ANEMIAS.....282,283	4	3	1	-	-
49 APLASTIC ANEMIA.....284	28	14	12	-	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	19	7	9	2	1
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	2	5	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	19	10	8	1	-
53 V. MENTAL DISORDERS.....	128	80	46	1	1
54 SENILE AND PRESENILE DEMENTIAS.....290	19	14	5	-	-
55 ALCOHOLIC PSYCHOSES.....291	9	9	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	4	1	3	-	-
57 ALCOHOLISM.....303	55	37	16	1	1
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	35	15	20	-	-
59 MENTAL RETARDATION.....310-315	6	4	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	366	203	161	-	2
61 MENINGITIS.....320	30	20	9	-	1
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	18	14	4	-	-
63 MULTIPLE SCLEROSIS.....340	36	15	21	-	-
64 PARALYSIS AGITANS.....342	102	55	47	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	8	4	4	-	-
66 EPILEPSY.....345	17	7	10	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	2	1	1	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	-	2	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	151	87	63	-	1
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	18,796	10,603	8,086	53	54
73 ACTIVE RHEUMATIC FEVER.....390-392	3	2	1	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	346	199	146	-	1
75 DISEASES OF MITRAL VALVE.....394	101	50	50	-	1
76 DISEASES OF AORTIC VALVE.....395	115	83	32	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	14	5	9	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	116	61	55	-	-
79 HYPERTENSIVE DISEASE.....400-404	373	160	211	2	-
80 MALIGNANT HYPERTENSION.....400	14	7	7	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	22	7	15	-	-
82 HYPERTENSIVE HEART DISEASE.....402	156	58	97	1	-
83 HYPERTENSIVE RENAL DISEASE.....403	76	43	33	-	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	105	45	59	1	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	11,774	7,179	4,534	33	28
02 WITH HYPERTENSIVE DISEASE (.0)	1,314	599	711	4	-
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	10,460	6,580	3,823	29	28
04 ACUTE MYOCARDIAL INFARCTION.....410	6,695	4,452	2,216	16	11
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	80	52	28	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,995	2,672	2,289	17	17
07 ANGINA PECTORIS.....413	4	3	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	445	251	190	3	1
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	7	2	4	-	1
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	6	3	3	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	45	23	21	1	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	2	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	42	22	19	1	-
15 SYMPTOMATIC HEART DISEASE.....427	204	117	86	1	-
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	93	55	38	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	90	51	38	1	-
18 CEREBROVASCULAR DISEASES.....430-438	4,457	2,082	2,346	13	16
19 WITH HYPERTENSION (BENIGN) (.0)	618	278	335	1	4
20 WITHOUT MENTION OF HYPERTENSION (.9)	3,839	1,804	2,011	12	12
21 SUBARACHNOID HEMORRHAGE.....430	198	85	112	4	1
22 CEREBRAL HEMORRHAGE.....431	882	406	469	5	3
23 CEREBRAL THROMBOSIS.....433	1,115	546	561	4	3
24 CEREBRAL EMBOLISM.....434	15	4	11	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	72	38	34	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,241	576	655	4	6
27 OTHER CEREBROVASCULAR DISEASES.....437,438	934	427	504	-	3
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,110	588	516	2	4
29 ARTERIOSCLEROSIS.....440	627	280	345	1	1
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	246	175	69	1	1
31 GANGRENE.....445	60	36	24	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	177	97	78	-	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	288	142	142	-	4
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	268	127	137	-	4
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	20	15	5	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,035	1,252	754	15	14
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	9	8	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	23	12	10	-	1
39 INFLUENZA.....470-474	166	59	103	2	2
40 PNEUMONIA.....480-486	1,088	614	455	10	9
41 VIRAL PNEUMONIA.....480	33	14	19	-	-
42 BACTERIAL PNEUMONIA.....481,482	144	87	54	2	1
43 ACUTE INTERSTITIAL PNEUMONIA.....484	17	8	9	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	452	242	199	5	6
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	442	263	174	3	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	522	413	107	2	-
47 BRONCHITIS, UNQUALIFIED.....490	22	8	14	-	-
48 CHRONIC BRONCHITIS.....491	85	65	20	-	-
49 EMPHYSEMA.....492	376	321	53	2	-
50 ASTHMA.....493	39	19	20	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	18	13	5	-	-
53 PLEURISY.....511	6	5	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	63	34	29	-	-
55 BRONCHIECTASIS.....518	15	10	5	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	125	84	38	1	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,118	617	488	6	7
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	167	89	77	-	1
60 ULCER OF STOMACH.....531	67	29	37	-	-
61 ULCER OF DUODENUM.....532	83	48	35	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	17	12	5	-	-
63 GASTRITIS AND DUODENITIS.....535	9	8	1	-	-
64 APPENDICITIS.....540-543	39	22	16	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	156	73	83	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	56	22	34	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	23	5	14	-	-
69 CIRRHOSIS OF LIVER.....571	333	207	120	1	5
70 ALCOHOLIC.....571.0	129	83	41	1	4
71 OTHER SPECIFIED.....571.8	65	43	22	-	-
72 UNSPECIFIED.....571.9	139	81	57	-	1
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	102	49	51	2	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	233	138	92	2	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	412	257	151	2	2
76 NEPHRITIS AND NEPHROSIS.....580-584	104	68	36	-	-
77 ACUTE NEPHRITIS.....580	13	10	3	-	-
78 NEPHROTIC SYNDROME.....581	4	1	3	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	87	57	30	-	-
80 INFECTIONS OF KIDNEY.....590	106	41	63	-	2
81 CALCULI OF URINARY SYSTEM.....592,594	16	8	8	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	110	73	35	2	-
83 HYPERPLASIA OF PROSTATE.....600	49	49	-	-	-
84 DISEASES OF BREAST.....610,611	1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	26	18	8	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	5	...	5	...	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MISSISSIPPI					MISSOURI					MONTANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6,766	2,718	1,752	1,226	1,070	17,483	9,142	7,042	688	611	1,891	1,183	676	21	11
1,367	296	249	404	418	1,833	706	857	122	148	150	72	76	1	1
5,399	2,422	1,503	822	652	15,650	8,436	6,185	566	463	1,741	1,111	600	20	10
4,041	1,972	1,011	604	454	9,877	5,885	3,456	307	229	1,252	840	392	13	7
49	17	8	14	10	82	38	41	-	3	15	10	5	-	-
2,662	727	732	604	599	7,492	3,203	3,529	381	379	624	333	279	8	4
14	2	1	4	7	32	16	16	-	-	7	-	-	-	-
758	230	149	214	165	1,195	579	483	75	58	212	136	71	4	1
6	1	2	1	2	29	15	11	2	1	3	2	1	-	-
5	1	1	1	2	8	5	3	-	-	4	2	2	-	-
26	7	5	6	8	40	20	17	1	2	8	4	3	1	-
4	-	-	-	-	2	1	1	-	-	1	1	-	-	-
22	5	4	5	8	32	16	13	1	2	6	3	2	1	-
271	76	78	60	57	591	260	258	40	33	76	44	29	2	1
142	39	33	36	34	228	108	111	5	4	32	13	19	-	-
308	106	30	110	62	299	171	83	27	18	89	71	17	1	-
3,145	775	876	781	743	6,329	2,599	3,064	311	355	722	352	349	11	10
574	74	92	198	210	668	260	297	44	67	69	28	38	2	1
2,571	701	784	553	533	5,661	2,339	2,767	267	288	653	324	311	9	9
108	31	30	24	23	199	74	79	24	22	19	8	9	1	1
699	147	141	214	197	1,338	575	637	57	69	140	68	67	3	2
719	226	216	143	134	1,893	72	936	98	134	185	96	86	1	2
19	4	3	4	8	73	32	39	-	2	10	1	2	-	-
39	19	11	6	3	106	65	33	8	2	3	5	4	4	4
1,212	245	339	302	326	1,633	689	765	90	89	260	126	126	4	4
349	103	136	58	52	1,087	441	575	34	37	105	48	54	2	1
564	211	174	97	82	1,765	782	861	73	49	274	138	128	4	4
310	97	110	56	47	1,176	455	651	39	31	179	85	89	2	3
121	69	20	20	12	309	212	71	19	7	39	28	10	1	-
32	7	5	8	12	69	30	32	2	5	7	2	4	1	-
101	38	39	13	11	211	85	107	13	6	49	23	25	1	1
186	56	66	37	27	503	218	215	34	36	40	16	21	1	2
161	49	61	29	22	449	193	188	33	35	33	14	18	1	1
25	7	5	8	5	54	25	27	1	1	7	2	3	1	1
1,320	492	269	297	262	3,540	1,962	1,155	251	172	474	307	141	14	12
20	1	1	8	10	12	5	6	-	1	2	1	1	-	-
19	8	-	4	7	38	21	11	3	3	6	4	1	1	-
100	27	19	23	31	304	127	150	11	16	30	12	17	1	-
750	217	164	188	181	1,915	919	725	161	114	215	114	85	8	8
13	5	4	2	2	50	16	27	-	7	6	5	1	-	-
92	21	15	35	21	236	113	83	26	14	22	16	5	1	-
9	2	2	2	3	15	4	4	5	2	-	-	-	-	-
237	77	51	49	60	738	375	276	48	39	74	42	29	1	2
399	112	92	100	95	876	407	335	82	52	113	51	50	6	6
298	193	49	38	18	898	688	148	42	20	183	150	27	3	3
13	4	4	5	-	24	10	9	3	2	3	-	2	1	-
23	18	4	-	1	119	95	22	2	-	34	29	3	1	1
215	159	34	19	3	686	558	89	30	11	134	118	14	1	1
47	12	7	14	14	67	25	28	7	7	12	3	8	-	1
-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
16	3	3	8	2	38	24	9	4	1	3	1	2	-	-
3	1	-	1	1	15	5	10	3	-	14	10	4	-	-
35	15	15	5	-	79	51	25	3	-	14	4	4	-	-
14	6	5	1	2	28	17	11	-	-	4	-	-	-	-
65	21	13	21	10	211	108	60	26	17	17	11	4	1	1
565	209	171	105	80	1,717	865	654	123	75	252	141	91	9	11
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-
79	37	19	15	8	226	137	71	11	7	37	25	12	-	-
28	10	5	8	5	85	45	32	4	4	15	9	6	-	-
37	20	10	4	3	116	77	33	5	1	20	15	5	-	-
14	7	4	3	-	25	15	6	2	2	2	1	1	-	-
3	1	1	1	-	12	7	3	1	1	-	-	-	-	-
17	6	3	5	3	32	13	16	1	2	5	3	2	-	-
78	18	19	26	15	219	87	115	10	7	32	15	13	1	3
2	-	2	-	-	3	2	1	-	-	-	-	-	-	-
22	8	12	1	1	95	41	52	-	2	14	6	8	-	-
12	2	6	3	1	22	10	12	-	-	3	3	-	-	-
142	76	35	18	13	583	340	141	67	35	80	44	23	7	6
36	21	7	7	1	177	109	32	21	15	34	14	8	6	7
17	7	5	4	1	83	49	24	6	4	13	7	6	-	-
89	48	23	7	11	323	182	85	40	16	33	23	9	1	-
38	12	16	4	6	133	41	84	3	5	26	16	9	-	1
172	49	58	32	33	391	187	158	30	16	54	29	24	-	1
516	133	112	171	100	867	407	313	73	74	82	49	28	2	3
173	26	22	66	59	279	112	115	31	21	28	14	11	1	2
10	2	2	6	4	22	10	7	2	3	2	-	2	-	-
12	2	-	4	4	11	3	6	1	1	1	1	-	-	-
151	22	20	55	54	244	99	102	28	17	25	13	9	1	2
192	55	71	40	26	299	117	126	20	36	19	10	8	1	-
10	4	6	-	-	25	12	9	-	4	1	-	1	-	-
71	23	11	29	8	139	70	51	10	8	20	14	5	-	1
51	20	...	31	...	75	65	...	10	...	8	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	5	2	5	7	50	31	12	2	5	6	3	3	-	-
23	...	3	...	20	17	...	9	...	8	1	...	-	...	1
9	...	-	...	-	3	...	2	...	1	-	...	-	...	-
9	...	1	...	8	6	...	3	...	3	-	...	-	...	-
6	...	1	...	5	-	...	-	...	-	-	...	-	...	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	1	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	1	...	1	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	3	...	3	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	1	...	1	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	26	15	11	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	10	7	3	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	16	8	8	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	104	32	71	-	1
13 ARTHRITIS AND SPONDYLITIS.....710-715	51	16	34	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	-	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	1	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	47	15	32	-	-
18 XIV. CONGENITAL ANOMALIES.....	348	162	175	3	8
19 SPINA BIFIDA.....741	21	5	16	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	46	15	29	1	1
21 CONGENITAL ANOMALIES OF HEART.....746	152	74	72	1	5
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	39	15	19	-	1
23 CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	89	48	39	1	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	676	395	265	9	7
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	157	76	68	11	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	10	3	7	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	147	73	61	11	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,695	1,839	787	53	16
30 ACCIDENTS.....E800-E949	2,189	1,477	668	34	10
31 RAILWAY ACCIDENTS.....E800-E807	15	12	2	1	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	1,123	761	342	15	5
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	1,100	742	338	15	5
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	53	34	19	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	523	330	184	6	3
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	145	95	46	2	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	137	102	32	3	-
38 NONCOLLISION-MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	193	146	43	4	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	49	35	14	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	23	19	4	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	1	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	35	29	4	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	25	22	3	-	-
44 ACCIDENTAL POISONING.....E850-E877	90	59	29	2	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	18	7	11	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	18	13	4	1	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	54	39	14	1	-
48 ACCIDENTAL FALLS.....E880-E887	373	150	180	2	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	126	78	45	2	1
50 FALL ON SAME LEVEL.....E885,E886	28	10	18	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	219	102	117	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	73	46	23	3	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	89	72	12	5	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	45	33	11	1	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	38	36	2	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	132	121	10	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	5	4	1	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	10	7	3	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	6	5	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	12	12	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	99	53	5	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	24	14	10	2	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	125	81	39	2	3
64 SUICIDE.....E950-E959	342	269	69	2	2
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	41	16	24	-	1
66 SUICIDE FROM POISONING BY GASES.....E951,E952	54	40	14	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	58	42	16	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	159	146	11	1	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	30	25	4	1	-
70 HOMICIDE.....E960-E978	78	43	20	12	3
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	57	33	13	9	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	7	6	1	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	13	3	6	3	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	83	47	30	5	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	3	3	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MISSISSIPPI					MISSOURI					MONTANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	03
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	04
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	05
1	...	-	...	1	5	...	3	...	2	-	...	-	...	-	06
7	...	1	...	6	2	...	-	...	2	1	...	-	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
30	6	9	5	10	53	23	21	4	5	6	3	3	-	-	09
8	-	5	2	1	17	12	5	-	-	2	1	1	-	-	10
22	6	4	3	9	36	11	16	4	5	4	2	2	-	-	11
54	11	24	1	18	114	40	64	2	8	18	5	12	-	1	12
31	6	13	1	11	51	19	29	-	3	9	3	6	-	-	13
2	1	1	-	-	8	3	4	-	1	1	1	-	-	-	14
-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	15
2	1	1	-	-	6	1	5	-	-	-	-	-	-	-	16
19	3	9	-	7	45	15	25	1	4	8	2	6	-	-	17
201	78	56	48	19	341	149	146	23	23	64	33	28	1	2	18
17	6	10	-	1	16	6	10	-	-	3	2	1	-	-	19
34	13	13	6	2	52	22	23	2	5	9	6	3	-	-	20
83	36	16	24	7	138	56	65	10	7	35	18	14	1	2	21
15	8	5	2	-	12	6	5	1	-	7	4	3	-	-	22
1	-	-	1	-	2	-	1	-	1	-	-	-	-	-	23
51	15	12	15	9	121	59	42	10	10	10	3	7	-	-	24
822	198	136	288	200	933	451	257	121	104	134	69	49	8	8	25
1,806	313	153	736	604	1,416	769	411	146	90	169	111	54	2	2	26
66	3	8	33	22	57	18	34	3	2	8	3	5	-	-	27
1,740	310	145	703	582	1,359	751	377	143	88	161	108	49	2	2	28
2,219	935	307	706	271	3,977	2,313	1,076	461	127	692	457	159	46	30	29
1,754	752	263	519	220	2,919	1,759	866	210	84	550	369	121	38	22	30
8	3	-	5	-	19	16	3	-	-	6	4	1	1	-	31
798	402	132	195	69	1,419	926	375	88	30	269	184	55	17	13	32
783	396	130	188	69	1,395	907	371	87	30	263	181	54	16	12	33
28	13	6	8	1	44	26	18	-	-	7	5	2	-	-	34
280	151	63	49	17	608	373	198	23	14	81	54	19	5	3	35
87	21	11	37	18	166	95	38	26	7	24	15	6	1	2	36
73	40	8	19	6	175	129	32	13	1	24	20	3	1	3	37
178	106	23	39	10	346	250	71	21	4	110	78	18	8	6	38
137	65	19	36	17	56	34	14	4	4	17	9	6	1	1	39
15	6	2	7	-	24	19	4	1	-	6	3	1	1	1	40
3	2	1	-	-	3	1	2	-	-	4	3	1	1	1	41
35	25	-	10	-	34	29	2	3	-	10	9	1	1	-	42
11	8	2	-	1	38	30	7	1	-	17	15	2	-	-	43
25	13	7	6	3	71	36	22	9	4	15	11	3	1	-	44
13	4	6	2	1	29	13	10	3	3	5	3	1	1	-	45
9	5	1	2	1	11	4	2	4	1	2	1	1	1	-	46
7	4	-	2	1	31	19	10	2	-	8	7	1	-	-	47
166	70	47	28	21	535	223	270	25	17	69	38	28	3	-	48
36	17	6	10	3	124	67	40	11	6	21	16	2	3	-	49
3	-	1	1	1	33	13	19	1	-	9	6	3	3	-	50
127	53	40	17	17	378	143	211	13	11	39	16	23	-	-	51
203	41	25	77	60	196	101	65	17	13	25	15	6	1	3	52
118	47	2	60	9	118	78	21	19	-	23	14	5	3	1	53
66	24	13	17	12	66	36	24	2	4	8	3	4	1	-	54
81	34	7	27	13	69	52	5	10	2	13	10	3	-	-	55
105	47	4	49	9	156	135	9	8	4	54	44	4	3	3	56
2	-	-	2	-	6	4	1	1	-	-	-	-	-	-	57
11	2	-	6	3	13	11	2	-	-	3	2	1	-	-	58
3	1	1	-	1	5	2	1	-	2	-	-	-	-	-	59
18	9	-	7	2	27	23	2	1	1	9	6	2	1	-	60
75	35	3	34	3	105	95	3	6	1	42	36	1	2	3	61
19	8	6	2	3	37	10	20	4	3	6	2	4	-	-	62
108	28	17	43	20	158	86	41	24	7	31	17	6	6	2	63
149	103	29	10	7	491	343	135	12	1	96	64	25	3	4	64
6	1	5	-	-	58	21	37	-	-	10	3	4	-	-	65
4	4	-	-	-	50	31	19	-	-	14	11	3	-	-	66
10	6	2	1	1	65	44	19	2	-	7	7	-	-	-	67
125	89	21	9	6	271	223	39	9	-	59	39	16	3	1	68
4	3	1	-	-	47	24	21	1	1	6	4	2	-	-	69
239	50	7	147	35	407	138	42	199	28	24	9	7	4	4	70
169	35	4	111	19	284	97	20	150	17	16	9	5	1	1	71
35	5	-	28	6	40	6	3	28	3	4	-	-	1	3	72
29	9	3	7	10	69	32	19	11	7	4	-	2	2	2	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
2	1	-	1	-	14	3	-	10	1	-	-	-	-	-	75
77	30	8	30	9	158	72	33	39	14	22	15	6	1	-	76
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	15,024	8,153	6,430	258	183
02 I. INFECTIVE AND PARASITIC DISEASES.....	82	48	28	5	1
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....C04,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	27	13	14	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	16	13	-	3	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	14	11	-	3	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	2	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	3	-	1	-
25 TETANUS.....037	1	-	1	-	-
26 SEPTICEMIA.....038	10	7	2	-	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	4	3	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	1	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	3	3	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	6	1	5	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	6	1	4	1	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRY PANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	1	1	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	1	1	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	3	2	1	-	-
58 II. NEOPLASMS.....	2,564	1,320	1,167	38	39
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,537	1,307	1,154	30	38
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	53	41	10	2	-
61 OF LIP.....140	5	5	-	-	-
62 OF TONGUE.....141	7	6	1	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	19	13	5	1	-
64 OF PHARYNX.....146-149	22	17	4	1	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	810	408	378	12	12
66 OF ESOPHAGUS.....150	34	28	5	-	1
67 OF STOMACH.....151	141	77	60	3	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	6	4	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	303	129	165	4	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	42	16	23	1	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	11	7	4	-	-
72 DESCENDING COLON.....153.2	16	7	9	-	-
73 SIGMOID COLON.....153.3	52	23	27	1	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	170	71	95	2	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	12	5	7	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	81	45	33	2	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	25	14	11	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	51	15	34	-	2
79 OF PANCREAS.....157	155	89	61	3	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	10	5	5	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	419	338	65	14	2
82 OF LARYNX.....161	20	19	1	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	395	308	61	14	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	14	11	3	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	302	30	256	2	6
86 OF BONE.....170	21	8	12	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	24	11	13	-	-
88 OF SKIN.....172,173	28	17	10	1	-
89 OF BREAST.....174	229	2	221	-	6

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,534	2,102	1,182	150	100	7,430	4,054	3,369	4	3	68,782	33,844	28,061	3,504	2,973	01
33	16	10	3	4	26	16	10	-	-	557	253	143	103	58	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
3	1	1	1	-	3	2	1	-	-	76	30	36	9	1	08
8	5	2	1	-	7	5	2	-	-	243	122	41	57	23	09
6	5	1	-	-	5	4	1	-	-	206	105	31	51	19	10
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	4	-	2	1	1	13
2	-	1	1	-	2	1	1	-	-	30	16	8	3	3	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
6	-	2	-	4	1	-	1	-	-	15	7	3	1	4	24
3	1	2	-	-	3	1	2	-	-	2	2	-	-	-	25
2	-	1	1	-	3	1	2	-	-	85	31	25	16	13	26
-	-	-	-	-	-	-	-	-	-	16	6	6	3	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	1	1	-	-	-	20	13	3	1	3	33
2	2	-	-	-	2	1	1	-	-	33	13	10	7	3	34
1	1	-	-	-	1	1	1	-	-	19	9	5	1	4	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	1	-	-	-	4	3	1	-	-	14	9	1	4	-	42
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	45
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	46
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	47
-	-	-	-	-	2	1	1	-	-	3	1	1	1	-	48
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
7	5	2	-	-	2	1	1	-	-	24	10	7	3	4	57
562	323	214	10	15	1,243	681	561	1	-	12,998	6,381	5,595	554	468	58
553	320	210	9	14	1,214	667	546	1	-	12,813	6,304	5,500	550	459	59
9	3	6	-	-	36	30	6	-	-	286	181	73	26	6	60
-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	61
1	-	1	-	-	7	5	2	-	-	74	48	17	7	2	62
2	-	2	-	-	16	13	3	-	-	96	53	34	7	2	63
6	3	3	-	-	12	11	1	-	-	112	76	22	12	2	64
139	77	56	2	4	372	202	169	1	-	4,099	2,000	1,790	185	124	65
14	9	3	1	1	31	29	2	-	-	273	159	56	49	9	66
26	12	13	-	-	57	36	20	1	-	749	394	282	51	22	67
3	2	1	-	-	5	3	2	-	-	30	14	16	-	-	68
51	30	19	1	1	151	63	88	-	-	1,510	643	796	28	43	69
8	6	2	-	-	21	9	12	-	-	180	77	94	4	5	70
1	1	-	-	-	3	1	2	-	-	82	36	46	-	-	71
4	3	1	-	-	6	3	3	-	-	62	30	31	-	1	72
8	5	2	1	-	39	20	19	-	-	300	137	150	6	7	73
28	14	13	-	1	70	24	46	-	-	798	327	428	16	27	74
2	1	1	-	-	12	6	6	-	-	88	36	47	2	3	75
16	7	9	-	-	51	25	26	-	-	551	295	219	23	14	76
1	1	-	-	-	7	5	2	-	-	63	43	13	5	2	77
5	2	2	-	1	10	4	6	-	-	181	64	103	4	8	78
23	14	9	-	-	56	37	19	-	-	674	355	271	24	24	79
-	-	-	-	-	4	-	4	-	-	68	31	34	1	2	80
149	119	26	4	-	236	202	34	-	-	2,672	2,003	441	183	45	81
10	9	1	-	-	12	11	1	-	-	120	90	10	18	2	82
138	109	25	4	-	223	191	32	-	-	2,485	1,877	407	160	41	83
1	1	-	-	-	1	-	1	-	-	67	36	24	5	2	84
55	9	43	-	3	120	15	105	-	-	1,585	168	1,316	9	92	85
3	3	-	-	-	6	4	2	-	-	76	43	26	4	3	86
2	1	1	-	-	1	1	-	-	-	47	24	20	1	2	87
7	4	3	-	-	15	9	6	-	-	159	89	61	2	7	88
43	1	39	-	3	98	1	97	-	-	1,303	12	1,269	2	80	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	363	172	180	2	9
02 OF CERVIX UTERI.....180	50	...	46	...	4
03 OF OTHER PARTS OF UTERUS.....181,182	43	...	43	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	87	...	82	...	5
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	9	...	9	...	-
06 OF PROSTATE.....185	158	156	...	2	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	16	16	...	-	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	107	62	45	-	-
09 OF BLADDER.....188	59	35	24	-	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	48	27	21	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	169	82	80	2	5
12 OF EYE.....190	5	3	2	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	53	29	23	-	1
14 OF THYROID GLAND.....193	11	5	6	-	4
15 OTHER.....194-199	100	45	49	2	4
16 LEUKEMIA.....204-207	141	79	59	2	1
17 LYMPHATIC LEUKEMIA.....204	54	30	22	1	1
18 MYELOID LEUKEMIA.....205	65	39	25	1	-
19 MONOCYTIC LEUKEMIA.....206	6	5	1	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	16	5	11	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	173	87	81	2	3
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	76	40	35	-	1
23 HODGKIN'S DISEASE.....201	22	15	6	1	-
24 MULTIPLE MYELOMA.....203	44	20	22	-	2
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	31	12	18	1	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	27	13	13	-	1
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	4	...	4	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	8	5	2	-	1
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	4	2	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	2	4	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	3	2	1	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	360	148	196	5	11
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	9	-	9	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	-	4	-	-
37 DIABETES MELLITUS.....250	289	116	161	4	8
38 DISEASES OF PITUITARY GLAND.....253	3	2	1	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	3	1	2	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	11	3	7	1	-
43 CYSTIC FIBROSIS.....273.0	2	2	-	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	39	24	12	-	3
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	39	17	21	1	-
46 ANEMIAS.....280-285	22	9	12	1	-
47 DEFICIENCY ANEMIAS.....280,281	7	3	3	1	-
48 HEMOLYTIC ANEMIAS.....282,283	3	1	2	-	-
49 APLASTIC ANEMIA.....284	6	2	4	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	6	3	3	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	3	4	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	10	5	5	-	-
53 V. MENTAL DISORDERS.....	32	22	9	-	1
54 SENILE AND PRESENILE DEMENTIAS.....290	5	1	4	-	-
55 ALCOHOLIC PSYCHOSES.....291	3	3	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	1	-	1	-	-
57 ALCOHOLISM.....303	17	16	-	-	1
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	4	2	4	-	-
59 MENTAL RETARDATION.....310-315	-	-	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	146	82	62	-	2
61 MENINGITIS.....320	10	5	4	-	1
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	5	3	2	-	-
63 MULTIPLE SCLEROSIS.....340	20	11	9	-	-
64 PARALYSIS AGITANS.....342	46	25	21	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	1	-	-	-
66 EPILEPSY.....345	10	7	3	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	1	-	1	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	1	1	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	51	29	21	-	1
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,357	4,508	3,603	104	62
73 ACTIVE RHEUMATIC FEVER.....390-392	1	1	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	101	36	60	4	1
75 DISEASES OF MITRAL VALVE.....394	35	10	22	1	-
76 DISEASES OF AORTIC VALVE.....395	25	12	8	3	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	9	4	5	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	36	10	25	6	1
79 HYPERTENSIVE DISEASE.....400-404	271	120	143	6	2
80 MALIGNANT HYPERTENSION.....400	13	6	5	1	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	6	3	2	1	-
82 HYPERTENSIVE HEART DISEASE.....402	86	33	52	1	-
83 HYPERTENSIVE RENAL DISEASE.....403	51	24	23	3	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	115	54	61	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
56	23	27	1	5	162	63	99	-	-	1,485	507	823	48	107
19	...	14	...	5	36	...	36	...	-	229	...	179	...	50
3	...	3	...	-	22	...	22	...	-	244	...	210	...	34
10	...	10	...	-	36	...	36	...	-	415	...	393	...	22
20	19	...	1	...	60	60	42	...	41	...	1
4	4	...	-	...	3	3	...	-	...	520	473	...	47	...
31	25	6	-	-	69	45	24	-	-	35	34	...	1	...
15	13	2	-	-	40	29	11	-	-	605	395	171	18	21
16	12	4	-	-	29	16	13	-	-	362	260	78	9	15
54	24	27	2	1	108	50	58	-	-	243	135	93	9	6
-	-	-	-	-	4	3	1	-	-	1,012	475	450	43	44
10	4	6	-	-	16	9	7	-	-	15	6	9	-	12
3	1	2	-	-	4	1	3	-	-	268	141	107	10	10
41	19	19	2	1	84	37	47	-	-	38	12	25	1	14
32	21	10	-	1	53	29	24	-	-	691	316	309	32	34
11	9	2	-	-	16	7	9	-	-	469	242	201	18	8
13	8	4	-	1	22	13	9	-	-	173	94	67	8	4
1	-	1	-	-	-	-	-	-	-	157	82	70	3	2
7	4	3	-	-	15	9	6	-	-	13	8	5	-	19
28	19	9	-	-	58	31	27	-	-	126	58	59	7	2
8	5	3	-	-	19	13	6	-	-	600	333	235	20	12
10	8	2	-	-	14	6	8	-	-	230	126	92	7	5
4	1	3	-	-	11	3	8	-	-	147	87	54	4	2
6	5	1	-	-	14	9	5	-	-	121	62	52	4	3
9	3	4	1	1	29	14	15	-	-	102	58	37	5	2
-	...	-	...	-	4	...	-	...	-	185	77	95	4	9
1	1	-	-	-	4	1	3	-	-	13	...	12	...	1
-	...	-	...	-	4	2	2	-	-	30	11	17	1	1
5	1	3	-	1	14	8	6	-	-	43	17	22	1	3
3	1	1	1	-	7	3	4	-	-	2	...	2	...	30
81	39	31	5	6	216	99	116	1	-	64	31	29	1	3
-	-	-	-	-	1	-	1	-	-	33	18	13	1	1
1	-	-	-	1	2	1	-	-	-	1,789	633	949	85	122
3	2	1	-	-	2	1	-	-	-	2	-	2	-	-
66	29	27	5	5	182	76	105	1	-	19	3	13	1	2
1	-	1	-	-	-	-	-	-	-	19	4	15	-	36
1	1	-	-	-	-	-	-	-	-	7	2	4	1	102
4	3	1	-	-	13	8	5	-	-	6	5	1	-	38
1	-	1	-	-	3	1	2	-	-	20	5	11	1	39
4	4	-	-	-	13	11	2	-	-	5	11	40	3	40
8	5	3	-	-	22	6	16	-	-	-	-	-	-	41
3	2	1	-	-	17	5	12	-	-	75	33	29	5	8
1	1	-	-	-	6	1	5	-	-	16	5	11	-	43
1	1	-	-	-	5	3	3	-	-	94	50	33	4	7
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-
3	2	1	-	-	4	1	3	-	-	197	73	87	16	21
31	18	12	-	1	20	16	4	-	-	143	54	55	13	21
1	1	-	-	-	-	-	-	-	-	26	8	15	-	3
2	2	-	-	-	5	5	1	-	-	39	8	7	11	13
23	12	10	-	1	12	9	3	-	-	38	20	15	-	3
5	3	2	-	-	1	-	1	-	-	40	18	18	2	2
-	-	-	-	-	4	1	3	-	-	22	8	13	1	51
48	18	26	3	1	54	30	24	-	-	32	11	19	2	52
15	5	7	2	1	3	1	2	-	-	155	72	41	35	7
3	1	2	-	-	3	2	1	-	-	10	6	4	-	54
6	4	2	-	-	6	3	3	-	-	32	18	1	13	55
1	2	3	-	-	8	2	6	-	-	11	3	7	16	56
5	2	3	-	-	11	9	2	-	-	81	37	23	16	57
-	-	-	-	-	1	1	-	-	-	18	6	6	5	1
48	18	26	3	1	54	30	24	-	-	3	2	-	-	1
15	5	7	2	1	3	1	2	-	-	490	223	207	43	17
3	1	2	-	-	3	2	1	-	-	53	23	16	7	7
6	4	2	-	-	6	3	3	-	-	17	11	5	1	62
1	2	3	-	-	8	2	6	-	-	60	24	32	3	1
5	2	3	-	-	11	9	2	-	-	128	59	63	3	3
-	-	-	-	-	3	2	1	-	-	16	7	6	3	65
-	-	-	-	-	11	9	2	-	-	60	19	20	18	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	68
-	-	-	-	-	-	-	-	-	-	4	2	2	-	69
18	6	11	1	-	20	11	9	-	-	71	78	62	8	3
1,468	876	514	47	31	4,199	2,198	1,698	2	1	38,473	19,010	16,447	1,605	1,411
-	-	-	-	-	1	-	1	-	-	14	3	8	3	-
32	12	18	1	1	57	25	32	-	-	681	266	371	24	20
9	3	5	1	-	14	7	7	-	-	175	54	106	6	9
9	7	1	-	1	20	6	14	-	-	129	81	38	10	76
2	-	2	-	-	3	1	2	-	-	29	7	22	-	77
12	2	10	-	-	20	11	9	-	-	348	124	205	8	11
36	15	16	2	3	130	58	72	-	-	756	266	364	53	73
4	1	1	1	1	7	3	4	-	-	62	18	23	11	10
6	2	4	-	-	8	2	6	-	-	34	13	15	2	4
12	3	7	-	2	53	15	38	-	-	264	77	154	12	21
7	6	1	-	-	29	17	11	-	-	209	91	74	17	27
7	3	3	1	-	34	21	13	-	-	187	67	98	11	11

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	5,330	3,116	2,109	67	38
02 WITH HYPERTENSIVE DISEASE (.0).....	428	189	232	6	1
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	4,902	2,927	1,877	61	37
04 ACUTE MYOCARDIAL INFARCTION.....410	3,244	2,051	1,160	21	12
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	29	19	9	-	1
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,056	1,046	939	46	25
07 ANGINA PECTORIS.....413	1	-	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	225	118	102	2	3
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	3	3	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	6	5	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	24	13	11	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	2	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	22	11	11	-	-
15 SYMPTOMATIC HEART DISEASE.....427	66	30	34	-	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	62	21	41	-	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	61	46	12	2	1
18 CEREBROVASCULAR DISEASES.....430-438	1,805	811	960	18	16
19 WITH HYPERTENSION (BENIGN) (.0).....	212	79	124	3	6
20 WITHOUT MENTION OF HYPERTENSION (.9).....	1,593	732	836	15	10
21 SUBARACHNOID HEMORRHAGE.....430	57	30	25	1	1
22 CEREBRAL HEMORRHAGE.....431	417	204	206	4	3
23 CEREBRAL THROMBOSIS.....433	491	222	264	4	1
24 CEREBRAL EMBOLISM.....434	10	6	4	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	20	12	6	1	1
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	518	221	283	5	9
27 OTHER CEREBROVASCULAR DISEASES.....437,438	292	116	172	3	1
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	512	249	256	5	2
29 ARTERIOSCLEROSIS.....440	321	138	179	2	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	99	72	26	1	-
31 GANGRENE.....445	25	14	10	1	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	67	25	41	1	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	112	57	53	2	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	82	38	42	2	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	30	19	11	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,074	643	391	20	20
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	10	6	3	-	1
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	10	9	-	1	-
39 INFLUENZA.....470-474	133	62	69	1	-
40 PNEUMONIA.....480-486	493	247	219	12	15
41 VIRAL PNEUMONIA.....480	9	4	4	-	1
42 BACTERIAL PNEUMONIA.....481,482	65	28	32	2	3
43 ACUTE INTERSTITIAL PNEUMONIA.....484	9	3	4	2	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	234	121	102	4	7
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	176	91	77	4	4
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	351	280	66	3	2
47 BRONCHITIS, UNQUALIFIED.....490	10	3	5	-	2
48 CHRONIC BRONCHITIS.....491	66	54	11	1	-
49 EMPHYSEMA.....492	250	210	38	2	-
50 ASTHMA.....493	25	13	12	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	3	3	-	-
53 PLEURISY.....511	6	3	2	1	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	21	11	10	-	-
55 BRONCHIECTASIS.....518	9	4	5	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	34	16	14	2	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	513	267	221	14	11
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	-	-	1	1
59 PEPTIC ULCER.....531-533	87	60	25	1	1
60 ULCER OF STOMACH.....531	34	21	12	-	-
61 ULCER OF DUODENUM.....532	46	33	13	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	7	6	-	-	1
63 GASTRITIS AND DUODENITIS.....535	3	1	1	1	-
64 APPENDICITIS.....540-543	12	5	6	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	77	30	42	3	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	18	6	11	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	15	8	7	-	-
69 CIRRHOSIS OF LIVER.....571	141	83	46	6	6
70 ALCOHOLIC.....571.0	95	60	27	5	3
71 OTHER SPECIFIED.....571.8	18	9	7	1	1
72 UNSPECIFIED.....571.9	28	14	12	-	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	63	27	36	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	95	47	47	-	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	222	120	92	8	2
76 NEPHRITIS AND NEPHROSIS.....580-584	74	39	30	4	1
77 ACUTE NEPHRITIS.....580	8	4	4	-	-
78 NEPHROTIC SYNDROME.....581	6	1	5	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	60	34	21	4	1
80 INFECTIONS OF KIDNEY.....590	66	28	37	1	-
81 CALCULI OF URINARY SYSTEM.....592,594	11	5	5	1	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	32	18	11	2	1
83 HYPERPLASIA OF PROSTATE.....600	29	29	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	10	1	9	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	...	3	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION I - GENERAL MORTALITY

1-267

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	NEVADA				Total	NEW HAMPSHIRE				Total	NEW JERSEY				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
890	587	262	23	18	2,664	1,515	1,148	1	-	27,387	14,361	11,085	1,056	845	01
82	44	33	2	3	255	108	147	-	-	3,044	1,324	1,443	146	131	02
808	543	229	21	15	2,409	1,407	1,001	1	-	24,343	13,037	9,642	950	714	03
502	365	115	13	9	1,642	1,055	586	1	-	13,280	7,926	4,632	442	280	04
2	1	1	-	-	7	3	4	-	-	196	127	57	5	7	05
386	221	146	10	9	1,013	456	557	-	-	13,910	6,308	6,395	649	558	06
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	07
81	51	24	4	2	125	54	70	-	1	986	466	387	67	66	08
1	1	-	-	-	2	1	1	-	-	17	10	2	2	3	09
1	1	-	-	-	2	-	2	-	-	22	10	10	-	2	10
3	2	1	-	-	5	2	3	-	-	22	12	10	-	-	11
1	1	-	-	-	2	-	-	-	-	2	-	2	-	-	12
2	1	1	-	-	3	1	1	-	-	6	5	1	-	-	13
44	23	19	1	1	52	16	35	-	1	494	217	209	31	37	15
9	7	1	1	-	42	22	20	-	-	262	135	97	18	12	16
23	17	3	2	1	22	13	9	-	-	169	82	59	16	12	17
310	142	146	17	5	801	348	452	1	-	6,277	2,548	3,145	264	320	18
52	22	23	5	2	106	45	61	-	-	802	290	407	47	58	19
258	120	123	12	3	695	303	391	1	-	5,475	2,258	2,738	217	262	20
14	5	7	1	1	29	10	19	-	-	338	115	158	31	34	21
68	32	31	4	1	207	98	108	1	-	1,400	617	635	76	72	22
55	23	28	3	1	266	104	162	-	-	2,176	888	1,152	51	85	23
2	1	1	-	-	2	1	1	-	-	43	16	22	2	3	24
7	5	2	-	-	7	4	3	-	-	82	34	37	6	5	25
120	57	53	8	2	183	85	98	-	-	1,313	529	645	63	76	26
44	19	24	1	-	107	46	61	-	-	925	349	496	35	45	27
82	50	31	-	1	361	164	197	-	-	1,831	865	853	65	48	28
38	24	13	-	1	267	107	160	-	-	981	394	539	21	27	29
22	14	8	-	-	54	37	17	-	-	468	314	118	26	10	30
3	1	2	-	-	11	5	6	-	-	100	40	51	6	3	31
19	11	8	-	-	29	15	14	-	-	282	117	145	12	8	32
37	19	17	-	1	60	34	26	-	-	541	235	234	33	39	33
34	17	16	1	1	52	28	24	-	-	497	218	216	26	37	34
3	2	1	-	-	8	6	2	-	-	44	17	18	7	2	35
292	192	81	15	4	470	299	170	-	1	3,734	1,997	1,264	292	181	36
2	-	1	-	1	9	4	5	-	-	16	7	6	2	1	37
3	2	3	1	-	6	6	-	-	-	67	30	17	12	8	38
6	3	3	-	-	30	11	19	-	-	147	53	86	6	2	39
126	65	49	10	2	225	115	109	-	1	2,220	1,036	871	185	128	40
11	6	3	1	1	11	5	6	-	-	100	45	42	7	6	41
25	13	10	2	-	39	21	18	-	-	315	157	106	35	17	42
9	4	4	1	-	2	1	1	-	-	14	8	4	-	2	43
29	16	12	1	-	71	38	33	-	-	1,275	604	507	99	65	44
52	26	20	5	1	102	50	51	-	1	516	222	212	44	38	45
124	98	22	4	-	162	136	26	-	-	877	628	168	59	22	46
3	2	1	-	-	4	3	1	-	-	33	11	16	4	2	47
15	13	2	-	-	33	28	5	-	-	158	112	35	8	3	48
99	79	16	4	-	112	100	12	-	-	621	490	87	38	6	49
7	4	3	-	-	13	5	8	-	-	65	15	30	9	11	50
3	1	2	-	-	3	2	1	-	-	39	19	14	3	3	51
-	-	-	-	-	3	2	1	-	-	14	7	7	-	-	52
7	5	2	-	-	10	7	3	-	-	125	89	29	5	2	53
2	2	-	-	-	4	2	2	-	-	52	27	21	1	3	54
19	16	2	-	1	18	14	4	-	-	177	101	45	19	12	56
195	120	60	9	6	259	146	113	-	-	2,847	1,505	990	209	143	57
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	58
23	15	5	2	1	36	27	9	-	-	363	235	93	30	5	59
10	5	3	2	-	9	4	5	-	-	162	88	53	19	2	60
9	7	2	-	-	20	16	4	-	-	149	113	26	8	2	61
4	3	-	-	1	7	7	-	-	-	52	34	14	3	1	62
2	2	-	-	-	4	1	3	-	-	33	13	16	4	-	63
4	2	1	1	1	5	5	-	-	-	47	29	10	4	4	64
17	12	3	1	1	32	12	20	-	-	269	108	125	19	17	65
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	66
5	2	3	-	-	15	4	11	-	-	139	54	77	2	6	67
3	1	2	-	-	8	3	5	-	-	53	27	25	-	1	68
102	60	36	5	1	90	61	29	-	-	1,239	696	366	97	80	69
36	21	13	2	-	35	25	10	-	-	376	221	107	26	22	70
22	10	9	2	1	9	8	1	-	-	165	63	67	19	16	71
44	29	14	1	-	46	28	18	-	-	698	412	152	52	42	72
7	3	4	-	-	15	8	7	-	-	164	67	89	4	4	73
32	23	6	1	2	54	25	29	-	-	537	275	187	49	26	74
45	19	21	4	1	113	56	57	-	-	913	454	325	70	64	75
13	6	5	2	-	37	19	18	-	-	302	131	117	25	29	76
2	2	-	-	-	4	2	2	-	-	17	5	6	2	4	77
2	2	-	-	-	1	1	-	-	-	17	8	6	-	1	78
9	2	5	2	-	32	16	16	-	-	268	118	105	21	24	79
11	5	5	-	1	44	19	25	-	-	293	118	123	22	20	80
1	1	-	-	-	1	-	1	-	-	50	28	17	3	2	81
12	4	6	2	-	22	10	12	-	-	143	73	47	16	7	82
3	3	-	-	-	7	7	-	-	-	86	83	-	3	-	83
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	84
5	-	5	-	-	2	1	1	-	-	47	21	19	1	6	85
7	...	5	...	2	4	...	4	...	-	32	...	21	...	11	86
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	87
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	88
1	...	-	...	1	-	...	-	...	-	6	...	6	...	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	1	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	1	...	1	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	1	...	-	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	8	2	5	-	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	2	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	5	-	4	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	50	13	37	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	31	8	23	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	-	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	17	4	13	-	-
18 XIV. CONGENITAL ANOMALIES.....	124	58	58	2	6
19 SPINA BIFIDA.....741	6	1	5	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	25	11	13	-	1
21 CONGENITAL ANOMALIES OF HEART.....746	45	21	20	2	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	8	4	3	-	1
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	39	21	16	-	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	272	141	106	15	10
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	44	23	18	1	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	5	3	2	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	39	20	16	1	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,133	741	333	45	14
30 ACCIDENTS.....E800-E949	939	618	280	29	12
31 RAILWAY ACCIDENTS.....E800-E807	7	5	-	1	1
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	451	310	127	8	6
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	433	297	122	8	6
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	39	24	15	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	216	156	57	1	2
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	32	14	12	2	4
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	46	33	13	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	92	65	22	5	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	8	5	3	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	18	13	5	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	7	4	3	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	10	10	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	14	12	2	-	-
44 ACCIDENTAL POISONING.....E850-E877	28	15	12	-	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	10	2	8	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	4	2	1	-	1
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	14	11	3	-	-
48 ACCIDENTAL FALLS.....E880-E887	177	80	91	5	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	45	25	19	1	-
50 FALL ON SAME LEVEL.....E885,E886	22	8	13	1	-
51 OTHER AND UNSPECIFIED FALLS.....E887	110	47	59	3	1
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	56	26	20	8	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	37	28	6	2	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	16	13	3	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	20	17	2	1	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	60	55	3	2	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	3	1	1	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	-	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	10	10	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	46	44	1	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	9	5	4	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	47	38	7	2	-
64 SUICIDE.....E950-E959	138	93	42	2	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	15	1	13	-	1
66 SUICIDE FROM POISONING BY GASES.....E951,E952	23	16	7	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	31	21	10	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	65	55	8	2	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	4	-	4	-	-
70 HOMICIDE.....E960-E978	36	12	9	14	1
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	21	7	5	8	1
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	1	-	-	1	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	10	3	4	3	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	2	-	2	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	19	17	2	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex, United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3	...	2	...	1	-	...	-	...	-	4	...	2	...	2
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
2	...	2	...	-	2	...	2	...	-	7	...	4	...	3
1	...	1	...	-	2	...	2	...	-	10	...	4	...	6
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
2	1	1	-	-	5	1	4	-	-	67	24	36	3	4
1	1	-	-	-	1	-	1	-	-	16	10	5	-	1
1	-	1	-	-	4	1	3	-	-	51	14	31	3	3
12	5	6	1	-	26	6	20	-	-	151	40	89	10	12
5	2	3	-	-	18	4	14	-	-	52	15	29	3	5
-	-	-	-	-	1	-	1	-	-	5	1	4	-	-
-	-	-	-	-	1	-	-	-	-	7	5	2	-	-
7	3	3	1	-	6	2	4	-	-	3	1	2	-	-
44	21	14	4	5	65	38	27	-	-	84	18	52	7	7
3	2	1	-	-	3	2	1	-	-	556	272	197	35	52
3	1	2	-	-	19	14	5	-	-	31	13	16	-	2
15	6	5	2	2	14	9	5	-	-	79	38	31	4	6
1	1	-	-	-	5	1	4	-	-	251	132	78	14	27
1	-	-	1	-	1	-	-	-	-	40	17	14	3	6
21	11	6	1	3	24	12	12	-	-	1	1	-	-	-
136	77	42	11	6	128	78	50	-	-	154	71	58	14	11
34	18	13	1	2	87	52	35	-	-	1,483	623	401	272	187
2	1	-	1	-	2	1	1	-	-	12	3	8	-	1
32	17	13	-	2	85	51	34	-	-	276	124	96	31	25
536	354	129	37	16	493	332	160	-	1	288	127	104	31	26
382	260	87	23	12	380	255	124	-	1	12	3	8	-	1
4	3	1	-	-	-	-	-	-	-	276	124	96	31	25
193	144	31	12	6	168	124	44	-	-	4,052	2,157	1,165	541	189
190	141	31	12	6	165	121	44	-	-	3,048	1,643	921	338	146
5	4	1	-	-	-	-	-	-	-	17	13	1	3	3
46	37	7	2	-	41	27	14	-	-	1,349	807	341	141	60
23	19	5	1	1	24	18	6	-	-	1,331	795	339	138	59
24	18	3	2	1	53	40	13	-	-	11	7	3	-	1
38	23	8	6	1	36	30	6	-	-	473	266	138	49	20
52	40	7	2	3	11	6	5	-	-	360	212	98	33	17
3	3	-	-	-	3	3	-	-	-	220	146	40	25	9
2	-	2	-	-	2	2	-	-	-	213	138	43	24	8
2	2	-	-	-	11	9	2	-	-	54	26	17	7	4
32	28	4	-	-	14	12	2	-	-	18	12	2	3	1
17	9	8	-	-	13	7	6	-	-	8	6	2	-	-
8	4	4	-	-	1	1	-	-	-	40	30	2	6	2
6	2	4	-	-	3	2	1	-	-	30	21	8	1	-
3	3	-	-	-	9	4	5	-	-	145	75	35	27	8
40	21	14	4	1	66	26	39	-	1	72	35	18	16	3
9	6	2	1	-	17	11	5	-	-	34	16	9	7	2
2	-	2	-	-	2	2	-	-	-	39	24	8	4	3
29	15	10	3	1	47	13	34	-	-	697	283	344	40	30
16	4	9	1	2	26	15	11	-	-	216	112	67	26	11
23	13	8	-	2	23	20	3	-	-	36	13	21	-	2
9	3	4	1	1	9	5	4	-	-	216	158	256	14	17
8	6	1	-	-	4	3	1	-	-	216	83	77	42	14
14	11	1	-	-	20	18	2	-	-	164	106	19	34	5
-	-	-	-	-	2	2	-	-	-	90	39	28	12	11
4	2	-	2	-	1	1	-	-	-	26	19	3	4	-
-	-	-	-	-	1	-	-	-	-	103	85	8	9	1
-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
3	3	-	-	-	1	-	1	-	-	9	2	4	2	1
7	6	1	-	-	3	2	1	-	-	9	2	4	2	1
6	3	3	-	-	13	13	-	-	-	18	18	-	-	-
16	13	1	2	-	13	8	5	-	-	66	57	3	6	-
109	75	31	3	-	99	71	28	-	-	54	21	23	3	7
23	9	14	-	-	10	2	8	-	-	109	55	30	16	8
18	11	7	-	-	20	17	3	-	-	530	342	155	27	6
5	3	-	2	-	15	10	5	-	-	75	22	51	2	-
56	47	9	-	-	45	37	8	-	-	79	52	25	2	-
7	5	1	1	-	9	5	4	-	-	160	114	37	8	1
33	12	7	10	4	11	3	8	-	-	151	115	25	10	1
20	7	3	8	2	6	4	4	-	-	65	39	17	5	4
6	1	3	2	-	1	-	1	-	-	372	121	64	155	32
6	3	1	-	2	4	-	3	-	-	169	60	28	69	12
1	-	-	-	-	1	-	1	-	-	100	26	10	55	9
1	1	-	-	-	4	1	3	-	-	96	30	26	29	11
11	7	4	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	1	-	-	-	-	7	5	-	2	-
1	-	-	1	-	1	-	-	-	-	100	50	25	20	5
1	-	-	1	-	1	-	-	-	-	2	1	-	1	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	7,157	3,926	2,554	408	269
02 I. INFECTIVE AND PARASITIC DISEASES.....	120	47	32	24	17
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	3	1	-	1	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	4	-	3	1	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	38	16	6	9	7
09 TUBERCULOSIS, ALL FORMS.....010-019	32	14	7	7	4
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	21	11	6	4	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	2	-	-	-	2
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	3	-	-	1	2
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	6	3	1	2	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	1	-	1	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	3	-	1	1	1
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	12	5	4	1	2
27 OTHER BACTERIAL DISEASES.....007, 021, 024-027, 031, 039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	1	-	-	-
30 SMALL POX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	-	2	1	1
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	6	2	4	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045, 046, 051-054, 056, 057, 061, 067, 068, 072-079	6	1	3	1	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086, 087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	5	3	1	1	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	3	1	1	1	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	1	-	-	-
50 ALL OTHER SYPHILIS.....095, 097.0, 097.9	1	1	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASSES.....121, 123, 124, 127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	5	4	-	1	-
58 II. NEOPLASMS.....	1,058	523	482	29	24
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,039	513	474	29	23
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	16	13	1	2	-
61 OF LIP.....140	1	1	-	-	-
62 OF TONGUE.....141	2	2	-	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	5	4	1	-	-
64 OF PHARYNX.....146-149	8	6	-	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	313	147	148	8	10
66 OF ESOPHAGUS.....150	20	16	4	-	-
67 OF STOMACH.....151	82	42	35	4	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	1	1	1	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	77	37	39	1	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	14	6	8	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	3	2	1	-	-
72 DESCENDING COLON.....153.2	1	1	-	-	-
73 SIGMOID COLON.....153.3	13	6	6	1	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	40	21	19	-	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	6	1	5	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	24	10	14	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	7	4	2	-	1
78 OF GALLBLADDER AND BILE DUCTS.....156	28	7	16	-	5
79 OF PANCREAS.....157	65	27	34	1	3
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158, 159	7	3	3	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	172	132	36	3	1
82 OF LARYNX.....161	5	5	-	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	159	122	33	3	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160, 163	8	4	3	1	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	120	25	93	1	1
86 OF BONE.....170	8	5	2	1	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	4	3	1	-	-
88 OF SKIN.....172, 173	25	17	8	-	-
89 OF BREAST.....174	83	-	82	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA						
Total	White		All other		Total	White		All other		Total	White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
193,167	94,153	79,414	11,110	8,490	44,339	18,758	13,225	6,977	5,379	5,601	3,272	2,201	76	52	01	
1,608	710	477	252	169	524	161	121	134	108	38	19	14	1	4	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
5	1	2	1	1	9	1	3	4	1	1	-	-	-	-	-	04
7	5	2	-	-	4	-	3	-	1	1	-	1	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
156	80	84	17	15	88	17	24	26	21	10	4	5	-	-	-	07
718	348	123	165	82	144	49	22	48	25	10	5	1	1	1	1	08
612	293	98	147	74	109	43	15	35	16	5	4	-	-	-	-	09
13	4	1	5	3	3	1	-	1	1	1	-	-	-	-	-	10
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	11
4	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	12
16	2	7	3	4	8	1	-	2	5	2	-	-	1	1	1	13
72	48	15	8	1	22	4	7	8	3	2	1	1	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
50	22	17	4	7	38	17	8	5	8	1	-	1	-	-	-	23
7	1	1	-	5	1	-	-	1	-	-	-	-	-	-	-	24
283	117	116	27	23	107	38	25	18	26	5	4	1	-	-	-	25
32	18	2	4	1	17	4	3	5	5	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
8	2	6	-	-	1	1	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
3	2	1	-	-	2	-	2	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
18	10	5	1	2	10	8	-	2	2	2	2	-	-	-	-	32
2	1	1	-	-	1	-	-	-	-	1	-	1	-	-	-	33
91	30	41	11	9	14	2	8	2	2	-	-	-	-	-	-	34
52	28	21	2	1	37	9	12	7	9	4	3	1	-	-	-	35
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
42	16	4	17	5	15	3	3	6	3	2	1	1	-	-	-	41
3	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
3	-	1	-	2	1	-	-	1	-	1	-	1	-	-	-	44
15	7	1	9	2	8	2	1	3	2	-	-	-	-	-	-	45
4	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	46
5	1	1	3	1	1	-	1	-	1	1	1	-	-	-	-	47
6	3	-	2	1	4	1	-	2	1	-	-	-	-	-	-	48
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
89	28	41	3	17	33	9	8	10	6	2	-	2	-	-	-	56
35,326	17,208	15,261	1,545	1,312	5,982	2,470	2,115	767	630	988	547	426	7	8	58	
34,775	16,967	15,008	1,529	1,271	5,854	2,420	2,071	752	611	982	543	424	7	8	59	
775	499	178	81	17	160	81	44	29	6	9	5	3	1	-	-	60
15	13	2	-	-	2	2	-	-	-	1	-	-	1	-	-	61
231	163	41	23	4	28	14	8	5	1	1	-	1	-	-	-	62
239	140	73	22	4	61	26	25	8	2	2	2	-	-	-	-	63
290	183	62	36	9	69	39	11	16	3	5	3	2	-	-	-	64
11,220	5,547	4,753	533	387	1,466	568	531	203	164	339	181	156	1	1	65	
727	403	162	125	37	105	47	23	25	10	13	13	-	-	-	-	66
2,046	1,121	726	115	84	277	97	65	74	41	93	54	39	-	-	-	67
77	40	33	1	3	13	6	6	-	1	2	-	2	-	-	-	68
4,161	1,862	2,057	112	130	496	177	229	32	58	88	43	45	-	-	-	69
543	217	288	18	20	57	22	28	3	4	11	5	6	-	-	-	70
200	70	116	6	8	14	7	4	2	1	4	2	2	-	-	-	71
109	47	54	4	4	13	8	3	-	2	1	1	-	-	-	-	72
797	363	401	17	16	49	24	19	3	3	11	4	7	-	-	-	73
2,312	1,065	1,106	62	79	346	111	167	23	45	59	30	29	-	-	-	74
200	100	92	5	3	17	5	8	1	3	2	1	1	-	-	-	75
1,406	777	553	41	35	127	48	56	12	11	38	16	22	-	-	-	76
237	132	64	35	6	39	20	11	7	1	12	7	5	-	-	-	77
507	179	306	7	15	56	16	34	2	4	20	9	10	-	-	-	78
1,870	951	765	86	68	328	149	97	47	35	66	35	30	1	-	-	79
189	82	87	11	9	25	8	10	4	3	7	4	3	-	-	-	80
6,759	5,014	1,999	446	100	1,065	734	141	166	24	141	111	27	2	1	81	
354	287	29	30	8	49	34	6	8	1	4	4	-	-	-	-	82
6,283	4,659	1,124	411	89	993	692	129	152	20	130	104	24	2	1	83	
122	68	46	5	3	23	8	6	6	3	7	3	3	-	-	-	84
4,352	423	3,626	21	282	711	96	478	17	120	100	13	85	1	1	85	
166	70	70	12	2	46	21	20	4	1	4	3	1	-	-	-	86
143	78	57	5	3	24	9	11	3	1	3	3	-	-	-	-	87
401	229	162	3	7	117	66	39	8	4	15	7	7	1	-	-	88
3,642	34	3,337	1	270	524	-	408	2	114	78	-	77	-	-	-	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	139	51	78	7	3
02 OF CERVIX UTERI.....180	30	...	29	...	1
03 OF OTHER PARTS OF UTERUS.....181,182	17	...	16	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	30	...	30
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	3	...	1
06 OF PROSTATE.....185	51	44	...	7	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	7	7
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	53	35	15	1	2
09 OF BLADDER.....188	25	19	5	...	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	28	16	10	1	1
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	109	52	52	3	2
12 OF EYE.....190	1	...	1
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	22	14	8
14 OF THYROID GLAND.....193	2	...	2
15 OTHER.....194-199	84	38	41	3	2
16 LEUKEMIA.....204-207	54	28	25	...	1
17 LYMPHATIC LEUKEMIA.....204	18	9	9
18 MYELOID LEUKEMIA.....205	23	14	8	...	1
19 MONOCYTIC LEUKEMIA.....206	3	2	1
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	10	3	7
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	63	30	26	4	3
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	27	12	12	2	1
23 HODGKIN'S DISEASE.....201	12	5	5	1	1
24 MULTIPLE MYELOMA.....203	13	7	5	...	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	11	6	4	1	...
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	19	10	8	...	1
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	3	2	1
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	7	3	3	...	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	5	1
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	...	2
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	170	69	82	7	12
34 NONTOXIC GOITER.....240,241
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	7	1	6
37 DIABETES MELLITUS.....250	121	52	56	5	8
38 DISEASES OF PITUITARY GLAND.....253	2	...	1	...	1
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255	4	2	1	1	...
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	15	7	5	1	2
43 CYSTIC FIBROSIS.....273.0
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	20	6	13	...	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	27	11	13	2	1
46 ANEMIAS.....280-285	19	9	8	2	...
47 DEFICIENCY ANEMIAS.....280,281	3	2	1
48 HEMOLYTIC ANEMIAS.....282,283	2	...	2
49 APLASTIC ANEMIA.....284	8	4	2	2	...
50 OTHER AND UNSPECIFIED ANEMIAS.....285	6	3	3
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	1	...	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	7	2	4	...	1
53 V. MENTAL DISORDERS.....	52	34	6	10	2
54 SENILE AND PRESENILE DEMENTIAS.....290	3	...	3
55 ALCOHOLIC PSYCHOSES.....291	4	3	...	1	...
56 ALL OTHER PSYCHOSES.....294-299	3	2	1
57 ALCOHOLISM.....303	38	26	1	9	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2	2
59 MENTAL RETARDATION.....310-315	2	1	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	81	37	29	8	7
61 MENINGITIS.....320	15	5	4	4	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	3	1
63 MULTIPLE SCLEROSIS.....340
64 PARALYSIS AGITANS.....342	13	10	3
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	...	1
66 EPILEPSY.....345	11	4	5	1	1
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	37	15	15	3	4
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,779	1,547	1,113	65	54
73 ACTIVE RHEUMATIC FEVER.....390-392	1	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	77	34	33	6	4
75 DISEASES OF MITRAL VALVE.....394	20	8	12
76 DISEASES OF AORTIC VALVE.....395	15	8	5	2	...
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	6	1	4	...	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	36	17	12	4	3
79 HYPERTENSIVE DISEASE.....400-404	70	38	28	3	1
80 MALIGNANT HYPERTENSION.....400	1	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	1
82 HYPERTENSIVE HEART DISEASE.....402	24	11	12	1	...
83 HYPERTENSIVE RENAL DISEASE.....403	34	20	11	2	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	10	6	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,876	1,416	2,063	163	234	878	231	335	163	149	146	94	48	-	4
558	...	452	...	106	196	...	114	...	82	18	...	15	...	3
602	...	548	...	54	99	...	66	...	33	10	...	10	...	03
1,051	...	980	...	71	164	...	136	...	28	22	...	21	...	04
86	...	83	...	3	25	...	19	...	6	2	...	2	...	05
1,482	1,328	...	154	...	375	217	...	158	...	91	06
97	88	...	9	...	19	14	...	5	...	3	07
1,676	1,085	498	93	34	236	124	66	29	17	46	31	15	-	08
1,002	702	256	24	20	137	66	39	20	12	24	20	4	-	09
668	383	242	29	14	99	58	27	9	5	22	11	11	-	10
2,970	1,373	1,352	134	111	743	298	288	75	82	73	33	40	-	11
36	22	13	-	1	6	1	5	-	-	-	-	-	-	12
737	394	294	16	33	160	84	59	10	7	25	15	10	-	13
127	47	70	4	6	18	6	10	-	2	6	2	4	-	14
2,070	910	975	114	71	559	207	214	65	73	42	16	26	-	15
1,322	670	570	35	47	280	135	90	33	22	61	41	19	1	16
421	221	177	11	12	99	52	26	15	6	26	20	6	-	17
518	264	220	15	19	92	40	39	6	7	23	12	10	1	18
38	23	13	-	2	5	4	-	-	1	4	4	-	-	19
345	162	160	9	14	84	39	25	12	8	8	5	3	-	20
1,831	940	769	63	59	315	153	98	37	27	67	34	31	1	21
755	395	320	22	18	78	37	27	9	5	21	13	8	-	22
352	202	135	7	8	67	35	21	10	1	10	5	5	-	23
425	191	189	23	26	90	41	25	9	15	24	10	12	1	24
295	152	125	11	7	80	40	25	9	6	12	6	6	-	25
551	241	253	16	41	128	50	44	15	19	6	4	2	-	26
48	...	32	...	16	7	...	2	...	5	-	...	-	...	27
80	33	45	3	7	20	9	6	...	3	2	...	2	...	28
80	43	31	5	1	17	7	6	2	2	3	3	-	-	29
2	...	2	...	-	-	...	-	...	-	-	...	-	...	30
201	93	97	5	6	61	23	24	7	7	-	-	-	-	31
132	72	46	3	11	23	11	6	4	2	1	1	-	-	32
4,324	1,637	2,127	234	326	1,038	352	345	112	229	122	59	58	2	33
5	2	1	1	1	1	-	1	-	-	-	-	-	-	34
32	7	19	2	4	8	-	2	2	4	-	-	-	-	35
47	11	31	3	2	8	3	5	-	1	1	1	1	-	36
3,677	1,367	1,843	178	289	866	293	290	89	194	88	41	42	2	37
28	10	12	5	1	7	3	2	1	2	-	-	-	-	38
1	1	-	-	-	2	-	1	-	-	2	1	1	-	39
35	13	17	2	3	6	-	4	2	-	4	3	1	-	40
1	-	-	1	-	1	-	1	-	-	-	-	-	-	41
161	69	72	13	7	50	16	11	11	12	8	4	4	-	42
50	22	27	-	1	22	11	10	-	1	3	-	3	-	43
287	135	105	29	18	67	26	18	7	16	16	10	6	-	44
448	167	201	42	38	130	38	47	21	24	20	9	10	1	45
296	103	133	26	34	103	28	35	18	22	14	7	7	-	46
49	10	31	4	4	11	2	6	2	1	1	7	1	-	47
66	13	15	14	24	33	3	5	10	15	1	1	-	-	48
110	46	54	5	5	32	16	13	3	-	7	4	3	-	49
71	34	33	3	1	27	7	11	3	6	5	2	3	-	50
72	25	34	9	4	12	5	6	1	-	5	1	3	1	51
80	39	34	7	-	15	5	6	2	2	1	1	-	-	52
846	384	131	245	86	295	132	45	86	32	25	13	8	4	53
28	9	18	-	1	9	4	4	-	1	4	1	3	-	54
57	26	6	23	2	29	19	1	7	2	5	3	-	2	55
28	14	11	2	1	11	5	5	1	-	2	-	2	-	56
593	286	58	184	65	193	86	18	69	20	9	9	-	-	57
125	45	31	35	14	35	14	13	4	4	3	-	3	-	58
15	4	7	1	3	18	4	4	5	5	2	-	-	2	59
1,475	680	595	125	75	371	136	105	77	49	59	36	21	1	60
172	74	52	29	17	56	14	13	21	8	3	2	-	-	61
54	42	9	2	1	22	9	8	4	1	3	1	2	-	62
165	49	104	2	10	27	9	9	5	4	8	2	6	-	63
323	162	151	3	7	46	25	17	2	2	20	15	5	-	64
43	21	15	1	6	17	7	4	4	2	4	2	2	-	65
201	80	56	50	15	62	18	13	19	12	5	3	1	1	66
2	1	1	-	-	-	-	-	-	-	-	-	-	-	67
9	2	6	1	-	1	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
20	9	5	4	2	6	-	3	1	2	-	-	-	-	70
486	240	196	33	17	134	53	42	21	18	16	11	5	-	71
105,547	51,775	46,637	3,906	3,629	23,283	9,928	7,475	3,106	2,774	3,017	1,764	1,212	20	21
38	18	12	5	3	12	4	5	2	1	1	1	-	-	73
1,999	751	1,085	73	90	280	110	111	33	26	51	23	26	1	74
465	137	294	13	21	71	18	34	12	7	15	5	9	1	75
380	230	126	14	10	82	48	18	13	3	13	7	6	-	76
62	27	32	1	2	9	4	4	1	-	2	2	-	-	77
1,092	357	633	45	57	118	40	55	7	16	21	9	11	-	78
2,110	805	978	144	183	702	175	172	180	175	56	29	26	1	79
153	47	49	30	27	63	8	11	25	19	5	3	2	-	80
87	27	46	7	7	27	3	7	5	12	4	2	2	-	81
1,005	314	522	67	102	138	29	34	33	42	17	7	10	-	82
472	231	182	27	32	185	63	43	45	34	16	9	7	-	83
393	186	179	13	15	289	72	77	72	68	14	8	5	1	84

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,608	991	570	27	20
02 WITH HYPERTENSIVE DISEASE (.0).....	137	66	65	2	4
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,471	925	505	25	16
04 ACUTE MYOCARDIAL INFARCTION.....410	987	664	294	17	12
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	8	1	7	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	613	326	269	10	8
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	131	69	55	5	2
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	3	2	1	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	1	-	-	1	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	6	4	2	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	3	2	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	3	2	1	-	-
15 SYMPTOMATIC HEART DISEASE.....427	60	25	32	2	1
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	14	6	8	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	47	32	12	2	1
18 CEREBROVASCULAR DISEASES.....430-438	636	289	314	14	19
19 WITH HYPERTENSION (BENIGN) (.0).....	82	30	44	3	5
20 WITHOUT MENTION OF HYPERTENSION (.9).....	554	259	270	11	14
21 SUBARACHNOID HEMORRHAGE.....430	17	6	10	-	1
22 CEREBRAL HEMORRHAGE.....431	169	79	76	7	7
23 CEREBRAL THROMBOSIS.....433	141	61	76	2	2
24 CEREBRAL EMBOLISM.....434	3	1	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	13	11	2	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	205	97	96	5	7
27 OTHER CEREBROVASCULAR DISEASES.....437,438	88	34	52	-	2
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	173	91	77	2	3
29 ARTERIOSCLEROSIS.....440	95	43	48	1	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	39	26	12	1	-
31 GANGRENE.....445	5	4	1	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	34	18	16	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	83	34	36	8	5
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	78	33	34	6	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	5	1	2	2	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	640	380	206	33	21
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	8	6	2	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	13	10	1	1	1
39 INFLUENZA.....470-474	41	24	13	1	3
40 PNEUMONIA.....480-486	324	163	119	27	15
41 VIRAL PNEUMONIA.....480	13	8	4	-	1
42 BACTERIAL PNEUMONIA.....481,482	43	21	11	7	4
43 ACUTE INTERSTITIAL PNEUMONIA.....484	11	6	1	2	2
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	96	55	34	5	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	161	73	69	13	6
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	177	126	48	3	-
47 ACUTE BRONCHITIS AND BRONCHIOLITIS.....490	3	-	2	1	-
48 CHRONIC BRONCHITIS.....491	30	19	11	-	-
49 EMPHYSEMA.....492	133	104	27	2	-
50 ASTHMA.....493	11	3	8	-	-
51 HYPERTROPHY OF TONSILLS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	4	2	-	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	26	16	8	1	1
55 BRONCHIECTASIS.....518	5	2	3	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	40	29	10	-	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	397	223	113	25	36
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	40	30	9	-	1
60 ULCER OF STOMACH.....531	17	14	2	-	1
61 ULCER OF DUODENUM.....532	19	13	6	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	4	3	1	-	-
63 GASTRITIS AND DUODENITIS.....535	1	-	1	-	-
64 APPENDICITIS.....540-543	7	4	1	-	2
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	44	19	23	1	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	10	5	4	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	3	1	1	-	1
69 CIRRHOSIS OF LIVER.....571	165	91	37	16	21
70 ALCOHOLIC.....571.0	74	37	12	11	14
71 OTHER SPECIFIED.....571.8	24	13	5	2	4
72 UNSPECIFIED.....571.9	67	41	20	3	3
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	30	15	9	3	3
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	96	57	28	4	7
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	111	54	39	11	7
76 NEPHRITIS AND NEPHROSIS.....580-584	33	14	10	7	2
77 ACUTE NEPHRITIS.....580	2	-	1	1	-
78 NEPHROTIC SYNDROME.....581	1	1	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	30	13	9	6	2
80 INFECTIONS OF KIDNEY.....590	28	12	11	3	2
81 CALCULI OF URINARY SYSTEM.....592,594	5	1	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	24	10	10	1	3
83 HYPERPLASIA OF PROSTATE.....600	14	14	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	7	3	4	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	7	...	6	...	1
87 ECTOPIC PREGNANCY.....631	1	...	-	...	1
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
76,346	39,513	31,832	2,673	2,328	13,787	6,616	4,143	1,637	1,391	1,944	1,218	703	12	11	01
8,503	3,330	4,220	437	516	2,161	699	630	361	471	212	94	116	-	-	02
67,843	36,183	27,612	2,236	1,812	11,626	5,617	3,513	1,276	920	1,732	1,124	587	12	9	03
34,237	19,908	12,870	815	644	8,510	4,696	2,237	930	647	1,272	867	391	8	6	04
210	106	95	5	4	50	32	9	3	6	8	6	2	-	-	05
41,891	19,492	18,866	1,853	1,680	5,221	1,886	1,897	700	738	664	345	310	4	5	06
8	7	1	-	-	6	2	-	4	-	-	-	-	-	-	07
2,018	924	843	161	90	1,212	492	274	266	180	06	47	37	1	1	08
61	11	22	6	2	16	4	6	4	2	2	2	-	-	-	09
68	29	27	9	3	13	4	2	6	1	2	2	-	-	-	10
105	50	51	3	1	23	5	9	7	2	4	1	3	-	-	11
11	5	6	-	-	1	1	-	-	-	-	-	-	-	-	12
34	15	18	1	-	6	1	2	2	1	-	-	-	-	-	13
60	30	27	2	1	16	3	7	5	1	4	1	3	-	-	14
1,063	485	469	68	41	464	165	138	90	71	51	27	23	1	-	15
302	141	135	15	11	118	35	38	20	25	11	6	5	-	-	16
439	208	139	60	32	578	279	81	139	79	16	9	6	-	1	17
16,785	6,752	8,709	611	713	5,687	1,902	2,145	817	823	639	321	309	1	8	18
2,568	908	1,274	179	207	803	215	222	173	193	80	42	38	-	-	19
14,217	5,844	7,435	432	506	4,884	1,687	1,923	644	630	559	279	271	1	8	20
1,007	328	497	74	108	267	90	95	38	44	31	12	17	-	-	21
4,072	1,697	1,966	208	201	1,235	385	420	224	206	150	70	77	-	3	22
4,880	2,042	2,645	84	109	1,654	541	666	215	232	129	65	62	-	2	23
119	44	68	4	3	20	7	9	2	2	2	1	1	-	-	24
267	133	113	12	9	94	41	39	10	4	12	8	4	-	-	25
3,566	1,411	1,826	143	180	1,584	548	548	251	237	219	115	102	1	1	26
2,880	1,097	1,594	86	103	833	290	368	77	98	96	50	46	-	-	27
5,096	2,380	2,430	155	131	1,212	485	484	120	123	210	106	101	3	-	28
2,962	1,150	1,667	76	69	650	214	300	67	69	134	58	75	1	-	29
1,216	832	302	51	31	247	149	56	23	19	41	29	10	2	-	30
225	91	117	12	5	73	15	35	14	9	11	7	4	-	-	31
693	307	344	16	26	242	107	93	16	26	24	12	12	-	-	32
1,555	632	748	84	91	391	144	141	51	55	30	19	10	1	-	33
1,415	567	689	75	84	347	129	128	39	51	26	18	7	1	-	34
140	65	59	9	7	44	15	13	12	4	4	1	3	-	-	35
12,888	6,683	4,579	955	671	2,652	1,204	708	439	301	387	242	131	12	2	36
71	25	27	10	9	33	6	12	11	4	1	1	-	-	-	37
171	71	67	17	16	25	9	12	2	2	1	-	-	-	-	38
534	237	270	7	20	178	51	72	29	26	35	17	18	-	-	39
8,203	3,712	3,321	666	504	1,506	564	433	292	217	216	126	83	7	-	40
122	47	63	1	11	56	21	13	13	9	6	3	3	-	-	41
1,371	630	486	164	91	169	71	54	21	23	26	18	7	1	-	42
39	17	14	4	4	40	6	7	14	13	1	1	-	-	-	43
5,708	2,562	2,381	426	339	503	194	156	88	65	107	59	47	1	-	44
963	456	377	71	59	738	272	203	156	107	76	45	26	5	-	45
2,673	1,899	557	141	76	633	429	116	61	27	95	79	13	2	1	46
75	35	32	5	3	30	9	10	5	6	2	1	-	-	-	47
672	492	142	31	7	118	81	27	7	3	23	17	4	2	-	48
1,635	1,289	265	68	13	419	321	57	37	4	64	58	6	-	-	49
291	83	118	37	53	66	18	22	12	14	6	3	2	-	1	50
8	-	2	3	3	2	2	-	-	-	-	-	-	-	-	51
135	74	31	24	6	40	17	5	13	5	3	2	-	1	-	52
49	23	14	8	4	10	6	2	1	1	1	-	-	1	-	53
325	192	101	29	7	67	34	20	8	5	14	8	5	-	1	54
108	64	36	7	1	26	11	10	4	1	2	1	1	-	-	55
607	386	153	43	25	132	75	26	18	13	19	8	10	1	-	56
8,838	4,444	2,887	938	569	1,398	597	456	204	141	183	106	66	6	5	57
3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	58
1,139	709	335	69	26	179	99	47	25	8	30	22	6	1	1	59
486	277	160	36	13	56	30	17	8	1	15	10	5	-	-	60
522	349	138	24	11	84	47	21	11	5	14	11	1	1	1	61
131	83	37	9	2	39	22	9	6	2	1	-	-	-	-	62
35	17	15	2	1	7	4	2	1	-	-	-	-	-	-	63
155	71	60	16	8	36	12	8	9	7	3	2	1	-	-	64
752	299	381	36	36	164	52	55	41	16	26	14	11	1	-	65
1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	66
376	154	206	6	10	43	20	19	3	1	10	4	6	-	-	67
120	59	53	4	4	13	5	4	3	1	4	1	3	-	-	68
4,377	2,220	1,076	689	392	450	207	129	57	57	48	37	7	2	2	69
1,608	769	315	341	183	143	77	28	21	17	22	20	1	1	1	70
733	350	183	126	74	113	42	39	18	14	6	2	4	-	-	71
2,036	1,101	578	222	135	194	88	62	18	26	20	15	2	1	2	72
427	186	221	7	13	106	37	56	6	7	21	8	12	-	1	73
1,453	727	538	109	79	397	160	135	59	43	41	18	20	2	1	74
2,689	1,287	954	199	249	845	308	236	173	128	90	53	37	-	-	75
847	367	289	84	107	266	85	62	66	53	23	11	12	-	-	76
80	40	31	2	7	27	6	7	8	6	2	2	-	-	-	77
39	17	19	1	2	21	6	2	7	6	-	-	-	-	-	78
728	310	239	81	98	218	73	53	51	41	21	9	12	-	-	79
763	287	359	40	77	289	90	109	47	43	19	10	9	-	-	80
99	41	47	3	8	40	15	17	2	6	4	-	4	-	-	81
512	248	195	39	30	163	60	40	42	21	24	14	10	-	-	82
309	283	...	26	...	63	49	...	14	...	13	13	...	-	...	83
4	1	2	-	1	1	1	-	-	-	-	-	-	-	-	84
155	60	62	7	26	23	9	7	2	5	7	5	2	-	-	85
85	...	41	...	44	36	...	18	...	18	2	...	1	...	1	86
10	...	1	...	9	2	...	1	...	1	-	...	-	...	-	87
5	...	2	...	3	7	...	4	...	3	-	...	-	...	-	88
13	...	5	...	8	3	...	2	...	1	-	...	-	...	-	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	2	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	3	...	3	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	9	4	5	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	4	1	3	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	5	3	2	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	28	10	16	-	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	11	5	6	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	14	4	8	-	2
18 XIV. CONGENITAL ANOMALIES.....	81	43	27	6	5
19 SPINA BIFIDA.....741	3	1	1	-	1
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	11	4	5	2	-
21 CONGENITAL ANOMALIES OF HEART.....746	26	17	7	1	1
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	7	4	1	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	34	17	13	1	3
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	261	132	93	17	19
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	233	118	53	36	26
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	7	1	4	2	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	226	117	49	34	26
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,103	694	239	135	35
30 ACCIDENTS.....E800-E949	886	537	268	107	34
31 RAILWAY ACCIDENTS.....E800-E807	8	4	1	3	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	455	284	106	53	15
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	448	280	100	53	15
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	8	5	2	-	1
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	158	101	38	17	2
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	73	38	17	15	3
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	39	25	7	4	3
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	131	88	25	13	5
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	39	23	11	4	1
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	7	4	3	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	2	-	-	2
42 WATER TRANSPORT ACCIDENTS.....E830-E838	8	8	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	13	11	1	1	-
44 ACCIDENTAL POISONING.....E850-E877	62	31	22	5	4
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	25	13	9	1	2
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	6	4	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	31	14	11	4	2
48 ACCIDENTAL FALLS.....E880-E887	65	27	29	7	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	21	12	4	4	1
50 FALL ON SAME LEVEL.....E885,E886	-	-	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	44	15	25	3	1
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	39	22	6	9	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	47	26	14	5	2
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	23	15	5	1	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	28	24	3	1	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	47	40	5	2	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	7	6	1	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	7	7	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	33	27	4	2	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	15	8	7	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	72	35	12	20	5
64 SUICIDE.....E950-E959	147	112	19	16	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	19	9	1	1	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	14	13	1	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	11	10	-	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	100	78	8	14	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	3	2	1	-	-
70 HOMICIDE.....E960-E978	59	95	12	11	1
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	39	23	9	7	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	7	1	1	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	9	3	2	3	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	10	9	-	1	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

1-277

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
20	...	10	...	10	4	...	2	...	2	-	...	-	...	-	01
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	02
8	...	4	...	4	1	...	1	...	-	-	...	-	...	-	03
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	04
8	...	2	...	6	2	...	-	...	2	-	...	-	...	-	05
10	...	7	...	3	9	...	5	...	4	1	...	-	...	1	06
25	...	15	...	10	11	...	4	...	7	1	...	1	...	-	07
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	08
150	57	77	8	8	61	18	20	14	9	7	4	3	-	-	09
37	21	14	1	1	9	3	3	2	1	2	1	1	-	-	10
113	36	63	7	7	52	15	17	12	8	5	3	2	-	-	11
406	109	236	18	43	137	31	62	11	33	15	4	11	-	-	12
103	36	56	2	9	57	15	34	3	5	6	1	5	-	-	13
19	5	8	2	4	4	1	1	1	1	-	-	-	-	-	14
12	5	7	-	-	3	1	1	1	-	-	-	-	-	-	15
22	11	11	-	-	2	2	-	-	-	-	-	-	-	-	16
250	52	154	14	30	71	12	26	6	27	9	3	6	-	-	17
1,467	645	592	112	118	405	159	134	62	50	59	30	26	3	-	18
63	23	36	1	3	31	7	17	3	4	6	1	5	-	-	19
233	91	107	13	22	54	21	24	4	5	10	5	5	-	-	20
614	289	219	56	50	165	59	53	29	24	26	16	7	3	-	21
137	51	62	13	11	26	10	8	5	3	2	1	1	-	-	22
4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	23
416	189	167	29	31	129	62	32	21	14	15	7	8	-	-	24
3,780	1,601	1,102	585	492	1,372	516	343	284	229	102	55	46	1	-	25
1,572	657	539	229	147	1,172	383	199	345	245	29	18	11	-	-	26
26	8	18	-	-	58	11	19	8	20	12	6	6	-	-	27
1,546	649	521	229	147	1,114	372	180	337	225	17	12	5	-	-	28
11,318	6,109	2,978	1,717	514	4,638	2,325	792	1,142	379	458	313	120	18	7	29
7,590	4,202	2,299	819	270	3,440	1,741	650	769	280	388	264	105	13	6	30
55	39	5	10	1	28	15	1	11	1	3	3	-	-	-	31
3,287	2,038	822	317	110	1,858	1,001	334	403	120	205	133	59	9	4	32
3,244	2,007	811	316	110	1,816	977	324	397	118	201	130	59	8	4	33
42	22	15	5	-	42	22	11	9	-	10	8	2	-	-	34
911	540	274	62	35	592	328	146	95	23	93	52	38	2	1	35
989	548	263	132	46	319	111	46	116	46	15	7	3	4	1	36
565	396	89	62	18	190	111	23	50	6	29	18	9	2	-	37
331	226	74	25	6	568	353	70	107	38	51	44	5	2	2	38
406	275	96	30	5	105	52	28	20	5	3	1	2	-	-	39
43	31	11	1	-	42	24	10	6	2	4	3	-	1	-	40
11	6	4	1	-	4	3	1	-	-	-	-	-	-	-	41
94	71	16	6	1	51	34	3	11	3	2	2	2	-	-	42
63	45	17	1	-	33	31	2	-	3	7	7	-	-	-	43
452	213	65	143	31	81	40	14	19	8	8	8	-	-	-	44
332	145	31	133	23	24	11	9	2	2	-	-	-	-	-	45
44	26	10	4	4	32	17	2	11	2	1	1	-	-	-	46
76	42	24	6	4	25	12	3	6	4	7	7	-	-	-	47
1,805	764	891	105	45	339	125	148	99	27	52	23	27	1	1	48
527	276	172	62	17	72	33	16	19	4	15	11	3	1	-	49
85	37	44	3	1	16	6	10	-	-	5	1	4	-	-	50
1,193	451	675	40	27	251	86	122	20	23	32	11	20	-	1	51
414	163	135	74	42	290	105	49	75	61	20	15	4	1	-	52
311	197	42	66	6	189	103	15	64	7	12	11	1	-	-	53
234	126	90	11	7	98	36	26	19	17	6	5	-	1	-	54
52	41	5	5	1	79	50	5	22	6	6	6	-	-	-	55
276	216	33	24	3	157	104	8	39	6	35	31	4	-	-	56
8	6	1	1	-	3	-	-	3	-	-	-	-	-	-	57
27	17	6	4	-	13	8	1	2	2	2	1	1	-	-	58
25	11	10	6	2	3	-	1	-	2	-	-	-	-	-	59
50	44	3	3	-	33	26	4	1	2	4	4	-	-	-	60
162	138	13	10	1	105	70	2	33	-	29	26	3	-	-	61
194	90	86	11	7	65	28	17	11	9	7	2	5	-	-	62
342	193	88	45	16	168	66	27	56	19	25	18	5	1	1	63
1,215	833	325	37	20	521	387	84	39	11	57	42	12	2	1	64
187	60	112	4	11	34	10	20	1	3	4	4	2	1	1	65
163	120	42	1	-	26	25	1	-	-	6	4	2	-	-	66
328	237	79	8	4	38	30	4	2	2	18	12	5	1	-	67
342	300	27	13	2	387	306	47	31	3	25	25	-	-	-	68
195	116	65	11	3	36	16	12	5	3	4	1	3	-	-	69
1,257	486	113	545	113	561	148	40	298	75	6	2	2	2	-	70
544	225	40	242	37	413	117	29	218	49	1	1	-	-	-	71
426	142	20	218	46	76	11	4	52	9	1	-	-	1	-	72
251	105	52	64	30	60	15	7	21	17	3	-	2	1	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
36	14	1	21	-	12	5	-	7	-	1	1	-	-	-	75
1,251	586	241	313	111	113	48	18	34	13	7	5	1	1	-	76
5	2	-	3	-	3	1	-	2	-	-	-	-	-	-	77

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	102,993	51,993	41,602	5,290	4,108
02 I. INFECTIVE AND PARASITIC DISEASES.....	808	364	277	104	63
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	3	2	-	-	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	3	1	2	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	133	63	57	7	6
09 TUBERCULOSIS, ALL FORMS.....010-019	266	134	50	57	25
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	219	108	36	51	24
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	3	-	1	2	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	-	1	-
14 DISSEMINATED TUBERCULOSIS.....018	4	1	1	1	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	39	25	12	2	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	1	-	1	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	1	1	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	29	14	14	1	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	121	54	46	12	9
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	17	6	7	2	2
28 ACUTE POLIOMYELITIS.....040-043	2	2	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	6	5	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	2	1	1	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	24	9	12	2	1
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	48	12	28	3	5
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	55	22	26	5	2
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	42	17	10	10	5
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	3	2	-	-	1
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	20	6	6	5	3
47 TABES DORSALIS.....094,0	4	3	1	1	-
48 GENERAL PARESIS.....094,1	4	3	-	1	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	7	1	3	3	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	4	2	1	-	1
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	53	21	20	5	7
58 II. NEOPLASMS.....	17,450	8,632	7,258	915	645
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	17,201	8,514	7,145	906	632
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	341	239	69	21	12
61 OF LIP.....140	9	9	-	-	-
62 OF TONGUE.....141	79	53	21	4	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	108	73	26	6	3
64 OF PHARYNX.....146-149	145	104	22	11	8
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	5,098	2,541	2,108	286	163
66 OF ESOPHAGUS.....150	330	212	50	54	14
67 OF STOMACH.....151	819	473	254	69	23
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	39	20	17	2	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,937	853	949	72	63
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	300	130	145	15	10
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	80	34	45	1	-
72 DESCENDING COLON.....153,2	60	27	27	1	5
73 SIGMOID COLON.....153,3	327	150	155	10	12
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	1,055	470	513	39	33
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	115	42	64	6	3
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	622	342	246	14	20
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	120	58	38	16	8
78 OF GALLBLADDER AND BILE DUCTS.....156	276	97	167	5	7
79 OF PANCREAS.....157	860	448	338	49	25
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	95	38	49	5	3
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	3,486	2,538	586	303	59
82 OF LARYNX.....161	161	131	17	11	2
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,246	2,365	535	287	55
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	79	42	30	5	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,960	215	1,605	17	123
86 OF BONE.....170	107	52	42	7	6
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	61	27	29	1	4
88 OF SKIN.....172,173	219	124	83	6	6
89 OF BREAST.....174	1,573	12	1,451	3	107

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,740	13,191	9,942	1,481	1,126	19,048	10,991	7,696	233	128	131,275	65,772	54,144	6,370	4,989	01
252	120	83	19	30	110	70	31	5	4	1,148	566	351	154	77	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	04
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	05
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	06
35	18	12	4	5	17	8	7	-	2	123	57	55	7	4	07
74	42	12	9	11	27	23	3	1	-	500	285	90	92	33	08
58	34	7	9	8	21	19	1	1	-	424	250	74	78	22	09
2	1	1	-	-	1	1	-	-	-	3	2	-	-	1	10
1	1	-	-	-	-	-	-	-	-	5	2	1	-	2	11
-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	12
5	1	1	-	3	2	1	1	-	-	21	5	6	6	4	13
8	5	3	-	-	3	2	1	-	-	45	24	9	8	4	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	20
2	1	-	-	1	-	-	-	-	-	2	-	2	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
12	7	4	1	-	5	5	-	-	-	41	20	16	4	1	23
3	1	1	-	1	1	-	-	-	-	1	-	1	-	-	24
51	25	20	1	5	21	8	11	1	1	201	83	79	24	15	25
1	-	1	-	-	5	-	4	-	-	24	9	5	6	4	26
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	27
4	1	3	-	-	2	2	-	-	-	4	3	1	-	-	28
1	-	-	1	-	1	1	-	-	-	2	-	2	-	-	29
7	3	4	-	-	1	1	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
10	3	5	-	2	5	3	2	-	-	24	15	8	1	-	32
14	5	8	-	1	11	9	1	1	1	5	1	4	-	-	33
1	1	-	-	-	-	-	-	-	-	44	13	28	1	2	34
1	1	1	-	-	-	-	-	-	-	68	29	34	3	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
7	3	-	1	3	5	2	1	2	-	43	23	6	9	5	41
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	43
4	2	-	-	-	1	-	1	-	-	18	8	4	3	3	44
1	1	-	-	2	2	1	-	-	-	1	1	1	-	-	45
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	46
1	-	-	1	-	1	1	-	-	-	17	9	1	6	1	47
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
20	9	8	2	1	7	6	1	-	-	63	25	20	7	11	56
4,136	2,037	1,717	200	182	3,285	1,811	1,416	39	19	22,190	10,966	9,419	1,062	743	57
4,078	2,015	1,691	195	177	3,245	1,790	1,397	39	19	21,839	10,799	9,266	1,049	725	58
83	52	27	3	1	73	48	23	2	-	474	364	74	30	6	59
4	3	1	-	-	1	1	-	-	-	10	8	2	-	-	60
17	12	4	1	-	25	19	6	-	-	123	96	17	8	2	61
20	9	10	1	-	16	8	8	-	-	136	104	23	7	2	62
42	28	12	1	1	31	20	9	2	-	205	156	32	15	2	63
1,070	506	458	52	54	872	490	368	9	5	6,679	3,300	2,837	325	217	64
52	33	12	5	2	44	38	3	3	-	406	234	91	72	9	65
175	93	56	14	12	165	112	51	2	-	1,176	651	404	86	35	66
5	4	-	-	-	7	1	6	-	-	43	17	19	3	4	67
397	167	200	11	19	303	144	153	2	4	2,540	1,149	1,244	58	89	68
48	22	23	1	2	38	16	22	-	-	287	114	150	6	17	69
9	5	4	-	-	12	8	4	-	-	109	44	59	2	4	70
12	3	7	1	1	5	1	3	-	-	88	36	47	2	3	71
55	29	22	-	2	57	29	28	-	1	419	200	197	11	11	72
257	103	132	8	14	177	86	86	2	3	1,472	677	709	34	52	73
18	5	12	1	-	14	4	10	-	-	165	78	82	3	2	74
100	40	51	4	5	90	59	30	1	-	879	487	342	28	22	75
31	16	10	3	2	25	14	10	1	-	127	76	34	13	4	76
56	19	31	3	3	43	14	29	-	-	352	101	237	7	7	77
230	122	89	11	8	189	107	81	-	1	1,051	540	416	54	41	78
24	12	8	1	3	6	1	5	-	-	105	45	50	4	6	79
842	633	149	46	14	674	546	115	11	2	4,208	3,188	632	329	59	80
32	27	3	2	-	19	17	2	-	-	203	163	21	13	6	81
793	598	139	42	14	641	520	108	11	2	3,910	2,960	586	311	53	82
17	8	7	2	-	14	9	5	-	-	95	65	25	5	-	83
425	72	328	7	22	396	51	340	1	4	2,582	294	2,133	13	142	84
25	13	7	4	1	17	6	10	1	-	124	63	49	5	7	85
12	8	4	-	-	25	13	11	-	-	108	67	32	3	6	86
75	49	23	3	-	48	28	20	-	-	267	150	110	4	3	87
317	2	294	-	21	306	4	259	-	3	2,083	14	1,942	1	126	88

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,223	812	1,167	104	140
02 OF CERVIX UTERI.....180	408	...	345	...	63
03 OF OTHER PARTS OF UTERUS.....181,182	344	...	307	...	37
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	500	...	466	...	34
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	55	...	49	...	6
06 OF PROSTATE.....185	857	754	...	103	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	59	58	...	1	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	795	499	234	33	29
09 OF BLADDER.....188	443	289	120	20	14
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	352	210	114	13	15
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,536	734	675	69	58
12 OF EYE.....190	25	11	14	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	398	224	147	14	13
14 OF THYROID GLAND.....193	53	22	29	-	2
15 OTHER.....194-199	1,060	477	485	55	43
16 LEUKEMIA.....204-207	798	422	323	30	23
17 LYMPHATIC LEUKEMIA.....204	304	170	114	13	7
18 MYELOID LEUKEMIA.....205	260	139	108	5	6
19 MONOCYTIC LEUKEMIA.....206	74	33	37	3	1
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	160	80	64	9	7
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	964	514	392	43	25
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	385	206	163	11	5
23 HODGKIN'S DISEASE.....201	198	116	75	6	1
24 MULTIPLE MYELOMA.....203	183	77	73	18	15
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	198	115	71	8	4
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	249	118	109	9	13
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	6	...	2	...	4
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	41	17	21	1	2
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	38	20	15	2	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	...	2	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	102	50	45	4	3
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	60	31	24	2	3
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,852	1,045	1,539	93	175
34 NONTOXIC GOITER.....240,241	4	2	2	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	22	4	16	-	2
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	19	6	12	-	1
37 DIABETES MELLITUS.....250	2,432	877	1,331	72	152
38 DISEASES OF PITUITARY GLAND.....253	20	5	12	-	3
39 DISEASES OF THYMUS GLAND.....254	3	2	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	17	6	11	-	-
41 NIACIN DEFICIENCY.....262	1	1	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	126	48	64	7	7
43 CYSTIC FIBROSIS.....273,0	24	12	12	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	184	82	78	14	10
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	271	126	111	17	17
46 ANEMIAS.....280-285	183	79	79	14	11
47 DEFICIENCY ANEMIAS.....280,281	40	17	22	1	-
48 HEMOLYTIC ANEMIAS.....282,283	34	10	11	7	6
49 APLASTIC ANEMIA.....284	61	31	24	2	4
50 OTHER AND UNSPECIFIED ANEMIAS.....285	48	21	22	4	1
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	29	10	15	1	3
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	59	37	17	2	3
53 V. MENTAL DISORDERS.....	296	161	72	45	18
54 SENILE AND PRESENILE DEMENTIAS.....290	27	14	13	-	-
55 ALCOHOLIC PSYCHOSES.....291	29	24	1	4	-
56 ALL OTHER PSYCHOSES.....294-299	17	6	8	1	2
57 ALCOHOLISM.....303	163	96	20	33	14
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	48	20	28	6	2
59 MENTAL RETARDATION.....310-315	12	1	10	1	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	935	459	371	52	53
61 MENINGITIS.....320	71	30	25	10	6
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	42	26	10	4	2
63 MULTIPLE SCLEROSIS.....340	106	46	46	3	11
64 PARALYSIS AGITANS.....342	181	83	89	5	4
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	52	35	14	1	2
66 EPILEPSY.....345	85	44	26	9	6
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	4	2	2	-	-
69 GLAUCOMA.....375	1	1	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	11	6	5	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	382	186	154	20	22
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	57,482	28,734	24,459	2,231	2,058
73 ACTIVE RHEUMATIC FEVER.....390-392	19	8	8	1	2
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	1,003	440	487	42	34
75 DISEASES OF MITRAL VALVE.....394	285	100	167	10	8
76 DISEASES OF AORTIC VALVE.....395	227	148	57	13	9
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	46	20	23	1	2
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	445	172	240	18	15
79 HYPERTENSIVE DISEASE.....400-404	1,972	791	831	180	170
80 MALIGNANT HYPERTENSION.....400	74	24	26	13	11
81 ESSENTIAL BENIGN HYPERTENSION.....401	84	22	51	4	7
82 HYPERTENSIVE HEART DISEASE.....402	749	268	344	58	79
83 HYPERTENSIVE RENAL DISEASE.....403	336	141	136	35	24
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	729	336	274	70	49

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
572	224	268	34	46	408	179	219	5	5	2,641	1,010	1,372	135	124	01
108	...	88	...	20	46	...	42	...	4	410	...	360	...	50	02
87	...	70	...	17	54	...	54	375	...	343	...	32	03
109	...	100	...	9	116	...	115	...	1	640	...	602	...	38	04
10	...	10	...	-	8	...	0	...	-	71	...	67	...	4	05
250	217	...	33	...	176	171	...	5	...	1,082	949	...	133	...	06
8	7	...	1	...	8	8	...	-	...	63	61	...	2	...	07
155	96	47	13	3	153	107	43	3	...	1,056	641	332	49	34	08
87	55	24	5	3	85	61	22	2	-	620	395	177	25	23	09
72	41	23	8	-	68	46	21	1	-	436	246	155	24	11	10
473	199	226	24	24	286	152	130	2	2	2,174	981	1,023	83	87	11
10	7	3	-	-	2	1	1	-	-	22	10	11	-	1	12
84	39	39	2	4	94	55	39	-	-	455	231	194	14	16	13
8	3	4	-	1	11	6	5	-	-	80	27	47	2	4	14
371	150	180	22	19	179	90	85	2	2	1,617	713	771	67	66	15
206	108	86	9	3	195	109	82	4	-	894	459	373	35	27	16
74	35	36	2	1	92	58	32	2	-	306	175	114	10	7	17
80	42	32	5	1	51	24	27	-	-	348	167	156	12	13	18
11	8	3	-	-	21	11	10	-	-	25	10	14	1	-	19
41	23	15	2	1	31	16	13	2	-	215	107	89	12	7	20
244	125	102	7	10	188	108	77	2	1	1,131	562	490	50	29	21
100	50	45	1	4	66	30	35	1	-	426	208	198	12	8	22
42	24	16	2	-	42	26	16	-	-	228	125	85	13	5	23
62	26	28	3	5	48	28	19	1	-	254	124	96	20	14	24
40	25	13	1	1	32	24	7	-	1	223	105	111	5	2	25
58	22	26	5	5	40	21	19	-	-	351	167	153	13	18	26
2	...	2	...	-	1	...	1	...	-	12	...	9	...	3	27
6	2	3	1	-	8	3	5	-	-	41	17	21	1	2	28
6	1	5	-	-	11	8	3	-	-	49	22	22	1	4	29
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	30
30	12	12	2	4	6	3	3	-	-	166	84	69	9	4	31
13	7	4	2	-	14	7	7	-	-	83	44	32	2	5	32
587	224	279	37	47	368	161	200	4	3	3,460	1,245	1,885	109	221	33
1	-	1	-	-	1	-	1	-	-	2	-	1	-	1	34
9	-	3	2	4	2	1	1	-	-	29	8	15	2	4	35
5	-	5	-	-	3	2	1	-	-	29	3	23	1	2	36
451	169	218	29	35	280	122	152	3	3	2,995	1,043	1,685	80	187	37
3	1	2	-	-	1	-	1	-	-	16	6	7	3	3	38
7	1	-	-	-	4	1	2	1	-	5	1	1	1	-	39
1	-	4	2	-	-	-	-	-	-	30	11	16	2	1	40
55	23	25	2	5	35	13	22	-	-	1	1	-	-	41	41
14	7	6	-	1	9	6	3	-	-	144	59	64	10	11	42
40	22	14	2	2	33	16	17	-	-	23	12	11	-	4	43
76	28	40	2	6	38	21	16	1	-	186	99	62	10	15	44
59	21	30	2	6	28	16	11	1	-	296	131	133	15	17	45
10	3	7	-	-	10	0	2	-	-	199	87	86	10	16	46
9	4	3	-	2	2	2	-	-	-	46	12	32	1	1	47
22	7	11	2	2	11	3	8	-	-	34	12	11	5	6	48
18	7	9	-	2	5	3	1	1	-	59	34	19	2	4	49
8	4	4	-	-	2	-	2	-	-	60	29	24	2	5	50
9	3	6	-	-	8	5	3	-	-	34	16	18	-	-	51
109	50	27	21	11	67	45	19	2	1	63	28	29	5	1	52
8	1	5	2	-	11	5	6	-	-	257	136	69	37	15	53
8	3	1	4	-	3	3	-	-	-	24	14	10	-	-	54
6	2	2	1	1	3	1	2	-	-	31	20	1	9	1	55
67	35	11	12	9	38	27	8	2	1	15	7	7	-	1	56
14	7	5	1	1	10	8	2	-	-	106	58	14	24	10	57
6	2	3	1	-	2	1	1	-	-	70	30	33	4	3	58
264	132	105	15	12	180	95	81	2	2	11	7	4	-	-	59
22	8	9	4	1	12	5	5	1	1	1,014	496	429	51	38	60
10	6	3	1	-	11	9	2	-	-	76	30	26	9	11	61
19	7	11	1	-	19	6	13	-	-	41	30	9	2	-	62
40	19	21	-	-	43	25	18	-	-	137	46	85	1	5	63
13	4	7	1	1	2	-	2	-	-	200	103	90	4	3	64
13	8	4	-	1	19	16	2	1	-	50	29	17	1	3	65
1	-	1	-	-	1	1	-	-	-	102	52	29	16	5	66
1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	67
6	2	3	-	1	-	-	-	-	-	2	1	1	-	-	68
140	78	46	8	8	72	33	38	-	1	1	1	1	1	-	69
13,903	7,129	5,600	652	522	10,377	5,847	4,394	87	49	13	8	4	1	-	70
3	-	3	-	-	6	3	3	-	-	389	195	166	17	11	71
132	58	60	8	6	177	72	100	2	3	1,014	496	429	51	38	60
34	9	24	1	-	34	9	24	-	1	76	30	26	9	11	61
33	23	7	1	2	64	41	22	1	-	41	30	9	2	-	62
6	3	3	-	-	15	5	10	-	-	137	46	85	1	5	63
59	23	26	6	4	64	17	44	1	2	200	103	90	4	3	64
348	140	156	21	31	231	108	119	2	2	50	29	17	1	3	65
13	4	8	-	1	10	4	6	-	-	102	52	29	16	5	66
20	7	10	2	1	5	-	-	-	-	3	2	1	-	-	67
135	48	68	6	15	61	28	32	-	1	2	1	1	-	-	68
85	41	38	5	5	34	19	14	1	-	1	1	1	-	-	69
87	40	32	8	7	121	57	62	1	1	648	279	340	17	12	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	37,040	19,924	14,709	1,312	1,095
02 WITH HYPERTENSIVE DISEASE (.0).....	4,897	1,991	2,349	260	297
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	32,143	17,933	12,360	1,052	798
04 ACUTE MYOCARDIAL INFARCTION.....410	19,619	11,932	6,753	525	409
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	196	123	55	10	8
06 CHRONIC ISCHEMIC HEART DISEASE.....412	17,212	7,863	7,895	776	678
07 ANGINA PECTORIS.....413	13	6	6	1	-
08 OTHER FORMS OF HEART DISEASE.....420-429	1,547	758	641	85	63
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	42	16	17	1	8
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	30	14	13	2	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	60	31	26	2	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	6	3	3	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	17	11	6	2	1
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	37	17	17	2	1
15 SYMPTOMATIC HEART DISEASE.....427	875	433	363	42	37
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	261	116	123	16	6
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	279	148	99	22	10
18 CEREBROVASCULAR DISEASES.....430-438	11,612	4,811	5,825	439	537
19 WITH HYPERTENSION (BENIGN) (.0).....	1,447	515	760	77	95
20 WITHOUT MENTION OF HYPERTENSION (.9).....	10,165	4,296	5,065	362	442
21 SUBARACHNOID HEMORRHAGE.....430	522	188	245	33	56
22 CEREBRAL HEMORRHAGE.....431	2,563	1,082	1,228	128	125
23 CEREBRAL THROMBOSIS.....433	3,615	1,502	1,820	131	162
24 CEREBRAL EMBOLISM.....434	71	30	37	2	2
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	214	107	92	10	5
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	2,961	1,220	1,531	88	122
27 OTHER CEREBROVASCULAR DISEASES.....437,438	1,666	682	872	47	65
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,423	1,649	1,565	105	104
29 ARTERIOSCLEROSIS.....440	1,939	779	1,050	55	55
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	763	531	184	26	22
31 GANGRENE.....445	193	99	82	6	6
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	528	240	249	18	21
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	866	353	393	67	53
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	775	313	356	60	46
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	91	40	37	7	7
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,132	3,456	2,004	438	234
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	97	33	29	20	15
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	73	37	28	4	4
39 INFLUENZA.....470-474	367	146	203	12	6
40 PNEUMONIA.....480-486	3,108	1,514	1,213	234	147
41 VIRAL PNEUMONIA.....480	98	48	43	3	4
42 BACTERIAL PNEUMONIA.....481,482	398	225	119	33	21
43 ACUTE INTERSTITIAL PNEUMONIA.....484	123	46	34	25	18
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,561	757	642	99	63
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	928	438	375	74	41
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,778	1,293	346	98	41
47 BRONCHITIS, UNQUALIFIED.....490	52	18	25	7	2
48 CHRONIC BRONCHITIS.....491	312	220	69	14	9
49 EMPHYSEMA.....492	1,265	995	188	66	16
50 ASTHMA.....493	149	60	64	11	14
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	6	5	1	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	52	33	10	7	2
53 PLEURISY.....511	21	12	6	2	1
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	183	119	54	8	2
55 BRONCHIECTASIS.....518	89	49	34	6	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	358	215	80	47	16
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,735	1,965	1,386	216	168
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	4	2	2	-	-
59 PEPTIC ULCER.....531-533	557	344	164	35	14
60 ULCER OF STOMACH.....531	230	141	71	14	4
61 ULCER OF DUODENUM.....532	268	170	69	21	8
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	59	33	24	-	2
63 GASTRITIS AND DUODENITIS.....535	26	12	10	4	-
64 APPENDICITIS.....540-543	81	44	24	7	6
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	407	180	189	23	15
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	5	1	3	-	1
67 DIVERTICULA OF INTESTINE.....562	196	89	100	2	5
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	54	22	27	3	2
69 CIRRHOSIS OF LIVER.....571	1,369	762	440	90	77
70 ALCOHOLIC.....571.0	442	268	117	34	23
71 OTHER SPECIFIED.....571.8	322	159	110	24	29
72 UNSPECIFIED.....571.9	605	335	213	32	25
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	218	84	122	3	9
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	818	425	305	49	39
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,575	788	540	130	117
76 NEPHRITIS AND NEPHROSIS.....580-584	426	185	161	38	42
77 ACUTE NEPHRITIS.....580	39	21	16	1	1
78 NEPHROTIC SYNDROME.....581	16	3	13	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	371	161	132	37	41
80 INFECTIONS OF KIDNEY.....590	542	224	234	39	45
81 CALCULI OF URINARY SYSTEM.....592,594	76	41	26	6	3
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	270	130	98	24	18
83 HYPERPLASIA OF PROSTATE.....600	171	152	...	19	...
84 DISEASES OF BREAST.....610,611	2	1	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	88	55	20	4	9
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	43	...	25	...	18
87 ECTOPIC PREGNANCY.....631	3	...	2	...	1
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	7	...	3	...	4
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	3	...	2	...	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
8,486	4,805	3,065	368	248	6,535	4,027	2,437	55	16	49,744	26,029	21,067	1,368	1,280
724	297	330	45	52	549	238	298	8	5	5,745	2,218	2,961	254	312
7,762	4,508	2,735	323	196	5,986	3,789	2,139	47	11	43,999	23,811	18,106	1,114	968
5,929	3,619	1,918	243	149	3,469	2,327	1,112	25	5	27,596	16,381	10,016	652	547
36	18	12	3	3	36	24	12	-	-	185	101	80	3	1
2,516	1,165	1,133	122	96	3,028	1,674	1,313	30	11	21,956	9,544	10,968	713	731
5	3	2	-	-	2	2	-	-	-	7	3	3	-	1
671	318	280	43	30	261	154	105	2	-	2,348	1,065	1,024	115	144
8	4	4	-	-	7	4	3	-	-	39	26	11	1	1
5	2	2	-	-	7	3	3	1	-	47	28	16	2	1
13	5	7	1	-	9	3	6	-	-	133	59	69	2	3
-	-	-	-	-	-	-	-	-	-	10	2	8	-	-
1	1	-	-	-	1	1	-	-	-	32	16	12	2	2
12	4	7	1	-	8	2	6	-	-	91	41	49	-	1
373	178	155	25	15	131	66	65	-	-	1,277	562	560	65	90
102	40	46	7	9	36	22	14	-	-	461	187	225	23	26
176	89	68	10	5	71	56	14	1	-	391	203	143	22	23
3,303	1,356	1,603	168	176	2,303	1,056	1,201	21	25	12,964	5,430	6,595	417	522
331	113	156	27	35	214	95	111	6	2	1,656	609	848	85	114
2,972	1,243	1,447	141	141	2,089	961	1,090	15	23	11,308	4,821	5,747	332	408
95	35	45	7	8	93	37	54	-	2	573	203	285	33	52
757	301	357	42	57	401	195	194	8	4	2,821	1,274	1,357	99	91
688	285	334	31	38	719	323	385	3	8	4,078	1,681	2,180	99	118
34	16	14	2	2	4	2	2	-	-	96	39	53	2	2
45	18	23	3	1	49	24	24	1	-	198	89	88	8	13
1,154	468	571	63	52	593	277	300	6	10	3,292	1,352	1,636	126	178
530	233	259	20	18	444	198	242	3	1	1,906	792	996	50	68
781	363	365	31	22	733	273	355	4	1	4,238	2,067	1,971	99	101
484	186	269	15	14	470	215	252	2	1	2,496	1,030	1,368	41	57
133	92	29	8	4	141	104	35	2	-	975	691	233	31	20
38	23	12	2	1	26	16	10	-	-	173	82	82	3	6
126	62	55	6	3	96	38	58	-	-	594	264	288	24	18
179	89	68	13	9	131	54	74	1	2	1,435	594	667	90	84
158	78	63	8	9	120	47	71	-	2	1,301	529	610	84	78
21	11	5	5	-	11	7	3	1	-	134	65	57	6	6
1,589	901	527	99	62	1,233	813	400	13	7	8,313	5,197	2,348	512	256
10	3	6	1	-	6	3	3	-	-	39	18	15	1	5
10	6	3	1	-	15	7	8	-	-	71	36	28	6	1
128	38	69	14	7	49	27	19	3	-	370	166	186	9	9
764	358	316	54	36	548	290	247	7	4	3,975	1,994	1,485	320	176
16	9	5	1	1	15	10	5	-	-	162	83	64	11	4
104	44	41	12	7	60	35	21	2	2	570	278	197	60	35
9	4	3	-	2	8	6	2	-	-	46	26	11	5	4
262	135	93	24	10	269	137	131	-	1	1,703	886	640	116	61
373	166	174	17	16	196	102	88	5	1	1,494	721	573	128	72
488	385	73	22	8	461	387	73	1	-	1,829	1,335	366	91	37
13	6	4	2	1	13	8	5	-	-	49	20	23	2	4
54	44	7	3	-	93	77	16	-	-	230	146	72	10	2
381	318	48	11	4	340	292	47	1	-	1,356	1,096	193	56	11
40	17	14	6	3	15	10	5	-	-	194	73	78	23	20
1	1	-	-	-	1	-	-	-	-	3	1	-	2	-
9	7	1	-	1	7	5	2	-	-	73	37	20	11	5
6	6	-	-	-	4	2	2	-	-	24	13	6	3	2
36	15	16	2	3	33	23	9	1	-	252	155	72	15	10
27	19	8	-	-	10	7	3	-	-	87	58	21	7	1
110	63	35	5	7	99	62	34	1	2	1,590	1,384	149	47	10
949	477	345	62	65	629	392	221	9	7	4,762	2,489	1,798	268	207
1	-	-	1	-	1	-	-	1	-	6	-	5	-	1
133	81	38	8	6	86	57	28	-	-	609	377	179	39	14
44	25	13	4	2	32	17	15	-	-	266	146	94	19	7
72	45	21	3	3	40	30	9	1	-	264	181	62	16	5
17	11	4	1	1	14	10	4	-	-	79	50	23	4	2
14	5	4	1	4	3	2	1	-	-	44	27	14	3	-
11	9	2	-	-	14	10	3	1	-	96	46	41	6	3
108	43	55	6	4	71	37	34	-	-	561	208	306	25	22
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-
35	12	21	-	2	29	9	19	-	1	253	94	147	5	7
12	3	8	-	1	18	10	8	-	-	70	28	38	1	3
322	182	85	30	25	254	182	61	6	5	1,695	998	494	116	87
117	63	22	14	18	113	88	17	6	2	504	314	110	48	32
34	18	12	2	2	48	34	14	-	-	318	162	119	16	21
171	101	51	14	5	93	60	30	-	3	873	522	265	52	34
55	22	27	-	6	24	12	11	-	1	272	120	138	5	9
258	120	105	16	17	129	73	56	-	-	1,152	589	434	68	61
552	250	205	57	40	244	138	97	6	3	1,811	884	642	155	130
194	79	67	25	23	71	39	27	5	-	627	292	218	66	51
15	8	5	2	1	5	3	1	1	-	62	33	20	5	4
11	6	4	-	-	4	2	2	-	-	23	13	6	2	7
160	65	58	23	22	62	34	24	4	-	542	246	192	59	45
184	58	102	13	11	83	39	42	-	2	483	195	213	36	39
15	9	4	2	-	4	3	1	-	-	69	33	31	1	4
89	47	25	11	6	50	26	23	-	1	380	181	142	34	23
37	34	...	3	...	22	21	...	1	...	141	129	...	12	...
-	-	-	-	-	-	-	-	-	-	2	-	1	-	...
33	23	7	3	-	14	10	4	-	-	109	54	37	6	12
9	...	9	...	-	2	...	1	...	1	33	...	22	...	11
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-
1	...	1	...	-	-	...	-	...	-	5	...	4	...	1
1	...	1	...	-	1	...	1	...	-	5	...	4	...	1

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	6	...	2	...	4
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	5	...	1	...	4
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	1	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	10	...	8	...	2
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	12	...	7	...	5
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	...	1	...	1
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	108	39	53	5	11
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	22	12	7	2	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	86	27	46	3	10
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	249	79	142	12	16
13 ARTHRITIS AND SPONDYLITIS.....710-715	106	36	59	6	5
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	8	2	5	1	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	4	2	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	10	8	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	121	31	74	5	11
18 XIV. CONGENITAL ANOMALIES.....	887	427	365	50	45
19 SPINA BIFIDA.....741	39	16	21	2	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	167	69	81	6	11
21 CONGENITAL ANOMALIES OF HEART.....746	355	187	133	18	17
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	49	20	24	3	2
23 CLEFT PALATE AND CLEFT LIP.....749	3	2	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	274	133	105	21	15
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,269	1,134	708	248	179
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	381	164	144	43	30
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	28	6	20	1	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	353	158	124	42	29
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,520	4,420	2,148	691	261
30 ACCIDENTS.....E800-E949	5,584	3,347	1,698	382	157
31 RAILWAY ACCIDENTS.....E800-E807	28	22	2	3	1
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	2,642	1,750	686	152	54
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	2,589	1,711	674	150	54
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	109	75	30	4	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	962	590	308	47	17
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	381	227	100	38	16
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	461	344	77	31	9
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	291	219	50	17	5
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	385	256	109	13	7
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	53	39	12	2	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	8	2	6	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	57	47	6	4	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	80	63	16	1	-
44 ACCIDENTAL POISONING.....E850-E877	213	115	55	32	11
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	40	17	14	6	3
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	37	20	9	5	3
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	136	78	32	21	5
48 ACCIDENTAL FALLS.....E880-E887	1,200	518	587	59	36
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	373	189	135	33	16
50 FALL ON SAME LEVEL.....E885,E886	51	19	30	2	-
51 OTHER AND UNSPECIFIED FALLS.....E887	776	310	422	24	20
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	322	148	107	38	29
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	212	191	37	24	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	140	71	54	11	4
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	77	52	5	17	3
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	251	205	26	19	1
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	5	1	1	3	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	28	22	6	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	10	3	4	2	1
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	46	39	5	2	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	162	140	10	12	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	107	57	42	4	4
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	247	146	69	18	14
64 SUICIDE.....E950-E959	1,163	801	306	39	17
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	136	46	84	1	5
66 SUICIDE FROM POISONING BY GASES.....E951,E952	171	129	40	-	2
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	199	131	61	6	1
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	575	456	91	22	6
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	82	39	30	10	3
70 HOMICIDE.....E960-E978	644	211	162	256	75
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	462	144	56	184	58
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	70	17	13	38	2
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	104	41	33	16	14
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	28	9	-	18	1
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	125	57	42	14	12
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	4	4	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	-	...	-	...	-	6	...	1	...	5
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1
-	...	-	...	-	-	...	-	...	-	4	...	-	...	4
5	...	5	...	-	-	...	-	...	-	3	...	3	...	06
2	...	2	...	-	-	...	-	...	-	12	...	8	...	4
-	...	-	...	-	-	...	-	...	-	-	...	-	...	08
20	12	7	1	-	18	9	9	-	-	135	44	64	12	15
5	4	1	-	-	5	1	4	-	-	36	20	12	3	1
15	8	6	1	-	13	8	5	-	-	99	24	52	9	14
70	19	46	1	4	49	13	33	-	3	293	92	170	10	21
41	11	30	-	-	20	6	14	-	-	109	32	75	-	2
1	-	1	-	-	1	-	1	-	-	10	3	5	-	2
3	-	3	-	-	-	-	-	-	-	13	6	5	2	1
-	-	-	-	-	1	-	1	-	-	15	3	11	-	1
25	8	12	1	4	27	7	17	-	3	146	48	74	8	16
175	86	70	11	8	154	73	77	4	-	970	437	431	62	40
10	5	5	-	-	5	3	2	-	-	55	16	36	3	-
30	13	15	2	-	43	15	26	2	-	168	71	85	5	7
67	31	25	4	7	51	29	21	1	-	387	167	174	29	17
9	4	4	1	-	7	3	4	-	-	65	35	20	9	1
1	-	-	-	1	-	-	-	-	-	1	1	-	-	23
58	33	21	4	-	48	23	24	1	-	294	147	116	16	15
479	227	173	49	30	357	190	146	9	12	2,474	1,130	802	307	235
463	217	165	51	30	238	140	86	8	4	2,619	1,022	534	639	424
55	22	27	3	3	15	5	9	1	-	47	12	35	-	27
408	195	138	48	27	223	135	77	7	4	2,572	1,010	499	639	424
2,107	1,282	544	204	77	1,699	1,173	469	44	13	7,689	4,527	2,157	757	248
1,633	973	463	137	60	1,304	906	362	31	5	5,822	3,495	1,730	434	163
5	3	-	2	-	5	3	2	-	-	36	24	5	7	-
800	505	207	66	22	680	487	175	16	2	2,662	1,771	682	154	55
784	493	204	65	22	672	480	174	16	2	2,627	1,749	671	153	53
29	21	6	1	1	24	17	7	-	-	31	18	8	4	34
154	103	38	8	5	166	105	57	4	-	865	555	246	46	18
69	39	17	11	2	93	63	26	4	-	529	311	156	44	18
30	23	6	-	1	60	48	11	1	-	483	339	107	25	12
71	50	16	4	1	118	96	17	4	1	312	236	54	22	3
431	257	121	41	12	211	151	56	3	1	404	290	100	12	2
16	12	3	1	-	8	7	1	-	-	35	22	11	1	1
4	-	2	2	-	5	3	2	-	-	13	7	6	-	41
8	7	1	-	-	33	30	-	3	-	35	24	6	-	42
28	24	4	-	-	27	21	6	-	-	56	42	14	5	-
46	24	17	2	3	21	11	8	2	-	227	98	49	63	17
14	5	7	-	2	11	5	5	1	-	103	25	23	44	11
11	6	5	-	-	6	3	2	1	-	30	14	10	4	2
21	13	5	2	1	4	3	1	-	-	94	59	16	15	4
215	88	109	13	5	173	88	82	1	2	1,185	545	555	58	27
31	23	4	4	-	47	32	12	1	2	417	246	133	25	13
7	5	1	-	1	13	6	7	-	-	35	14	18	2	1
177	60	104	9	4	113	50	63	-	-	733	285	404	31	13
108	49	37	13	9	51	27	22	2	-	391	177	137	52	30
80	52	11	14	3	68	49	17	2	-	220	157	28	31	4
40	20	14	2	4	35	20	14	1	-	145	61	64	13	7
49	33	7	6	3	31	28	2	1	-	68	60	5	3	-
89	82	4	2	1	101	94	6	1	-	324	262	33	24	5
1	1	-	-	-	3	2	1	-	-	12	7	2	3	-
10	5	4	-	1	6	6	-	-	-	30	18	10	2	-
-	-	-	-	-	2	1	1	-	-	19	10	5	1	3
21	21	-	-	-	5	5	-	-	-	56	52	3	1	-
57	55	-	2	-	85	80	4	1	-	207	175	13	17	2
44	18	20	3	3	14	7	7	-	-	163	73	72	8	10
117	68	30	12	7	60	38	19	2	1	297	194	79	16	8
254	193	54	4	3	304	225	75	2	2	1,184	807	316	41	20
28	15	11	-	2	42	16	26	-	-	191	66	112	4	9
13	11	2	-	-	26	21	5	-	-	147	108	38	1	-
17	12	5	-	-	42	33	7	1	1	250	172	66	11	1
180	152	32	3	1	179	145	33	-	1	450	379	52	14	5
8	3	4	1	-	15	10	4	1	-	146	82	48	11	5
151	79	15	46	11	67	25	26	11	5	491	134	59	243	55
96	53	5	31	7	41	15	14	9	3	220	63	23	110	24
18	9	1	8	-	6	2	1	2	1	140	15	13	95	17
36	17	9	6	4	18	6	11	-	1	116	46	23	33	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	2	2	-	-	-	15	10	-	5	-
68	36	12	17	3	24	17	6	-	1	185	85	52	38	10
1	1	-	-	-	-	-	-	-	-	7	6	-	1	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	9,728	4,989	4,482	142	115
02 I. INFECTIVE AND PARASITIC DISEASES.....	67	36	28	2	1
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	-	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	7	4	3	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	23	14	7	2	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	15	11	4	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	2	-	1	1	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	1	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	-	1	1	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	3	3	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	5	1	4	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	11	10	1	-	-
27 OTHER BACTERIAL DISEASES.....C07,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	-	1	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	1	3	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	2	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	2	1	-	-	1
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	4	2	2	-	-
43 CONGENITAL SYPHILIS.....090	1	-	1	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	1	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESTHESIA.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	1	1	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	5	1	4	-	-
58 II. NEOPLASMS.....	1,849	966	848	21	14
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,830	959	836	21	14
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	52	40	10	2	-
61 OF LIP.....140	1	1	-	-	-
62 OF TONGUE.....141	14	11	1	2	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	15	10	5	-	-
64 OF PHARYNX.....146-149	22	18	4	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	596	310	274	6	6
66 OF ESOPHAGUS.....150	37	29	6	2	-
67 OF STOMACH.....151	111	62	48	1	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	-	1	1	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	245	102	138	1	4
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	40	16	24	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	8	2	6	-	-
72 DESCENDING COLON.....153.2	11	5	5	-	1
73 SIGMOID COLON.....153.3	50	15	33	1	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	127	63	62	-	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	9	1	8	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	74	44	30	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	13	8	5	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	25	11	13	1	-
79 OF PANCREAS.....157	87	53	32	-	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	2	1	1	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	355	290	61	4	-
82 OF LARYNX.....161	25	24	1	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	323	259	60	4	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	7	7	-	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	221	21	196	1	3
86 OF BONE.....170	11	6	4	1	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	2	5	-	-
88 OF SKIN.....172,173	23	11	12	-	-
89 OF BREAST.....174	180	2	175	-	3

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,453	8,672	6,132	4,708	3,941	6,539	3,715	2,452	226	146	37,478	17,170	12,748	4,151	3,409	01
364	88	74	116	86	53	18	16	11	8	430	181	126	75	48	02
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	03
2	1	--	2	--	1	1	--	--	--	1	1	--	--	--	04
1	1	--	--	--	--	--	--	--	--	4	--	--	4	--	05
1	--	--	1	--	--	--	--	--	--	--	--	--	--	--	06
114	12	32	32	38	14	6	3	3	2	60	19	23	11	7	07
96	32	6	38	20	10	2	--	4	4	180	80	49	34	17	08
76	25	6	31	14	7	1	--	4	2	145	67	35	27	16	09
3	--	--	2	1	--	--	--	--	--	3	1	--	2	--	10
1	--	--	--	--	--	--	--	--	--	3	--	2	1	--	11
5	1	--	1	--	--	--	--	--	--	1	1	--	--	--	12
1	--	--	--	--	--	--	--	--	--	6	--	--	--	3	13
11	6	--	2	3	1	1	--	--	--	22	9	12	1	--	14
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	19
2	--	--	--	2	--	--	--	--	--	--	--	--	--	--	20
1	--	1	--	--	1	--	1	--	--	--	--	--	--	--	21
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	22
35	12	7	9	7	2	2	--	--	--	24	11	5	4	4	23
4	1	--	3	--	--	--	--	--	--	4	1	--	3	--	24
37	14	8	11	4	7	2	3	2	--	51	21	17	8	5	25
7	2	1	3	1	2	1	1	--	--	12	4	4	2	2	26
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	27
2	--	2	--	--	1	--	1	--	--	2	1	1	--	--	28
1	--	--	--	1	--	--	--	--	--	1	1	--	--	--	29
1	--	--	1	--	3	2	--	1	--	9	3	4	--	2	30
13	2	6	2	3	6	--	3	1	2	21	10	5	1	5	31
15	3	4	3	5	2	--	2	--	--	23	9	10	--	4	32
2	2	--	--	--	--	--	--	--	--	3	3	--	--	--	33
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	34
10	3	--	4	3	1	--	1	--	--	9	3	--	6	--	35
3	--	--	2	1	--	--	--	--	--	--	--	--	--	--	36
--	--	--	--	--	--	--	--	--	--	1	1	--	--	--	37
5	2	--	1	2	1	--	1	--	--	5	--	--	5	--	38
--	--	--	--	--	--	--	--	--	--	2	2	--	--	--	39
2	1	--	1	--	--	--	--	--	--	1	--	--	1	--	40
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	41
--	--	--	--	--	1	1	--	--	--	--	--	--	--	--	42
1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	43
18	4	6	6	2	2	1	1	--	--	24	13	7	2	2	44
3,080	1,155	1,022	485	418	1,113	613	462	17	21	5,763	2,516	2,216	553	478	45
3,008	1,137	994	477	400	1,095	604	454	17	20	5,690	2,492	2,188	545	465	46
69	41	16	6	6	14	12	2	--	--	138	78	33	21	6	47
3	3	--	--	--	2	2	--	--	--	4	4	--	--	--	48
12	6	4	2	--	2	1	1	--	--	20	15	4	1	--	49
24	13	7	--	4	6	6	--	--	--	51	19	21	8	3	50
30	19	5	4	2	4	3	1	4	--	63	40	8	12	3	51
752	271	250	140	91	341	181	148	6	6	1,496	584	634	150	128	52
74	25	12	31	6	12	10	2	--	--	95	46	17	22	10	53
145	39	39	45	26	54	31	20	3	--	246	103	86	35	22	54
4	3	--	1	--	4	2	2	--	--	17	4	11	1	1	55
224	81	96	25	22	115	57	56	--	2	567	181	295	41	50	56
24	9	12	2	1	20	10	10	--	--	76	24	37	10	5	57
5	2	2	--	--	5	2	3	--	--	24	8	14	--	2	58
6	3	1	--	2	2	--	2	--	--	20	2	13	--	5	59
15	7	11	1	--	17	8	8	--	1	70	24	30	11	5	60
167	58	69	22	18	68	35	32	--	1	366	121	194	19	32	61
3	2	1	--	--	3	2	1	--	--	11	7	7	1	1	62
72	31	21	9	11	35	18	17	--	--	128	52	52	12	12	63
24	13	6	1	4	11	7	3	--	1	38	14	12	11	1	64
20	3	12	3	2	22	4	15	1	2	64	23	36	1	4	65
170	70	57	25	18	78	48	27	2	1	309	149	114	21	25	66
15	6	7	--	2	10	4	6	--	--	32	12	11	6	3	67
617	389	90	111	27	158	135	19	4	--	1,192	848	164	149	31	68
31	19	2	7	3	5	5	--	--	--	53	39	2	9	3	69
568	362	80	103	23	148	126	18	4	--	1,116	797	154	138	27	70
18	8	8	1	1	5	4	1	--	--	23	12	8	2	1	71
319	38	211	6	64	114	12	101	--	1	607	83	437	10	77	72
18	7	7	1	3	7	5	2	--	--	26	7	12	3	4	73
12	6	2	2	2	4	1	3	--	--	37	11	21	1	4	74
46	25	17	2	2	11	6	5	--	--	106	62	40	4	--	75
243	--	185	1	57	92	--	91	--	1	438	3	364	2	69	76

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	206	87	115	2	2
02 OF CERVIX UTERI.....180	29	..	29
03 OF OTHER PARTS OF UTERUS.....181,182	36	..	35	..	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	46	..	45	..	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	6	..	6
06 OF PROSTATE.....185	82	80	..	2	..
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	7	7
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	85	56	25	3	1
09 OF BLADDER.....188	56	38	16	1	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	29	18	9	2	..
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	139	71	66	1	1
12 OF EYE.....190	2	..	2
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	40	25	14	1	..
14 OF THYROID GLAND.....193	6	3	3
15 OTHER.....194-199	91	43	47	..	1
16 LEUKEMIA.....204-207	73	32	41
17 LYMPHATIC LEUKEMIA.....204	26	10	16
18 MYELOID LEUKEMIA.....205	29	12	17
19 MONOCYTTIC LEUKEMIA.....206	4	1	3
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	14	9	5
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	103	52	48	2	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	26	14	12
23 HODGKIN'S DISEASE.....201	23	10	12	1	..
24 MULTIPLE MYELOMA.....203	20	10	9	1	..
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	34	18	15	..	1
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	19	7	12
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	2	2
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	4	1	3
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	8	3	5
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	3	1	2
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	317	113	196	6	2
34 NONTOXIC GOITER.....240,241
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	..	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	1	3
37 DIABETES MELLITUS.....250	285	100	178	5	2
38 DISEASES OF PITUITARY GLAND.....253
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255	1	..	1
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	5	1	3	1	..
43 CYSTIC FIBROSIS.....273-0	5	3	2
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	16	8	8
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	29	15	12	1	1
46 ANEMIAS.....280-285	22	12	8	1	1
47 DEFICIENCY ANEMIAS.....280,281	3	1	2
48 HEMOLYTIC ANEMIAS.....282,283	3	..	2	1	..
49 APLASTIC ANEMIA.....284	6	4	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	10	7	2	..	1
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	..	2
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	5	3	2
53 V. MENTAL DISORDERS.....	25	13	8	2	2
54 SENILE AND PRESENILE DEMENTIAS.....290	2	1	1
55 ALCOHOLIC PSYCHOSES.....291	1	1
56 ALL OTHER PSYCHOSES.....294-299	3	2	1
57 ALCOHOLISM.....303	14	8	2	2	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	3	1	2
59 MENTAL RETARDATION.....310-315	2	..	2
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	86	44	38	2	2
61 MENINGITIS.....320	10	4	4	2	..
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	3	1	2
63 MULTIPLE SCLEROSIS.....340	12	3	9
64 PARALYSIS AGITANS.....342	24	14	10
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	1	1
66 EPILEPSY.....345	8	5	3
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	1	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	25	15	9	..	1
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,506	2,738	2,644	66	58
73 ACTIVE RHEUMATIC FEVER.....390-392	2	1	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	79	34	45
75 DISEASES OF MITRAL VALVE.....394	29	11	18
76 DISEASES OF AORTIC VALVE.....395	11	6	5
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	3	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	35	14	21
79 HYPERTENSIVE DISEASE.....400-404	113	41	69	2	1
80 MALIGNANT HYPERTENSION.....400	5	3	1	1	..
81 ESSENTIAL BENIGN HYPERTENSION.....401	2	2
82 HYPERTENSIVE HEART DISEASE.....402	45	13	31	..	1
83 HYPERTENSIVE RENAL DISEASE.....403	39	16	22	1	..
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	22	7	15

SECTION 1 - GENERAL MORTALITY

1-289

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
472	114	147	101	110	174	90	77	2	5	849	241	408	93	107
123	...	62	...	61	21	...	18	...	3	191	...	149	...	42
49	...	23	...	26	23	...	21	...	2	111	...	79	...	32
78	...	59	...	19	37	...	37	...	-	189	...	163	...	26
7	...	3	...	4	1	...	1	...	-	24	...	17	...	7
203	105	...	98	...	89	88	...	1	...	319	229	...	90	...
12	9	...	3	...	3	2	...	1	...	15	12	...	3	...
123	50	33	24	16	58	37	19	1	1	229	119	72	24	14
77	33	18	15	11	25	19	5	-	1	132	68	38	15	11
46	17	15	9	5	33	18	14	1	-	97	51	34	9	3
341	109	125	51	56	90	50	31	2	7	574	255	209	52	58
2	1	-	-	-	2	2	-	-	-	4	3	1	-	12
83	34	31	12	6	32	17	12	-	3	141	73	60	4	13
7	1	4	-	2	5	1	3	1	-	9	4	4	1	14
249	73	89	39	48	51	30	16	1	4	420	175	144	47	54
132	58	51	12	11	64	37	27	-	-	279	128	114	20	17
45	25	13	3	4	24	13	11	-	-	95	48	37	8	2
42	18	18	3	3	29	16	13	-	-	115	47	56	5	7
5	3	1	-	1	-	-	-	-	-	13	5	4	1	3
40	12	19	6	3	11	8	3	-	-	56	28	17	6	5
183	67	71	26	19	82	50	30	2	-	326	156	117	26	27
61	23	27	7	4	29	17	12	-	-	120	60	46	6	8
32	15	11	5	1	15	10	5	-	-	58	30	23	3	2
63	17	22	12	12	15	11	3	1	-	87	41	21	12	13
27	12	11	2	2	23	12	10	1	-	61	25	27	5	4
72	18	28	8	18	18	9	8	-	1	73	24	28	8	13
3	...	1	...	2	-	...	-	...	-	8	...	3	...	5
8	2	4	-	2	8	5	3	-	-	16	2	8	2	4
8	1	3	2	2	3	1	2	-	-	16	8	4	3	1
-	...	-	...	2	3	...	-	...	-	-	...	-	...	29
40	11	15	6	8	4	3	1	-	-	21	8	8	3	2
13	4	5	-	4	3	-	2	-	1	12	6	5	-	1
60C	150	200	80	170	122	52	55	6	9	703	221	305	56	121
2	1	1	-	-	-	-	-	-	-	1	-	1	-	34
6	-	5	-	1	2	-	2	-	-	9	1	5	1	2
7	1	2	2	2	-	-	-	-	-	3	-	3	-	36
496	116	165	61	154	104	44	48	4	8	577	182	249	42	104
3	1	1	-	1	-	-	-	-	-	5	1	3	1	38
1	-	-	1	-	-	-	-	-	-	1	-	-	-	39
6	2	3	1	-	-	-	-	-	-	8	2	2	1	3
-	-	-	-	-	-	-	-	-	-	1	-	-	-	41
28	8	4	10	6	6	2	2	2	-	38	14	15	4	5
8	4	4	-	-	3	2	1	-	-	14	7	6	1	43
43	17	15	5	6	7	4	2	-	1	46	14	21	6	5
68	16	14	18	20	13	8	4	1	-	99	33	41	18	7
53	9	10	16	18	9	6	3	-	-	74	24	30	15	5
2	-	1	-	1	1	1	1	-	-	10	4	4	2	47
22	1	3	8	10	-	-	-	-	-	17	2	3	9	3
10	4	3	1	2	4	3	1	-	-	34	14	15	3	2
19	4	3	7	5	4	3	1	-	-	13	4	8	1	-
4	1	2	1	-	1	-	-	1	-	9	2	6	-	51
11	6	2	1	2	3	2	1	-	-	16	7	5	3	1
73	32	11	17	13	15	7	5	3	-	124	68	23	24	9
3	-	1	1	1	1	1	-	-	-	6	2	3	-	1
9	5	1	1	2	1	1	-	-	-	13	12	-	1	55
1	1	-	-	1	1	1	-	-	-	7	-	6	1	56
48	22	7	13	6	5	3	-	2	-	78	43	6	21	8
8	4	2	1	1	5	1	4	-	-	16	8	7	1	-
4	-	-	1	3	2	-	1	1	-	4	3	1	-	59
196	66	44	49	37	57	30	24	1	2	268	130	77	40	21
40	10	5	16	9	6	3	3	-	-	28	10	10	6	2
11	7	4	-	-	2	2	-	-	-	18	14	1	2	1
8	4	1	2	1	8	3	5	-	-	16	11	4	-	63
21	12	7	2	-	11	8	3	-	-	43	20	21	2	-
5	1	1	1	2	2	1	1	-	-	28	10	11	3	4
42	10	3	15	14	7	3	2	1	1	29	14	6	6	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	-	-	1	1	1	-	1	-	-	-	-	-	-	68
1	-	-	1	-	-	-	-	-	-	-	-	-	-	69
2	-	1	-	1	-	-	-	-	-	5	2	2	-	1
64	22	22	11	9	20	10	9	-	1	101	49	22	21	9
12,510	4,660	3,444	2,217	2,189	3,569	2,061	1,426	53	29	20,747	9,388	7,390	2,032	1,937
2	-	-	1	1	-	-	-	-	-	6	2	3	-	1
101	31	34	23	13	38	19	16	2	1	198	84	84	10	20
27	10	11	5	3	9	3	6	-	-	58	14	34	4	6
27	11	7	6	3	5	5	-	-	-	63	38	21	2	2
5	-	2	3	-	3	1	1	1	-	1	-	1	-	77
42	10	14	9	9	21	10	9	1	1	76	32	28	4	12
422	64	64	138	156	71	33	36	2	-	562	191	193	89	89
42	2	3	28	9	1	1	-	-	-	50	11	11	15	13
31	6	4	9	12	4	3	1	-	-	39	9	11	8	11
105	10	10	32	53	28	12	15	1	-	121	27	43	22	29
79	22	20	21	16	22	9	13	-	-	167	74	48	23	22
165	24	27	48	66	16	8	7	1	-	185	70	80	21	14

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Females
01 ISCHEMIC HEART DISEASE.....410-413	3,923	2,026	1,807	51	39
02 WITH HYPERTENSIVE DISEASE (.0).....	402	162	232	5	3
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,521	1,864	1,575	46	36
04 ACUTE MYOCARDIAL INFARCTION.....410	1,697	958	713	16	10
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	395	276	99	14	6
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,831	792	995	21	23
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	130	65	59	4	2
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	2	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	6	5	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	3	2	1	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	2	-	-	-
15 SYMPTOMATIC HEART DISEASE.....427	82	37	40	3	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	24	9	15	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13	10	2	1	-
18 CEREBROVASCULAR DISEASES.....430-438	907	374	515	8	10
19 WITH HYPERTENSION (BENIGN) (.0).....	131	61	67	1	2
20 WITHOUT MENTION OF HYPERTENSION (.9).....	776	313	448	7	8
21 SUBARACHNOID HEMORRHAGE.....430	45	17	28	-	-
22 CEREBRAL HEMORRHAGE.....431	235	113	118	1	3
23 CEREBRAL THROMBOSIS.....433	314	119	189	3	3
24 CEREBRAL EMBOLISM.....434	5	4	1	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	13	8	5	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	167	64	100	1	2
27 OTHER CEREBROVASCULAR DISEASES.....437,438	128	49	74	3	2
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	248	141	101	-	6
29 ARTERIOSCLEROSIS.....440	130	58	70	-	2
30 AORTIC ANEURYSM (NONSYMPHYLTIC).....441	72	61	10	-	1
31 GANGRENE.....445	17	8	9	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	29	14	12	-	3
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	104	56	47	1	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	97	52	44	1	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	7	4	3	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	504	307	188	3	6
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	1	3	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	3	3	-	-	-
39 INFLUENZA.....470-474	31	13	18	-	-
40 PNEUMONIA.....480-486	275	151	115	3	6
41 VIRAL PNEUMONIA.....480	13	7	6	-	-
42 BACTERIAL PNEUMONIA.....481,482	24	15	8	-	1
43 ACUTE INTERSTITIAL PNEUMONIA.....484	15	9	5	1	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	124	69	52	1	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	99	51	44	1	3
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	131	99	32	-	-
47 BRONCHITIS, UNQUALIFIED.....490	2	2	-	-	-
48 CHRONIC BRONCHITIS.....491	33	22	11	-	-
49 EMPHYSEMA.....492	83	68	15	-	-
50 ASTHMA.....493	13	7	6	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	4	4	-	-	-
53 PLEURISY.....511	1	-	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	16	12	4	-	-
55 BRONCHIECTASIS.....518	5	2	3	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	33	21	12	-	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	372	203	155	9	5
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	-	1	-	-
59 PEPTIC ULCER.....531-533	42	25	15	2	-
60 ULCER OF STOMACH.....531	16	9	7	-	-
61 ULCER OF DUODENUM.....532	24	14	8	2	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	2	2	-	-	-
63 GASTRITIS AND DUODENITIS.....535	1	1	-	-	-
64 APPENDICITIS.....540-543	5	2	3	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	35	17	18	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	2	-	-	-
67 DIVERTICULA OF INTESTINE.....562	22	9	13	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	4	2	2	-	-
69 CIRRHOSIS OF LIVER.....571	165	105	52	5	3
70 ALCOHOLIC.....571.0	55	37	15	2	1
71 OTHER SPECIFIED.....571.8	25	16	8	1	-
72 UNSPECIFIED.....571.9	85	52	29	2	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	18	6	11	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530, 534, 536, 537, 564-570, 572, 573, 576, 577	77	34	40	2	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	160	75	79	4	2
76 NEPHRITIS AND NEPHROSIS.....580-584	77	34	41	2	-
77 ACUTE NEPHRITIS.....580	11	6	4	1	-
78 NEPHROTIC SYNDROME.....581	3	2	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	63	26	36	1	-
80 INFECTIONS OF KIDNEY.....590	44	17	26	1	-
81 CALCULI OF URINARY SYSTEM.....592,594	5	3	2	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	22	12	8	-	2
83 HYPERPLASIA OF PROSTATE.....600	6	5	-	1	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	6	4	2	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	...	-	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,441	3,251	1,997	1,147	1,046	2,263	1,387	834	27	15	12,893	6,529	4,213	1,167	984	01
1,437	374	340	326	397	202	92	107	1	2	1,614	544	587	222	261	02
6,004	2,877	1,657	821	649	2,061	1,295	727	26	13	11,279	5,985	3,626	945	723	03
4,458	2,338	1,056	617	447	1,515	1,007	483	16	9	8,108	4,673	2,386	599	448	04
19	8	8	3	-	10	6	4	-	-	28	9	14	2	3	05
2,962	904	932	527	599	738	374	347	11	6	4,757	1,846	1,812	566	533	06
2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	07
562	163	131	142	126	147	89	47	8	3	632	243	238	83	68	08
8	4	1	2	1	3	-	3	-	-	14	6	2	4	2	09
10	4	4	1	1	3	2	1	-	-	13	5	3	4	1	10
25	1	5	12	7	3	2	1	-	-	35	12	8	6	9	11
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	12
-	-	-	-	-	-	-	-	-	-	6	2	-	2	1	13
25	1	5	12	7	3	2	1	-	-	26	7	7	4	8	14
309	82	76	79	72	76	51	19	4	2	298	116	111	36	35	15
89	21	23	25	20	25	9	14	1	1	162	53	80	18	11	16
121	51	22	23	25	37	25	9	3	-	110	51	34	15	10	17
3,205	895	952	650	708	785	396	365	14	10	5,138	1,800	2,128	559	651	18
483	99	69	146	169	97	27	65	2	3	539	175	190	79	95	19
2,722	796	883	504	539	688	369	300	12	7	4,599	1,625	1,938	480	556	20
131	40	48	22	21	27	10	12	1	4	220	78	81	20	41	21
881	216	194	243	228	170	81	85	3	1	903	315	367	123	98	22
831	223	305	134	169	170	100	67	2	1	1,402	536	615	115	136	23
13	4	7	-	2	1	1	-	-	-	27	10	10	3	4	24
27	14	8	3	2	9	6	3	-	-	59	32	15	6	6	25
965	267	252	203	243	295	146	142	4	3	1,765	540	690	236	299	26
357	131	138	45	43	113	52	56	4	1	762	289	350	56	67	27
598	187	206	98	117	215	109	106	-	-	1,024	422	431	88	83	28
353	83	144	54	72	119	46	73	-	-	629	227	310	47	45	29
106	56	18	12	20	50	37	13	-	-	149	91	30	15	13	30
35	8	8	10	9	13	8	5	-	-	54	21	15	8	10	31
104	40	36	12	16	33	18	15	-	-	192	83	76	18	15	32
179	69	60	28	22	50	28	22	-	-	294	117	100	36	41	33
150	58	51	22	19	44	25	19	-	-	251	101	84	31	35	34
29	11	9	6	3	6	3	3	-	-	43	16	16	5	6	35
1,280	533	268	249	230	386	254	108	14	10	2,246	1,099	726	261	160	36
9	2	3	2	2	5	2	2	1	-	12	5	4	1	2	37
10	3	5	-	2	3	1	1	1	-	31	14	5	6	3	38
109	36	20	20	33	30	16	12	-	2	182	70	78	19	15	39
705	206	157	178	168	102	102	66	8	6	1,210	479	457	162	112	40
20	8	6	4	2	12	5	5	1	1	31	14	12	3	2	41
125	34	26	37	32	32	20	9	1	2	138	51	39	32	16	42
16	6	1	5	4	3	1	1	1	1	9	5	2	1	1	43
276	79	67	72	58	69	39	27	2	1	496	213	190	49	44	44
268	79	57	60	72	66	37	24	3	2	536	196	214	77	49	45
304	213	45	32	14	135	112	19	3	1	569	413	106	37	13	46
12	1	3	6	2	3	2	1	-	-	10	4	1	4	1	47
38	28	9	1	-	26	22	3	1	-	125	81	31	13	-	48
237	182	26	22	7	95	82	11	2	-	396	314	62	16	4	49
17	2	7	3	5	11	6	4	-	1	38	14	12	4	8	50
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	51
16	9	-	6	1	3	2	-	1	-	15	7	3	5	-	52
6	1	2	2	-	-	-	-	-	-	3	2	1	-	-	53
38	24	13	1	-	4	2	1	-	1	81	47	28	5	1	54
13	7	6	-	-	7	4	3	-	-	46	17	24	5	-	55
65	32	16	9	8	17	13	4	-	-	96	45	19	21	11	56
668	243	215	130	80	244	120	98	9	17	1,076	542	330	106	98	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
87	35	22	22	8	30	20	9	-	1	161	98	38	20	5	59
39	13	12	9	5	12	9	2	-	1	45	17	19	8	1	60
30	15	6	7	2	15	8	7	-	-	93	65	15	11	2	61
18	7	4	6	1	3	3	-	-	-	23	16	4	1	2	62
7	3	1	3	-	1	1	-	-	-	5	5	-	-	-	63
14	2	3	5	4	11	8	2	-	1	40	24	9	4	3	64
93	22	28	27	16	34	16	15	2	1	118	46	47	12	13	65
-	-	-	-	-	-	-	-	-	-	11	4	3	1	3	66
21	7	12	1	1	19	9	10	-	-	49	22	21	4	2	67
10	6	2	1	1	2	-	2	-	-	20	7	11	1	1	68
189	97	50	27	15	56	21	25	3	7	295	167	78	26	24	69
56	30	10	15	1	15	6	4	2	3	75	48	8	10	9	70
29	14	8	2	5	9	-	7	-	2	54	26	15	7	6	71
104	53	32	10	9	32	15	14	1	2	166	93	55	9	9	72
34	6	21	5	2	21	5	14	1	1	102	42	47	2	11	73
213	65	76	39	33	70	40	21	3	6	275	127	76	36	36	74
464	147	106	119	92	68	43	20	3	2	737	298	214	127	98	75
132	40	19	40	33	16	6	9	1	-	214	90	55	33	36	76
7	3	1	1	2	3	3	3	-	-	12	5	3	1	3	77
4	2	1	1	-	2	1	1	-	-	9	5	3	-	1	78
121	35	17	38	31	11	5	5	1	-	193	80	49	32	32	79
181	48	51	39	43	19	15	3	-	1	250	70	105	40	35	80
15	5	8	2	-	5	2	3	-	-	23	11	9	1	2	81
80	26	24	17	13	15	9	5	-	1	124	44	35	26	19	82
40	23	...	17	...	9	7	...	-	-	92	72	...	20	...	83
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	84
16	5	4	4	3	4	4	-	-	-	33	11	10	7	5	85
20	...	8	...	12	1	...	1	...	-	27	...	13	...	14	86
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	87
5	...	-	...	5	-	...	-	...	-	7	...	1	...	6	88
2	...	1	...	1	-	...	-	...	-	5	...	1	...	4	89

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	13	5	7	-	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	3	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	10	2	7	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	23	5	17	1	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	8	1	7	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	-	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	12	4	7	1	-
18 XIV. CONGENITAL ANOMALIES.....	67	34	28	3	2
19 SPINA BIFIDA.....741	5	3	2	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	11	3	7	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	26	18	6	2	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	3	2	1	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	22	8	12	-	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	199	111	73	4	11
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	15	10	4	1	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1	-	1	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	14	10	3	1	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	496	314	157	17	8
30 ACCIDENTS.....E800-E949	399	254	128	13	4
31 RAILWAY ACCIDENTS.....E800-E807	2	1	-	1	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	169	129	34	4	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	168	128	34	4	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	40	30	6	3	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	49	35	13	-	1
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	43	31	11	1	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	20	18	2	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	16	14	2	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1	1	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	4	3	-	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	2	2	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	13	10	2	-	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	3	1	1	-	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	3	2	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	7	7	-	-	-
48 ACCIDENTAL FALLS.....E880-E887	125	59	65	1	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	37	26	11	-	-
50 FALL ON SAME LEVEL.....E885, E886	20	6	14	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	68	27	40	1	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	22	10	10	1	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	19	12	5	2	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	6	-	3	3	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	3	3	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	15	13	2	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	2	2	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	13	11	2	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	7	5	2	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	12	7	5	-	-
64 SUICIDE.....E950-E959	62	41	20	1	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	12	4	8	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	16	14	2	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	20	11	8	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	11	9	2	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	3	3	-	-	-
70 HOMICIDE.....E960-E978	23	12	4	3	4
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13	7	2	1	3
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	1	-	-	1	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	7	4	2	-	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	1	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	12	7	5	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3	...	1	...	2	-	...	-	...	-	2	...	-	...	2
2	...	1	...	1	-	...	-	...	-	1	...	-	...	1
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
4	...	2	...	2	1	...	1	...	-	7	...	6	...	1
4	...	3	...	1	-	...	-	...	-	6	...	5	...	1
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
30	8	7	7	8	4	-	3	1	-	33	10	14	3	6
8	3	2	2	1	1	-	-	1	-	8	5	2	-	1
22	5	5	5	7	3	-	3	-	-	25	5	12	3	5
71	19	19	11	22	20	6	14	-	-	125	45	63	6	11
37	9	12	5	11	8	2	6	-	-	73	26	45	-	2
5	-	-	1	4	-	-	-	-	-	6	-	3	-	3
1	-	1	-	-	-	-	-	-	-	5	2	1	2	1
4	2	1	1	-	2	1	1	-	-	3	-	2	1	-
24	8	5	4	7	10	3	7	-	-	38	17	12	3	6
234	92	82	39	21	64	39	21	1	3	353	157	136	35	25
20	9	10	1	-	2	1	1	-	-	30	8	20	2	-
37	11	15	6	5	9	5	4	-	-	64	32	21	8	3
99	41	29	23	6	28	19	7	1	1	136	60	52	12	12
17	7	7	-	3	5	2	3	-	-	31	14	15	1	1
-	-	-	-	-	-	-	-	-	-	2	1	-	-	2
61	24	21	9	7	20	12	6	-	2	90	42	28	12	8
609	203	139	147	120	144	78	44	12	10	857	358	246	143	110
575	124	60	224	171	62	38	15	5	4	455	165	110	101	79
3	1	-	1	1	9	3	3	2	1	6	4	2	-	-
576	123	60	223	170	53	35	12	3	3	449	161	108	101	79
2,607	1,136	419	800	252	604	348	136	89	31	3,435	1,959	718	571	187
1,975	854	332	590	199	518	303	123	67	25	2,547	1,445	600	365	137
24	11	4	7	2	1	1	-	-	-	24	13	1	10	30
907	447	138	259	63	256	154	49	39	14	1,255	794	276	143	42
898	444	137	257	60	249	149	47	39	14	1,228	779	268	140	41
27	14	7	3	3	2	2	-	-	-	37	30	2	4	34
150	86	31	23	10	104	65	24	9	6	481	287	137	47	10
165	53	15	77	20	19	3	3	10	3	177	93	39	33	12
74	32	7	30	5	33	22	4	6	1	104	74	13	12	5
101	57	10	30	4	86	55	14	13	4	367	260	63	36	8
381	202	67	94	18	5	2	2	1	-	62	35	14	8	5
9	3	1	2	3	7	5	2	-	-	27	15	8	3	1
4	3	-	-	1	1	-	-	-	-	3	3	-	-	-
31	19	1	11	-	1	1	-	-	1	18	14	1	3	-
15	13	2	-	-	22	13	9	-	-	12	11	1	-	-
45	19	11	10	5	13	4	6	3	-	73	36	17	16	4
8	2	4	1	1	6	2	3	1	-	19	8	7	3	1
15	6	3	5	1	3	2	1	-	-	22	13	5	2	2
22	11	4	4	3	4	-	2	2	-	32	15	5	11	1
206	74	93	25	14	65	33	26	5	1	333	131	168	20	14
49	21	14	12	2	23	15	5	3	-	61	38	14	8	1
8	4	3	1	-	3	1	2	-	-	20	6	14	-	50
145	49	76	12	12	39	17	19	2	1	252	87	140	12	13
180	46	24	62	48	23	12	5	4	2	211	80	48	50	33
145	55	7	77	6	19	13	2	4	-	130	74	16	36	4
69	20	11	21	17	14	7	4	1	2	80	30	20	20	10
108	42	7	45	14	11	9	1	1	-	81	61	6	11	3
80	46	3	30	1	44	35	7	1	1	144	112	7	19	6
1	1	-	-	-	1	-	-	1	-	7	4	-	2	1
9	7	-	1	1	4	4	-	-	-	6	3	2	1	-
3	1	1	1	-	3	1	1	-	1	6	2	2	1	1
12	7	-	5	-	6	5	1	-	-	21	19	2	-	59
55	30	2	23	-	30	25	5	-	-	104	84	1	15	4
25	9	11	3	2	8	3	4	1	-	22	8	8	4	2
136	50	20	40	26	40	18	10	8	4	161	78	31	33	19
247	176	51	17	3	58	36	9	11	2	415	305	78	24	8
16	6	8	2	-	5	1	3	-	1	30	11	16	-	3
11	10	1	-	-	3	2	1	-	-	25	21	3	1	-
15	11	3	1	-	17	10	1	5	1	39	29	4	6	-
192	145	34	11	2	31	22	4	5	1	291	229	46	12	4
13	4	5	3	1	2	1	-	-	-	30	15	9	5	1
334	90	28	170	46	19	3	4	9	3	402	167	32	162	41
264	79	21	132	32	9	1	2	6	-	292	138	20	108	26
40	3	1	27	9	3	2	1	2	1	61	10	1	39	11
28	8	6	9	5	7	2	2	1	2	39	14	11	10	4
2	-	-	2	-	-	-	-	-	-	-	-	-	-	74
45	15	8	22	4	9	6	-	2	1	68	40	8	19	1
2	1	1	1	-	-	-	-	-	-	3	2	-	1	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	93,163	45,430	33,519	8,034	6,180
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,194	524	412	141	107
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	1	1	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	7	3	2	1	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	14	6	3	2	3
07 FOOD POISONING (BACTERIAL).....005	1	-	-	1	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	260	56	119	18	27
09 TUBERCULOSIS, ALL FORMS.....010-019	319	200	65	42	12
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	263	169	51	34	9
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	11	4	3	4	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	1	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	4	3	-	-	1
14 DISSEMINATED TUBERCULOSIS.....018	9	4	2	2	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	31	20	8	2	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	1	1	-	-	-
20 DIPHTHERIA.....032	11	6	4	1	-
21 WHOOPING COUGH.....033	8	2	3	2	1
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	3	1	-	2	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	65	18	17	18	12
25 TETANUS.....037	10	3	2	2	3
26 SEPTICEMIA.....038	220	51	87	24	18
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	22	11	10	1	-
28 ACUTE POLIOMYELITIS.....040-043	8	5	3	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	2	2	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	1	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	24	13	10	1	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	2	1	1	-	-
35 INFECTIOUS HEPATITIS.....070	86	23	49	3	11
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	35	15	13	1	6
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	1	-	-	-
39 MALARIA.....084	1	1	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	31	12	3	14	2
43 CONGENITAL SYPHILIS.....090	6	3	2	-	1
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....092,0	1	-	-	1	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	13	2	-	10	1
47 TABES DORSALIS.....094,0	3	2	-	1	-
48 GENERAL PARESIS.....094,1	4	3	1	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	3	1	-	2	-
50 ALL OTHER SYPHILIS.....095,097,0,097,7	1	1	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	59	22	18	8	11
58 II. NEOPLASMS.....	15,188	7,440	5,731	1,148	869
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	15,010	7,360	5,664	1,136	850
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	374	242	80	40	12
61 OF LIP.....140	13	12	1	-	-
62 OF TONGUE.....141	84	56	22	4	2
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	104	62	28	10	4
64 OF PHARYNX.....146-149	173	112	29	26	6
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	4,030	1,836	1,640	327	227
66 OF ESOPHAGUS.....150	215	121	49	32	13
67 OF STOMACH.....151	773	354	251	112	56
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	31	17	10	2	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,328	568	625	63	72
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	168	48	103	9	8
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	42	13	26	1	2
72 DESCENDING COLON.....153,2	35	13	18	2	2
73 SIGMOID COLON.....153,3	159	80	66	6	7
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	894	402	397	43	52
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	30	12	15	2	1
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	332	166	130	19	17
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	193	88	72	24	9
78 OF GALLBLADDER AND BILE DUCTS.....156	191	53	124	7	7
79 OF PANCREAS.....157	882	431	343	67	41
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	85	28	36	1	10
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	3,367	2,472	534	295	66
82 OF LARYNX.....161	145	113	13	17	2
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,170	2,333	501	274	62
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	52	26	20	4	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,629	260	1,194	23	152
86 OF BONE.....170	75	41	27	5	2
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	62	27	24	8	3
88 OF SKIN.....172,173	316	178	127	8	3
89 OF BREAST.....174	1,176	14	1,016	2	144

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,886	3,888	2,820	123	55	4,562	2,469	2,089	3	1	39,814	17,159	12,823	5,742	4,090	01
75	39	26	8	2	38	24	14	-	-	427	139	101	125	62	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	04
1	-	-	1	-	-	-	-	-	-	2	1	-	1	-	05
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	06
27	11	7	7	2	9	3	6	-	-	51	14	14	12	11	07
8	6	2	-	-	13	11	2	-	-	166	62	23	67	14	08
7	5	2	-	-	11	10	1	-	-	140	53	18	57	12	09
-	-	-	-	-	-	-	-	-	-	3	1	1	3	-	10
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	11
1	1	-	-	-	1	-	1	-	-	4	-	-	3	1	12
-	-	-	-	-	1	1	-	-	-	16	8	4	3	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	4	1	-	3	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	2	-	-	-	1	1	-	-	-	15	9	-	3	3	22
16	11	5	-	-	5	4	1	-	-	84	24	28	19	13	23
1	1	-	-	-	-	-	-	-	-	7	2	4	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
3	1	2	-	-	-	-	-	-	-	3	1	1	1	-	32
6	2	4	-	-	1	-	1	-	-	16	2	10	-	4	33
5	2	3	-	-	3	2	1	-	-	20	7	8	1	4	34
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	2	-	-	-	2	1	1	-	-	17	3	1	8	5	38
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	41
-	-	-	-	-	1	1	-	-	-	10	1	1	-	-	42
1	1	-	-	-	1	-	1	-	-	1	1	-	1	1	43
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	47
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	48
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	49
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	55
4	1	3	-	-	4	2	2	-	-	34	11	7	9	7	56
938	472	449	15	2	731	382	348	-	1	6,140	2,564	2,268	789	519	57
917	462	440	14	1	724	378	345	-	1	6,019	2,522	2,213	777	507	58
15	12	3	-	-	19	13	6	-	-	141	73	31	29	8	59
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	60
2	2	-	-	-	7	4	3	-	-	19	8	6	5	-	61
6	5	1	-	-	5	3	2	-	-	56	23	14	13	6	62
7	5	2	-	-	7	6	1	-	-	64	40	11	11	2	63
235	115	118	5	1	205	104	100	-	1	1,618	638	608	231	141	64
4	3	1	-	-	10	8	2	-	-	128	63	17	40	8	65
53	27	24	2	-	22	13	9	-	-	271	109	69	63	30	66
2	2	-	-	-	1	1	-	-	-	7	4	3	-	-	67
95	38	56	1	-	76	24	51	-	1	561	193	270	49	49	68
14	5	9	-	-	18	7	11	-	-	61	15	37	6	3	69
7	2	5	-	-	5	1	4	-	-	19	9	7	2	1	70
2	-	2	-	-	7	2	5	-	-	26	10	10	4	2	71
13	7	6	-	-	13	5	8	-	-	70	24	35	3	8	72
59	24	34	1	-	30	7	22	-	1	365	126	174	32	33	73
-	-	-	-	-	3	2	1	-	-	20	9	7	2	2	74
17	8	8	-	1	52	29	23	-	-	160	71	62	15	12	75
10	8	1	-	-	-	-	-	-	-	35	7	13	11	4	76
17	6	10	1	-	7	2	5	-	-	77	22	44	1	10	77
36	18	18	-	-	34	24	10	-	-	349	156	118	50	25	78
5	5	-	-	-	3	3	-	-	-	30	13	12	2	3	79
125	99	23	7	-	139	117	22	-	-	1,297	655	188	224	30	80
2	2	-	-	-	6	6	-	-	-	58	42	1	14	1	81
119	94	18	7	-	131	110	21	-	-	1,216	802	178	210	26	82
8	3	5	-	-	2	1	1	-	-	23	11	9	-	-	83
125	14	111	-	-	78	9	69	-	-	708	82	493	13	112	84
2	2	-	-	-	1	1	-	-	-	26	12	10	4	4	85
9	6	3	-	-	2	2	-	-	-	36	18	12	4	2	86
12	6	6	-	-	9	5	4	-	-	96	51	41	2	2	87
102	-	102	-	-	66	1	65	-	-	542	1	430	3	108	88

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,065	741	917	184	223
02	OF CERVIX UTERI.....180	387	...	290	...	97
03	OF OTHER PARTS OF UTERUS.....181,182	281	...	206	...	75
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	441	...	398	...	43
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	31	...	23	...	8
06	OF PROSTATE.....185	882	699	...	183	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	43	42	...	1	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	638	384	186	54	14
09	OF BLADDER.....188	329	209	80	31	9
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	309	175	106	23	5
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,350	629	521	110	90
12	OF EYE.....190	18	10	8	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	433	230	169	19	15
14	OF THYROID GLAND.....193	56	18	32	2	4
15	OTHER.....194-199	843	371	312	89	71
16	LEUKEMIA.....204-207	757	406	275	49	27
17	LYMPHATIC LEUKEMIA.....204	250	130	92	19	9
18	MYELOID LEUKEMIA.....205	310	165	113	22	10
19	MONOCYTIC LEUKEMIA.....206	13	10	3	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	184	101	67	8	8
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	800	390	317	54	39
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	294	150	122	12	10
23	HODGKIN'S DISEASE.....201	140	76	60	2	2
24	MULTIPLE MYELOMA.....203	204	82	71	32	19
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	162	82	64	8	8
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	178	80	67	12	19
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	9	...	6	...	3
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	34	16	14	1	3
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	34	19	7	6	2
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	61	28	22	3	8
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	40	17	18	2	3
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,214	782	1,030	118	284
34	NONTOXIC GOITER.....240,241	2	-	1	-	1
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	12	-	10	-	2
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	16	1	12	-	3
37	DIABETES MELLITUS.....250	1,773	619	816	89	249
38	DISEASES OF PITUITARY GLAND.....253	14	7	6	-	1
39	DISEASES OF THYMUS GLAND.....254	3	2	1	-	-
40	DISEASES OF ADRENAL GLAND.....255	26	8	13	2	3
41	NIACIN DEFICIENCY.....262	2	-	1	-	1
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	172	61	84	18	9
43	CYSTIC FIBROSIS.....273.0	37	15	22	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	157	69	64	9	15
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	280	95	123	31	31
46	ANEMIAS.....280-285	192	56	90	21	25
47	DEFICIENCY ANEMIAS.....280,281	30	11	16	1	2
48	HEMOLYTIC ANEMIAS.....282,283	31	3	5	10	13
49	APLASTIC ANEMIA.....284	65	24	34	4	3
50	OTHER AND UNSPECIFIED ANEMIAS.....285	66	18	35	6	7
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	43	20	20	2	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	45	19	13	8	5
53	V. MENTAL DISORDERS.....	229	118	61	36	14
54	SENILE AND PRESENILE DEMENTIAS.....290	28	12	13	2	1
55	ALCOHOLIC PSYCHOSES.....291	30	20	1	7	2
56	ALL OTHER PSYCHOSES.....294-299	5	1	3	-	1
57	ALCOHOLISM.....303	114	61	24	22	7
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	42	19	17	5	1
59	MENTAL RETARDATION.....310-315	10	5	3	-	2
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	797	363	303	79	52
61	MENINGITIS.....320	106	43	21	24	18
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	30	23	4	2	1
63	MULTIPLE SCLEROSIS.....340	52	21	28	3	3
64	PARALYSIS AGITANS.....342	128	63	57	5	3
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	38	15	13	6	3
66	EPILEPSY.....345	76	26	30	13	7
67	INFLAMMATORY DISEASES OF EYE.....360-369	1	1	-	-	-
68	CATARACT.....374	2	-	2	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	10	5	3	-	2
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	354	162	145	26	21
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	46,462	22,203	17,683	3,402	3,174
73	ACTIVE RHEUMATIC FEVER.....390-392	11	3	5	3	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	488	217	209	31	31
75	DISEASES OF MITRAL VALVE.....394	126	48	65	8	5
76	DISEASES OF AORTIC VALVE.....395	141	95	32	5	9
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	24	7	12	1	4
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	197	67	100	17	13
79	HYPERTENSIVE DISEASE.....400-404	1,166	395	469	127	175
80	MALIGNANT HYPERTENSION.....400	95	28	20	19	28
81	ESSENTIAL BENIGN HYPERTENSION.....401	57	19	32	3	3
82	HYPERTENSIVE HEART DISEASE.....402	487	138	213	57	79
83	HYPERTENSIVE RENAL DISEASE.....403	248	103	87	27	31
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	279	107	117	21	34

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
140	66	73	1	-	104	38	66	-	-	804	232	345	120	107	01
15	...	15	...	-	22	...	22	...	-	170	...	112	...	58	02
24	...	24	...	-	17	...	17	...	-	91	...	71	...	20	03
32	...	32	...	-	25	...	25	...	-	168	...	144	...	24	04
2	...	2	...	-	2	...	2	...	-	23	...	18	...	5	05
65	64	...	1	...	36	36	328	210	...	118	...	06
2	2	2	2	24	22	...	2	...	07
50	36	14	-	-	44	28	16	-	-	257	143	63	39	12	08
30	25	5	-	-	25	18	7	-	-	137	75	31	22	9	09
20	11	9	-	-	19	10	9	-	-	120	68	32	17	3	10
99	48	51	-	-	56	27	29	-	-	620	238	244	76	62	11
1	1	-	-	-	2	-	2	-	-	1	-	1	-	-	12
38	18	20	-	-	17	11	6	-	-	152	75	62	9	6	13
5	2	3	-	-	2	1	1	-	-	24	5	12	3	4	14
55	27	28	-	-	35	15	20	-	-	443	158	169	64	52	15
67	42	25	-	-	31	14	17	-	-	275	127	114	18	16	16
26	16	10	-	-	9	6	3	-	-	97	41	42	9	5	17
29	18	11	-	-	13	4	9	-	-	112	51	47	7	7	18
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	19
12	8	4	-	-	9	4	5	-	-	59	31	22	2	4	20
53	30	22	1	-	48	28	20	-	-	307	134	127	27	19	21
12	7	5	-	-	19	11	8	-	-	127	58	58	4	7	22
17	9	8	-	-	5	4	1	-	-	56	29	19	6	2	23
16	9	6	1	-	11	5	6	-	-	82	28	34	10	10	24
8	5	3	-	-	13	8	5	-	-	42	19	16	7	-	25
21	10	9	1	1	7	4	3	-	-	121	42	55	12	12	26
-	...	-	...	-	-	...	-	...	-	8	...	6	...	2	27
4	2	1	1	-	-	-	-	-	-	13	4	6	1	2	28
2	1	1	-	-	1	1	-	-	-	23	10	10	1	2	29
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	30
10	5	4	-	1	2	2	-	-	-	54	20	24	6	4	31
5	2	3	-	-	4	1	3	-	-	23	8	9	4	2	32
150	70	75	2	3	103	46	57	-	-	868	255	351	101	161	33
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	34
1	-	1	-	-	1	-	1	-	-	9	1	6	-	2	35
1	-	1	-	-	3	-	3	-	-	4	-	3	-	1	36
123	59	61	1	2	83	37	46	-	-	693	197	279	81	136	37
1	-	1	-	-	-	-	-	-	-	7	3	2	-	2	38
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	39
-	-	-	-	-	1	1	-	-	-	14	6	8	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
11	2	7	1	1	4	2	2	-	-	45	13	16	11	5	42
1	1	-	-	-	3	3	-	-	-	13	5	7	-	1	43
12	8	4	-	-	8	3	5	-	-	80	30	30	7	13	44
13	2	11	-	-	9	2	7	-	-	103	35	37	21	10	45
10	2	8	-	-	4	1	3	-	-	65	21	22	15	7	46
1	-	1	-	-	-	-	-	-	-	8	4	2	1	1	47
2	-	2	-	-	-	-	-	-	-	16	1	2	8	5	48
6	2	4	-	-	4	1	3	-	-	21	8	11	1	1	49
1	-	1	-	-	-	-	-	-	-	20	8	7	5	-	50
1	-	1	-	-	3	1	2	-	-	14	8	5	-	1	51
2	-	2	-	-	2	-	2	-	-	24	6	10	6	2	52
28	13	12	1	2	23	14	9	-	-	250	100	57	76	17	53
6	2	4	-	-	4	3	1	-	-	8	2	4	1	1	54
2	1	-	1	-	2	2	-	-	-	27	16	1	9	1	55
2	2	-	-	-	5	-	5	-	-	8	-	6	-	2	56
15	7	6	-	2	9	7	2	-	-	175	73	29	62	11	57
3	1	2	-	-	3	2	1	-	-	26	7	16	2	1	58
-	-	-	-	-	-	-	-	-	-	6	2	1	2	1	59
69	46	19	2	2	48	27	21	-	-	317	124	105	63	25	60
10	7	2	1	-	4	3	1	-	-	41	9	8	21	3	61
4	4	-	-	-	1	1	-	-	-	16	9	7	-	-	62
5	3	2	-	-	5	2	3	-	-	26	8	12	-	6	63
10	8	1	-	1	13	6	7	-	-	40	19	18	1	2	64
1	-	1	-	-	1	1	-	-	-	16	5	6	4	1	65
11	8	3	-	-	8	5	3	-	-	48	16	11	18	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	-	1	-	-	-	-	-	3	1	1	-	1	70
26	15	10	1	-	16	9	7	-	-	126	56	42	19	9	71
3,292	1,795	1,449	33	15	2,493	1,305	1,185	3	-	20,893	8,962	7,050	2,631	2,250	72
-	-	-	-	-	-	-	-	-	-	5	1	1	2	1	73
117	50	66	1	-	45	25	20	-	-	234	100	94	20	20	74
24	11	13	-	-	11	4	7	-	-	76	24	38	5	9	75
22	16	6	-	-	11	9	2	-	-	52	31	11	7	3	76
6	2	4	-	-	3	-	3	-	-	10	3	5	1	1	77
65	21	43	1	-	20	12	8	-	-	96	42	40	7	7	78
73	26	44	1	2	65	32	33	-	-	553	137	169	118	129	79
1	-	-	1	-	-	-	-	-	-	56	10	8	20	18	80
8	3	5	-	-	1	1	-	-	-	22	7	8	3	4	81
26	11	14	-	1	22	8	14	-	-	141	28	42	36	35	82
8	4	4	-	-	29	18	11	-	-	125	41	36	27	21	83
30	8	21	-	1	13	5	8	-	-	209	51	75	32	51	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	27,331	14,493	9,506	1,813	1,519
02 WITH HYPERTENSIVE DISEASE (.0).....	2,824	1,046	1,185	276	317
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	24,507	13,447	8,321	1,537	1,202
04 ACUTE MYOCARDIAL INFARCTION.....410	17,376	10,118	5,464	1,023	771
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	490	232	107	90	61
06 CHRONIC ISCHEMIC HEART DISEASE.....412	9,453	4,135	3,932	699	687
07 ANGINA PECTORIS.....413	12	8	3	1	-
08 OTHER FORMS OF HEART DISEASE.....420-429	3,164	1,491	1,048	341	284
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	41	21	17	1	2
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	36	22	7	3	4
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	50	22	22	4	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	-	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	8	4	4	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	41	18	17	4	2
15 SYMPTOMATIC HEART DISEASE.....427	1,318	524	537	127	130
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	383	155	178	21	29
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	1,336	747	287	185	117
18 CEREBROVASCULAR DISEASES.....430-438	10,731	4,004	4,921	861	945
19 WITH HYPERTENSION (BENIGN) (.0).....	1,334	446	521	175	192
20 WITHOUT MENTION OF HYPERTENSION (.9).....	9,397	3,558	4,400	686	753
21 SUBARACHNOID HEMORRHAGE.....430	500	175	222	36	67
22 CEREBRAL HEMORRHAGE.....431	2,184	840	942	201	201
23 CEREBRAL THROMBOSIS.....433	2,232	855	1,036	170	171
24 CEREBRAL EMBOLISM.....434	67	30	29	2	6
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	136	64	56	9	7
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	3,824	1,384	1,718	342	389
27 OTHER CEREBROVASCULAR DISEASES.....437,438	1,788	656	918	101	113
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	2,702	1,209	1,203	149	141
29 ARTERIOSCLEROSIS.....440	1,572	577	835	79	81
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	538	364	127	25	22
31 GANGRENE.....445	125	47	44	17	17
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	467	221	197	28	21
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	869	391	322	77	79
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	744	320	282	66	66
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	125	61	40	11	13
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,382	3,391	2,141	535	315
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	37	14	16	4	3
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	65	31	21	5	8
39 INFLUENZA.....470-474	366	148	169	30	19
40 PNEUMONIA.....480-486	3,546	1,573	1,394	336	243
41 VIRAL PNEUMONIA.....480	99	42	37	9	11
42 BACTERIAL PNEUMONIA.....481,482	428	187	149	68	24
43 ACUTE INTERSTITIAL PNEUMONIA.....484	85	28	29	16	12
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,257	581	507	96	73
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,677	735	672	147	123
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,643	1,231	299	95	18
47 BRONCHITIS, UNQUALIFIED.....490	54	19	29	5	1
48 CHRONIC BRONCHITIS.....491	233	162	55	15	1
49 EMPHYSEMA.....492	1,258	1,013	181	57	7
50 ASTHMA.....493	98	37	34	18	9
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	74	42	18	11	3
53 PLEURISY.....511	31	16	12	2	1
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	149	81	60	5	3
55 BRONCHIECTASIS.....518	56	26	25	4	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	414	228	127	43	16
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,426	1,677	1,306	261	182
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	379	233	101	27	18
60 ULCER OF STOMACH.....531	140	83	43	7	7
61 ULCER OF DUODENUM.....532	169	113	38	10	8
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	70	37	20	10	3
63 GASTRITIS AND DUODENITIS.....535	33	13	14	5	1
64 APPENDICITIS.....540-543	80	37	27	7	9
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	379	129	192	32	26
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	3	-	2	-	1
67 DIVERTICULA OF INTESTINE.....562	141	45	85	3	8
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	51	24	26	-	1
69 CIRRHOSIS OF LIVER.....571	1,195	664	368	118	45
70 ALCOHOLIC.....571.0	367	227	77	54	10
71 OTHER SPECIFIED.....571.8	217	99	77	24	17
72 UNSPECIFIED.....571.9	611	338	215	40	18
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	232	97	111	8	16
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	932	434	380	61	57
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,756	736	644	198	178
76 NEPHRITIS AND NEPHROSIS.....580-584	547	224	188	66	69
77 ACUTE NEPHRITIS.....580	60	23	18	10	9
78 NEPHROTIC SYNDROME.....581	26	10	13	2	1
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	461	191	157	54	59
80 INFECTIONS OF KIDNEY.....590	579	195	273	50	61
81 CALCULI OF URINARY SYSTEM.....592,594	65	30	28	4	3
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	361	161	118	47	35
83 HYPERPLASIA OF PROSTATE.....609	104	82	-	22	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	100	44	37	9	10
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	70	-	50	-	20
87 ECTOPIC PREGNANCY.....631	7	-	3	-	4
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	11	-	8	-	3
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	3	-	2	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,994	1,188	779	21	6	1,643	906	735	2	-	13,511	6,410	4,310	1,552	1,239	01
248	108	136	4	-	198	74	124	-	-	1,989	602	667	320	400	02
1,746	1,080	643	17	6	1,445	832	611	2	-	11,522	5,808	3,643	1,232	839	03
1,222	793	410	15	4	845	534	309	2	-	7,022	3,941	1,915	686	480	04
5	5	-	-	-	5	5	-	-	-	681	287	107	188	99	05
767	390	369	6	2	792	367	425	-	-	5,802	2,181	2,284	678	659	06
-	-	-	-	-	1	-	1	-	-	6	1	4	-	1	07
172	86	82	2	2	67	31	35	1	-	790	261	260	148	121	08
3	2	1	-	-	-	-	-	-	-	12	2	5	4	1	09
1	1	-	-	-	1	1	-	-	-	9	2	4	1	2	10
5	2	3	-	-	6	1	5	-	-	23	8	9	1	5	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	13
5	2	3	-	-	6	1	5	-	-	18	6	6	1	5	14
97	43	51	1	2	34	19	15	-	-	399	115	142	77	65	15
30	15	14	1	-	18	8	10	-	-	212	67	71	39	35	16
36	23	13	-	-	8	2	5	1	-	135	67	29	26	13	17
665	289	364	7	5	453	199	254	-	-	4,246	1,387	1,645	618	596	18
97	39	55	2	1	69	24	45	-	-	611	152	184	136	139	19
568	250	309	5	4	384	175	209	-	-	3,635	1,235	1,461	482	457	20
23	9	11	2	1	29	14	15	-	-	256	79	99	34	44	21
115	52	61	2	-	111	50	61	-	-	870	258	299	176	137	22
153	72	79	-	2	155	71	84	-	-	1,127	412	437	143	135	23
8	4	4	-	-	2	1	1	-	-	20	5	6	4	5	24
8	7	1	-	-	11	6	5	-	-	68	35	21	10	2	25
218	95	120	1	2	82	34	48	-	-	1,215	367	467	192	189	26
140	50	88	2	-	63	23	40	-	-	690	231	316	59	84	27
190	110	80	-	-	173	76	97	-	-	1,182	524	442	118	98	28
86	44	42	-	-	107	41	66	-	-	680	244	311	72	53	29
55	43	12	-	-	31	23	8	-	-	241	161	41	22	17	30
10	6	4	-	-	9	3	6	-	-	46	17	12	9	8	31
39	17	22	-	-	26	9	17	-	-	215	102	78	15	20	32
81	46	34	1	-	47	36	11	-	-	372	142	129	55	46	33
77	44	32	1	-	41	33	8	-	-	333	129	115	48	41	34
4	2	2	-	-	6	3	3	-	-	39	13	14	7	5	35
508	341	153	13	1	364	203	161	-	-	2,701	1,267	766	413	255	36
3	1	1	-	1	-	-	-	-	-	16	5	7	-	4	37
7	5	2	-	-	4	2	2	-	-	24	6	8	4	6	38
27	14	12	1	-	65	16	49	-	-	194	74	81	20	19	39
218	121	87	10	-	170	87	83	-	-	1,479	564	481	260	174	40
6	6	-	-	-	12	6	6	-	-	29	13	8	3	5	41
28	15	11	2	-	25	14	11	-	-	173	71	42	43	17	42
3	3	-	-	-	3	1	2	-	-	50	17	9	12	12	43
67	36	29	2	-	82	39	43	-	-	650	249	233	104	64	44
114	61	47	6	-	48	27	21	-	-	577	214	189	98	76	45
167	135	30	2	-	97	77	20	-	-	653	446	117	68	22	46
7	3	4	-	-	3	1	2	-	-	22	11	6	3	2	47
25	19	6	-	-	26	20	6	-	-	108	69	22	14	3	48
122	107	13	2	-	61	56	5	-	-	461	346	68	40	7	49
13	6	7	-	-	7	-	7	-	-	62	20	21	11	10	50
2	1	1	-	-	3	3	-	-	-	1	1	-	-	-	51
5	4	1	-	-	3	3	-	-	-	34	16	6	11	1	52
1	-	1	-	-	1	1	-	-	-	10	6	3	1	-	53
17	10	7	-	-	8	7	1	-	-	73	49	14	9	1	54
5	4	1	-	-	2	1	1	-	-	20	8	9	3	-	55
56	46	10	-	-	14	9	5	-	-	197	92	40	37	28	56
267	146	118	1	2	156	85	71	-	-	1,431	643	469	184	135	57
1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	58
40	28	12	-	-	28	22	6	-	-	163	97	32	24	10	59
16	9	7	-	-	10	8	2	-	-	60	30	12	12	6	60
21	16	5	-	-	14	11	3	-	-	74	50	13	8	3	61
3	3	-	-	-	4	3	1	-	-	29	17	7	4	1	62
2	-	2	-	-	-	-	-	-	-	11	5	3	2	1	63
10	6	3	-	1	6	5	1	-	-	30	12	8	3	7	64
31	13	18	-	-	23	10	13	-	-	144	51	59	21	13	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
12	5	7	-	-	13	6	7	-	-	51	18	25	2	6	67
10	4	6	-	-	2	2	-	-	-	19	8	9	2	-	68
81	49	30	1	1	43	22	21	-	-	532	255	176	59	42	69
42	24	17	-	1	14	6	8	-	-	202	97	60	31	14	70
11	5	6	-	-	6	3	3	-	-	94	41	35	10	8	71
28	20	7	1	-	23	13	10	-	-	236	117	81	18	20	72
22	12	10	-	-	8	4	4	-	-	83	35	40	1	7	73
58	29	29	-	-	33	14	19	-	-	396	161	117	69	49	74
101	70	25	4	2	62	35	27	-	-	666	248	202	122	94	75
36	22	10	4	-	16	10	6	-	-	223	84	50	43	46	76
4	3	1	-	-	2	2	-	-	-	12	6	3	-	3	77
2	1	1	-	-	2	2	-	-	-	12	-	6	3	3	78
30	18	8	4	-	12	6	6	-	-	199	78	41	40	40	79
23	15	6	-	2	19	7	12	-	-	212	66	95	25	26	80
2	2	-	-	-	3	2	1	-	-	20	8	10	1	1	81
22	15	7	-	-	14	8	6	-	-	113	36	37	28	12	82
11	11	...	-	...	5	5	...	-	...	50	34	...	16	...	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
7	5	2	-	-	5	3	2	-	-	48	20	10	9	9	85
5	...	5	...	-	1	...	1	...	-	14	...	7	...	7	86
1	...	1	...	-	-	...	-	...	-	2	...	-	...	2	87
2	...	2	...	-	-	...	-	...	-	3	...	1	...	2	88
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	9	...	7	...	2
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	3	...	3	...	-
04	SPONTANEOUS ABORTION.....643	1	...	1	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	5	...	3	...	2
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	17	...	14	...	3
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	21	...	15	...	6
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	...	1	...	1
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	112	35	58	7	12
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	30	11	15	3	1
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	82	24	43	4	11
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	207	49	125	13	20
13	ARTHRITIS AND SPONDYLITIS.....710-715	82	25	52	4	1
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	9	-	4	1	4
15	OSTEOMYELITIS AND PERIOSTITIS.....720	9	2	2	2	3
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	1	2	-	1
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	103	21	65	6	11
18	XIV. CONGENITAL ANOMALIES.....	902	395	375	73	55
19	SPINA BIFIDA.....741	59	18	39	1	1
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	145	50	77	10	8
21	CONGENITAL ANOMALIES OF HEART.....746	350	176	129	26	19
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	53	27	17	7	2
23	CLEFT PALATE AND CLEFT LIP.....749	3	-	1	2	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	292	128	112	27	25
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,659	1,222	800	368	269
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,834	843	523	264	204
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	193	61	97	17	18
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	1,641	782	426	247	186
29	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	9,451	5,543	2,154	1,360	394
30	ACCIDENTS.....E800-E949	6,979	4,174	1,748	782	275
31	RAILWAY ACCIDENTS.....E800-E807	41	27	6	8	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	3,544	2,221	813	390	120
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	3,449	2,162	789	381	117
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	114	65	34	14	1
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	1,553	933	418	144	58
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	471	272	97	79	23
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	580	393	96	79	12
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	501	359	88	41	13
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	230	140	56	24	10
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	95	59	24	9	3
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	25	13	11	1	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	98	77	8	11	2
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	210	179	27	4	-
44	ACCIDENTAL POISONING.....E850-E877	189	98	67	14	10
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	75	40	31	2	2
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	51	23	20	5	3
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	63	35	16	7	5
48	ACCIDENTAL FALLS.....E880-E887	741	327	361	36	17
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	175	119	41	11	4
50	FALL ON SAME LEVEL.....E885,E886	34	15	16	2	1
51	OTHER AND UNSPECIFIED FALLS.....E887	532	193	304	23	12
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	393	167	111	62	53
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	436	276	62	92	6
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	227	117	74	22	14
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	231	169	26	29	7
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	379	287	36	45	11
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	9	4	2	2	1
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	62	41	9	6	6
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	17	2	9	4	2
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	95	80	6	9	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	196	160	10	24	2
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	127	47	62	10	8
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	338	169	84	58	27
64	SUICIDE.....E950-E959	1,101	777	273	35	16
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	100	38	59	1	2
66	SUICIDE FROM POISONING BY GASES.....E951,E952	73	53	20	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	109	76	29	4	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	772	580	150	28	14
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	47	30	15	2	-
70	HOMICIDE.....E960-E978	1,300	548	123	528	101
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	992	467	84	426	75
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	146	72	7	61	6
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	136	58	32	26	20
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	26	11	-	15	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	66	40	10	14	2
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	5	4	-	1	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1968—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	03
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	04
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	05
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	06
1	...	1	...	-	1	...	1	...	-	3	...	2	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
7	1	6	-	-	1	-	1	-	-	37	11	20	-	6	-09
1	-	1	-	-	1	-	1	-	-	9	4	5	-	-	10
6	1	5	-	-	-	-	-	-	-	28	7	15	-	6	11
30	12	17	1	-	10	4	6	-	-	106	41	49	8	8	12
15	6	9	-	-	5	2	3	-	-	50	20	22	4	4	13
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	14
1	1	-	-	-	1	1	-	-	-	5	3	2	-	-	15
-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	16
14	5	8	1	-	4	1	3	-	-	44	14	23	4	3	17
119	72	42	2	3	33	16	17	-	-	410	170	161	41	38	18
3	2	1	-	-	3	2	1	-	-	39	14	21	3	1	19
16	10	6	-	-	10	5	5	-	-	60	16	31	9	4	20
48	26	21	-	1	10	4	6	-	-	143	65	50	15	13	21
15	10	4	-	1	2	-	2	-	-	25	14	5	4	2	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
37	24	10	2	1	8	5	3	-	-	143	61	54	10	18	24
235	132	90	7	6	96	52	44	-	-	1,066	436	254	210	166	25
285	163	111	7	4	50	34	16	-	-	534	172	128	125	109	26
48	19	26	2	1	2	-	2	-	-	35	5	12	10	8	27
237	144	85	5	3	48	34	14	-	-	499	167	116	115	101	28
764	514	212	27	11	344	240	104	-	-	3,051	1,992	798	833	228	29
578	384	171	16	7	269	180	89	-	-	2,742	1,409	596	577	160	30
6	6	-	-	-	-	-	-	-	-	22	13	1	8	-	31
303	201	94	4	4	111	89	22	-	-	1,168	665	211	240	52	32
294	192	94	4	4	110	88	22	-	-	1,154	657	209	236	52	33
17	15	2	-	-	1	1	-	-	-	13	9	2	2	-	34
96	60	31	1	4	36	23	13	-	-	263	150	65	33	15	35
64	41	22	1	-	17	10	1	-	-	217	108	25	73	11	36
25	17	8	-	-	11	17	-	-	-	110	68	11	27	4	37
77	53	23	1	-	12	11	1	-	-	137	83	34	18	2	38
15	6	8	1	-	33	26	7	-	-	414	239	72	83	20	39
9	9	-	-	-	1	1	-	-	-	14	8	2	4	-	40
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	41
12	9	2	1	-	6	5	1	-	-	60	42	4	14	-	42
11	7	4	-	-	11	8	3	-	-	49	42	5	2	-	43
16	8	4	3	1	9	4	5	-	-	82	31	15	22	14	44
6	2	3	-	1	2	-	2	-	-	25	5	4	9	7	45
2	2	-	-	-	-	-	-	-	-	44	19	9	10	6	46
8	4	1	3	-	7	4	3	-	-	13	7	2	3	1	47
72	42	29	1	-	39	14	25	-	-	484	193	230	43	18	48
26	16	9	1	-	14	8	6	-	-	123	60	32	22	9	49
6	2	4	-	-	6	4	2	-	-	11	3	8	-	-	50
40	24	16	-	-	19	2	17	-	-	350	130	190	21	9	51
21	13	7	1	-	31	16	15	-	-	218	64	50	61	43	52
27	16	6	3	2	13	9	4	-	-	164	82	12	67	3	53
23	14	8	1	-	8	4	4	-	-	57	24	16	12	5	54
15	14	-	1	-	6	5	1	-	-	58	32	4	18	4	55
40	39	1	-	-	14	12	2	-	-	159	119	9	26	5	56
-	-	-	-	-	1	1	-	-	-	6	4	-	2	-	57
3	3	-	-	-	-	-	-	-	-	16	10	2	1	3	58
2	1	1	-	-	1	1	-	-	-	7	4	1	-	2	59
5	5	-	-	-	4	2	2	-	-	18	13	3	2	-	60
30	30	-	-	-	8	8	-	-	-	112	88	3	21	-	61
6	-	6	-	-	10	6	4	-	-	50	20	19	7	4	62
25	15	9	1	-	11	8	3	-	-	170	81	20	57	12	63
130	98	25	7	-	62	51	11	-	-	631	433	146	47	5	64
17	8	8	1	-	5	2	3	-	-	76	23	47	4	2	65
17	12	4	1	-	10	8	2	-	-	54	42	9	3	-	66
14	8	3	3	-	11	9	2	-	-	69	46	13	10	-	67
76	66	8	2	-	34	30	4	-	-	395	304	62	26	3	68
6	4	2	-	-	2	2	-	-	-	37	18	15	4	-	69
35	15	14	4	2	8	6	2	-	-	422	122	42	199	59	70
24	9	11	3	1	4	3	1	-	-	289	87	30	132	40	71
5	3	2	-	-	1	1	-	-	-	75	15	-	52	8	72
4	2	1	-	1	2	1	1	-	-	54	18	12	13	11	73
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
2	1	-	1	-	1	1	-	-	-	4	2	-	2	-	75
19	15	2	-	2	5	3	2	-	-	53	26	14	9	4	76
2	2	-	-	-	-	-	-	-	-	3	2	-	1	-	77

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	30,466	16,931	12,397	721	417
02 I. INFECTIVE AND PARASITIC DISEASES.....	205	106	87	6	6
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	-	2	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	46	15	28	2	1
09 TUBERCULOSIS, ALL FORMS.....010-019	58	42	15	-	1
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	40	28	11	-	1
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	1	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	-	2	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	1	1	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	13	12	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	2	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	9	4	4	1	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	35	22	11	2	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	5	1	4	-	-
28 ACUTE POLIOMYELITIS.....040-043	1	-	1	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	1	1	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	9	2	6	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	15	5	9	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	3	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	3	3	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	18	9	6	1	2
58 II. NEOPLASMS.....	5,010	2,709	2,143	104	54
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	4,925	2,678	2,092	102	53
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	99	70	27	2	-
61 OF LIP.....140	2	2	-	-	-
62 OF TONGUE.....141	24	17	7	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	33	22	11	-	-
64 OF PHARYNX.....146-149	40	29	9	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,418	753	616	32	17
66 OF ESOPHAGUS.....150	82	60	20	2	-
67 OF STOMACH.....151	269	164	89	12	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	8	3	5	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	498	227	259	9	3
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	57	27	29	1	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	28	13	14	1	-
72 DESCENDING COLON.....153.2	15	8	7	-	-
73 SIGMOID COLON.....153.3	68	33	35	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	300	133	158	6	3
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	30	13	16	1	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	157	89	64	1	3
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	30	16	10	3	1
78 OF GALLBLADDER AND BILE DUCTS.....156	66	25	40	-	1
79 OF PANCREAS.....157	286	157	119	5	5
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	22	12	10	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	984	772	179	27	6
82 OF LARYNX.....161	29	25	4	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	921	724	166	26	5
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	34	23	9	1	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	542	60	471	1	10
86 OF BONE.....170	20	13	7	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	30	14	13	1	2
88 OF SKIN.....172,173	59	31	28	-	-
89 OF BREAST.....174	433	2	423	-	8

WEST VIRGINIA

WISCONSIN

WYOMING

19,789	10,830	7,705	731	523	41,400	22,912	17,589	513	386	2,961	1,797	1,087	40	37	01
213	107	78	21	7	254	117	120	10	7	22	8	8	3	3	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
36	12	16	6	2	57	22	30	1	4	3	-	2	-	-	07
100	57	31	10	2	70	41	23	5	1	3	1	1	1	-	08
90	54	26	9	1	50	29	16	4	1	2	1	1	-	-	09
3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	10
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	13
6	3	2	1	-	19	12	6	1	-	1	-	-	1	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	21
7	4	2	1	-	9	5	4	-	-	3	1	-	2	-	22
1	-	1	-	-	4	4	-	-	-	-	-	-	-	-	23
26	13	11	-	2	32	16	15	1	-	1	1	-	-	-	24
3	2	1	-	-	7	4	1	1	1	1	-	1	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	1	1	-	-	2	-	2	-	-	-	-	-	-	-	27
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
3	2	1	-	-	5	-	5	-	-	1	-	-	-	1	30
5	1	3	1	-	14	5	9	-	-	2	1	1	-	-	31
5	3	2	-	-	24	6	17	1	-	5	2	2	-	1	32
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
7	4	1	1	1	8	6	1	1	-	2	2	-	-	-	36
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	37
2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	38
1	1	-	-	-	4	2	1	1	-	2	2	-	-	-	39
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
3	3	-	1	-	1	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
13	6	5	2	-	18	7	11	-	-	1	-	1	-	-	45
3,095	1,591	1,314	113	77	7,142	3,667	3,351	76	48	399	221	173	4	1	58
3,045	1,563	1,293	113	76	7,060	3,631	3,307	75	47	389	214	170	4	1	59
53	30	19	4	-	162	125	33	4	-	7	5	2	-	-	60
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	61
12	7	4	1	-	42	33	9	-	-	2	1	1	-	-	62
21	10	10	1	-	46	28	16	2	-	3	2	1	-	-	63
19	12	5	2	-	73	63	8	2	-	1	1	-	-	-	64
848	423	372	26	27	2,270	1,191	1,052	17	10	112	59	51	1	1	65
37	27	4	4	2	104	69	31	4	-	6	5	1	-	-	66
187	98	76	7	6	434	260	167	2	5	13	9	4	-	-	67
9	4	5	-	-	16	5	11	-	-	1	-	1	-	-	68
265	97	152	8	8	844	395	444	4	1	44	19	25	-	-	69
29	12	14	1	2	126	47	78	1	-	6	1	5	-	-	70
14	6	7	-	1	39	20	19	-	-	2	-	2	-	-	71
13	7	6	-	-	35	19	15	-	1	-	-	-	-	-	72
44	13	29	1	1	148	72	74	2	-	8	5	3	-	-	73
151	56	86	5	4	441	208	232	1	-	27	12	15	-	-	74
14	3	10	1	-	55	29	26	-	-	1	1	-	-	-	75
90	54	31	3	2	293	167	123	1	2	10	6	4	-	-	76
14	8	6	-	-	44	27	16	-	1	1	1	-	-	-	77
47	14	31	-	2	136	42	93	1	-	8	3	5	-	-	78
172	104	60	4	4	370	214	150	5	1	26	17	7	1	1	79
27	17	7	-	3	29	12	17	-	-	3	-	3	-	-	80
660	479	127	47	7	1,044	829	181	29	5	67	57	7	3	-	81
24	17	4	3	-	46	43	3	-	-	1	1	-	-	-	82
624	454	119	44	7	966	768	165	28	5	63	54	6	3	-	83
12	8	4	-	-	32	18	13	1	-	3	2	1	-	-	84
298	50	235	2	11	901	86	802	2	11	42	5	37	-	-	85
23	15	8	-	-	42	24	17	1	-	2	2	-	-	-	86
9	4	4	1	-	35	15	18	1	1	1	1	-	-	-	87
48	28	17	1	2	81	43	38	-	-	4	2	2	-	-	88
218	3	206	-	9	743	4	729	-	10	35	-	35	-	-	89

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	662	322	320	11	9
02 OF CERVIX UTERI.....180	77	...	74	...	3
03 OF OTHER PARTS OF UTERUS.....181,182	86	...	84	...	2
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	157	...	153	...	4
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	9	...	9	...	-
06 OF PROSTATE.....185	317	306	...	11	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	16
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	229	152	69	5	3
09 OF BLADDER.....188	133	91	41	-	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	96	61	28	5	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	448	244	187	13	4
12 OF EYE.....190	4	3	1	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	127	77	47	1	2
14 OF THYROID GLAND.....193	7	1	5	1	-
15 OTHER.....194-199	310	163	134	11	2
16 LEUKEMIA.....204-207	253	141	104	5	3
17 LYMPHATIC LEUKEMIA.....204	92	58	31	2	1
18 MYELOID LEUKEMIA.....205	87	40	44	2	1
19 MONOCYTTIC LEUKEMIA.....206	14	9	5	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	60	34	24	1	1
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	290	164	119	6	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	119	64	52	2	1
23 HODGKIN'S DISEASE.....201	53	32	21	2	-
24 MULTIPLE MYELOMA.....203	61	41	18	2	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	57	27	28	2	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	85	31	51	2	1
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	...	2
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	14	3	11	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226,228	14	5	7	1	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	41	16	25	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	14	7	6	1	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	737	303	409	11	14
34 NONTOXIC GOITER.....240,241	1	-	1	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	3	-	3	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	7	3	4	-	-
37 DIABETES MELLITUS.....250	577	235	323	9	10
38 DISEASES OF PITUITARY GLAND.....253	6	3	3	-	-
39 DISEASES OF THYMUS GLAND.....254	3	2	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	10	3	7	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	45	20	23	-	2
43 CYSTIC FIBROSIS.....273.0	8	3	5	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	77	34	39	2	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	59	33	26	-	-
46 ANEMIAS.....280-285	42	24	18	-	-
47 DEFICIENCY ANEMIAS.....280,281	11	6	5	-	-
48 HEMOLYTIC ANEMIAS.....282,283	7	4	3	-	-
49 APLASTIC ANEMIA.....284	14	9	5	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	10	5	5	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	6	3	3	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	11	6	5	-	-
53 V. MENTAL DISORDERS.....	177	100	46	17	14
54 SENILE AND PRESENILE DEMENTIAS.....290	11	6	5	-	-
55 ALCOHOLIC PSYCHOSES.....291	12	10	1	1	-
56 ALL OTHER PSYCHOSES.....294-299	6	1	4	-	-
57 ALCOHOLISM.....303	126	72	26	15	13
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	13	7	5	1	-
59 MENTAL RETARDATION.....310-315	9	4	5	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	347	162	170	9	6
61 MENINGITIS.....320	36	15	16	5	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	11	6	5	-	-
63 MULTIPLE SCLEROSIS.....340	35	17	17	1	-
64 PARALYSIS AGITANS.....342	72	34	38	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	14	9	5	-	-
66 EPILEPSY.....345	45	21	22	1	1
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	4	1	2	-	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	130	59	65	2	4
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,475	9,041	7,018	257	159
73 ACTIVE RHEUMATIC FEVER.....390-392	9	5	3	-	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	289	120	157	6	6
75 DISEASES OF MITRAL VALVE.....394	78	28	48	1	1
76 DISEASES OF AORTIC VALVE.....395	82	50	29	3	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	23	10	13	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	106	32	67	2	5
79 HYPERTENSIVE DISEASE.....400-404	369	161	193	7	8
80 MALIGNANT HYPERTENSION.....400	11	6	3	1	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	22	6	14	-	2
82 HYPERTENSIVE HEART DISEASE.....402	123	46	71	4	2
83 HYPERTENSIVE RENAL DISEASE.....403	61	33	24	2	2
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	152	70	81	-	1

WEST VIRGINIA

WISCONSIN

WYOMING

442	173	243	15	11	938	440	481	7	10	64	32	32	-	-	01
101	...	94	...	7	120	...	114	...	6	4	...	4	...	-	02
61	...	58	...	3	116	...	113	...	3	11	...	11	...	-	03
85	...	85	...	-	239	...	238	...	1	16	...	16	...	-	04
7	...	6	...	1	16	...	16	...	-	1	...	1	...	-	05
178	163	...	15	...	431	424	...	7	...	30	30	...	-	...	06
10	10	...	-	...	16	16	...	-	...	2	2	...	-	...	07
145	87	50	2	6	352	220	128	1	3	19	15	4	-	-	08
92	54	33	1	4	209	145	61	1	2	12	11	1	-	-	09
53	33	17	1	2	143	75	67	-	1	7	4	3	-	-	10
297	141	134	10	12	646	342	294	6	4	36	18	18	-	-	11
4	2	2	-	-	7	2	5	-	-	-	-	-	-	-	12
60	33	25	1	1	191	115	74	1	1	13	7	6	-	-	13
6	4	2	-	-	20	7	13	-	-	2	1	1	-	-	14
227	102	105	9	11	428	218	202	5	3	21	10	11	-	-	15
139	84	51	3	1	337	180	149	5	3	20	10	10	-	-	16
63	43	17	2	1	124	64	56	2	2	6	4	2	-	-	17
49	25	23	1	-	115	68	43	3	1	10	5	5	-	-	18
6	5	1	-	-	20	8	12	-	-	2	-	2	-	-	19
21	11	10	-	-	78	40	38	-	-	2	1	1	-	-	20
163	96	62	4	1	410	218	187	4	1	22	13	9	-	-	21
62	34	26	1	1	163	90	70	2	1	9	4	5	-	-	22
31	18	12	1	-	79	40	39	-	-	3	3	-	-	-	23
39	26	11	2	-	89	47	41	1	-	5	3	2	-	-	24
31	18	13	-	-	79	41	37	1	-	5	3	2	-	-	25
50	28	21	-	1	82	36	44	1	1	10	7	3	-	-	26
4	...	3	...	1	9	...	9	...	-	-	-	-	-	-	27
5	1	4	-	-	19	7	12	-	-	1	-	1	-	-	28
10	9	1	-	-	22	14	6	1	1	3	2	1	-	-	29
-	...	-	...	-	-	...	-	...	-	-	-	-	-	-	30
21	12	9	-	-	17	8	9	-	-	2	1	1	-	-	31
10	6	4	-	-	15	7	8	-	-	4	4	-	-	-	32
410	163	213	15	19	1,118	495	599	8	16	69	34	32	-	-	33
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	34
5	2	2	1	-	14	2	11	-	1	-	-	-	-	-	35
1	1	-	-	-	9	1	8	-	-	-	-	-	-	-	36
326	120	177	13	16	899	401	481	6	11	58	28	28	-	-	37
1	-	1	-	-	4	1	2	1	-	-	-	-	-	-	38
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	39
4	2	2	-	-	9	-	8	-	1	2	1	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
32	13	17	1	1	64	29	32	1	2	1	-	-	-	-	42
8	6	2	-	-	17	8	9	-	-	-	-	-	-	-	43
33	19	12	-	2	99	51	47	-	1	7	4	3	-	-	44
52	29	19	2	2	132	55	73	1	3	9	4	5	-	-	45
42	21	18	1	2	86	35	47	1	3	5	3	2	-	-	46
14	7	6	-	1	14	5	8	-	1	1	1	-	-	-	47
5	-	3	1	1	10	2	5	1	2	-	-	-	-	-	48
9	4	5	-	-	36	16	20	-	-	3	2	1	-	-	49
14	10	4	-	-	26	12	14	-	-	1	-	1	-	-	50
3	2	1	-	-	19	10	9	-	-	2	-	2	-	-	51
7	6	-	1	-	27	10	17	-	-	2	1	1	-	-	52
63	46	13	4	-	129	82	41	5	1	17	11	5	1	-	53
2	1	1	-	-	18	8	10	-	-	1	1	-	-	-	54
5	4	1	-	-	11	10	1	-	-	2	1	1	-	-	55
2	-	2	-	-	16	5	11	-	-	2	1	-	-	-	56
41	34	3	4	-	46	36	5	4	1	11	7	4	-	-	57
10	4	6	-	-	29	17	12	-	-	1	1	-	-	-	58
3	3	-	-	-	9	6	2	1	-	-	-	-	-	-	59
142	78	56	4	4	422	215	196	6	5	30	15	14	-	-	60
11	8	3	-	-	20	9	10	1	-	2	1	-	-	-	61
4	3	1	-	-	6	4	2	-	-	-	-	-	-	-	62
9	4	4	-	1	49	22	26	1	-	8	3	5	-	-	63
26	14	12	-	-	110	54	55	-	1	3	2	1	-	-	64
11	6	4	-	1	17	12	5	-	-	2	1	1	-	-	65
16	9	4	2	1	45	25	18	2	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	69
1	1	-	-	-	2	1	-	1	-	1	-	1	-	-	70
64	33	28	2	1	172	87	80	1	4	13	8	5	-	-	71
10,798	5,718	4,456	342	282	23,409	12,950	10,122	182	155	1,499	891	587	12	9	72
4	3	1	-	-	7	5	2	-	-	1	1	-	-	-	73
126	62	58	3	3	324	158	159	4	3	30	11	17	1	1	74
34	11	19	3	1	82	32	48	-	2	6	1	5	-	-	75
28	19	9	-	-	81	53	26	2	-	9	4	3	1	1	76
6	2	4	-	-	25	13	11	1	-	1	-	1	-	-	77
58	30	26	-	2	136	60	74	1	1	14	6	8	-	-	78
335	157	149	15	14	545	245	280	12	8	33	16	15	-	-	79
12	6	5	1	-	16	7	9	-	-	2	1	1	-	-	80
20	11	7	2	-	28	9	18	1	-	5	2	3	-	-	81
84	32	42	4	6	192	72	106	7	7	9	5	4	-	-	82
118	64	47	3	4	116	55	59	1	1	5	3	2	-	-	83
101	44	48	5	4	193	102	88	3	-	12	5	5	-	-	84

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,536	6,254	4,020	169	93
02 WITH HYPERTENSIVE DISEASE (.0).....	947	417	493	15	22
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,589	5,837	3,527	154	71
04 ACUTE MYOCARDIAL INFARCTION.....410	6,309	4,132	2,031	97	49
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	182	104	66	8	4
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,040	2,016	1,920	64	40
07 ANGINA PECTORIS.....413	5	2	3	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	529	289	225	10	5
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	18	6	12	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	12	9	2	1	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	27	12	14	1	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	-	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	5	4	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	21	8	12	1	-
15 SYMPTOMATIC HEART DISEASE.....427	278	144	124	7	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	74	41	32	-	1
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	120	77	41	1	1
18 CEREBROVASCULAR DISEASES.....430-438	3,446	1,578	1,781	51	36
19 WITH HYPERTENSION (BENIGN) (.0).....	350	136	199	8	7
20 WITHOUT MENTION OF HYPERTENSION (.9).....	3,096	1,442	1,582	43	29
21 SUBARACHNOID HEMORRHAGE.....430	160	62	91	3	4
22 CEREBRAL HEMORRHAGE.....431	599	285	287	16	11
23 CEREBRAL THROMBOSIS.....433	896	424	455	7	10
24 CEREBRAL EMBOLISM.....434	10	3	7	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	53	28	24	1	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,112	504	584	17	7
27 OTHER CEREBROVASCULAR DISEASES.....437,438	616	272	333	7	4
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,078	536	525	10	7
29 ARTERIOSCLEROSIS.....440	671	294	371	3	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	221	152	64	4	1
31 GANGRENE.....445	42	25	16	-	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	144	65	74	3	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	219	98	114	4	3
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	189	81	101	4	3
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	30	17	13	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,119	1,333	697	62	27
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	19	11	8	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	24	17	6	1	-
39 INFLUENZA.....470-474	167	87	75	3	2
40 PNEUMONIA.....480-486	988	548	394	31	15
41 VIRAL PNEUMONIA.....480	28	14	12	-	2
42 BACTERIAL PNEUMONIA.....481,482	140	78	49	9	4
43 ACUTE INTERSTITIAL PNEUMONIA.....484	30	10	15	5	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	370	211	148	7	4
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	420	235	170	10	5
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	637	500	118	16	3
47 BRONCHITIS, UNQUALIFIED.....490	16	9	3	3	1
48 CHRONIC BRONCHITIS.....491	104	87	15	2	-
49 EMPHYSEMA.....492	471	386	76	7	2
50 ASTHMA.....493	46	18	24	4	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	26	17	6	2	1
53 PLEURISY.....511	10	4	4	1	1
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	66	38	26	2	-
55 BRONCHIECTASIS.....518	21	11	9	-	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	161	100	51	6	4
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,122	609	438	38	37
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	156	99	51	5	1
60 ULCER OF STOMACH.....531	65	37	24	4	-
61 ULCER OF DUODENUM.....532	75	53	20	1	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	16	9	7	-	-
63 GASTRITIS AND DUODENITIS.....535	14	8	5	-	1
64 APPENDICITIS.....540-543	18	14	4	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	117	52	61	1	3
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	36	16	19	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	20	11	9	-	-
69 CIRRHOSIS OF LIVER.....571	438	240	161	16	21
70 ALCOHOLIC.....571.0	174	97	57	7	13
71 OTHER SPECIFIED.....571.8	80	44	30	1	5
72 UNSPECIFIED.....571.9	184	99	74	8	3
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	56	22	31	1	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	267	147	97	14	9
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	350	210	127	8	5
76 NEPHRITIS AND NEPHROSIS.....580-584	108	70	34	3	1
77 ACUTE NEPHRITIS.....580	15	12	3	-	-
78 NEPHROTIC SYNDROME.....581	9	7	2	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	84	51	29	3	1
80 INFECTIONS OF KIDNEY.....590	100	54	40	3	3
81 CALCULI OF URINARY SYSTEM.....592,594	6	3	3	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	87	48	37	2	-
83 HYPERPLASIA OF PROSTATE.....600	31	31	-	-	-
84 DISEASES OF BREAST.....610,611	1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	17	4	12	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	7	...	4	...	3
87 ECTOPIC PREGNANCY.....631	1	...	-	...	1
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

Table 1-26. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	1	...	1
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....620,633-635,654-662,672,674-678	3	...	2	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	16	4	11	1	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	7	2	4	1	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	9	2	7	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	88	27	56	-	5
13 ARTHRITIS AND SPONDYLITIS.....710-715	39	11	27	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	3	1	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	3	1	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	42	14	24	-	4
18 XIV. CONGENITAL ANOMALIES.....	282	150	109	15	8
19 SPINA BIFIDA.....741	11	7	3	1	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	43	24	18	-	1
21 CONGENITAL ANOMALIES OF HEART.....746	119	65	46	6	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	20	9	9	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	89	45	33	6	5
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	609	305	250	35	19
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	212	112	87	5	8
27 SENILITY WITHOUT MENTICA OF PSYCHOSIS.....794	19	7	12	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	193	105	75	5	8
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,651	1,727	719	153	52
30 ACCIDENTS.....E800-E949	2,020	1,312	554	115	39
31 RAILWAY ACCIDENTS.....E800-E807	22	12	5	5	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	968	622	275	49	22
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	947	607	270	48	22
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	41	24	8	4	5
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	329	199	114	9	7
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	139	81	46	10	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	126	95	19	8	4
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	152	109	29	12	2
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	160	99	54	5	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	21	15	5	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	6	4	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	59	47	4	6	2
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	60	50	10	-	-
44 ACCIDENTAL POISONING.....E850-E877	42	24	15	3	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	22	10	11	1	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	10	6	2	2	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	10	8	2	-	-
48 ACCIDENTAL FALLS.....E880-E887	308	172	121	11	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	100	63	30	6	1
50 FALL ON SAME LEVEL.....E885,E886	14	5	9	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	194	104	82	5	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	122	63	47	12	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	110	79	18	8	5
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	42	22	15	3	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	32	28	2	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	120	103	5	10	2
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	3	3	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	13	11	-	1	1
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	4	1	2	1	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	11	10	-	1	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	89	78	3	7	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	37	21	15	1	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	92	65	20	5	2
64 SUICIDE.....E950-E959	445	325	113	5	2
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E951	61	19	46	2	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	82	68	13	-	1
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	53	39	14	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	216	178	34	3	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	33	21	12	-	-
70 HOMICIDE.....E960-E978	129	61	32	27	9
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	81	41	18	18	4
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	21	9	4	7	1
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	24	9	10	1	4
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	3	2	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	57	29	20	6	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-68-----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1968-----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race or national origin and sex: United States, 1968-----	2-3
2-4. Infant mortality rates by age and color: United States, 1959-68-----	2-4
2-5. Infant mortality rates for 65 selected causes, by color: United States, 1968-----	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1964-68---	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1964-68--	2-7
2-8. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1968--	2-8
2-9. Deaths under 1 year, by age, race, and sex: United States and each State, 1968----	2-10
2-10. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1968-----	2-24
2-11. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by month: United States, 1968-----	2-31
2-12. Deaths under 1 year and under 28 days, from 65 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1968-----	2-34
2-13. Deaths under 1 year from 65 selected causes, by age, color, and sex: United States, 1968-----	2-40
2-14. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by color: United States and each State, 1968-----	2-58

SECTION 2 - INFANT MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-68

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	All other	Total	White	All other		Total	White	All other	Total	White	All other
1968	21.8	19.2	34.5	16.1	14.7	23.0	1951	28.4	25.8	44.8	20.0	18.9	27.3
1967	22.4	19.7	35.9	16.5	15.0	23.8	1950	29.2	26.8	44.5	20.5	19.4	27.5
1966	23.7	20.6	38.8	17.2	15.6	24.8	1949	31.3	28.9	47.3	21.4	20.3	28.6
1965	24.7	21.5	40.3	17.7	16.1	25.4	1948	32.0	29.9	46.5	22.2	21.2	29.1
1964	24.8	21.6	41.1	17.9	16.2	26.5	1947	32.2	30.1	48.5	22.8	21.7	31.0
1963 ¹	25.2	22.2	41.5	18.2	16.7	26.1	1946	33.8	31.8	49.5	24.0	23.1	31.5
1962 ¹	25.3	22.3	41.4	18.3	16.9	26.1	1945	38.3	35.6	57.0	24.3	23.3	32.0
1961	25.3	22.4	40.7	18.4	16.9	26.2	1944	39.8	36.9	60.3	24.7	23.6	32.5
1960	26.0	22.9	43.2	18.7	17.2	26.9	1943	40.4	37.5	62.5	24.7	23.7	32.9
1959	26.4	23.2	44.0	19.0	17.5	27.7	1942	40.4	37.3	64.6	25.7	24.5	34.6
1958	27.1	23.8	45.7	19.5	17.8	29.0	1941	45.3	41.2	74.8	27.7	26.1	39.0
1957	26.3	23.3	43.7	19.1	17.5	27.8	1940	47.0	43.2	73.8	28.8	27.2	39.7
1956	26.0	23.2	42.1	18.9	17.5	27.0	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1955	26.4	23.6	42.8	19.1	17.7	27.2	1930-34 ²	60.4	55.2	98.6	34.4	32.5	48.2
1954	26.6	23.9	42.9	19.1	17.8	27.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1953	27.8	25.0	44.7	19.6	18.3	27.4	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1952	28.4	25.5	47.0	19.8	18.5	28.0	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²For 1932-34, Mexicans are included with "All other."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1968

[Rates per 100,000 live births in specified group]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,178.0	2,450.9	1,890.5	1,919.6	2,185.8	1,637.7	3,454.9	3,779.9	3,120.8
Under 28 days	1,612.3	1,833.2	1,379.6	1,473.2	1,690.0	1,243.8	2,299.5	2,551.6	2,040.4
Under 1 day	951.1	1,071.4	824.4	868.9	985.7	745.3	1,357.3	1,501.1	1,209.5
Under 1 hour	186.2	196.7	175.1	171.2	180.0	161.9	260.1	280.2	239.5
1-23 hours	764.9	874.7	649.3	697.7	805.7	582.4	1,097.2	1,220.9	970.0
1 day	232.8	271.7	191.9	218.7	258.4	176.7	302.7	338.1	266.3
2 days	136.8	162.6	109.7	129.3	156.0	101.1	173.8	195.5	151.4
3 days	61.3	72.5	49.6	57.1	67.4	46.3	82.0	98.1	65.4
4 days	35.7	41.6	29.5	31.1	37.6	24.2	58.7	61.9	55.4
5 days	27.2	31.1	23.2	24.8	28.8	20.5	39.4	42.5	36.1
6 days	19.3	21.8	16.7	17.0	19.2	14.7	30.7	34.8	26.5
7-13 days	70.2	76.0	64.0	62.4	67.2	57.3	103.4	119.8	96.7
14-20 days	41.5	45.3	37.5	34.6	38.1	31.0	75.3	81.3	69.2
21-27 days	36.3	39.3	33.1	29.2	31.5	26.8	71.3	78.3	64.0
28-59 days	134.8	150.4	118.5	108.8	123.6	93.1	263.5	284.6	241.9
2 months	108.4	120.5	95.6	85.8	98.8	72.0	220.1	229.7	210.2
3 months	84.5	93.0	75.5	66.4	74.4	58.0	173.8	186.5	160.7
4 months	58.7	65.0	52.1	45.9	52.4	39.1	122.0	128.2	115.6
5 months	42.0	46.4	37.4	31.7	35.1	28.1	93.2	103.1	82.9
6 months	34.3	37.2	31.3	26.5	28.6	24.2	73.0	80.3	65.4
7 months	26.8	28.8	26.9	21.1	21.0	21.2	55.1	55.9	54.4
8 months	20.9	21.1	20.8	16.6	16.7	16.5	42.3	43.2	41.3
9 months	21.6	21.9	21.2	16.9	17.8	15.9	44.8	42.9	46.8
10 months	16.8	18.1	15.4	13.2	14.2	12.0	34.8	37.5	32.0
11 months	16.8	17.3	16.4	13.6	13.4	13.7	32.9	36.5	29.2

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1968

[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	Total			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	76,263	44,026	32,237	32,735	23,167	10,640	8,579	383	318	38	18	49	36	181	119
Rate	21.8	24.5	18.9	21.9	16.4	39.6	32.7	31.6	26.4	11.8	5.9	11.6	9.0	17.8	12.7
UNDER 28 DAYS															
Number	56,456	32,931	23,525	25,309	17,595	7,245	5,640	170	160	31	12	36	29	140	89
Rate	16.1	18.3	13.8	16.9	12.4	26.9	21.5	14.0	13.3	9.6	3.9	8.5	7.2	13.8	9.5
28 DAYS TO 11 MONTHS															
Number	19,807	11,095	8,712	7,426	5,572	3,395	2,939	213	158	7	6	13	7	41	30
Rate	5.7	6.2	5.1	5.0	3.9	12.6	11.2	17.6	13.1	2.2	2.0	3.1	1.7	4.0	3.2

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1959-68

[Rates per 100,000 live births in specified group]

Age and color	1968	1967	1966	1965	1964	1963 ¹	1962 ¹	1961	1960	1959
TOTAL										
Under 1 year	2,178.0	2,244.5	2,371.3	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7
Under 28 days	1,612.3	1,650.9	1,717.6	1,766.3	1,788.4	1,821.6	1,832.0	1,838.7	1,872.6	1,903.0
Under 1 day	951.1	964.6	994.7	1,016.5	1,022.6	1,037.5	1,035.7	1,025.8	1,034.2	1,029.8
1 day	232.8	239.9	254.2	258.3	263.2	265.6	262.0	266.5	271.2	277.7
2 days	136.8	143.7	151.3	158.9	160.2	168.2	173.1	172.0	176.9	182.3
3 days	61.3	62.7	67.0	66.4	72.2	72.9	77.4	79.1	82.6	85.2
4 days	35.7	35.2	38.3	37.4	40.0	41.8	43.6	44.3	46.3	50.1
5 days	27.2	28.4	27.3	28.9	28.4	30.7	31.2	34.7	34.2	36.8
6 days	19.3	20.7	20.7	20.7	21.4	22.4	22.8	24.1	25.0	28.3
7-13 days	70.2	74.4	78.4	83.2	85.5	85.7	91.5	93.5	99.0	105.2
14-20 days	41.5	42.8	45.4	53.2	51.3	52.8	53.0	56.2	58.2	59.8
21-27 days	36.3	38.4	40.3	42.9	43.5	43.9	41.5	42.5	45.0	47.8
28-59 days	134.8	149.9	161.7	170.1	165.4	162.5	161.5	162.0	170.8	172.5
2 months	108.4	113.9	119.9	130.4	128.7	129.4	132.4	129.4	132.9	132.8
3 months	84.5	82.4	92.2	103.5	95.9	99.2	96.8	97.6	100.7	102.3
4 months	58.7	59.5	68.3	74.3	69.7	75.0	71.4	70.6	77.2	74.8
5 months	42.0	45.9	49.9	52.1	53.4	55.8	55.6	55.6	57.4	62.5
6 months	34.3	37.6	39.1	41.7	43.4	45.0	44.3	43.6	47.2	47.1
7 months	26.8	27.5	31.6	33.8	34.9	36.4	35.7	34.5	39.2	38.3
8 months	20.9	23.5	27.8	28.1	29.1	29.7	30.4	29.7	33.2	32.5
9 months	21.6	19.5	22.5	25.6	26.1	24.7	26.0	24.9	26.7	26.9
10 months	16.8	17.4	21.0	21.8	21.9	22.1	23.1	21.4	23.0	23.8
11 months	16.8	16.4	19.7	21.8	20.6	21.6	21.9	21.2	22.9	22.3
WHITE										
Under 1 year	1,919.6	1,968.6	2,063.0	2,151.1	2,158.6	2,216.5	2,233.7	2,243.4	2,290.6	2,320.9
Under 28 days	1,473.2	1,501.8	1,560.8	1,608.3	1,620.4	1,667.8	1,685.9	1,693.5	1,724.2	1,747.5
Under 1 day	868.9	871.8	903.6	930.1	929.3	954.1	959.1	953.5	960.7	954.2
1 day	218.7	224.8	236.8	240.0	244.9	248.1	247.4	252.4	253.3	262.9
2 days	129.3	139.6	145.8	152.9	152.4	162.3	165.2	165.3	172.0	172.2
3 days	57.1	58.4	63.4	61.9	66.8	67.4	73.3	74.8	77.7	79.6
4 days	31.1	31.0	35.1	33.0	36.3	36.6	39.3	39.0	41.3	45.3
5 days	24.8	25.1	24.7	24.3	24.8	27.1	27.7	30.1	30.4	31.7
6 days	17.0	18.6	17.6	17.7	19.0	19.8	19.4	21.0	22.5	24.9
7-13 days	62.4	65.7	65.9	69.4	72.8	74.4	77.4	78.0	85.3	87.8
14-20 days	34.6	35.8	36.0	43.8	41.2	42.7	42.7	45.5	46.2	48.3
21-27 days	29.2	30.9	31.8	35.2	32.8	35.3	34.3	34.0	34.8	37.6
28-59 days	108.8	118.8	125.7	130.0	130.6	129.8	129.3	128.7	133.8	137.0
2 months	85.8	90.0	91.4	100.9	99.4	101.9	104.5	103.8	103.4	103.3
3 months	66.4	64.5	70.5	80.5	74.8	76.3	74.7	77.7	78.6	78.5
4 months	45.9	45.1	51.2	56.1	52.3	57.2	53.7	54.5	57.3	55.7
5 months	31.7	35.3	37.7	39.3	40.2	41.7	41.3	42.7	43.2	47.6
6 months	26.5	29.4	29.5	32.1	33.8	33.6	34.7	34.2	35.2	36.0
7 months	21.1	22.1	24.5	26.0	27.8	28.5	28.2	27.5	30.4	30.4
8 months	16.6	19.1	21.9	21.7	22.8	23.4	23.6	24.6	26.4	25.4
9 months	16.9	15.6	17.9	20.9	21.7	20.2	21.1	20.1	21.3	21.4
10 months	13.2	13.8	16.0	17.4	17.8	18.7	19.1	18.2	18.4	20.1
11 months	13.6	13.0	15.9	17.9	17.2	17.4	17.6	17.8	18.3	18.1
ALL OTHER										
Under 1 year	3,454.9	3,591.7	3,876.9	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8
Under 28 days	2,299.5	2,379.0	2,483.3	2,541.6	2,648.1	2,610.0	2,605.1	2,621.9	2,685.7	2,766.9
Under 1 day	1,357.3	1,418.0	1,439.7	1,440.5	1,500.0	1,456.8	1,434.1	1,416.1	1,436.6	1,449.6
1 day	302.7	313.6	339.3	348.3	357.0	353.7	337.8	342.0	369.5	360.1
2 days	173.8	163.6	178.3	188.1	200.2	203.2	215.4	208.4	203.9	221.7
3 days	82.0	83.9	84.3	88.3	99.8	102.4	100.8	102.3	109.4	116.5
4 days	58.7	56.0	53.5	58.9	59.4	68.6	66.1	72.7	73.8	76.3
5 days	39.4	44.4	40.5	51.2	46.6	50.4	50.2	59.6	55.4	65.7
6 days	30.7	30.7	35.9	35.5	35.9	37.2	41.6	41.1	38.3	47.3
7-13 days	108.4	116.8	139.3	150.8	150.5	142.3	168.8	177.7	173.9	202.2
14-20 days	75.3	76.7	91.0	99.1	102.7	106.1	109.1	113.7	124.3	123.6
21-27 days	71.3	75.2	81.6	80.8	98.0	89.4	81.2	88.2	100.4	104.1
28-59 days	263.5	301.6	337.7	367.0	343.6	342.0	337.6	341.3	373.5	369.7
2 months	220.1	230.8	259.4	275.3	278.9	280.6	289.3	267.7	294.8	297.2
3 months	173.8	170.1	198.0	216.3	204.0	225.7	219.8	204.8	221.7	234.8
4 months	122.0	129.7	151.7	163.9	158.9	173.4	169.3	157.8	186.3	180.9
5 months	93.2	97.6	109.6	115.2	121.4	131.5	133.4	125.3	135.6	144.9
6 months	73.0	77.7	86.0	89.1	92.2	107.2	93.7	94.7	113.2	108.9
7 months	55.1	53.6	66.6	72.3	71.1	79.2	77.5	72.1	87.5	82.0
8 months	42.3	45.1	56.4	59.4	61.5	63.5	68.1	56.8	70.5	71.8
9 months	44.8	38.3	44.5	48.7	48.9	50.2	52.4	50.9	56.3	57.3
10 months	34.8	35.3	45.2	43.4	42.8	41.0	46.1	38.7	48.2	44.6
11 months	32.9	33.1	38.5	40.7	38.3	44.9	43.6	39.6	47.8	43.7

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

2-5

Table 2-5. Infant Mortality Rates for 65 Selected Causes, by Color: United States, 1968

[Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes-----	2,178.0	1,919.6	3,454.9
Diarrheal diseases-----009	26.4	14.9	83.3
Whooping cough-----033	0.8	*0.4	*2.4
Meningococcal infections-----036	4.5	4.4	4.9
Tetanus-----037	*0.1	-	*0.5
Septicemia-----038	22.8	17.8	47.9
Viral diseases-----040-079	7.9	7.5	10.2
Congenital syphilis-----090	*0.4	*0.2	*1.4
Other infective and parasitic diseases-----Remainder of 000-136	7.7	5.3	19.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4.7	4.8	4.2
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.6	2.4	*3.2
Diseases of thymus gland-----254	1.2	1.3	*1.0
Cystic fibrosis-----273.0	3.6	4.1	*1.2
Diseases of the blood and blood-forming organs-----280-289	4.2	3.4	7.8
Meningitis-----320	15.0	11.2	33.8
Other diseases of nervous system and sense organs-----321-389	13.9	12.6	20.4
Acute upper respiratory infections-----460-465	8.6	6.4	19.3
Bronchitis and bronchiolitis-----466,490,491	15.2	12.1	30.4
Influenza and pneumonia-----470-474,480-486	225.8	165.0	526.5
Influenza-----470-474	3.8	2.1	12.4
Pneumonia-----480-486	222.0	162.9	514.1
Other chronic interstitial pneumonia-----517	0.7	0.7	*0.7
All other diseases of respiratory system-----492,493,500-516,518,519	16.0	13.2	29.5
Hernia and intestinal obstruction-----550-553,560	18.2	17.5	21.7
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1.3	0.9	*2.9
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	11.7	9.8	21.0
Congenital anomalies-----740-789	315.6	322.9	279.5
Anencephalus-----740	27.4	30.7	11.0
Spina bifida-----741	23.2	23.4	10.5
Congenital hydrocephalus-----742	15.1	15.5	13.6
Other congenital anomalies of central nervous system and eye-----743,744	12.3	12.7	10.4
Congenital anomalies of heart-----746	124.8	124.8	124.9
Other congenital anomalies of circulatory system-----747	21.2	21.8	18.3
Congenital anomalies of respiratory system-----748	12.9	12.9	12.4
Congenital anomalies of digestive system-----749-751	23.4	22.3	28.8
Congenital anomalies of genitourinary system-----752,753	11.4	12.0	8.5
Congenital anomalies of musculoskeletal system-----754-756	9.4	9.6	8.0
Down's disease-----759.3	3.4	3.5	*3.1
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	27.3	28.4	22.1
Other and unspecified congenital anomalies-----745,757,758	5.7	5.3	8.0
Certain causes of mortality in early infancy-----760-769,2,769.4-772,774-778	1,248.2	1,130.4	1,830.2
Chronic circulatory and genitourinary diseases in mother-----760	0.6	*0.5	*0.8
Other maternal conditions unrelated to pregnancy-----761	13.2	13.2	13.2
Syphilis-----761.0	*0.1	*0.0	*0.5
Diabetes mellitus-----761.1	6.8	7.4	3.6
Rubella-----761.3	0.6	*0.6	*0.5
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	5.7	5.2	8.7
Toxemia of pregnancy-----762	6.5	5.6	11.4
Maternal antepartum and intrapartum infection-----763	7.1	5.6	14.6
Difficult labor-----764-768	20.4	18.7	28.8
With mention of birth injury (.0-.3)-----764	6.1	5.5	9.5
Without mention of birth injury (.4,.9)-----765	14.3	13.2	19.3
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	159.4	144.8	231.8
Conditions of placenta-----770	73.9	76.3	61.9
Conditions of umbilical cord-----771	11.9	11.4	14.1
Birth injury without mention of cause-----772	58.7	50.8	97.6
Hemolytic disease of newborn-----774,775	27.2	30.2	12.4
Hyaline membrane disease-----776.1	130.0	130.9	125.4
Respiratory distress syndrome-----776.2	106.2	98.9	142.2
Asphyxia of newborn, unspecified-----776.9	292.9	265.4	429.0
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	21.6	19.1	34.1
Immaturity, unqualified-----777	269.1	219.7	513.1
Postmaturity-----778.1	*0.1	*0.1	-
Hemorrhagic disease of newborn-----778.2	12.5	10.8	21.2
All other conditions of newborn-----778.0,778.3,778.9	36.8	28.4	78.6
Symptoms and ill-defined conditions-----780-796	84.5	54.5	232.8
Accidents-----E800-E849	72.0	59.7	132.4
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	22.0	17.8	42.8
Accidental mechanical suffocation-----E913	23.7	18.4	38.3
Other accidental causes-----E900, E910, E914-E949	28.2	23.6	51.2
Homicide-----E960-E978	4.7	3.9	8.1
All other causes-----Residual	39.8	32.0	78.2

SECTION 2 - INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1964-68

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1968			1967			1966			1965			1964		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States	21.8	19.2	34.5	22.4	19.7	35.9	23.7	20.6	38.8	24.7	21.5	40.3	24.8	21.6	41.1
Geographic divisions:															
New England	19.9	19.2	31.8	20.1	19.3	33.8	21.5	20.7	34.0	22.1	21.2	37.5	21.1	20.5	34.4
Middle Atlantic	21.2	18.6	35.0	22.1	19.2	37.7	22.4	19.6	38.1	23.3	20.3	40.6	23.7	20.9	40.9
East North Central	21.6	19.4	35.4	21.8	19.7	35.6	22.7	20.5	38.1	23.6	21.3	40.1	23.2	21.0	40.1
West North Central	19.5	18.5	31.8	20.6	19.2	38.2	20.9	19.5	39.1	22.1	20.8	38.7	22.2	20.9	40.3
South Atlantic	24.3	19.6	36.2	25.1	20.0	37.4	27.1	21.2	41.0	28.3	22.4	41.9	28.4	22.0	43.8
East South Central	26.2	20.9	40.5	27.2	21.8	40.9	29.2	22.8	45.3	30.7	23.7	47.3	30.5	23.8	46.9
West South Central	22.7	19.4	35.0	23.8	20.5	35.5	25.8	21.8	39.7	26.6	22.5	40.6	27.2	23.1	41.6
Mountain	21.2	19.7	36.1	21.8	20.6	33.6	23.9	22.2	40.0	24.2	22.8	37.7	25.6	24.2	40.4
Pacific	19.1	18.5	22.9	19.5	18.7	25.0	21.0	20.1	26.7	22.1	21.1	28.8	21.9	21.0	28.4
New England:															
Maine	21.5	21.5	*26.1	22.9	22.8	*32.1	22.4	22.4	*16.3	22.6	22.5	*32.5	23.5	23.5	21.3
New Hampshire	18.8	18.9	*10.4	20.6	20.1	*150.0	21.6	21.6	*12.2	21.1	21.2	*10.9	22.6	22.5	*41.7
Vermont	19.7	19.8	-	20.9	21.0	-	22.8	22.7	*45.5	21.9	22.0	-	24.7	24.6	*62.5
Massachusetts	19.9	19.2	34.2	20.0	19.2	34.6	21.2	20.7	31.7	22.2	21.4	38.5	19.8	19.3	*31.7
Rhode Island	21.3	20.6	33.6	19.4	18.2	43.5	21.9	20.9	44.4	22.5	21.6	42.0	24.9	24.0	46.3
Connecticut	19.0	17.8	30.1	19.2	17.9	30.9	21.2	19.6	36.0	21.9	20.3	36.9	20.6	19.2	35.4
Middle Atlantic:															
New York	20.9	18.3	33.5	22.1	19.1	36.8	22.5	19.5	37.4	23.4	20.2	39.5	24.1	20.9	41.5
New Jersey	21.2	17.9	36.5	21.9	18.5	38.2	22.3	18.4	41.9	23.2	19.2	43.5	23.7	20.4	41.6
Pennsylvania	21.7	19.6	37.2	22.3	19.9	39.2	22.3	20.3	36.4	23.3	21.0	40.4	23.1	21.1	38.9
East North Central:															
Ohio	20.3	18.7	32.5	20.7	19.0	33.8	21.3	19.8	34.2	22.3	20.5	37.0	22.0	20.4	35.7
Indiana	21.9	20.5	36.7	22.3	21.0	35.0	22.8	21.4	37.0	23.5	22.2	38.5	23.8	22.4	39.8
Illinois	23.4	20.0	37.6	23.6	20.3	36.9	25.1	21.3	41.9	25.6	21.4	44.5	25.1	21.4	43.5
Michigan	21.6	19.3	34.8	22.0	19.8	35.2	22.5	20.0	38.2	23.6	21.6	37.8	23.0	21.0	39.1
Wisconsin	19.5	18.8	31.2	19.4	18.4	36.5	20.4	20.2	24.0	21.9	21.6	28.7	20.8	20.1	37.8
West North Central:															
Minnesota	18.4	18.1	26.8	19.8	19.5	29.9	19.5	19.2	35.3	20.3	20.0	30.1	20.5	20.2	30.4
Iowa	19.1	18.8	32.2	19.2	18.9	32.4	19.3	19.2	28.8	20.6	20.5	26.0	21.2	20.7	45.9
Missouri	21.4	19.3	33.4	22.7	19.1	42.1	23.4	19.9	42.4	23.4	22.3	42.2	24.2	21.0	42.7
North Dakota	16.9	16.9	*16.9	21.0	21.0	*21.4	20.8	19.9	36.1	21.2	20.2	40.2	23.1	22.3	38.3
South Dakota	20.5	19.0	32.4	22.4	20.8	35.3	24.8	22.5	43.2	22.7	19.5	48.8	22.5	21.0	36.2
Nebraska	18.0	17.1	33.0	19.8	19.0	36.2	18.1	17.6	25.7	22.6	22.0	35.2	22.7	22.0	35.2
Kansas	19.4	18.5	30.7	19.5	18.4	34.4	21.1	20.0	35.1	20.4	19.7	29.2	22.0	20.7	39.4
South Atlantic:															
Delaware	20.2	16.0	37.3	20.5	15.9	39.3	22.7	17.7	42.3	24.3	20.1	40.8	21.7	17.1	39.4
Maryland	21.3	17.9	33.3	22.1	19.0	32.5	23.3	19.2	37.4	24.7	21.8	34.9	24.5	20.1	40.1
District of Columbia	25.9	16.6	27.7	27.3	20.5	28.7	34.5	22.9	37.3	32.0	24.5	34.1	34.0	22.6	38.0
Virginia	22.7	18.7	36.2	24.3	20.1	37.4	25.3	21.5	37.2	26.6	22.2	39.7	28.0	22.7	44.4
West Virginia	23.4	22.4	42.3	25.2	24.8	33.1	26.2	25.3	43.3	26.8	26.1	41.6	23.5	22.8	38.7
North Carolina	26.3	20.9	38.7	26.8	20.0	42.0	29.0	22.1	44.4	30.5	22.1	48.3	30.3	21.5	49.4
South Carolina	27.0	20.5	37.4	27.7	21.0	37.8	30.0	21.2	42.8	31.3	22.7	43.3	31.1	23.1	42.4
Georgia	25.4	19.4	37.6	26.5	19.8	39.4	27.9	20.3	41.9	28.9	21.7	41.6	29.2	21.9	42.6
Florida	24.1	19.8	36.5	23.8	18.8	37.2	27.1	21.3	41.7	28.3	22.4	44.0	28.9	23.0	44.9
East South Central:															
Kentucky	21.9	21.0	31.5	24.1	22.9	36.1	25.0	23.1	45.0	25.3	23.7	42.6	25.4	23.6	44.7
Tennessee	23.2	19.8	35.8	24.4	21.0	36.4	26.1	22.3	39.6	28.0	23.8	42.0	28.2	24.8	40.4
Alabama	26.6	20.9	37.7	26.9	20.7	38.2	29.3	22.8	41.0	30.8	23.3	43.8	31.0	23.1	44.6
Mississippi	35.5	22.9	48.1	35.5	22.8	47.4	38.8	23.1	52.6	40.6	24.5	54.4	39.4	23.1	53.2
West South Central:															
Arkansas	23.2	18.6	36.0	24.3	20.5	34.2	25.4	20.6	36.8	25.7	20.6	37.7	26.8	22.3	37.8
Louisiana	25.3	18.2	36.8	26.4	19.1	37.4	28.8	19.5	42.7	30.5	22.0	43.1	29.8	20.5	43.8
Oklahoma	20.0	19.5	22.6	20.8	19.0	31.3	23.3	21.5	33.1	23.1	21.7	30.7	22.6	20.9	32.3
Texas	22.2	19.8	35.6	23.3	21.1	34.9	25.3	22.6	39.1	26.0	23.1	41.1	27.4	24.4	42.6
Mountain:															
Montana	19.5	18.3	33.2	23.8	22.9	33.0	22.5	20.5	44.3	25.0	24.3	32.2	26.6	24.5	50.1
Idaho	18.4	18.2	*28.8	19.4	19.5	*11.0	20.7	20.5	*29.0	24.5	24.5	*24.6	22.2	22.3	*19.8
Wyoming	21.3	19.5	*55.6	23.1	23.8	*8.7	24.2	23.6	*36.0	22.1	21.2	*42.3	29.0	28.5	*39.6
Colorado	20.6	20.3	27.3	22.8	22.3	33.6	23.5	23.0	33.9	24.3	24.0	30.8	25.4	24.6	43.9
New Mexico	23.9	22.3	33.5	24.8	22.5	37.9	26.8	24.2	43.1	26.9	25.6	35.4	29.1	27.1	42.4
Arizona	23.0	19.7	38.8	22.8	20.2	35.8	27.7	24.0	45.2	25.4	21.6	43.0	26.3	24.0	38.0
Utah	17.6	16.6	52.4	16.6	16.2	*28.8	18.3	18.2	*18.6	18.7	17.8	47.8	20.0	19.2	50.0
Nevada	26.5	25.5	33.5	19.6	18.6	25.7	24.3	23.9	27.0	24.8	23.7	32.7	29.0	28.4	33.3
Pacific:															
Washington	19.7	19.0	28.6	19.2	18.3	31.1	21.1	20.1	36.6	21.4	20.4	36.4	22.5	21.7	35.3
Oregon	19.7	19.3	29.0	19.4	18.9	32.0	21.4	21.3	24.5	21.1	20.8	28.2	22.4	21.9	33.6
California	19.0	18.4	22.6	19.6	18.8	24.9	20.8	20.0	26.7	22.1	21.2	28.1	21.8	20.8	28.9
Alaska	21.8	16.6	34.7	29.2	19.1	51.2	31.3	22.0	48.8	38.1	24.0	66.1	29.7	19.2	52.2
Hawaii	18.2	15.6	19.2	16.7	14.9	17.5	18.6	15.5	19.7	21.3	20.9	21.5	19.9	20.9	19.4

SECTION 2 - INFANT MORTALITY

2-7

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1964-68

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1968			1967			1966			1965			1964		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States	16.1	14.7	23.0	16.5	15.0	23.8	17.2	15.6	24.8	17.7	16.1	25.4	17.9	16.2	26.5
Geographic divisions:															
New England:															
Maine	15.4	14.9	23.7	15.3	14.8	25.4	16.4	15.9	25.4	16.9	16.3	28.0	15.6	15.2	23.9
New Hampshire	16.3	14.5	25.8	17.1	15.1	28.1	17.1	15.1	27.7	17.5	15.5	29.1	18.1	16.1	29.9
Vermont	16.3	14.9	25.0	16.4	15.1	25.2	17.1	15.7	26.4	17.4	16.0	28.1	17.5	16.0	28.7
Massachusetts	15.0	14.4	21.5	15.7	15.0	24.8	15.8	15.0	25.9	16.4	15.8	24.6	16.7	15.9	27.6
Rhode Island	17.1	15.1	22.3	17.6	15.4	22.9	18.5	16.2	23.9	19.3	17.1	24.3	19.3	16.6	25.9
Connecticut	18.7	16.1	25.6	18.5	16.0	24.8	19.3	16.4	26.5	20.1	17.4	26.4	20.4	17.3	27.8
Middle Atlantic:	16.5	14.8	22.9	17.0	15.3	23.0	17.9	15.8	25.2	18.2	16.2	24.9	18.8	16.8	26.0
New York	15.3	15.0	18.1	15.7	15.5	17.4	16.8	16.6	19.3	16.8	16.7	17.6	17.9	17.7	20.1
New Jersey	14.1	13.8	16.1	14.3	13.8	17.7	15.4	14.9	18.8	15.9	15.3	19.9	16.0	15.5	20.1
Pennsylvania	15.9	15.8	*17.4	16.2	16.0	*24.1	17.1	17.1	*16.3	16.9	16.8	*28.5	16.8	16.8	*14.2
Delaware	14.4	14.5	-	14.7	14.5	*100.0	16.2	16.3	*12.2	15.4	15.4	*30.9	16.4	16.3	*41.7
Maryland	15.9	16.0	-	15.9	15.9	-	16.8	16.7	*45.5	16.1	16.2	-	18.8	18.7	*62.5
Virginia	15.7	15.1	25.8	15.3	14.8	24.9	16.4	16.1	23.4	17.0	16.5	27.7	14.6	14.3	22.2
North Carolina	16.4	15.9	25.2	15.4	14.3	36.9	16.4	15.6	32.3	17.5	16.8	31.8	19.1	18.6	32.7
South Carolina	14.4	13.5	22.3	15.1	14.2	23.7	16.2	15.1	27.0	17.1	16.0	28.2	15.4	14.5	24.3
Georgia	15.8	14.0	23.9	17.0	14.8	27.6	17.0	14.8	27.7	17.5	15.3	28.8	18.2	15.9	30.6
Florida	16.5	14.1	27.9	17.0	14.6	28.2	16.9	14.3	29.9	17.5	14.9	30.4	18.2	15.9	30.7
Alabama	17.1	15.5	28.3	17.4	15.8	29.0	17.3	16.1	25.7	17.7	16.2	28.6	17.8	16.5	27.5
Louisiana	15.5	14.4	23.5	15.7	14.6	24.1	16.3	15.2	25.3	16.5	15.2	26.8	17.0	15.8	27.1
Mississippi	16.4	15.6	24.7	16.8	16.2	23.3	17.3	16.4	26.1	17.5	16.7	26.1	17.5	16.6	27.7
Arkansas	17.5	15.4	26.0	17.3	15.4	25.1	18.4	16.2	27.6	18.7	16.0	30.9	18.6	16.4	29.2
Tennessee	16.4	14.8	25.8	16.6	14.9	26.5	16.9	15.4	27.2	17.5	16.1	27.0	17.5	15.8	30.6
Kentucky	14.9	14.6	20.8	15.1	14.3	28.4	16.0	15.9	18.0	16.5	16.4	17.8	15.8	15.4	25.4
West Virginia	13.8	13.8	12.5	15.0	14.9	17.8	14.8	14.7	18.6	15.2	15.3	13.6	15.6	15.4	23.5
Missouri	15.3	15.1	25.8	15.4	15.2	21.6	15.3	15.1	22.2	15.4	15.4	*17.7	15.9	15.5	36.7
Illinois	16.0	14.7	23.3	16.8	14.7	28.3	16.9	14.8	28.4	18.6	16.8	28.3	17.8	15.9	29.0
Indiana	12.8	13.2	*6.8	16.7	17.1	*10.7	16.2	16.0	*19.6	15.7	15.0	*27.3	18.0	17.8	*22.1
Ohio	15.7	15.0	20.8	16.1	16.1	15.7	16.9	15.9	25.2	15.1	14.5	19.4	15.1	14.9	17.4
Michigan	14.1	13.7	21.3	15.6	15.2	23.3	14.6	14.3	20.0	17.6	17.2	25.6	17.5	17.2	24.2
Wisconsin	15.3	14.8	21.6	14.9	14.2	23.3	16.1	15.4	24.9	15.3	15.1	18.7	16.7	15.8	28.8
Nebraska	14.0	12.4	20.4	13.8	12.0	21.5	16.0	13.2	27.1	16.8	15.2	23.4	14.7	12.5	22.9
Kansas	16.1	14.2	22.6	16.7	14.6	24.0	17.6	15.1	26.5	18.3	16.7	24.0	18.3	15.8	27.2
Minnesota	18.8	11.2	20.3	20.7	15.6	21.8	26.1	19.1	27.9	22.5	19.0	23.5	25.7	18.6	28.2
North Dakota	17.0	14.8	24.1	17.6	15.5	24.0	18.6	16.9	24.1	18.8	16.8	24.9	20.3	17.6	28.7
South Dakota	16.9	16.3	28.9	19.1	18.8	25.2	19.8	19.2	30.9	20.2	19.6	31.8	16.7	16.4	23.4
Nebraska	18.4	16.4	23.1	18.2	15.3	25.1	18.6	16.5	23.4	20.0	16.9	26.7	19.9	16.1	28.2
Nebraska	16.7	15.2	19.0	17.7	16.4	19.7	17.3	16.0	19.2	18.8	17.2	20.9	18.2	17.0	19.9
Nebraska	16.8	14.6	21.5	17.2	15.3	20.9	17.4	15.1	21.7	18.5	16.2	22.6	18.7	16.2	23.2
Nebraska	17.4	15.1	23.9	17.3	14.7	24.5	19.0	16.2	26.1	19.8	17.4	26.3	20.1	17.4	27.3
Nebraska	16.2	15.7	21.5	16.9	16.1	24.5	17.0	16.0	28.4	17.3	16.5	25.7	17.9	16.7	30.1
Nebraska	16.8	15.0	23.2	17.4	15.7	23.5	18.2	16.2	25.2	19.5	17.4	26.4	19.6	17.6	26.7
Nebraska	18.7	16.4	23.3	18.1	15.7	22.5	19.3	16.8	24.0	19.8	17.5	23.8	20.5	17.4	26.0
Nebraska	24.5	18.6	30.3	22.7	17.2	27.9	23.6	17.3	29.1	24.5	19.4	28.9	24.2	17.7	29.7
Nebraska	15.8	13.8	21.3	16.2	15.7	17.3	16.1	14.9	19.0	15.9	14.6	18.7	17.1	16.1	19.5
Nebraska	18.2	14.6	24.0	19.0	15.4	24.4	20.4	15.1	28.3	20.9	17.0	26.6	20.9	16.3	27.8
Nebraska	14.8	14.9	14.3	15.4	14.5	20.6	16.5	15.8	20.6	16.2	15.6	19.2	16.7	15.8	21.7
Nebraska	16.3	14.9	24.0	16.8	15.4	23.7	17.6	16.1	25.2	18.0	16.3	26.3	18.8	17.2	27.2
Nebraska	14.6	14.4	*17.1	16.7	16.8	*16.0	17.0	16.0	28.9	18.1	18.4	*15.3	18.8	18.0	27.5
Nebraska	13.1	13.0	*16.0	14.4	14.7	*3.7	15.1	15.0	*19.4	17.4	17.5	*16.4	16.1	16.4	*5.6
Nebraska	17.3	16.1	*41.7	18.3	18.7	*8.7	19.3	18.8	*28.8	16.3	15.7	*28.2	23.9	23.9	*24.4
Nebraska	15.7	15.5	18.2	17.7	17.5	21.7	17.7	17.3	24.9	17.6	17.4	20.7	18.7	18.2	30.2
Nebraska	16.8	16.6	17.8	16.0	15.6	18.3	16.7	16.7	16.9	17.7	18.4	13.9	19.0	19.0	19.5
Nebraska	14.9	14.8	15.9	15.5	15.2	17.1	17.4	17.1	18.9	15.9	15.6	17.3	16.4	16.6	15.7
Nebraska	13.3	13.0	*25.4	12.5	12.5	*11.2	14.8	14.9	*10.1	13.5	13.3	21.6	14.6	14.3	*25.0
Nebraska	19.7	19.6	20.3	14.4	13.5	19.5	17.8	18.4	*13.9	19.4	18.8	23.5	21.2	21.1	22.2
Nebraska	14.2	14.0	16.9	13.5	13.0	20.3	15.1	14.4	25.3	15.2	14.6	24.5	15.9	15.5	21.3
Nebraska	14.3	14.0	19.6	13.5	13.3	20.4	15.6	15.6	*15.0	14.5	14.3	17.2	15.7	15.5	20.0
Nebraska	14.0	13.7	16.3	14.5	14.0	17.9	15.4	14.9	18.9	16.1	15.4	20.4	16.1	15.5	21.3
Nebraska	15.6	13.7	20.0	17.4	13.2	26.3	17.9	15.9	21.5	19.7	17.2	24.6	17.0	14.3	22.9
Nebraska	13.6	13.0	13.9	13.2	11.6	13.8	15.6	13.5	16.4	16.0	15.9	16.0	14.9	14.6	15.0
Nebraska	14.2	14.0	16.9	13.5	13.0	20.3	15.1	14.4	25.3	15.2	14.6	24.5	15.9	15.5	21.3
Nebraska	14.3	14.0	19.6	13.5	13.3	20.4	15.6	15.6	*15.0	14.5	14.3	17.2	15.7	15.5	20.0
Nebraska	14.0	13.7	16.3	14.5	14.0	17.9	15.4	14.9	18.9	16.1	15.4	20.4	16.1	15.5	21.3
Nebraska	15.6	13.7	20.0	17.4	13.2	26.3	17.9	15.9	21.5	19.7	17.2	24.6	17.0	14.3	22.9
Nebraska	13.6	13.0	13.9	13.2	11.6	13.8	15.6	13.5	16.4	16.0	15.9	16.0	14.9	14.6	15.0
Nebraska	14.2	14.0	16.9	13.5	13.0	20.3	15.1	14.4	25.3	15.2	14.6	24.5	15.9	15.5	21.3
Nebraska	14.3	14.0	19.6	13.5	13.3	20.4	15.6	15.6	*15.0	14.5	14.3	17.2	15.7	15.5	20.0
Nebraska	14.0	13.7	16.3	14.5	14.0	17.9	15.4	14.9	18.9	16.1	15.4	20.4	16.1	15.5	21.3
Nebraska	15.6	13.7	20.0	17.4	13.2	26.3	17.9	15.9	21.5	19.7	17.2	24.6	17.0	14.3	22.9
Nebraska	13.6	13.0	13.9	13.2	11.6	13.8	15.6	13.5	16.4	16.0					

SECTION 2 - INFANT MORTALITY

Table 2-8 Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties, 1968

[Metropolitan areas are those defined by the Bureau of the Budget for 1968 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's	34,328	21.2	25,839	15.9					
Akron, Ohio	248	21.3	194	16.7	Detroit, Mich	1,678	22.2	1,298	17.2
Summit	198	20.6	152	15.8	Wayne	1,155	24.1	878	18.3
Portage	50	24.8	42	20.9	Macomb	236	20.1	204	17.4
Albany-Schenectady-Troy, N.Y.	239	19.9	175	14.6	Oakland	287	18.2	216	13.7
Albany	102	21.7	74	15.8	Fort Worth, Tex	334	24.2	254	18.4
Rensselaer	47	16.9	33	11.9	Tarrant	317	24.2	244	18.7
Schenectady	48	19.5	35	14.2	Johnson	17	23.9	10	14.1
Saratoga	42	20.2	33	15.9	Hartford, Conn	247	18.6	185	13.9
Anaheim-Santa Ana-Garden Grove, Calif	433	17.9	312	12.9	Hartford	247	18.6	185	13.9
Orange	433	17.9	312	12.9	Houston, Tex	812	22.6	601	16.7
Atlanta, Ga	592	22.3	435	16.4	Harris	742	23.1	552	17.2
De Kalb	143	18.7	111	14.5	Brazoria	27	15.4	18	10.3
Fulton	306	26.1	217	18.5	Fort Bend	24	26.5	18	19.9
Clayton	28	13.9	20	9.9	Liberty	7	11.5	4	6.6
Gobb	77	20.6	61	16.3	Montgomery	12	20.5	9	15.4
Gwinnett	38	26.8	26	18.3	Indianapolis, Ind	468	23.8	344	17.5
Baltimore, Md	808	23.2	598	17.2	Marion	362	24.6	264	17.9
Baltimore (city)	478	28.8	344	20.7	Boone	13	29.0	9	20.1
Anne Arundel	92	18.8	75	15.3	Hamilton	19	21.1	12	13.3
Baltimore	165	17.5	125	13.2	Hancock	5	7.8	4	6.2
Carroll	10	9.3	9	8.4	Hendricks	16	18.3	15	17.1
Harford	52	27.3	37	19.5	Johnson	28	46.7	20	33.3
Howard	11	12.5	8	9.1	Morgan	13	13.9	9	11.0
Birmingham, Ala	310	24.6	222	17.6	Shelby	12	19.8	11	16.2
Jefferson	253	23.1	184	16.8	Kansas City, Mo.-Kans	447	20.9	349	16.3
Shelby	19	27.4	14	20.2	Clay, Mo	34	17.3	23	11.7
Walker	36	39.2	24	24.7	Jackson, Mo	263	22.9	208	18.1
Boston, Mass	1,123	20.2	879	15.8	Cass, Mo	11	16.7	9	13.7
Suffolk	320	24.3	236	17.9	Platte, Mo	5	11.2	5	11.2
Essex	193	19.3	149	14.9	Johnson, Kans	47	14.0	40	11.9
Middlesex	446	19.0	358	15.3	Wyandotte, Kans	87	24.8	64	18.3
Norfolk	164	18.4	136	15.3	Los Angeles-Long Beach, Calif	2,388	19.1	1,767	14.1
Bridgeport, Conn	217	17.7	169	13.8	Los Angeles	2,388	19.1	1,767	14.1
Fairfield	217	17.7	169	13.8	Louisville, Ky.-Ind	309	21.4	220	15.2
Buffalo, N.Y.	503	22.3	409	18.1	Jefferson, Ky	264	21.4	191	15.5
Erie	407	22.0	333	18.0	Clark, Ind	27	21.5	17	13.6
Niagara	96	23.8	76	18.8	Floyd, Ind	18	20.6	12	13.8
Chicago, Ill	3,077	24.4	2,256	17.9	Memphis, Tenn.-Ark	361	24.5	265	18.0
Cook	2,585	25.5	1,872	18.5	Shelby, Tenn	320	23.4	242	17.7
Du Page	128	16.8	104	13.6	Crittenden, Ark	41	37.8	23	21.2
Kane	118	24.9	86	18.2	Miami, Fla	376	21.6	286	16.4
Lake	114	17.8	88	13.8	Dade	376	21.6	286	16.4
McHenry	33	17.5	28	14.9	Milwaukee, Wis	474	19.2	347	14.1
Will	99	22.9	78	18.0	Milwaukee	383	19.9	280	14.6
Cincinnati, Ohio-Ky.-Ind	509	20.3	388	15.5	Ozaukee	15	18.8	12	15.1
Hamilton, Ohio	347	20.8	266	16.0	Washington	23	19.8	16	13.8
Clermont, Ohio	35	21.6	24	14.8	Waukesha	53	15.0	39	11.0
Warren, Ohio	26	16.9	18	11.7	Minneapolis-St. Paul, Minn	623	18.6	483	14.4
Boone, Ky	13	21.5	10	16.6	Hennepin	345	20.1	281	16.4
Campbell, Ky	34	20.3	27	16.1	Ramsey	148	16.3	104	11.5
Kenton, Ky	42	17.1	32	13.0	Anoka	61	18.8	47	14.5
Dearborn, Ind	12	23.9	11	21.9	Dakota	48	18.3	35	13.4
Cleveland, Ohio	744	21.1	565	16.0	Washington	21	14.6	16	11.1
Cuyahoga	636	21.7	483	16.5	New Haven, Conn	249	20.2	180	14.6
Geauga	24	23.1	17	16.3	New Haven	249	20.2	180	14.6
Lake	65	18.5	47	13.4	New Orleans, La	458	23.0	339	17.1
Medina	19	14.2	18	13.4	Orleans	292	25.4	214	18.6
Columbus, Ohio	345	20.0	258	15.0	Jefferson	111	17.7	81	12.9
Franklin	330	20.7	249	15.6	St. Bernard	24	25.8	22	23.6
Delaware	7	11.7	3	5.0	St. Tammany	31	26.7	22	19.0
Pickaway	8	11.8	6	8.8	New York, N.Y.	4,074	21.6	3,009	16.0
Dallas, Tex	660	22.4	506	17.1	New York (city)	3,168	23.2	2,337	17.1
Dallas	579	22.3	452	17.4	Bronx (Bronx Borough)	647	23.1	459	16.4
Collin	25	21.4	15	12.8	Kings (Brooklyn Borough)	1,965	26.3	963	19.5
Denton	24	22.1	20	18.4	New York (Manhattan Borough)	583	24.8	433	18.4
Ellis	14	19.8	6	8.5	Queens (Queens Borough)	528	17.3	401	13.1
Kaufman	15	34.7	12	27.8	Richmond (Richmond Borough)	105	21.9	81	16.9
Rockwall	3	32.6	1	10.9	Nassau	301	17.2	224	12.8
Dayton, Ohio	303	19.7	236	15.4	Rockland	60	17.5	47	13.7
Montgomery	229	20.7	178	16.1	Suffolk	325	17.7	227	12.4
Greene	33	15.5	30	14.1	Westchester	220	17.1	174	13.5
Miami	29	19.1	19	12.5	Newark, N.J.	692	23.1	541	18.0
Preble	12	19.7	9	14.8	Essex	452	27.9	347	21.5
Denver, Colo	375	18.0	282	13.5	Morris	94	15.2	76	12.3
Denver	188	20.5	141	15.4	Union	146	19.0	118	15.4
Adams	53	15.7	43	12.7	Patterson-Clifton-Passaic, N.J.	360	18.1	273	13.7
Arapahoe	38	14.5	25	9.5	Passaic	164	20.5	119	14.9
Boulder	37	18.4	29	14.5	Bergen	196	16.5	154	12.9
Jefferson	59	16.0	44	11.9					

SECTION 2 - INFANT MORTALITY

2-9

Table 2-8 Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas and Their Component Counties: United States, 1968-Con.

[Metropolitan areas are those defined by the Bureau of the Budget for 1968 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
Philadelphia, Pa.-N.J.	1,892	23.4	1,498	18.6	San Antonio, Tex.	407	22.8	308	17.3
Philadelphia, Pa.	1,026	29.2	806	23.0	Bexar	395	22.9	298	17.3
Bucks, Pa.	127	18.1	99	14.1	Gundalupo	12	20.1	10	16.8
Chester, Pa.	101	23.3	82	18.9	San Bernardino-Riverside-Ontario, Calif.	375	19.5	280	14.6
Delaware, Pa.	152	16.1	121	12.8	Riverside	143	19.5	117	15.9
Montgomery, Pa.	171	19.0	144	16.0	San Bernardino	232	19.5	163	13.7
Burlington, N.J.	88	17.4	69	13.7	San Diego, Calif.	443	19.9	321	14.4
Camden, N.J.	169	21.0	130	16.1	San Diego	443	19.9	321	14.4
Gloucester, N.J.	58	21.2	47	17.1	San Francisco-Oakland, Calif.	904	18.4	666	13.6
Phoenix, Ariz.	324	19.3	233	13.8	Alameda	348	20.0	261	15.0
Maricopa	324	19.3	233	13.8	San Francisco	203	18.3	155	13.9
Pittsburgh, Pa.	784	22.1	623	17.5	Contra Costa	144	16.8	100	11.7
Allegheny	542	22.8	433	18.2	Marin	53	17.1	36	11.6
Beaver	64	21.3	50	16.6	San Mateo	156	17.8	114	13.0
Washington	73	23.7	56	18.2	San Jose, Calif.	289	15.4	214	11.4
Westmoreland	105	18.6	84	14.9	Santa Clara	289	15.4	214	11.4
Portland, Oreg.-Wash.	299	19.0	220	14.0	Seattle-Everett, Wash.	439	17.9	310	12.6
Multnomah, Oreg.	191	21.3	138	15.4	King	355	17.7	254	12.6
Clackamas, Oreg.	40	17.1	31	13.3	Snohomish	84	18.8	56	12.5
Washington, Oreg.	29	12.6	20	8.7	Tampa-St. Petersburg, Fla.	326	24.5	241	18.1
Clark, Wash.	39	18.3	31	14.5	Hillsborough	200	24.4	146	17.8
Providence-Pawtucket-Warwick, R.I.	270	22.4	207	17.2	Pinellas	126	24.6	95	18.6
Kent	38	17.7	28	13.1	Toledo, Ohio-Mich.	231	19.0	177	14.6
Providence	213	23.0	165	17.8	Lucas, Ohio	178	20.9	137	16.1
Bristol	19	28.4	14	21.0	Wood, Ohio	20	13.8	14	9.6
Rochester, N.Y.	317	19.7	249	15.5	Monroe, Mich.	33	15.2	26	12.0
Monroe	265	20.3	209	16.0	Washington, D.C.-Md.-Va.	1,034	19.6	793	15.0
Livingston	10	11.1	6	6.7	District of Columbia	387	25.9	281	18.8
Orleans	18	25.8	15	21.5	Montgomery, Md.	130	16.7	97	12.4
Wayne	24	16.6	19	13.1	Prince Georges, Md.	264	18.8	217	15.4
Sacramento, Calif.	272	21.3	201	15.8	Alexandria (city) Va.	61	21.3	47	16.4
Sacramento	209	20.4	156	15.2	Arlington, Va.	50	15.6	41	12.8
Placer	33	31.5	23	22.0	Fairfax, Va.	94	14.0	74	11.0
Yolo	30	20.8	22	15.2	Loudoun, Va.	9	13.4	6	8.9
St. Louis, Mo.-Ill.	886	21.7	673	16.5	Prince William, Va.	39	15.5	30	11.9
St. Louis (city) Mo.	360	27.6	258	19.8					
Franklin, Mo.	18	18.6	12	12.4					
Jefferson, Mo.	27	14.8	21	11.5					
St. Charles, Mo.	21	11.5	13	7.1					
St. Louis, Mo.	233	16.7	189	13.6					
Madison, Ill.	90	20.6	74	17.0					
St. Clair, Ill.	137	27.8	106	21.5					

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	United States	76,263	6,519	26,785	8,153	4,790	2,147	1,251	953	677
2										
3	Male	44,026	3,533	15,713	4,880	2,920	1,302	748	558	392
4	Female	32,237	2,986	11,072	3,273	1,870	845	503	395	285
5	White	55,902	4,986	20,319	6,369	3,766	1,664	905	721	496
6	Male	32,735	2,696	12,066	3,870	2,336	1,009	563	431	283
7	Female	23,167	2,290	8,253	2,499	1,430	655	342	290	208
8	Negro	19,219	1,435	6,170	1,703	983	464	321	222	174
9	Male	10,640	782	3,478	965	564	280	174	120	99
10	Female	8,579	653	2,692	738	419	184	147	102	75
11	Other races	1,142	98	296	81	41	19	25	10	7
12	Male	651	55	169	45	20	13	11	7	5
	Female	491	43	127	36	21	6	14	3	2
13	Alabama	1,694	113	498	203	123	54	32	29	17
14	Male	986	61	300	117	81	32	17	17	11
15	Female	708	52	198	86	42	22	15	12	6
16	White	880	65	294	126	74	30	14	17	11
17	Male	534	38	182	76	48	19	8	10	7
18	Female	346	27	112	50	26	11	6	7	4
19	Negro	814	48	204	77	49	24	18	12	6
20	Male	452	23	118	41	33	13	9	7	4
21	Female	362	25	86	36	16	11	9	5	2
22	Other races	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Alaska	140	11	55	17	1	1	6	-	1
26	Male	71	4	28	10	-	1	3	-	1
27	Female	69	7	27	7	1	-	3	-	1
28	White	76	5	38	12	-	-	2	-	1
29	Male	39	2	21	8	-	-	1	-	-
30	Female	37	3	17	4	-	-	1	-	1
31	Negro	2	-	-	2	-	-	-	-	-
32	Male	1	-	-	1	-	-	-	-	-
33	Female	1	-	-	-	-	-	-	-	-
34	Other races	62	6	17	3	1	1	4	-	-
35	Male	31	2	7	1	-	1	2	-	-
36	Female	31	4	10	2	1	-	2	-	-
37	Arizona	751	60	201	69	47	24	13	8	7
38	Male	409	26	119	36	28	11	8	4	3
39	Female	342	34	82	33	19	13	5	4	4
40	White	536	47	170	58	40	21	9	8	7
41	Male	303	20	102	32	24	11	6	4	3
42	Female	233	27	68	26	16	10	3	4	4
43	Negro	45	4	15	2	2	2	2	2	2
44	Male	16	1	9	1	1	-	-	-	-
45	Female	29	3	6	1	1	2	2	2	2
46	Other races	170	9	16	9	5	1	2	-	-
47	Male	90	5	8	3	2	-	2	-	-
48	Female	80	4	8	6	2	1	-	-	-
49	Arkansas	767	49	218	94	55	22	5	4	10
50	Male	436	15	140	56	29	12	4	3	5
51	Female	331	34	78	38	26	10	1	1	5
52	White	453	34	139	64	35	16	3	2	7
53	Male	264	11	90	35	21	8	3	1	3
54	Female	189	23	49	29	14	8	-	1	4
55	Negro	314	15	79	30	20	6	2	2	3
56	Male	172	4	50	21	8	4	1	2	2
57	Female	142	11	29	9	12	2	1	2	1
58	Other races	-	-	-	-	-	-	-	-	-
59	Male	-	-	-	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	California	6,444	552	2,208	618	427	223	133	96	60
62	Male	3,800	297	1,288	384	274	128	80	60	39
63	Female	2,644	255	920	234	153	95	53	36	21
64	White	5,448	466	1,907	529	377	181	101	76	41
65	Male	3,229	254	1,114	336	244	104	67	48	26
66	Female	2,219	212	793	193	133	77	34	28	15
67	Negro	871	71	287	79	46	34	28	15	19
68	Male	496	36	148	44	28	18	13	9	13
69	Female	375	35	139	35	18	16	15	6	6
70	Other races	125	15	34	10	4	8	4	5	-
71	Male	75	7	26	4	2	6	-	3	-
72	Female	50	8	8	6	2	2	4	2	-
73	Colorado	762	64	304	79	36	13	10	6	4
74	Male	476	40	192	50	22	7	10	4	3
75	Female	286	24	112	29	14	6	-	2	1
76	White	711	63	283	78	36	12	9	5	4
77	Male	446	40	180	50	22	6	9	3	3
78	Female	265	23	103	28	14	6	-	2	1
79	Negro	38	1	15	1	-	1	-	1	-
80	Male	23	-	8	-	-	1	-	1	-
81	Female	15	1	7	1	-	-	-	-	-
82	Other races	13	-	6	-	-	-	1	-	-
83	Male	7	-	4	-	-	-	1	-	-
84	Female	6	-	2	-	-	-	-	-	-
85	Connecticut	934	88	380	76	44	23	16	9	9
86	Male	518	48	208	48	28	16	6	4	6
87	Female	416	40	172	28	16	7	10	5	3
88	White	784	73	316	67	41	21	12	9	7
89	Male	452	43	174	45	26	15	6	4	6
90	Female	332	30	142	22	15	6	6	5	1
91	Negro	148	15	63	9	3	2	3	-	2
92	Male	65	5	33	3	2	1	-	-	-
93	Female	83	10	30	6	1	1	3	-	2
94	Other races	2	-	1	-	-	-	1	-	-
95	Male	1	-	1	-	-	-	-	-	-
96	Female	1	-	-	-	-	-	1	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1968

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
51,275	2,457	1,453	1,271	56,456	4,721	3,795	2,958	2,057	1,471	1,201	939	733	755	588	589	1
30,046	1,365	814	706	32,931	2,701	2,165	1,671	1,168	833	668	481	379	394	325	310	2
21,229	1,092	639	565	23,525	2,020	1,630	1,287	889	638	533	458	354	361	263	279	3
39,226	1,818	1,009	851	42,904	3,168	2,498	1,934	1,338	922	771	614	484	491	383	395	4
23,259	1,007	571	472	25,309	1,851	1,479	1,114	785	525	428	314	250	266	213	201	5
15,967	811	438	379	17,595	1,317	1,019	820	553	397	343	300	234	225	170	194	6
11,472	609	411	393	12,885	1,490	1,228	947	661	509	397	284	217	243	179	179	7
6,462	341	222	220	7,245	814	647	512	347	288	225	142	107	113	102	98	8
5,010	268	189	173	5,640	676	581	435	314	221	172	142	110	130	77	81	9
577	30	33	27	667	63	69	77	58	40	33	41	32	21	26	15	10
325	17	21	14	377	36	39	45	36	20	15	25	22	15	10	11	11
252	13	12	13	290	27	30	32	22	20	18	16	10	6	16	4	12
1,069	56	25	42	1,192	115	92	70	53	31	40	27	22	23	14	15	13
636	27	10	26	699	71	50	43	26	23	25	9	12	12	7	9	14
433	29	15	16	493	44	42	27	27	8	15	18	10	11	7	6	15
631	31	13	15	690	44	39	23	15	10	12	8	5	6	6	9	16
388	14	7	9	418	29	26	14	11	11	6	4	4	3	3	5	17
243	17	6	6	272	15	13	8	4	4	4	8	4	2	3	4	18
438	25	12	27	502	71	53	47	34	16	30	15	14	18	8	6	19
248	13	3	17	281	42	24	29	15	12	19	5	8	9	4	4	20
190	12	9	10	221	29	29	18	19	4	11	10	6	9	4	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
92	1	3	4	100	6	7	8	3	6	3	-	1	2	3	1	25
46	-	2	3	51	2	3	3	3	4	-	-	1	1	2	1	26
46	-	1	1	49	4	4	5	2	4	3	-	-	1	1	1	27
58	-	1	3	63	1	3	4	-	2	1	-	-	1	1	-	28
32	-	-	2	34	-	-	-	-	2	-	-	-	-	-	-	29
26	1	1	1	29	1	3	2	-	-	1	-	-	1	-	-	30
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
32	-	2	1	35	5	4	4	3	4	2	-	-	1	1	2	34
13	-	2	1	16	3	3	3	3	2	2	-	-	1	1	1	35
19	-	-	-	19	3	1	3	-	2	2	-	-	-	1	1	36
429	32	12	16	489	46	35	43	25	21	19	21	14	12	15	11	37
235	20	5	8	268	27	20	19	13	13	10	15	6	8	6	4	38
194	12	7	8	221	19	15	24	12	8	9	6	8	7	9	7	39
360	26	6	9	401	33	17	24	6	13	6	6	4	4	4	2	40
202	16	4	7	229	19	10	12	3	8	5	4	2	4	3	2	41
158	10	2	2	172	14	7	12	3	5	1	4	2	3	5	4	42
27	1	-	3	31	3	2	3	-	3	3	1	1	1	1	5	43
12	-	-	-	12	2	1	-	-	-	-	1	-	-	-	-	44
15	1	-	3	19	1	3	-	-	-	3	-	-	-	-	1	45
42	5	6	4	57	10	16	16	19	8	10	12	7	5	3	2	46
21	4	1	1	27	6	9	7	10	5	5	10	2	4	7	3	47
21	1	5	3	30	4	7	9	9	3	5	2	5	1	4	1	48
457	29	17	19	522	49	53	43	15	20	15	10	10	12	8	10	49
264	18	9	15	306	29	26	26	4	10	8	4	4	4	4	5	50
193	11	8	4	216	20	24	17	8	10	7	6	6	8	3	5	51
300	16	8	12	336	27	26	19	5	10	8	3	5	5	4	6	52
172	11	4	10	197	17	16	13	2	6	3	1	2	1	1	5	53
128	5	4	2	139	10	6	2	4	4	5	2	4	4	2	4	54
157	13	9	7	186	22	27	24	11	10	7	7	4	7	5	4	55
92	7	5	5	109	12	13	13	4	4	5	3	2	3	3	3	56
65	6	4	2	77	10	14	11	6	6	2	4	2	4	2	4	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
4,317	216	137	103	4,773	402	336	257	172	118	86	69	68	65	53	45	61
2,550	134	79	52	2,815	251	196	146	99	69	46	41	39	40	30	28	62
1,767	82	58	51	1,958	151	140	111	73	49	40	28	29	25	23	17	63
3,678	175	123	77	4,053	323	285	217	144	96	79	60	55	57	42	37	64
2,193	108	70	37	2,408	206	164	124	80	56	42	36	31	36	23	23	65
1,485	67	53	40	1,645	117	121	93	64	40	37	24	24	21	19	14	66
559	37	12	21	629	73	49	34	21	18	7	8	5	5	3	5	67
309	25	8	12	354	41	31	16	15	10	4	4	3	3	3	2	68
250	12	4	9	275	32	18	18	6	8	3	3	4	4	3	1	69
80	4	2	5	91	6	2	6	7	4	-	1	4	2	2	1	70
48	1	1	3	53	4	4	6	4	3	-	-	3	1	1	1	71
32	3	1	2	38	2	1	1	3	1	-	1	1	1	1	1	72
516	32	21	10	579	41	44	28	17	11	7	7	9	6	7	6	73
328	21	15	5	369	25	22	15	12	6	4	4	5	2	2	5	74
188	11	6	5	210	16	22	13	5	5	3	3	4	4	4	1	75
490	29	18	8	545	38	40	28	15	10	6	6	9	2	6	6	76
313	19	12	3	347	24	21	15	10	5	4	4	5	4	6	5	77
177	10	6	5	198	14	19	13	5	5	2	2	4	4	1	1	78
19	3	2	2	26	2	3	-	2	-	-	-	-	-	-	-	79
10	2	2	2	16	1	1	-	2	1	-	-	-	-	-	-	80
9	1	-	-	10	1	2	-	-	-	-	-	-	2	1	-	81
7	-	1	-	8	1	1	-	-	-	1	1	-	1	-	-	82
5	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	83
2	-	-	-	2	1	1	-	-	-	1	1	-	-	-	-	84
645	33	13	17	708	46	44	38	35	12	8	9	10	11	8	5	85
364	18	5	7	394	29	28	21	22	7	2	3	5	2	2	3	86
281	15	8	10	314	17	16	17	13	5	6	6	5	9	6	2	87
546	27	11	13	597	38	35	32	31	9	5	8	9	8	8	4	88
319	16	5	5	345	27	23	18	20</								

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota	1,188	110	404	129	76	34	15	18	10
2	Male	675	60	256	65	47	19	10	8	7
3	Female	513	50	148	64	29	15	5	10	3
4	White	1,143	107	394	126	74	34	15	18	9
5	Male	653	58	252	64	46	19	10	8	6
6	Female	490	49	142	62	28	15	5	10	3
7	Negro	29	1	7	2	-	-	-	-	-
8	Male	13	1	2	1	-	-	-	-	-
9	Female	16	-	5	1	-	-	-	-	-
10	Other races	16	2	3	1	2	-	-	-	1
11	Male	9	1	2	1	1	-	-	-	1
12	Female	7	1	1	1	1	-	-	-	-
13	Mississippi	1,622	95	468	179	114	67	18	17	12
14	Male	919	62	268	119	69	43	9	8	3
15	Female	703	33	200	60	45	24	9	9	9
16	White	526	33	191	72	50	29	5	8	3
17	Male	302	22	110	48	29	17	4	2	-
18	Female	224	11	81	24	21	12	1	6	3
19	Negro	1,087	62	277	106	63	38	13	9	9
20	Male	610	40	158	70	39	26	5	6	3
21	Female	477	22	119	36	24	12	8	3	6
22	Other races	9	-	-	1	1	-	-	-	-
23	Male	7	-	-	1	1	-	-	-	-
24	Female	2	-	-	-	-	-	-	-	-
25	Missouri	1,596	145	577	167	90	38	29	19	15
26	Male	935	85	339	110	54	24	15	14	11
27	Female	661	60	238	57	36	14	14	5	4
28	White	1,216	115	429	135	78	32	25	16	14
29	Male	728	68	265	91	48	19	11	11	11
30	Female	488	47	164	44	30	13	14	5	3
31	Negro	379	30	147	32	12	6	4	3	1
32	Male	207	17	74	19	6	5	4	3	-
33	Female	172	13	73	13	6	1	-	-	1
34	Other races	1	-	1	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	Montana	234	17	91	25	15	8	2	2	1
38	Male	128	9	50	15	10	2	1	2	2
39	Female	106	8	41	10	5	6	1	1	1
40	White	201	14	81	22	15	8	2	2	1
41	Male	113	8	46	13	10	2	1	2	2
42	Female	88	6	35	9	5	6	1	-	1
43	Negro	3	-	3	-	-	-	-	-	-
44	Male	1	-	1	-	-	-	-	-	-
45	Female	2	-	2	-	-	-	-	-	-
46	Other races	30	3	7	3	-	-	-	-	-
47	Male	14	1	3	2	-	-	-	-	-
48	Female	16	2	4	1	-	-	-	-	-
49	Nebraska	436	40	174	59	15	9	9	6	2
50	Male	251	15	106	33	12	7	6	2	1
51	Female	185	25	68	26	3	2	3	4	1
52	White	391	38	162	52	14	9	6	6	2
53	Male	225	14	98	28	11	7	4	2	1
54	Female	166	24	64	24	3	2	2	4	1
55	Negro	33	1	11	6	1	1	3	-	-
56	Male	19	1	7	5	1	1	2	-	-
57	Female	14	-	4	1	-	-	1	-	-
58	Other races	12	1	1	1	-	-	-	-	-
59	Male	7	-	1	1	-	-	-	-	-
60	Female	5	1	-	1	-	-	-	-	-
61	Nevada	230	20	77	33	12	10	2	4	1
62	Male	148	12	50	26	7	6	1	1	1
63	Female	82	8	27	7	5	4	1	3	1
64	White	192	15	68	27	11	10	1	4	1
65	Male	122	10	44	21	6	6	1	1	1
66	Female	70	5	24	6	5	4	-	3	1
67	Negro	31	5	7	6	1	-	-	-	-
68	Male	22	2	6	5	1	-	-	-	-
69	Female	9	3	1	1	-	-	-	-	-
70	Other races	7	-	2	-	-	-	1	-	-
71	Male	4	-	-	-	-	-	-	-	-
72	Female	3	-	2	-	-	-	1	-	-
73	New Hampshire	234	27	84	25	13	7	3	3	2
74	Male	142	19	52	18	3	6	-	1	1
75	Female	92	8	32	7	10	1	3	2	2
76	White	233	27	84	25	13	7	3	3	2
77	Male	142	19	52	18	3	6	-	1	-
78	Female	91	8	32	7	10	1	3	2	2
79	Negro	1	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	1	-	-	-	-	-	-	-	-
82	Other races	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	New Jersey	2,420	199	956	262	149	67	43	27	22
86	Male	1,436	109	569	163	98	40	27	22	11
87	Female	984	90	387	99	51	27	16	5	11
88	White	1,697	154	660	186	112	52	29	17	14
89	Male	1,030	84	396	123	75	32	19	13	8
90	Female	667	70	264	63	37	20	10	4	6
91	Negro	711	44	293	76	37	14	14	10	8
92	Male	398	24	173	40	23	7	8	9	3
93	Female	313	20	120	36	14	7	6	1	5
94	Other races	12	1	3	-	-	1	-	-	-
95	Male	8	1	-	-	-	1	-	-	-
96	Female	4	-	3	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-25 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico	487	48	148	38	32	19	2	3	6
2		193	28	79	23	19	12	1	2	6
3	Male	288	20	64	15	13	7	1	1	-
4	Female	199	28	84	23	19	12	1	2	6
5	White	387	44	126	30	28	18	1	1	6
6	Male	231	25	74	18	19	11	1	-	6
7	Female	156	19	52	12	9	7	-	1	-
8	Negro	13	-	6	-	-	-	1	1	-
9	Male	9	-	4	-	-	-	-	1	-
10	Female	4	-	2	-	-	-	1	-	-
11	Other races	87	4	16	8	4	1	-	1	-
12	Male	48	3	6	5	-	1	-	1	-
13	Female	39	1	10	3	4	-	-	-	-
14	New York	6,327	590	2,310	724	361	168	108	87	43
15	Male	3,597	313	1,342	410	211	108	68	55	20
16	Female	2,730	277	968	314	150	60	40	32	23
17	White	4,560	423	1,635	575	283	125	80	76	32
18	Male	2,630	229	972	329	169	82	50	50	15
19	Female	1,930	194	663	246	114	43	30	26	17
20	Negro	1,735	164	667	146	74	41	28	11	10
21	Male	952	81	366	80	41	26	18	5	5
22	Female	783	83	301	66	33	15	10	6	5
23	Other races	32	3	8	3	4	2	-	-	1
24	Male	15	3	4	1	1	-	-	-	-
25	Female	17	-	4	2	3	2	-	-	1
26	North Carolina	2,434	175	798	281	172	62	32	26	11
27	Male	1,376	94	450	173	114	42	17	16	8
28	Female	1,058	81	348	108	58	20	15	10	3
29	White	1,360	106	501	190	112	43	18	15	4
30	Male	781	57	298	115	74	28	11	9	4
31	Female	579	49	203	75	38	15	7	6	-
32	Negro	1,033	68	283	89	59	19	14	11	7
33	Male	571	36	145	56	40	14	6	7	4
34	Female	462	32	138	33	19	5	8	4	3
35	Other races	41	1	14	2	1	-	-	-	-
36	Male	24	1	7	2	-	-	-	-	-
37	Female	17	-	7	-	1	-	-	-	-
38	North Dakota	179	21	67	19	11	4	2	-	-
39	Male	100	14	36	7	5	3	1	-	-
40	Female	79	7	31	12	6	1	1	-	-
41	White	169	21	65	19	11	4	2	-	-
42	Male	92	14	34	7	6	3	1	-	-
43	Female	77	7	31	12	5	1	1	-	-
44	Negro	1	-	-	-	-	-	-	-	-
45	Male	1	-	-	-	-	-	-	-	-
46	Female	-	-	-	-	-	-	-	-	-
47	Other races	9	-	2	-	-	-	-	-	-
48	Male	7	-	2	-	-	-	-	-	-
49	Female	2	-	-	-	-	-	-	-	-
50	Ohio	3,778	435	1,345	380	224	98	65	58	37
51	Male	2,231	239	821	238	139	59	39	34	16
52	Female	1,547	196	524	142	85	39	26	24	21
53	White	3,064	354	1,105	321	175	84	54	51	26
54	Male	1,834	189	683	201	112	52	35	31	11
55	Female	1,230	165	422	120	63	32	19	20	15
56	Negro	709	80	240	59	48	14	11	7	11
57	Male	392	49	138	37	26	7	4	3	5
58	Female	317	31	102	22	22	7	7	4	6
59	Other races	5	1	-	-	1	-	-	-	-
60	Male	5	-	-	-	-	-	-	-	-
61	Female	-	-	-	-	-	-	-	-	-
62	Oklahoma	819	76	273	101	53	23	13	10	6
63	Male	464	45	160	53	30	15	10	8	3
64	Female	355	31	113	48	23	8	3	2	3
65	White	669	63	233	86	44	17	11	10	5
66	Male	376	36	133	46	25	12	8	8	2
67	Female	293	27	100	40	19	5	3	2	3
68	Negro	110	12	28	11	8	4	1	-	1
69	Male	60	8	18	4	4	2	1	-	1
70	Female	50	4	10	7	4	2	1	-	-
71	Other races	40	1	12	4	1	2	1	-	-
72	Male	28	1	9	3	1	1	1	-	-
73	Female	12	-	3	1	-	1	-	-	-
74	Oregon	635	76	217	48	37	15	11	4	4
75	Male	348	35	120	26	22	9	8	2	4
76	Female	287	41	97	22	15	6	3	2	-
77	White	598	71	209	46	37	14	10	2	4
78	Male	330	32	117	26	22	9	7	1	4
79	Female	268	39	92	20	15	5	3	1	-
80	Negro	24	3	7	2	-	1	-	2	-
81	Male	7	1	2	-	-	-	-	1	-
82	Female	17	2	5	2	-	1	-	1	-
83	Other races	13	2	1	-	-	-	1	-	-
84	Male	11	2	1	-	-	-	1	-	-
85	Female	2	-	-	-	-	-	-	-	-
86	Pennsylvania	4,052	439	1,582	389	264	102	74	54	32
87	Male	2,291	249	876	240	150	61	44	38	24
88	Female	1,761	190	706	149	114	41	30	16	8
89	White	3,204	335	1,260	329	210	88	60	37	29
90	Male	1,826	186	696	206	122	50	37	26	23
91	Female	1,378	149	564	123	88	38	23	11	6
92	Negro	838	104	315	60	53	14	14	16	3
93	Male	459	63	177	34	27	11	7	11	1
94	Female	379	41	138	26	26	3	7	5	2
95	Other races	10	-	7	-	1	-	-	1	-
96	Male	6	-	3	-	-	-	-	1	-
97	Female	4	-	4	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Rhode Island	326	35	133	33	18	7	3	2	4
2	Male	189	17	79	18	11	4	2	1	1
3	Female	137	18	54	15	7	3	1	1	3
4	White	298	33	120	31	18	7	3	2	3
5	Male	178	17	75	17	11	4	2	1	1
6	Female	120	16	45	14	7	3	1	1	3
7	Negro	25	2	13	2	-	-	-	-	-
8	Male	10	-	4	1	-	-	-	-	-
9	Female	15	2	9	1	-	-	-	-	-
10	Other races	3	-	-	-	-	-	-	-	1
11	Male	1	-	-	-	-	-	-	-	1
12	Female	2	-	-	-	-	-	-	-	-
13	South Carolina	1,326	69	334	137	99	37	20	15	14
14	Male	757	34	180	80	61	22	15	12	9
15	Female	569	35	154	57	38	15	5	3	5
16	White	619	36	192	85	68	18	8	7	4
17	Male	357	17	106	51	40	8	7	5	3
18	Female	262	19	86	34	28	10	1	2	1
19	Negro	705	33	142	51	31	19	12	8	10
20	Male	400	17	74	29	21	14	8	7	6
21	Female	305	16	68	22	10	5	4	1	4
22	Other races	2	-	-	1	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	2	-	-	1	-	-	-	-	-
25	South Dakota	234	37	73	33	10	1	2	4	4
26	Male	144	24	42	22	6	-	2	4	1
27	Female	90	13	31	11	4	1	-	-	3
28	White	192	28	66	27	9	1	1	4	4
29	Male	120	20	40	17	6	-	1	4	1
30	Female	72	8	26	10	3	1	-	-	3
31	Negro	-	-	-	-	-	-	-	-	-
32	Male	-	-	-	-	-	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other races	42	9	7	6	1	-	1	-	-
35	Male	24	4	2	5	-	-	1	-	-
36	Female	18	5	5	1	1	-	-	-	-
37	Tennessee	1,560	118	520	177	104	52	22	14	11
38	Male	887	47	321	101	61	31	17	9	8
39	Female	673	71	199	76	43	21	5	5	3
40	White	1,050	80	378	127	68	36	15	12	9
41	Male	600	34	235	73	42	20	10	9	6
42	Female	450	46	143	54	26	16	5	3	3
43	Negro	508	38	142	50	36	16	7	2	2
44	Male	285	13	86	28	19	11	7	-	2
45	Female	223	25	56	22	17	5	-	2	-
46	Other races	2	-	-	-	-	-	-	-	-
47	Male	2	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	Texas	4,711	345	1,634	507	345	131	81	54	41
50	Male	2,703	203	956	306	223	74	46	27	31
51	Female	2,008	142	678	201	122	57	33	27	10
52	White	3,565	262	1,246	412	279	107	60	38	32
53	Male	2,059	149	736	246	178	60	39	23	26
54	Female	1,506	113	510	166	101	47	21	15	6
55	Negro	1,137	81	385	94	66	24	21	16	9
56	Male	637	52	217	59	45	14	9	4	5
57	Female	500	29	168	35	21	10	12	12	4
58	Other races	9	2	3	1	-	-	-	-	-
59	Male	7	2	3	1	-	-	-	-	-
60	Female	2	-	-	-	-	-	-	-	-
61	Utah	409	44	127	44	35	16	5	10	5
62	Male	257	22	80	25	23	8	3	6	5
63	Female	152	22	47	19	12	8	2	2	-
64	White	374	42	121	43	34	15	5	8	4
65	Male	237	21	78	24	23	7	3	7	4
66	Female	137	21	43	19	11	8	2	1	-
67	Negro	8	-	5	-	-	-	-	-	-
68	Male	3	-	1	-	-	-	-	-	-
69	Female	5	-	4	-	-	-	-	-	-
70	Other races	27	2	1	1	1	1	-	2	1
71	Male	17	1	1	1	-	1	-	1	1
72	Female	10	1	-	-	1	-	-	1	-
73	Vermont	151	15	59	18	14	1	1	-	-
74	Male	88	6	32	12	7	-	-	-	-
75	Female	63	9	27	6	7	1	1	-	-
76	White	151	15	59	18	14	1	1	-	-
77	Male	88	6	32	12	7	-	-	-	-
78	Female	63	9	27	6	7	1	1	-	-
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other races	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	Virginia	1,863	161	619	209	114	52	37	26	30
86	Male	1,072	78	369	129	73	31	20	15	18
87	Female	791	83	250	80	41	21	17	11	12
88	White	1,178	111	416	147	78	32	24	18	18
89	Male	692	49	254	100	50	18	14	10	9
90	Female	486	62	162	47	28	14	10	8	9
91	Negro	676	47	198	61	36	20	13	8	12
92	Male	375	28	112	28	23	13	6	5	9
93	Female	301	19	86	33	13	7	7	3	3
94	Other races	9	3	5	1	-	-	-	-	-
95	Male	5	1	3	1	-	-	-	-	-
96	Female	4	2	2	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Washington-----	1,126	85	365	127	76	27	17	21	16
2	Male----	641	45	210	63	43	18	9	11	9
3	Female--	485	40	155	64	33	9	8	10	7
4	White-----	1,016	79	333	120	70	26	16	18	14
5	Male----	574	43	186	59	40	18	8	8	7
6	Female--	442	36	147	61	30	8	8	10	7
7	Negro-----	55	2	15	4	3	1	1	2	1
8	Male----	29	-	10	3	-	-	1	2	1
9	Female--	26	2	5	1	3	1	-	-	-
10	Other races-----	55	4	17	3	3	-	-	1	1
11	Male----	38	2	14	1	3	-	-	1	1
12	Female--	17	2	3	-	-	-	-	-	-
13	West Virginia-----	685	55	216	88	54	23	7	9	5
14	Male----	411	35	136	52	35	16	2	8	4
15	Female--	274	20	80	36	19	7	5	1	1
16	White-----	625	51	196	85	48	22	7	8	5
17	Male----	378	32	124	52	32	15	2	8	4
18	Female--	247	19	72	33	16	7	5	-	1
19	Negro-----	60	4	20	3	6	1	-	1	-
20	Male----	33	3	12	-	3	1	-	-	-
21	Female--	27	1	8	3	3	-	-	1	-
22	Other races-----	-	-	-	-	-	-	-	-	-
23	Male----	-	-	-	-	-	-	-	-	-
24	Female--	-	-	-	-	-	-	-	-	-
25	Wisconsin-----	1,455	137	558	155	85	38	21	18	14
26	Male----	833	75	323	88	51	25	14	8	8
27	Female--	622	62	235	67	34	13	7	10	6
28	White-----	1,320	124	511	140	80	36	19	18	12
29	Male----	764	68	301	77	48	24	12	8	6
30	Female--	556	56	210	63	32	12	7	10	6
31	Negro-----	114	11	39	13	4	2	2	-	2
32	Male----	58	6	18	10	2	1	2	-	2
33	Female--	56	5	21	3	2	1	-	-	-
34	Other races-----	21	2	8	2	1	-	-	-	-
35	Male----	11	1	4	1	1	-	-	-	-
36	Female--	10	1	4	1	-	-	-	-	-
37	Wyoming-----	123	10	44	17	8	3	2	-	1
38	Male----	72	7	29	9	2	2	1	-	1
39	Female--	51	3	15	8	6	1	1	-	-
40	White-----	107	10	39	14	8	3	2	-	1
41	Male----	66	7	26	7	2	2	1	-	1
42	Female--	41	3	13	7	6	1	1	-	-
43	Negro-----	4	-	1	1	-	-	-	-	-
44	Male----	2	-	1	1	-	-	-	-	-
45	Female--	2	-	-	-	-	-	-	-	-
46	Other races-----	12	-	4	2	-	-	-	-	-
47	Male----	4	-	2	1	-	-	-	-	-
48	Female--	8	-	2	1	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1968-Con.

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
734	36	27	15	812	80	75	54	37	15	16	10	4	13	5	5	1
408	21	15	7	451	48	43	36	24	6	12	4	2	8	3	4	2
326	15	12	8	361	32	32	18	13	9	4	6	2	5	2	1	3
676	34	24	13	747	70	66	48	32	12	14	8	2	13	2	2	4
369	21	13	6	409	44	38	31	22	4	11	4	1	8	1	1	5
307	13	11	7	338	26	28	17	10	8	3	4	1	5	1	1	6
29	2	2	-	33	7	3	2	2	-	2	2	1	-	2	2	7
17	-	1	-	18	3	2	-	-	-	1	-	-	-	2	1	8
12	-	1	-	15	4	1	-	2	-	1	-	-	-	-	-	9
29	-	1	2	32	3	6	4	3	3	-	-	-	-	1	2	10
22	-	-	1	24	1	3	3	2	2	-	-	1	-	-	2	11
7	-	-	1	8	2	3	1	1	1	-	-	-	-	1	-	12
457	16	18	5	496	43	37	33	15	8	12	11	11	9	5	5	13
288	7	9	4	308	26	20	16	7	7	4	6	6	6	2	3	14
169	9	9	1	188	17	17	17	8	1	8	5	5	3	3	2	15
422	16	12	5	455	39	35	29	14	7	10	10	7	9	5	5	16
269	7	8	4	288	23	19	14	6	6	2	6	3	6	2	3	17
153	9	4	1	167	16	16	15	8	1	8	4	4	3	2	2	18
35	-	6	-	41	4	2	4	1	1	2	1	4	-	-	-	19
19	-	1	-	20	3	1	2	1	1	2	-	3	-	-	-	20
16	-	5	-	21	1	1	2	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,026	46	26	13	1,111	85	68	53	34	29	14	20	13	11	9	8	25
592	21	18	7	638	59	35	27	17	19	8	10	7	5	5	3	26
434	25	8	6	473	26	33	26	17	10	6	10	6	6	4	5	27
940	43	25	13	1,021	73	62	48	33	26	11	11	11	9	7	8	28
544	20	17	7	588	53	32	25	17	18	6	6	7	5	4	3	29
396	23	8	6	433	20	30	23	16	8	5	5	4	4	3	5	30
73	2	1	-	76	10	5	4	1	3	3	3	2	2	-	-	31
41	-	1	-	42	5	3	2	2	1	2	3	-	-	-	-	32
32	2	-	-	34	5	2	2	1	2	1	5	2	2	1	-	33
13	1	-	-	14	2	1	1	-	-	-	-	-	-	2	-	34
7	1	-	-	8	1	-	-	-	-	-	1	-	-	1	-	35
6	-	-	-	6	1	1	-	-	-	-	-	-	-	1	-	36
85	7	3	5	100	4	2	5	2	2	3	3	-	2	-	-	37
51	4	2	3	60	1	2	3	1	2	2	1	-	2	-	-	38
34	3	1	2	40	3	2	2	1	2	1	2	-	-	-	-	39
77	3	3	5	88	3	2	4	1	2	3	2	-	2	-	-	40
46	3	2	3	54	1	2	3	1	2	2	1	-	2	-	-	41
31	-	1	2	34	2	-	1	-	2	1	1	-	-	-	-	42
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	43
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	44
6	4	-	-	10	-	-	-	1	-	-	1	-	-	-	-	45
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	46
3	3	-	-	6	-	-	-	1	-	-	1	-	-	-	-	47
3	3	-	-	6	-	-	-	1	-	-	1	-	-	-	-	48

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Under 1 year-----	76,263	6,908	6,168	6,205	6,034	6,313	6,271	6,347	6,469	6,025	6,155	6,446	6,922
Under 28 days-----													
White-----	55,902	4,811	4,448	4,526	4,505	4,696	4,610	4,790	4,832	4,474	4,531	4,664	5,015
All other--	20,361	2,097	1,720	1,679	1,529	1,617	1,661	1,557	1,637	1,551	1,624	1,782	1,907
Under 7 days-----	56,456	4,548	4,271	4,359	4,421	4,887	4,997	4,735	5,175	4,735	4,631	4,577	4,699
White-----	42,904	3,393	3,242	3,308	3,401	3,698	3,757	3,940	3,943	3,601	3,517	3,469	3,635
All other--	13,552	1,155	1,029	1,051	1,020	1,189	1,240	1,216	1,232	1,134	1,114	1,108	1,064
Under 1 hour-----	51,275	4,103	3,829	4,003	4,029	4,474	4,568	4,738	4,691	4,287	4,191	4,116	4,246
White-----	39,226	3,091	2,922	3,067	3,106	3,396	3,467	3,633	3,589	3,279	3,200	3,153	3,263
All other--	12,049	1,012	907	936	923	1,078	1,101	1,105	1,102	1,008	991	963	923
Under 1 hour-----	6,519	556	468	521	540	600	577	587	556	532	545	512	545
White-----	4,986	420	355	390	409	458	433	457	420	406	407	398	433
All other--	1,533	136	113	131	131	142	134	130	136	126	138	114	112
1-23 hours-----	26,785	2,116	2,044	2,087	2,089	2,319	2,385	2,477	2,489	2,247	2,179	2,164	2,189
White-----	20,319	1,590	1,557	1,573	1,592	1,736	1,801	1,885	1,880	1,711	1,695	1,646	1,713
All other--	6,466	526	487	514	497	583	584	592	609	536	544	518	476
1 day-----	8,153	683	600	632	650	725	727	782	773	665	655	647	654
White-----	6,369	522	466	505	521	587	560	605	593	525	509	505	513
All other--	1,784	161	134	127	129	158	167	177	162	140	146	142	141
2 days-----	4,790	361	356	364	374	397	433	416	433	421	418	388	429
White-----	3,766	269	274	292	292	314	345	327	348	326	338	295	346
All other--	1,024	92	82	72	82	83	88	89	85	95	80	93	83
3 days-----	2,147	180	148	181	165	192	183	185	199	190	175	176	173
White-----	1,664	141	111	140	128	152	139	143	158	139	140	138	135
All other--	483	39	37	41	37	40	44	42	41	51	35	38	38
4 days-----	1,251	95	101	91	101	93	124	123	118	85	94	101	125
White-----	905	72	72	65	75	63	84	88	85	64	72	78	87
All other--	346	23	29	26	26	30	40	35	33	21	22	23	38
5 days-----	953	63	70	77	71	77	93	106	94	76	79	76	71
White-----	721	43	55	61	56	61	60	81	79	56	63	51	55
All other--	232	20	15	16	15	16	33	25	15	20	16	25	16
6 days-----	677	49	42	50	39	71	66	62	69	71	46	52	60
White-----	496	34	32	41	33	45	45	47	48	52	36	42	41
All other--	181	15	10	9	6	26	21	15	21	19	10	10	19
7-13 days-----	2,457	201	207	170	196	220	200	208	243	215	196	205	196
White-----	1,818	144	168	116	155	157	133	162	179	168	141	148	147
All other--	639	57	39	54	41	63	67	46	64	47	55	57	49
14-20 days-----	1,453	138	105	104	108	100	123	106	138	133	128	142	128
White-----	1,009	89	71	76	78	76	81	75	98	89	93	93	90
All other--	444	49	34	28	30	24	42	31	40	44	35	49	38
21-27 days-----	1,271	106	130	82	88	93	106	104	103	100	116	114	129
White-----	851	69	81	49	62	69	76	70	77	65	83	75	75
All other--	420	37	49	33	26	24	30	34	26	35	33	39	54
28-59 days-----	4,781	487	427	375	346	360	319	309	338	416	406	455	483
White-----	3,168	297	287	255	242	255	218	221	232	288	272	292	309
All other--	1,553	190	140	120	104	105	101	88	106	128	134	163	174
2 months-----	3,795	470	366	372	311	297	219	193	260	252	298	374	423
White-----	2,498	296	235	229	214	186	140	140	169	166	209	262	252
All other--	1,297	174	131	143	97	71	79	53	91	86	89	112	171
3 months-----	2,958	388	285	291	246	177	195	151	162	161	231	302	369
White-----	1,934	220	176	197	171	120	139	105	124	109	150	184	239
All other--	1,024	168	109	94	75	57	56	46	38	52	81	118	130
4 months-----	2,097	295	207	168	174	147	130	94	120	109	154	179	280
White-----	1,338	177	126	118	120	109	94	64	85	76	100	105	164
All other--	719	118	81	50	54	38	36	30	35	33	54	74	116
5 months-----	1,471	172	154	149	109	112	84	80	88	66	102	160	195
White-----	922	100	97	97	75	71	49	60	60	41	65	97	110
All other--	549	72	57	52	34	41	35	20	28	25	37	63	85
6 months-----	1,201	170	112	122	97	90	68	83	75	66	89	113	116
White-----	771	95	64	78	62	64	45	56	58	47	64	66	72
All other--	430	75	48	44	35	26	23	27	17	19	25	47	44
7 months-----	939	112	82	103	96	58	60	78	67	53	53	75	102
White-----	614	66	55	66	65	40	43	54	39	34	30	50	72
All other--	325	46	27	37	31	18	17	24	28	19	23	25	30
8 months-----	733	68	75	77	67	52	43	58	42	47	52	60	92
White-----	484	44	39	47	40	42	30	47	32	33	32	40	58
All other--	249	24	36	30	27	10	13	11	10	14	20	20	34
9 months-----	755	80	63	66	69	71	63	55	56	52	53	70	57
White-----	491	54	41	43	50	41	40	37	32	37	38	39	39
All other--	264	26	22	23	19	30	23	18	24	15	15	31	18
10 months-----	588	56	71	63	55	55	46	41	36	34	44	39	48
White-----	383	33	49	41	26	26	29	31	23	20	27	29	29
All other--	205	23	22	22	19	19	17	10	13	14	17	10	19
11 months-----	589	62	55	60	43	47	47	49	50	34	42	42	58
White-----	395	36	37	47	29	34	26	35	35	22	27	31	36
All other--	194	26	18	13	14	13	21	14	15	12	15	11	22
Male													
Under 1 year-----	44,026	3,961	3,517	3,502	3,555	3,632	3,686	3,637	3,749	3,561	3,525	3,726	3,975
Under 28 days-----													
White-----	32,735	2,821	2,574	2,574	2,703	2,750	2,750	2,758	2,846	2,651	2,623	2,737	2,948
All other--	11,291	1,140	943	928	852	882	936	879	903	910	902	989	1,027
Under 7 days-----	32,931	2,679	2,451	2,454	2,608	2,871	2,946	2,961	3,041	2,826	2,666	2,676	2,752
White-----	25,309	2,017	1,888	1,859	2,049	2,196	2,249	2,265	2,348	2,149	2,048	2,057	2,184
All other--	7,622	662	563	595	559	675	697	696	693	677	618	619	568
Under 1 hour-----	30,046	2,435	2,204	2,268	2,397	2,636	2,703	2,732	2,774	2,571	2,427	2,414	2,485
White-----	23,259	1,849	1,710	1,734	1,883	2,023	2,081	2,102	2,153	1,963	1,888	1,877	1,996
All other--	6,787	586	494	534	514	613	622	630	621	608	539	537	489
Under 1 hour-----	3,533	299	250	274	294	333	307	315	299	288	292	271	311
White-----	2,696	223	187	200	235	256	238	235	218	216	219	212	257
All other--	837	76	63	74	79	77	69	80	81	72	73	57	54
1-23 hours-----	15,713												

SECTION 2 - INFANT MORTALITY

2-25

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Male--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
1 day	4,880	417	351	351	391	450	446	465	429	405	391	381	403
White	3,870	327	279	282	313	356	350	370	341	316	309	307	320
All other	1,010	90	72	69	78	94	96	95	88	89	82	74	83
2 days	2,920	226	231	213	240	234	254	244	268	262	250	242	256
White	2,336	170	176	170	191	189	213	194	222	196	210	196	209
All other	584	56	55	43	49	45	41	50	46	66	40	46	47
3 days	1,302	110	82	104	98	116	114	113	121	115	109	109	111
White	1,009	86	65	81	76	93	85	88	93	87	85	86	84
All other	293	24	17	23	22	23	29	25	28	28	24	23	27
4 days	748	57	60	49	59	64	77	68	78	52	43	67	74
White	563	41	47	38	48	44	52	52	61	39	34	52	55
All other	185	16	13	11	11	20	25	16	17	13	9	15	19
5 days	558	36	39	42	36	49	44	67	53	51	52	43	46
White	431	24	33	34	28	40	27	52	44	39	41	31	38
All other	127	12	6	8	8	9	17	15	9	12	11	12	8
6 days	392	29	26	27	28	39	40	36	36	44	39	28	40
White	288	17	22	23	25	29	28	25	23	30	34	23	29
All other	104	12	4	4	3	10	12	11	13	14	5	5	11
7-13 days	1,365	107	109	86	112	128	138	120	135	125	96	110	119
White	1,007	80	86	56	90	91	81	93	98	99	64	79	90
All other	358	27	23	30	22	37	57	27	37	26	32	31	29
14-20	814	80	60	55	53	57	63	57	70	84	72	83	80
White	571	52	43	43	43	45	40	39	49	57	47	56	57
All other	243	28	17	12	10	12	23	18	21	27	25	27	23
21-27 days	706	57	78	45	46	50	62	52	62	47	46	69	68
White	472	36	49	26	33	37	47	31	48	30	49	45	41
All other	234	21	29	19	13	13	15	21	14	16	22	24	27
28-59 days	2,701	256	239	232	216	206	197	183	192	228	225	263	264
White	1,851	164	167	165	158	147	136	130	139	150	153	176	166
All other	850	92	72	67	58	59	61	53	53	78	72	87	98
2 months	2,165	253	211	218	183	139	132	112	153	140	178	213	233
White	1,479	176	135	140	124	107	88	83	88	105	101	126	140
All other	686	77	76	78	59	32	44	29	65	52	77	87	93
3 months	1,671	225	165	157	143	97	101	86	78	91	132	172	224
White	1,114	137	101	115	99	69	73	63	58	64	89	98	148
All other	557	88	64	42	44	28	28	23	20	27	43	74	76
4 months	1,168	161	124	96	104	77	76	54	66	65	95	100	150
White	785	100	80	68	74	62	57	37	48	50	64	60	85
All other	383	61	44	28	30	15	19	17	18	15	31	40	65
5 months	833	93	88	76	63	64	53	47	50	47	61	84	107
White	525	53	57	51	43	37	33	37	34	30	38	46	66
All other	308	40	31	25	20	27	20	10	16	17	23	38	41
6 months	668	102	54	69	54	48	40	44	44	37	46	66	64
White	428	54	30	40	38	35	26	31	35	26	30	41	42
All other	240	48	24	29	16	13	14	13	9	11	16	25	22
7 months	481	52	45	49	50	24	34	44	34	32	22	36	59
White	314	28	30	35	35	18	22	32	17	19	11	13	44
All other	167	24	15	14	15	6	12	12	17	15	11	23	15
8 months	379	30	40	38	41	25	22	33	16	27	24	35	48
White	250	19	21	24	24	19	15	25	14	20	14	27	28
All other	129	11	19	14	17	6	7	8	2	7	10	8	20
9 months	394	42	35	45	39	28	28	29	29	28	27	41	23
White	266	30	23	30	26	19	19	23	17	18	21	25	15
All other	128	12	12	15	13	9	9	6	12	10	6	16	8
10 months	325	31	42	36	33	26	27	19	18	21	28	20	24
White	213	20	28	24	20	19	16	15	12	12	19	15	13
All other	112	11	14	12	13	7	11	4	6	9	9	5	11
11 months	310	37	23	32	21	27	30	25	28	19	21	20	27
White	201	23	14	23	13	22	16	17	19	12	10	15	17
All other	109	14	9	9	8	5	14	8	9	7	11	5	10
Female													
Under 1 year	32,237	2,947	2,651	2,703	2,479	2,681	2,585	2,710	2,720	2,464	2,630	2,720	2,947
Under 28 days	23,167	1,990	1,874	1,952	1,802	1,946	1,860	2,032	1,986	1,823	1,908	1,927	2,067
White	9,070	957	777	751	677	735	725	678	734	641	722	793	880
All other	23,525	1,869	1,805	1,813	2,016	2,051	2,195	2,134	1,909	1,965	1,901	1,947	1,947
White	17,595	1,376	1,354	1,449	1,352	1,502	1,508	1,675	1,595	1,452	1,469	1,412	1,451
All other	5,930	493	466	456	461	514	543	520	539	457	496	489	496
Under 7 days	21,229	1,668	1,625	1,735	1,632	1,838	1,865	2,006	1,917	1,716	1,764	1,702	1,761
White	15,967	1,242	1,212	1,333	1,223	1,373	1,386	1,531	1,436	1,316	1,312	1,276	1,327
All other	5,262	426	413	402	409	465	479	475	481	400	452	426	434
Under 1 hour	2,986	257	218	247	246	267	250	272	257	244	253	241	234
White	2,290	197	168	190	174	202	195	222	202	190	188	186	176
All other	696	60	50	57	72	65	55	50	55	54	65	55	58
1-23 hours	11,072	855	879	879	838	968	964	1,053	999	893	908	891	945
White	8,253	629	656	667	625	720	713	799	729	671	699	676	709
All other	2,819	226	223	212	213	248	251	254	270	221	249	215	236
1 day	3,273	266	249	281	259	275	281	317	304	260	264	266	251
White	2,499	195	187	223	208	211	210	235	230	200	200	198	193
All other	774	71	62	58	51	64	71	82	74	64	64	68	58
2 days	1,870	135	125	151	134	163	179	172	165	159	168	146	173
White	1,430	99	98	122	101	125	132	133	126	130	128	99	137
All other	440	36	27	29	33	38	47	39	39	29	40	47	36
3 days	845	70	66	77	67	76	69	72	78	75	66	67	62
White	655	55	46	59	52	59	54	55	65	52	55	52	51
All other	190	15	20	18	15	17	15	17	13	23	11	15	11
4 days	503	38	41	42	42	29	47	55	40	33	51	34	51
White	342	31	25	27	27	19	32	36	34	25	38	26	32
All other	161	7	16	15	15	10	15	19	16	8	13	8	19
5 days	395	27	31	35	35	28	49	39	41	25	27	33	25
White	290	19	22	27	28	21	33	29	35	17	22	20	17
All other	105	8	9	8	7	7	16	10	6	8	5	13	8

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Female--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
6 days-----	285	20	16	23	11	32	26	26	33	27	27	24	20
White-----	208	17	10	18	8	16	17	22	25	22	22	19	12
All other--	77	3	6	5	3	16	9	4	8	5	5	5	8
7-13 days-----	1,092	94	98	84	84	92	82	88	108	90	100	95	77
White-----	811	64	82	60	65	66	52	69	81	69	77	69	57
All other--	281	30	16	24	19	26	30	19	27	21	23	26	20
14-20 days-----	639	58	45	49	55	43	60	49	68	49	56	59	48
White-----	438	37	28	33	35	31	41	36	49	32	46	37	33
All other--	201	21	17	16	20	12	19	13	19	17	10	22	15
21-27 days-----	565	49	52	37	42	43	44	52	41	54	45	45	61
White-----	379	33	32	23	29	32	29	39	29	35	34	30	34
All other--	186	16	20	14	13	11	15	13	12	19	11	15	27
28-59 days-----	2,020	231	188	143	130	154	122	126	146	188	181	192	219
White-----	1,317	133	120	90	84	108	82	91	93	138	119	116	143
All other--	703	98	68	53	46	46	40	35	53	50	62	76	76
2 months-----	1,630	217	155	154	128	118	87	81	107	112	120	161	190
White-----	1,019	120	100	89	90	79	52	57	64	65	83	108	112
All other--	611	97	55	65	38	39	35	24	43	47	37	53	78
3 months-----	1,287	163	120	134	103	80	94	65	84	70	99	130	145
White-----	820	80	75	82	72	51	52	42	66	45	61	86	91
All other--	467	83	45	52	31	29	28	23	18	25	38	44	54
4 months-----	889	134	83	70	70	70	54	40	54	44	59	79	130
White-----	553	77	46	50	47	47	37	27	37	26	36	45	79
All other--	336	57	37	22	24	23	17	13	17	18	23	34	51
5 months-----	638	79	66	73	46	48	31	33	38	19	41	76	88
White-----	397	47	40	46	32	34	16	23	26	11	27	51	44
All other--	241	32	26	27	14	14	15	10	12	8	14	25	44
6 months-----	533	68	58	53	43	42	28	39	31	29	43	47	52
White-----	343	41	34	38	24	29	19	25	23	21	34	25	30
All other--	190	27	24	15	19	13	9	14	8	8	9	22	22
7 months-----	458	60	37	54	46	34	26	34	33	21	31	39	43
White-----	300	38	25	31	30	22	21	22	22	15	19	27	28
All other--	158	22	12	23	16	12	5	12	11	6	12	12	15
8 months-----	354	38	35	39	26	27	21	25	26	20	28	25	44
White-----	234	25	18	23	16	23	15	22	18	13	18	13	30
All other--	120	13	17	16	10	4	6	3	8	7	10	12	14
9 months-----	361	38	28	21	30	43	35	26	27	24	26	29	34
White-----	225	24	18	13	24	22	21	14	15	19	17	14	24
All other--	136	14	10	8	6	21	14	12	12	5	9	15	10
10 months-----	263	25	29	27	22	29	19	22	18	13	16	19	24
White-----	170	13	21	17	16	17	13	16	11	8	8	14	16
All other--	93	12	8	10	6	12	6	6	7	5	8	5	8
11 months-----	279	25	32	28	22	20	17	24	22	15	21	22	31
White-----	194	13	23	24	16	12	10	18	16	10	17	16	19
All other--	85	12	9	4	6	8	7	6	6	5	4	6	12
ALABAMA													
Under 1 year-----	1,694	193	154	144	123	110	140	125	150	106	111	173	165
White-----	880	86	71	68	72	62	64	70	88	52	64	98	85
All other--	814	107	83	76	51	48	76	55	62	54	47	75	80
Under 28 days-----	1,192	112	95	90	83	96	107	105	117	82	81	120	104
White-----	690	63	57	48	48	54	52	61	71	40	54	82	60
All other--	502	49	38	42	35	42	55	44	46	42	27	38	44
ALASKA													
Under 1 year-----	140	15	11	14	16	8	10	10	11	3	15	12	15
White-----	76	5	10	8	11	7	4	5	7	2	4	7	6
All other--	64	10	1	6	5	1	6	5	4	1	11	5	9
Under 28 days-----	100	10	11	8	11	7	6	6	10	2	8	10	11
White-----	63	4	10	5	9	6	4	4	7	1	3	6	4
All other--	37	6	1	3	2	1	2	2	3	1	5	4	7
ARIZONA													
Under 1 year-----	751	64	62	57	48	64	49	68	53	69	80	62	75
White-----	536	42	45	41	31	39	41	55	40	50	58	47	47
All other--	215	22	17	16	17	25	8	13	13	19	22	15	28
Under 28 days-----	489	33	41	35	35	45	39	47	38	47	52	36	41
White-----	401	26	30	32	26	29	34	42	33	40	45	32	32
All other--	88	7	11	3	9	16	5	5	5	7	7	4	9
ARKANSAS													
Under 1 year-----	767	78	54	70	68	72	70	55	70	42	56	61	71
White-----	453	37	40	30	30	45	44	27	38	24	35	38	44
All other--	314	41	23	40	18	27	26	28	32	18	21	23	27
Under 28 days-----	522	41	35	48	48	52	54	41	59	28	40	35	41
White-----	336	25	23	24	40	33	34	20	34	17	26	28	32
All other--	186	16	12	24	8	19	20	21	25	11	14	7	9
CALIFORNIA													
Under 1 year-----	6,444	563	535	498	491	545	531	549	523	505	499	565	640
White-----	5,448	469	473	413	417	461	442	477	447	418	419	470	542
All other--	996	94	62	85	74	84	89	72	76	87	80	95	98
Under 28 days-----	4,773	380	359	367	354	426	411	446	412	404	374	399	441
White-----	4,053	317	317	301	300	358	347	388	356	335	315	337	362
All other--	720	63	42	66	54	68	64	58	56	69	59	62	79

SECTION 2 - INFANT MORTALITY

2-27

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year-----	762	56	74	46	64	54	68	64	58	71	74	71	62
White-----	711	53	64	45	55	52	68	60	55	65	70	67	57
All other--	51	3	10	1	9	2	-	4	3	6	4	4	5
Under 28 days-----	579	41	61	41	41	41	58	51	44	55	52	54	40
White-----	545	38	53	40	38	40	58	48	42	52	49	50	37
All other--	34	3	8	1	3	1	-	3	2	3	3	4	3
CONNECTICUT													
Under 1 year-----	934	72	68	80	67	88	77	73	85	84	72	76	92
White-----	784	62	56	65	59	70	63	64	67	66	63	70	79
All other--	150	10	12	15	8	18	14	9	18	18	9	6	13
Under 28 days-----	708	51	48	37	51	66	64	60	70	69	56	49	67
White-----	597	44	41	49	44	54	51	53	55	55	49	43	59
All other--	111	7	7	8	7	12	13	7	15	14	7	6	8
DELAWARE													
Under 1 year-----	199	21	12	15	16	18	16	11	11	11	24	24	20
White-----	126	14	7	8	9	12	7	6	9	6	18	13	15
All other--	73	7	5	7	7	6	9	5	2	5	6	11	5
Under 28 days-----	138	11	9	11	9	16	10	9	11	7	16	14	15
White-----	98	10	6	7	5	11	4	9	9	5	14	9	11
All other--	40	1	3	4	4	5	6	2	2	2	2	5	4
DISTRICT OF COLUMBIA													
Under 1 year-----	387	48	41	37	22	45	30	31	36	31	28	23	15
White-----	40	6	4	2	2	5	3	3	6	5	1	1	2
All other--	347	42	37	35	20	40	27	28	30	26	27	22	13
Under 28 days-----	281	35	33	29	16	33	27	25	22	22	19	17	3
White-----	27	4	3	-	1	2	3	3	5	3	-	1	2
All other--	254	31	30	29	15	31	24	22	17	19	19	16	1
FLORIDA													
Under 1 year-----	2,460	218	213	218	169	170	190	209	201	204	248	207	213
White-----	1,494	125	114	134	111	114	123	128	115	132	152	120	126
All other--	966	93	99	84	58	56	67	81	86	72	96	87	87
Under 28 days-----	1,770	128	130	135	125	134	157	169	155	165	190	142	140
White-----	1,138	79	82	93	89	91	105	107	90	107	118	86	91
All other--	632	49	48	42	36	43	52	62	65	58	72	56	49
GEORGIA													
Under 1 year-----	2,219	252	223	182	162	167	173	160	162	153	187	185	213
White-----	1,141	107	105	92	92	86	96	95	88	91	87	96	106
All other--	1,078	145	118	90	70	81	77	65	74	62	100	89	107
Under 28 days-----	1,473	131	115	114	117	133	132	132	119	120	126	112	122
White-----	856	71	68	67	67	72	81	81	68	76	66	69	71
All other--	617	60	47	47	50	62	51	51	51	44	60	43	51
HAWAII													
Under 1 year-----	264	23	17	25	26	16	26	17	18	20	31	23	22
White-----	66	3	6	8	6	3	5	4	4	8	8	6	5
All other--	198	20	11	17	20	13	21	13	14	12	23	17	17
Under 28 days-----	198	16	11	17	18	13	23	16	13	13	24	16	18
White-----	55	3	6	6	6	3	5	4	2	8	6	3	3
All other--	143	13	5	11	12	10	18	12	11	5	18	13	15
IDAHO													
Under 1 year-----	242	23	19	16	16	23	19	23	24	18	23	20	18
White-----	233	23	17	15	16	23	19	22	24	14	22	20	18
All other--	9	-	2	1	-	-	-	1	-	4	1	-	-
Under 28 days-----	172	15	16	10	12	18	13	18	19	13	15	14	9
White-----	167	15	15	9	12	18	13	17	19	11	15	14	9
All other--	5	-	1	1	-	-	-	1	-	2	-	-	-
ILLINOIS													
Under 1 year-----	4,536	364	351	370	322	389	403	383	404	373	355	392	430
White-----	3,123	238	234	265	207	287	279	272	291	253	240	262	295
All other--	1,413	126	117	105	115	102	124	111	113	120	115	130	135
Under 28 days-----	3,386	247	249	247	251	300	306	317	324	294	268	282	301
White-----	2,409	164	181	178	166	229	217	227	236	205	189	201	216
All other--	977	83	68	69	85	71	89	90	88	89	79	81	85
INDIANA													
Under 1 year-----	2,011	157	143	176	176	155	167	169	182	170	171	172	173
White-----	1,709	124	124	147	152	133	151	156	153	142	139	140	148
All other--	302	33	19	29	24	22	16	13	29	28	32	32	25
Under 28 days-----	1,504	114	113	131	125	114	126	134	142	131	131	116	127
White-----	1,301	89	99	108	110	98	114	127	122	111	110	100	113
All other--	203	25	14	23	15	16	12	7	20	20	21	16	14
IOWA													
Under 1 year-----	894	76	80	67	79	67	77	67	86	75	74	59	87
White-----	859	73	78	63	73	66	75	61	81	73	74	56	86
All other--	35	3	2	4	6	1	2	6	5	2	-	3	1
Under 28 days-----	716	61	59	50	66	51	67	53	72	65	57	43	72
White-----	688	59	57	47	61	50	65	48	67	65	57	41	71
All other--	28	2	2	3	5	1	2	5	5	-	-	2	1

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year	691	68	44	49	66	63	64	52	66	51	54	57	57
White	607	61	39	44	55	55	56	42	62	43	46	51	53
All other	84	7	5	5	11	8	8	10	4	8	8	6	4
Under 28 days	545	53	36	35	53	47	49	43	54	41	43	46	45
White	486	48	31	32	42	43	43	36	52	34	39	43	43
All other	59	5	5	3	11	4	6	7	2	7	4	3	2
KENTUCKY													
Under 1 year	1,239	129	103	77	114	103	100	104	108	105	73	107	116
White	1,081	111	89	71	102	87	83	90	98	87	70	91	102
All other	158	18	14	6	12	16	17	14	10	18	3	16	14
Under 28 days	917	85	68	53	78	84	78	84	88	90	53	76	80
White	809	73	59	50	72	75	68	71	74	74	50	67	70
All other	108	12	9	3	6	9	10	13	8	16	3	9	10
LOUISIANA													
Under 1 year	1,879	176	143	152	139	182	159	156	162	171	144	133	162
White	829	62	60	61	70	87	74	67	73	79	61	64	71
All other	1,050	114	83	91	69	95	85	89	89	92	83	69	91
Under 28 days	1,350	96	89	103	98	148	126	119	122	144	119	97	95
White	665	44	44	48	54	76	64	55	56	71	51	50	52
All other	685	52	45	55	44	72	62	64	66	73	62	47	43
MAINE													
Under 1 year	365	28	27	29	38	24	28	27	28	36	38	34	28
White	359	28	26	26	37	24	28	27	28	36	37	34	28
All other	6	-	1	3	1	-	-	-	-	-	1	-	-
Under 28 days	269	16	18	21	27	19	18	22	22	29	30	27	20
White	265	16	17	19	27	19	18	22	22	29	29	27	20
All other	4	-	1	2	-	-	-	-	-	-	1	-	-
MARYLAND													
Under 1 year	1,453	149	123	129	122	106	105	144	121	120	102	122	110
White	941	90	71	84	83	71	63	103	83	82	65	75	71
All other	512	59	52	45	39	35	42	41	38	38	37	47	39
Under 28 days	1,095	110	85	98	96	88	77	120	102	96	74	82	67
White	747	71	54	65	66	61	45	89	73	68	51	53	51
All other	348	39	31	33	30	27	32	31	29	28	23	29	16
MASSACHUSETTS													
Under 1 year	1,835	188	148	130	159	173	172	161	138	142	144	131	149
White	1,669	173	127	117	144	155	153	146	123	134	131	121	143
All other	166	15	21	13	15	18	17	15	15	8	13	10	6
Under 28 days	1,445	135	117	100	113	141	146	135	110	110	121	97	120
White	1,320	125	101	89	103	131	134	122	97	105	109	90	114
All other	125	10	16	11	10	10	12	13	13	5	12	7	6
MICHIGAN													
Under 1 year	3,457	271	248	257	296	303	264	299	306	278	274	329	332
White	2,632	196	185	199	223	237	202	241	239	208	215	249	238
All other	825	75	63	58	73	66	62	58	67	70	59	80	94
Under 28 days	2,634	205	191	191	219	247	204	244	244	224	203	245	217
White	2,021	149	143	142	169	192	162	194	191	171	158	189	161
All other	613	56	48	49	50	55	42	50	53	53	45	56	56
MINNESOTA													
Under 1 year	1,188	89	98	96	105	117	94	109	102	88	99	82	109
White	1,143	84	97	93	98	111	90	107	97	86	93	80	107
All other	45	5	1	3	7	6	4	2	5	2	6	2	2
Under 28 days	893	56	71	75	79	85	73	87	84	70	68	65	80
White	872	54	70	74	74	82	72	86	80	69	67	64	80
All other	21	2	1	1	5	3	1	1	4	1	1	1	-
MISSISSIPPI													
Under 1 year	1,622	173	132	118	120	134	144	138	122	133	111	143	154
White	526	40	34	33	42	39	56	49	47	41	45	58	42
All other	1,096	133	98	85	78	95	88	89	75	92	66	85	112
Under 28 days	1,119	92	89	69	80	104	118	110	91	99	84	99	84
White	428	29	29	26	33	35	45	37	40	35	38	47	34
All other	691	63	60	43	47	69	73	73	51	64	46	52	50
MISSOURI													
Under 1 year	1,596	149	118	110	131	149	141	146	120	128	128	138	143
White	1,216	98	90	87	107	116	100	112	87	97	106	98	118
All other	380	51	23	23	24	33	41	34	33	31	22	40	25
Under 28 days	1,193	109	82	73	90	111	115	117	99	100	100	105	92
White	927	74	69	57	71	85	84	93	72	79	86	77	80
All other	266	35	13	16	19	26	31	24	27	21	14	28	12
MONTANA													
Under 1 year	234	19	14	28	23	19	14	19	15	23	20	16	24
White	201	19	12	24	19	16	11	18	11	21	14	16	20
All other	33	-	2	4	4	3	3	1	4	2	6	-	4
Under 28 days	175	15	13	17	14	14	12	17	9	18	15	15	16
White	158	15	11	16	12	12	9	16	9	17	11	15	15
All other	17	-	2	1	2	2	3	1	-	1	4	-	1

SECTION 2 - INFANT MORTALITY

2-29

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year-----	436	38	40	36	40	40	32	37	34	31	34	26	48
White-----	391	33	36	33	38	33	27	35	29	28	32	25	42
All other-----	45	5	4	3	2	7	5	2	5	3	2	1	6
Under 28 days-----	342	32	30	27	34	34	25	31	28	25	26	16	34
White-----	313	28	27	25	33	30	20	30	24	25	24	16	31
All other-----	29	4	3	2	1	4	5	1	4	--	2	--	3
NEVADA													
Under 1 year-----	230	21	14	22	18	16	16	23	18	20	20	20	22
White-----	192	16	11	18	10	14	14	20	17	17	18	19	18
All other-----	38	5	3	4	8	2	2	3	1	3	2	1	4
Under 28 days-----	171	14	12	15	13	10	13	20	15	15	13	14	17
White-----	148	11	10	12	9	10	12	17	15	13	12	14	13
All other-----	23	3	2	3	4	--	1	3	--	2	1	--	4
NEW HAMPSHIRE													
Under 1 year-----	234	18	22	20	18	18	29	13	11	19	15	23	28
White-----	233	18	22	19	18	18	29	13	11	19	15	23	28
All other-----	1	--	--	--	--	--	--	--	--	--	--	--	--
Under 28 days-----	179	12	12	17	16	14	24	11	8	15	12	16	22
White-----	179	12	12	17	16	14	24	11	8	15	12	16	22
All other-----	--	--	--	--	--	--	--	--	--	--	--	--	--
NEW JERSEY													
Under 1 year-----	2,420	237	211	214	164	204	204	198	216	172	209	180	211
White-----	1,697	166	149	162	120	142	136	133	154	121	155	116	143
All other-----	723	71	62	52	44	62	68	65	62	51	54	64	68
Under 28 days-----	1,885	175	155	162	115	163	173	167	171	136	168	141	159
White-----	1,334	130	110	124	83	112	119	109	128	95	128	91	105
All other-----	551	45	45	38	32	51	54	58	43	41	40	50	54
NEW MEXICO													
Under 1 year-----	487	37	25	50	35	39	50	41	46	30	39	41	54
White-----	387	30	17	41	26	33	40	35	38	26	32	28	41
All other-----	100	7	8	9	9	6	10	6	8	4	7	13	13
Under 28 days-----	342	23	18	36	21	26	36	33	42	23	27	33	24
White-----	289	19	14	32	17	25	30	29	34	21	23	24	21
All other-----	53	4	4	4	4	1	6	4	8	2	4	9	3
NEW YORK													
Under 1 year-----	6,327	531	536	530	513	459	505	554	575	493	541	534	556
White-----	4,560	380	397	381	363	329	359	416	425	375	383	358	394
All other-----	1,767	151	139	149	150	130	146	138	150	118	158	176	162
Under 28 days-----	4,769	364	372	387	385	352	401	444	474	398	417	395	380
White-----	3,508	268	277	287	284	262	290	339	352	310	296	268	275
All other-----	1,261	96	95	100	101	90	111	105	122	88	121	127	105
NORTH CAROLINA													
Under 1 year-----	2,434	229	213	178	189	182	170	212	237	185	193	228	218
White-----	1,360	120	111	93	99	98	101	127	146	118	106	119	122
All other-----	1,074	109	102	85	90	84	69	85	91	67	87	109	96
Under 28 days-----	1,703	125	126	111	128	135	129	184	190	142	144	148	141
White-----	1,062	86	79	68	75	76	86	114	124	96	83	85	90
All other-----	641	39	47	43	53	59	43	70	66	46	61	63	51
NORTH DAKOTA													
Under 1 year-----	179	10	20	15	17	17	16	15	13	12	19	11	14
White-----	169	9	19	14	17	16	16	15	11	12	17	9	14
All other-----	10	1	1	--	--	1	--	--	2	--	2	2	--
Under 28 days-----	136	6	16	14	12	12	15	14	10	8	13	6	10
White-----	132	5	16	13	12	12	15	14	9	8	13	5	10
All other-----	4	1	--	1	--	--	--	--	1	--	--	1	--
OHIO													
Under 1 year-----	3,778	318	307	323	335	328	332	298	322	321	278	307	309
White-----	3,064	248	243	272	268	283	264	242	270	261	221	250	242
All other-----	714	70	64	51	67	45	68	56	52	60	57	57	67
Under 28 days-----	2,872	207	228	235	265	253	279	247	272	246	212	215	213
White-----	2,356	162	173	198	216	216	220	207	231	202	173	183	175
All other-----	516	45	55	37	49	37	59	40	41	44	39	32	38
OKLAHOMA													
Under 1 year-----	819	82	61	74	58	85	65	58	65	66	61	72	72
White-----	669	64	50	59	48	71	54	51	53	51	52	58	58
All other-----	150	18	11	15	10	14	11	7	12	15	9	14	14
Under 28 days-----	608	53	42	47	46	66	55	54	51	50	42	51	51
White-----	513	44	38	37	39	55	46	48	45	38	35	44	44
All other-----	95	9	4	10	7	11	9	6	6	12	7	7	7
OREGON													
Under 1 year-----	635	46	52	66	45	55	42	58	53	51	50	59	58
White-----	598	41	50	64	42	54	38	57	50	50	45	53	54
All other-----	37	5	2	2	3	1	4	1	3	1	5	6	4
Under 28 days-----	459	30	32	51	29	37	29	49	39	39	35	47	42
White-----	434	28	32	49	27	36	26	48	37	38	32	42	39
All other-----	25	2	--	2	2	1	3	1	2	1	3	5	3
PENNSYLVANIA													
Under 1 year-----	4,052	347	343	347	323	362	318	353	316	319	356	336	332
White-----	3,204	277	278	283	255	274	252	277	241	266	278	265	258
All other-----	848	70	65	64	68	88	66	76	75	53	78	71	74
Under 28 days-----	3,180	264	265	264	239	285	261	293	297	262	278	251	261
White-----	2,535	208	220	213	191	216	208	228	196	221	224	204	206
All other-----	645	56	45	51	48	69	53	65	61	41	54	47	55

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1968-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	326	25	22	17	32	30	30	33	25	20	28	37	27
White	298	24	19	16	30	27	28	30	21	19	25	34	25
All other	28	1	3	1	2	3	2	3	4	1	3	3	2
Under 28 days	251	19	16	13	25	24	21	23	21	16	23	28	22
White	230	19	14	12	23	21	20	21	18	15	20	26	21
All other	21	-	2	1	2	3	1	2	3	1	3	2	1
SOUTH CAROLINA													
Under 1 year	1,326	167	108	137	82	96	105	99	93	89	108	120	122
White	619	58	53	63	42	50	58	61	45	40	54	55	40
All other	707	109	55	74	40	46	47	38	48	49	54	65	82
Under 28 days	820	72	56	77	52	78	84	70	68	60	83	65	65
White	460	37	36	46	28	44	48	44	35	30	47	38	27
All other	360	35	20	31	24	34	36	26	33	30	36	27	28
SOUTH DAKOTA													
Under 1 year	234	30	28	22	14	17	20	15	20	12	22	19	15
White	192	27	23	18	9	13	16	11	19	8	18	16	14
All other	42	3	5	4	5	4	4	4	1	4	4	3	1
Under 28 days	179	28	20	16	10	11	16	12	20	9	16	13	8
White	152	25	17	13	6	9	14	10	19	7	13	11	8
All other	27	3	3	3	4	2	2	2	1	2	3	2	-
TENNESSEE													
Under 1 year	1,560	120	110	133	124	126	120	128	146	128	125	149	151
White	1,050	90	74	96	86	82	84	77	99	85	84	100	93
All other	510	30	36	37	38	44	36	51	47	43	41	49	58
Under 28 days	1,129	75	75	88	90	90	100	100	124	99	97	103	88
White	798	58	53	68	66	63	73	62	87	67	67	74	60
All other	331	17	22	20	24	27	27	38	37	32	30	29	28
TEXAS													
Under 1 year	4,711	467	374	352	383	369	402	355	401	360	386	394	468
White	3,565	342	270	268	299	282	303	279	309	265	297	298	353
All other	1,146	125	104	84	84	87	99	76	92	95	89	96	115
Under 28 days	3,453	295	249	237	271	289	337	275	327	280	287	287	319
White	2,679	228	182	187	218	223	257	221	248	208	229	222	256
All other	774	67	67	50	53	66	80	54	79	72	58	65	63
UTAH													
Under 1 year	409	31	29	42	27	30	38	37	39	35	22	38	41
White	374	29	27	40	26	30	32	35	35	29	19	33	39
All other	35	2	2	2	1	-	6	2	4	6	3	5	2
Under 28 days	309	22	20	34	24	20	32	31	28	24	15	26	33
White	292	20	19	34	23	20	30	30	27	21	14	23	31
All other	17	2	1	-	1	-	2	1	1	3	1	3	2
VERMONT													
Under 1 year	151	11	5	12	13	12	19	6	13	11	14	19	16
White	151	11	5	12	13	12	19	6	13	11	14	19	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	122	6	4	10	11	10	16	5	11	11	11	14	13
White	122	6	4	10	11	10	16	5	11	11	11	14	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	1,863	168	140	162	154	140	150	170	151	169	142	143	174
White	1,178	109	89	85	109	80	91	112	98	103	96	88	118
All other	685	59	51	77	45	60	59	58	53	66	46	55	56
Under 28 days	1,392	111	103	104	123	97	116	144	120	141	103	96	134
White	935	83	70	59	89	56	75	95	82	89	78	63	96
All other	457	28	33	45	34	41	41	49	38	52	25	33	38
WASHINGTON													
Under 1 year	1,126	100	84	77	101	110	88	92	105	88	93	85	103
White	1,016	90	76	69	89	97	77	83	97	85	83	80	90
All other	110	10	8	8	12	13	11	9	8	3	10	5	13
Under 28 days	812	66	55	61	74	80	68	70	80	61	67	62	68
White	747	63	51	53	67	74	60	62	73	59	62	60	63
All other	65	3	4	8	7	6	8	8	7	2	5	2	5
WEST VIRGINIA													
Under 1 year	685	72	50	59	46	70	54	53	55	64	57	53	52
White	625	69	46	49	41	65	49	51	49	62	54	47	43
All other	60	3	4	10	5	5	5	2	6	2	3	6	9
Under 28 days	496	45	30	38	34	56	42	43	46	49	43	36	34
White	455	42	28	33	32	54	39	41	40	48	40	31	27
All other	41	3	2	5	2	2	3	2	6	1	3	5	7
WISCONSIN													
Under 1 year	1,455	130	109	116	118	132	123	118	143	114	102	123	127
White	1,320	122	102	107	107	121	110	103	132	104	90	113	109
All other	135	8	7	9	11	11	13	15	11	10	12	10	18
Under 28 days	1,111	96	79	82	89	101	98	99	111	84	82	92	98
White	1,021	93	75	78	85	94	88	87	103	78	72	83	85
All other	90	3	4	4	4	7	10	12	8	6	10	9	13
WYOMING													
Under 1 year	123	11	15	11	7	12	12	12	10	6	6	12	9
White	107	9	12	11	7	9	11	12	9	4	6	10	7
All other	16	2	3	-	-	3	1	-	1	2	-	2	2
Under 28 days	100	10	12	8	6	11	11	10	10	4	4	9	5
White	88	9	9	8	6	8	10	10	9	3	4	8	4
All other	12	1	3	-	-	3	1	-	1	1	-	1	1

SECTION 2 - INFANT MORTALITY

2-31

Table 2-11. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month:

United States, 1968

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		6,908	6,168	6,205	6,034	6,313	6,271	6,347	6,469	6,025	6,155	6,446	6,922
Under 1 year--all causes	76,263												
Diarrheal diseases-----009	926	121	103	83	58	59	53	58	77	72	71	71	100
Whooping cough-----035	27	3	4	3	2	2	1	3	1	3	2	2	1
Menigeococcal infections-----036	157	33	11	19	8	14	13	9	5	13	14	8	10
Tetanus-----037	3	-	-	1	1	-	-	-	-	-	-	-	-
Septicemia-----038	800	64	78	41	72	61	70	70	70	58	61	73	82
Viral diseases-----040-079	278	29	25	31	25	18	25	8	18	19	23	26	31
Congenital syphilis-----090	15	4	2	-	-	1	1	1	1	-	3	1	2
Other infective and parasitic diseases-----Remainder of 000-138	270	33	29	33	23	18	14	14	20	20	22	18	26
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	164	10	15	19	11	15	14	17	16	7	12	18	10
Benign neoplasms and neoplasms of unspecified nature-----210-239	90	2	10	6	11	8	6	12	7	4	9	6	9
Diseases of thymus gland-----254	43	1	2	2	5	1	2	4	5	7	5	4	5
Cystic fibrosis-----273.0	126	7	10	12	8	10	8	9	10	16	9	12	15
Diseases of the blood and blood-forming organs-----280-289	146	14	13	10	13	13	4	13	13	14	14	10	15
Meningitis-----320	524	64	46	38	39	40	37	38	29	28	47	61	57
Other diseases of nervous system and sense organs-----321-389	487	48	41	41	34	43	39	35	29	38	41	55	43
Acute upper respiratory infections-----460-465	301	39	30	27	31	17	9	17	19	17	20	28	47
Bronchitis and bronchiolitis-----466, 490, 491	531	72	54	52	32	30	32	29	22	25	42	47	94
Influenza and pneumonia-----470-474, 480-486	7,907	1,077	814	737	624	520	515	414	472	436	608	731	959
Influenza-----470-474	133	15	3	3	2	4	2	3	2	3	-	9	38
Pneumonia-----480-486	7,774	1,025	799	734	621	518	513	410	470	433	608	722	921
Other chronic interstitial pneumonia-----517	24	2	-	4	2	3	2	-	2	3	2	2	2
All other diseases of respiratory system-----492, 493, 500-516, 518, 519	559	55	42	48	38	41	43	30	51	47	47	54	63
Hernia and intestinal obstruction-----520-523, 560	639	55	60	44	52	46	48	62	58	49	52	55	58
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	44	2	4	3	2	10	1	1	2	4	6	5	4
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	410	45	30	31	41	30	32	42	35	40	26	31	27
Congenital anomalies-----740-759	11,052	955	861	969	930	955	905	899	906	903	897	944	928
Anencephalus-----740	959	80	68	90	75	85	70	78	78	65	98	90	82
Spina bifida-----741	744	56	62	66	65	67	76	56	69	63	55	53	56
Congenital hydrocephalus-----742	530	51	37	39	45	41	38	48	38	51	39	54	49
Other congenital anomalies of central nervous system and eye-----743, 744	430	31	27	39	24	41	49	31	36	35	31	43	43
Congenital anomalies of heart-----746	4,371	406	327	408	389	386	340	351	338	347	369	359	351
Other congenital anomalies of circulatory system-----747	744	65	47	61	60	69	63	52	57	75	62	64	69
Congenital anomalies of respiratory system-----748	450	37	43	33	32	37	38	54	28	41	34	33	40
Congenital anomalies of digestive system-----749-751	819	71	67	59	68	60	63	73	77	70	69	78	64
Congenital anomalies of genitourinary system-----752, 753	399	26	43	33	33	38	37	37	33	25	27	33	34
Congenital anomalies of musculoskeletal system-----754-756	528	32	28	24	35	27	24	18	29	30	23	27	31
Down's disease-----759.5	120	14	14	14	9	8	7	4	11	8	7	11	13
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	957	75	88	80	76	79	85	78	90	72	70	79	85
Other and unspecified congenital anomalies-----745, 757, 758	201	11	10	23	19	17	15	19	22	21	13	20	11
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	43,707	3,468	3,276	3,359	3,421	3,836	3,881	4,085	4,074	3,659	3,567	3,498	3,583
Chronic circulatory and genitourinary diseases in mother-----760	21	3	-	2	1	2	1	-	2	2	2	4	2
Other maternal conditions unrelated to pregnancy-----761	463	43	39	42	41	40	48	40	30	31	33	44	32
Syphilis-----761.0	4	-	-	-	-	1	-	-	-	-	-	2	-
Diabetes mellitus-----761.1	237	19	21	24	21	23	25	23	15	20	18	18	10
Rubella-----761.3	21	5	2	-	2	3	2	3	-	1	-	1	2
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	201	19	16	18	18	13	20	14	15	10	15	23	20
Toxemia of pregnancy-----762	229	16	14	24	12	29	19	21	19	22	19	16	18
Maternal antepartum and intrapartum infection-----763	249	21	19	23	14	21	21	20	22	20	18	28	22
Difficult labor-----764-768	714	64	62	57	56	61	83	60	56	56	62	42	55
With mention of birth injury (.0-.5)	215	20	25	23	15	14	31	14	9	20	14	13	17
Without mention of birth injury (.4,.9)	499	44	37	34	41	47	52	46	47	36	48	29	38
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	5,582	444	419	421	419	550	524	530	513	472	423	420	447
Conditions of placenta-----770	2,588	219	204	232	197	253	204	255	216	204	202	201	201
Conditions of umbilical cord-----771	416	30	39	30	29	36	27	35	42	36	44	40	28
Birth injury without mention of cause-----772	2,054	150	152	176	160	192	196	201	186	158	162	169	152
Hemolytic disease of newborn-----774, 775	952	88	85	74	81	73	62	89	89	76	63	82	70
Hyaline membrane disease-----776.1	4,551	351	285	323	366	372	422	426	409	414	390	373	418
Respiratory distress syndrome-----776.2	3,717	261	253	293	272	324	292	369	383	316	310	338	306
Asphyxia of newborn, unspecified-----776.9	10,257	837	788	796	833	847	901	992	967	819	813	816	848
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	758	73	60	58	60	53	57	62	75	72	63	53	72
Immaturity, unqualified-----777	9,423	729	718	684	770	841	865	843	871	811	803	735	753
Postmaturity-----778.1	4	1	-	-	-	-	-	2	-	1	-	-	-
Hemorrhagic disease of newborn-----778.2	439	33	33	41	20	39	31	41	48	37	41	26	39
All other conditions of newborn-----778.0, 778.3, 778.9	1,290	105	106	81	90	103	108	101	144	113	118	101	120
Symptoms and ill-defined conditions-----780-796	2,958	310	287	265	214	196	205	178	200	228	235	284	356
Accidents-----E900-E949	2,520	232	202	209	211	200	186	202	207	195	203	227	246
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	771	69	72	69	71	57	58	47	56	66	61	71	74
Accidental mechanical suffocation-----E913	761	75	58	69	58	51	52	69	71	63	57	65	73
Other accidental causes-----E900-E910, E914-E949	988	88	72	71	82	92	76	86	80	66	85	91	99
Homicide-----E960-E978	163	14	13	18	15	9	14	7	10	11	14	24	14
All other causes-----Residual	1,392	149	106	100	111	117	111	92	107	111	102	151	135

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month: United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days--all causes-----	56,456	4,548	4,271	4,359	4,421	4,887	4,997	5,156	5,175	4,735	4,631	4,577	4,699
Diarrheal diseases-----009	153	11	10	14	7	14	8	10	25	13	18	9	14
Whooping cough-----053	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningococcal infections-----056	12	2	2	2	2	3	1	1	-	-	-	-	-
Tetanus-----057	3	-	-	1	1	-	-	1	-	-	-	-	-
Septicemia-----058	558	32	46	26	52	42	55	56	59	45	47	47	51
Viral diseases-----040-079	80	4	7	7	5	4	11	1	6	10	9	5	11
Congenital syphilis-----090	13	3	1	-	-	1	1	-	1	-	3	1	2
Other infective and parasitic diseases-----Remainder of 000-158	61	4	4	7	4	6	4	8	4	6	4	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	47	5	2	4	4	5	5	6	3	4	5	3	1
Benign neoplasms and neoplasms of unspecified nature-----210-239	44	1	4	3	4	6	4	5	4	1	6	2	4
Diseases of thymus gland-----254	4	1	1	-	1	-	-	-	1	-	-	-	-
Cystic fibrosis-----275.0	54	1	4	6	4	7	4	3	3	6	5	2	9
Diseases of the blood and blood-forming organs-----280-289	53	3	5	5	5	5	2	4	7	5	3	5	4
Meningitis-----320	169	20	16	8	7	11	19	16	17	9	16	17	13
Other diseases of nervous system and sense organs-----321-389	54	5	1	3	7	4	4	5	4	6	8	6	1
Acute upper respiratory infections-----460-465	33	4	2	1	3	2	-	1	2	3	5	3	7
Bronchitis and bronchiolitis-----466,490,493	41	6	1	2	2	3	2	5	1	4	6	1	8
Influenza and pneumonia-----470-474,480-486	1,995	173	151	144	141	134	171	123	149	137	161	153	158
Influenza-----470-474	13	4	2	1	-	-	-	-	-	-	-	2	4
Pneumonia-----480-486	1,782	169	149	143	141	134	171	123	149	137	161	151	154
Other chronic interstitial pneumonia-----517	5	-	-	1	-	1	-	-	1	-	-	1	1
All other diseases of respiratory system-----492,495,500-516,518,519	175	14	12	7	8	9	23	11	17	17	20	17	20
Hernia and intestinal obstruction-----550-555,560	478	40	39	35	40	36	37	50	37	37	38	39	50
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	4	-	-	-	-	3	1	-	-	-	-	-	-
Other diseases of digestive system-----520-554,556,557,540-543,562,564-577	217	20	13	16	22	16	20	25	23	18	14	17	13
Congenital anomalies-----740-769	7,485	632	581	614	612	642	646	649	632	636	598	618	625
Anencephalus-----740	935	79	66	86	74	82	69	77	75	63	95	88	81
Spina bifida-----741	439	40	37	37	34	40	41	31	40	47	34	30	28
Congenital hydrocephalus-----742	271	24	20	21	27	22	19	20	20	28	16	20	24
Other congenital anomalies of central nervous system and eye-----743,744	271	17	14	20	16	28	37	18	28	23	20	25	25
Congenital anomalies of heart-----746	2,611	232	196	222	219	225	223	224	215	220	218	209	208
Other congenital anomalies of circulatory system-----747	456	37	27	34	39	43	41	34	38	49	33	36	45
Congenital anomalies of respiratory system-----748	395	34	36	30	25	27	33	51	25	38	30	29	37
Congenital anomalies of digestive system-----749-751	495	47	40	34	36	35	37	51	45	43	41	42	44
Congenital anomalies of genitourinary system-----752,753	326	21	33	26	29	36	34	30	25	19	22	25	26
Congenital anomalies of musculoskeletal system-----754-756	271	27	21	21	31	24	22	17	23	24	16	23	22
Down's disease-----759.3	45	5	5	2	4	3	3	3	5	6	4	2	3
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	812	60	77	62	61	66	73	69	77	57	61	72	77
Other and unspecified congenital anomalies-----745,757,758	158	9	9	19	17	11	14	14	16	19	8	17	5
Certain causes of mortality in early infancy-----760-769.2,769.4-774-778	43,441	3,439	3,253	3,342	3,394	3,811	3,859	4,067	4,050	3,640	3,549	3,476	3,561
Chronic circulatory and genitourinary diseases in mother-----760	21	3	-	2	1	2	1	-	2	2	2	4	2
Other maternal conditions unrelated to pregnancy-----761	451	40	38	42	38	39	47	39	30	31	33	44	30
Syphilis-----761.0	4	-	-	-	-	1	-	-	-	-	-	-	-
Diabetes mellitus-----761.1	236	19	21	24	20	23	25	23	15	20	18	18	10
Rubella-----761.3	10	2	1	-	-	2	1	2	-	1	-	1	-
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	201	19	16	18	18	13	20	14	15	10	15	23	20
Toxemia of pregnancy-----762	228	16	14	24	12	29	19	21	18	22	19	16	18
Maternal antepartum and intrapartum infection-----763	246	19	19	23	13	21	21	20	22	20	18	28	22
Difficult labor-----764-768	714	64	62	57	56	61	63	60	56	56	62	42	55
With mention of birth injury (.0-.3)-----	215	20	25	23	15	14	31	14	9	20	14	13	17
Without mention of birth injury (.4,.9)-----	499	44	37	34	41	47	52	46	47	36	48	29	38
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,569	441	419	421	416	549	524	528	513	470	423	420	445
Conditions of placenta-----770	2,583	219	203	232	196	252	204	255	216	204	201	200	201
Conditions of umbilical cord-----771	411	30	38	29	29	36	26	33	42	36	44	38	28
Birth injury without mention of cause-----772	2,016	149	150	172	154	189	191	198	183	157	160	165	148
Hemolytic disease of newborn-----774,775	939	86	84	74	81	71	82	89	87	75	62	80	68
Hyaline membrane disease-----776.1	4,533	350	284	325	365	370	420	425	407	411	387	372	417
Respiratory distress syndrome-----776.2	3,692	259	251	291	272	319	291	366	382	315	308	334	304
Asphyxia of newborn, unspecified-----776.9	10,231	834	787	794	828	845	898	991	962	817	812	815	848
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	743	69	58	57	57	52	57	61	75	71	63	53	70
Immaturity, unqualified-----777	9,358	724	709	679	766	836	859	838	864	808	797	729	749
Postmaturity-----778.1	4	1	-	-	-	-	-	2	-	1	-	-	-
Hemorrhagic disease of newborn-----778.2	439	33	33	41	20	39	31	41	48	37	41	36	39
All other conditions of newborn-----778.0,778.3,778.9	1,263	102	104	79	90	101	105	100	141	108	116	100	117
Symptoms and ill-defined conditions-----780-796	737	64	58	58	51	64	66	53	61	72	54	61	75
Accidents-----E800-E949	267	25	17	14	20	20	16	24	27	27	25	25	27
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	107	10	8	5	7	8	8	9	11	13	11	9	8
Accidental mechanical suffocation-----E913	58	4	3	4	4	2	3	7	7	7	6	2	9
Other accidental causes-----E800-E910,E914-E949	102	11	6	5	9	10	5	8	9	7	8	14	10
Homicide-----E960-E978	73	7	5	7	4	5	9	4	2	4	6	13	7
All other causes-----Residual	399	32	36	34	21	33	26	33	33	37	29	52	33

SECTION 2 - INFANT MORTALITY

2-33

Table 2-11. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month:

United States, 1968-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days to 11 months--all causes-----	19,807	2,360	1,897	1,846	1,613	1,426	1,274	1,191	1,294	1,290	1,524	1,869	2,223
Diarrheal diseases-----009	773	110	93	69	51	45	45	48	52	59	53	62	86
Whooping cough-----033	26	3	4	3	2	2	2	3	1	3	2	1	1
Meningococcal infections-----036	145	31	9	19	6	11	12	8	4	13	14	8	10
Tetanus-----037	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia-----038	242	32	32	15	20	19	15	14	11	13	14	26	31
Viral diseases-----040-079	198	25	18	24	20	14	14	7	12	9	14	21	20
Congenital syphilis-----090	2	1	1	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases-----Remainder of 000-136	209	29	25	26	19	12	8	10	12	16	16	14	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	117	5	13	15	7	10	9	11	13	3	7	15	9
Benign neoplasms and neoplasms of unspecified nature-----210-239	46	1	6	3	7	2	2	7	3	3	3	4	5
Diseases of thymus gland-----254	39	-	1	2	4	1	2	4	4	7	5	4	5
Cystic fibrosis-----273.0	72	6	6	6	4	3	4	6	7	10	4	10	6
Diseases of the blood and blood-forming organs-----280-289	93	11	8	5	8	8	2	9	6	9	11	5	11
Meningitis-----320	355	44	30	30	32	29	18	22	12	19	31	44	44
Other diseases of nervous system and sense organs-----321-399	433	43	40	38	27	39	35	30	25	32	33	49	42
Acute upper respiratory infections-----460-465	268	35	28	26	28	15	9	16	17	14	15	25	40
Bronchitis and bronchiolitis-----466,480,491	490	66	53	50	30	27	30	24	21	21	36	46	86
Influenza and pneumonia-----470-474,480-486	6,112	904	663	593	483	386	344	291	323	299	447	578	801
Influenza-----470-474	120	48	13	2	3	2	2	4	2	3	-	7	34
Pneumonia-----480-486	5,992	856	650	591	480	384	342	287	321	296	447	571	767
Other chronic interstitial pneumonia-----517	19	2	-	3	2	2	2	-	1	3	2	1	1
All other diseases of respiratory system-----492,493,500-516,518,519	384	41	30	41	30	32	20	19	34	30	27	37	43
Hernia and intestinal obstruction-----550-553,560	161	15	21	9	12	10	11	12	21	12	14	16	8
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	40	2	4	3	2	7	-	1	2	4	6	5	4
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	193	25	17	15	19	14	12	17	12	22	12	14	14
Congenital anomalies-----740-759	3,567	323	280	355	318	313	259	250	274	267	299	326	303
Anencephalus-----740	24	1	2	4	1	3	1	2	3	2	3	2	1
Spina bifida-----741	305	16	25	29	31	27	35	25	29	16	21	23	28
Congenital hydrocephalus-----742	259	27	17	18	18	19	18	18	18	23	23	34	25
Other congenital anomalies of central nervous system and eye-----743,744	159	14	13	19	8	13	12	13	8	12	11	18	18
Congenital anomalies of heart-----746	1,760	174	131	186	170	161	127	127	123	127	151	150	143
Other congenital anomalies of circulatory system-----747	288	28	20	27	21	26	22	18	19	26	29	28	24
Congenital anomalies of respiratory system-----748	55	3	7	3	7	10	5	3	3	3	4	4	3
Congenital anomalies of digestive system-----749-751	324	24	27	25	32	25	26	22	32	27	28	36	20
Congenital anomalies of genitourinary system-----752,753	73	5	10	7	4	3	3	7	8	6	5	8	8
Congenital anomalies of musculoskeletal system-----754-756	57	5	9	3	4	3	2	1	6	6	7	4	9
Down's disease-----759.3	75	9	7	12	5	5	4	1	6	2	3	9	10
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	145	15	11	18	15	13	12	9	13	15	9	7	8
Other and unspecified congenital anomalies-----745,757,758	43	2	1	4	2	6	1	5	6	2	5	3	6
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	266	29	23	17	27	25	22	18	24	19	18	22	22
Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	-	-	-	-	-	-	-	-
Other maternal conditions unrelated to pregnancy-----761	12	3	1	-	3	1	1	1	-	-	-	-	2
Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus-----761.1	1	-	-	-	1	-	-	-	-	-	-	-	-
Rubella-----761.3	11	3	1	-	2	1	1	1	-	-	-	-	2
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxemia of pregnancy-----762	1	-	-	-	-	-	-	-	1	-	-	-	-
Maternal antepartum and intrapartum infection-----763	3	2	-	-	1	-	-	-	-	-	-	-	-
Difficult labor-----764-769	193	-	-	-	-	-	-	-	-	-	-	-	-
With mention of birth injury (.0-.3)-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Without mention of birth injury (.4,.9)-----	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	13	3	-	-	3	1	-	2	-	2	-	-	2
Conditions of placenta-----770	5	-	1	-	1	1	-	-	-	-	1	1	-
Conditions of umbilical cord-----771	5	-	1	1	-	-	1	-	-	-	-	2	-
Birth injury without mention of cause-----772	38	1	2	4	6	3	5	3	1	2	4	4	4
Hemolytic disease of newborn-----774,775	13	2	1	-	-	2	-	2	1	1	1	2	2
Hyaline membrane disease-----776.1	18	1	1	-	1	2	2	1	2	3	3	1	1
Respiratory distress syndrome-----776.2	25	2	2	2	-	5	1	3	1	1	2	4	2
Asphyxia of newborn, unspecified-----776.9	26	3	1	2	5	2	3	1	5	2	1	1	-
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	15	4	2	1	3	1	-	1	-	1	-	-	2
Immaturity, unqualified-----777	65	5	9	5	4	5	6	5	7	3	6	6	4
Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn-----778.2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other conditions of newborn-----778.0,778.3,778.9	27	3	2	2	-	2	3	1	3	5	2	1	3
Symptoms and ill-defined conditions-----780-796	2,221	246	229	207	163	132	139	125	139	156	181	223	281
Accidents-----E900-E949	2,253	207	185	195	191	180	170	178	180	168	178	202	219
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	664	59	64	64	64	49	50	38	45	53	50	62	66
Accidental mechanical suffocation-----E913	703	71	55	65	54	49	62	64	56	51	63	63	64
Other accidental causes-----E900-E910,E914-E949	886	77	66	66	73	82	71	78	71	59	77	77	89
Homicide-----E960-E978	90	7	8	11	11	4	5	3	8	7	8	11	7
All other causes-----Residual	993	117	70	66	90	84	85	59	74	74	73	99	102

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix.]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 1 year—all causes	76,263	42,750	33,513	48,312	35,988	12,324	27,951	6,762	21,189
Diarrheal diseases-----009	926	362	564	362	270	92	564	92	472
Whooping cough-----033	27	6	21	9	5	4	18	1	17
Meningococcal infections-----036	1,577	92	65	101	82	19	56	10	46
Tetanus-----037	3	1	2	1	1	-	2	-	2
Septicemia-----038	800	479	321	510	406	104	290	73	217
Viral diseases-----040-079	278	150	128	150	116	34	128	34	94
Congenital syphilis-----090	15	8	7	9	7	2	6	1	5
Other infective and parasitic diseases-----Remainder of 000-136	270	130	140	132	98	34	138	32	106
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	164	97	67	108	85	23	56	12	44
Benign neoplasms and neoplasms of unspecified nature-----210-239	90	47	43	58	41	17	32	6	26
Diseases of thymus gland-----254	43	18	25	20	10	10	23	8	15
Cystic fibrosis-----275.0	126	58	68	74	46	28	52	12	40
Diseases of the blood and blood-forming organs-----280-289	146	74	72	97	63	34	49	11	38
Meningitis-----320	524	279	245	326	239	87	198	40	158
Other diseases of nervous system and sense organs-----321-389	487	252	235	320	228	92	167	24	143
Acute upper respiratory infections-----460-465	301	163	138	182	137	45	119	26	93
Bronchitis and bronchiolitis-----466,490,491	531	335	196	374	297	77	157	38	119
Influenza and pneumonia-----470-474,480-486	7,907	4,354	3,553	4,829	3,738	1,091	3,078	616	2,462
Influenza-----470-474	133	34	99	38	23	15	95	11	84
Pneumonia-----480-486	7,774	4,320	3,454	4,791	3,715	1,076	2,983	605	2,378
Other chronic interstitial pneumonia-----517	24	14	10	19	11	8	5	3	2
All other diseases of respiratory system-----492,493,500-516,518,519	559	292	267	333	233	100	226	59	167
Hernia and intestinal obstruction-----550-553,560	639	353	286	417	309	114	222	50	172
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	44	20	24	18	16	2	26	4	22
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	410	243	167	260	199	61	150	44	106
Congenital anomalies-----740-759	11,052	6,093	4,959	7,215	5,169	2,046	3,837	924	2,913
Anencephalus-----740	959	538	421	662	464	198	287	74	223
Spina bifida-----741	744	393	351	470	328	142	274	65	209
Congenital hydrocephalus-----742	530	265	265	302	216	86	228	49	179
Other congenital anomalies of central nervous system and eye-----743,744	430	216	214	259	185	74	171	31	140
Congenital anomalies of heart-----746	4,371	2,448	1,923	2,894	2,094	800	1,477	354	1,123
Other congenital anomalies of circulatory system-----747	744	428	316	512	356	156	232	72	160
Congenital anomalies of respiratory system-----748	450	236	214	267	190	77	183	46	137
Congenital anomalies of digestive system-----749-751	819	447	372	516	374	142	303	73	230
Congenital anomalies of genitourinary system-----752,753	399	213	186	257	186	71	142	27	115
Congenital anomalies of musculoskeletal system-----754-756	328	194	134	222	165	57	106	29	77
Down's disease-----759.3	120	65	55	78	53	25	42	12	30
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	957	542	415	659	471	188	298	71	227
Other and unspecified congenital anomalies-----745,757,758	201	108	93	117	87	30	84	21	63
Certain causes of mortality in early infancy-----760-769,2,769.4-772,774-778	43,707	25,288	18,419	28,495	21,288	7,207	15,212	4,000	11,212
Chronic circulatory and genitourinary diseases in mother-----760	21	10	11	15	6	6	6	1	5
Other maternal conditions unrelated to pregnancy-----761	463	250	213	290	207	83	173	43	130
Syphilis-----761.0	4	3	1	4	3	1	-	-	-
Diabetes mellitus-----761.1	237	122	115	152	98	54	85	24	61
Rubella-----761.5	21	14	7	14	13	1	7	1	6
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	201	111	90	120	93	27	81	18	63
Toxemia of pregnancy-----762	229	112	117	107	86	21	122	26	96
Maternal antepartum and intrapartum infection-----763	249	138	111	151	121	30	98	17	81
Difficult labor-----764-768	714	371	343	390	287	103	324	84	240
With mention of birth injury (.0-.3)-----	215	112	103	125	88	37	90	24	66
Without mention of birth injury (.4,.9)-----	499	259	240	265	199	66	234	60	174
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,582	3,275	2,307	3,720	2,743	977	1,862	532	1,330
Conditions of placentas-----770	2,588	1,395	1,193	1,632	1,151	481	956	244	712
Conditions of umbilical cord-----771	416	210	206	251	181	70	165	29	136
Birth injury without mention of cause-----772	2,054	1,235	819	1,442	1,093	349	612	142	470
Hemolytic disease of newborn-----774,775	952	495	457	613	399	214	339	96	243
Hyaline membrane disease-----776.1	4,551	2,402	2,149	2,774	1,997	777	1,777	405	1,372
Respiratory distress syndrome-----776.2	3,717	2,283	1,434	2,586	1,965	621	1,131	318	813
Asphyxia of newborn, unspecified-----776.9	10,257	6,050	4,207	6,859	5,133	1,726	3,398	917	2,481
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	758	442	316	462	356	106	296	86	210
Immaturity, unqualified-----777	9,423	5,523	3,900	6,014	4,603	1,411	3,409	920	2,489
Postmaturity-----778.1	4	1	3	2	1	1	2	-	2
Hemorrhagic disease of newborn-----778.2	439	270	169	300	233	67	139	37	102
All other conditions of newborn-----778.0,778.3,778.9	1,290	826	464	887	723	164	403	103	300
Symptoms and ill-defined conditions-----780-796	2,958	1,499	1,459	1,660	1,246	414	1,298	253	1,045
Accidents-----E800-E849	2,520	1,198	1,322	1,318	953	365	1,202	245	957
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E811,E812	771	368	403	393	282	111	376	86	292
Accidental mechanical suffocation-----E813	761	319	442	357	250	107	404	69	335
Other accidental causes-----E800-E810,E814-E849	988	511	477	568	421	147	420	90	330
Homicide-----E860-E878	163	114	49	114	98	16	49	16	33
All other causes-----Residual	1,392	731	661	801	603	198	591	126	463

SECTION 2 - INFANT MORTALITY

2-35

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year--all causes	55,902	29,198	26,704	34,919	24,009	10,910	20,983	5,189	15,794
Diarrheal diseases	435	194	241	208	142	66	227	52	175
Whooping cough	13	1	12	4	1	3	9	-	9
Moniligocecal infections	128	68	60	76	59	37	52	9	43
Tetanus	-	-	-	-	-	-	-	-	-
Septicemia	518	290	228	324	243	81	194	47	147
Viral diseases	040-079	218	113	116	84	32	102	29	73
Congenital syphilis	090	7	5	5	5	-	2	-	2
Other infective and parasitic diseases--Remainder of 000-136	155	83	72	91	61	30	64	22	42
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-209	139	81	93	71	22	46	10	36
Benign neoplasms and neoplasms of unspecified nature	210-239	71	32	45	29	16	26	3	23
Diseases of thymus gland	254	37	15	16	7	9	21	8	13
Cystic fibrosis	275.0	119	54	70	43	27	49	11	38
Diseases of the blood and blood-forming organs	280-289	100	46	67	38	29	33	8	25
Meningitis	320	325	172	217	144	73	108	28	80
Other diseases of nervous system and sense organs	321-399	367	173	229	154	75	138	19	119
Acute upper respiratory infections	460-465	187	100	124	83	41	63	17	46
Bronchitis and bronchiolitis	466,490,491	352	204	238	174	64	114	30	84
Influenza and pneumonia	470-474,480-486	4,804	2,487	2,997	2,104	893	1,807	383	1,424
Influenza	470-474	60	21	19	12	7	41	9	32
Pneumonia	480-486	4,744	2,466	2,978	2,092	886	1,766	374	1,392
Other chronic interstitial pneumonia	517	20	11	15	8	7	5	3	2
All other diseases of respiratory system	492,493,500-516,518,519	385	176	217	132	85	168	44	124
Hernia and intestinal obstruction	550-553,560	511	268	331	231	100	180	37	143
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	535,561,563	27	15	12	11	1	15	4	11
Other diseases of digestive system	520-534,536,537,540-543,562,564-577	286	162	185	129	56	101	33	68
Congenital anomalies	740-759	9,405	4,909	5,990	4,093	1,897	3,415	816	2,599
Anencephalus	740	894	488	607	417	190	287	71	216
Spina bifida	741	682	363	429	298	131	253	65	188
Congenital hydrocephalus	742	450	208	242	167	83	200	41	159
Other congenital anomalies of central nervous system and eye	743,744	369	169	213	144	69	156	25	131
Congenital anomalies of heart	746	3,635	1,911	2,334	1,605	729	1,301	306	995
Other congenital anomalies of circulatory system	747	636	344	419	278	141	217	66	151
Congenital anomalies of respiratory system	748	377	187	216	148	68	161	39	122
Congenital anomalies of digestive system	749-751	649	325	393	263	130	256	62	194
Congenital anomalies of genitourinary system	752,753	349	177	221	152	69	128	25	103
Congenital anomalies of musculoskeletal system	754-756	281	156	189	135	54	92	21	71
Down's disease	759.3	102	52	67	42	25	35	10	25
Other congenital syndromes affecting multiple systems	759.0-759.2,759.4-759.9	827	449	562	381	181	265	68	197
Other and unspecified congenital anomalies	745,757,758	154	80	90	63	27	64	17	47
Certain causes of mortality in early infancy--760-769.2,769.4-772,774-778	32,921	17,422	15,499	20,677	14,242	6,435	12,244	3,180	9,064
Chronic circulatory and genitourinary diseases in mother	760	16	8	12	7	5	4	1	3
Other maternal conditions unrelated to pregnancy	761	385	198	236	161	75	149	37	112
Syphilis	761.0	1	1	1	1	-	-	-	-
Diabetes mellitus	761.1	216	111	105	88	52	76	23	53
Rubella	761.3	18	12	12	11	1	6	1	5
All other maternal conditions unrelated to pregnancy	761.2,761.4-761.7,761.9	150	74	83	61	22	67	13	54
Toxemia of pregnancy	762	162	78	78	59	19	84	19	65
Maternal antepartum and intrapartum infection	763	163	73	87	61	26	76	12	64
Difficult labor	764-768	544	265	279	202	92	250	63	187
With mention of birth injury (.0-.3)	764	159	78	93	61	32	66	17	49
Without mention of birth injury (.4-.9)	765-768	385	187	201	141	60	184	46	138
All other complications of pregnancy and childbirth	769.0-769.2,769.4,769.5,769.9	4,216	2,244	2,704	1,820	884	1,512	424	1,088
Conditions of placenta	770	2,223	1,150	1,392	939	453	831	211	620
Conditions of umbilical cord	771	333	158	200	136	64	133	22	111
Birth injury without mention of cause	772	1,479	797	998	689	309	481	108	373
Hemolytic disease of newborn	774,775	879	451	564	360	204	315	91	224
Hyaline membrane disease	776.1	3,812	1,891	2,243	1,530	713	1,569	361	1,208
Respiratory distress syndrome	776.2	2,879	1,646	1,918	1,370	548	961	276	685
Asphyxia of newborn, unspecified	776.9	7,729	4,139	4,968	3,417	1,551	2,761	722	2,039
All other anoxic and hypoxic conditions not elsewhere classifiable	776.0,776.3,776.4	557	315	345	253	92	212	62	150
Immaturity, unqualified	777	6,399	3,349	3,884	2,684	1,200	2,515	665	1,850
Postmaturity	778.1	4	1	2	1	-	2	-	2
Hemorrhagic disease of newborn	778.2	314	189	219	160	59	29	6	66
All other conditions of newborn	778.0,778.3,778.9	827	470	533	393	140	294	77	217
Symptoms and ill-defined conditions	780-796	1,586	807	1,016	670	346	570	137	433
Accidents	E800-E949	1,740	781	933	618	315	807	163	644
Inhalation and ingestion of food or other object causing obstruction or suffocation	E911,E912	519	237	282	277	183	242	54	188
Accidental mechanical suffocation	E915	535	217	318	262	91	273	46	227
Other accidental causes	E800-E910,E914-E949	686	327	359	394	130	292	63	229
Homicide	E960-E978	115	74	41	76	23	39	11	28
All other causes	Residual	931	455	476	547	177	384	85	299

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other, under 1 year--all causes-----	20,361	13,552	6,809	13,393	11,979	1,414	6,968	1,573	5,395
Diarrheal diseases-----009	491	168	323	154	128	26	337	40	297
Whooping cough-----033	14	5	9	5	4	1	9	1	8
Meningococcal infections-----036	29	24	5	25	23	2	4	1	3
Tetanus-----037	3	1	2	1	1	-	2	-	2
Septicemia-----038	282	189	93	186	163	23	96	26	70
Viral diseases-----040-079	60	37	23	34	32	2	26	5	21
Congenital syphilis-----090	8	3	5	4	2	2	4	1	3
Other infective and parasitic diseases-----Remainder of 000-136	115	47	68	41	37	4	74	10	64
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	25	16	9	15	14	1	10	2	8
Benign neoplasms and neoplasms of unspecified nature-----210-239	19	15	4	13	12	1	6	3	3
Diseases of thymus gland-----254	6	3	3	4	3	1	2	-	2
Cystic fibrosis-----275-0	7	4	3	4	3	1	3	1	2
Diseases of the blood and blood-forming organs-----280-289	46	28	18	30	25	5	16	3	13
Meningitis-----320	199	107	92	109	95	14	90	12	78
Other diseases of nervous system and sense organs-----321-389	120	79	41	91	74	17	29	5	24
Acute upper respiratory infections-----460-485	114	63	51	58	54	4	56	9	47
Bronchitis and bronchiolitis-----466,490,491	179	131	48	136	123	13	43	8	35
Influenza and pneumonia-----470-474,480-486	3,103	1,867	1,236	1,832	1,634	198	1,271	233	1,038
Influenza-----470-474	73	13	60	19	11	8	54	2	52
Pneumonia-----480-486	3,030	1,854	1,176	1,813	1,623	190	1,217	231	986
Other chronic interstitial pneumonia-----517	4	3	1	4	3	1	-	-	-
All other diseases of respiratory system-----492,495,500-516,518,519	174	116	58	116	101	15	58	15	43
Hernia and intestinal obstruction-----550-553,560	128	85	43	86	72	14	42	13	29
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,583	17	5	12	6	5	1	11	-	11
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	124	81	43	75	70	5	49	11	38
Congenital anomalies-----740-759	1,647	1,184	463	1,225	1,076	149	422	108	314
Anencephalus-----740	65	50	15	55	47	8	10	3	7
Spina bifida-----741	62	30	32	41	30	11	21	-	21
Congenital hydrocephalus-----742	80	57	23	52	49	3	28	8	20
Other congenital anomalies of central nervous system and eye-----743,744	61	47	14	46	41	5	15	6	9
Congenital anomalies of heart-----746	736	537	199	560	489	71	176	48	128
Other congenital anomalies of circulatory system-----747	108	84	24	93	78	15	15	6	9
Congenital anomalies of respiratory system-----748	73	49	24	51	42	9	22	7	15
Congenital anomalies of digestive system-----749-751	170	122	48	123	111	12	47	11	36
Congenital anomalies of genitourinary system-----752,753	50	36	14	36	34	2	14	2	12
Congenital anomalies of musculoskeletal system-----754-756	47	38	9	33	30	3	14	8	6
Down's disease-----759.3	18	13	5	11	11	-	7	2	5
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	130	93	37	97	90	7	33	3	30
Other and unspecified congenital anomalies-----745,757,758	47	28	19	27	24	3	20	4	16
Certain causes of mortality in early infancy--760-769.2,769.4-772,774-778	10,786	7,866	2,920	7,818	7,046	772	2,968	820	2,148
Chronic circulatory and genitourinary diseases in mother-----760	5	2	3	3	2	1	2	-	2
Other maternal conditions unrelated to pregnancy-----761	78	52	26	54	46	8	24	6	18
Syphilis-----761.0	3	2	1	3	2	1	-	-	-
Diabetes mellitus-----761.1	21	11	10	12	10	2	9	1	8
Rubella-----761.5	3	2	1	2	2	-	1	-	1
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	51	37	14	37	32	5	14	5	9
Toxemia of pregnancy-----762	67	34	33	29	27	2	38	7	31
Maternal antepartum and intrapartum infection-----763	86	65	21	64	60	4	22	5	17
Difficult labor-----764-768	170	106	64	96	85	11	74	21	53
With mention of birth injury (.0-.3)-----	56	34	22	32	27	5	24	7	17
Without mention of birth injury (.4-.9)-----	114	72	42	64	58	6	50	14	36
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	1,366	1,031	335	1,016	923	93	350	108	242
Conditions of placenta-----770	365	245	120	240	212	28	125	33	92
Conditions of umbilical cord-----771	83	52	31	51	45	6	32	7	25
Birth injury without mention of cause-----772	575	438	137	444	404	40	131	34	97
Hemolytic disease of newborn-----774,775	73	44	29	49	39	10	24	5	19
Hyaline membrane disease-----776.1	739	511	228	531	467	64	208	44	164
Respiratory distress syndrome-----776.2	838	637	201	668	595	73	170	42	128
Asphyxia of newborn, unspecified-----776.9	2,528	1,911	617	1,891	1,716	175	637	195	442
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	201	127	74	117	103	14	84	24	60
Immaturity, unqualified-----777	3,024	2,174	850	2,130	1,919	211	894	255	639
Postmaturity-----778.1	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn-----778.2	125	81	44	81	73	8	44	8	36
All other conditions of newborn-----778.0,778.3,778.9	463	356	107	354	330	24	109	26	83
Symptoms and ill-defined conditions-----780-786	1,372	692	680	644	576	68	728	116	612
Accidents-----E800-E949	780	417	363	385	335	50	395	82	313
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	252	131	121	116	99	17	136	32	104
Accidental mechanical suffocation-----E913	226	102	124	95	79	16	131	23	108
Other accidental causes-----E800-E910,E914-E949	302	184	118	174	157	17	128	27	101
Homicide-----E960-E978	48	40	8	38	35	3	10	5	5
All other causes-----Residual	461	276	185	254	233	21	207	43	164

SECTION 2 - INFANT MORTALITY

2-37

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days--all causes-----	56,456	32,213	24,243	36,479	27,139	9,340	19,977	5,074	14,903
Diarrheal diseases-----009	153	69	84	67	51	16	86	18	68
Whooping cough-----033	1	1	-	1	1	-	-	-	-
Meningococcal infections-----036	12	7	5	8	7	1	4	-	4
Tetanus-----037	3	1	2	1	1	-	2	-	2
Septicemia-----038	558	343	215	366	294	72	192	49	143
Viral diseases-----040-079	80	45	35	53	39	14	27	6	21
Congenital syphilis-----080	13	7	6	8	6	2	5	1	4
Other infective and parasitic diseases-----Remainder of 000-138	61	35	26	37	29	8	24	6	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	47	28	19	31	25	6	16	3	13
Benign neoplasms and neoplasms of unspecified nature-----210-239	44	20	24	30	18	12	14	2	12
Diseases of thymus gland-----254	4	1	3	2	1	1	2	-	2
Cystic fibrosis-----275-0	54	28	26	32	21	11	22	7	15
Diseases of the blood and blood-forming organs-----280-289	53	34	19	39	29	10	14	5	9
Meningitis-----320	169	105	64	123	91	32	46	14	32
Other diseases of nervous system and sense organs-----321-389	54	30	24	40	30	10	14	-	14
Acute upper respiratory infections-----460-465	33	19	14	18	15	3	15	4	11
Bronchitis and bronchiolitis-----466,490,491	41	27	14	29	22	7	12	5	7
Influenza and pneumonia-----470-474,480-486	1,795	999	796	1,118	870	248	677	129	548
Influenza-----470-474	13	3	10	4	3	1	9	-	9
Pneumonia-----480-486	1,782	996	786	1,114	867	247	668	129	539
Other chronic interstitial pneumonia-----517	5	2	3	3	1	2	2	1	1
All other diseases of respiratory system-----492,493,500-516,518,519	175	91	84	98	73	25	77	18	59
Hernia and intestinal obstruction-----550-553,560	478	263	215	314	226	88	164	37	127
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	4	3	1	1	1	-	3	2	1
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	217	132	85	134	105	29	83	27	56
Congenital anomalies-----740-759	7,485	4,101	3,384	4,852	3,466	1,386	2,633	635	1,998
Anencephalus-----740	935	524	411	643	451	192	292	73	219
Spina bifida-----741	439	239	200	277	192	85	162	47	115
Congenital hydrocephalus-----742	271	132	139	150	105	45	121	27	94
Other congenital anomalies of central nervous system and eye-----743,744	271	132	139	161	113	48	130	19	91
Congenital anomalies of heart-----746	2,611	1,430	1,181	1,687	1,215	472	924	215	709
Other congenital anomalies of circulatory system-----747	456	266	190	320	227	93	136	39	97
Congenital anomalies of respiratory system-----748	395	211	184	232	168	64	163	43	120
Congenital anomalies of digestive system-----749-751	495	269	226	311	225	86	184	44	140
Congenital anomalies of genitourinary system-----752,753	326	180	146	215	156	59	111	24	87
Congenital anomalies of musculoskeletal system-----754-756	271	156	115	176	131	45	95	25	70
Down's disease-----759.3	45	25	20	26	20	6	19	5	14
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	812	456	356	564	398	166	248	58	190
Other and unspecified congenital anomalies-----745,757,758	158	81	77	90	65	25	68	16	52
Certain causes of mortality in early infancy--760-769.2,769.4-772,774-778	43,441	23,322	18,319	28,329	21,147	7,182	15,112	3,975	11,137
Chronic circulatory and genitourinary diseases in mother-----760	21	10	11	15	9	6	6	1	5
Other maternal conditions unrelated to pregnancy-----761	451	243	208	282	200	82	169	43	126
Syphilis-----761.0	4	3	1	4	3	1	-	-	-
Diabetes mellitus-----761.1	236	121	115	151	97	54	85	24	61
Rubella-----761.5	10	8	2	7	7	-	3	1	2
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	201	111	90	120	93	27	81	18	63
Toxemia of pregnancy-----762	228	112	116	107	86	21	121	26	95
Maternal antepartum and intrapartum infection-----763	246	136	110	148	119	29	98	17	81
Difficult labor-----764-769	714	371	343	390	287	103	324	84	240
With mention of birth injury (.0-.3)-----	215	112	103	125	88	37	90	24	66
Without mention of birth injury (.4,.9)-----	499	259	240	265	199	66	234	60	174
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,569	3,269	2,300	3,713	2,738	975	1,856	531	1,325
Conditions of placenta-----770	2,583	1,391	1,192	1,629	1,148	481	954	243	711
Conditions of umbilical cord-----771	411	208	203	248	179	69	163	29	134
Birth injury without mention of cause-----772	2,016	1,209	807	1,422	1,074	348	594	135	459
Hemolytic disease of newborn-----774,775	939	488	451	607	393	214	332	95	237
Hyaline membrane disease-----776.1	4,533	2,389	2,144	2,761	1,985	776	1,772	404	1,368
Respiratory distress syndrome-----776.2	3,692	2,269	1,423	2,567	1,951	616	1,125	318	807
Asphyxia of newborn, unspecified-----776.9	10,231	6,034	4,197	6,840	5,121	1,719	3,391	913	2,478
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	743	430	313	451	346	105	292	84	208
Immaturity, unqualified-----777	9,358	5,486	3,872	5,979	4,571	1,408	3,379	915	2,464
Postmaturity-----778.1	4	1	3	2	1	1	2	-	2
Hemorrhagic disease of newborn-----778.2	439	270	169	300	233	67	139	37	102
All other conditions of newborn-----778.0,778.3,778.9	1,263	806	457	868	706	162	395	100	295
Symptoms and ill-defined conditions-----780-796	737	330	407	337	268	69	400	62	338
Accidents-----E800-E949	267	125	142	136	101	35	131	24	107
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	107	56	51	54	41	13	53	15	38
Accidental mechanical suffocation-----E913	58	22	36	23	18	5	35	4	31
Other accidental causes-----E900-E910,E914-E949	102	47	55	59	42	17	43	5	38
Homicide-----E960-E978	73	45	28	48	41	7	25	4	21
All other causes-----Residual	399	200	199	224	160	64	175	40	135

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days—all causes	42,904	22,615	20,289	26,958	18,572	8,386	15,946	4,043	11,903
Diarrheal diseases	78	43	35	44	34	10	34	9	25
Whooping cough	1	1	-	1	1	-	-	-	-
Meningococcal infections	9	4	5	5	4	1	4	-	4
Tetanus	-	-	-	-	-	-	-	-	-
Septicemia	368	211	157	238	178	60	130	33	97
Viral diseases	63	32	31	39	26	13	24	6	18
Congenital syphilis	5	4	1	4	4	-	1	-	1
Other infective and parasitic diseases—Remainder of 000-136	35	23	12	24	18	6	11	5	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	42	24	18	27	21	6	15	3	12
Benign neoplasms and neoplasms of unspecified nature	37	14	23	24	13	11	13	1	12
Diseases of thymus gland	4	1	3	2	1	1	2	-	2
Cystic fibrosis	49	25	24	29	19	10	20	6	14
Diseases of the blood and blood-forming organs	41	25	16	30	21	9	11	4	7
Meningitis	129	76	53	95	65	30	34	11	23
Other diseases of nervous system and sense organs	44	21	23	30	21	9	14	-	14
Acute upper respiratory infections	19	12	7	11	9	2	8	3	5
Bronchitis and bronchiolitis	20	12	8	15	9	6	5	3	2
Influenza and pneumonia	1,176	620	556	746	533	213	430	87	343
Influenza	7	2	5	3	2	1	4	-	4
Pneumonia	1,169	618	551	743	531	212	426	87	339
Other chronic interstitial pneumonia	5	2	3	3	1	2	2	1	1
All other diseases of respiratory system	123	55	68	67	45	22	56	10	46
Hernia and intestinal obstruction	401	210	191	261	180	81	140	30	110
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	3	3	-	1	1	-	2	2	-
Other diseases of digestive system	147	86	61	93	66	27	54	20	34
Congenital anomalies	6,482	3,381	3,101	4,112	2,812	1,300	2,370	569	1,801
Anencephalus	871	475	396	589	405	184	282	70	212
Spina bifida	406	225	181	256	178	78	150	47	103
Congenital hydrocephalus	229	106	123	125	83	42	104	23	81
Other congenital anomalies of central nervous system and eye	233	103	130	135	69	46	98	14	84
Congenital anomalies of heart	2,236	1,148	1,088	1,405	958	447	831	190	641
Other congenital anomalies of circulatory system	393	218	175	265	183	82	128	35	93
Congenital anomalies of respiratory system	331	165	166	186	129	57	145	36	109
Congenital anomalies of digestive system	387	194	193	233	155	78	154	39	115
Congenital anomalies of genitourinary system	291	153	138	187	130	57	104	23	81
Congenital anomalies of musculoskeletal system	236	128	108	151	109	42	85	19	66
Down's disease	37	19	18	21	15	6	16	4	12
Other congenital syndromes affecting multiple systems	709	385	324	489	330	159	220	55	165
Other and unspecified congenital anomalies	123	62	61	70	48	22	53	14	39
Certain causes of mortality in early infancy	32,749	17,321	15,428	20,970	14,159	6,411	12,179	3,162	9,017
Chronic circulatory and genitourinary diseases in mother	760	8	8	12	7	5	4	1	3
Other maternal conditions unrelated to pregnancy	761	374	191	228	154	74	146	37	109
Syphilis	761.0	1	-	1	1	-	-	-	-
Diabetes mellitus	761.1	215	110	105	139	87	76	23	53
Rubella	761.3	8	6	5	5	-	3	1	2
All other maternal conditions unrelated to pregnancy	761.2, 761.4-761.7, 761.9	150	74	76	83	61	22	67	54
Toxemia of pregnancy	762	162	78	84	59	19	84	19	65
Maternal antepartum and intrapartum infection	763	160	71	89	59	25	76	12	64
Difficult labor	764-768	544	265	279	294	202	92	250	63
With mention of birth injury (.0-.3)	159	78	81	93	61	32	66	17	49
Without mention of birth injury (.4,.9)	385	187	198	201	141	60	184	46	138
All other complications of pregnancy and childbirth	769.0-769.2, 769.4, 769.5, 769.9	4,207	2,242	1,965	2,700	1,818	882	1,507	424
Conditions of placenta	770	2,218	1,146	1,072	1,389	936	453	829	210
Conditions of umbilical cord	771	329	157	172	198	135	63	131	22
Birth injury without mention of cause	772	1,449	778	671	984	676	308	465	102
Hemolytic disease of newborn	774, 775	869	445	424	559	355	204	310	90
Hyaline membrane disease	776.1	3,800	1,884	1,916	2,235	1,523	712	1,565	361
Respiratory distress syndrome	776.2	2,862	1,640	1,222	1,907	1,364	543	955	276
Asphyxia of newborn, unspecified	776.9	7,711	4,128	3,583	4,955	3,410	1,545	2,756	718
All other anoxic and hypoxic conditions not elsewhere classifiable	776.0, 776.3, 776.4	549	309	240	339	248	91	210	61
Immaturity, unqualified	777	6,371	3,331	3,040	3,865	2,668	1,197	2,506	663
Postmaturity	778.1	4	3	2	1	1	2	-	2
Hemorrhagic disease of newborn	778.2	314	189	125	219	160	59	95	29
All other conditions of newborn	778.0, 778.3, 778.9	810	458	352	522	384	138	288	74
Symptoms and ill-defined conditions	780-796	337	164	173	190	134	56	147	30
Accidents	E800-E949	186	77	109	94	61	33	92	16
Inhalation and ingestion of food or other object causing obstruction or suffocation	E911, E912	71	30	41	33	21	12	38	9
Accidental mechanical suffocation	E913	37	13	24	15	10	5	22	3
Other accidental causes	E900-E910, E914-E949	78	34	44	46	30	16	32	4
Homicide	E960-E978	51	24	27	29	22	7	22	2
All other causes	Residual	300	144	156	174	114	60	126	30

SECTION 2 - INFANT MORTALITY

2-39

Table 2-12. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1968-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other, under 28 days—all causes	13,552	9,598	3,954	9,521	8,567	954	4,031	1,031	3,000
Diarrheal diseases	75	26	49	23	17	6	52	9	43
Whooping cough	3	3	-	-	-	-	-	-	-
Meningococcal infections	3	1	2	3	1	2	2	-	2
Tetanus	3	1	2	1	-	-	2	-	2
Septicemia	190	132	58	128	116	12	62	16	46
Viral diseases	17	13	4	14	13	1	3	-	3
Congenital syphilis	8	3	5	4	2	2	4	1	3
Other infective and parasitic diseases	26	12	14	13	11	2	13	1	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5	4	1	4	4	-	1	-	1
Benign neoplasms and neoplasms of unspecified nature	7	6	1	6	5	1	1	1	-
Diseases of thymus gland	-	-	-	-	-	-	-	-	-
Cystic fibrosis	5	3	2	3	2	1	2	1	1
Diseases of the blood and blood-forming organs	12	9	3	9	8	1	3	1	2
Meningitis	40	29	11	28	26	2	12	3	9
Other diseases of nervous system and sense organs	10	9	1	10	9	1	-	-	-
Acute upper respiratory infections	14	7	7	7	6	1	7	1	6
Bronchitis and bronchiolitis	21	15	6	14	13	1	7	2	5
Influenza and pneumonia	619	379	240	372	337	35	247	42	205
Influenza	6	1	5	1	1	-	5	-	5
Pneumonia	613	378	235	371	336	35	242	42	200
Other chronic interstitial pneumonia	-	-	-	-	-	-	-	-	-
All other diseases of respiratory system	52	36	16	31	28	3	21	8	13
Hernia and intestinal obstruction	77	53	24	53	46	7	24	7	17
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	1	-	1	-	-	-	1	-	1
Other diseases of digestive system	70	46	24	41	39	2	29	7	22
Congenital anomalies	1,003	720	283	740	654	86	263	66	197
Anencephalus	64	49	15	54	46	8	10	3	7
Spina bifida	33	14	19	21	14	7	12	-	12
Congenital hydrocephalus	42	26	16	25	22	3	17	4	13
Other congenital anomalies of central nervous system and eye	38	29	9	26	24	2	12	5	7
Congenital anomalies of heart	375	282	93	282	257	25	93	25	68
Other congenital anomalies of circulatory system	63	48	15	55	44	11	8	4	4
Congenital anomalies of respiratory system	64	46	18	46	39	7	18	7	11
Congenital anomalies of digestive system	108	75	33	78	70	8	30	5	25
Congenital anomalies of genitourinary system	35	27	8	28	26	2	7	1	6
Congenital anomalies of musculoskeletal system	35	28	7	25	22	3	10	6	4
Down's disease	8	6	2	5	5	-	3	1	2
Other congenital syndromes affecting multiple systems	103	71	32	75	68	7	28	3	25
Other and unspecified congenital anomalies	35	19	16	20	17	3	15	2	13
Certain causes of mortality in early infancy	10,692	7,801	2,891	7,759	6,988	771	2,933	813	2,120
Chronic circulatory and genitourinary diseases in mother	5	2	3	3	2	1	2	-	2
Other maternal conditions unrelated to pregnancy	77	52	25	54	46	8	23	6	17
Syphilis	3	2	1	3	2	1	-	-	-
Diabetes mellitus	21	11	10	12	10	2	9	1	8
Rubella	2	2	-	2	2	-	-	-	-
All other maternal conditions unrelated to pregnancy	51	37	14	37	32	5	14	5	9
Toxemia of pregnancy	66	34	32	29	27	2	37	7	30
Maternal antepartum and intrapartum infection	86	65	21	64	60	4	22	5	17
Difficult labor	170	106	64	96	85	11	74	21	53
With mention of birth injury (.0-.3)	56	34	22	32	27	5	24	7	17
Without mention of birth injury (.4,.9)	114	72	42	64	58	6	50	14	36
All other complications of pregnancy and childbirth	1,362	1,027	335	1,013	920	93	349	107	242
Conditions of placenta	365	245	120	240	212	28	125	33	92
Conditions of umbilical cord	82	51	31	50	44	6	32	7	25
Birth injury without mention of cause	567	431	136	438	398	40	129	33	96
Hemolytic disease of newborn	70	43	27	48	38	10	22	5	17
Rh血型 membrane disease	733	505	228	526	462	64	207	43	164
Respiratory distress syndrome	830	629	201	660	587	73	170	42	128
Asphyxia of newborn, unspecified	2,520	1,906	614	1,885	1,711	174	635	195	440
All other anoxic and hypoxic conditions not elsewhere classifiable	194	121	73	112	98	14	82	23	59
Immaturity, unqualified	2,987	2,155	832	2,114	1,903	211	873	252	621
Postmaturity	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn	125	81	44	81	73	8	44	8	36
All other conditions of newborn	453	348	105	346	322	24	107	26	81
Symptoms and ill-defined conditions	400	166	234	147	134	13	253	32	221
Accidents	81	48	33	42	40	2	39	8	31
Inhalation and ingestion of food or other object causing obstruction or suffocation	36	26	10	21	20	1	15	6	9
Accidental mechanical suffocation	21	9	12	8	8	-	13	1	12
Other accidental causes	24	13	11	13	12	1	11	1	10
Homicide	22	21	1	19	19	-	3	2	1
All other causes	99	56	43	50	46	4	49	10	39

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, both sexes--All causes-----	76,263	6,519	26,785	8,153	4,790	2,147	1,251	953	677
2 Diarrheal diseases-----009	926	-	-	2	1	5	2	6	4
3 Whooping cough-----033	27	-	-	-	1	-	-	-	-
4 Meningococcal infections-----038	157	1	1	2	-	-	-	-	-
5 Tetanus-----037	3	-	-	-	-	-	-	1	-
6 Septicemia-----038	800	4	62	44	58	41	44	43	31
7 Viral diseases-----040-079	278	2	10	6	6	4	3	2	-
8 Congenital syphilis-----090	15	1	4	2	2	1	1	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	270	6	5	3	1	1	1	4	-
10 Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-209	164	5	21	5	3	-	2	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	90	10	17	3	4	2	1	-	-
12 Diseases of thymus gland-----254	43	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	126	-	14	6	8	4	2	2	-
14 Diseases of the blood and blood-forming organs-----280-289	146	-	16	11	5	3	1	-	3
15 Meningitis-----320	524	-	3	4	8	12	14	10	13
16 Other diseases of nervous system and sense organs-----321-389	487	2	12	7	7	-	4	2	1
17 Acute upper respiratory infections-----450-465	301	-	3	-	1	1	1	-	1
18 Bronchitis and bronchiolitis-----466,490,491	531	-	4	2	2	1	2	1	3
19 Influenza and pneumonia-----470-474,480-486	7,907	26	276	210	158	110	68	62	57
20 Influenza-----470-474	153	-	-	-	1	1	-	-	-
21 Pneumonia-----480-486	7,774	26	276	210	157	109	68	62	57
22 Other chronic interstitial pneumonia-----517	24	-	1	-	-	-	-	1	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	559	13	60	32	14	9	3	1	3
24 Hernia and intestinal obstruction-----550-553,560	639	64	168	45	44	22	21	9	9
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	44	-	-	-	-	-	1	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,584-577	430	2	15	9	34	21	17	19	16
27 Congenital anomalies-----740-759	11,052	1,095	2,241	732	673	474	266	207	174
28 Anencephalus-----740	959	332	374	76	42	26	15	11	18
29 Spina bifida-----741	744	62	100	41	19	18	10	5	10
30 Congenital hydrocephalus-----742	530	92	95	20	15	3	-	4	1
31 Other congenital anomalies of central nervous system and eye-----743,744	430	48	93	34	13	16	5	6	8
32 Congenital anomalies of heart-----746	4,371	76	477	338	388	276	139	108	84
33 Other congenital anomalies of circulatory system-----747	744	13	67	42	52	39	17	18	13
34 Congenital anomalies of respiratory system-----748	450	80	216	38	19	7	9	5	1
35 Congenital anomalies of digestive system-----749-751	819	22	61	25	49	42	39	31	19
36 Congenital anomalies of genitourinary system-----752,753	399	53	172	21	12	3	8	2	3
37 Congenital anomalies of musculoskeletal system-----754-756	328	70	129	23	12	5	4	3	5
38 Down's disease-----759.3	120	6	18	1	3	-	1	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	957	209	380	49	45	26	19	10	9
40 Other and unspecified congenital anomalies-----745,757,758	201	32	59	24	4	13	-	3	2
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	43,707	5,092	23,556	6,896	3,659	1,370	737	542	331
42 Chronic circulatory and genitourinary diseases in mother-----760	21	8	9	2	2	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	463	65	229	76	43	13	8	4	3
44 Syphilis-----761.0	4	1	2	-	1	-	-	-	-
45 Diabetes mellitus-----761.1	237	18	117	53	24	9	7	3	2
46 Rubella-----761.3	21	2	3	1	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	201	44	107	22	18	4	1	1	1
48 Toxemia of pregnancy-----762	229	46	102	39	21	10	2	1	1
49 Maternal antepartum and intrapartum infection-----763	249	71	117	30	11	4	2	1	1
50 Difficult labor-----764-768	714	215	307	97	50	15	14	5	3
51 With mention of birth injury (.0-.3)-----	215	39	90	39	21	10	9	2	1
52 Without mention of birth injury (.4,.9)-----	499	176	217	58	29	5	5	3	2
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,582	926	3,526	599	266	82	48	33	24
54 Conditions of placenta-----770	2,588	599	1,532	261	120	33	14	10	3
55 Conditions of umbilical cord-----771	436	133	185	46	25	8	4	1	-
56 Birth injury without mention of cause-----772	2,054	73	731	404	313	160	71	66	40
57 Hemolytic disease of newborn-----774,775	952	154	499	89	73	30	31	12	10
58 Hyaline membrane disease-----776.1	4,551	54	1,836	1,304	776	259	77	70	38
59 Respiratory distress syndrome-----776.2	3,717	110	1,797	874	468	164	73	56	41
60 Asphyxia of newborn, unspecified-----766.9	10,257	1,033	5,910	1,634	766	269	172	123	64
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	758	92	298	127	92	29	23	16	10
62 Immaturity, unqualified-----777	9,423	1,376	5,692	1,070	472	204	137	102	68
63 Postmaturity-----778.1	4	-	3	1	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	439	15	144	91	60	39	15	14	7
65 All other conditions of newborn-----778.0,778.3,778.9	1,290	122	639	152	101	51	46	28	19
66 Symptoms and ill-defined conditions-----780-796	2,958	102	182	76	53	28	24	14	13
67 Accidents-----E800-E949	2,520	14	26	14	15	9	12	15	7
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	771	3	5	5	10	6	7	8	4
69 Accidental mechanical suffocation-----E913	761	2	4	2	-	1	1	1	1
70 Other accidental causes-----E800-E910,E914-E949	988	9	17	7	5	2	4	7	2
71 Homicide-----E960-E978	163	50	9	6	2	1	1	1	-
72 All other causes-----Residual	1,392	30	79	36	31	28	21	11	11

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1968

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
51,275	2,457	1,453	1,271	56,456	4,721	3,795	2,958	2,057	1,471	1,201	939	733	755	588	589	1
20	42	57	34	153	199	107	78	102	53	46	44	40	42	36	26	2
1	-	-	2	1	5	5	5	3	4	1	1	7	2	-	-	3
4	2	4	2	12	21	11	25	21	9	13	13	7	9	7	9	4
1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	5
327	136	47	48	558	82	36	34	22	17	9	7	10	11	6	8	6
33	23	16	8	80	34	36	20	19	18	11	14	13	16	9	8	7
11	-	-	2	13	2	-	-	-	-	-	-	-	-	-	-	8
21	11	16	13	61	42	32	29	23	18	18	9	10	11	8	9	9
36	6	3	2	47	12	10	11	11	11	11	13	11	12	6	9	10
37	1	2	4	44	10	4	4	5	5	3	4	4	-	3	4	11
-	-	1	3	4	15	9	5	4	2	1	-	1	-	-	2	12
38	11	2	3	54	16	10	10	7	4	7	6	5	3	3	1	13
39	5	2	7	53	14	16	11	9	11	10	1	4	7	3	7	14
64	51	37	17	169	32	39	51	44	31	32	25	19	20	18	12	15
35	7	6	6	54	59	41	44	60	50	42	44	19	26	26	22	16
7	6	7	13	33	56	68	50	21	14	20	10	10	9	9	1	17
15	6	8	12	41	77	100	88	64	43	30	22	18	15	17	16	18
967	282	252	294	1,795	1,444	1,348	1,036	661	463	346	250	170	155	121	118	19
2	2	6	3	13	15	21	25	13	14	5	9	7	2	4	5	20
965	280	246	291	1,782	1,429	1,327	1,011	648	449	341	241	163	153	117	113	21
2	-	1	2	5	3	2	5	2	1	2	2	-	-	-	2	22
135	13	9	18	175	88	97	60	41	23	17	11	11	10	12	14	23
382	50	24	22	478	64	26	16	12	13	5	7	1	4	9	4	24
1	1	-	2	4	11	5	4	6	2	1	2	2	2	1	4	25
133	43	26	15	217	59	26	29	11	15	8	15	7	8	4	11	26
5,862	775	483	365	7,485	970	616	486	338	280	222	183	146	130	90	106	27
894	28	9	4	935	4	11	1	3	-	4	-	1	-	-	2	28
265	61	65	48	439	100	50	40	28	27	21	10	12	8	8	1	29
230	14	11	16	271	44	38	30	14	21	24	18	17	21	11	21	30
223	19	15	14	271	35	17	19	18	17	14	8	8	4	5	6	31
1,886	378	208	139	2,611	445	322	271	185	127	102	62	62	62	43	51	32
261	93	61	41	456	109	60	38	23	12	12	9	8	5	3	7	33
375	7	5	8	395	5	9	9	8	6	4	6	1	5	-	2	34
288	98	59	50	495	109	35	29	21	38	19	18	18	18	9	10	35
274	24	15	13	326	27	7	6	4	4	6	2	4	3	1	3	36
251	9	2	9	271	17	10	6	9	6	2	1	3	1	2	4	37
31	8	5	1	45	11	14	10	6	9	5	4	5	3	4	4	38
747	25	24	16	812	45	34	21	15	8	8	5	4	4	4	1	39
137	11	4	6	158	19	6	5	2	5	1	2	3	-	-	-	40
42,183	823	272	163	43,441	141	46	29	13	8	8	3	1	6	6	5	41
21	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	42
441	7	2	1	451	5	3	3	1	-	-	-	-	-	-	-	43
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	44
233	2	1	-	236	1	-	-	-	-	-	-	-	-	-	-	45
6	2	1	1	10	4	3	3	1	-	-	-	-	-	-	-	46
198	3	-	-	201	-	-	-	-	-	-	-	-	-	-	-	47
221	7	-	-	228	-	1	-	-	-	-	-	-	-	-	-	48
237	6	2	1	246	3	-	-	-	-	-	-	-	-	-	-	49
706	5	2	1	714	-	-	-	-	-	-	-	-	-	-	-	50
211	3	-	1	215	-	-	-	-	-	-	-	-	-	-	-	51
495	2	2	-	499	-	-	-	-	-	-	-	-	-	-	-	52
5,504	48	9	8	5,569	7	1	1	-	1	1	-	-	2	-	-	53
2,372	8	3	-	2,583	3	1	2	-	1	-	-	-	-	-	-	54
402	7	2	-	411	1	2	1	-	-	-	-	-	-	-	-	55
1,858	95	40	23	2,016	16	6	6	3	2	1	1	-	-	1	2	56
898	29	7	5	939	4	6	4	-	-	-	-	1	-	-	-	57
4,414	94	17	8	4,533	11	3	1	2	1	-	-	-	-	-	-	58
3,583	79	16	14	3,692	14	2	4	1	-	1	-	-	-	2	1	59
9,971	169	58	33	10,231	9	7	3	-	1	3	1	-	2	-	-	60
687	20	19	17	743	9	1	1	2	-	-	-	-	1	1	-	61
9,121	160	55	22	9,398	48	6	3	3	1	2	1	-	-	1	-	62
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	63
385	33	14	7	439	-	-	-	-	-	-	-	-	-	-	-	64
1,158	56	26	23	1,263	11	7	5	1	1	-	-	-	1	1	-	65
492	60	74	111	737	588	563	401	238	128	105	56	53	48	17	24	66
112	42	52	61	267	374	375	300	218	175	162	135	127	150	126	111	67
48	19	22	18	107	138	147	108	65	50	31	36	19	30	19	21	68
12	11	12	23	58	137	142	108	83	56	51	43	28	28	12	10	69
52	12	18	20	102	99	86	84	70	69	80	66	65	92	95	80	70
70	1	1	1	73	16	10	9	12	5	14	7	3	7	6	1	71
247	58	51	43	399	255	157	118	90	68	57	55	41	52	45	55	72

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, male--all causes-----	44,026	3,533	15,713	4,880	2,920	1,302	748	558	392
2	Diarrheal diseases-----009	505	-	-	-	1	3	2	1	2
3	Whooping cough-----033	11	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	95	-	1	2	-	-	-	-	-
5	Tetanus-----037	1	-	-	-	-	-	-	1	-
6	Septicemia-----038	459	3	39	29	36	25	32	27	19
7	Viral diseases-----040-079	158	1	5	3	4	1	2	1	-
8	Congenital syphilis-----080	9	-	1	1	2	1	1	-	-
9	Other infective and parasitic diseases-----Remainder of 000-136	156	-	4	2	1	-	-	3	-
10	Malignant neoplasms, including neoplasms of lymphatic and hemstopoietic tissues-----140-208	80	3	10	2	2	-	1	-	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	50	8	11	1	2	1	-	-	-
12	Diseases of thymus gland-----254	29	-	-	-	-	-	-	-	-
13	Cystic fibrosis-----275.0	68	-	10	4	4	1	-	2	-
14	Diseases of the blood and blood-forming organs-----280-289	89	-	9	5	4	3	-	-	2
15	Meningitis-----320	329	-	3	2	5	5	8	6	8
16	Other diseases of nervous system and sense organs-----321-369	267	1	8	5	2	-	2	1	1
17	Acute upper respiratory infections-----460-465	173	-	3	-	1	1	1	-	1
18	Bronchitis and bronchiolitis-----466, 490, 491	311	-	1	1	1	-	-	1	3
19	Influenza and pneumonia-----470-474, 480-486	4,483	12	148	124	89	71	47	29	30
20	Influenza-----470-474	70	-	-	-	-	-	-	-	-
21	Pneumonia-----480-486	4,413	12	148	124	88	71	47	29	30
22	Other chronic interstitial pneumonia-----517	14	-	1	-	-	-	-	1	-
23	All other diseases of respiratory system-----492, 493, 500-516, 518, 519	323	4	36	19	7	4	1	-	-
24	Hernia and intestinal obstruction-----550-553, 560	384	32	95	31	18	11	14	6	4
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	27	-	-	-	-	-	1	-	-
26	Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	238	1	6	3	18	11	10	9	11
27	Congenital anomalies-----740-759	6,007	518	1,234	448	419	274	151	124	96
28	Anencephalus-----740	402	105	162	46	25	14	9	5	10
29	Spina bifida-----741	308	23	38	15	8	7	2	3	5
30	Congenital hydrocephalus-----742	287	44	59	9	10	-	-	2	-
31	Other congenital anomalies of central nervous system and eye-----743, 744	207	20	52	23	6	6	3	3	4
32	Congenital anomalies of heart-----745	2,500	44	262	219	246	173	80	68	49
33	Other congenital anomalies of circulatory system-----747	418	5	36	26	37	28	12	10	7
34	Congenital anomalies of respiratory system-----748	265	49	128	25	9	5	3	4	1
35	Congenital anomalies of digestive system-----749-751	480	12	39	12	31	21	26	19	9
36	Congenital anomalies of genitourinary system-----752, 753	274	34	112	18	10	1	5	1	2
37	Congenital anomalies of musculoskeletal system-----754-756	171	45	64	13	5	3	3	2	1
38	Down's disease-----759.3	62	3	8	1	2	-	1	1	1
39	Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	527	119	224	27	27	12	7	5	6
40	Other and unspecified congenital anomalies-----745, 757, 758	106	15	30	14	3	4	-	1	1
41	Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	25,808	2,847	13,915	4,116	2,238	848	437	327	202
42	Chronic circulatory and genitourinary diseases in mother-----760	8	2	3	1	2	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	281	44	133	46	29	8	6	-	2
44	Syphilis-----761.0	1	-	-	-	1	-	-	-	-
45	Diabetes mellitus-----761.1	143	12	66	33	16	6	5	-	1
46	Rubella-----761.3	10	1	1	1	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	127	31	66	12	12	2	1	-	1
48	Toxemia of pregnancy-----762	133	28	60	24	12	5	-	-	-
49	Maternal antepartum and intrapartum infection-----763	143	43	59	21	7	3	-	-	-
50	Difficult labor-----764-768	474	125	217	73	34	11	7	2	2
51	With mention of birth injury (.0-.3)	143	21	65	32	14	8	3	-	-
52	Without mention of birth injury (.4,.9)	331	104	152	41	20	3	4	2	2
53	All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	3,123	506	1,986	346	198	46	27	17	12
54	Conditions of placenta-----770	1,543	345	926	161	68	21	8	7	-
55	Conditions of umbilical cord-----771	239	78	107	23	16	5	2	1	-
56	Birth injury without mention of cause-----772	1,262	36	451	249	189	108	50	37	25
57	Hemolytic disease of newborn-----774, 775	503	66	268	48	20	16	18	3	8
58	Hyaline membrane disease-----776.1	2,958	30	1,156	850	531	174	51	47	29
59	Respiratory distress syndrome-----776.2	2,317	62	1,113	534	306	103	48	35	27
60	Asphyxia of newborn, unspecified-----766.9	6,090	582	3,569	969	435	155	101	83	36
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	420	44	169	55	65	21	14	8	7
62	Immaturity, unqualified-----777	5,322	782	3,245	583	256	120	70	59	39
63	Postmaturity-----778.1	2	-	1	1	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	270	8	83	55	43	25	9	8	4
65	All other conditions of newborn-----778.0, 778.3, 778.9	720	65	369	77	27	26	20	11	11
66	Symptoms and ill-defined conditions-----760-796	1,700	60	101	52	29	17	16	7	6
67	Accidents-----E800-E949	1,378	7	14	10	12	6	9	6	1
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	425	1	2	5	9	4	7	4	1
69	Accidental mechanical suffocation-----E913	428	1	2	2	-	1	-	-	-
70	Other accidental causes-----E800-E910, E914-E949	525	5	10	3	3	1	2	2	-
71	Homicide-----E950-E978	81	23	6	2	2	1	-	-	-
72	All other causes-----Residual	793	13	52	18	23	18	13	6	5

SECTION 2 - INFANT MORTALITY

2-43

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1966]

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
30,046	1,365	814	706	32,931	2,701	2,165	1,671	1,168	833	668	481	379	394	325	310	1
9	28	28	16	81	113	53	38	59	33	22	23	27	20	19	17	2
-	-	-	-	-	1	2	2	2	2	-	1	-	1	-	-	3
3	1	2	2	8	13	7	12	14	6	7	9	4	6	4	5	4
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
210	67	23	25	325	47	21	19	12	10	4	4	5	5	2	5	6
17	11	10	4	42	16	25	11	8	12	7	8	8	10	6	5	7
6	-	-	1	7	2	-	-	-	-	-	-	-	-	-	-	8
10	5	9	5	29	27	19	19	12	15	6	8	4	10	4	3	9
18	5	-	1	24	5	6	6	7	7	2	8	7	3	3	2	10
23	-	1	3	27	6	2	2	2	1	1	2	3	-	3	1	11
-	-	1	-	1	9	6	4	3	2	1	-	1	-	-	2	12
21	6	2	1	30	8	8	7	2	3	4	2	-	-	2	-	13
23	3	1	4	31	8	9	9	5	7	7	-	1	4	2	6	14
37	27	23	10	97	39	24	28	26	22	26	18	13	13	17	6	15
20	6	1	4	31	33	24	24	38	30	19	21	8	13	11	15	16
7	3	3	10	23	34	35	28	12	9	11	5	7	3	6	-	17
7	5	5	6	23	44	61	52	40	26	19	11	9	9	10	7	18
550	156	142	171	1,019	825	791	588	382	270	203	115	75	78	75	62	19
1	1	1	2	5	6	10	15	8	3	5	5	4	-	3	3	20
549	155	141	169	1,014	819	781	573	374	262	200	110	71	78	72	59	21
2	-	1	1	4	2	1	3	1	-	-	2	-	-	-	1	22
72	8	10	10	95	44	63	31	24	16	11	9	6	9	6	9	23
211	30	16	13	270	47	20	13	12	6	2	5	2	2	4	3	24
1	1	-	-	2	10	3	4	3	-	-	1	-	-	-	2	25
69	21	17	13	120	41	16	18	6	7	4	2	6	3	3	6	26
3,264	409	274	188	4,135	547	326	255	163	141	123	86	71	70	38	52	27
376	10	5	3	394	2	3	1	1	-	1	-	-	-	-	-	28
101	20	31	17	169	36	23	23	15	12	13	3	8	4	2	2	29
124	7	6	6	143	22	22	18	8	10	17	8	8	13	4	13	30
117	7	7	7	138	17	8	6	10	6	6	9	2	3	3	2	31
1,161	209	123	76	1,569	268	170	133	88	65	56	28	28	36	20	21	32
161	49	31	16	257	59	36	23	13	10	4	4	6	4	2	2	33
224	3	2	7	236	4	4	6	4	4	3	2	-	1	-	1	34
169	55	44	29	297	73	25	14	9	19	9	7	11	6	4	6	35
183	19	11	11	224	18	7	4	5	3	5	1	2	2	-	3	36
136	4	-	4	144	8	4	4	2	4	1	1	1	1	1	3	37
17	6	3	-	26	6	5	5	2	5	2	5	3	-	-	-	38
427	14	10	8	459	22	13	15	7	1	5	2	2	2	2	1	39
68	6	1	4	79	12	5	3	1	2	1	3	-	-	-	-	40
24,930	487	148	90	25,655	83	27	18	5	4	4	1	1	3	2	5	41
8	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	42
268	4	1	1	274	4	2	1	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
139	2	1	-	142	1	-	-	-	-	-	-	-	-	-	-	45
3	-	-	1	4	3	2	1	-	-	-	-	-	-	-	-	46
125	2	-	-	127	-	-	-	-	-	-	-	-	-	-	-	47
129	4	-	-	133	-	-	-	-	-	-	-	-	-	-	-	48
133	6	-	1	140	3	-	-	-	-	-	-	-	-	-	-	49
471	2	1	-	474	-	-	-	-	-	-	-	-	-	-	-	50
143	-	-	-	143	-	-	-	-	-	-	-	-	-	-	-	51
328	2	1	-	331	-	-	-	-	-	-	-	-	-	-	-	52
3,078	25	6	5	3,114	5	1	1	-	-	1	-	-	1	-	-	53
1,537	5	-	-	1,542	-	-	-	-	1	-	-	-	-	-	-	54
232	3	1	-	236	-	1	1	-	-	-	-	-	-	-	1	55
1,145	57	24	16	1,242	10	4	2	2	-	-	-	-	-	-	2	56
477	14	4	1	496	2	2	1	-	-	-	-	1	-	-	1	57
2,868	67	9	4	2,948	6	2	1	-	1	-	-	-	-	-	-	58
2,228	54	11	9	2,302	7	2	4	-	-	-	-	-	-	1	1	59
5,930	99	24	24	6,077	4	3	1	-	1	2	-	-	2	-	-	60
383	10	11	9	413	4	1	1	1	-	-	-	-	-	-	-	61
5,154	89	32	6	5,281	29	5	1	2	1	1	1	-	-	1	-	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
235	19	11	5	270	-	-	-	-	-	-	-	-	-	-	-	64
652	29	13	9	703	9	4	4	-	-	-	-	-	-	-	-	65
288	31	42	66	427	335	316	237	152	67	62	30	30	28	8	8	66
65	20	33	35	153	221	204	160	119	96	82	72	62	77	76	56	67
33	9	10	8	60	84	79	52	33	29	17	19	13	16	12	11	68
6	4	8	13	31	88	82	64	40	28	23	19	20	15	9	9	69
26	7	15	14	62	49	43	44	46	39	42	34	29	46	55	36	70
34	1	1	-	36	6	3	4	6	2	12	4	1	3	4	-	71
148	34	26	27	235	135	93	79	53	39	29	27	24	20	32	32	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

1	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, female--all causes	32,237	2,986	11,072	3,273	1,870	845	503	395	285
2	Diarrheal diseases-----009	421	-	-	2	-	2	-	5	2
3	Whooping cough-----033	16	-	-	-	1	-	-	-	-
4	Meningococcal infections-----036	62	1	-	-	-	-	-	-	-
5	Tetanus-----037	2	-	-	-	-	-	-	-	-
6	Septicemia-----038	341	1	23	15	22	16	12	16	12
7	Viral diseases-----040-079	120	1	5	3	2	3	1	1	-
8	Congenital syphilis-----090	6	1	3	1	-	-	-	-	-
9	Other infective and parasitic diseases-----Remainder of 000-136	114	6	1	1	-	1	1	1	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	84	2	11	3	1	-	1	-	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	40	2	6	2	2	1	1	-	-
12	Diseases of thymus gland-----254	14	-	-	-	-	-	-	-	-
13	Cystic fibrosis-----275-0	58	-	4	2	4	3	4	-	-
14	Diseases of the blood and blood-forming organs-----280-289	57	-	7	6	1	-	1	-	1
15	Meningitis-----320	195	-	-	2	3	7	6	4	5
16	Other diseases of nervous system and sense organs-----321-389	220	1	4	2	5	-	2	1	-
17	Acute upper respiratory infections-----460-465	128	-	-	-	-	-	-	-	-
18	Bronchitis and bronchiolitis-----466,490,491	220	-	3	1	1	1	2	-	-
19	Influenza and pneumonia-----470-474,480-486	3,424	14	128	86	69	39	21	33	27
20	Influenza-----470-474	63	-	-	-	-	1	-	-	-
21	Pneumonia-----480-486	3,361	14	128	86	69	38	21	33	27
22	Other chronic interstitial pneumonia-----517	10	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system-----492,493,500-516,518,519	236	9	24	13	7	5	2	1	2
24	Hernia and intestinal obstruction-----550-555,560	255	32	73	14	26	11	7	3	3
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,565	17	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	172	1	9	6	16	10	7	10	3
27	Congenital anomalies-----740-759	5,045	577	1,007	284	254	200	115	83	78
28	Anencephalus-----740	557	227	232	30	17	12	6	6	5
29	Spina bifida-----741	436	39	62	26	11	11	8	2	5
30	Congenital hydrocephalus-----742	243	48	36	11	5	3	-	2	1
31	Other congenital anomalies of central nervous system and eye-----743,744	223	28	41	11	7	10	2	3	4
32	Congenital anomalies of heart-----746	1,871	32	195	119	142	103	59	40	35
33	Other congenital anomalies of circulatory system-----747	326	8	31	16	15	11	5	8	6
34	Congenital anomalies of respiratory system-----748	185	31	88	13	10	2	6	1	-
35	Congenital anomalies of digestive system-----749-751	339	10	22	13	18	21	13	12	10
36	Congenital anomalies of genitourinary system-----752,753	125	19	60	3	2	2	3	1	1
37	Congenital anomalies of musculoskeletal system-----754-756	157	25	65	10	7	2	1	1	4
38	Down's disease-----759.3	58	3	10	-	-	-	-	-	-
39	Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	430	90	156	22	18	14	12	5	3
40	Other and unspecified congenital anomalies-----745,757,758	95	17	29	10	1	9	-	2	1
41	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	17,899	2,245	9,641	2,780	1,421	522	300	215	129
42	Chronic circulatory and genitourinary diseases in mother-----760	13	6	6	1	-	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	182	21	96	30	14	5	2	4	1
44	Syphilis-----761.0	3	1	2	-	-	-	-	-	-
45	Diabetes mellitus-----761.1	94	6	51	20	8	3	2	3	1
46	Rubella-----761.3	11	1	2	-	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	74	13	41	10	6	2	-	1	-
48	Toxemia of pregnancy-----762	96	18	42	15	9	5	2	1	1
49	Maternal septicemia and intrapartum infection-----763	106	28	58	9	4	1	2	1	1
50	Difficult labor-----764-768	240	90	90	24	16	4	7	3	1
51	With mention of birth injury (.0-.3)-----77	72	18	25	7	7	2	6	2	1
52	Without mention of birth injury (.4,.9)-----77	168	72	65	17	9	2	1	1	-
53	All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	2,459	420	1,540	253	128	36	21	16	12
54	Conditions of placenta-----770	1,045	253	606	100	52	12	6	3	3
55	Conditions of umbilical cord-----771	177	55	78	23	9	3	2	-	-
56	Birth injury without mention of cause-----772	792	37	280	155	124	52	21	29	15
57	Hemolytic disease of newborn-----774,775	449	88	231	41	23	14	13	9	2
58	Rh血型 membrane disease-----776.1	1,593	24	680	454	245	85	26	23	9
59	Respiratory distress syndrome-----776.2	1,400	48	684	340	162	61	25	21	14
60	Asphyxia of newborn, unspecified-----766.9	4,167	451	2,341	665	331	114	71	40	28
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	338	48	129	72	27	8	9	8	3
62	Immaturity, unqualified-----777	4,101	594	2,447	487	216	84	67	42	29
63	Postmaturity-----776.1	2	-	2	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	169	7	61	36	17	14	6	6	3
65	All other conditions of newborn-----778.0,778.3,778.9	570	57	270	75	44	24	20	8	8
66	Symptoms and ill-defined conditions-----780-796	1,258	42	81	24	24	11	8	7	7
67	Accidents-----E800-E949	1,142	7	12	4	3	3	3	9	6
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	346	2	3	-	1	2	-	4	3
69	Accidental mechanical suffocation-----E913	133	1	2	-	-	-	-	-	2
70	Other accidental causes-----E800-E910,E914-E949	463	4	7	4	2	1	2	5	1
71	Homicide-----E960-E978	82	27	3	4	-	-	-	1	-
72	All other causes-----Residual	599	17	27	18	8	10	8	5	6

SECTION 2 - INFANT MORTALITY

2-45

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
21,229	1,092	639	565	23,525	2,020	1,630	1,287	889	638	533	458	354	361	263	279	1
11	14	29	18	72	86	54	40	43	20	24	21	13	22	17	9	2
1	-	-	-	1	4	3	3	1	2	1	-	-	1	-	-	3
1	1	2	-	4	8	4	13	7	3	6	4	3	3	3	4	4
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
117	69	24	23	233	35	15	15	10	7	5	3	5	6	4	3	6
16	12	6	4	38	18	11	9	11	6	4	6	5	6	3	3	7
5	-	-	1	6	-	-	-	-	-	-	-	-	-	-	-	8
11	6	7	8	32	15	13	10	11	3	12	1	6	1	4	6	9
18	1	3	1	23	7	4	5	4	4	9	5	4	9	3	7	10
14	1	1	1	17	4	2	2	3	4	2	2	1	-	-	3	11
-	-	-	3	3	6	3	1	1	-	-	-	-	-	-	-	12
17	5	-	2	24	8	2	3	5	1	3	4	3	3	1	1	13
16	2	1	3	22	6	7	2	4	4	3	1	3	3	1	1	14
27	24	14	7	72	25	15	23	18	9	6	7	6	7	1	6	15
15	1	5	2	23	26	17	20	22	20	23	23	11	13	15	7	16
-	3	4	3	10	22	33	22	9	5	9	5	3	6	3	1	17
8	1	3	6	18	33	39	24	17	11	11	11	9	6	7	9	18
417	126	110	123	776	619	597	448	279	193	143	135	95	77	46	56	19
1	1	5	1	8	9	11	10	5	6	2	4	3	2	1	2	20
416	125	105	122	768	610	546	438	274	187	141	131	92	75	45	54	21
-	-	-	1	1	1	1	2	1	1	2	-	-	-	-	1	22
63	5	4	8	80	44	34	29	17	7	6	5	1	1	6	5	23
171	20	8	9	208	17	6	3	-	7	3	2	2	2	5	1	24
-	-	-	2	2	1	2	-	3	2	1	1	1	2	1	2	25
64	22	9	2	97	18	10	11	5	8	4	7	1	5	1	5	26
2,598	366	209	177	3,350	423	290	231	175	139	99	97	75	60	52	54	27
518	18	4	1	541	2	8	2	2	-	3	-	1	-	-	1	28
164	41	34	31	270	64	27	17	13	15	8	7	4	4	6	1	29
106	7	5	10	128	22	16	12	6	11	7	9	8	8	7	8	30
106	12	8	7	133	18	9	13	8	11	8	6	4	4	2	4	31
725	169	85	63	1,042	177	152	138	97	62	46	44	34	26	23	30	32
100	44	30	25	199	50	24	15	10	2	8	5	6	1	1	5	33
151	4	3	1	159	1	5	3	4	2	1	4	1	4	-	1	34
119	43	15	21	198	36	10	15	12	19	10	11	7	12	5	4	35
91	5	4	2	102	9	3	3	1	1	1	1	1	1	1	1	36
115	5	2	5	127	9	6	2	7	2	1	1	1	1	1	1	37
14	2	2	1	19	5	8	5	6	4	3	3	-	-	4	1	38
320	11	14	8	353	23	21	6	8	7	3	3	4	-	2	-	39
69	5	3	2	79	7	1	2	1	3	-	2	-	-	-	-	40
17,253	336	124	73	17,786	58	19	11	8	4	4	2	-	3	4	-	41
13	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	42
173	3	1	-	177	1	1	2	1	-	-	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
94	-	-	-	94	-	-	-	-	-	-	-	-	-	-	-	45
3	2	1	-	6	1	1	2	1	-	-	-	-	-	-	-	46
73	1	-	-	74	-	-	-	-	-	-	-	-	-	-	-	47
92	3	-	-	95	-	1	-	-	-	-	-	-	-	-	-	48
104	-	2	-	106	-	-	-	-	-	-	-	-	-	-	-	49
235	3	1	1	240	-	-	-	-	-	-	-	-	-	-	-	50
68	3	-	1	72	-	-	-	-	-	-	-	-	-	-	-	51
167	-	1	-	168	-	-	-	-	-	-	-	-	-	-	-	52
2,426	23	3	3	2,455	2	-	-	-	1	-	-	-	1	-	-	53
1,035	3	3	-	1,041	3	1	-	-	-	-	-	-	-	-	-	54
170	4	1	-	175	1	1	-	-	-	-	-	-	-	-	-	55
713	38	16	7	774	6	2	4	1	2	1	1	-	-	1	-	56
421	15	3	4	443	2	4	-	-	-	-	-	-	-	-	-	57
1,546	27	8	4	1,585	5	1	-	2	-	-	-	-	-	-	-	58
1,355	25	5	5	1,390	7	-	-	1	-	1	-	-	-	1	-	59
4,041	70	34	9	4,154	5	4	2	-	-	1	1	-	-	-	-	60
304	10	8	8	330	5	-	-	1	-	-	-	-	1	1	-	61
3,967	71	23	16	4,077	19	1	2	1	-	1	-	-	-	-	-	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
150	14	3	2	169	-	-	-	-	-	-	-	-	-	-	-	64
506	27	13	14	560	2	3	1	1	1	-	-	1	1	1	-	65
204	29	32	45	310	253	247	164	86	61	43	26	23	20	9	16	66
47	22	19	26	114	153	171	140	99	79	80	63	65	73	50	55	67
15	10	12	10	47	54	68	56	32	21	14	17	6	14	7	10	68
6	7	4	10	27	49	60	44	43	28	28	14	23	13	3	1	69
26	5	3	6	40	50	43	40	24	30	38	32	36	46	40	44	70
36	-	-	1	37	10	7	5	6	3	2	3	2	4	2	1	71
99	24	25	16	164	120	64	39	37	29	28	28	14	28	25	23	72

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-25 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, both sexes--all causes-----	55,902	4,986	20,319	6,369	3,766	1,664	905	721	496
2 Diarrheal diseases-----009	435	-	-	1	1	4	1	4	2
3 Whooping cough-----033	13	-	-	-	1	-	-	-	-
4 Meningococcal infections-----036	128	1	1	-	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	518	3	34	25	43	26	32	32	24
7 Viral diseases-----040-079	218	2	8	6	5	4	2	2	-
8 Congenital syphilis-----090	7	1	-	1	2	-	1	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	155	4	3	2	1	1	1	3	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	139	5	19	4	2	-	2	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	71	9	16	3	1	1	1	-	-
12 Diseases of thymus gland-----254	37	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	119	-	14	5	6	3	4	2	-
14 Diseases of the blood and blood-forming organs-----280-289	100	-	12	10	3	1	1	-	2
15 Meningitis-----320	325	-	2	4	3	10	13	7	11
16 Other diseases of nervous system and sense organs-----321-389	367	2	9	7	6	-	4	-	1
17 Acute upper respiratory infections-----460-465	187	-	1	-	1	-	1	-	-
18 Bronchitis and bronchiolitis-----466,490,491	352	-	3	1	1	-	-	-	1
19 Influenza and pneumonia-----470-474,480-486	4,804	19	189	149	112	70	42	38	40
20 Influenza-----470-474	60	-	-	-	1	1	-	-	-
21 Pneumonia-----480-486	4,744	19	189	149	111	69	42	38	40
22 Other chronic interstitial pneumonia-----517	20	-	1	-	-	-	-	1	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	385	10	42	21	8	8	1	1	2
24 Hernia and intestinal obstruction-----550-553,560	511	59	151	36	37	17	18	8	6
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	27	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	286	2	9	7	21	15	9	13	10
27 Congenital anomalies-----740-759	9,405	980	1,961	633	569	414	223	177	148
28 Anencephalus-----740	894	310	348	68	41	25	14	9	17
29 Spina bifida-----741	682	58	93	38	17	16	7	4	10
30 Congenital hydrocephalus-----742	450	81	78	20	9	3	-	3	1
31 Other congenital anomalies of central nervous system and eye-----743,744	369	43	83	27	10	13	5	6	8
32 Congenital anomalies of heart-----746	3,635	65	399	296	325	242	119	95	74
33 Other congenital anomalies of circulatory system-----747	636	10	58	34	48	34	14	17	11
34 Congenital anomalies of respiratory system-----748	377	71	183	30	15	5	7	4	1
35 Congenital anomalies of digestive system-----749-751	649	16	49	22	38	36	31	24	12
36 Congenital anomalies of genitourinary system-----752,753	349	47	159	21	11	3	7	2	2
37 Congenital anomalies of musculoskeletal system-----754-756	281	61	116	20	11	4	1	3	4
38 Down's disease-----759.3	102	6	14	1	2	-	1	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	827	184	333	41	39	22	17	7	7
40 Other and unspecified congenital anomalies-----745,757,758	154	28	46	15	3	11	-	2	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	32,921	3,775	17,682	5,373	2,880	1,057	518	401	231
42 Chronic circulatory and genitourinary diseases in mother-----760	16	6	7	2	1	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	385	50	192	65	34	12	6	4	3
44 Syphilis-----761.0	1	1	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	216	16	108	47	21	9	6	3	2
46 Rubella-----761.3	18	1	3	1	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	150	32	81	17	13	3	-	1	1
48 Toxemia of pregnancy-----762	162	32	70	32	17	5	1	-	-
49 Maternal antepartum and intrapartum infection-----763	163	42	84	21	4	3	2	-	-
50 Difficult labor-----764-768	544	159	240	76	39	11	7	3	2
51 With mention of birth injury (.0-.3)-----	159	29	69	28	16	6	5	1	1
52 Without mention of birth injury (.4-.9)-----	385	130	171	48	23	5	2	2	1
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	4,216	731	2,656	443	211	50	28	29	18
54 Conditions of placenta-----770	2,223	500	1,324	224	107	29	13	10	3
55 Conditions of umbilical cord-----771	333	108	151	35	19	5	3	1	-
56 Birth injury without mention of cause-----772	1,479	47	525	283	237	123	51	44	31
57 Hemolytic disease of newborn-----774,775	879	143	473	84	67	26	27	10	9
58 Hyaline membrane disease-----776.1	3,812	38	1,497	1,133	674	222	60	56	29
59 Respiratory distress syndrome-----776.2	2,879	83	1,366	701	369	125	56	48	32
60 Asphyxia of newborn, unspecified-----766.9	7,729	755	4,479	1,261	588	211	118	81	46
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	557	63	219	98	75	23	15	8	10
62 Immaturity, unqualified-----777	6,399	927	3,887	749	328	141	91	78	32
63 Postmaturity-----778.1	4	-	3	1	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	314	12	104	63	44	32	11	11	4
65 All other conditions of newborn-----778.0,778.3,778.9	827	79	405	102	66	39	29	18	12
66 Symptoms and ill-defined conditions-----780-796	1,586	44	71	43	24	9	10	9	8
67 Accidents-----E800-E949	1,740	8	21	5	10	5	7	13	4
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	519	1	3	2	7	3	5	6	2
69 Accidental mechanical suffocation-----E913	535	1	2	-	-	1	1	1	1
70 Other accidental causes-----E800-E910,E914-E949	686	6	16	3	3	1	1	7	1
71 Homicide-----E960-E978	115	38	6	4	1	-	-	-	-
72 All other causes-----Residual	931	24	64	29	28	19	13	10	6

SECTION 2 - INFANT MORTALITY

2-47

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
39,226	1,818	1,009	651	42,904	3,168	2,498	1,934	1,338	922	771	614	484	491	383	395	1
13	21	26	18	78	92	44	28	44	27	18	25	20	23	18	18	2
1	-	-	-	1	4	2	4	1	1	-	-	-	-	-	-	3
2	2	3	2	9	17	9	21	16	6	11	10	6	9	7	7	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
219	94	28	27	368	53	20	23	11	10	5	3	8	7	4	6	6
29	18	10	6	63	27	30	18	15	10	7	8	13	10	9	8	7
5	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-	8
15	6	8	6	35	28	19	19	10	9	12	4	4	5	4	6	9
32	5	3	2	42	9	7	10	8	11	10	11	9	9	6	7	10
31	1	2	3	37	7	4	4	5	3	2	3	-	-	2	2	11
-	-	1	3	4	15	7	5	2	1	1	-	1	-	-	-	12
34	11	2	2	49	15	10	10	7	4	7	6	5	3	3	-	13
29	5	2	5	41	6	12	10	6	3	8	1	2	4	2	5	14
50	39	29	11	129	38	21	27	22	19	17	20	9	9	8	6	15
29	6	5	4	44	43	32	33	47	37	32	30	13	22	19	15	16
3	3	5	8	19	35	43	31	15	9	13	5	6	5	5	1	17
6	3	5	6	20	42	73	63	46	29	15	10	12	12	11	12	18
659	187	151	179	1,176	877	833	636	388	254	189	139	90	83	75	64	19
2	2	1	2	7	6	9	11	7	6	4	4	2	1	2	1	20
657	185	150	177	1,169	871	824	625	381	248	185	135	88	82	73	63	21
2	-	1	2	5	2	2	4	2	1	2	1	-	-	-	-	22
93	10	7	13	123	62	71	43	26	14	13	7	7	7	5	7	23
332	40	17	12	401	45	18	10	11	6	1	5	7	3	7	4	24
-	1	-	2	3	5	2	1	5	2	1	2	2	2	-	3	25
86	35	16	10	147	44	19	20	10	10	6	7	7	8	1	7	26
5,105	664	410	303	6,482	829	505	388	278	222	179	149	124	100	66	83	27
832	27	8	4	871	4	11	-	3	-	4	-	1	-	-	-	28
243	56	60	47	406	94	46	35	25	23	20	9	11	6	7	-	29
195	13	10	11	229	41	35	24	14	15	19	14	15	19	7	18	30
195	17	11	10	293	35	15	15	17	15	10	13	7	2	3	4	31
1,615	325	179	117	2,236	376	253	207	146	101	82	71	47	49	31	36	32
226	81	52	34	393	92	51	32	21	10	8	7	7	4	3	7	33
316	6	3	6	331	4	9	8	6	4	3	5	1	5	-	1	34
228	72	50	37	387	88	26	26	16	31	17	16	18	9	6	9	35
252	20	9	10	291	19	7	7	5	4	3	2	4	3	1	3	36
220	8	1	7	236	13	8	6	7	4	1	1	3	-	2	2	37
26	7	4	-	37	10	4	9	5	8	5	4	3	3	2	4	38
652	22	20	15	709	38	29	16	11	5	6	4	4	4	4	1	39
105	10	3	5	123	15	3	3	2	2	1	2	3	-	-	-	40
31,917	568	168	96	32,749	84	31	21	13	5	5	2	-	5	3	3	41
16	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	42
366	6	1	1	374	4	3	3	1	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
212	2	1	-	215	1	-	-	-	-	-	-	-	-	-	-	45
5	2	-	1	8	3	3	3	1	-	-	-	-	-	-	-	46
148	2	-	-	150	-	-	-	-	-	-	-	-	-	-	-	47
157	5	-	-	162	-	-	-	-	-	-	-	-	-	-	-	48
156	3	1	-	160	3	-	-	-	-	-	-	-	-	-	-	49
537	5	1	1	544	-	-	-	-	-	-	-	-	-	-	-	50
155	3	-	1	159	-	-	-	-	-	-	-	-	-	-	-	51
382	2	1	-	385	-	-	-	-	-	-	-	-	-	-	-	52
4,166	30	5	6	4,207	4	1	-	-	1	1	-	-	2	-	-	53
2,210	7	1	-	2,218	3	1	-	-	1	-	-	-	-	-	-	54
322	5	2	-	329	-	2	1	-	-	-	-	-	-	-	1	55
1,341	65	27	16	1,449	13	4	4	3	2	1	1	-	-	1	1	56
839	23	4	3	869	4	5	1	-	-	-	-	-	-	-	-	57
3,709	75	10	6	3,800	7	2	1	2	-	-	-	-	-	-	-	58
2,780	62	11	9	2,862	10	1	3	1	-	-	-	-	-	1	1	59
7,539	118	36	18	7,711	6	6	3	-	1	1	-	-	1	-	-	60
511	15	11	12	549	3	1	1	2	-	-	-	-	1	-	-	61
6,233	97	33	8	6,371	18	3	1	3	-	2	1	-	-	-	-	62
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	63
281	19	10	4	314	-	-	-	-	-	-	-	-	-	-	-	64
750	33	15	12	810	9	2	3	1	-	-	-	-	1	1	-	65
218	25	33	61	337	349	319	219	143	65	55	32	24	24	8	11	66
73	30	40	43	186	261	260	205	140	116	113	92	94	105	87	81	67
29	15	15	12	71	95	103	74	42	31	16	23	15	20	14	15	68
6	6	11	14	37	98	99	68	49	39	46	26	34	21	9	9	69
38	9	14	17	78	68	58	63	49	46	51	43	45	64	64	57	70
50	-	1	-	51	14	7	7	10	1	7	4	1	7	5	1	71
193	44	36	27	300	163	98	74	57	47	38	35	26	29	28	36	72

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, male—all causes	32,735	2,696	12,066	3,870	2,336	1,009	563	431	288
2 Diarrheal diseases-----009	230	-	-	-	1	2	1	1	1
3 Whooping cough-----033	3	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	74	-	1	-	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	300	2	25	17	25	20	22	24	14
7 Viral diseases-----040-079	128	1	4	3	4	1	1	1	-
8 Congenital syphilis-----080	5	-	-	-	2	-	1	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	92	-	3	1	1	-	-	2	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	69	3	10	1	2	-	1	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	42	7	11	1	-	1	-	-	-
12 Diseases of thymus gland-----254	25	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273-0	65	-	10	3	3	1	-	2	-
14 Diseases of the blood and blood-forming organs-----280-289	62	-	6	5	2	1	-	-	2
15 Meningitis-----320	204	-	2	2	2	4	7	4	7
16 Other diseases of nervous system and sense organs-----321-389	207	1	5	5	2	-	2	-	1
17 Acute upper respiratory infections-----460-465	107	-	1	-	1	-	1	-	-
18 Bronchitis and bronchiolitis-----466,490,491	214	-	1	1	-	-	-	-	1
19 Influenza and pneumonia-----470-474,480-486	2,810	9	99	87	59	46	28	15	24
20 Influenza-----470-474	30	-	-	-	1	-	-	-	-
21 Pneumonia-----480-486	2,780	9	99	87	58	46	28	15	24
22 Other chronic interstitial pneumonia-----517	11	-	1	-	-	-	-	1	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	230	2	26	13	5	3	1	-	1
24 Hernia and intestinal obstruction-----550-553,560	306	29	85	23	13	9	11	5	3
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	15	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	161	1	3	2	8	6	7	7	5
27 Congenital anomalies-----740-769	5,122	464	1,079	390	358	240	133	105	79
28 Anencephalus-----740	375	100	152	40	24	14	9	4	9
29 Spina bifida-----741	279	20	36	12	8	1	3	5	-
30 Congenital hydrocephalus-----742	249	40	51	9	7	-	1	-	-
31 Other congenital anomalies of central nervous system and eye-----743,744	179	17	45	19	4	5	3	3	4
32 Congenital anomalies of heart-----746	2,099	39	234	196	211	152	71	60	42
33 Other congenital anomalies of circulatory system-----747	352	4	30	22	33	25	10	9	6
34 Congenital anomalies of respiratory system-----748	221	43	104	20	8	4	3	3	1
35 Congenital anomalies of digestive system-----749-751	388	9	32	10	23	19	22	13	6
36 Congenital anomalies of genitourinary system-----752,753	242	32	107	18	10	1	5	1	1
37 Congenital anomalies of musculoskeletal system-----754-758	141	37	56	11	5	2	1	2	-
38 Down's disease-----759.3	54	3	6	1	1	-	1	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	462	105	202	23	22	9	7	4	4
40 Other and unspecified congenital anomalies-----745,757,758	81	15	24	9	2	3	-	1	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	19,761	2,117	10,596	3,272	1,809	655	329	249	143
42 Chronic circulatory and genitourinary diseases in mother-----760	6	2	2	1	1	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	235	35	111	41	23	7	5	-	2
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	134	11	62	30	15	6	5	-	1
46 Rubella-----761.3	9	1	1	1	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	92	23	48	10	8	1	-	-	1
48 Toxemia of pregnancy-----762	96	20	41	20	10	2	-	-	-
49 Maternal antepartum and intrapartum infection-----763	95	26	43	16	2	2	-	-	-
50 Difficult labor-----764-768	369	94	174	58	26	7	4	2	1
51 With mention of birth injury (.0-.3)-----	111	16	53	25	11	4	2	-	-
52 Without mention of birth injury (-.4,-.9)-----	258	78	121	33	15	3	2	2	1
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	2,387	394	1,520	263	112	28	17	15	9
54 Conditions of placenta-----770	1,345	290	813	140	62	19	8	7	-
55 Conditions of umbilical cord-----771	185	60	81	18	13	4	1	1	-
56 Birth injury without mention of cause-----772	931	25	335	175	143	87	36	25	19
57 Hemolytic disease of newborn-----774,775	463	60	252	45	44	16	17	3	7
58 Hyaline membrane disease-----776.1	2,512	24	963	744	464	148	40	40	22
59 Respiratory distress syndrome-----776.2	1,823	50	852	436	251	74	41	31	21
60 Asphyxia of newborn, unspecified-----766.9	4,650	427	2,732	768	344	124	71	55	26
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	323	32	128	46	55	17	11	2	7
62 Immaturity, unqualified-----777	3,669	529	2,246	414	182	79	51	48	20
63 Postmaturity-----778.1	2	-	1	1	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	196	6	63	36	34	19	8	7	2
65 All other conditions of newborn-----778.0,778.3,778.9	474	43	239	50	43	22	19	13	7
66 Symptoms and ill-defined conditions-----780-796	938	26	42	27	10	5	6	4	3
67 Accidents-----E800-E949	954	5	10	2	7	4	6	5	1
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E811,E912	290	1	-	2	6	3	5	3	1
69 Accidental mechanical suffocation-----E913	305	1	1	-	1	-	1	-	-
70 Other accidental causes-----E800-E910,E914-E949	359	3	9	-	1	-	-	-	-
71 Homicide-----E960-E978	57	19	4	2	1	-	-	-	-
72 All other causes-----Residual	543	10	42	13	21	11	7	6	3

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
23,259	1,007	571	472	25,309	1,851	1,479	1,114	785	525	428	314	250	266	213	201	1
6	14	10	7	37	46	21	12	28	17	12	11	12	13	10	11	2
-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	3
1	1	1	2	5	11	6	10	9	4	5	7	3	6	4	4	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
149	43	13	14	219	28	12	13	7	5	3	1	4	3	2	3	6
15	8	6	4	33	14	21	10	6	8	5	5	8	7	6	5	7
3	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	8
7	3	6	2	18	19	12	13	6	8	5	3	1	4	2	1	9
17	4	-	1	22	3	5	6	6	7	2	7	6	1	3	1	10
20	-	1	2	23	4	2	2	2	1	1	1	3	-	2	1	11
-	-	1	-	1	9	5	4	2	1	1	-	1	-	-	-	12
19	6	2	1	28	7	8	7	2	3	4	2	2	-	2	-	13
16	3	1	2	22	5	7	8	4	1	5	-	1	-	2	2	14
28	24	15	7	74	24	12	15	12	13	16	15	6	7	8	4	15
16	5	-	2	23	26	19	20	31	21	17	15	6	10	10	9	16
3	1	2	5	11	23	24	19	8	5	6	2	5	1	3	-	17
3	2	3	3	11	23	49	38	29	20	12	7	6	8	6	5	18
367	99	90	106	662	521	519	384	236	152	106	68	38	46	47	31	19
1	1	-	1	3	2	4	7	3	2	3	2	1	-	2	1	20
366	98	90	105	659	519	515	377	233	150	103	66	37	46	45	30	21
2	-	1	1	4	2	1	2	1	-	-	1	-	-	-	-	22
51	6	4	6	67	32	49	23	17	9	9	6	4	7	2	5	23
178	24	12	10	224	34	14	8	11	3	1	3	-	1	4	3	24
-	1	-	-	1	5	2	1	2	-	-	1	1	-	-	-	25
38	18	11	10	77	29	12	13	5	6	3	2	6	3	1	4	26
2,848	347	233	156	3,584	472	268	201	140	109	96	67	59	58	27	41	27
352	9	4	3	368	2	3	-	1	-	1	-	-	-	-	-	28
91	17	28	17	153	34	22	20	13	10	12	3	7	3	2	2	29
108	6	6	4	124	21	21	15	8	5	14	7	8	12	3	11	30
100	7	6	6	119	4	7	6	9	4	7	2	2	-	1	2	31
1,005	182	105	64	1,356	230	135	98	73	54	43	35	20	30	12	13	32
139	41	27	13	220	52	29	18	12	8	2	3	1	3	2	2	33
186	2	2	5	195	3	4	6	4	2	3	2	-	1	-	1	34
134	41	37	23	235	61	19	13	7	14	9	6	11	4	4	5	35
175	15	6	8	204	12	5	4	4	3	4	1	2	2	1	3	36
114	4	-	3	121	5	3	4	2	3	2	-	2	-	-	-	37
14	5	2	-	21	6	6	4	4	5	4	1	3	3	1	3	38
376	13	9	7	405	19	11	12	6	1	3	2	2	-	2	1	39
54	5	1	3	63	10	2	1	1	-	1	-	3	-	-	-	40
19,170	344	94	55	19,663	51	17	13	5	2	3	1	-	2	1	3	41
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	42
224	3	1	1	229	3	2	1	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
130	2	1	-	133	1	-	-	-	-	-	-	-	-	-	-	45
3	-	1	1	4	2	2	1	-	-	-	-	-	-	-	-	46
91	1	-	-	92	-	-	-	-	-	-	-	-	-	-	-	47
93	3	-	-	96	-	-	-	-	-	-	-	-	-	-	-	48
89	3	-	-	92	3	-	-	-	-	-	-	-	-	-	-	49
366	2	1	-	369	-	-	-	-	-	-	-	-	-	-	-	50
111	-	-	-	111	-	-	-	-	-	-	-	-	-	-	-	51
255	2	1	-	258	-	-	-	-	-	-	-	-	-	-	-	52
2,358	15	4	4	2,381	3	1	-	-	-	1	-	-	1	-	-	53
1,339	5	-	-	1,344	-	-	-	-	1	-	-	-	-	-	-	54
178	3	1	-	182	-	1	-	-	-	-	-	-	-	-	1	55
845	41	18	12	916	8	3	1	2	-	-	-	-	-	-	1	56
444	12	3	-	459	2	1	1	-	-	-	-	-	-	-	-	57
2,445	53	5	2	2,505	5	1	1	-	-	-	-	-	-	-	-	58
1,756	42	9	6	1,813	4	1	3	-	-	-	-	-	-	1	1	59
4,547	67	12	13	4,639	4	3	1	-	1	1	-	-	1	-	-	60
298	7	7	7	319	1	1	1	1	-	-	-	-	-	-	-	61
3,569	59	20	3	3,651	11	3	-	2	-	1	1	-	-	-	-	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
175	10	8	3	196	-	-	-	-	-	-	-	-	-	-	-	64
436	19	5	4	464	7	-	3	-	-	-	-	-	-	-	-	65
123	14	21	33	191	219	183	133	92	36	33	19	12	11	6	3	66
40	14	25	26	105	153	145	102	84	66	54	52	46	60	48	39	67
21	7	7	5	40	56	59	31	25	19	9	14	10	12	8	7	68
3	1	7	9	20	64	56	39	27	23	19	15	16	11	7	8	69
16	6	11	12	45	33	30	32	32	24	26	20	37	33	33	24	70
26	-	1	-	27	5	3	2	5	-	7	1	3	3	3	3	71
113	26	18	17	174	83	63	53	35	28	22	17	19	12	14	23	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, female—all causes	23,167	2,290	8,253	2,499	1,430	655	342	290	208
2	Diarrheal diseases	205	-	-	1	-	2	-	3	1
3	Whooping cough	10	-	-	-	1	-	-	-	-
4	Meningococcal infections	54	1	-	-	-	-	-	-	-
5	Tetanus	-	-	-	-	-	-	-	-	-
6	Septicemia	218	1	9	8	18	6	10	8	10
7	Viral diseases	90	1	4	3	1	3	1	1	-
8	Congenital syphilis	2	1	-	1	-	-	-	-	-
9	Other infective and parasitic diseases	63	4	-	1	-	1	1	1	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	70	2	9	3	-	-	1	-	-
11	Benign neoplasms and neoplasms of unspecified nature	29	2	5	2	1	-	1	-	-
12	Diseases of thymus gland	12	-	-	-	-	-	-	-	-
13	Cystic fibrosis	54	-	4	2	3	2	4	-	-
14	Diseases of the blood and blood-forming organs	38	-	6	5	1	-	1	-	-
15	Meningitis	121	-	-	2	1	6	6	3	4
16	Other diseases of nervous system and sense organs	160	1	4	2	4	-	2	-	-
17	Acute upper respiratory infections	80	-	-	-	-	-	-	-	-
18	Bronchitis and bronchiolitis	138	-	2	-	1	-	-	-	-
19	Influenza and pneumonia	1,994	10	90	62	53	24	14	23	16
20	Influenza	30	-	-	-	-	1	-	-	-
21	Pneumonia	1,964	10	90	62	53	23	14	23	16
22	Other chronic interstitial pneumonia	9	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system	155	8	16	8	3	5	-	1	1
24	Hernia and intestinal obstruction	205	30	66	13	24	8	7	3	3
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	12	-	-	-	-	-	-	-	-
26	Other diseases of digestive system	125	1	6	5	13	9	3	6	5
27	Congenital anomalies	4,283	516	882	243	211	174	90	72	69
28	Anencephalus	519	210	196	28	17	11	5	5	8
29	Spina bifida	403	38	57	26	9	10	6	1	5
30	Congenital hydrocephalus	201	41	27	11	2	3	-	2	1
31	Other congenital anomalies of central nervous system and eye	190	26	38	8	6	8	2	3	4
32	Congenital anomalies of heart	1,536	26	165	100	114	90	48	35	32
33	Other congenital anomalies of circulatory system	284	6	28	12	15	9	4	8	5
34	Congenital anomalies of respiratory system	156	28	79	10	7	1	4	1	-
35	Congenital anomalies of digestive system	261	7	17	12	15	17	9	11	6
36	Congenital anomalies of genitourinary system	107	15	52	3	1	2	2	1	1
37	Congenital anomalies of musculoskeletal system	140	24	60	9	6	2	-	1	4
38	Down's disease	48	3	8	-	1	-	-	-	-
39	Other congenital syndromes affecting multiple systems	365	79	133	18	17	13	10	3	3
40	Other and unspecified congenital anomalies	73	13	22	6	1	8	-	1	-
41	Certain causes of mortality in early infancy	13,160	1,658	7,086	2,101	1,071	402	189	152	88
42	Chronic circulatory and genitourinary diseases in mother	10	4	5	1	-	-	-	-	-
43	Other maternal conditions unrelated to pregnancy	150	15	81	24	11	5	1	4	1
44	Syphilis	1	1	-	-	-	-	-	-	-
45	Diabetes mellitus	82	5	46	17	6	3	1	3	1
46	Rubella	9	-	2	-	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy	58	9	33	7	5	2	-	1	-
48	Toxemia of pregnancy	66	12	29	12	7	3	1	-	-
49	Maternal antepartum and intrapartum infection	68	16	41	5	2	1	2	-	-
50	Difficult labor	175	65	66	18	13	4	3	1	1
51	With mention of birth injury (.0-.3)	48	13	16	3	5	2	3	1	1
52	Without mention of birth injury (.4,.9)	127	52	50	15	8	2	-	-	-
53	All other complications of pregnancy and childbirth	1,829	337	1,136	180	99	22	11	14	9
54	Conditions of placenta	878	210	511	84	45	10	5	3	3
55	Conditions of umbilical cord	148	48	70	17	6	1	2	-	-
56	Birth injury without mention of cause	548	22	190	108	94	36	15	19	12
57	Hemolytic disease of newborn	416	83	221	39	23	10	7	7	2
58	Hyaline membrane disease	1,300	14	534	389	210	74	20	16	7
59	Respiratory distress syndrome	1,056	33	514	265	118	51	15	17	11
60	Asphyxia of newborn, unspecified	3,079	328	1,747	493	244	87	47	26	20
61	All other anoxic and hypoxic conditions not elsewhere classifiable	234	31	91	52	20	6	4	6	3
62	Immaturity, unqualified	2,730	398	1,641	335	146	62	40	30	12
63	Postmaturity	2	-	2	-	-	-	-	-	-
64	Hemorrhagic disease of newborn	118	6	41	27	10	13	3	4	2
65	All other conditions of newborn	353	36	166	52	23	17	10	5	5
66	Symptoms and ill-defined conditions	648	18	29	16	14	4	4	5	5
67	Accidents	786	3	11	3	3	1	1	8	3
68	Inhalation and ingestion of food or other object causing obstruction or suffocation	229	-	3	-	1	-	-	3	1
69	Accidental mechanical suffocation	230	-	1	-	-	-	1	-	1
70	Other accidental causes	327	3	7	3	2	1	-	5	1
71	Homicide	58	19	2	2	-	-	1	-	-
72	All other causes	388	14	22	16	7	8	6	4	3

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
15,967	811	438	379	17,595	1,317	1,019	820	553	397	343	300	234	225	170	194	1
7	7	16	11	41	46	23	16	16	10	6	14	8	10	8	7	2
1	-	-	-	1	3	2	2	1	1	-	-	-	-	-	-	3
1	1	2	-	4	6	3	11	7	2	6	3	3	3	3	3	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
70	51	15	13	149	25	8	10	4	5	2	2	4	4	2	3	6
14	10	4	2	30	13	9	8	9	2	2	3	5	3	3	3	7
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
8	3	2	4	17	9	7	6	4	1	7	1	3	1	2	5	9
15	1	3	1	20	6	2	4	2	4	8	4	3	8	3	6	10
11	1	1	1	14	3	2	2	3	2	1	1	-	-	-	1	11
-	-	-	3	3	6	2	1	-	-	-	-	-	-	-	-	12
15	5	-	1	21	8	2	3	5	1	3	4	3	3	1	-	15
13	2	1	3	19	1	2	2	2	2	3	1	1	1	1	1	14
22	15	14	4	55	14	9	12	10	6	5	5	3	2	2	4	15
13	1	5	2	21	17	13	13	16	16	15	15	7	12	9	6	16
-	2	3	3	8	12	19	12	7	4	7	3	1	4	2	1	17
3	1	2	3	9	19	24	25	17	9	7	8	4	4	5	7	18
292	88	61	73	514	356	314	252	152	102	83	71	52	37	28	33	19
1	1	1	1	4	4	5	4	4	4	1	2	1	1	-	-	20
291	87	60	72	510	352	309	248	148	98	82	69	51	36	28	33	21
-	-	-	1	1	-	1	2	1	1	2	-	-	-	-	-	22
42	4	3	7	56	30	22	20	9	5	4	1	3	-	3	2	23
154	16	5	2	177	11	4	2	-	3	2	2	-	2	3	1	24
-	-	-	2	2	-	-	-	3	2	1	-	1	2	-	-	25
48	17	5	-	70	15	7	5	5	4	3	5	1	5	-	3	26
2,257	317	177	147	2,898	357	237	187	138	113	83	82	65	42	39	42	27
480	18	4	1	503	2	8	-	2	-	3	-	1	-	-	-	28
152	39	32	30	253	60	24	15	12	13	8	6	4	3	5	-	29
87	7	4	7	105	20	14	9	6	10	5	7	7	7	4	7	30
95	10	5	4	114	18	7	9	8	11	6	6	5	2	2	2	31
610	143	74	53	880	146	118	109	73	47	39	36	27	19	19	23	32
87	40	25	21	173	40	22	14	9	2	6	5	6	1	1	5	33
130	4	1	1	136	1	5	2	2	2	-	3	1	4	2	-	34
94	31	13	14	152	27	7	13	9	17	8	10	7	5	2	4	35
77	5	3	2	87	7	2	3	1	1	1	1	2	1	1	-	36
106	4	1	5	115	8	5	2	5	1	1	1	1	-	1	-	37
12	2	2	-	16	4	6	5	5	3	3	3	-	-	2	1	38
276	9	11	8	304	19	18	4	4	4	3	2	4	-	2	-	39
51	5	2	2	60	5	1	2	1	2	-	2	-	-	-	-	40
12,747	224	74	41	13,086	33	14	8	8	3	2	1	-	3	2	-	41
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	42
142	3	-	-	145	1	1	2	1	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
82	-	-	-	82	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	4	1	1	2	1	-	-	-	-	-	-	-	46
57	1	-	-	58	-	-	-	-	-	-	-	-	-	-	-	47
64	2	-	-	66	-	-	-	-	-	-	-	-	-	-	-	48
67	-	1	-	68	-	-	-	-	-	-	-	-	-	-	-	49
171	3	-	1	175	-	-	-	-	-	-	-	-	-	-	-	50
44	3	-	1	48	-	-	-	-	-	-	-	-	-	-	-	51
127	-	-	-	127	-	-	-	-	-	-	-	-	-	-	-	52
1,808	15	1	2	1,826	1	-	-	-	1	-	-	-	1	-	-	53
871	2	1	-	874	3	1	-	-	-	-	-	-	-	-	-	54
144	2	1	-	147	-	1	-	-	-	-	-	-	-	-	-	55
496	24	9	4	533	5	1	3	1	2	1	1	-	-	1	-	56
395	11	1	3	410	2	4	-	-	-	-	-	-	-	-	-	57
1,264	22	5	4	1,295	2	1	-	-	-	-	-	-	-	-	-	58
1,024	20	2	3	1,049	6	-	-	1	-	-	-	-	-	-	-	59
2,992	51	24	5	3,072	2	3	2	-	-	-	-	-	-	-	-	60
213	8	4	5	230	2	-	-	1	-	-	-	-	1	-	-	61
2,664	38	13	5	2,720	7	-	-	1	-	1	-	-	-	-	-	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
106	9	2	1	118	-	-	-	-	-	-	-	-	-	-	-	64
314	14	10	8	346	2	2	-	1	-	-	-	-	1	1	-	65
95	11	12	28	146	130	136	86	51	29	22	13	12	13	2	8	66
33	16	15	17	81	108	115	103	56	50	59	40	48	45	39	42	67
8	8	8	7	31	39	44	43	17	12	7	9	5	8	6	8	68
3	5	4	5	17	34	43	29	22	16	27	11	18	10	2	1	69
22	3	3	5	33	35	28	31	17	22	25	20	25	27	31	33	70
24	-	-	-	24	9	4	5	5	1	-	3	-	4	2	1	71
80	18	18	10	126	80	35	21	22	19	16	18	7	17	14	13	72

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	All other, both sexes--all causes-----	20,361	1,533	6,466	1,784	1,024	483	346	232	181
2	Diarrheal diseases-----009	491	-	-	1	-	1	1	2	2
3	Whooping cough-----033	14	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	29	-	-	2	-	-	-	-	-
5	Tetanus-----037	3	-	-	-	-	-	-	1	-
6	Septicemia-----038	282	1	28	19	15	15	12	11	7
7	Viral diseases-----040-079	60	-	2	-	1	-	1	-	-
8	Congenital syphilis-----090	8	-	4	1	-	1	-	-	-
9	Other infective and parasitic diseases-----Remainder of 000-136	115	2	2	1	-	-	-	1	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	25	-	2	1	1	-	-	-	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	19	1	1	-	3	1	-	-	-
12	Diseases of thymus gland-----254	6	-	-	-	-	-	-	-	-
13	Cystic fibrosis-----275.0	7	-	-	1	2	1	-	-	-
14	Diseases of the blood and blood-forming organs-----280-289	46	-	4	1	2	2	-	-	1
15	Meningitis-----320	199	-	1	-	5	2	1	3	2
16	Other diseases of nervous system and sense organs-----321-389	120	-	3	-	1	-	-	2	-
17	Acute upper respiratory infections-----480-485	114	-	2	-	-	1	-	-	1
18	Bronchitis and bronchiolitis-----486, 490, 491	179	-	1	1	1	1	2	1	2
19	Influenza and pneumonia-----470-474, 480-486	3,103	7	87	61	46	40	26	24	17
20	Influenza-----470-474	73	-	-	-	-	-	-	-	-
21	Pneumonia-----480-486	3,030	7	87	61	46	40	26	24	17
22	Other chronic interstitial pneumonia-----517	4	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system-----492, 493, 500-516, 518, 519	174	3	18	11	6	1	2	-	1
24	Hernia and intestinal obstruction-----550-553, 560	128	5	17	9	7	5	3	1	3
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	17	-	-	-	-	-	1	-	-
26	Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	124	-	6	2	13	6	8	6	6
27	Congenital anomalies-----740-759	1,647	115	280	99	104	60	43	30	26
28	Anencephalus-----740	65	22	26	8	1	1	1	2	1
29	Spina bifida-----741	62	4	7	3	2	2	3	1	-
30	Congenital hydrocephalus-----742	80	11	17	-	6	-	-	1	-
31	Other congenital anomalies of central nervous system and eye-----743, 744	61	5	10	7	3	3	-	-	-
32	Congenital anomalies of heart-----746	736	11	78	42	63	34	20	13	10
33	Other congenital anomalies of circulatory system-----747	108	3	9	8	4	5	3	1	2
34	Congenital anomalies of respiratory system-----748	73	9	33	8	4	2	2	1	-
35	Congenital anomalies of digestive system-----749-751	170	6	12	3	11	6	8	7	7
36	Congenital anomalies of genitourinary system-----752, 753	50	6	13	-	1	-	1	-	1
37	Congenital anomalies of musculoskeletal system-----754-756	47	9	13	3	1	1	3	-	1
38	Down's disease-----759.3	18	-	4	-	1	-	-	-	-
39	Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	130	25	45	8	6	4	2	3	2
40	Other and unspecified congenital anomalies-----745, 757, 758	47	4	13	9	1	2	-	1	2
41	Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	10,786	1,317	5,874	1,523	779	313	219	141	100
42	Chronic circulatory and genitourinary diseases in mother-----760	5	2	2	-	1	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	78	15	37	11	9	1	2	-	-
44	Syphilis-----761.0	3	-	-	-	1	-	-	-	-
45	Diabetes mellitus-----761.1	21	2	9	6	3	-	1	-	-
46	Rubella-----761.3	3	1	-	-	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	51	12	26	5	5	1	1	-	-
48	Toxemia of pregnancy-----762	67	14	32	7	4	5	1	1	-
49	Maternal antepartum and intrapartum infection-----763	86	29	33	9	7	1	-	1	1
50	Difficult labor-----764-768	170	56	67	21	11	4	7	2	1
51	With mention of birth injury (.0-.3)-----	56	10	21	11	5	4	4	1	-
52	Without mention of birth injury (.4-.9)-----	114	46	46	10	6	-	3	1	1
53	All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	1,366	195	870	156	55	32	20	4	6
54	Conditions of placenta-----770	365	99	208	37	13	4	1	-	-
55	Conditions of umbilical cord-----771	83	25	34	11	6	3	1	-	-
56	Birth injury without mention of cause-----772	575	26	206	121	76	37	20	22	9
57	Hemolytic disease of newborn-----774, 775	73	11	26	5	6	4	4	2	1
58	Erythema membrane disease-----776.1	739	16	339	171	102	37	17	14	-
59	Respiratory distress syndrome-----776.2	838	27	431	173	99	39	17	8	-
60	Asphyxia of newborn, unspecified-----766.9	2,528	278	1,431	373	178	58	54	42	18
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	201	29	79	29	17	6	8	8	-
62	Immaturity, unqualified-----777	3,024	449	1,805	321	144	63	46	24	36
63	Postmaturity-----778.1	-	-	-	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	125	3	40	28	16	7	4	3	3
65	All other conditions of newborn-----778.0, 778.3, 778.9	463	43	234	50	35	12	17	10	7
66	Symptoms and ill-defined conditions-----780-796	1,372	58	111	33	29	19	14	5	5
67	Accidents-----E800-E949	780	6	5	9	5	4	5	2	3
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	252	2	2	3	3	3	2	2	2
69	Accidental mechanical suffocation-----E913	226	1	2	2	-	-	-	-	1
70	Other accidental causes-----E800-E910, E914-E949	302	3	1	4	2	1	3	-	-
71	Homicide-----E960-E978	48	12	3	2	1	1	-	1	-
72	All other causes-----Residual	461	6	15	7	3	9	8	1	5

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
12,049	639	444	420	13,552	1,553	1,297	1,024	719	549	430	325	249	264	205	194	1
7	21	31	16	75	107	63	50	58	26	28	19	20	19	18	8	2
-	-	-	-	-	1	3	1	2	3	1	1	-	2	-	-	3
2	-	1	-	3	4	2	4	5	3	2	3	1	-	-	2	4
1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	5
108	42	19	21	190	29	16	11	11	7	4	4	2	4	2	2	6
4	5	6	2	17	7	6	2	4	8	4	6	-	6	-	-	7
6	-	-	2	8	-	-	-	-	-	-	-	-	-	-	-	8
6	5	8	7	26	14	13	10	13	9	6	5	6	6	4	3	9
4	1	-	-	5	3	3	1	3	-	1	2	2	3	-	-	10
6	-	-	1	7	3	-	-	-	2	1	2	1	-	1	2	11
-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	12
4	-	-	1	5	1	-	-	-	-	-	-	-	-	-	1	13
10	-	-	2	12	8	4	1	3	8	2	-	2	3	1	2	14
14	12	8	6	40	26	18	24	22	12	15	5	10	11	10	6	15
6	1	1	2	10	16	9	11	13	13	10	14	6	4	7	7	16
4	3	2	5	14	21	25	19	6	5	7	5	4	4	4	-	17
9	3	3	6	21	35	27	25	18	14	11	7	8	3	6	4	18
308	95	101	115	619	567	515	400	273	209	157	111	80	72	46	54	19
-	-	5	1	6	9	12	14	6	8	1	5	5	1	2	4	20
308	95	96	114	613	558	503	386	267	201	156	106	75	71	44	50	21
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	22
42	3	2	5	52	26	26	17	15	9	4	4	4	3	7	7	23
50	10	7	10	77	19	8	6	1	7	4	2	1	1	2	2	24
1	-	-	-	1	6	3	3	1	-	-	1	-	-	1	1	25
47	8	10	5	70	15	7	9	1	5	2	8	-	-	3	4	26
757	111	73	62	1,003	141	111	98	60	58	43	34	22	30	24	23	27
62	1	-	-	64	-	-	1	-	-	-	-	-	-	-	-	28
22	5	5	1	33	6	4	5	3	4	1	1	2	2	1	1	29
35	1	1	5	42	3	3	6	-	6	5	4	2	2	4	3	30
28	2	4	4	38	-	2	4	1	4	4	3	1	2	2	2	31
271	53	29	22	375	69	69	64	39	26	20	19	15	13	12	15	32
35	12	9	7	63	17	9	6	2	2	4	3	1	1	2	-	33
59	1	2	2	64	1	-	1	2	2	1	1	-	-	-	1	34
60	26	9	13	108	21	9	3	5	7	2	2	-	9	3	1	35
22	4	6	3	35	8	3	-	1	3	3	-	-	-	-	-	36
51	1	1	2	35	4	2	-	2	1	1	-	-	1	-	-	37
5	1	1	1	8	1	2	1	1	1	-	-	2	-	2	-	38
95	3	4	1	103	7	5	5	4	3	2	1	-	-	-	-	39
32	1	1	1	35	4	3	2	-	3	-	-	-	-	-	-	40
10,266	255	104	67	10,692	57	15	8	-	3	3	1	1	1	3	2	41
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	42
75	1	1	-	77	1	-	-	-	-	-	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
21	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	45
1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	46
50	1	-	-	51	-	-	-	-	-	-	-	-	-	-	-	47
64	2	-	-	66	-	1	-	-	-	-	-	-	-	-	-	48
81	3	1	1	86	-	-	-	-	-	-	-	-	-	-	-	49
169	-	1	-	170	-	-	-	-	-	-	-	-	-	-	-	50
56	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	51
113	-	1	-	114	-	-	-	-	-	-	-	-	-	-	-	52
1,338	18	4	2	1,362	3	-	1	-	-	-	-	-	-	-	-	53
362	1	2	-	365	-	-	-	-	-	-	-	-	-	-	-	54
80	2	-	-	82	1	-	-	-	-	-	-	-	-	-	-	55
517	30	13	7	567	3	2	2	-	-	-	-	-	-	-	1	56
59	6	3	2	70	-	1	-	-	-	-	1	-	-	-	1	57
705	19	7	2	733	4	1	-	-	1	-	-	-	-	-	-	58
803	17	5	5	830	4	1	1	-	1	1	-	-	-	1	-	59
2,432	51	22	15	2,520	3	1	-	-	-	2	1	-	1	-	-	60
176	5	8	5	194	6	-	-	-	-	-	-	-	-	1	-	61
2,888	63	22	14	2,987	30	3	2	-	1	-	-	-	-	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
104	14	4	3	125	-	-	-	-	-	-	-	-	-	-	-	64
408	23	11	11	453	2	5	2	-	1	-	-	-	-	-	-	65
274	35	41	50	400	239	244	182	95	63	50	24	29	24	9	13	68
39	12	12	18	81	113	115	95	78	59	49	43	33	45	39	30	67
19	4	7	6	36	43	44	34	23	19	15	13	4	10	5	6	68
6	5	1	9	21	39	43	40	34	17	5	7	9	7	3	1	69
14	3	4	3	24	31	28	21	23	23	29	23	20	28	31	23	70
20	1	-	1	22	2	2	2	2	4	7	3	2	2	1	-	71
54	14	15	16	99	92	59	44	33	21	19	20	15	23	17	19	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	All other, male—all causes-----	11,291	837	3,647	1,010	584	293	185	127	104
2	Diarrheal diseases-----009	275	-	-	-	-	1	1	-	1
3	Whooping cough-----033	8	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	21	-	-	2	-	-	-	-	-
5	Tetanus-----037	1	-	-	-	-	-	-	1	-
6	Septicemia-----038	159	1	14	12	11	5	10	3	3
7	Viral diseases-----040-078	30	-	1	-	-	-	1	-	-
8	Congenital syphilis-----090	4	-	1	1	-	1	-	-	-
9	Other infective and parasitic diseases-----Remainder of 000-136	64	-	1	1	-	-	-	1	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	11	-	-	1	-	-	-	-	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-259	8	1	-	-	2	-	-	-	-
12	Diseases of thymus gland-----254	4	-	-	-	-	-	-	-	-
13	Cystic fibrosis-----275-0	3	-	-	1	-	-	-	-	-
14	Diseases of the blood and blood-forming organs-----280-289	27	-	3	-	2	2	1	2	1
15	Meningitis-----320	125	-	1	-	3	1	1	1	-
16	Other diseases of nervous system and sense organs-----321-369	60	-	3	-	-	-	-	1	-
17	Acute upper respiratory infections-----460-465	66	-	2	-	-	1	-	-	1
18	Bronchitis and bronchiolitis-----466,490,491	97	-	-	-	1	-	-	-	2
19	Influenza and pneumonia-----470-474,480-486	1,673	3	49	37	30	25	19	14	6
20	Influenza-----470-474	40	-	-	-	-	-	-	-	-
21	Pneumonia-----480-486	1,633	3	49	37	30	25	19	14	6
22	Other chronic interstitial pneumonia-----517	3	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system-----492,493,500-516,518,519	93	2	10	6	2	1	-	-	-
24	Hernia and intestinal obstruction-----550-553,560	78	3	10	8	5	2	3	1	1
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	12	-	-	-	-	-	1	-	-
26	Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	77	-	3	1	10	5	4	2	6
27	Congenital anomalies-----740-759	885	54	155	58	61	34	18	19	17
28	Anencephalus-----740	27	5	10	6	1	-	-	1	1
29	Spina bifida-----741	29	3	2	3	-	1	-	-	-
30	Congenital hydrocephalus-----742	38	4	8	-	3	-	-	1	-
31	Other congenital anomalies of central nervous system and eye-----743,744	28	3	7	4	2	1	-	-	-
32	Congenital anomalies of heart-----745	401	5	48	23	35	21	9	8	7
33	Other congenital anomalies of circulatory system-----747	66	1	6	4	4	3	2	1	1
34	Congenital anomalies of respiratory system-----748	44	6	24	5	1	1	-	1	-
35	Congenital anomalies of digestive system-----749-751	92	3	7	2	8	2	4	6	3
36	Congenital anomalies of genitourinary system-----752,753	32	2	5	-	-	-	-	-	1
37	Congenital anomalies of musculoskeletal system-----754-756	30	8	8	2	1	1	2	-	1
38	Down's disease-----759.3	8	-	2	4	1	-	-	-	2
39	Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	65	14	22	4	5	3	-	1	-
40	Other and unspecified congenital anomalies-----745,757,758	25	-	6	5	1	1	-	-	1
41	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	6,047	730	3,319	844	429	193	108	78	59
42	Chronic circulatory and genitourinary diseases in mother-----760	2	-	-	-	1	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	46	9	22	5	6	1	1	-	-
44	Syphilis-----761.0	1	-	-	-	-	-	-	-	-
45	Diabetes mellitus-----761.1	9	1	4	3	1	-	-	-	-
46	Rubella-----761.3	1	-	-	-	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	35	8	18	2	4	1	1	-	-
48	Toxemia of pregnancy-----762	37	8	19	4	2	3	-	-	-
49	Maternal antepartum and intrapartum infection-----763	48	17	16	5	5	1	-	-	-
50	Difficult labor-----764-768	105	31	43	15	8	4	3	-	1
51	With mention of birth injury (.0-.5)-----	32	5	12	7	3	4	1	-	-
52	Without mention of birth injury (.4,.9)-----	73	26	31	8	5	-	2	-	1
53	All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	736	112	466	83	26	18	10	2	3
54	Conditions of placenta-----770	198	56	113	21	6	2	-	-	-
55	Conditions of umbilical cord-----771	54	18	26	5	3	1	-	-	-
56	Birth injury without mention of cause-----772	331	11	116	74	46	21	14	12	6
57	Hemolytic disease of newborn-----774,775	40	6	16	3	6	-	1	-	1
58	Hyaline membrane disease-----776.1	446	6	193	106	67	26	11	7	7
59	Respiratory distress syndrome-----776.2	494	12	261	98	55	29	7	4	6
60	Asphyxia of newborn, unspecified-----766.9	1,440	155	837	201	91	31	30	28	10
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	97	12	41	9	10	4	3	6	-
62	Immaturity, unqualified-----777	1,653	253	999	169	74	41	19	11	19
63	Postmaturity-----778.1	-	-	-	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	74	2	20	19	9	6	1	1	2
65	All other conditions of newborn-----778.0,778.3,778.9	246	22	130	27	14	5	7	7	4
66	Symptoms and ill-defined conditions-----780-796	762	34	59	25	19	12	10	3	3
67	Accidents-----E800-E949	424	2	4	8	5	2	3	1	-
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	135	-	2	3	3	1	2	1	-
69	Accidental mechanical suffocation-----E913	123	-	1	2	-	-	-	-	-
70	Other accidental causes-----E800-E910,E914-E949	166	2	1	3	2	1	1	-	-
71	Homicide-----E960-E978	24	4	2	-	1	1	-	-	-
72	All other causes-----Residual	250	3	10	5	2	7	6	-	2

SECTION 2 - INFANT MORTALITY

2-55

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,787	358	243	234	7,622	850	686	557	383	308	240	167	129	128	112	109	1
3	14	18	9	44	67	32	26	31	16	10	12	15	7	9	6	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	-	1	-	3	2	1	2	5	2	2	2	1	-	-	1	4
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
61	24	10	11	106	19	9	6	5	-	1	3	1	2	-	2	6
2	3	4	-	9	2	4	1	2	4	2	3	-	3	-	-	7
3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	8
3	2	3	3	11	8	7	6	6	7	1	5	3	6	2	2	9
1	1	-	-	2	2	1	-	1	-	-	1	1	2	-	1	10
3	-	-	1	4	2	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	12
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	15
7	-	-	2	9	3	2	1	1	6	2	-	-	-	1	-	14
9	3	8	3	23	15	12	13	14	9	10	3	7	6	9	4	15
4	1	1	2	8	7	5	4	7	9	2	6	2	3	1	6	16
4	2	1	5	12	11	11	9	4	4	5	3	2	2	3	-	17
4	3	2	3	12	21	12	14	11	6	7	3	3	1	4	2	18
183	57	52	65	357	304	272	204	146	118	97	47	37	32	28	31	19
-	-	1	1	2	4	6	8	5	6	-	3	3	-	1	2	20
183	57	51	64	355	300	266	196	141	112	97	44	34	32	27	29	21
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	22
21	2	1	4	28	12	14	8	7	7	2	3	2	2	4	4	23
33	6	4	3	46	13	6	5	1	3	1	2	-	1	-	-	24
1	-	-	-	1	5	1	3	1	-	-	1	-	-	-	-	25
31	3	6	3	43	12	4	5	1	1	1	6	-	-	2	2	26
416	62	41	32	551	75	58	54	23	32	27	19	12	12	11	11	27
24	1	3	-	26	-	-	1	-	-	-	-	-	-	-	-	28
10	3	3	-	16	2	1	3	2	2	1	-	1	1	-	-	29
16	1	1	2	19	1	1	3	1	5	3	2	2	1	1	2	30
17	-	1	1	19	-	-	-	1	2	2	-	-	-	-	-	31
156	27	18	12	213	38	35	35	15	11	13	11	8	6	8	8	32
22	8	4	3	37	7	7	5	1	2	2	3	1	1	-	-	33
38	1	-	2	41	1	-	-	-	2	-	-	-	-	-	-	34
35	14	7	6	62	12	6	1	2	5	-	1	-	2	-	1	35
8	4	5	3	20	6	2	-	1	3	-	-	-	-	-	-	36
22	-	-	1	23	3	1	-	-	1	1	-	-	1	-	-	37
3	1	1	-	5	-	-	1	-	-	-	-	2	-	-	-	38
51	1	1	1	54	3	2	3	1	-	2	-	-	-	-	-	39
14	1	-	1	16	2	3	2	-	2	-	-	-	-	-	-	40
5,760	143	54	35	5,992	32	10	5	-	2	1	-	1	1	1	2	41
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	42
44	1	-	-	45	1	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
9	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	46
34	1	-	-	35	-	-	-	-	-	-	-	-	-	-	-	47
36	1	-	-	37	-	-	-	-	-	-	-	-	-	-	-	48
44	3	-	1	48	-	-	-	-	-	-	-	-	-	-	-	49
105	-	-	-	105	-	-	-	-	-	-	-	-	-	-	-	50
32	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	51
73	-	-	-	73	-	-	-	-	-	-	-	-	-	-	-	52
720	10	2	1	733	2	-	1	-	-	-	-	-	-	-	-	53
198	-	-	-	198	-	-	-	-	-	-	-	-	-	-	-	54
54	-	-	-	54	-	-	-	-	-	-	-	-	-	-	-	55
300	16	6	4	326	2	1	1	-	-	-	-	-	-	-	1	56
33	2	1	1	37	-	1	-	-	-	-	-	1	-	-	1	57
423	14	4	2	443	1	1	-	-	1	-	-	-	-	-	-	58
472	12	2	3	489	3	1	1	-	-	-	-	-	-	-	-	59
1,383	32	12	11	1,438	-	-	-	-	-	1	-	-	1	-	-	60
85	3	4	2	94	3	-	-	-	-	-	-	-	-	-	-	61
1,585	30	12	3	1,630	18	2	1	-	1	-	-	-	-	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
60	9	3	2	74	-	-	-	-	-	-	-	-	-	-	-	64
216	10	8	5	239	2	4	1	-	-	-	-	-	-	-	-	65
165	17	21	33	236	116	133	104	31	30	29	11	18	17	2	5	66
25	6	8	9	48	68	59	58	60	30	28	20	16	17	28	17	67
12	2	3	3	20	28	20	21	8	10	8	5	3	4	4	4	68
3	3	1	4	11	24	26	25	13	5	4	4	4	4	2	1	69
10	1	4	2	17	16	13	12	14	15	16	11	9	9	22	12	70
8	1	-	-	9	1	-	2	1	2	5	3	-	-	1	-	71
35	8	8	10	61	52	30	26	18	11	7	10	8	12	6	9	72

Table 2-13. Death Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 All other, female--all causes-----	9,070	696	2,819	774	440	190	161	105	77
2 Diarrheal diseases-----009	216	-	-	1	-	-	-	2	1
3 Whooping cough-----033	6	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	8	-	-	-	-	-	-	-	-
5 Tetanus-----037	2	-	-	-	-	-	-	-	-
6 Septicemia-----038	123	-	14	7	4	10	2	8	2
7 Viral diseases-----040-079	30	-	1	-	1	-	-	-	-
8 Congenital syphilis-----090	4	-	3	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	51	2	1	-	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	14	-	2	-	1	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	11	-	1	-	1	1	-	-	-
12 Diseases of thymus gland-----284	2	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	4	-	-	-	1	1	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	19	-	1	1	-	-	-	-	1
15 Meningitis-----320	74	-	-	-	2	1	-	1	1
16 Other diseases of nervous system and sense organs-----321-389	60	-	-	-	1	-	-	1	-
17 Acute upper respiratory infections-----460-465	48	-	-	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466, 490, 491	82	-	1	1	-	1	2	7	10
19 Influenza and pneumonia-----470-474, 480-486	1,430	4	38	24	16	15	7	10	11
20 Influenza-----470-474	33	-	-	-	-	-	-	-	-
21 Pneumonia-----480-486	1,397	4	38	24	16	15	7	10	11
22 Other chronic interstitial pneumonia-----517	1	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492, 495, 500-516, 518, 519	81	1	8	5	4	-	2	-	1
24 Hernia and intestinal obstruction-----550-553, 560	50	2	7	1	2	3	-	-	2
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 581, 583	5	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 584-577	47	-	3	1	3	1	4	4	-
27 Congenital anomalies-----740-759	762	61	125	41	43	26	25	11	9
28 Anencephalus-----740	38	17	16	2	-	1	1	1	-
29 Spina bifida-----741	33	1	5	-	2	1	2	1	-
30 Congenital hydrocephalus-----742	42	7	9	-	3	-	-	-	-
31 Other congenital anomalies of central nervous system and eyes-----743, 744	33	2	3	3	1	2	-	-	-
32 Congenital anomalies of heart-----746	335	6	30	19	28	13	11	5	3
33 Other congenital anomalies of circulatory system-----747	42	2	3	4	-	2	1	-	1
34 Congenital anomalies of respiratory system-----748	29	3	9	3	3	1	2	-	-
35 Congenital anomalies of digestive system-----749-751	78	3	5	1	3	4	4	1	4
36 Congenital anomalies of genitourinary system-----752, 753	18	4	8	-	1	-	1	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	17	1	5	1	1	-	1	-	-
38 Down's disease-----759.3	10	-	2	-	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	65	11	23	4	1	1	2	2	1
40 Other and unspecified congenital anomalies-----745, 757, 758	22	4	7	4	-	1	-	1	-
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	4,739	587	2,555	679	350	120	111	63	41
42 Chronic circulatory and genitourinary diseases in mother-----760	3	2	1	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	32	6	15	6	3	-	1	-	-
44 Syphilis-----761.0	2	-	2	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	12	1	5	3	2	-	1	-	-
46 Rubella-----761.3	2	1	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	16	4	8	3	1	-	-	-	-
48 Toxemia of pregnancy-----762	30	6	13	3	2	2	1	1	-
49 Maternal antepartum and intrapartum infection-----763	38	12	17	4	2	-	-	1	1
50 Difficult labor-----764-768	65	25	24	6	3	-	4	2	-
51 With mention of birth injury (.0-.3)-----	24	5	9	4	2	-	3	1	-
52 Without mention of birth injury (.4,.9)-----	41	20	15	2	1	-	1	1	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	630	83	404	73	29	14	10	2	3
54 Conditions of placenta-----770	167	43	95	16	7	2	1	-	-
55 Conditions of umbilical cord-----771	29	7	8	6	3	2	-	-	-
56 Birth injury without mention of cause-----772	244	15	90	47	30	16	6	10	3
57 Hemolytic disease of newborn-----774, 775	33	5	10	2	-	4	3	2	-
58 Hyaline membrane disease-----776.1	293	10	146	65	35	11	6	7	2
59 Respiratory distress syndrome-----776.2	344	15	170	75	44	10	10	4	3
60 Asphyxia of newborn, unspecified-----766.9	1,088	123	594	172	87	27	24	14	8
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	104	17	38	20	7	2	5	2	-
62 Immaturity, unqualified-----777	1,371	196	806	152	70	22	27	13	17
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	51	1	20	9	7	1	3	2	1
65 All other conditions of newborn-----778.0, 778.3, 778.9	217	21	104	23	21	7	10	3	3
66 Symptoms and ill-defined conditions-----780-796	610	24	52	8	10	7	4	2	2
67 Accidents-----E800-E849	356	4	1	1	-	2	2	1	3
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	117	2	-	-	-	2	-	1	2
69 Accidental mechanical suffocation-----E913	103	1	1	-	-	-	-	-	1
70 Other accidental causes-----E900-E910, E914-E949	136	1	-	1	-	-	2	-	-
71 Homicide-----E860-E878	24	8	1	2	-	-	-	1	-
72 All other causes-----Residual	211	3	5	2	1	2	2	1	3

SECTION 2 - INFANT MORTALITY

2-57

Causes, by Age, Color, and Sex: United States, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
5,262	281	201	186	5,930	703	611	467	336	241	190	158	120	136	93	85	1
4	7	13	7	31	40	31	24	27	10	18	7	5	12	9	2	2
-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	3
-	-	-	-	-	2	1	2	-	1	-	1	-	-	-	-	4
47	18	9	10	84	10	7	5	6	2	3	1	1	2	2	-	5
2	2	2	2	8	5	2	1	2	4	2	3	-	3	-	-	7
3	3	-	1	4	4	-	-	-	-	-	-	-	-	-	-	8
3	3	5	4	15	6	6	4	7	2	5	-	3	-	2	1	9
3	-	-	-	3	1	2	1	2	-	1	1	1	1	-	1	10
3	-	-	-	3	1	-	-	-	2	1	1	1	-	-	2	11
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	12
2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	13
3	-	-	-	3	5	2	-	2	2	-	-	2	2	1	-	14
5	9	-	3	17	11	6	11	8	3	5	2	3	5	1	2	15
2	-	-	-	2	9	4	7	6	4	8	8	4	1	6	1	16
-	1	1	-	2	10	14	10	2	1	2	2	2	2	1	-	17
5	-	1	3	9	14	15	11	7	8	4	3	5	2	2	2	18
125	38	49	50	262	263	243	196	127	91	60	64	43	40	18	23	19
-	-	4	-	4	5	6	6	1	2	1	2	2	1	1	2	20
125	38	45	50	258	258	237	190	126	89	59	62	41	39	17	21	21
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
21	1	1	1	24	14	12	9	-	-	-	-	-	-	-	-	23
17	4	3	7	31	6	2	1	8	2	2	1	2	1	3	3	24
-	-	-	-	-	1	2	-	-	4	3	-	-	-	2	-	25
16	5	4	2	27	3	3	4	-	4	1	2	-	-	1	1	26
341	49	32	30	452	66	53	44	37	26	16	15	10	18	13	12	27
38	-	-	-	38	-	-	-	-	-	-	-	-	-	-	-	28
12	2	2	1	17	4	3	2	1	2	-	1	-	1	1	1	29
19	-	1	3	25	2	2	3	-	1	2	2	2	1	3	1	30
11	2	3	3	19	-	2	4	-	2	2	1	1	2	-	2	31
115	26	11	10	162	31	34	29	24	15	7	8	7	7	4	7	32
13	4	5	4	26	10	2	1	1	2	2	-	-	-	-	-	33
21	-	2	-	23	-	-	1	2	-	1	1	-	-	-	1	34
25	12	2	7	46	9	3	2	3	2	2	1	-	7	3	-	35
14	-	1	-	15	2	1	-	-	-	-	-	-	-	-	-	36
9	1	1	1	12	1	1	-	2	1	-	-	-	-	-	-	37
2	-	-	1	3	1	1	2	1	1	-	-	-	-	2	-	38
44	2	3	-	49	4	3	2	3	3	1	-	-	-	-	-	39
18	-	1	-	19	2	-	-	-	1	-	-	-	-	-	-	40
4,506	112	50	32	4,700	25	5	3	-	1	2	1	-	-	2	-	41
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	42
31	-	1	-	32	-	-	-	-	-	-	-	-	-	-	-	43
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	44
12	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	45
1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	46
16	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	47
28	1	-	-	29	-	1	-	-	-	-	-	-	-	-	-	48
37	-	1	-	38	-	-	-	-	-	-	-	-	-	-	-	49
64	-	1	-	65	-	-	-	-	-	-	-	-	-	-	-	50
24	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	51
40	-	1	-	41	-	-	-	-	-	-	-	-	-	-	-	52
618	8	2	1	629	1	-	-	-	-	-	-	-	-	-	-	53
164	1	2	-	167	-	-	-	-	-	-	-	-	-	-	-	54
26	2	-	-	28	1	-	-	-	-	-	-	-	-	-	-	55
217	14	7	3	241	1	1	1	-	-	-	-	-	-	-	-	56
26	4	2	1	33	-	-	-	-	-	-	-	-	-	-	-	57
282	5	3	-	290	3	-	-	-	-	-	-	-	-	-	-	58
331	5	3	2	341	1	-	-	4	-	1	-	-	-	1	-	59
1,049	19	10	4	1,082	3	1	-	-	-	1	1	-	-	-	-	60
91	2	4	3	100	3	-	-	-	-	-	-	-	-	-	-	61
1,303	33	10	11	1,397	12	1	1	-	-	-	-	-	-	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
44	5	1	1	51	-	-	-	-	-	-	-	-	-	-	-	64
192	13	3	6	214	-	1	1	-	1	-	-	-	-	-	-	65
109	18	20	17	164	123	111	78	35	32	21	13	11	7	7	8	66
14	6	4	9	33	45	56	37	43	29	21	23	17	28	11	13	67
7	2	4	3	16	15	24	13	15	9	7	8	1	6	1	2	68
3	2	5	5	10	15	17	15	21	12	1	3	5	3	1	-	69
4	2	-	1	7	15	15	9	7	8	13	12	11	19	9	11	70
12	1	-	1	13	1	3	-	1	2	2	-	2	-	-	-	71
19	6	7	6	38	40	29	18	15	10	12	10	7	11	11	10	72

SECTION 2 · INFANT MORTALITY

Table 2.14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Total, under 1 year	United States					
		Under 28 days			28 days-11 months		
		Total	White	All other	Total	White	All other
1 All causes-----	76,263	56,456	42,904	13,552	19,807	12,998	6,809
2 Diarrheal diseases-----009	926	153	78	75	773	357	416
3 Whooping cough-----033	27	1	1	-	26	12	14
4 Meningococcal infections-----036	157	12	9	3	145	119	26
5 Tetanus-----037	3	3	-	3	-	-	-
6 Septicemia-----038	800	558	368	190	242	150	92
7 Viral diseases-----040-079	278	80	63	17	198	155	43
8 Congenital syphilis-----090	15	13	5	8	2	2	-
9 Other infective and parasitic diseases-----Remainder of 000-136	270	61	35	26	209	120	89
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	164	47	42	5	117	97	20
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	90	44	37	7	46	34	12
12 Diseases of thymus gland-----254	43	4	4	-	39	33	6
13 Cystic fibrosis-----273.0	126	54	49	5	72	70	2
14 Diseases of the blood and blood-forming organs-----280-289	146	53	41	12	93	59	34
15 Meningitis-----320	524	169	129	40	355	196	159
16 Other diseases of nervous system and sense organs-----321-369	487	54	44	10	433	323	110
17 Acute upper respiratory infections-----460-465	301	33	19	14	268	168	100
18 Bronchitis and bronchiolitis-----466,490,491	531	41	20	21	490	332	158
19 Influenza and pneumonia-----470-474,480-486	7,907	1,795	1,176	619	6,112	3,628	2,484
20 Influenza-----470-474	133	13	7	6	120	53	67
21 Pneumonia-----480-486	7,774	1,782	1,169	613	5,992	3,575	2,417
22 Other chronic interstitial pneumonia-----517	24	5	5	-	19	15	4
23 All other diseases of respiratory system-----492,493,500-516,518,519	559	175	123	52	384	262	122
24 Hernia and intestinal obstruction-----550-553,560	639	478	401	77	161	110	51
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	44	4	3	1	40	24	16
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	410	217	147	70	193	139	54
27 Congenital anomalies-----740-759	11,052	7,485	6,482	1,003	3,567	2,923	644
28 Anencephalus-----740	959	871	64	64	24	23	1
29 Spina bifida-----741	744	439	406	33	305	276	29
30 Congenital hydrocephalus-----742	530	271	229	42	259	221	38
31 Other congenital anomalies of central nervous system and eye-----743,744	430	271	233	38	159	136	23
32 Congenital anomalies of heart-----746	4,371	2,611	2,236	375	1,760	1,399	361
33 Other congenital anomalies of circulatory system-----747	744	456	393	63	288	243	45
34 Congenital anomalies of respiratory system-----748	450	395	331	64	55	46	9
35 Congenital anomalies of digestive system-----749-751	819	495	387	108	324	262	62
36 Congenital anomalies of genitourinary system-----752,753	399	326	291	35	73	58	15
37 Congenital anomalies of musculoskeletal system-----754-756	328	271	236	35	57	45	12
38 Down's disease-----759.3	120	45	37	8	75	65	10
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	957	812	709	103	145	118	27
40 Other and unspecified congenital anomalies-----745,757,758	201	158	123	35	43	31	12
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	43,707	43,441	32,749	10,692	266	172	94
42 Chronic circulatory and genitourinary diseases in mother-----760	21	21	16	5	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	463	451	374	77	12	11	1
44 Syphilis-----761.0	4	4	1	3	-	-	-
45 Diabetes mellitus-----761.1	237	236	215	21	1	1	-
46 Rubella-----761.3	21	10	8	2	11	10	1
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	201	201	150	51	-	-	-
48 Toxemia of pregnancy-----762	229	228	162	66	1	-	1
49 Maternal antepartum and intrapartum infection-----763	249	246	160	86	3	3	-
50 Difficult labor-----764-768	714	714	544	170	-	-	-
51 With mention of birth injury (.0-.3)-----	215	215	159	56	-	-	-
52 Without mention of birth injury (.4,.9)-----	499	499	385	114	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,582	5,569	4,207	1,362	13	9	4
54 Conditions of placenta-----770	2,588	2,583	2,218	365	5	5	-
55 Conditions of umbilical cord-----771	416	411	329	82	5	4	1
56 Birth injury without mention of cause-----772	2,054	2,016	1,449	567	38	30	8
57 Hemolytic disease of newborn-----774,775	952	939	869	70	13	10	3
58 Hyaline membrane disease-----776.1	4,551	4,533	3,800	733	18	12	6
59 Respiratory distress syndrome-----776.2	3,717	3,692	2,862	830	25	17	8
60 Asphyxia of newborn, unspecified-----776.9	10,297	10,231	7,711	2,520	26	18	8
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	758	743	549	194	15	8	7
62 Immaturity, unqualified-----777	9,423	9,358	6,371	2,987	65	28	37
63 Postmaturity-----778.1	4	4	4	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	439	439	314	125	-	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	1,290	1,263	810	453	27	17	10
66 Symptoms and ill-defined conditions-----780-796	2,958	737	337	400	2,221	1,249	972
67 Accidents-----E800-E949	2,520	267	186	81	2,253	1,554	699
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	771	107	71	36	664	448	216
69 Accidental mechanical suffocation-----E913	761	58	37	21	703	498	205
70 Other accidental causes-----E800-E910,E914-E949	988	102	78	24	886	608	278
71 Homicide-----E960-E978	163	73	51	22	90	64	26
72 All other causes-----Residual	1,392	399	300	99	993	631	362

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Alabama				Total, under 1 year	Alaska				Total, under 1 year	Arizona				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,694	690	502	190	312	140	63	37	13	27	751	401	88	135	127	1
50	2	5	6	37	1	-	1	-	-	39	1	2	9	27	2
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3
4	-	-	3	1	1	1	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
16	9	3	2	2	-	-	-	-	-	9	1	5	1	2	6
3	-	-	-	3	-	-	-	-	-	3	2	-	-	-	7
7	-	2	3	2	-	-	-	-	-	13	1	2	2	8	8
3	-	-	3	-	2	1	-	-	1	1	1	-	-	-	10
3	1	-	2	-	-	-	-	-	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	13
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	14
11	4	-	1	6	2	-	-	-	2	9	2	1	1	5	15
8	1	-	3	4	-	-	-	-	-	5	-	-	2	3	16
4	-	-	-	1	-	-	-	-	-	3	-	-	1	-	17
10	-	3	6	1	2	-	-	-	2	12	1	1	8	2	18
185	15	26	40	104	9	-	-	1	8	81	16	3	37	25	19
7	-	-	-	7	-	-	-	-	-	2	-	-	-	-	20
178	15	26	40	97	9	-	-	1	8	79	16	3	37	23	21
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
5	2	-	2	1	-	-	-	-	-	8	1	-	4	3	23
12	4	4	3	1	1	-	-	-	1	9	4	2	2	1	24
-	-	-	-	-	-	-	-	-	-	4	-	1	1	3	25
6	3	2	-	1	-	-	-	-	-	4	-	1	2	1	26
192	107	29	40	16	12	5	4	3	-	98	51	7	31	9	27
17	14	2	1	-	2	2	-	-	-	7	6	1	-	-	28
23	12	3	6	2	1	1	-	-	-	4	2	-	2	-	29
8	4	1	2	1	1	1	-	-	-	2	1	-	1	-	30
7	4	2	1	1	4	1	-	-	-	6	2	-	3	1	31
67	32	12	15	8	4	1	-	3	-	41	18	3	14	6	32
13	6	1	5	1	1	1	-	-	-	9	6	-	2	1	33
10	7	1	-	2	-	-	-	-	-	7	3	-	3	1	34
11	4	5	2	-	1	-	1	-	-	5	1	-	1	3	35
10	5	2	2	1	-	-	-	-	-	6	5	-	1	-	36
7	6	-	1	-	-	-	-	-	-	1	1	-	-	-	37
2	1	-	1	-	-	-	-	-	-	2	-	-	2	-	38
14	9	-	4	1	1	-	1	-	-	8	6	2	-	-	39
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	40
874	518	351	2	3	83	53	30	-	-	365	304	59	2	-	41
9	3	6	-	-	-	-	-	-	-	5	5	-	-	-	42
2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	43
3	2	1	-	-	-	-	-	-	-	4	4	-	-	-	44
4	1	3	-	-	-	-	-	-	-	1	1	-	-	-	45
6	5	1	-	-	-	-	-	-	-	5	3	2	-	-	46
8	5	3	-	-	2	2	-	-	-	4	2	2	-	-	47
9	2	7	-	-	4	2	2	-	-	2	2	-	-	-	48
4	4	4	-	-	4	2	2	-	-	2	2	-	-	-	49
5	2	3	-	-	4	2	2	-	-	2	2	-	-	-	50
105	61	44	-	-	10	8	2	-	-	42	36	6	-	-	51
34	23	10	1	-	-	-	-	-	-	13	12	1	-	-	52
8	7	1	-	-	-	-	-	-	-	9	8	1	-	-	53
42	23	19	-	-	5	4	1	-	-	15	12	3	-	-	54
10	9	1	-	-	3	3	-	-	-	5	4	1	-	-	55
99	69	30	-	-	12	9	3	-	-	49	45	3	1	-	56
54	34	20	-	-	5	3	2	-	-	34	30	4	-	-	57
194	121	73	-	-	20	11	9	-	-	85	72	13	-	-	58
15	9	6	-	-	-	-	-	-	-	14	10	4	-	-	59
260	130	126	1	3	21	11	10	-	-	76	58	18	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
6	5	1	-	-	-	-	-	-	-	2	2	-	-	-	62
15	12	3	-	-	1	-	1	-	-	5	3	1	1	-	63
178	12	69	28	69	15	2	-	5	8	31	4	2	8	17	64
78	2	7	28	41	10	1	-	4	3	28	1	1	18	8	65
17	1	3	5	8	3	1	1	-	1	7	-	-	6	1	66
30	-	3	11	16	1	-	-	-	1	6	-	-	5	1	67
31	1	1	12	17	6	-	1	4	-	15	1	1	7	6	68
1	1	1	-	-	-	-	-	-	-	4	1	-	-	3	69
35	7	-	10	18	2	-	-	-	2	24	9	2	6	7	70

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Arkansas				California					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	767	336	186	117	128	6,444	4,053	720	1,395	276
2 Diarrheal diseases-----009	20	1	3	4	12	43	6	1	29	7
3 Whooping cough-----033	1	-	-	-	1	-	-	-	-	-
4 Meningococcal infections-----036	1	-	-	-	1	5	-	-	4	1
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	17	5	9	2	1	55	31	10	11	3
7 Viral diseases-----040-079	2	-	-	1	1	22	4	-	16	2
8 Congenital syphilis-----090	-	-	-	-	-	1	-	-	1	-
9 Other infective and parasitic diseases-----Remainder of 000-136	3	-	-	1	2	11	3	1	5	2
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	-	-	-	-	-	12	2	-	10	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	3	1	1	1	-
12 Diseases of thymus gland-----254	-	-	-	-	-	7	1	-	6	-
13 Cystic fibrosis-----273.0	2	2	-	-	-	13	4	-	9	-
14 Diseases of the blood and blood-forming organs-----280-289	1	-	-	-	1	12	7	-	3	2
15 Meningitis-----320	4	2	-	1	1	49	14	4	21	10
16 Other diseases of nervous system and sense organs-----321-389	2	-	-	2	-	40	1	-	31	8
17 Acute upper respiratory infections-----460-465	3	1	1	-	1	24	1	-	20	3
18 Bronchitis and bronchiolitis-----466,490,491	4	-	-	2	2	47	1	1	36	9
19 Influenza and pneumonia-----470-474,480-486	108	14	15	27	52	888	134	43	580	131
20 Influenza-----470-474	9	1	2	1	5	6	-	-	5	1
21 Pneumonia-----480-486	99	13	13	26	47	882	134	43	575	130
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	2	-	4	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	6	2	1	2	1	53	13	-	33	5
24 Hernia and intestinal obstruction-----550-553,560	7	5	-	2	-	68	44	10	13	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	1	-	-	-	1	4	1	-	2	1
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	2	1	-	1	-	41	17	5	13	6
27 Congenital anomalies-----740-759	100	54	10	26	10	997	611	72	278	36
28 Anencephalus-----740	5	4	1	-	-	82	70	8	4	-
29 Spina bifida-----741	6	3	-	3	-	40	23	1	14	2
30 Congenital hydrocephalus-----742	4	1	-	3	-	41	19	-	21	1
31 Other congenital anomalies of central nervous system and eye-----743,744	6	2	-	3	1	43	27	1	13	2
32 Congenital anomalies of heart-----746	42	21	4	11	6	406	223	30	137	16
33 Other congenital anomalies of circulatory system-----747	7	4	1	2	-	88	48	5	31	4
34 Congenital anomalies of respiratory system-----748	2	2	-	-	-	52	36	7	8	1
35 Congenital anomalies of digestive system-----749-751	9	3	1	3	2	65	33	6	22	4
36 Congenital anomalies of genitourinary system-----752,753	4	3	-	1	-	32	24	2	6	-
37 Congenital anomalies of musculoskeletal system-----754-756	2	2	-	-	-	40	33	3	4	-
38 Down's disease-----759.3	-	-	-	-	-	11	4	1	5	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	11	9	2	-	-	81	62	6	10	3
40 Other and unspecified congenital anomalies-----745,757,758	2	-	1	-	1	16	9	2	3	2
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	379	247	130	1	1	3,685	3,109	555	18	3
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	1	1	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	4	3	1	-	-	54	47	6	1	-
44 Syphilis-----761.0	-	-	-	-	-	1	1	-	-	-
45 Diabetes mellitus-----761.1	1	1	-	-	-	29	27	2	-	-
46 Rubella-----761.3	-	-	-	-	-	2	1	-	1	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	3	2	1	-	-	22	18	4	-	-
48 Toxemia of pregnancy-----762	1	1	-	-	-	16	15	1	-	-
49 Maternal antepartum and intrapartum infection-----765	2	1	1	-	-	41	31	10	-	-
50 Difficult labor-----784-788	6	5	1	-	-	68	58	10	-	-
51 With mention of birth injury (.0-.3)	3	3	-	-	-	23	19	4	-	-
52 Without mention of birth injury (.4,.9)	3	2	1	-	-	45	39	6	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	39	27	12	-	-	490	411	78	1	-
54 Conditions of placenta-----770	22	15	7	-	-	229	206	23	-	-
55 Conditions of umbilical cord-----771	4	3	1	-	-	40	37	3	-	-
56 Birth injury without mention of cause-----772	37	16	21	-	-	191	151	37	3	-
57 Hemolytic disease of newborn-----774,775	5	2	3	-	-	86	80	5	1	-
58 Hyaline membrane disease-----776.1	47	36	10	1	-	487	420	64	2	1
59 Respiratory distress syndrome-----776.2	23	22	1	-	-	351	292	56	3	-
60 Asphyxia of newborn, unspecified-----776.9	69	47	22	-	-	750	652	96	2	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	7	5	2	-	-	89	72	14	2	1
62 Immaturity, unqualified-----777	95	59	35	-	1	621	508	111	1	1
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	4	2	2	-	-	46	40	6	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	14	3	11	-	-	125	88	35	2	-
66 Symptoms and ill-defined conditions-----780-796	50	-	15	14	21	100	19	6	64	11
67 Accidents-----E900-E949	37	1	24	12	156	156	8	1	125	22
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	3	-	-	1	2	41	2	-	33	6
69 Accidental mechanical suffocation-----E913	23	-	-	16	7	32	-	-	27	5
70 Other accidental causes-----E900-E910,E914-E949	11	-	1	7	3	83	6	1	65	11
71 Homicide-----E960-E978	1	-	1	-	-	16	3	1	12	-
72 All other causes-----Residual	15	1	-	7	7	86	16	7	50	13

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1966]

Colorado					Connecticut				Delaware				District of Columbia							
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
762	545	34	166	17	934	597	111	187	39	199	98	40	28	33	387	27	254	13	93	1
11	-	-	8	3	3	-	-	1	2	2	-	-	-	2	3	-	-	-	3	2
-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
6	6	-	-	-	6	5	-	1	-	-	-	-	-	-	1	-	-	-	1	5
6	2	1	3	-	8	2	-	4	2	2	2	-	-	-	-	-	-	-	-	6
3	1	-	1	1	5	-	1	3	1	-	-	-	-	-	2	-	1	-	1	8
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	12
3	-	-	3	-	2	1	-	4	1	2	-	-	1	1	-	-	-	-	-	13
3	-	-	3	-	7	2	-	4	1	3	1	-	-	2	2	-	-	-	-	14
9	1	1	7	-	6	1	-	3	2	3	1	-	-	3	1	1	-	-	1	15
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	16
3	-	-	3	-	6	-	-	6	-	-	-	-	-	-	-	-	-	-	-	17
69	24	1	42	2	67	9	3	45	10	27	1	-	12	14	17	-	3	1	13	18
2	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	19
67	22	1	42	2	65	9	3	45	8	27	1	-	12	14	17	-	3	1	13	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	5	-	-	-	7	-	2	2	3	1	-	-	-	1	3	-	-	-	-	22
7	3	2	2	-	10	5	1	4	4	4	4	-	-	-	1	1	-	-	-	23
-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	24
3	1	-	2	-	1	-	1	-	-	-	-	-	-	2	-	1	-	-	-	25
116	83	3	29	1	156	96	12	40	8	27	12	4	7	4	32	3	14	4	11	26
13	13	-	-	-	14	12	1	1	1	1	1	-	-	-	1	1	1	1	1	27
7	6	1	-	-	12	7	1	4	-	-	-	-	-	2	-	-	-	-	-	28
7	5	-	2	-	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	29
5	3	-	2	-	3	1	-	2	-	3	-	-	1	2	-	-	-	-	-	30
40	24	1	14	1	62	28	7	21	6	15	5	2	6	2	14	1	4	2	7	31
8	8	-	-	-	10	8	-	2	-	1	-	1	-	-	3	3	3	-	-	32
3	2	-	1	-	11	10	1	-	-	-	-	-	-	4	-	3	-	-	1	33
8	5	3	3	-	9	4	1	3	1	2	1	1	-	4	1	2	-	-	1	34
8	4	1	3	-	9	3	2	1	1	1	1	-	-	-	-	-	-	-	-	35
3	2	-	1	-	2	2	-	2	-	2	2	-	-	1	1	-	-	-	-	36
2	1	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	-	37
10	8	2	2	-	19	17	1	1	1	2	2	-	-	2	2	1	-	1	-	38
2	2	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	39
438	408	25	5	-	555	463	87	4	1	113	78	35	-	-	251	22	229	-	-	40
9	9	-	-	-	6	6	-	-	-	-	-	-	-	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
5	5	-	-	-	3	3	-	-	-	-	-	-	-	1	1	-	-	-	-	43
4	4	-	-	-	3	3	-	-	-	-	-	-	-	-	4	-	-	-	-	44
2	2	-	-	-	3	2	1	-	-	-	-	-	-	4	-	4	-	-	-	45
13	12	1	-	-	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	46
3	2	1	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	47
10	10	-	-	-	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	48
62	53	9	-	-	65	52	13	-	-	11	10	1	-	-	27	2	25	-	-	49
27	25	2	-	-	20	19	1	-	-	4	2	2	-	-	8	2	6	-	-	50
3	3	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	51
26	21	3	2	-	26	23	3	-	-	7	5	2	-	-	8	3	5	-	-	52
11	11	-	-	-	13	12	-	1	-	7	7	-	-	-	-	-	-	-	-	53
67	65	2	-	-	38	35	2	1	-	14	10	4	-	-	9	1	8	-	-	54
60	59	-	1	-	54	47	7	-	-	9	6	3	-	-	10	1	9	-	-	55
76	72	4	-	-	123	108	15	-	-	28	18	10	-	-	28	5	23	-	-	56
4	4	-	-	-	10	9	-	-	1	3	2	1	-	-	6	1	5	-	-	57
68	65	1	2	-	150	114	34	2	-	25	16	9	-	-	143	5	138	-	-	58
3	2	1	-	-	8	8	-	-	-	2	1	1	-	-	2	1	1	-	-	59
7	5	2	-	-	33	23	10	-	-	1	-	1	-	-	5	5	-	-	-	60
28	4	-	21	3	46	8	2	28	8	3	-	-	1	2	43	-	3	5	35	61
29	3	-	23	3	23	1	-	22	-	5	-	-	3	2	21	-	-	3	18	62
8	3	-	5	-	9	1	-	8	-	1	-	-	-	1	8	-	-	2	6	63
11	-	-	10	1	6	-	-	6	-	-	-	-	-	6	-	-	-	1	5	64
10	-	-	8	2	8	-	-	8	-	4	-	-	3	1	7	-	-	-	-	65
1	-	-	1	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	66
18	4	1	11	2	18	3	1	13	1	5	-	1	3	6	-	1	-	-	5	67

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Florida				Georgia					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	2,460	1,138	632	356	334	2,219	856	617	285	461
2 Diarrheal diseases-----009	33	1	1	11	20	38	-	8	5	25
3 Whooping cough-----053	3	-	-	-	3	-	-	-	-	-
4 Meningococcal infections-----036	5	-	-	5	-	4	-	-	4	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	26	11	7	2	6	45	18	14	5	8
7 Viral diseases-----040-079	4	2	-	-	2	7	1	2	2	2
8 Congenital syphilis-----090	1	-	1	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	10	1	2	3	4	15	1	2	6	6
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	5	1	-	2	2	2	1	-	1	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	1	-	-	-	1
12 Diseases of thymus gland-----254	1	-	-	1	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	6	2	-	4	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	3	-	-	2	1	1	-	-	1	-
15 Meningitis-----320	23	3	2	10	8	17	2	3	2	10
16 Other diseases of nervous system and sense organs-----321-389	17	-	2	4	11	16	-	1	8	7
17 Acute upper respiratory infections-----480-485	9	-	-	4	5	12	-	1	3	8
18 Bronchitis and bronchiolitis-----466,490,491	8	-	1	6	2	10	-	-	7	3
19 Influenza and pneumonia-----470-474,480-486	267	31	30	68	118	432	31	48	105	248
20 Influenza-----470-474	5	-	-	-	5	18	1	2	2	13
21 Pneumonia-----480-486	262	31	30	68	113	414	30	46	103	235
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	23	1	1	7	14	15	1	3	4	7
24 Hernia and intestinal obstruction-----550-553,560	23	12	4	3	4	16	3	3	2	3
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1	-	-	-	-	5	1	-	1	3
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	16	3	6	4	3	8	1	3	3	1
27 Congenital anomalies-----740-759	344	187	38	86	33	294	154	50	63	27
28 Anencephalus-----740	25	23	2	-	-	19	18	1	-	-
29 Spina bifida-----741	22	15	1	5	1	22	11	2	8	1
30 Congenital hydrocephalus-----742	16	5	2	7	2	15	6	-	3	6
31 Other congenital anomalies of central nervous system and eye-----743,744	12	6	1	4	1	17	10	3	4	-
32 Congenital anomalies of heart-----746	147	71	12	44	20	113	53	19	29	12
33 Other congenital anomalies of circulatory system-----747	23	9	4	7	3	10	6	-	4	-
34 Congenital anomalies of respiratory system-----748	12	7	3	2	-	16	8	8	-	-
35 Congenital anomalies of digestive system-----749-751	30	18	1	8	3	23	7	5	9	2
36 Congenital anomalies of genitourinary system-----752,753	12	7	3	1	1	11	6	4	4	1
37 Congenital anomalies of musculoskeletal system-----754-756	14	7	4	2	1	9	5	3	-	1
38 Down's disease-----759.3	-	-	-	-	-	1	-	-	-	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	20	12	3	4	1	28	19	2	5	2
40 Other and unspecified congenital anomalies-----745,757,758	11	7	2	2	-	10	5	3	1	1
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	1,386	863	515	4	4	1,077	621	446	3	7
42 Chronic circulatory and genitourinary diseases in mother-----760	1	-	1	-	-	1	-	1	-	-
43 Other maternal conditions unrelated to pregnancy-----761	9	4	3	2	-	14	6	7	-	1
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	4	3	1	-	-	4	3	1	-	-
46 Rubella-----761.3	2	-	-	2	-	2	1	1	-	1
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	3	1	2	-	-	8	3	5	-	-
48 Toxemia of pregnancy-----762	6	3	3	-	-	8	5	3	-	-
49 Maternal antepartum and intrapartum infection-----765	9	3	6	-	-	4	3	1	-	-
50 Difficult labor-----764-768	22	18	4	-	-	20	9	11	-	-
51 With mention of birth injury (.0-.3)	6	5	1	-	-	8	4	4	-	-
52 Without mention of birth injury (.4-.9)	16	13	3	-	-	12	5	7	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	155	87	68	-	-	115	59	56	-	-
54 Conditions of placenta-----770	59	41	18	-	-	50	37	13	-	-
55 Conditions of umbilical cord-----771	10	7	2	-	1	12	7	5	-	-
56 Birth injury without mention of cause-----772	53	31	19	1	2	38	20	17	1	-
57 Hemolytic disease of newborn-----774,775	21	17	4	-	-	21	17	4	-	-
58 Hyaline membrane disease-----776.1	139	101	38	-	-	149	89	60	-	-
59 Respiratory distress syndrome-----776.2	158	105	53	-	-	91	66	25	-	-
60 Asphyxia of newborn, unspecified-----776.9	331	211	120	-	-	258	158	100	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	20	9	10	1	-	26	12	14	-	-
62 Immaturity, unqualified-----777	324	191	133	-	-	208	108	97	-	3
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	12	9	3	-	-	15	5	10	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	57	26	30	-	1	47	20	22	2	3
66 Symptoms and ill-defined conditions-----780-786	93	6	14	35	38	60	9	15	14	22
67 Accidents-----E800-E949	93	3	1	51	38	100	5	6	14	53
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	23	-	1	12	10	42	3	3	16	20
69 Accidental mechanical suffocation-----E915	30	1	-	19	10	22	1	2	8	11
70 Other accidental causes-----E800-E910,E914-E949	40	2	-	20	18	36	1	1	12	22
71 Homicide-----E960-E978	4	-	2	2	-	3	-	1	2	-
72 All other causes-----Residual	55	10	5	22	18	41	2	11	8	20

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Hawaii				Total, under 1 year	Idaho				Total, under 1 year	Illinois				Total, under 1 year	Indiana				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
264	55	143	11	55	242	167	5	66	4	4,536	2,409	977	714	436	2,011	1,301	203	408	99	1
2	-	1	-	1	3	-	-	3	-	32	3	2	14	13	17	2	1	9	5	2
2	-	-	1	1	1	-	-	1	-	11	2	1	6	2	1	-	-	1	3	3
5	1	2	1	1	1	1	-	-	-	29	11	7	8	3	19	8	4	7	-	6
-	-	-	-	-	3	-	-	3	-	14	3	-	7	4	9	4	-	5	-	7
1	-	-	-	1	-	-	-	-	-	12	1	1	6	4	3	-	-	2	1	9
1	-	-	-	1	-	-	-	-	-	7	2	-	5	-	7	1	-	5	1	10
-	-	-	-	-	-	-	-	-	-	9	3	1	4	1	2	1	-	1	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	12
1	-	1	-	-	-	-	-	-	-	9	4	-	5	-	5	1	-	4	-	13
1	-	-	-	-	-	-	-	-	-	12	1	1	5	5	7	-	-	5	1	14
1	-	-	-	1	5	2	-	3	-	21	6	3	9	3	7	2	-	4	1	15
-	-	-	-	-	1	-	-	1	-	28	2	1	18	7	13	2	-	9	2	16
-	-	-	-	-	4	-	-	4	-	7	1	-	4	2	3	-	-	3	-	17
3	-	-	-	3	-	-	-	-	-	102	5	5	43	49	7	1	-	6	-	18
35	-	7	4	24	23	8	-	13	2	646	90	64	263	229	236	33	18	136	49	19
-	-	-	-	1	1	-	-	1	-	4	1	-	-	3	-	-	-	-	-	20
35	-	7	4	24	22	8	-	12	2	642	89	64	263	226	236	33	18	136	49	21
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	1	-	22
1	-	-	-	1	3	1	-	1	1	24	8	3	8	5	8	2	1	4	1	23
1	1	-	-	-	5	4	-	1	-	42	24	5	12	1	20	14	1	4	1	24
-	-	-	-	-	-	-	-	-	-	6	-	-	2	4	2	-	-	2	-	25
3	1	-	1	1	-	-	-	-	-	19	9	2	7	1	9	3	2	2	2	26
48	7	20	3	18	30	19	-	11	-	620	342	82	158	38	321	199	20	89	13	27
4	4	4	-	-	1	-	-	-	-	53	49	3	1	-	29	-	-	2	-	28
4	1	1	-	2	1	1	-	-	-	41	22	2	17	-	21	12	1	8	-	29
-	-	-	-	-	2	1	-	1	-	32	8	4	17	3	15	7	1	7	-	30
2	-	1	-	1	1	-	-	-	-	18	11	1	5	1	21	10	1	9	1	31
23	1	8	1	13	12	6	-	6	-	249	118	37	70	24	124	75	8	35	6	32
2	-	-	1	1	2	1	-	1	-	41	21	5	12	3	22	12	2	7	1	33
2	2	-	-	-	-	-	-	-	-	17	10	3	3	1	9	6	-	3	-	34
4	1	1	1	1	4	3	-	1	-	57	30	10	15	2	20	9	-	10	1	35
-	-	-	-	-	1	-	-	-	-	35	27	4	2	2	14	12	-	2	-	36
2	1	1	-	-	1	1	-	-	-	18	11	3	3	1	11	7	1	2	1	37
-	-	-	-	-	4	4	-	-	-	6	1	-	5	4	4	2	1	1	-	38
5	1	4	-	-	4	4	-	-	-	42	27	9	5	1	22	13	5	3	1	39
-	-	-	-	-	2	1	-	1	-	11	7	1	3	-	9	7	-	1	1	40
156	44	111	1	-	137	130	4	3	-	2,638	1,853	782	3	-	1,160	1,002	146	10	2	41
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	42
-	-	-	-	-	1	1	-	-	-	28	20	8	-	-	14	9	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	1	-	-	-	13	13	-	-	-	6	5	1	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	46
-	-	-	-	-	-	-	-	-	-	15	7	8	-	-	7	4	3	-	-	47
-	-	-	-	-	3	3	-	-	-	6	3	3	-	-	7	7	-	-	-	48
3	1	2	-	-	1	1	-	-	-	8	2	6	-	-	8	5	2	1	-	49
7	1	6	-	-	4	3	1	-	-	28	22	6	-	-	26	24	2	-	-	50
2	1	1	-	-	3	2	1	-	-	8	6	2	-	-	7	7	-	-	-	51
5	-	5	-	-	1	1	-	-	-	20	16	4	-	-	19	17	2	-	-	52
21	9	12	-	-	13	10	1	2	-	315	230	85	-	-	139	121	18	-	-	53
5	-	5	-	-	4	4	-	-	-	142	127	15	-	-	85	78	6	1	-	54
-	-	-	-	-	1	1	-	-	-	19	15	3	1	-	17	10	6	1	-	55
9	1	8	-	-	6	6	-	-	-	107	71	36	-	-	30	23	5	2	-	56
6	3	3	-	-	3	2	-	1	-	42	40	2	-	-	26	25	1	-	-	57
14	3	11	-	-	17	17	-	-	-	175	149	25	1	-	130	121	8	-	1	58
12	3	8	1	-	14	14	-	-	-	143	121	22	-	-	77	64	13	-	-	59
34	9	25	-	-	22	21	1	-	-	1,175	729	446	-	-	288	252	34	2	-	60
3	-	3	-	-	1	1	-	-	-	41	30	10	1	-	21	18	2	1	-	61
41	14	27	-	-	46	45	1	-	-	342	262	80	-	-	249	207	40	2	-	62
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	63
1	-	1	-	-	-	1	-	-	-	16	9	7	-	-	13	11	2	-	-	64
-	-	-	-	-	-	-	-	-	-	50	22	28	-	-	28	25	2	-	1	65
2	1	1	-	-	12	1	1	10	-	41	5	4	20	12	32	10	2	18	2	66
-	-	-	-	-	11	-	-	10	1	133	9	9	79	36	75	4	2	56	13	67
-	-	-	-	-	3	-	-	3	-	40	3	3	22	12	19	1	2	14	2	68
-	-	-	-	-	4	-	-	3	1	39	3	3	24	9	21	1	-	17	3	69
-	-	-	-	-	4	-	-	4	-	54	3	3	33	15	35	2	-	25	8	70
-	-	-	-	-	1	-	-	1	-	10	5	1	2	5	-	2	2	1	1	71
2	-	-	-	2	2	1	-	1	-	61	20	3	23	15	39	12	3	20	4	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Iowa				Kansas					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	894	688	28	171	7	691	486	59	121	25
2 Diarrheal diseases-----009	5	1	-	4	-	3	-	-	3	-
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	1	-	-	1	-	2	-	-	2	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	6	3	1	2	-	5	2	2	1	-
7 Viral diseases-----040-079	5	1	1	3	-	2	1	-	1	-
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	1	-	-	1	-	4	3	-	1	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	1	-	-	1	-	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	2	2	-	-	-
12 Diseases of thymus gland-----254	-	-	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	-	-	-	-	-	4	1	1	2	-
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	-	-	-	-	-
15 Meningitis-----320	9	4	-	5	-	4	3	-	1	-
16 Other diseases of nervous system and sense organs-----321-389	7	2	-	4	1	4	-	-	3	1
17 Acute upper respiratory infections-----460-465	1	1	-	-	-	3	-	-	2	1
18 Bronchitis and bronchiolitis-----466,490,491	7	1	-	5	1	3	-	-	3	-
19 Influenza and pneumonia-----470-474,480-486	67	16	1	49	1	67	9	2	41	15
20 Influenza-----470-474	1	-	-	1	-	3	-	-	3	-
21 Pneumonia-----480-486	66	16	1	48	1	64	9	2	38	15
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	3	2	-	-	1	4	2	-	2	-
24 Hernia and intestinal obstruction-----550-553,560	5	4	-	1	-	7	4	-	2	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1	-	-	1	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	6	1	1	4	-	4	3	-	-	1
27 Congenital anomalies-----740-759	141	102	1	36	2	107	69	6	29	3
28 Anencephalus-----740	13	13	-	-	-	14	14	-	-	-
29 Spina bifida-----741	5	3	-	2	-	5	4	-	1	-
30 Congenital hydrocephalus-----742	7	5	-	2	-	4	3	-	1	-
31 Other congenital anomalies of central nervous system and eye-----743,744	4	2	-	2	-	7	3	1	2	1
32 Congenital anomalies of heart-----745	56	37	-	18	1	35	17	4	13	1
33 Other congenital anomalies of circulatory system-----747	12	7	-	4	1	9	6	-	3	-
34 Congenital anomalies of respiratory system-----748	9	9	-	-	-	5	4	-	1	-
35 Congenital anomalies of digestive system-----749-751	15	8	1	6	-	17	7	1	8	1
36 Congenital anomalies of genitourinary system-----752,753	7	7	-	-	-	1	1	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	3	3	-	-	-	1	1	-	-	-
38 Down's disease-----759.3	-	-	-	-	-	1	1	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	9	7	-	2	-	3	3	-	-	-
40 Other and unspecified congenital anomalies-----745,767,768	1	1	-	-	-	5	5	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	560	537	21	2	-	433	382	47	4	-
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	11	9	2	-	-	8	8	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	6	6	-	-	-	5	5	-	-	-
46 Rubella-----761.3	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	5	3	2	-	-	3	3	-	-	-
48 Toxemia of pregnancy-----762	3	3	-	-	-	2	2	-	-	-
49 Maternal antepartum and intrapartum infection-----763	1	1	-	-	-	-	-	-	-	-
50 Difficult labor-----764-766	18	17	1	-	-	6	6	-	-	-
51 With mention of birth injury (.0-.3)-----	7	7	-	-	-	1	1	-	-	-
52 Without mention of birth injury (.4,.9)-----	11	10	1	-	-	5	5	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	77	74	3	-	-	58	47	10	1	-
54 Conditions of placenta-----770	46	45	1	-	-	29	25	4	-	-
55 Conditions of umbilical cord-----771	8	8	-	-	-	5	5	-	-	-
56 Birth injury without mention of cause-----772	12	11	1	-	-	22	18	4	-	-
57 Hemolytic disease of newborn-----774,775	13	13	-	-	-	10	10	-	-	-
58 Hyaline membrane disease-----776.1	74	74	-	-	-	67	62	4	1	-
59 Respiratory distress syndrome-----776.2	40	38	2	-	-	47	42	4	1	-
60 Asphyxia of newborn, unspecified-----776.9	123	117	5	1	-	85	77	8	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	5	5	-	-	-	5	5	-	-	-
62 Immaturity, unqualified-----777	106	100	5	1	-	78	67	10	1	-
63 Postmaturity-----778.1	2	2	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	2	2	-	-	-	3	1	2	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	19	18	1	-	-	8	7	1	-	-
66 Symptoms and ill-defined conditions-----780-796	20	5	1	14	-	5	1	-	2	2
67 Accidents-----8000-8949	32	3	-	29	-	15	1	-	14	-
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	9	1	-	8	-	6	-	-	6	-
69 Accidental mechanical suffocation-----E913	9	-	-	9	-	4	-	-	4	-
70 Other accidental causes-----E900-E910,E914-E949	14	2	-	12	-	5	1	-	4	-
71 Homicide-----E960-E978	-	-	-	-	-	2	-	1	1	-
72 All other causes-----Residual	15	4	1	9	1	11	3	-	7	1

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Kentucky				Total, under 1 year	Louisiana				Total, under 1 year	Maine				Total, under 1 year	Maryland				1
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,239	809	108	272	50	1,879	665	685	164	365	365	265	4	94	2	1,453	747	348	194	164	1
23	5	-	13	5	40	1	10	6	23	-	-	-	-	3	-	2	-	-	1	2
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
6	1	-	5	-	5	-	-	2	3	1	-	-	1	3	-	-	-	2	1	4
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5
12	8	2	2	-	42	7	22	5	8	3	2	-	1	20	6	6	3	-	5	6
9	3	-	6	-	6	1	1	2	2	2	-	-	2	2	-	-	2	-	-	7
4	-	-	3	1	5	-	-	1	4	1	-	-	1	1	1	-	-	-	-	8
3	2	-	1	-	3	-	-	2	1	1	1	-	-	3	-	-	-	2	1	10
1	-	-	1	-	3	-	1	2	-	-	-	-	-	5	2	-	-	2	1	11
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	12
3	-	-	3	1	3	-	2	2	1	1	-	-	-	5	1	-	-	4	-	13
2	-	-	1	2	6	3	6	3	1	1	1	-	-	-	-	-	-	4	-	14
10	-	2	6	2	22	1	3	3	15	-	-	-	-	11	2	2	4	-	3	15
12	1	-	11	-	11	1	-	7	3	-	-	-	-	20	-	2	12	-	6	16
1	-	-	1	-	7	-	1	3	5	-	-	-	-	5	-	1	2	-	2	17
2	-	-	1	1	7	-	1	1	3	1	-	-	1	5	-	-	-	-	-	18
105	18	2	74	11	260	16	40	40	164	47	10	-	36	165	23	16	53	73	19	19
1	-	-	1	-	4	-	-	-	4	2	1	-	-	1	-	-	1	-	-	20
104	18	2	73	11	256	16	40	40	160	45	9	-	35	164	23	16	52	73	21	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	22
9	4	-	4	1	14	3	3	3	5	2	1	-	1	13	6	-	-	3	1	23
8	6	2	2	-	8	4	2	2	2	4	3	-	1	10	5	3	1	1	1	24
2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	25
4	2	-	2	-	16	2	5	4	5	2	1	-	1	9	3	1	3	-	2	26
200	132	11	49	8	264	118	60	41	45	56	36	1	19	200	107	30	45	18	27	27
14	14	-	-	-	18	15	3	3	-	7	7	-	-	12	9	3	-	-	-	28
17	9	1	7	-	20	5	3	8	4	4	1	-	3	13	6	2	5	-	-	29
9	5	-	4	-	12	4	3	1	4	5	1	-	4	11	4	3	4	-	-	30
7	7	-	-	-	9	3	2	2	2	2	2	-	2	4	3	1	1	-	-	31
80	53	4	17	6	100	37	21	19	23	14	11	-	3	84	41	13	22	8	32	32
10	4	1	4	1	11	3	3	5	-	1	-	-	1	13	9	1	1	2	2	33
12	8	3	1	-	16	10	6	2	4	5	5	-	-	7	6	-	-	-	1	34
13	5	-	8	-	24	12	6	2	4	7	2	-	5	14	5	1	6	-	1	35
6	4	2	2	-	7	5	2	2	4	4	4	-	-	5	4	-	-	-	1	36
5	3	1	1	-	6	4	1	1	-	2	2	-	-	1	-	-	-	1	1	37
4	2	-	1	1	5	2	2	2	1	1	-	-	-	3	-	-	-	1	1	38
19	15	1	3	-	26	14	5	1	6	3	2	-	1	26	18	3	3	2	2	39
4	3	-	1	-	10	4	3	1	2	2	1	-	-	7	2	3	2	-	-	40
693	605	86	2	-	1,018	500	515	-	3	209	205	2	2	858	577	276	1	4	41	41
1	1	-	-	-	2	1	2	-	-	1	1	-	-	13	11	2	-	-	-	42
4	4	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	44
4	4	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	45
-	-	-	-	-	3	3	-	-	-	-	-	-	-	6	5	1	-	-	-	46
5	3	2	-	-	11	6	5	-	-	2	2	-	-	4	2	2	-	-	-	48
5	5	-	-	-	6	3	3	-	-	1	-	-	-	5	1	4	-	-	-	49
15	14	1	-	-	19	6	13	-	1	3	3	-	-	12	5	7	-	-	-	50
5	5	-	-	-	8	2	6	-	-	-	-	-	-	2	1	1	-	-	-	51
10	9	1	-	-	11	4	7	-	-	3	3	-	-	10	4	6	-	-	-	52
91	77	14	-	-	101	50	51	-	-	26	26	-	-	111	83	28	-	-	-	53
45	45	-	-	-	42	25	17	-	-	12	12	-	-	38	30	8	-	-	-	54
7	6	1	-	-	12	6	6	-	-	3	3	-	-	4	2	2	-	-	-	55
34	29	4	1	-	70	28	41	-	1	15	13	-	2	46	29	17	-	-	-	56
13	13	-	-	-	23	18	5	-	-	3	3	-	-	13	11	2	-	-	-	57
89	86	3	-	-	111	63	48	-	-	25	24	1	-	100	79	21	-	-	-	58
71	67	3	1	-	68	37	31	-	-	9	9	-	-	87	61	25	-	-	1	59
130	100	30	-	-	231	118	111	-	2	61	60	1	-	134	93	40	-	-	1	60
9	9	-	-	-	29	10	19	-	-	6	6	-	-	9	7	1	-	-	1	61
146	122	24	-	-	214	104	110	-	-	37	37	-	-	240	133	105	-	-	1	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
9	7	2	-	-	20	7	13	-	-	3	3	-	-	16	12	4	-	-	-	64
19	17	2	-	-	55	15	40	-	-	3	3	-	-	26	18	8	-	-	-	65
48	13	2	23	10	15	2	5	-	8	15	-	-	15	52	4	4	21	23	86	66
61	4	-	50	7	65	2	3	26	34	10	1	1	8	29	4	1	15	9	67	67
14	1	-	11	2	23	1	2	7	13	1	-	-	1	11	2	1	6	2	88	68
32	2	-	27	3	19	1	1	10	7	6	1	1	4	6	1	-	4	5	1	69
15	1	-	12	2	23	-	-	9	14	3	-	-	3	12	1	-	1	6	1	70
2	1	-	1	-	5	1	-	-	4	-	-	-	-	3	-	1	2	2	1	71
18	4	1	10	3	48	2	8	13	25	10	4	-	5	29	6	2	12	9	72	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Massachusetts				Michigan					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	1,835	1,320	125	349	41	3,457	2,021	613	611	212
2 Diarrheal diseases-----009	7	2	-	5	-	22	3	2	9	8
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	-	-	-	-	-	7	-	-	6	1
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	22	13	6	3	-	33	18	7	5	3
7 Viral diseases-----040-079	6	-	-	6	-	13	2	1	10	-
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-156	8	2	1	5	-	14	3	2	9	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	9	4	-	5	-	11	5	-	6	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	-	1	3	-	-	1	2
12 Diseases of thymus gland-----254	-	-	-	-	-	5	-	-	5	-
13 Cystic fibrosis-----273.0	2	-	-	2	-	4	3	-	1	-
14 Diseases of the blood and blood-forming organs-----280-289	5	5	-	-	-	10	3	-	5	2
15 Meningitis-----320	7	3	1	2	1	15	6	1	5	3
16 Other diseases of nervous system and sense organs-----321-369	9	-	1	7	1	28	3	1	17	7
17 Acute upper respiratory infections-----460-465	4	-	-	4	-	7	-	-	5	2
18 Bronchitis and bronchiolitis-----466,480,491	10	-	-	8	2	19	1	-	14	4
19 Influenza and pneumonia-----470-474,480-486	208	52	10	126	20	243	38	13	145	47
20 Influenza-----470-474	-	-	-	-	-	4	-	-	4	-
21 Pneumonia-----480-486	208	52	10	126	20	239	38	13	141	47
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	1	-	-	-	1
23 All other diseases of respiratory system-----492,493,500-516,519,519	25	7	1	15	2	25	5	2	14	4
24 Hernia and intestinal obstruction-----550-553,560	19	9	2	8	-	33	21	3	4	5
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	-	-	-	-	-	1	-	-	1	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	15	8	2	4	1	14	6	2	5	1
27 Congenital anomalies-----740-759	301	199	10	88	4	510	293	32	161	24
28 Anencephalus-----740	35	33	1	1	-	43	40	2	3	-
29 Spina bifida-----741	22	11	-	10	1	37	18	-	16	3
30 Congenital hydrocephalus-----742	10	4	-	6	-	21	8	2	9	2
31 Other congenital anomalies of central nervous system and eye-----743,744	10	7	1	2	-	25	12	5	7	1
32 Congenital anomalies of heart-----746	123	72	4	46	1	218	108	13	83	14
33 Other congenital anomalies of circulatory system-----747	21	12	2	6	1	35	13	4	17	1
34 Congenital anomalies of respiratory system-----748	8	6	2	-	-	17	12	2	3	-
35 Congenital anomalies of digestive system-----749-751	13	8	-	4	1	37	26	1	9	1
36 Congenital anomalies of genitourinary system-----752,753	15	12	-	3	-	18	14	-	2	2
37 Congenital anomalies of musculoskeletal system-----754-756	6	5	-	1	-	16	10	-	6	-
38 Down's disease-----759.3	7	2	-	5	-	7	2	-	5	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	29	26	-	3	-	35	30	3	2	-
40 Other and unspecified congenital anomalies-----745,757,758	2	1	-	1	-	1	-	-	1	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	1,085	993	87	4	1	2,121	1,575	534	8	4
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	1	1	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	2	2	-	-	-	25	22	2	1	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	2	2	-	-	-	14	12	2	2	-
46 Rubella-----761.3	-	-	-	-	-	1	-	-	1	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	-	-	-	-	-	10	10	-	-	-
48 Toxemia of pregnancy-----762	3	2	1	-	-	15	9	6	-	-
49 Maternal antepartum and intrapartum infection-----763	4	4	-	-	-	20	13	7	-	-
50 Difficult labor-----764-768	9	9	-	-	-	37	27	10	-	-
51 With mention of birth injury (.0-.3)-----	6	6	-	-	-	9	7	2	-	-
52 Without mention of birth injury (.4-.9)-----	3	3	-	-	-	28	20	8	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	125	117	8	-	-	316	227	88	1	-
54 Conditions of placenta-----770	87	82	4	1	-	153	128	25	-	-
55 Conditions of umbilical cord-----771	8	5	3	-	-	31	22	9	-	-
56 Birth injury without mention of cause-----772	63	55	8	-	-	81	61	20	-	-
57 Hemolytic disease of newborn-----774,775	38	37	1	-	-	51	48	2	-	1
58 Hyaline membrane disease-----776.1	129	122	7	-	-	211	189	22	-	-
59 Respiratory distress syndrome-----776.2	67	61	6	-	-	162	120	42	-	-
60 Asphyxia of newborn, unspecified-----776.9	221	205	15	1	-	447	339	105	2	1
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	21	20	1	-	-	37	25	10	2	-
62 Immaturity, unqualified-----777	278	246	30	1	1	490	319	167	2	2
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	7	5	2	-	-	19	11	8	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	23	21	1	1	-	25	14	11	-	-
66 Symptoms and ill-defined conditions-----780-796	26	9	1	14	2	156	13	9	77	57
67 Accidents-----E800-E849	37	7	1	26	3	109	9	2	75	23
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E811,E812	17	4	1	10	2	36	4	1	22	9
69 Accidental mechanical suffocation-----E813	9	1	-	8	-	29	1	1	22	5
70 Other accidental causes-----E800-E810,E814-E849	11	2	-	8	1	44	4	-	31	9
71 Homicide-----E860-E878	4	2	-	1	1	8	3	2	2	1
72 All other causes-----Residual	25	5	2	16	2	45	11	-	21	13

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Minnesota					Mississippi				Missouri				Montana				Total, under 1 year			
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White		All other	White	All other
1,188	872	21	271	24	1,622	428	691	98	405	1,596	927	266	289	114	234	158	17	43	16	1
6	-	-	5	1	67	-	15	3	49	14	3	1	6	4	2	-	-	1	1	2
4	-	-	4	-	1	-	-	-	-	3	-	-	3	-	2	1	-	-	1	3
12	8	-	4	-	19	6	6	2	5	15	12	1	2	-	-	-	-	-	-	6
6	2	1	3	-	2	-	-	1	1	5	-	-	4	1	1	-	-	1	-	7
3	2	-	1	-	12	-	1	2	4	1	-	-	1	-	-	-	-	-	-	8
1	-	-	1	-	4	1	1	-	2	4	1	-	3	-	1	-	-	1	-	10
3	1	-	2	-	4	-	2	1	1	1	-	-	1	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	4	1	1	2	-	3	2	-	1	-	-	-	-	-	-	13
2	-	-	2	-	4	-	-	1	3	4	-	-	4	-	-	-	-	-	-	14
16	5	-	11	-	10	-	1	1	8	7	1	-	4	2	-	-	-	-	-	15
7	-	-	7	-	7	1	-	4	2	11	-	-	8	3	1	-	-	1	-	16
1	-	-	1	-	12	-	2	-	10	5	-	-	4	1	1	-	-	1	-	17
4	-	-	4	-	8	-	3	-	5	12	3	-	5	2	1	-	-	-	-	18
75	17	3	51	4	152	10	40	16	86	164	17	9	80	58	22	6	-	9	-	19
75	17	3	51	4	149	10	40	16	83	163	17	9	79	58	22	6	-	9	-	20
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
16	1	-	14	1	15	1	4	1	9	11	5	1	5	4	3	1	-	1	-	23
11	7	-	4	-	12	3	6	-	3	17	13	1	3	-	2	2	-	-	-	24
-	2	-	-	-	-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	25
3	2	-	1	-	2	1	-	-	1	12	7	-	5	-	2	-	-	1	-	26
220	141	2	73	4	132	58	30	28	16	213	132	21	50	10	46	27	1	16	2	27
16	12	1	3	-	11	10	1	-	-	15	12	3	-	-	4	4	-	-	-	28
16	5	-	11	-	13	7	1	5	-	14	10	-	4	-	2	1	-	1	-	29
9	5	-	4	-	8	3	2	2	1	15	10	1	4	-	2	1	-	1	-	30
8	3	-	5	-	5	4	1	-	-	7	6	-	1	-	1	1	-	-	-	31
87	52	1	31	3	46	20	9	9	8	83	43	7	27	6	26	12	1	11	2	32
26	22	-	4	-	10	4	-	5	1	10	6	-	3	1	4	3	-	1	-	33
11	9	-	2	-	6	2	3	-	1	6	4	2	-	-	1	1	-	-	-	34
11	4	-	7	-	15	4	5	4	2	19	11	3	3	2	2	2	-	-	-	35
11	7	-	4	-	2	-	-	-	2	8	5	1	1	1	-	-	-	-	-	36
6	5	-	1	-	-	-	-	-	-	8	7	-	1	-	1	-	-	1	-	37
2	1	-	1	-	2	1	1	-	-	4	1	-	3	-	-	-	-	-	-	38
13	13	-	-	-	8	2	3	3	-	20	14	3	3	-	3	2	-	1	-	39
4	3	-	1	-	6	1	4	-	1	4	3	1	-	-	-	-	-	-	-	40
672	655	14	1	2	818	332	471	-	15	933	701	225	7	-	134	118	16	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
17	17	-	-	-	6	1	5	-	-	11	10	1	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
9	9	-	-	-	2	-	2	-	-	8	8	-	-	-	-	-	-	-	-	45
8	8	-	-	-	4	1	3	-	-	3	2	1	-	-	1	1	-	-	-	46
4	4	-	-	-	9	3	5	-	1	4	3	1	-	-	-	-	-	-	-	48
1	1	-	-	-	5	2	3	-	-	5	4	1	-	-	1	1	-	-	-	49
18	17	1	-	-	13	4	9	-	-	12	11	1	-	-	2	2	-	-	-	50
3	2	1	-	-	5	1	4	-	-	4	4	-	-	-	-	-	-	-	-	51
15	15	-	-	-	8	3	5	-	-	8	7	1	-	-	2	2	-	-	-	52
104	100	3	-	1	104	48	55	-	1	127	102	25	-	-	23	23	-	-	-	53
66	64	1	1	-	39	17	22	-	-	49	47	2	-	-	9	7	2	-	-	54
6	6	-	-	-	8	5	3	-	-	15	13	2	-	-	-	-	-	-	-	55
19	18	1	-	-	33	18	15	-	-	31	18	11	2	-	3	1	2	-	-	56
18	18	-	-	-	9	5	3	-	1	24	22	1	1	-	2	2	-	-	-	57
92	91	1	-	-	90	48	41	-	1	104	89	15	-	-	21	20	1	-	-	58
42	41	1	-	-	66	31	35	-	-	78	64	12	2	-	11	9	2	-	-	59
130	126	4	-	-	133	70	63	-	-	229	175	54	-	-	25	20	5	-	-	60
12	12	-	-	-	14	4	10	-	-	17	13	3	1	-	1	1	-	-	-	61
118	115	2	-	1	239	61	168	-	10	171	93	78	-	-	30	26	4	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
6	6	-	-	-	15	4	11	-	-	8	6	2	-	-	1	1	-	-	-	64
19	19	-	-	-	35	11	23	-	1	48	31	16	1	-	4	4	-	-	-	65
63	9	1	46	7	232	6	96	10	120	53	8	3	32	10	7	1	-	6	-	66
29	5	-	22	2	77	3	6	23	45	63	7	2	41	13	5	1	-	1	3	67
5	2	-	3	-	26	3	3	6	14	5	-	-	5	-	2	1	-	-	-	68
10	-	-	9	1	24	-	2	6	16	22	3	2	14	3	1	-	-	-	-	69
14	3	-	10	1	27	-	1	11	15	36	4	-	22	10	2	-	-	1	1	70
2	1	-	1	-	1	1	-	-	-	5	3	1	1	-	-	-	-	-	-	71
30	14	-	13	3	26	4	4	1	17	36	12	1	15	8	3	-	-	3	-	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Nebraska				Nevada					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	436	313	29	78	16	230	148	23	44	15
2 Diarrheal diseases-----009	2	1	-	1	-	2	-	-	1	1
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	-	-	-	-	-	2	-	-	2	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	6	3	-	2	1	2	2	-	-	-
7 Viral diseases-----040-079	-	-	-	-	-	-	-	-	-	-
8 Congenital syphilis-----080	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	1	-	-	1	-	1	-	-	1	-
10 Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-208	2	1	-	1	-	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
12 Diseases of thymus gland-----254	-	-	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	-	-	-	-	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	-	-	-	-	-
15 Meningitis-----320	2	-	-	1	1	7	4	-	2	1
16 Other diseases of nervous system and sense organs-----321-389	1	-	-	1	-	3	-	-	2	1
17 Acute upper respiratory infections-----460-465	2	1	-	1	-	1	-	-	1	-
18 Bronchitis and bronchiolitis-----466, 490, 491	3	-	-	2	1	2	-	-	1	1
19 Influenza and pneumonia-----470-474, 490-496	34	7	2	21	4	24	7	1	12	4
20 Influenza-----470-474	-	-	-	-	-	-	-	-	-	-
21 Pneumonia-----480-486	34	7	2	21	4	24	7	1	12	4
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492, 495, 500-516, 518, 519	11	1	1	6	3	5	-	-	3	2
24 Hernia and intestinal obstruction-----550-553, 560	8	6	-	2	-	2	2	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	-	-	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	2	-	-	2	-	2	-	-	1	1
27 Congenital anomalies-----740-759	68	47	1	16	4	28	12	3	10	3
28 Anencephalus-----740	7	7	-	-	-	1	-	-	-	-
29 Spina bifida-----741	4	3	-	1	-	2	1	-	1	-
30 Congenital hydrocephalus-----742	4	2	-	1	1	-	-	-	-	-
31 Other congenital anomalies of central nervous system and eye-----743, 744	5	3	-	2	-	1	1	-	-	-
32 Congenital anomalies of heart-----746	24	14	-	7	3	9	2	1	5	1
33 Other congenital anomalies of circulatory system-----747	4	1	1	2	-	1	-	-	1	-
34 Congenital anomalies of respiratory system-----748	7	7	-	-	-	2	1	-	1	-
35 Congenital anomalies of digestive system-----749-751	9	6	-	3	-	3	-	1	-	1
36 Congenital anomalies of genitourinary system-----752, 753	1	1	-	-	-	1	1	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	2	2	-	-	-	-	-	-	-	-
38 Down's disease-----759.3	-	-	-	-	-	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.8	1	1	-	-	-	6	4	-	1	1
40 Other and unspecified congenital anomalies-----745, 757, 758	-	-	-	-	-	2	1	-	1	-
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	272	244	25	3	-	136	118	17	1	-
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	3	3	-	-	-	4	3	-	1	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	2	2	-	-	-	2	2	-	-	-
46 Rubella-----761.3	-	-	-	-	-	1	-	-	1	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	1	1	-	-	-	1	1	-	-	-
48 Toxemia of pregnancy-----762	1	1	-	-	-	1	1	-	-	-
49 Maternal antepartum and intrapartum infection-----763	-	-	-	-	-	-	-	-	-	-
50 Difficult labor-----764-768	14	14	-	-	-	1	1	-	-	-
51 With mention of birth injury (.0-.3)-----	4	4	-	-	-	1	1	-	-	-
52 Without mention of birth injury (.4,.9)-----	10	10	-	-	-	-	-	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	55	49	5	1	-	24	20	4	-	-
54 Conditions of placenta-----770	24	24	-	-	-	10	10	-	-	-
55 Conditions of umbilical cord-----771	4	4	-	-	-	-	-	-	-	-
56 Birth injury without mention of cause-----772	11	10	1	-	-	8	8	-	-	-
57 Hemolytic disease of newborn-----774, 775	1	1	-	-	-	5	2	3	-	-
58 Hyaline membrane disease-----776.1	25	23	1	1	-	25	22	3	-	-
59 Respiratory distress syndrome-----776.2	17	14	3	-	-	7	7	-	-	-
60 Asphyxia of newborn, unspecified-----776.9	61	53	8	-	-	22	21	1	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	6	5	1	-	-	1	1	-	-	-
62 Immaturity, unqualified-----777	38	33	5	-	-	26	20	6	-	-
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	5	4	1	-	-	-	-	-	-	-
65 All other conditions of newborn-----778.0, 778.3, 778.9	7	6	-	1	-	2	2	-	-	-
66 Symptoms and ill-defined conditions-----780-796	4	-	-	3	1	4	2	-	2	-
67 Accidents-----E900-E949	12	-	-	11	1	8	1	1	5	1
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	2	-	-	2	-	2	-	-	1	1
69 Accidental mechanical suffocation-----E913	2	-	-	2	-	1	-	-	1	-
70 Other accidental causes-----E900-E910, E914-E949	8	-	-	7	1	5	1	1	3	-
71 Homicide-----E960-E978	1	1	-	-	-	-	-	-	-	-
72 All other causes-----Residual	5	1	-	4	-	1	-	1	-	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1966]

Total, under 1 year	New Hampshire				Total, under 1 year	New Jersey				Total, under 1 year	New Mexico				Total, under 1 year	New York						
	Under 28 days		28 days-11 months			White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other
	White	All other	White	All other																		
234	179	-	54	1	2,420	1,334	551	363	172	487	289	53	98	47	6,327	3,508	1,261	1,052	506	1		
1	-	-	1	-	18	2	1	10	5	25	3	1	10	11	66	7	3	36	20	2		
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	1	-	3		
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12	1	-	9	2	4		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5		
1	1	-	-	-	26	8	10	3	5	5	2	3	-	-	63	33	14	10	6	6		
-	-	-	-	-	5	1	-	3	1	2	-	-	2	-	8	3	2	3	-	7		
-	-	-	-	-	2	1	1	3	-	6	-	-	2	4	10	3	2	4	1	8		
-	-	-	-	-	6	3	-	3	-	-	-	-	-	-	14	3	1	7	3	9		
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	11	4	-	6	1	11		
-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	12		
1	1	-	-	-	3	2	-	1	-	-	-	-	-	-	7	4	-	3	-	13		
-	-	-	-	-	31	-	-	-	-	-	-	-	-	-	15	3	4	4	4	14		
-	-	-	-	-	2	-	-	7	2	5	-	1	2	2	43	15	1	16	11	15		
3	1	-	2	-	16	1	-	11	4	3	-	-	2	41	2	-	33	6	16			
4	1	-	3	-	4	-	-	3	1	1	-	-	1	18	1	1	11	5	17			
4	1	-	4	-	31	-	2	14	15	3	-	-	1	54	2	1	37	14	18			
21	7	-	13	1	219	41	16	102	60	51	7	4	27	13	100	44	223	177	19			
21	7	-	13	1	2	-	-	2	-	4	-	-	3	1	2	-	1	1	20			
-	-	-	-	-	217	41	16	100	60	47	7	4	24	12	542	100	44	222	176	21		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	22		
2	1	-	1	-	9	-	2	7	-	2	1	-	1	34	8	3	16	7	23			
4	4	-	-	-	24	16	5	1	2	3	3	-	-	48	32	4	7	5	24			
-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	25			
-	-	-	-	-	18	5	5	5	3	9	4	2	3	26	12	-	12	2	26			
42	31	-	11	-	377	213	36	100	28	59	34	6	17	2	950	517	91	269	73	27		
5	5	-	-	-	33	29	4	-	-	3	3	-	-	-	85	73	7	5	-	28		
2	1	-	1	-	23	18	-	3	2	3	-	1	2	-	53	28	1	21	3	29		
6	2	-	4	-	16	7	2	7	-	2	2	-	-	-	48	18	2	21	7	30		
4	2	-	2	-	5	4	-	1	-	2	1	-	-	-	24	8	1	11	4	31		
11	8	-	3	-	173	79	13	63	18	16	8	-	7	1	387	186	33	125	43	32		
2	2	-	-	-	27	16	4	3	4	7	1	1	4	1	82	38	9	29	6	33		
5	4	-	1	-	7	7	-	-	-	2	1	-	1	-	30	23	2	5	-	34		
2	2	-	-	-	34	10	5	15	4	6	3	1	2	-	65	30	12	18	5	35		
2	2	-	-	-	11	8	1	2	-	2	1	1	-	-	28	19	1	8	-	36		
2	2	-	-	-	16	12	2	2	-	3	2	-	1	-	24	19	2	2	1	37		
3	3	-	-	-	1	-	-	1	-	1	1	-	-	-	11	2	-	8	-	38		
-	-	-	-	-	28	22	5	-	-	11	10	1	-	-	96	64	16	13	3	39		
-	-	-	-	-	3	1	-	2	-	1	1	-	-	-	17	9	5	3	-	40		
128	128	-	-	-	1,476	1,015	455	4	2	260	221	36	3	-	3,770	2,686	1,063	10	11	41		
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	42		
2	2	-	-	-	15	15	-	-	-	-	-	-	-	-	37	29	8	-	-	43		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44		
-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	17	15	2	-	-	45		
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	46		
-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	18	12	6	-	-	47		
1	1	-	-	-	6	5	1	-	-	2	1	1	-	-	9	8	1	-	-	48		
2	2	-	-	-	3	2	1	-	-	1	1	-	-	-	11	9	2	-	-	49		
2	2	-	-	-	9	7	2	-	-	7	6	1	-	-	41	33	8	-	-	50		
2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	13	9	4	-	-	51		
-	-	-	-	-	6	5	1	-	-	7	6	1	-	-	28	24	4	-	-	52		
20	20	-	-	-	171	121	50	-	-	24	23	1	-	-	487	356	130	-	1	53		
9	9	-	-	-	75	56	19	-	-	12	11	1	-	-	173	160	13	-	-	54		
2	2	-	-	-	9	6	2	1	-	4	3	1	-	-	28	20	8	-	-	55		
3	3	-	-	-	82	54	28	-	-	9	5	4	-	-	221	145	73	1	2	56		
3	3	-	-	-	39	38	1	-	-	14	13	-	1	-	93	90	2	1	-	57		
10	10	-	-	-	94	81	12	-	1	30	26	4	-	-	241	198	42	-	1	58		
11	11	-	-	-	142	94	47	1	-	24	17	7	-	-	437	305	130	1	1	59		
33	33	-	-	-	385	277	106	2	-	45	40	5	-	-	849	627	219	2	1	60		
-	-	-	-	-	21	15	6	-	-	8	5	3	-	-	38	36	2	-	-	61		
25	25	-	-	-	365	212	152	-	1	63	57	5	1	-	958	574	376	3	5	62		
3	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	63		
3	3	-	-	-	10	6	4	-	-	1	1	-	-	-	40	29	11	-	-	64		
-	-	-	-	-	49	25	24	-	-	15	12	2	1	-	105	65	38	2	-	65		
6	-	-	6	-	37	2	5	20	10	14	2	-	6	-	336	29	14	194	99	66		
9	-	-	9	-	65	2	6	36	21	23	5	-	15	3	113	9	3	78	23	67		
1	-	-	1	-	37	1	4	21	11	6	2	-	3	1	29	1	1	21	6	68		
3	-	-	3	-	7	1	1	4	1	6	2	-	3	1	30	2	1	23	4	69		
5	-	-	5	-	21	-	1	11	9	11	1	-	9	1	54	6	1	34	13	70		
-	-	-	-	-	7	2	1	3	1	-	-	-	-	-	18	9	2	3	4	71		
7	3	-	4	-	44	12	2	21	9	12	6	-	4	2	124	25	8	59	32	72		

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	North Carolina				North Dakota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	2,434	1,062	641	298	433	179	132	4	37	6
2 Diarrheal diseases-----009	41	3	3	9	26	2	-	-	1	1
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	7	-	-	7	-	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----059	45	13	13	7	12	1	-	-	1	-
7 Viral diseases-----040-079	17	1	1	8	7	1	-	-	1	-
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-156	17	-	-	7	10	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4	1	-	2	1	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	3	1	-	2	-	1	-	-	1	-
12 Diseases of thymus gland-----254	2	1	-	-	1	2	-	-	2	-
13 Cystic fibrosis-----275.0	4	3	-	1	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	5	1	1	2	1	-	-	-	-	-
15 Meningitis-----320	21	1	1	8	11	1	-	-	-	1
16 Other diseases of nervous system and sense organs-----321-389	9	1	-	3	5	1	-	-	1	-
17 Acute upper respiratory infections-----460-465	17	2	-	6	9	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466,490,491	13	-	-	6	7	-	-	-	-	-
19 Influenza and pneumonia-----470-474,480-486	266	18	28	82	158	19	5	1	10	3
20 Influenza-----470-474	7	-	-	3	4	-	-	-	-	-
21 Pneumonia-----480-488	279	18	28	79	154	19	5	1	10	3
22 Other chronic interstitial pneumonia-----517	1	-	-	-	1	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	26	2	6	14	4	1	-	1	-	-
24 Hernia and intestinal obstruction-----550-553,560	13	5	3	-	5	2	1	-	1	-
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1	-	-	-	1	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	10	2	4	3	1	-	-	-	-	-
27 Congenital anomalies-----740-759	257	137	43	47	30	36	23	1	12	-
28 Anencephalus-----740	13	12	1	-	-	3	3	-	-	-
29 Spina bifida-----741	25	12	4	7	2	6	4	-	2	-
30 Congenital hydrocephalus-----742	13	7	3	3	-	1	1	-	-	-
31 Other congenital anomalies of central nervous system and eye-----743,744	8	3	3	2	-	5	1	-	2	-
32 Congenital anomalies of heart-----746	97	45	15	18	19	15	6	1	8	-
33 Other congenital anomalies of circulatory system-----747	18	11	3	2	2	1	1	-	-	-
34 Congenital anomalies of respiratory system-----748	7	6	1	-	-	-	-	-	-	-
35 Congenital anomalies of digestive system-----749-751	25	10	4	7	4	1	1	-	-	-
36 Congenital anomalies of genitourinary system-----752,753	15	8	4	2	1	2	2	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	5	3	1	-	1	2	2	-	-	-
38 Down's disease-----759.5	5	3	-	2	-	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	20	14	3	2	1	-	-	-	-	-
40 Other and unspecified congenital anomalies-----745,757,758	6	3	1	2	-	-	-	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	1,368	855	509	2	2	102	101	1	-	-
42 Chronic circulatory and genitourinary diseases in mother-----780	2	1	1	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	10	8	2	-	-	2	2	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	8	6	2	-	-	1	1	-	-	-
46 Rubella-----761.3	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	2	2	-	-	-	1	1	-	-	-
48 Toxemia of pregnancy-----762	8	4	4	-	-	-	-	-	-	-
49 Maternal antepartum and intrapartum infection-----763	6	3	3	-	-	1	1	-	-	-
50 Difficult labor-----764-768	21	12	9	-	-	2	2	-	-	-
51 With mention of birth injury (.0-.3)-----	7	4	3	-	-	1	1	-	-	-
52 Without mention of birth injury (.4,.9)-----	14	8	6	-	-	1	1	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	180	102	78	-	-	10	10	-	-	-
54 Conditions of placenta-----770	47	26	3	-	-	7	7	-	-	-
55 Conditions of umbilical cord-----771	8	5	3	-	-	-	-	-	-	-
56 Birth injury without mention of cause-----772	54	36	18	-	-	7	7	-	-	-
57 Hemolytic disease of newborn-----774,775	22	16	5	1	-	4	4	-	-	-
58 Hyaline membrane disease-----776.1	98	70	28	-	-	15	15	-	-	-
59 Respiratory distress syndrome-----776.2	101	65	36	-	-	10	10	-	-	-
60 Asphyxia of newborn, unspecified-----776.9	370	244	125	-	1	22	21	1	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	15	7	8	-	-	3	3	-	-	-
62 Immaturity, unqualified-----777	348	205	142	-	1	19	19	-	-	-
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	9	7	2	-	-	-	-	-	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	43	23	19	1	-	-	-	-	-	-
66 Symptoms and ill-defined conditions-----780-796	128	7	15	25	81	4	1	-	3	-
67 Accidents-----E800-E949	93	3	5	40	45	3	1	-	2	-
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	26	1	3	8	14	1	1	-	-	-
69 Accidental mechanical suffocation-----E915	36	1	1	13	21	2	-	-	2	-
70 Other accidental causes-----E900-E910,E914-E949	31	1	1	19	10	-	-	-	-	-
71 Homicide-----E960-E978	2	-	1	1	-	-	-	-	-	-
72 All other causes-----Residual	44	5	8	16	15	3	-	-	2	1

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Ohio					Oklahoma				Oregon				Pennsylvania							
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
3,778	2,356	516	708	198	819	513	95	156	55	635	434	25	164	12	4,052	2,535	645	669	203	1
23	5	-	13	5	5	2	-	1	2	2	-	-	1	1	23	5	-	14	4	2
1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
5	1	-	4	-	4	-	-	-	1	1	-	-	1	-	7	-	-	6	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
38	20	6	8	4	5	3	-	2	-	4	2	1	-	1	36	18	5	10	3	6
24	6	2	12	4	2	1	-	-	1	3	2	-	1	-	17	6	2	8	1	7
9	2	1	6	-	5	-	-	2	3	-	-	-	-	-	9	2	-	7	-	8
6	2	2	2	-	4	-	-	4	-	2	-	-	-	-	14	1	-	12	1	10
4	3	-	-	1	1	-	-	-	1	2	1	-	1	-	6	3	1	2	-	11
1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	5	1	-	3	1	12
9	1	-	8	-	1	1	-	-	-	1	1	-	-	-	3	-	-	3	-	13
8	5	-	1	2	2	1	-	-	1	1	1	-	-	-	5	3	-	-	-	14
24	6	2	11	5	9	2	-	5	2	2	1	-	1	-	19	5	5	7	2	15
26	4	1	19	2	9	4	-	5	-	4	-	-	4	-	23	5	-	16	2	16
70	5	4	33	28	3	-	-	2	1	2	-	-	-	-	13	1	-	11	1	17
25	1	1	21	2	2	-	-	2	2	5	-	-	2	-	14	1	-	11	1	18
337	62	15	195	65	53	10	3	27	13	39	6	-	30	3	257	55	16	148	38	19
2	-	-	2	-	3	-	-	1	1	-	-	-	-	-	4	-	-	3	1	20
335	62	15	193	65	50	10	2	26	12	39	6	-	30	3	253	55	16	145	37	21
4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	22
30	4	2	18	6	5	-	-	5	-	10	1	1	8	-	27	7	2	16	2	23
17	15	-	2	-	3	2	-	-	1	9	6	-	3	-	47	32	4	9	2	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	25
18	6	1	10	1	9	4	1	3	1	4	4	-	-	-	34	14	2	13	5	26
547	333	37	157	20	119	72	6	32	9	92	63	2	26	1	630	415	47	148	20	27
71	64	5	1	1	9	9	-	-	-	17	16	-	1	-	70	66	4	-	-	28
30	16	2	12	-	10	4	-	6	-	4	1	-	3	-	44	27	2	15	-	29
30	11	3	15	1	6	3	-	3	-	5	1	-	4	-	30	19	3	8	-	30
22	10	2	7	3	7	3	1	3	3	3	1	1	1	-	31	18	2	10	1	31
209	109	12	79	9	48	25	3	14	6	34	21	-	12	1	239	135	18	73	13	32
26	14	1	11	-	6	4	-	1	1	6	5	-	1	-	39	17	4	14	4	33
22	19	3	-	-	4	3	-	1	-	8	6	-	2	-	24	19	4	1	-	34
35	15	4	12	4	9	5	-	3	1	3	-	-	-	-	32	17	3	10	2	35
20	17	1	2	-	3	2	-	-	1	6	3	-	1	-	23	19	1	3	-	36
20	13	2	5	-	3	3	-	-	-	3	3	-	-	-	15	11	2	2	-	37
3	-	-	3	-	1	1	-	-	-	-	-	-	-	-	9	3	1	5	-	38
49	38	1	9	1	9	6	2	1	-	5	3	1	1	-	67	58	2	7	-	39
10	7	1	1	1	4	4	-	-	-	1	1	-	-	-	7	6	1	-	-	40
2,263	1,826	423	11	3	477	398	78	1	-	357	332	21	4	-	2,466	1,915	539	9	3	41
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
29	24	3	2	-	10	7	3	-	-	5	4	1	-	-	12	11	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	44
15	13	1	1	-	5	2	3	-	-	1	1	-	-	-	6	6	-	-	-	45
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	46
12	10	2	-	-	4	4	-	-	-	4	3	1	-	-	5	5	-	-	-	47
6	4	2	-	-	7	6	1	-	-	2	2	-	-	-	9	8	1	-	-	48
19	14	5	-	-	3	2	1	-	-	4	3	-	1	-	14	6	7	1	-	49
44	33	11	-	-	9	8	-	-	-	4	4	-	-	-	30	21	9	-	-	50
12	8	4	-	-	2	2	-	-	-	1	1	-	-	-	5	5	-	-	-	51
32	25	7	-	-	7	6	1	-	-	3	3	-	-	-	25	16	9	-	-	52
340	280	59	1	-	60	51	9	-	-	45	42	3	-	-	335	252	83	-	-	53
210	190	20	-	-	19	17	2	-	-	34	33	1	-	-	175	151	23	1	-	54
26	26	-	-	-	5	4	1	-	-	4	4	-	-	-	23	21	2	-	-	55
111	92	18	1	-	16	12	4	-	-	23	21	1	1	-	126	92	32	2	-	56
69	59	9	1	-	6	6	-	-	-	8	8	-	-	-	59	53	5	1	-	57
218	189	27	1	1	46	41	5	-	-	37	36	1	-	-	212	176	34	2	-	58
227	181	45	-	1	39	51	8	-	-	19	17	2	-	-	207	158	46	-	3	59
476	388	86	1	1	116	99	16	1	-	90	84	6	-	-	601	484	116	1	-	60
32	27	5	-	-	8	6	2	-	-	9	7	2	-	-	28	21	7	-	-	61
389	269	117	3	-	95	75	20	-	-	56	54	2	-	-	508	365	142	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
21	15	6	-	-	4	3	1	-	-	3	3	-	-	-	35	31	4	-	-	64
45	34	10	1	-	14	10	4	-	-	14	10	2	2	-	92	65	27	-	-	65
87	16	13	48	10	36	2	4	23	7	58	9	-	46	3	194	15	16	84	79	66
111	11	2	79	19	38	6	-	24	8	30	3	-	24	3	108	9	-	86	13	67
35	5	1	26	3	12	4	-	5	3	10	1	-	9	-	34	3	-	26	5	68
27	1	-	21	5	16	1	-	11	4	8	1	-	6	1	36	2	-	33	1	69
49	5	1	32	11	10	1	-	8	1	12	1	-	9	2	38	4	-	27	7	70
13	4	-	7	2	3	2	-	1	-	1	-	-	-	-	9	2	2	3	2	71
78	18	4	37	19	21	3	3	11	4	8	2	-	6	-	83	20	4	41	18	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Rhode Island				South Carolina					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	326	230	21	68	7	1,326	460	360	159	347
2 Diarrheal diseases-----009	-	-	-	-	-	43	-	3	4	36
3 Whooping cough-----033	-	-	-	-	-	2	-	-	-	2
4 Meningococcal infections-----036	4	1	-	3	-	7	-	-	5	2
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	1	-	-	1	-	6	2	3	1	-
7 Viral diseases-----040-079	-	-	-	-	-	3	-	-	2	1
8 Congenital syphilis-----090	-	-	-	-	-	3	-	3	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	2	1	-	1	-	14	-	3	3	8
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	1	1	-	-	-	1	-	-	-	1
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
12 Diseases of thymus gland-----254	-	-	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	-	-	-	-	-	2	-	-	2	-
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	1	-	1	-	-
15 Meningitis-----320	3	-	-	3	-	13	1	1	1	10
16 Other diseases of nervous system and sense organs-----321-389	2	-	-	1	1	9	-	-	5	4
17 Acute upper respiratory infections-----460-465	2	-	-	2	-	4	-	-	2	2
18 Bronchitis and bronchiolitis-----466, 490, 491	6	-	-	6	-	3	-	-	1	2
19 Influenza and pneumonia-----470-474, 480-486	41	7	2	29	3	198	14	27	31	126
20 Influenza-----470-474	-	-	-	-	-	11	-	1	1	9
21 Pneumonia-----480-486	41	7	2	29	3	187	14	26	30	117
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492, 493, 500-516, 518, 519	1	1	-	-	-	7	2	2	2	1
24 Hernia and intestinal obstruction-----550-553, 560	3	1	-	2	-	7	3	1	-	3
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	1	-	-	1	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	1	-	-	1	-	7	1	5	-	1
27 Congenital anomalies-----740-759	48	31	4	12	1	161	82	23	43	13
28 Anencephalus-----740	6	5	1	-	-	6	6	-	-	-
29 Spina bifida-----741	2	-	-	2	-	15	11	1	3	-
30 Congenital hydrocephalus-----742	3	1	-	2	-	7	1	2	3	1
31 Other congenital anomalies of central nervous system and eyes-----743, 744	-	-	-	-	-	10	4	1	5	-
32 Congenital anomalies of heart-----746	20	12	1	6	1	66	27	12	21	6
33 Other congenital anomalies of circulatory system-----747	3	1	-	2	-	10	4	1	5	-
34 Congenital anomalies of respiratory system-----748	2	2	-	-	-	5	3	2	-	-
35 Congenital anomalies of digestive system-----749-751	1	1	-	-	-	11	7	1	2	1
36 Congenital anomalies of genitourinary system-----752, 753	3	1	2	-	-	8	7	1	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	-	-	-	-	-	8	4	1	1	2
38 Down's disease-----759.3	-	-	-	-	-	3	1	-	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	7	7	-	-	-	11	7	1	2	1
40 Other and unspecified congenital anomalies-----745, 757, 758	1	1	-	-	-	1	-	-	-	1
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	198	183	14	1	-	608	342	261	-	5
42 Chronic circulatory and genitourinary diseases in mother-----780	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	2	2	-	-	-	2	-	2	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	2	2	-	-	-	-	-	-	-	-
46 Rubella-----761.3	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	-	-	-	-	-	2	-	2	-	-
48 Toxemia of pregnancy-----762	-	-	-	-	-	4	1	3	-	-
49 Maternal antepartum and intrapartum infection-----763	1	1	-	-	-	1	-	1	-	-
50 Difficult labor-----764-768	3	3	-	-	-	8	4	4	-	-
51 With mention of birth injury (.0-.3)-----	1	1	-	-	-	2	1	1	-	-
52 Without mention of birth injury (.4,.9)-----	2	2	-	-	-	6	3	3	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	20	17	3	-	-	69	40	29	-	-
54 Conditions of placenta-----770	16	12	4	-	-	36	18	18	-	-
55 Conditions of umbilical cord-----771	2	2	-	-	-	3	-	3	-	-
56 Birth injury without mention of cause-----772	17	16	1	-	-	28	18	10	-	-
57 Hemolytic disease of newborn-----774, 775	6	5	1	-	-	11	10	-	-	1
58 Hyaline membrane disease-----776.1	26	25	1	-	-	67	46	21	-	-
59 Respiratory distress syndrome-----776.2	10	9	1	-	-	37	21	16	-	-
60 Asphyxia of newborn, unspecified-----776.9	53	52	1	-	-	136	80	56	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	-	-	-	-	-	12	3	8	-	1
62 Immaturity, unqualified-----777	40	37	2	1	-	175	91	81	-	3
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	-	-	-	-	-	7	4	3	-	-
65 All other conditions of newborn-----778.0, 778.3, 778.9	2	2	-	-	-	12	6	6	-	-
66 Symptoms and ill-defined conditions-----780-796	3	2	1	-	-	123	5	16	21	81
67 Accidents-----E800-E949	7	-	-	5	2	74	5	8	26	35
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	4	-	-	2	2	29	2	4	6	17
69 Accidental mechanical suffocation-----E913	3	-	-	3	-	16	-	-	6	10
70 Other accidental causes-----E800-E910, E914-E949	-	-	-	-	-	29	3	4	14	8
71 Homicide-----E960-E978	-	-	-	-	-	-	-	-	-	-
72 All other causes-----Residual	2	2	-	-	-	30	3	3	10	14

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	South Dakota				Total, under 1 year	Tennessee				Total, under 1 year	Texas				Total, under 1 year	Utah				
	Under 28 days		28 days-11 months			White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
	White	All other	White	All other																
234	152	27	40	15	1,560	798	331	252	179	4,711	2,679	774	886	372	409	292	17	82	18	1
2	-	-	-	2	24	2	2	9	11	106	11	4	72	19	9	-	-	3	6	2
1	-	-	-	-	9	-	-	6	3	5	-	-	4	1	-	-	-	-	-	3
-	-	-	-	-	16	8	2	4	2	11	1	2	5	3	2	-	-	2	-	4
-	-	-	-	-	10	2	1	7	-	2	-	-	-	-	1	-	-	1	-	5
1	-	-	-	1	7	1	-	4	2	71	40	7	17	7	1	-	-	1	-	6
-	-	-	-	-	6	2	-	4	-	17	4	1	11	1	3	-	-	3	-	7
1	-	-	-	-	2	2	-	-	-	6	4	1	1	1	-	-	-	-	-	8
-	-	-	-	-	2	-	-	-	2	23	4	-	10	9	2	-	-	-	2	9
1	-	-	-	-	6	2	-	4	-	6	2	-	2	2	2	-	-	2	-	10
-	-	-	-	-	2	-	-	-	2	4	3	-	1	-	-	-	-	-	-	11
-	-	-	-	-	1	-	-	-	1	2	-	-	2	-	-	-	-	-	-	12
1	-	-	-	-	5	4	1	-	-	4	2	-	2	-	1	1	-	-	-	13
1	-	-	-	-	2	-	-	-	1	7	2	-	3	2	1	-	-	-	-	14
3	-	-	-	-	6	1	-	3	2	36	8	2	13	13	4	2	-	2	-	15
-	-	-	-	-	9	-	-	7	2	24	5	-	16	3	4	-	-	3	-	16
3	-	-	2	1	5	-	2	3	-	14	1	1	9	3	2	-	-	1	1	17
1	-	-	-	1	10	-	2	4	4	24	2	-	17	5	5	1	-	4	-	18
14	-	2	6	5	131	11	13	57	50	499	96	31	238	134	15	1	-	10	4	19
-	-	-	-	-	5	-	-	2	3	10	1	-	7	2	-	-	-	-	-	20
14	1	2	6	5	126	11	13	55	47	489	95	31	231	132	15	1	-	10	4	21
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	22
2	1	-	1	-	7	2	2	1	2	30	7	4	13	6	1	-	-	1	-	23
1	1	-	-	-	10	7	-	1	2	34	22	6	4	2	1	-	-	1	-	24
-	-	-	-	-	3	1	-	-	2	2	-	-	2	-	-	-	-	-	-	25
-	-	-	-	-	8	1	4	2	1	32	11	5	13	3	1	-	-	1	-	26
37	23	3	10	1	227	131	22	58	16	631	377	51	170	33	92	64	4	23	1	27
4	4	-	-	-	24	23	1	-	-	45	2	-	1	-	5	5	-	-	-	28
1	1	-	-	-	20	11	-	8	1	52	31	1	19	1	2	1	-	2	-	29
1	1	-	-	-	16	8	1	5	2	32	10	4	14	4	4	2	-	1	-	30
2	1	-	-	-	9	7	-	-	-	27	18	2	6	1	3	1	-	2	-	31
14	7	2	5	-	87	45	9	24	9	232	122	14	80	16	36	26	1	9	-	32
4	1	-	3	-	18	10	2	6	-	33	15	-	16	2	13	8	1	4	-	33
2	1	-	-	1	9	7	1	1	-	35	28	5	2	2	2	2	-	-	-	34
2	1	-	1	-	18	4	2	8	4	53	27	15	8	3	7	4	-	3	-	35
1	1	-	-	-	4	2	-	2	-	17	12	-	3	2	5	4	-	1	-	36
1	1	-	-	-	6	4	1	1	-	22	13	2	4	3	2	2	-	-	-	37
4	3	1	-	-	1	-	-	-	-	4	1	1	2	-	2	-	-	1	1	38
1	1	-	-	-	14	10	4	-	-	65	50	3	12	10	8	2	-	2	-	39
-	-	-	-	-	1	-	1	-	-	14	8	2	3	1	1	1	-	-	-	40
144	121	22	1	-	856	598	250	5	3	2,649	2,005	627	12	5	233	220	13	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	42
2	1	1	-	-	11	6	3	2	-	23	20	1	2	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	5	5	-	-	-	12	12	-	-	-	-	-	-	-	-	45
2	1	1	-	-	4	1	3	2	-	9	8	1	2	-	1	1	-	-	-	46
1	1	-	-	-	6	3	3	-	-	26	17	9	-	-	2	2	-	-	-	48
2	2	-	-	-	3	2	1	-	-	18	12	6	-	-	9	8	1	-	-	49
7	4	3	-	-	14	9	5	-	-	49	42	7	-	-	9	8	1	-	-	50
2	1	1	-	-	4	3	1	-	-	13	9	4	-	-	2	2	-	-	-	51
5	3	2	-	-	10	6	4	-	-	36	33	3	-	-	7	6	1	-	-	52
17	14	3	-	-	114	75	38	-	1	324	230	94	-	-	26	26	-	-	-	53
14	12	2	-	-	39	34	5	-	-	117	100	17	-	-	13	11	2	-	-	54
1	-	1	-	-	7	5	2	-	-	23	19	4	-	-	1	1	-	-	-	55
2	2	-	-	-	31	17	13	1	-	121	80	38	2	1	12	11	1	-	-	56
6	6	-	-	-	10	8	2	-	-	41	38	3	-	-	7	7	-	-	-	57
25	24	1	-	-	119	83	36	-	-	298	246	52	-	-	34	24	-	-	-	58
14	11	3	-	-	75	69	5	1	-	210	150	57	3	-	18	17	1	-	-	59
32	29	3	-	-	173	117	54	1	1	629	515	112	2	-	74	68	6	-	-	60
4	2	2	-	-	28	23	5	-	-	64	46	17	-	1	3	2	1	-	-	61
15	12	3	-	-	196	125	70	-	1	574	406	163	3	2	32	31	1	-	-	62
-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	63
2	1	-	1	-	24	18	6	-	-	31	22	9	-	-	1	1	-	-	-	64
-	-	-	-	-	-	-	-	-	-	99	61	37	-	1	1	1	-	-	-	65
5	1	-	3	1	86	14	26	22	24	140	36	17	51	36	9	1	-	8	-	66
14	-	-	11	3	98	5	3	49	41	218	19	4	133	62	12	1	-	9	2	67
7	-	-	-	2	40	1	1	21	17	71	9	1	47	14	6	1	-	4	1	68
6	-	-	-	1	30	1	1	18	10	77	5	2	41	23	3	-	-	3	-	69
1	-	-	-	-	28	3	1	10	14	70	5	1	45	3	-	-	-	1	-	70
-	-	-	-	-	3	2	-	-	1	13	5	1	6	1	2	-	-	1	-	71
4	2	-	2	-	19	6	-	6	7	99	12	8	58	21	7	1	-	6	-	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Vermont				Virginia					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	151	122	-	29	-	1,863	935	497	243	228
2 Diarrheal diseases-----009	-	-	-	-	-	14	2	1	2	9
3 Whooping cough-----033	-	-	-	-	-	4	-	-	1	3
4 Meningococcal infections-----056	1	-	-	1	-	3	-	-	2	1
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	1	-	-	1	-	29	9	12	6	2
7 Viral diseases-----040-079	-	-	-	-	-	8	1	1	3	3
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	-	-	-	-	-	6	-	2	3	1
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	2	-	-	2	-	3	-	-	2	1
11 Benign neoplasms and neoplasms of unspecified nature-----210-259	-	-	-	-	-	3	2	-	1	-
12 Diseases of thymus gland-----254	-	-	-	-	-	2	-	-	-	2
13 Cystic fibrosis-----275.0	2	1	-	1	-	4	1	-	2	1
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	5	1	-	2	2
15 Meningitis-----320	1	1	-	-	-	15	2	1	3	9
16 Other diseases of nervous system and sense organs-----321-389	1	-	-	1	-	15	3	-	8	4
17 Acute upper respiratory infections-----460-465	-	-	-	-	-	3	2	-	-	1
18 Bronchitis and bronchiolitis-----466,490,491	-	-	-	-	-	11	-	1	5	5
19 Influenza and pneumonia-----470-474,480-486	15	7	-	8	-	167	26	8	65	68
20 Influenza-----470-474	1	-	-	1	-	-	-	-	-	-
21 Pneumonia-----480-486	14	7	-	7	-	167	26	8	65	68
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,495,500-516,518,519	1	1	-	-	-	21	3	2	4	12
24 Hernia and intestinal obstruction-----550-555,560	1	1	-	-	-	20	12	2	2	4
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	-	-	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	-	-	-	-	-	8	3	2	1	2
27 Congenital anomalies-----740-759	23	15	-	8	-	278	156	35	68	19
28 Anencephalus-----740	2	2	-	-	-	22	22	-	-	-
29 Spina bifida-----741	2	2	-	-	-	33	18	1	12	2
30 Congenital hydrocephalus-----742	3	3	-	-	-	14	6	2	4	2
31 Other congenital anomalies of central nervous system and eye-----743,744	1	1	-	1	-	7	4	2	1	-
32 Congenital anomalies of heart-----746	9	3	-	6	-	95	45	13	28	9
33 Other congenital anomalies of circulatory system-----747	1	-	-	1	-	18	11	2	4	1
34 Congenital anomalies of respiratory system-----748	-	-	-	-	-	8	7	-	1	-
35 Congenital anomalies of digestive system-----749-751	1	1	-	-	-	19	5	4	8	2
36 Congenital anomalies of genitourinary system-----752,753	1	1	-	-	-	8	6	2	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	1	1	-	-	-	10	5	4	1	-
38 Down's disease-----759.3	-	-	-	-	-	7	2	1	3	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	-	-	-	-	-	35	24	4	6	1
40 Other and unspecified congenital anomalies-----745,757,758	2	2	-	-	-	2	1	-	-	1
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	95	95	-	-	-	1,062	681	367	6	8
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	5	5	-	-	-	8	5	3	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	1	1	-	-	-	4	3	1	-	-
46 Rubella-----761.3	1	1	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	3	3	-	-	-	4	2	2	-	-
48 Toxemia of pregnancy-----762	1	1	-	-	-	6	2	4	-	-
49 Maternal antepartum and intrapartum infection-----763	-	-	-	-	-	2	1	1	-	-
50 Difficult labor-----764-768	-	-	-	-	-	17	8	9	-	-
51 With mention of birth injury (.0-.3)-----	-	-	-	-	-	7	3	4	-	-
52 Without mention of birth injury (.4,.9)-----	-	-	-	-	-	10	5	5	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	15	15	-	-	-	104	65	37	2	-
54 Conditions of placenta-----770	7	7	-	-	-	47	40	7	-	-
55 Conditions of umbilical cord-----771	1	1	-	-	-	12	7	4	1	-
56 Birth injury without mention of cause-----772	7	7	-	-	-	38	17	18	1	2
57 Hemolytic disease of newborn-----774,775	6	6	-	-	-	12	12	-	-	-
58 Hyaline membrane disease-----776.1	8	8	-	-	-	114	93	21	-	-
59 Respiratory distress syndrome-----776.2	9	9	-	-	-	89	66	21	-	2
60 Asphyxia of newborn, unspecified-----776.9	19	19	-	-	-	276	156	120	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	2	2	-	-	-	24	16	6	-	2
62 Immaturity, unqualified-----777	14	14	-	-	-	266	170	94	1	1
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	1	1	-	-	-	7	3	4	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	-	-	-	-	-	40	20	18	1	1
66 Symptoms and ill-defined conditions-----780-796	4	2	-	2	-	97	15	17	30	35
67 Accidents-----E800-E949	3	-	-	3	-	42	6	2	15	19
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	-	-	-	-	-	11	2	-	4	5
69 Accidental mechanical suffocation-----E913	1	-	-	1	-	14	1	-	7	6
70 Other accidental causes-----E800-E910,E914-E949	2	-	-	2	-	17	3	2	4	8
71 Homicide-----E950-E978	-	-	-	-	-	3	1	-	2	-
72 All other causes-----Residual	2	-	-	2	-	40	9	4	10	17

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1968-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Washington				Total, under 1 year	West Virginia				Total, under 1 year	Wisconsin				Total, under 1 year	Wyoming				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,126	747	65	269	45	685	455	41	170	19	1,455	1,021	90	299	45	123	88	12	19	4	1
8	1	1	4	2	11	2	1	5	3	10	1	-	6	3	-	-	-	-	-	2
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3
4	-	-	3	1	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
11	7	-	3	1	4	1	-	3	-	4	4	-	-	-	-	-	-	-	-	6
4	2	-	1	1	1	-	-	1	-	8	1	-	6	1	3	1	-	1	1	7
3	-	-	3	-	2	-	-	1	1	6	1	-	3	2	1	-	-	-	-	8
4	2	-	1	1	2	1	-	1	-	3	-	-	3	-	-	-	-	-	-	10
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	11
2	-	-	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	12
2	1	-	1	-	3	1	-	2	-	3	2	-	1	-	-	-	-	-	-	13
5	-	-	5	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	14
9	4	-	3	2	2	1	-	1	-	8	4	-	4	-	2	1	-	-	-	15
9	1	-	8	-	3	-	-	3	-	5	-	-	4	1	-	-	-	-	-	16
6	1	-	5	-	3	-	-	2	1	4	-	-	3	1	1	-	-	1	-	17
7	-	-	7	-	5	-	-	5	-	9	-	-	6	3	1	-	-	-	1	18
72	19	2	45	6	62	7	3	46	6	132	20	3	82	27	12	4	1	7	-	19
1	-	-	1	-	3	-	-	3	-	1	-	-	1	-	1	-	-	-	-	20
71	19	2	44	6	59	7	3	43	6	131	20	3	81	27	11	4	1	6	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	22
16	3	-	9	4	-	-	-	-	-	10	4	-	6	-	-	-	-	-	-	23
6	5	1	-	-	10	10	-	-	-	5	2	-	3	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
9	2	3	3	1	2	-	1	-	1	4	1	1	1	1	3	2	-	-	1	26
183	122	5	50	6	113	67	2	43	1	265	162	10	90	3	12	11	1	-	-	27
14	14	-	-	-	11	11	-	-	-	28	26	1	1	-	1	1	-	-	-	28
9	3	-	5	1	13	6	-	7	-	15	11	-	4	-	-	-	-	-	-	29
8	5	-	3	-	10	4	-	6	-	9	2	-	7	-	-	-	-	-	-	30
9	5	-	4	-	3	2	-	1	-	8	6	-	2	-	-	-	-	-	-	31
76	42	1	30	3	48	27	-	20	1	111	58	2	49	2	4	4	-	-	-	32
8	4	1	2	1	3	2	-	1	-	10	6	-	3	1	2	2	-	-	-	33
8	5	2	1	1	4	3	-	1	-	8	7	-	1	-	1	1	-	-	-	34
11	7	1	2	1	9	4	-	5	-	28	14	2	12	1	1	1	-	-	-	35
6	5	-	1	-	3	3	-	-	-	8	5	2	1	-	-	-	-	-	-	36
7	7	-	-	-	2	2	-	-	-	5	4	-	1	-	1	-	-	-	-	37
1	-	-	1	-	1	1	-	1	-	5	2	-	3	-	-	-	-	-	-	38
20	19	-	1	-	4	1	2	1	-	27	20	2	5	-	2	2	-	-	-	39
6	6	-	-	-	2	2	-	-	-	3	1	1	1	-	-	-	-	-	-	40
608	550	53	4	1	390	356	33	1	-	881	797	76	7	1	77	67	10	-	-	41
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	42
7	7	-	-	-	3	3	-	-	-	12	12	-	-	-	1	1	-	-	-	43
6	6	-	-	-	2	2	-	-	-	6	6	-	-	-	-	-	-	-	-	44
1	1	-	-	-	1	1	-	-	-	6	6	-	-	-	1	1	-	-	-	45
2	1	1	-	-	1	1	-	-	-	6	6	-	-	-	-	-	-	-	-	46
-	-	-	-	-	5	4	1	-	-	3	3	-	-	-	2	2	-	-	-	48
12	12	-	-	-	8	7	1	-	-	26	22	4	-	-	2	2	-	-	-	49
7	7	-	-	-	2	2	-	-	-	9	8	-	-	-	-	-	-	-	-	50
5	5	-	-	-	6	5	1	-	-	17	14	3	-	-	-	-	-	-	-	51
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	52
85	81	4	-	-	46	44	2	-	-	132	119	13	-	-	7	5	2	-	-	53
53	51	2	-	-	22	20	2	-	-	82	76	6	-	-	4	4	-	-	-	54
11	11	-	-	-	2	2	-	-	-	5	3	2	-	-	1	1	-	-	-	55
36	31	3	2	-	12	12	-	-	-	48	42	1	5	-	2	2	-	-	-	56
16	15	-	1	-	6	5	1	-	-	28	28	-	-	-	4	4	-	-	-	57
80	73	7	-	-	51	48	2	1	-	101	100	1	-	-	18	16	2	-	-	58
46	39	6	1	-	18	17	1	-	-	62	72	9	1	-	5	5	-	-	-	59
125	104	21	-	-	104	94	10	-	-	122	109	13	-	-	14	11	3	-	-	60
14	13	1	-	-	5	5	-	-	-	7	5	2	-	-	1	-	-	-	-	61
103	95	8	-	-	93	80	13	-	-	193	172	20	1	-	16	14	2	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
9	9	-	-	-	2	2	-	-	-	6	6	-	-	-	-	-	-	-	-	64
8	7	-	-	1	12	12	-	-	-	26	20	5	-	1	2	2	-	-	-	65
108	15	-	84	9	32	6	-	23	3	16	3	-	13	-	1	-	-	1	-	66
32	6	-	19	7	25	2	1	20	2	44	7	-	37	-	7	1	-	-	6	67
10	2	-	6	2	6	-	-	6	-	11	1	-	10	-	2	-	-	2	-	68
6	1	-	3	2	12	2	-	8	2	15	-	-	15	-	2	-	-	2	-	69
16	3	-	10	3	7	-	1	6	-	18	6	-	12	-	3	1	-	2	-	70
2	-	-	1	1	1	-	-	1	-	4	2	-	2	-	-	-	-	-	-	71
15	5	-	8	2	11	1	-	9	1	26	9	-	15	2	2	1	-	1	-	72

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1968-----	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-68-----	3-4
3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1968-----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 39 reporting areas, 1968 -----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1968-----	3-5
3-6. Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1968-----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1964-68-----	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1968 -----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1968-----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1968-----	3-14
3-11. Fetal deaths by age of mother and color: United States and each State, 1968-----	3-16
3-12. Fetal deaths by total-birth order and color: United States and each State, 1968-----	3-18
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1968-----	3-20
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1968-----	3-22
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1968-----	3-23
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1968-----	3-24
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1968 -----	3-27

SECTION 3 - FETAL MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1968

[By place of occurrence]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹												
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated	
United States-----	...	85,510	24,853	5,364	6,189	5,509	5,377	6,732	2,693	6,709	5,056	2,655	1,585	12,806	
Alabama-----	Advanced to 5th month (20 weeks)	1,271	3	12	128	99	160	123	64	90	345	15	5	227	
Alaska-----	20 weeks or more ²	77	1	-	5	13	10	13	6	12	10	4	1	4	
Arizona-----	Advanced to 20th week	377	3	6	22	27	27	45	14	67	23	31	19	93	
Arkansas-----	All periods of gestation	595	52	29	68	59	56	58	42	41	127	4	-	89	
California-----	Advanced to 20th week ⁴	4,081	27	46	291	377	395	610	217	674	226	290	203	725	
Colorado-----	All periods of gestation	5,255	^a 1,748	375	179	91	84	65	26	89	55	28	18	507	
Connecticut-----	20 weeks or more	548	1	3	63	62	71	76	40	80	109	9	3	11	
Delaware-----	20 weeks or more	159	-	2	21	22	22	16	8	18	28	2	-	19	
District of Columbia-----	After 5th month	425	6	11	45	34	49	69	18	56	17	25	13	84	
Florida-----	20 weeks or more	1,487	-	-	142	195	208	208	131	159	405	25	13	1	
Georgia-----	All periods of gestation	2,666	^a 824	248	265	226	162	193	109	113	289	20	14	223	
Hawaii-----	All periods of gestation	1,114	^a 843	101	49	26	32	31	10	33	5	10	8	166	
Idaho-----	After 20 weeks	145	-	-	16	11	11	18	13	14	14	1	-	47	
Illinois-----	20 weeks or more	2,666	27	50	185	250	284	411	120	475	141	202	159	402	
Indiana-----	20 weeks or more	1,218	6	7	43	66	77	118	28	111	64	52	29	617	
Iowa-----	Advanced to 5th month (20 weeks)	554	1	2	36	37	63	84	35	126	41	61	32	34	
Kansas-----	Weight in excess of 350 grams	410	2	10	29	56	40	74	18	69	10	44	22	36	
Kentucky-----	20 weeks or more	843	6	10	47	66	56	104	27	126	48	58	50	245	
Louisiana-----	After 20 weeks	1,094	^b 7	15	49	103	109	131	41	155	68	59	29	328	
Maine-----	All periods of gestation	275	^b 19	8	11	18	9	21	10	30	7	13	7	122	
Maryland-----	20 weeks or more ⁵	835	7	13	100	105	100	139	30	108	45	56	44	90	
Massachusetts-----	20 weeks or more	1,161	1	20	117	149	154	181	91	182	157	65	14	20	
Michigan-----	Advanced through 20th week	2,093	8	15	100	148	167	215	69	262	89	112	79	629	
Minnesota-----	After 20 weeks	761	-	-	-	-	-	-	-	-	-	-	-	761	
Mississippi-----	All periods of gestation	2,369	^a 795	212	200	112	113	175	41	152	70	69	35	395	
Missouri-----	After 20 weeks	1,160	8	9	66	79	113	165	46	173	77	59	35	330	
Montana-----	After 20 weeks	153	3	2	11	16	12	19	6	18	6	5	4	51	
Nebraska-----	Advanced to 20th week	256	4	3	22	29	21	32	15	51	13	22	8	36	
Nevada-----	After 20 weeks	128	-	-	3	14	14	17	6	25	8	7	5	29	
New Hampshire-----	20 weeks or more	138	-	-	6	10	6	17	1	10	7	7	6	68	
New Jersey-----	20 weeks or more	1,569	8	21	101	117	108	174	63	155	67	96	57	602	
New Mexico-----	20 weeks or more	270	1	6	22	26	27	40	23	26	60	7	3	29	
New York-----	All periods of gestation	27,322	^a 15,891	2,728	1,624	810	709	714	199	727	218	326	192	3,084	
North Carolina-----	Advanced to 20th week	1,598	16	17	115	191	177	250	74	260	119	110	64	215	
North Dakota-----	20 weeks or more	147	1	1	11	12	15	25	7	25	3	14	5	28	
Ohio-----	20 weeks or more	2,462	13	24	191	214	225	322	115	355	146	158	110	539	
Oklahoma-----	20 weeks or more	497	2	2	33	34	51	58	20	91	44	36	40	86	
Oregon-----	All periods of gestation	1,495	^a 871	176	65	61	42	52	26	43	69	19	4	67	
Pennsylvania-----	After 16 weeks	3,593	3	524	682	436	354	390	210	331	530	109	20	4	
Rhode Island-----	20 weeks or more ²	195	4	2	13	23	17	24	9	35	15	15	9	29	
South Carolina-----	After 20 weeks	811	3	13	40	67	91	128	39	138	36	61	56	141	
South Dakota-----	20 weeks or more	156	-	1	9	5	11	22	3	29	12	10	11	43	
Tennessee-----	20 weeks or more	1,248	5	26	94	112	133	226	62	197	69	91	64	169	
Texas-----	20 weeks or more	3,058	13	32	341	356	411	432	356	319	672	68	28	30	
Utah-----	After 20 weeks	248	-	2	10	12	13	23	11	34	11	14	12	107	
Vermont-----	All periods of gestation	373	^a 169	51	28	12	8	18	2	9	4	2	7	85	
Virginia-----	All periods of gestation	6,114	^a 3,638	550	292	208	167	150	83	104	272	22	7	641	
Washington-----	20 weeks or more	630	3	4	46	48	48	70	26	90	23	43	20	209	
West Virginia-----	Advanced to 5th month ⁶	489	10	16	38	44	46	62	22	81	34	46	18	72	
Wisconsin-----	After 20 weeks	851	-	-	97	92	115	132	63	126	167	42	15	2	
Wyoming-----	After 20 weeks	81	-	1	-	11	4	6	3	15	3	11	8	18	

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.

³The distribution of fetal deaths at gestations of under 16 weeks is shown below. For New York, this distribution is not shown for the 4,586 fetal deaths occurring outside New York City.

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	1	4	15	32
Colorado-----	34	169	796	749
Georgia-----	5	154	371	294
Hawaii-----	11	71	308	253
Maine-----	-	-	9	10
Mississippi-----	10	101	337	338
New York City-----	487	1,765	5,096	3,957
Oregon-----	11	124	480	256
Vermont-----	3	20	69	77
Virginia-----	32	772	1,830	1,004

⁴Further stipulates that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."

⁵Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."

⁶Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-68

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	Total	White	All other	Total	White	All other
1968	55,295	40,206	15,087	15.8	13.8	25.6
1967	54,954	39,500	15,454	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,859	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 ¹	64,640	45,495	17,075	15.8	13.7	26.7
1962 ¹	66,421	47,326	17,129	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,615	50,911	17,702	16.2	14.2	27.3
1958	69,365	51,869	17,396	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.8
1956	68,659	51,865	16,794	16.5	14.6	27.2
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,395	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,282	52,319	15,963	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,839	56,232	16,606	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.6	20.4	40.8
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	69,374	---	---	24.5	---	---
1943	71,073	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1968

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, Vermont, and Virginia.]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	44,758	26,419	11,065	5,274	100.0	100.0	100.0	100.0
Under 15 years	180	94	59	27	0.4	0.3	0.5	0.5
15-19 years	5,633	3,227	1,770	636	12.6	11.4	16.0	12.1
20-24 years	15,485	8,710	3,248	1,527	30.1	30.6	29.4	29.0
25-29 years	11,354	7,406	2,611	1,337	25.4	26.1	23.6	25.4
30-34 years	7,124	4,544	1,789	841	15.9	16.0	15.7	15.9
35-39 years	4,720	3,002	1,148	570	10.5	10.6	10.4	10.8
40-44 years	2,057	1,285	446	308	4.6	4.5	4.0	5.8
45-49 years	225	155	44	28	0.5	0.5	0.4	0.5

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 39 Reporting Areas, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For list of areas reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total-----	35,241	29,948	5,293	14.7	13.9	22.5
Under 15 years-----	181	33	148	26.5	27.9	26.2
15-19 years-----	6,028	3,896	2,130	14.4	12.8	18.9
20-24 years-----	10,601	9,140	1,461	11.8	11.1	19.8
25-29 years-----	7,668	7,041	627	12.6	12.1	26.8
30-34 years-----	5,104	4,694	410	18.2	17.5	35.8
35-39 years-----	3,831	3,487	364	27.5	26.2	55.8
40 years and over-----	1,828	1,675	153	41.1	38.7	66.6
White-----	25,269	23,361	1,928	12.7	12.4	18.7
Under 15 years-----	55	17	38	25.3	18.9	29.8
15-19 years-----	3,704	2,968	736	12.3	11.7	16.1
20-24 years-----	7,882	7,360	602	10.4	10.1	16.1
25-29 years-----	5,893	5,652	241	11.1	10.9	23.3
30-34 years-----	3,709	3,592	127	15.7	15.4	27.6
35-39 years-----	2,689	2,566	123	23.4	22.9	46.0
40 years and over-----	1,277	1,216	61	35.2	34.4	62.8
All other-----	9,952	6,587	3,365	24.5	24.0	25.4
Under 15 years-----	126	16	110	27.0	56.3	25.1
15-19 years-----	2,324	930	1,394	19.9	18.5	20.9
20-24 years-----	2,639	1,780	859	19.8	18.5	23.7
25-29 years-----	1,775	1,369	406	25.4	22.1	29.5
30-34 years-----	1,395	1,112	283	32.3	30.6	41.3
35-39 years-----	1,142	901	241	47.3	44.4	62.6
40 years and over-----	551	459	92	67.1	66.6	69.4

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total-----	55,293	26,341	22,511	6,441	15.5	16.3	14.7
Fetal deaths in single deliveries-----	52,249	24,803	21,135	6,311	15.0	15.8	14.3
Fetal deaths in twin deliveries-----	2,969	1,511	1,337	121	41.1	43.3	38.8
Fetal deaths in other plural deliveries-----	75	27	39	9	63.4	59.7	66.3
White-----	40,206	18,984	16,385	4,827	13.6	14.2	13.0
Fetal deaths in single deliveries-----	37,930	17,847	15,358	4,725	13.1	13.7	12.5
Fetal deaths in twin deliveries-----	2,221	1,127	996	98	39.5	40.3	36.6
Fetal deaths in other plural deliveries-----	55	20	31	4	56.6	50.9	61.2
All other-----	15,087	7,347	6,126	1,614	25.0	26.8	23.1
Fetal deaths in single deliveries-----	14,319	6,956	5,777	1,586	24.3	26.1	22.4
Fetal deaths in twin deliveries-----	748	384	341	23	51.3	55.4	47.3
Fetal deaths in other plural deliveries-----	20	7	8	5	94.3	105.4	86.0

¹Figures for sex not stated are distributed.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1968

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and Color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States	55,295	6,169	5,509	30,607	12,808	15.8
White	40,206	4,073	3,720	22,768	9,645	13.8
All other	15,087	2,096	1,789	8,039	3,163	25.6
Urban places	31,351	3,981	3,337	17,054	6,979	16.6
White	20,980	2,339	2,042	11,827	4,772	14.1
All other	10,371	1,642	1,295	5,227	2,207	25.5
Balance of area	23,942	2,189	2,172	13,753	5,829	14.9
White	19,226	1,734	1,678	10,941	4,873	13.5
All other	4,716	454	494	2,812	956	25.8
Metropolitan counties	36,437	4,520	3,791	19,757	8,369	16.0
White	26,116	2,883	2,528	14,540	6,165	13.9
All other	10,321	1,637	1,263	5,217	2,204	25.1
Urban places	26,914	3,552	2,918	14,508	5,936	16.8
White	17,638	2,033	1,760	9,896	3,949	14.3
All other	9,286	1,519	1,168	4,612	1,987	25.4
Balance of area	9,523	968	873	5,249	2,433	13.9
White	8,498	850	778	4,644	2,216	13.3
All other	1,025	118	95	605	217	22.0
Nonmetropolitan counties	18,856	1,649	1,718	11,050	4,439	15.5
White	14,090	1,180	1,192	8,228	3,480	13.6
All other	4,766	469	526	2,822	959	26.9
Urban places	4,437	429	419	2,546	1,043	15.2
White	3,352	306	292	1,931	823	13.4
All other	1,085	123	127	615	220	26.2
Balance of area	14,419	1,220	1,299	8,504	3,396	15.6
White	10,738	884	900	6,297	2,657	13.6
All other	3,681	336	399	2,207	739	27.1
New England	2,426	239	297	1,559	331	12.5
White	2,214	209	255	1,430	320	12.1
All other	212	30	42	129	11	19.2
Metropolitan counties	1,750	178	239	1,234	99	11.9
White	1,560	150	203	1,113	84	11.4
All other	190	28	36	121	5	18.9
Nonmetropolitan counties	676	61	58	325	232	14.6
White	654	59	52	317	226	14.5
All other	22	2	6	8	6	22.0
Middle Atlantic	13,300	2,410	1,461	5,740	3,689	22.1
White	9,870	1,618	1,040	4,479	2,733	19.4
All other	3,430	792	421	1,261	956	36.0
Metropolitan counties	11,407	2,169	1,264	4,745	3,229	23.3
White	8,115	1,593	856	3,543	2,323	20.3
All other	3,292	776	408	1,202	906	36.4
Nonmetropolitan counties	1,893	241	197	955	460	16.7
White	1,755	225	184	936	410	16.2
All other	138	16	13	59	50	27.5
East North Central	9,222	631	775	5,344	2,472	13.1
White	7,107	433	545	4,251	1,898	11.7
All other	2,115	198	230	1,113	574	22.1
Metropolitan counties	6,490	455	581	3,821	1,633	13.3
White	4,515	271	363	2,777	1,104	11.3
All other	1,975	184	218	1,044	529	21.9
Nonmetropolitan counties	2,732	176	194	1,523	839	12.5
White	2,592	162	182	1,454	794	12.2
All other	140	14	12	69	45	23.9
West North Central	3,387	176	224	1,734	1,253	12.6
White	2,917	138	170	1,459	1,150	11.8
All other	470	38	54	275	103	23.3
Metropolitan counties	1,740	94	125	856	666	12.9
White	1,394	63	80	644	607	11.6
All other	346	31	45	211	59	22.8
Nonmetropolitan counties	1,647	82	99	879	587	12.4
White	1,523	75	90	815	543	12.0
All other	124	7	9	64	44	25.1
South Atlantic	9,257	1,058	1,084	5,623	1,492	17.3
White	5,452	581	561	3,323	997	14.2
All other	3,805	477	523	2,300	505	25.0
Metropolitan counties	4,789	599	590	2,790	820	17.0
White	2,872	320	318	1,647	587	14.2
All other	1,917	279	262	1,143	233	24.2
Nonmetropolitan counties	4,468	459	504	2,833	672	17.6
White	2,580	261	243	1,676	400	14.3
All other	1,888	198	261	1,157	272	25.9
East South Central	4,575	456	384	2,721	1,014	19.6
White	2,565	227	210	1,518	610	15.1
All other	2,010	229	174	1,203	404	31.6
Metropolitan counties	1,481	182	144	947	208	17.2
White	807	83	67	521	136	13.3
All other	674	99	77	426	72	26.6
Nonmetropolitan counties	3,094	274	240	1,774	806	21.1
White	1,758	144	143	997	474	18.2
All other	1,336	130	97	777	332	34.8

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-7

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1968-Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and Color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central-----	5,150	500	555	3,574	523	14.3
White-----	3,394	318	337	2,474	265	11.9
All other-----	1,756	182	216	1,100	258	23.1
Metropolitan counties-----	2,855	301	314	2,011	229	13.4
White-----	1,955	191	199	1,451	114	11.4
All other-----	900	110	115	560	115	21.1
Nonmetropolitan counties-----	2,295	199	239	1,563	294	15.6
White-----	1,439	127	139	1,023	151	12.7
All other-----	856	72	101	540	143	25.6
Mountain-----	2,444	248	205	1,132	859	16.0
White-----	2,175	220	183	986	786	15.6
All other-----	269	28	22	146	73	19.5
Metropolitan counties-----	1,451	168	121	627	535	17.6
White-----	1,316	147	112	556	501	17.3
All other-----	135	21	9	71	34	24.6
Nonmetropolitan counties-----	993	80	84	505	324	13.9
White-----	859	75	71	430	285	13.7
All other-----	134	7	13	75	39	16.1
Pacific-----	5,532	451	526	3,380	1,175	12.3
White-----	4,512	329	419	2,868	896	11.6
All other-----	1,020	122	107	512	279	16.6
Metropolitan counties-----	4,474	374	423	2,727	950	12.3
White-----	3,582	265	330	2,288	699	11.6
All other-----	892	109	93	439	251	16.6
Nonmetropolitan counties-----	1,058	77	103	653	225	12.1
White-----	930	64	89	580	197	11.7
All other-----	128	13	14	73	28	16.9

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1964-68

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1968			1967			1966			1965			1964		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States	15.8	13.8	25.6	15.6	13.5	25.8	15.7	13.6	26.1	16.2	13.9	27.2	16.4	14.1	29.2
Geographic divisions:															
New England ²	12.5	12.1	19.2	13.1	12.6	20.2	11.9	11.7	14.7	13.8	13.5	19.3	14.0	13.9	17.3
Middle Atlantic	22.1	19.4	36.0	21.7	18.2	41.0	21.0	17.5	40.5	21.2	17.8	40.1	21.9	18.5	41.9
East North Central	13.1	11.7	22.1	13.5	12.2	21.9	13.7	12.5	22.4	14.1	12.9	23.0	14.2	12.8	25.0
West North Central	12.6	11.8	23.3	12.5	11.9	20.9	12.9	12.1	22.0	13.2	12.5	22.0	13.1	12.1	26.2
South Atlantic	17.3	14.2	25.0	17.1	14.0	24.6	17.7	14.3	25.9	17.9	14.1	28.6	18.5	14.5	28.1
East South Central	19.6	15.1	31.6	18.5	14.1	29.6	18.9	14.4	30.2	19.6	13.9	33.2	18.9	14.0	30.7
West South Central	14.3	11.9	23.1	14.3	12.0	22.8	14.9	12.8	22.2	15.4	12.7	24.4	15.7	13.0	25.6
Mountain	16.0	15.6	19.5	12.8	12.6	15.4	12.7	12.3	17.0	13.3	15.0	18.6	13.5	13.2	18.9
Pacific	12.3	11.6	16.6	12.1	11.6	15.6	12.3	11.8	15.6	13.1	12.5	17.0	12.7	12.0	17.5
New England:															
Maine ²	14.7	14.5	*30.4	14.1	14.1	*16.1	13.5	13.6	*4.1	15.7	15.6	*28.5	15.0	15.0	*10.6
New Hampshire	12.0	12.1	-	12.1	12.0	*80.0	10.4	10.5	-	12.7	12.7	-	13.7	13.7	*13.9
Vermont ²	22.0	22.0	*22.7	34.2	32.5	*560.0	33.7	32.7	*363.6	30.6	30.5	*71.4	26.5	26.6	-
Massachusetts ²	12.2	11.9	16.3	12.0	11.6	19.0	9.4	9.6	6.4	15.1	12.8	19.4	12.1	12.0	13.6
Rhode Island	12.0	11.8	*14.4	15.7	13.4	*19.8	13.7	13.1	28.2	15.2	14.9	*22.9	15.4	15.1	*21.8
Connecticut	11.4	10.1	22.7	11.4	10.7	18.7	12.3	11.5	20.3	11.8	11.1	18.3	13.6	12.9	20.3
Middle Atlantic:															
New York ²	28.5	25.2	44.2	27.3	22.2	52.2	26.0	20.8	51.8	26.0	21.1	51.1	27.3	22.3	53.9
New Jersey	14.1	12.5	21.9	15.4	13.5	24.6	14.6	12.6	24.9	15.2	13.4	24.2	15.4	13.5	25.6
Pennsylvania	16.4	14.7	29.1	16.5	14.6	29.9	16.8	15.3	28.2	16.8	15.3	28.6	17.1	15.6	28.5
East North Central:															
Ohio	13.1	12.0	21.3	13.8	12.7	22.5	14.0	13.1	21.9	14.1	15.0	23.0	14.1	13.1	23.2
Indiana	13.1	12.0	24.3	13.1	12.3	21.5	13.4	12.6	22.5	12.8	11.9	23.3	13.8	12.7	25.2
Illinois	13.7	11.7	21.8	14.3	12.3	22.7	14.4	12.5	22.8	14.8	13.1	22.6	15.2	13.1	25.5
Michigan	13.0	11.3	22.6	13.4	12.1	20.8	13.7	12.2	23.2	14.7	13.4	23.6	14.1	12.5	26.8
Wisconsin	11.5	11.0	20.8	11.1	10.7	18.7	11.8	11.5	17.5	12.6	12.1	22.6	12.5	12.2	19.0
West North Central:															
Minnesota	11.8	11.6	20.2	11.5	11.3	17.2	12.4	12.4	12.8	13.3	13.1	19.5	12.2	12.1	15.5
Iowa	11.6	11.5	*15.7	12.1	12.1	*13.0	11.1	10.9	*21.1	11.3	11.2	*18.7	11.0	10.8	21.4
Missouri	15.1	13.3	25.1	13.9	12.6	20.9	13.7	12.0	22.9	14.5	13.0	22.9	16.0	13.5	30.4
North Dakota	13.0	12.8	*16.9	12.0	11.8	*15.3	14.5	13.5	31.6	13.7	13.9	*10.1	14.7	14.2	*23.6
South Dakota	13.6	12.4	22.3	14.3	13.3	22.8	13.9	13.2	19.5	14.0	15.6	18.0	12.6	12.0	18.8
Nebraska	10.6	10.0	19.1	11.7	10.7	29.8	12.6	12.0	23.5	13.2	12.4	28.3	12.7	12.0	24.8
Kansas	11.5	10.4	24.9	12.4	11.6	22.5	13.4	12.7	21.9	12.3	11.5	22.4	11.6	10.9	20.5
South Atlantic:															
Delaware	15.9	12.7	29.1	14.6	12.0	25.5	16.2	14.4	23.3	15.7	15.6	23.9	13.9	11.6	22.9
Maryland	13.6	12.1	18.8	15.2	13.3	21.7	14.0	12.0	21.1	15.3	12.7	24.4	14.8	12.4	23.5
District of Columbia	17.6	11.2	18.9	19.0	11.8	20.5	19.6	13.6	21.1	17.2	9.6	19.4	17.8	12.2	19.8
Virginia ²	24.1	21.4	32.9	20.6	17.8	29.4	21.7	18.3	32.1	21.6	18.2	31.8	23.5	20.1	34.1
West Virginia	15.8	15.5	23.3	16.8	16.5	23.0	16.6	16.5	22.7	16.9	16.3	28.1	15.9	15.7	19.6
North Carolina	17.0	15.0	26.2	17.7	13.5	27.1	18.4	13.8	28.6	17.6	13.2	26.8	18.4	13.7	28.6
South Carolina	16.8	12.4	23.9	18.0	13.1	25.4	19.1	13.1	27.9	20.2	13.9	28.8	20.6	13.3	31.0
Georgia ²	18.0	14.5	25.2	16.6	13.2	23.3	17.4	14.4	22.9	18.3	14.0	25.8	19.5	14.3	29.4
Florida	14.7	11.1	25.1	15.2	12.3	23.0	16.2	12.5	25.6	15.9	11.8	26.5	16.5	12.4	27.7
East South Central:															
Kentucky	14.3	13.4	23.5	13.7	13.2	18.2	13.5	12.7	22.3	14.9	13.8	27.1	13.4	12.6	21.4
Tennessee	17.0	14.7	25.7	15.9	13.6	23.8	17.3	15.3	24.3	17.7	14.2	29.8	16.5	14.0	25.4
Alabama	20.1	14.0	31.9	19.8	14.0	30.4	20.1	13.9	31.6	20.7	13.3	33.5	20.3	14.6	30.4
Mississippi ²	29.5	22.3	36.8	26.2	17.4	34.6	26.1	17.1	34.0	26.2	14.6	36.2	26.7	15.9	35.9
West South Central:															
Arkansas ²	16.1	12.3	26.8	17.4	13.9	26.6	16.2	13.7	22.1	17.8	13.6	27.6	16.4	12.9	25.2
Louisiana	14.7	9.6	22.8	15.4	9.7	24.0	15.8	10.2	24.2	16.4	10.6	25.0	17.5	10.9	27.4
Oklahoma	12.4	10.7	21.7	11.8	10.2	21.1	12.3	11.2	18.0	13.1	12.0	19.2	13.6	12.2	22.0
Texas	14.2	12.7	22.7	14.0	12.7	20.9	14.9	13.6	21.3	15.0	13.3	23.8	15.4	13.7	24.4
Mountain:															
Montana	12.3	11.5	22.1	12.0	11.7	*15.1	11.1	10.8	*14.5	15.2	12.7	18.5	13.3	13.4	*12.1
Idaho	11.2	11.2	*9.6	9.8	9.8	*11.0	11.3	11.3	*12.9	11.5	11.2	*21.9	12.4	12.4	*14.1
Wyoming	15.1	14.4	*27.8	14.8	14.3	*26.1	12.9	12.9	*14.4	13.1	12.4	*28.2	12.6	12.7	*9.1
Colorado ²	28.7	28.1	40.1	17.2	16.6	28.2	15.7	14.7	32.8	16.0	16.0	17.0	16.3	15.8	26.8
New Mexico	13.0	13.0	13.1	12.1	11.8	13.6	12.9	12.6	15.3	13.8	13.8	13.9	13.7	13.9	12.3
Arizona	11.5	10.5	16.3	11.2	11.4	10.3	12.7	12.9	11.8	12.6	11.9	15.4	12.8	12.0	18.8
Utah	10.4	10.2	16.5	10.4	10.2	*20.8	9.8	9.8	*11.8	10.2	10.2	*10.8	10.0	9.8	*18.3
Nevada	14.1	13.4	18.5	13.7	12.5	20.3	12.4	9.7	28.5	14.8	13.0	26.8	14.9	13.8	23.0
Pacific:															
Washington	10.9	10.6	15.6	10.7	10.4	14.3	11.1	10.7	17.7	12.4	12.2	15.8	11.4	11.2	13.7
Oregon ²	13.8	13.4	23.5	17.1	16.7	25.8	18.5	18.3	22.9	18.6	18.4	22.7	18.1	17.8	26.4
California	11.8	11.3	15.3	11.8	11.2	16.1	11.9	11.3	16.3	12.6	11.9	17.5	12.5	11.6	18.8
Alaska	12.1	11.6	15.5	11.8	11.2	13.2	11.6	9.1	16.3	12.7	11.9	14.4	11.5	10.5	13.8
Hawaii ²	25.3	32.7	22.2	14.0	16.2	13.1	11.7	13.5	11.0	14.5	13.3	15.0	13.1	11.9	13.7

¹Figures for 1966 exclude approximately 300 fetal deaths recorded in Massachusetts, and figures for 1967 exclude approximately 100 fetal deaths recorded in this State. These fetal deaths were primarily to residents of Massachusetts. See Technical Appendix.

²This State requires reporting of all fetal deaths regardless of period of gestation. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios for this State may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	55,293	4,429	4,190	4,539	4,483	4,670	4,493	4,618	5,076	4,763	4,818	4,412	4,582
White	40,206	3,176	3,062	3,269	3,266	3,348	3,254	3,509	3,704	3,486	3,525	3,249	3,358
All other	15,087	1,253	1,128	1,270	1,217	1,322	1,239	1,309	1,372	1,297	1,293	1,163	1,224
Alabama	1,276	98	94	121	110	95	114	100	114	124	103	105	98
White	588	43	37	53	44	45	53	46	53	58	49	61	46
All other	688	55	57	68	66	50	61	54	61	66	54	44	52
Alaska	78	11	7	9	13	3	8	6	6	2	5	3	5
White	53	10	5	5	6	2	6	5	3	2	3	2	4
All other	25	1	2	4	7	1	2	1	3	-	2	1	1
Arizona	375	40	22	35	30	38	25	29	40	39	21	27	30
White	285	34	19	24	27	27	17	21	23	33	15	20	25
All other	90	6	3	11	3	11	8	8	17	5	6	7	5
Arkansas	534	52	33	41	47	38	40	60	49	34	59	44	37
White	300	28	21	17	30	24	26	35	27	14	37	22	19
All other	234	24	12	24	17	14	14	25	22	20	22	22	18
California	4,019	306	339	297	320	354	341	319	373	351	362	340	349
White	3,343	259	281	236	263	292	289	265	311	273	315	275	284
All other	676	47	57	51	57	62	52	54	62	58	47	65	64
Colorado	1,060	82	66	79	89	81	89	97	109	91	100	86	91
White	965	75	59	71	84	78	76	95	99	85	93	82	89
All other	75	7	7	8	5	3	13	2	10	6	7	4	3
Connecticut	558	39	41	52	50	48	43	53	44	44	40	52	53
White	445	32	29	42	42	37	32	40	39	40	32	41	39
All other	113	6	12	10	8	11	11	13	5	4	8	11	14
Delaware	187	11	14	7	7	12	11	21	12	14	17	14	17
White	100	6	9	5	2	9	8	11	8	9	13	10	10
All other	57	5	5	2	5	3	3	10	4	5	4	4	7
District of Columbia	263	24	27	18	21	30	18	19	28	29	19	14	17
White	27	2	3	4	4	2	1	3	2	3	2	-	1
All other	236	22	24	14	17	28	17	16	26	25	17	14	16
Florida	1,503	125	100	117	107	117	133	131	150	147	146	110	120
White	839	75	58	61	69	61	69	80	84	70	74	70	68
All other	664	50	42	56	38	56	64	51	66	77	72	40	52
Georgia	1,572	130	106	116	149	124	133	120	166	153	136	134	105
White	850	64	59	59	81	56	67	69	101	81	78	74	61
All other	722	66	47	57	68	68	66	51	65	72	58	60	44
Hawaii	367	33	33	36	32	30	26	32	35	22	23	30	35
White	158	19	12	14	12	14	9	13	16	7	4	6	12
All other	229	14	21	22	20	16	17	19	19	15	19	24	23
Idaho	147	15	10	13	8	13	15	7	12	20	12	8	14
White	144	15	10	12	8	13	14	6	12	20	12	8	14
All other	3	-	-	1	-	-	1	1	-	-	-	-	-
Illinois	2,644	213	185	239	222	216	223	229	209	216	251	211	233
White	1,824	150	122	164	168	158	155	162	141	140	179	148	159
All other	820	63	61	74	54	78	68	67	68	76	72	63	74
Indiana	1,200	99	88	106	96	96	96	98	110	93	99	101	118
White	1,000	83	72	86	76	74	78	82	94	73	88	86	108
All other	200	16	16	20	20	22	18	16	16	20	11	15	10
Iowa	542	40	47	45	44	39	39	53	41	55	46	49	45
White	525	40	45	43	43	36	38	52	41	52	45	48	42
All other	17	-	2	2	1	2	1	1	-	3	1	1	3
Kansas	409	31	40	28	32	47	32	34	34	37	32	23	39
White	341	25	32	22	28	40	28	27	30	33	25	20	31
All other	68	6	8	6	4	7	4	7	4	4	7	3	8
Kentucky	805	53	53	57	71	73	75	83	74	74	59	66	67
White	687	46	45	52	57	64	59	72	62	64	52	57	57
All other	118	7	8	5	14	9	16	11	12	10	7	9	10
Louisiana	1,089	85	73	85	99	90	76	90	102	104	105	89	93
White	440	30	27	36	45	38	24	35	35	50	45	36	39
All other	649	55	46	49	53	52	52	55	67	54	60	53	54
Maine	249	24	14	17	20	23	18	28	29	18	21	15	22
White	242	23	13	17	19	22	18	27	29	18	19	15	22
All other	7	1	1	-	1	1	-	1	-	-	2	-	-
Maryland	927	92	85	68	70	81	76	81	89	72	74	61	78
White	637	54	61	54	52	61	49	59	69	42	42	41	53
All other	290	38	24	14	18	20	27	22	20	30	32	20	25
Massachusetts	1,119	97	97	84	94	112	90	95	97	92	68	94	99
White	1,040	93	90	79	85	107	82	85	89	87	64	86	93
All other	79	4	7	5	9	5	8	10	8	5	4	8	6
Michigan	2,081	193	166	149	153	180	179	171	190	171	179	180	170
White	1,845	136	126	113	113	135	133	135	141	130	137	128	138
All other	536	57	40	36	40	45	46	36	49	41	42	52	52
Minnesota	764	65	55	53	59	68	56	55	87	78	63	60	65
White	730	60	53	49	59	65	51	53	83	75	62	58	62
All other	34	5	2	4	-	3	5	2	4	3	1	2	3
Mississippi	1,349	99	95	106	110	108	96	138	126	135	124	101	111
White	511	39	35	37	40	33	40	51	41	57	41	40	57
All other	838	60	60	69	70	75	56	87	85	78	83	61	54

SECTION 3 - FETAL MORTALITY

3-13

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,123	78	82	92	79	84	100	104	100	109	114	98	85
White	837	54	57	64	61	66	72	79	80	83	89	70	82
All other	286	24	25	28	18	18	28	25	20	26	25	28	21
Montana	148	13	12	9	12	10	18	11	14	16	13	9	11
White	126	12	11	7	9	9	16	10	12	12	10	8	10
All other	22	1	1	2	3	1	2	1	2	4	3	1	1
Nebraska	256	28	18	20	27	18	26	23	26	16	25	17	12
White	230	24	15	16	25	16	25	22	22	15	22	16	12
All other	26	4	3	4	2	2	1	1	4	1	3	1	-
Nevada	122	8	12	12	6	9	9	10	15	9	4	15	15
White	101	7	8	10	5	8	8	8	13	8	4	9	13
All other	21	1	4	2	1	1	1	2	2	1	-	4	2
New Hampshire	149	13	17	13	7	6	14	9	15	13	23	10	11
White	149	13	17	13	7	6	14	9	15	13	23	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,617	126	135	143	148	148	120	141	154	120	141	120	121
White	1,194	81	97	110	108	108	95	101	121	91	105	85	86
All other	433	45	38	33	40	40	27	40	33	29	36	37	35
New Mexico	264	25	13	27	31	21	20	23	29	18	24	13	20
White	225	21	8	22	28	16	17	19	26	14	23	12	19
All other	39	4	5	5	3	5	3	4	3	4	1	1	1
New York	8,623	685	689	761	703	743	657	806	742	716	743	672	706
White	6,290	491	520	551	501	524	484	575	521	543	550	514	516
All other	2,333	194	169	210	202	219	173	231	221	173	193	158	190
North Carolina	1,571	117	115	127	130	123	138	131	164	149	126	134	117
White	843	63	66	70	68	65	76	64	84	78	76	73	60
All other	728	54	49	57	62	58	62	67	80	71	50	61	57
North Dakota	158	5	16	9	14	7	13	10	14	17	12	12	9
White	128	4	13	8	14	7	12	10	12	17	12	12	7
All other	10	1	3	1	-	-	1	-	2	-	-	-	2
Ohio	2,439	185	170	209	192	237	185	210	185	247	206	196	187
White	1,870	164	137	169	160	183	154	166	150	200	167	162	158
All other	469	31	33	40	32	54	41	44	45	47	39	34	29
Oklahoma	510	49	34	30	22	41	47	41	49	43	48	55	52
White	366	35	25	15	14	31	31	30	41	32	37	42	33
All other	144	13	9	15	8	10	16	11	8	11	11	13	19
Oregon	444	30	32	37	33	33	40	33	51	35	43	38	39
White	414	27	30	37	29	28	37	33	48	31	42	35	37
All other	30	3	2	-	4	5	3	-	3	4	1	3	2
Pennsylvania	3,060	226	257	274	247	257	247	258	274	247	285	248	240
White	2,396	169	204	216	196	210	185	200	224	199	213	186	194
All other	664	57	53	58	51	47	62	58	50	48	72	62	46
Rhode Island	183	11	18	16	22	18	13	9	11	23	14	15	13
White	171	11	16	14	21	17	12	9	11	21	13	13	13
All other	12	-	2	2	1	1	1	-	2	2	1	2	-
South Carolina	827	77	65	64	64	63	79	79	56	68	87	56	69
White	375	39	27	33	22	27	34	35	26	31	41	32	28
All other	452	38	38	31	42	36	45	44	30	37	46	24	41
South Dakota	155	10	10	14	9	9	11	26	16	9	8	16	17
White	128	7	6	10	8	8	11	25	12	5	8	14	12
All other	29	3	4	4	1	1	-	1	4	4	-	2	5
Tennessee	1,145	81	79	108	84	83	100	104	115	88	97	89	97
White	779	58	54	78	59	61	75	73	78	80	80	65	58
All other	366	33	25	30	25	32	25	31	37	28	37	24	39
Texas	3,017	216	221	215	239	252	282	285	285	236	281	257	277
White	2,288	157	175	161	186	180	200	200	228	183	221	189	208
All other	729	59	46	55	53	72	62	65	67	53	60	68	69
Utah	241	20	14	34	11	29	16	22	18	25	20	13	19
White	230	19	13	33	11	27	16	20	17	24	20	12	18
All other	11	1	1	1	-	2	-	2	1	1	-	1	1
Vermont	168	17	14	17	12	6	18	10	15	11	16	18	14
White	167	17	14	17	12	6	18	10	15	11	16	17	14
All other	1	-	-	-	-	-	-	-	-	-	-	1	-
Virginia	1,973	144	143	186	159	174	147	189	185	189	171	140	156
White	1,350	89	101	126	110	112	103	119	142	127	109	96	116
All other	623	55	42	60	49	62	44	50	53	62	62	44	40
Washington	624	66	37	42	59	49	43	60	50	70	45	44	61
White	564	60	33	37	50	47	40	55	45	66	41	37	53
All other	60	6	4	5	9	2	3	5	5	4	2	7	8
West Virginia	464	43	33	42	38	35	37	41	54	33	34	39	35
White	431	40	31	37	29	34	35	39	52	30	31	39	34
All other	33	3	2	5	9	1	2	2	2	3	3	-	1
Wisconsin	858	76	62	64	76	82	63	71	78	77	85	64	80
White	768	69	57	54	69	72	58	66	72	70	57	61	63
All other	90	7	5	10	7	10	5	5	6	7	8	3	17
Wyoming	87	5	5	6	7	8	8	3	7	6	11	10	11
White	79	4	4	6	7	7	6	3	6	6	9	10	100
All other	8	1	1	-	-	1	2	-	1	-	2	-	-

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	55,293	19,542	9,453	7,213	5,183	3,825	2,723	1,787	4,231	1,336
Under 15 years	273	259	11	1	-	-	-	-	-	2
15-19 years	8,865	8,533	1,548	420	109	43	7	3	-	199
20-24 years	16,476	7,653	4,092	2,290	1,136	535	216	104	76	374
25-29 years	12,610	2,956	2,374	2,404	1,706	1,185	768	399	495	323
30-34 years	8,296	1,213	882	1,278	1,233	1,017	796	513	1,147	217
35-39 years	5,945	652	410	625	716	711	647	525	1,517	142
40-44 years	2,590	255	125	180	267	316	257	224	892	74
45-49 years	239	21	10	15	18	18	32	19	102	5
Male	26,341	9,439	4,449	3,426	2,453	1,823	1,262	892	2,129	468
Under 15 years	150	143	4	1	-	-	-	-	-	2
15-19 years	4,506	3,358	758	218	62	23	3	1	1	80
20-24 years	7,786	3,617	1,939	1,072	552	281	111	51	40	123
25-29 years	5,898	1,341	1,093	1,149	812	588	353	194	269	119
30-34 years	3,823	550	405	592	560	460	363	249	573	71
35-39 years	2,840	301	182	295	347	330	308	268	757	54
40-44 years	1,234	120	61	93	113	154	113	122	442	16
45-49 years	104	8	6	8	7	7	11	7	47	3
Female	22,511	7,838	4,006	2,933	2,125	1,551	1,158	751	1,784	385
Under 15 years	93	87	6	-	-	-	-	-	-	-
15-19 years	3,614	2,646	669	159	41	19	4	2	1	73
20-24 years	6,780	3,166	1,737	954	466	200	76	48	29	104
25-29 years	5,100	1,160	991	1,000	714	482	336	164	176	77
30-34 years	3,365	455	376	511	491	430	346	212	476	68
35-39 years	2,414	227	180	247	287	295	271	211	656	40
40-44 years	1,040	88	44	56	180	117	112	84	396	23
45-49 years	105	9	3	6	6	8	13	10	50	-
Sex not stated	6,441	2,265	998	854	605	451	303	164	318	483
Under 15 years	30	29	1	-	-	-	-	-	-	-
15-19 years	745	528	121	43	6	1	-	-	-	46
20-24 years	1,910	870	416	264	118	54	29	5	7	147
25-29 years	1,612	455	290	255	180	135	79	41	50	127
30-34 years	1,108	208	101	175	182	127	87	52	98	78
35-39 years	691	124	49	85	82	86	68	46	104	48
40-44 years	316	47	20	31	34	45	32	18	54	35
45-49 years	29	4	1	1	3	3	8	2	5	2
White	40,206	14,699	7,143	5,527	3,987	2,763	1,870	1,152	2,181	884
Under 15 years	85	84	1	-	-	-	-	-	-	-
15-19 years	5,456	4,298	830	164	40	13	5	1	1	114
20-24 years	12,458	6,184	3,180	1,651	719	300	102	45	30	247
25-29 years	9,724	2,418	1,985	2,001	1,548	822	493	223	214	220
30-34 years	6,117	971	695	1,034	1,025	776	553	341	573	149
35-39 years	4,311	519	345	512	611	574	491	361	797	101
40-44 years	1,880	216	100	151	229	261	200	169	504	50
45-49 years	175	19	7	14	15	17	26	12	62	3
Male	18,994	7,072	3,340	2,608	1,851	1,307	860	569	1,079	308
Under 15 years	35	34	1	-	-	-	-	-	-	-
15-19 years	2,778	2,189	417	86	19	5	2	1	1	48
20-24 years	5,828	2,922	1,476	763	339	159	54	21	15	79
25-29 years	4,539	1,108	919	959	631	393	225	110	113	81
30-34 years	2,808	458	328	472	464	342	250	164	296	46
35-39 years	2,047	244	151	246	296	272	238	176	384	40
40-44 years	891	100	46	75	96	130	84	93	255	12
45-49 years	68	7	4	7	6	6	7	4	25	2
Female	16,385	5,928	3,044	2,249	1,657	1,110	788	470	893	256
Under 15 years	39	39	-	-	-	-	-	-	-	-
15-19 years	2,219	1,741	349	61	18	7	3	-	-	40
20-24 years	5,162	2,569	1,369	689	301	105	32	20	11	70
25-29 years	3,956	954	836	828	576	331	215	86	75	55
30-34 years	2,463	358	295	414	407	335	238	141	227	48
35-39 years	1,730	178	154	204	248	230	200	151	338	27
40-44 years	735	75	39	47	101	94	88	65	210	16
45-49 years	81	8	2	6	6	8	12	7	32	-
Sex not stated	4,827	1,709	759	670	479	346	222	113	209	320
Under 15 years	11	11	-	-	-	-	-	-	-	-
15-19 years	459	348	64	17	3	1	-	-	-	26
20-24 years	1,468	697	335	199	79	38	16	4	4	98
25-29 years	1,229	356	230	214	141	98	53	27	26	84
30-34 years	846	155	74	149	154	99	65	36	60	55
35-39 years	534	97	40	62	67	72	53	34	75	34
40-44 years	254	41	15	29	32	37	28	11	39	22
45-49 years	26	4	1	1	3	3	7	1	5	1
All other	15,087	4,843	2,310	1,686	1,196	1,062	653	635	2,050	452
Under 15 years	188	175	10	1	-	-	-	-	-	2
15-19 years	3,409	2,245	719	256	69	30	2	2	1	85
20-24 years	4,018	1,659	912	639	417	235	114	59	46	127
25-29 years	2,866	538	389	403	358	363	275	176	281	103
30-34 years	2,179	242	187	244	208	241	243	172	574	68
35-39 years	1,634	133	65	113	105	137	156	164	720	41
40-44 years	710	39	25	29	38	55	57	55	388	24
45-49 years	63	2	3	1	1	1	6	7	40	2

SECTION 3 - FETAL MORTALITY

3-15

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
All other-Con.										
Male-----	7,347	2,367	1,109	616	602	616	402	323	1,050	160
Under 15 years-----	115	109	3	1	-	-	-	-	-	2
15-19 years-----	1,728	1,160	342	132	43	18	1	-	-	32
20-24 years-----	1,858	695	463	309	213	122	57	30	25	44
25-29 years-----	1,359	233	174	190	181	175	128	84	156	38
30-34 years-----	1,015	92	79	120	96	118	113	85	297	25
35-39 years-----	793	57	31	47	51	58	70	92	373	14
40-44 years-----	343	20	15	16	17	24	29	29	187	4
45-49 years-----	36	1	2	1	1	1	4	3	22	1
Female-----	6,126	1,920	962	684	468	441	370	261	891	129
Under 15 years-----	64	48	6	-	-	-	-	-	-	-
15-19 years-----	1,396	905	320	98	23	12	1	2	1	33
20-24 years-----	1,618	601	368	265	165	95	44	28	16	34
25-29 years-----	1,144	206	155	172	138	151	121	78	101	22
30-34 years-----	902	97	81	97	84	96	108	71	249	20
35-39 years-----	684	43	26	43	39	65	71	60	318	13
40-44 years-----	305	13	5	9	19	23	24	19	186	7
45-49 years-----	24	1	1	-	-	-	1	3	18	-
Sex not stated-----	1,614	556	239	184	126	105	81	51	109	165
Under 15 years-----	19	18	1	-	-	-	-	-	-	-
15-19 years-----	286	160	57	26	3	-	-	-	-	20
20-24 years-----	442	173	81	65	39	19	13	1	3	49
25-29 years-----	383	99	60	41	39	37	26	14	24	43
30-34 years-----	262	53	27	27	28	28	22	16	36	23
35-39 years-----	157	27	6	23	15	14	15	12	29	14
40-44 years-----	62	6	5	2	2	8	4	7	15	13
45-49 years-----	3	-	-	-	-	-	1	1	-	1

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States-----	55,293	273	8,865	16,476	12,610	8,296	5,945	2,590	238
White-----	40,206	85	5,456	12,458	9,724	6,117	4,311	1,880	175
All other-----	15,087	188	3,409	4,018	2,886	2,179	1,634	710	63
Alabama-----	1,276	11	305	344	234	166	139	74	4
White-----	588	2	129	188	134	69	45	21	4
All other-----	688	9	176	156	100	97	93	53	4
Alaska-----	78	-	12	23	18	12	10	3	-
White-----	53	-	10	20	11	5	6	1	-
All other-----	25	-	2	3	7	7	4	2	-
Arizona-----	375	1	59	118	80	52	48	14	3
White-----	285	-	48	99	56	38	34	7	3
All other-----	90	1	11	19	24	14	14	7	-
Arkansas-----	534	2	128	169	105	63	42	25	-
White-----	300	1	60	113	64	36	15	11	-
All other-----	234	1	68	56	41	27	27	14	-
California-----	4,019	20	595	1,241	969	615	410	161	9
White-----	3,343	8	459	1,077	813	501	340	139	6
All other-----	676	12	136	164	156	114	70	22	2
Colorado-----	1,060	5	170	342	245	178	90	27	5
White-----	965	3	157	325	228	160	81	26	5
All other-----	75	2	13	17	17	16	9	1	-
Connecticut-----	558	1	62	162	165	85	54	27	2
White-----	445	-	37	123	146	71	44	22	2
All other-----	113	1	25	39	19	14	10	5	-
Delaware-----	157	-	35	47	36	21	16	4	-
White-----	100	-	17	29	25	15	12	2	-
All other-----	57	-	16	18	11	6	4	2	-
District of Columbia-----	263	1	56	78	53	37	26	11	1
White-----	27	-	3	8	7	6	1	2	-
All other-----	236	1	53	70	46	31	25	9	1
Florida-----	1,503	9	311	452	308	211	143	64	5
White-----	839	3	138	280	200	113	71	32	2
All other-----	664	6	173	172	108	98	72	32	3
Georgia-----	1,572	12	353	477	311	198	155	61	5
White-----	850	3	164	278	194	103	79	27	2
All other-----	722	9	189	199	117	95	76	34	3
Hawaii-----	567	-	35	118	95	54	47	19	1
White-----	138	-	14	51	36	17	16	4	-
All other-----	229	-	21	67	57	37	31	15	1
Idaho-----	147	-	29	47	33	22	10	4	2
White-----	144	-	29	47	35	21	8	4	2
All other-----	3	-	-	-	-	1	2	-	-
Illinois-----	2,644	13	426	761	613	402	296	127	6
White-----	1,624	5	220	556	468	273	208	91	5
All other-----	820	8	206	205	147	129	88	36	1
Indiana-----	1,200	8	221	376	259	186	100	46	4
White-----	1,000	6	174	329	222	152	77	36	4
All other-----	200	2	47	47	37	34	23	10	-
Iowa-----	542	1	66	177	130	73	60	31	4
White-----	525	1	61	174	129	67	58	31	4
All other-----	17	-	5	3	1	6	2	-	-
Kansas-----	409	1	71	144	75	59	41	15	3
White-----	341	1	56	118	64	52	34	13	3
All other-----	68	-	15	26	11	7	7	2	-
Kentucky-----	805	7	150	274	136	106	81	45	6
White-----	687	4	126	229	120	93	70	40	5
All other-----	118	3	24	45	16	13	11	5	1
Louisiana-----	1,089	9	219	303	234	160	105	52	7
White-----	440	1	73	132	107	58	49	18	2
All other-----	649	8	146	171	127	102	56	34	5
Maine-----	249	1	58	86	54	32	28	10	-
White-----	242	1	58	81	53	31	28	10	-
All other-----	7	-	-	5	1	1	-	-	-
Maryland-----	927	8	161	275	197	147	93	44	4
White-----	637	2	79	196	164	97	64	31	4
All other-----	290	6	82	77	33	50	29	13	-
Massachusetts-----	1,119	-	110	322	304	189	130	62	2
White-----	1,040	-	92	297	290	181	122	56	2
All other-----	79	-	18	25	14	8	8	6	-
Michigan-----	2,081	9	352	591	468	319	224	110	8
White-----	1,545	-	223	453	359	255	163	87	5
All other-----	536	9	129	138	109	64	61	23	3
Minnesota-----	764	1	91	231	168	133	88	46	6
White-----	730	1	86	224	156	125	87	45	6
All other-----	34	-	5	7	12	8	1	1	-
Mississippi-----	1,349	15	253	384	256	205	150	75	11
White-----	511	1	85	182	116	71	37	16	3
All other-----	838	14	168	202	140	134	113	59	8

SECTION 3 - FETAL MORTALITY

3-17

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	
Missouri	1,123	3	214	322	261	136	137	45	5	
White	837	-	142	250	195	108	98	38	5	
All other	286	3	72	72	66	28	38	7	-	
Montana	148	1	21	57	27	22	15	4	1	
White	126	1	17	44	25	19	15	4	1	
All other	22	-	4	13	2	3	-	-	-	
Nebraska	258	2	30	79	57	35	30	19	4	
White	230	-	23	74	52	33	27	17	4	
All other	28	2	7	5	5	2	3	2	-	
Nevada	122	-	9	45	28	23	11	5	1	
White	101	-	7	41	20	19	8	5	1	
All other	21	-	2	4	8	4	3	-	-	
New Hampshire	149	-	19	56	36	20	10	8	-	
White	149	-	19	56	36	20	10	8	-	
All other	-	-	-	-	-	-	-	-	-	
New Jersey	1,617	1	189	469	353	291	206	87	11	
White	1,184	-	106	356	278	222	148	68	8	
All other	433	1	83	113	85	69	60	19	3	
New Mexico	264	-	36	79	56	44	33	13	3	
White	225	-	36	66	46	37	28	11	1	
All other	39	-	-	13	10	7	5	2	2	
New York	8,623	34	1,010	2,402	2,285	1,471	857	420	44	
White	6,290	12	578	1,772	1,678	1,109	761	389	41	
All other	2,333	22	432	630	607	362	196	81	3	
North Carolina	1,571	10	322	458	306	223	169	78	5	
White	843	2	145	270	188	124	80	32	2	
All other	728	8	177	188	118	99	89	46	3	
North Dakota	138	-	12	38	35	19	18	15	1	
White	128	-	11	35	32	19	17	13	1	
All other	10	-	1	3	3	-	1	2	-	
Ohio	2,439	8	370	734	566	376	287	107	11	
White	1,970	3	262	603	476	313	221	84	8	
All other	469	5	108	131	90	63	46	23	3	
Oklahoma	510	2	100	162	108	60	59	18	1	
White	366	2	67	125	86	35	39	11	1	
All other	144	-	33	37	22	25	20	7	-	
Oregon	444	3	87	151	109	45	34	13	2	
White	414	3	79	143	102	43	30	12	2	
All other	30	-	8	8	7	2	4	1	-	
Pennsylvania	3,060	19	455	884	740	467	325	160	10	
White	2,396	6	281	684	622	363	275	136	8	
All other	664	13	174	200	118	84	50	24	1	
Rhode Island	183	1	17	64	40	30	25	6	-	
White	171	-	15	60	39	30	21	6	-	
All other	12	1	2	4	1	-	4	-	-	
South Carolina	827	6	194	270	146	91	89	38	3	
White	375	-	67	134	86	39	36	13	-	
All other	452	6	117	136	60	52	53	25	3	
South Dakota	155	1	26	42	37	27	13	7	2	
White	126	-	19	36	33	19	10	7	2	
All other	29	1	7	6	4	8	3	-	-	
Tennessee	1,145	10	240	385	219	136	117	31	7	
White	779	1	136	285	171	88	78	18	2	
All other	366	9	104	100	48	48	39	13	5	
Texas	3,017	18	549	878	635	407	378	134	18	
White	2,288	8	367	671	513	326	287	105	13	
All other	729	12	182	207	122	81	91	29	5	
Utah	241	1	35	75	58	41	21	12	-	
White	230	-	34	70	53	40	21	12	-	
All other	11	1	1	5	5	1	-	-	-	
Vermont	169	1	26	42	45	25	20	9	-	
White	167	1	26	42	44	25	20	9	-	
All other	1	-	-	-	1	-	-	-	-	
Virginia	1,973	13	308	604	445	311	195	95	4	
White	1,350	2	175	441	334	208	126	61	3	
All other	623	11	131	163	111	103	69	34	1	
Washington	624	3	113	224	139	67	55	22	1	
White	564	2	104	207	125	60	46	19	1	
All other	60	1	9	17	14	7	9	3	-	
West Virginia	464	1	78	126	91	67	64	34	3	
White	431	1	73	116	86	61	61	31	2	
All other	33	-	5	10	5	6	3	3	1	
Wisconsin	859	-	92	289	212	125	108	48	4	
White	768	-	73	247	190	114	96	45	3	
All other	90	-	19	22	22	11	12	3	1	
Wyoming	87	-	19	23	22	14	4	5	-	
White	79	-	16	21	21	13	4	4	-	
All other	8	-	3	2	1	1	-	1	-	

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1968
 [Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States	55,293	19,542	9,453	7,213	5,183	3,825	2,725	1,787	4,231	1,336
White	40,206	14,699	7,143	5,527	3,987	2,763	1,870	1,152	2,181	884
All other	15,087	4,843	2,310	1,686	1,196	1,062	855	635	2,050	452
Alabama	1,276	432	207	136	114	78	50	41	163	55
White	568	228	131	84	59	30	11	7	17	21
All other	688	204	76	52	55	48	39	34	146	34
Alaska	78	26	15	10	8	4	4	1	10	-
White	53	24	11	4	6	3	1	-	4	-
All other	25	2	4	6	2	1	3	1	6	-
Arizona	375	116	50	49	48	23	25	7	42	15
White	265	96	41	39	34	16	17	5	25	12
All other	90	20	9	10	14	7	8	2	17	3
Arkansas	534	174	91	78	42	41	23	19	65	1
White	300	113	66	53	23	22	10	8	4	1
All other	234	61	25	25	19	19	13	11	61	-
California	4,019	1,477	773	528	414	266	166	86	206	103
White	3,343	1,250	651	437	348	225	139	62	161	70
All other	676	227	122	91	66	41	27	24	45	33
Colorado	1,060	436	171	126	92	64	46	26	48	51
White	985	414	160	116	83	60	40	25	43	44
All other	75	22	11	10	9	4	6	1	5	7
Connecticut	558	176	118	88	71	34	23	15	32	1
White	445	133	101	71	54	25	19	13	19	-
All other	113	43	17	17	7	9	4	2	13	1
Delaware	157	60	31	21	24	8	4	2	6	1
White	100	42	20	18	14	-	-	-	4	-
All other	57	18	11	3	10	8	2	2	2	1
District of Columbia	263	118	49	34	19	14	7	8	13	1
White	27	15	4	4	-	2	-	1	-	1
All other	236	103	45	30	19	12	7	7	13	-
Florida	1,503	523	258	204	149	93	61	53	149	13
White	859	315	165	133	106	48	28	15	23	6
All other	664	208	93	71	43	45	33	38	126	7
Georgia	1,572	538	310	197	124	117	74	48	149	15
White	850	311	189	124	72	60	31	21	53	9
All other	722	227	121	73	52	57	43	27	116	6
Hawaii	367	68	48	34	19	20	13	11	19	135
White	158	23	15	12	6	1	6	2	4	69
All other	229	45	33	22	13	19	7	9	15	66
Idaho	147	60	24	19	17	9	8	3	6	1
White	144	59	24	19	17	8	7	3	6	1
All other	3	1	-	-	-	1	-	-	-	-
Illinois	2,644	871	467	377	230	189	148	98	220	44
White	1,824	604	353	279	163	144	90	57	112	22
All other	820	267	114	98	67	45	58	41	108	22
Indiana	1,200	510	184	128	109	84	42	34	81	28
White	1,000	433	152	113	99	67	31	26	53	28
All other	200	77	32	15	10	17	11	8	28	2
Iowa	542	173	86	75	61	39	42	19	46	1
White	525	169	84	74	59	37	40	19	42	1
All other	17	4	2	1	2	2	2	-	4	-
Kansas	409	148	74	47	33	24	20	15	30	18
White	341	125	61	43	27	21	16	13	20	15
All other	68	23	13	4	6	3	4	2	10	3
Kentucky	805	266	142	106	72	57	40	27	74	21
White	687	230	122	92	65	47	30	21	63	17
All other	118	36	20	14	7	10	10	6	11	4
Louisiana	1,089	396	136	124	84	68	58	48	147	28
White	440	176	57	68	38	28	25	18	22	8
All other	649	220	79	56	46	40	33	30	125	20
Maine	249	124	33	26	21	11	8	9	13	4
White	242	123	31	28	19	11	7	9	12	4
All other	7	1	2	-	2	-	1	-	1	-
Maryland	927	342	190	120	91	59	36	25	53	11
White	637	236	139	88	70	44	25	14	16	5
All other	290	106	51	32	21	15	11	11	37	6
Massachusetts	1,119	377	181	179	93	95	63	47	74	10
White	1,040	353	168	161	90	89	60	45	65	9
All other	79	24	13	18	3	6	3	2	9	1
Michigan	2,081	842	317	270	162	155	99	69	130	37
White	1,545	615	245	207	133	128	75	50	71	23
All other	536	227	74	63	29	27	24	19	59	14
Minnesota	764	261	129	81	79	67	46	33	60	8
White	730	256	125	78	75	65	41	31	51	8
All other	34	5	4	3	4	2	5	2	9	-
Mississippi	1,349	421	194	143	107	72	81	61	248	22
White	511	199	95	74	54	23	26	11	20	9
All other	838	222	99	69	53	49	55	50	228	13

SECTION 3 - FETAL MORTALITY

3-19

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,123	401	192	154	87	76	72	58	97	27
White	837	315	153	104	61	59	45	19	57	24
All other	286	86	39	50	26	16	27	19	40	3
Montana	148	53	28	19	10	8	11	9	11	1
White	126	45	23	15	8	7	11	5	11	1
All other	22	8	3	4	2	1	-	4	-	-
Nebraska	258	94	35	37	16	24	21	10	18	1
White	230	81	35	33	15	22	21	8	14	1
All other	26	13	-	4	1	2	-	2	4	-
Nevada	122	45	22	13	12	10	5	4	8	5
White	101	36	18	13	12	6	4	3	5	4
All other	21	7	4	-	-	4	1	1	3	1
New Hampshire	149	72	16	23	10	5	11	1	8	3
White	149	72	16	23	10	5	11	1	8	3
All other	-	-	-	-	-	-	-	-	-	-
New Jersey	1,617	654	253	197	146	108	82	45	99	33
White	1,184	505	190	152	115	73	53	29	42	25
All other	433	149	63	45	31	35	29	16	57	8
New Mexico	264	79	39	43	31	21	18	9	23	1
White	225	74	31	36	26	17	17	5	18	1
All other	39	5	8	7	5	4	1	4	5	-
New York	8,623	3,026	1,445	1,181	877	599	421	223	456	593
White	6,290	2,221	1,068	869	657	456	304	157	314	285
All other	2,333	807	377	312	220	164	117	66	142	128
North Carolina	1,571	502	294	204	177	103	82	44	147	18
White	843	299	180	119	109	48	39	17	28	4
All other	728	203	114	85	68	55	43	27	119	14
North Dakota	158	37	17	20	12	11	10	7	23	1
White	128	36	16	18	12	10	10	7	18	1
All other	10	1	1	2	-	1	-	-	5	-
Ohio	2,439	829	411	363	218	182	132	101	158	45
White	1,970	675	328	307	182	145	102	65	110	36
All other	469	154	83	56	36	37	30	18	48	9
Oklahoma	510	185	95	65	45	23	29	15	45	8
White	366	139	70	54	37	15	17	9	21	6
All other	144	46	25	11	8	10	12	6	24	2
Oregon	444	173	87	57	48	31	13	12	20	3
White	414	164	79	53	46	29	10	12	18	3
All other	30	9	8	4	2	2	3	-	2	-
Pennsylvania	3,060	1,016	549	444	324	237	158	97	203	32
White	2,396	817	421	358	266	184	120	74	140	16
All other	664	199	128	86	58	53	38	23	63	16
Rhode Island	183	61	35	28	14	11	12	4	13	5
White	171	56	34	26	14	10	12	3	11	5
All other	12	5	1	2	-	1	-	1	2	-
South Carolina	827	285	148	94	79	54	35	34	80	8
White	375	142	77	45	40	26	17	10	14	4
All other	452	143	71	49	39	28	18	24	76	4
South Dakota	155	63	22	17	11	14	10	5	13	-
White	126	53	17	13	11	11	8	4	9	-
All other	29	10	5	4	-	3	2	1	4	-
Tennessee	1,145	488	209	150	85	63	43	26	72	9
White	779	361	157	107	61	32	18	13	25	5
All other	366	127	52	43	24	31	25	13	47	4
Texas	3,017	999	499	365	285	242	160	117	334	18
White	2,288	775	376	297	225	181	114	84	226	10
All other	729	224	123	68	58	61	46	33	108	8
Utah	241	102	27	28	21	18	16	16	9	6
White	230	97	25	26	20	16	16	16	8	6
All other	11	5	2	-	1	2	-	-	1	-
Vermont	168	53	29	15	20	13	8	5	12	13
White	167	53	28	15	20	13	8	5	12	13
All other	1	-	1	-	-	-	-	-	-	-
Virginia	1,973	716	348	270	171	128	95	75	136	34
White	1,350	524	243	204	124	80	54	42	52	27
All other	623	192	105	66	47	48	41	33	84	7
Washington	624	236	135	72	55	46	19	14	31	16
White	564	221	122	64	51	39	15	11	26	15
All other	60	15	13	8	4	7	4	3	5	1
West Virginia	464	157	74	52	49	39	22	27	58	6
White	431	128	72	48	47	34	21	23	52	6
All other	33	9	2	4	2	5	1	4	6	-
Wisconsin	858	284	159	111	87	64	48	40	61	24
White	768	236	146	100	82	59	43	30	50	20
All other	90	28	11	11	5	5	5	10	11	4
Wyoming	87	37	9	13	12	5	3	4	2	2
White	79	32	8	11	12	5	3	4	2	2
All other	8	5	1	2	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II--fetal deaths of 20-27 weeks gestation ¹				Group III--fetal deaths of 28 weeks gestation or more ¹			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
United States	55,293	53,081	1,245	470	11,678	11,151	358	60	30,807	29,872	422	300
White	40,206	39,212	728	24	7,793	7,547	205	-	22,768	22,435	222	18
All other	15,087	13,869	517	446	3,885	3,604	153	60	8,039	7,437	200	282
Alabama	1,276	1,073	42	134	251	195	11	18	817	684	23	91
White	568	579	2	6	95	94	1	-	371	366	-	4
All other	688	494	40	128	136	101	10	18	446	318	23	87
Alaska	78	74	1	-	16	14	-	-	58	56	1	-
White	53	53	-	-	11	11	-	-	40	40	-	-
All other	25	21	1	-	5	3	-	-	18	16	1	-
Arizona	375	362	6	1	50	49	1	-	234	229	4	1
White	285	276	3	1	40	40	-	-	180	177	2	1
All other	90	86	3	-	10	9	1	-	54	52	2	-
Arkansas	534	496	12	15	131	122	2	1	342	316	8	12
White	300	286	3	-	78	76	1	-	191	190	1	-
All other	234	200	9	13	53	46	1	1	151	126	7	12
California	4,019	3,944	47	-	670	642	25	-	2,618	2,601	10	-
White	3,343	3,287	34	-	529	509	17	-	2,255	2,241	9	-
All other	676	657	13	-	141	133	8	-	363	360	1	-
Colorado	1,080	983	59	-	254	248	4	-	320	315	5	-
White	985	910	57	-	228	222	4	-	294	289	5	-
All other	75	73	2	-	26	26	-	-	26	26	-	-
Connecticut	558	546	10	-	149	146	2	-	391	383	7	-
White	445	436	7	-	109	107	1	-	320	314	5	-
All other	113	110	3	-	40	39	1	-	71	69	2	-
Delaware	157	154	2	-	43	43	-	-	95	92	2	-
White	100	98	2	-	27	27	-	-	61	59	2	-
All other	57	56	-	-	16	16	-	-	34	33	-	-
District of Columbia	263	256	6	-	52	51	1	-	154	152	2	-
White	27	27	-	-	2	2	-	-	11	11	-	-
All other	236	229	6	-	50	49	1	-	143	141	2	-
Florida	1,503	1,454	17	16	341	332	4	-	1,156	1,116	13	16
White	839	822	8	2	175	170	2	-	660	648	6	2
All other	664	632	9	14	166	162	2	-	496	468	7	14
Georgia	1,572	1,467	27	21	476	451	7	4	872	808	14	16
White	850	838	6	-	248	242	2	-	475	471	3	-
All other	722	629	21	21	228	209	5	4	397	337	11	16
Hawaii	367	351	12	-	74	70	3	-	129	126	2	-
White	138	135	3	-	21	20	1	-	37	37	-	-
All other	229	216	9	-	53	50	2	-	92	89	2	-
Idaho	147	146	1	-	27	27	-	-	71	71	-	-
White	144	143	1	-	26	26	-	-	69	69	-	-
All other	3	3	-	-	1	1	-	-	2	2	-	-
Illinois	2,644	2,575	53	-	441	424	13	-	1,775	1,747	20	-
White	1,824	1,792	25	-	264	256	8	-	1,290	1,276	9	-
All other	820	783	28	-	177	168	5	-	485	471	11	-
Indiana	1,200	1,166	29	-	115	111	4	-	477	466	11	-
White	1,000	974	22	-	96	92	4	-	402	394	8	-
All other	200	192	7	-	19	19	-	-	75	72	3	-
Iowa	542	530	10	-	75	71	3	-	428	426	2	-
White	525	513	10	-	67	65	3	-	419	417	2	-
All other	17	17	-	-	8	8	-	-	9	9	-	-
Kansas	409	392	14	-	85	77	7	-	279	275	3	-
White	341	324	14	-	62	54	7	-	239	235	3	-
All other	68	68	-	-	23	23	-	-	40	40	-	-
Kentucky	805	784	11	5	109	105	3	1	455	445	5	4
White	687	673	8	3	86	83	3	-	384	377	3	3
All other	118	111	3	2	23	22	-	1	71	68	2	1
Louisiana	1,089	1,035	25	7	154	140	11	2	598	580	7	2
White	440	432	6	-	46	46	2	-	244	243	1	-
All other	649	603	19	7	106	94	9	2	354	337	6	2
Maine	249	242	6	-	32	29	3	-	99	97	1	-
White	242	235	6	-	32	29	3	-	97	95	1	-
All other	7	7	-	-	-	-	-	-	2	2	-	-
Maryland	927	905	16	-	217	209	5	-	588	582	5	-
White	637	629	5	-	126	126	-	-	422	419	2	-
All other	290	276	11	-	91	83	5	-	166	163	3	-
Massachusetts	1,119	1,104	15	-	264	257	7	-	833	825	8	-
White	1,040	1,025	15	-	238	231	7	-	781	773	8	-
All other	79	79	-	-	26	26	-	-	52	52	-	-
Michigan	2,081	2,048	29	-	259	255	4	-	998	989	8	-
White	1,545	1,526	15	-	171	169	2	-	768	762	5	-
All other	536	522	14	-	88	86	2	-	230	227	3	-
Minnesota	764	752	12	-	9	9	-	-	16	15	1	-
White	730	718	12	-	9	9	-	-	15	14	1	-
All other	34	34	-	-	-	-	-	-	1	1	-	-
Mississippi	1,349	1,148	35	154	308	277	5	25	658	561	13	81
White	511	502	7	2	151	129	2	20	225	223	1	1
All other	838	646	28	152	177	148	3	25	433	338	12	80

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-21

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation ¹				Group III—fetal deaths of 28 weeks gestation or more ²			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
Missouri	1,123	1,089	22	2	149	144	5	-	657	640	13	1
White	837	817	16	1	97	96	1	-	471	460	10	-
All other	286	272	6	1	51	48	2	-	186	180	3	1
Montana	148	146	2	2	29	29	-	-	71	70	1	-
White	126	125	1	-	27	27	-	-	60	60	-	-
All other	22	21	1	-	2	2	-	-	11	10	1	-
Nebraska	256	249	4	-	51	48	2	-	163	162	1	-
White	230	225	3	-	45	41	2	-	151	150	1	-
All other	26	24	1	-	8	7	-	-	12	12	-	-
Nevada	122	119	2	-	14	14	-	-	81	81	-	-
White	101	99	1	-	11	11	-	-	66	66	-	-
All other	21	20	1	-	3	3	-	-	15	15	-	-
New Hampshire	149	147	2	-	20	19	1	-	62	61	1	-
White	149	147	2	-	20	19	1	-	62	61	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,617	1,568	40	1	255	244	9	1	751	743	7	-
White	1,184	1,153	27	-	188	180	7	-	561	555	6	-
All other	433	415	13	1	67	64	2	1	190	188	1	-
New Mexico	264	260	2	-	47	46	-	-	187	186	1	-
White	225	221	2	-	40	39	-	-	160	159	1	-
All other	39	39	-	-	7	7	-	-	27	27	-	-
New York	8,625	8,312	262	-	2,502	2,424	71	-	3,080	3,005	48	-
White	6,290	6,083	169	-	1,714	1,667	40	-	2,292	2,257	31	-
All other	2,335	2,229	93	-	788	757	31	-	788	748	17	-
North Carolina	1,571	1,493	40	25	314	296	10	4	1,040	1,000	19	17
White	843	839	3	-	140	140	-	-	607	606	1	-
All other	728	654	37	25	174	156	10	4	433	394	18	17
North Dakota	158	158	1	-	19	19	-	-	91	89	1	-
White	128	126	1	-	18	18	-	-	84	82	1	-
All other	10	10	-	-	1	1	-	-	7	7	-	-
Ohio	2,439	2,398	34	-	408	400	5	-	1,440	1,421	18	-
White	1,970	1,942	24	-	291	288	3	-	1,180	1,168	11	-
All other	469	456	10	-	117	112	2	-	260	253	7	-
Oklahoma	510	501	7	1	72	70	2	-	352	349	2	-
White	366	360	4	1	46	45	1	-	261	259	1	-
All other	144	141	3	-	26	25	1	-	91	90	1	-
Oregon	444	434	10	-	122	118	4	-	254	251	3	-
White	414	404	10	-	110	106	4	-	236	236	3	-
All other	30	30	-	-	12	12	-	-	15	15	-	-
Pennsylvania	3,080	2,967	77	-	1,114	1,081	55	-	1,929	1,900	21	-
White	2,396	2,329	55	-	756	715	36	-	1,628	1,600	19	-
All other	684	638	22	-	358	336	19	-	303	300	2	-
Rhode Island	183	177	5	-	33	31	2	-	124	123	1	-
White	171	165	5	-	27	25	2	-	120	119	1	-
All other	12	12	-	-	6	6	-	-	4	4	-	-
South Carolina	827	722	35	52	114	100	9	1	570	520	12	31
White	375	367	7	-	42	38	4	-	287	286	1	-
All other	452	355	28	52	72	62	5	1	283	234	11	31
South Dakota	155	154	1	-	13	12	1	-	100	100	-	-
White	126	125	1	-	12	11	1	-	80	80	-	-
All other	29	29	-	-	1	1	-	-	20	20	-	-
Tennessee	1,145	1,105	15	12	192	189	2	-	791	775	8	9
White	779	759	9	11	125	124	1	-	536	533	4	1
All other	366	346	6	11	67	65	1	-	255	240	4	8
Texas	3,017	2,862	40	23	696	659	11	5	2,282	2,167	28	18
White	2,288	2,188	33	5	493	468	7	7	1,778	1,685	25	5
All other	729	674	7	18	203	191	4	5	504	472	5	13
Utah	241	240	-	1	22	22	-	-	115	115	-	-
White	230	229	-	1	21	21	-	-	109	109	-	-
All other	11	11	-	-	1	1	-	-	6	6	-	-
Vermont	168	162	5	-	38	38	-	-	50	50	-	-
White	167	161	5	-	38	38	-	-	50	50	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-
Virginia	1,973	1,868	101	-	504	470	33	-	840	795	45	-
White	1,350	1,308	40	-	303	290	12	-	519	508	10	-
All other	623	560	61	-	201	180	21	-	321	287	33	-
Washington	624	613	10	-	95	92	3	-	321	318	3	-
White	564	554	9	-	77	74	3	-	297	294	3	-
All other	60	59	1	-	18	18	-	-	24	24	-	-
West Virginia	464	446	12	2	81	76	3	-	308	301	4	1
White	431	414	12	1	79	74	3	-	281	274	4	1
All other	33	32	-	1	2	2	-	-	27	27	-	-
Wisconsin	858	839	19	-	185	176	7	-	654	642	12	-
White	768	760	18	-	156	149	7	-	591	580	11	-
All other	90	69	1	-	27	27	-	-	63	62	1	-
Wyoming	87	87	-	-	10	10	-	-	53	53	-	-
White	79	79	-	-	10	10	-	-	48	48	-	-
All other	8	8	-	-	-	-	-	-	5	5	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Fetal deaths attended by other and not specified persons are not shown separately but are included in Total.³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

SECTION 3 - FETAL MORTALITY

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Plurality of birth, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Total-----	55,293	4,693	8,169	5,470	5,131	5,135	4,942	4,528	2,647	1,057	461	369	12,492
Fetal deaths in single deliveries-----	52,249	4,312	7,548	5,113	4,795	4,828	4,757	4,451	2,627	1,051	460	367	11,940
Fetal deaths in twin deliveries-----	2,989	550	607	346	331	305	184	78	20	6	1	2	641
Fetal deaths in other plural deliveries---	75	31	13	11	5	2	1	1	-	-	-	-	11
Male-----	26,341	2,328	4,369	2,799	2,678	2,659	2,527	2,339	1,520	652	300	217	3,953
Fetal deaths in single deliveries-----	24,803	2,051	4,047	2,621	2,511	2,501	2,425	2,289	1,508	649	300	217	3,684
Fetal deaths in twin deliveries-----	1,511	269	314	174	165	159	101	49	12	3	-	-	266
Fetal deaths in other plural deliveries---	27	8	8	4	2	-	1	1	-	-	-	-	3
Female-----	22,511	1,617	3,644	2,608	2,406	2,441	2,396	2,170	1,116	403	158	150	3,202
Fetal deaths in single deliveries-----	21,135	1,553	3,358	2,434	2,240	2,294	2,314	2,143	1,108	400	157	148	2,988
Fetal deaths in twin deliveries-----	1,337	244	283	167	163	145	82	27	8	3	1	2	212
Fetal deaths in other plural deliveries---	39	20	5	7	3	2	-	-	-	-	-	-	2
Sex not stated-----	6,441	748	155	63	47	35	19	19	11	2	3	2	5,337
Fetal deaths in single deliveries-----	6,311	708	145	58	44	33	18	19	11	2	3	2	5,268
Fetal deaths in twin deliveries-----	121	37	10	5	3	2	1	-	-	-	-	-	63
Fetal deaths in other plural deliveries---	9	3	-	-	-	-	-	-	-	-	-	-	6
White-----	40,206	3,390	5,492	3,635	3,635	3,731	3,641	3,517	2,043	804	339	257	9,522
Fetal deaths in single deliveries-----	37,930	2,937	5,027	3,577	3,378	3,502	3,515	3,457	2,027	799	338	255	8,118
Fetal deaths in twin deliveries-----	2,221	431	456	248	252	227	125	59	16	5	1	2	339
Fetal deaths in other plural deliveries---	55	22	9	10	5	2	1	1	-	-	-	-	5
Male-----	18,994	1,632	2,835	1,974	1,881	1,931	1,841	1,788	1,157	485	217	154	2,999
Fetal deaths in single deliveries-----	17,847	1,417	2,686	1,840	1,757	1,825	1,773	1,748	1,147	482	217	154	2,801
Fetal deaths in twin deliveries-----	1,127	210	243	131	122	106	67	39	10	3	-	-	196
Fetal deaths in other plural deliveries---	20	5	6	3	2	-	1	1	-	-	-	-	2
Female-----	16,385	1,253	2,460	1,817	1,720	1,775	1,785	1,714	878	317	119	102	2,445
Fetal deaths in single deliveries-----	15,358	1,046	2,253	1,697	1,590	1,654	1,728	1,694	872	315	118	100	2,291
Fetal deaths in twin deliveries-----	996	191	204	113	127	119	57	20	6	2	1	2	154
Fetal deaths in other plural deliveries---	31	16	3	7	3	2	-	-	-	-	-	-	-
Sex not stated-----	4,827	505	97	44	34	25	15	15	8	2	3	1	4,078
Fetal deaths in single deliveries-----	4,725	474	88	40	31	23	14	15	8	2	3	1	4,026
Fetal deaths in twin deliveries-----	98	30	9	4	3	2	1	-	-	-	-	-	49
Fetal deaths in other plural deliveries---	4	1	-	-	-	-	-	-	-	-	-	-	3
All other-----	15,087	1,503	2,876	1,635	1,496	1,404	1,301	1,011	604	253	122	112	2,970
Fetal deaths in single deliveries-----	14,319	1,375	2,521	1,536	1,417	1,326	1,242	994	600	252	122	112	2,822
Fetal deaths in twin deliveries-----	748	119	151	98	79	78	59	17	4	1	-	-	142
Fetal deaths in other plural deliveries---	20	9	4	1	-	-	-	-	-	-	-	-	6
Male-----	7,547	696	1,434	825	797	728	686	551	363	167	85	63	954
Fetal deaths in single deliveries-----	6,956	634	1,361	781	754	676	652	541	361	167	85	63	883
Fetal deaths in twin deliveries-----	594	59	71	43	43	52	34	10	2	-	-	-	70
Fetal deaths in other plural deliveries---	7	3	2	1	-	-	-	-	-	-	-	-	1
Female-----	6,126	564	1,184	791	686	666	611	456	238	86	39	48	757
Fetal deaths in single deliveries-----	5,777	507	1,103	737	650	640	586	449	236	85	39	48	697
Fetal deaths in twin deliveries-----	341	53	79	54	36	26	25	7	2	1	-	-	58
Fetal deaths in other plural deliveries---	8	4	2	-	-	-	-	-	-	-	-	-	2
Sex not stated-----	1,614	243	58	19	13	10	4	4	3	-	-	1	1,259
Fetal deaths in single deliveries-----	1,596	234	57	18	13	10	4	4	3	-	-	1	1,242
Fetal deaths in twin deliveries-----	23	7	1	1	-	-	-	-	-	-	-	-	14
Fetal deaths in other plural deliveries---	5	2	-	-	-	-	-	-	-	-	-	-	3

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-23

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1968

Plurality of birth, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total-----	55,293	6,169	5,509	5,377	6,732	2,683	6,709	5,056	4,240	12,809
Fetal deaths in single deliveries-----	52,249	5,694	5,118	4,992	6,339	2,554	6,350	4,656	4,095	12,291
Fetal deaths in twin deliveries-----	2,969	451	383	371	396	139	372	217	141	509
Fetal deaths in other plural deliveries-----	75	24	8	14	7	-	7	3	4	9
Male-----	26,341	2,865	2,762	2,672	3,462	1,379	3,542	2,656	2,082	4,941
Fetal deaths in single deliveries-----	24,803	2,822	2,580	2,478	3,260	1,308	3,354	2,537	2,007	4,677
Fetal deaths in twin deliveries-----	1,511	257	200	167	200	71	184	99	75	261
Fetal deaths in other plural deliveries-----	27	6	2	7	2	-	4	1	2	3
Female-----	22,511	1,929	2,144	2,374	3,084	1,281	3,074	2,383	2,086	4,146
Fetal deaths in single deliveries-----	21,185	1,731	1,975	2,193	2,813	1,217	2,892	2,269	2,021	3,924
Fetal deaths in twin deliveries-----	1,337	185	163	175	176	64	180	112	65	219
Fetal deaths in other plural deliveries-----	39	13	6	6	5	-	2	2	2	3
Sex not stated-----	6,441	1,375	603	331	176	33	93	37	72	3,721
Fetal deaths in single deliveries-----	6,311	1,341	593	321	166	29	84	30	67	3,690
Fetal deaths in twin deliveries-----	121	29	20	9	10	4	8	7	5	28
Fetal deaths in other plural deliveries-----	9	5	-	1	-	-	1	-	-	2
White-----	40,208	4,073	3,720	3,744	4,843	1,999	5,132	3,662	3,388	9,645
Fetal deaths in single deliveries-----	37,930	3,741	3,422	3,466	4,549	1,893	4,827	3,514	3,284	9,234
Fetal deaths in twin deliveries-----	2,221	319	292	267	287	106	298	145	103	404
Fetal deaths in other plural deliveries-----	55	13	6	11	7	-	7	3	1	7
Male-----	18,994	1,884	1,848	1,910	2,508	998	2,686	1,855	1,626	3,679
Fetal deaths in single deliveries-----	17,847	1,718	1,696	1,759	2,354	947	2,535	1,792	1,577	3,469
Fetal deaths in twin deliveries-----	1,127	165	151	145	152	51	147	82	49	207
Fetal deaths in other plural deliveries-----	20	3	1	6	2	-	4	1	-	3
Female-----	16,395	1,246	1,416	1,597	2,216	974	2,372	1,783	1,707	3,074
Fetal deaths in single deliveries-----	15,358	1,105	1,289	1,477	2,084	923	2,226	1,702	1,635	2,897
Fetal deaths in twin deliveries-----	996	133	122	115	127	51	144	79	51	174
Fetal deaths in other plural deliveries-----	31	8	5	5	5	-	2	2	1	3
Sex not stated-----	4,827	943	456	237	119	27	74	24	55	2,892
Fetal deaths in single deliveries-----	4,725	918	437	230	111	23	66	20	52	2,868
Fetal deaths in twin deliveries-----	98	23	19	7	8	4	7	4	3	23
Fetal deaths in other plural deliveries-----	4	2	-	-	-	-	1	-	-	1
All other-----	15,087	2,096	1,789	1,633	1,889	694	1,577	1,394	852	3,163
Fetal deaths in single deliveries-----	14,319	1,953	1,696	1,526	1,790	661	1,503	1,322	811	3,057
Fetal deaths in twin deliveries-----	748	132	91	104	99	33	74	72	38	105
Fetal deaths in other plural deliveries-----	20	11	2	3	-	-	-	-	3	1
Male-----	7,347	981	914	762	954	381	956	781	456	1,262
Fetal deaths in single deliveries-----	6,956	904	864	719	906	361	819	745	430	1,208
Fetal deaths in twin deliveries-----	384	74	49	42	40	20	37	36	24	54
Fetal deaths in other plural deliveries-----	7	3	1	1	-	-	-	-	2	-
Female-----	6,126	663	720	777	878	307	702	600	379	1,072
Fetal deaths in single deliveries-----	5,777	626	686	716	829	294	666	567	366	1,027
Fetal deaths in twin deliveries-----	341	52	41	60	49	13	36	33	12	45
Fetal deaths in other plural deliveries-----	8	5	1	1	-	-	-	-	1	-
Sex not stated-----	1,614	432	147	94	57	6	19	13	17	829
Fetal deaths in single deliveries-----	1,586	423	146	91	55	6	18	10	15	822
Fetal deaths in twin deliveries-----	23	6	1	2	2	-	1	3	2	6
Fetal deaths in other plural deliveries-----	5	3	-	1	-	-	-	-	-	1

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State, and by Sex for the United States: 1968

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
United States	55,293	4,893	8,168	5,470	5,131	5,135	4,942	4,528	2,647	1,057	461	369	12,492
White	40,206	3,390	5,492	3,835	3,635	3,731	3,641	3,517	2,043	804	339	257	9,522
All other	15,087	1,503	2,676	1,635	1,496	1,404	1,301	1,011	604	253	122	112	2,970
Male	26,341	2,320	4,369	2,799	2,678	2,659	2,527	2,339	1,520	652	300	217	3,953
White	18,994	1,632	2,935	1,974	1,861	1,951	1,841	1,798	1,157	485	217	154	2,989
All other	7,347	696	1,434	825	797	728	686	581	363	167	83	63	964
Female	22,511	1,817	3,644	2,608	2,406	2,441	2,396	2,170	1,116	403	158	150	3,202
White	16,385	1,253	2,460	1,817	1,720	1,775	1,785	1,714	876	317	119	102	2,445
All other	6,126	564	1,184	791	686	666	611	456	238	86	39	48	757
Sex not stated	6,441	748	155	63	47	35	19	19	11	2	3	2	5,357
White	4,827	505	97	44	34	25	15	15	8	2	3	1	4,078
All other	1,614	243	58	19	13	10	4	4	3	-	-	1	1,259
Alabama	1,276	82	181	143	144	129	120	147	90	26	16	14	184
White	588	41	86	69	71	43	62	71	48	11	6	5	75
All other	688	41	95	74	73	86	58	76	42	15	10	9	109
Alaska	78	7	11	11	12	8	9	9	3	1	-	-	7
White	53	5	8	10	7	4	5	5	3	1	-	-	5
All other	25	2	3	1	5	4	4	4	-	-	-	-	2
Arizona	375	18	59	37	43	37	42	52	33	9	4	5	36
White	285	11	47	30	30	30	54	41	23	6	2	3	28
All other	90	7	12	7	13	7	8	11	10	3	2	2	8
Arkansas	534	39	82	58	56	52	56	47	27	12	1	7	98
White	300	22	48	33	32	20	30	28	15	6	1	2	63
All other	234	16	34	25	24	32	26	19	12	6	-	5	35
California	4,019	293	764	495	456	491	438	407	254	95	39	36	252
White	3,343	236	610	407	366	424	372	370	226	81	34	27	190
All other	676	57	154	88	90	67	66	37	28	14	4	9	62
Colorado	1,060	110	65	37	43	43	48	36	16	5	1	4	652
White	985	98	57	35	38	37	45	35	16	4	-	4	616
All other	75	12	8	2	5	6	3	1	-	1	1	-	36
Connecticut	558	71	114	75	54	52	64	52	24	15	6	6	25
White	445	58	80	56	47	41	52	45	23	11	5	6	21
All other	113	13	34	19	7	11	12	7	1	4	1	-	4
Delaware	157	15	33	8	16	16	12	15	7	4	-	-	31
White	100	6	26	6	11	9	7	10	3	2	-	-	20
All other	57	9	7	2	5	7	5	5	4	2	-	-	11
District of Columbia	263	26	63	39	32	26	29	16	12	1	2	-	17
White	27	4	4	4	2	3	3	1	-	-	-	-	6
All other	236	22	59	35	30	23	26	15	12	1	2	-	11
Florida	1,503	94	275	216	196	195	187	181	81	40	21	12	15
White	839	48	144	118	101	114	104	110	53	25	8	3	11
All other	664	36	131	98	95	81	83	71	28	15	13	9	4
Georgia	1,572	176	251	170	139	153	161	112	62	25	9	7	307
White	850	96	129	87	87	87	82	62	31	16	5	6	192
All other	722	80	122	83	52	66	79	50	31	9	4	1	115
Hawaii	367	25	28	24	17	14	19	9	6	3	1	-	221
White	138	6	5	4	5	4	6	3	3	-	-	-	102
All other	229	19	23	20	12	10	13	6	3	3	1	-	119
Idaho	147	9	16	10	12	11	12	7	6	2	2	-	60
White	144	9	16	9	12	10	12	7	6	2	2	-	59
All other	3	-	-	1	-	1	-	-	-	-	-	-	1
Illinois	2,644	192	517	323	305	296	271	263	172	78	23	22	184
White	1,824	132	310	207	199	213	191	209	139	53	16	16	141
All other	820	60	207	116	104	83	80	55	34	25	7	6	43
Indiana	1,200	56	161	98	106	103	102	98	66	20	10	17	363
White	1,000	49	131	81	89	86	89	81	53	19	8	15	239
All other	200	7	30	17	17	17	13	17	13	1	2	2	64
Iowa	542	32	75	58	58	63	69	75	43	21	7	5	36
White	525	28	72	57	57	63	67	73	42	21	7	4	34
All other	17	4	3	1	1	-	2	2	1	-	-	1	2
Kansas	409	35	71	46	41	57	46	37	25	6	4	3	38
White	341	28	55	34	36	47	42	30	23	4	3	3	36
All other	68	7	16	12	5	10	4	7	2	2	1	-	2
Kentucky	805	51	107	81	100	86	85	78	46	25	10	5	131
White	687	44	80	73	80	71	75	71	39	22	8	3	121
All other	118	7	27	8	20	15	10	7	7	3	2	2	10
Louisiana	1,089	31	172	147	151	124	111	118	56	23	7	9	160
White	440	21	56	45	61	47	43	54	29	9	4	3	68
All other	649	10	116	102	70	77	68	64	27	14	3	6	92
Maine	249	6	24	18	16	19	14	23	5	5	2	1	116
White	242	6	23	18	14	17	14	23	5	5	2	1	114
All other	7	-	1	-	2	2	-	-	-	-	-	-	2

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-25

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Maryland-----	927	90	214	113	96	94	101	80	35	18	3	3	80
White-----	637	54	147	76	63	73	70	58	26	14	2	2	52
All other-	290	36	67	37	33	21	31	22	9	4	1	1	28
Massachusetts-----	1,119	105	202	135	130	109	115	113	69	18	7	6	113
White-----	1,040	90	185	122	123	100	111	108	66	18	7	4	106
All other-	79	15	17	11	7	9	4	5	2	-	-	2	7
Michigan-----	2,081	180	270	192	172	189	157	169	86	41	18	16	641
White-----	1,545	85	171	124	126	144	114	145	71	36	15	12	502
All other-	536	45	99	68	46	45	43	24	15	5	3	4	139
Minnesota-----	764	50	94	74	75	69	62	74	44	15	11	8	188
White-----	730	49	84	72	68	69	59	72	41	14	11	6	185
All other-	34	1	10	2	7	-	3	2	3	1	-	2	3
Mississippi-----	1,549	122	149	85	94	104	104	93	60	34	15	5	484
White-----	511	52	49	26	28	32	29	23	16	10	2	-	244
All other-	838	70	100	59	66	72	75	70	44	24	13	5	240
Missouri-----	1,123	59	144	115	114	124	118	93	65	25	10	7	249
White-----	857	41	87	86	76	87	82	72	46	21	9	6	224
All other-	286	18	57	29	38	37	36	21	19	4	1	1	25
Montana-----	148	12	17	9	16	13	16	10	8	3	1	1	42
White-----	126	11	16	7	12	11	15	9	7	3	1	1	33
All other-	22	1	1	2	4	2	1	1	1	-	-	-	9
Nebraska-----	256	18	38	37	22	26	25	21	18	3	3	4	41
White-----	230	16	32	32	19	24	25	20	16	3	2	4	37
All other-	26	2	6	5	3	2	-	1	2	-	1	-	4
Nevada-----	122	6	16	9	7	12	19	14	5	3	-	-	31
White-----	101	3	15	8	6	11	15	12	4	1	-	-	26
All other-	21	3	1	1	1	1	4	2	1	2	-	-	5
New Hampshire-----	149	4	23	15	12	5	6	12	5	2	1	-	64
White-----	149	4	23	15	12	5	6	12	5	2	1	-	64
All other-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,617	135	271	140	147	147	149	107	78	29	18	13	383
White-----	1,184	92	189	100	106	108	118	80	62	22	10	8	289
All other-	433	43	82	40	41	39	31	27	16	7	8	5	94
New Mexico-----	264	11	36	33	27	37	18	28	13	8	1	-	52
White-----	225	9	32	30	22	30	15	21	12	6	1	-	47
All other-	39	2	4	3	5	7	3	7	1	2	-	-	5
New York-----	8,623	1,160	748	499	449	396	408	322	180	57	36	23	4,345
White-----	6,230	790	496	354	333	294	312	261	138	47	31	17	3,217
All other-	2,333	370	252	145	116	102	96	61	42	10	5	6	1,128
North Carolina-----	1,571	108	280	203	212	196	178	156	91	58	16	9	84
White-----	843	56	142	105	107	106	104	98	55	22	9	1	38
All other-	728	52	138	98	105	90	74	58	36	16	7	8	46
North Dakota-----	138	14	25	15	11	15	20	8	6	6	1	1	16
White-----	128	14	25	13	11	13	18	7	6	5	1	-	15
All other-	10	-	-	2	-	2	2	1	-	1	-	1	1
Ohio-----	2,439	167	401	284	252	230	252	215	126	54	25	17	416
White-----	1,970	124	293	188	204	188	198	188	114	46	22	15	353
All other-	469	43	108	96	48	42	54	27	12	8	3	2	85
Oklahoma-----	510	22	68	51	64	54	71	55	35	18	6	4	62
White-----	366	17	42	39	46	46	53	37	21	15	4	3	43
All other-	144	5	26	12	18	8	18	18	14	3	2	1	19
Oregon-----	444	53	50	32	38	39	41	37	22	3	3	2	124
White-----	414	49	46	28	35	37	39	36	22	3	2	2	115
All other-	30	4	4	4	3	2	2	1	-	-	1	-	9
Pennsylvania-----	3,060	619	548	298	300	281	276	246	145	68	26	23	230
White-----	2,396	411	369	239	239	237	234	222	133	61	22	20	189
All other-	664	208	159	59	61	44	42	24	12	7	4	3	41
Rhode Island-----	183	23	32	22	17	20	21	18	12	5	2	-	11
White-----	171	20	29	21	16	17	21	18	12	5	2	-	10
All other-	12	3	3	1	1	3	-	-	-	-	-	-	1
South Carolina-----	827	41	105	97	74	87	102	72	49	21	8	9	162
White-----	375	19	44	48	43	37	46	31	21	10	3	4	69
All other-	452	22	61	49	31	50	56	41	28	11	5	5	93
South Dakota-----	155	11	18	17	8	13	18	21	8	2	1	2	36
White-----	126	11	17	13	8	11	15	17	4	2	1	-	27
All other-	29	-	1	4	-	2	3	4	4	-	-	2	9
Tennessee-----	1,145	85	206	128	125	145	108	97	61	16	13	8	153
White-----	779	64	124	86	80	94	70	74	42	10	9	5	113
All other-	366	21	82	42	45	51	30	23	19	6	4	3	40
Texas-----	3,017	169	550	369	359	362	322	369	190	76	35	38	158
White-----	2,288	120	381	278	270	273	250	314	154	62	32	33	121
All other-	729	49	169	111	89	89	72	55	36	14	3	5	37

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1968-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah-----	241	7	20	13	10	25	20	20	10	4	3	1	110
White-----	230	7	19	12	10	22	19	17	10	4	2	-	108
All other--	11	-	1	1	-	1	1	3	-	-	1	1	2
Vermont-----	168	24	15	8	3	10	10	7	5	1	-	-	85
White-----	167	24	15	8	3	10	10	7	5	1	-	-	84
All other--	1	-	-	-	-	-	-	-	-	-	-	-	1
Virginia-----	1,973	185	251	150	153	135	113	103	68	22	9	5	793
White-----	1,350	100	153	94	100	80	66	56	44	13	4	2	638
All other--	623	65	98	56	53	55	47	47	24	9	5	3	155
Washington-----	624	36	109	55	49	62	54	50	33	13	3	3	157
White-----	564	29	91	49	47	58	51	47	30	12	3	3	144
All other--	60	7	18	6	2	4	3	3	3	1	-	-	13
West Virginia-----	464	33	69	48	43	55	42	51	22	11	10	2	78
White-----	431	31	63	42	37	51	40	47	22	11	10	2	75
All other--	33	2	6	6	6	4	2	4	-	-	-	-	3
Wisconsin-----	858	54	123	108	71	100	88	78	64	23	12	6	131
White-----	768	48	99	97	66	86	80	74	58	23	10	6	121
All other--	90	6	24	11	5	14	8	4	6	-	2	-	10
Wyoming-----	87	3	7	4	6	8	13	7	1	4	-	-	34
White-----	79	2	7	3	4	7	13	6	1	4	-	-	32
All other--	8	1	-	1	2	1	-	1	-	-	-	-	2

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-27

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1968

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States-----	55,293	6,169	5,509	5,377	6,732	2,693	6,709	5,056	4,240	12,808
White-----	40,206	4,075	3,720	3,744	4,843	1,999	5,132	3,662	3,388	9,645
All other--	15,087	2,096	1,789	1,633	1,889	694	1,577	1,394	852	3,163
Male-----	26,341	2,655	2,762	2,672	3,462	1,379	3,542	2,636	2,062	4,941
White-----	18,994	1,884	1,848	1,910	2,508	998	2,686	1,855	1,626	3,679
All other--	7,347	981	914	762	954	381	856	781	456	1,262
Female-----	22,511	1,929	2,144	2,374	3,094	1,281	3,074	2,383	2,088	4,146
White-----	16,385	1,246	1,416	1,597	2,216	974	2,372	1,783	1,707	3,074
All other--	6,126	683	728	777	878	702	600	307	379	1,072
Sex not stated-----	6,441	1,375	605	331	176	33	93	37	72	3,721
White-----	4,827	943	456	237	119	27	74	24	55	2,892
All other--	1,614	432	147	94	57	6	19	13	17	829
Alabama-----	1,276	128	103	161	127	66	91	348	24	228
White-----	568	51	44	75	55	34	51	142	14	122
All other--	688	77	59	86	72	32	40	206	10	106
Alaska-----	78	3	13	11	13	6	13	10	5	4
White-----	53	2	9	9	7	4	11	5	4	2
All other--	25	1	4	2	6	2	2	5	1	2
Arizona-----	375	21	29	29	47	14	66	27	51	91
White-----	285	16	22	18	34	13	54	21	40	65
All other--	90	5	7	11	13	1	12	6	11	26
Arkansas-----	534	72	59	62	61	42	44	125	8	61
White-----	300	41	37	30	40	20	32	61	8	31
All other--	234	31	22	32	21	22	12	64	-	30
California-----	4,019	292	378	393	612	216	675	226	494	731
White-----	3,343	226	303	333	526	188	571	201	436	559
All other--	676	66	75	60	86	28	104	27	58	172
Colorado-----	1,060	165	89	81	57	20	87	30	45	486
White-----	985	144	84	77	50	19	79	28	41	463
All other--	75	21	5	4	7	1	8	2	4	23
Connecticut-----	559	64	85	72	76	39	82	109	13	19
White-----	445	48	61	56	58	33	67	96	10	16
All other--	113	16	24	16	18	6	15	13	3	2
Delaware-----	157	22	21	21	15	10	18	28	3	19
White-----	100	12	15	13	11	5	12	18	2	12
All other--	57	10	6	8	4	5	6	10	1	7
District of Columbia-----	263	26	24	34	40	13	38	12	17	57
White-----	27	-	2	3	3	1	4	-	-	14
All other--	236	26	22	31	37	12	34	12	17	43
Florida-----	1,503	146	195	209	209	134	163	403	39	6
White-----	839	81	94	109	133	78	107	207	26	4
All other--	664	65	101	100	76	56	56	196	12	2
Georgia-----	1,572	256	220	155	194	102	110	275	36	224
White-----	850	135	113	76	97	55	64	158	25	127
All other--	722	121	107	79	97	47	46	117	11	97
Hawaii-----	367	49	25	32	31	10	33	5	18	164
White-----	158	11	10	7	10	1	9	3	7	80
All other--	229	38	15	25	21	9	24	2	11	84
Idaho-----	147	16	11	10	20	11	15	13	2	49
White-----	144	15	11	10	19	11	14	13	2	49
All other--	3	1	-	-	1	-	1	-	-	-
Illinois-----	2,644	192	249	269	415	122	490	146	343	428
White-----	1,824	116	148	175	295	84	344	109	283	270
All other--	820	76	101	94	120	38	146	37	60	158
Indiana-----	1,200	44	71	79	118	28	114	60	79	608
White-----	1,000	36	60	102	102	25	95	55	67	502
All other--	200	8	11	18	16	3	21	5	12	106
Iowa-----	542	36	39	61	60	33	124	41	89	39
White-----	525	33	34	59	79	33	119	40	89	39
All other--	17	3	5	2	1	-	5	1	-	-
Kansas-----	409	29	56	41	73	19	70	10	66	45
White-----	341	21	41	35	64	16	58	10	56	40
All other--	68	8	15	6	9	3	12	-	10	5
Kentucky-----	805	45	84	54	101	27	121	47	105	241
White-----	687	32	54	44	83	22	101	43	91	217
All other--	118	13	10	10	18	5	20	4	14	24
Louisiana-----	1,089	51	103	112	133	42	155	68	88	337
White-----	440	15	33	44	51	12	69	32	36	148
All other--	649	36	70	68	82	30	86	36	52	189
Maine-----	249	10	22	9	23	10	30	7	20	118
White-----	242	10	22	9	21	10	30	7	20	113
All other--	7	-	-	-	2	-	-	-	-	5

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1968—Con.

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	927	109	108	110	158	33	122	53	112	122
White	637	63	63	79	107	24	89	39	84	89
All other	290	46	45	31	51	9	33	14	28	33
Massachusetts	1,119	117	147	150	177	92	181	154	79	22
White	1,040	105	133	131	167	88	175	146	74	21
All other	79	12	14	19	10	4	6	8	5	1
Michigan	2,061	108	151	169	215	72	258	92	192	624
White	1,545	73	98	126	150	56	202	77	157	606
All other	586	35	53	43	65	16	56	15	35	218
Minnesota	764	5	4	4	3	1	2	-	6	739
White	750	5	4	4	3	1	2	-	5	706
All other	34	-	-	-	-	-	-	-	1	33
Mississippi	1,349	197	111	113	174	45	155	69	102	383
White	511	84	47	46	60	8	49	20	41	155
All other	838	113	64	67	114	38	106	49	61	228
Missouri	1,123	64	84	108	165	43	170	79	92	318
White	837	44	53	81	102	33	128	57	70	269
All other	286	20	31	27	63	10	42	22	22	49
Montana	148	13	16	12	18	7	19	6	9	48
White	126	12	15	12	13	6	16	6	7	39
All other	22	1	1	-	5	1	3	-	2	9
Nebraska	256	24	27	22	35	15	49	14	28	42
White	230	19	24	18	33	13	47	12	28	36
All other	26	5	3	4	2	2	2	2	-	6
Nevada	122	1	13	14	16	6	25	8	12	27
White	101	1	10	13	15	5	18	5	10	24
All other	21	-	3	1	1	1	7	3	2	3
New Hampshire	149	9	11	7	17	1	16	8	13	67
White	149	9	11	7	17	1	16	8	13	67
All other	-	-	-	-	-	-	-	-	-	-
New Jersey	1,617	132	123	121	178	65	159	72	156	611
White	1,184	100	88	84	125	45	130	50	127	436
All other	453	32	35	37	53	20	29	22	29	176
New Mexico	264	22	25	27	41	24	27	58	10	30
White	225	20	20	24	33	22	25	48	10	25
All other	39	2	5	3	8	2	4	10	-	5
New York	8,623	1,601	901	704	707	199	724	218	508	3,061
White	6,290	1,086	628	503	495	158	564	172	400	2,284
All other	2,333	515	273	201	212	41	160	46	108	777
North Carolina	1,571	123	191	174	249	73	250	119	175	217
White	843	53	87	83	154	39	146	70	115	96
All other	728	70	104	91	95	34	104	49	60	121
North Dakota	138	9	10	14	25	7	25	3	17	28
White	128	8	10	14	22	7	23	3	15	26
All other	10	1	-	-	3	-	2	-	2	2
Ohio	2,439	196	212	223	322	115	362	146	272	591
White	1,970	135	158	188	255	95	304	123	235	499
All other	469	61	56	55	67	20	58	23	37	92
Oklahoma	510	37	35	54	60	23	93	46	76	86
White	366	24	22	38	50	18	68	31	56	59
All other	144	13	13	16	10	5	25	15	20	27
Oregon	444	62	60	43	52	27	42	67	23	68
White	414	55	55	37	50	26	41	62	23	65
All other	30	7	5	6	2	1	1	5	-	3
Pennsylvania	3,060	677	437	348	386	205	328	525	137	17
White	2,396	432	324	267	309	176	286	466	122	14
All other	664	245	113	81	77	29	42	59	15	3
Rhode Island	183	11	22	19	24	8	36	14	23	26
White	171	9	18	17	23	8	35	14	23	24
All other	12	2	4	2	1	-	1	-	-	2
South Carolina	827	45	69	103	125	42	136	48	116	143
White	375	20	22	50	51	27	62	29	68	46
All other	452	25	47	53	74	15	74	19	48	97
South Dakota	155	9	4	10	25	3	30	12	20	42
White	126	8	4	9	22	2	24	8	15	34
All other	29	1	-	1	3	1	6	4	5	8
Tennessee	1,145	86	106	124	209	57	184	70	147	162
White	779	60	85	76	143	42	129	52	96	116
All other	366	26	41	48	66	15	55	18	51	46
Texas	3,017	340	358	406	431	354	322	674	95	39
White	2,288	238	245	290	323	278	285	541	81	27
All other	729	102	111	116	108	76	57	133	14	12

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1968—Con.

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	241	10	12	13	21	11	35	11	24	104
White-----	230	10	11	13	21	10	32	11	22	100
All other---	11	-	1	-	-	1	3	-	2	4
Vermont-----	168	28	10	8	18	2	8	5	9	80
White-----	167	28	10	8	18	2	8	5	9	79
All other---	1	-	-	-	-	-	-	-	-	1
Virginia-----	1,973	292	212	170	164	86	113	265	42	629
White-----	1,350	181	122	111	104	50	76	145	35	528
All other---	623	111	90	59	60	36	37	120	9	101
Washington-----	624	45	50	48	70	26	90	25	62	208
White-----	564	35	42	45	63	24	82	24	59	190
All other---	60	10	8	3	7	2	8	1	3	18
West Virginia-----	464	37	44	47	66	22	77	34	62	75
White-----	431	36	43	40	59	20	73	32	57	71
All other---	33	1	1	7	7	2	4	2	5	4
Wisconsin-----	858	81	92	113	129	62	127	165	58	21
White-----	768	73	85	104	114	48	115	153	57	21
All other---	90	18	9	9	15	14	12	12	1	-
Wyoming-----	87	-	10	5	7	3	15	4	19	24
White-----	79	-	10	4	4	2	15	4	19	21
All other---	8	-	-	1	3	1	-	-	-	3

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by person injured, cause of death, color, and sex: United States, 1968-----	4-2
4-2. Deaths from motor vehicle accidents, by person injured, age, race, and sex: United States, 1968-----	4-4
4-3. Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1968-----	4-12
4-4. Deaths from accidental poisoning, by age, color, and sex: United States, 1968-----	4-17

SECTION 4 - ACCIDENT MORTALITY

Table 4-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Color, and Sex: United States, 1968

[Includes each three-digit category from E810 to E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are four-digit subcategory numbers]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Person Injured									
			Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E819	Motor vehicle traffic accidents	53,801	13,756	9,874	949	147	2	21	681	8,959	17	19,395
	Male	38,970	11,547	5,177	926	77	2	16	589	6,301	14	14,321
	Female	14,831	2,209	4,697	23	70	5	92	2,658	3	3	5,074
	White	33,627	10,263	4,370	884	71	2	10	495	4,902	12	12,618
	Female	13,097	2,059	4,147	23	67	4	89	2,159	3	3	4,546
	All other	5,343	1,284	807	42	6	6	94	1,399	2	2	1,703
	Female	1,734	150	550	-	3	-	1	3	499	-	528
E810	Involving collision with train	1,570	510	354	22	-	-	-	1	4	3	676
	Male	1,095	401	187	22	-	-	-	1	3	3	478
	Female	475	109	167	-	-	-	-	-	1	-	198
	White	978	365	159	20	-	-	-	1	3	3	427
	Female	442	107	151	-	-	-	-	-	1	-	183
	All other	117	36	28	2	-	-	-	-	-	-	51
	Female	33	2	16	-	-	-	-	-	-	-	15
E811	Involving collision with streetcar	4	1	2	-	-	-	-	-	-	-	1
	Male	3	1	1	-	-	-	-	-	-	-	1
	Female	1	-	1	-	-	-	-	-	-	-	-
	White	2	-	1	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	All other	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-
E812	Involving collision with another motor vehicle	19,207	6,537	5,034	598	97	1	-	-	17	1	6,922
	Male	12,901	5,283	2,159	585	52	1	-	-	12	-	4,809
	Female	6,306	1,254	2,875	13	45	-	-	-	5	1	2,113
	White	11,498	4,705	1,851	557	46	1	-	-	10	-	4,328
	Female	5,737	1,177	2,580	13	43	-	-	-	5	1	1,918
	All other	1,403	578	308	28	6	-	-	-	2	-	481
	Female	569	77	295	-	2	-	-	-	-	-	195
E813	Involving collision with other vehicle	726	3	1	1	2	-	19	678	1	3	18
	Male	622	1	-	1	1	-	14	586	1	3	15
	Female	104	2	1	-	1	-	5	92	-	-	3
	White	519	1	-	1	1	-	8	492	1	3	12
	Female	100	2	1	-	1	-	4	89	-	-	3
	All other	103	-	-	-	-	-	6	94	-	-	3
	Female	4	-	-	-	-	-	1	3	-	-	-
E814	Involving collision with pedestrian	8,927	-	1	-	2	-	-	-	8,920	1	3
	Male	6,278	-	1	-	1	-	-	-	6,272	1	3
	Female	2,649	-	-	-	1	-	-	-	2,648	-	-
	White	4,882	-	1	-	1	-	-	-	4,876	1	3
	Female	2,150	-	-	-	1	-	-	-	2,149	-	-
	All other	1,396	-	-	-	-	-	-	-	1,396	-	-
	Female	499	-	-	-	-	-	-	-	499	-	-
E815	Other accidents involving collisions	7,108	2,752	1,639	148	19	1	2	-	-	1	2,546
	Male	5,638	2,403	1,018	141	10	1	2	-	-	1	2,062
	Female	1,470	349	621	7	9	-	-	-	-	-	484
	White	4,936	2,110	857	136	10	1	2	-	-	1	1,819
	Female	1,282	323	522	7	9	-	-	-	-	-	421
	All other	702	293	161	5	-	-	-	-	-	-	243
	Female	188	26	99	-	-	-	-	-	-	-	63
E816	Noncollision accident due to loss of control	8,383	3,555	2,108	146	13	-	-	-	9	-	2,552
	Male	6,680	3,124	1,352	143	7	-	-	-	6	-	2,048
	Female	1,703	431	756	3	6	-	-	-	3	-	504
	White	5,866	2,783	1,131	139	7	-	-	-	5	-	1,801
	Female	1,505	390	649	3	6	-	-	-	3	-	454
	All other	814	341	221	4	-	-	-	-	1	-	247
	Female	198	41	107	-	-	-	-	-	-	-	50
E817	Noncollision accident while boarding or alighting	32	-	10	-	-	-	-	-	1	-	21
	Male	25	-	8	-	-	-	-	-	1	-	16
	Female	7	-	2	-	-	-	-	-	-	-	5
	White	21	-	8	-	-	-	-	-	1	-	12
	Female	7	-	2	-	-	-	-	-	-	-	5
	All other	4	-	-	-	-	-	-	-	-	-	4
	Female	-	-	-	-	-	-	-	-	-	-	-
E818	Other noncollision accident	892	58	276	9	7	-	-	1	7	7	527
	Male	687	50	197	9	4	-	-	1	6	6	414
	Female	205	8	79	-	3	-	-	-	1	1	113
	White	593	48	153	7	4	-	-	1	6	4	370
	Female	181	7	69	-	3	-	-	-	1	1	100
	All other	94	2	44	2	-	-	-	-	-	2	44
	Female	24	1	10	-	-	-	-	-	-	-	13
E819	Of unspecified nature	6,952	340	449	25	7	-	-	1	-	1	6,129
	Male	5,041	284	254	25	2	-	-	1	-	-	4,475
	Female	1,911	56	195	-	5	-	-	-	-	1	1,654
	White	4,332	251	209	24	2	-	-	1	-	-	3,845
	Female	1,693	53	173	-	4	-	-	-	-	1	1,462
	All other	709	33	45	1	-	-	-	-	-	-	630
	Female	218	3	22	-	1	-	-	-	-	-	192

SECTION 4 - ACCIDENT MORTALITY

Injured, Age, Race, and Sex: United States, 1968

[Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
8,354	4,664	3,063	2,795	3,080	2,957	2,918	2,738	2,418	2,301	1,960	1,789	1,027	383	92	15	3	24	1
6,847	3,728	2,377	2,062	2,255	2,120	2,119	1,925	1,638	1,435	1,246	1,141	679	258	56	10	2	20	2
1,507	936	686	733	825	837	825	613	780	866	714	648	348	125	36	5	1	4	3
6,069	3,163	1,944	1,724	1,873	1,754	1,617	1,625	1,435	1,225	1,141	1,051	638	246	51	8	2	13	4
1,354	796	571	612	690	736	711	732	715	798	671	622	325	118	32	4	-	7	5
681	493	380	310	352	336	275	264	186	186	98	85	38	9	4	2	-	7	6
133	111	96	104	122	93	74	73	59	59	40	23	21	6	3	-	1	-	7
97	72	53	28	30	30	27	36	17	24	7	5	3	3	1	-	-	-	8
20	29	19	17	13	8	14	8	6	9	3	3	2	1	1	-	-	-	9
2,666	1,627	1,025	974	1,025	934	943	757	631	509	411	352	176	32	9	1	-	4	10
2,334	1,378	861	802	835	744	789	626	512	406	334	295	160	30	8	-	-	4	11
332	249	164	172	190	190	154	131	119	103	77	57	16	2	1	1	-	-	12
2,100	1,181	721	690	716	646	716	545	468	363	318	286	156	30	7	-	-	2	13
318	225	150	152	173	174	145	119	113	96	77	57	16	2	1	1	-	-	14
208	172	121	102	108	90	68	67	43	39	15	9	3	-	1	-	-	2	15
9	16	11	16	15	13	8	12	6	7	-	-	-	-	-	-	-	-	16
26	25	19	10	11	8	5	14	1	4	1	-	-	-	-	-	-	-	17
5	8	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	18
1,435	669	418	356	381	387	391	374	364	366	298	278	153	70	17	3	-	2	19
967	399	243	162	173	172	158	145	124	113	113	85	57	26	6	-	-	1	20
468	270	175	194	208	215	233	229	240	253	185	193	96	44	11	3	-	1	21
828	320	177	122	139	135	128	113	105	96	100	80	54	25	5	-	-	1	22
415	215	138	157	168	182	206	203	228	235	173	184	92	40	10	3	-	1	23
121	68	59	34	30	32	28	29	18	13	13	5	3	1	-	-	-	-	24
49	46	31	32	36	30	23	22	10	15	11	8	2	3	1	-	-	-	25
18	11	7	6	4	5	2	3	1	4	-	-	-	-	1	-	-	-	26
4	9	6	5	4	3	4	4	2	3	1	1	2	1	-	-	-	-	27
304	144	81	47	26	19	14	6	5	3	1	1	-	-	-	-	-	-	28
295	142	79	47	24	19	14	6	5	3	1	1	-	-	-	-	-	-	29
9	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	30
287	135	74	44	21	18	13	5	4	3	1	1	-	-	-	-	-	-	31
9	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	32
7	6	5	3	3	1	-	1	1	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
33	17	8	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	37
16	6	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	38
17	11	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	39
16	5	4	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	40
16	10	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	41
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	46
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	2	-	1	-	-	1	-	1	-	2	-	1	-	-	-	-	55
1	1	1	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-	56
1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	57
1	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	58
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
10	7	8	8	3	10	7	10	6	10	9	5	3	-	-	-	-	-	64
10	6	5	7	3	10	7	10	6	9	9	5	3	-	-	-	-	-	65
-	1	3	1	3	5	3	5	3	1	7	4	3	-	-	-	-	-	66
-	6	5	6	3	5	3	5	3	6	7	4	3	-	-	-	-	-	67
3	1	1	1	-	5	3	4	3	3	2	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
382	314	286	301	407	427	476	529	584	634	609	616	423	183	46	8	2	8	73
326	258	233	222	302	330	380	411	427	416	384	398	283	132	33	8	1	8	74
56	56	53	79	105	97	96	128	157	218	225	218	140	51	13	-	1	-	75
249	184	155	167	210	234	293	321	351	338	328	349	261	124	30	7	1	4	76
46	40	31	59	74	82	81	106	130	187	204	209	121	48	11	-	-	-	77
62	62	65	48	83	88	78	82	69	70	50	46	20	5	3	1	-	4	78
7	13	19	16	28	14	12	20	25	26	19	7	19	3	2	-	1	-	79
15	12	13	7	9	8	9	8	7	8	6	3	2	3	-	-	-	-	80
3	3	3	4	3	1	3	2	2	5	2	2	-	-	-	-	-	-	81
2	1	1	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	82
-	1	1	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	83
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2	1	1																

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classi-

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Unspecified person (.9)	19,667	87	75	61	63	58	344	251	374	3,234
2	Male	14,542	50	37	36	26	33	182	130	263	2,437
3	Female	5,125	37	38	25	37	25	162	121	111	797
4	White	12,813	46	30	28	23	29	156	106	240	2,222
5	Female	4,596	30	31	21	32	19	133	102	100	725
6	Negro	1,584	4	7	7	3	4	25	23	21	203
7	Female	465	6	7	3	4	4	24	17	9	62
8	Other races	145	-	-	1	-	-	1	1	2	12
9	Female	64	1	-	1	1	2	5	2	2	10
10	Motor vehicle traffic accidents (E810-E819)	53,801	313	306	340	373	428	1,760	2,168	1,854	8,100
11	Male	38,970	164	147	191	215	262	979	1,370	1,275	5,987
12	Female	14,831	149	159	149	158	166	781	798	579	2,113
13	White	33,627	146	116	140	155	208	765	1,104	1,089	5,284
14	Female	13,097	121	131	126	124	126	628	628	513	1,932
15	Negro	4,821	16	25	42	57	51	191	261	174	550
16	Female	1,514	26	22	19	29	34	130	157	62	154
17	Other races	522	2	6	9	3	3	23	5	12	53
18	Female	220	2	6	4	5	6	23	13	4	27
19	Driver of motor vehicle other than motorcycle (.0)	13,756	1	1	1	1	1	5	1	38	1,730
20	Male	11,547	1	1	-	1	1	4	1	34	1,478
21	Female	2,209	-	-	1	-	-	1	-	4	252
22	White	10,263	1	1	-	-	1	3	1	32	1,363
23	Female	2,059	-	-	1	-	-	1	-	4	241
24	Negro	1,148	-	-	-	1	-	1	-	1	102
25	Female	122	-	-	-	-	-	-	-	-	9
26	Other races	136	-	-	-	-	-	-	-	1	13
27	Female	28	-	-	-	-	-	-	-	-	2
28	Passenger in motor vehicle other than motorcycle (.1)	9,874	218	141	108	97	108	672	462	612	2,205
29	Male	5,177	110	60	49	48	66	333	253	358	1,319
30	Female	4,697	108	81	59	49	42	339	209	254	886
31	White	4,370	97	49	40	38	61	285	226	303	1,154
32	Female	4,147	89	69	56	41	35	290	184	225	807
33	Negro	704	11	7	5	8	3	34	25	50	145
34	Female	474	18	7	2	7	5	39	20	27	69
35	Other races	103	2	4	4	2	2	14	2	5	20
36	Female	76	1	5	1	1	2	10	5	2	10
37	Motorcyclist (.2)	949	-	1	-	-	-	1	3	26	284
38	Male	926	-	1	-	-	-	1	2	26	276
39	Female	23	-	-	-	-	-	-	1	-	8
40	White	884	-	-	-	-	-	-	1	25	267
41	Female	23	-	-	-	-	-	-	1	-	8
42	Negro	37	-	1	-	-	-	1	1	1	7
43	Female	-	-	-	-	-	-	-	-	-	-
44	Other races	5	-	-	-	-	-	-	-	-	2
45	Female	-	-	-	-	-	-	-	-	-	-
46	Passenger on motorcycle (.3)	147	-	-	1	1	-	2	4	19	57
47	Male	77	-	-	1	-	-	1	1	17	28
48	Female	70	-	-	-	1	-	1	3	2	29
49	White	71	-	-	1	-	-	1	1	13	28
50	Female	67	-	-	-	1	-	1	3	2	28
51	Negro	6	-	-	-	-	-	-	-	4	1
52	Female	3	-	-	-	-	-	-	-	-	1
53	Other races	-	-	-	-	-	-	-	-	-	-
54	Female	-	-	-	-	-	-	-	-	-	-
55	Occupant of streetcar (.4)	2	-	-	-	-	-	-	-	-	-
56	Male	2	-	-	-	-	-	-	-	-	-
57	Female	-	-	-	-	-	-	-	-	-	-
58	White	2	-	-	-	-	-	-	-	-	-
59	Female	-	-	-	-	-	-	-	-	-	-
60	Negro	-	-	-	-	-	-	-	-	-	-
61	Female	-	-	-	-	-	-	-	-	-	-
62	Other races	-	-	-	-	-	-	-	-	-	-
63	Female	-	-	-	-	-	-	-	-	-	-
64	Rider of animal or occupant of animal-drawn vehicle (.5)	21	-	-	-	-	1	1	1	5	4
65	Male	16	-	-	-	-	-	-	1	5	2
66	Female	5	-	-	-	-	1	1	-	-	2
67	White	10	-	-	-	-	-	-	1	3	1
68	Female	4	-	-	-	-	-	-	-	-	2
69	Negro	3	-	-	-	-	-	-	-	-	1
70	Female	-	-	-	-	-	-	-	-	-	-
71	Other races	3	-	-	-	-	-	-	-	2	-
72	Female	1	-	-	-	-	1	1	-	-	-
73	Pedal cyclist (.6)	681	-	-	2	-	4	6	208	295	76
74	Male	589	-	-	-	-	4	4	172	250	73
75	Female	92	-	-	2	-	-	2	36	45	3
76	White	495	-	-	-	-	4	4	153	215	60
77	Female	89	-	-	2	-	-	2	34	44	3
78	Negro	91	-	-	-	-	-	-	19	34	13
79	Female	3	-	-	-	-	-	-	2	1	-
80	Other races	3	-	-	-	-	-	-	-	1	-
81	Female	-	-	-	-	-	-	-	-	-	-
82	Pedestrian (.7)	8,959	7	89	169	215	258	738	1,242	486	535
83	Male	6,301	3	49	106	141	160	459	810	324	394
84	Female	2,658	4	40	63	74	98	279	432	162	141
85	White	4,902	2	37	71	95	115	320	615	260	309
86	Female	2,159	2	31	47	53	72	205	308	137	123
87	Negro	1,273	1	10	31	45	44	131	193	63	79
88	Female	448	2	8	14	18	25	67	118	25	13
89	Other races	126	2	2	4	4	1	8	2	1	6
90	Female	51	-	1	2	3	1	7	6	-	5

SECTION 4 - ACCIDENT MORTALITY

Injured, Age, Race, and Sex: United States 1968-Con.

Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
3,521	1,884	1,234	1,107	1,233	1,178	1,086	1,050	826	776	632	535	272	96	20	3	1	10	1
2,898	1,537	950	820	914	844	771	725	562	486	405	355	176	68	9	2	1	7	2
623	347	284	287	319	324	315	325	264	290	227	180	96	28	11	1	-	3	3
2,581	1,331	806	693	781	716	664	635	502	437	387	330	164	63	9	1	1	6	4
546	303	242	243	272	276	278	304	244	278	217	172	96	28	10	1	-	3	5
280	183	130	122	127	120	98	80	52	61	18	24	12	3	-	1	-	1	6
67	35	35	40	43	36	31	19	18	11	10	8	-	-	-	-	-	-	7
37	23	14	5	6	8	9	10	8	8	-	-	-	-	-	-	-	-	8
8	9	7	4	4	1	6	2	2	1	-	-	-	-	1	-	-	-	9
8,287	4,590	3,002	2,741	3,022	2,900	2,868	2,676	2,372	2,264	1,928	1,767	997	374	89	15	3	24	10
6,786	3,661	2,322	2,015	2,201	2,071	2,072	1,872	1,598	1,410	1,224	1,128	662	251	54	10	2	20	11
1,501	929	680	726	821	829	796	804	774	854	704	639	335	123	35	5	1	4	12
6,015	3,100	1,899	1,684	1,828	1,708	1,775	1,584	1,398	1,203	1,120	1,039	621	239	49	8	2	13	13
1,348	789	566	603	687	728	709	725	709	786	662	613	313	116	31	5	-	4	14
674	489	371	305	345	334	334	252	183	183	97	84	-38	9	4	-	-	-	15
133	111	95	104	121	93	73	71	59	59	39	23	20	6	3	-	-	-	16
97	72	52	28	28	29	27	36	17	24	7	5	3	3	1	-	-	-	17
20	29	19	17	13	8	14	8	6	9	3	3	2	1	1	-	-	-	18
2,655	1,616	1,012	966	1,019	923	938	749	621	508	406	351	172	32	9	1	-	4	19
2,323	1,367	848	795	830	734	784	618	504	405	330	294	156	30	8	-	-	4	20
332	249	164	171	189	189	154	131	117	103	76	57	16	2	1	-	-	-	21
2,089	1,170	710	684	713	637	711	538	460	362	314	285	152	30	7	-	-	2	22
318	225	150	151	172	173	145	119	111	96	76	57	16	2	1	-	-	-	23
208	172	120	101	107	90	68	66	43	39	15	9	3	-	1	-	-	2	24
9	16	11	16	15	13	8	12	6	7	-	-	-	-	-	-	-	-	25
26	25	18	10	10	7	5	14	1	4	-	-	1	-	-	-	-	-	26
5	8	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	27
1,429	667	417	353	378	383	382	370	363	364	295	278	152	70	17	3	-	2	28
962	397	242	160	170	168	150	143	124	112	112	85	56	26	6	-	-	1	29
467	270	175	193	208	215	232	227	239	252	183	193	96	44	11	3	-	1	30
823	318	177	121	136	131	121	112	105	95	99	80	53	25	5	-	-	1	31
414	215	138	156	168	182	205	201	227	234	171	184	92	40	10	3	-	1	32
121	68	58	39	30	32	27	28	18	13	13	5	3	1	-	-	-	-	33
49	46	31	32	36	30	23	22	10	15	11	8	2	3	1	-	-	-	34
18	11	7	6	4	5	2	3	1	4	-	-	-	-	-	-	-	-	35
4	9	6	5	4	3	4	4	2	3	1	1	2	1	-	-	-	-	36
297	140	78	47	26	19	13	5	5	3	1	1	-	-	-	-	-	-	37
289	138	76	47	24	19	13	5	5	3	1	1	-	-	-	-	-	-	38
8	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	39
281	131	71	44	21	18	12	4	4	3	1	1	-	-	-	-	-	-	40
8	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
7	6	5	3	3	1	-	1	1	-	-	-	-	-	-	-	-	-	42
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
33	17	8	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	46
16	6	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	47
17	11	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	48
16	5	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	49
16	10	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	50
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	1	2	-	1	-	-	1	-	1	-	2	-	1	-	-	-	-	64
1	1	1	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-	65
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	66
1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	67
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
10	7	8	8	3	10	7	10	6	10	9	5	3	-	-	-	-	-	73
10	6	5	7	3	10	7	10	6	9	9	5	3	-	-	-	-	-	74
-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	75
7	6	5	6	3	5	3	5	3	6	7	4	3	-	-	-	-	-	76
-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
3	-	-	1	-	5	3	4	3	3	2	1	-	-	-	-	-	-	78
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
370	287	268	280	384	407	450	503	558	609	588	606	408	177	45	8	2	8	82
314	234	217	204	262	313	356	381	404	398	369	393	273	127	32	8	1	8	83
56	53	51	76	102	94	94	122	154	211	219	213	135	50	13	-	1	-	84
239	163	142	152	192	218	272	298	330	323	314	344	251	119	29	7	1	4	85
46	37	29	56	72	79	80	102	127	180	199	204	117	47	11	-	-	-	86
60	59	62	45	82	87	75	75	67	67	49	46	20	5	3	1	-	4	87
7	13	19	16	27	14	11	18	25	26	18	7	18	3	2	-	1	-	88
15	12	13	7	8	8	9	8	7	8	6	3	2	3	-	-	-	-	89
3	3	3	4	3	1	3	2	2	5	2	2	-	-	-	-	-	-	90

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1968

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor-cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States	54,862	13,865	9,957	976	147	2	21	683	9,523	21	19,667
Male	39,788	11,648	5,236	952	77	2	16	590	6,707	18	14,542
Female	15,074	2,217	4,721	24	70	-	5	93	2,816	3	5,125
White	34,345	10,356	4,422	910	71	2	10	496	5,249	16	12,813
Male	13,316	2,067	4,169	24	67	-	4	90	2,296	3	4,596
Female	5,443	1,292	814	42	6	-	6	94	1,458	2	1,729
All other	1,758	150	552	-	3	-	1	3	520	-	529
Male	1,296	198	183	12	3	-	-	17	193	1	689
Female	977	161	105	11	2	-	-	14	150	-	534
White	319	37	78	1	1	-	-	3	43	1	155
Male	732	123	87	9	2	-	-	7	98	-	406
Female	261	35	62	1	1	-	-	3	26	1	132
All other	245	38	18	2	-	-	-	7	52	-	128
Male	58	2	16	-	-	-	-	-	17	-	23
Female	58	2	16	-	-	-	-	-	17	-	23
Male	82	18	14	6	1	-	-	-	13	-	30
Female	27	17	5	5	1	-	-	-	8	-	21
White	25	1	9	1	-	-	-	-	5	-	9
Male	48	14	5	4	1	-	-	-	6	-	18
Female	20	-	9	1	-	-	-	-	1	-	9
All other	9	3	-	1	-	-	-	-	2	-	3
Male	5	1	-	-	-	-	-	-	4	-	-
Female	5	1	-	-	-	-	-	-	4	-	-
Male	622	169	101	17	4	-	4	5	125	-	197
Female	455	141	55	16	2	-	3	5	100	-	133
White	167	28	46	1	2	-	1	-	25	-	64
Male	367	124	37	15	2	-	-	5	71	-	113
Female	131	24	36	1	2	-	-	-	16	-	52
All other	88	17	18	1	-	-	3	-	29	-	20
Male	36	4	10	-	-	-	1	-	9	-	12
Female	36	4	10	-	-	-	1	-	9	-	12
Male	696	42	37	-	2	-	-	5	93	-	517
Female	514	35	19	-	2	-	-	5	75	-	378
White	182	7	18	-	-	-	-	-	18	-	139
Male	414	29	17	-	2	-	-	4	51	-	311
Female	148	6	17	-	-	-	-	-	11	-	114
All other	100	6	2	-	-	-	-	1	24	-	67
Male	34	1	1	-	-	-	-	-	7	-	25
Female	34	1	1	-	-	-	-	-	7	-	25
Male	5,167	1,535	1,007	235	34	-	-	88	935	-	1,333
Female	3,674	1,235	504	229	15	-	-	74	638	-	979
White	1,493	300	503	6	19	-	-	14	297	-	354
Male	3,350	1,139	453	216	13	-	-	69	550	-	910
Female	1,375	276	467	6	18	-	-	14	260	-	334
All other	324	96	51	13	2	-	-	5	88	-	69
Male	118	24	36	-	1	-	-	-	37	-	20
Female	118	24	36	-	1	-	-	-	37	-	20
Male	625	91	75	15	-	-	-	13	74	-	377
Female	436	72	30	15	-	-	-	12	55	-	252
White	189	19	45	-	-	-	-	1	19	-	105
Male	421	70	30	15	-	-	-	10	53	-	243
Female	184	18	44	-	-	-	-	1	19	-	102
All other	15	2	-	-	-	-	-	2	2	-	9
Male	5	1	1	-	-	-	-	-	-	-	3
Female	5	1	1	-	-	-	-	-	-	-	3
Male	507	70	59	6	-	-	-	1	105	-	266
Female	372	56	31	6	-	-	-	1	76	-	202
White	155	14	28	-	-	-	-	-	29	-	64
Male	345	50	27	6	-	-	-	1	70	-	191
Female	125	12	24	-	-	-	-	-	27	-	62
All other	27	6	4	-	-	-	-	-	6	-	11
Male	10	2	4	-	-	-	-	-	2	-	2
Female	10	2	4	-	-	-	-	-	2	-	2
Male	150	42	34	3	1	-	-	4	26	-	40
Female	117	37	21	3	-	-	-	4	19	-	33
White	33	5	13	-	1	-	-	-	7	-	7
Male	76	28	9	2	-	-	-	4	13	-	20
Female	20	5	6	-	1	-	-	-	4	-	4
All other	41	9	12	1	-	-	-	-	6	-	13
Male	13	-	7	-	-	-	-	-	3	-	3
Female	13	-	7	-	-	-	-	-	3	-	3
Male	140	14	18	1	1	-	-	-	50	1	55
Female	99	14	8	1	1	-	-	-	34	-	41
White	41	-	10	-	-	-	-	-	16	1	14
Male	26	2	1	1	-	-	-	-	8	-	14
Female	15	-	4	-	-	-	-	-	6	1	4
All other	73	12	7	-	1	-	-	-	26	-	27
Male	26	-	6	-	-	-	-	-	10	-	10
Female	26	-	6	-	-	-	-	-	10	-	10
Male	2,098	420	312	37	11	-	2	39	380	-	897
Female	1,457	339	156	37	4	-	1	37	254	-	629
White	641	81	156	-	7	-	1	2	126	-	268
Male	1,466	286	123	35	4	-	-	26	187	-	505
Female	539	75	131	-	7	-	1	2	97	-	226
All other	291	53	33	2	-	-	1	11	67	-	124
Male	102	6	25	-	1	-	-	-	29	-	42
Female	102	6	25	-	1	-	-	-	29	-	42

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1968-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts	998	147	114	10	2	-	-	15	242	-	408
Male	693	119	60	10	1	-	-	15	173	-	315
Female	245	28	54	-	1	-	-	-	69	-	93
White	668	117	58	10	1	-	-	15	164	-	303
Male	297	28	50	-	1	-	-	-	66	-	92
Female	25	2	2	-	-	-	-	-	9	-	12
All other	8	-	4	-	-	-	-	-	3	-	1
Michigan	2,508	882	625	92	12	-	1	37	409	-	450
Male	1,771	742	301	89	6	-	-	32	274	-	327
Female	737	140	324	3	6	-	1	5	135	-	123
White	1,613	678	274	88	5	-	-	30	232	-	306
Male	672	134	291	3	6	-	1	5	120	-	112
Female	158	64	27	1	1	-	-	2	42	-	21
All other	65	6	33	-	-	-	-	-	15	-	11
Minnesota	1,123	315	223	24	5	-	-	20	155	1	380
Male	776	266	102	22	4	-	-	15	106	1	260
Female	347	49	121	2	1	-	-	5	49	-	120
White	761	261	100	22	4	-	-	15	104	1	254
Male	342	49	120	2	1	-	-	5	47	-	118
Female	15	5	2	-	-	-	-	-	2	-	6
All other	5	-	1	-	-	-	-	-	2	-	2
Mississippi	798	281	155	14	2	-	-	8	98	-	240
Male	597	248	83	14	2	-	-	7	68	-	175
Female	201	33	72	-	-	-	-	1	30	-	65
White	402	184	52	11	2	-	-	5	26	-	122
Male	132	30	51	-	-	-	-	-	12	-	39
Female	195	64	31	3	-	-	-	2	42	-	53
All other	69	3	21	-	-	-	-	1	18	-	26
Missouri	1,419	650	432	21	3	-	-	12	182	-	119
Male	1,014	544	212	20	1	-	-	12	134	-	91
Female	405	106	220	1	2	-	-	-	48	-	28
White	926	514	196	20	1	-	-	11	107	-	77
Male	375	105	204	1	2	-	-	-	41	-	22
Female	88	30	16	-	-	-	-	1	27	-	14
All other	30	1	16	-	-	-	-	-	7	-	6
Montana	269	117	79	7	-	-	-	2	24	-	40
Male	201	105	44	7	-	-	-	2	16	-	27
Female	68	12	35	-	-	-	-	-	8	-	13
White	184	98	37	7	-	-	-	2	15	-	25
Male	55	10	28	-	-	-	-	-	6	-	11
Female	17	7	7	-	-	-	-	-	1	-	2
All other	13	2	7	-	-	-	-	-	2	-	2
Nebraska	451	248	123	12	-	-	-	4	38	1	25
Male	318	213	51	11	-	-	-	3	19	1	20
Female	133	35	72	1	-	-	-	1	19	-	5
White	310	210	48	11	-	-	-	3	17	1	20
Male	127	34	72	1	-	-	-	1	15	-	4
Female	8	3	3	-	-	-	-	-	2	-	-
All other	6	1	-	-	-	-	-	-	4	-	1
Nevada	193	26	24	-	-	-	-	3	25	-	115
Male	156	22	15	-	-	-	-	3	19	-	97
Female	37	4	9	-	-	-	-	-	6	-	18
White	144	19	14	-	-	-	-	3	19	-	89
Male	31	4	7	-	-	-	-	-	5	-	15
Female	12	3	1	-	-	-	-	-	-	-	8
All other	6	-	2	-	-	-	-	-	1	-	3
New Hampshire	168	73	41	2	1	-	-	2	25	-	24
Male	124	62	21	2	-	-	-	2	19	-	18
Female	44	11	20	-	1	-	-	-	6	-	6
White	124	62	21	2	-	-	-	2	19	-	18
Male	44	11	20	-	1	-	-	-	6	-	6
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,349	521	315	21	4	-	-	20	374	-	94
Male	948	429	154	21	2	-	-	15	256	-	71
Female	401	92	161	-	2	-	-	5	118	-	23
White	807	370	121	19	2	-	-	14	222	-	59
Male	341	81	133	-	2	-	-	5	100	-	20
Female	141	59	33	2	-	-	-	1	34	-	12
All other	60	11	28	-	-	-	-	-	18	-	3
New Mexico	455	23	18	3	-	-	-	7	79	-	325
Male	337	18	12	3	-	-	-	6	56	-	242
Female	118	5	6	-	-	-	-	1	23	-	83
White	284	18	10	2	-	-	-	6	41	-	207
Male	103	5	6	-	-	-	-	1	20	-	71
Female	53	-	2	1	-	-	-	-	15	-	35
All other	15	-	-	-	-	-	-	-	3	-	12

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1968-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas	3,544	395	369	18	3	1	4	31	524	-	2,199
Male	2,611	332	222	17	2	1	2	27	386	-	1,622
Female	933	63	147	1	1	-	2	4	138	-	577
White	2,221	285	189	16	2	1	2	24	301	-	1,401
Male	813	36	132	1	1	-	2	4	112	-	503
Female	390	47	33	1	-	-	-	3	85	-	221
All other	120	5	15	-	-	-	-	-	26	-	74
Utah	303	104	76	10	1	-	-	4	68	-	40
Male	205	78	38	10	1	-	-	4	46	-	28
Female	98	26	38	-	-	-	-	-	22	-	12
White	201	76	38	10	1	-	-	4	45	-	27
Male	94	34	36	-	-	-	-	-	22	-	12
Female	4	2	-	-	-	-	-	-	1	-	1
All other	4	2	-	-	-	-	-	-	-	-	-
Male	4	2	2	-	-	-	-	-	-	-	-
Female	4	2	2	-	-	-	-	-	-	-	-
Vermont	111	28	20	4	-	-	-	4	11	-	44
Male	89	23	12	4	-	-	-	4	10	-	36
Female	22	5	8	-	-	-	-	-	1	-	8
White	89	23	12	4	-	-	-	4	10	-	36
Male	22	5	8	-	-	-	-	-	1	-	8
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,168	125	114	8	2	1	1	10	230	3	674
Male	905	106	69	8	2	1	1	10	191	3	514
Female	263	19	45	-	-	-	-	-	39	-	160
White	665	86	49	8	2	1	-	5	116	3	393
Male	211	18	37	-	-	-	-	-	28	-	128
Female	454	68	12	8	2	1	-	5	88	3	265
All other	503	20	20	-	-	-	1	5	75	-	119
Male	240	1	8	-	-	-	-	-	11	-	32
Female	263	19	45	-	-	-	-	-	39	-	160
Washington	968	236	176	6	2	-	1	10	147	-	390
Male	671	192	95	6	1	-	1	8	95	-	273
Female	297	44	81	-	1	-	-	2	52	-	117
White	622	180	86	5	1	-	1	8	84	-	257
Male	275	41	70	-	1	-	-	2	50	-	111
Female	347	39	16	5	1	-	1	6	34	-	146
All other	49	12	9	1	-	-	-	-	11	-	16
Male	22	3	11	-	-	-	-	-	2	-	6
Female	27	9	-	1	-	-	-	-	9	-	10
West Virginia	487	48	54	6	1	-	-	6	84	-	288
Male	373	44	32	6	1	-	-	6	56	-	228
Female	114	4	22	-	-	-	-	-	28	-	60
White	355	44	29	6	1	-	-	6	51	-	218
Male	112	4	22	-	-	-	-	-	28	-	58
Female	243	40	7	6	1	-	-	6	23	-	160
All other	18	-	3	-	-	-	-	-	5	-	10
Male	2	-	-	-	-	-	-	-	-	-	2
Female	16	-	3	-	-	-	-	-	5	-	8
Wisconsin	1,153	510	321	47	2	-	1	15	151	1	105
Male	809	435	142	45	1	-	1	11	89	1	84
Female	344	75	179	2	1	-	-	4	62	-	21
White	780	422	135	45	1	-	1	11	84	1	80
Male	336	74	178	2	1	-	-	4	57	-	20
Female	444	148	157	43	1	-	1	7	27	1	60
All other	29	13	7	-	-	-	-	-	5	-	4
Male	8	1	1	-	-	-	-	-	5	-	1
Female	21	12	6	-	-	-	-	-	-	-	3
Wyoming	139	31	19	5	-	-	-	2	12	-	70
Male	101	26	11	5	-	-	-	2	9	-	48
Female	38	5	8	-	-	-	-	-	3	-	22
White	98	26	10	5	-	-	-	2	8	-	47
Male	34	4	7	-	-	-	-	-	2	-	21
Female	64	22	3	5	-	-	-	2	6	-	26
All other	3	-	1	-	-	-	-	-	1	-	1
Male	4	1	1	-	-	-	-	-	1	-	1
Female	4	1	1	-	-	-	-	-	1	-	1

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1968

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments	1,692	23	57	38	18	14	150	20	416	639	322	145	-
	Male	1,063	17	31	24	9	8	89	14	347	425	123	65	-
	Female	629	6	26	14	9	6	61	6	69	214	199	80	-
	White	717	11	17	18	7	5	58	11	219	272	102	55	-
	Male	513	5	21	13	8	4	51	5	40	162	181	74	-
	Female	346	6	14	6	2	3	31	3	128	153	21	10	-
	All other	116	1	5	1	2	2	10	1	29	52	18	6	-
E850	By antibiotics and other anti-infectives	15	3	1	-	-	-	4	1	5	2	-	3	-
	Male	9	2	1	-	-	-	3	1	2	2	-	1	-
	Female	6	1	-	-	-	-	1	-	3	-	-	2	-
	White	6	2	1	-	-	-	3	1	1	1	-	2	-
	Male	3	1	-	-	-	-	1	-	-	-	-	1	-
	Female	3	-	-	-	-	-	-	-	1	-	-	-	-
	All other	3	-	-	-	-	-	-	-	1	-	-	-	-
	Male	3	-	-	-	-	-	-	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-
.0	Penicillin, any	4	-	-	-	-	-	-	1	1	2	-	-	-
	Male	3	-	-	-	-	-	-	1	-	2	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-
	White	2	-	-	-	-	-	-	1	-	1	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-
	All other	1	-	-	-	-	-	-	-	-	-	-	-	-
	Male	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-
.1-.9	All other antibiotics and anti-infectives	11	3	1	-	-	-	4	-	4	-	-	3	-
	Male	6	2	1	-	-	-	3	-	2	-	-	1	-
	Female	5	1	-	-	-	-	1	-	2	-	-	2	-
	White	4	2	1	-	-	-	3	-	1	-	-	2	-
	Male	3	1	-	-	-	-	1	-	-	-	-	1	-
	Female	2	-	-	-	-	-	-	-	1	-	-	-	-
	All other	2	-	-	-	-	-	-	-	-	-	-	-	-
	Male	2	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	2	-	-	-	-
E851	By hormones and synthetic substitutes	8	-	-	-	-	-	-	-	1	2	5	-	-
	Male	3	-	-	-	-	-	-	-	1	1	2	-	-
	Female	5	-	-	-	-	-	-	-	1	1	3	-	-
	White	3	-	-	-	-	-	-	-	1	1	2	-	-
	Male	2	-	-	-	-	-	-	-	-	1	1	-	-
	Female	2	-	-	-	-	-	-	-	1	-	1	-	-
	All other	3	-	-	-	-	-	-	-	-	1	2	-	-
	Male	3	-	-	-	-	-	-	-	-	1	2	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-
.6	Progestogens	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes	8	-	-	-	-	-	-	-	1	2	5	-	-
	Male	3	-	-	-	-	-	-	-	1	1	2	-	-
	Female	5	-	-	-	-	-	-	-	1	1	3	-	-
	White	3	-	-	-	-	-	-	-	1	1	2	-	-
	Male	2	-	-	-	-	-	-	-	1	-	1	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-
	All other	3	-	-	-	-	-	-	-	-	1	2	-	-
	Male	3	-	-	-	-	-	-	-	-	1	2	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-
E852	By primarily systemic and hematologic agents	27	2	8	2	1	1	14	-	1	1	5	6	-
	Male	15	2	5	2	1	1	10	-	-	-	3	2	-
	Female	12	-	3	-	1	-	4	-	1	1	2	4	-
	White	10	-	3	1	-	1	5	-	-	-	3	2	-
	Male	10	-	1	-	1	-	2	-	1	1	2	4	-
	Female	5	2	2	1	-	-	5	-	-	-	-	-	-
	All other	2	-	2	-	-	-	2	-	-	-	-	-	-
	Male	2	-	2	-	-	-	2	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-
E853	By analgesics and antipyretics	390	14	29	20	6	4	73	6	100	153	37	21	-
	Male	284	10	16	14	3	3	46	5	82	116	22	13	-
	Female	106	4	13	6	3	1	27	1	18	37	15	8	-
	White	179	7	9	11	3	2	32	3	51	67	15	11	-
	Male	77	3	11	6	3	-	22	1	11	22	12	8	-
	Female	105	3	7	3	-	1	14	2	31	49	7	2	-
	All other	29	1	2	-	-	1	4	-	7	15	3	-	-
	Male	120	13	23	18	5	2	61	4	4	18	18	15	-
	Female	63	9	12	12	2	2	37	4	2	3	8	9	-
	White	57	4	11	6	3	-	24	-	2	15	10	6	-
	Male	51	7	7	11	2	2	29	2	2	8	8	8	-
	Female	48	3	10	6	3	-	22	-	2	11	7	6	-
	All other	12	2	5	1	-	-	8	2	-	1	1	1	-
	Male	9	1	1	-	-	-	2	-	-	4	3	-	-
	Female	9	1	1	-	-	-	2	-	-	-	-	-	-
.0,.2-.9	All other analgesics and antipyretics	270	1	6	2	1	2	12	2	96	135	19	6	-
	Male	221	1	4	2	1	1	9	1	80	113	14	4	-
	Female	49	-	2	-	-	1	3	1	16	22	5	2	-
	White	128	-	2	-	1	-	3	1	49	65	7	3	-
	Male	29	-	1	-	-	-	1	1	9	11	5	2	-
	Female	93	1	2	2	-	1	6	-	31	48	7	1	-
	All other	20	-	1	-	-	1	2	-	7	11	-	-	-
	Male	827	2	5	3	1	2	13	6	241	347	172	48	-
	Female	548	2	4	2	1	1	9	4	208	243	67	17	-
	White	279	-	1	1	1	1	4	2	33	104	105	31	-
	Male	345	1	2	2	-	-	5	4	119	146	55	16	-
	Female	229	-	1	-	1	1	3	1	19	73	102	31	-
	All other	203	1	2	-	-	1	4	-	89	97	12	1	-
	Male	50	-	-	1	-	-	1	1	14	31	3	-	-
	Female	50	-	-	1	-	-	1	1	14	31	3	-	-
.0	Barbiturates	321	2	5	2	1	1	11	4	61	105	111	29	-
	Male	151	2	4	1	1	-	7	2	45	52	33	12	-
	Female	170	-	1	1	1	1	4	2	16	53	78	17	-
	White	128	-	2	1	-	-	4	2	31	47	33	11	-
	Male	155	-	1	-	1	1	3	1	12	47	75	17	-
	Female	23	-	2	-	-	-	3	-	14	5	-	1	-
	All other	15	-	-	1	-	-	1	1	4	6	3	-	-
	Male	15	-	-	1	-	-	1	1	4	6	3	-	-
	Female	15	-	-	1	-	-	1	1	4	6	3	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1968-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
.1-.9	Accidental poisoning by drugs and medicaments--Con.													
	All other sedatives and hypnotics-----	506	-	-	1	-	1	2	2	180	242	61	19	-
	Male-----	397	-	-	1	-	1	2	2	163	191	34	5	-
	Female-----	109	-	-	-	-	-	-	-	17	51	27	14	-
	White-----	237	-	-	1	-	-	1	2	88	99	22	5	-
	Female-----	74	-	-	-	-	-	-	-	7	26	27	14	-
E855	All other-----	180	-	-	-	-	1	1	-	75	92	12	-	-
	Male-----	35	-	-	-	-	-	-	-	10	25	-	-	-
	Female-----													
	By autonomic nervous system and psychotherapeutic drugs-----	99	-	4	4	5	5	18	1	7	31	31	11	-
	Male-----	47	-	3	3	3	3	12	-	7	15	8	5	-
	Female-----	52	-	1	1	2	2	6	1	-	16	23	6	-
.1	White-----	41	-	1	2	2	2	7	-	6	15	8	5	-
	Female-----	50	-	1	1	2	2	6	1	-	16	21	6	-
	All other-----	6	-	2	1	1	1	5	-	1	-	-	-	-
	Male-----	2	-	-	-	-	-	-	-	-	-	2	-	-
	Female-----													
	All other-----													
.0, .2-.9	Tranquillizers-----	68	-	1	-	1	-	2	-	2	28	28	8	-
	Male-----	28	-	1	-	1	-	2	-	2	14	8	2	-
	Female-----	40	-	-	-	-	-	-	-	-	14	20	6	-
	White-----	26	-	-	-	-	-	-	-	2	14	8	2	-
	Female-----	38	-	-	-	-	-	-	-	-	14	18	6	-
	All other-----	2	-	1	-	1	-	2	-	-	-	-	-	-
E856	Male-----	2	-	-	-	-	-	-	-	-	-	2	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
.4	All other autonomic nervous system and psychotherapeutic drugs-----	31	-	3	4	4	5	16	1	5	3	3	3	-
	Male-----	19	-	2	3	2	3	10	-	5	1	3	3	-
	Female-----	12	-	1	1	2	2	6	1	-	2	3	-	-
	White-----	15	-	1	2	2	2	7	-	4	1	3	3	-
	Female-----	12	-	1	1	2	2	6	1	-	2	3	-	-
	All other-----	4	-	1	1	-	1	3	-	1	-	-	-	-
E857	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E858	By other central nervous system depressants and stimulants-----	25	-	-	-	-	-	-	-	17	5	3	-	-
	Male-----	19	-	-	-	-	-	-	-	15	4	-	-	-
	Female-----	6	-	-	-	-	-	-	-	2	1	3	-	-
	White-----	17	-	-	-	-	-	-	-	14	3	-	-	-
	Female-----	4	-	-	-	-	-	-	-	1	1	3	-	-
	All other-----	2	-	-	-	-	-	-	-	1	1	-	-	-
.0-.3, .8, .9	Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E859	Amphetamine-----	13	-	-	-	-	-	-	-	8	3	2	-	-
	Male-----	10	-	-	-	-	-	-	-	8	2	-	-	-
	Female-----	3	-	-	-	-	-	-	-	-	1	2	-	-
	White-----	10	-	-	-	-	-	-	-	8	2	-	-	-
	Female-----	2	-	-	-	-	-	-	-	-	-	2	-	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-	-	-
E860	Male-----	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E860-E869	All other central nervous system depressants and stimulants-----	12	-	-	-	-	-	-	-	9	2	1	-	-
	Male-----	9	-	-	-	-	-	-	-	7	2	-	-	-
	Female-----	3	-	-	-	-	-	-	-	2	1	-	-	-
	White-----	7	-	-	-	-	-	-	-	6	1	-	-	-
	Female-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	All other-----	2	-	-	-	-	-	-	-	1	1	-	-	-
E860	Male-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E860	By cardiovascular drugs-----	46	-	2	2	-	-	4	-	-	2	10	30	-
	Male-----	19	-	1	-	-	-	1	-	-	1	4	13	-
	Female-----	27	-	1	2	-	-	3	-	-	1	6	17	-
	White-----	12	-	-	-	-	-	-	-	-	-	1	9	-
	Female-----	18	-	1	2	-	-	3	-	-	1	3	11	-
	All other-----	7	-	1	-	-	-	1	-	-	-	2	4	-
E860	Male-----	9	-	-	-	-	-	-	-	-	-	3	6	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E860	By gastrointestinal drugs-----	7	-	-	2	1	1	4	-	-	2	-	1	-
	Male-----	2	-	-	1	1	1	2	-	-	-	-	1	-
	Female-----	5	-	-	1	-	-	2	-	-	2	-	-	-
	White-----	2	-	-	1	1	1	2	-	-	-	-	1	-
	Female-----	5	-	-	1	-	-	2	-	-	2	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E860	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E860	By other and unspecified drugs and medicaments-----	248	2	8	5	4	1	20	6	44	94	59	25	-
	Male-----	117	1	1	2	2	-	6	4	33	43	17	14	-
	Female-----	131	1	7	3	2	1	14	2	11	51	42	11	-
	White-----	102	1	1	1	1	-	4	3	28	38	17	12	-
	Female-----	115	1	6	3	1	-	11	2	7	47	37	11	-
	All other-----	15	-	1	1	-	-	2	1	5	5	2	2	-
E860-E869	Male-----	16	-	1	-	1	1	3	-	4	4	5	-	-
	Female-----													
	All other-----													
	Male-----													
	Female-----													
	All other-----													
E860	Accidental poisoning by other solid and liquid substances-----	891	15	58	39	14	8	134	17	65	235	328	112	-
	Male-----	553	10	33	16	5	5	69	11	51	145	198	79	-
	Female-----	338	5	25	23	9	3	65	6	14	90	130	33	-
	White-----	423	3	14	12	3	4	36	9	40	96	168	74	-
	Female-----	254	2	6	10	4	2	24	4	11	71	115	29	-
	All other-----	130	7	19	4	2	1	33	2	11	49	30	5	-
E860	Male-----	84	3	19	13	5	1	41	2	3	19	15	4	-
	Female-----													

Section 5. Life Tables

	Page
Explanation of the columns of the table-----	5-2
 Table	
5-1. Abridged life tables for total, male, and female population: United States, 1968-----	5-3
5-2. Abridged life tables by color and sex: United States, 1968-----	5-4
5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1968-----	5-5
5-4. Expectation of life at single years of age, by color and sex: United States, 1968-----	5-6
5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1968-----	5-7
5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-68-----	5-8

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x+n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (${}_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0108—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 11 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 97,549 will complete the first year of life and enter the second; 97,181 will begin the sixth year; 95,927 will reach age 20; and 12,836 will live to age 85.

Column 4—Number dying (${}_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,451 die in the first year of life, 368 in the succeeding 4 years, 1,036 in the 5-year period between exact ages 20 and 25, and 12,836 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age in-

terval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 477,078. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 477,078 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,722,391 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,660,561.

Column 7—Average remaining lifetime (e'_x).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 477,078 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,927 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,722,391) in column 6 is the total number of years lived after attaining age 20 by the 95,927 reaching that age. This number of years divided by the number of persons (4,722,391 divided by 95,927) gives 49.2 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing in table 5-2 that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

5-3

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1968

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	(3)	(4)	(5)	(6)	(7)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	nq_x	l_x	d_x	nL_x	T_x	e_x
TOTAL						
0-1	0.0218	100,000	2,177	98,062	7,017,358	70.2
1-5	.0054	97,823	537	390,485	6,919,276	70.7
5-10	.0022	97,496	211	486,860	6,529,791	67.0
10-15	.0021	97,275	203	485,917	6,041,931	62.1
15-20	.0054	97,072	527	484,151	5,556,014	57.2
20-25	.0071	96,545	687	481,039	5,071,663	52.5
25-30	.0071	95,858	680	477,614	4,590,624	47.9
30-35	.0067	95,178	627	473,918	4,113,210	43.2
35-40	.0128	94,351	1,187	469,984	3,639,292	38.6
40-45	.0190	93,164	1,772	461,706	3,170,308	34.0
45-50	.0292	91,392	2,671	450,769	2,708,602	29.6
50-55	.0450	88,721	3,989	434,222	2,257,833	25.4
55-60	.0678	84,732	5,745	410,090	1,825,611	21.5
60-65	.1005	78,987	7,937	376,047	1,413,521	17.9
65-70	.1461	71,050	10,382	330,279	1,037,474	14.6
70-75	.2134	60,668	12,944	271,815	707,195	11.7
75-80	.2913	47,724	13,905	204,455	435,280	9.1
80-85	.4076	33,821	13,784	133,946	230,627	6.8
85 and over	1.0000	20,037	20,037	96,861	96,861	4.8
MALE						
0-1	.0245	100,000	2,451	97,805	6,660,561	66.6
1-5	.0038	97,549	368	389,319	6,562,756	67.3
5-10	.0025	97,181	246	485,248	6,173,437	63.5
10-15	.0027	96,935	257	484,112	5,688,189	58.7
15-20	.0078	96,678	751	481,686	5,204,077	53.8
20-25	.0108	95,927	1,036	477,078	4,722,391	49.2
25-30	.0089	94,891	843	472,092	4,245,513	44.7
30-35	.0114	93,948	1,069	467,176	3,773,221	40.2
35-40	.0159	92,879	1,475	460,955	3,306,045	35.6
40-45	.0241	91,404	2,201	451,925	2,845,090	31.1
45-50	.0377	89,203	3,363	438,249	2,393,165	26.8
50-55	.0596	85,840	5,112	417,188	1,954,916	22.8
55-60	.0916	80,728	7,396	386,109	1,537,728	19.0
60-65	.1366	73,332	10,021	342,649	1,151,619	15.7
65-70	.1930	63,311	12,216	286,774	808,970	12.8
70-75	.2784	51,095	14,222	220,314	522,196	10.2
75-80	.3557	36,873	13,115	151,497	301,882	8.2
80-85	.4597	23,758	10,922	80,429	150,385	6.3
85 and over	1.0000	12,836	12,836	59,956	59,956	4.7
FEMALE						
0-1	.0189	100,000	1,890	98,332	7,385,249	74.0
1-5	.0051	98,110	505	381,702	7,296,917	74.4
5-10	.0018	97,805	175	489,545	6,905,215	70.6
10-15	.0015	97,630	148	487,793	6,416,670	65.7
15-20	.0050	97,482	296	486,717	5,928,871	60.8
20-25	.0057	97,186	357	485,067	5,442,154	56.0
25-30	.0043	96,829	419	483,144	4,957,087	51.2
30-35	.0061	96,410	588	480,662	4,473,943	46.4
35-40	.0094	95,822	902	477,001	3,993,281	41.7
40-45	.0142	94,920	1,349	471,450	3,516,280	37.0
45-50	.0212	93,571	1,988	463,209	3,044,630	32.5
50-55	.0311	91,583	2,852	451,179	2,581,621	28.2
55-60	.0454	88,731	4,028	434,195	2,130,442	24.0
60-65	.0672	84,703	5,696	410,089	1,696,247	20.0
65-70	.1051	78,007	8,303	375,423	1,288,148	16.3
70-75	.1611	70,704	11,391	326,474	910,725	12.9
75-80	.2424	59,313	14,379	261,976	584,251	9.9
80-85	.3702	44,934	16,637	182,916	322,275	7.2
85 and over	1.0000	28,297	28,297	139,359	139,359	4.9

SECTION 5 - LIFE TABLES

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1968

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime	Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals				In the age interval	In this and all subsequent age intervals			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	nq_x	l_x	n^d_x	nL_x	T_x	e_x	x to $x+n$	nq_x	l_x	n^d_x	nL_x	T_x	e_x
WHITE							ALL OTHER						
0-1	0.0182	100,000	1,919	98,266	7,110,424	71.1	0-1	0.0345	100,000	3,451	97,055	6,373,079	65.7
1-5	0.0030	98,081	299	391,617	7,012,158	71.5	1-5	0.0055	96,549	527	93,587	6,276,024	65.0
5-10	0.0020	97,782	199	488,375	6,620,541	67.7	5-10	0.0029	96,022	276	479,354	5,891,142	61.4
10-15	0.0019	97,583	190	487,487	6,132,166	62.8	10-15	0.0030	95,746	285	478,087	5,411,788	56.5
15-20	0.0051	97,393	499	485,815	5,644,679	58.0	15-20	0.0074	95,463	703	475,738	4,935,701	51.7
20-25	0.0064	96,894	619	482,937	5,158,964	53.2	20-25	0.0123	94,760	1,163	471,047	4,457,963	47.0
25-30	0.0069	96,275	569	479,961	4,675,927	48.6	25-30	0.0159	93,587	1,492	464,411	3,986,916	42.6
30-35	0.0069	95,706	663	476,950	4,195,966	43.8	30-35	0.0217	92,105	1,996	455,780	3,522,505	38.2
35-40	0.0103	95,043	982	472,934	3,719,018	39.1	35-40	0.0294	90,109	2,650	444,300	3,066,725	34.0
40-45	0.0163	94,061	1,534	466,769	3,246,062	34.5	40-45	0.0411	87,459	3,592	428,744	2,622,428	30.0
45-50	0.0262	92,527	2,421	457,047	2,779,313	30.0	45-50	0.0559	83,867	4,695	408,283	2,193,681	26.2
50-55	0.0416	90,106	3,744	441,741	2,322,266	25.8	50-55	0.0762	79,182	6,034	381,586	1,785,398	22.5
55-60	0.0635	86,362	5,494	418,902	1,890,528	21.8	55-60	0.1065	73,149	7,935	346,609	1,405,812	19.2
60-65	0.0853	80,878	7,705	396,133	1,461,625	18.1	60-65	0.1528	65,213	9,966	301,676	1,057,203	16.2
65-70	0.1304	73,173	10,124	341,609	1,075,480	14.7	65-70	0.2284	55,247	12,621	244,985	755,527	13.7
70-75	0.2074	63,049	13,076	283,621	733,881	11.6	70-75	0.2867	42,626	12,219	182,322	510,542	12.0
75-80	0.2919	49,973	14,586	214,063	450,260	9.0	75-80	0.2835	30,407	8,619	130,263	328,220	10.8
80-85	0.4153	35,387	14,625	139,628	236,177	6.7	80-85	0.3330	21,788	7,255	90,377	197,957	9.1
85 and over	1.0000	20,762	20,762	96,549	96,549	4.7	85 and over	1.0000	14,533	14,533	107,580	107,580	7.4
WHITE, MALE							ALL OTHER, MALE						
0-1	0.0219	100,000	2,188	98,016	6,754,209	67.5	0-1	0.0378	100,000	3,778	96,750	6,006,398	60.1
1-5	0.0033	97,814	326	390,494	6,656,193	68.0	1-5	0.0060	96,222	576	93,447	5,909,649	61.4
5-10	0.0024	97,488	232	486,822	6,265,699	64.3	5-10	0.0034	95,646	322	477,584	5,526,201	57.8
10-15	0.0025	97,239	239	485,758	5,778,877	59.4	10-15	0.0039	95,324	364	475,908	5,048,837	53.0
15-20	0.0073	97,017	710	483,469	5,293,119	54.6	15-20	0.0107	94,960	1,035	472,558	4,573,029	48.2
20-25	0.0098	96,307	943	479,189	4,809,650	49.9	20-25	0.0182	93,945	1,706	465,670	4,100,491	43.6
25-30	0.0083	95,364	794	474,815	4,330,461	45.4	25-30	0.0225	92,239	2,077	456,152	3,634,821	39.4
30-35	0.0091	94,570	860	470,790	3,855,646	40.8	30-35	0.0288	90,162	2,642	444,470	3,178,669	35.3
35-40	0.0131	93,710	1,232	465,691	3,384,856	36.1	35-40	0.0380	87,520	3,320	429,747	2,734,199	31.2
40-45	0.0208	92,478	1,927	457,959	2,919,165	31.6	40-45	0.0521	84,198	4,387	410,541	2,304,452	27.4
45-50	0.0341	90,551	3,089	445,656	2,461,208	27.2	45-50	0.0701	79,811	5,591	385,937	1,893,911	23.7
50-55	0.0557	87,463	4,876	425,865	2,015,550	23.0	50-55	0.0956	74,220	7,092	354,203	1,508,074	20.3
55-60	0.0872	82,587	7,198	395,926	1,589,665	19.2	55-60	0.1344	67,128	9,023	315,793	1,153,871	17.2
60-65	0.1320	75,389	9,949	353,163	1,193,739	15.8	60-65	0.1830	58,105	10,633	264,584	840,078	14.5
65-70	0.1864	65,440	12,197	297,539	840,576	12.8	65-70	0.2605	47,472	12,368	206,593	575,494	12.1
70-75	0.2722	53,243	14,494	230,495	543,057	10.2	70-75	0.3524	35,104	12,370	143,923	369,901	10.5
75-80	0.3571	39,749	13,835	159,109	312,542	8.1	75-80	0.3393	22,734	7,713	93,993	224,978	9.8
80-85	0.4675	24,914	11,646	94,307	153,433	6.2	80-85	0.3669	15,021	5,512	60,881	130,985	8.7
85 and over	1.0000	15,268	13,268	59,126	59,126	4.5	85 and over	1.0000	9,509	9,509	70,104	70,104	7.4
WHITE, FEMALE							ALL OTHER, FEMALE						
0-1	0.0164	100,000	1,637	98,531	7,488,111	74.9	0-1	0.0311	100,000	3,114	97,589	6,753,965	67.5
1-5	0.0027	98,363	270	392,806	7,389,590	75.1	1-5	0.0049	96,689	476	96,561	6,656,596	68.7
5-10	0.0017	98,093	165	490,015	6,996,774	71.3	5-10	0.0024	96,410	229	481,410	6,270,225	65.0
10-15	0.0014	97,928	139	489,310	6,506,759	66.4	10-15	0.0021	96,181	202	480,432	5,788,815	60.2
15-20	0.0029	97,789	261	488,281	6,017,449	61.5	15-20	0.0041	95,979	390	479,017	5,308,583	55.3
20-25	0.0032	97,508	314	486,773	5,529,168	56.7	20-25	0.0069	95,599	660	476,399	4,829,596	50.5
25-30	0.0035	97,194	344	485,143	5,042,395	51.9	25-30	0.0100	94,929	948	472,622	4,352,967	45.9
30-35	0.0048	96,850	465	483,154	4,557,252	47.1	30-35	0.0151	93,981	1,417	468,573	3,880,545	41.3
35-40	0.0076	96,395	731	480,224	4,074,098	42.3	35-40	0.0222	92,564	2,055	457,931	3,413,972	36.9
40-45	0.0119	95,654	1,141	475,624	3,593,874	37.6	40-45	0.0317	90,509	2,666	445,721	2,953,981	32.7
45-50	0.0186	94,515	1,762	468,460	3,118,250	33.0	45-50	0.0432	87,643	3,790	429,265	2,510,280	28.6
50-55	0.0280	92,751	2,599	457,623	2,649,790	28.6	50-55	0.0589	83,853	4,935	407,595	2,080,975	24.8
55-60	0.0412	90,152	3,715	442,080	2,192,167	24.3	55-60	0.0846	78,918	6,675	378,573	1,673,382	21.2
60-65	0.0616	86,437	5,323	419,749	1,750,087	20.2	60-65	0.1245	72,243	8,996	339,115	1,294,809	17.9
65-70	0.0865	81,114	7,826	387,198	1,330,338	16.4	65-70	0.1967	63,247	12,569	285,280	955,694	15.1
70-75	0.1554	73,286	11,392	339,521	943,140	12.9	70-75	0.2827	50,678	11,794	224,049	670,434	13.2
75-80	0.2426	61,894	15,013	278,446	603,619	9.8	75-80	0.2406	38,884	9,354	171,039	446,385	11.5
80-85	0.3749	46,861	17,578	190,304	330,173	7.0	80-85	0.3054	29,530	9,020	124,764	275,346	9.3
85 and over	1.0000	29,303	29,303	139,689	139,689	4.8	85 and over	1.0000	20,510	20,510	150,582	150,582	7.3

SECTION 5 - LIFE TABLES

5-5

Table 5-3. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1968

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,823	97,549	98,110	98,081	97,814	98,365	96,349	96,222	96,886
2	97,689	97,408	97,964	97,966	97,693	98,255	96,324	95,983	96,676
3	97,605	97,315	97,909	97,891	97,611	98,187	96,194	95,836	96,563
4	97,540	97,243	97,851	97,832	97,546	98,136	96,086	95,728	96,475
5	97,488	97,181	97,805	97,782	97,488	98,093	96,022	95,646	96,410
6	97,425	97,101	97,760	97,724	97,412	98,051	95,941	95,543	96,349
7	97,375	97,041	97,721	97,677	97,356	98,014	95,877	95,467	96,296
8	97,335	96,997	97,687	97,639	97,314	97,981	95,824	95,410	96,254
9	97,303	96,963	97,657	97,609	97,282	97,953	95,786	95,365	96,216
10	97,275	96,935	97,630	97,583	97,256	97,928	95,746	95,324	96,181
11	97,248	96,906	97,605	97,558	97,230	97,905	95,707	95,281	96,147
12	97,219	96,871	97,580	97,531	97,199	97,882	95,664	95,229	96,112
13	97,182	96,825	97,553	97,497	97,156	97,856	95,611	95,161	96,073
14	97,154	96,782	97,521	97,452	97,107	97,826	95,545	95,073	96,029
15	97,072	96,678	97,482	97,395	97,017	97,789	95,483	94,980	95,979
16	96,993	96,569	97,435	97,318	96,914	97,744	95,382	94,818	95,921
17	96,898	96,456	97,380	97,227	96,788	97,691	95,241	94,646	95,853
18	96,789	96,282	97,318	97,123	96,641	97,632	95,100	94,442	95,775
19	96,670	96,111	97,253	97,011	96,479	97,570	94,959	94,288	95,687
20	96,545	95,927	97,186	96,894	96,307	97,508	94,780	93,945	95,589
21	96,414	95,751	97,118	96,773	96,125	97,446	94,581	93,652	95,479
22	96,277	95,525	97,048	96,648	95,935	97,384	94,342	93,328	95,358
23	96,137	95,309	96,977	96,522	95,738	97,321	94,106	92,980	95,225
24	95,996	95,096	96,904	96,397	95,546	97,258	93,857	92,615	95,082
25	95,858	94,891	96,829	96,275	95,364	97,194	93,597	92,239	94,929
26	95,722	94,695	96,752	96,158	95,193	97,129	93,327	91,854	94,766
27	95,588	94,506	96,675	96,045	95,032	97,063	93,046	91,457	94,592
28	95,455	94,322	96,590	95,933	94,877	96,995	92,751	91,046	94,405
29	95,319	94,137	96,503	95,821	94,725	96,924	92,458	90,616	94,202
30	95,178	93,948	96,410	95,706	94,570	96,850	92,105	90,162	93,981
31	95,030	93,752	96,310	95,587	94,412	96,771	91,741	89,683	93,741
32	94,875	93,550	96,203	95,465	94,250	96,686	91,375	89,178	93,480
33	94,712	93,339	96,087	95,333	94,081	96,594	90,976	88,649	93,198
34	94,538	93,116	95,960	95,194	93,902	96,494	90,554	88,096	92,893
35	94,351	92,879	95,822	95,043	93,710	96,385	90,109	87,520	92,564
36	94,149	92,626	95,671	94,879	93,503	96,265	89,639	86,920	92,210
37	93,931	92,354	95,506	94,700	93,278	96,132	89,142	86,293	91,829
38	93,695	92,061	95,326	94,505	93,034	95,987	88,616	85,634	91,420
39	93,440	91,745	95,131	94,293	92,788	95,828	88,056	84,957	90,980
40	93,164	91,404	94,920	94,061	92,478	95,654	87,459	84,198	90,509
41	92,865	91,034	94,691	93,808	92,161	95,465	86,822	83,413	90,005
42	92,541	90,632	94,443	93,530	91,813	95,258	86,144	82,581	89,466
43	92,189	90,195	94,175	93,226	91,431	95,032	85,426	81,703	88,893
44	91,807	89,720	93,885	92,893	91,012	94,784	84,687	80,779	88,285
45	91,392	89,203	93,571	92,527	90,551	94,513	83,867	79,811	87,643
46	90,942	88,641	93,231	92,126	90,045	94,217	83,024	78,797	86,964
47	90,453	88,029	92,864	91,689	89,469	93,894	82,155	77,733	86,246
48	89,923	87,362	92,468	91,208	88,877	93,543	81,199	76,617	85,489
49	89,347	86,634	92,042	90,682	88,204	93,163	80,215	75,447	84,691
50	88,721	85,840	91,583	90,106	87,463	92,751	79,182	74,220	83,853
51	88,042	84,976	91,090	89,476	86,649	92,308	78,098	72,936	82,972
52	87,307	84,038	90,560	88,790	85,759	91,825	76,961	71,592	82,044
53	86,513	83,020	89,992	88,044	84,788	91,307	75,762	70,182	81,064
54	85,656	81,918	89,383	87,236	83,732	90,750	74,493	68,696	80,024
55	84,732	80,728	88,731	86,362	82,587	90,152	73,148	67,180	79,010
56	83,738	79,447	88,032	85,420	81,351	89,510	71,721	65,475	77,739
57	82,671	78,073	87,289	84,406	80,020	88,821	70,221	63,579	76,484
58	81,527	76,599	86,479	83,315	78,588	88,081	68,620	61,926	75,150
59	80,300	75,020	85,621	82,140	77,046	87,288	66,854	60,046	73,737
60	78,987	73,332	84,703	80,878	75,389	86,437	65,213	58,105	72,243
61	77,586	71,532	83,723	79,523	73,612	85,525	63,406	56,111	70,677
62	76,094	69,623	82,675	78,074	71,719	84,544	61,502	54,062	69,033
63	74,508	67,610	81,546	76,532	69,718	83,488	59,563	51,948	67,275
64	72,827	65,504	80,329	74,888	67,622	82,347	57,474	49,754	65,366
65	71,050	63,311	79,007	73,173	65,440	81,114	55,247	47,472	63,247
66	69,179	61,042	77,577	71,360	63,184	79,783	52,881	45,111	60,936
67	67,214	58,699	76,037	69,456	60,852	78,349	50,398	42,688	58,458
68	65,146	56,270	74,381	67,447	58,431	76,798	47,832	40,204	55,868
69	62,966	53,758	72,604	65,315	55,898	75,114	45,228	37,672	53,253
70	60,688	51,095	70,704	63,049	53,243	73,286	42,626	35,104	50,676
71	58,252	48,340	68,678	60,647	50,465	71,309	40,035	32,496	48,163
72	55,727	45,495	66,526	58,119	47,585	69,183	37,466	29,873	45,705
73	53,114	42,601	64,247	55,483	44,640	66,906	34,969	27,312	43,327
74	50,439	39,713	61,842	52,761	41,681	64,476	32,602	24,909	41,050
75	47,724	36,673	59,313	49,875	38,749	61,894	30,407	22,134	38,884
76	44,981	34,105	56,622	47,133	35,866	59,183	28,397	20,810	36,833
77	42,217	31,414	53,893	44,249	33,042	56,288	26,580	19,122	34,889
78	39,434	28,796	51,011	41,325	30,275	53,277	24,870	17,827	33,038
79	36,634	26,245	48,023	38,368	27,564	50,138	23,291	16,275	31,260
80	33,821	23,758	44,934	35,387	24,914	46,881	21,788	15,021	29,530
81	31,004	21,342	41,763	32,395	22,335	43,519	20,351	13,851	27,821
82	28,196	19,012	38,489	29,411	19,847	40,064	18,894	12,684	26,100
83	25,416	16,794	35,151	26,458	17,480	36,532	17,458	11,534	24,334
84	22,687	14,721	31,750	23,564	15,271	32,939	16,007	10,508	22,484
85	20,037	12,856	28,297	20,762	13,268	29,303	14,533	9,509	20,510

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1968

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.2	66.6	74.0	71.1	67.5	74.9	65.7	60.1	67.5
1	70.7	67.3	74.4	71.5	68.0	75.1	65.0	61.4	68.7
2	69.8	66.4	73.5	70.6	67.1	74.2	64.2	60.6	67.9
3	68.9	65.4	72.5	69.6	66.2	73.3	63.2	59.7	66.9
4	67.9	64.5	71.6	68.7	65.2	72.3	62.3	58.7	66.0
5	67.0	63.5	70.6	67.7	64.3	71.3	61.4	57.8	65.0
6	66.0	62.6	69.6	66.7	63.3	70.4	60.4	56.8	64.1
7	65.0	61.6	68.7	65.8	62.4	69.4	59.4	55.9	63.1
8	64.1	60.6	67.7	64.8	61.4	68.4	58.5	54.9	62.1
9	63.1	59.7	66.7	63.8	60.4	67.4	57.5	53.9	61.2
10	62.1	58.7	65.7	62.8	59.4	66.4	56.5	53.0	60.2
11	61.1	57.7	64.7	61.9	58.4	65.5	55.5	52.0	59.2
12	60.1	56.7	63.8	60.9	57.5	64.5	54.6	51.0	58.2
13	59.2	55.7	62.8	59.9	56.5	63.5	53.6	50.1	57.3
14	58.2	54.8	61.8	58.9	55.5	62.5	52.6	49.1	56.3
15	57.2	53.8	60.8	58.0	54.6	61.5	51.7	48.2	55.3
16	56.3	52.9	59.8	57.0	53.6	60.6	50.7	47.2	54.3
17	55.3	52.0	58.9	56.1	52.7	59.6	49.8	46.3	53.4
18	54.4	51.0	57.9	55.1	51.8	58.6	48.9	45.4	52.4
19	53.5	50.1	57.0	54.2	50.9	57.7	48.0	44.5	51.5
20	52.5	49.2	56.0	53.2	49.9	56.7	47.0	43.6	50.5
21	51.6	48.3	55.0	52.3	49.0	55.7	46.1	42.8	49.6
22	50.7	47.4	54.1	51.4	48.1	54.8	45.2	41.9	48.6
23	49.8	46.5	53.1	50.4	47.2	53.8	44.4	41.1	47.7
24	48.8	45.6	52.2	49.5	46.3	52.8	43.5	40.2	46.8
25	47.9	44.7	51.2	48.6	45.4	51.9	42.6	39.4	45.9
26	47.0	43.8	50.2	47.6	44.5	50.9	41.7	38.6	44.9
27	46.0	42.9	49.3	46.7	43.6	49.9	40.8	37.7	44.0
28	45.1	42.0	48.3	45.7	42.6	49.0	40.0	36.9	43.1
29	44.2	41.1	47.4	44.8	41.7	48.0	39.1	36.1	42.2
30	43.2	40.2	46.4	43.8	40.8	47.1	38.2	35.3	41.3
31	42.3	39.2	45.5	42.8	39.8	46.1	37.4	34.4	40.4
32	41.4	38.3	44.5	42.0	38.9	45.1	36.5	33.6	39.5
33	40.4	37.4	43.6	41.0	38.0	44.2	35.7	32.8	38.6
34	39.5	36.5	42.6	40.1	37.0	43.2	34.8	32.0	37.7
35	38.6	35.6	41.7	39.1	36.1	42.3	34.0	31.2	36.8
36	37.7	34.7	40.7	38.2	35.2	41.3	33.2	30.5	36.0
37	36.7	33.8	39.8	37.3	34.3	40.4	32.4	29.7	35.2
38	35.8	32.9	38.9	36.3	33.4	39.4	31.6	29.0	34.5
39	34.9	32.0	38.0	35.4	32.5	38.5	30.8	28.1	33.6
40	34.0	31.1	37.0	34.5	31.6	37.6	30.0	27.4	32.7
41	33.1	30.3	36.1	33.6	30.7	36.6	29.2	26.6	31.8
42	32.3	29.4	35.2	32.7	29.8	35.7	28.4	25.9	31.0
43	31.4	28.5	34.3	31.8	28.9	34.8	27.7	25.2	30.2
44	30.5	27.7	33.4	30.9	28.0	33.9	26.9	24.4	29.4
45	29.6	26.8	32.5	30.0	27.2	33.0	26.2	23.7	28.6
46	28.8	26.0	31.7	29.2	26.3	32.1	25.4	23.0	27.9
47	27.9	25.2	30.8	28.3	25.5	31.2	24.7	22.3	27.1
48	27.1	24.4	29.9	27.4	24.7	30.3	24.0	21.7	26.3
49	26.3	23.6	29.0	26.6	23.8	29.4	23.3	21.0	25.6
50	25.4	22.8	28.2	25.8	23.0	28.6	22.5	20.3	24.8
51	24.6	22.0	27.3	25.0	22.3	27.7	21.9	19.7	24.1
52	23.8	21.2	26.5	24.1	21.5	26.8	21.2	19.0	23.3
53	23.1	20.5	25.7	23.3	20.7	26.0	20.5	18.4	22.6
54	22.3	19.8	24.8	22.6	20.0	25.2	19.8	17.8	21.9
55	21.5	19.0	24.0	21.8	19.2	24.3	19.2	17.2	21.2
56	20.8	18.3	23.2	21.0	18.5	23.5	18.6	16.6	20.5
57	20.0	17.7	22.4	20.3	17.8	22.7	18.0	16.0	19.8
58	19.3	17.0	21.6	19.5	17.1	21.9	17.4	15.5	19.2
59	18.6	16.3	20.8	18.8	16.5	21.0	16.8	15.0	18.5
60	17.8	15.7	20.0	18.1	15.8	20.2	16.2	14.5	17.9
61	17.2	15.1	19.3	17.4	15.2	19.5	15.7	14.0	17.3
62	16.5	14.5	18.5	16.7	14.6	18.7	15.1	13.5	16.7
63	15.9	13.9	17.7	16.0	14.0	17.9	14.6	13.0	16.1
64	15.2	13.3	17.0	15.3	13.4	17.1	14.1	12.5	15.6
65	14.6	12.8	16.3	14.7	12.8	16.4	13.7	12.1	15.1
66	14.0	12.2	15.6	14.1	12.3	15.7	13.3	11.7	14.7
67	13.4	11.7	14.9	13.4	11.7	14.9	12.9	11.4	14.3
68	12.8	11.2	14.2	12.8	11.2	14.2	12.6	11.0	13.9
69	12.2	10.7	13.5	12.2	10.7	13.5	12.3	10.8	13.6
70	11.7	10.2	12.9	11.6	10.2	12.9	12.0	10.5	13.2
71	11.1	9.8	12.2	11.1	9.7	12.2	11.7	10.3	12.9
72	10.6	9.4	11.6	10.5	9.3	11.6	11.5	10.2	12.6
73	10.1	9.0	11.0	10.0	8.9	10.9	11.3	10.1	12.2
74	9.6	8.6	10.4	9.5	8.5	10.3	11.0	10.0	11.9
75	9.1	8.2	9.9	9.0	8.1	9.8	10.8	9.9	11.5
76	8.6	7.8	9.3	8.5	7.7	9.2	10.5	9.8	11.1
77	8.2	7.4	8.7	8.0	7.3	8.6	10.2	9.6	10.7
78	7.7	7.1	8.2	7.6	6.9	8.1	9.9	9.3	10.2
79	7.3	6.7	7.7	7.1	6.5	7.6	9.5	9.0	9.8
80	6.8	6.3	7.2	6.7	6.2	7.0	9.1	8.7	9.3
81	6.4	6.0	6.7	6.2	5.8	6.6	8.7	8.4	8.9
82	6.0	5.7	6.2	5.8	5.5	6.1	8.3	8.1	8.4
83	5.6	5.3	5.8	5.4	5.1	5.6	8.0	7.9	8.0
84	5.2	5.0	5.3	5.0	4.8	5.2	7.7	7.6	7.6
85	4.8	4.7	4.9	4.7	4.5	4.8	7.4	7.4	7.3

SECTION 5 - LIFE TABLES

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1968

[Alaska and Hawaii included for 1959 and 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "all other, male" and "all other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "all other" population]

Age, color, and sex	Number of survivors out of 100,000 born alive(<i>l_x</i>)									Average number of years of life remaining (<i>e_x</i>)								
	1968	1967	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1968	1967	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.5	67.8	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1-----	97,814	97,768	97,408	96,931	95,188	93,768	91,975	87,674	86,655	68.0	68.3	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5-----	97,488	97,436	97,016	96,403	94,150	91,738	88,842	82,972	80,864	64.3	64.6	64.61	63.77	61.68	59.38	58.31	55.37	54.45
10-----	97,256	97,213	96,758	96,069	93,601	90,610	87,530	81,519	79,109	59.4	59.7	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15-----	97,017	96,976	96,505	95,726	93,089	90,074	86,546	80,549	78,037	54.6	54.9	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20-----	96,307	96,298	95,808	95,104	92,235	88,304	84,397	79,116	76,576	49.9	50.2	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25-----	95,364	95,421	95,106	94,294	91,241	87,371	83,061	77,047	75,907	45.4	45.7	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30-----	94,570	94,656	94,401	93,489	90,092	85,707	80,888	74,810	73,219	40.8	41.0	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35-----	93,710	93,812	93,589	92,543	88,713	83,812	78,441	72,108	68,245	36.1	36.4	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40-----	92,478	92,583	92,427	91,173	86,680	81,457	75,733	68,848	64,954	31.6	31.8	31.75	31.17	30.03	29.22	29.66	27.45	27.74
45-----	90,531	90,692	90,533	89,002	84,285	78,345	72,696	65,115	61,369	27.2	27.4	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50-----	87,465	87,632	87,424	85,601	80,521	74,288	69,107	60,741	57,274	23.0	23.3	23.22	22.85	21.96	21.51	22.22	20.39	20.76
55-----	82,587	82,831	82,463	80,498	75,156	68,981	64,574	55,622	52,491	19.2	19.5	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60-----	75,389	75,692	75,485	73,172	67,787	61,333	56,498	48,987	46,452	15.8	16.1	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65-----	65,440	65,990	65,634	63,541	58,305	52,964	50,663	40,662	39,245	12.8	13.0	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70-----	53,243	53,962	53,625	51,735	46,739	41,880	40,873	31,227	30,640	10.2	10.4	10.29	10.07	9.42	9.20	9.53	8.83	9.03
75-----	38,749	39,716	40,207	38,104	33,404	29,471	28,205	21,585	21,387	8.1	8.2	8.2	7.92	7.77	7.02	7.30	6.75	6.94
80-----	24,914	25,904	25,993	24,005	19,860	17,221	17,655	12,266	12,266	6.2	6.2	6.2	5.89	5.88	5.26	5.47	5.09	5.10
85-----	13,268	13,696	13,965	12,015	9,013	7,572	8,154	5,145	5,252	4.5	4.5	4.54	4.35	4.02	3.99	4.06	3.88	3.81
ALL OTHER, MALE																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	60.1	61.1	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1-----	96,222	96,090	95,301	94,911	91,696	89,269	89,499	78,065	74,674	61.4	62.6	63.50	61.06	56.05	51.08	51.63	42.33	42.46
5-----	95,645	95,498	94,570	93,921	89,220	88,412	85,195	68,589	64,385	57.8	59.0	59.98	57.69	53.23	48.69	50.18	44.25	45.06
10-----	95,324	95,184	94,234	93,453	89,211	87,311	83,768	66,377	61,730	53.0	54.2	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15-----	94,960	94,870	93,874	92,985	88,417	86,152	82,332	64,478	59,667	48.2	49.4	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20-----	93,945	93,982	93,108	91,941	86,770	83,621	79,557	61,426	56,733	43.6	44.8	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25-----	92,239	92,432	91,825	90,285	84,055	79,516	74,540	57,156	53,285	39.4	40.5	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30-----	90,162	90,499	90,270	88,327	80,865	75,083	70,344	54,073	49,667	35.3	36.3	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35-----	87,520	88,080	88,331	85,940	77,185	70,049	65,783	49,865	46,541	31.2	32.2	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40-----	84,196	85,013	85,744	82,832	72,850	64,710	61,353	45,414	42,989	27.4	28.3	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45-----	79,811	80,882	82,075	78,686	67,514	58,432	56,589	40,563	39,230	23.7	24.6	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50-----	74,220	75,675	77,233	72,891	60,766	51,748	51,880	35,427	34,766	20.3	21.1	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55-----	67,126	69,720	70,331	65,132	52,667	44,436	46,501	29,754	29,987	17.2	18.0	18.11	17.36	16.67	15.46	17.60	13.82	14.69
60-----	58,165	59,851	61,689	56,635	44,370	36,790	40,506	23,750	24,194	14.5	15.3	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65-----	47,472	50,180	51,392	45,188	35,212	29,314	34,042	17,806	19,015	12.1	12.7	12.84	12.75	12.18	10.87	12.07	9.74	10.58
70-----	35,104	37,539	39,814	35,018	27,688	21,741	26,223	13,829	15,889	10.5	11.2	11.20	10.74	10.06	8.78	9.58	8.00	8.33
75-----	22,734	25,605	29,064	25,472	19,765	14,419	18,854	7,434	8,892	9.9	10.3	10.3	9.93	8.89	6.99	7.61	6.59	6.60
80-----	15,021	17,348	19,394	16,904	12,552	8,233	11,615	3,894	4,851	8.7	9.0	8.87	7.07	6.46	5.42	5.83	5.33	5.12
85-----	9,509	11,344	11,620	9,699	6,492	3,660	5,605	1,747	2,030	7.4	7.5	7.5	5.98	5.38	4.30	4.53	4.49	4.04
WHITE, FEMALE																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.9	75.1	74.19	72.03	67.28	62.67	58.53	53.62	51.08
1-----	98,363	98,318	98,036	97,645	96,211	95,037	93,608	89,774	88,339	75.1	75.3	74.88	72.77	68.33	64.93	61.51	58.69	56.39
5-----	98,093	98,053	97,709	97,199	95,509	93,216	90,721	85,349	83,426	71.3	71.5	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10-----	97,920	97,891	97,525	96,960	94,990	92,466	89,564	83,979	81,723	66.4	66.7	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15-----	97,789	97,754	97,375	96,756	94,534	91,694	88,712	83,093	80,680	61.5	61.7	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20-----	97,508	97,488	97,105	96,454	93,984	90,939	87,281	81,750	79,778	56.7	56.9	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25-----	97,194	97,179	96,844	96,072	93,228	89,524	85,183	79,865	77,588	51.9	52.1	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30-----	96,850	96,841	96,499	95,605	92,520	87,972	82,740	77,676	75,887	47.1	47.2	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35-----	96,385	96,382	96,026	94,977	91,211	86,248	80,206	75,200	70,971	42.3	42.5	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40-----	95,654	95,662	95,326	94,080	89,805	84,256	77,624	72,425	67,935	37.6	37.8	37.15	35.64	33.25	31.52	30.94	29.26	29.17
45-----	94,513	94,550	94,228	92,725	87,920	81,780	74,871	69,341	64,677	33.0	33.2	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50-----	92,751	92,822	92,522	90,685	85,267	78,572	71,547	65,629	61,005	28.6	28.7	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55-----	90,152	90,293	89,967	87,699	81,520	74,321	67,323	61,053	56,509	24.3	24.5	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60-----	86,437	86,647	86,339	83,279	76,200	68,462	61,704	54,900	50,752	20.2	20.4	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65-----	81,114	81,486	80,739	76,773	68,701	60,499	54,299	47,085	43,806	16.4	16.5	15.88	15.00	13.66	12.81	12.75	11.97	12.23
70-----	73,266	73,682	72,507	67,545	58,363	49,932	44,638	37,482	35,206	12.9	13.0	12.38	11.68	10.60	9.98	9.94	9.38	9.59
75-----	61,894	62,403	60,461	54,397	44,685	37,024	32,777	26,569	25,362	9.8	9.9	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80-----	46,843	47,554	44,676	38,026	28,882	23,033	20,492	15,329	15,349	7.0	7.1	6.87	6.59	5.88	5.63	5.7		

SECTION 5 - LIFE TABLES

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928 and United States, 1929-68

[Estimates based on life table values shown in table 5-5]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1968	70.2	66.6	74.0	71.1	67.5	74.9	63.7	60.1	67.5
1967	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 ¹	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.8	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.8	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	68.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	65.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.8	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	46.3	52.5
1936	59.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.6
1926	56.7	55.5	59.0	58.2	57.0	59.6	44.6	43.7	45.9
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.6	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	51.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	52.5	51.6	53.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	49.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.5
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		Page
Sources of data-----	6-3	Quality of data -----	6-14
Death and fetal-death statistics-----	6-3	Completeness of registration-----	6-14
Standard certificates -----	6-3	Massachusetts data -----	6-14
History-----	6-3	Quality control procedures-----	6-14
Classification of data -----	6-6	Computation of rates-----	6-15
Classification by occurrence and residence -----	6-6	Population bases-----	6-15
Geographic classification -----	6-6	Age-adjusted death rates -----	6-15
Age -----	6-7		
Race and color -----	6-7	Symbols used in tables -----	6-15
Fetal deaths-----	6-8		
Cause of death-----	6-10		
Maternal deaths -----	6-14		
Figure			
6-A. Standard Certificate of Death -----			6-4
6-B. Standard Certificate of Fetal Death-----			6-5
Population table			
6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1968-----			6-16
6-2. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1968- -----			6-16
6-3. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1968- -----			6-17

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, and the District of Columbia. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960.

Tabulations for Puerto Rico and the Virgin Islands are not presented in this report. They were included in the annual volumes through 1966. A summary of the 1968 data for these areas is shown below. Death rates are per 1,000 population; fetal-death ratios are per 1,000 live births. Fetal deaths are those with gestation of 20 weeks or more or gestation not stated.

Area	Deaths		Fetal deaths	
	Number	Rate	Number	Ratio
Puerto Rico-----	17,481	6.4	1,394	20.5
Virgin Islands-----	474	8.5	73	31.1

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians or members of the Armed Forces which occur outside the United States.

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They

have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. The new standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner. Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is designed for the medical examiner's or coroner's signature.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced.

The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population cover-

FIGURE 6-A

FORM APPROVED BUDGET BUREAU NO. 68-21901 (PHYSICIAN, MEDICAL EXAMINER OR CORONER) U.S. STANDARD CERTIFICATE OF DEATH U.S. GOVERNMENT PRINTING OFFICE: 1967 OF-241-659

TYPE, OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS LOCAL FILE NUMBER STATE FILE NUMBER

DECEASED

1. DECEASED—NAME FIRST MIDDLE LAST SEX 2. DATE OF DEATH (MONTH, DAY, YEAR) 3.

4. RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) 5a. AGE—LAST BIRTHDAY (YEARS) 5b. UNDER 1 YEAR MOS. 5c. UNDER 1 DAY HOURS MIN. 6. DATE OF BIRTH (MONTH, DAY, YEAR) 7a. COUNTY OF DEATH

7b. CITY, TOWN, OR LOCATION OF DEATH 7c. INSIDE CITY LIMITS (SPECIFY YES OR NO) 7d. HOSPITAL OR OTHER INSTITUTION—NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)

8. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY) 9. CITIZEN OF WHAT COUNTRY 10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY) 11. SURVIVING SPOUSE (IF WIFE, GIVE MAIDEN NAME)

12. SOCIAL SECURITY NUMBER 13a. USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE, EVEN IF RETIRED) 13b. KIND OF BUSINESS OR INDUSTRY

14a. RESIDENCE—STATE 14b. COUNTY 14c. CITY, TOWN, OR LOCATION 14d. INSIDE CITY LIMITS (SPECIFY YES OR NO) 14e. STREET AND NUMBER

PARENTS

15. FATHER—NAME FIRST MIDDLE LAST 16. MOTHER—MAIDEN NAME FIRST MIDDLE LAST

17a. INFORMANT—NAME 17b. MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

CAUSE

PART I. DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)] APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

18. IMMEDIATE CAUSE (a) DUE TO, OR AS A CONSEQUENCE OF: (b) DUE TO, OR AS A CONSEQUENCE OF: (c) CONDITIONS, IF ANY, WHICH GAVE RISE TO IMMEDIATE CAUSE (c) STATING THE UNDERLYING CAUSE LAST

PART II. OTHER SIGNIFICANT CONDITIONS: CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a) 19a. AUTOPSY (YES OR NO) 19b. IF YES WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH

20a. ACCIDENT, SUICIDE, HOMICIDE, OR UNDETERMINED (SPECIFY) 20b. DATE OF INJURY (MONTH, DAY, YEAR) 20c. HOUR 20d. HOW INJURY OCCURRED (ENTER NATURE OF INJURY IN PART I OR PART II, ITEM 18)

21a. INJURY AT WORK (SPECIFY YES OR NO) 21b. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BLDG., ETC. (SPECIFY) 21c. LOCATION (STREET OR R.F.D. NO., CITY OR TOWN, STATE)

CERTIFIER

21d. CERTIFICATION—PHYSICIAN: I ATTENDED THE DECEASED FROM MONTH DAY YEAR TO MONTH DAY YEAR AND LAST SAW HIM/HER ALIVE ON MONTH DAY YEAR I DID/DID NOT VIEW THE BODY AFTER DEATH. 21e. DEATH OCCURRED AT THE PLACE, ON THE DATE, AND, TO THE BEST OF MY KNOWLEDGE, DUE TO THE CAUSE(S) STATED. (HOUR)

22a. CERTIFICATION—MEDICAL EXAMINER OR CORONER: ON THE BASIS OF THE EXAMINATION OF THE BODY AND/OR THE INVESTIGATION, IN MY OPINION, DEATH OCCURRED ON THE DATE AND DUE TO THE CAUSE(S) STATED. HOUR OF DEATH MONTH DAY YEAR HOUR THE DECEDENT WAS PRONOUNCED DEAD

23a. CERTIFIER—NAME (TYPE OR PRINT) 23b. SIGNATURE 23c. DEGREE OR TITLE 23d. DATE SIGNED (MONTH, DAY, YEAR)

23e. MAILING ADDRESS—CERTIFIER 23f. STREET OR R.F.D. NO. 23g. CITY OR TOWN 23h. STATE 23i. ZIP

BURIAL

24a. BURIAL, CREMATION, REMOVAL (SPECIFY) 24b. CEMETERY OR CREMATORY—NAME 24c. LOCATION CITY OR TOWN STATE

24d. DATE (MONTH, DAY, YEAR) 24e. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

25a. FUNERAL DIRECTOR—SIGNATURE 25b. REGISTRAR—SIGNATURE 25c. DATE RECEIVED BY LOCAL REGISTRAR

PHS-797-1 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

age of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the

estimated midyear population of the States included in the registration system. The registration area included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the

FIGURE 6-B

FORM APPROVED BUDGET BUREAU NO. 68-81902

U.S. STANDARD CERTIFICATE OF FETAL DEATH

TYPE, OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER STATE FILE NUMBER

FETUS

1. FETUS—NAME FIRST MIDDLE LAST DATE OF DELIVERY (MONTH, DAY, YEAR) HOUR M.

2. THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY) IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY) COUNTY OF DELIVERY

3. CITY, TOWN, OR LOCATION OF DELIVERY INSIDE CITY LIMITS (SPECIFY YES OR NO) HOSPITAL—NAME (IF NOT IN HOSPITAL, GIVE STREET AND NUMBER)

5b. 5c. 5d.

MOTHER

6a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

7a. RESIDENCE—STATE COUNTY CITY, TOWN, OR LOCATION INSIDE CITY LIMITS (SPECIFY YES OR NO) STREET AND NUMBER

7b. 7c. 7d. 7e.

FATHER

8a. FATHER—NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

8b. 8c.

CAUSE

9. PART I. FETAL DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)] SPECIFY FETAL OR MATERNAL

(a) IMMEDIATE CAUSE FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH

(b) DUE TO, OR AS A CONSEQUENCE OF: FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (b), STATING THE UNDERLYING CAUSE LAST

(c) DUE TO, OR AS A CONSEQUENCE OF:

PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a)

10. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (SPECIFY)

11a. AUTOPSY (SPECIFY YES OR NO)

11b. IF YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH

CERTIFIER

12a. I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE STATED ABOVE AND THE FETUS WAS BORN DEAD DATE SIGNED (MONTH, DAY, YEAR) ATTENDANT—M.D., D.O., MIDWIFE, OTHER (SPECIFY)

12b. CERTIFIER—MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP) AUTHORIZED OFFICIAL (IF DELIVERY NOT ATTENDED BY PHYSICIAN)

12c. 13. SIGNATURE

BURIAL

14a. BURIAL, CREMATION, OR REMOVAL (SPECIFY) CEMETERY OR CREMATORY—NAME LOCATION (CITY OR TOWN, STATE)

14b. 14c.

14d. DATE (MONTH, DAY, YEAR) FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

15a. FUNERAL DIRECTOR—SIGNATURE REGISTRAR—SIGNATURE DATE RECEIVED BY LOCAL REGISTRAR MONTH DAY YEAR

15b. 15c. 16b.

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

FATHER

17. RACE—FATHER WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) EDUCATION—SPECIFY HIGHEST GRADE COMPLETED PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN

18. ELEMENTARY (0, 1, 2, 3, 4, ... OR 8) HIGH SCHOOL (1, 2, 3, OR 4) COLLEGE (1, 2, 3, 4, OR 5+) ARE NOW LIVING WERE BORN ALIVE—NOW WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION)

19a. 19b. 19c.

MOTHER

20. RACE—MOTHER WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) EDUCATION—SPECIFY HIGHEST GRADE COMPLETED DATE OF LAST LIVE BIRTH DATE OF LAST FETAL DEATH

21. ELEMENTARY (0, 1, 2, 3, 4, ... OR 8) HIGH SCHOOL (1, 2, 3, OR 4) COLLEGE (1, 2, 3, 4, OR 5+) MONTH DAY YEAR MONTH DAY YEAR

22a. 22b.

23. DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR) MONTH OF PREGNANCY PRENATAL CARE BEGAN PRENATAL VISITS TOTAL NUMBER LEGITIMATE (SPECIFY YES OR NO) BIRTH WEIGHT

23a. 23b. 23c. 23d. 23e. 23f. 23g.

24. COMPLICATIONS RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") BIRTH INJURIES TO FETUS (DESCRIBE OR WRITE "NONE")

25. 26.

27. COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (DESCRIBE OR WRITE "NONE")

28. 29.

29. COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE")

30. 31.

GPO : 1967 OF -261-662

PHS-798 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 4, "Demographic Data Preparation Instructions for Deaths Occurring in 1968," and Part 3, "Live Births and Fetal Deaths Occurring in 1968, Coding and Punching Instructions." The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

Tabulations by place of occurrence include all deaths occurring in a given county. For residence tabulations, all deaths occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to the usual place of residence of the decedent as reported on the death certificate with the following exception. For nonresident aliens and residents of Puerto Rico and the Virgin Islands, the place of residence is considered to be the same as the place of occurrence.

Except for the years 1964 and 1965, deaths of nonresident aliens have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965, deaths of nonresident aliens and residents of Puerto Rico and the Virgin Islands occurring in the 50 States and the District of Columbia were allocated as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

New Jersey.—Residence data shown in tables 7-1 and 7-9 (Part B) are understated for the city of Trenton and overstated for the balance of Mercer County. This error resulted from coding procedures whereby some events occurring to residents of Trenton were misclassified as events occurring to residents of the balance of Mercer County. A comparison of residence figures published in this report with those provided by the New Jersey State Department of Health indicates that approximately 840 deaths (including 60 infant deaths) were misclassified. Deaths by place of occurrence were not affected.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1968 is given in an instruction manual entitled "Geographic Codes, 1964," which has been used for classifying deaths for each year since 1964.

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) and their component counties in all except two new tables of this report are those established by the U.S. Bureau of the Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census. In the two new tables 1-15 and 2-8, the 50 largest SMSA's are as defined by the Bureau of the Budget for 1968.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one

¹National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

²National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950. *Vital Statistics—Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C., Mar. 1962.

city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.³

In New England the Bureau of the Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.⁴

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1968 are classified according to the population enumerated in the 1960 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated

³For a more complete discussion of SMSA's defined for 1960, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961. For the SMSA's defined for 1968, see U.S. Bureau of the Census, *Estimates of the Population of 100 Large Metropolitan Areas, 1967 and 1968, Current Population Reports, Population Estimates and Projections*, Series P-25, No. 432, Washington, U.S. Government Printing Office, Oct. 1969.

⁴For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

⁵See footnote 3.

municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 each incorporated city and other urban places of 10,000 or more inhabitants were identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." Beginning with 1964, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural."

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be identified from the vital records. The differences between the urban and rural distribution of the population according to Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States for 1968 are classified for vital statistics as white and as all other. The former includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. The latter includes Negro, American Indian, Aleut and Eskimo, Chinese, Japanese, Hawaiian, and other races. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other races.

Race not stated.—For 1968 the number of death records for which the race was not stated was 2,675, or 0.1 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item

was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned randomly within each local area to white or Negro on the assumption the distribution of not stated events by race was the same as that of those with race stated.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."⁶ The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in groups I, II, and III-----	Group IV

⁶National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

⁷For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

So that the data will be more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestations of 20 weeks or more. These tables also include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal death.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, by about 23 percent for 1966, and by about 21 percent for 1963.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irre-

⁸Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

spective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at gestations of 36 weeks is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size.

Such errors in reporting are minimized in areas where the gestation period item on the fetal-death certificate requests the first day of the last normal menstrual period. The number of areas using this wording increased greatly in 1968 because of the adoption of the 1968 revision of the fetal-death certificate. In 1967 there were five such areas: California, the District of Columbia, Maryland, New York City, and Vermont (which specified "date of menses or, if unknown, weeks of gestation"). In 1968 the areas were as follows:

Alaska	Maryland, including	North Dakota
Arizona	Baltimore	Ohio
California	Michigan	Oklahoma
Colorado	Minnesota	Rhode Island
District of Columbia	Mississippi	South Carolina
Hawaii	Missouri	South Dakota
Illinois	Montana	Tennessee
Indiana	Nebraska	Utah
Iowa	Nevada	Vermont
Kansas	New Hampshire	Washington
Kentucky	New Jersey	West Virginia
Louisiana	New York, including	Wyoming
Maine	New York City	
	North Carolina	

With the increased number of areas requesting date of last normal menses, the proportion of fetal deaths assigned to 36 and 40 weeks' gestation has diminished, while that of 37-39 weeks, 41 weeks, and gestation length not stated has increased.

Gestation information is not available for fetal deaths that occurred in Minnesota during 1967 or 1968. Data by period of gestation shown for this State are for fetal deaths that occurred in other States to residents of Minnesota.

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

- 500 grams or less = 1 lb. 1 oz. or less
- 501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
- 1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
- 1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
- 2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
- 2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
- 3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
- 3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
- 4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
- 4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
- 5,001 grams or more = 11 lb. 1 oz. or more

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with two exceptions: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is classified as Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the previous section on race and color.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time

after conception) on certificates of both live birth and fetal death in use during all or part of 1968:

Alaska	Louisiana	Ohio
Arizona	Maine	Oklahoma
Arkansas	Michigan	Oregon
Colorado	Minnesota	Rhode Island
Connecticut	Mississippi	South Carolina
Delaware	Missouri	South Dakota
Florida	Montana	Utah
Georgia	Nebraska	Vermont
Hawaii	Nevada	Virginia
Illinois	New Hampshire	Washington
Indiana	New Jersey	West Virginia
Iowa	New York	Wyoming
Kansas	North Carolina	
Kentucky	North Dakota	

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and fetal-death certificates are as follows:

Alabama	Maryland
California	New Mexico
District of Columbia	Tennessee
Idaho	Texas
	West Virginia

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

Live-birth certificate

Massachusetts

Born dead (fetal deaths at 20 weeks' gestation or more)?

Pennsylvania

How many were delivered dead after 16 weeks' pregnancy?

Fetal-death certificate

How many previous fetal deaths of any gestation age?

How many previous fetal deaths of any gestation age?

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1968. These States are as follows:

Alabama	Iowa	Nevada
Alaska	Kansas	New Hampshire
Arizona	Kentucky	New Jersey
Colorado	Louisiana	North Carolina
Delaware	Maine	North Dakota
District of Columbia	Michigan	Ohio
Florida	Minnesota	Oklahoma
Hawaii	Mississippi	Oregon
Illinois	Missouri	Pennsylvania
Indiana	Nebraska	Rhode Island

South Carolina	Texas	West Virginia
South Dakota	Utah	Wisconsin
Tennessee	Washington	Wyoming

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*,⁹ which is based on the 1965 Revision of the International Classification of Diseases (ICD).¹⁰ The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which differ from those in the ICD are also shown with asterisks.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

⁹National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service, Washington. U.S. Government Printing Office, 1967.

¹⁰World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-22) does not show the fourth-digit subcategories provided for Motor vehicle accidents (E810-E823); however, these subcategories, which identify persons injured, are shown in the accident tables (Sec. 4).

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes for the category Major cardiovascular diseases are especially worth noting. This category was entitled Major cardiovascular-renal diseases in the Seventh Revision NCHS lists, but it no longer includes the renal diseases. Also Diseases of veins and lymphatics and other diseases of circulatory system, which was previously included in the subcategory Other diseases of circulatory system, is no longer included.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death.¹¹ Dunn and Shackley measured the change in mor-

tality statistics by cause due to the Fifth Revision.¹² This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the

¹¹U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—Special Reports*, Vol. 12, No. 3. Washington, D.C., Jan. 1940.

¹²U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

number of deaths assigned to that cause using the Fifth Revision.^{13,14}

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual.¹⁶ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of

the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."¹⁷

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These detailed categories are designated by three-digit numbers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The Classification is arranged in 17 main sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

¹³National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹⁴National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

¹⁵World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva. World Health Organization, 1953.

¹⁶World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955. Geneva. World Health Organization, 1957.

¹⁷National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Mar. 1965.

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the *Monthly Vital Statistics Report* of the National Center for Health Statistics, Volume 17, Number 8, Supplement. Ratios by age and by color and sex for the List of 281 Selected Causes of Death will be presented in an enlarged study of comparability data that is now in preparation.

Coding in 1968.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures. Because of the changes in coding procedures resulting from the adoption of the Eighth Revision, a new instruction manual was issued for coding deaths occurring in 1968.¹⁸

However, the introduction of an automated system for obtaining the underlying cause required the use of a special coding manual in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and complete-

ness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁹

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."²⁰

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the

¹⁹For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

²⁰Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

¹⁸National Center for Health Statistics: Cause-of-death coding for deaths occurring in 1968. *Vital Statistics Instruction Manual*, Part 2. Public Health Service. Washington, D.C., 1969.

specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1968, 1.1 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.1 to 7.2 percent.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular-renal diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (630-678).

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²¹ A similar situation may exist in other States.

²¹Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

Unlike the coding procedures in previous years, the 1968 underlying causes of death were obtained from a new system which is entitled "Automated Classification of Medical Entities" (ACME). The NCHS nosologists were instructed to code individual diseases, conditions, and injuries. The ACME rules for coding were very specific, fewer in number, and far less complicated to apply than the international rules for selecting the underlying cause of death.²²

A computer program was developed which would utilize decision tables to select the underlying cause of death for each record according to the international rules. Certain types of infrequent certifications were defined that were to be rejected for manual processing. Tests of the system and the adequacy of the decision tables were made using the January-March 1968 Current Mortality Samples of about 51,000 total records. A comparison of the computer assigned underlying cause to the manually coded record indicated a relatively low level of disagreement.

Full-scale application of the ACME system was used for the 1968 file of death records for the United States. The records were processed through the system in 13 cycles of approximately 160,000 records each. The ACME results were compared with the manually selected cause on all the records in the first cycle. Adjustments were made on the decision tables prior to processing the remaining cycles 2-13. A 10-percent sample of records were manually coded and compared for cycles 2-13. The following summary of ACME results for the entire 1968 data year shows the error rate for the underlying cause to be no greater than 1.7 percent.²³

<i>Item</i>	<i>Percent</i>
Total records-----	100.0
Rejected for manual coding-----	7.4
Total processed (ACME)-----	92.6
Total disagreements-----	3.3
Manual underlying cause error-----	1.6
ACME condition coding error-----	1.2
ACME system error-----	0.5

²²National Center for Health Statistics: Vital statistics, instructions for medical classification of death records and the underlying cause of death, 1969. *NCHS Instruction Manual*, Part 2. Public Health Service. Rockville, Md., 1971. pp. 2 and 79-108.

²³Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

The coding of all other death data was done simultaneously with record punching from microfilm images of the original certificates. Approximately 60 percent of all records punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the records will contain one or more errors. The rest of the records were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. For cause-of-death coding this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverifying randomly selected lots from each operator's work.

The coding and punching of fetal deaths are verified completely because of their relatively small number.

After completing coding and punching, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

COMPUTATION OF RATES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of

April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1968.—Estimates of the total resident population of the United States by age, color, and sex in 1968 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 416, and are shown in table 6-2. Estimated populations for States by broad age groups shown in table 6-3 were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.5-----	0,0
Figure does not meet standards of reliability or precision-----	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1968

[Population enumerated as of April 1 for 1940, 1950, and 1960, and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1968	201,166,000	199,861,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1967	199,118,000	197,863,000	1931	124,189,000	124,039,648	46	117,455,229	47	118,148,987
1966	196,842,000	195,877,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1965	194,583,000	193,818,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1964	192,119,000	191,371,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1963	189,417,000	188,658,000	1927	---	119,038,062	40	104,320,830	42	107,084,532
1962	186,656,000	185,890,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1961	183,756,000	183,057,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1960	180,007,000	179,323,175	1924	---	114,113,463	33	87,000,295	39	99,318,098
1959	177,264,000	176,513,000	1923	---	111,949,845	30	81,072,123	38	96,788,197
1958	174,141,000	173,320,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1957	171,274,000	170,371,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1956	168,221,000	167,306,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1955	165,275,000	164,308,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1954	162,391,000	161,164,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1953	159,565,000	158,242,000	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1952	156,954,000	155,687,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1951	154,287,000	153,310,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1950	151,132,000	150,697,361	1914	---	99,117,567	---	---	24	60,963,309
1949	149,188,000	148,665,000	1913	---	97,226,814	---	---	23	58,156,740
1948	146,631,000	146,093,000	1912	---	95,331,300	---	---	22	54,847,700
1947	144,126,000	143,446,000	1911	---	93,867,814	---	---	22	53,929,644
1946	141,389,000	140,054,000	1910	---	92,406,536	---	---	20	47,470,437
1945	139,928,000	138,481,000	1909	---	90,491,525	---	---	18	44,223,513
1944	138,397,000	137,885,000	1908	---	88,708,976	---	---	17	38,634,759
1943	136,739,000	134,245,000	1907	---	87,000,271	---	---	15	34,552,837
1942	134,860,000	133,920,000	1906	---	85,436,556	---	---	15	33,782,288
1941	133,402,000	133,121,000	1905	---	83,819,666	---	---	10	21,767,980
1940	131,820,000	131,669,275	1904	---	82,164,974	---	---	10	21,332,076
1939	131,028,000	130,879,718	1903	---	80,632,152	---	---	10	20,943,222
1938	129,969,000	129,824,939	1902	---	79,160,196	---	---	10	20,582,907
1937	128,961,000	128,824,829	1901	---	77,585,128	---	---	10	20,237,453
1936	128,181,000	128,053,180	1900	---	76,094,134	---	---	10	19,965,446
1935	127,362,000	127,250,232							
1934	126,485,000	126,373,773							
1933	125,690,000	125,578,763							

¹Alaska included beginning 1959, and Hawaii, 1960.

²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: *Vital Statistics Rates in the United States, 1900, 1940; Historical Statistics in the United States Colonial Times to 1957; Statistical Abstract of the United States, 1967; Current Population Reports, Series P-25, Nos. 98, 265, 276, 293, 321, 352, 383, 385, and 416.*

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1968

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages	199,861,000	97,569,000	102,291,000	175,505,000	85,824,000	89,681,000	24,355,000	11,745,000	12,610,000
Under 1 year	3,426,000	1,750,000	1,676,000	2,820,000	1,444,000	1,376,000	606,000	306,000	300,000
1-4 years	15,095,000	7,702,000	7,394,000	12,580,000	6,434,000	6,144,000	2,514,000	1,268,000	1,250,000
5-9 years	20,918,000	10,655,000	10,263,000	17,712,000	9,049,000	8,663,000	3,205,000	1,606,000	1,600,000
10-14 years	20,231,000	10,277,000	9,954,000	17,354,000	8,839,000	8,515,000	2,878,000	1,438,000	1,439,000
15-19 years	18,078,000	9,129,000	8,949,000	15,619,000	7,906,000	7,713,000	2,459,000	1,233,000	1,226,000
20-24 years	15,051,000	7,342,000	7,809,000	13,212,000	6,367,000	6,845,000	1,839,000	875,000	964,000
25-29 years	12,686,000	6,243,000	6,443,000	11,194,000	5,536,000	5,658,000	1,492,000	707,000	785,000
30-34 years	10,998,000	5,392,000	5,607,000	9,690,000	4,789,000	4,901,000	1,308,000	603,000	705,000
35-39 years	11,298,000	5,512,000	5,786,000	9,977,000	4,910,000	5,067,000	1,321,000	602,000	719,000
40-44 years	12,214,000	5,940,000	6,274,000	10,889,000	5,333,000	5,556,000	1,325,000	607,000	718,000
45-49 years	12,010,000	5,806,000	6,205,000	10,790,000	5,235,000	5,555,000	1,221,000	571,000	650,000
50-54 years	10,848,000	5,239,000	5,609,000	9,797,000	4,747,000	5,050,000	1,051,000	492,000	559,000
55-59 years	9,716,000	4,654,000	5,062,000	8,807,000	4,224,000	4,583,000	909,000	430,000	479,000
60-64 years	8,162,000	3,837,000	4,325,000	7,442,000	3,494,000	3,948,000	720,000	343,000	377,000
65-69 years	6,635,000	3,038,000	3,617,000	6,090,000	2,761,000	3,329,000	545,000	257,000	288,000
70-74 years	5,150,000	2,207,000	2,943,000	4,784,000	2,047,000	2,737,000	367,000	160,000	206,000
75-79 years	3,863,000	1,599,000	2,264,000	3,566,000	1,472,000	2,094,000	298,000	127,000	170,000
80-84 years	2,241,000	898,000	1,343,000	2,072,000	824,000	1,248,000	169,000	74,000	95,000
85 years and over	1,239,000	469,000	769,000	1,111,000	414,000	697,000	128,000	55,000	72,000

Source: U.S. Bureau of the Census: "Estimates of the population of the United States, by age, color, and sex, July 1, 1968," *Current Population Reports, Series P-25, No. 416.*

Table 6-3. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State:

July 1, 1968

[Figures include Armed Forces stationed in each area and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	199,861,000	18,506,000	59,202,000	62,202,000	40,796,000	19,134,000
Geographic divisions:						
New England	11,450,000	1,033,000	3,236,000	3,451,000	2,463,000	1,237,000
Middle Atlantic	36,900,000	3,218,000	10,175,000	11,347,000	8,458,000	3,808,000
East North Central	39,599,000	3,681,000	11,955,000	11,979,000	8,198,000	3,702,000
West North Central	16,061,000	1,421,000	4,828,000	4,669,000	3,289,000	1,872,000
South Atlantic	30,001,000	2,872,000	9,011,000	9,820,000	5,692,000	2,668,000
East South Central	13,098,000	1,237,000	3,993,000	4,093,000	2,506,000	1,218,000
West South Central	19,208,000	1,887,000	5,943,000	6,054,000	3,640,000	1,724,000
Mountain	7,907,000	805,000	2,563,000	2,468,000	1,450,000	646,000
Pacific	25,638,000	2,352,000	7,498,000	8,321,000	5,100,000	2,259,000
New England:						
Maine	976,000	92,000	291,000	282,000	198,000	116,000
New Hampshire	702,000	66,000	203,000	216,000	141,000	78,000
Vermont	425,000	39,000	128,000	130,000	84,000	48,000
Massachusetts	5,469,000	487,000	1,524,000	1,620,000	1,189,000	619,000
Rhode Island	914,000	81,000	249,000	279,000	199,000	100,000
Connecticut	2,963,000	268,000	841,000	924,000	652,000	276,000
Middle Atlantic:						
New York	18,078,000	1,617,000	4,916,000	5,567,000	4,174,000	1,911,000
New Jersey	7,093,000	622,000	1,974,000	2,235,000	1,576,000	664,000
Pennsylvania	17,728,000	979,000	3,285,000	3,545,000	2,708,000	1,233,000
East North Central:						
Ohio	10,588,000	960,000	3,220,000	3,272,000	2,191,000	967,000
Indiana	5,061,000	483,000	1,532,000	1,554,000	1,018,000	478,000
Illinois	10,991,000	1,016,000	3,193,000	3,305,000	2,378,000	1,066,000
Michigan	8,739,000	826,000	2,720,000	2,641,000	1,752,000	734,000
Wisconsin	4,221,000	396,000	1,290,000	1,207,000	859,000	457,000
West North Central:						
Minnesota	3,647,000	339,000	1,149,000	1,050,000	724,000	400,000
Iowa	2,774,000	243,000	826,000	782,000	577,000	346,000
Missouri	4,625,000	397,000	1,319,000	1,380,000	971,000	543,000
North Dakota	627,000	59,000	200,000	175,000	124,000	65,000
South Dakota	656,000	63,000	213,000	178,000	132,000	79,000
Nebraska	1,439,000	131,000	435,000	413,000	295,000	179,000
Kansas	2,293,000	189,000	686,000	691,000	466,000	260,000
South Atlantic:						
Delaware	534,000	54,000	165,000	169,000	103,000	43,000
Maryland	3,754,000	368,000	1,124,000	1,211,000	737,000	276,000
District of Columbia	809,000	85,000	218,000	251,000	179,000	69,000
Virginia	4,595,000	440,000	1,381,000	1,562,000	874,000	346,000
West Virginia	1,802,000	151,000	533,000	547,000	395,000	192,000
North Carolina	5,122,000	485,000	1,564,000	1,739,000	954,000	389,000
South Carolina	2,664,000	267,000	863,000	896,000	462,000	183,000
Georgia	4,568,000	471,000	1,417,000	1,511,000	834,000	347,000
Florida	6,151,000	551,000	1,746,000	1,934,000	1,154,000	824,000
East South Central:						
Kentucky	3,220,000	297,000	967,000	1,006,000	624,000	329,000
Tennessee	3,975,000	397,000	1,158,000	1,284,000	787,000	366,000
Alabama	3,558,000	339,000	1,095,000	1,103,000	677,000	309,000
Mississippi	2,344,000	244,000	773,000	700,000	418,000	214,000
West South Central:						
Arkansas	1,986,000	191,000	586,000	591,000	389,000	226,000
Louisiana	3,726,000	395,000	1,207,000	1,151,000	668,000	289,000
Oklahoma	2,520,000	215,000	722,000	805,000	517,000	283,000
Texas	10,977,000	1,086,000	3,428,000	3,507,000	2,066,000	926,000
Mountain:						
Montana	693,000	64,000	224,000	200,000	141,000	67,000
Idaho	703,000	65,000	228,000	210,000	141,000	65,000
Wyoming	315,000	30,000	103,000	92,000	68,000	30,000
Colorado	2,043,000	187,000	636,000	676,000	387,000	180,000
New Mexico	1,006,000	115,000	353,000	287,000	173,000	67,000
Arizona	1,663,000	178,000	532,000	530,000	287,000	138,000
Utah	1,034,000	114,000	355,000	319,000	171,000	72,000
Nevada	449,000	52,000	133,000	154,000	82,000	27,000
Pacific:						
Washington	3,276,000	275,000	984,000	1,058,000	670,000	308,000
Oregon	2,008,000	165,000	582,000	637,000	427,000	214,000
California	19,300,000	1,798,000	5,581,000	6,280,000	3,830,000	1,690,000
Alaska	274,000	34,000	99,000	96,000	41,000	6,000
Hawaii	780,000	80,000	252,000	270,000	132,000	41,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 414, and official records.