
Section 14

Other Interstitial Pulmonary Diseases

Other Interstitial Pulmonary Disease: Mortality

Table 14-1. Other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by usual industry, U.S. residents age 15 and over, selected states, 1999

CIC	Industry	Number of Deaths	PMR	95% Confidence Interval	
				LCL	UCL
232	Wood buildings and mobile homes	5	4.75	1.54	11.10
040	Metal mining	15	2.18	1.22	3.60
891	Research, development and testing services	15	2.14	1.19	3.52
812	Offices and clinics of physicians	31	1.81	1.23	2.57
282	Fabricated structural metal products	19	1.80	1.08	2.81
460	Electric light and power	32	1.65	1.13	2.34
700	Banking	43	1.44	1.04	1.94
831	Hospitals	128	1.22	1.03	1.46

CIC - Census Industry Code n.e.c. - not elsewhere classified LCL - lower confidence limit UCL - upper confidence limit

NOTE: See appendices for source description, methods, and ICD codes, industry and occupation codes, and list of selected states.

SOURCE: National Center for Health Statistics multiple cause of death data.

Other Interstitial Pulmonary Disease: Mortality

Table 14-2. Other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by usual occupation, U.S. residents age 15 and over, selected states, 1999

COC	Occupation	Number of Deaths	PMR	95% Confidence Interval	
				LCL	UCL
086	Veterinarians	7	5.71	2.29	11.77
155	Teachers, prekindergarten and kindergarten	5	3.41	1.10	7.98
508	Aircraft engine mechanics	8	2.42	1.04	4.76
319	Receptionists	14	2.05	1.12	3.44
084	Physicians	23	2.03	1.28	3.04
095	Registered nurses	74	1.57	1.24	1.98

COC - Census Occupation Code n.e.c. - not elsewhere classified LCL - lower confidence limit UCL - upper confidence limit
 NOTE: See appendices for source description, methods, and ICD codes, industry and occupation codes, and list of selected states.
 SOURCE: National Center for Health Statistics multiple cause of death data.