

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter ( $\mu\text{g/L}$ ), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	Date (mm/dd/yyyy)	Time	Sample type	1,1,1,2-Tetra- chloroethane (77562)	1,1,1-Trichlo- roethane (34506)	1,1,2,2-Tetra- chloroethane (34516)	1,1,2-Trichloro- trifluoro- ethane (77652)	1,1,2-Tri- chloro- ethane (34511)
Sweetwater Reservoir near pump tower	03/20/2001	1241	Replicate	<0.03	<0.03	<0.09	<0.06	<0.06
Sweetwater Reservoir center of minimum pool	11/29/1999	1331	Replicate	<0.03	<0.03	<0.09	<0.06	<0.06
Sweetwater Reservoir east end reservoir fill boundary	06/12/2000	1329	Source-solution blank	<0.03	<0.03	<0.09	<0.06	<0.06
Sweetwater Reservoir east end reservoir fill boundary	06/12/2000	1338	Field blank	<0.03	<0.03	<0.09	<0.06	<0.06
Sweetwater Reservoir east end reservoir fill boundary	06/06/2001	1041	Replicate	<0.03	<0.03	<0.09	<0.06	<0.06
Loveland Reservoir near dam	09/06/2000	0938	Field blank	<0.03	<0.03	<0.09	<0.06	<0.06
Loveland Reservoir near dam	09/06/2000	0939	Source-solution blank	<0.03	<0.03	<0.09	<0.06	<0.06
QC/QA site for Sacramento project office	11/29/1999	1550	Source-solution blank	<0.03	<0.03	<0.09	<0.06	<0.06
QC/QA site for Sacramento project office <sup>1</sup>	03/13/2000	1118	Field blank	<0.03	<0.03	<0.09	<0.06	<0.06

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	1,1-Di-chloro-ethane (34496)	1,1-Dichloro-ethylene (34501)	1,1-Di-chloro-propene (77168)	1,2,3,4-Tetra-methyl-benzene (49999)	1,2,3,5-Tetra-methyl-benzene (50000)	1,2,3-Tri-chloro-benzene (77613)	1,2,3-Tri-chloro-propane (77443)	1,2,3-Tri-methyl-benzene (77221)	1,2,4-Tri-chloro-benzene (34551)
Sweetwater Reservoir near pump tower	<0.04	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Sweetwater Reservoir center of minimum pool	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Loveland Reservoir near dam	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
Loveland Reservoir near dam	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
QC/QA site for Sacramento project office	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2
QC/QA site for Sacramento project office <sup>1</sup>	<0.07	<0.04	<0.3	<0.2	<0.2	<0.3	<0.16	<0.1	<0.2

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	1,2,4-Tri-methyl-benzene (77222)	1,2-Di-bromo-3-chloro-propane (82625)	1,2-Dibromo-ethane (77651)	1,2-Di-chloro-benzene (34536)	1,2-Di-chloro-ethane (32103)	1,2-Dichloro-propane (34541)	1,3,5-Tri-methyl-benzene (77226)	1,3-Di-chloro-benzene (34566)	1,3-Di-chloro-propane (77173)	1,4-Di-chloro-benzene (34571)
Sweetwater Reservoir near pump tower	<0.06	<0.2	<0.04	<0.03	<0.1	<0.03	<0.04	<0.03	<0.1	<0.05
Sweetwater Reservoir center of minimum pool	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
Sweetwater Reservoir east end reservoir fill boundary	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
Sweetwater Reservoir east end reservoir fill boundary	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
Sweetwater Reservoir east end reservoir fill boundary	<0.06	<0.2	<0.04	<0.03	<0.1	<0.03	<0.04	<0.03	<0.1	<0.05
Loveland Reservoir near dam	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
Loveland Reservoir near dam	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
QC/QA site for Sacramento project office	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05
QC/QA site for Sacramento project office <sup>1</sup>	<0.06	<0.2	<0.04	<0.05	<0.1	<0.07	<0.04	<0.05	<0.1	<0.05

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	2,2-Di-chloro-propane (77170)	2-Chloro-toluene (77275)	o-Ethyl toluene (77220)	3-Chloro-propene (78109)	4-Chloro-toluene (77277)	4-Isopropyl-1-methyl-benzene (77356)	Acetone (81552)	Acrylo-nitrile (34215)	Benzene (34030)
Sweetwater Reservoir near pump tower	<0.05	<0.03	<0.06	<0.07	<0.06	<0.07	<7	<1	E0.01
Sweetwater Reservoir center of minimum pool	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.05	<0.03	<0.06	<0.07	<0.06	<0.07	<7	<1	<0.04
Loveland Reservoir near dam	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
Loveland Reservoir near dam	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
QC/QA site for Sacramento project office	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04
QC/QA site for Sacramento project office <sup>1</sup>	<0.05	<0.04	<0.06	<0.2	<0.06	<0.07	<7	<1	<0.04

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	Bromo- benzene (81555)	Bromochlo- romethane (77297)	Bromodichlo- romethane (32101)	Bromo- ethene (50002)	Bromo- methane (34413)	Carbon disulfide (77041)	Chloro- benzene (34301)	Chloro- ethane (34311)	Chloro- methane (34418)
Sweetwater Reservoir near pump tower	<0.04	<0.04	0.23	<0.1	<0.3	<0.07	<0.03	<0.1	<0.2
Sweetwater Reservoir center of minimum pool	<0.04	<0.04	0.32	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.04	<0.05	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.04	<0.05	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.04	E0.04	<0.1	<0.3	<0.07	<0.03	<0.1	<0.2
Loveland Reservoir near dam	<0.04	<0.04	<0.05	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
Loveland Reservoir near dam	<0.04	<0.04	<0.05	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
QC/QA site for Sacramento project office	<0.04	<0.04	E0.02	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5
QC/QA site for Sacramento project office <sup>1</sup>	<0.04	<0.04	<0.05	<0.1	<0.3	<0.07	<0.03	<0.1	<0.5

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	cis-1,2-Di-chloro-ethylene (77093)	cis-1,3-Di-chloro-propene (34704)	Dibromo-chloro-methane (32105)	Dibromo-methane (30217)	Dichloro-difluoro-methane (34668)	Dichloro-methane (34423)	Diethyl ether (81576)	Diiso-propyl ether (81577)	Ethyl meth-acrylate (73570)
Sweetwater Reservoir near pump tower	<0.04	<0.09	E0.2	<0.05	<0.27	<0.2	<0.2	<0.1	<0.2
Sweetwater Reservoir center of minimum pool	<0.04	<0.09	0.3	<0.05	<0.27	<0.4	<0.2	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.09	<0.2	<0.05	<0.27	<0.4	<0.2	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.09	<0.2	<0.05	<0.27	<0.4	<0.2	<0.1	<0.2
Sweetwater Reservoir east end reservoir fill boundary	<0.04	<0.09	M	<0.05	<0.27	<0.2	<0.2	<0.1	<0.2
Loveland Reservoir near dam	<0.04	<0.09	<0.2	<0.05	<0.27	<0.4	<0.2	<0.1	<0.2
Loveland Reservoir near dam	<0.04	<0.09	<0.2	<0.05	<0.27	<0.4	<0.2	<0.1	<0.2
QC/QA site for Sacramento project office	<0.04	<0.09	<0.2	<0.05	<0.27	M	<0.2	<0.1	<0.2
QC/QA site for Sacramento project office <sup>1</sup>	<0.04	<0.09	<0.2	<0.05	<0.27	M	<0.2	<0.1	<0.2

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	2-Buta- none (81595)	Ethyl- benzene (34371)	Hexa- chloro- butadiene (39702)	Hexa- chloro- ethane (34396)	Methyl iodide (77424)	4-Methyl-2- pentanone (78133)	Isopropyl- benzene (77223)	Methyl acrylo- nitrile (81593)	Methyl acrylate (49991)	Methyl meth- acrylate (81597)
Sweetwater Reservoir near pump tower	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Sweetwater Reservoir center of minimum pool	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Sweetwater Reservoir east end reservoir fill boundary	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Sweetwater Reservoir east end reservoir fill boundary	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Sweetwater Reservoir east end reservoir fill boundary	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Loveland Reservoir near dam	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
Loveland Reservoir near dam	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
QC/QA site for Sacramento project office	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3
QC/QA site for Sacramento project office <sup>1</sup>	<1.6	<0.03	<0.1	<0.2	<0.12	<0.4	<0.03	<0.6	<1.4	<0.3

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	tert-Pentyl methyl ether (50005)	m- and p-Xylene (85795)	Naphthalene (34696)	2-Hexanone (77103)	n-Butylbenzene (77342)	n-Propylbenzene (77224)	o-Xylene (77135)	sec-Butylbenzene (77350)	Styrene (77128)
Sweetwater Reservoir near pump tower	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Sweetwater Reservoir center of minimum pool	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Sweetwater Reservoir east end reservoir fill boundary	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Loveland Reservoir near dam	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
Loveland Reservoir near dam	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
QC/QA site for Sacramento project office	<0.11	E0.02	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04
QC/QA site for Sacramento project office <sup>1</sup>	<0.11	<0.06	<0.2	<0.7	<0.2	<0.04	<0.04	<0.03	<0.04

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.



**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	Ethyl tert-butyl ether (50004)	Methyl tert-butyl ether (MTBE) (78032)	tert-Butylbenzene (77353)	Tetrachloroethylene (34475)	Tetra-chloro-methane (32102)	Tetrahydrofuran (81607)	Toluene (34010)	trans-1,2-Di-chloro-ethylene (34546)	trans-1,3-Dichloro-propene (34699)
Sweetwater Reservoir near pump tower	<0.05	0.2	<0.06	<0.1	<0.06	<2	E0.01	<0.03	<0.09
Sweetwater Reservoir center of minimum pool	<0.05	0.2	<0.06	<0.1	<0.06	<2	E0.04	<0.03	<0.09
Sweetwater Reservoir east end reservoir fill boundary	<0.05	<0.2	<0.06	<0.1	<0.06	<2	<0.05	<0.03	<0.09
Sweetwater Reservoir east end reservoir fill boundary	<0.05	<0.2	<0.06	<0.1	<0.06	<2	<0.05	<0.03	<0.09
Sweetwater Reservoir east end reservoir fill boundary	<0.05	M	<0.06	<0.1	<0.06	<2	E0.01	<0.03	<0.09
Loveland Reservoir near dam	<0.05	<0.2	<0.06	<0.1	<0.06	<2	E0.01	<0.03	<0.09
Loveland Reservoir near dam	<0.05	<0.2	<0.06	<0.1	<0.06	<2	E0.01	<0.03	<0.09
QC/QA site for Sacramento project office	<0.05	E0.1	<0.06	<0.1	<0.06	<2	E0.01	<0.03	<0.09
QC/QA site for Sacramento project office <sup>1</sup>	<0.05	<0.2	<0.06	<0.1	<0.06	<2	E0.02	<0.03	<0.09

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.

**Table 14.** Quality-control analytical results for volatile organic compound (VOC) concentrations using U.S. Geological Survey National Water Quality Laboratory Schedule 2020 for water samples from Sweetwater and Loveland Reservoirs, San Diego County, California—Continued.

[Time is denoted in 24-hour scale. The five digit number in parentheses below the compound name, the parameter code, is used in the U.S. Geological Survey (USGS) computerized data system (National Water Information System) to uniquely identify a specific constituent or property. Concentrations are given in micrograms per liter (µg/L), unless noted. E, estimated value; M, compound measured below detection limit but not quantifiable; QC, quality control; mm/dd/yyyy, month/day/year; QA, quality assurance; <, compound was not detected at a concentration above laboratory reporting level]

Site name	<i>trans</i> -1,4-Dichloro-2-butene (73547)	Bromoform (32104)	Trichloroethylene (39180)	Trichloro-fluoro-methane (34488)	Chloro-form (32106)	Vinyl chloride (39175)	1,4-Bromo-fluorobenzene (surrogate) (99834)	1,2-Dichloro-ethane-d4 (surrogate) (99832)	Toluene-d8 (surrogate) (99833)
Sweetwater Reservoir near pump tower	<0.7	<0.06	<0.04	<0.09	0.25	<0.1	109	86.4	98.4
Sweetwater Reservoir center of minimum pool	<0.7	<0.06	<0.04	<0.09	0.38	<0.1	102	104	104
Sweetwater Reservoir east end reservoir fill boundary	<0.7	<0.06	<0.04	<0.09	<0.05	<0.1	123	102	109
Sweetwater Reservoir east end reservoir fill boundary	<0.7	<0.06	<0.04	<0.09	<0.05	<0.1	119	102	108
Sweetwater Reservoir east end reservoir fill boundary	<0.7	<0.06	<0.04	<0.09	E0.03	<0.1	102	89.7	98.1
Loveland Reservoir near dam	<0.7	<0.06	<0.04	<0.09	<0.05	<0.1	89.2	100	97.0
Loveland Reservoir near dam	<0.7	<0.06	<0.04	<0.09	<0.05	<0.1	93.8	101	96.5
QC/QA site for Sacramento project office	<0.7	<0.06	<0.04	<0.09	0.11	<0.1	87.9	106	99.0
QC/QA site for Sacramento project office <sup>1</sup>	<0.7	<0.06	<0.04	<0.09	<0.05	<0.1	104	104	104

<sup>1</sup>Blank nano-pure water from Sweetwater Laboratory.