

District of Columbia, 2005

Primary and secondary syphilis

- **CASES:** District of Columbia reported 114 cases in 2005.
- **RATES:** District of Columbia ranked 1 among 50 states + DC + 3 territories: 20.6 cases per 100,000 population compared to the U.S. rate of 3.0 cases per 100,000 population.

Male-female rates of primary and secondary syphilis

- In District of Columbia, the rate among males was 39.4 per 100,000 population compared to the U.S. male rate of 5.1 per 100,000.
- The rate among females was 3.8 per 100,000 compared to the U.S. female rate of 0.9 per 100,000.


Racial disparities of primary and secondary syphilis

In District of Columbia, the race/ethnicity adjusted rates per 100,000 population were 23.0 among whites, 21.4 among blacks, 8.5 among Hispanics, 16.9 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

Congenital syphilis

- **CASES:** District of Columbia reported 0 cases in 2005.
- **RATES:** District of Columbia had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, District of Columbia, 1996-2005



Total P&S Syphilis Rate, District of Columbia, 2005

