

SMOOTH SUMAC

Rhus glabra L.

Plant Symbol = RHGL

Contributed by: USDA NRCS National Plant Data Center



© Paul L. Redfearn Jr.
Ozarks Regional Herbarium

Alternate Names

Scarlet sumac

Uses

Ethnobotanic: This was a widely used species among Native American tribes. The uses included the making of a root and leaf tea to treat diarrhea, dysentery, and mouth/throat ulcers. The leaves of the plant were smoked for asthma. The blossoms were used by the Chippewa in a mouthwash for teething children. Comanche children enjoyed the sour acid taste of the fruits and leaves were added to tobacco for smoking by adults. Dye was also created from various parts of the smooth sumac. The fruits were used to make red dyes and the inner bark used to make yellow dyes.

Status

Please consult the PLANTS Web site and your State Department of Natural Resources for this plant's current status (e.g. threatened or endangered species, state noxious status, and wetland indicator values).

Weediness

This plant may become weedy or invasive in some regions or habitats and may displace desirable vegetation if not properly managed. Please consult with your local NRCS Field Office, Cooperative Extension Service office, or state natural resource or

agriculture department regarding its status and use. Weed information is also available from the PLANTS Web site at plants.usda.gov.

Description

General: Sumac Family (Anacardiaceae). Smooth sumac can be a shrub or small tree growing up to 3 meters in height. Smooth sumac forms thickets from root suckers. The stems and branches are hairless and covered with a whitish waxy coating. The leaves are alternate and pinnately compound (3-5 dm long). Smooth sumac has 11-31 leaflets that are lanceolate to oblong-lanceolate (7-9 cm long). The leaflets taper to a point at the tip and are rounded at the base. The margins are sharply serrated. The upper surface is dark green and lustrous. The lower surface is covered with a whitish waxy coating. Smooth sumac has a branched, racemose inflorescence with flowers maturing from the bottom up (10-25 cm long). The flowers have a greenish color. The drupes have a flattened-globe shape (3.5-4.5 mm long) and are covered with red, sticky hairs. The seeds are yellowish in color and smooth (3-3.5 mm long).

Distribution: For current distribution, please consult the Plant Profile page for this species on the PLANTS Web site.

Habitat: Smooth sumac is found in open woodlands, prairies, on dry rocky hillsides, and in canyons.

Adaptation

Smooth sumac vigorously resprouts from rhizomes following fire. The rhizomes are usually located between 3 and 12 inches below the soil surface and this may provide protection from heat during a fire.

Establishment

Propagation of smooth sumac can occur by use of seeds or root cuttings. Seeds germinate best when exposed to continuous light and alternating warm and cool temperatures. Smooth sumac grows best in poor, well-drained soils, with partial to full sun. However, smooth sumac is a hardy species and will tolerate many soil types including soil that is slightly saline.

Pests and Potential Problems

If grown in its native habitat and using a local seed stock, the smooth sumac should not be prone to debilitating pests or problems.

Plant Materials <<http://plant-materials.nrcs.usda.gov/>>

Plant Fact Sheet/Guide Coordination Page <<http://plant-materials.nrcs.usda.gov/intranet/pfs.html>>

National Plant Data Center <<http://npdc.usda.gov>>

Cultivars, Improved, and Selected Materials (and area of origin)

These materials are readily available from commercial plant sources. Contact your local Natural Resources Conservation Service (formerly Soil Conservation Service) office for more information. Look in the phone book under "United States Government." The Natural Resources Conservation Service will be listed under the subheading "Department of Agriculture."

Control

Please contact your local agricultural extension specialist or county weed specialist to learn what works best in your area and how to use it safely. Always read label and safety instructions for each control method. Trade names and control measures appear in this document only to provide specific information. USDA NRCS does not guarantee or warranty the products and control methods named, and other products may be equally effective.

References

Carlson, G.G. & V.H. Jones. 1940. *Some notes on uses of plants by the Comanche Indians*. Papers of the Michigan Academy of Science, Arts, and Letters 25:517-542.

Correl, D.S. & M.C. Johnston. 1970. *Manual of the vascular plants of Texas*. Texas Research Foundation, Renner.

Corley, W., J. Midcap, M. Garber, & G. Wade. 2001. *A compilation of low-maintenance plants for Georgia landscapes*. (<http://www.ces.uga.edu/Agriculture/horticulture/low-maintenance.html>). The University of Georgia, College of Agricultural and Environmental Sciences Cooperative Extension Service, Athens.

Densmore, F. 1974. *How Indians use wild plants for food, medicine, and crafts*. Dover Publications Inc., New York.

Foster, S. & J.A. Duke. 2000. *A field guide to medicinal plants and herbs of eastern and central North America*. 2nd edition. Houghton Mifflin Co., Boston.

Great Plains Flora Association. 1986. *Flora of the Great Plains*. University Press of Kansas, Lawrence.

Gilmore, M. 1977. *Uses of plants by the Indians of the Missouri river region*. University of Nebraska Press, Lincoln.

Harlow, W.M., E.S. Harrar, J.W. Hardin, & F.M. White. 1996. *Textbook of dendrology*. 8th edition. McGraw-Hill Inc., New York.

Kindscher, K. 1992. *Medicinal wild plants of the prairie*. University Press of Kansas, Lawrence.

Meyer, M.H. & M.E. Zins. 1998. (<http://www.extension.umn.edu/distribution/horticulture/DG1114.html>) University of Minnesota Extension Service, St. Paul.

Moerman, D.E. 1998. *Native American ethnobotany*. Timber Press, Portland.

Moerman, D.E. 1999. *Native American ethnobotany database: Foods, drugs, dyes and fibers of native North American peoples*. (<http://www.umd.umich.edu/cgi-bin/herb>). The University of Michigan, Dearborn.

Redfearn, P.L. Jr. 2001. *Rhus glabra*. (<http://biology.smsu.edu/Herbarium/Plants%20of%20the%20Interior%20Highlands/Flowers/Rhus%20glabra.jpg>). Ozarks Regional Herbarium, Department of Biology, Southwest Missouri State University, Springfield.

Rydberg, P.A. 1932. *Flora of the prairies and plains of central North America*. The Science Press Printing Company, Lancaster.

USDA Forest Service. 2001. *Fire effects information system*. (<http://www.fs.fed.us/database/feis/plants/shrubs/rhugla/index.html>). Rocky Mountain Research Station, Fire Sciences Laboratory, Boise.

Prepared By:

Matthew D. Hurteau

Formerly USDA NRCS National Plant Data Center
c/o Environmental Horticulture Department
University of California, Davis, California

Species Coordinator:

M. Kat Anderson

USDA NRCS National Plant Data Center
c/o Plant Sciences Department
University of California, Davis, California

Edited: 30May2002 jsp, 20Dec2004 rln; 060815 jsp

For more information about this and other plants, please contact your local NRCS field office or Conservation District, and visit the PLANTS Web site <<http://plants.usda.gov>> or the Plant Materials Program Web site <<http://Plant-Materials.nrcs.usda.gov>>

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's [TARGET Center](#) at 202-720-2600 (voice and TDD).

To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

Read about [Civil Rights at the Natural Resources Conservation Service](#).