

Cannabinoids: chemistry and biology. Proceedings of a symposium. Bethesda, Maryland, USA. August 16-17, 2001. (2002) *Chem Phys Lipids* **121**: 1-300

Proceedings of the Workshop on New Perspectives on Therapeutic Use of Endocannabinoids. Madrid, Spain. October 17-18, 2000. (2002) *Pharmacol Ther* **95**: 101

Abadji V, Lin S, Taha G, Griffin G, Stevenson LA, Pertwee RG, Makriyannis A (1994) (R)-methanandamide: a chiral novel anandamide possessing higher potency and metabolic stability. *J Med Chem* **37**: 1889-1893

Abadji V, Lucas-Lenard JM, Chin C, Kendall DA (1999) Involvement of the carboxyl terminus of the third intracellular loop of the cannabinoid CB1 receptor in constitutive activation of Gs. *J Neurochem* **72**: 2032-2038

Abdul-Rauf M, Ellar DJ (1999) Mutations of loop 2 and loop 3 residues in domain II of *Bacillus thuringiensis* Cry1C delta-endotoxin affect insecticidal specificity and initial binding to *Spodoptera littoralis* and *Aedes aegypti* midgut membranes. *Curr Microbiol* **39**: 94-98

Aboud ME, Ditto KE, Noel MA, Showalter VM, Tao Q (1997) Isolation and expression of a mouse CB1 cannabinoid receptor gene. Comparison of binding properties with those of native CB1 receptors in mouse brain and N18TG2 neuroblastoma cells. *Biochem Pharmacol* **53**: 207-214

Aboud ME, Martin BR (1996) Molecular neurobiology of the cannabinoid receptor. *Int Rev Neurobiol* **39**: 197-221

Aboud ME, Rizvi G, Sallapudi N, McAllister SD (2001) Activation of the CB1 cannabinoid receptor protects cultured mouse spinal neurons against excitotoxicity. *Neurosci Lett* **309**: 197-201

Abraham IM, Han SK, Todman MG, Korach KS, Herbison AE (2003) Estrogen receptor beta mediates rapid estrogen actions on gonadotropin-releasing hormone neurons in vivo. *J Neurosci* **23**: 5771-5777

Abramson JJ, Zable AC, Favero TG, Salama G (1995) Thimerosal interacts with the Ca²⁺ release channel ryanodine receptor from skeletal muscle sarcoplasmic reticulum. *J Biol Chem* **270**: 29644-29647

Aceto MD, Scates SM, Martin BR (2001) Spontaneous and precipitated withdrawal with a synthetic cannabinoid, WIN 55212-2. *Eur J Pharmacol* **416**: 75-81

Aceto MD, Scates SM, Razdan RK, Martin BR (1998) Anandamide, an endogenous cannabinoid, has a very low physical dependence potential. *J Pharmacol Exp Ther* **287**: 598-605

Achison M, Elton CM, Hargreaves PG, Knight CG, Barnes MJ, Farndale RW (2001) Integrin-independent tyrosine phosphorylation of p125(fak) in human platelets stimulated by collagen. *J Biol Chem* **276**: 3167-3174

Acquas E, Pisanu A, Marrocu P, Goldberg SR, Di Chiara G (2001) Delta9-tetrahydrocannabinol enhances cortical and hippocampal acetylcholine release in vivo: a microdialysis study. *Eur J Pharmacol* **419**: 155-161

Adam J, Cowley P (2002) Recent advances in the cannabinoids. *Expert Opinion on Therapeutic Patents* **12**: 1475-1489

Adami M, Frati P, Bertini S, Kulkarni-Narla A, Brown DR, de Caro G, Coruzzi G, Soldani G (2002) Gastric antisecretory role and immunohistochemical localization of cannabinoid receptors in the rat stomach. *Br J Pharmacol* **135**: 1598-1606

Adams IB, Compton DR, Martin BR (1998) Assessment of anandamide interaction with the cannabinoid brain receptor: SR 141716A antagonism studies in mice and autoradiographic analysis of receptor binding in rat brain. *J Pharmacol Exp Ther* **284**: 1209-1217

Adams IB, Martin BR (1996) Cannabis: pharmacology and toxicology in animals and humans. *Addiction* **91**: 1585-1614

Adams IB, Ryan W, Singer M, Razdan RK, Compton DR, Martin BR (1995) Pharmacological and behavioral evaluation of alkylated anandamide analogs. *Life Sci* **56**: 2041-2048

Adams IB, Ryan W, Singer M, Thomas BF, Compton DR, Razdan RK, Martin BR (1995) Evaluation of cannabinoid receptor binding and in vivo activities for anandamide analogs. *J Pharmacol Exp Ther* **273**: 1172-1181

Adams M, Montague CT, Prins JB, Holder JC, Smith SA, Sanders L, Digby JE, Sewter CP, Lazar MA, Chatterjee VK, O'Rahilly S (1997) Activators of peroxisome proliferator-activated receptor gamma have depot-specific effects on human preadipocyte differentiation. *J Clin Invest* **100**: 3149-3153

Adams M, Reginato MJ, Shao D, Lazar MA, Chatterjee VK (1997) Transcriptional activation by peroxisome proliferator-activated receptor gamma is inhibited by phosphorylation at a consensus mitogen-activated protein kinase site. *J Biol Chem* **272**: 5128-5132

Ade K, Harvey-White J, Kunos G, Lovinger DM (2003) Developmental increase in the endogenous cannabinoid anandamide correlates with synaptic plasticity changes in the rat dorsolateral striatum. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Adkins CE, Morris SA, De Smedt H, Sienaert I, Torok K, Taylor CW (2000) Ca²⁺-calmodulin inhibits Ca²⁺ release mediated by type-1, -2 and -3 inositol trisphosphate receptors. *Biochem J* **345 Pt 2**: 357-363

Adkins CE, Taylor CW (1999) Lateral inhibition of inositol 1,4,5-trisphosphate receptors by cytosolic Ca²⁺. *Curr Biol* **9**: 1115-1118

Adkins CE, Wissing F, Potter BV, Taylor CW (2000) Rapid activation and partial inactivation of inositol trisphosphate receptors by adenophostin A. *Biochem J* **352 Pt 3**: 929-933

Adriani W, Caprioli A, Granstrem O, Carli M, Laviola G (2003) The spontaneously hypertensive-rat as an animal model of ADHD: evidence for impulsive and non-impulsive subpopulations. *Neurosci Biobehav Rev* **27**: 639-651

Ahern GP (2003) Activation of TRPV1 by the satiety factor oleoylethanolamide. *J Biol Chem* **278**: 30429-30434

Ahern GP, Premkumar LS (2002) Voltage-dependent priming of rat vanilloid receptor: effects of agonist and protein kinase C activation. *J Physiol* **545**: 441-451

Ahluwalia J, Urban L, Bevan S, Capogna M, Nagy I (2002) Cannabinoid 1 receptors are expressed by nerve growth factor- and glial cell-derived neurotrophic factor-responsive primary sensory neurones. *Neuroscience* **110**: 747-753

Ahluwalia J, Urban L, Bevan S, Nagy I (2003) Anandamide regulates neuropeptide release from capsaicin-sensitive primary sensory neurons by activating both the cannabinoid 1 receptor and the vanilloid receptor 1 in vitro. *Eur J Neurosci* **17**: 2611-2618

Ahluwalia J, Urban L, Capogna M, Bevan S, Nagy I (2000) Cannabinoid 1 receptors are expressed in nociceptive primary sensory neurons. *Neuroscience* **100**: 685-688

Ahluwalia J, Yaqoob M, Urban L, Bevan S, Nagy I (2003) Activation of capsaicin-sensitive primary sensory neurones induces anandamide production and release. *J Neurochem* **84**: 585-591

Ahmed SF, Cheng A, Hughes IA (1999) Assessment of the gonadotrophin-gonadal axis in androgen insensitivity syndrome. *Arch Dis Child* **80**: 324-329

Akerman S, Kaube H, Goadsby PJ (2004) Anandamide is able to inhibit trigeminal neurons using an in vivo model of trigeminovascular-mediated nociception. *J Pharmacol Exp Ther* **309**: 56-63

Akinshola BE, Chakrabarti A, Onaivi ES (1999) In-vitro and in-vivo action of cannabinoids. *Neurochem Res* **24**: 1233-1240

Akinshola BE, Fryar EB, Taylor RE, Hanus L, Uhl GR, Onaivi ES (2002) Sensitivities of Endocannabinoids and Vanilloids: Substance Abuse Potential. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Akinshola BE, Taylor RE, Ogunseitan AB, Onaivi ES (1999) Anandamide inhibition of recombinant AMPA receptor subunits in *Xenopus* oocytes is increased by forskolin and 8-bromo-cyclic AMP. *Naunyn Schmiedebergs Arch Pharmacol* **360**: 242-248

Akinshola BE, Wang H, Taylor RE, Onaivi ES (2000) Anandamide sensitivity of C-terminal mutant AMPA receptors. Society for Neuroscience Abstracts **26**: Abstract No.-813.812

Al-Hayani A, Wease KN, Ross RA, Pertwee RG, Davies SN (2001) The endogenous cannabinoid anandamide activates vanilloid receptors in the rat hippocampal slice. *Neuropharmacology* **41**: 1000-1005

Al-Lazikani B, Lesk AM, Chothia C (2000) Canonical structures for the hypervariable regions of T cell alphabeta receptors. *J Mol Biol* **295**: 979-995

Alaoui El Azher M, Havet N, Singer M, Dumarey C, Touqui L (2000) Inhibition by unsaturated fatty acids of type II secretory phospholipase A2 synthesis in guinea-pig alveolar macrophages evidence for the eicosanoid-independent pathway. *Eur J Biochem* **267**: 3633-3639

Alberich Jorda M, Rayman N, Tas M, Verbakel SE, Battista N, Van Lom K, Lowenberg B, Maccarrone M, Delwel R (2004) The peripheral cannabinoid receptor Cb2, frequently expressed on AML blasts, either induces a neutrophilic differentiation block or confers abnormal migration properties in a ligand-dependent manner. *Blood*

Alderson HL, Robbins TW, Everitt BJ (2000) Heroin self-administration under a second-order schedule of reinforcement: acquisition and maintenance of heroin-seeking behaviour in rats. *Psychopharmacology (Berl)* **153**: 120-133

Alderton F, Fan TP, Humphrey PP (2001) Somatostatin receptor-mediated arachidonic acid mobilization: evidence for partial agonism of synthetic peptides. *Br J Pharmacol* **132**: 760-766

Alexander DR (2000) The CD45 tyrosine phosphatase: a positive and negative regulator of immune cell function. *Semin Immunol* **12**: 349-359

Alexander DR (2002) Kinase regulation: competing phosphatases in JAK dephosphorylation. *Curr Biol* **12**: R288-290

Alger BE (2002) Retrograde signaling in the regulation of synaptic transmission: focus on endocannabinoids. *Prog Neurobiol* **68**: 247-286

Alger BE, Isokawa M, Kim J (2003) Endocannabinoids and the regulation of synaptic inhibition. *Journal of Neurochemistry* **85**

Alkayed NJ, Harukuni I, Kimes AS, London ED, Traystman RJ, Hurn PD (1998) Gender-linked brain injury in experimental stroke. *Stroke* **29**: 159-165; discussion 166

Allen JP, Canty AJ, Schulz S, Humphrey PP, Emson PC, Young HM (2002) Identification of cells expressing somatostatin receptor 2 in the gastrointestinal tract of Sstr2 knockout/lacZ knockin mice. *J Comp Neurol* **454**: 329-340

Allen JP, Hathway GJ, Clarke NJ, Jowett MI, Topps S, Kendrick KM, Humphrey PP, Wilkinson LS, Emson PC (2003) Somatostatin receptor 2 knockout/lacZ knockin mice show impaired motor coordination and reveal sites of somatostatin action within the striatum. *Eur J Neurosci* **17**: 1881-1895

Allen RL, Trowsdale J (2004) Recognition of classical and heavy chain forms of HLA-B27 by leukocyte receptors. *Curr Mol Med* **4**: 59-65

Aloe L, Leon A, Levi-Montalcini R (1993) A proposed autacoid mechanism controlling mastocyte behaviour. *Agents Actions* **39 Spec No**: C145-147

Alonso R, Voutsinos B, Fournier M, Labie C, Steinberg R, Souilhac J, Le Fur G, Soubrie P (1999) Blockade of cannabinoid receptors by SR141716 selectively increases Fos expression in rat mesocorticolimbic areas via reduced dopamine D2 function. *Neuroscience* **91**: 607-620

Ambrosini A, Bertoli E, Mariani P, Tanfani F, Wozniak M, Zolese G (1993) N-acylethanolamines as membrane topological stress compromising agents. *Biochim Biophys Acta* **1148**: 351-355

Ambrosini A, Tanfani F, Bertoli E, Wozniak M, Wypych Z, Zolese G (1993) Effect of N-acylethanolamines with different acyl-chains on DPPC multilamellar liposomes. *Chem Phys Lipids* **65**: 165-169

Ambrosini A, Zolese G, Wozniak M, Genga D, Boscaro M, Mantero F, Balercia G (2003) Idiopathic infertility: susceptibility of spermatozoa to in-vitro capacitation, in the presence and the absence of palmitylethanolamide (a homologue of anandamide), is strongly correlated with membrane polarity studied by Laurdan fluorescence. *Mol Hum Reprod* **9**: 381-388

Ameri A (1999) The effects of cannabinoids on the brain. *Prog Neurobiol* **58**: 315-348

Ameri A, Simmet T (2000) Effects of 2-arachidonylglycerol, an endogenous cannabinoid, on neuronal activity in rat hippocampal slices. *Naunyn Schmiedeberg's Arch Pharmacol* **361**: 265-272

Ameri A, Wilhelm A, Simmet T (1999) Effects of the endogenous cannabinoid, anandamide, on neuronal activity in rat hippocampal slices. *Br J Pharmacol* **126**: 1831-1839

Anderson CN, Ohta K, Quick MM, Fleming A, Keynes R, Tannahill D (2003) Molecular analysis of axon repulsion by the notochord. *Development* **130**: 1123-1133

Anderson RB, Holt CE (2002) Expression of UNC-5 in the developing *Xenopus* visual system. *Mech Dev* **118**: 157-160

Andersson DA, Adner M, Hogestatt ED, Zygmunt PM (2002) Mechanisms underlying tissue selectivity of anandamide and other vanilloid receptor agonists. *Mol Pharmacol* **62**: 705-713

Andersson H, D'Antona AM, Kendall DA, Von Heijne G, Chin CN (2003) Membrane assembly of the cannabinoid receptor 1: impact of a long N-terminal tail. *Mol Pharmacol* **64**: 570-577

Andersson M, Jacobsson SO, Jonsson KO, Tiger G, Fowler CJ (2000) Neurotoxicity of glutamate in chick telencephalon neurons: reduction of toxicity by preincubation with carbachol, but not by the endogenous fatty acid amides anandamide and palmitoylethanolamide. *Arch Toxicol* **74**: 161-164

Andreiuk GM, Kisel MA, Litvinko NM (1997) [Effects of fatty acid amides on phosphatidylcholine hydrolysis catalyzed by phospholipase A2 in micelles]. *Ukr Biokhim Zh* **69**: 32-36

Anggadiredja K, Nakamichi M, Hiranita T, Tanaka H, Shoyama Y, Watanabe S, Yamamoto T (2004) Endocannabinoid System Modulates Relapse to Methamphetamine Seeking: Possible Mediation by the Arachidonic Acid Cascade. *Neuropsychopharmacology*

Anggadiredja K, Yamaguchi T, Tanaka H, Shoyama Y, Watanabe S, Yamamoto T (2003) Prostaglandin E2 attenuates SR141716A-precipitated withdrawal in tetrahydrocannabinol-dependent mice. *Brain Res* **966**: 47-53

Anikwue R, Huffman JW, Martin ZL, Welch SP (2002) Decrease in efficacy and potency of nonsteroidal anti-inflammatory drugs by chronic delta(9)-tetrahydrocannabinol administration. *J Pharmacol Exp Ther* **303**: 340-346

Antonelli T, Tanganelli S, Tomasini MC, Finetti S, Trabace L, Steardo L, Sabino V, Carratu MR, Cuomo V, Ferraro L (2004) Long-term effects on cortical glutamate release induced by prenatal exposure to the cannabinoid receptor agonist (R)-(+)-[2,3-dihydro-5-methyl-3-(4-morpholinyl-methyl)pyrrolo[1,2,3-de]-1, 4-

benzoxazin-6-yl]-1-naphthalenylmethanone: an in vivo microdialysis study in the awake rat. *Neuroscience* **124**: 367-375

Anzai K, Ogawa K, Kuniyasu A, Ozawa T, Yamamoto H, Nakayama H (1998) Effects of hydroxyl radical and sulfhydryl reagents on the open probability of the purified cardiac ryanodine receptor channel incorporated into planar lipid bilayers. *Biochem Biophys Res Commun* **249**: 938-942

Aoki K, Zubkov AY, Parent AD, Zhang JH (2000) Mechanism of ATP-induced $[Ca^{2+}]_i$ mobilization in rat basilar smooth muscle cells. *Stroke* **31**: 1377-1384; discussion 1384-1375

Appendino G, Ligresti A, Minassi A, Daddario N, Bisogno T, Di Marzo V (2003) Homologues and isomers of noladin ether, a putative novel endocannabinoid: interaction with rat cannabinoid CB(1) receptors. *Bioorg Med Chem Lett* **13**: 43-46

Arai Y, Fukushima T, Shirao M, Yang X, Imai K (2000) Sensitive determination of anandamide in rat brain utilizing a coupled-column HPLC with fluorimetric detection. *Biomed Chromatogr* **14**: 118-124

Arevalo-Martin A, Vela JM, Molina-Holgado E, Borrell J, Guaza C (2003) Therapeutic action of cannabinoids in a murine model of multiple sclerosis. *J Neurosci* **23**: 2511-2516

Arias AM (2002) New alleles of Notch draw a blueprint for multifunctionality. *Trends Genet* **18**: 168-170

Ariyoshi M, Schwabe JW (2003) A conserved structural motif reveals the essential transcriptional repression function of Spn proteins and their role in developmental signaling. *Genes Dev* **17**: 1909-1920

Arizzi MN, Cervone KM, Aberman JE, Betz A, Liu Q, Lin S, Makriyannis A, Salamone JD (2004) Behavioral effects of inhibition of cannabinoid metabolism: The amidase inhibitor AM374 enhances the suppression of lever pressing produced by exogenously administered anandamide. *Life Sci* **74**: 1001-1011

Arkowitz RA, Lowe N (1997) A small conserved domain in the yeast Spa2p is necessary and sufficient for its polarized localization. *J Cell Biol* **138**: 17-36

Armour KL, van de Winkel JG, Williamson LM, Clark MR (2003) Differential binding to human FcγRIIIa and FcγRIIIb receptors by human IgG wildtype and mutant antibodies. *Mol Immunol* **40**: 585-593

Arnaud P, Monk D, Hitchins M, Gordon E, Dean W, Beechey CV, Peters J, Craigen W, Preece M, Stanier P, Moore GE, Kelsey G (2003) Conserved methylation imprints in the human and mouse GRB10 genes with divergent allelic expression suggests differential reading of the same mark. *Hum Mol Genet* **12**: 1005-1019

Arnone M, Maruani J, Chaperon F, Thiebot MH, Poncelet M, Soubrie P, Le Fur G (1997) Selective inhibition of sucrose and ethanol intake by SR 141716, an antagonist of central cannabinoid (CB1) receptors. *Psychopharmacology (Berl)* **132**: 104-106

Arnould S, Takahashi M, Camadro JM (1999) Acylation stabilizes a protease-resistant conformation of protoporphyrinogen oxidase, the molecular target of diphenyl ether-type herbicides. *Proc Natl Acad Sci U S A* **96**: 14825-14830

Arreaza G, Deutsch DG (1999) Deletion of a proline-rich region and a transmembrane domain in fatty acid amide hydrolase. *FEBS Lett* **454**: 57-60

Arreaza G, Devane WA, Omeir RL, Sajjani G, Kunz J, Cravatt BF, Deutsch DG (1997) The cloned rat hydrolytic enzyme responsible for the breakdown of anandamide also catalyzes its formation via the condensation of arachidonic acid and ethanolamine. *Neurosci Lett* **234**: 59-62

Asai S, Noda M, Yamamura M, Hozumi Y, Takase I, Nitta H, Sato M, Namikawa I (1993) Comparative study of the cellular fatty acids of methicillin-resistant and -susceptible *Staphylococcus aureus*. *Apmis* **101**: 753-761

Ashwood VA, Field MJ, Horwell DC, Julien-Larose C, Lewthwaite RA, McCleary S, Pritchard MC, Raphy J, Singh L (2001) Utilization of an intramolecular hydrogen bond to increase the CNS penetration of an NK(1) receptor antagonist. *J Med Chem* **44**: 2276-2285

Ates M, Hamza M, Seidel K, Kotalla CE, Ledent C, Guhring H (2003) Intrathecally applied flurbiprofen produces an endocannabinoid-dependent antinociception in the rat formalin test. *Eur J Neurosci* **17**: 597-604

Augood SJ, Faull RL, Emson PC (1992) Contrasting Effects of Raclopride and SCH 23390 on the Cellular Content of Preproenkephalin A mRNA in Rat Striatum: A Quantitative Non-radioactive In Situ Hybridization Study. *Eur J Neurosci* **4**: 102-112

Augood SJ, Hollingsworth ZR, Standaert DG, Emson PC, Penney JB, Jr. (2000) Localization of dopaminergic markers in the human subthalamic nucleus. *J Comp Neurol* **421**: 247-255

Augustine GJ, Adler EM, Charlton MP (1991) The calcium signal for transmitter secretion from presynaptic nerve terminals. *Ann N Y Acad Sci* **635**: 365-381

Augustine GJ, Charlton MP, Smith SJ (1987) Calcium action in synaptic transmitter release. *Annu Rev Neurosci* **10**: 633-693

Augustine GJ, Neher E (1992) Neuronal Ca²⁺ signalling takes the local route. *Curr Opin Neurobiol* **2**: 302-307

Austin-Brown SL, Chapman KD (2002) Inhibition of phospholipase D alpha by N-acyl ethanolamines. *Plant Physiol* **129**: 1892-1898

Axelrod J, Felder CC (1998) Cannabinoid receptors and their endogenous agonist, anandamide. *Neurochem Res* **23**: 575-581

Azad S, Zieglgansberger W, Kurz J, Rammes G (2003) Cannabinoid - induced modulation of inwardly rectifying potassium channels and N - type calcium channels inhibits long - term depression in the lateral amygdala of the mouse. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Azad SC, Eder M, Marsicano G, Lutz B, Zieglgansberger W, Rammes G (2003) Activation of the cannabinoid receptor type 1 decreases glutamatergic and GABAergic synaptic transmission in the lateral amygdala of the mouse. *Learn Mem* **10**: 116-128

Azad SC, Marsicano G, Eberlein I, Putzke J, Zieglgansberger W, Spanagel R, Lutz B (2001) Differential role of the nitric oxide pathway on delta(9)-THC-induced central nervous system effects in the mouse. *Eur J Neurosci* **13**: 561-568

Backlund LM, Nilsson BR, Goike HM, Schmidt EE, Liu L, Ichimura K, Collins VP (2003) Short postoperative survival for glioblastoma patients with a dysfunctional Rb1 pathway in combination with no wild-type PTEN. *Clin Cancer Res* **9**: 4151-4158

Bahn S, Jones A, Wisden W (1997) Directing gene expression to cerebellar granule cells using gamma-aminobutyric acid type A receptor alpha6 subunit transgenes. *Proc Natl Acad Sci U S A* **94**: 9417-9421

Baillie J, Sahlender DA, Sinclair JH (2003) Human cytomegalovirus infection inhibits tumor necrosis factor alpha (TNF-alpha) signaling by targeting the 55-kilodalton TNF-alpha receptor. *J Virol* **77**: 7007-7016

Baillyes EM, Nave BT, Soos MA, Orr SR, Hayward AC, Siddle K (1997) Insulin receptor/IGF-I receptor hybrids are widely distributed in mammalian tissues: quantification of individual receptor species by selective immunoprecipitation and immunoblotting. *Biochem J* **327 (Pt 1)**: 209-215

Bak J, Billington RA, Timar G, Dutton AC, Genazzani AA (2001) NAADP receptors are present and functional in the heart. *Curr Biol* **11**: 987-990

Baker D, Pryce G, Croxford JL, Brown P, Pertwee RG, Huffman JW, Layward L (2000) Cannabinoids control spasticity and tremor in a multiple sclerosis model. *Nature* **404**: 84-87

Baker D, Pryce G, Croxford JL, Brown P, Pertwee RG, Makriyannis A, Khanolkar A, Layward L, Fezza F, Bisogno T, Di Marzo V (2001) Endocannabinoids control spasticity in a multiple sclerosis model. *Faseb J* **15**: 300-302

Baker M, Gamble J, Tooze R, Higgins D, Yang FT, O'Brien PC, Coleman N, Pingel S, Turner M, Alexander DR (2000) Development of T-leukaemias in CD45 tyrosine phosphatase-deficient mutant lck mice. *Embo J* **19**: 4644-4654

Bal-Price A, Brown GC (2001) Inflammatory neurodegeneration mediated by nitric oxide from activated glia-inhibiting neuronal respiration, causing glutamate release and excitotoxicity. *J Neurosci* **21**: 6480-6491

Baldwin JM, Schertler GF, Unger VM (1997) An alpha-carbon template for the transmembrane helices in the rhodopsin family of G-protein-coupled receptors. *J Mol Biol* **272**: 144-164

Bannerman P, Nichols W, Puhalla S, Oliver T, Berman M, Pleasure D (2000) Early migratory rat neural crest cells express functional gap junctions: evidence that neural crest cell survival requires gap junction function. *J Neurosci Res* **61**: 605-615

Baonza A, Casci T, Freeman M (2001) A primary role for the epidermal growth factor receptor in ommatidial spacing in the Drosophila eye. *Curr Biol* **11**: 396-404

Baonza A, Murawsky CM, Travers AA, Freeman M (2002) Pointed and Tramtrack69 establish an EGFR-dependent transcriptional switch to regulate mitosis. *Nat Cell Biol* **4**: 976-980

Bar KJ, Schaible HG, Brauer R, Halbhauer KJ, Von Banchet GS (2004) The proportion of TRPV1 protein-positive lumbar DRG neurones does not increase in the course of acute and chronic antigen-induced arthritis in the knee joint of the rat. *Neurosci Lett* **361**: 172-175

Barann M, Molderings G, Bruss M, Bonisch H, Urban BW, Gothert M (2002) Direct inhibition by cannabinoids of human 5-HT_{3A} receptors: probable involvement of an allosteric modulatory site. *Br J Pharmacol* **137**: 589-596

Barbara JG, Auclair N, Roisin MP, Otani S, Valjent E, Caboche J, Soubrie P, Crepel F (2003) Direct and indirect interactions between cannabinoid CB₁ receptor and group II metabotropic glutamate receptor signalling in layer V pyramidal neurons from the rat prefrontal cortex. *Eur J Neurosci* **17**: 981-990

Barg J, Fride E, Hanus L, Levy R, Matus-Leibovitch N, Heldman E, Bayewitch M, Mechoulam R, Vogel Z (1995) Cannabinomimetic behavioral effects of and adenylate cyclase inhibition by two new endogenous

anandamides. *Eur J Pharmacol* **287**: 145-152

Barinaga M (1992) Pot, heroin unlock new areas for neuroscience. *Science* **258**: 1882-1884

Barker RA (2000) Prospects for the treatment of Parkinson's disease using neural grafts. *Expert Opin Pharmacother* **1**: 889-902

Barnard EA (2000) Imagination and reality in the search for the P2Y receptors. *J Auton Nerv Syst* **81**: 10-15

Barnard EA, Simon J (2001) An elusive receptor is finally caught: P2Y(12'), an important drug target in platelets. *Trends Pharmacol Sci* **22**: 388-391

Barnett-Norris J, Guarnieri F, Hurst DP, Reggio PH (1998) Exploration of biologically relevant conformations of anandamide, 2-arachidonylglycerol, and their analogues using conformational memories. *J Med Chem* **41**: 4861-4872

Barnett-Norris J, Hurst DP, Lynch DL, Guarnieri F, Makriyannis A, Reggio PH (2002) Conformational memories and the endocannabinoid binding site at the cannabinoid CB1 receptor. *J Med Chem* **45**: 3649-3659

Baron W, Decker L, Colognato H, French-Constant C (2003) Regulation of integrin growth factor interactions in oligodendrocytes by lipid raft microdomains. *Curr Biol* **13**: 151-155

Baron W, Shattil SJ, French-Constant C (2002) The oligodendrocyte precursor mitogen PDGF stimulates proliferation by activation of alpha(v)beta3 integrins. *Embo J* **21**: 1957-1966

Barth F, Rinaldi-Carmona M (1999) The development of cannabinoid antagonists. *Curr Med Chem* **6**: 745-755

Bartho L, Benko R, Lazar Z, Illenyi L, Horvath OP (2002) Nitric oxide is involved in the relaxant effect of capsaicin in the human sigmoid colon circular muscle. *Naunyn Schmiedebergs Arch Pharmacol* **366**: 496-500

Bartocci C, Evandri MG, Tucci P, Bolle P (2001) Interactions between A-9THC and capsaicin on isolated lamb bladder detrusor. *Farmaco* **56**: 349-351

Basavarajappa BS, Cooper TB, Hungund BL (1998) Chronic ethanol administration down-regulates cannabinoid receptors in mouse brain synaptic plasma membrane. *Brain Res* **793**: 212-218

Basavarajappa BS, Hungund BL (1999) Chronic ethanol increases the cannabinoid receptor agonist anandamide and its precursor N-arachidonoylphosphatidylethanolamine in SK-N-SH cells. *J Neurochem* **72**: 522-528

Basavarajappa BS, Hungund BL (1999) Down-regulation of cannabinoid receptor agonist-stimulated [35S]GTP gamma S binding in synaptic plasma membrane from chronic ethanol exposed mouse. *Brain Res* **815**: 89-97

Basavarajappa BS, Hungund BL (2001) Cannabinoid receptor agonist-stimulated [35S]guanosine triphosphate gamma S binding in the brain of C57BL/6 and DBA/2 mice. *J Neurosci Res* **64**: 429-436

Basavarajappa BS, Hungund BL (2002) Neuromodulatory role of the endocannabinoid signaling system in alcoholism: an overview. *Prostaglandins Leukot Essent Fatty Acids* **66**: 287-299

Basavarajappa BS, Saito M, Cooper TB, Hungund BL (2000) Stimulation of cannabinoid receptor agonist 2-arachidonylglycerol by chronic ethanol and its modulation by specific neuromodulators in cerebellar granule neurons. *Biochim Biophys Acta* **1535**: 78-86

Basavarajappa BS, Saito M, Cooper TB, Hungund BL (2003) Chronic ethanol inhibits the anandamide transport and increases extracellular anandamide levels in cerebellar granule neurons. *Eur J Pharmacol* **466**: 73-83

Baskfield CY, Martin BR, Wiley JL (2004) Differential effects of delta9-tetrahydrocannabinol and methanandamide in CB1 knockout and wild-type mice. *J Pharmacol Exp Ther* **309**: 86-91

Basta PV, Adcock AF, Tallent CR, Fleming DN, Seltzman HH, Whisnant CC, Cook CE (2004) Preparation of monoclonal antibodies reactive to the endogenous small molecule, anandamide. *J Immunol Methods* **285**: 181-195

Batista FD, Neuberger MS (2000) B cells extract and present immobilized antigen: implications for affinity discrimination. *Embo J* **19**: 513-520

Batkai S, Jarai Z, Wagner JA, Goparaju SK, Varga K, Liu J, Wang L, Mirshahi F, Khanolkar AD, Makriyannis A, Urbaschek R, Garcia N, Jr., Sanyal AJ, Kunos G (2001) Endocannabinoids acting at vascular CB1 receptors mediate the vasodilated state in advanced liver cirrhosis. *Nat Med* **7**: 827-832

Batkai S, Pacher P, Jarai Z, Wagner JA, Kunos G (2004) Cannabinoid antagonist SR141716 inhibits endotoxic hypotension by a cardiac mechanism not involving CB1 or CB2 receptors. *Am J Physiol Heart Circ Physiol*

Battista N, Bari M, Finazzi-Agro A, Maccarrone M (2002) Anandamide uptake by synaptosomes from human, mouse and rat brain: inhibition by glutamine and glutamate. *Lipids Health Dis* **1**: 1

Bauer UM, Daujat S, Nielsen SJ, Nightingale K, Kouzarides T (2002) Methylation at arginine 17 of histone H3 is linked to gene activation. *EMBO Rep* **3**: 39-44

Bayewitch M, Avidor-Reiss T, Levy R, Barg J, Mechoulam R, Vogel Z (1995) The peripheral cannabinoid receptor: adenylyl cyclase inhibition and G protein coupling. *FEBS Lett* **375**: 143-147

Bayewitch M, Rhee MH, Avidor-Reiss T, Breuer A, Mechoulam R, Vogel Z (1996) (-)-Delta9-tetrahydrocannabinol antagonizes the peripheral cannabinoid receptor-mediated inhibition of adenylyl cyclase. *J Biol Chem* **271**: 9902-9905

Baylis HA, Furuichi T, Yoshikawa F, Mikoshiba K, Sattelle DB (1999) Inositol 1,4,5-trisphosphate receptors are strongly expressed in the nervous system, pharynx, intestine, gonad and excretory cell of *Caenorhabditis elegans* and are encoded by a single gene (*itr-1*). *J Mol Biol* **294**: 467-476

Beardsley PM, Dance ME, Balster RL, Munzar P (2002) Evaluation of the reinforcing effects of the cannabinoid CB1 receptor antagonist, SR141716, in rhesus monkeys. *Eur J Pharmacol* **435**: 209-216

Beaulieu P, Bisogno T, Punwar S, Farquhar-Smith WP, Ambrosino G, Di Marzo V, Rice AS (2000) Role of the endogenous cannabinoid system in the formalin test of persistent pain in the rat. *Eur J Pharmacol* **396**: 85-92

Beaulieu P, Rice AS (2002) [The pharmacology of cannabinoid derivatives: are there applications to treatment of pain?]. *Ann Fr Anesth Reanim* **21**: 493-508

Beaulieu P, Rice ASC (2002) Pharmacology of cannabinoids: applications for pain treatment? *Annales Francaises D Anesthesie Et De Reanimation* **21**: 493-508

Beecroft MD, Marchant JS, Riley AM, Van Straten NC, Van der Marel GA, Van Boom JH, Potter BV, Taylor CW (1999) Acyclophostin: a ribose-modified analog of adenophostin A with high affinity for inositol 1,4,5-trisphosphate receptors and pH-dependent efficacy. *Mol Pharmacol* **55**: 109-117

Beecroft MD, Taylor CW (1998) Luminal Ca²⁺ regulates passive Ca²⁺ efflux from the intracellular stores of hepatocytes. *Biochem J* **334 (Pt 2)**: 431-435

Begg M, Baydoun A, Parsons ME, Molleman A (2001) Signal transduction of cannabinoid CB1 receptors in a smooth muscle cell line. *J Physiol* **531**: 95-104

Begg M, Dale N, Llaudet E, Molleman A, Parsons ME (2002) Modulation of the release of endogenous adenosine by cannabinoids in the myenteric plexus-longitudinal muscle preparation of the guinea-pig ileum. *Br J Pharmacol* **137**: 1298-1304

Begg M, Mo FM, Offertaler L, Batkai S, Pacher P, Razdan RK, Lovinger DM, Kunos G (2003) G protein-coupled endothelial receptor for atypical cannabinoid ligands modulates a Ca²⁺-dependent K⁺ current. *J Biol Chem* **278**: 46188-46194

Begg M, Molleman A, Parsons M (2002) Modulation of the release of endogenous gamma-aminobutyric acid by cannabinoids in the guinea pig ileum. *Eur J Pharmacol* **434**: 87-94

Behl C (2002) Oestrogen as a neuroprotective hormone. *Nat Rev Neurosci* **3**: 433-442

Bell MI, Richardson PJ, Lee K (2000) Histamine depolarizes cholinergic interneurons in the rat striatum via a H(1)-receptor mediated action. *Br J Pharmacol* **131**: 1135-1142

Bellahouel S, Rolland V, Roumestant ML, Viallefont P, Martinez J (2001) Chemoenzymatic synthesis of surfactants from carbohydrates, amino acids, and fatty acids. *Prep Biochem Biotechnol* **31**: 71-80

Beltramo M, de Fonseca FR, Navarro M, Calignano A, Gorriti MA, Grammatikopoulos G, Sadile AG, Giuffrida A, Piomelli D (2000) Reversal of dopamine D(2) receptor responses by an anandamide transport inhibitor. *J Neurosci* **20**: 3401-3407

Beltramo M, di Tomaso E, Piomelli D (1997) Inhibition of anandamide hydrolysis in rat brain tissue by (E)-6-(bromomethylene) tetrahydro-3-(1-naphthalenyl)-2H-pyran-2-one. *FEBS Lett* **403**: 263-267

Beltramo M, Piomelli D (1999) Anandamide transport inhibition by the vanilloid agonist olvanil. *Eur J Pharmacol* **364**: 75-78

Beltramo M, Piomelli D (2000) Carrier-mediated transport and enzymatic hydrolysis of the endogenous cannabinoid 2-arachidonylethanolamide. *Neuroreport* **11**: 1231-1235

Beltramo M, Stella N, Calignano A, Lin SY, Makriyannis A, Piomelli D (1997) Functional role of high-affinity anandamide transport, as revealed by selective inhibition. *Science* **277**: 1094-1097

Bemark M, Sale JE, Kim HJ, Berek C, Cosgrove RA, Neuberger MS (2000) Somatic hypermutation in the absence of DNA-dependent protein kinase catalytic subunit (DNA-PK(cs)) or recombination-activating gene (RAG)1 activity. *J Exp Med* **192**: 1509-1514

Ben-Shabat S, Fride E, Sheskin T, Tamiri T, Rhee MH, Vogel Z, Bisogno T, De Petrocellis L, Di Marzo V, Mechoulam R (1998) An entourage effect: inactive endogenous fatty acid glycerol esters enhance 2-arachidonylethanolamide cannabinoid activity. *Eur J Pharmacol* **353**: 23-31

Bench AJ, Cross NC, Huntly BJ, Nacheva EP, Green AR (2001) Myeloproliferative disorders. *Best Pract*

Res Clin Haematol **14**: 531-551

Beni SM, Kohen R, Reiter RJ, Tan DX, Shohami E (2004) Melatonin-induced neuroprotection after closed head injury is associated with increased brain antioxidants and attenuated late-phase activation of NF-kappaB and AP-1. *Faseb J* **18**: 149-151

Benito C, Nunez E, Tolon RM, Carrier EJ, Rabano A, Hillard CJ, Romero J (2003) Cannabinoid CB2 receptors and fatty acid amide hydrolase are selectively overexpressed in neuritic plaque-associated glia in Alzheimer's disease brains. *J Neurosci* **23**: 11136-11141

Benito C, Nunez E, Tolon RM, Carrier EJ, Rabano A, Hillard CJ, Romero J (2003) Cannabinoid CB2 receptors and fatty acid amide hydrolase are selectively overexpressed in neuritic plaque-associated glia in Alzheimer's disease brains. *Journal of Neuroscience* **23**: 11136-11141

Bennett DL, Bootman MD, Berridge MJ, Cheek TR (1998) Ca²⁺ entry into PC12 cells initiated by ryanodine receptors or inositol 1,4,5-trisphosphate receptors. *Biochem J* **329 (Pt 2)**: 349-357

Bennett DL, Cheek TR, Berridge MJ, De Smedt H, Parys JB, Missiaen L, Bootman MD (1996) Expression and function of ryanodine receptors in nonexcitable cells. *J Biol Chem* **271**: 6356-6362

Bensaid M, Gary-Bobo M, Esclangon A, Maffrand JP, Le Fur G, Oury-Donat F, Soubrie P (2003) The cannabinoid CB1 receptor antagonist SR141716 increases Acpr30 mRNA expression in adipose tissue of obese fa/fa rats and in cultured adipocyte cells. *Mol Pharmacol* **63**: 908-914

Berdyshev E, Boichot E, Corbel M, Germain N, Lagente V (1998) Effects of cannabinoid receptor ligands on LPS-induced pulmonary inflammation in mice. *Life Sci* **63**: PL125-129

Berdyshev E, Schmid PC, Dong Z, Schmid HHO (1999) Experimentally relevant levels of N-acylethanolamines including anandamide are present in serum-containing cell culture media. *FASEB Journal* **13**

Berdyshev EV (1999) Inhibition of sea urchin fertilization by fatty acid ethanolamides and cannabinoids. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol* **122**: 327-330

Berdyshev EV (2000) Cannabinoid receptors and the regulation of immune response. *Chem Phys Lipids* **108**: 169-190

Berdyshev EV, Boichot E, Germain N, Allain N, Anger JP, Lagente V (1997) Influence of fatty acid ethanolamides and delta9-tetrahydrocannabinol on cytokine and arachidonate release by mononuclear cells. *Eur J Pharmacol* **330**: 231-240

Berdyshev EV, Boichot E, Lagente V (1996) Anandamide--a new look on fatty acid ethanolamides. *J Lipid Mediat Cell Signal* **15**: 49-67

Berdyshev EV, Schmid PC, Dong Z, Schmid HH (2000) Stress-induced generation of N-acylethanolamines in mouse epidermal JB6 P+ cells. *Biochem J* **346 Pt 2**: 369-374

Berdyshev EV, Schmid PC, Krebsbach RJ, Hillard CJ, Huang C, Chen N, Dong Z, Schmid HH (2001) Cannabinoid-receptor-independent cell signalling by N-acylethanolamines. *Biochem J* **360**: 67-75

Berdyshev EV, Schmid PC, Krebsbach RJ, Kuwae T, Huang C, Ma WY, Dong Z, Schmid HH (2001) Role of N-acylethanolamines in cell signaling. *World Rev Nutr Diet* **88**: 207-214

Berdyshev EV, Schmid PC, Krebsbach RJ, Schmid HH (2001) Activation of PAF receptors results in enhanced synthesis of 2-arachidonoylglycerol (2-AG) in immune cells. *Faseb J* **15**: 2171-2178

Bereiter DA, Bereiter DF, Hirata H (2002) Topical cannabinoid agonist, WIN55,212-2, reduces cornea-evoked trigeminal brainstem activity in the rat. *Pain* **99**: 547-556

Bergelson JM, Modlin JF, Wieland-Alter W, Cunningham JA, Crowell RL, Finberg RW (1997) Clinical coxsackievirus B isolates differ from laboratory strains in their interaction with two cell surface receptors. *J Infect Dis* **175**: 697-700

Berger A, Crozier G, Bisogno T, Cavaliere P, Innis S, Di Marzo V (2001) Anandamide and diet: inclusion of dietary arachidonate and docosahexaenoate leads to increased brain levels of the corresponding N-acylethanolamines in piglets. *Proc Natl Acad Sci U S A* **98**: 6402-6406

Berger C, Schmid PC, Schabitz WR, Wolf M, Schwab S, Schmid HH (2004) Massive accumulation of N-acylethanolamines after stroke. Cell signalling in acute cerebral ischemia? *J Neurochem* **88**: 1159-1167

Berglund BA, Boring DL, Howlett AC (1999) Investigation of structural analogs of prostaglandin amides for binding to and activation of CB1 and CB2 cannabinoid receptors in rat brain and human tonsils. *Adv Exp Med Biol* **469**: 527-533

Berglund BA, Boring DL, Wilken GH, Makriyannis A, Howlett AC, Lin S (1998) Structural requirements for arachidonylethanolamide interaction with CB1 and CB2 cannabinoid receptors: pharmacology of the carbonyl and ethanolamide groups. *Prostaglandins Leukot Essent Fatty Acids* **59**: 111-118

Berglund BA, Fleming PR, Rice KC, Shim JY, Welsh WJ, Howlett AC (2000) Development of a novel class of monocyclic and bicyclic alkyl amides that exhibit CB1 and CB2 cannabinoid receptor affinity and

receptor activation. *Drug Des Discov* **16**: 281-294

Berrendero F, Garcia-Gil L, Hernandez ML, Romero J, Cebeira M, de Miguel R, Ramos JA, Fernandez-Ruiz JJ (1998) Localization of mRNA expression and activation of signal transduction mechanisms for cannabinoid receptor in rat brain during fetal development. *Development* **125**: 3179-3188

Berrendero F, Mendizabal V, Murtra P, Kieffer BL, Maldonado R (2003) Cannabinoid receptor and WIN 55 212-2-stimulated [35S]-GTPgammaS binding in the brain of mu-, delta- and kappa-opioid receptor knockout mice. *Eur J Neurosci* **18**: 2197-2202

Berrendero F, Sanchez A, Cabranes A, Puerta C, Ramos JA, Garcia-Merino A, Fernandez-Ruiz J (2001) Changes in cannabinoid CB(1) receptors in striatal and cortical regions of rats with experimental allergic encephalomyelitis, an animal model of multiple sclerosis. *Synapse* **41**: 195-202

Berrendero F, Sepe N, Ramos JA, Di Marzo V, Fernandez-Ruiz JJ (1999) Analysis of cannabinoid receptor binding and mRNA expression and endogenous cannabinoid contents in the developing rat brain during late gestation and early postnatal period. *Synapse* **33**: 181-191

Berridge MJ (1983) Rapid accumulation of inositol trisphosphate reveals that agonists hydrolyse polyphosphoinositides instead of phosphatidylinositol. *Biochem J* **212**: 849-858

Berridge MJ (1997) Elementary and global aspects of calcium signalling. *J Physiol* **499 (Pt 2)**: 291-306

Berridge MJ (1998) Neuronal calcium signaling. *Neuron* **21**: 13-26

Berridge MJ, Lipp P, Bootman MD (2000) Signal transduction. The calcium entry pas de deux. *Science* **287**: 1604-1605

Berridge MJ, Lipp P, Bootman MD (2000) The versatility and universality of calcium signalling. *Nat Rev Mol Cell Biol* **1**: 11-21

Berrie CP, Elliott AC (1994) Activation of protein kinase C does not cause desensitization in rat and rabbit mandibular acinar cells. *Pflugers Arch* **428**: 163-172

Berry EM, Mechoulam R (2002) Tetrahydrocannabinol and endocannabinoids in feeding and appetite. *Pharmacol Ther* **95**: 185-190

Berry EM, Mechoulam R, Hao S, Avraham Y (2000) Anandamide affects food intake, cognition and neurochemistry in diet-restricted mice. *International Journal of Obesity* **24**

Bers DM, Fill M (1998) Coordinated feet and the dance of ryanodine receptors. *Science* **281**: 790-791

Bevan AP, Krook A, Tikerpae J, Seabright PJ, Siddle K, Smith GD (1997) Chloroquine extends the lifetime of the activated insulin receptor complex in endosomes. *J Biol Chem* **272**: 26833-26840

Bezprozvanny I (1994) Theoretical analysis of calcium wave propagation based on inositol (1,4,5)-trisphosphate (InsP3) receptor functional properties. *Cell Calcium* **16**: 151-166

Bezprozvanny I, Bezprozvannaya S, Ehrlich BE (1994) Caffeine-induced inhibition of inositol(1,4,5)-trisphosphate-gated calcium channels from cerebellum. *Mol Biol Cell* **5**: 97-103

Bezprozvanny I, Ehrlich BE (1993) ATP modulates the function of inositol 1,4,5-trisphosphate-gated channels at two sites. *Neuron* **10**: 1175-1184

Bezprozvanny I, Watras J, Ehrlich BE (1991) Bell-shaped calcium-response curves of Ins(1,4,5)P3- and calcium-gated channels from endoplasmic reticulum of cerebellum. *Nature* **351**: 751-754

Bezprozvanny IB, Ondrias K, Kaftan E, Stoyanovsky DA, Ehrlich BE (1993) Activation of the calcium release channel (ryanodine receptor) by heparin and other polyanions is calcium dependent. *Mol Biol Cell* **4**: 347-352

Bezuglov VV, Bobrov MY, Gretskeya NM, Archakov AV, Serkov IV, Fedenyuk AP, Verevchikina EY, Kogteva GS, Titova OY, Marvanov DM, De Petrocellis L, Bisogno T, Di Marzo V, Manevich Y (1998) Arachidonylethylethylene glycol and its nitroester as new cannabimimetics: Oxidation by 15-lipoxygenase and hydrolysis by fatty acid amide hydrolase. *Bioorganicheskaya Khimiya* **24**: 938-942

Bhattacharyya S, Luan J, Challis B, Schmitz C, Clarkson P, Franks PW, Middelberg R, Keogh J, Farooqi IS, Montague C, Brennand J, Wareham NJ, O'Rahilly S (2003) Association of polymorphisms in GPR10, the gene encoding the prolactin-releasing peptide receptor with blood pressure, but not obesity, in a U.K. Caucasian population. *Diabetes* **52**: 1296-1299

Bialer M, Haj-Yehia A, Badir K, Hadad S (1994) Can we develop improved derivatives of valproic acid? *Pharm World Sci* **16**: 2-6

Biegon A, Kerman IA (2001) Autoradiographic study of pre- and postnatal distribution of cannabinoid receptors in human brain. *Neuroimage* **14**: 1463-1468

Biffen M, Alexander DR (1994) Mobilization of intracellular Ca²⁺ by adenine nucleotides in human T-leukaemia cells: evidence for ADP-specific and P2y-purinergic receptors. *Biochem J* **304 (Pt 3)**: 769-774

Biffen M, McMichael-Phillips D, Larson T, Venkitaraman A, Alexander D (1994) The CD45 tyrosine phosphatase regulates specific pools of antigen receptor-associated p59fyn and CD4-associated p56lck

tyrosine in human T-cells. *Embo J* **13**: 1920-1929

Bifulco M, Di Marzo V (2002) Targeting the endocannabinoid system in cancer therapy: a call for further research. *Nat Med* **8**: 547-550

Bifulco M, Di Marzo V (2003) [The endocannabinoid system as a target for the development of new drugs for cancer therapy]. *Recenti Prog Med* **94**: 194-198

Bifulco M, Laezza C, Portella G, Vitale M, Orlando P, De Petrocellis L, Di Marzo V (2001) Control by the endogenous cannabinoid system of ras oncogene-dependent tumor growth. *Faseb J* **15**: 2745-2747

Bigot D, Matus A, Hunt SP (1991) Reorganization of the Cytoskeleton in Rat Neurons Following Stimulation With Excitatory Amino Acids In Vitro. *Eur J Neurosci* **3**: 551-558

Bilfinger TV, Salzet M, Fimiani C, Deutsch DG, Tramu G, Stefano GB (1998) Pharmacological evidence for anandamide amidase in human cardiac and vascular tissues. *Int J Cardiol* **64 Suppl 1**: S15-22

Billington RA, Genazzani AA (2000) Characterization of NAADP(+) binding in sea urchin eggs. *Biochem Biophys Res Commun* **276**: 112-116

Billington RA, Ho A, Genazzani AA (2002) Nicotinic acid adenine dinucleotide phosphate (NAADP) is present at micromolar concentrations in sea urchin spermatozoa. *J Physiol* **544**: 107-112

Billington RA, Thuring JW, Conway SJ, Packman L, Holmes AB, Genazzani AA (2004) Production and characterization of reduced NAADP (nicotinic acid-adenine dinucleotide phosphate). *Biochem J* **378**: 275-280

Billinton A, Ige AO, Bolam JP, White JH, Marshall FH, Emson PC (2001) Advances in the molecular understanding of GABA(B) receptors. *Trends Neurosci* **24**: 277-282

Bird GJ, Obie JF, Putney JW, Jr. (1992) Functional homogeneity of the non-mitochondrial Ca²⁺ pool in intact mouse lacrimal acinar cells. *J Biol Chem* **267**: 18382-18386

Bird GS, Obie JF, Putney JW, Jr. (1992) Sustained Ca²⁺ signaling in mouse lacrimal acinar cells due to photolysis of "caged" glycerophosphoryl-myo-inositol 4,5-bisphosphate. *J Biol Chem* **267**: 17722-17725

Bird GS, Putney JW, Jr. (1996) Effect of inositol 1,3,4,5-tetrakisphosphate on inositol trisphosphate-activated Ca²⁺ signaling in mouse lacrimal acinar cells. *J Biol Chem* **271**: 6766-6770

Bird GS, Rossier MF, Hughes AR, Shears SB, Armstrong DL, Putney JW, Jr. (1991) Activation of Ca²⁺ entry into acinar cells by a non-phosphorylatable inositol trisphosphate. *Nature* **352**: 162-165

Bisogno T, Berrendero F, Ambrosino G, Cebeira M, Ramos JA, Fernandez-Ruiz JJ, Di Marzo V (1999) Brain regional distribution of endocannabinoids: implications for their biosynthesis and biological function. *Biochem Biophys Res Commun* **256**: 377-380

Bisogno T, De Petrocellis L, Di Marzo V (2002) Fatty acid amide hydrolase, an enzyme with many bioactive substrates. Possible therapeutic implications. *Curr Pharm Des* **8**: 533-547

Bisogno T, Delton-Vandenbroucke I, Milone A, Lagarde M, Di Marzo V (1999) Biosynthesis and inactivation of N-arachidonylethanolamine (anandamide) and N-docosahexaenylethanolamine in bovine retina. *Arch Biochem Biophys* **370**: 300-307

Bisogno T, Hanus L, De Petrocellis L, Tchilibon S, Ponde DE, Brandi I, Moriello AS, Davis JB, Mechoulam R, Di Marzo V (2001) Molecular targets for cannabidiol and its synthetic analogues: effect on vanilloid VR1 receptors and on the cellular uptake and enzymatic hydrolysis of anandamide. *Br J Pharmacol* **134**: 845-852

Bisogno T, Howell F, Williams G, Minassi A, Cascio MG, Ligresti A, Matias I, Schiano-Moriello A, Paul P, Williams EJ, Gangadharan U, Hobbs C, Di Marzo V, Doherty P (2003) Cloning of the first sn1-DAG lipases points to the spatial and temporal regulation of endocannabinoid signaling in the brain. *J Cell Biol* **163**: 463-468

Bisogno T, Katayama K, Melck D, Ueda N, De Petrocellis L, Yamamoto S, Di Marzo V (1998) Biosynthesis and degradation of bioactive fatty acid amides in human breast cancer and rat pheochromocytoma cells--implications for cell proliferation and differentiation. *Eur J Biochem* **254**: 634-642

Bisogno T, MacCarrone M, De Petrocellis L, Jarrhian A, Finazzi-Agro A, Hillard C, Di Marzo V (2001) The uptake by cells of 2-arachidonoylglycerol, an endogenous agonist of cannabinoid receptors. *Eur J Biochem* **268**: 1982-1989

Bisogno T, Maurelli S, Melck D, De Petrocellis L, Di Marzo V (1997) Biosynthesis, uptake, and degradation of anandamide and palmitoylethanolamide in leukocytes. *J Biol Chem* **272**: 3315-3323

Bisogno T, Melck D, Bobrov M, Gretskaya NM, Bezuglov VV, De Petrocellis L, Di Marzo V (2000) N-acyl-dopamines: novel synthetic CB(1) cannabinoid-receptor ligands and inhibitors of anandamide inactivation with cannabimimetic activity in vitro and in vivo. *Biochem J* **351 Pt 3**: 817-824

Bisogno T, Melck D, De Petrocellis L, Bobrov M, Gretskaya NM, Bezuglov VV, Sitachitta N, Gerwick WH, Di Marzo V (1998) Arachidonoylserotonin and other novel inhibitors of fatty acid amide hydrolase.

Biochem Biophys Res Commun **248**: 515-522

Bisogno T, Melck D, De Petrocellis L, Di Marzo V (1999) Phosphatidic acid as the biosynthetic precursor of the endocannabinoid 2-arachidonoylglycerol in intact mouse neuroblastoma cells stimulated with ionomycin. *J Neurochem* **72**: 2113-2119

Bisogno T, Sepe N, De Petrocellis L, Di Marzo V (1997) Biosynthesis of 2-arachidonoyl-glycerol, a novel cannabimimetic eicosanoid, in mouse neuroblastoma cells. *Adv Exp Med Biol* **433**: 201-204

Bisogno T, Sepe N, De Petrocellis L, Mechoulam R, Di Marzo V (1997) The sleep inducing factor oleamide is produced by mouse neuroblastoma cells. *Biochem Biophys Res Commun* **239**: 473-479

Bisogno T, Sepe N, Melck D, Maurelli S, De Petrocellis L, Di Marzo V (1997) Biosynthesis, release and degradation of the novel endogenous cannabimimetic metabolite 2-arachidonoylglycerol in mouse neuroblastoma cells. *Biochem J* **322 (Pt 2)**: 671-677

Bisogno T, Ventriglia M, Milone A, Mosca M, Cimino G, Di Marzo V (1997) Occurrence and metabolism of anandamide and related acyl-ethanolamides in ovaries of the sea urchin *Paracentrotus lividus*. *Biochim Biophys Acta* **1345**: 338-348

Biswas G, Adebajo OA, Freedman BD, Anandatheerthavarada HK, Vijayasathy C, Zaidi M, Kotlikoff M, Avadhani NG (1999) Retrograde Ca²⁺ signaling in C2C12 skeletal myocytes in response to mitochondrial genetic and metabolic stress: a novel mode of inter-organelle crosstalk. *Embo J* **18**: 522-533

Biswas KK, Sarker KP, Abeyama K, Kawahara K, Iino S, Otsubo Y, Saigo K, Izumi H, Hashiguchi T, Yamakuchi M, Yamaji K, Endo R, Suzuki K, Imaizumi H, Maruyama I (2003) Membrane cholesterol but not putative receptors mediates anandamide-induced hepatocyte apoptosis. *Hepatology* **38**: 1167-1177

Black MW, Pelham HR (2000) A selective transport route from Golgi to late endosomes that requires the yeast GGA proteins. *J Cell Biol* **151**: 587-600

Black SC (2004) Cannabinoid receptor antagonists and obesity. *Curr Opin Investig Drugs* **5**: 389-394

Blackwell JM (2001) Modern genetics and leprosy susceptibility. *Lepr Rev* **72**: 352-356

Blancaflor EB, Hou G, Chapman KD (2003) Elevated levels of N-lauroylethanolamine, an endogenous constituent of desiccated seeds, disrupt normal root development in *Arabidopsis thaliana* seedlings. *Planta (Berlin)* **217**: 206-217

Blankenhorn EP, Smith PD, Williams CB, Gutman GA (1992) Alleles of the rat T-cell receptor beta chain gene complex. *Immunogenetics* **35**: 324-331

Blasco R, Moreno E, Sanz P, Repetto M (1990) In vitro modifications of rat NTE and other esterases by chemicals which induce delayed neurotoxicity in vivo. *Vet Hum Toxicol* **32**: 435-439

Blazquez C, Sanchez C, Daza A, Galve-Roperh I, Guzman M (1999) The stimulation of ketogenesis by cannabinoids in cultured astrocytes defines carnitine palmitoyltransferase I as a new ceramide-activated enzyme. *J Neurochem* **72**: 1759-1768

Blondel O, Takeda J, Janssen H, Seino S, Bell GI (1993) Sequence and functional characterization of a third inositol trisphosphate receptor subtype, IP3R-3, expressed in pancreatic islets, kidney, gastrointestinal tract, and other tissues. *J Biol Chem* **268**: 11356-11363

Bloom AS, Edgmond WS, Moldvan JC (1997) Nonclassical and endogenous cannabinoids: effects on the ordering of brain membranes. *Neurochem Res* **22**: 563-568

Bobanovic LK, Laine M, Petersen CC, Bennett DL, Berridge MJ, Lipp P, Ripley SJ, Bootman MD (1999) Molecular cloning and immunolocalization of a novel vertebrate trp homologue from *Xenopus*. *Biochem J* **340 (Pt 3)**: 593-599

Bobanovic LK, Royle SJ, Murrell-Lagnado RD (2002) P2X receptor trafficking in neurons is subunit specific. *J Neurosci* **22**: 4814-4824

Bobrov MY, Shevchenko VP, Yudushkin IA, Rogov SI, Remov MN, Fomina-Ageeva EV, Gretskaya NM, Nagaev IY, Kuklev DV, Bezuglov VV (2000) Hydrolysis of anandamide and eicosapentaenoic acid ethanolamide in mouse splenocytes. *Biochemistry (Mosc)* **65**: 615-619

Bodor AL, Katona I, Mackie K, Freund TF (2003) Distinct types of interneurons are targeted by endocannabinoids in rat somatosensory cortex. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Boger DL, Fecik RA, Patterson JE, Miyauchi H, Patricelli MP, Cravatt BF (2000) Fatty acid amide hydrolase substrate specificity. *Bioorg Med Chem Lett* **10**: 2613-2616

Boger DL, Henriksen SJ, Cravatt BF (1998) Oleamide: an endogenous sleep-inducing lipid and prototypical member of a new class of biological signaling molecules. *Curr Pharm Des* **4**: 303-314

Boger DL, Miyauchi H, Hedrick MP (2001) alpha-Keto heterocycle inhibitors of fatty acid amide hydrolase: carbonyl group modification and alpha-substitution. *Bioorg Med Chem Lett* **11**: 1517-1520

Boger DL, Patterson JE, Guan X, Cravatt BF, Lerner RA, Gilula NB (1998) Chemical requirements for

inhibition of gap junction communication by the biologically active lipid oleamide. *Proc Natl Acad Sci U S A* **95**: 4810-4815

Boger DL, Sato H, Lerner AE, Austin BJ, Patterson JE, Patricelli MP, Cravatt BF (1999) Trifluoromethyl ketone inhibitors of fatty acid amide hydrolase: a probe of structural and conformational features contributing to inhibition. *Bioorg Med Chem Lett* **9**: 265-270

Boger DL, Sato H, Lerner AE, Guan X, Gilula NB (1999) Arachidonic acid amide inhibitors of gap junction cell-cell communication. *Bioorg Med Chem Lett* **9**: 1151-1154

Boger DL, Sato H, Lerner AE, Hedrick MP, Fecik RA, Miyauchi H, Wilkie GD, Austin BJ, Patricelli MP, Cravatt BF (2000) Exceptionally potent inhibitors of fatty acid amide hydrolase: the enzyme responsible for degradation of endogenous oleamide and anandamide. *Proc Natl Acad Sci U S A* **97**: 5044-5049

Bohme GA, Laville M, Ledent C, Parmentier M, Imperato A (2000) Enhanced long-term potentiation in mice lacking cannabinoid CB1 receptors. *Neuroscience* **95**: 5-7

Bojesen IN, Hansen HS (2003) Binding of anandamide to bovine serum albumin. *J Lipid Res* **44**: 1790-1794

Bolland DJ, Wood AL, Johnston CM, Bunting SF, Morgan G, Chakalova L, Fraser PJ, Corcoran AE (2004) Antisense intergenic transcription in V(D)J recombination. *Nat Immunol*

Bonhaus DW, Chang LK, Kwan J, Martin GR (1998) Dual activation and inhibition of adenylyl cyclase by cannabinoid receptor agonists: evidence for agonist-specific trafficking of intracellular responses. *J Pharmacol Exp Ther* **287**: 884-888

Bonnington JK, McNaughton PA (2003) Signalling pathways involved in the sensitisation of mouse nociceptive neurones by nerve growth factor. *J Physiol* **551**: 433-446

Bonz A, Laser M, Kullmer S, Kniesch S, Babin-Ebell J, Popp V, Ertl G, Wagner JA (2003) Cannabinoids acting on CB1 receptors decrease contractile performance in human atrial muscle. *J Cardiovasc Pharmacol* **41**: 657-664

Bootman MD, Berridge MJ, Roderick HL (2002) Activating calcium release through inositol 1,4,5-trisphosphate receptors without inositol 1,4,5-trisphosphate. *Proc Natl Acad Sci U S A* **99**: 7320-7322

Bootman MD, Collins TJ, Mackenzie L, Roderick HL, Berridge MJ, Peppiatt CM (2002) 2-aminoethoxydiphenyl borate (2-APB) is a reliable blocker of store-operated Ca²⁺ entry but an inconsistent inhibitor of InsP₃-induced Ca²⁺ release. *Faseb J* **16**: 1145-1150

Bootman MD, Lipp P (1999) Ringing changes to the 'bell-shaped curve'. *Curr Biol* **9**: R876-878

Bord S, Ireland DC, Beavan SR, Compston JE (2003) The effects of estrogen on osteoprotegerin, RANKL, and estrogen receptor expression in human osteoblasts. *Bone* **32**: 136-141

Boring DL, Berglund BA, Howlett AC (1996) Cerebrodiene, arachidonyl-ethanolamide, and hybrid structures: potential for interaction with brain cannabinoid receptors. *Prostaglandins Leukot Essent Fatty Acids* **55**: 207-210

Bornheim LM, Kim KY, Chen B, Correia MA (1993) The effect of cannabidiol on mouse hepatic microsomal cytochrome P450-dependent anandamide metabolism. *Biochem Biophys Res Commun* **197**: 740-746

Bornheim LM, Kim KY, Chen B, Correia MA (1995) Microsomal cytochrome P450-mediated liver and brain anandamide metabolism. *Biochem Pharmacol* **50**: 677-686

Bossing T, Brand AH (2002) DpHrin, a transmembrane ephrin with a unique structure, prevents interneuronal axons from exiting the *Drosophila* embryonic CNS. *Development* **129**: 4205-4218

Botelho SY, Dartt DA (1980) Effect of calcium antagonism or chelation on rabbit lacrimal gland secretion and membrane potentials. *J Physiol* **304**: 397-403

Bouaboula M, Bianchini L, McKenzie FR, Pouyssegur J, Casellas P (1999) Cannabinoid receptor CB1 activates the Na⁺/H⁺ exchanger NHE-1 isoform via Gi-mediated mitogen activated protein kinase signaling transduction pathways. *FEBS Lett* **449**: 61-65

Bouaboula M, Bourrie B, Rinaldi-Carmona M, Shire D, Le Fur G, Casellas P (1995) Stimulation of cannabinoid receptor CB1 induces krox-24 expression in human astrocytoma cells. *J Biol Chem* **270**: 13973-13980

Bouaboula M, Desnoyer N, Carayon P, Combes T, Casellas P (1999) Gi protein modulation induced by a selective inverse agonist for the peripheral cannabinoid receptor CB2: implication for intracellular signalization cross-regulation. *Mol Pharmacol* **55**: 473-480

Bouaboula M, Dussossoy D, Casellas P (1999) Regulation of peripheral cannabinoid receptor CB2 phosphorylation by the inverse agonist SR 144528. Implications for receptor biological responses. *J Biol Chem* **274**: 20397-20405

Bouaboula M, Perrachon S, Milligan L, Canat X, Rinaldi-Carmona M, Portier M, Barth F, Calandra B, Pecceu F, Lupker J, Maffrand JP, Le Fur G, Casellas P (1997) A selective inverse agonist for central

cannabinoid receptor inhibits mitogen-activated protein kinase activation stimulated by insulin or insulin-like growth factor 1. Evidence for a new model of receptor/ligand interactions. *J Biol Chem* **272**: 22330-22339

Bouaboula M, Poinot-Chazel C, Bourrie B, Canat X, Calandra B, Rinaldi-Carmona M, Le Fur G, Casellas P (1995) Activation of mitogen-activated protein kinases by stimulation of the central cannabinoid receptor CB1. *Biochem J* **312 (Pt 2)**: 637-641

Bouaboula M, Poinot-Chazel C, Marchand J, Canat X, Bourrie B, Rinaldi-Carmona M, Calandra B, Le Fur G, Casellas P (1996) Signaling pathway associated with stimulation of CB2 peripheral cannabinoid receptor. Involvement of both mitogen-activated protein kinase and induction of Krox-24 expression. *Eur J Biochem* **237**: 704-711

Bouaboula M, Rinaldi M, Carayon P, Carillon C, Delpech B, Shire D, Le Fur G, Casellas P (1993) Cannabinoid-receptor expression in human leukocytes. *Eur J Biochem* **214**: 173-180

Bouchard JF, Lepicier P, Lamontagne D (2003) Contribution of endocannabinoids in the endothelial protection afforded by ischemic preconditioning in the isolated rat heart. *Life Sci* **72**: 1859-1870

Bracey MH, Hanson MA, Masuda KR, Stevens RC, Cravatt BF (2002) Structural adaptations in a membrane enzyme that terminates endocannabinoid signaling. *Science* **298**: 1793-1796

Bradbury J (2001) Small part of cannabis puzzle solved by animal studies. *Lancet* **358**: 302

Bradley JR, Pober JS (2001) Tumor necrosis factor receptor-associated factors (TRAFs). *Oncogene* **20**: 6482-6491

Bradshaw HB, Krey JF, Walker M (2003) Levels of endocannabinoids and related lipid mediators in the female rat reproductive tract change as a function of estrous cycle. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Brager DH, Kao JPY, Alger BE (2003) Endocannabinoid synthesis and release studied in single cells by photolytically - uncaged glutamate in hippocampus. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Bragin EO, Dergunov AD, Neugodova GL, Sorokovoi VI, Vladimirov Iu A (1977) [Role of phospholipase A2 in anoxic injury to the energy-dependent functions of the mitochondria]. *Vopr Med Khim* **23**: 673-676

Braida D, Sala M (2000) Cannabinoid-induced working memory impairment is reversed by a second generation cholinesterase inhibitor in rats. *Neuroreport* **11**: 2025-2029

Braida D, Sala M (2002) Role of the endocannabinoid system in MDMA intracerebral self-administration in rats. *Br J Pharmacol* **136**: 1089-1092

Brailoiu C, Beschea-Chiriac C, Chiriac M (1998) [Endothelium-derived hyperpolarizing factor]. *Rev Med Chir Soc Med Nat Iasi* **102**: 49-55

Brailoiu E, Miyamoto MD (2000) Inositol trisphosphate and cyclic adenosine diphosphate-ribose increase quantal transmitter release at frog motor nerve terminals: possible involvement of smooth endoplasmic reticulum. *Neuroscience* **95**: 927-931

Bramblett RD, Panu AM, Ballesteros JA, Reggio PH (1995) Construction of a 3D model of the cannabinoid CB1 receptor: determination of helix ends and helix orientation. *Life Sci* **56**: 1971-1982

Brandstatter JH, Greferath U, Euler T, Wassle H (1995) Co-stratification of GABAA receptors with the directionally selective circuitry of the rat retina. *Vis Neurosci* **12**: 345-358

Brandstatter JH, Wassle H, Betz H, Morgans CW (1996) The plasma membrane protein SNAP-25, but not syntaxin, is present at photoreceptor and bipolar cell synapses in the rat retina. *Eur J Neurosci* **8**: 823-828

Braud S, Bon C, Touqui L, Mounier C (2000) Activation of rabbit blood platelets by anandamide through its cleavage into arachidonic acid. *FEBS Lett* **471**: 12-16

Bravo J, Heath JK (2000) Receptor recognition by gp130 cytokines. *Embo J* **19**: 2399-2411

Bray S (2000) Planar polarity: out of joint? *Curr Biol* **10**: R155-158

Bray S, Furriols M (2001) Notch pathway: making sense of suppressor of hairless. *Curr Biol* **11**: R217-221

Brecha N, Johnson D, Peichl L, Wassle H (1988) Cholinergic amacrine cells of the rabbit retina contain glutamate decarboxylase and gamma-aminobutyrate immunoreactivity. *Proc Natl Acad Sci U S A* **85**: 6187-6191

Breckenridge RA, Mohun TJ, Amaya E (2001) A role for BMP signalling in heart looping morphogenesis in *Xenopus*. *Dev Biol* **232**: 191-203

Breivogel CS, Griffin G, Di Marzo V, Martin BR (2001) Evidence for a new G protein-coupled cannabinoid receptor in mouse brain. *Mol Pharmacol* **60**: 155-163

Brenman JE, Christopherson KS, Craven SE, McGee AW, Brecht DS (1996) Cloning and characterization of postsynaptic density 93, a nitric oxide synthase interacting protein. *J Neurosci* **16**: 7407-7415

Brennan K, Klein T, Wilder E, Arias AM (1999) Wingless modulates the effects of dominant negative notch molecules in the developing wing of *Drosophila*. *Dev Biol* **216**: 210-229

Brennan K, Tateson R, Lieber T, Couso JP, Zecchini V, Arias AM (1999) The abruptex mutations of notch disrupt the establishment of proneural clusters in *Drosophila*. *Dev Biol* **216**: 230-242

Brenowitz SD, Regehr WG (2003) Calcium dependence of retrograde inhibition by endocannabinoids at synapses onto Purkinje cells. *J Neurosci* **23**: 6373-6384

Bretscher MS (1999) The distribution of circulating receptors on COS 7 cells. *Exp Cell Res* **248**: 552-556

Bridges D, Ahmad K, Rice AS (2001) The synthetic cannabinoid WIN55,212-2 attenuates hyperalgesia and allodynia in a rat model of neuropathic pain. *Br J Pharmacol* **133**: 586-594

Bridges D, Rice AS, Egertova M, Elphick MR, Winter J, Michael GJ (2003) Localisation of cannabinoid receptor 1 in rat dorsal root ganglion using in situ hybridisation and immunohistochemistry. *Neuroscience* **119**: 803-812

Bright NA, Lindsay MR, Stewart A, Luzio JP (2001) The relationship between luminal and limiting membranes in swollen late endocytic compartments formed after wortmannin treatment or sucrose accumulation. *Traffic* **2**: 631-642

Brillantes AB, Ondrias K, Scott A, Kobrinsky E, Ondriasova E, Moschella MC, Jayaraman T, Landers M, Ehrlich BE, Marks AR (1994) Stabilization of calcium release channel (ryanodine receptor) function by FK506-binding protein. *Cell* **77**: 513-523

Bringmann A, Pannicke T, Reichenbach A, Skatchkov SN (2000) Ca²⁺ channel-mediated currents in retinal glial (Muller) cells of the toad (*Bufo marinus*). *Neurosci Lett* **281**: 155-158

Brinton RD (2001) Cellular and molecular mechanisms of estrogen regulation of memory function and neuroprotection against Alzheimer's disease: recent insights and remaining challenges. *Learn Mem* **8**: 121-133

Broad KD, Mimmack ML, Keverne EB, Kendrick KM (2002) Increased BDNF and trk-B mRNA expression in cortical and limbic regions following formation of a social recognition memory. *Eur J Neurosci* **16**: 2166-2174

Broad LM, Braun FJ, Lievremont JP, Bird GS, Kurosaki T, Putney JW, Jr. (2001) Role of the phospholipase C-inositol 1,4,5-trisphosphate pathway in calcium release-activated calcium current and capacitative calcium entry. *J Biol Chem* **276**: 15945-15952

Broad LM, Cannon TR, Short AD, Taylor CW (1999) Receptors linked to polyphosphoinositide hydrolysis stimulate Ca²⁺ extrusion by a phospholipase C-independent mechanism. *Biochem J* **342 (Pt 1)**: 199-206

Brodkin J, Moerschbaecher JM (1997) SR141716A antagonizes the disruptive effects of cannabinoid ligands on learning in rats. *J Pharmacol Exp Ther* **282**: 1526-1532

Brooks JW, Pryce G, Bisogno T, Jaggar SI, Hankey DJ, Brown P, Bridges D, Ledent C, Bifulco M, Rice AS, Di Marzo V, Baker D (2002) Arvanil-induced inhibition of spasticity and persistent pain: evidence for therapeutic sites of action different from the vanilloid VR1 receptor and cannabinoid CB(1)/CB(2) receptors. *Eur J Pharmacol* **439**: 83-92

Brotchie JM (2003) CB1 cannabinoid receptor signalling in Parkinson's disease. *Curr Opin Pharmacol* **3**: 54-61

Brown GC, Bal-Price A (2003) Inflammatory neurodegeneration mediated by nitric oxide, glutamate, and mitochondria. *Mol Neurobiol* **27**: 325-355

Brown KE, Freeman M (2003) Egr signalling defines a protective function for ommatidial orientation in the *Drosophila* eye. *Development* **130**: 5401-5412

Brown MJ, Cruickshank JK, Dominiczak AF, MacGregor GA, Poulter NR, Russell GI, Thom S, Williams B (2003) Better blood pressure control: how to combine drugs. *J Hum Hypertens* **17**: 81-86

Brown S, Hu N, Hombria JC (2001) Identification of the first invertebrate interleukin JAK/STAT receptor, the *Drosophila* gene domeless. *Curr Biol* **11**: 1700-1705

Brown S, Hu N, Hombria JC (2003) Novel level of signalling control in the JAK/STAT pathway revealed by in situ visualisation of protein-protein interaction during *Drosophila* development. *Development* **130**: 3077-3084

Brown SM, Wager-Miller J, Mackie K (2002) Cloning and molecular characterization of the rat CB2 cannabinoid receptor. *Biochim Biophys Acta* **1576**: 255-264

Brown SP, Brenowitz SD, Regehr WG (2003) Brief presynaptic bursts evoke synapse-specific retrograde inhibition mediated by endogenous cannabinoids. *Nat Neurosci* **6**: 1048-1057

Brown TM, Brotchie JM, Fitzjohn SM (2003) Cannabinoids decrease corticostriatal synaptic transmission via an effect on glutamate uptake. *J Neurosci* **23**: 11073-11077

Browne H, Bruun B, Minson T (2001) Plasma membrane requirements for cell fusion induced by herpes simplex virus type 1 glycoproteins gB, gD, gH and gL. *J Gen Virol* **82**: 1419-1422

Browne H, Bruun B, Whiteley A, Minson T (2003) Analysis of the role of the membrane-spanning and

cytoplasmic tail domains of herpes simplex virus type 1 glycoprotein D in membrane fusion. *J Gen Virol* **84**: 1085-1089

Brownlow SL, Harper AG, Harper MT, Sage SO (2004) A role for hTRPC1 and lipid raft domains in store-mediated calcium entry in human platelets. *Cell Calcium* **35**: 107-113

Brownlow SL, Sage SO (2003) Rapid agonist-evoked coupling of type II Ins(1,4,5)P₃ receptor with human transient receptor potential (hTRPC1) channels in human platelets. *Biochem J* **375**: 697-704

Bruera E, Castro M (2003) Cannabinoids in supportive care: are they necessary? *Support Care Cancer* **11**: 133-134

Brunder DG, Gyorke S, Dettbarn C, Palade P (1992) Involvement of sarcoplasmic reticulum 'Ca²⁺ release channels' in excitation-contraction coupling in vertebrate skeletal muscle. *J Physiol* **445**: 759-778

Bubiakina MS (1967) [The effect of excision of the (extraorbital) lacrimal glands on mineral metabolism in calcified tissues on the basis of the index of incorporated Ca⁴⁵]. *Patol Fiziol Eksp Ter* **11**: 68-70

Buchholz CJ, Koller D, Devaux P, Mumenthaler C, Schneider-Schaulies J, Braun W, Gerlier D, Cattaneo R (1997) Mapping of the primary binding site of measles virus to its receptor CD46. *J Biol Chem* **272**: 22072-22079

Buckley NE, Hansson S, Harta G, Mezey E (1998) Expression of the CB1 and CB2 receptor messenger RNAs during embryonic development in the rat. *Neuroscience* **82**: 1131-1149

Buday L, Khwaja A, Sipeki S, Farago A, Downward J (1996) Interactions of Cbl with two adapter proteins, Grb2 and Crk, upon T cell activation. *J Biol Chem* **271**: 6159-6163

Bueb JL, Lambert DM, Tschirhart EJ (2001) Receptor-independent effects of natural cannabinoids in rat peritoneal mast cells in vitro. *Biochim Biophys Acta* **1538**: 252-259

Burdyga G, Lal S, Varro A, Dimaline R, Thompson DG, Dockray GJ (2004) Expression of cannabinoid CB1 receptors by vagal afferent neurons is inhibited by cholecystokinin. *J Neurosci* **24**: 2708-2715

Burkey RT, Nation JR (1997) (R)-methanandamide, but not anandamide, substitutes for delta 9-THC in a drug-discrimination procedure. *Exp Clin Psychopharmacol* **5**: 195-202

Burkey TH, Quock RM, Consroe P, Ehler FJ, Hosohata Y, Roeske WR, Yamamura HI (1997) Relative efficacies of cannabinoid CB1 receptor agonists in the mouse brain. *Eur J Pharmacol* **336**: 295-298

Burstein SH (1999) The cannabinoid acids: nonpsychoactive derivatives with therapeutic potential. *Pharmacol Ther* **82**: 87-96

Burstein SH, Huang SM, Petros TJ, Rossetti RG, Walker JM, Zurier RB (2002) Regulation of anandamide tissue levels by N-arachidonylglycine. *Biochem Pharmacol* **64**: 1147-1150

Burstein SH, Hunter SA (1995) Stimulation of anandamide biosynthesis in N-18TG2 neuroblastoma cells by delta 9-tetrahydrocannabinol (THC). *Biochem Pharmacol* **49**: 855-858

Burstein SH, Rossetti RG, Yagen B, Zurier RB (2000) Oxidative metabolism of anandamide. *Prostaglandins Other Lipid Mediat* **61**: 29-41

Burstein SH, Young JK, Wright GE (1995) Relationships between eicosanoids and cannabinoids. Are eicosanoids cannabimimetic agents? *Biochem Pharmacol* **50**: 1735-1742

Burton SL, Ellar DJ, Li J, Derbyshire DJ (1999) N-acetylgalactosamine on the putative insect receptor aminopeptidase N is recognised by a site on the domain III lectin-like fold of a *Bacillus thuringiensis* insecticidal toxin. *J Mol Biol* **287**: 1011-1022

Busch-Petersen J, Hill WA, Fan P, Khanolkar A, Xie XQ, Tius MA, Makriyannis A (1996) Unsaturated side chain beta-11-hydroxyhexahydrocannabinol analogs. *J Med Chem* **39**: 3790-3796

Bush KT, Stuart RO, Li SH, Moura LA, Sharp AH, Ross CA, Nigam SK (1994) Epithelial inositol 1,4,5-trisphosphate receptors. Multiplicity of localization, solubility, and isoforms. *J Biol Chem* **269**: 23694-23699

Buss JE, Mumby SM, Casey PJ, Gilman AG, Sefton BM (1987) Myristoylated alpha subunits of guanine nucleotide-binding regulatory proteins. *Proc Natl Acad Sci U S A* **84**: 7493-7497

Butler GS, Butler MJ, Atkinson SJ, Will H, Tamura T, van Westrum SS, Crabbe T, Clements J, d'Ortho MP, Murphy G (1998) The TIMP2 membrane type 1 metalloproteinase "receptor" regulates the concentration and efficient activation of progelatinase A. A kinetic study. *J Biol Chem* **273**: 871-880

Byers DM, Cook HW, Palmer FB, Spence MW (1989) Cell-specific fatty acylation of proteins in cultured cells of neuronal and glial origin. *Neurochem Res* **14**: 503-509

Caberlotto L, Rimondini R, Hansson A, Eriksson S, Heilig M (2004) Corticotropin-releasing hormone (CRH) mRNA expression in rat central amygdala in cannabinoid tolerance and withdrawal: evidence for an allostatic shift? *Neuropsychopharmacology* **29**: 15-22

Cabral GA, Harmon KN, Carlisle SJ (2001) Cannabinoid-mediated inhibition of inducible nitric oxide production by rat microglial cells: evidence for CB1 receptor participation. *Adv Exp Med Biol* **493**: 207-214

Cabral GA, Toney DM, Fischer-Stenger K, Harrison MP, Marciano-Cabral F (1995) Anandamide inhibits

macrophage-mediated killing of tumor necrosis factor-sensitive cells. *Life Sci* **56**: 2065-2072

Cadas H, di Tomaso E, Piomelli D (1997) Occurrence and biosynthesis of endogenous cannabinoid precursor, N-arachidonoyl phosphatidylethanolamine, in rat brain. *J Neurosci* **17**: 1226-1242

Cadas H, Gaillet S, Beltramo M, Venance L, Piomelli D (1996) Biosynthesis of an endogenous cannabinoid precursor in neurons and its control by calcium and cAMP. *J Neurosci* **16**: 3934-3942

Cadas H, Schinelli S, Piomelli D (1996) Membrane localization of N-acylphosphatidylethanolamine in central neurons: studies with exogenous phospholipases. *J Lipid Mediat Cell Signal* **14**: 63-70

Cadogan AK, Alexander SP, Boyd EA, Kendall DA (1997) Influence of cannabinoids on electrically evoked dopamine release and cyclic AMP generation in the rat striatum. *J Neurochem* **69**: 1131-1137

Caille S, Parsons LH (2003) SR141716A reduces the reinforcing properties of heroin but not heroin-induced increases in nucleus accumbens dopamine in rats. *Eur J Neurosci* **18**: 3145-3149

Cainazzo MM, Ferrazza G, Mioni C, Bazzani C, Bertolini A, Guarini S (2002) Cannabinoid CB(1) receptor blockade enhances the protective effect of melanocortins in hemorrhagic shock in the rat. *Eur J Pharmacol* **441**: 91-97

Cajal Y, Jain MK (1997) Synergism between mellitin and phospholipase A2 from bee venom: apparent activation by intervesicle exchange of phospholipids. *Biochemistry* **36**: 3882-3893

Calandra B, Portier M, Kerneis A, Delpech M, Carillon C, Le Fur G, Ferrara P, Shire D (1999) Dual intracellular signaling pathways mediated by the human cannabinoid CB1 receptor. *Eur J Pharmacol* **374**: 445-455

Caldwell MA, Svendsen CN (1998) Heparin, but not other proteoglycans potentiates the mitogenic effects of FGF-2 on mesencephalic precursor cells. *Exp Neurol* **152**: 1-10

Calignano A, Katona I, Desarnaud F, Giuffrida A, La Rana G, Mackie K, Freund TF, Piomelli D (2000) Bidirectional control of airway responsiveness by endogenous cannabinoids. *Nature* **408**: 96-101

Calignano A, La Rana G, Beltramo M, Makriyannis A, Piomelli D (1997) Potentiation of anandamide hypotension by the transport inhibitor, AM404. *Eur J Pharmacol* **337**: R1-2

Calignano A, La Rana G, Giuffrida A, Piomelli D (1998) Control of pain initiation by endogenous cannabinoids. *Nature* **394**: 277-281

Calignano A, La Rana G, Loubet-Lescoulie P, Piomelli D (2000) A role for the endogenous cannabinoid system in the peripheral control of pain initiation. *Prog Brain Res* **129**: 471-482

Calignano A, La Rana G, Makriyannis A, Lin SY, Beltramo M, Piomelli D (1997) Inhibition of intestinal motility by anandamide, an endogenous cannabinoid. *Eur J Pharmacol* **340**: R7-8

Calignano A, La Rana G, Piomelli D (2001) Antinociceptive activity of the endogenous fatty acid amide, palmitylethanolamide. *Eur J Pharmacol* **419**: 191-198

Campbell DS, Holt CE (2001) Chemotropic responses of retinal growth cones mediated by rapid local protein synthesis and degradation. *Neuron* **32**: 1013-1026

Campbell DS, Regan AG, Lopez JS, Tannahill D, Harris WA, Holt CE (2001) Semaphorin 3A elicits stage-dependent collapse, turning, and branching in *Xenopus* retinal growth cones. *J Neurosci* **21**: 8538-8547

Campbell VA (2001) Tetrahydrocannabinol-induced apoptosis of cultured cortical neurones is associated with cytochrome c release and caspase-3 activation. *Neuropharmacology* **40**: 702-709

Cancela JM, Churchill GC, Galione A (1999) Coordination of agonist-induced Ca²⁺-signalling patterns by NAADP in pancreatic acinar cells. *Nature* **398**: 74-76

Carayon P, Marchand J, Dussossoy D, Derocq JM, Jbilo O, Bord A, Bouaboula M, Galiegue S, Mondiere P, Penarier G, Fur GL, Defrance T, Casellas P (1998) Modulation and functional involvement of CB2 peripheral cannabinoid receptors during B-cell differentiation. *Blood* **92**: 3605-3615

Cardy TJ, Taylor CW (1998) A novel role for calmodulin: Ca²⁺-independent inhibition of type-1 inositol trisphosphate receptors. *Biochem J* **334** (Pt 2): 447-455

Cardy TJ, Traynor D, Taylor CW (1997) Differential regulation of types-1 and -3 inositol trisphosphate receptors by cytosolic Ca²⁺. *Biochem J* **328** (Pt 3): 785-793

Carley DW, Paviovic S, Janelidze M, Radulovacki M (2002) Functional role for cannabinoids in respiratory stability during sleep. *Sleep* **25**: 391-398

Carlisle SJ, Marciano-Cabral F, Staab A, Ludwick C, Cabral GA (2002) Differential expression of the CB2 cannabinoid receptor by rodent macrophages and macrophage-like cells in relation to cell activation. *Int Immunopharmacol* **2**: 69-82

Carlson G, Wang Y, Alger BE (2002) Endocannabinoids facilitate the induction of LTP in the hippocampus. *Nat Neurosci* **5**: 723-724

Carpenter CL, Cantley LC (1996) Phosphoinositide kinases. *Curr Opin Cell Biol* **8**: 153-158

Carrier EJ, Kearn CS, Barkmeier AJ, Breese NM, Yang W, Nithipatikom K, Pfister SL, Campbell WB,

Hillard CJ (2004) Cultured rat microglial cells synthesize the endocannabinoid 2-arachidonylglycerol, which increases proliferation via a CB2 receptor-dependent mechanism. *Mol Pharmacol* **65**: 999-1007

Carriero D, Aberman J, Lin SY, Hill A, Makriyannis A, Salamone JD (1998) A detailed characterization of the effects of four cannabinoid agonists on operant lever pressing. *Psychopharmacology (Berl)* **137**: 147-156

Carruthers AM, Sellers LA, Jenkins DW, Jarvie EM, Feniuk W, Humphrey PP (2001) Adenosine A(1) receptor-mediated inhibition of protein kinase A-induced calcitonin gene-related peptide release from rat trigeminal neurons. *Mol Pharmacol* **59**: 1533-1541

Cartoni A, Margonelli A, Angelini G, Finazzi-Agro A, Maccarrone M (2004) Simplified chemical and radiochemical synthesis of 2-arachidonoyl-glycerol, an endogenous ligand of cannabinoid receptors. *Tetrahedron Letters* **45**: 2723-2726

Castane A, Valjent E, Ledent C, Parmentier M, Maldonado R, Valverde O (2002) Lack of CB1 cannabinoid receptors modifies nicotine behavioural responses, but not nicotine abstinence. *Neuropharmacology* **43**: 857-867

Castellano C, Cabib S, Palmisano A, Di Marzo V, Puglisi-Allegra S (1997) The effects of anandamide on memory consolidation in mice involve both D1 and D2 dopamine receptors. *Behav Pharmacol* **8**: 707-712

Castellano C, Rossi-Arnaud C, Cestari V, Costanzi M (2003) Cannabinoids and memory: animal studies. *Curr Drug Target CNS Neurol Disord* **2**: 389-402

Castellano C, Ventura R, Cabib S, Puglisi-Allegra S (1999) Strain-dependent effects of anandamide on memory consolidation in mice are antagonized by naltrexone. *Behav Pharmacol* **10**: 453-457

Castillo PE, Chevaleyre V (2003) The time course of endocannabinoid - mediated depression of GABA release depends on the duration of CB1R activation. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Casu MA, Porcella A, Ruiu S, Saba P, Marchese G, Carai MA, Reali R, Gessa GL, Pani L (2003) Differential distribution of functional cannabinoid CB1 receptors in the mouse gastroenteric tract. *Eur J Pharmacol* **459**: 97-105

Catalano RD, Kyriakou T, Chen J, Easton A, Hillhouse EW (2003) Regulation of corticotropin-releasing hormone type 2 receptors by multiple promoters and alternative splicing: identification of multiple splice variants. *Mol Endocrinol* **17**: 395-410

Cayre M, Buckingham SD, Yagodin S, Sattelle DB (1999) Cultured insect mushroom body neurons express functional receptors for acetylcholine, GABA, glutamate, octopamine, and dopamine. *J Neurophysiol* **81**: 1-14

Centonze D, Battista N, Rossi S, Mercuri NB, Finazzi-Agro A, Bernardi G, Calabresi P, Maccarrone M (2004) A Critical Interaction between Dopamine D2 Receptors and Endocannabinoids Mediates the Effects of Cocaine on Striatal GABAergic Transmission. *Neuropsychopharmacology*

Cernak I, Vink R, Natale J, Stoica B, Lea PMt, Movsesyan V, Ahmed F, Knoblach SM, Fricke ST, Faden AI (2004) The "Dark Side" of Endocannabinoids: A Neurotoxic Role for Anandamide. *J Cereb Blood Flow Metab* **24**: 564-578

Cesa R, Guastalla A, Cottone E, Mackie K, Beltramo M, Franzoni MF (2002) Relationships between CB1 cannabinoid receptors and pituitary endocrine cells in *Xenopus laevis*: an immunohistochemical study. *Gen Comp Endocrinol* **125**: 17-24

Cesa R, Mackie K, Beltramo M, Franzoni MF (2001) Cannabinoid receptor CB1-like and glutamic acid decarboxylase-like immunoreactivities in the brain of *Xenopus laevis*. *Cell Tissue Res* **306**: 391-398

Chadwick MP, Morling FJ, Cosset FL, Russell SJ (1999) Modification of retroviral tropism by display of IGF-I. *J Mol Biol* **285**: 485-494

Chakrabarti A, Ekuta JE, Onaivi ES (1998) Neurobehavioral effects of anandamide and cannabinoid receptor gene expression in mice. *Brain Res Bull* **45**: 67-74

Chakrabarti A, Onaivi ES, Chaudhuri G (1995) Cloning and sequencing of a cDNA encoding the mouse brain-type cannabinoid receptor protein. *DNA Seq* **5**: 385-388

Challis BG, Pritchard LE, Creemers JW, Delplanque J, Keogh JM, Luan J, Wareham NJ, Yeo GS, Bhattacharyya S, Froguel P, White A, Farooqi IS, O'Rahilly S (2002) A missense mutation disrupting a dibasic prohormone processing site in pro-opiomelanocortin (POMC) increases susceptibility to early-onset obesity through a novel molecular mechanism. *Hum Mol Genet* **11**: 1997-2004

Chalmers CJ, Balmanno K, Hadfield K, Ley R, Cook SJ (2003) Thrombin inhibits Bim (Bcl-2-interacting mediator of cell death) expression and prevents serum-withdrawal-induced apoptosis via protease-activated receptor 1. *Biochem J* **375**: 99-109

Chan HC, Kuo SC, Liu SC, Liu CH, Hsu SL (2002) 4-Fluoro-N-butylphenylacetamide: a synthetic phenylacetate derivative that upregulates Bcl-X(S), activates caspase cascade and induces apoptosis in

human squamous lung cancer CH27 cells. *Cancer Lett* **186**: 211-221

Chan PK, Yung WH (1998) Occlusion of the presynaptic action of cannabinoids in rat substantia nigra pars reticulata by cadmium. *Neurosci Lett* **249**: 57-60

Chang SI, Hammes GG (1988) Amino acid sequences of substrate-binding sites in chicken liver fatty acid synthase. *Biochemistry* **27**: 4753-4760

Chang YH, Lee ST, Lin WW (2001) Effects of cannabinoids on LPS-stimulated inflammatory mediator release from macrophages: involvement of eicosanoids. *J Cell Biochem* **81**: 715-723

Changya L, Gallacher DV, Irvine RF, Petersen OH (1989) Inositol 1,3,4,5-tetrakisphosphate and inositol 1,4,5-trisphosphate act by different mechanisms when controlling Ca²⁺ in mouse lacrimal acinar cells. *FEBS Lett* **251**: 43-48

Changya L, Gallacher DV, Irvine RF, Potter BV, Petersen OH (1989) Inositol 1,3,4,5-tetrakisphosphate is essential for sustained activation of the Ca²⁺-dependent K⁺ current in single internally perfused mouse lacrimal acinar cells. *J Membr Biol* **109**: 85-93

Chaperon F, Soubrie P, Puech AJ, Thiebot MH (1998) Involvement of central cannabinoid (CB1) receptors in the establishment of place conditioning in rats. *Psychopharmacology (Berl)* **135**: 324-332

Chaperon F, Thiebot MH (1999) Behavioral effects of cannabinoid agents in animals. *Crit Rev Neurobiol* **13**: 243-281

Chapman KD (1998) Phospholipase activity in plant growth and development and in response to environmental stress. *Trends in Plant Science* **3**: 319-426

Chapman KD (2000) Emerging physiological roles for N-acylphosphatidylethanolamine metabolism in plants: signal transduction and membrane protection. *Chem Phys Lipids* **108**: 221-229

Chapman KD (2004) Occurrence, metabolism, and prospective functions of N-acylethanolamines in plants. *Prog Lipid Res* **43**: 302-327

Chapman KD, Lin I, DeSouza AD (1995) Metabolism of cottonseed microsomal N-acylphosphatidylethanolamine. *Arch Biochem Biophys* **318**: 401-407

Chapman KD, Moore TS, Jr. (1993) N-acylphosphatidylethanolamine synthesis in plants: occurrence, molecular composition, and phospholipid origin. *Arch Biochem Biophys* **301**: 21-33

Chapman KD, Sprinkle WB (1996) Developmental, tissue-specific, and environmental factors regulate the biosynthesis of N-acylphosphatidylethanolamine in cotton (*Gossypium hirsutum* L.). *Journal of Plant Physiology* **149**: 277-284

Chapman KD, Tripathy S, Venables B, Desouza AD (1998) N-Acylethanolamines: formation and molecular composition of a new class of plant lipids. *Plant Physiol* **116**: 1163-1168

Chapman KD, Venables B, Markovic R, Blair RW, Jr., Bettinger C (1999) N-Acylethanolamines in seeds. Quantification of molecular species and their degradation upon imbibition. *Plant Physiology (Rockville)* **120**: 1157-1164

Chapman KD, Venables BJ, Dian EE, Grossa GW (2003) Identification and quantification of neuroactive N-acylethanolamines in cottonseed processing fractions. *Journal of the American Oil Chemists Society* **80**: 223-229

Chapman V (1999) The cannabinoid CB1 receptor antagonist, SR141716A, selectively facilitates nociceptive responses of dorsal horn neurones in the rat. *Br J Pharmacol* **127**: 1765-1767

Charnock-Jones DS, Burton GJ (2000) Placental vascular morphogenesis. *Baillieres Best Pract Res Clin Obstet Gynaecol* **14**: 953-968

Charnock-Jones DS, Clark DE, Licence D, Day K, Wooding FB, Smith SK (2001) Distribution of vascular endothelial growth factor (VEGF) and its binding sites at the maternal-fetal interface during gestation in pigs. *Reproduction* **122**: 753-760

Chataigneau T, Feletou M, Thollon C, Villeneuve N, Vilaine JP, Duhault J, Vanhoutte PM (1998) Cannabinoid CB1 receptor and endothelium-dependent hyperpolarization in guinea-pig carotid, rat mesenteric and porcine coronary arteries. *Br J Pharmacol* **123**: 968-974

Chatterjee VK (2001) Resistance to thyroid hormone, and peroxisome-proliferator-activated receptor gamma resistance. *Biochem Soc Trans* **29**: 227-231

Chatwin HM, Rudling JE, Patel D, Reale V, Evans PD (2003) Site-directed mutagenesis studies on the *Drosophila* octopamine/tyramine receptor. *Insect Biochem Mol Biol* **33**: 173-184

Chau PL, Howe PW (2002) Analysis methods for identifying coordinated movements during ligand unbinding. *J Comput Aided Mol Des* **16**: 755-765

Chawla S, Huang CL (2004) FPL-64176 alters both charge movement and Ca²⁺ release properties in amphibian muscle fibres. *Pflugers Arch*

Chawla S, Skepper JN, Hockaday AR, Huang CL (2001) Calcium waves induced by hypertonic solutions

in intact frog skeletal muscle fibres. *J Physiol* **536**: 351-359

Chawla S, Skepper JN, Huang CL (2002) Differential effects of sarcoplasmic reticular Ca(2+)-ATPase inhibition on charge movements and calcium transients in intact amphibian skeletal muscle fibres. *J Physiol* **539**: 869-882

Chaytor AT, Martin PE, Evans WH, Randall MD, Griffith TM (1999) The endothelial component of cannabinoid-induced relaxation in rabbit mesenteric artery depends on gap junctional communication. *J Physiol* **520 Pt 2**: 539-550

Cheer JF, Cadogan AK, Marsden CA, Fone KC, Kendall DA (1999) Modification of 5-HT₂ receptor mediated behaviour in the rat by oleamide and the role of cannabinoid receptors. *Neuropharmacology* **38**: 533-541

Cheer JF, Kendall DA, Marsden CA (1998) In vivo evidence for oleamide as a potential endocannabinoid ligand. *British Journal of Pharmacology* **125**

Cheer JF, Marsden CA, Kendall DA, Mason R (2000) Lack of response suppression follows repeated ventral tegmental cannabinoid administration: an in vitro electrophysiological study. *Neuroscience* **99**: 661-667

Cheer JF, Wassum KM, Heien ML, Phillips PE, Wightman RM (2004) Cannabinoids enhance subsecond dopamine release in the nucleus accumbens of awake rats. *J Neurosci* **24**: 4393-4400

Chemin J, Monteil A, Perez-Reyes E, Nargeot J, Lory P (2001) Direct inhibition of T-type calcium channels by the endogenous cannabinoid anandamide. *Embo J* **20**: 7033-7040

Chemin J, Nargeot J, Lory P (2002) Neuronal T-type alpha 1H calcium channels induce neuritogenesis and expression of high-voltage-activated calcium channels in the NG108-15 cell line. *J Neurosci* **22**: 6856-6862

Chen K, Ratzliff A, Hilgenberg L, Gulyas A, Freund TF, Smith M, Dinh TP, Piomelli D, Mackie K, Soltesz I (2003) Long-term plasticity of endocannabinoid signaling induced by developmental febrile seizures. *Neuron* **39**: 599-611

Chen N, Appell M, Berfield JL, Reith ME (2003) Inhibition by arachidonic acid and other fatty acids of dopamine uptake at the human dopamine transporter. *Eur J Pharmacol* **478**: 89-95

Chen RZ, Huang RR, Shen CP, MacNeil DJ, Fong TM (2004) Synergistic effects of cannabinoid inverse agonist AM251 and opioid antagonist nalmefene on food intake in mice. *Brain Res* **999**: 227-230

Chen WC, Huang JK, Cheng JS, Tsai JC, Chiang AJ, Chou KJ, Liu CP, Jan CR (2001) AM-404 elevates renal intracellular Ca(2+), questioning its selectivity as a pharmacological tool for investigating the anandamide transporter. *J Pharmacol Toxicol Methods* **45**: 195-198

Chen Y, McCarron RM, Ohara Y, Bemby J, Azzam N, Lenz FA, Shohami E, Mechoulam R, Spatz M (2000) Human brain capillary endothelium: 2-arachidonoglycerol (endocannabinoid) interacts with endothelin-1. *Circ Res* **87**: 323-327

Cheng H, Straub SG, Sharp GW (2003) Protein acylation in the inhibition of insulin secretion by norepinephrine, somatostatin, galanin, and PGE₂. *Am J Physiol Endocrinol Metab* **285**: E287-294

Chevalleyre V, Castillo PE (2003) Heterosynaptic LTD of hippocampal GABAergic synapses: a novel role of endocannabinoids in regulating excitability. *Neuron* **38**: 461-472

Chevalleyre V, Castillo PE (2003) Synaptic specificity of endocannabinoid - mediated LTD at hippocampal inhibitory synapses. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Child CJ, Shoolingin-Jordan PM (1998) Inactivation of the polyketide synthase, 6-methylsalicylic acid synthase, by the specific modification of Cys-204 of the beta-ketoacyl synthase by the fungal mycotoxin cerulenin. *Biochem J* **330 (Pt 2)**: 933-937

Child CJ, Spencer JB, Bhogal P, Shoolingin-Jordan PM (1996) Structural similarities between 6-methylsalicylic acid synthase from *Penicillium patulum* and vertebrate type I fatty acid synthase: evidence from thiol modification studies. *Biochemistry* **35**: 12267-12274

Childers SR, Breivogel CS (1998) Cannabis and endogenous cannabinoid systems. *Drug Alcohol Depend* **51**: 173-187

Childers SR, Deadwyler SA (1996) Role of cyclic AMP in the actions of cannabinoid receptors. *Biochem Pharmacol* **52**: 819-827

Childers SR, Sexton T, Roy MB (1994) Effects of anandamide on cannabinoid receptors in rat brain membranes. *Biochem Pharmacol* **47**: 711-715

Chin CN, Lucas-Lenard J, Abadji V, Kendall DA (1998) Ligand binding and modulation of cyclic AMP levels depend on the chemical nature of residue 192 of the human cannabinoid receptor 1. *J Neurochem* **70**: 366-373

Chin CN, Murphy JW, Huffman JW, Kendall DA (1999) The third transmembrane helix of the cannabinoid receptor plays a role in the selectivity of aminoalkylindoles for CB₂, peripheral cannabinoid receptor. *J*

Pharmacol Exp Ther **291**: 837-844

Choi G, Landin J, Xie XQ (2002) The cytoplasmic helix of cannabinoid receptor CB2, a conformational study by circular dichroism and (1)H NMR spectroscopy in aqueous and membrane-like environments. *J Pept Res* **60**: 169-177

Chou KJ, Tseng LL, Cheng JS, Wang JL, Fang HC, Lee KC, Su W, Law YP, Jan CR (2001) CP55,940 increases intracellular Ca²⁺ levels in Madin-Darby canine kidney cells. *Life Sci* **69**: 1541-1548

Christopoulos A, Coles P, Lay L, Lew MJ, Angus JA (2001) Pharmacological analysis of cannabinoid receptor activity in the rat vas deferens. *Br J Pharmacol* **132**: 1281-1291

Christopoulos A, Wilson K (2001) Interaction of anandamide with the M(1) and M(4) muscarinic acetylcholine receptors. *Brain Res* **915**: 70-78

Chu C, Ramamurthy A, Makriyannis A, Tius MA (2003) Synthesis of covalent probes for the radiolabeling of the cannabinoid receptor. *J Org Chem* **68**: 55-61

Chu CJ, Huang SM, De Petrocellis L, Bisogno T, Ewing SA, Miller JD, Zipkin RE, Daddario N, Appendino G, Di Marzo V, Walker JM (2003) N-oleoyldopamine, a novel endogenous capsaicin-like lipid that produces hyperalgesia. *J Biol Chem* **278**: 13633-13639

Chuang SC, Bianchi R, Wong RK (2000) Group I mGluR activation turns on a voltage-gated inward current in hippocampal pyramidal cells. *J Neurophysiol* **83**: 2844-2853

Chuchawankul S, Shima M, Buckley NE, Hartmann CB, McCoy KL (2004) Role of cannabinoid receptors in inhibiting macrophage costimulatory activity. *Int Immunopharmacol* **4**: 265-278

Chudasama Y, Dalley JW, Nathwani F, Bouger P, Robbins TW (2004) Cholinergic modulation of visual attention and working memory: dissociable effects of basal forebrain 192-IgG-saporin lesions and intraprefrontal infusions of scopolamine. *Learn Mem* **11**: 78-86

Ciccolini F (2001) Identification of two distinct types of multipotent neural precursors that appear sequentially during CNS development. *Mol Cell Neurosci* **17**: 895-907

Ciccolini F, Collins TJ, Sudhoelter J, Lipp P, Berridge MJ, Bootman MD (2003) Local and global spontaneous calcium events regulate neurite outgrowth and onset of GABAergic phenotype during neural precursor differentiation. *J Neurosci* **23**: 103-111

Cichewicz DL, Haller VL, Welch SP (2001) Changes in opioid and cannabinoid receptor protein following short-term combination treatment with delta(9)-tetrahydrocannabinol and morphine. *J Pharmacol Exp Ther* **297**: 121-127

Cipolla C, Occhionero T, Orciari P, Lugo G, D'Antuono G (1990) Magnesium pidolate in the treatment of seasonal allergic rhinitis. Preliminary data. *Magnes Res* **3**: 109-112

Clark DE, Smith SK, He Y, Day KA, Licence DR, Corps AN, Lammoglia R, Charnock-Jones DS (1998) A vascular endothelial growth factor antagonist is produced by the human placenta and released into the maternal circulation. *Biol Reprod* **59**: 1540-1548

Clark DE, Smith SK, Sharkey AM, Charnock-Jones DS (1996) Localization of VEGF and expression of its receptors flt and KDR in human placenta throughout pregnancy. *Hum Reprod* **11**: 1090-1098

Clark K, Hammond E, Rabbitts P (2002) Temporal and spatial expression of two isoforms of the Dutt1/Robo1 gene in mouse development. *FEBS Lett* **523**: 12-16

Clatworthy MR, Smith KG (2004) Fc{gamma}RIIb Balances Efficient Pathogen Clearance and the Cytokine-mediated Consequences of Sepsis. *J Exp Med* **199**: 717-723

Clayton E, Bardi G, Bell SE, Chantry D, Downes CP, Gray A, Humphries LA, Rawlings D, Reynolds H, Vigorito E, Turner M (2002) A crucial role for the p110delta subunit of phosphatidylinositol 3-kinase in B cell development and activation. *J Exp Med* **196**: 753-763

Clayton GM, Peak-Chew SY, Evans RM, Schwabe JW (2001) The structure of the ultraspiracle ligand-binding domain reveals a nuclear receptor locked in an inactive conformation. *Proc Natl Acad Sci U S A* **98**: 1549-1554

Clayton N, Marshall FH, Bountra C, O'Shaughnessy CT (2002) CB1 and CB2 cannabinoid receptors are implicated in inflammatory pain. *Pain* **96**: 253-260

Clement AB, Hawkins EG, Lichtman AH, Cravatt BF (2003) Increased seizure susceptibility and proconvulsant activity of anandamide in mice lacking fatty acid amide hydrolase. *J Neurosci* **23**: 3916-3923

Coates JC, de Bono M (2002) Antagonistic pathways in neurons exposed to body fluid regulate social feeding in *Caenorhabditis elegans*. *Nature* **419**: 925-929

Coburn AF, Graham CE, Haninger J (1954) The effect of egg yolk in diets on anaphylactic arthritis (passive Arthus phenomenon) in the guinea pig. *J Exp Med* **100**: 425-435

Coco S, Calegari F, Pravettoni E, Pozzi D, Taverna E, Rosa P, Matteoli M, Verderio C (2003) Storage and release of ATP from astrocytes in culture. *J Biol Chem* **278**: 1354-1362

Coffey RG, Yamamoto Y, Snella E, Pross S (1996) Tetrahydrocannabinol inhibition of macrophage nitric oxide production. *Biochem Pharmacol* **52**: 743-751

Cole SL, Schindler M, Sellers LA, Humphrey PP (2001) Titrating the expression of a Gi protein-coupled receptor using an ecdysone-inducible system in CHO-K1 cells. *Receptors Channels* **7**: 289-302

Colgin LL, Kramar EA, Gall CM, Lynch G (2003) Septal modulation of excitatory transmission in hippocampus. *J Neurophysiol* **90**: 2358-2366

Collier S, Chan HY, Toda T, McKimmie C, Johnson G, Adler PN, O'Kane C, Ashburner M (2000) The *Drosophila* embargoed gene is required for larval progression and encodes the functional homolog of *Schizosaccharomyces* Crm1. *Genetics* **155**: 1799-1807

Collin C, Devane WA, Dahl D, Lee CJ, Axelrod J, Alkon DL (1995) Long-term synaptic transformation of hippocampal CA1 gamma-aminobutyric acid synapses and the effect of anandamide. *Proc Natl Acad Sci U S A* **92**: 10167-10171

Collingwood TN, Butler A, Tone Y, Clifton-Bligh RJ, Parker MG, Chatterjee VK (1997) Thyroid hormone-mediated enhancement of heterodimer formation between thyroid hormone receptor beta and retinoid X receptor. *J Biol Chem* **272**: 13060-13065

Collingwood TN, Wagner R, Matthews CH, Clifton-Bligh RJ, Gurnell M, Rajanayagam O, Agostini M, Fletcher R, Beck-Peccoz P, Reinhardt W, Binder G, Ranke MB, Hermus A, Hesch RD, Lazarus J, Newrick P, Parfitt V, Raggatt P, de Zegher F, Chatterjee VK (1998) A role for helix 3 of the TRbeta ligand-binding domain in coactivator recruitment identified by characterization of a third cluster of mutations in resistance to thyroid hormone. *Embo J* **17**: 4760-4770

Colognato H, Baron W, Avellana-Adalid V, Relvas JB, Baron-Van Evercooren A, Georges-Labouesse E, French-Constant C (2002) CNS integrins switch growth factor signalling to promote target-dependent survival. *Nat Cell Biol* **4**: 833-841

Colombo G, Agabio R, Diaz G, Lobina C, Reali R, Gessa GL (1998) Appetite suppression and weight loss after the cannabinoid antagonist SR 141716. *Life Sci* **63**: PL113-117

Colombo G, Agabio R, Fa M, Guano L, Lobina C, Loche A, Reali R, Gessa GL (1998) Reduction of voluntary ethanol intake in ethanol-preferring sP rats by the cannabinoid antagonist SR-141716. *Alcohol* **33**: 126-130

Colombo G, Agabio R, Lobina C, Reali R, Gessa GL (1998) Cannabinoid modulation of intestinal propulsion in mice. *Eur J Pharmacol* **344**: 67-69

Colombo G, Serra S, Brunetti G, Gomez R, Melis S, Vacca G, Carai MM, Gessa L (2002) Stimulation of voluntary ethanol intake by cannabinoid receptor agonists in ethanol-preferring sP rats. *Psychopharmacology (Berl)* **159**: 181-187

Comings DE, Muhleman D, Gade R, Johnson P, Verde R, Saucier G, MacMurray J (1997) Cannabinoid receptor gene (CNR1): association with i.v. drug use. *Mol Psychiatry* **2**: 161-168

Compston J (2000) Prevention of osteoporotic fractures in post-menopausal women. *Baillieres Best Pract Res Clin Endocrinol Metab* **14**: 251-264

Compton DR, Martin BR (1997) The effect of the enzyme inhibitor phenylmethylsulfonyl fluoride on the pharmacological effect of anandamide in the mouse model of cannabimimetic activity. *J Pharmacol Exp Ther* **283**: 1138-1143

Condie R, Herring A, Koh WS, Lee M, Kaminski NE (1996) Cannabinoid inhibition of adenylate cyclase-mediated signal transduction and interleukin 2 (IL-2) expression in the murine T-cell line, EL4.IL-2. *J Biol Chem* **271**: 13175-13183

Consroe P (1998) Brain cannabinoid systems as targets for the therapy of neurological disorders. *Neurobiol Dis* **5**: 534-551

Contassot E, Tenan M, Schnuriger V, Pelte MF, Dietrich PY (2004) Arachidonyl ethanolamide induces apoptosis of uterine cervix cancer cells via aberrantly expressed vanilloid receptor-1. *Gynecol Oncol* **93**: 182-188

Conti S, Costa B, Colleoni M, Parolaro D, Giagnoni G (2002) Antiinflammatory action of endocannabinoid palmitoylethanolamide and the synthetic cannabinoid nabilone in a model of acute inflammation in the rat. *Br J Pharmacol* **135**: 181-187

Contreras CM, Gutierrez-Garcia AG, Saavedra M, Bernal-Morales B, Rodriguez-Landa JF, Hernandez-Lozano M (2003) Adverse and palliative effects of the cannabinoids. *Salud Mental* **26**: 62-75

Cook JL, Giardina JF, Zhang Z, Re RN (2002) Intracellular angiotensin II increases the long isoform of PDGF mRNA in rat hepatoma cells. *J Mol Cell Cardiol* **34**: 1525-1537

Cook LJ, Ho LW, Taylor AE, Brayne C, Evans JG, Xuereb J, Cairns NJ, Pritchard A, Lemmon H, Mann D, St Clair D, Turic D, Hollingworth P, Moore PJ, Jehu L, Archer N, Walter S, Foy C, Edmondson A,

Powell J, Lovestone S, Owen MJ, Williams J, Lendon C, Rubinsztein DC (2004) Candidate gene association studies of the alpha4 (CHRNA4) and beta2 (CHRN2) neuronal nicotinic acetylcholine receptor subunit genes in Alzheimer's disease. *Neurosci Lett* **358**: 142-146

Cook SA, Lowe JA, Martin BR (1998) CB1 receptor antagonist precipitates withdrawal in mice exposed to Delta9-tetrahydrocannabinol. *J Pharmacol Exp Ther* **285**: 1150-1156

Cooper I, Lord T, Tice PA (1995) Hydrolysis studies on oleamide in simulated gastrointestinal fluids. *Food Addit Contam* **12**: 769-777

Cooper MA (2003) Biosensor profiling of molecular interactions in pharmacology. *Curr Opin Pharmacol* **3**: 557-562

Cooper MA (2003) Label-free screening of bio-molecular interactions. *Anal Bioanal Chem* **377**: 834-842

Cooper MA, Hansson A, Lofas S, Williams DH (2000) A vesicle capture sensor chip for kinetic analysis of interactions with membrane-bound receptors. *Anal Biochem* **277**: 196-205

Cooper MT, Bray SJ (2000) R7 photoreceptor specification requires Notch activity. *Curr Biol* **10**: 1507-1510

Copello JA, Qi Y, Jeyakumar LH, Ogunbunmi E, Fleischer S (2001) Lack of effect of cADP-ribose and NAADP on the activity of skeletal muscle and heart ryanodine receptors. *Cell Calcium* **30**: 269-284

Corchero J, Romero J, Berrendero F, Fernandez-Ruiz J, Ramos JA, Fuentes JA, Manzanares J (1999) Time-dependent differences of repeated administration with Delta9-tetrahydrocannabinol in proenkephalin and cannabinoid receptor gene expression and G-protein activation by mu-opioid and CB1-cannabinoid receptors in the caudate-putamen. *Brain Res Mol Brain Res* **67**: 148-157

Correa V, Riley AM, Shuto S, Horne G, Nerou EP, Marwood RD, Potter BV, Taylor CW (2001) Structural determinants of adenophostin A activity at inositol trisphosphate receptors. *Mol Pharmacol* **59**: 1206-1215

Corti C, Clarkson RW, Crepaldi L, Sala CF, Xuereb JH, Ferraguti F (2003) Gene structure of the human metabotropic glutamate receptor 5 and functional analysis of its multiple promoters in neuroblastoma and astrogloma cells. *J Biol Chem* **278**: 33105-33119

Corti C, Xuereb JH, Corsi M, Ferraguti F (2001) Identification and characterization of the promoter region of the GRM3 gene. *Biochem Biophys Res Commun* **286**: 381-387

Coruzzi G, Adami M, Coppelli G, Frati P, Soldani G (1999) Inhibitory effect of the cannabinoid receptor agonist WIN 55,212-2 on pentagastrin-induced gastric acid secretion in the anaesthetized rat. *Naunyn Schmiedebergs Arch Pharmacol* **360**: 715-718

Cosenza M, Gifford AN, Gatley SJ, Pyatt B, Liu Q, Makriyannis A, Volkow ND (2000) Locomotor activity and occupancy of brain cannabinoid CB1 receptors by the antagonist/inverse agonist AM281. *Synapse* **38**: 477-482

Cossu G, Ledent C, Fattore L, Imperato A, Bohme GA, Parmentier M, Fratta W (2001) Cannabinoid CB1 receptor knockout mice fail to self-administer morphine but not other drugs of abuse. *Behav Brain Res* **118**: 61-65

Costa B, Colleoni M (1999) SR141716A induces in rats a behavioral pattern opposite to that of CB1 receptor agonists. *Zhongguo Yao Li Xue Bao* **20**: 1103-1108

Costa B, Colleoni M (2000) Changes in rat brain energetic metabolism after exposure to anandamide or Delta(9)-tetrahydrocannabinol. *Eur J Pharmacol* **395**: 1-7

Costa B, Giagnoni G, Colleoni M (2000) Precipitated and spontaneous withdrawal in rats tolerant to anandamide. *Psychopharmacology (Berl)* **149**: 121-128

Costa B, Parolaro D, Colleoni M (2002) Chronic treatment with the endocannabinoid anandamide increases cytochrome P450 metabolizing system in the rat. *Eur J Pharmacol* **449**: 61-69

Costa B, Vailati S, Colleoni M (1999) SR 141716A, a cannabinoid receptor antagonist, reverses the behavioural effects of anandamide-treated rats. *Behav Pharmacol* **10**: 327-331

Costanzi M, Battaglia M, Populin R, Cestari V, Castellano C (2003) Anandamide and memory in CD1 mice: effects of immobilization stress and of prior experience. *Neurobiol Learn Mem* **79**: 204-211

Costanzi M, Battaglia M, Rossi-Arnaud C, Cestari V, Castellano C (2004) Effects of anandamide and morphine combinations on memory consolidation in cd1 mice: involvement of dopaminergic mechanisms. *Neurobiol Learn Mem* **81**: 144-149

Costentin J (2000) [Pain and its main transmitters]. *Ann Pharm Fr* **58**: 77-83

Cota D, Genghini S, Pasquali R, Pagotto U (2003) Antagonizing the cannabinoid receptor Type 1: A dual way to fight obesity. *Journal of Endocrinological Investigation* **26**: 1041-1044

Cota D, Marsicano G, Lutz B, Vicennati V, Stalla GK, Pasquali R, Pagotto U (2003) Endogenous cannabinoid system as a modulator of food intake. *Int J Obes Relat Metab Disord* **27**: 289-301

Cota D, Marsicano G, Tschop M, Grubler Y, Flachskamm C, Schubert M, Auer D, Yassouridis A, Thone-Reineke C, Ortman S, Tomassoni F, Cervino C, Nisoli E, Linthorst AC, Pasquali R, Lutz B,

Stalla GK, Pagotto U (2003) The endogenous cannabinoid system affects energy balance via central orexigenic drive and peripheral lipogenesis. *J Clin Invest* **112**: 423-431

Cotterill LA, Gower JD, Fuller BJ, Green CJ (1990) Evidence that calcium mediates free radical damage through activation of phospholipase A2 during cold storage of the rabbit kidney. *Adv Exp Med Biol* **264**: 397-400

Cottone E, Salio C, Conrath M, Franzoni MF (2003) *Xenopus laevis* CB1 cannabinoid receptor: molecular cloning and mRNA distribution in the central nervous system. *J Comp Neurol* **464**: 487-496

Cousins GR, Furlan RL, Ng YF, Redman JE, Sanders JK (2001) Identification and Isolation of a Receptor for N-Methyl Alkylammonium Salts: Molecular Amplification in a Pseudo-peptide Dynamic Combinatorial Library This work was supported by the Biotechnology and Biological Sciences Research Council (UK), Engineering and Physical Sciences Research Council (UK), Ethyl Corporation (UK), and Fundacion Antorchas and Consejo Nacional de Investigaciones Cientificas y Tecnicas (Argentina). *Angew Chem Int Ed Engl* **40**: 423-428

Cousins GR, Poulsen SA, Sanders JK (2000) Molecular evolution: dynamic combinatorial libraries, autocatalytic networks and the quest for molecular function. *Curr Opin Chem Biol* **4**: 270-279

Coutts AA, Anavi-Goffer S, Ross RA, MacEwan DJ, Mackie K, Pertwee RG, Irving AJ (2001) Agonist-induced internalization and trafficking of cannabinoid CB1 receptors in hippocampal neurons. *J Neurosci* **21**: 2425-2433

Coutts AA, Brewster N, Ingram T, Razdan RK, Pertwee RG (2000) Comparison of novel cannabinoid partial agonists and SR141716A in the guinea-pig small intestine. *Br J Pharmacol* **129**: 645-652

Coutts AA, Irving AJ, Mackie K, Pertwee RG, Anavi-Goffer S (2002) Localisation of cannabinoid CB(1) receptor immunoreactivity in the guinea pig and rat myenteric plexus. *J Comp Neurol* **448**: 410-422

Coutts AA, Pertwee RG (1997) Inhibition by cannabinoid receptor agonists of acetylcholine release from the guinea-pig myenteric plexus. *Br J Pharmacol* **121**: 1557-1566

Coutts AA, Pertwee RG (1998) Evidence that cannabinoid-induced inhibition of electrically evoked contractions of the myenteric plexus-longitudinal muscle preparation of guinea-pig small intestine can be modulated by Ca²⁺ and cAMP. *Can J Physiol Pharmacol* **76**: 340-346

Craib SJ, Ellington HC, Pertwee RG, Ross RA (2001) A possible role of lipoxygenase in the activation of vanilloid receptors by anandamide in the guinea-pig bronchus. *Br J Pharmacol* **134**: 30-37

Cranston AN, Ponder BA (2003) Modulation of medullary thyroid carcinoma penetrance suggests the presence of modifier genes in a RET transgenic mouse model. *Cancer Res* **63**: 4777-4780

Cravatt BF, Demarest K, Patricelli MP, Bracey MH, Giang DK, Martin BR, Lichtman AH (2001) Supersensitivity to anandamide and enhanced endogenous cannabinoid signaling in mice lacking fatty acid amide hydrolase. *Proc Natl Acad Sci U S A* **98**: 9371-9376

Cravatt BF, Giang DK, Mayfield SP, Boger DL, Lerner RA, Gilula NB (1996) Molecular characterization of an enzyme that degrades neuromodulatory fatty-acid amides. *Nature* **384**: 83-87

Cravatt BF, Lichtman AH (2002) The enzymatic inactivation of the fatty acid amide class of signaling lipids. *Chem Phys Lipids* **121**: 135-148

Cravatt BF, Lichtman AH (2003) Fatty acid amide hydrolase: an emerging therapeutic target in the endocannabinoid system. *Curr Opin Chem Biol* **7**: 469-475

Crawford JH, Wainwright A, Heavens R, Pollock J, Martin DJ, Scott RH, Seabrook GR (2000) Mobilisation of intracellular Ca²⁺ by mGluR5 metabotropic glutamate receptor activation in neonatal rat cultured dorsal root ganglia neurones. *Neuropharmacology* **39**: 621-630

Crawley JN, Corwin RL, Robinson JK, Felder CC, Devane WA, Axelrod J (1993) Anandamide, an endogenous ligand of the cannabinoid receptor, induces hypomotility and hypothermia in vivo in rodents. *Pharmacol Biochem Behav* **46**: 967-972

Crease DJ, Dyson S, Gurdon JB (1998) Cooperation between the activin and Wnt pathways in the spatial control of organizer gene expression. *Proc Natl Acad Sci U S A* **95**: 4398-4403

Creedon DJ, Johnson EM, Lawrence JC (1996) Mitogen-activated protein kinase-independent pathways mediate the effects of nerve growth factor and cAMP on neuronal survival. *J Biol Chem* **271**: 20713-20718

Croci T, Landi M, Galzin AM, Marini P (2003) Role of cannabinoid CB1 receptors and tumor necrosis factor-alpha in the gut and systemic anti-inflammatory activity of SR 141716 (Rimonabant) in rodents. *Br J Pharmacol* **140**: 115-122

Croci T, Manara L, Auggi G, Guagnini F, Rinaldi-Carmona M, Maffrand JP, Le Fur G, Mukenge S, Ferla G (1998) In vitro functional evidence of neuronal cannabinoid CB1 receptors in human ileum. *Br J Pharmacol* **125**: 1393-1395

Crowley VE, Yeo GS, O'Rahilly S (2002) Obesity therapy: altering the energy intake-and-expenditure

balance sheet. *Nat Rev Drug Discov* **1**: 276-286

Croxford JL (2003) Therapeutic potential of cannabinoids in CNS disease. *CNS Drugs* **17**: 179-202

Crozier Willi G, Berger A, Di Marzo V, Bisogno T, De Petrocellis L, Fride E, Mechoulam R (2001) Lipids in neural function: modulation of behavior by oral administration of endocannabinoids found in foods. *Nestle Nutr Workshop Ser Clin Perform Programme*: 169-184; discussion 185-167

Cruz F (2004) Mechanisms involved in new therapies for overactive bladder. *Urology* **63**: 65-73

Cryan JF, Gasparini F, van Heeke G, Markou A (2003) Non-nicotinic neuropharmacological strategies for nicotine dependence: beyond bupropion. *Drug Discov Today* **8**: 1025-1034

D'Mello SR, Borodezt K, Soltoff SP (1997) Insulin-like growth factor and potassium depolarization maintain neuronal survival by distinct pathways: possible involvement of PI 3-kinase in IGF-1 signaling. *J Neurosci* **17**: 1548-1560

D'Souza DC, Kosten TR (2001) Cannabinoid antagonists: a treatment in search of an illness. *Arch Gen Psychiatry* **58**: 330-331

D OG, Ireland D, Bord S, Compston JE (2004) Joint erosion in rheumatoid arthritis: interactions between tumour necrosis factor alpha, interleukin 1, and receptor activator of nuclear factor kappaB ligand (RANKL) regulate osteoclasts. *Ann Rheum Dis* **63**: 354-359

Da S, Takahashi RN (2002) SR 141716A prevents delta 9-tetrahydrocannabinol-induced spatial learning deficit in a Morris-type water maze in mice. *Prog Neuropsychopharmacol Biol Psychiatry* **26**: 321-325

da Silva AM, Klein C (1990) A rapid posttranslational myristylation of a 68-kD protein in *D. discoideum*. *J Cell Biol* **111**: 401-407

Daaka Y, Friedman H, Klein TW (1996) Cannabinoid receptor proteins are increased in Jurkat, human T-cell line after mitogen activation. *J Pharmacol Exp Ther* **276**: 776-783

Daaka Y, Zhu W, Friedman H, Klein TW (1997) Induction of interleukin-2 receptor alpha gene by delta9-tetrahydrocannabinol is mediated by nuclear factor kappaB and CB1 cannabinoid receptor. *DNA Cell Biol* **16**: 301-309

Dal Santo P, Logan MA, Chisholm AD, Jorgensen EM (1999) The inositol trisphosphate receptor regulates a 50-second behavioral rhythm in *C. elegans*. *Cell* **98**: 757-767

Dalley JW, Chudasama Y, Theobald DE, Pettifer CL, Fletcher CM, Robbins TW (2002) Nucleus accumbens dopamine and discriminated approach learning: interactive effects of 6-hydroxydopamine lesions and systemic apomorphine administration. *Psychopharmacology (Berl)* **161**: 425-433

Dalley JW, Theobald DE, Bouger P, Chudasama Y, Cardinal RN, Robbins TW (2004) Cortical Cholinergic Function and Deficits in Visual Attentional Performance in Rats Following 192 IgG-Saporin-induced Lesions of the Medial Prefrontal Cortex. *Cereb Cortex*

Dallman MF (2003) Fast glucocorticoid feedback favors 'the munchies'. *Trends in Endocrinology and Metabolism* **14**: 394-396

Daniel H, Crepel F (2001) Control of Ca(2+) influx by cannabinoid and metabotropic glutamate receptors in rat cerebellar cortex requires K(+) channels. *J Physiol* **537**: 793-800

Daniel H, Levenes C, Fagni L, Conquet F, Bockaert J, Crepel F (1999) Inositol-1,4,5-trisphosphate-mediated rescue of cerebellar long-term depression in subtype 1 metabotropic glutamate receptor mutant mouse. *Neuroscience* **92**: 1-6

Daniel H, Rancillac A, Crepel F (2004) Mechanisms underlying cannabinoid inhibition of presynaptic Ca2+ influx at parallel fibre synapses of the rat cerebellum. *J Physiol* **557**: 159-174

Daniels M, Brown DR (2001) Astrocytes regulate N-methyl-D-aspartate receptor subunit composition increasing neuronal sensitivity to excitotoxicity. *J Biol Chem* **276**: 22446-22452

Darmani NA (2001) The cannabinoid CB1 receptor antagonist SR 141716A reverses the antiemetic and motor depressant actions of WIN 55, 212-2. *Eur J Pharmacol* **430**: 49-58

Darmani NA (2002) The potent emetogenic effects of the endocannabinoid, 2-AG (2-arachidonoylglycerol) are blocked by delta(9)-tetrahydrocannabinol and other cannabinoids. *J Pharmacol Exp Ther* **300**: 34-42

Darmani NA, Janoyan JJ, Kumar N, Crim JL (2003) Behaviorally active doses of the CB1 receptor antagonist SR 141716A increase brain serotonin and dopamine levels and turnover. *Pharmacol Biochem Behav* **75**: 777-787

Darmani NA, Pandya DK (2000) Involvement of other neurotransmitters in behaviors induced by the cannabinoid CB1 receptor antagonist SR 141716A in naive mice. *J Neural Transm* **107**: 931-945

Darmani NA, Sim-Selley LJ, Martin BR, Janoyan JJ, Crim JL, Parekh B, Breivogel CS (2003) Antiemetic and motor-depressive actions of CP55,940: cannabinoid CB1 receptor characterization, distribution, and G-protein activation. *Eur J Pharmacol* **459**: 83-95

Dartt DA (1989) Signal transduction and control of lacrimal gland protein secretion: a review. *Curr Eye Res*

8: 619-636

Dartt DA (1994) Regulation of tear secretion. *Adv Exp Med Biol* **350**: 1-9

Dartt DA, Baker AK, Rose PE, Murphy SA, Ronco LV, Unser MF (1988) Role of cyclic AMP and Ca²⁺ in potentiation of rat lacrimal gland protein secretion. *Invest Ophthalmol Vis Sci* **29**: 1732-1738

Dartt DA, Dicker DM, Ronco LV, Kjeldsen IM, Hodges RR, Murphy SA (1990) Lacrimal gland inositol trisphosphate isomer and inositol tetrakisphosphate production. *Am J Physiol* **259**: G274-281

Dartt DA, Donowitz M, Joshi VJ, Mathieu RS, Sharp GW (1984) Cyclic nucleotide-dependent enzyme secretion in the rat lacrimal gland. *J Physiol* **352**: 375-384

Dartt DA, Guerina VJ, Donowitz M, Taylor L, Sharp GW (1982) Ca²⁺- and calmodulin-dependent protein phosphorylation in rat lacrimal gland. *Biochem J* **202**: 799-802

Dartt DA, Hodges RR, Zoukhri D, Mircheff AK (1996) Protein phosphorylation in Golgi, endosomal, and endoplasmic reticulum membrane fractions of lacrimal gland. *Curr Eye Res* **15**: 157-164

Dartt DA, Mircheff AK, Donowitz M, Sharp GW (1988) Ca²⁺ - and cAMP-induced protein phosphorylation in lacrimal gland basolateral membranes. *Am J Physiol* **254**: G543-551

Dartt DA, Rose PE, Joshi VM, Donowitz M, Sharp GW (1985) Role of calcium in cholinergic stimulation of lacrimal gland protein secretion. *Curr Eye Res* **4**: 475-483

Das SK, Paria BC, Chakraborty I, Dey SK (1995) Cannabinoid ligand-receptor signaling in the mouse uterus. *Proc Natl Acad Sci U S A* **92**: 4332-4336

Davenport AP, Battistini B (2002) Classification of endothelin receptors and antagonists in clinical development. *Clin Sci (Lond)* **103 Suppl 48**: 1S-3S

Davenport R (2002) Glutamate receptors in plants. *Ann Bot (Lond)* **90**: 549-557

David T, Thomas C, Zaccone P, Dunne DW, Cooke A (2004) The impact of infection on the incidence of autoimmune disease. *Curr Top Med Chem* **4**: 521-529

Davies SN, Pertwee RG, Riedel G (2002) Functions of cannabinoid receptors in the hippocampus. *Neuropharmacology* **42**: 993-1007

Davis JB, Gray J, Gunthorpe MJ, Hatcher JP, Davey PT, Overend P, Harries MH, Latcham J, Clapham C, Atkinson K, Hughes SA, Rance K, Grau E, Harper AJ, Pugh PL, Rogers DC, Bingham S, Randall A, Sheardown SA (2000) Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia. *Nature* **405**: 183-187

Davis MI, Ronesi J, Lovinger DM (2003) A predominant role for inhibition of the adenylate cyclase/protein kinase A pathway in ERK activation by cannabinoid receptor 1 in N1E-115 neuroblastoma cells. *J Biol Chem* **278**: 48973-48980

Davis RJ (1995) Transcriptional regulation by MAP kinases. *Mol Reprod Dev* **42**: 459-467

Day TA, Rakhshan F, Deutsch DG, Barker EL (2001) Role of fatty acid amide hydrolase in the transport of the endogenous cannabinoid anandamide. *Mol Pharmacol* **59**: 1369-1375

de Bono B, Chothia C (2003) Exegesis: a procedure to improve gene predictions and its use to find immunoglobulin superfamily proteins in the human and mouse genomes. *Nucleic Acids Res* **31**: 6096-6103

De Esch IJ, Mills JE, Perkins TD, Romeo G, Hoffmann M, Wieland K, Leurs R, Menge WM, Nederkoorn PH, Dean PM, Timmerman H (2001) Development of a pharmacophore model for histamine H₃ receptor antagonists, using the newly developed molecular modeling program SLATE. *J Med Chem* **44**: 1666-1674

De Lago E, De Miguel R, Lastres-Becker I, Ramos JA, Fernandez-Ruiz J (2004) Involvement of vanilloid-like receptors in the effects of anandamide on motor behavior and nigrostriatal dopaminergic activity: in vivo and in vitro evidence. *Brain Res* **1007**: 152-159

de Lago E, Fernandez-Ruiz J, Ortega-Gutierrez S, Viso A, Lopez-Rodriguez ML, Ramos JA (2002) UCM707, a potent and selective inhibitor of endocannabinoid uptake, potentiates hypokinetic and antinociceptive effects of anandamide. *Eur J Pharmacol* **449**: 99-103

de Lago E, Ligresti A, Ortar G, Morera E, Cabranes A, Pryce G, Bifulco M, Baker D, Fernandez-Ruiz J, Di Marzo V (2004) In vivo pharmacological actions of two novel inhibitors of anandamide cellular uptake. *Eur J Pharmacol* **484**: 249-257

De Marchi N, De Petrocellis L, Orlando P, Daniele F, Fezza F, Di Marzo V (2003) Endocannabinoid signalling in the blood of patients with schizophrenia. *Lipids Health Dis* **2**: 5

de Miguel R, Romero J, Munoz RM, Garcia-Gil L, Gonzalez S, Villanua MA, Makriyannis A, Ramos JA, Fernandez-Ruiz JJ (1998) Effects of cannabinoids on prolactin and gonadotrophin secretion: involvement of changes in hypothalamic gamma-aminobutyric acid (GABA) inputs. *Biochem Pharmacol* **56**: 1331-1338

De Petrocellis L, Bisogno T, Davis JB, Pertwee RG, Di Marzo V (2000) Overlap between the ligand recognition properties of the anandamide transporter and the VR1 vanilloid receptor: inhibitors of anandamide uptake with negligible capsaicin-like activity. *FEBS Lett* **483**: 52-56

De Petrocellis L, Bisogno T, Ligresti A, Bifulco M, Melck D, Di Marzo V (2002) Effect on cancer cell proliferation of palmitoylethanolamide, a fatty acid amide interacting with both the cannabinoid and vanilloid signalling systems. *Fundam Clin Pharmacol* **16**: 297-302

De Petrocellis L, Bisogno T, Maccarrone M, Davis JB, Finazzi-Agro A, Di Marzo V (2001) The activity of anandamide at vanilloid VR1 receptors requires facilitated transport across the cell membrane and is limited by intracellular metabolism. *J Biol Chem* **276**: 12856-12863

De Petrocellis L, Cascio MG, Di Marzo V (2004) The endocannabinoid system: a general view and latest additions. *Br J Pharmacol* **141**: 765-774

De Petrocellis L, Davis JB, Di Marzo V (2001) Palmitoylethanolamide enhances anandamide stimulation of human vanilloid VR1 receptors. *FEBS Lett* **506**: 253-256

De Petrocellis L, Harrison S, Bisogno T, Tognetto M, Brandi I, Smith GD, Creminon C, Davis JB, Geppetti P, Di Marzo V (2001) The vanilloid receptor (VR1)-mediated effects of anandamide are potently enhanced by the cAMP-dependent protein kinase. *J Neurochem* **77**: 1660-1663

De Petrocellis L, Melck D, Bisogno T, Di Marzo V (2000) Endocannabinoids and fatty acid amides in cancer, inflammation and related disorders. *Chem Phys Lipids* **108**: 191-209

De Petrocellis L, Melck D, Bisogno T, Milone A, Di Marzo V (1999) Finding of the endocannabinoid signalling system in Hydra, a very primitive organism: possible role in the feeding response. *Neuroscience* **92**: 377-387

De Petrocellis L, Melck D, Palmisano A, Bisogno T, Laezza C, Bifulco M, Di Marzo V (1998) The endogenous cannabinoid anandamide inhibits human breast cancer cell proliferation. *Proc Natl Acad Sci U S A* **95**: 8375-8380

De Petrocellis L, Melck D, Ueda N, Kurahashi Y, Bisogno T, Yamamoto S, Di Marzo V (1997) Brain and peripheral anandamide amidohydrolase and its inhibition by synthetic arachidonate analogues. *Adv Exp Med Biol* **433**: 259-263

De Petrocellis L, Melck D, Ueda N, Maurelli S, Kurahashi Y, Yamamoto S, Marino G, Di Marzo V (1997) Novel inhibitors of brain, neuronal, and basophilic anandamide amidohydrolase. *Biochem Biophys Res Commun* **231**: 82-88

De Petrocellis L, Orlando P, Di Marzo V (1995) Anandamide, an endogenous cannabinomimetic substance, modulates rat brain protein kinase C in vitro. *Biochem Mol Biol Int* **36**: 1127-1133

De Vries TJ, Homberg JR, Binnekade R, Raaso H, Schoffelmeer AN (2003) Cannabinoid modulation of the reinforcing and motivational properties of heroin and heroin-associated cues in rats. *Psychopharmacology (Berl)* **168**: 164-169

De Vries TJ, Shaham Y, Homberg JR, Crombag H, Schuurman K, Dieben J, Vanderschuren LJ, Schoffelmeer AN (2001) A cannabinoid mechanism in relapse to cocaine seeking. *Nat Med* **7**: 1151-1154

De Vry J, Jentsch KR (2003) Intrinsic activity estimation of cannabinoid CB1 receptor ligands in a drug discrimination paradigm. *Behav Pharmacol* **14**: 471-476

De Vry J, Jentsch KR (2004) Partial agonist-like profile of the cannabinoid receptor antagonist SR141716A in a food-reinforced operant paradigm. *Behav Pharmacol* **15**: 13-20

De Vry J, Jentsch KR, Kuhl E, Eckel G (2004) Behavioral effects of cannabinoids show differential sensitivity to cannabinoid receptor blockade and tolerance development. *Behav Pharmacol* **15**: 1-12

de Wildt RM, Tomlinson IM, Ong JL, Holliger P (2002) Isolation of receptor-ligand pairs by capture of long-lived multivalent interaction complexes. *Proc Natl Acad Sci U S A* **99**: 8530-8535

de Wildt RM, van Venrooij WJ, Winter G, Hoet RM, Tomlinson IM (1999) Somatic insertions and deletions shape the human antibody repertoire. *J Mol Biol* **294**: 701-710

Deak E, Szabo I, Kalmaczhelyi A, Gal Z, Barabas G, Penyige A (1998) Membrane-bound and extracellular beta-lactamase production with developmental regulation in *Streptomyces griseus* NRRL B-2682. *Microbiology* **144 (Pt 8)**: 2169-2177

Dean W, Bowden L, Aitchison A, Klose J, Moore T, Meneses JJ, Reik W, Feil R (1998) Altered imprinted gene methylation and expression in completely ES cell-derived mouse fetuses: association with aberrant phenotypes. *Development* **125**: 2273-2282

Deane CM, Lummis SC (2001) The role and predicted propensity of conserved proline residues in the 5-HT3 receptor. *J Biol Chem* **276**: 37962-37966

Del Arco I, Navarro M, Bilbao A, Ferrer B, Piomelli D, Rodriguez De Fonseca F (2002) Attenuation of spontaneous opiate withdrawal in mice by the anandamide transport inhibitor AM404. *Eur J Pharmacol* **454**: 103-104

del Carmen Garcia M, Adler-Graschinsky E, Celuch SM (2003) Hypotensive effect of anandamide through the activation of CB1 and VR1 spinal receptors in urethane-anesthetized rats. *Naunyn*

Schmiedebergs Arch Pharmacol **368**: 270-276

Delatte MS, Winsauer PJ, Moerschbaecher JM (2002) Tolerance to the disruptive effects of Delta(9)-THC on learning in rats. Pharmacol Biochem Behav **74**: 129-140

Dennedy MC, Friel AM, Houlihan DD, Broderick VM, Smith T, Morrison JJ (2004) Cannabinoids and the human uterus during pregnancy. Am J Obstet Gynecol **190**: 2-9; discussion 3A

Derbyshire DJ, Ellar DJ, Li J (2001) Crystallization of the Bacillus thuringiensis toxin Cry1Ac and its complex with the receptor ligand N-acetyl-D-galactosamine. Acta Crystallogr D Biol Crystallogr **57**: 1938-1944

Derkinderen P, Ledent C, Parmentier M, Girault JA (2001) Cannabinoids activate p38 mitogen-activated protein kinases through CB1 receptors in hippocampus. J Neurochem **77**: 957-960

Derkinderen P, Toutant M, Burgaya F, Le Bert M, Siciliano JC, de Franciscis V, Gelman M, Girault JA (1996) Regulation of a neuronal form of focal adhesion kinase by anandamide. Science **273**: 1719-1722

Derkinderen P, Toutant M, Kadare G, Ledent C, Parmentier M, Girault JA (2001) Dual role of Fyn in the regulation of FAK+6,7 by cannabinoids in hippocampus. J Biol Chem **276**: 38289-38296

Derkinderen P, Valjent E, Toutant M, Corvol JC, Enslen H, Ledent C, Trzaskos J, Caboche J, Girault JA (2003) Regulation of extracellular signal-regulated kinase by cannabinoids in hippocampus. J Neurosci **23**: 2371-2382

Deroche-Gamonet V, Le Moal M, Piazza PV, Soubrie P (2001) SR141716, a CB1 receptor antagonist, decreases the sensitivity to the reinforcing effects of electrical brain stimulation in rats. Psychopharmacology (Berl) **157**: 254-259

Derocq JM, Bouaboula M, Marchand J, Rinaldi-Carmona M, Segui M, Casellas P (1998) The endogenous cannabinoid anandamide is a lipid messenger activating cell growth via a cannabinoid receptor-independent pathway in hematopoietic cell lines. FEBS Lett **425**: 419-425

Derocq JM, Jbilo O, Bouaboula M, Segui M, Clere C, Casellas P (2000) Genomic and functional changes induced by the activation of the peripheral cannabinoid receptor CB2 in the promyelocytic cells HL-60. Possible involvement of the CB2 receptor in cell differentiation. J Biol Chem **275**: 15621-15628

Derocq JM, Segui M, Marchand J, Le Fur G, Casellas P (1995) Cannabinoids enhance human B-cell growth at low nanomolar concentrations. FEBS Lett **369**: 177-182

Desarnaud F, Cadas H, Piomelli D (1995) Anandamide amidohydrolase activity in rat brain microsomes. Identification and partial characterization. J Biol Chem **270**: 6030-6035

Desbordes SC, Sanson B (2003) The glypican Dally-like is required for Hedgehog signalling in the embryonic epidermis of Drosophila. Development **130**: 6245-6255

Desdouits-Magnen J, Desdouits F, Takeda S, Syu LJ, Saltiel AR, Buxbaum JD, Czernik AJ, Nairn AC, Greengard P (1998) Regulation of secretion of Alzheimer amyloid precursor protein by the mitogen-activated protein kinase cascade. J Neurochem **70**: 524-530

Desire L, Courtois Y, Jeanny JC (2000) Endogenous and exogenous fibroblast growth factor 2 support survival of chick retinal neurons by control of neuronal neuronal bcl-x(L) and bcl-2 expression through a fibroblast berowth factor receptor 1- and ERK-dependent pathway. J Neurochem **75**: 151-163

Deusch E, Kraft B, Nahlik G, Weigl L, Hohenegger M, Kress HG (2003) No evidence for direct modulatory effects of delta 9-tetrahydrocannabinol on human polymorphonuclear leukocytes. J Neuroimmunol **141**: 99-103

Deutsch DG, Chin SA (1993) Enzymatic synthesis and degradation of anandamide, a cannabinoid receptor agonist. Biochem Pharmacol **46**: 791-796

Deutsch DG, Glaser ST, Howell JM, Kunz JS, Puffenbarger RA, Hillard CJ, Abumrad N (2001) The cellular uptake of anandamide is coupled to its breakdown by fatty-acid amide hydrolase. J Biol Chem **276**: 6967-6973

Deutsch DG, Goligorsky MS, Schmid PC, Krebsbach RJ, Schmid HH, Das SK, Dey SK, Arreaza G, Thorup C, Stefano G, Moore LC (1997) Production and physiological actions of anandamide in the vasculature of the rat kidney. J Clin Invest **100**: 1538-1546

Deutsch DG, Lin S, Hill WA, Morse KL, Salehani D, Arreaza G, Omeir RL, Makriyannis A (1997) Fatty acid sulfonyl fluorides inhibit anandamide metabolism and bind to the cannabinoid receptor. Biochem Biophys Res Commun **231**: 217-221

Deutsch DG, Makriyannis A (1997) Inhibitors of anandamide breakdown. NIDA Res Monogr **173**: 65-84

Deutsch DG, Omeir R, Arreaza G, Salehani D, Prestwich GD, Huang Z, Howlett A (1997) Methyl arachidonyl fluorophosphonate: a potent irreversible inhibitor of anandamide amidase. Biochem Pharmacol **53**: 255-260

Deutsch DG, Ueda N, Yamamoto S (2002) The fatty acid amide hydrolase (FAAH). Prostaglandins Leukot

Essent Fatty Acids **66**: 201-210

Devane WA (1994) New dawn of cannabinoid pharmacology. Trends Pharmacol Sci **15**: 40-41

Devane WA, Axelrod J (1994) Enzymatic synthesis of anandamide, an endogenous ligand for the cannabinoid receptor, by brain membranes. Proc Natl Acad Sci U S A **91**: 6698-6701

Devane WA, Hanus L, Breuer A, Pertwee RG, Stevenson LA, Griffin G, Gibson D, Mandelbaum A, Etinger A, Mechoulam R (1992) Isolation and structure of a brain constituent that binds to the cannabinoid receptor. Science **258**: 1946-1949

Devlin MG, Christopoulos A (2002) Modulation of cannabinoid agonist binding by 5-HT in the rat cerebellum. J Neurochem **80**: 1095-1102

Dhandapani KM, Brann DW (2002) Protective effects of estrogen and selective estrogen receptor modulators in the brain. Biol Reprod **67**: 1379-1385

Dhillon WS, Bloom SR (2001) Hypothalamic peptides as drug targets for obesity. Curr Opin Pharmacol **1**: 651-655

Di Carlo G, Izzo AA (2003) Cannabinoids for gastrointestinal diseases: potential therapeutic applications. Expert Opin Investig Drugs **12**: 39-49

Di Ciano P, Cardinal RN, Cowell RA, Little SJ, Everitt BJ (2001) Differential involvement of NMDA, AMPA/kainate, and dopamine receptors in the nucleus accumbens core in the acquisition and performance of pavlovian approach behavior. J Neurosci **21**: 9471-9477

Di Ciano P, Everitt BJ (2001) Dissociable effects of antagonism of NMDA and AMPA/KA receptors in the nucleus accumbens core and shell on cocaine-seeking behavior. Neuropsychopharmacology **25**: 341-360

Di Ciano P, Everitt BJ (2003) The GABA(B) receptor agonist baclofen attenuates cocaine- and heroin-seeking behavior by rats. Neuropsychopharmacology **28**: 510-518

Di Ciano P, Everitt BJ (2004) Contribution of the ventral tegmental area to cocaine-seeking maintained by a drug-paired conditioned stimulus in rats. Eur J Neurosci **19**: 1661-1667

Di Filippo C, Rossi F, Rossi S, D'Amico M (2004) Cannabinoid CB2 receptor activation reduces mouse myocardial ischemia-reperfusion injury: involvement of cytokine/chemokines and PMN. J Leukoc Biol **75**: 453-459

Di M, Bisogno T, De Petrocellis L (2000) Endocannabinoids: new targets for drug development. Curr Pharm Des **6**: 1361-1380

Di Marzo V (1998) 2-Arachidonoyl-glycerol as an "endocannabinoid": limelight for a formerly neglected metabolite. Biochemistry (Mosc) **63**: 13-21

Di Marzo V (1998) 'Endocannabinoids' and other fatty acid derivatives with cannabimimetic properties: biochemistry and possible physiopathological relevance. Biochim Biophys Acta **1392**: 153-175

Di Marzo V (1999) Biosynthesis and inactivation of endocannabinoids: relevance to their proposed role as neuromodulators. Life Sci **65**: 645-655

Di Marzo V (2000) Regulation of endocannabinoid levels under physiological and pathological conditions. A mini-review. Pharmacy and Pharmacology Communications **6**: 235-241

Di Marzo V (2002) Endocannabinoids in the new millennium. Prostaglandins Leukot Essent Fatty Acids **66**: 91-92

Di Marzo V (2003) Manipulation of the endocannabinoid system by a general anaesthetic. Br J Pharmacol **139**: 885-886

Di Marzo V, Berrendero F, Bisogno T, Gonzalez S, Cavaliere P, Romero J, Cebeira M, Ramos JA, Fernandez-Ruiz JJ (2000) Enhancement of anandamide formation in the limbic forebrain and reduction of endocannabinoid contents in the striatum of delta9-tetrahydrocannabinol-tolerant rats. J Neurochem **74**: 1627-1635

Di Marzo V, Bifulco M, De Petrocellis L (2000) Endocannabinoids and multiple sclerosis: a blessing from the 'inner bliss'? Trends Pharmacol Sci **21**: 195-197

Di Marzo V, Bisogno T, De Petrocellis L (2001) Anandamide: some like it hot. Trends Pharmacol Sci **22**: 346-349

Di Marzo V, Bisogno T, De Petrocellis L, Brandi I, Jefferson RG, Winckler RL, Davis JB, Dasse O, Mahadevan A, Razdan RK, Martin BR (2001) Highly selective CB(1) cannabinoid receptor ligands and novel CB(1)/VR(1) vanilloid receptor "hybrid" ligands. Biochem Biophys Res Commun **281**: 444-451

Di Marzo V, Bisogno T, De Petrocellis L, Melck D, Martin BR (1999) Cannabimimetic fatty acid derivatives: the anandamide family and other endocannabinoids. Curr Med Chem **6**: 721-744

Di Marzo V, Bisogno T, De Petrocellis L, Melck D, Orlando P, Wagner JA, Kunos G (1999) Biosynthesis and inactivation of the endocannabinoid 2-arachidonoylglycerol in circulating and tumoral macrophages. Eur J Biochem **264**: 258-267

Di Marzo V, Bisogno T, Melck D, Ross R, Brockie H, Stevenson L, Pertwee R, De Petrocellis L (1998) Interactions between synthetic vanilloids and the endogenous cannabinoid system. *FEBS Lett* **436**: 449-454

Di Marzo V, Bisogno T, Sugiura T, Melck D, De Petrocellis L (1998) The novel endogenous cannabinoid 2-arachidonoylglycerol is inactivated by neuronal- and basophil-like cells: connections with anandamide. *Biochem J* **331 (Pt 1)**: 15-19

Di Marzo V, Bisogno T, Sugiura T, Melck D, De Petrocellis L (1998) The novel endogenous cannabinoid 2-arachidonoylglycerol is inactivated by neuronal and basophil-like cells: Connections with anandamide. *Biochemical Journal* **331**: 15-19

Di Marzo V, Blumberg PM, Szallasi A (2002) Endovanilloid signaling in pain. *Curr Opin Neurobiol* **12**: 372-379

Di Marzo V, Breivogel C, Bisogno T, Melck D, Patrick G, Tao Q, Szallasi A, Razdan RK, Martin BR (2000) Neurobehavioral activity in mice of N-vanillyl-arachidonyl-amide. *Eur J Pharmacol* **406**: 363-374

Di Marzo V, Breivogel CS, Tao Q, Bridgen DT, Razdan RK, Zimmer AM, Zimmer A, Martin BR (2000) Levels, metabolism, and pharmacological activity of anandamide in CB(1) cannabinoid receptor knockout mice: evidence for non-CB(1), non-CB(2) receptor-mediated actions of anandamide in mouse brain. *J Neurochem* **75**: 2434-2444

Di Marzo V, De Petrocellis L, Bisogno T, Maurelli S (1997) The endogenous cannabimimetic eicosanoid, anandamide, induces arachidonate release in J774 mouse macrophages. *Adv Exp Med Biol* **407**: 341-346

Di Marzo V, De Petrocellis L, Bisogno T, Melck D (1999) Metabolism of anandamide and 2-arachidonoylglycerol: an historical overview and some recent developments. *Lipids* **34 Suppl**: S319-325

Di Marzo V, De Petrocellis L, Fezza F, Ligresti A, Bisogno T (2002) Anandamide receptors. *Prostaglandins Leukot Essent Fatty Acids* **66**: 377-391

Di Marzo V, De Petrocellis L, Sepe N, Buono A (1996) Biosynthesis of anandamide and related acylethanolamides in mouse J774 macrophages and N18 neuroblastoma cells. *Biochem J* **316 (Pt 3)**: 977-984

Di Marzo V, De Petrocellis L, Sugiura T, Waku K (1996) Potential biosynthetic connections between the two cannabimimetic eicosanoids, anandamide and 2-arachidonoyl-glycerol, in mouse neuroblastoma cells. *Biochem Biophys Res Commun* **227**: 281-288

Di Marzo V, Deutsch DG (1998) Biochemistry of the endogenous ligands of cannabinoid receptors. *Neurobiol Dis* **5**: 386-404

Di Marzo V, Fontana A (1995) Anandamide, an endogenous cannabimimetic eicosanoid: 'killing two birds with one stone'. *Prostaglandins Leukot Essent Fatty Acids* **53**: 1-11

Di Marzo V, Fontana A, Cadas H, Schinelli S, Cimino G, Schwartz JC, Piomelli D (1994) Formation and inactivation of endogenous cannabinoid anandamide in central neurons. *Nature* **372**: 686-691

Di Marzo V, Goparaju SK, Wang L, Liu J, Batkai S, Jarai Z, Fezza F, Miura GI, Palmiter RD, Sugiura T, Kunos G (2001) Leptin-regulated endocannabinoids are involved in maintaining food intake. *Nature* **410**: 822-825

Di Marzo V, Griffin G, De Petrocellis L, Brandi I, Bisogno T, Williams W, Grier MC, Kulasegram S, Mahadevan A, Razdan RK, Martin BR (2002) A structure/activity relationship study on arvanil, an endocannabinoid and vanilloid hybrid. *J Pharmacol Exp Ther* **300**: 984-991

Di Marzo V, Hill MP, Bisogno T, Crossman AR, Brotchie JM (2000) Enhanced levels of endogenous cannabinoids in the globus pallidus are associated with a reduction in movement in an animal model of Parkinson's disease. *FASEB J* **14**: 1432-1438

Di Marzo V, Lastres-Becker I, Bisogno T, De Petrocellis L, Milone A, Davis JB, Fernandez-Ruiz JJ (2001) Hypolocomotor effects in rats of capsaicin and two long chain capsaicin homologues. *Eur J Pharmacol* **420**: 123-131

Di Marzo V, Melck D, Bisogno T, De Petrocellis L (1998) Endocannabinoids: endogenous cannabinoid receptor ligands with neuromodulatory action. *Trends Neurosci* **21**: 521-528

Di Marzo V, Melck D, De Petrocellis L, Bisogno T (2000) Cannabimimetic fatty acid derivatives in cancer and inflammation. *Prostaglandins Other Lipid Mediat* **61**: 43-61

Di Marzo V, Melck D, Orlando P, Bisogno T, Zagoory O, Bifulco M, Vogel Z, De Petrocellis L (2001) Palmitoylethanolamide inhibits the expression of fatty acid amide hydrolase and enhances the anti-proliferative effect of anandamide in human breast cancer cells. *Biochem J* **358**: 249-255

Di Marzo V, Sepe N, De Petrocellis L, Berger A, Crozier G, Fride E, Mechoulam R (1998) Trick or treat from food endocannabinoids? *Nature* **396**: 636-637

Di Marzo V, Sepe N, De Petrocellis L, Berger A, Crozier G, Fride E, Mechoulam R (1999) Endocannabinoid content of food: Levels and potential bioactivity. *FASEB Journal* **13**

Di Marzo V, Yamamoto S (2000) Anandamide and other cannabimimetic fatty acid derivatives-foreword. *Prostaglandins Other Lipid Mediat* **61**: 1-2

Di S, Halmos K, Tasker JG (2003) Cannabinoid regulation of synaptic inputs to hypothalamic neuroendocrine cells. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Di S, Malcher-Lopes R, Halmos KC, Tasker JG (2003) Nongenomic glucocorticoid inhibition via endocannabinoid release in the hypothalamus: a fast feedback mechanism. *J Neurosci* **23**: 4850-4857

Di S, Tasker JG (2002) Rapid Glucocorticoid Effects on Glutamatergic Synaptic Activity Via Endocannabinoid Release from Hypothalamic Magnocellular Neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

di Tomaso E, Beltramo M, Piomelli D (1996) Brain cannabinoids in chocolate. *Nature* **382**: 677-678

Di Tomaso E, Cadas H, Gaillet S, Beltramo M, Desarnaud F, Venance L, Piomelli D (1997) Endogenous lipids that activate cannabinoid receptors. Formation and inactivation. *Adv Exp Med Biol* **407**: 335-340

Dian EE, Chapman KD, Venables B, Gross GW (2003) Neuromodulatory effects of natural soy lecithin extracts: An in vitro assessment. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Diana MA, Marty A (2003) Biphasic retrograde control of interneuron firing rate by Purkinje cells. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Diana MA, Marty A (2004) Endocannabinoid-mediated short-term synaptic plasticity: depolarization-induced suppression of inhibition (DSI) and depolarization-induced suppression of excitation (DSE). *Br J Pharmacol* **142**: 9-19

Dib K, Whitehead JP, Humphreys PJ, Soos MA, Baynes KC, Kumar S, Harvey T, O'Rahilly S (1998) Impaired activation of phosphoinositide 3-kinase by insulin in fibroblasts from patients with severe insulin resistance and pseudoacromegaly. A disorder characterized by selective postreceptor insulin resistance. *J Clin Invest* **101**: 1111-1120

Dinh TP, Carpenter D, Leslie FM, Freund TF, Katona I, Sensi SL, Kathuria S, Piomelli D (2002) Brain monoglyceride lipase participating in endocannabinoid inactivation. *Proc Natl Acad Sci U S A* **99**: 10819-10824

Dinh TP, Carpenter D, Leslie FM, Freund TF, Katona I, Sensi SL, Kathuria S, Piomelli D (2002) Brain monoglyceride lipase participating in endocannabinoid inactivation (vol 99, pg 10819, 2002). *Proceedings of the National Academy of Sciences of the United States of America* **99**: 13961-13961

Dinh TP, Freund TF, Piomelli D (2002) A role for monoglyceride lipase in 2-arachidonoylglycerol inactivation. *Chem Phys Lipids* **121**: 149-158

Dinh TP, Katona I, Leslie FM, Carpenter D, Zhou QY, Freund T, Piomelli D (2001) Hydrolysis of the endocannabinoid 2-arachidonoylglycerol by a rat brain monoacylglycerol lipase. *Society for Neuroscience Abstracts* **27**

Dinh TP, Leslie F, Zhou QY, Piomelli D (2000) Molecular characterization of a rat brain monoacylglycerol lipase that participates in the hydrolysis of the endocannabinoid 2-arachidonoylglycerol. *Society for Neuroscience Abstracts* **26**: Abstract No.-813.818

Djali PK, Singh J, Adeghate E (1996) Immunohistochemical study of leucine-enkephalin and its secretory effects in the isolated pig lacrimal gland. *Graefes Arch Clin Exp Ophthalmol* **234**: 264-269

Dmitrieva N, Berkley KJ (2002) Contrasting effects of WIN 55212-2 on motility of the rat bladder and uterus. *J Neurosci* **22**: 7147-7153

Dobbertin A, Rhodes KE, Garwood J, Properzi F, Heck N, Rogers JH, Fawcett JW, Faissner A (2003) Regulation of RPTPbeta/phosphacan expression and glycosaminoglycan epitopes in injured brain and cytokine-treated glia. *Mol Cell Neurosci* **24**: 951-971

Dogrul A, Gardell LR, Ma S, Ossipov MH, Porreca F, Lai J (2002) 'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice. *Pain* **100**: 203-209

Dogulu FH, Ozogul C, Akpek S, Kurt G, Emmez H, Ercan S, Baykaner MK (2003) Intra-arterial simultaneous administration of anandamide attenuates endothelin-1 induced vasospasm in rabbit basilar arteries. *Acta Neurochir (Wien)* **145**: 579-582

Doi M, Kondo Y, Tsutsumi K (2003) Lipoprotein lipase activator NO-1886 (ibrolipim) accelerates the mRNA expression of fatty acid oxidation-related enzymes in rat liver. *Metabolism* **52**: 1547-1550

Domingo JC, Mora M, Africa de Madariaga M (1993) Incorporation of N-acyl ethanolamine phospholipids into egg phosphatidylcholine vesicles: characterization and permeability properties of the binary systems. *Biochim Biophys Acta* **1148**: 308-316

Domingo JC, Mora M, Africa de Madariaga M (1994) Role of headgroup structure in the phase behaviour of N-acyl ethanolamine phospholipids: hydrogen-bonding ability and headgroup size. *Chem Phys Lipids* **69**: 229-240

Dong H, Jiang Y, Cole WC, Triggle CR (2000) Comparison of the pharmacological properties of EDHF-mediated vasorelaxation in guinea-pig cerebral and mesenteric resistance vessels. *Br J Pharmacol* **130**: 1983-1991

Dong H, O'Brien RJ, Fung ET, Lanahan AA, Worley PF, Haganir RL (1997) GRIP: a synaptic PDZ domain-containing protein that interacts with AMPA receptors. *Nature* **386**: 279-284

Doody GM, Bell SE, Vigorito E, Clayton E, McAdam S, Tooze R, Fernandez C, Lee IJ, Turner M (2001) Signal transduction through Vav-2 participates in humoral immune responses and B cell maturation. *Nat Immunol* **2**: 542-547

Doody GM, Billadeau DD, Clayton E, Hutchings A, Berland R, McAdam S, Leibson PJ, Turner M (2000) Vav-2 controls NFAT-dependent transcription in B- but not T-lymphocytes. *Embo J* **19**: 6173-6184

Dornan S, Sebestyen Z, Gamble J, Nagy P, Bodnar A, Alldridge L, Doe S, Holmes N, Goff LK, Beverley P, Szollosi J, Alexander DR (2002) Differential association of CD45 isoforms with CD4 and CD8 regulates the actions of specific pools of p56lck tyrosine kinase in T cell antigen receptor signal transduction. *J Biol Chem* **277**: 1912-1918

Dougalis A, Lees G (2002) Anandamide transport inhibition, but not inhibition of fatty acid amide hydrolase (FAAH) blocks the induction of long-term potentiation (LTP) in the CA1 neurons of the rat hippocampal slice. *Journal of Physiology (Cambridge)* **544P**

Dougalis A, Lees G, Ganellin CR (2004) The sleep lipid oleamide may represent an endogenous anticonvulsant: an in vitro comparative study in the 4-aminopyridine rat brain-slice model. *Neuropharmacology* **46**: 541-554

Downer E, Boland B, Fogarty M, Campbell V (2001) Delta 9-tetrahydrocannabinol induces the apoptotic pathway in cultured cortical neurones via activation of the CB1 receptor. *Neuroreport* **12**: 3973-3978

Downer EJ, Fogarty MP, Campbell VA (2003) Tetrahydrocannabinol-induced neurotoxicity depends on CB1 receptor-mediated c-Jun N-terminal kinase activation in cultured cortical neurons. *Br J Pharmacol* **140**: 547-557

Doyle JJ, Luckow MA (2003) The rest of the iceberg. Legume diversity and evolution in a phylogenetic context. *Plant Physiol* **131**: 900-910

Drake DJ, Jensen RS, Busch-Petersen J, Kawakami JK, Concepcion Fernandez-Garcia M, Fan P, Makriyannis A, Tius MA (1998) Classical/nonclassical hybrid cannabinoids: southern aliphatic chain-functionalized C-6beta methyl, ethyl, and propyl analogues. *J Med Chem* **41**: 3596-3608

Dreisbach RH, Gerlach E (1967) Adenosine phosphate of rat salivary and lacrimal glands in vitro. *Proc Soc Exp Biol Med* **126**: 281-282

Drew LJ, Harris J, Millns PJ, Kendall DA, Chapman V (2000) Activation of spinal cannabinoid 1 receptors inhibits C-fibre driven hyperexcitable neuronal responses and increases [35S]GTPgammaS binding in the dorsal horn of the spinal cord of noninflamed and inflamed rats. *Eur J Neurosci* **12**: 2079-2086

Drynan LF, Hamilton TL, Rabbitts TH (2001) T cell tumorigenesis in Lmo2 transgenic mice is independent of V-D-J recombinase activity. *Oncogene* **20**: 4412-4415

Drysdale AJ, Platt B (2003) Cannabinoids: mechanisms and therapeutic applications in the CNS. *Curr Med Chem* **10**: 2719-2732

Duarte C, Alonso R, Bichet N, Cohen C, Soubrie P, Thiebot MH (2004) Blockade by the cannabinoid CB1 receptor antagonist, rimonabant (SR141716), of the potentiation by quinelorane of food-primed reinstatement of food-seeking behavior. *Neuropsychopharmacology* **29**: 911-920

Dubal DB, Kashon ML, Pettigrew LC, Ren JM, Finklestein SP, Rau SW, Wise PM (1998) Estradiol protects against ischemic injury. *J Cereb Blood Flow Metab* **18**: 1253-1258

Dubal DB, Zhu H, Yu J, Rau SW, Shughrue PJ, Merchenthaler I, Kindy MS, Wise PM (2001) Estrogen receptor alpha, not beta, is a critical link in estradiol-mediated protection against brain injury. *Proc Natl Acad Sci U S A* **98**: 1952-1957

Dudek H, Datta SR, Franke TF, Birnbaum MJ, Yao R, Cooper GM, Segal RA, Kaplan DR, Greenberg ME (1997) Regulation of neuronal survival by the serine-threonine protein kinase Akt. *Science* **275**: 661-665

Duguid IC, Smart TG (2003) Retrograde release of glutamate drives endocannabinoid release during DSI. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Duncan M, Kendall DA, Ralevic V (2002) The endocannabinoid noladin ether attenuates sensory neurotransmission in the rat isolated mesenteric arterial bed. *British Journal of Pharmacology* **136**

Dunning AM, McBride S, Gregory J, Durocher F, Foster NA, Healey CS, Smith N, Pharoah PD, Luben RN, Easton DF, Ponder BA (1999) No association between androgen or vitamin D receptor gene polymorphisms and risk of breast cancer. *Carcinogenesis* **20**: 2131-2135

Duran M, Laporte JR, Capella D (2004) [News about therapeutic use of Cannabis and endocannabinoid

system]. *Med Clin (Barc)* **122**: 390-398

Durbeej M, Henry MD, Campbell KP (1998) Dystroglycan in development and disease. *Curr Opin Cell Biol* **10**: 594-601

Dutta AK, Ryan W, Thomas BF, Singer M, Compton DR, Martin BR, Razdan RK (1997) Synthesis, pharmacology, and molecular modeling of novel 4-alkyloxy indole derivatives related to cannabimimetic aminoalkyl indoles (AAs). *Bioorg Med Chem* **5**: 1591-1600

Duvoisin RM, Zhang C, Ramonell K (1995) A novel metabotropic glutamate receptor expressed in the retina and olfactory bulb. *J Neurosci* **15**: 3075-3083

Dwight JF, Hendry BM (1995) Actions of arachidonic acid on erythrocyte membrane Rb permeability. *Clin Chim Acta* **238**: 187-197

Dyck B, Goodfellow VS, Phillips T, Grey J, Haddach M, Rowbottom M, Naeve GS, Brown B, Saunders J (2004) Potent imidazole and triazole CB1 receptor antagonists related to SR141716. *Bioorg Med Chem Lett* **14**: 1151-1154

Dyson S, Gurdon JB (1997) Activin signalling has a necessary function in *Xenopus* early development. *Curr Biol* **7**: 81-84

Dzeja PP, Bast P, Ozcan C, Valverde A, Holmuhamedov EL, Van Wylen DG, Terzic A (2003) Targeting nucleotide-requiring enzymes: implications for diazoxide-induced cardioprotection. *Am J Physiol Heart Circ Physiol* **284**: H1048-1056

Ebenezer IS, Vellucci SV, Parrott RF (2001) The differential effects of intravenously administered 8-OH-DPAT on operant food intake in satiated and food-deprived pigs are mediated by central 5-HT(1A) receptors. *Physiol Behav* **73**: 223-227

Edgemond WS, Campbell WB, Hillard CJ (1995) The binding of novel phenolic derivatives of anandamide to brain cannabinoid receptors. *Prostaglandins Leukot Essent Fatty Acids* **52**: 83-86

Edgemond WS, Greenberg MJ, McGinley PJ, Muthian S, Campbell WB, Hillard CJ (1998) Synthesis and characterization of diazomethylarachidonyl ketone: an irreversible inhibitor of N-arachidonylethanolamine amidohydrolase. *J Pharmacol Exp Ther* **286**: 184-190

Edgemond WS, Hillard CJ, Falck JR, Kearn CS, Campbell WB (1998) Human platelets and polymorphonuclear leukocytes synthesize oxygenated derivatives of arachidonylethanolamide (anandamide): their affinities for cannabinoid receptors and pathways of inactivation. *Mol Pharmacol* **54**: 180-188

Edsall SA, Knapp RJ, Vanderah TW, Roeske WR, Consroe P, Yamamura HI (1996) Antisense oligodeoxynucleotide treatment to the brain cannabinoid receptor inhibits antinociception. *Neuroreport* **7**: 593-596

Edwards G, Weston AH (1998) Endothelium-derived hyperpolarizing factor--a critical appraisal. *Prog Drug Res* **50**: 107-133

Egashira N, Mishima K, Uchida T, Hasebe N, Nagai H, Mizuki A, Iwasaki K, Ishii H, Nishimura R, Shoyama Y, Fujiwara M (2004) Anandamide inhibits the DOI-induced head-twitch response in mice. *Psychopharmacology (Berl)* **171**: 382-389

Egertova M, Cravatt BF, Elphick MR (2000) Fatty acid amide hydrolase expression in rat choroid plexus: possible role in regulation of the sleep-inducing action of oleamide. *Neurosci Lett* **282**: 13-16

Egertova M, Cravatt BF, Elphick MR (2003) Comparative analysis of fatty acid amide hydrolase and cb(1) cannabinoid receptor expression in the mouse brain: evidence of a widespread role for fatty acid amide hydrolase in regulation of endocannabinoid signaling. *Neuroscience* **119**: 481-496

Egertova M, Giang DK, Cravatt BF, Elphick MR (1998) A new perspective on cannabinoid signalling: complementary localization of fatty acid amide hydrolase and the CB1 receptor in rat brain. *Proc R Soc Lond B Biol Sci* **265**: 2081-2085

Ehrlich BE (1995) Functional properties of intracellular calcium-release channels. *Curr Opin Neurobiol* **5**: 304-309

Ehrlich BE, Bezprozvanny I (1994) Intracellular calcium release channels. *Chin J Physiol* **37**: 1-7

Ehrlich BE, Watras J (1988) Inositol 1,4,5-trisphosphate activates a channel from smooth muscle sarcoplasmic reticulum. *Nature* **336**: 583-586

Eilers J, Konnerth A (1997) Dendritic signal integration. *Curr Opin Neurobiol* **7**: 385-390

Eilers J, Plant T, Konnerth A (1996) Localized calcium signalling and neuronal integration in cerebellar Purkinje neurones. *Cell Calcium* **20**: 215-226

EI-Gohary M, Eid MA (2004) Effect of cannabinoid ingestion (in the form of bhang) on the immune system of high school and university students. *Hum Exp Toxicol* **23**: 149-156

EI-Remessy AB, Khalil IE, Matragoon S, Abou-Mohamed G, Tsai NJ, Roon P, Caldwell RB, Caldwell

RW, Green K, Liou GI (2003) Neuroprotective effect of (-)Delta9-tetrahydrocannabinol and cannabidiol in N-methyl-D-aspartate-induced retinal neurotoxicity: involvement of peroxyxynitrite. *Am J Pathol* **163**: 1997-2008

El Bawab S, Usta J, Roddy P, Szulc ZM, Bielawska A, Hannun YA (2002) Substrate specificity of rat brain ceramidase. *J Lipid Res* **43**: 141-148

El Fangour S, Balas L, Rossi JC, Fedenyuk A, Gretskeya N, Bobrov M, Bezuglov V, Hillard CJ, Durand T (2003) Hemisynthesis and preliminary evaluation of novel endocannabinoid analogues. *Bioorg Med Chem Lett* **13**: 1977-1980

Ellingson JS (1980) Identification of N-acylethanolamine phosphoglycerides and acylphosphatidylglycerol as the phospholipids which disappear as *Dictyostelium discoideum* cells aggregate. *Biochemistry* **19**: 6176-6182

Ellingson JS, Dischinger HC (1985) Concurrent disappearance of N-acylethanolamine glycerophospholipids and phagolysosomes enriched in N-acylethanolamine glycerophospholipids as *Dictyostelium discoideum* cells aggregate. *Biochim Biophys Acta* **812**: 255-260

Ellington HC, Cotter MA, Cameron NE, Ross RA (2002) The effect of cannabinoids on capsaicin-evoked calcitonin gene-related peptide (CGRP) release from the isolated paw skin of diabetic and non-diabetic rats. *Neuropharmacology* **42**: 966-975

Elliott AC, Cairns SP, Allen DG (1992) Subcellular gradients of intracellular free calcium concentration in isolated lacrimal acinar cells. *Pflugers Arch* **422**: 245-252

Ellis EF, Moore SF, Willoughby KA (1995) Anandamide and delta 9-THC dilation of cerebral arterioles is blocked by indomethacin. *Am J Physiol* **269**: H1859-1864

Ellis PD, Hadfield KM, Pascall JC, Brown KD (2000) Cyclic AMP inhibits agonist-induced heparin-binding EGF gene expression independently of effects on p42/p44 MAPK activation. *Biochem Biophys Res Commun* **277**: 558-561

Elmes SJR, Smart D, David KA, Victoria C (2003) Role of CB2 receptors in peripheral somatosensory processing. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Elphick MR, Egertova M (2001) The neurobiology and evolution of cannabinoid signalling. *Philos Trans R Soc Lond B Biol Sci* **356**: 381-408

Elphick MR, Satou Y, Satoh N (2003) The invertebrate ancestry of endocannabinoid signalling: an orthologue of vertebrate cannabinoid receptors in the urochordate *Ciona intestinalis*. *Gene* **302**: 95-101

Emrich HM, Leweke FM, Schneider U (1997) Towards a cannabinoid hypothesis of schizophrenia: cognitive impairments due to dysregulation of the endogenous cannabinoid system. *Pharmacol Biochem Behav* **56**: 803-807

Epps DE, Natarajan V, Schmid PC, Schmid HO (1980) Accumulation of N-acylethanolamine glycerophospholipids in infarcted myocardium. *Biochim Biophys Acta* **618**: 420-430

Epps DE, Schmid PC, Natarajan V, Schmid HH (1979) N-Acylethanolamine accumulation in infarcted myocardium. *Biochem Biophys Res Commun* **90**: 628-633

Esmaili B, Ross JM, Neades C, Miller DM, 3rd, Ahringer J (2002) The *C. elegans* even-skipped homologue, *vab-7*, specifies DB motoneurone identity and axon trajectory. *Development* **129**: 853-862

Esposito G, Izzo AA, Di Rosa M, Iuvone T (2001) Selective cannabinoid CB1 receptor-mediated inhibition of inducible nitric oxide synthase protein expression in C6 rat glioma cells. *J Neurochem* **78**: 835-841

Esposito G, Ligresti A, Izzo AA, Bisogno T, Ruvo M, Di Rosa M, Di Marzo V, Iuvone T (2002) The endocannabinoid system protects rat glioma cells against HIV-1 Tat protein-induced cytotoxicity - Mechanism and regulation. *Journal of Biological Chemistry* **277**: 50348-50354

Esposito G, Ligresti A, Izzo AA, Bisogno T, Ruvo M, Di Rosa M, Di Marzo V, Iuvone T (2002) The endocannabinoid system protects rat glioma cells against HIV-1 Tat protein-induced cytotoxicity. Mechanism and regulation. *J Biol Chem* **277**: 50348-50354

Evans MG, Marty A (1986) Calcium-dependent chloride currents in isolated cells from rat lacrimal glands. *J Physiol* **378**: 437-460

Evans MG, Marty A (1986) Potentiation of muscarinic and alpha-adrenergic responses by an analogue of guanosine 5'-triphosphate. *Proc Natl Acad Sci U S A* **83**: 4099-4103

Evans MG, Marty A, Tan YP, Trautmann A (1986) Blockage of Ca-activated Cl conductance by furosemide in rat lacrimal glands. *Pflugers Arch* **406**: 65-68

Evans PC, Ovaa H, Hamon M, Kilshaw PJ, Hamm S, Bauer S, Ploegh HL, Smith TS (2004) Zinc-finger protein A20, a regulator of inflammation and cell survival, has de-ubiquitinating activity. *Biochem J* **378**: 727-734

Evans PC, Taylor ER, Coadwell J, Heyninck K, Beyaert R, Kilshaw PJ (2001) Isolation and characterization of two novel A20-like proteins. *Biochem J* **357**: 617-623

Evans RM, Scott RH, Ross RA (2004) Multiple actions of anandamide on neonatal rat cultured sensory neurones. *Br J Pharmacol* **141**: 1223-1233

Facchinetti F, Del Giudice E, Furegato S, Passarotto M, Leon A (2003) Cannabinoids ablate release of TNF α in rat microglial cells stimulated with lipopolysaccharide. *Glia* **41**: 161-168

Facci L, Dal Toso R, Romanello S, Buriani A, Skaper SD, Leon A (1995) Mast cells express a peripheral cannabinoid receptor with differential sensitivity to anandamide and palmitoylethanolamide. *Proc Natl Acad Sci U S A* **92**: 3376-3380

Fajloun Z, Kharrat R, Chen L, Lecomte C, Di Luccio E, Bichet D, El Ayeb M, Rochat H, Allen PD, Pessah IN, De Waard M, Sabatier JM (2000) Chemical synthesis and characterization of maurocalcine, a scorpion toxin that activates Ca(2+) release channel/ryanodine receptors. *FEBS Lett* **469**: 179-185

Fan P (1995) Cannabinoid agonists inhibit the activation of 5-HT₃ receptors in rat nodose ganglion neurons. *J Neurophysiol* **73**: 907-910

Fan S, Ma YX, Gao M, Yuan RQ, Meng Q, Goldberg ID, Rosen EM (2001) The multisubstrate adapter Gab1 regulates hepatocyte growth factor (scatter factor)-c-Met signaling for cell survival and DNA repair. *Mol Cell Biol* **21**: 4968-4984

Fan SF, Yazulla S (2003) Biphasic modulation of voltage-dependent currents of retinal cones by cannabinoid CB1 receptor agonist WIN 55212-2. *Vis Neurosci* **20**: 177-188

Faraco PR, Ledgerwood EC, Vandenabeele P, Prins JB, Bradley JR (1999) Tumor necrosis factor induces distinct patterns of caspase activation in WEHI-164 cells associated with apoptosis or necrosis depending on cell cycle stage. *Biochem Biophys Res Commun* **261**: 385-392

Farndale RW, Siljander PR, Onley DJ, Sundaresan P, Knight CG, Barnes MJ (2003) Collagen-platelet interactions: recognition and signalling. *Biochem Soc Symp*: 81-94

Farooqi IS, O'Rahilly S (2000) Recent advances in the genetics of severe childhood obesity. *Arch Dis Child* **83**: 31-34

Farooqi IS, O'Rahilly S (2004) Monogenic human obesity syndromes. *Recent Prog Horm Res* **59**: 409-424

Farquhar-Smith WP, Jaggar SI, Rice AS (2002) Attenuation of nerve growth factor-induced visceral hyperalgesia via cannabinoid CB(1) and CB(2)-like receptors. *Pain* **97**: 11-21

Farquhar-Smith WP, Rice AS (2001) Administration of endocannabinoids prevents a referred hyperalgesia associated with inflammation of the urinary bladder. *Anesthesiology* **94**: 507-513; discussion 506A

Farquhar-Smith WP, Rice AS (2003) A novel neuroimmune mechanism in cannabinoid-mediated attenuation of nerve growth factor-induced hyperalgesia. *Anesthesiology* **99**: 1391-1401

Farrens DL, Dunham TD, Fay JF, Dews IC, Caldwell J, Nauert B (2002) Design, expression, and characterization of a synthetic human cannabinoid receptor and cannabinoid receptor/ G-protein fusion protein. *J Pept Res* **60**: 336-347

Farzaneh-Far A, Proudfoot D, Weissberg PL, Shanahan CM (2000) Matrix gla protein is regulated by a mechanism functionally related to the calcium-sensing receptor. *Biochem Biophys Res Commun* **277**: 736-740

Fasia L, Karava V, Sifaka-Kapadai A (2003) Uptake and metabolism of [³H]anandamide by rabbit platelets. Lack of transporter? *Eur J Biochem* **270**: 3498-3506

Fasia L, Karava V, Sifaka-Kapadai A (2003) Uptake and metabolism of [³H]anandamide by rabbit platelets - Lack of transporter? *European Journal of Biochemistry* **270**: 3498-3506

Fassio A, Evans G, Grisshammer R, Bolam JP, Mimmack M, Emson PC (2000) Distribution of the neurotensin receptor NTS1 in the rat CNS studied using an amino-terminal directed antibody. *Neuropharmacology* **39**: 1430-1442

Fattore L, Cossu G, Martellotta CM, Fratta W (2001) Intravenous self-administration of the cannabinoid CB1 receptor agonist WIN 55,212-2 in rats. *Psychopharmacology (Berl)* **156**: 410-416

Fattore L, Martellotta MC, Cossu G, Mascia MS, Fratta W (1999) CB1 cannabinoid receptor agonist WIN 55,212-2 decreases intravenous cocaine self-administration in rats. *Behav Brain Res* **104**: 141-146

Fearon IM, Zhang M, Vollmer C, Nurse CA (2003) GABA mediates autoreceptor feedback inhibition in the rat carotid body via presynaptic GABAB receptors and TASK-1. *J Physiol* **553**: 83-94

Fedorova I, Hashimoto A, Fecik RA, Hedrick MP, Hanus LO, Boger DL, Rice KC, Basile AS (2001) Behavioral evidence for the interaction of oleamide with multiple neurotransmitter systems. *J Pharmacol Exp Ther* **299**: 332-342

Fegley D, Giuffrida A, Leweke FM, Gerth CV, Faulhaber J, Klosterkötter J, Piomelli D (2002) Elevated Csf Anandamide Is Selective for Acute Schizophrenia and Negatively Correlates with Psychotic Symptoms. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Fegley D, Kathuria S, Picone R, Li C, Goutopoulos A, Makriyannis A, Piomelli D (2003) A novel inhibitor

of endocannabinoid transport that does not affect anandamide hydrolysis. further evidence for the existence of an endocannabinoid transporter. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Fehervari Z, Cooke A, Brett S, Turner J (2002) Perturbation of naive TCR transgenic T cell functional responses and upstream activation events by anti-CD4 monoclonal antibodies. *Eur J Immunol* **32**: 333-340

Feil R, Khosla S, Cappai P, Loi P (1998) Genomic imprinting in ruminants: allele-specific gene expression in parthenogenetic sheep. *Mamm Genome* **9**: 831-834

Felder CC, Briley EM, Axelrod J, Simpson JT, Mackie K, Devane WA (1993) Anandamide, an endogenous cannabimimetic eicosanoid, binds to the cloned human cannabinoid receptor and stimulates receptor-mediated signal transduction. *Proc Natl Acad Sci U S A* **90**: 7656-7660

Felder CC, Glass M (1998) Cannabinoid receptors and their endogenous agonists. *Annu Rev Pharmacol Toxicol* **38**: 179-200

Felder CC, Joyce KE, Briley EM, Glass M, Mackie KP, Fahey KJ, Cullinan GJ, Hunden DC, Johnson DW, Chaney MO, Koppel GA, Brownstein M (1998) LY320135, a novel cannabinoid CB1 receptor antagonist, unmasks coupling of the CB1 receptor to stimulation of cAMP accumulation. *J Pharmacol Exp Ther* **284**: 291-297

Felder CC, Joyce KE, Briley EM, Mansouri J, Mackie K, Blond O, Lai Y, Ma AL, Mitchell RL (1995) Comparison of the pharmacology and signal transduction of the human cannabinoid CB1 and CB2 receptors. *Mol Pharmacol* **48**: 443-450

Felder CC, Nielsen A, Briley EM, Palkovits M, Priller J, Axelrod J, Nguyen DN, Richardson JM, Riggins RM, Koppel GA, Paul SM, Becker GW (1996) Isolation and measurement of the endogenous cannabinoid receptor agonist, anandamide, in brain and peripheral tissues of human and rat. *FEBS Lett* **393**: 231-235

Fenelon VS, Herbison AE (2000) Progesterone regulation of GABAA receptor plasticity in adult rat supraoptic nucleus. *Eur J Neurosci* **12**: 1617-1623

Feng W, Cai J, Pierce WM, Jr., Song ZH (2002) Expression of CB2 cannabinoid receptor in *Pichia pastoris*. *Protein Expr Purif* **26**: 496-505

Feng W, Song ZH (2001) Functional roles of the tyrosine within the NP(X)(n)Y motif and the cysteines in the C-terminal juxtamembrane region of the CB2 cannabinoid receptor. *FEBS Lett* **501**: 166-170

Feng W, Song ZH (2003) Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor. *Biochem Pharmacol* **65**: 1077-1085

Feniuk W, Jarvie E, Luo J, Humphrey PP (2000) Selective somatostatin sst(2) receptor blockade with the novel cyclic octapeptide, CYN-154806. *Neuropharmacology* **39**: 1443-1450

Fernandez-Espejo E, Caraballo I, Rodriguez De Fonseca F, Ferrer B, Banoua FE, Flores JA, Galan-Rodriguez B (2004) Experimental Parkinsonism Alters Anandamide Precursor Synthesis, and Functional Deficits are Improved by AM404: A Modulator of Endocannabinoid Function. *Neuropsychopharmacology*

Fernandez-Espejo E, Galan-Rodriguez B (2004) Sensorimotor gating in mice is disrupted after AM404, an anandamide reuptake and degradation inhibitor. *Psychopharmacology (Berl)*

Fernandez-Patron C, Stewart KG, Zhang Y, Koivunen E, Radomski MW, Davidge ST (2000) Vascular matrix metalloproteinase-2-dependent cleavage of calcitonin gene-related peptide promotes vasoconstriction. *Circ Res* **87**: 670-676

Fernandez-Ruiz J, Berrendero F, Hernandez ML, Ramos JA (2000) The endogenous cannabinoid system and brain development. *Trends Neurosci* **23**: 14-20

Fernandez-Ruiz J, Lastres-Becker I, Cabranes A, Gonzalez S, Ramos JA (2002) Endocannabinoids and basal ganglia functionality. *Prostaglandins Leukot Essent Fatty Acids* **66**: 257-267

Fernandez-Ruiz JJ, Berrendero F, Hernandez ML, Romero J, Ramos JA (1999) Role of endocannabinoids in brain development. *Life Sci* **65**: 725-736

Fernandez-Ruiz JJ, Munoz RM, Romero J, Villanua MA, Makriyannis A, Ramos JA (1997) Time course of the effects of different cannabimimetics on prolactin and gonadotrophin secretion: evidence for the presence of CB1 receptors in hypothalamic structures and their involvement in the effects of cannabimimetics. *Biochem Pharmacol* **53**: 1919-1927

Fernandez-Solari J, Scorticati C, Mohn C, De Laurentiis A, Billi S, Franchi A, McCann SM, Rettori V (2004) Alcohol inhibits luteinizing hormone-releasing hormone release by activating the endocannabinoid system. *Proc Natl Acad Sci U S A* **101**: 3264-3268

Fernando SR, Pertwee RG (1997) Evidence that methyl arachidonyl fluorophosphonate is an irreversible cannabinoid receptor antagonist. *Br J Pharmacol* **121**: 1716-1720

Ferraguti F, Corti C, Valerio E, Mion S, Xuereb J (2001) Activated astrocytes in areas of kainate-induced neuronal injury upregulate the expression of the metabotropic glutamate receptors 2/3 and 5. *Exp Brain Res* **137**: 1-11

Ferrari MB, Spitzer NC (1999) Calcium signaling in the developing *Xenopus* myotome. *Dev Biol* **213**: 269-282

Ferrer B, Asbrock N, Kathuria S, Piomelli D, Giuffrida A (2003) Effects of levodopa on endocannabinoid levels in rat basal ganglia: implications for the treatment of levodopa-induced dyskinesias. *Eur J Neurosci* **18**: 1607-1614

Ferry G, Boutin JA, Hennig P, Genton A, Desmet C, Fauchere JL, Atassi G, Tucker GC (1998) A zinc chelator inhibiting gelatinases exerts potent in vitro anti-invasive effects. *Eur J Pharmacol* **351**: 225-233

Fezza F, Bisogno T, Minassi A, Appendino G, Mechoulam R, Di Marzo V (2002) Noladin ether, a putative novel endocannabinoid: inactivation mechanisms and a sensitive method for its quantification in rat tissues. *FEBS Lett* **513**: 294-298

Fezza F, Dillwith JW, Bisogno T, Tucker JS, Di Marzo V, Sauer JR (2003) Endocannabinoids and related fatty acid amides, and their regulation, in the salivary glands of the lone star tick. *Biochim Biophys Acta* **1633**: 61-67

Fichera M, Cruciani G, Bianchi A, Musumarra G (2000) A 3D-QSAR study on the structural requirements for binding to CB(1) and CB(2) cannabinoid receptors. *J Med Chem* **43**: 2300-2309

Field FJ, Albright E, Mathur S (1991) Inhibition of acylcoenzyme A: cholesterol acyltransferase activity by PD128042: effect on cholesterol metabolism and secretion in CaCo-2 cells. *Lipids* **26**: 1-8

Field MJ, McCleary S, Boden P, Suman-Chauhan N, Hughes J, Singh L (1998) Involvement of the central tachykinin NK1 receptor during maintenance of mechanical hypersensitivity induced by diabetes in the rat. *J Pharmacol Exp Ther* **285**: 1226-1232

Fields HL, Meng ID (1998) Watching the pot boil. *Nat Med* **4**: 1008-1009

Filipeanu CM, de Zeeuw D, Nelemans SA (1997) Delta9-tetrahydrocannabinol activates $[Ca^{2+}]_i$ increases partly sensitive to capacitative store refilling. *Eur J Pharmacol* **336**: R1-3

Filipowicz-Banachowa A (1991) [Pathological changes found in the lacrimal sac during nasolacrimal duct surgery]. *Klin Oczna* **93**: 89-90

Filippov AK, Brown DA, Barnard EA (2000) The P2Y(1) receptor closes the N-type Ca^{2+} channel in neurones, with both adenosine triphosphates and diphosphates as potent agonists. *Br J Pharmacol* **129**: 1063-1066

Filippov AK, Couve A, Pangalos MN, Walsh FS, Brown DA, Moss SJ (2000) Heteromeric assembly of GABA(B)R1 and GABA(B)R2 receptor subunits inhibits Ca^{2+} current in sympathetic neurons. *J Neurosci* **20**: 2867-2874

Fimiani C, Magazine H, Welters ID, Bilfinger TV, Salsano F, Tonnesen E, Stefano GB (2000) Antagonism of LPS and IFN-gamma induced iNOS expression in human atrial endothelia by morphine, anandamide, and estrogen. *Acta Pharmacol Sin* **21**: 405-409

Fimiani C, Mattocks D, Cavani F, Salzet M, Deutsch DG, Pryor S, Bilfinger TV, Stefano GB (1999) Morphine and anandamide stimulate intracellular calcium transients in human arterial endothelial cells: coupling to nitric oxide release. *Cell Signal* **11**: 189-193

Findlay I (1984) A patch-clamp study of potassium channels and whole-cell currents in acinar cells of the mouse lacrimal gland. *J Physiol* **350**: 179-195

Findlay I, Petersen OH (1985) Acetylcholine stimulates a Ca^{2+} -dependent $C1^-$ conductance in mouse lacrimal acinar cells. *Pflugers Arch* **403**: 328-330

Fiskum G (2000) Mitochondrial participation in ischemic and traumatic neural cell death. *J Neurotrauma* **17**: 843-855

Fitzgerald RC, Onwuegbusi BA, Bajaj-Elliott M, Saeed IT, Burnham WR, Farthing MJ (2002) Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants. *Gut* **50**: 451-459

Fleming I, Schermer B, Popp R, Busse R (1999) Inhibition of the production of endothelium-derived hyperpolarizing factor by cannabinoid receptor agonists. *Br J Pharmacol* **126**: 949-960

Fleming JT, Squire MD, Barnes TM, Tornoe C, Matsuda K, Ahnn J, Fire A, Sulston JE, Barnard EA, Sattelle DB, Lewis JA (1997) *Caenorhabditis elegans* levamisole resistance genes *lev-1*, *unc-29*, and *unc-38* encode functional nicotinic acetylcholine receptor subunits. *J Neurosci* **17**: 5843-5857

Fletcher AJ, Ma XH, Wu WX, Nathanielsz PW, McGarrigle HH, Fowden AL, Giussani DA (2004) Antenatal glucocorticoids reset the level of baseline and hypoxemia-induced pituitary-adrenal activity in the sheep fetus during late gestation. *Am J Physiol Endocrinol Metab* **286**: E311-319

Fletcher EL, Hack I, Brandstatter JH, Wassle H (2000) Synaptic localization of NMDA receptor subunits in the rat retina. *J Comp Neurol* **420**: 98-112

Fletcher GC, Xue L, Passingham SK, Tolkovsky AM (2000) Death commitment point is advanced by

axotomy in sympathetic neurons. *J Cell Biol* **150**: 741-754

Floto RA, Smith KG (2003) The vagus nerve, macrophages, and nicotine. *Lancet* **361**: 1069-1070

Floto RA, Somasundaram B, Allen JM, Mahaut-Smith MP (1997) Fcγ receptor I activation triggers a novel Ca²⁺-activated current selective for monovalent cations in the human monocytic cell line, U937. *J Biol Chem* **272**: 4753-4758

Fontana A, Di Marzo V, Cadas H, Piomelli D (1995) Analysis of anandamide, an endogenous cannabinoid substance, and of other natural N-acyl ethanolamines. *Prostaglandins Leukot Essent Fatty Acids* **53**: 301-308

Fontana L, Moreira E, Torres MI, Fernandez I, Rios A, Sanchez de Medina F, Gil A (1998) Dietary nucleotides correct plasma and liver microsomal fatty acid alterations in rats with liver cirrhosis induced by oral intake of thioacetamide. *J Hepatol* **28**: 662-669

Ford WR, Honan SA, White R, Hiley CR (2002) Evidence of a novel site mediating anandamide-induced negative inotropic and coronary vasodilator responses in rat isolated hearts. *Br J Pharmacol* **135**: 1191-1198

Forhead AJ, Broughton Pipkin F, Fowden AL (2000) Effect of cortisol on blood pressure and the renin-angiotensin system in fetal sheep during late gestation. *J Physiol* **526 Pt 1**: 167-176

Forhead AJ, Fowden AL (2004) Role of angiotensin II in the pressor response to cortisol in fetal sheep during late gestation. *Exp Physiol* **89**: 323-329

Forhead AJ, Li J, Gilmour RS, Dauncey MJ, Fowden AL (2002) Thyroid hormones and the mRNA of the GH receptor and IGFs in skeletal muscle of fetal sheep. *Am J Physiol Endocrinol Metab* **282**: E80-86

Forhead AJ, Li J, Saunders JC, Dauncey MJ, Gilmour RS, Fowden AL (2000) Control of ovine hepatic growth hormone receptor and insulin-like growth factor I by thyroid hormones in utero. *Am J Physiol Endocrinol Metab* **278**: E1166-1174

Forman LJ (2003) The effect of cannabinoid receptor antagonism with SR141716A on antinociception induced by cocaine and the NMDA receptor antagonist, MK-801. *Brain Res Bull* **61**: 153-158

Fortin DA, Trettel J, Levine ES (2003) Action potential-induced suppression of inhibition in the neocortex is mediated by the release of endogenous cannabinoids. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Fowler CJ (2003) Plant-derived, synthetic and endogenous cannabinoids as neuroprotective agents. Non-psychoactive cannabinoids, 'entourage' compounds and inhibitors of N-acyl ethanolamine breakdown as therapeutic strategies to avoid psychotropic effects. *Brain Res Brain Res Rev* **41**: 26-43

Fowler CJ (2004) Oleamide: a member of the endocannabinoid family? *Br J Pharmacol* **141**: 195-196

Fowler CJ (2004) Possible involvement of the endocannabinoid system in the actions of three clinically used drugs. *Trends Pharmacol Sci* **25**: 59-61

Fowler CJ, Borjesson M, Tiger G (2000) Differences in the pharmacological properties of rat and chicken brain fatty acid amidohydrolase. *Br J Pharmacol* **131**: 498-504

Fowler CJ, Holt S, Tiger G (2003) Acidic nonsteroidal anti-inflammatory drugs inhibit rat brain fatty acid amide hydrolase in a pH-dependent manner. *J Enzyme Inhib Med Chem* **18**: 55-58

Fowler CJ, Jacobsson SO (2002) Cellular transport of anandamide, 2-arachidonoylglycerol and palmitoylethanolamide—targets for drug development? *Prostaglandins Leukot Essent Fatty Acids* **66**: 193-200

Fowler CJ, Janson U, Johnson RM, Wahlstrom G, Stenstrom A, Norstrom K, Tiger G (1999) Inhibition of anandamide hydrolysis by the enantiomers of ibuprofen, ketorolac, and flurbiprofen. *Arch Biochem Biophys* **362**: 191-196

Fowler CJ, Jonsson KO, Andersson A, Juntunen J, Jarvinen T, Vandevoorde S, Lambert DM, Jerman JC, Smart D (2003) Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid. *Biochem Pharmacol* **66**: 757-767

Fowler CJ, Jonsson KO, Andersson AS, Jacobsson SOP (2002) Non - Specific Effects of Anandamide Uptake Inhibitors Upon C6 Glioma Cell Proliferation. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Fowler CJ, Jonsson KO, Tiger G (2001) Fatty acid amide hydrolase: biochemistry, pharmacology, and therapeutic possibilities for an enzyme hydrolyzing anandamide, 2-arachidonoylglycerol, palmitoylethanolamide, and oleamide. *Biochem Pharmacol* **62**: 517-526

Fowler CJ, Karlsson M (2003) Anandamide binding to and release from cell culture wells is affected by uptake inhibitors. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Fowler CJ, Nilsson O, Andersson M, Disney G, Jacobsson SO, Tiger G (2001) Pharmacological properties of cannabinoid receptors in the avian brain: similarity of rat and chicken cannabinoid1 receptor

recognition sites and expression of cannabinoid2 receptor-like immunoreactivity in the embryonic chick brain. *Pharmacol Toxicol* **88**: 213-222

Fowler CJ, Stenstrom A, Tiger G (1997) Ibuprofen inhibits the metabolism of the endogenous cannabimimetic agent anandamide. *Pharmacol Toxicol* **80**: 103-107

Fowler CJ, Tiger G, Lopez-Rodriguez ML, Viso A, Ortega-Gutierrez S, Ramos JA (2003) Inhibition of fatty acid amidohydrolase, the enzyme responsible for the metabolism of the endocannabinoid anandamide, by analogues of arachidonoyl-serotonin. *J Enzyme Inhib Med Chem* **18**: 225-231

Fowler CJ, Tiger G, Stenstrom A (1997) Ibuprofen inhibits rat brain deamidation of anandamide at pharmacologically relevant concentrations. Mode of inhibition and structure-activity relationship. *J Pharmacol Exp Ther* **283**: 729-734

Franke TF, Kaplan DR, Cantley LC (1997) PI3K: downstream AKTion blocks apoptosis. *Cell* **88**: 435-437

Franklin A, Parmentier-Batteur S, Walter L, Greenberg DA, Stella N (2003) Palmitoylethanolamide increases after focal cerebral ischemia and potentiates microglial cell motility. *J Neurosci* **23**: 7767-7775

Franklin A, Stella N (2003) Arachidonylcyclopropylamide increases microglial cell migration through cannabinoid CB2 and abnormal-cannabidiol-sensitive receptors. *Eur J Pharmacol* **474**: 195-198

Frearson JA, Alexander DR (1998) The phosphotyrosine phosphatase SHP-2 participates in a multimeric signaling complex and regulates T cell receptor (TCR) coupling to the Ras/mitogen-activated protein kinase (MAPK) pathway in Jurkat T cells. *J Exp Med* **187**: 1417-1426

Freedland CS, Sharpe AL, Samson HH, Porrino LJ (2001) Effects of SR141716A on ethanol and sucrose self-administration. *Alcohol Clin Exp Res* **25**: 277-282

Freeman M (2002) A fly's eye view of EGF receptor signalling. *Embo J* **21**: 6635-6642

Freeman M, Gurdon JB (2002) Regulatory principles of developmental signaling. *Annu Rev Cell Dev Biol* **18**: 515-539

Freeman W, Morton AJ (2004) Differential messenger RNA expression of complexins in mouse brain. *Brain Res Bull* **63**: 33-44

Freestone JF, Seahorn TL (1993) Miscellaneous conditions of the equine head. *Vet Clin North Am Equine Pract* **9**: 235-242

French ED (1997) delta9-Tetrahydrocannabinol excites rat VTA dopamine neurons through activation of cannabinoid CB1 but not opioid receptors. *Neurosci Lett* **226**: 159-162

Freund TF, Hajos N (2003) Excitement reduces inhibition via endocannabinoids. *Neuron* **38**: 362-365

Freund TF, Katona I, Piomelli D (2003) Role of endogenous cannabinoids in synaptic signaling. *Physiol Rev* **83**: 1017-1066

Fride E (1995) Anandamides: tolerance and cross-tolerance to delta 9-tetrahydrocannabinol. *Brain Res* **697**: 83-90

Fride E (2002) Endocannabinoids in the central nervous system--an overview. *Prostaglandins Leukot Essent Fatty Acids* **66**: 221-233

Fride E (2002) Endocannabinoids in the central nervous system - an overview. *Prostaglandins Leukotrienes and Essential Fatty Acids* **66**: 221-233

Fride E (2002) Endocannabinoids in the central nervous system: An overview. *Prostaglandins Leukotrienes and Essential Fatty Acids* **66**: 221-233

Fride E, Barg J, Levy R, Saya D, Heldman E, Mechoulam R, Vogel Z (1995) Low doses of anandamides inhibit pharmacological effects of delta 9-tetrahydrocannabinol. *J Pharmacol Exp Ther* **272**: 699-707

Fride E, Ezra D, Suris R, Weisblum R, Blau H, Feigin C (2003) Role of CB1 receptors in emission of ultrasonic distress calls and body temperature in neonates. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Fride E, Foux A, Rosenberg E, Faigenboim M, Cohen V, Barda L, Blau H, Mechoulam R (2003) Milk intake and survival in newborn cannabinoid CB1 receptor knockout mice: evidence for a "CB3" receptor. *Eur J Pharmacol* **461**: 27-34

Fride E, Ginzburg Y, Breuer A, Bisogno T, Di Marzo V, Mechoulam R (2001) Critical role of the endogenous cannabinoid system in mouse pup suckling and growth. *Eur J Pharmacol* **419**: 207-214

Fride E, Mechoulam R (1993) Pharmacological activity of the cannabinoid receptor agonist, anandamide, a brain constituent. *Eur J Pharmacol* **231**: 313-314

Fride E, Mechoulam R (1996) Developmental aspects of anandamide: ontogeny of response and prenatal exposure. *Psychoneuroendocrinology* **21**: 157-172

Fride E, Mechoulam R (1996) Ontogenetic development of the response to anandamide and delta 9-tetrahydrocannabinol in mice. *Brain Res Dev Brain Res* **95**: 131-134

Fride E, Mechoulam R (2003) New advances in the identification and physiological roles of the components

of the endogenous cannabinoid system. *In* Molecular biology of drug addiction, pp 173-197

Fride E, Shohami E (2002) The endocannabinoid system: function in survival of the embryo, the newborn and the neuron. *Neuroreport* **13**: 1833-1841

Fride EC, Hanus L, Mechoulam R (2001) Role of endocannabinoids in food intake and development after birth: CB1 receptor specificity. *Society for Neuroscience Abstracts* **27**

Fritzsche M (2001) Are cannabinoid receptor knockout mice animal models for schizophrenia? *Med Hypotheses* **56**: 638-643

Fritzsche M (2003) The origin of brain asymmetry and its psychotic reversal. *Med Hypotheses* **60**: 468-480

Froehner SC (1993) Regulation of ion channel distribution at synapses. *Annu Rev Neurosci* **16**: 347-368

Froemke RC, Li CY, Dan Y (2003) A form of presynaptic coincidence detection. *Neuron* **39**: 579-581

Frol'kis VV, Artamonov MV, Zhukov OD, Klimashevs'kii VM, Marhitych VM, Hula NM (2000) [Influence of saturated long-chain N-acylethanolamines on lipid composition and heart contractility of isolated rat heart under ischemia-reperfusion]. *Ukr Biokhim Zh* **72**: 56-63

Frolkis VV, Artamonov MV, Zhukov AD, Klimashevsky VM, Margitich VM, Gulaya NM (2000) Influence of the saturated long-chain N-acylethanolamines on lipid composition and heart contractility of isolated rat heart under ischemia-reperfusion. *Ukrainskii Biokhimičeskii Zhurnal* **72**: 56-63

Frost EE, Buttery PC, Milner R, French-Constant C (1999) Integrins mediate a neuronal survival signal for oligodendrocytes. *Curr Biol* **9**: 1251-1254

Fruen BR, Mickelson JR, Louis CF (1997) Dantrolene inhibition of sarcoplasmic reticulum Ca²⁺ release by direct and specific action at skeletal muscle ryanodine receptors. *J Biol Chem* **272**: 26965-26971

Fu J, Gaetani S, Oveisi F, Lo Verme J, Serrano A, Rodriguez De Fonseca F, Rosengarth A, Luecke H, Di Giacomo B, Tarzia G, Piomelli D (2003) Oleylethanolamide regulates feeding and body weight through activation of the nuclear receptor PPAR- α . *Nature* **425**: 90-93

Fujiwara M (2001) [Characteristics of abnormal behavior induced by delta 9-tetrahydrocannabinol in rats]. *Nippon Yakurigaku Zasshi* **117**: 35-41

Fulceri R, Rossi R, Bottinelli R, Conti A, Intravaia E, Galione A, Benedetti A, Sorrentino V, Reggiani C (2001) Ca²⁺ release induced by cyclic ADP ribose in mice lacking type 3 ryanodine receptor. *Biochem Biophys Res Commun* **288**: 697-702

Fulton D, Quilley J (1998) Evidence against anandamide as the hyperpolarizing factor mediating the nitric oxide-independent coronary vasodilator effect of bradykinin in the rat. *J Pharmacol Exp Ther* **286**: 1146-1151

Fulton KF, Jackson SE, Buckle AM (2003) Energetic and structural analysis of the role of tryptophan 59 in FKBP12. *Biochemistry* **42**: 2364-2372

Funabashi H, Kawaguchi A, Tomoda H, Omura S, Okuda S, Iwasaki S (1989) Binding site of cerulenin in fatty acid synthetase. *J Biochem (Tokyo)* **105**: 751-755

Furlan RL, Ng YF, Otto S, Sanders JK (2001) A new cyclic pseudopeptide receptor for Li⁺ from a dynamic combinatorial library. *J Am Chem Soc* **123**: 8876-8877

Furuichi T, Yoshikawa S, Mikoshiba K (1989) Nucleotide sequence of cDNA encoding P400 protein in the mouse cerebellum. *Nucleic Acids Res* **17**: 5385-5386

Furuichi T, Yoshikawa S, Miyawaki A, Wada K, Maeda N, Mikoshiba K (1989) Primary structure and functional expression of the inositol 1,4,5-trisphosphate-binding protein P400. *Nature* **342**: 32-38

Furuyashiki T, Fujisawa K, Fujita A, Madaule P, Uchino S, Mishina M, Bito H, Narumiya S (1999) Citron, a Rho-target, interacts with PSD-95/SAP-90 at glutamatergic synapses in the thalamus. *J Neurosci* **19**: 109-118

Fusco FR, Martorana A, De March Z, Viscomi MT, Sancesario G, Bernardi G (2003) Huntingtin distribution among striatal output neurons of normal rat brain. *Neurosci Lett* **339**: 53-56

Fyk-Kolodziej B, Qin P, Pourcho RG (2003) Identification of a cone bipolar cell in cat retina which has input from both rod and cone photoreceptors. *J Comp Neurol* **464**: 104-113

Gabbay E, Avraham Y, Berry EM, Ilan Y, Zolotrev O, Okun A, Yisraeli E (2003) Treatment with an endocannabinoid antagonist improves neurological function and survival in an animal model of fulminant hepatic failure. *Hepatology* **38**: 541a-541a

Gadzicki D, Muller-Vahl K, Stuhmann M (1999) A frequent polymorphism in the coding exon of the human cannabinoid receptor (CNR1) gene. *Mol Cell Probes* **13**: 321-323

Gadzicki D, Muller-Vahl KR, Heller D, Ossege S, Nothen MM, Hebebrand J, Stuhmann M (2004) Tourette syndrome is not caused by mutations in the central cannabinoid receptor (CNR1) gene. *Am J Med Genet* **127B**: 97-103

Gaetani S, Cuomo V, Piomelli D (2003) Anandamide hydrolysis: a new target for anti-anxiety drugs? *Trends Mol Med* **9**: 474-478

Gaetani S, Oveisi F, Piomelli D (2003) Modulation of meal pattern in the rat by the anorexic lipid mediator oleoylethanolamide. *Neuropsychopharmacology* **28**: 1311-1316

Gahwiler B (1981) Organotypic monolayer cultures of nervous tissue. *J Neurosci* **4**: 329-342

Galiegue S, Mary S, Marchand J, Dussossoy D, Carriere D, Carayon P, Bouaboula M, Shire D, Le Fur G, Casellas P (1995) Expression of central and peripheral cannabinoid receptors in human immune tissues and leukocyte subpopulations. *Eur J Biochem* **232**: 54-61

Gallate JE, McGregor IS (1999) The motivation for beer in rats: effects of ritanserin, naloxone and SR 141716. *Psychopharmacology (Berl)* **142**: 302-308

Gallate JE, Saharov T, Mallet PE, McGregor IS (1999) Increased motivation for beer in rats following administration of a cannabinoid CB1 receptor agonist. *Eur J Pharmacol* **370**: 233-240

Galli C, Marangoni F (1997) Recent advances in the biology of n-6 fatty acids. *Nutrition* **13**: 978-985

Gallily R, Breuer A, Mechoulam R (2000) 2-Arachidonylglycerol, an endogenous cannabinoid, inhibits tumor necrosis factor-alpha production in murine macrophages, and in mice. *Eur J Pharmacol* **406**: R5-7

Galve-Roperh I, Rueda D, Martinez-Serrano A, Guzman M (2003) Cannabinoid inhibition of neuronal differentiation. *Journal of Neurochemistry* **87**

Gammon CM, Freeman GM, Xie W, Wetsel WC (2003) Endocannabinoid signaling in immortalized hypothalamic lhrh neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Garabette ML, Martin KF, Redfern PH (2000) Circadian variation in the activity of the 5-HT(1B) autoreceptor in the region of the suprachiasmatic nucleus, measured by microdialysis in the conscious freely-moving rat. *Br J Pharmacol* **131**: 1569-1576

Garcia DE, Brown S, Hille B, Mackie K (1998) Protein kinase C disrupts cannabinoid actions by phosphorylation of the CB1 cannabinoid receptor. *J Neurosci* **18**: 2834-2841

Garcia N, Jr., Jarai Z, Mirshahi F, Kunos G, Sanyal AJ (2001) Systemic and portal hemodynamic effects of anandamide. *Am J Physiol Gastrointest Liver Physiol* **280**: G14-20

Gardener MJ, Johnson IT, Burnham MP, Edwards G, Heagerty AM, Weston AH (2004) Functional evidence of a role for two-pore domain potassium channels in rat mesenteric and pulmonary arteries. *Br J Pharmacol* **142**: 192-202

Gardiner SM, March JE, Kemp PA, Bennett T (2002) beta2-Adrenoceptor involvement in the hindquarters vasodilator effects of WIN 55212-2, HU 210 and anandamide in conscious Sprague-Dawley rats. *British Journal of Pharmacology* **135**

Gardiner SM, March JE, Kemp PA, Bennett T (2002) Complex regional haemodynamic effects of anandamide in conscious rats. *Br J Pharmacol* **135**: 1889-1896

Gardner B, Zhu LX, Sharma S, Tashkin DP, Dubinett SM (2003) Methanandamide increases COX-2 expression and tumor growth in murine lung cancer. *Faseb J* **17**: 2157-2159

Gardner B, Zu LX, Sharma S, Liu Q, Makriyannis A, Tashkin DP, Dubinett SM (2002) Autocrine and paracrine regulation of lymphocyte CB2 receptor expression by TGF-beta. *Biochem Biophys Res Commun* **290**: 91-96

Gaskari SA, Li Y, Liu H, Lee SS (2003) Role of endocannabinoid system in the genesis of cirrhotic cardiomyopathy. *Hepatology* **38**: 198a-198a

Gatley SJ, Gifford AN, Volkow ND, Lan R, Makriyannis A (1996) 123I-labeled AM251: a radioiodinated ligand which binds in vivo to mouse brain cannabinoid CB1 receptors. *Eur J Pharmacol* **307**: 331-338

Gatley SJ, Lan R, Pyatt B, Gifford AN, Volkow ND, Makriyannis A (1997) Binding of the non-classical cannabinoid CP 55,940, and the diarylpyrazole AM251 to rodent brain cannabinoid receptors. *Life Sci* **61**: PL 191-197

Gatley SJ, Lan R, Volkow ND, Pappas N, King P, Wong CT, Gifford AN, Pyatt B, Dewey SL, Makriyannis A (1998) Imaging the brain marijuana receptor: development of a radioligand that binds to cannabinoid CB1 receptors in vivo. *J Neurochem* **70**: 417-423

Gauldie SD, McQueen DS, Pertwee R, Chessell IP (2001) Anandamide activates peripheral nociceptors in normal and arthritic rat knee joints. *Br J Pharmacol* **132**: 617-621

Gaus K, Basran A, Hall EA (2001) Assessment of the fifth ligand-binding repeat (LR5) of the LDL receptor as an analytical reagent for LDL binding. *Analyst* **126**: 329-336

Gaus K, Hall EA (2003) Short peptide receptor mimics for atherosclerosis risk assessment of LDL. *Biosens Bioelectron* **18**: 151-164

Gavva NR, Klionsky L, Qu Y, Shi L, Tamir R, Edenson S, Zhang TJ, Viswanadhan VN, Toth A, Pearce LV, Vanderah TW, Porreca F, Blumberg PM, Lile J, Sun Y, Wild K, Louis JC, Treanor JJ (2004) Molecular Determinants of Vanilloid Sensitivity in TRPV1. *J Biol Chem* **279**: 20283-20295

Gebremedhin D, Lange AR, Campbell WB, Hillard CJ, Harder DR (1999) Cannabinoid CB1 receptor of

cat cerebral arterial muscle functions to inhibit L-type Ca²⁺ channel current. *Am J Physiol* **276**: H2085-2093

Genazzani AA, Billington RA (2002) NAADP: an atypical Ca²⁺-release messenger? *Trends Pharmacol Sci* **23**: 165-167

George S, Johansen A, Soos MA, Mortensen H, Gammeltoft S, Saudek V, Siddle K, Hansen L, O'Rahilly S (2003) Deletion of V335 from the L2 domain of the insulin receptor results in a conformationally abnormal receptor that is unable to bind insulin and causes Donohue's syndrome in a human subject. *Endocrinology* **144**: 631-637

Geraghty DP, Mazzone SB (2002) Respiratory actions of vanilloid receptor agonists in the nucleus of the solitary tract: comparison of resiniferatoxin with non-pungent agents and anandamide. *Br J Pharmacol* **137**: 919-927

Gerdeman G, Lovinger DM (2001) CB1 cannabinoid receptor inhibits synaptic release of glutamate in rat dorsolateral striatum. *J Neurophysiol* **85**: 468-471

Gerdeman GL, Lovinger DM (2001) CB1 cannabinoid receptors are critical for induction of striatal long term depression. *Society for Neuroscience Abstracts* **27**

Gerdeman GL, Lovinger DM (2003) Emerging roles for endocannabinoids in long-term synaptic plasticity. *British Journal of Pharmacology* **140**: 781-789

Gerdeman GL, Partridge JG, Lupica CR, Lovinger DM (2003) It could be habit forming: drugs of abuse and striatal synaptic plasticity. *Trends Neurosci* **26**: 184-192

Gerdeman GL, Ronesi J, Lovinger DM (2002) Postsynaptic endocannabinoid release is critical to long-term depression in the striatum. *Nat Neurosci* **5**: 446-451

Gerdeman GL, Ronesi J, Lovinger DM (2002) Striatal Long Term Depression Depends on Efflux of Retrograde Endocannabinoids Via Reverse Transport. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Germain N, Boichot E, Advenier C, Berdyshev EV, Lagente V (2002) Effect of the cannabinoid receptor ligand, WIN 55,212-2, on superoxide anion and TNF-alpha production by human mononuclear cells. *Int Immunopharmacol* **2**: 537-543

Germano MP, D'Angelo V, Mondello MR, Pergolizzi S, Capasso F, Capasso R, Izzo AA, Mascolo N, De Pasquale R (2001) Cannabinoid CB1-mediated inhibition of stress-induced gastric ulcers in rats. *Naunyn Schmiedebergs Arch Pharmacol* **363**: 241-244

Gerwick WH, Wise ML, Soderstrom K, Murray TF (1997) Biosynthesis and cannabinoid receptor affinity of the novel eicosanoid, conjugated triene anandamide. *Adv Exp Med Biol* **407**: 329-334

Gessa GL, Casu MA, Carta G, Mascia MS (1998) Cannabinoids decrease acetylcholine release in the medial-prefrontal cortex and hippocampus, reversal by SR 141716A. *Eur J Pharmacol* **355**: 119-124

Gessa GL, Melis M, Muntoni AL, Diana M (1998) Cannabinoids activate mesolimbic dopamine neurons by an action on cannabinoid CB1 receptors. *Eur J Pharmacol* **341**: 39-44

Gherardi E, Youles ME, Miguel RN, Blundell TL, Iamelle L, Gough J, Bandyopadhyay A, Hartmann G, Butler PJ (2003) Functional map and domain structure of MET, the product of the c-met protooncogene and receptor for hepatocyte growth factor/scatter factor. *Proc Natl Acad Sci U S A* **100**: 12039-12044

Giang DK, Cravatt BF (1997) Molecular characterization of human and mouse fatty acid amide hydrolases. *Proc Natl Acad Sci U S A* **94**: 2238-2242

Giannini G, Conti A, Mammarella S, Scrobogna M, Sorrentino V (1995) The ryanodine receptor/calcium channel genes are widely and differentially expressed in murine brain and peripheral tissues. *J Cell Biol* **128**: 893-904

Gifford AN, Bruneus M, Gatley SJ, Lan R, Makriyannis A, Volkow ND (1999) Large receptor reserve for cannabinoid actions in the central nervous system. *J Pharmacol Exp Ther* **288**: 478-483

Gifford AN, Bruneus M, Lin S, Goutopoulos A, Makriyannis A, Volkow ND, Gatley SJ (1999) Potentiation of the action of anandamide on hippocampal slices by the fatty acid amide hydrolase inhibitor, palmitylsulphonyl fluoride (AM 374). *Eur J Pharmacol* **383**: 9-14

Gifford AN, Makriyannis A, Volkow ND, Gatley SJ (2002) In vivo imaging of the brain cannabinoid receptor. *Chem Phys Lipids* **121**: 65-72

Gilbard JP, Dartt DA (1982) Changes in rabbit lacrimal gland fluid osmolarity with flow rate. *Invest Ophthalmol Vis Sci* **23**: 804-806

Gilgun-Sherki Y, Melamed E, Mechoulam R, Offen D (2003) The CB1 cannabinoid receptor agonist, HU-210, reduces levodopa-induced rotations in 6-hydroxydopamine-lesioned rats. *Pharmacol Toxicol* **93**: 66-70

Gillingham AK, Pfeifer AC, Munro S (2002) CASP, the alternatively spliced product of the gene encoding the CCAAT-displacement protein transcription factor, is a Golgi membrane protein related to giantin. *Mol Biol Cell* **13**: 3761-3774

Gilon P, Bird GJ, Bian X, Yakel JL, Putney JW, Jr. (1995) The Ca²⁺-mobilizing actions of a Jurkat cell extract on mammalian cells and *Xenopus laevis* oocytes. *J Biol Chem* **270**: 8050-8055

Ginsborg BL, House CR (1980) Stimulus-response coupling in gland cells. *Annu Rev Biophys Bioeng* **9**: 55-80

Giuffrida A, Beltramo M, Piomelli D (2001) Mechanisms of endocannabinoid inactivation: biochemistry and pharmacology. *J Pharmacol Exp Ther* **298**: 7-14

Giuffrida A, Desarnaud F, Piomelli D (2000) Endogenous cannabinoid signaling and psychomotor disorders. *Prostaglandins Other Lipid Mediat* **61**: 63-70

Giuffrida A, Ferrer B, Asbrock N, Le S, Piomelli D (2002) Endocannabinoid Dysregulation in 6 - Ohda - Lesioned Rats. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Giuffrida A, Parsons LH, Kerr TM, Rodriguez de Fonseca F, Navarro M, Piomelli D (1999) Dopamine activation of endogenous cannabinoid signaling in dorsal striatum. *Nat Neurosci* **2**: 358-363

Giuffrida A, Piomelli D (1998) Isotope dilution GC/MS determination of anandamide and other fatty acylethanolamides in rat blood plasma. *FEBS Lett* **422**: 373-376

Giuffrida A, Piomelli D (1999) Purification and high-resolution analysis of anandamide and other fatty acylethanolamides. *In* SG Laycock, RP Rubin, eds, *Lipid Second Messengers*. CRC Press, Boca Raton, pp 113-133

Giuffrida A, Piomelli D (2000) The endocannabinoid system: a physiological perspective on its role in psychomotor control. *Chem Phys Lipids* **108**: 151-158

Giuffrida A, Piomelli D, Solbrig M (2003) Extrapyramidal endocannabinoid dysregulation in viral - induced dyskinesias. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Giuffrida A, Rodriguez de Fonseca F, Nava F, Loubet-Lescoulie P, Piomelli D (2000) Elevated circulating levels of anandamide after administration of the transport inhibitor, AM404. *Eur J Pharmacol* **408**: 161-168

Giuffrida A, Rodriguez de Fonseca F, Piomelli D (2000) Quantification of bioactive acylethanolamides in rat plasma by electrospray mass spectrometry. *Anal Biochem* **280**: 87-93

Giussani DA, Gardner DS, Cox DT, Fletcher AJ (2001) Purinergic contribution to circulatory, metabolic, and adrenergic responses to acute hypoxemia in fetal sheep. *Am J Physiol Regul Integr Comp Physiol* **280**: R678-685

Giussani DA, Riquelme RA, Sanhueza EM, Hanson MA, Blanco CE, Llanos AJ (1999) Adrenergic and vasopressinergic contributions to the cardiovascular response to acute hypoxaemia in the llama fetus. *J Physiol* **515 (Pt 1)**: 233-241

Glaser ST, Abumrad NA, Fatade F, Kaczocha M, Studholme KM, Deutsch DG (2003) Evidence against the presence of an anandamide transporter. *Proc Natl Acad Sci U S A* **100**: 4269-4274

Glass M (2001) The role of cannabinoids in neurodegenerative diseases. *Prog Neuropsychopharmacol Biol Psychiatry* **25**: 743-765

Glass M, Felder CC (1997) Concurrent stimulation of cannabinoid CB1 and dopamine D2 receptors augments cAMP accumulation in striatal neurons: evidence for a Gs linkage to the CB1 receptor. *J Neurosci* **17**: 5327-5333

Glass M, Northup JK (1999) Agonist selective regulation of G proteins by cannabinoid CB(1) and CB(2) receptors. *Mol Pharmacol* **56**: 1362-1369

Glass M, van Dellen A, Blakemore C, Hannan AJ, Faull RL (2004) Delayed onset of Huntington's disease in mice in an enriched environment correlates with delayed loss of cannabinoid CB1 receptors. *Neuroscience* **123**: 207-212

Glebov OO, Nichols BJ (2004) Lipid raft proteins have a random distribution during localized activation of the T-cell receptor. *Nat Cell Biol* **6**: 238-243

Glen AI, Cooper SJ, Rybakowski J, Vaddadi K, Brayshaw N, Horrobin DF (1996) Membrane fatty acids, niacin flushing and clinical parameters. *Prostaglandins Leukot Essent Fatty Acids* **55**: 9-15

Glaborse TA, Bateson AN, Darlison MG (1992) Differential Localization of Two Alternatively Spliced GABAA Receptor gamma2-Subunit mRNAs in the Chick Brain. *Eur J Neurosci* **4**: 271-277

Godfrey PP, Putney JW, Jr. (1984) Receptor-mediated metabolism of the phosphoinositides and phosphatidic acid in rat lacrimal acinar cells. *Biochem J* **218**: 187-195

Goldberg M, Lecolle S, Lesot H, Ruch JV (1990) Effects of cerulenin, an inhibitor of fatty acid synthesis on reconstitution of the dental basement membrane. *Biol Cell* **69**: 27-33

Gomez del Pulgar T, Velasco G, Guzman M (2000) The CB1 cannabinoid receptor is coupled to the activation of protein kinase B/Akt. *Biochem J* **347**: 369-373

Gomez R, Navarro M, Ferrer B, Trigo JM, Bilbao A, Del Arco I, Cippitelli A, Nava F, Piomelli D,

Rodriguez de Fonseca F (2002) A peripheral mechanism for CB1 cannabinoid receptor-dependent modulation of feeding. *J Neurosci* **22**: 9612-9617

Gomez TM, Spitzer NC (1999) In vivo regulation of axon extension and pathfinding by growth-cone calcium transients. *Nature* **397**: 350-355

Gomperts SN (1996) Clustering membrane proteins: It's all coming together with the PSD-95/SAP90 protein family. *Cell* **84**: 659-662

Gongora C, Hose S, O'Brien TP, Sinha D (2004) Downregulation of class II transactivator (CIITA) expression by synthetic cannabinoid CP55,940. *Immunol Lett* **91**: 11-16

Gonsiorek W, Lunn C, Fan X, Narula S, Lundell D, Hipkin RW (2000) Endocannabinoid 2-arachidonoyl glycerol is a full agonist through human type 2 cannabinoid receptor: antagonism by anandamide. *Mol Pharmacol* **57**: 1045-1050

Gonzalez-Maeso J, Wise A, Green A, Koenig JA (2003) Agonist-induced desensitization and endocytosis of heterodimeric GABAB receptors in CHO-K1 cells. *Eur J Pharmacol* **481**: 15-23

Gonzalez-Perrett S, Kim K, Ibarra C, Damiano AE, Zotta E, Batelli M, Harris PC, Reisin IL, Arnaout MA, Cantiello HF (2001) Polycystin-2, the protein mutated in autosomal dominant polycystic kidney disease (ADPKD), is a Ca²⁺-permeable nonselective cation channel. *Proc Natl Acad Sci U S A* **98**: 1182-1187

Gonzalez-Reyes A, St Johnston D (1998) Patterning of the follicle cell epithelium along the anterior-posterior axis during *Drosophila* oogenesis. *Development* **125**: 2837-2846

Gonzalez S, Bisogno T, Wenger T, Manzanares J, Milone A, Berrendero F, Di Marzo V, Ramos JA, Fernandez-Ruiz JJ (2000) Sex steroid influence on cannabinoid CB(1) receptor mRNA and endocannabinoid levels in the anterior pituitary gland. *Biochem Biophys Res Commun* **270**: 260-266

Gonzalez S, Cascio MG, Fernandez-Ruiz J, Fezza F, Di Marzo V, Ramos JA (2002) Changes in endocannabinoid contents in the brain of rats chronically exposed to nicotine, ethanol or cocaine. *Brain Res* **954**: 73-81

Gonzalez S, Fernandez-Ruiz J, Marzo VD, Hernandez M, Arevalo C, Nicanor C, Cascio MG, Ambrosio E, Ramos JA (2004) Behavioral and molecular changes elicited by acute administration of SR141716 to Delta(9)-tetrahydrocannabinol-tolerant rats: an experimental model of cannabinoid abstinence. *Drug Alcohol Depend* **74**: 159-170

Gonzalez S, Fernandez-Ruiz J, Sparpaglione V, Parolaro D, Ramos JA (2002) Chronic exposure to morphine, cocaine or ethanol in rats produced different effects in brain cannabinoid CB(1) receptor binding and mRNA levels. *Drug Alcohol Depend* **66**: 77-84

Gonzalez S, Manzanares J, Berrendero F, Wenger T, Corchero J, Bisogno T, Romero J, Fuentes JA, Di Marzo V, Ramos JA, Fernandez-Ruiz J (1999) Identification of endocannabinoids and cannabinoid CB(1) receptor mRNA in the pituitary gland. *Neuroendocrinology* **70**: 137-145

Gonzalez S, Mauriello-Romanazzi G, Berrendero F, Ramos JA, Franzoni MF, Fernandez-Ruiz J (2000) Decreased cannabinoid CB1 receptor mRNA levels and immunoreactivity in pituitary hyperplasia induced by prolonged exposure to estrogens. *Pituitary* **3**: 221-226

Gonzalez S, Romero J, de Miguel R, Lastres-Becker I, Villanua MA, Makriyannis A, Ramos JA, Fernandez-Ruiz JJ (1999) Extrapyramidal and neuroendocrine effects of AM404, an inhibitor of the carrier-mediated transport of anandamide. *Life Sci* **65**: 327-336

Gonzalez S, Schmid PC, Fernandez-Ruiz J, Krebsbach R, Schmid HH, Ramos JA (2003) Region-dependent changes in endocannabinoid transmission in the brain of morphine-dependent rats. *Addict Biol* **8**: 159-166

Goode EL, Dunning AM, Kuschel B, Healey CS, Day NE, Ponder BA, Easton DF, Pharoah PP (2002) Effect of germ-line genetic variation on breast cancer survival in a population-based study. *Cancer Res* **62**: 3052-3057

Goodfellow PN, Camerino G (2001) DAX-1, an "antitestis" gene. *Exs*: 57-69

Gopal KV, Gross GW (2004) Unique responses of auditory cortex network in vitro to low concentrations of quinine. *Hearing Research In Press*

Goparaju SK, Kurahashi Y, Suzuki H, Ueda N, Yamamoto S (1999) Anandamide amidohydrolase of porcine brain: cDNA cloning, functional expression and site-directed mutagenesis(1). *Biochim Biophys Acta* **1441**: 77-84

Goparaju SK, Ueda N, Taniguchi K, Yamamoto S (1999) Enzymes of porcine brain hydrolyzing 2-arachidonoylglycerol, an endogenous ligand of cannabinoid receptors. *Biochem Pharmacol* **57**: 417-423

Goparaju SK, Ueda N, Yamaguchi H, Yamamoto S (1998) Anandamide amidohydrolase reacting with 2-arachidonoylglycerol, another cannabinoid receptor ligand. *FEBS Lett* **422**: 69-73

Gorriti MA, Rodriguez de Fonseca F, Navarro M, Palomo T (1999) Chronic (-)-delta9-

tetrahydrocannabinol treatment induces sensitization to the psychomotor effects of amphetamine in rats. *Eur J Pharmacol* **365**: 133-142

Gothert M, Bruss M, Bonisch H, Molderings GJ (1999) Presynaptic imidazoline receptors. New developments in characterization and classification. *Ann N Y Acad Sci* **881**: 171-184

Goutopoulos A, Fan P, Khanolkar AD, Xie XQ, Lin S, Makriyannis A (2001) Stereochemical selectivity of methanandamides for the CB1 and CB2 cannabinoid receptors and their metabolic stability. *Bioorg Med Chem* **9**: 1673-1684

Goutopoulos A, Makriyannis A (2002) From cannabis to cannabinergics: new therapeutic opportunities. *Pharmacol Ther* **95**: 103-117

Gower NJ, Temple GR, Schein JE, Marra M, Walker DS, Baylis HA (2001) Dissection of the promoter region of the inositol 1,4,5-trisphosphate receptor gene, *itr-1*, in *C. elegans*: a molecular basis for cell-specific expression of IP3R isoforms. *J Mol Biol* **306**: 145-157

Goya P, Jagerovic N, Hernandez-Folgado L, Martin MI (2003) Cannabinoids and neuropathic pain. *Mini Rev Med Chem* **3**: 765-772

Grahames CB, Michel AD, Chessell IP, Humphrey PP (1999) Pharmacological characterization of ATP- and LPS-induced IL-1 β release in human monocytes. *Br J Pharmacol* **127**: 1915-1921

Grainger DJ, Frow EK (2000) Thrombospondin 1 does not activate transforming growth factor β 1 in a chemically defined system or in smooth-muscle-cell cultures. *Biochem J* **350 Pt 1**: 291-298

Grainger J, Boachie-Ansah G (2001) Anandamide-induced relaxation of sheep coronary arteries: the role of the vascular endothelium, arachidonic acid metabolites and potassium channels. *Br J Pharmacol* **134**: 1003-1012

Grammatikopoulos G, Pignatelli M, Giuliano A, Ruocco L, Scamardella M, Sadile AG (2001) Blockade of the CB1 endocannabinoid receptor modulates activity and non-selective attention in the Naples High Excitability rat. *Society for Neuroscience Abstracts* **27**

Granberg M, Fowler CJ, Jacobsson SO (2001) Effects of the cannabimimetic fatty acid derivatives 2-arachidonoylglycerol, anandamide, palmitoylethanolamide and methanandamide upon IgE-dependent antigen-induced beta-hexosaminidase, serotonin and TNF α release from rat RBL-2H3 basophilic leukaemic cells. *Naunyn Schmiedeberg's Arch Pharmacol* **364**: 66-73

Granon S, Passeti F, Thomas KL, Dalley JW, Everitt BJ, Robbins TW (2000) Enhanced and impaired attentional performance after infusion of D1 dopaminergic receptor agents into rat prefrontal cortex. *J Neurosci* **20**: 1208-1215

Gray J, Jerman JC, Ooi LC, Brough SJ, Owen DE, Smart D, Davis JB (2001) Primary and recombinant rat VR1 responses to cannabinoids. *Society for Neuroscience Abstracts* **27**

Grayson C, Reid SN, Ellis JA, Rutherford A, Sowden JC, Yates JR, Farber DB, Trump D (2000) Retinoschisin, the X-linked retinoschisis protein, is a secreted photoreceptor protein, and is expressed and released by Weri-Rb1 cells. *Hum Mol Genet* **9**: 1873-1879

Grazia Cascio M, Minassi A, Ligresti A, Appendino G, Burstein S, Di Marzo V (2004) A structure-activity relationship study on N-arachidonoyl-amino acids as possible endogenous inhibitors of fatty acid amide hydrolase. *Biochem Biophys Res Commun* **314**: 192-196

Green PS, Simpkins JW (2000) Estrogens and estrogen-like non-feminizing compounds. Their role in the prevention and treatment of Alzheimer's disease. *Ann N Y Acad Sci* **924**: 93-98

Green PS, Simpkins JW (2000) Neuroprotective effects of estrogens: potential mechanisms of action. *Int J Dev Neurosci* **18**: 347-358

Greene LA, Tischler AS (1976) Establishment of a noradrenergic clonal line of rat adrenal pheochromocytoma cells which respond to nerve growth factor. *Proc Natl Acad Sci U S A* **73**: 2424-2428

Greferath U, Grunert U, Fritschy JM, Stephenson A, Mohler H, Wassle H (1995) GABAA receptor subunits have differential distributions in the rat retina: in situ hybridization and immunohistochemistry. *J Comp Neurol* **353**: 553-571

Greferath U, Grunert U, Muller F, Wassle H (1994) Localization of GABAA receptors in the rabbit retina. *Cell Tissue Res* **276**: 295-307

Gribble FM, Reimann F (2002) Pharmacological modulation of K(ATP) channels. *Biochem Soc Trans* **30**: 333-339

Gribble FM, Reimann F (2003) Differential selectivity of insulin secretagogues: mechanisms, clinical implications, and drug interactions. *J Diabetes Complications* **17**: 11-15

Gribble FM, Reimann F (2003) Sulphonylurea action revisited: the post-cloning era. *Diabetologia* **46**: 875-891

Griffin G, Atkinson PJ, Showalter VM, Martin BR, Abood ME (1998) Evaluation of cannabinoid receptor

agonists and antagonists using the guanosine-5'-O-(3-[35S]thio)-triphosphate binding assay in rat cerebellar membranes. *J Pharmacol Exp Ther* **285**: 553-560

Griffin G, Fernando SR, Ross RA, McKay NG, Ashford ML, Shire D, Huffman JW, Yu S, Lainton JA, Pertwee RG (1997) Evidence for the presence of CB2-like cannabinoid receptors on peripheral nerve terminals. *Eur J Pharmacol* **339**: 53-61

Griffin G, Tao Q, Abood ME (2000) Cloning and pharmacological characterization of the rat CB(2) cannabinoid receptor. *J Pharmacol Exp Ther* **292**: 886-894

Griffin G, Wray EJ, Rorrer WK, Crocker PJ, Ryan WJ, Saha B, Razdan RK, Martin BR, Abood ME (1999) An investigation into the structural determinants of cannabinoid receptor ligand efficacy. *Br J Pharmacol* **126**: 1575-1584

Griffin G, Wray EJ, Tao Q, McAllister SD, Rorrer WK, Aung MM, Martin BR, Abood ME (1999) Evaluation of the cannabinoid CB2 receptor-selective antagonist, SR144528: further evidence for cannabinoid CB2 receptor absence in the rat central nervous system. *Eur J Pharmacol* **377**: 117-125

Grisshammer R, Hermans E (2001) Functional coupling with Galpha(q) and Galpha(i1) protein subunits promotes high-affinity agonist binding to the neurotensin receptor NTS-1 expressed in *Escherichia coli*. *FEBS Lett* **493**: 101-105

Gromada J, Jorgensen TD, Dissing S (1995) Cyclic ADP-ribose and inositol 1,4,5-triphosphate mobilizes Ca²⁺ from distinct intracellular pools in permeabilized lacrimal acinar cells. *FEBS Lett* **360**: 303-306

Gromada J, Jorgensen TD, Dissing S (1995) The release of intracellular Ca²⁺ in lacrimal acinar cells by alpha-, beta-adrenergic and muscarinic cholinergic stimulation: the roles of inositol triphosphate and cyclic ADP-ribose. *Pflugers Arch* **429**: 751-761

Gromada J, Jorgensen TD, Dissing S (1995) Role of protein kinase C in the regulation of inositol phosphate production and Ca²⁺ mobilization evoked by ATP and acetylcholine in rat lacrimal acini. *Pflugers Arch* **429**: 578-586

Gromada J, Jorgensen TD, Tritsarlis K, Nauntofte B, Dissing S (1993) Ca²⁺ signalling in exocrine acinar cells: the diffusional properties of cellular inositol 1,4,5-trisphosphate and its role in the release of Ca²⁺. *Cell Calcium* **14**: 711-723

Gross A, Bouaboula M, Casellas P, Liautard JP, Dornand J (2003) Subversion and utilization of the host cell cyclic adenosine 5'-monophosphate/protein kinase A pathway by *Brucella* during macrophage infection. *J Immunol* **170**: 5607-5614

Gross A, Terraza A, Marchant J, Bouaboula M, Ouahrani-Bettache S, Liautard JP, Casellas P, Dornand J (2000) A beneficial aspect of a CB1 cannabinoid receptor antagonist: SR141716A is a potent inhibitor of macrophage infection by the intracellular pathogen *Brucella suis*. *J Leukoc Biol* **67**: 335-344

Gross GW (1979) Simultaneous single unit recording in vitro with a photoetched laser deinsulated gold multimicroelectrode surface. *IEEE Trans Biomed Eng* **26**: 273-279

Gross GW (1994) Internal dynamics of randomized mammalian neuronal networks in culture. *In* DA Stenger, TM McKenna, eds, *Enabling technologies for cultured neural networks*. Academic Press, New York, pp 277-317

Gross GW, Harsch A, Rhoades BK, Gopel W (1997) Odor, drug and toxin analysis with neuronal networks in vitro: extracellular array recording of network responses. *Biosens Bioelectron* **12**: 373-393

Gross GW, Kowalski JM (1991) Experimental and theoretical analyses of random network dynamics. *In* A Milutinovic, ed, *Neural networks, concepts, application and implementation*, Vol 4. Prentice Hall, NJ

Gross GW, Lucas JH (1982) Long-term monitoring of spontaneous single unit activity from neuronal monolayer networks cultured on photoetched multielectrode surfaces. *J Electrophys Tech* **9**: 55-69

Gross GW, Norton S, Gopal K, Schiffmann D, Gramowski A (1997) Nerve cell networks in vitro: applications to neurotoxicology, drug development and biosensors. *The Neuroelectronic interface. Cellular Engineering* **2**: 138-147

Gross GW, Rhoades BK, Jordan RJ (1992) Neuronal networks for biochemical sensing. *Sensors and actuators* **6**: 1-8

Gross GW, Schwalm FU (1994) A closed flow chamber for long-term multichannel recording and optical monitoring. *J Neurosci Methods* **52**: 73-85

Gross GW, Wen WY, Lin JW (1985) Transparent indium-tin oxide electrode patterns for extracellular, multisite recording in neuronal cultures. *J Neurosci Methods* **15**: 243-252

Gubellini P, Picconi B, Bari M, Battista N, Calabresi P, Centonze D, Bernardi G, Finazzi-Agro A, Maccarrone M (2002) Experimental parkinsonism alters endocannabinoid degradation: implications for striatal glutamatergic transmission. *J Neurosci* **22**: 6900-6907

Gueudet C, Santucci V, Rinaldi-Carmona M, Soubrie P, Le Fur G (1995) The CB1 cannabinoid receptor

antagonist SR 141716A affects A9 dopamine neuronal activity in the rat. *Neuroreport* **6**: 1421-1425

Guhring H, Hamza M, Ates M, Seidel K, Sergejeva M, Kotalla CE, Ledent C, Michaelis M, Brune K (2002) Role of Endocannabinoids in Indomethacin and Flurbiprofen Induced Spinal Antinociception. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Guhring H, Hamza M, Sergejeva M, Ates M, Kotalla CE, Ledent C, Brune K (2002) A role for endocannabinoids in indomethacin-induced spinal antinociception. *Eur J Pharmacol* **454**: 153-163

Guhring H, Schuster J, Hamza M, Ates M, Kotalla CE, Brune K (2001) HU-210 shows higher efficacy and potency than morphine after intrathecal administration in the mouse formalin test. *Eur J Pharmacol* **429**: 127-134

Gula NM (1995) [Department of lipid biochemistry]. *Ukr Biokhim Zh* **67**: 125-128

Gulaia NM, Smirnov IM, Shmal'ko Iu P, Mel'nik AA, Mel'nik SN (1993) [Effect of N-palmitoyl- and N-stearoylethanolamines on lipid peroxidation in mouse tissues in metastatic Lewis carcinoma]. *Ukr Biokhim Zh* **65**: 96-101

Gulaia NM, Vas'kovskii VE, Vysotskii MV, Volkov GL, Govseeva NN (1988) [Detection of N-acylethanolamine phospholipids in neuroblastoma C1300 cells]. *Ukr Biokhim Zh* **60**: 58-63

Gulaya NM, Kuzmendo AI, Margitich VM, Govseeva NM, Melnichuk SD, Goridko TM, Zhukov AD (1998) Long-chain N-acylethanolamines inhibit peroxidation in rat liver mitochondria under acute hypoxic hypoxia. *Chemistry and Physics of Lipids* **97**: 49-54

Gulaya NM, Melnik AA, Balkov DI, Volkov GL, Vysotskiy MV, Vaskovsky VE (1993) The effect of long-chain N-acylethanolamines on some membrane-associated functions of neuroblastoma C1300 N18 cells. *Biochim Biophys Acta* **1152**: 280-288

Gulaya NM, Mikosha AS, Zhukov AD, Chelnakova IS (2000) N-acylethanolamines effects on the adrenal cortex function. *Ukrainskii Biokhimicheskii Zhurnal* **72**: 82-86

Gulaya NM, Volkov GL, Klimashevsky VM, Govseeva NM, Artemenko IP, Gavriiliuk ES (1990) Modification of lipid composition of neuroblastoma C1300 N18 cells with liposomes alters the cholesterol content. *Neuroscience* **34**: 785-792

Gulaya NM, Volkov GL, Klimashevsky VM, Govseeva NN, Melnik AA (1989) Changes in lipid composition of neuroblastoma C1300 N18 cell during differentiation. *Neuroscience* **30**: 153-164

Gunhan-Agar E, Kahn D, Chalupa LM (2000) Segregation of on and off bipolar cell axonal arbors in the absence of retinal ganglion cells. *J Neurosci* **20**: 306-314

Gunthorpe MJ, Lummis SC (1999) Diltiazem causes open channel block of recombinant 5-HT₃ receptors. *J Physiol* **519 Pt 3**: 713-722

Gunthorpe MJ, Lummis SC (2001) Conversion of the ion selectivity of the 5-HT_{3A} receptor from cationic to anionic reveals a conserved feature of the ligand-gated ion channel superfamily. *J Biol Chem* **276**: 10977-10983

Gunthorpe MJ, Rami HK, Jerman JC, Smart D, Gill CH, Soffin EM, Luis Hannan S, Lappin SC, Egerton J, Smith GD, Worby A, Howett L, Owen D, Nasir S, Davies CH, Thompson M, Wyman PA, Randall AD, Davis JB (2004) Identification and characterisation of SB-366791, a potent and selective vanilloid receptor (VR1/TRPV1) antagonist. *Neuropharmacology* **46**: 133-149

Guo J, Ikeda SR (2003) Endocannabinoids modulate N - type calcium channels and G - protein coupled inwardly rectifying potassium channels via CB1 cannabinoid receptors heterologously expressed in mammalian neurons. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Guo J, Ikeda SR (2004) Endocannabinoids modulate N-type calcium channels and G-protein-coupled inwardly rectifying potassium channels via CB1 cannabinoid receptors heterologously expressed in mammalian neurons. *Mol Pharmacol* **65**: 665-674

Gupta G, Lowe CR (2004) An artificial receptor for glycoproteins. *J Mol Recognit* **17**: 218-235

Gurnell M, Savage DB, Chatterjee VK, O'Rahilly S (2003) The metabolic syndrome: peroxisome proliferator-activated receptor gamma and its therapeutic modulation. *J Clin Endocrinol Metab* **88**: 2412-2421

Gurnell M, Wentworth JM, Agostini M, Adams M, Collingwood TN, Provenzano C, Browne PO, Rajanayagam O, Burris TP, Schwabe JW, Lazar MA, Chatterjee VK (2000) A dominant-negative peroxisome proliferator-activated receptor gamma (PPARgamma) mutant is a constitutive repressor and inhibits PPARgamma-mediated adipogenesis. *J Biol Chem* **275**: 5754-5759

Gurney AM, Osipenko ON, MacMillan D, McFarlane KM, Tate RJ, Kemp Mill FE (2003) Two-pore domain K channel, TASK-1, in pulmonary artery smooth muscle cells. *Circ Res* **93**: 957-964

Gurrola GB, Arevalo C, Sreekumar R, Lokuta AJ, Walker JW, Valdivia HH (1999) Activation of ryanodine receptors by imperatoxin A and a peptide segment of the II-III loop of the dihydropyridine receptor. *J Biol Chem* **274**: 7879-7886

Gurwitz D, Kloog Y (1998) Do endogenous cannabinoids contribute to HIV-mediated immune failure? *Mol Med Today* **4**: 196-200

Gurwitz D, Weizman A (2001) Fatty acid amide hydrolase inhibitors and the marijuana debate. *Lancet* **358**: 1548

Guse AH (2000) Cyclic ADP-ribose. *J Mol Med* **78**: 26-35

Gusntone FD, Harwood JL, Padley FB (1986) *The Lipid Handbook*. Chapman and Hall, London

Gutierrez S, Diez B, Montenegro E, Martin JF (1991) Characterization of the *Cephalosporium acremonium* pcbAB gene encoding alpha-aminoacyl-cysteine-valine synthetase, a large multidomain peptide synthetase: linkage to the pcbC gene as a cluster of early cephalosporin biosynthetic genes and evidence of multiple functional domains. *J Bacteriol* **173**: 2354-2365

Guzman M (2003) Cannabinoids: Potential anticancer agents. *Nature Reviews Cancer* **3**: 745-755

Guzman M (2003) Neurons on cannabinoids: dead or alive? *British Journal of Pharmacology* **140**: 439-440

Guzman M, Fernandez-Ruiz JJ, Sanchez C, Velasco G, Ramos JA (1995) Effects of anandamide on hepatic fatty acid metabolism. *Biochem Pharmacol* **50**: 885-888

Guzman M, Lo Verme J, Fu J, Oveisi F, Blazquez C, Piomelli D (2004) Oleylethanolamide stimulates lipolysis by activating the nuclear receptor PPAR-alpha. *J Biol Chem*

Guzman M, Sanchez C (1999) Effects of cannabinoids on energy metabolism. *Life Sci* **65**: 657-664

Guzman M, Sanchez C, Galve-Roperh I (2002) Cannabinoids and cell fate. *Pharmacol Ther* **95**: 175-184

Haas R, Brandt PT, Knight J, Rosenberry TL (1986) Identification of amine components in a glycolipid membrane-binding domain at the C-terminus of human erythrocyte acetylcholinesterase. *Biochemistry* **25**: 3098-3105

Habayeb OM, Bell SC, Konje JC (2002) Endogenous cannabinoids: metabolism and their role in reproduction. *Life Sci* **70**: 1963-1977

Hadad N, Feng W, Shoshan-Barmatz V (1999) Modification of ryanodine receptor/Ca²⁺ release channel with dinitrofluorobenzene. *Biochem J* **342** (Pt 1): 239-248

Hagar RE, Burgstahler AD, Nathanson MH, Ehrlich BE (1998) Type III InsP₃ receptor channel stays open in the presence of increased calcium. *Nature* **396**: 81-84

Hagar RE, Ehrlich BE (2000) Regulation of the type III InsP₃ receptor and its role in beta cell function. *Cell Mol Life Sci* **57**: 1938-1949

Hagar RE, Ehrlich BE (2000) Regulation of the type III InsP(3) receptor by InsP(3) and ATP. *Biophys J* **79**: 271-278

Haj-Dahmane S, Aman TK, Shen R (2003) Orexins inhibit excitatory synaptic transmission in DRN 5 - HT neurons through retrograde endocannabinoid signaling. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Hajos N, Freund TF (2002) Distinct cannabinoid sensitive receptors regulate hippocampal excitation and inhibition. *Chem Phys Lipids* **121**: 73-82

Hajos N, Freund TF (2002) Pharmacological separation of cannabinoid sensitive receptors on hippocampal excitatory and inhibitory fibers. *Neuropharmacology* **43**: 503-510

Hajos N, Katona I, Naiem SS, MacKie K, Ledent C, Mody I, Freund TF (2000) Cannabinoids inhibit hippocampal GABAergic transmission and network oscillations. *Eur J Neurosci* **12**: 3239-3249

Hajos N, Ledent C, Freund TF (2001) Novel cannabinoid-sensitive receptor mediates inhibition of glutamatergic synaptic transmission in the hippocampus. *Neuroscience* **106**: 1-4

Halenda SP, Banga HS, Zavoico GB, Lau LF, Feinstein MB (1989) Synergistic release of arachidonic acid from platelets by activators of protein kinase C and Ca²⁺ ionophores. Evidence for the role of protein phosphorylation in the activation of phospholipase A₂ and independence from the Na⁺/H⁺ exchanger. *Biochemistry* **28**: 7356-7363

Hallaq H, Sellmayer A, Smith TW, Leaf A (1990) Protective effect of eicosapentaenoic acid on ouabain toxicity in neonatal rat cardiac myocytes. *Proc Natl Acad Sci U S A* **87**: 7834-7838

Haller J, Bakos N, Szirmay M, Ledent C, Freund TF (2002) The effects of genetic and pharmacological blockade of the CB1 cannabinoid receptor on anxiety. *Eur J Neurosci* **16**: 1395-1398

Haller J, Varga B, Ledent C, Barna I, Freund TF (2004) Context-dependent effects of CB1 cannabinoid gene disruption on anxiety-like and social behaviour in mice. *Eur J Neurosci* **19**: 1906-1912

Hamberger A, Stenhagen G (2003) Erucamide as a modulator of water balance: new function of a fatty acid amide. *Neurochem Res* **28**: 177-185

Hampson AJ, Bornheim LM, Scanziani M, Yost CS, Gray AT, Hansen BM, Leonoudakis DJ, Bickler PE (1998) Dual effects of anandamide on NMDA receptor-mediated responses and neurotransmission. *J Neurochem* **70**: 671-676

Hampson AJ, Hill WA, Zan-Phillips M, Makriyannis A, Leung E, Eglen RM, Bornheim LM (1995) Anandamide hydroxylation by brain lipoxygenase: metabolite structures and potencies at the cannabinoid receptor. *Biochim Biophys Acta* **1259**: 173-179

Hampson RE, Deadwyler SA (1999) Cannabinoids, hippocampal function and memory. *Life Sci* **65**: 715-723

Hampson RE, Deadwyler SA (2000) Cannabinoids reveal the necessity of hippocampal neural encoding for short-term memory in rats. *J Neurosci* **20**: 8932-8942

Hampson RE, Mu J, Deadwyler SA (2000) Cannabinoid and kappa opioid receptors reduce potassium K current via activation of G(s) proteins in cultured hippocampal neurons. *J Neurophysiol* **84**: 2356-2364

Hampson RE, Simeral JD, Kelly EJ, Deadwyler SA (2003) Tolerance to the memory disruptive effects of cannabinoids involves adaptation by hippocampal neurons. *Hippocampus* **13**: 543-556

Hampson RE, Zhuang SY, Weiner JL, Deadwyler SA (2003) Functional significance of cannabinoid-mediated, depolarization-induced suppression of inhibition (DSI) in the hippocampus. *J Neurophysiol* **90**: 55-64

Han B, McPhail KL, Ligresti A, Di Marzo V, Gerwick WH (2003) Semiplenamides A-G, fatty acid amides from a Papua New Guinea collection of the marine cyanobacterium *Lyngbya semiplena*. *J Nat Prod* **66**: 1364-1368

Han J, Kang D, Kim D (2003) Properties and modulation of the G protein-coupled K⁺ channel in rat cerebellar granule neurons: ATP versus phosphatidylinositol 4,5-bisphosphate. *J Physiol* **550**: 693-706

Han SK, Abraham IM, Herbison AE (2002) Effect of GABA on GnRH neurons switches from depolarization to hyperpolarization at puberty in the female mouse. *Endocrinology* **143**: 1459-1466

Han SK, Todman MG, Herbison AE (2004) Endogenous GABA release inhibits the firing of adult gonadotropin-releasing hormone neurons. *Endocrinology* **145**: 495-499

Hann LE, Kelleher RS, Sullivan DA (1991) Influence of culture conditions on the androgen control of secretory component production by acinar cells from the rat lacrimal gland. *Invest Ophthalmol Vis Sci* **32**: 2610-2621

Hansen HH, Azcoitia I, Pons S, Romero J, Garcia-Segura LM, Ramos JA, Hansen HS, Fernandez-Ruiz J (2002) Blockade of cannabinoid CB(1) receptor function protects against in vivo disseminating brain damage following NMDA-induced excitotoxicity. *J Neurochem* **82**: 154-158

Hansen HH, Hansen SH, Bjornsdottir I, Hansen HS (1999) Electrospray ionization mass spectrometric method for the determination of cannabinoid precursors: N-acylethanolamine phospholipids (NAPEs). *J Mass Spectrom* **34**: 761-767

Hansen HH, Hansen SH, Schousboe A, Hansen HS (2000) Determination of the phospholipid precursor of anandamide and other N-acylethanolamine phospholipids before and after sodium azide-induced toxicity in cultured neocortical neurons. *J Neurochem* **75**: 861-871

Hansen HH, Ikonomidou C, Bittigau P, Hansen SH, Hansen HS (2001) Accumulation of the anandamide precursor and other N-acylethanolamine phospholipids in infant rat models of in vivo necrotic and apoptotic neuronal death. *J Neurochem* **76**: 39-46

Hansen HH, Schmid PC, Bittigau P, Lastres-Becker I, Berrendero F, Manzanares J, Ikonomidou C, Schmid HH, Fernandez-Ruiz JJ, Hansen HS (2001) Anandamide, but not 2-arachidonoylglycerol, accumulates during in vivo neurodegeneration. *J Neurochem* **78**: 1415-1427

Hansen HS (1994) New biological and clinical roles for the n-6 and n-3 fatty acids. *Nutr Rev* **52**: 162-167

Hansen HS, Lauritzen L, Moesgaard B, Strand AM, Hansen HH (1998) Formation of N-acylphosphatidylethanolamines and N-acetylethanolamines: proposed role in neurotoxicity. *Biochem Pharmacol* **55**: 719-725

Hansen HS, Lauritzen L, Strand AM, Moesgaard B, Frandsen A (1995) Glutamate stimulates the formation of N-acylphosphatidylethanolamine and N-acylethanolamine in cortical neurons in culture. *Biochim Biophys Acta* **1258**: 303-308

Hansen HS, Lauritzen L, Strand AM, Vinggaard AM, Frandsen A, Schousboe A (1997) Characterization of glutamate-induced formation of N-acylphosphatidylethanolamine and N-acylethanolamine in cultured neocortical neurons. *J Neurochem* **69**: 753-761

Hansen HS, Moesgaard B, Hansen HH, Petersen G (2000) N-Acylethanolamines and precursor phospholipids - relation to cell injury. *Chem Phys Lipids* **108**: 135-150

Hansen HS, Moesgaard B, Hansen HH, Petersen G (2000) N-acylethanolamines and precursor phospholipids: Relation to cell injury. *Chemistry and Physics of Lipids* **108**: 135-150

Hansen HS, Moesgaard B, Hansen HH, Petersen G (2001) When and where are N-acylethanolamine phospholipids and anandamide formed? *World Rev Nutr Diet* **88**: 223-227

- Hansen HS, Moesgaard B, Hansen HH, Schousboe A, Petersen G** (1999) Formation of N-acyl-phosphatidylethanolamine and N-acylethanolamine (including anandamide) during glutamate-induced neurotoxicity. *Lipids* **34 Suppl**: S327-330
- Hansen HS, Moesgaard B, Petersen G, Hansen HH** (2002) Putative neuroprotective actions of N-acylethanolamines. *Pharmacol Ther* **95**: 119-126
- Hansen NJ, Antonin W, Edwardson JM** (1999) Identification of SNAREs involved in regulated exocytosis in the pancreatic acinar cell. *J Biol Chem* **274**: 22871-22876
- Hansson AC, Ferrer B, Hyytia P, Sommer W, Rimondini R, deFonseca FR, Heilig M** (2003) Endocannabinoid signalling system in genetically rats selected for high (AA) and low (ANA) ethanol preference. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**
- Hanus L, Abu-Lafi S, Fride E, Breuer A, Vogel Z, Shalev DE, Kustanovich I, Mechoulam R** (2001) 2-arachidonoyl glyceryl ether, an endogenous agonist of the cannabinoid CB1 receptor. *Proc Natl Acad Sci U S A* **98**: 3662-3665
- Hanus L, Avraham Y, Ben-Shushan D, Zolotarev O, Berry EM, Mechoulam R** (2003) Short-term fasting and prolonged semistarvation have opposite effects on 2-AG levels in mouse brain. *Brain Res* **983**: 144-151
- Hao S, Avraham Y, Mechoulam R, Berry EM** (2000) Low dose anandamide affects food intake, cognitive function, neurotransmitter and corticosterone levels in diet-restricted mice. *Eur J Pharmacol* **392**: 147-156
- Hardcastle Z, Chalmers AD, Papalopulu N** (2000) FGF-8 stimulates neuronal differentiation through FGFR-4a and interferes with mesoderm induction in *Xenopus* embryos. *Curr Biol* **10**: 1511-1514
- Hardie RC** (2003) Regulation of TRP channels via lipid second messengers. *Annu Rev Physiol* **65**: 735-759
- Hardie RC** (2003) TRP channels in *Drosophila* photoreceptors: the lipid connection. *Cell Calcium* **33**: 385-393
- Hardie RC, Martin F, Chyb S, Raghu P** (2003) Rescue of light responses in the *Drosophila* "null" phospholipase C mutant, *norpAP24*, by the diacylglycerol kinase mutant, *rdgA*, and by metabolic inhibition. *J Biol Chem* **278**: 18851-18858
- Hardingham GE, Fukunaga Y, Bading H** (2002) Extrasynaptic NMDARs oppose synaptic NMDARs by triggering CREB shut-off and cell death pathways. *Nat Neurosci* **5**: 405-414
- Harkany T, Hartig W, Berghuis P, Dobszay MB, Zilberter Y, Edwards RH, Mackie K, Ernfors P** (2003) Complementary distribution of type 1 cannabinoid receptors and vesicular glutamate transporter 3 in basal forebrain suggests input-specific retrograde signalling by cholinergic neurons. *Eur J Neurosci* **18**: 1979-1992
- Harmer NJ, Chirgadze D, Hyun Kim K, Pellegrini L, Blundell TL** (2003) The structural biology of growth factor receptor activation. *Biophys Chem* **100**: 545-553
- Harmer NJ, Pellegrini L, Chirgadze D, Fernandez-Recio J, Blundell TL** (2004) The crystal structure of fibroblast growth factor (FGF) 19 reveals novel features of the FGF family and offers a structural basis for its unusual receptor affinity. *Biochemistry* **43**: 629-640
- Harris D, Kendall DA, Randall MD** (1999) Characterization of cannabinoid receptors coupled to vasorelaxation by endothelium-derived hyperpolarizing factor. *Naunyn Schmiedebergs Arch Pharmacol* **359**: 48-52
- Harris D, McCulloch AI, Kendall DA, Randall MD** (2002) Characterization of vasorelaxant responses to anandamide in the rat mesenteric arterial bed. *J Physiol* **539**: 893-902
- Harris J, Chapman V** (2000) Spinal administration of the endocannabinoid anandamide inhibits C-fibre evoked post-discharge responses of dorsal horn neurones in carrageenan inflamed rats. *British Journal of Pharmacology* **129**
- Harris J, Drew LJ, Chapman V** (2000) Spinal anandamide inhibits nociceptive transmission via cannabinoid receptor activation in vivo. *Neuroreport* **11**: 2817-2819
- Harrison S, De Petrocellis L, Trevisani M, Benvenuti F, Bifulco M, Geppetti P, Di Marzo V** (2003) Capsaicin-like effects of N-arachidonoyl-dopamine in the isolated guinea pig bronchi and urinary bladder. *Eur J Pharmacol* **475**: 107-114
- Harrold JA, Elliott JC, King PJ, Widdowson PS, Williams G** (2002) Down-regulation of cannabinoid-1 (CB-1) receptors in specific extrahypothalamic regions of rats with dietary obesity: a role for endogenous cannabinoids in driving appetite for palatable food? *Brain Res* **952**: 232-238
- Harrold JA, Williams G** (2003) The cannabinoid system: a role in both the homeostatic and hedonic control of eating? *Br J Nutr* **90**: 729-734
- Harsch A, Robinson HP** (2000) Postsynaptic variability of firing in rat cortical neurons: the roles of input synchronization and synaptic NMDA receptor conductance. *J Neurosci* **20**: 6181-6192
- Hart S, Fischer OM, Ullrich A** (2004) Cannabinoids induce cancer cell proliferation via tumor necrosis factor alpha-converting enzyme (TACE/ADAM17)-mediated transactivation of the epidermal growth factor receptor.

Cancer Res **64**: 1943-1950

Hartmann G, Prospero T, Brinkmann V, Ozcelik C, Winter G, Hepple J, Batley S, Bladt F, Sachs M, Birchmeier C, Birchmeier W, Gherardi E, Ozcelik O (1998) Engineered mutants of HGF/SF with reduced binding to heparan sulphate proteoglycans, decreased clearance and enhanced activity in vivo. *Curr Biol* **8**: 125-134

Hasan G, Rosbash M (1992) Drosophila homologs of two mammalian intracellular Ca²⁺-release channels: identification and expression patterns of the inositol 1,4,5-triphosphate and the ryanodine receptor genes. *Development* **116**: 967-975

Hastings JM, Licence DR, Burton GJ, Charnock-Jones DS, Smith SK (2003) Soluble vascular endothelial growth factor receptor 1 inhibits edema and epithelial proliferation induced by 17beta-estradiol in the mouse uterus. *Endocrinology* **144**: 326-334

Hastings MH, Reddy AB, Garabette M, King VM, Chahad-Ehlers S, O'Brien J, Maywood ES (2003) Expression of clock gene products in the suprachiasmatic nucleus in relation to circadian behaviour. *Novartis Found Symp* **253**: 203-217; discussion 102-209, 218-222, 281-204

Hata Y, Nakanishi H, Takai Y (1998) Synaptic PDZ domain-containing proteins. *Neurosci Res* **32**: 1-7

Hathway GJ, Humphrey PP, Kendrick KM (1999) Evidence that somatostatin sst2 receptors mediate striatal dopamine release. *Br J Pharmacol* **128**: 1346-1352

Hathway GJ, Humphrey PP, Kendrick KM (2001) Somatostatin release by glutamate in vivo is primarily regulated by AMPA receptors. *Br J Pharmacol* **134**: 1155-1158

Hathway GJ, Humphrey PP, Kendrick KM (2004) Somatostatin induces striatal dopamine release and contralateral turning behaviour in the mouse. *Neurosci Lett* **358**: 127-131

Hayase T, Yamamoto Y, Yamamoto K (2001) Protective effects of cannabinoid receptor agonists against cocaine and other convulsant-induced toxic behavioural symptoms. *J Pharm Pharmacol* **53**: 1525-1532

Hayase T, Yamamoto Y, Yamamoto K (2001) Protective effects of cannabinoid receptor ligands analogous to anandamide against cocaine toxicity. *Nihon Arukoru Yakubutsu Igakkai Zasshi* **36**: 596-608

He Z, He YJ, Day AL, Simpkins JW (2002) Proestrus levels of estradiol during transient global cerebral ischemia improves the histological outcome of the hippocampal CA1 region: perfusion-dependent and-independent mechanisms. *J Neurol Sci* **193**: 79-87

Hegen M, Kameoka J, Dong RP, Schlossman SF, Morimoto C (1997) Cross-linking of CD26 by antibody induces tyrosine phosphorylation and activation of mitogen-activated protein kinase. *Immunology* **90**: 257-264

Heiligtag SJ, Bredehorst R, David KA (2002) Key role of mitochondria in cerulenin-mediated apoptosis. *Cell Death Differ* **9**: 1017-1025

Heinemann A, Shahbazian A, Holzer P (1999) Cannabinoid inhibition of guinea-pig intestinal peristalsis via inhibition of excitatory and activation of inhibitory neural pathways. *Neuropharmacology* **38**: 1289-1297

Helyes Z, Nemeth J, Than M, Bolcskei K, Pinter E, Szolcsanyi J (2003) Inhibitory effect of anandamide on resiniferatoxin-induced sensory neuropeptide release in vivo and neuropathic hyperalgesia in the rat. *Life Sci* **73**: 2345-2353

Hemphill JK, Maier CGA, Chapman KD (1998) Rapid in vitro plant regeneration of cotton (*Gossypium hirsutum* L.). *Plant Cell Reports* **17**: 273-278

Henderson BR, Percipalle P (1997) Interactions between HIV Rev and nuclear import and export factors: the Rev nuclear localisation signal mediates specific binding to human importin-beta. *J Mol Biol* **274**: 693-707

Henley JM, Moratallo R, Hunt SP, Barnard EA (1989) Localization and Quantitative Autoradiography of Glutamatergic Ligand Binding Sites in Chick Brain. *Eur J Neurosci* **1**: 516-523

Herbison AE (2001) Physiological roles for the neurosteroid allopregnanolone in the modulation of brain function during pregnancy and parturition. *Prog Brain Res* **133**: 39-47

Herbison AE, Pape JR (2001) New evidence for estrogen receptors in gonadotropin-releasing hormone neurons. *Front Neuroendocrinol* **22**: 292-308

Hering H, Kroger S (1999) Synapse formation and agrin expression in stratospheroid cultures from embryonic chick retina. *Dev Biol* **214**: 412-428

Herman G, Mauduit P, Rossignol B (1981) A tentative explanation of the stimulatory effect of methylxanthines (pentoxifylline and isobutylmethylxanthine) on the secretory process in rat extraorbital lacrimal gland. *Scand J Clin Lab Invest Suppl* **156**: 309-312

Hermann H, De Petrocellis L, Bisogno T, Schiano Moriello A, Lutz B, Di Marzo V (2003) Dual effect of cannabinoid CB1 receptor stimulation on a vanilloid VR1 receptor-mediated response. *Cell Mol Life Sci* **60**: 607-616

Hermann H, Marsicano G, Lutz B (2002) Coexpression of the cannabinoid receptor type 1 with dopamine and serotonin receptors in distinct neuronal subpopulations of the adult mouse forebrain. *Neuroscience* **109**: 451-460

Herok GH, Millar TJ, Anderton PJ, Martin DK (1998) Voltage- and Ca(2+)-dependent chloride current activated by hyposmotic and hyperosmotic stress in rabbit superior lacrimal acinar cells. *Adv Exp Med Biol* **438**: 129-132

Herring AC, Kaminski NE (1999) Cannabinol-mediated inhibition of nuclear factor-kappaB, cAMP response element-binding protein, and interleukin-2 secretion by activated thymocytes. *J Pharmacol Exp Ther* **291**: 1156-1163

Hervieu G, Emson PC (1998) Visualisation of non-glycosylated somatostatin receptor two (ngsst2) immunoreactivity in the rat central nervous system. *Brain Res Mol Brain Res* **58**: 138-155

Hettema EH, Valdez-Taubas J, Pelham HR (2004) Bsd2 binds the ubiquitin ligase Rsp5 and mediates the ubiquitination of transmembrane proteins. *Embo J* **23**: 1279-1288

Hewett JA, Vidwans AS, Hewett SJ (2002) Cyclooxygenase-2 protein is cleaved following activation by arachidonic acid and endocannabinoids. *Journal of Neurochemistry* **81**

Hicks GA, Coldwell JR, Schindler M, Ward PA, Jenkins D, Lynn PA, Humphrey PP, Blackshaw LA (2002) Excitation of rat colonic afferent fibres by 5-HT(3) receptors. *J Physiol* **544**: 861-869

Hidalgo A (2002) Interactive nervous system development: control of cell survival in *Drosophila*. *Trends Neurosci* **25**: 365-370

Higgs S, Williams CM, Kirkham TC (2003) Cannabinoid influences on palatability: microstructural analysis of sucrose drinking after delta(9)-tetrahydrocannabinol, anandamide, 2-arachidonoyl glycerol and SR141716. *Psychopharmacology (Berl)* **165**: 370-377

Hilairat S, Bouaboula M, Carriere D, Le Fur G, Casellas P (2003) Hypersensitization of the Orexin 1 receptor by the CB1 receptor: evidence for cross-talk blocked by the specific CB1 antagonist, SR141716. *J Biol Chem* **278**: 23731-23737

Hildebrandt AL, Kelly-Sullivan DM, Black SC (2003) Antiobesity effects of chronic cannabinoid CB1 receptor antagonist treatment in diet-induced obese mice. *Eur J Pharmacol* **462**: 125-132

Hiley CR, Ford WR (2003) Endocannabinoids as mediators in the heart: a potential target for therapy of remodelling after myocardial infarction? *Br J Pharmacol* **138**: 1183-1184

Hiley CR, Ford WR (2004) Cannabinoid pharmacology in the cardiovascular system: potential protective mechanisms through lipid signalling. *Biol Rev Camb Philos Soc* **79**: 187-205

Hill MN, Carrier E, Patel S, Ormerod BK, Hillard CJ, Gorzalka BB (2003) Chronic stress elicits differential regulation of cannabinoid type 1 (CB1) receptor binding and expression in the hippocampus and limbic forebrain. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Hillard CJ (2000) Biochemistry and pharmacology of the endocannabinoids arachidonylethanolamide and 2-arachidonylglycerol. *Prostaglandins Other Lipid Mediat* **61**: 3-18

Hillard CJ (2000) Endocannabinoids and vascular function. *J Pharmacol Exp Ther* **294**: 27-32

Hillard CJ, Campbell WB (1997) Biochemistry and pharmacology of arachidonylethanolamide, a putative endogenous cannabinoid. *J Lipid Res* **38**: 2383-2398

Hillard CJ, Edgemond WS, Campbell WB (1995) Characterization of ligand binding to the cannabinoid receptor of rat brain membranes using a novel method: application to anandamide. *J Neurochem* **64**: 677-683

Hillard CJ, Edgemond WS, Jarrahian A, Campbell WB (1997) Accumulation of N-arachidonylethanolamine (anandamide) into cerebellar granule cells occurs via facilitated diffusion. *J Neurochem* **69**: 631-638

Hillard CJ, Jarrahian A (2000) The movement of N-arachidonylethanolamine (anandamide) across cellular membranes. *Chem Phys Lipids* **108**: 123-134

Hillard CJ, Jarrahian A (2003) Cellular accumulation of anandamide: consensus and controversy. *Br J Pharmacol* **140**: 802-808

Hillard CJ, Manna S, Greenberg MJ, DiCamelli R, Ross RA, Stevenson LA, Murphy V, Pertwee RG, Campbell WB (1999) Synthesis and characterization of potent and selective agonists of the neuronal cannabinoid receptor (CB1). *J Pharmacol Exp Ther* **289**: 1427-1433

Hillard CJ, Wilkison DM, Edgemond WS, Campbell WB (1995) Characterization of the kinetics and distribution of N-arachidonylethanolamine (anandamide) hydrolysis by rat brain. *Biochim Biophys Acta* **1257**: 249-256

Hindenes JO, Nerdal W, Guo W, Di L, Small DM, Holmsen H (2000) Physical properties of the transmembrane signal molecule, sn-1-stearoyl 2-arachidonoylglycerol. Acyl chain segregation and its

biochemical implications. *J Biol Chem* **275**: 6857-6867

Hingorani SR, Agnew WS (1992) Assay and purification of neuronal receptors for inositol 1,4,5-trisphosphate. *Methods Enzymol* **207**: 573-591

Hinz B, Ramer R, Brune K (2003) Induction of COX-2 expression by the endocannabinoid derivative R(+)-methanandamide. *Adv Exp Med Biol* **525**: 145-152

Hirasawa M, Schwab Y, Sharkey KA, Pittman QJ (2003) Dendritic oxytocin release induces and amplifies endocannabinoid - mediated retrograde transmission in the supraoptic nucleus. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Hirst J, Robinson MS (1998) Clathrin and adaptors. *Biochim Biophys Acta* **1404**: 173-193

Hirst RA, Almond SL, Lambert DG (1996) Characterisation of the rat cerebella CB1 receptor using SR141716A, a central cannabinoid receptor antagonist. *Neurosci Lett* **220**: 101-104

Ho BY, Stadnicka A, Prather PL, Buckley AR, Current LL, Bosnjak ZJ, Kwok WM (2000) Cannabinoid CB1 receptor-mediated inhibition of prolactin release and signaling mechanisms in GH4C1 cells. *Endocrinology* **141**: 1675-1685

Ho BY, Uezono Y, Takada S, Takase I, Izumi F (1999) Coupling of the expressed cannabinoid CB1 and CB2 receptors to phospholipase C and G protein-coupled inwardly rectifying K⁺ channels. *Receptors Channels* **6**: 363-374

Ho BY, Zhao J (1996) Determination of the cannabinoid receptors in mouse x rat hybridoma NG108-15 cells and rat GH4C1 cells. *Neurosci Lett* **212**: 123-126

Ho IH, Murrell-Lagnado RD (1999) Molecular determinants for sodium-dependent activation of G protein-gated K⁺ channels. *J Biol Chem* **274**: 8639-8648

Ho M, Corbett AD, McKnight AT (2000) Characterization of the ORL(1) receptor on adrenergic nerves in the rat anococcygeus muscle. *Br J Pharmacol* **131**: 349-355

Ho WS, Hiley CR (2003) Endothelium-independent relaxation to cannabinoids in rat-isolated mesenteric artery and role of Ca²⁺ influx. *Br J Pharmacol* **139**: 585-597

Ho WS, Hiley CR (2003) Vasodilator actions of abnormal-cannabidiol in rat isolated small mesenteric artery. *Br J Pharmacol* **138**: 1320-1332

Hoang CV, Wessler HG, Local A, Turley RB, Benjamin RC, Chapman KD (1999) Identification and expression of cotton (*Gossypium hirsutum* L.) plastidial carbonic anhydrase. *Plant and Cell Physiology* **40**: 1262-1270

Hodges RR, Dicker DM, Rose PE, Dartt DA (1992) Alpha 1-adrenergic and cholinergic agonists use separate signal transduction pathways in lacrimal gland. *Am J Physiol* **262**: G1087-1096

Hodges RR, Zoukhri D, Lightman JP, Dartt DA (1998) Identification and cellular localization of the components of the VIP signaling pathway in the lacrimal gland. *Adv Exp Med Biol* **438**: 169-176

Hodges RR, Zoukhri D, Sergheraert C, Zieske JD, Dartt DA (1997) Identification of vasoactive intestinal peptide receptor subtypes in the lacrimal gland and their signal-transducing components. *Invest Ophthalmol Vis Sci* **38**: 610-619

Hodson JE, Tripathy S, Chapman KD (2002) A role for PLD beta/gamma in the N-acyl ethanolamine activation of phenylalanine-ammonia lyase gene expression. *Plant Biology (Rockville)* **2002**

Hoehle MR, Rinn T, Flachmeier C, Heere P, Kunert HJ, Timmermann B, Kopke K, Ehrenreich H (2000) Comparative sequencing of the human CB1 cannabinoid receptor gene coding exon: no structural mutations in individuals exhibiting extreme responses to cannabis. *Psychiatr Genet* **10**: 173-177

Hoffman AF, Lupica CR (2000) Mechanisms of cannabinoid inhibition of GABA(A) synaptic transmission in the hippocampus. *J Neurosci* **20**: 2470-2479

Hoffman AF, Lupica CR (2001) Direct actions of cannabinoids on synaptic transmission in the nucleus accumbens: a comparison with opioids. *J Neurophysiol* **85**: 72-83

Hoffman AF, Oz M, Caulder T, Lupica CR (2003) Functional tolerance and blockade of long-term depression at synapses in the nucleus accumbens after chronic cannabinoid exposure. *J Neurosci* **23**: 4815-4820

Hoffman AF, Oz M, Caulder T, Lupica CR (2003) Functional tolerance and blockade of long - term depression at excitatory synapses in the nucleus accumbens following repeated cannabinoid administration. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Hoffman AF, Riegel AC, Lupica CR (2003) Functional localization of cannabinoid receptors and endogenous cannabinoid production in distinct neuron populations of the hippocampus. *Eur J Neurosci* **18**: 524-534

Hogestatt ED, Zygmunt PM (2002) Cardiovascular pharmacology of anandamide. *Prostaglandins Leukot Essent Fatty Acids* **66**: 343-351

Hohmann AG (2002) Spinal and peripheral mechanisms of cannabinoid antinociception: behavioral, neurophysiological and neuroanatomical perspectives. *Chem Phys Lipids* **121**: 173-190

Hohmann AG, Briley EM, Herkenham M (1999) Pre- and postsynaptic distribution of cannabinoid and mu opioid receptors in rat spinal cord. *Brain Res* **822**: 17-25

Hohmann AG, Farthing JN, Zvonok AM, Makriyannis A (2004) Selective activation of cannabinoid CB2 receptors suppresses hyperalgesia evoked by intradermal capsaicin. *J Pharmacol Exp Ther* **308**: 446-453

Hohmann AG, Herkenham M (1999) Cannabinoid receptors undergo axonal flow in sensory nerves. *Neuroscience* **92**: 1171-1175

Hohmann AG, Herkenham M (1999) Localization of central cannabinoid CB1 receptor messenger RNA in neuronal subpopulations of rat dorsal root ganglia: a double-label in situ hybridization study. *Neuroscience* **90**: 923-931

Hohmann AG, Herkenham M (2000) Localization of cannabinoid CB(1) receptor mRNA in neuronal subpopulations of rat striatum: a double-label in situ hybridization study. *Synapse* **37**: 71-80

Hohmann AG, Neely MH, Suplita RL, Nackley AG, Holmes PV, Crystal JD (2001) Endocannabinoid mechanisms of stress-induced analgesia. *Society for Neuroscience Abstracts* **27**

Hohmann AG, Tsou K, Walker JM (1999) Cannabinoid suppression of noxious heat-evoked activity in wide dynamic range neurons in the lumbar dorsal horn of the rat. *J Neurophysiol* **81**: 575-583

Holland M, John Challiss RA, Standen NB, Boyle JP (1999) Cannabinoid CB1 receptors fail to cause relaxation, but couple via Gi/Go to the inhibition of adenylyl cyclase in carotid artery smooth muscle. *Br J Pharmacol* **128**: 597-604

Holt S, Fowler CJ (2003) Anandamide metabolism by fatty acid amide hydrolase in intact C6 glioma cells. Increased sensitivity to inhibition by ibuprofen and flurbiprofen upon reduction of extra- but not intracellular pH. *Naunyn Schmiedebergs Arch Pharmacol* **367**: 237-244

Holt S, Nilsson J, Omeir R, Tiger G, Fowler CJ (2001) Effects of pH on the inhibition of fatty acid amidohydrolase by ibuprofen. *Br J Pharmacol* **133**: 513-520

Holthuis JC, Nichols BJ, Pelham HR (1998) The syntaxin Tlg1p mediates trafficking of chitin synthase III to polarized growth sites in yeast. *Mol Biol Cell* **9**: 3383-3397

Hombria JC, Brown S (2002) The fertile field of Drosophila Jak/STAT signalling. *Curr Biol* **12**: R569-575

Honda K, Sawada H, Kihara T, Urushitani M, Nakamizo T, Akaike A, Shimohama S (2000) Phosphatidylinositol 3-kinase mediates neuroprotection by estrogen in cultured cortical neurons. *J Neurosci Res* **60**: 321-327

Honda K, Shimohama S, Sawada H, Kihara T, Nakamizo T, Shibasaki H, Akaike A (2001) Nongenomic antiapoptotic signal transduction by estrogen in cultured cortical neurons. *J Neurosci Res* **64**: 466-475

Hong G, Davis B, Khatoon N, Baker SF, Brown J (2003) PPAR gamma-dependent anti-inflammatory action of rosiglitazone in human monocytes: suppression of TNF alpha secretion is not mediated by PTEN regulation. *Biochem Biophys Res Commun* **303**: 782-787

Hong G, Lockhart A, Davis B, Rahmoune H, Baker S, Ye L, Thompson P, Shou Y, O'Shaughnessy K, Ronco P, Brown J (2003) PPARgamma activation enhances cell surface ENaCalpha via up-regulation of SGK1 in human collecting duct cells. *Faseb J* **17**: 1966-1968

Hong K, Nishiyama M, Henley J, Tessier-Lavigne M, Poo M (2000) Calcium signalling in the guidance of nerve growth by netrin-1. *Nature* **403**: 93-98

Hornby PJ (2001) Central neurocircuitry associated with emesis. *Am J Med* **111 Suppl 8A**: 106S-112S

Hornung JP, Fritschy JM (1996) Developmental profile of GABAA-receptors in the marmoset monkey: expression of distinct subtypes in pre- and postnatal brain. *J Comp Neurol* **367**: 413-430

Horowitz G, Lammers JW, Sussman S, Botelho SY (1976) Calcium in tears, lacrimal gland fluid, and fluid from the other orbital glands. *Invest Ophthalmol* **15**: 994-996

Horvath TL (2003) Endocannabinoids and the regulation of body fat: the smoke is clearing. *J Clin Invest* **112**: 323-326

Hosie AM, Buckingham SD, Presnail JK, Sattelle DB (2001) Alternative splicing of a Drosophila GABA receptor subunit gene identifies determinants of agonist potency. *Neuroscience* **102**: 709-714

Hosokawa M, Satoh T (1993) Differences in the induction of carboxylesterase isozymes in rat liver microsomes by perfluorinated fatty acids. *Xenobiotica* **23**: 1125-1133

Hough LB, Nalwalk JW, Stadel R, Timmerman H, Leurs R, Paria BC, Wang X, Dey SK (2002) Inhibition of impropgan antinociception by the cannabinoid (CB)(1) antagonist N-(piperidin-1-yl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-p yrazole-3-carboxamide (SR141716A): lack of obligatory role for endocannabinoids acting at CB(1) receptors. *J Pharmacol Exp Ther* **303**: 314-322

Hourdin S, Longchamp S, Gallet O, Nigretto JM (2002) Transient amidolytic activity changes of plasmin

adsorbed onto carbons. *Biomol Eng* **19**: 281-285

Houser SJ, Eads M, Embrey JP, Welch SP (2000) Dynorphin B and spinal analgesia: induction of antinociception by the cannabinoids CP55,940, Delta(9)-THC and anandamide. *Brain Res* **857**: 337-342

Houston DB, Howlett AC (1998) Differential receptor-G-protein coupling evoked by dissimilar cannabinoid receptor agonists. *Cell Signal* **10**: 667-674

Houston GC, Papadakis NG, Carpenter TA, Hall LD, Mukherjee B, James MF, Huang CL (2001) Mapping of brain activation in response to pharmacological agents using fMRI in the rat. *Magn Reson Imaging* **19**: 905-919

Howard AL, Ratzliff ADH, Soltesz I (2003) Exploring endocannabinoid signaling in the dentate gyrus. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Howell KM, Evans PD (1998) The characterization of presynaptic octopamine receptors modulating octopamine release from an identified neurone in the locust. *J Exp Biol* **201 (Pt 13)**: 2053-2060

Howes E, Pascall JC, Engel W, Jones R (2001) Interactions between mouse ZP2 glycoprotein and proacrosin; a mechanism for secondary binding of sperm to the zona pellucida during fertilization. *J Cell Sci* **114**: 4127-4136

Howes L, Jones R (2002) Interactions between zona pellucida glycoproteins and sperm proacrosin/acrosin during fertilization. *J Reprod Immunol* **53**: 181-192

Howes R, Wasserman JD, Freeman M (1998) In vivo analysis of Argos structure-function. Sequence requirements for inhibition of the Drosophila epidermal growth factor receptor. *J Biol Chem* **273**: 4275-4281

Howlett AC (1998) The CB1 cannabinoid receptor in the brain. *Neurobiol Dis* **5**: 405-416

Howlett AC (2002) The cannabinoid receptors. *Prostaglandins Other Lipid Mediat* **68-69**: 619-631

Howlett AC, Barth F, Bonner TI, Cabral G, Casellas P, Devane WA, Felder CC, Herkenham M, Mackie K, Martin BR, Mechoulam R, Pertwee RG (2002) International Union of Pharmacology. XXVII. Classification of cannabinoid receptors. *Pharmacol Rev* **54**: 161-202

Howlett AC, Mukhopadhyay S (2000) Cellular signal transduction by anandamide and 2-arachidonoylglycerol. *Chem Phys Lipids* **108**: 53-70

Howlett AC, Mukhopadhyay S, Shim JY, Welsh WJ (1999) Signal transduction of eicosanoid CB1 receptor ligands. *Life Sci* **65**: 617-625

Howlett AC, Song C, Berglund BA, Wilken GH, Pigg JJ (1998) Characterization of CB1 cannabinoid receptors using receptor peptide fragments and site-directed antibodies. *Mol Pharmacol* **53**: 504-510

Howlett AC, Wilken GH, Pigg JJ, Houston DB, Lan R, Liu Q, Makriyannis A (2000) Azido- and isothiocyanato-substituted aryl pyrazoles bind covalently to the CB1 cannabinoid receptor and impair signal transduction. *J Neurochem* **74**: 2174-2181

Hsieh C, Brown S, Derleth C, Mackie K (1999) Internalization and recycling of the CB1 cannabinoid receptor. *J Neurochem* **73**: 493-501

Hsu KH, Lonberg-Holm K, Alstein B, Crowell RL (1988) A monoclonal antibody specific for the cellular receptor for the group B coxsackieviruses. *J Virol* **62**: 1647-1652

Hu K, Carroll J, Rickman C, Davletov B (2002) Action of complexin on SNARE complex. *J Biol Chem* **277**: 41652-41656

Hu K, Davletov B (2003) SNAREs and control of synaptic release probabilities. *Faseb J* **17**: 130-135

Hu K, Rickman C, Carroll J, Davletov B (2004) A common mechanism for the regulation of vesicular SNAREs on phospholipid membranes. *Biochem J* **377**: 781-785

Huang CC, Lo SW, Hsu KS (2001) Presynaptic mechanisms underlying cannabinoid inhibition of excitatory synaptic transmission in rat striatal neurons. *J Physiol* **532**: 731-748

Huang CL (1998) The influence of caffeine on intramembrane charge movements in intact frog striated muscle. *J Physiol* **512 (Pt 3)**: 707-721

Huang CL (2001) Charge movements in intact amphibian skeletal muscle fibres in the presence of cardiac glycosides. *J Physiol* **532**: 509-523

Huang SM, Bisogno T, Petros TJ, Chang SY, Zavitsanos PA, Zipkin RE, Sivakumar R, Coop A, Maeda DY, De Petrocellis L, Burstein S, Di Marzo V, Walker JM (2001) Identification of a new class of molecules, the arachidonyl amino acids, and characterization of one member that inhibits pain. *J Biol Chem* **276**: 42639-42644

Huang SM, Strangman NM, Walker JM (1999) Liquid chromatographic-mass spectrometric measurement of the endogenous cannabinoid 2-arachidonoylglycerol in the spinal cord and peripheral nervous system. *Zhongguo Yao Li Xue Bao* **20**: 1098-1102

Huang SM, Walker JM (2003) Electrophysiological characterization of the putative endocannabinoid/endovanilloid n - arachidonoyl dopamine (NADA) on spinal nociceptive neurons. Society

for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Huang YC, Wang SJ, Chiou LC, Gean PW (2003) Mediation of amphetamine-induced long-term depression of synaptic transmission by CB1 cannabinoid receptors in the rat amygdala. *J Neurosci* **23**: 10311-10320

Huba R, Hofmann HD (1988) Tetanus toxin binding to isolated and cultured rat retinal glial cells. *Glia* **1**: 156-164

Hubbard PC, Thompson AJ, Lummis SC (2000) Functional differences between splice variants of the murine 5-HT(3A) receptor: possible role for phosphorylation. *Brain Res Mol Brain Res* **81**: 101-108

Hudspith MJ, Harrisson S, Smith G, Bountra C, Elliot PJ, Birch PJ, Hunt SP, Munglani R (1999) Effect of post-injury NMDA antagonist treatment on long-term Fos expression and hyperalgesia in a model of chronic neuropathic pain. *Brain Res* **822**: 220-227

Huestis MA, Gorelick DA, Heishman SJ, Preston KL, Nelson RA, Moolchan ET, Frank RA (2001) Blockade of effects of smoked marijuana by the CB1-selective cannabinoid receptor antagonist SR141716. *Arch Gen Psychiatry* **58**: 322-328

Huffman JW (1999) Cannabimimetic indoles, pyrroles and indenenes. *Curr Med Chem* **6**: 705-720

Huffman JW (2000) The search for selective ligands for the CB2 receptor. *Curr Pharm Des* **6**: 1323-1337

Huffman JW, Bushell SM, Miller JR, Wiley JL, Martin BR (2002) 1-Methoxy-, 1-deoxy-11-hydroxy- and 11-hydroxy-1-methoxy-Delta(8)-tetrahydrocannabinols: new selective ligands for the CB2 receptor. *Bioorg Med Chem* **10**: 4119-4129

Huffman JW, Liddle J, Yu S, Aung MM, Abood ME, Wiley JL, Martin BR (1999) 3-(1',1'-Dimethylbutyl)-1-deoxy-delta8-THC and related compounds: synthesis of selective ligands for the CB2 receptor. *Bioorg Med Chem* **7**: 2905-2914

Huffman JW, Lu J, Dai D, Kitaygorodskiy A, Wiley JL, Martin BR (2000) Synthesis and pharmacology of a hybrid cannabinoid. *Bioorg Med Chem* **8**: 439-447

Huffman JW, Lu J, Hynd G, Wiley JL, Martin BR (2001) A pyridone analogue of traditional cannabinoids. A new class of selective ligands for the CB(2) receptor. *Bioorg Med Chem* **9**: 2863-2870

Huffman JW, Yu S, Showalter V, Abood ME, Wiley JL, Compton DR, Martin BR, Bramblett RD, Reggio PH (1996) Synthesis and pharmacology of a very potent cannabinoid lacking a phenolic hydroxyl with high affinity for the CB2 receptor. *J Med Chem* **39**: 3875-3877

Hughes IA, Lim HN, Martin H, Mongan NP, Dovey L, Ahmed SF, Hawkins JR (2001) Developmental aspects of androgen action. *Mol Cell Endocrinol* **185**: 33-41

Hula NM, Mikosha OS, Zhukov OD, Chelnakova IS (2000) [Effect of N-acylethanolamines on adrenal cortex function]. *Ukr Biokhim Zh* **72**: 82-86

Hula NM, Mikosha OS, Zhukov OD, Chelnakova IS (2001) [Investigation of N-acylethanolamines on adrenal cortex function]. *Ukr Biokhim Zh* **73**: 96-100

Hull ML, Charnock-Jones DS, Chan CL, Bruner-Tran KL, Osteen KG, Tom BD, Fan TP, Smith SK (2003) Antiangiogenic agents are effective inhibitors of endometriosis. *J Clin Endocrinol Metab* **88**: 2889-2899

Hungund BL, Basavarajappa BS (2000) Are anandamide and cannabinoid receptors involved in ethanol tolerance? A review of the evidence. *Alcohol Alcohol* **35**: 126-133

Hungund BL, Basavarajappa BS (2000) Distinct differences in the cannabinoid receptor binding in the brain of C57BL/6 and DBA/2 mice, selected for their differences in voluntary ethanol consumption. *J Neurosci Res* **60**: 122-128

Hungund BL, Basavarajappa BS, Vadasz C, Kunos G, Rodriguez de Fonseca F, Colombo G, Serra S, Parsons L, Koob GF (2002) Ethanol, endocannabinoids, and the cannabinoidergic signaling system. *Alcohol Clin Exp Res* **26**: 565-574

Hungund BL, Szakall I, Adam A, Basavarajappa BS, Vadasz C (2003) Cannabinoid CB1 receptor knockout mice exhibit markedly reduced voluntary alcohol consumption and lack alcohol-induced dopamine release in the nucleus accumbens. *J Neurochem* **84**: 698-704

Hungund BL, Vinod KY, Kassir SA, Basavarajappa BS, Yalamanchili R, Cooper TB, Mann JJ, Arango V (2004) Upregulation of CB1 receptors and agonist-stimulated [35S]GTPgammaS binding in the prefrontal cortex of depressed suicide victims. *Mol Psychiatry* **9**: 184-190

Hunter SA, Burstein SH (1997) Receptor mediation in cannabinoid stimulated arachidonic acid mobilization and anandamide synthesis. *Life Sci* **60**: 1563-1573

Hurley JH (2003) Membrane proteins: adapting to life at the interface. *Chem Biol* **10**: 2-3

Hurley MJ, Mash DC, Jenner P (2003) Expression of cannabinoid CB1 receptor mRNA in basal ganglia of normal and parkinsonian human brain. *J Neural Transm* **110**: 1279-1288

Hurn PD, Macrae IM (2000) Estrogen as a neuroprotectant in stroke. *J Cereb Blood Flow Metab* **20**: 631-

- Hurst DP, Lynch DL, Barnett-Norris J, Hyatt SM, Seltzman HH, Zhong M, Song ZH, Nie J, Lewis D, Reggio PH** (2002) N-(piperidin-1-yl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboxamide (SR141716A) interaction with LYS 3.28(192) is crucial for its inverse agonism at the cannabinoid CB1 receptor. *Mol Pharmacol* **62**: 1274-1287
- Hussain JF, Mahaut-Smith MP** (1998) ADP and inositol trisphosphate evoke oscillations of a monovalent cation conductance in rat megakaryocytes. *J Physiol* **511 (Pt 3)**: 791-801
- Hutcheson DM, Subhan F, Pache DM, Maldonado R, Fournie-Zaluski M, Roques BP, Sewell RD** (2000) Analgesic doses of the enkephalin degrading enzyme inhibitor RB 120 do not have discriminative stimulus properties. *Eur J Pharmacol* **401**: 197-204
- Hwang SY, Wei J, Westhoff JH, Duncan RS, Ozawa F, Volpe P, Inokuchi K, Koulen P** (2003) Differential functional interaction of two Ves1/Homer protein isoforms with ryanodine receptor type 1: a novel mechanism for control of intracellular calcium signaling. *Cell Calcium* **34**: 177-184
- Hymel L, Inui M, Fleischer S, Schindler H** (1988) Purified ryanodine receptor of skeletal muscle sarcoplasmic reticulum forms Ca²⁺-activated oligomeric Ca²⁺ channels in planar bilayers. *Proc Natl Acad Sci U S A* **85**: 441-445
- Hymel L, Schindler H, Inui M, Fleischer S** (1988) Reconstitution of purified cardiac muscle calcium release channel (ryanodine receptor) in planar bilayers. *Biochem Biophys Res Commun* **152**: 308-314
- Hynes J, Jr., Leftheris K, Wu H, Pandit C, Chen P, Norris DJ, Chen BC, Zhao R, Kiener PA, Chen X, Turk LA, Patil-Koota V, Gillooly KM, Shuster DJ, McIntyre KW** (2002) C-3 Amido-indole cannabinoid receptor modulators. *Bioorg Med Chem Lett* **12**: 2399-2402
- Ibrahim MM, Deng H, Zvonok A, Cockayne DA, Kwan J, Mata HP, Vanderah TW, Lai J, Porreca F, Makriyannis A, Malan TP, Jr.** (2003) Activation of CB2 cannabinoid receptors by AM1241 inhibits experimental neuropathic pain: pain inhibition by receptors not present in the CNS. *Proc Natl Acad Sci U S A* **100**: 10529-10533
- Ige AO, Bolam JP, Billinton A, White JH, Marshall FH, Emson PC** (2000) Cellular and sub-cellular localisation of GABA(B1) and GABA(B2) receptor proteins in the rat cerebellum. *Brain Res Mol Brain Res* **83**: 72-80
- Iglesias Niubo J, Riudor Taravilla E, Goma Brufau AR, Civit Colas MA, Sune Gracia JM, Bertran Sanges JM, Gallart Catala A** (1988) [Sepsis, as the presenting form of hereditary tyrosinemia type I]. *An Esp Pediatr* **29**: 235-238
- Ihrig I, Schonheit C, Haussner W, Bernhardt I** (1992) Characterisation of the potassium influx in rat erythrocytes. *Gen Physiol Biophys* **11**: 377-388
- Imagawa T, Smith JS, Coronado R, Campbell KP** (1987) Purified ryanodine receptor from skeletal muscle sarcoplasmic reticulum is the Ca²⁺-permeable pore of the calcium release channel. *J Biol Chem* **262**: 16636-16643
- Innis CA, Shi J, Blundell TL** (2000) Evolutionary trace analysis of TGF-beta and related growth factors: implications for site-directed mutagenesis. *Protein Eng* **13**: 839-847
- Inui A** (2002) Emesis, appetite, and endocannabinoids. *Gastroenterology* **123**: 655; author reply 655-656
- Ireland DC, Bord S, Beavan SR, Compston JE** (2002) Effects of estrogen on collagen synthesis by cultured human osteoblasts depend on the rate of cellular differentiation. *J Cell Biochem* **86**: 251-257
- Irvine R** (2001) Inositol phosphates: Does IP(4) run a protection racket? *Curr Biol* **11**: R172-174
- Irving AJ, Rae MG, Coutts AA** (2002) Cannabinoids on the brain. *ScientificWorldJournal* **2**: 632-648
- Ishac EJ, Jiang L, Lake KD, Varga K, Abood ME, Kunos G** (1996) Inhibition of exocytotic noradrenaline release by presynaptic cannabinoid CB1 receptors on peripheral sympathetic nerves. *Br J Pharmacol* **118**: 2023-2028
- Ishii I, Chun J** (2002) Anandamide-induced neuroblastoma cell rounding via the CB1 cannabinoid receptors. *Neuroreport* **13**: 593-596
- Ishioka N, Bukoski RD** (1999) A role for N-arachidonyl ethanolamine (anandamide) as the mediator of sensory nerve-dependent Ca²⁺-induced relaxation. *J Pharmacol Exp Ther* **289**: 245-250
- Islam TC, Asplund AC, Lindvall JM, Nygren L, Liden J, Kimby E, Christensson B, Smith CI, Sander B** (2003) High level of cannabinoid receptor 1, absence of regulator of G protein signalling 13 and differential expression of Cyclin D1 in mantle cell lymphoma. *Leukemia* **17**: 1880-1890
- Isles AR, Ma D, Milsom C, Skynner MJ, Cui W, Clark J, Keverne EB, Allen ND** (2001) Conditional ablation of neurones in transgenic mice. *J Neurobiol* **47**: 183-193
- Isokawa M, Alger BE** (2003) Ryanodine receptor regulates calcium dependence of DSI in CA1 pyramidal cells of culture hippocampal slices. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Iversen L (1994) Pharmacology. Endogenous cannabinoids. *Nature* **372**: 619

Iversen L (2003) Cannabis and the brain. *Brain* **126**: 1252-1270

Iversen LL (1993) Pharmacology. Medical uses of marijuana? *Nature* **365**: 12-13

Iwai K, Nakahara C, Ando T (1971) Studies on protamines. XV. The complete amino acid sequence of the Z component of clupeine. Application of N leads to O acyl rearrangement and selective hydrolysis in sequence determination. *J Biochem (Tokyo)* **69**: 493-509

Iwamura H, Suzuki H, Ueda Y, Kaya T, Inaba T (2001) In vitro and in vivo pharmacological characterization of JTE-907, a novel selective ligand for cannabinoid CB2 receptor. *J Pharmacol Exp Ther* **296**: 420-425

Iwatsuki N, Petersen OH (1978) Intracellular Ca²⁺ injection causes membrane hyperpolarization and conductance increase in lacrimal acinar cells. *Pflugers Arch* **377**: 185-187

Izumi K, Sawada MT (2001) A novel assay method for glycosphingolipid deacylase by enzyme-linked immunochemical detection of lysoglycosphingolipid. *Lipids* **36**: 97-101

Izzo AA, Borrelli F, Capasso F, Capasso R, Pinto L, Cristoni A, Mascolo N (1999) Contractile effect of (+)-glucine in the isolated guinea-pig ileum. *Eur J Pharmacol* **377**: 215-218

Izzo AA, Capasso F, Costagliola A, Bisogno T, Marsicano G, Ligresti A, Matias I, Capasso R, Pinto L, Borrelli F, Cecio A, Lutz B, Mascolo N, Di Marzo V (2003) An endogenous cannabinoid tone attenuates cholera toxin-induced fluid accumulation in mice. *Gastroenterology* **125**: 765-774

Izzo AA, Capasso R, Pinto L, Di Carlo G, Mascolo N, Capasso F (2001) Effect of vanilloid drugs on gastrointestinal transit in mice. *Br J Pharmacol* **132**: 1411-1416

Izzo AA, Fezza F, Capasso R, Bisogno T, Pinto L, Iuvone T, Esposito G, Mascolo N, Di Marzo V, Capasso F (2001) Cannabinoid CB1-receptor mediated regulation of gastrointestinal motility in mice in a model of intestinal inflammation. *Br J Pharmacol* **134**: 563-570

Izzo AA, Mascolo N, Borrelli F, Capasso F (1998) Excitatory transmission to the circular muscle of the guinea-pig ileum: evidence for the involvement of cannabinoid CB1 receptors. *Br J Pharmacol* **124**: 1363-1368

Izzo AA, Mascolo N, Borrelli F, Capasso F (1999) Defaecation, intestinal fluid accumulation and motility in rodents: implications of cannabinoid CB1 receptors. *Naunyn Schmiedebergs Arch Pharmacol* **359**: 65-70

Izzo AA, Mascolo N, Capasso F (2000) Forgotten target for marijuana: the endocannabinoid system in the gut. *Trends Pharmacol Sci* **21**: 372-373

Izzo AA, Mascolo N, Capasso F (2001) The gastrointestinal pharmacology of cannabinoids. *Curr Opin Pharmacol* **1**: 597-603

Izzo AA, Mascolo N, Capasso R, Germano MP, De Pasquale R, Capasso F (1999) Inhibitory effect of cannabinoid agonists on gastric emptying in the rat. *Naunyn Schmiedebergs Arch Pharmacol* **360**: 221-223

Izzo AA, Mascolo N, Pinto L, Capasso R, Capasso F (1999) The role of cannabinoid receptors in intestinal motility, defaecation and diarrhoea in rats. *Eur J Pharmacol* **384**: 37-42

Jack AM, Keegan A, Cotter MA, Cameron NE (2002) Effects of diabetes and evening primrose oil treatment on responses of aorta, corpus cavernosum and mesenteric vasculature in rats. *Life Sci* **71**: 1863-1877

Jackson AP, Flett A, Smythe C, Hufton L, Wetley FR, Smythe E (2003) Clathrin promotes incorporation of cargo into coated pits by activation of the AP2 adaptor micro2 kinase. *J Cell Biol* **163**: 231-236

Jackson MF, Orser BA, MacDonald JF (2001) Cannabinoids enhance the frequency of mEPSCs in cultured hippocampal neurons. *Society for Neuroscience Abstracts* **27**

Jacobsson SO, Fowler CJ (2001) Characterization of palmitoylethanolamide transport in mouse Neuro-2a neuroblastoma and rat RBL-2H3 basophilic leukaemia cells: comparison with anandamide. *Br J Pharmacol* **132**: 1743-1754

Jacobsson SO, Rongard E, Stridh M, Tiger G, Fowler CJ (2000) Serum-dependent effects of tamoxifen and cannabinoids upon C6 glioma cell viability. *Biochem Pharmacol* **60**: 1807-1813

Jacobsson SO, Wallin T, Fowler CJ (2001) Inhibition of rat C6 glioma cell proliferation by endogenous and synthetic cannabinoids. Relative involvement of cannabinoid and vanilloid receptors. *J Pharmacol Exp Ther* **299**: 951-959

Jacobsson SOP, Johansson M (2003) Neuronal differentiation of mouse P19 embryonic carcinoma cells induces expression of cannabinoid CB1 receptors. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Jaggari SI, Hasnie FS, Sellaturay S, Rice AS (1998) The anti-hyperalgesic actions of the cannabinoid anandamide and the putative CB2 receptor agonist palmitoylethanolamide in visceral and somatic inflammatory pain. *Pain* **76**: 189-199

Jaggari SI, Sellaturay S, Rice AS (1998) The endogenous cannabinoid anandamide, but not the CB2 ligand

palmitoylethanolamide, prevents the viscerovisceral hyper-reflexia associated with inflammation of the rat urinary bladder. *Neurosci Lett* **253**: 123-126

Jain MK, Ghomashchi F, Yu BZ, Bayburt T, Murphy D, Houck D, Brownell J, Reid JC, Solowiej JE, Wong SM, et al. (1992) Fatty acid amides: scooting mode-based discovery of tight-binding competitive inhibitors of secreted phospholipases A2. *J Med Chem* **35**: 3584-3586

Jain V, McWilliams E, Young M (2003) Thiomersal enhances the binding of histamine to the H1 receptor, but not histamine-stimulated inositol phosphate formation. *J Pharm Pharmacol* **55**: 545-549

James JS (1996) Marijuana and chocolate. *AIDS Treat News*: 3-4

Jamshidi N, Taylor DA (2001) Anandamide administration into the ventromedial hypothalamus stimulates appetite in rats. *Br J Pharmacol* **134**: 1151-1154

Jan CR, Lu YC, Jiann BP, Chang HT, Su W, Chen WC, Huang JK (2002) Novel effect of CP55,940, a CB1/CB2 cannabinoid receptor agonist, on intracellular free Ca²⁺ levels in bladder cancer cells. *Chin J Physiol* **45**: 33-39

Jan TR, Rao GK, Kaminski NE (2002) Cannabinol enhancement of interleukin-2 (IL-2) expression by T cells is associated with an increase in IL-2 distal nuclear factor of activated T cell activity. *Mol Pharmacol* **61**: 446-454

Jarai Z, Kunos G (2002) [Cardiovascular effects of cannabinoids]. *Orv Hetil* **143**: 1563-1568

Jarai Z, Wagner JA, Goparaju SK, Wang L, Razdan RK, Sugiura T, Zimmer AM, Bonner TI, Zimmer A, Kunos G (2000) Cardiovascular effects of 2-arachidonoyl glycerol in anesthetized mice. *Hypertension* **35**: 679-684

Jarai Z, Wagner JA, Varga K, Lake KD, Compton DR, Martin BR, Zimmer AM, Bonner TI, Buckley NE, Mezey E, Razdan RK, Zimmer A, Kunos G (1999) Cannabinoid-induced mesenteric vasodilation through an endothelial site distinct from CB1 or CB2 receptors. *Proc Natl Acad Sci U S A* **96**: 14136-14141

Jarbe TU, Andrzejewski ME, DiPatrizio NV (2002) Interactions between the CB1 receptor agonist Delta 9-THC and the CB1 receptor antagonist SR-141716 in rats: open-field revisited. *Pharmacol Biochem Behav* **73**: 911-919

Jarbe TU, DiPatrizio NV, Li C, Makriyannis A (2003) The cannabinoid receptor antagonist SR-141716 does not readily antagonize open-field effects induced by the cannabinoid receptor agonist (R)-methanandamide in rats. *Pharmacol Biochem Behav* **75**: 809-821

Jarbe TU, Lamb RJ, Lin S, Makriyannis A (2000) Delta9-THC training dose as a determinant for (R)-methanandamide generalization in rats: a systematic replication. *Behav Pharmacol* **11**: 81-86

Jarbe TU, Lamb RJ, Lin S, Makriyannis A (2001) (R)-methanandamide and Delta 9-THC as discriminative stimuli in rats: tests with the cannabinoid antagonist SR-141716 and the endogenous ligand anandamide. *Psychopharmacology (Berl)* **156**: 369-380

Jarbe TU, Lamb RJ, Liu Q, Makriyannis A (2003) (R)-Methanandamide and delta9-tetrahydrocannabinol-induced operant rate decreases in rats are not readily antagonized by SR-141716A. *Eur J Pharmacol* **466**: 121-127

Jarbe TU, Lamb RJ, Makriyannis A, Lin S, Goutopoulos A (1998) Delta9-THC training dose as a determinant for (R)-methanandamide generalization in rats. *Psychopharmacology (Berl)* **140**: 519-522

Jarbe TU, Sheppard R, Lamb RJ, Makriyannis A, Lin S, Goutopoulos A (1998) Effects of delta-9-tetrahydrocannabinol and (R)-methanandamide on open-field behavior in rats. *Behav Pharmacol* **9**: 169-174

Jarho P, Urtti A, Jarvinen K, Pate DW, Jarvinen T (1996) Hydroxypropyl-beta-cyclodextrin increases aqueous solubility and stability of anandamide. *Life Sci* **58**: PL 181-185

Jarrahian A, Hillard CJ (1997) Arachidonylethanolamide (anandamide) binds with low affinity to dihydropyridine binding sites in brain membranes. *Prostaglandins Leukot Essent Fatty Acids* **57**: 551-554

Jarrahian A, Manna S, Edgemond WS, Campbell WB, Hillard CJ (2000) Structure-activity relationships among N-arachidonylethanolamine (Anandamide) head group analogues for the anandamide transporter. *J Neurochem* **74**: 2597-2606

Jarrahian A, Watts VJ, Barker EL (2004) D2 dopamine receptors modulate Galpha-subunit coupling of the CB1 cannabinoid receptor. *J Pharmacol Exp Ther* **308**: 880-886

Jarvinen T, Pate DW, Laine K (2002) Cannabinoids in the treatment of glaucoma. *Pharmacol Ther* **95**: 203-220

Jbilo O, Derocq JM, Segui M, Le Fur G, Casellas P (1999) Stimulation of peripheral cannabinoid receptor CB2 induces MCP-1 and IL-8 gene expression in human promyelocytic cell line HL60. *FEBS Lett* **448**: 273-277

Jenkins DW, Feniuk W, Humphrey PP (2001) Characterization of the prostanoid receptor types involved in mediating calcitonin gene-related peptide release from cultured rat trigeminal neurones. *Br J Pharmacol* **134**:

1296-1302

- Jenkins DW, Sellers LA, Feniuk W, Humphrey PP** (2003) Characterization of bradykinin-induced prostaglandin E2 release from cultured rat trigeminal ganglion neurones. *Eur J Pharmacol* **469**: 29-36
- Jennings EA, Vaughan CW, Roberts LA, Christie MJ** (2003) The actions of anandamide on rat superficial medullary dorsal horn neurons in vitro. *J Physiol* **548**: 121-129
- Jeon YJ, Yang KH, Pulaski JT, Kaminski NE** (1996) Attenuation of inducible nitric oxide synthase gene expression by delta 9-tetrahydrocannabinol is mediated through the inhibition of nuclear factor- kappa B/Rel activation. *Mol Pharmacol* **50**: 334-341
- Jerman JC, Gray J, Brough SJ, Ooi L, Owen D, Davis JB, Smart D** (2002) Comparison of effects of anandamide at recombinant and endogenous rat vanilloid receptors. *Br J Anaesth* **89**: 882-887
- Jia Y, McLeod RL, Wang X, Parra LE, Egan RW, Hey JA** (2002) Anandamide induces cough in conscious guinea-pigs through VR1 receptors. *Br J Pharmacol* **137**: 831-836
- Jin KL, Mao XO, Goldsmith PC, Greenberg DA** (2000) CB1 cannabinoid receptor induction in experimental stroke. *Ann Neurol* **48**: 257-261
- Jin W, Brown S, Roche JP, Hsieh C, Celver JP, Koor A, Chavkin C, Mackie K** (1999) Distinct domains of the CB1 cannabinoid receptor mediate desensitization and internalization. *J Neurosci* **19**: 3773-3780
- Jo YH, Role LW** (2002) ENDOCANNABINOID RELEASE DEPRESSES GABAergic TRANSMISSION AT LH SYNAPSES IN MOUSE BRAIN SLICE PREPARATIONS. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**
- Johanek LM, Heitmiller DR, Turner M, Nader N, Hodges J, Simone DA** (2001) Cannabinoids attenuate capsaicin-evoked hyperalgesia through spinal and peripheral mechanisms. *Pain* **93**: 303-315
- Johanning FW, Zochowski M, Conway SJ, Holmes AB, Koulen P, Ehrlich BE** (2002) Distinct intracellular calcium transients in neurites and somata integrate neuronal signals. *J Neurosci* **22**: 5344-5353
- Johnson DE, Heald SL, Dally RD, Janis RA** (1993) Isolation, identification and synthesis of an endogenous arachidonic amide that inhibits calcium channel antagonist 1,4-dihydropyridine binding. *Prostaglandins Leukot Essent Fatty Acids* **48**: 429-437
- Johnson KG, McKinnell IW, Stoker AW, Holt CE** (2001) Receptor protein tyrosine phosphatases regulate retinal ganglion cell axon outgrowth in the developing *Xenopus* visual system. *J Neurobiol* **49**: 99-117
- Johnson RP, O'Kelly IM, Fearon IM** (2004) System-specific O₂ sensitivity of the tandem pore domain K⁺ channel TASK-1. *Am J Physiol Cell Physiol* **286**: C391-397
- Johnston AJ, Steiner LA, O'Connell M, Chatfield DA, Gupta AK, Menon DK** (2004) Pharmacokinetics and pharmacodynamics of dopamine and norepinephrine in critically ill head-injured patients. *Intensive Care Med* **30**: 45-50
- Johnstrom P, Harris NG, Fryer TD, Barret O, Clark JC, Pickard JD, Davenport AP** (2002) (18)F-Endothelin-1, a positron emission tomography (PET) radioligand for the endothelin receptor system: radiosynthesis and in vivo imaging using microPET. *Clin Sci (Lond)* **103 Suppl 48**: 4S-8S
- Jones A, Korpi ER, McKernan RM, Pelz R, Nusser Z, Makela R, Mellor JR, Pollard S, Bahn S, Stephenson FA, Randall AD, Sieghart W, Somogyi P, Smith AJ, Wisden W** (1997) Ligand-gated ion channel subunit partnerships: GABAA receptor alpha6 subunit gene inactivation inhibits delta subunit expression. *J Neurosci* **17**: 1350-1362
- Jones CA, Chessell IP, Simon J, Barnard EA, Miller KJ, Michel AD, Humphrey PP** (2000) Functional characterization of the P2X(4) receptor orthologues. *Br J Pharmacol* **129**: 388-394
- Jones DB, Mullen KD, Roessle M, Maynard T, Jones EA** (1987) Hepatic encephalopathy. Application of visual evoked responses to test hypotheses of its pathogenesis in rats. *J Hepatol* **4**: 118-126
- Jones DC, Young NT** (2003) Natural killer receptor repertoires in transplantation. *Eur J Immunogenet* **30**: 169-176
- Jones RT** (2002) Cardiovascular system effects of marijuana. *J Clin Pharmacol* **42**: 58S-63S
- Jones S, Howl J** (2003) Cannabinoid receptor systems: therapeutic targets for tumour intervention. *Expert Opin Ther Targets* **7**: 749-758
- Jonsson KO, Andersson A, Jacobsson SO, Vandevoorde S, Lambert DM, Fowler CJ** (2003) AM404 and VDM 11 non-specifically inhibit C6 glioma cell proliferation at concentrations used to block the cellular accumulation of the endocannabinoid anandamide. *Arch Toxicol* **77**: 201-207
- Jonsson KO, Vandevoorde S, Lambert DM, Tiger G, Fowler CJ** (2001) Effects of homologues and analogues of palmitoylethanolamide upon the inactivation of the endocannabinoid anandamide. *Br J Pharmacol* **133**: 1263-1275
- Joosten M, Valk PJ, Jorda MA, Vankan-Berkhoudt Y, Verbakel S, van den Broek M, Beijen A, Lowenberg B, Delwel R** (2002) Leukemic predisposition of pSca-1/Cb2 transgenic mice. *Exp Hematol* **30**:

- Joosten M, Vankan-Berkhoudt Y, Tas M, Lunghi M, Jenniskens Y, Parganas E, Valk PJ, Lowenberg B, van den Akker E, Delwel R** (2002) Large-scale identification of novel potential disease loci in mouse leukemia applying an improved strategy for cloning common virus integration sites. *Oncogene* **21**: 7247-7255
- Jorda MA, Lowenberg B, Delwel R** (2003) The peripheral cannabinoid receptor Cb2, a novel oncoprotein, induces a reversible block in neutrophilic differentiation. *Blood* **101**: 1336-1343
- Jorda MA, Rayman N, Valk P, De Wee E, Delwel R** (2003) Identification, characterization, and function of a novel oncogene - The peripheral cannabinoid receptor Cb2. *Hematopoietic Stem Cells 2002: Genetics and Function* **996**: 10-16
- Jorda MA, Rayman N, Valk P, De Wee E, Delwel R** (2003) Identification, characterization, and function of a novel oncogene: the peripheral cannabinoid receptor Cb2. *Ann N Y Acad Sci* **996**: 10-16
- Jorda MA, Verbakel S, van Ostaijen I, Lowenberg B, Delwel R** (2002) The peripheral cannabinoid receptor is a myeloid transforming protein: Activation by CP55,940 ligand blocks neutrophilic development whereas the endocannabinoid 2-AG stimulates migration. *Blood* **100**: 742a-743a
- Jorda MA, Verbakel SE, Valk PJ, Vankan-Berkhoudt YV, Maccarrone M, Finazzi-Agro A, Lowenberg B, Delwel R** (2002) Hematopoietic cells expressing the peripheral cannabinoid receptor migrate in response to the endocannabinoid 2-arachidonoylglycerol. *Blood* **99**: 2786-2793
- Jorgensen TD, Dissing S, Gromada J** (1996) Cyclic GMP potentiates phenylephrine but not cyclic ADP-ribose-evoked calcium release from rat lacrimal acinar cells. *FEBS Lett* **391**: 117-120
- Joseph J, Niggemann B, Zaenker KS, Entschladen F** (2004) Anandamide is an endogenous inhibitor for the migration of tumor cells and T lymphocytes. *Cancer Immunol Immunother*
- Joyeux M, Arnaud C, Godin-Ribuot D, Demenge P, Lamontagne D, Ribouot C** (2002) Endocannabinoids are implicated in the infarct size-reducing effect conferred by heat stress preconditioning in isolated rat hearts. *Cardiovasc Res* **55**: 619-625
- Julian MD, Martin AB, Cuellar B, Rodriguez De Fonseca F, Navarro M, Moratalla R, Garcia-Segura LM** (2003) Neuroanatomical relationship between type 1 cannabinoid receptors and dopaminergic systems in the rat basal ganglia. *Neuroscience* **119**: 309-318
- Jung M** (2001) Inhibitors of histone deacetylase as new anticancer agents. *Curr Med Chem* **8**: 1505-1511
- Jung M, Calassi R, Rinaldi-Carmona M, Chardenot P, Le Fur G, Soubrie P, Oury-Donat F** (1997) Characterization of CB1 receptors on rat neuronal cell cultures: binding and functional studies using the selective receptor antagonist SR 141716A. *J Neurochem* **68**: 402-409
- Juntunen J, Huuskonen J, Laine K, Niemi R, Taipale H, Nevalainen T, Pate DW, Jarvinen T** (2003) Anandamide prodrugs. 1. Water-soluble phosphate esters of arachidonylethanolamide and R-methanandamide. *Eur J Pharm Sci* **19**: 37-43
- Juntunen J, Vepsalainen J, Niemi R, Laine K, Jarvinen T** (2003) Synthesis, in vitro evaluation, and intraocular pressure effects of water-soluble prodrugs of endocannabinoid noladin ether. *J Med Chem* **46**: 5083-5086
- Justinova Z, Tanda G, Munzar P, Goldberg SR** (2004) The opioid antagonist naltrexone reduces the reinforcing effects of Delta(9)-tetrahydrocannabinol (THC) in squirrel monkeys. *Psychopharmacology (Berl)* **173**: 186-194
- Kaftan E, Marks AR, Ehrlich BE** (1996) Effects of rapamycin on ryanodine receptor/Ca(2+)-release channels from cardiac muscle. *Circ Res* **78**: 990-997
- Kaftan EJ, Ehrlich BE, Watras J** (1997) Inositol 1,4,5-trisphosphate (InsP3) and calcium interact to increase the dynamic range of InsP3 receptor-dependent calcium signaling. *J Gen Physiol* **110**: 529-538
- Kagaya M, Lamb J, Robbins J, Page CP, Spina D** (2002) Characterization of the anandamide induced depolarization of guinea-pig isolated vagus nerve. *Br J Pharmacol* **137**: 39-48
- Kagota S, Yamaguchi Y, Nakamura K, Sugiura T, Waku K, Kunitomo M** (2001) 2-Arachidonoylglycerol, a candidate of endothelium-derived hyperpolarizing factor. *Eur J Pharmacol* **415**: 233-238
- Kaja S, Yang SH, Wei J, Fujitani K, Liu R, Brun-Zinkernagel AM, Simpkins JW, Inokuchi K, Koulen P** (2003) Estrogen protects the inner retina from apoptosis and ischemia-induced loss of Vesl-1L/Homer 1c immunoreactive synaptic connections. *Invest Ophthalmol Vis Sci* **44**: 3155-3162
- Kallenberger BC, Love JD, Chatterjee VK, Schwabe JW** (2003) A dynamic mechanism of nuclear receptor activation and its perturbation in a human disease. *Nat Struct Biol* **10**: 136-140
- Kaloo-Hosein HE, Whitehead JP, Soos M, Tavare JM, Siddle K, O'Rahilly S** (1997) Differential signaling to glycogen synthesis by the intracellular domain of the insulin versus the insulin-like growth factor-1 receptor. Evidence from studies of TrkC-chimeras. *J Biol Chem* **272**: 24325-24332

Kamermans M, Fahrenfort I, Schultz K, Janssen-Bienhold U, Sjoerdsma T, Weiler R (2001) Hemichannel-mediated inhibition in the outer retina. *Science* **292**: 1178-1180

Kaminski NE (1998) Inhibition of the cAMP signaling cascade via cannabinoid receptors: a putative mechanism of immune modulation by cannabinoid compounds. *Toxicol Lett* **102-103**: 59-63

Kanagasundaram V, Jaworowski A, Hamilton JA (1996) Association between phosphatidylinositol-3 kinase, Cbl and other tyrosine phosphorylated proteins in colony-stimulating factor-1-stimulated macrophages. *Biochem J* **320 (Pt 1)**: 69-77

Kang LT, Phillips TM, Vanderhoek JY (1999) Novel membrane target proteins for lipoxygenase-derived mono(S)hydroxy fatty acids. *Biochim Biophys Acta* **1438**: 388-398

Kano M, Maejima T, Yoshida T, Yamasaki M, Araishi K, Hashimoto K (2003) Endocannabinoid-mediated retrograde modulation of cerebellar synapses. *Journal of Pharmacological Sciences* **91**: 13p-13p

Kano M, Ohno-Shosaku T (2002) Endocannabinoid-mediated retrograde modulation of hippocampal synapses. *Neuroscience Research Supplement*

Kano M, Ohno-Shosaku T (2004) Endocannabinoid-mediated retrograde modulation of synaptic transmission in the CNS. *Journal of Pharmacological Sciences* **94**: 43p-43p

Kanyonyo M, Govaerts SJ, Hermans E, Poupaert JH, Lambert DM (1999) 3-Alkyl-(5,5'-diphenyl)imidazolidineiones as new cannabinoid receptor ligands. *Bioorg Med Chem Lett* **9**: 2233-2236

Kaplan BL, Rockwell CE, Kaminski NE (2003) Evidence for cannabinoid receptor-dependent and -independent mechanisms of action in leukocytes. *J Pharmacol Exp Ther* **306**: 1077-1085

Karanian DA, Brown QB, Makriyannis A, Bahr BA (2002) Evidence That Glutamatergic and Endocannabinoid Signaling Utilize Different Pathways to Promote Neuronal Survival. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Karanian DA, Brown QB, Makriyannis A, Bahr BA (2003) Synaptic maintenance in hippocampus appears to require cannabinoid-mediated activation of MAPK and FAK pathways. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Karava V, Fasias L, Sifaka-Kapadai A (2001) Anandamide amidohydrolase activity, released in the medium by *Tetrahymena pyriformis*. Identification and partial characterization. *FEBS Lett* **508**: 327-331

Kasai HF, Tsubuki M, Takahashi K, Honda T, Ueda H (2003) Analyses of anandamide and endocannabinoid-like compounds using collision-induced dissociation in fast atom bombardment ionization-mass spectrometry and gas chromatography/chemical ionization-mass spectrometry. *Anal Sci* **19**: 1593-1598

Katayama K, Ueda N, Katoh I, Yamamoto S (1999) Equilibrium in the hydrolysis and synthesis of cannabimimetic anandamide demonstrated by a purified enzyme. *Biochim Biophys Acta* **1440**: 205-214

Katayama K, Ueda N, Kurahashi Y, Suzuki H, Yamamoto S, Kato I (1997) Distribution of anandamide amidohydrolase in rat tissues with special reference to small intestine. *Biochim Biophys Acta* **1347**: 212-218

Kathmann M, Bauer U, Schlicker E (1999) CB1 receptor density and CB1 receptor-mediated functional effects in rat hippocampus are decreased by an intracerebroventricularly administered antisense oligodeoxynucleotide. *Naunyn Schmiedebergs Arch Pharmacol* **360**: 421-427

Kathmann M, Bauer U, Schlicker E, Gothert M (1999) Cannabinoid CB1 receptor-mediated inhibition of NMDA- and kainate-stimulated noradrenaline and dopamine release in the brain. *Naunyn Schmiedebergs Arch Pharmacol* **359**: 466-470

Kathmann M, Schlicker E, Faulhaber J, Leweke FM (2003) Enhanced mRNA levels of cannabinoid CB2 and CB1 receptors in peripheral blood mononuclear cells from marijuana smokers. *Naunyn-Schmiedeberg's Archives of Pharmacology* **367**

Kathmann M, Weber B, Schlicker E (2001) Cannabinoid CB1 receptor-mediated inhibition of acetylcholine release in the brain of NMRI, CD-1 and C57BL/6J mice. *Naunyn Schmiedebergs Arch Pharmacol* **363**: 50-56

Kathuria S, Gaetani S, Fegley D, Valino F, Duranti A, Tontini A, Mor M, Tarzia G, La Rana G, Calignano A, Giustino A, Tattoli M, Palmery M, Cuomo V, Piomelli D (2003) Modulation of anxiety through blockade of anandamide hydrolysis. *Nat Med* **9**: 76-81

Katoch-Rouse R, Pavlova OA, Caulder T, Hoffman AF, Mukhin AG, Horti AG (2003) Synthesis, structure-activity relationship, and evaluation of SR141716 analogues: development of central cannabinoid receptor ligands with lower lipophilicity. *J Med Chem* **46**: 642-645

Katona I, Rancz EA, Acsady L, Ledent C, Mackie K, Hajos N, Freund TF (2001) Distribution of CB1 cannabinoid receptors in the amygdala and their role in the control of GABAergic transmission. *J Neurosci* **21**: 9506-9518

Katona I, Sperlagh B, Magloczky Z, Santha E, Kofalvi A, Czirjak S, Mackie K, Vizi ES, Freund TF (2000) GABAergic interneurons are the targets of cannabinoid actions in the human hippocampus. *Neuroscience*

100: 797-804

Katona I, Sperlagh B, Sik A, Kafalvi A, Vizi ES, Mackie K, Freund TF (1999) Presynaptically located CB1 cannabinoid receptors regulate GABA release from axon terminals of specific hippocampal interneurons. *J Neurosci* **19**: 4544-4558

Katsumata M, Cattaneo D, White P, Burton KA, Dauncey MJ (2000) Growth hormone receptor gene expression in porcine skeletal and cardiac muscles is selectively regulated by postnatal undernutrition. *J Nutr* **130**: 2482-2488

Katugampola SD, Davenport AP (2001) Thromboxane receptor density is increased in human cardiovascular disease with evidence for inhibition at therapeutic concentrations by the AT(1) receptor antagonist losartan. *Br J Pharmacol* **134**: 1385-1392

Katugampola SD, Davenport AP (2002) Radioligand binding reveals chymase as the predominant enzyme for mediating tissue conversion of angiotensin I in the normal human heart. *Clin Sci (Lond)* **102**: 15-21

Katugampola SD, Kuc RE, Maguire JJ, Davenport AP (2002) G-protein-coupled receptors in human atherosclerosis: comparison of vasoconstrictors (endothelin and thromboxane) with recently de-orphanized (urotensin-II, apelin and ghrelin) receptors. *Clin Sci (Lond)* **103 Suppl 48**: 171S-175S

Katugampola SD, Maguire JJ, Matthewson SR, Davenport AP (2001) [(125)I]-(Pyr(1))Apelin-13 is a novel radioligand for localizing the APJ orphan receptor in human and rat tissues with evidence for a vasoconstrictor role in man. *Br J Pharmacol* **132**: 1255-1260

Katugampola SD, Pallikaros Z, Davenport AP (2001) [125I-His(9)]-ghrelin, a novel radioligand for localizing GHS orphan receptors in human and rat tissue: up-regulation of receptors with atherosclerosis. *Br J Pharmacol* **134**: 143-149

Kawai Y, Kato Y, Fujii H, Makino Y, Mori Y, Naito M, Osawa T (2003) Immunochemical detection of a novel lysine adduct using an antibody to linoleic acid hydroperoxide-modified protein. *J Lipid Res* **44**: 1124-1131

Kawamura I, Yamamoto N, Sakai F, Yamazaki H, Goto T (1999) Effect of lipoprotein lipase activators bezafibrate and NO-1886, on B16 melanoma-induced cachexia in mice. *Anticancer Res* **19**: 4099-4103

Kearn CS, Greenberg MJ, DiCamelli R, Kurzawa K, Hillard CJ (1999) Relationships between ligand affinities for the cerebellar cannabinoid receptor CB1 and the induction of GDP/GTP exchange. *J Neurochem* **72**: 2379-2387

Kehl LJ, Hamamoto DT, Wacnik PW, Croft DL, Norsted BD, Wilcox GL, Simone DA (2003) A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain. *Pain* **103**: 175-186

Keimowitz AR, Martin BR, Razdan RK, Crocker PJ, Mascarella SW, Thomas BF (2000) QSAR analysis of Delta(8)-THC analogues: relationship of side-chain conformation to cannabinoid receptor affinity and pharmacological potency. *J Med Chem* **43**: 59-70

Kelley BG, Thayer SA (2004) Delta9-tetrahydrocannabinol antagonizes endocannabinoid modulation of synaptic transmission between hippocampal neurons in culture. *Neuropharmacology* **46**: 709-715

Kelly MD, Smith A, Banks G, Wingrove P, Whiting PW, Atack J, Seabrook GR, Maubach KA (2002) Role of the histidine residue at position 105 in the human alpha 5 containing GABA(A) receptor on the affinity and efficacy of benzodiazepine site ligands. *Br J Pharmacol* **135**: 248-256

Kelly S, Chapman V (2001) Selective cannabinoid CB1 receptor activation inhibits spinal nociceptive transmission in vivo. *J Neurophysiol* **86**: 3061-3064

Kelly S, Chapman V (2003) Cannabinoid CB1 receptor inhibition of mechanically evoked responses of spinal neurones in control rats, but not in rats with hindpaw inflammation. *Eur J Pharmacol* **474**: 209-216

Kelly S, Jhaveri MD, Sagar DR, Kendall DA, Chapman V (2003) Activation of peripheral cannabinoid CB1 receptors inhibits mechanically evoked responses of spinal neurons in noninflamed rats and rats with hindpaw inflammation. *Eur J Neurosci* **18**: 2239-2243

Kempe K, Hsu FF, Bohrer A, Turk J (1996) Isotope dilution mass spectrometric measurements indicate that arachidonylethanolamide, the proposed endogenous ligand of the cannabinoid receptor, accumulates in rat brain tissue post mortem but is contained at low levels in or is absent from fresh tissue. *J Biol Chem* **271**: 17287-17295

Kenney SP, Kekuda R, Prasad PD, Leibach FH, Devoe LD, Ganapathy V (1999) Cannabinoid receptors and their role in the regulation of the serotonin transporter in human placenta. *Am J Obstet Gynecol* **181**: 491-497

Kenny LC, Baker PN, Kendall DA, Randall MD, Dunn WR (2002) The role of gap junctions in mediating endothelium-dependent responses to bradykinin in myometrial small arteries isolated from pregnant women. *Br J Pharmacol* **136**: 1085-1088

Kent L (2004) Recent advances in the genetics of attention deficit hyperactivity disorder. *Curr Psychiatry Rep* **6**: 143-148

Kerfourn F, Charlemagne J, Fella JS (1996) The structure, rearrangement, and ontogenic expression of DB and JB gene segments of the Mexican axolotl T-cell antigen receptor beta chain (TCRB). *Immunogenetics* **44**: 275-285

Keryer G, Rossignol B (1976) Effect of carbachol on ⁴⁵Ca uptake and protein secretion in rat lacrimal gland. *Am J Physiol* **230**: 99-104

Khan ZU, Koulen P, Rubinstein M, Grandy DK, Goldman-Rakic PS (2001) An astroglia-linked dopamine D2-receptor action in prefrontal cortex. *Proc Natl Acad Sci U S A* **98**: 1964-1969

Khanolkar AD, Abadji V, Lin S, Hill WA, Taha G, Abouzid K, Meng Z, Fan P, Makriyannis A (1996) Head group analogs of arachidonylethanolamide, the endogenous cannabinoid ligand. *J Med Chem* **39**: 4515-4519

Khanolkar AD, Lu D, Fan P, Tian X, Makriyannis A (1999) Novel conformationally restricted tetracyclic analogs of delta8-tetrahydrocannabinol. *Bioorg Med Chem Lett* **9**: 2119-2124

Khanolkar AD, Makriyannis A (1999) Structure-activity relationships of anandamide, an endogenous cannabinoid ligand. *Life Sci* **65**: 607-616

Khanolkar AD, Palmer SL, Makriyannis A (2000) Molecular probes for the cannabinoid receptors. *Chem Phys Lipids* **108**: 37-52

Khasabova IA, Harding-Rose C, Simone DA, Seybold VS (2004) Differential effects of CB1 and opioid agonists on two populations of adult rat dorsal root ganglion neurons. *J Neurosci* **24**: 1744-1753

Khasabova IA, Simone DA, Seybold VS (2002) Cannabinoids attenuate depolarization-dependent Ca²⁺ influx in intermediate-size primary afferent neurons of adult rats. *Neuroscience* **115**: 613-625

Khaspekov LG, Brenz Verca MS, Frumkina LE, Hermann H, Marsicano G, Lutz B (2003) Cannabinoid receptor type 1 (CB1) is required for protection from kainic acid - induced excitotoxicity in organotypic hippocampal slice culture. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Khaspekov LG, Brenz Verca MS, Frumkina LE, Hermann H, Marsicano G, Lutz B (2004) Involvement of brain-derived neurotrophic factor in cannabinoid receptor-dependent protection against excitotoxicity. *Eur J Neurosci* **19**: 1691-1698

Khodakhah K, Armstrong CM (1997) Inositol trisphosphate and ryanodine receptors share a common functional Ca²⁺ pool in cerebellar Purkinje neurons. *Biophys J* **73**: 3349-3357

Khosla S, Dean W, Brown D, Reik W, Feil R (2001) Culture of preimplantation mouse embryos affects fetal development and the expression of imprinted genes. *Biol Reprod* **64**: 918-926

Kidd JF, Fogarty KE, Tuft RA, Thorn P (1999) The role of Ca²⁺ feedback in shaping InsP₃-evoked Ca²⁺ signals in mouse pancreatic acinar cells. *J Physiol* **520 Pt 1**: 187-201

Kiljanski J, Nebes V, Wall JR (1996) Significance of tissue specific and tissue non specific autoimmune reactions of Graves' disease. *Clin Exp Rheumatol* **14 Suppl 15**: S69-76

Kim D, Thayer SA (2001) Cannabinoids inhibit the formation of new synapses between hippocampal neurons in culture. *J Neurosci* **21**: RC146

Kim DJ, Thayer SA (2000) Activation of CB1 cannabinoid receptors inhibits neurotransmitter release from identified synaptic sites in rat hippocampal cultures. *Brain Res* **852**: 398-405

Kim J, Alger BE (2002) Activation of Muscarinic Acetylcholine Receptors Enhances the Release of Endocannabinoids in the Hippocampus. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Kim J, Alger BE (2003) Differential regulation of endocannabinoid release in the hippocampus. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Kim J, Isokawa M, Ledent C, Alger BE (2002) Activation of muscarinic acetylcholine receptors enhances the release of endogenous cannabinoids in the hippocampus. *J Neurosci* **22**: 10182-10191

Kimura T, Ohta T, Watanabe K, Yoshimura H, Yamamoto I (1998) Anandamide, an endogenous cannabinoid receptor ligand, also interacts with 5-hydroxytryptamine (5-HT) receptor. *Biol Pharm Bull* **21**: 224-226

King A, Gardner L, Loke YW (1996) Evaluation of oestrogen and progesterone receptor expression in uterine mucosal lymphocytes. *Hum Reprod* **11**: 1079-1082

King VM, Chahad-Ehlers S, Shen S, Harmar AJ, Maywood ES, Hastings MH (2003) A hVIPR transgene as a novel tool for the analysis of circadian function in the mouse suprachiasmatic nucleus. *Eur J Neurosci* **17**: 822-832

Kingsley PJ, Marnett LJ (2003) Analysis of endocannabinoids by Ag⁺ coordination tandem mass spectrometry. *Anal Biochem* **314**: 8-15

Kinrade EF, Brates T, Tear G, Hidalgo A (2001) Roundabout signalling, cell contact and trophic support

confine longitudinal glia and axons in the *Drosophila* CNS. *Development* **128**: 207-216

Kins S, Betz H, Kirsch J (2000) Collybistin, a newly identified brain-specific GEF, induces submembrane clustering of gephyrin. *Nat Neurosci* **3**: 22-29

Kinzig M, Sorgel F, Brismar B, Nord CE (1992) Pharmacokinetics and tissue penetration of tazobactam and piperacillin in patients undergoing colorectal surgery. *Antimicrob Agents Chemother* **36**: 1997-2004

Kirby MT, Hampson RE, Deadwyler SA (2000) Cannabinoid receptor activation in CA1 pyramidal cells in adult rat hippocampus. *Brain Res* **863**: 120-131

Kirkham TC, Williams CM (2001) Synergistic effects of opioid and cannabinoid antagonists on food intake. *Psychopharmacology (Berl)* **153**: 267-270

Kirkham TC, Williams CM, Fezza F, Di Marzo V (2002) Endocannabinoid levels in rat limbic forebrain and hypothalamus in relation to fasting, feeding and satiation: stimulation of eating by 2-arachidonoyl glycerol. *Br J Pharmacol* **136**: 550-557

Kirsch J, Betz H (1998) Glycine-receptor activation is required for receptor clustering in spinal neurons. *Nature* **392**: 717-720

Kishimoto S, Gokoh M, Oka S, Muramatsu M, Kajiwara T, Waku K, Sugiura T (2003) 2-arachidonoylglycerol induces the migration of HL-60 cells differentiated into macrophage-like cells and human peripheral blood monocytes through the cannabinoid CB2 receptor-dependent mechanism. *J Biol Chem* **278**: 24469-24475

Kishimoto S, Kobayashi Y, Oka S, Gokoh M, Waku K, Sugiura T (2004) 2-Arachidonoylglycerol, an Endogenous Cannabinoid Receptor Ligand, Induces Accelerated Production of Chemokines in HL-60 Cells. *J Biochem (Tokyo)* **135**: 517-524

Kiss Z (1999) Anandamide stimulates phospholipase D activity in PC12 cells but not in NIH 3T3 fibroblasts. *FEBS Lett* **447**: 209-212

Kita K, Kurita T, Ito M (2001) Characterization of the reversible nature of the reaction catalyzed by sphingolipid ceramide N-deacylase. A novel form of reverse hydrolysis reaction. *Eur J Biochem* **268**: 592-602

Klaassen-Broekema N, van Bijsterveld OP (1995) A local challenger of ocular calciphylaxis in patients with chronic renal failure: a hypothesis. *Graefes Arch Clin Exp Ophthalmol* **233**: 717-720

Klegeris A, Bissonnette CJ, McGeer PL (2003) Reduction of human monocytic cell neurotoxicity and cytokine secretion by ligands of the cannabinoid-type CB2 receptor. *Br J Pharmacol* **139**: 775-786

Klein T, Brennan K, Arias AM (1997) An intrinsic dominant negative activity of serrate that is modulated during wing development in *Drosophila*. *Dev Biol* **189**: 123-134

Klein TW, Lane B, Newton CA, Friedman H (2000) The cannabinoid system and cytokine network. *Proc Soc Exp Biol Med* **225**: 1-8

Klein TW, Newton C, Friedman H (1998) Cannabinoid receptors and the cytokine network. *Adv Exp Med Biol* **437**: 215-222

Klein TW, Newton C, Larsen K, Chou J, Perkins I, Lu L, Nong L, Friedman H (2004) Cannabinoid receptors and T helper cells. *J Neuroimmunol* **147**: 91-94

Klein TW, Newton C, Larsen K, Lu L, Perkins I, Nong L, Friedman H (2003) The cannabinoid system and immune modulation. *J Leukoc Biol* **74**: 486-496

Kleinz MJ, Davenport AP (2004) Immunocytochemical localization of the endogenous vasoactive peptide apelin to human vascular and endocardial endothelial cells. *Regul Pept* **118**: 119-125

Kleppe IC, Robinson HP (1999) Determining the activation time course of synaptic AMPA receptors from openings of colocalized NMDA receptors. *Biophys J* **77**: 1418-1427

Klesse LJ, Parada LF (1998) p21 ras and phosphatidylinositol-3 kinase are required for survival of wild-type and NF1 mutant sensory neurons. *J Neurosci* **18**: 10420-10428

Knapper JM, Puddicombe SM, Morgan LM, Fletcher JM (1995) Investigations into the actions of glucose-dependent insulinotropic polypeptide and glucagon-like peptide-1(7-36)amide on lipoprotein lipase activity in explants of rat adipose tissue. *J Nutr* **125**: 183-188

Knight CG, Morton LF, Onley DJ, Peachey AR, Messent AJ, Smethurst PA, Tuckwell DS, Farndale RW, Barnes MJ (1998) Identification in collagen type I of an integrin alpha2 beta1-binding site containing an essential GER sequence. *J Biol Chem* **273**: 33287-33294

Kobayashi H, Suzuki T, Kamata R, Saito S, Sato I, Tsuda S, Matsusaka N (1999) Recent progress in the neurotoxicology of natural drugs associated with dependence or addiction, their endogenous agonists and receptors. *J Toxicol Sci* **24**: 1-16

Kobayashi T (1992) [N-Acylethanolamine phospholipids in mammalian cells]. *Seikagaku* **64**: 41-45

Kobayashi Y, Arai S, Waku K, Sugiura T (2001) Activation by 2-arachidonoylglycerol, an endogenous

cannabinoid receptor ligand, of p42/44 mitogen-activated protein kinase in HL-60 cells. *J Biochem (Tokyo)* **129**: 665-669

Kobrinisky E, Spielman AI, Rosenzweig S, Marks AR (1999) Ceramide triggers intracellular calcium release via the IP(3) receptor in *Xenopus laevis* oocytes. *Am J Physiol* **277**: C665-672

Koch JE, Gorgati C, Kirkham TC (2002) Peripheral Thc Administration and Food Intake: Effects of Prefeed Duration and Interactions with Naloxone. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Koenig JA, Kaur R, Dodgeon I, Edwardson JM, Humphrey PP (1998) Fates of endocytosed somatostatin sst2 receptors and associated agonists. *Biochem J* **336 (Pt 2)**: 291-298

Kofalvi A, Vizi ES, Ledent C, Sperlagh B (2003) Cannabinoids inhibit the release of [3H]glutamate from rodent hippocampal synaptosomes via a novel CB1 receptor-independent action. *Eur J Neurosci* **18**: 1973-1978

Koga D, Santa T, Fukushima T, Homma H, Imai K (1997) Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric determination of anandamide and its analogs in rat brain and peripheral tissues. *J Chromatogr B Biomed Sci Appl* **690**: 7-13

Koga D, Santa T, Hagiwara K, Imai K, Takizawa H, Nagano T, Hirobe M, Ogawa M, Sato T, Inoue K, et al. (1995) High-performance liquid chromatography and fluorometric detection of arachidonylethanolamide (anandamide) and its analogues, derivatized with 4-(N-chloroformylmethyl-N-methyl)amino-7-N,N-dimethylaminosulphonyl-2,1,3-benzoxadiazole (DBD-COCl). *Biomed Chromatogr* **9**: 56-57

Koizumi S, Lipp P, Berridge MJ, Bootman MD (1999) Regulation of ryanodine receptor opening by lumenal Ca(2+) underlies quantal Ca(2+) release in PC12 cells. *J Biol Chem* **274**: 33327-33333

Kojima S, Sugiura T, Waku K, Kamikawa Y (2002) Contractile response to a cannabimimetic eicosanoid, 2-arachidonoylglycerol, of longitudinal smooth muscle from the guinea-pig distal colon in vitro. *Eur J Pharmacol* **444**: 203-207

Kollarik M, Udem BJ (2004) Activation of bronchopulmonary vagal afferent nerves with bradykinin, acid and vanilloid receptor agonists in wild-type and TRPV1-/- mice. *J Physiol* **555**: 115-123

Komendantov AO, Trayanova NA, Tasker JG (2003) Roles of synaptic inputs and retrograde signalling in burst firing in a model of hypothalamic vasopressin neurons. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Kondo S, Kondo H, Nakane S, Kodaka T, Tokumura A, Waku K, Sugiura T (1998) 2-Arachidonoylglycerol, an endogenous cannabinoid receptor agonist: identification as one of the major species of monoacylglycerols in various rat tissues, and evidence for its generation through CA2+-dependent and -independent mechanisms. *FEBS Lett* **429**: 152-156

Kondo S, Sugiura T, Kodaka T, Kudo N, Waku K, Tokumura A (1998) Accumulation of various N-acylethanolamines including N-arachidonylethanolamine (anandamide) in cadmium chloride-administered rat testis. *Arch Biochem Biophys* **354**: 303-310

Konturek SJ, Konturek JW, Pawlik T, Brzozowski T (2004) Brain-gut axis and its role in the control of food intake. *J Physiol Pharmacol* **55**: 137-154

Kornau HC, Schenker LT, Kennedy MB, Seeburg PH (1995) Domain interaction between NMDA receptor subunits and the postsynaptic density protein PSD-95. *Science* **269**: 1737-1740

Kosiorek P, Hryniewicz A, Bialuk I, Zawadzka A, Winnicka MM (2003) Cannabinoids alter recognition memory in rats. *Pol J Pharmacol* **55**: 903-910

Kotera T, Brown PD (1993) Calcium-dependent chloride current activated by hyposmotic stress in rat lacrimal acinar cells. *J Membr Biol* **134**: 67-74

Koulen P (2003) Pharmacology of intracellular calcium channels. In HT Tien, A Ottova, eds, *Planar lipid bilayers (BLMs) and their applications*. Elsevier Science, New York

Koulen P, Cai Y, Geng L, Maeda Y, Nishimura S, Witzgall R, Ehrlich BE, Somlo S (2002) Polycystin-2 is an intracellular calcium release channel. *Nat Cell Biol* **4**: 191-197

Koulen P, Cai Y, Maeda Y, Smolo S, Ehrlich B (2000) Polycystin-2: a divalent cation channel of the endoplasmic reticulum. *J Am Soc Nephrol* **11**: 393A

Koulen P, Ehrlich BE (2000) Reversible block of the calcium release channel/ryanodine receptor by protamine, a heparin antidote. *Mol Biol Cell* **11**: 2213-2219

Koulen P, Janowitz T, Johenning FW, Ehrlich BE (2001) Characterization of the calcium-release channel/ryanodine receptor from zebrafish skeletal muscle. *J Membr Biol* **183**: 155-163

Koulen P, Kuhn R, Wassle H, Brandstatter JH (1999) Modulation of the intracellular calcium concentration in photoreceptor terminals by a presynaptic metabotropic glutamate receptor. *Proc Natl Acad Sci U S A* **96**: 9909-9914

Koulen P, Thrower EC (2001) Pharmacological modulation of intracellular Ca(2+) channels at the single-channel level. *Mol Neurobiol* **24**: 65-86

Koutavas H, Anderton PJ, Millar TJ (1996) Separation and characterisation of cyclic nucleotide phosphodiesterases from the lacrimal, harderian and zygomatic glands of the rabbit. *Curr Eye Res* **15**: 1191-1197

Koutek B, Prestwich GD, Howlett AC, Chin SA, Salehani D, Akhavan N, Deutsch DG (1994) Inhibitors of arachidonoyl ethanolamide hydrolysis. *J Biol Chem* **269**: 22937-22940

Kouznetsova M, Kelley B, Shen M, Thayer SA (2002) Desensitization of cannabinoid-mediated presynaptic inhibition of neurotransmission between rat hippocampal neurons in culture. *Mol Pharmacol* **61**: 477-485

Kozak KR, Crews BC, Morrow JD, Wang LH, Ma YH, Weinander R, Jakobsson PJ, Marnett LJ (2002) Metabolism of the endocannabinoids, 2-arachidonylglycerol and anandamide, into prostaglandin, thromboxane, and prostacyclin glycerol esters and ethanolamides. *J Biol Chem* **277**: 44877-44885

Kozak KR, Crews BC, Ray JL, Tai HH, Morrow JD, Marnett LJ (2001) Metabolism of prostaglandin glycerol esters and prostaglandin ethanolamides in vitro and in vivo. *J Biol Chem* **276**: 36993-36998

Kozak KR, Gupta RA, Moody JS, Ji C, Boeglin WE, DuBois RN, Brash AR, Marnett LJ (2002) 15-lipoxygenase metabolism of 2-arachidonylglycerol - Generation of a peroxisome proliferator-activated receptor alpha agonist. *Journal of Biological Chemistry* **277**: 23278-23286

Kozak KR, Gupta RA, Moody JS, Ji C, Boeglin WE, DuBois RN, Brash AR, Marnett LJ (2002) 15-Lipoxygenase metabolism of 2-arachidonylglycerol. Generation of a peroxisome proliferator-activated receptor alpha agonist. *J Biol Chem* **277**: 23278-23286

Kozak KR, Marnett LJ (2002) Oxidative metabolism of endocannabinoids. *Prostaglandins Leukot Essent Fatty Acids* **66**: 211-220

Kozak KR, Prusakiewicz JJ, Marnett LJ (2004) Oxidative metabolism of endocannabinoids by COX-2. *Curr Pharm Des* **10**: 659-667

Kozak KR, Prusakiewicz JJ, Rowlinson SW, Prudhomme DR, Marnett LJ (2003) Amino acid determinants in cyclooxygenase-2 oxygenation of the endocannabinoid anandamide. *Biochemistry* **42**: 9041-9049

Kozak KR, Prusakiewicz JJ, Rowlinson SW, Schneider C, Marnett LJ (2001) Amino acid determinants in cyclooxygenase-2 oxygenation of the endocannabinoid 2-arachidonylglycerol. *J Biol Chem* **276**: 30072-30077

Kozak KR, Rowlinson SW, Marnett LJ (2000) Oxygenation of the endocannabinoid, 2-arachidonylglycerol, to glyceryl prostaglandins by cyclooxygenase-2. *J Biol Chem* **275**: 33744-33749

Krauss AH, Shi L, Woodward DF (2003) Hyperpigmentation in S91 Cells Co-Cultured with Human Dermal Fibroblasts by Prostaglandin Fp Receptor Agonists. *ARVO Annual Meeting Abstract Search and Program Planner* **2003**

Krauss AH, Woodward DF (2004) Update on the mechanism of action of bimatoprost: a review and discussion of new evidence. *Surv Ophthalmol* **49 Suppl 1**: S5-11

Krebs A, Edwards PC, Villa C, Li J, Schertler GF (2003) The three-dimensional structure of bovine rhodopsin determined by electron cryomicroscopy. *J Biol Chem* **278**: 50217-50225

Kreitzer AC, Carter AG, Regehr WG (2002) Inhibition of interneuron firing extends the spread of endocannabinoid signaling in the cerebellum. *Neuron* **34**: 787-796

Kreitzer AC, Regehr WG (2001) Cerebellar depolarization-induced suppression of inhibition is mediated by endogenous cannabinoids. *J Neurosci* **21**: RC174

Kreitzer AC, Regehr WG (2001) Retrograde inhibition of presynaptic calcium influx by endogenous cannabinoids at excitatory synapses onto Purkinje cells. *Neuron* **29**: 717-727

Kreitzer AC, Regehr WG (2002) Retrograde signaling by endocannabinoids. *Curr Opin Neurobiol* **12**: 324-330

Krishnamurthy M, Ferreira AM, Moore BM, 2nd (2003) Synthesis and testing of novel phenyl substituted side-chain analogues of classical cannabinoids. *Bioorg Med Chem Lett* **13**: 3487-3490

Krishnamurthy M, Li W, Moore BM, 2nd (2004) Synthesis, biological evaluation, and structural studies on N1 and C5 substituted cycloalkyl analogues of the pyrazole class of CB1 and CB2 ligands. *Bioorg Med Chem* **12**: 393-404

Kristensen P, Winter G (1998) Proteolytic selection for protein folding using filamentous bacteriophages. *Fold Des* **3**: 321-328

Kritikou EA, Sharkey A, Abell K, Came PJ, Anderson E, Clarkson RW, Watson CJ (2003) A dual, non-redundant, role for LIF as a regulator of development and STAT3-mediated cell death in mammary gland.

Development **130**: 3459-3468

Krizaj D, Bao JX, Schmitz Y, Witkovsky P, Copenhagen DR (1999) Caffeine-sensitive calcium stores regulate synaptic transmission from retinal rod photoreceptors. *J Neurosci* **19**: 7249-7261

Krook A, Moller DE, Dib K, O'Rahilly S (1996) Two naturally occurring mutant insulin receptors phosphorylate insulin receptor substrate-1 (IRS-1) but fail to mediate the biological effects of insulin. Evidence that IRS-1 phosphorylation is not sufficient for normal insulin action. *J Biol Chem* **271**: 7134-7140

Krook A, Whitehead JP, Dobson SP, Griffiths MR, Ouwens M, Baker C, Hayward AC, Sen SK, Maassen JA, Siddle K, Tavare JM, O'Rahilly S (1997) Two naturally occurring insulin receptor tyrosine kinase domain mutants provide evidence that phosphoinositide 3-kinase activation alone is not sufficient for the mediation of insulin's metabolic and mitogenic effects. *J Biol Chem* **272**: 30208-30214

Krowicki ZK, Moerschbaecher JM, Winsauer PJ, Digavalli SV, Hornby PJ (1999) Delta9-tetrahydrocannabinol inhibits gastric motility in the rat through cannabinoid CB1 receptors. *Eur J Pharmacol* **371**: 187-196

Kruszka KK, Gross RW (1994) The ATP- and CoA-independent synthesis of arachidonoyl ethanolamide. A novel mechanism underlying the synthesis of the endogenous ligand of the cannabinoid receptor. *J Biol Chem* **269**: 14345-14348

Krylatov AV, Bernatskaia NA, Maslov LN, Pertwee RG, Mechoulam R, Stefano GB, Sharaevskii MA, Sal'nikova OM (2002) [Increase of the heart arrhythmogenic resistance and decrease of the myocardial necrosis zone during activation of cannabinoid receptors]. *Russ Fiziol Zh Im I M Sechenova* **88**: 560-567

Krylatov AV, Uzhachenko RV, Maslov LN, Bernatskaya NA, Makriyannis A, Mechoulam R, Pertwee RG, Sal'nikova OM, Stefano JB, Lishmanov Y (2002) Endogenous cannabinoids improve myocardial resistance to arrhythmogenic effects of coronary occlusion and reperfusion: a possible mechanism. *Bull Exp Biol Med* **133**: 122-124

Krylatov AV, Uzhachenko RV, Maslov LN, Ugdyzhekova DS, Bernatskaya NA, Pertwee R, Stefano GB, Makriyannis A (2002) R-(+)-methanandamide and anandamide prevent a development of ischemic and reperfusion arrhythmias, in rats via CB2 receptor stimulation. *Eksperimental'naya i Klinicheskaya Farmakologiya* **65**: 6-9

Krylatov AV, Uzhachenko RV, Maslov LN, Ugdyzhekova DS, Bernatskaia NA, Pertwee R, Stefano GB, Makriyannis A (2002) [Anandamide and R-(+)-methanandamide prevent development of ischemic and reperfusion arrhythmia in rats by stimulation of CB2-receptors]. *Eksp Klin Farmakol* **65**: 6-9

Kuehl FA, Jacob TA, Ganley OH, Ormond RE, Meisenger MAP (1957) The identification of N-(2-hydroxyethyl)-palmitamide as a naturally occurring anti-inflammatory agent. *J Am Chem Soc* **79**: 5577-5578

Kulkarni-Narla A, Brown DR (2000) Localization of CB1-cannabinoid receptor immunoreactivity in the porcine enteric nervous system. *Cell Tissue Res* **302**: 73-80

Kunji ER, Slotboom DJ, Poolman B (2003) *Lactococcus lactis* as host for overproduction of functional membrane proteins. *Biochim Biophys Acta* **1610**: 97-108

Kunos G, Batkai S (2001) Novel physiologic functions of endocannabinoids as revealed through the use of mutant mice. *Neurochem Res* **26**: 1015-1021

Kunos G, Batkai S, Offertaler L, Mo F, Liu J, Karcher J, Harvey-White J (2002) The quest for a vascular endothelial cannabinoid receptor. *Chem Phys Lipids* **121**: 45-56

Kunos G, Jarai Z, Batkai S, Goparaju SK, Ishac EJ, Liu J, Wang L, Wagner JA (2000) Endocannabinoids as cardiovascular modulators. *Chem Phys Lipids* **108**: 159-168

Kunos G, Jarai Z, Varga K, Liu J, Wang L, Wagner JA (2000) Cardiovascular effects of endocannabinoids--the plot thickens. *Prostaglandins Other Lipid Mediat* **61**: 71-84

Kunos G, Wang L, Liu J (2002) Endocannabinoids: Novel lipid mediators in the neural control of appetite. *International Journal of Obesity* **26**

Kurahashi Y, Ueda N, Suzuki H, Suzuki M, Yamamoto S (1997) Reversible hydrolysis and synthesis of anandamide demonstrated by recombinant rat fatty-acid amide hydrolase. *Biochem Biophys Res Commun* **237**: 512-515

Kurihara J, Nishigaki M, Suzuki S, Okubo Y, Takata Y, Nakane S, Sugiura T, Waku K, Kato H (2001) 2-Arachidonoylglycerol and anandamide oppositely modulate norepinephrine release from the rat heart sympathetic nerves. *Jpn J Pharmacol* **87**: 93-96

Kuroyama M, Kumano K, Tomonaga F, Sakai T, Mashimo S (1991) [Protein binding of various cepheids in healthy subjects and patients with chronic renal failure]. *Nippon Jinzo Gakkai Shi* **33**: 769-777

Kuruville HG, Hennessey TM (1999) Chemosensory responses of *Tetrahymena thermophila* to CB2, a 24-amino-acid fragment of lysozyme. *J Comp Physiol [A]* **184**: 529-534

Kuwaie T, Shiota Y, Schmid PC, Krebsbach R, Schmid HH (1999) Biosynthesis and turnover of

anandamide and other N-acyl ethanolamines in peritoneal macrophages. *FEBS Lett* **459**: 123-127

Kwan CY, Takemura H, Obie JF, Thastrup O, Putney JW, Jr. (1990) Effects of MeCh, thapsigargin, and La³⁺ on plasmalemmal and intracellular Ca²⁺ transport in lacrimal acinar cells. *Am J Physiol* **258**: C1006-1015

Labahn J, Neumann S, Buldt G, Kula MR, Granzin J (2002) An alternative mechanism for amidase signature enzymes. *J Mol Biol* **322**: 1053-1064

Lacinova L (2004) Pharmacology of recombinant low-voltage activated calcium channels. *Curr Drug Target CNS Neurol Disord* **3**: 105-111

Lagalwar S, Bordayo EZ, Hoffmann KL, Fawcett JR, Frey WH, 2nd (1999) Anandamides inhibit binding to the muscarinic acetylcholine receptor. *J Mol Neurosci* **13**: 55-61

Lagneux C, Adam A, Lamontagne D (2003) A study of the mediators involved in the protection induced by exogenous kinins in the isolated rat heart. *Int Immunopharmacol* **3**: 1511-1518

Lagneux C, Lamontagne D (2001) Involvement of cannabinoids in the cardioprotection induced by lipopolysaccharide. *Br J Pharmacol* **132**: 793-796

Lagu SG, Varona A, Chambers JD, Reggio PH (1995) Construction of a steric map of the binding pocket for cannabinoids at the cannabinoid receptor. *Drug Des Discov* **12**: 179-192

Lai FA, Anderson K, Rousseau E, Liu QY, Meissner G (1988) Evidence for a Ca²⁺ channel within the ryanodine receptor complex from cardiac sarcoplasmic reticulum. *Biochem Biophys Res Commun* **151**: 441-449

Laine K, Jarvinen K, Mechoulam R, Breuer A, Jarvinen T (2002) Comparison of the enzymatic stability and intraocular pressure effects of 2-arachidonylglycerol and noladin ether, a novel putative endocannabinoid. *Invest Ophthalmol Vis Sci* **43**: 3216-3222

Laine K, Jarvinen K, Pate DW, Urtti A, Jarvinen T (2002) Effect of the enzyme inhibitor, phenylmethylsulfonyl fluoride, on the IOP profiles of topical anandamides. *Invest Ophthalmol Vis Sci* **43**: 393-397

Laine K, Jarvinen T, Savinainen J, Laitinen JT, Pate DW, Jarvinen K (2001) Effects of topical anandamide-transport inhibitors, AM404 and olvanil, on intraocular pressure in normotensive rabbits. *Pharm Res* **18**: 494-499

Lake KD, Compton DR, Varga K, Martin BR, Kunos G (1997) Cannabinoid-induced hypotension and bradycardia in rats mediated by CB1-like cannabinoid receptors. *J Pharmacol Exp Ther* **281**: 1030-1037

Lake KD, Martin BR, Kunos G, Varga K (1997) Cardiovascular effects of anandamide in anesthetized and conscious normotensive and hypertensive rats. *Hypertension* **29**: 1204-1210

Lallemant F, Soubrie PH, De Witte PH (2001) Effects of CB1 cannabinoid receptor blockade on ethanol preference after chronic ethanol administration. *Alcohol Clin Exp Res* **25**: 1317-1323

Lam HH, Bhardwaj A, O'Connell MT, Hanley DF, Traystman RJ, Sofroniew MV (1998) Nerve growth factor rapidly suppresses basal, NMDA-evoked, and AMPA-evoked nitric oxide synthase activity in rat hippocampus in vivo. *Proc Natl Acad Sci U S A* **95**: 10926-10931

Lambert DM, Di Marzo V (1999) The palmitoylethanolamide and oleamide enigmas: are these two fatty acid amides cannabimimetic? *Curr Med Chem* **6**: 757-773

Lambert DM, DiPaolo FG, Sonveaux P, Kanyonyo M, Govaerts SJ, Hermans E, Bueb J, Delzenne NM, Tschirhart EJ (1999) Analogues and homologues of N-palmitoylethanolamide, a putative endogenous CB(2) cannabinoid, as potential ligands for the cannabinoid receptors. *Biochim Biophys Acta* **1440**: 266-274

Lambert DM, Vandevoorde S, Diependaele G, Govaerts SJ, Robert AR (2001) Anticonvulsant activity of N-palmitoylethanolamide, a putative endocannabinoid, in mice. *Epilepsia* **42**: 321-327

Lambert DM, Vandevoorde S, Jonsson KO, Fowler CJ (2002) The palmitoylethanolamide family: a new class of anti-inflammatory agents? *Curr Med Chem* **9**: 663-674

Lan R, Gatley J, Lu Q, Fan P, Fernando SR, Volkow ND, Pertwee R, Makriyannis A (1999) Design and synthesis of the CB1 selective cannabinoid antagonist AM281: a potential human SPECT ligand. *AAPS PharmSci* **1**: E4

Lan R, Liu Q, Fan P, Lin S, Fernando SR, McCallion D, Pertwee R, Makriyannis A (1999) Structure-activity relationships of pyrazole derivatives as cannabinoid receptor antagonists. *J Med Chem* **42**: 769-776

Landa L, Sulcova A, Slais K (2003) Pretreatment with cannabinoid receptor agonist and antagonist increases and decreases, respectively, sensitization to methamphetamine stimulation of mouse locomotor behaviour. *Behavioural Pharmacology* **14**

Landsman RS, Burkey TH, Consroe P, Roeske WR, Yamamura HI (1997) SR141716A is an inverse agonist at the human cannabinoid CB1 receptor. *Eur J Pharmacol* **334**: R1-2

Landsman RS, Makriyannis A, Deng H, Consroe P, Roeske WR, Yamamura HI (1998) AM630 is an

inverse agonist at the human cannabinoid CB1 receptor. *Life Sci* **62**: PL109-113

Lang W, Qin C, Hill WA, Lin S, Khanolkar AD, Makriyannis A (1996) High-performance liquid chromatographic determination of anandamide amidase activity in rat brain microsomes. *Anal Biochem* **238**: 40-45

Lang W, Qin C, Lin S, Khanolkar AD, Goutopoulos A, Fan P, Abouzid K, Meng Z, Biegel D, Makriyannis A (1999) Substrate specificity and stereoselectivity of rat brain microsomal anandamide amidohydrolase. *J Med Chem* **42**: 896-902

Lange JH, Coolen HK, van Stuivenberg HH, Dijksman JA, Herremans AH, Ronken E, Keizer HG, Tipker K, McCreary AC, Veerman W, Wals HC, Stork B, Verveer PC, den Hartog AP, de Jong NM, Adolfs TJ, Hoogendoorn J, Kruse CG (2004) Synthesis, biological properties, and molecular modeling investigations of novel 3,4-diarylpyrazolines as potent and selective CB(1) cannabinoid receptor antagonists. *J Med Chem* **47**: 627-643

Langstein J, Hofstadter F, Schwarz H (1996) cis-9,10-octadecenoamide, an endogenous sleep-inducing CNS compound, inhibits lymphocyte proliferation. *Res Immunol* **147**: 389-396

Lanoue A, Batista FD, Stewart M, Neuberger MS (2002) Interaction of CD22 with alpha2,6-linked sialoglycoconjugates: innate recognition of self to dampen B cell autoreactivity? *Eur J Immunol* **32**: 348-355

Laskey RA, Gorlich D, Madine MA, Makkerh JP, Romanowski P (1996) Regulatory roles of the nuclear envelope. *Exp Cell Res* **229**: 204-211

Lastres-Becker I, Berrendero F, Lucas JJ, Martin-Aparicio E, Yamamoto A, Ramos JA, Fernandez-Ruiz JJ (2002) Loss of mRNA levels, binding and activation of GTP-binding proteins for cannabinoid CB1 receptors in the basal ganglia of a transgenic model of Huntington's disease. *Brain Res* **929**: 236-242

Lastres-Becker I, Bizat N, Boyer F, Hantraye P, Brouillet E, Fernandez-Ruiz J (2003) Effects of cannabinoids in the rat model of Huntington's disease generated by an intrastriatal injection of malonate. *Neuroreport* **14**: 813-816

Lastres-Becker I, Cebeira M, de Ceballos ML, Zeng BY, Jenner P, Ramos JA, Fernandez-Ruiz JJ (2001) Increased cannabinoid CB1 receptor binding and activation of GTP-binding proteins in the basal ganglia of patients with Parkinson's syndrome and of MPTP-treated marmosets. *Eur J Neurosci* **14**: 1827-1832

Lastres-Becker I, de Miguel R, De Petrocellis L, Makriyannis A, Di Marzo V, Fernandez-Ruiz J (2003) Compounds acting at the endocannabinoid and/or endovanilloid systems reduce hyperkinesia in a rat model of Huntington's disease. *J Neurochem* **84**: 1097-1109

Lastres-Becker I, De Miguel R, Fernandez-Ruiz JJ (2003) The endocannabinoid system and Huntington's disease. *Curr Drug Target CNS Neurol Disord* **2**: 335-347

Lastres-Becker I, Fezza F, Cebeira M, Bisogno T, Ramos JA, Milone A, Fernandez-Ruiz J, Di Marzo V (2001) Changes in endocannabinoid transmission in the basal ganglia in a rat model of Huntington's disease. *Neuroreport* **12**: 2125-2129

Lastres-Becker I, Gomez M, De Miguel R, Ramos JA, Fernandez-Ruiz J (2002) Loss of cannabinoid CB(1) receptors in the basal ganglia in the late akinetic phase of rats with experimental Huntington's disease. *Neurotox Res* **4**: 601-608

Lastres-Becker I, Hansen HH, Berrendero F, De Miguel R, Perez-Rosado A, Manzanares J, Ramos JA, Fernandez-Ruiz J (2002) Alleviation of motor hyperactivity and neurochemical deficits by endocannabinoid uptake inhibition in a rat model of Huntington's disease. *Synapse* **44**: 23-35

Lastres-Becker I, Manzanares J, Hansen HH, Berrendero F, de Miguel R, Perez-Rosado A, Ramos JA, Fernandez-Ruiz JJ (2000) Am404, an inhibitor of the endocannabinoid uptake, attenuated motor hyperactivity in a rat model of huntington's disease. *Society for Neuroscience Abstracts* **26**: Abstract No.-480.489

Lau AH, Chow SS (2003) Effects of cannabinoid receptor agonists on immunologically induced histamine release from rat peritoneal mast cells. *Eur J Pharmacol* **464**: 229-235

Lau LF, Mammen A, Ehlers MD, Kindler S, Chung WJ, Garner CC, Haganir RL (1996) Interaction of the N-methyl-D-aspartate receptor complex with a novel synapse-associated protein, SAP102. *J Biol Chem* **271**: 21622-21628

Lawrence AD, Calder AJ, McGowan SW, Grasby PM (2002) Selective disruption of the recognition of facial expressions of anger. *Neuroreport* **13**: 881-884

Lawrence DS, Zilfou JT, Smith CD (1999) Structure-activity studies of cerulenin analogues as protein palmitoylation inhibitors. *J Med Chem* **42**: 4932-4941

Lawrence N, Klein T, Brennan K, Martinez Arias A (2000) Structural requirements for notch signalling with delta and serrate during the development and patterning of the wing disc of *Drosophila*. *Development* **127**:

3185-3195

- Lay L, Angus JA, Wright CE** (2000) Pharmacological characterisation of cannabinoid CB(1) receptors in the rat and mouse. *Eur J Pharmacol* **391**: 151-161
- Le Maire M, Wins P** (1972) Some properties of particulate ATPases and phosphatases isolated from the harderian gland of the duck. *Arch Int Physiol Biochim* **80**: 423-441
- Le Novere N, Changeux JP** (2001) The Ligand Gated Ion Channel database: an example of a sequence database in neuroscience. *Philos Trans R Soc Lond B Biol Sci* **356**: 1121-1130
- Lechleiter JD, Dartt DA, Brehm P** (1988) Vasoactive intestinal peptide activates Ca²⁺(+)-dependent K⁺ channels through a cAMP pathway in mouse lacrimal cells. *Neuron* **1**: 227-235
- Ledent C, Valverde O, Cossu G, Petitet F, Aubert JF, Beslot F, Bohme GA, Imperato A, Pedrazzini T, Roques BP, Vassart G, Fratta W, Parmentier M** (1999) Unresponsiveness to cannabinoids and reduced addictive effects of opiates in CB1 receptor knockout mice. *Science* **283**: 401-404
- Ledermann C, Lavand'Homme P, De Kock M, Vandevoorde S, Lambert D** (2002) Activation of Endocannabinoid System Reduces Opioid-Induced Hyperalgesia. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**
- Lee JR, Urban S, Garvey CF, Freeman M** (2001) Regulated intracellular ligand transport and proteolysis control EGF signal activation in *Drosophila*. *Cell* **107**: 161-171
- Lee K, Dixon AK, Gonzalez I, Stevens EB, McNulty S, Oles R, Richardson PJ, Pinnock RD, Singh L** (1999) Bombesin-like peptides depolarize rat hippocampal interneurons through interaction with subtype 2 bombesin receptors. *J Physiol* **518 (Pt 3)**: 791-802
- Lee K, Dixon AK, Richardson PJ, Pinnock RD** (1999) Glucose-receptive neurones in the rat ventromedial hypothalamus express KATP channels composed of Kir6.1 and SUR1 subunits. *J Physiol* **515 (Pt 2)**: 439-452
- Lee LY, Shuei Lin Y, Gu Q, Chung E, Ho CY** (2003) Functional morphology and physiological properties of bronchopulmonary C-fiber afferents. *Anat Rec* **270A**: 17-24
- Lee M, Yang KH, Kaminski NE** (1995) Effects of putative cannabinoid receptor ligands, anandamide and 2-arachidonyl-glycerol, on immune function in B6C3F1 mouse splenocytes. *J Pharmacol Exp Ther* **275**: 529-536
- Lee MC, Smith FL, Stevens DL, Welch SP** (2003) The role of several kinases in mice tolerant to delta 9-tetrahydrocannabinol. *J Pharmacol Exp Ther* **305**: 593-599
- Lee R, Kermani P, Teng KK, Hempstead BL** (2001) Regulation of cell survival by secreted proneurotrophins. *Science* **294**: 1945-1948
- Lee SF, Newton C, Widen R, Friedman H, Klein TW** (2001) Downregulation of cannabinoid receptor 2 (CB2) messenger RNA expression during in vitro stimulation of murine splenocytes with lipopolysaccharide. *Adv Exp Med Biol* **493**: 223-228
- Lee YJ, Zachrisson O, Tonge DA, McNaughton PA** (2002) Upregulation of bradykinin B2 receptor expression by neurotrophic factors and nerve injury in mouse sensory neurons. *Mol Cell Neurosci* **19**: 186-200
- Lees G, Dougalis A** (2004) Differential effects of the sleep-inducing lipid oleamide and cannabinoids on the induction of long-term potentiation in the CA1 neurons of the rat hippocampus in vitro. *Brain Res* **997**: 1-14
- Leggett JD, Aspley S, Beckett SR, D'Antona AM, Kendall DA** (2004) Oleamide is a selective endogenous agonist of rat and human CB1 cannabinoid receptors. *Br J Pharmacol* **141**: 253-262
- Leiba H, Garty NB, Schmidt-Sole J, Piterman O, Azrad A, Salomon Y** (1990) The melanocortin receptor in the rat lacrimal gland: a model system for the study of MSH (melanocyte stimulating hormone) as a potential neurotransmitter. *Eur J Pharmacol* **181**: 71-82
- Leite MF, Thrower EC, Echevarria W, Koulen P, Hirata K, Bennett AM, Ehrlich BE, Nathanson MH** (2003) Nuclear and cytosolic calcium are regulated independently. *Proc Natl Acad Sci U S A* **100**: 2975-2980
- Lenhard JM, Furfine ES, Jain RG, Itoop O, Orband-Miller LA, Blanchard SG, Paulik MA, Weiel JE** (2000) HIV protease inhibitors block adipogenesis and increase lipolysis in vitro. *Antiviral Res* **47**: 121-129
- Lepicier P, Bouchard JF, Lagneux C, Lamontagne D** (2003) Endocannabinoids protect the rat isolated heart against ischaemia. *Br J Pharmacol* **139**: 805-815
- Leroy S, Griffon N, Bourdel MC, Olie JP, Poirier MF, Krebs MO** (2001) Schizophrenia and the cannabinoid receptor type 1 (CB1): association study using a single-base polymorphism in coding exon 1. *Am J Med Genet* **105**: 749-752
- Leung D, Hardouin C, Boger DL, Cravatt BF** (2003) Discovering potent and selective reversible inhibitors of enzymes in complex proteomes. *Nat Biotechnol* **21**: 687-691
- Lever IJ, Malcangio M** (2002) CB(1) receptor antagonist SR141716A increases capsaicin-evoked release of

Substance P from the adult mouse spinal cord. *Br J Pharmacol* **135**: 21-24

Levin M, Mercola M (1998) Gap junctions are involved in the early generation of left-right asymmetry. *Dev Biol* **203**: 90-105

Levin M, Mercola M (2000) Expression of connexin 30 in *Xenopus* embryos and its involvement in hatching gland function. *Dev Dyn* **219**: 96-101

Levin MD, Shimizu TS, Bray D (2002) Binding and diffusion of CheR molecules within a cluster of membrane receptors. *Biophys J* **82**: 1809-1817

Levine TP, Munro S (2001) Dual targeting of Osh1p, a yeast homologue of oxysterol-binding protein, to both the Golgi and the nucleus-vacuole junction. *Mol Biol Cell* **12**: 1633-1644

Leweke FM, Giuffrida A, Wurster U, Emrich HM, Piomelli D (1999) Elevated endogenous cannabinoids in schizophrenia. *Neuroreport* **10**: 1665-1669

Lewis AJ, Wester TJ, Burrin DG, Dauncey MJ (2000) Exogenous growth hormone induces somatotrophic gene expression in neonatal liver and skeletal muscle. *Am J Physiol Regul Integr Comp Physiol* **278**: R838-844

Lewis MJ, Pelham HR (2002) A new yeast endosomal SNARE related to mammalian syntaxin 8. *Traffic* **3**: 922-929

Li J, Bench AJ, Huntly BJ, Green AR (2001) Mutation and methylation analysis of the transforming growth factor beta receptor II gene in polycythaemia vera. *Br J Haematol* **115**: 872-880

Li J, Derbyshire DJ, Promdonkoy B, Ellar DJ (2001) Structural implications for the transformation of the *Bacillus thuringiensis* delta-endotoxins from water-soluble to membrane-inserted forms. *Biochem Soc Trans* **29**: 571-577

Li J, Forhead AJ, Dauncey MJ, Gilmour RS, Fowden AL (2002) Control of growth hormone receptor and insulin-like growth factor-I expression by cortisol in ovine fetal skeletal muscle. *J Physiol* **541**: 581-589

Li J, Gilmour RS, Saunders JC, Dauncey MJ, Fowden AL (1999) Activation of the adult mode of ovine growth hormone receptor gene expression by cortisol during late fetal development. *Faseb J* **13**: 545-552

Li J, Kaminski NE, Wang DH (2003) Anandamide-induced depressor effect in spontaneously hypertensive rats: role of the vanilloid receptor. *Hypertension* **41**: 757-762

Li XF, Charnock-Jones DS, Zhang E, Hiby S, Malik S, Day K, Licence D, Bowen JM, Gardner L, King A, Loke YW, Smith SK (2001) Angiogenic growth factor messenger ribonucleic acids in uterine natural killer cells. *J Clin Endocrinol Metab* **86**: 1823-1834

Liang YC, Huang CC, Hsu KS, Takahashi T (2004) Cannabinoid-induced presynaptic inhibition at the primary afferent trigeminal synapse of juvenile rat brainstem slices. *J Physiol* **555**: 85-96

Lichtman AH, Cook SA, Martin BR (1996) Investigation of brain sites mediating cannabinoid-induced antinociception in rats: evidence supporting periaqueductal gray involvement. *J Pharmacol Exp Ther* **276**: 585-593

Lichtman AH, Dimen KR, Martin BR (1995) Systemic or intrahippocampal cannabinoid administration impairs spatial memory in rats. *Psychopharmacology (Berl)* **119**: 282-290

Lichtman AH, Hawkins EG, Griffin G, Cravatt BF (2002) Pharmacological activity of fatty acid amides is regulated, but not mediated, by fatty acid amide hydrolase in vivo. *J Pharmacol Exp Ther* **302**: 73-79

Lichtman AH, Martin BR (2000) Does an endocannabinoid system tonically modulate nociception? *Drug and Alcohol Dependence* **60**

Lichtman AH, Martin BR (2002) Marijuana withdrawal syndrome in the animal model. *J Clin Pharmacol* **42**: 20S-27S

Lichtman AH, Poklis JL, Poklis A, Wilson DM, Martin BR (2001) The pharmacological activity of inhalation exposure to marijuana smoke in mice. *Drug Alcohol Depend* **63**: 107-116

Lichtman AH, Varvel SA, Martin BR (2002) Endocannabinoids in cognition and dependence. *Prostaglandins Leukot Essent Fatty Acids* **66**: 269-285

Lichtman AH, Wiley JL, LaVecchia KL, Neviasser ST, Arthur DB, Wilson DM, Martin BR (1998) Effects of SR 141716A after acute or chronic cannabinoid administration in dogs. *Eur J Pharmacol* **357**: 139-148

Lietha D, Chirgadze DY, Mulloy B, Blundell TL, Gherardi E (2001) Crystal structures of NK1-heparin complexes reveal the basis for NK1 activity and enable engineering of potent agonists of the MET receptor. *Embo J* **20**: 5543-5555

Ligresti A, Bisogno T, Matias I, De Petrocellis L, Cascio MG, Cosenza V, D'Argenio G, Scaglione G, Bifulco M, Sorrentini I, Di Marzo V (2003) Possible endocannabinoid control of colorectal cancer growth. *Gastroenterology* **125**: 677-687

Ligresti A, Morera E, Van Der Stelt M, Monory K, Lutz B, Ortar G, Di Marzo V (2004) Further evidence for the existence of a specific process for the membrane transport of anandamide. *Biochem J* **380**: 265-272

Lim HN, Chen H, McBride S, Dunning AM, Nixon RM, Hughes IA, Hawkins JR (2000) Longer polyglutamine tracts in the androgen receptor are associated with moderate to severe undermasculinized genitalia in XY males. *Hum Mol Genet* **9**: 829-834

Lim HN, Nixon RM, Chen H, Hughes IA, Hawkins JR (2001) Evidence that longer androgen receptor polyglutamine repeats are a causal factor for genital abnormalities. *J Clin Endocrinol Metab* **86**: 3207-3210

Lin GC, Rurangirwa JK, Koval M, Steinberg TH (2004) Gap junctional communication modulates agonist-induced calcium oscillations in transfected HeLa cells. *J Cell Sci* **117**: 881-887

Lin MJ, Tan CT, Lee SY, Lin-Shiau SY (2000) Suramin protects the murine motor nerves from the toxic effects of presynaptic Ca(2+) channel inhibitors. *Neurosci Lett* **287**: 97-100

Lin S, Khanolkar AD, Fan P, Goutopoulos A, Qin C, Papahadjis D, Makriyannis A (1998) Novel analogues of arachidonylethanolamide (anandamide): affinities for the CB1 and CB2 cannabinoid receptors and metabolic stability. *J Med Chem* **41**: 5353-5361

Lin YH, Xu JL, Hu J, Wang LH, Ong SL, Leadbetter JR, Zhang LH (2003) Acyl-homoserine lactone acylase from *Ralstonia* strain XJ12B represents a novel and potent class of quorum-quenching enzymes. *Mol Microbiol* **47**: 849-860

Lin YS, Lee LY (2002) Stimulation of pulmonary vagal C-fibres by anandamide in anaesthetized rats: role of vanilloid type 1 receptors. *J Physiol* **539**: 947-955

Littleton-Kearney MT, Ostrowski NL, Cox DA, Rossberg MI, Hurn PD (2002) Selective estrogen receptor modulators: tissue actions and potential for CNS protection. *CNS Drug Rev* **8**: 309-330

Liu J, Batkai S, Pacher P, Harvey-White J, Wagner JA, Cravatt BF, Gao B, Kunos G (2003) Lipopolysaccharide induces anandamide synthesis in macrophages via CD14/MAPK/phosphoinositide 3-kinase/NF-kappaB independently of platelet-activating factor. *J Biol Chem* **278**: 45034-45039

Liu J, Gao B, Mirshahi F, Sanyal AJ, Khanolkar AD, Makriyannis A, Kunos G (2000) Functional CB1 cannabinoid receptors in human vascular endothelial cells. *Biochem J* **346 Pt 3**: 835-840

Liu KJ, Nag A, Shaw JF (2001) Lipase-catalyzed synthesis of fatty acid diethanolamides. *J Agric Food Chem* **49**: 5761-5764

Liu P, Bilkey DK, Darlington CL, Smith PF (2003) Cannabinoid CB1 receptor protein expression in the rat hippocampus and entorhinal, perirhinal, postrhinal and temporal cortices: regional variations and age-related changes. *Brain Res* **979**: 235-239

Liu Q, Tonai T, Ueda N (2002) Activation of N-acylethanolamine-releasing phospholipase D by polyamines. *Chem Phys Lipids* **115**: 77-84

Liu WM, Duan EK, Cao YJ (2002) Effects of anandamide on embryo implantation in the mouse. *Life Sci* **71**: 1623-1632

Liu YC, Wu SN (2003) Block of erg current by linoleoylamide, a sleep-inducing agent, in pituitary GH3 cells. *Eur J Pharmacol* **458**: 37-47

Llano I, Marty A (1987) Protein kinase C activators inhibit the inositol trisphosphate-mediated muscarinic current responses in rat lacrimal cells. *J Physiol* **394**: 239-248

Llano I, Marty A, Tanguy J (1987) Dependence of intracellular effects of GTP gamma S and inositoltrisphosphate on cell membrane potential and on external Ca ions. *Pflugers Arch* **409**: 499-506

Lo YK, Chiang HT, Wu SN (2003) Effect of arvanil (N-arachidonoyl-vanillyl-amine), a nonpungent anandamide-capsaicin hybrid, on ion currents in NG108-15 neuronal cells. *Biochem Pharmacol* **65**: 581-591

Lockhart A, Davis B, Matthews JC, Rahmoune H, Hong G, Gee A, Earnshaw D, Brown J (2003) The peripheral benzodiazepine receptor ligand PK11195 binds with high affinity to the acute phase reactant alpha1-acid glycoprotein: implications for the use of the ligand as a CNS inflammatory marker. *Nucl Med Biol* **30**: 199-206

Lockwood CJ (2000) Prediction of pregnancy loss. *Lancet* **355**: 1292-1293

Loewen PS (2002) Anti-emetics in development. *Expert Opin Investig Drugs* **11**: 801-805

Lohi O, Urban S, Freeman M (2004) Diverse substrate recognition mechanisms for rhomboids; thrombomodulin is cleaved by Mammalian rhomboids. *Curr Biol* **14**: 236-241

Long DA, Martin AJ (1956) Factor in arachis oil depressing sensitivity to tuberculin in B.C.G.-infected guineapigs. *Lancet* **270**: 464-466

Loomis-Husselbee JW, Walker CD, Bottomley JR, Cullen PJ, Irvine RF, Dawson AP (1998) Modulation of Ins(2,4,5)P3-stimulated Ca2+ mobilization by ins(1,3,4, 5)P4: enhancement by activated G-proteins, and evidence for the involvement of a GAP1 protein, a putative Ins(1,3,4,5)P4 receptor. *Biochem J* **331 (Pt 3)**: 947-952

Looms DK, Tritsarlis K, Dissing S (2002) Nitric oxide-induced signalling in rat lacrimal acinar cells. *Acta Physiol Scand* **174**: 109-115

Lopez-Redondo F, Lees GM, Pertwee RG (1997) Effects of cannabinoid receptor ligands on electrophysiological properties of myenteric neurones of the guinea-pig ileum. *Br J Pharmacol* **122**: 330-334

Lopez-Rodriguez ML, Viso A, Ortega-Gutierrez S, Fernandez-Ruiz J, Ramos JA (2002) Endocannabinoid transporter inhibitors. *Current Medicinal Chemistry - Central Nervous System Agents* **2**: 129-141

Lopez-Rodriguez ML, Viso A, Ortega-Gutierrez S, Fowler CJ, Tiger G, de Lago E, Fernandez-Ruiz J, Ramos JA (2003) Design, synthesis and biological evaluation of new endocannabinoid transporter inhibitors. *Eur J Med Chem* **38**: 403-412

Lopez-Rodriguez ML, Viso A, Ortega-Gutierrez S, Fowler CJ, Tiger G, de Lago E, Fernandez-Ruiz J, Ramos JA (2003) Design, synthesis, and biological evaluation of new inhibitors of the endocannabinoid uptake: comparison with effects on fatty acid amidohydrolase. *J Med Chem* **46**: 1512-1522

Lopez-Rodriguez ML, Viso A, Ortega-Gutierrez S, Lastres-Becker I, Gonzalez S, Fernandez-Ruiz J, Ramos JA (2001) Design, synthesis and biological evaluation of novel arachidonic acid derivatives as highly potent and selective endocannabinoid transporter inhibitors. *J Med Chem* **44**: 4505-4508

Losonczy A, Biro AA, Nusser Z (2004) Persistently active cannabinoid receptors mute a subpopulation of hippocampal interneurons. *Proc Natl Acad Sci U S A* **101**: 1362-1367

Love JD, Gooch JT, Nagy L, Chatterjee VK, Schwabe JW (2000) Transcriptional repression by nuclear receptors: mechanisms and role in disease. *Biochem Soc Trans* **28**: 390-396

Lovinger DM (2002) mGluR-dependent striatal long-term synaptic depression involves an endocannabinoid retrograde messenger. *Neuropharmacology* **43**: 296-296

Low LY, Hernandez H, Robinson CV, O'Brien R, Grossmann JG, Ladbury JE, Luisi B (2002) Metal-dependent folding and stability of nuclear hormone receptor DNA-binding domains. *J Mol Biol* **319**: 87-106

Lu Q, Straiker A, Maguire G (2000) Expression of CB2 cannabinoid receptor mRNA in adult rat retina. *Vis Neurosci* **17**: 91-95

Lu Q, Yang YT, Chen CS, Davis M, Byrd JC, Etherton MR, Umar A (2004) Zn²⁺-chelating motif-tethered short-chain fatty acids as a novel class of histone deacetylase inhibitors. *J Med Chem* **47**: 467-474

Lu XR, Ong WY, Mackie K (1999) A light and electron microscopic study of the CB1 cannabinoid receptor in monkey basal forebrain. *J Neurocytol* **28**: 1045-1051

Lu YC, Su W, Jiann BP, Chang HT, Huang JK, Jan CR (2002) Effect of (-)-cis-3-[2-hydroxy-4-(1,1-dimethylheptyl)phenyl]-trans-4-(3-hydroxypropyl) cyclohexanol (CP55,940) on intracellular Ca²⁺ levels in human osteosarcoma cells. *Chin J Physiol* **45**: 95-100

Luhrs CA, Slomiany BL (1989) A human membrane-associated folate binding protein is anchored by a glycosyl-phosphatidylinositol tail. *J Biol Chem* **264**: 21446-21449

Lui PP, Kong SK, Fung KP, Lee CY (1998) The rise of nuclear and cytosolic Ca²⁺ can be uncoupled in HeLa cells. *Pflugers Arch* **436**: 371-376

Luo C, Kumamoto E, Furue H, Chen J, Yoshimura M (2002) Anandamide inhibits excitatory transmission to rat substantia gelatinosa neurones in a manner different from that of capsaicin. *Neurosci Lett* **321**: 17-20

Lutz B (2002) Molecular biology of cannabinoid receptors. *Prostaglandins Leukot Essent Fatty Acids* **66**: 123-142

Luzio JP, Mullock BM, Pryor PR, Lindsay MR, James DE, Piper RC (2001) Relationship between endosomes and lysosomes. *Biochem Soc Trans* **29**: 476-480

Lynch CJ, Fox H, Hazen SA, Stanley BA, Dodgson S, Lanoue KF (1995) Role of hepatic carbonic anhydrase in de novo lipogenesis. *Biochem J* **310 (Pt 1)**: 197-202

Ma J (1993) Block by ruthenium red of the ryanodine-activated calcium release channel of skeletal muscle. *J Gen Physiol* **102**: 1031-1056

Maccarrone M (2003) The blissful state of endothelium. *Thromb Haemost* **89**: 771-772

Maccarrone M (2004) Inhibition of anandamide hydrolysis: cells also know how to do it. *Trends Mol Med* **10**: 13-14

Maccarrone M, Attina M, Bari M, Cartoni A, Ledent C, Finazzi-Agro A (2001) Anandamide degradation and N-acyl ethanolamines level in wild-type and CB1 cannabinoid receptor knockout mice of different ages. *J Neurochem* **78**: 339-348

Maccarrone M, Attina M, Cartoni A, Bari M, Finazzi-Agro A (2001) Gas chromatography-mass spectrometry analysis of endogenous cannabinoids in healthy and tumoral human brain and human cells in culture. *J Neurochem* **76**: 594-601

Maccarrone M, Bari M, Agro AF (1999) A sensitive and specific radiochromatographic assay of fatty acid amide hydrolase activity. *Anal Biochem* **267**: 314-318

Maccarrone M, Bari M, Battista N, Di Rienzo M, Finazzi-Agro A (2001) Endogenous cannabinoids in

neuronal and immune cells: Toxic effects, levels and degradation. *Functional Neurology* **16**: 53-60

Maccarrone M, Bari M, Battista N, Finazzi-Agro A (2002) Endocannabinoid degradation, endotoxic shock and inflammation. *Curr Drug Targets Inflamm Allergy* **1**: 53-63

Maccarrone M, Bari M, Battista N, Finazzi-Agro A (2002) Estrogen stimulates arachidonylethanolamide release from human endothelial cells and platelet activation. *Blood* **100**: 4040-4048

Maccarrone M, Bari M, Di Rienzo M, Finazzi-Agro A, Rossi A (2003) Progesterone activates fatty acid amide hydrolase (FAAH) promoter in human T lymphocytes through the transcription factor Ikaros. *Journal of Biological Chemistry* **278**: 32726-32732

Maccarrone M, Bari M, Di Rienzo M, Finazzi-Agro A, Rossi A (2003) Progesterone activates fatty acid amide hydrolase (FAAH) promoter in human T lymphocytes through the transcription factor Ikaros. Evidence for a synergistic effect of leptin. *J Biol Chem* **278**: 32726-32732

Maccarrone M, Bari M, Finazzi-Agro A (2002) Quantification of anandamide content in animal cells and tissues: the normalization makes the difference. *Lipids Health Dis* **1**: 4

Maccarrone M, Bari M, Lorenzon T, Bisogno T, Di Marzo V, Finazzi-Agro A (2000) Anandamide uptake by human endothelial cells and its regulation by nitric oxide. *J Biol Chem* **275**: 13484-13492

Maccarrone M, Bari M, Menichelli A, Del Principe D, Agro AF (1999) Anandamide activates human platelets through a pathway independent of the arachidonate cascade. *FEBS Lett* **447**: 277-282

MacCarrone M, Bari M, Menichelli A, Giuliani E, Del Principe D, Finazzi-Agro A (2001) Human platelets bind and degrade 2-arachidonoylglycerol, which activates these cells through a cannabinoid receptor. *Eur J Biochem* **268**: 819-825

Maccarrone M, Bari M, Principe DD, Finazzi-Agro A (2003) Activation of human platelets by 2-arachidonoylglycerol is enhanced by serotonin. *Thromb Haemost* **89**: 340-347

Maccarrone M, Bisogno T, Valensise H, Lazzarin N, Fezza F, Manna C, Di Marzo V, Finazzi-Agro A (2002) Low fatty acid amide hydrolase and high anandamide levels are associated with failure to achieve an ongoing pregnancy after IVF and embryo transfer. *Mol Hum Reprod* **8**: 188-195

Maccarrone M, Carloni A, Parolaro D, Margonelli A, Massi P, Bari M, Battista N, Finazzi-Agro A (2002) Cannabimimetic activity, binding, and degradation of stearoylethanolamide within the mouse central nervous system. *Mol Cell Neurosci* **21**: 126-140

Maccarrone M, Cecconi S, Rossi G, Battista N, Pauselli R, Finazzi-Agro A (2003) Anandamide activity and degradation are regulated by early postnatal aging and follicle-stimulating hormone in mouse Sertoli cells. *Endocrinology* **144**: 20-28

MacCarrone M, De Felici M, Bari M, Klinger F, Siracusa G, Finazzi-Agro A (2000) Down-regulation of anandamide hydrolase in mouse uterus by sex hormones. *Eur J Biochem* **267**: 2991-2997

Maccarrone M, De Petrocellis L, Bari M, Fezza F, Salvati S, Di Marzo V, Finazzi-Agro A (2001) Lipopolysaccharide downregulates fatty acid amide hydrolase expression and increases anandamide levels in human peripheral lymphocytes. *Arch Biochem Biophys* **393**: 321-328

Maccarrone M, DeFelici M, Klinger FG, Battista N, Fezza F, Dainese E, Siracusa G, Finazzi-Agro A (2004) Mouse blastocysts release a lipid which activates anandamide hydrolase in intact uterus. *Mol Hum Reprod* **10**: 215-221

Maccarrone M, Del Principe D, Finazzi-Agro A (2002) Endocannabinoids: new physiological (co-)agonists of human platelets. *Thromb Haemost* **88**: 165-166

Maccarrone M, Di Rienzo M, Battista N, Gasperi V, Guerrieri P, Rossi A, Finazzi-Agro A (2003) The endocannabinoid system in human keratinocytes - Evidence that anandamide inhibits epidermal differentiation through CB1 receptor-dependent inhibition of protein kinase C, activating protein-1, and transglutaminase. *Journal of Biological Chemistry* **278**: 33896-33903

Maccarrone M, di Rienzo M, Battista N, Gasperi V, Guerrieri P, Rossi A, Finazzi-Agro A (2003) The endocannabinoid system in human keratinocytes. Evidence that anandamide inhibits epidermal differentiation through CB1 receptor-dependent inhibition of protein kinase C, activating protein-1, and transglutaminase. *Journal of Biological Chemistry* **278**: 33896-33903

Maccarrone M, Di Rienzo M, Battista N, Gasperi V, Guerrieri P, Rossi A, Finazzi-Agro A (2003) The endocannabinoid system in human keratinocytes. Evidence that anandamide inhibits epidermal differentiation through CB1 receptor-dependent inhibition of protein kinase C, activation protein-1, and transglutaminase. *J Biol Chem* **278**: 33896-33903

Maccarrone M, Di Rienzo M, Finazzi-Agro A, Rossi A (2003) Leptin activates the anandamide hydrolase promoter in human T lymphocytes through STAT3. *J Biol Chem* **278**: 13318-13324

Maccarrone M, Falciglia K, Di Rienzo M, Finazzi-Agro A (2002) Endocannabinoids, hormone-cytokine networks and human fertility. *Prostaglandins Leukot Essent Fatty Acids* **66**: 309-317

Maccarrone M, Finazzi-Agro A (2000) Platelet activation: a new vascular activity of anandamide. *FEBS Lett* **483**: 84-85

Maccarrone M, Finazzi-Agro A (2002) Endocannabinoids and their actions. *Vitam Horm* **65**: 225-255

Maccarrone M, Finazzi-Agro A (2003) The endocannabinoid system, anandamide and the regulation of mammalian cell apoptosis. *Cell Death Differ* **10**: 946-955

Maccarrone M, Fiorucci L, Erba F, Bari M, Finazzi-Agro A, Ascoli F (2000) Human mast cells take up and hydrolyze anandamide under the control of 5-lipoxygenase and do not express cannabinoid receptors. *FEBS Lett* **468**: 176-180

Maccarrone M, Gubellini P, Bari M, Picconi B, Battista N, Centonze D, Bernardi G, Finazzi-Agro A, Calabresi P (2003) Levodopa treatment reverses endocannabinoid system abnormalities in experimental parkinsonism. *J Neurochem* **85**: 1018-1025

Maccarrone M, Lorenzon T, Bari M, Melino G, Finazzi-Agro A (2000) Anandamide induces apoptosis in human cells via vanilloid receptors. Evidence for a protective role of cannabinoid receptors. *J Biol Chem* **275**: 31938-31945

Maccarrone M, Pauselli R, Di Rienzo M, Finazzi-Agro A (2002) Binding, degradation and apoptotic activity of stearoylethanolamide in rat C6 glioma cells. *Biochem J* **366**: 137-144

Maccarrone M, Piccirilli S, Bari M, Del Duca C, Finazzi-Agro A, Bagetta G (2003) Role of the endocannabinoid system in the in vivo neurotoxicity of the HIV-1 coat glycoprotein gp120. *Journal of Neurochemistry* **87**: 130-130

Maccarrone M, Salvati S, Bari M, Finazzi A (2000) Anandamide and 2-arachidonoylglycerol inhibit fatty acid amide hydrolase by activating the lipoxygenase pathway of the arachidonate cascade. *Biochem Biophys Res Commun* **278**: 576-583

Maccarrone M, Valensise H, Bari M, Lazzarin N, Romanini C, Finazzi-Agro A (2000) Relation between decreased anandamide hydrolase concentrations in human lymphocytes and miscarriage. *Lancet* **355**: 1326-1329

Maccarrone M, Valensise H, Bari M, Lazzarin N, Romanini C, Finazzi-Agro A (2001) Progesterone up-regulates anandamide hydrolase in human lymphocytes: role of cytokines and implications for fertility. *J Immunol* **166**: 7183-7189

Maccarrone M, Valverde O, Barbaccia ML, Castane A, Maldonado R, Ledent C, Parmentier M, Finazzi-Agro A (2002) Age-related changes of anandamide metabolism in CB1 cannabinoid receptor knockout mice: correlation with behaviour. *Eur J Neurosci* **15**: 1178-1186

Maccarrone M, van der Stelt M, Rossi A, Veldink GA, Vliegthart JF, Agro AF (1998) Anandamide hydrolysis by human cells in culture and brain. *J Biol Chem* **273**: 32332-32339

Maccarrone M, van der Stelt M, Veldink GA, Finazzi-Agro A (2002) Inhibitors of endocannabinoid degradation as potential therapeutic agents. *Current Medicinal Chemistry - Anti-Inflammatory & Anti-Allergy Agents* **1**: 103-113

Mace SR, Dean JG, Murphy JR, Rhodes JL, Kuruvilla HG (2000) PACAP-38 is a chemorepellent and an agonist for the lysozyme receptor in tetrahymena thermophila. *J Comp Physiol [A]* **186**: 39-43

MacKenzie AB, Mahaut-Smith MP, Sage SO (1996) Activation of receptor-operated cation channels via P2X1 not P2T purinoceptors in human platelets. *J Biol Chem* **271**: 2879-2881

Mackenzie L, Bootman MD, Berridge MJ, Lipp P (2001) Predetermined recruitment of calcium release sites underlies excitation-contraction coupling in rat atrial myocytes. *J Physiol* **530**: 417-429

Mackenzie L, Bootman MD, Laine M, Berridge MJ, Thuring J, Holmes A, Li WH, Lipp P (2002) The role of inositol 1,4,5-trisphosphate receptors in Ca(2+) signalling and the generation of arrhythmias in rat atrial myocytes. *J Physiol* **541**: 395-409

Mackie K, Devane WA, Hille B (1993) Anandamide, an endogenous cannabinoid, inhibits calcium currents as a partial agonist in N18 neuroblastoma cells. *Mol Pharmacol* **44**: 498-503

Mackie K, Lai Y, Westenbroek R, Mitchell R (1995) Cannabinoids activate an inwardly rectifying potassium conductance and inhibit Q-type calcium currents in AtT20 cells transfected with rat brain cannabinoid receptor. *J Neurosci* **15**: 6552-6561

MacKrell JJ (1999) Protein-protein interactions in intracellular Ca²⁺-release channel function. *Biochem J* **337** (Pt 3): 345-361

MacLennan SJ, Reynen PH, Kwan J, Bonhaus DW (1998) Evidence for inverse agonism of SR141716A at human recombinant cannabinoid CB1 and CB2 receptors. *Br J Pharmacol* **124**: 619-622

Macpherson AM, Archer DF, Leslie S, Charnock-Jones DS, Makkink WK, Smith SK (1999) The effect of etonogestrel on VEGF, oestrogen and progesterone receptor immunoreactivity and endothelial cell number in human endometrium. *Hum Reprod* **14**: 3080-3087

Maeda N, Kawasaki T, Nakade S, Yokota N, Taguchi T, Kasai M, Mikoshiba K (1991) Structural and functional characterization of inositol 1,4,5-trisphosphate receptor channel from mouse cerebellum. *J Biol Chem* **266**: 1109-1116

Maejima T, Hashimoto K, Yoshida T, Aiba A, Kano M (2001) Presynaptic inhibition caused by retrograde signal from metabotropic glutamate to cannabinoid receptors. *Neuron* **31**: 463-475

Maguire G, Simko H, Weinreb RN, Ayoub G (1998) Transport-mediated release of endogenous glutamate in the vertebrate retina. *Pflugers Arch* **436**: 481-484

Maguire JJ (2003) Discovering orphan receptor function using human in vitro pharmacology. *Curr Opin Pharmacol* **3**: 135-139

Maguire JJ, Davenport AP (2002) Is urotensin-II the new endothelin? *Br J Pharmacol* **137**: 579-588

Maguire JJ, Kuc RE, Davenport AP (2000) Orphan-receptor ligand human urotensin II: receptor localization in human tissues and comparison of vasoconstrictor responses with endothelin-1. *Br J Pharmacol* **131**: 441-446

Maguire JJ, Kuc RE, Davenport AP (2001) Vasoconstrictor activity of novel endothelin peptide, ET-1(1 - 31), in human mammary and coronary arteries in vitro. *Br J Pharmacol* **134**: 1360-1366

Maguire JJ, Yu JC, Davenport AP (2002) ETA receptor antagonists inhibit intimal smooth muscle cell proliferation in human vessels. *Clin Sci (Lond)* **103 Suppl 48**: 184S-188S

Mahadevan A, Siegel C, Martin BR, Abood ME, Beletskaya I, Razdan RK (2000) Novel cannabinoid probes for CB1 and CB2 cannabinoid receptors. *J Med Chem* **43**: 3778-3785

Mahaut-Smith MP, Ennion SJ, Rolf MG, Evans RJ (2000) ADP is not an agonist at P2X(1) receptors: evidence for separate receptors stimulated by ATP and ADP on human platelets. *Br J Pharmacol* **131**: 108-114

Mahony D, Weis FM, Massague J, Gurdon JB (1998) XTrR-I is a TGFbeta receptor and overexpression of truncated form of the receptor inhibits axis formation and dorsalising activity. *Mech Dev* **75**: 95-105

Maingret F, Patel AJ, Lazdunski M, Honore E (2001) The endocannabinoid anandamide is a direct and selective blocker of the background K(+) channel TASK-1. *Embo J* **20**: 47-54

Majerus ME, Mundy NI (2003) Mammalian melanism: natural selection in black and white. *Trends Genet* **19**: 585-588

Mak DO, Foskett JK (1997) Single-channel kinetics, inactivation, and spatial distribution of inositol trisphosphate (IP3) receptors in *Xenopus* oocyte nucleus. *J Gen Physiol* **109**: 571-587

Mak DO, McBride S, Foskett JK (1998) Inositol 1,4,5-trisphosphate [correction of tris-phosphate] activation of inositol trisphosphate [correction of tris-phosphate] receptor Ca²⁺ channel by ligand tuning of Ca²⁺ inhibition. *Proc Natl Acad Sci U S A* **95**: 15821-15825

Makkerh JP, Dingwall C, Laskey RA (1996) Comparative mutagenesis of nuclear localization signals reveals the importance of neutral and acidic amino acids. *Curr Biol* **6**: 1025-1027

Malan TP, Jr., Ibrahim MM, Deng H, Liu Q, Mata HP, Vanderah T, Porreca F, Makriyannis A (2001) CB2 cannabinoid receptor-mediated peripheral antinociception. *Pain* **93**: 239-245

Malan TP, Jr., Ibrahim MM, Lai J, Vanderah TW, Makriyannis A, Porreca F (2003) CB2 cannabinoid receptor agonists: pain relief without psychoactive effects? *Curr Opin Pharmacol* **3**: 62-67

Malbreil PH, Monbrun C, Anselin D (1978) [Effect of combination of sulfthiorine and calcium pantothenate on the quality of the lacrimal film and its application to contact lenses]. *Bull Soc Ophthalmol Fr* **78**: 643-645

Maldonado R (2002) Study of cannabinoid dependence in animals. *Pharmacol Ther* **95**: 153-164

Maldonado R, Rodriguez de Fonseca F (2002) Cannabinoid addiction: behavioral models and neural correlates. *J Neurosci* **22**: 3326-3331

Malinowska B, Godlewski G, Bucher B, Schlicker E (1997) Cannabinoid CB1 receptor-mediated inhibition of the neurogenic vasopressor response in the pithed rat. *Naunyn Schmiedeberg's Arch Pharmacol* **356**: 197-202

Malinowska B, Kwolek G, Gothert M (2001) Anandamide and methanandamide induce both vanilloid VR1- and cannabinoid CB1 receptor-mediated changes in heart rate and blood pressure in anaesthetized rats. *Naunyn Schmiedeberg's Arch Pharmacol* **364**: 562-569

Malinowska B, Piszcz J, Koneczny B, Hryniewicz A, Schlicker E (2001) Modulation of the cardiac autonomic transmission of pithed rats by presynaptic opioid OP4 and cannabinoid CB1 receptors. *Naunyn Schmiedeberg's Arch Pharmacol* **364**: 233-241

Mallet PE, Beninger RJ (1998) The cannabinoid CB1 receptor antagonist SR141716A attenuates the memory impairment produced by delta9-tetrahydrocannabinol or anandamide. *Psychopharmacology (Berl)* **140**: 11-19

Mallet PE, Beninger RJ (1998) Delta9-tetrahydrocannabinol, but not the endogenous cannabinoid receptor

ligand anandamide, produces conditioned place avoidance. *Life Sci* **62**: 2431-2439

Malone DT, Taylor DA (1998) Modulation of delta9-tetrahydrocannabinol-induced hypothermia by fluoxetine in the rat. *Br J Pharmacol* **124**: 1419-1424

Malone DT, Taylor DA (1999) Modulation by fluoxetine of striatal dopamine release following Delta9-tetrahydrocannabinol: a microdialysis study in conscious rats. *Br J Pharmacol* **128**: 21-26

Mammano F, Frolenkov GI, Lagostena L, Belyantseva IA, Kurc M, Dodane V, Colavita A, Kachar B (1999) ATP-Induced Ca(2+) release in cochlear outer hair cells: localization of an inositol triphosphate-gated Ca(2+) store to the base of the sensory hair bundle. *J Neurosci* **19**: 6918-6929

Manahan CL, Patnana M, Blumer KJ, Linder ME (2000) Dual lipid modification motifs in G(alpha) and G(gamma) subunits are required for full activity of the pheromone response pathway in *Saccharomyces cerevisiae*. *Mol Biol Cell* **11**: 957-968

Manallack DT, Pitt WR, Gancia E, Montana JG, Livingstone DJ, Ford MG, Whitley DC (2002) Selecting screening candidates for kinase and G protein-coupled receptor targets using neural networks. *J Chem Inf Comput Sci* **42**: 1256-1262

Manallack DT, Tehan BG, Gancia E, Hudson BD, Ford MG, Livingstone DJ, Whitley DC, Pitt WR (2003) A consensus neural network-based technique for discriminating soluble and poorly soluble compounds. *J Chem Inf Comput Sci* **43**: 674-679

Manara L, Croci T, Guagnini F, Rinaldi-Carmona M, Maffrand JP, Le Fur G, Mukenge S, Ferla G (2002) Functional assessment of neuronal cannabinoid receptors in the muscular layers of human ileum and colon. *Dig Liver Dis* **34**: 262-269

Mancinelli R, Fabrizi A, Del Monaco S, Azzena GB, Vargiu R, Colombo GC, Gessa GL (2001) Inhibition of peristaltic activity by cannabinoids in the isolated distal colon of mouse. *Life Sci* **69**: 101-111

Mandavilli A (2003) Marijuana researchers reach for pot of gold. *Nat Med* **9**: 1227

Maneuf YP, Hughes J, McKnight AT (2001) Gabapentin inhibits the substance P-facilitated K(+)-evoked release of [(3)H]glutamate from rat caudal trigeminal nucleus slices. *Pain* **93**: 191-196

Maneuf YP, McKnight AT (2001) Calcitonin gene-related peptide-mediated increase in K(+)-induced [(3)H]-dopamine release from rat caudal striatal slices. *Neurosci Lett* **310**: 73-76

Mang CF, Erbeling D, Kilbinger H (2001) Differential effects of anandamide on acetylcholine release in the guinea-pig ileum mediated via vanilloid and non-CB1 cannabinoid receptors. *Br J Pharmacol* **134**: 161-167

Mann F, Miranda E, Weini C, Harmer E, Holt CE (2003) B-type Eph receptors and ephrins induce growth cone collapse through distinct intracellular pathways. *J Neurobiol* **57**: 323-336

Mann F, Ray S, Harris W, Holt C (2002) Topographic mapping in dorsoventral axis of the *Xenopus* retinotectal system depends on signaling through ephrin-B ligands. *Neuron* **35**: 461-473

Mansbach RS, Rovetti CC, Winston EN, Lowe JA, 3rd (1996) Effects of the cannabinoid CB1 receptor antagonist SR141716A on the behavior of pigeons and rats. *Psychopharmacology (Berl)* **124**: 315-322

Maranto AR (1994) Primary structure, ligand binding, and localization of the human type 3 inositol 1,4,5-trisphosphate receptor expressed in intestinal epithelium. *J Biol Chem* **269**: 1222-1230

Marchand J, Bord A, Penarier G, Laure F, Carayon P, Casellas P (1999) Quantitative method to determine mRNA levels by reverse transcriptase-polymerase chain reaction from leukocyte subsets purified by fluorescence-activated cell sorting: application to peripheral cannabinoid receptors. *Cytometry* **35**: 227-234

Marchant JS, Beecroft MD, Riley AM, Jenkins DJ, Marwood RD, Taylor CW, Potter BV (1997) Disaccharide polyphosphates based upon adenophostin A activate hepatic D-myo-inositol 1,4,5-trisphosphate receptors. *Biochemistry* **36**: 12780-12790

Marchant JS, Parker I (1998) Kinetics of elementary Ca2+ puffs evoked in *Xenopus* oocytes by different Ins(1,4,5)P3 receptor agonists. *Biochem J* **334 (Pt 3)**: 505-509

Marchant JS, Taylor CW (1997) Cooperative activation of IP3 receptors by sequential binding of IP3 and Ca2+ safeguards against spontaneous activity. *Curr Biol* **7**: 510-518

Marchese G, Casti P, Ruiu S, Saba P, Sanna A, Casu G, Pani L (2003) Haloperidol, but not clozapine, produces dramatic catalepsy in Delta9-THC-treated rats: possible clinical implications. *Br J Pharmacol* **140**: 520-526

Margtich VM, Zhukov AD, Artamonov MV, Gulaya NM (1999) Convenient laboratory method of the labeled N-((1-14C)-palmitoyl)ethanolamine synthesis. *Ukrainskii Biokhimicheskii Zhurnal* **71**: 108-110

Marhitykh VM, Zhukov OD, Artamonov MV, Hula NM (1999) [A convenient method for laboratory synthesis of the N-[[1-14C]palmitoyl)ethanolamine, labeled by a fatty acid]. *Ukr Biokhim Zh* **71**: 108-110

Marinelli S, Berretta N, Bernardi G, Mercuri NB (2002) Presynaptic Effects of Vr1 Activation in the Ventral

Midbrain. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Marinelli S, Di Marzo V, Berretta N, Matias I, Maccarrone M, Bernardi G, Mercuri NB (2003) Presynaptic facilitation of glutamatergic synapses to dopaminergic neurons of the rat substantia nigra by endogenous stimulation of vanilloid receptors. *J Neurosci* **23**: 3136-3144

Markey SP, Dudding T, Wang TC (2000) Base- and acid-catalyzed interconversions of O-acyl- and N-acyl-ethanolamines: a cautionary note for lipid analyses. *J Lipid Res* **41**: 657-662

Marshall CJ (1994) MAP kinase kinase kinase, MAP kinase kinase and MAP kinase. *Curr Opin Genet Dev* **4**: 82-89

Marshall CJ (1995) Specificity of receptor tyrosine kinase signaling: transient versus sustained extracellular signal-regulated kinase activation. *Cell* **80**: 179-185

Marshall LA, Hall RH, Winkler JD, Badger A, Bolognese B, Roshak A, Flamberg PL, Sung CM, Chabot-Fletcher M, Adams JL, et al. (1995) SB 203347, an inhibitor of 14 kDa phospholipase A2, alters human neutrophil arachidonic acid release and metabolism and prolongs survival in murine endotoxin shock. *J Pharmacol Exp Ther* **274**: 1254-1262

Marsicano G, Goodenough S, Monory K, Hermann H, Eder M, Cannich A, Azad SC, Cascio M, Ortega Gutierrez S, van der Stelt M, Lopez-Rodriguez M, Casanova E, Schutz G, Zieglgansberger W, Di Marzo V, Lutz B (2003) The endocannabinoid system in principal forebrain neurones protects against excitotoxicity. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Marsicano G, Goodenough S, Monory K, Hermann H, Eder M, Cannich A, Azad SC, Cascio MG, Gutierrez SO, van der Stelt M, Lopez-Rodriguez ML, Casanova E, Schutz G, Zieglgansberger W, Di Marzo V, Behl C, Lutz B (2003) CB1 cannabinoid receptors and on-demand defense against excitotoxicity. *Science* **302**: 84-88

Marsicano G, Lutz B (1999) Expression of the cannabinoid receptor CB1 in distinct neuronal subpopulations in the adult mouse forebrain. *Eur J Neurosci* **11**: 4213-4225

Marsicano G, Moosmann B, Hermann H, Lutz B, Behl C (2002) Neuroprotective properties of cannabinoids against oxidative stress: role of the cannabinoid receptor CB1. *J Neurochem* **80**: 448-456

Marsicano G, Wotjak CT, Azad SC, Bisogno T, Rammes G, Cascio MG, Hermann H, Tang J, Hofmann C, Zieglgansberger W, Di Marzo V, Lutz B (2002) The endogenous cannabinoid system controls extinction of aversive memories. *Nature* **418**: 530-534

Martellotta MC, Cossu G, Fattore L, Gessa GL, Fratta W (1998) Self-administration of the cannabinoid receptor agonist WIN 55,212-2 in drug-naive mice. *Neuroscience* **85**: 327-330

Martensson IL, Rolink A, Melchers F, Mundt C, Licence S, Shimizu T (2002) The pre-B cell receptor and its role in proliferation and Ig heavy chain allelic exclusion. *Semin Immunol* **14**: 335-342

Martin-Bermudo MD (2000) Integrins modulate the Egr signaling pathway to regulate tendon cell differentiation in the *Drosophila* embryo. *Development* **127**: 2607-2615

Martin-Bermudo MD, Brown NH (2000) The localized assembly of extracellular matrix integrin ligands requires cell-cell contact. *J Cell Sci* **113 Pt 21**: 3715-3723

Martin-Blanco E, Roch F, Noll E, Baonza A, Duffy JB, Perrimon N (1999) A temporal switch in DER signaling controls the specification and differentiation of veins and interveins in the *Drosophila* wing. *Development* **126**: 5739-5747

Martin BR, Beletskaya I, Patrick G, Jefferson R, Winckler R, Deutsch DG, Di Marzo V, Dasse O, Mahadevan A, Razdan RK (2000) Cannabinoid properties of methylfluorophosphonate analogs. *J Pharmacol Exp Ther* **294**: 1209-1218

Martin BR, Jefferson RG, Winckler R, Wiley JL, Thomas BF, Crocker PJ, Williams W, Razdan RK (2002) Assessment of structural commonality between tetrahydrocannabinol and anandamide. *Eur J Pharmacol* **435**: 35-42

Martin BR, Lichtman AH (1998) Cannabinoid transmission and pain perception. *Neurobiol Dis* **5**: 447-461

Martin BR, Mechoulam R, Razdan RK (1999) Discovery and characterization of endogenous cannabinoids. *Life Sci* **65**: 573-595

Martin C, Ashley R, Shoshan-Barmatz V (1993) The effect of local anaesthetics on the ryanodine receptor/Ca²⁺ release channel of brain microsomal membranes. *FEBS Lett* **328**: 77-81

Martin M, Ledent C, Parmentier M, Maldonado R, Valverde O (2002) Involvement of CB1 cannabinoid receptors in emotional behaviour. *Psychopharmacology (Berl)* **159**: 379-387

Martin RS, Luong LA, Welsh NJ, Eglén RM, Martin GR, MacLennan SJ (2000) Effects of cannabinoid receptor agonists on neuronally-evoked contractions of urinary bladder tissues isolated from rat, mouse, pig, dog, monkey and human. *Br J Pharmacol* **129**: 1707-1715

Martin RS, Reynen PH, Calixto JJ, Reyes CL, Chang TK, Dietrich PS, Bonhaus DW, MacLennan SJ

(2002) Pharmacological comparison of a recombinant CB1 cannabinoid receptor with its G(alpha 16) fusion product. *J Biomol Screen* **7**: 281-289

Martin WJ, Loo CM, Basbaum AI (1999) Spinal cannabinoids are anti-allodynic in rats with persistent inflammation. *Pain* **82**: 199-205

Martinez-Orgado J, Fernandez-Frutos B, Gonzalez R, Romero E, Uriguen L, Romero J, Viveros MP (2003) Neuroprotection by the cannabinoid agonist WIN-55212 in an in vivo newborn rat model of acute severe asphyxia. *Brain Res Mol Brain Res* **114**: 132-139

Martinez-Pinna J, Tolhurst G, Gurung IS, Vandenberg JI, Mahaut-Smith MP (2004) Sensitivity limits for voltage control of P2Y receptor-evoked Ca²⁺ mobilization in the rat megakaryocyte. *J Physiol* **555**: 61-70

Martinez-Vargas M, Murillo-Rodriguez E, Gonzalez-Rivera R, Landa A, Mendez-Diaz M, Prothro-Garcia O, Navarro L (2003) Sleep modulates cannabinoid receptor 1 expression in the pons of rats. *Neuroscience* **117**: 197-201

Marty A, Evans MG, Tan YP, Trautmann A (1986) Muscarinic response in rat lacrimal glands. *J Exp Biol* **124**: 15-32

Marty A, Tan YP (1989) The initiation of calcium release following muscarinic stimulation in rat lacrimal glands. *J Physiol* **419**: 665-687

Marty A, Tan YP, Trautmann A (1984) Three types of calcium-dependent channel in rat lacrimal glands. *J Physiol* **357**: 293-325

Marty A, Zimmerberg J (1989) Diffusion into the patch-clamp recording pipette of a factor necessary for muscarinic current response. *Cell Signal* **1**: 259-268

Maruyama I, Wang Y, Liu Y, Yamaji K, Sarker KP, Abeyama K, Wada H, Hashiguchi T (2003) Activated protein C (APC) inhibits lipopolysaccharide (LPS)-induced anandamide and 2-arachidonylglycerol generation in vitro and in vivo: A possible mechanism of improving of severe septic patients by APC. *Blood* **102**

Marzo VD, Bisogno T, De Petrocellis L (2001) Endocannabinoids Part II: pathological CNS conditions involving the endocannabinoid system and their possible treatment with endocannabinoid-based drugs. *Expert Opin Ther Targets* **5**: 349-362

Mascolo N, Izzo AA, Ligresti A, Costagliola A, Pinto L, Cascio MG, Maffia P, Cecio A, Capasso F, Di Marzo V (2002) The endocannabinoid system and the molecular basis of paralytic ileus in mice. *Faseb J* **16**: 1973-1975

Maslov LN, Lasukova OV, Krylatov AV, Lishmanov Iu B, Pertwee R (2003) [Alterations of inotropic function of isolated heart and extent of injury of cardiomyocytes after cannabinoid receptor activation during ischemia and reperfusion]. *Russ Fiziol Zh Im I M Sechenova* **89**: 1108-1116

Maslov LN, Lishmanov Iu B, Maismekulova LA, Mechoulam P (2001) [Antiarrhythmic properties of a cannabinoid (CB) receptor agonist]. *Eksp Klin Farmakol* **64**: 37-40

Mason DJ, Jr., Lowe J, Welch SP (1999) Cannabinoid modulation of dynorphin A: correlation to cannabinoid-induced antinociception. *Eur J Pharmacol* **378**: 237-248

Mason MJ, Mahaut-Smith MP (2001) Voltage-dependent Ca²⁺ release in rat megakaryocytes requires functional IP₃ receptors. *J Physiol* **533**: 175-183

Mason S, Smart D, Marshall IC, McKnight A, Skepper JN, McNulty S (2002) Identification and characterisation of functional bombesin receptors in human astrocytes. *Eur J Pharmacol* **438**: 25-34

Mason SL, Ho M, Nicholson J, McKnight AT (2001) In vitro characterization of Ac-RYYRWK-NH(2), Ac-RYYRIK-NH(2) and [Phe1Psi(CH(2)-NH)Gly2] nociceptin(1-13)NH(2) at rat native and recombinant ORL(1) receptors. *Neuropeptides* **35**: 244-256

Massa F, Marsicano G, Hermann H, Cannich A, Monory K, Cravatt BF, Ferri GL, Sibaev A, Storr M, Lutz B (2004) The endogenous cannabinoid system protects against colonic inflammation. *J Clin Invest* **113**: 1202-1209

Massa SM, Xie Y, Longo FM (2002) Alzheimer's therapeutics: neurotrophin small molecule mimetics. *J Mol Neurosci* **19**: 107-111

Masserano JM, Karoum F, Wyatt RJ (1999) SR 141716A, a CB1 cannabinoid receptor antagonist, potentiates the locomotor stimulant effects of amphetamine and apomorphine. *Behav Pharmacol* **10**: 429-432

Massi P, Vaccani A, Ceruti S, Colombo A, Abbracchio MP, Parolaro D (2004) Antitumor effects of cannabidiol, a nonpsychoactive cannabinoid, on human glioma cell lines. *J Pharmacol Exp Ther* **308**: 838-845

Massi P, Vaccani A, Romorini S, Parolaro D (2001) Comparative characterization in the rat of the interaction between cannabinoids and opiates for their immunosuppressive and analgesic effects. *J Neuroimmunol* **117**: 116-124

Masters CL, Simms G, Weinman NA, Multhaup G, McDonald BL, Beyreuther K (1985) Amyloid plaque core protein in Alzheimer disease and Down syndrome. *Proc Natl Acad Sci U S A* **82**: 4245-4249

Matias I, Bisogno T, Melck D, Vandenbulcke F, Verger-Bocquet M, De Petrocellis L, Sergheraert C, Breton C, Di Marzo V, Salzet M (2001) Evidence for an endocannabinoid system in the central nervous system of the leech *Hirudo medicinalis*. *Brain Res Mol Brain Res* **87**: 145-159

Matias I, Chen J, De Petrocellis L, Bisogno T, Ligresti A, Fezza F, Krauss AH, Shi L, Protzman CE, Li C, Liang Y, Nieves AL, Kedzie KM, Burk RM, Di Marzo V, Woodward DF (2004) Prostaglandin ethanolamides (prostamides): in vitro pharmacology and metabolism. *J Pharmacol Exp Ther* **309**: 745-757

Matias I, Leonhardt M, Lesage J, De Petrocellis L, Dupouy JP, Vieau D, Di Marzo V (2003) Effect of maternal under-nutrition on pup body weight and hypothalamic endocannabinoid levels. *Cell Mol Life Sci* **60**: 382-389

Matias I, Leonhardt M, Lesage J, De Petrocellis L, Dupouy JP, Vieau D, Di Marzo V (2003) Effect of maternal under nutrition on pup body weight and hypothalamic endocannabinoid levels. *Cellular and Molecular Life Sciences* **60**: 382-389

Matias I, Pochard P, Orlando P, Salzet M, Pestel J, Di Marzo V (2002) Presence and regulation of the endocannabinoid system in human dendritic cells. *Eur J Biochem* **269**: 3771-3778

Mato S, Del Olmo E, Pazos A (2003) Ontogenetic development of cannabinoid receptor expression and signal transduction functionality in the human brain. *Eur J Neurosci* **17**: 1747-1754

Mato S, Pazos A (2004) Influence of age, postmortem delay and freezing storage period on cannabinoid receptor density and functionality in human brain. *Neuropharmacology* **46**: 716-726

Matrisciano F, Storto M, Ngomba RT, Cappuccio I, Caricasole A, Scaccianoce S, Rizzo B, Melchiorri D, Nicoletti F (2002) Imipramine treatment up-regulates the expression and function of mGlu2/3 metabotropic glutamate receptors in the rat hippocampus. *Neuropharmacology* **42**: 1008-1015

Matsuda K, Hirasawa H, Oda S, Shiga H, Nakanishi K, Nakamura M (2002) [Endotoxin removal in septic shock]. *Nippon Geka Gakkai Zasshi* **103**: 880-886

Matsuda LA (1997) Molecular aspects of cannabinoid receptors. *Crit Rev Neurobiol* **11**: 143-166

Matsuda S, Kanemitsu N, Nakamura A, Mimura Y, Ueda N, Kurahashi Y, Yamamoto S (1997) Metabolism of anandamide, an endogenous cannabinoid receptor ligand, in porcine ocular tissues. *Exp Eye Res* **64**: 707-711

Matsunaga I, Yamada M, Kusunose E, Miki T, Ichihara K (1998) Further characterization of hydrogen peroxide-dependent fatty acid alpha-hydroxylase from *Sphingomonas paucimobilis*. *J Biochem (Tokyo)* **124**: 105-110

Matsunaga I, Yokotani N, Gotoh O, Kusunose E, Yamada M, Ichihara K (1997) Molecular cloning and expression of fatty acid alpha-hydroxylase from *Sphingomonas paucimobilis*. *J Biol Chem* **272**: 23592-23596

Matthews HR, Reisert J (2003) Calcium, the two-faced messenger of olfactory transduction and adaptation. *Curr Opin Neurobiol* **13**: 469-475

Matveyeva M, Hartmann CB, Harrison MT, Cabral GA, McCoy KL (2000) Delta(9)-tetrahydrocannabinol selectively increases aspartyl cathepsin D proteolytic activity and impairs lysozyme processing by macrophages. *Int J Immunopharmacol* **22**: 373-381

Mauduit P, Herman G, Dreux C, Rossignol B (1988) [In vitro effect of pentoxifylline on the metabolism of glycogen and the secretory process in the parotid and lacrimal extraorbital glands in rats]. *Pathol Biol (Paris)* **36**: 1060-1065

Mauduit P, Herman G, Rossignol B (1983) Effect of trifluoperazine on 3H-labeled protein secretion induced by pentoxifylline, cholinergic or adrenergic agonists in rat lacrimal gland. A possible role of calmodulin? *FEBS Lett* **152**: 207-211

Mauduit P, Herman G, Rossignol B (1984) Protein secretion induced by isoproterenol or pentoxifylline in lacrimal gland: Ca²⁺ effects. *Am J Physiol* **246**: C37-44

Mauduit P, Herman G, Rossignol B (1987) Newly synthesized protein secretion in rat lacrimal gland: post-second messenger synergism. *Am J Physiol* **253**: C514-524

Mauduit P, Jammes H, Rossignol B (1993) M3 muscarinic acetylcholine receptor coupling to PLC in rat exorbital lacrimal acinar cells. *Am J Physiol* **264**: C1550-1560

Mauduit P, Zoukhri D, Rossignol B (1989) Direct activation of a protein kinase activity from rat lacrimal gland by PMA in a phospholipid-free system. *FEBS Lett* **252**: 5-11

Mauler F, Hinz V, Augstein KH, Fassbender M, Horvath E (2003) Neuroprotective and brain edema-reducing efficacy of the novel cannabinoid receptor agonist BAY 38-7271. *Brain Res* **989**: 99-111

Mauler F, Horvath E, De Vry J, Jager R, Schwarz T, Sandmann S, Weinz C, Heinig R, Bottcher M (2003) BAY 38-7271: a novel highly selective and highly potent cannabinoid receptor agonist for the

treatment of traumatic brain injury. *CNS Drug Rev* **9**: 343-358

Mauler F, Mittendorf J, Horvath E, De Vry J (2002) Characterization of the diarylether sulfonylester (-)-(R)-3-(2-hydroxymethylindanyl-4-oxy)phenyl-4,4,4-trifluoro-1-sulfonate (BAY 38-7271) as a potent cannabinoid receptor agonist with neuroprotective properties. *J Pharmacol Exp Ther* **302**: 359-368

Maurelli S, Bisogno T, De Petrocellis L, Di Luccia A, Marino G, Di Marzo V (1995) Two novel classes of neuroactive fatty acid amides are substrates for mouse neuroblastoma 'anandamide amidohydrolase'. *FEBS Lett* **377**: 82-86

Mazzari S, Canella R, Petrelli L, Marcolongo G, Leon A (1996) N-(2-hydroxyethyl)hexadecanamide is orally active in reducing edema formation and inflammatory hyperalgesia by down-modulating mast cell activation. *Eur J Pharmacol* **300**: 227-236

Mazzola C, Micale V, Drago F (2003) Amnesia induced by beta-amyloid fragments is counteracted by cannabinoid CB1 receptor blockade. *Eur J Pharmacol* **477**: 219-225

McAllister SD, Glass M (2002) CB(1) and CB(2) receptor-mediated signalling: a focus on endocannabinoids. *Prostaglandins Leukot Essent Fatty Acids* **66**: 161-171

McAllister SD, Griffin G, Satin LS, Abood ME (1999) Cannabinoid receptors can activate and inhibit G protein-coupled inwardly rectifying potassium channels in a xenopus oocyte expression system. *J Pharmacol Exp Ther* **291**: 618-626

McAllister SD, Rizvi G, Anavi-Goffer S, Hurst DP, Barnett-Norris J, Lynch DL, Reggio PH, Abood ME (2003) An aromatic microdomain at the cannabinoid CB(1) receptor constitutes an agonist/inverse agonist binding region. *J Med Chem* **46**: 5139-5152

McAndrew RS, Chapman KD (1998) Enzymology of cottonseed microsomal N-acylphosphatidylethanolamine synthase: kinetic properties and mechanism-based inactivation. *Biochim Biophys Acta* **1390**: 21-36

McCarron RM, Shohami E, Panikashvili D, Chen Y, Golech S, Strasser A, Mechoulam R, Spatz M (2003) Antioxidant properties of the vasoactive endocannabinoid, 2-arachidonoyl glycerol (2-AG). *Acta Neurochir Suppl* **86**: 271-275

McCoy KL, Matveyeva M, Carlisle SJ, Cabral GA (1999) Cannabinoid inhibition of the processing of intact lysozyme by macrophages: evidence for CB2 receptor participation. *J Pharmacol Exp Ther* **289**: 1620-1625

McCulloch AI, Randall MD (1998) Sex differences in the relative contributions of nitric oxide and EDHF to agonist-stimulated endothelium-dependent relaxations in the rat isolated mesenteric arterial bed. *Br J Pharmacol* **123**: 1700-1706

McDonald AJ, Mascagni F (2001) Localization of the CB1 type cannabinoid receptor in the rat basolateral amygdala: high concentrations in a subpopulation of cholecystokinin-containing interneurons. *Neuroscience* **107**: 641-652

McGeer PL, McGeer EG (2001) Inflammation, autotoxicity and Alzheimer disease. *Neurobiol Aging* **22**: 799-809

McGregor IS, Arnold JC, Weber MF, Topple AN, Hunt GE (1998) A comparison of delta 9-THC and anandamide induced c-fos expression in the rat forebrain. *Brain Res* **802**: 19-26

McGregor IS, Dastur FN, McLellan RA, Brown RE (1996) Cannabinoid modulation of rat pup ultrasonic vocalizations. *Eur J Pharmacol* **313**: 43-49

McGuire JJ, Ding H, Triggler CR (2001) Endothelium-derived relaxing factors: a focus on endothelium-derived hyperpolarizing factor(s). *Can J Physiol Pharmacol* **79**: 443-470

McIntosh HH, Song C, Howlett AC (1998) CB1 cannabinoid receptor: cellular regulation and distribution in N18TG2 neuroblastoma cells. *Brain Res Mol Brain Res* **53**: 163-173

McIntosh JM, Ghomashchi F, Gelb MH, Dooley DJ, Stoehr SJ, Giordani AB, Naisbitt SR, Olivera BM (1995) Conodipine-M, a novel phospholipase A2 isolated from the venom of the marine snail *Conus magus*. *J Biol Chem* **270**: 3518-3526

McKallip RJ, Lombard C, Fisher M, Martin BR, Ryu S, Grant S, Nagarkatti PS, Nagarkatti M (2002) Targeting CB2 cannabinoid receptors as a novel therapy to treat malignant lymphoblastic disease. *Blood* **100**: 627-634

McKinney MK, Cravatt BF (2003) Evidence for distinct roles in catalysis for residues of the serine-serine-lysine catalytic triad of fatty acid amide hydrolase. *J Biol Chem* **278**: 37393-37399

McLatchie LM, Bevan S (2001) The effects of pH on the interaction between capsaicin and the vanilloid receptor in rat dorsal root ganglia neurons. *Br J Pharmacol* **132**: 899-908

McLaughlin PJ, Winston K, Swezey L, Wisniecki A, Aberman J, Tardif DJ, Betz AJ, Ishiwari K, Makriyannis A, Salamone JD (2003) The cannabinoid CB1 antagonists SR 141716A and AM 251 suppress food intake and food-reinforced behavior in a variety of tasks in rats. *Behav Pharmacol* **14**: 583-588

McLaughlin SH, Smith HW, Jackson SE (2002) Stimulation of the weak ATPase activity of human hsp90 by a client protein. *J Mol Biol* **315**: 787-798

McMahan UJ (1990) The agrin hypothesis. *Cold Spring Harb Symp Quant Biol* **55**: 407-418

McMahan UJ, Horton SE, Werle MJ, Honig LS, Kroger S, Ruegg MA, Escher G (1992) Agrin isoforms and their role in synaptogenesis. *Curr Opin Cell Biol* **4**: 869-874

McMurray RW, Hardy KJ (2002) Cox-2 inhibitors: today and tomorrow. *Am J Med Sci* **323**: 181-189

McNulty TJ, Letcher AJ, Dawson AP, Irvine RF (2001) Tissue distribution of GAP1(IP4BP) and GAP1(m): two inositol 1,3,4,5-tetrakisphosphate-binding proteins. *Cell Signal* **13**: 877-886

McNulty TJ, Taylor CW (1999) Extracellular heavy-metal ions stimulate Ca²⁺ mobilization in hepatocytes. *Biochem J* **339 (Pt 3)**: 555-561

McPartland J, Di Marzo V, De Petrocellis L, Mercer A, Glass M (2001) Cannabinoid receptors are absent in insects. *J Comp Neurol* **436**: 423-429

McPartland JM (2004) Phylogenomic and chemotaxonomic analysis of the endocannabinoid system. *Brain Res Brain Res Rev* **45**: 18-29

McPartland JM, Glass M (2003) Functional mapping of cannabinoid receptor homologs in mammals, other vertebrates, and invertebrates. *Gene* **312**: 297-303

McQuibban GA, Saurya S, Freeman M (2003) Mitochondrial membrane remodelling regulated by a conserved rhomboid protease. *Nature* **423**: 537-541

McVey DC, Schmid PC, Schmid HH, Vigna SR (2003) Endocannabinoids induce ileitis in rats via the capsaicin receptor (VR1). *J Pharmacol Exp Ther* **304**: 713-722

Mechoulam R (1997) Todd's achievement. *Nature* **386**: 755

Mechoulam R (1999) Recent advantages in cannabinoid research. *Forsch Komplementarmed* **6 Suppl 3**: 16-20

Mechoulam R (2002) Discovery of endocannabinoids and some random thoughts on their possible roles in neuroprotection and aggression. *Prostaglandins Leukot Essent Fatty Acids* **66**: 93-99

Mechoulam R, Ben-Shabat S (1999) From gan-zi-gun-nu to anandamide and 2-arachidonoylglycerol: the ongoing story of cannabis. *Nat Prod Rep* **16**: 131-143

Mechoulam R, Ben-Shabat S, Hanus L, Ligumsky M, Kaminski NE, Schatz AR, Gopher A, Almog S, Martin BR, Compton DR, et al. (1995) Identification of an endogenous 2-monoglyceride, present in canine gut, that binds to cannabinoid receptors. *Biochem Pharmacol* **50**: 83-90

Mechoulam R, Ben Shabat S, Hanus L, Fride E, Vogel Z, Bayewitch M, Sulcova AE (1996) Endogenous cannabinoid ligands--chemical and biological studies. *J Lipid Mediat Cell Signal* **14**: 45-49

Mechoulam R, Fride E (2001) Physiology. A hunger for cannabinoids. *Nature* **410**: 763, 765

Mechoulam R, Fride E, Ben-Shabat S, Meiri U, Horowitz M (1998) Carbachol, an acetylcholine receptor agonist, enhances production in rat aorta of 2-arachidonoyl glycerol, a hypotensive endocannabinoid. *Eur J Pharmacol* **362**: R1-3

Mechoulam R, Fride E, Di Marzo V (1998) Endocannabinoids. *Eur J Pharmacol* **359**: 1-18

Mechoulam R, Fride E, Hanus L, Sheskin T, Bisogno T, Di Marzo V, Bayewitch M, Vogel Z (1997) Anandamide may mediate sleep induction. *Nature* **389**: 25-26

Mechoulam R, Hanus L (2002) Cannabidiol: an overview of some chemical and pharmacological aspects. Part I: chemical aspects. *Chem Phys Lipids* **121**: 35-43

Mechoulam R, Hanus L, Martin BR (1994) Search for endogenous ligands of the cannabinoid receptor. *Biochem Pharmacol* **48**: 1537-1544

Mechoulam R, Lichtman AH (2003) Neuroscience. Stout guards of the central nervous system. *Science* **302**: 65-67

Mechoulam R, Panikashvili D, Shohami E (2002) Cannabinoids and brain injury: therapeutic implications. *Trends Mol Med* **8**: 58-61

Mechoulam R, Parker L (2003) Cannabis and alcohol--a close friendship. *Trends Pharmacol Sci* **24**: 266-268

Mechoulam R, Parker LA, Gallily R (2002) Cannabidiol: an overview of some pharmacological aspects. *J Clin Pharmacol* **42**: 11S-19S

Mechoulam R, Spatz M, Shohami E (2002) Endocannabinoids and neuroprotection. *Sci STKE* **2002**: RE5

Medina G, Sewter C, Puig AJ (2000) [PPARgamma and thiazolidinediones, something more than a treatment for diabetes]. *Med Clin (Barc)* **115**: 392-397

Mehta MA, Manes FF, Magnolfi G, Sahakian BJ, Robbins TW (2004) Impaired set-shifting and dissociable effects on tests of spatial working memory following the dopamine D(2) receptor antagonist sulpiride in human volunteers. *Psychopharmacology (Berl)*

Mehta MA, Sahakian BJ, McKenna PJ, Robbins TW (1999) Systemic sulpiride in young adult volunteers simulates the profile of cognitive deficits in Parkinson's disease. *Psychopharmacology (Berl)* **146**: 162-174

Meirhaeghe A, Luan J, Selberg-Franks P, Hennings S, Mitchell J, Halsall D, O'Rahilly S, Wareham NJ (2001) The effect of the Gly16Arg polymorphism of the beta(2)-adrenergic receptor gene on plasma free fatty acid levels is modulated by physical activity. *J Clin Endocrinol Metab* **86**: 5881-5887

Meisner H, Daga A, Buxton J, Fernandez B, Chawla A, Banerjee U, Czech MP (1997) Interactions of Drosophila Cbl with epidermal growth factor receptors and role of Cbl in R7 photoreceptor cell development. *Mol Cell Biol* **17**: 2217-2225

Meissner G, Rios E, Tripathy A, Pasek DA (1997) Regulation of skeletal muscle Ca²⁺ release channel (ryanodine receptor) by Ca²⁺ and monovalent cations and anions. *J Biol Chem* **272**: 1628-1638

Meissner G, Rousseau E, Lai FA, Liu QY, Anderson KA (1988) Biochemical characterization of the Ca²⁺ release channel of skeletal and cardiac sarcoplasmic reticulum. *Mol Cell Biochem* **82**: 59-65

Melck D, Bisogno T, De Petrocellis L, Beaulieu P, Rice AS, Di Marzo V (2002) Cannabimimetic eicosanoids in cancer and inflammation: an update. *Adv Exp Med Biol* **507**: 381-386

Melck D, Bisogno T, De Petrocellis L, Chuang H, Julius D, Bifulco M, Di Marzo V (1999) Unsaturated long-chain N-acyl-vanillyl-amides (N-AVAMs): vanilloid receptor ligands that inhibit anandamide-facilitated transport and bind to CB1 cannabinoid receptors. *Biochem Biophys Res Commun* **262**: 275-284

Melck D, De Petrocellis L, Orlando P, Bisogno T, Laezza C, Bifulco M, Di Marzo V (2000) Suppression of nerve growth factor Trk receptors and prolactin receptors by endocannabinoids leads to inhibition of human breast and prostate cancer cell proliferation. *Endocrinology* **141**: 118-126

Melck D, Rueda D, Galve-Roperh I, De Petrocellis L, Guzman M, Di Marzo V (1999) Involvement of the cAMP/protein kinase A pathway and of mitogen-activated protein kinase in the anti-proliferative effects of anandamide in human breast cancer cells. *FEBS Lett* **463**: 235-240

Melikova MS, Filatova MM, Kornilova ES (2003) [Cbl--a polyfunctional regulator of cellular processes]. *Tsitologija* **45**: 1134-1148

Melis M, Gessa GL, Diana M (2000) Different mechanisms for dopaminergic excitation induced by opiates and cannabinoids in the rat midbrain. *Prog Neuropsychopharmacol Biol Psychiatry* **24**: 993-1006

Melis M, Pistis M, Perra S, Muntoni AL, Pillolla G, Gessa GL (2004) Endocannabinoids mediate presynaptic inhibition of glutamatergic transmission in rat ventral tegmental area dopamine neurons through activation of CB1 receptors. *J Neurosci* **24**: 53-62

Melis MR, Succu S, Mascia MS, Argiolas A (2004) Antagonism of cannabinoid CB1 receptors in the paraventricular nucleus of male rats induces penile erection. *Neurosci Lett* **359**: 17-20

Mellor JR, Merlo D, Jones A, Wisden W, Randall AD (1998) Mouse cerebellar granule cell differentiation: electrical activity regulates the GABAA receptor alpha 6 subunit gene. *J Neurosci* **18**: 2822-2833

Mellor JR, Wisden W, Randall AD (2000) Somato-synaptic variation of GABA(A) receptors in cultured murine cerebellar granule cells: investigation of the role of the alpha6 subunit. *Neuropharmacology* **39**: 1495-1513

Melvin LS, Milne GM, Johnson MR, Wilken GH, Howlett AC (1995) Structure-activity relationships defining the ACD-tricyclic cannabinoids: cannabinoid receptor binding and analgesic activity. *Drug Des Discov* **13**: 155-166

Mendelson WB, Basile AS (1999) The hypnotic actions of oleamide are blocked by a cannabinoid receptor antagonist. *Neuroreport* **10**: 3237-3239

Mendelson WB, Basile AS (2001) The hypnotic actions of the fatty acid amide, oleamide. *Neuropsychopharmacology* **25**: S36-39

Mendiguren A, Pineda J (2003) Modulation of NMDA - induced excitation of locus coeruleus neurons by cannabinoids in rat brain slices. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Mendizabal VE, Orliac ML, Adler-Graschinsky E (2001) Long-term inhibition of nitric oxide synthase potentiates effects of anandamide in the rat mesenteric bed. *Eur J Pharmacol* **427**: 251-262

Meng ID, Johansen JP (2004) Antinociception and modulation of rostral ventromedial medulla neuronal activity by local microinfusion of a cannabinoid receptor agonist. *Neuroscience* **124**: 685-693

Meng S, Badrinarain J, Sibley E, Fang R, Hodin R (2001) Thyroid hormone and the d-type cyclins interact in regulating enterocyte gene transcription. *J Gastrointest Surg* **5**: 49-55

Mereu G, Fa M, Ferraro L, Cagiano R, Antonelli T, Tattoli M, Ghiglieri V, Tanganelli S, Gessa GL, Cuomo V (2003) Prenatal exposure to a cannabinoid agonist produces memory deficits linked to dysfunction in hippocampal long-term potentiation and glutamate release. *Proc Natl Acad Sci U S A* **100**: 4915-4920

Meschler JP, Howlett AC (1999) Thujone exhibits low affinity for cannabinoid receptors but fails to evoke cannabimimetic responses. *Pharmacol Biochem Behav* **62**: 473-480

Meschler JP, Howlett AC (2001) Signal transduction interactions between CB1 cannabinoid and dopamine receptors in the rat and monkey striatum. *Neuropharmacology* **40**: 918-926

Meschler JP, Kraichely DM, Wilken GH, Howlett AC (2000) Inverse agonist properties of N-(piperidin-1-yl)-5-(4-chlorophenyl)-1-(2, 4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboxamide HCl (SR141716A) and 1-(2-chlorophenyl)-4-cyano-5-(4-methoxyphenyl)-1H-pyrazole-3-carboxylic acid phenylamide (CP-272871) for the CB(1) cannabinoid receptor. *Biochem Pharmacol* **60**: 1315-1323

Mesenholler M, Matthews EK (2000) A key role for the mitochondrial benzodiazepine receptor in cellular photosensitisation with delta-aminolaevulinic acid. *Eur J Pharmacol* **406**: 171-180

Messersmith EK, Redburn DA (1992) gamma-Aminobutyric acid immunoreactivity in multiple cell types of the developing rabbit retina. *Vis Neurosci* **8**: 201-211

Michel AD, Kaur R, Chessell IP, Humphrey PP (2000) Antagonist effects on human P2X(7) receptor-mediated cellular accumulation of YO-PRO-1. *Br J Pharmacol* **130**: 513-520

Michel AD, Xing M, Humphrey PP (2001) Serum constituents can affect 2'-& 3'-O-(4-benzoylbenzoyl)-ATP potency at P2X(7) receptors. *Br J Pharmacol* **132**: 1501-1508

Michikawa T, Hirota J, Kawano S, Hiraoka M, Yamada M, Furuichi T, Mikoshiba K (1999) Calmodulin mediates calcium-dependent inactivation of the cerebellar type 1 inositol 1,4,5-trisphosphate receptor. *Neuron* **23**: 799-808

Mignery GA, Newton CL, Archer BT, 3rd, Sudhof TC (1990) Structure and expression of the rat inositol 1,4,5-trisphosphate receptor. *J Biol Chem* **265**: 12679-12685

Mignery GA, Sudhof TC, Takei K, De Camilli P (1989) Putative receptor for inositol 1,4,5-trisphosphate similar to ryanodine receptor. *Nature* **342**: 192-195

Mikawa Y, Matsuda S, Kanagawa T, Tajika T, Ueda N, Mimura Y (1997) Ocular activity of topically administered anandamide in the rabbit. *Jpn J Ophthalmol* **41**: 217-220

Miles R (1999) Neurobiology. A homeostatic switch. *Nature* **397**: 215-216

Millns PJ, Chapman V, Kendall DA (2002) Anandamide-evoked Ca²⁺ responses in adult rat dorsal root ganglion neurones. *British Journal of Pharmacology* **135**

Mills J, Laurent Charest D, Lam F, Beyreuther K, Ida N, Pelech SL, Reiner PB (1997) Regulation of amyloid precursor protein catabolism involves the mitogen-activated protein kinase signal transduction pathway. *J Neurosci* **17**: 9415-9422

Milton NG (2002) Anandamide and noladin ether prevent neurotoxicity of the human amyloid-beta peptide. *Neurosci Lett* **332**: 127-130

Mimeault M, Pommery N, Watzel N, Bailly C, Henichart JP (2003) Anti-proliferative and apoptotic effects of anandamide in human prostatic cancer cell lines: implication of epidermal growth factor receptor down-regulation and ceramide production. *Prostate* **56**: 1-12

Misgeld UA, Mades S, Yanovsky Y (2002) Dopaminergic Modulation of the Inhibitory Input to Substantia Nigra Neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Mistry H, Gitlin JM, Mitchell JA, Hiley CR (2003) Endothelium-dependent relaxation and endothelial hyperpolarization by P2Y receptor agonists in rat-isolated mesenteric artery. *Br J Pharmacol* **139**: 661-671

Miyakawa T, Maeda A, Yamazawa T, Hirose K, Kurosaki T, Iino M (1999) Encoding of Ca²⁺ signals by differential expression of IP3 receptor subtypes. *Embo J* **18**: 1303-1308

Miyawaki A, Furuichi T, Ryou Y, Yoshikawa S, Nakagawa T, Saitoh T, Mikoshiba K (1991) Structure-function relationships of the mouse inositol 1,4,5-trisphosphate receptor. *Proc Natl Acad Sci U S A* **88**: 4911-4915

Miyazawa A, Fujiyoshi Y, Stowell M, Unwin N (1999) Nicotinic acetylcholine receptor at 4.6 Å resolution: transverse tunnels in the channel wall. *J Mol Biol* **288**: 765-786

Mo FM, Offertaler L, Kunos G (2004) Atypical cannabinoid stimulates endothelial cell migration via a Gi/Go-coupled receptor distinct from CB1, CB2 or EDG-1. *Eur J Pharmacol* **489**: 21-27

Mochizuki T, Wu G, Hayashi T, Xenophontos SL, Veldhuisen B, Saris JJ, Reynolds DM, Cai Y, Gabow PA, Pierides A, Kimberling WJ, Breuning MH, Deltas CC, Peters DJ, Somlo S (1996) PKD2, a gene for polycystic kidney disease that encodes an integral membrane protein. *Science* **272**: 1339-1342

Moelling K, Schulze T, Knoop MT, Kay J, Jupp R, Nicolaou G, Pearl LH (1990) In vitro inhibition of HIV-1 proteinase by cerulenin. *FEBS Lett* **261**: 373-377

Moesgaard B, Hansen HH, Hansen SL, Hansen SH, Petersen G, Hansen HS (2003) Brain levels of N-acyl-ethanolamine phospholipids in mice during pentylenetetrazol-induced seizure. *Lipids* **38**: 387-390

Moesgaard B, Petersen G, Jaroszewski JW, Hansen HS (2000) Age dependent accumulation of N-acyl-ethanolamine phospholipids in ischemic rat brain. A (31)P NMR and enzyme activity study. *J Lipid Res* **41**: 985-990

Moesgaard B, Petersen G, Mortensen SA, Hansen HS (2002) Substantial species differences in relation to formation and degradation of N-acyl-ethanolamine phospholipids in heart tissue: an enzyme activity study. *Comp Biochem Physiol B Biochem Mol Biol* **131**: 475-482

Moezi L, Rezayat M, Samini M, Shafaroodi H, Mehr SE, Ebrahimkhani MR, Dehpour AR (2004) Potentiation of anandamide effects in mesenteric beds isolated from bile duct-ligated rats: role of nitric oxide. *Eur J Pharmacol* **486**: 53-59

Moffett-King A, Entrican G, Ellis S, Hutchinson J, Bainbridge D (2002) Natural killer cells and reproduction. *Trends Immunol* **23**: 332-333

Mohle R, Bautz F, Denzlinger C, Kanz L (2001) Transendothelial migration of hematopoietic progenitor cells. Role of chemotactic factors. *Ann N Y Acad Sci* **938**: 26-34; discussion 34-25

Molderings GJ, Bonisch H, Hammermann R, Gothert M, Bruss M (2002) Noradrenaline release-inhibiting receptors on PC12 cells devoid of alpha(2(-)) and CB(1) receptors: similarities to presynaptic imidazoline and edg receptors. *Neurochem Int* **40**: 157-167

Molderings GJ, Gothert M (1998) Presynaptic imidazoline receptors mediate inhibition of noradrenaline release from sympathetic nerves in rat blood vessels. *Fundam Clin Pharmacol* **12**: 388-397

Molderings GJ, Likungu J, Gothert M (1999) Presynaptic cannabinoid and imidazoline receptors in the human heart and their potential relationship. *Naunyn Schmiedebergs Arch Pharmacol* **360**: 157-164

Moldrich G, Wenger T (2000) Localization of the CB1 cannabinoid receptor in the rat brain. An immunohistochemical study. *Peptides* **21**: 1735-1742

Molina-Holgado E, Vela JM, Arevalo-Martin A, Almazan G, Molina-Holgado F, Borrell J, Guaza C (2002) Cannabinoids promote oligodendrocyte progenitor survival: involvement of cannabinoid receptors and phosphatidylinositol-3 kinase/Akt signaling. *J Neurosci* **22**: 9742-9753

Molina-Holgado F, Lledo A, Guaza C (1997) Anandamide suppresses nitric oxide and TNF-alpha responses to Theiler's virus or endotoxin in astrocytes. *Neuroreport* **8**: 1929-1933

Molina-Holgado F, Molina-Holgado E, Guaza C (1998) The endogenous cannabinoid anandamide potentiates interleukin-6 production by astrocytes infected with Theiler's murine encephalomyelitis virus by a receptor-mediated pathway. *FEBS Lett* **433**: 139-142

Molina-Holgado F, Molina-Holgado E, Guaza C, Rothwell NJ (2002) Role of CB1 and CB2 receptors in the inhibitory effects of cannabinoids on lipopolysaccharide-induced nitric oxide release in astrocyte cultures. *J Neurosci Res* **67**: 829-836

Molina-Holgado F, Pinteaux E, Moore JD, Molina-Holgado E, Guaza C, Gibson RM, Rothwell NJ (2003) Endogenous interleukin-1 receptor antagonist mediates anti-inflammatory and neuroprotective actions of cannabinoids in neurons and glia. *J Neurosci* **23**: 6470-6474

Mombouli JV, Schaeffer G, Holzmann S, Kostner GM, Graier WF (1999) Anandamide-induced mobilization of cytosolic Ca²⁺ in endothelial cells. *Br J Pharmacol* **126**: 1593-1600

Moneer Z, Taylor CW (2002) Reciprocal regulation of capacitative and non-capacitative Ca²⁺ entry in A7r5 vascular smooth muscle cells: only the latter operates during receptor activation. *Biochem J* **362**: 13-21

Mongan NP, Hughes IA, Lim HN (2002) Evidence that luteinising hormone receptor polymorphisms may contribute to male undermasculinisation. *Eur J Endocrinol* **147**: 103-107

Mongan NP, Jaaskelainen J, Green K, Schwabe JW, Shimura N, Dattani M, Hughes IA (2002) Two de novo mutations in the AR gene cause the complete androgen insensitivity syndrome in a pair of monozygotic twins. *J Clin Endocrinol Metab* **87**: 1057-1061

Monhemius R, Azami J, Green DL, Roberts MH (2001) CB1 receptor mediated analgesia from the Nucleus Reticularis Gigantocellularis pars alpha is activated in an animal model of neuropathic pain. *Brain Res* **908**: 67-74

Monory K, Tzavara ET, Lexime J, Ledent C, Parmentier M, Borsodi A, Hanoune J (2002) Novel, not adenylyl cyclase-coupled cannabinoid binding site in cerebellum of mice. *Biochem Biophys Res Commun* **292**: 231-235

Montanaro F, Gee SH, Jacobson C, Lindenbaum MH, Froehner SC, Carbonetto S (1998) Laminin and alpha-dystroglycan mediate acetylcholine receptor aggregation via a MuSK-independent pathway. *J Neurosci* **18**: 1250-1260

Moody JS, Kozak KR, Ji C, Marnett LJ (2001) Selective oxygenation of the endocannabinoid 2-arachidonylglycerol by leukocyte-type 12-lipoxygenase. *Biochemistry* **40**: 861-866

Moore D, Chambers J, Waldvogel H, Fauli R, Emson P (2000) Regional and cellular distribution of the P2Y(1) purinergic receptor in the human brain: striking neuronal localisation. *J Comp Neurol* **421**: 374-384

Moore DJ, Chambers JK, Murdock PR, Emson PC (2002) Human Ntera-2/D1 neuronal progenitor cells endogenously express a functional P2Y1 receptor. *Neuropharmacology* **43**: 966-978

Moore DJ, Murdock PR, Watson JM, Faull RL, Waldvogel HJ, Szekeres PG, Wilson S, Freeman KB, Emson PC (2003) GPR105, a novel Gi/o-coupled UDP-glucose receptor expressed on brain glia and peripheral immune cells, is regulated by immunologic challenge: possible role in neuroimmune function. *Brain Res Mol Brain Res* **118**: 10-23

Moore H, Grace AA (2002) A role for electrotonic coupling in the striatum in the expression of dopamine receptor-mediated stereotypies. *Neuropsychopharmacology* **27**: 980-992

Moosmann B, Behl C (2002) Antioxidants as treatment for neurodegenerative disorders. *Expert Opin Investig Drugs* **11**: 1407-1435

Morales M, Backman C (2002) Coexistence of serotonin 3 (5-HT₃) and CB1 cannabinoid receptors in interneurons of hippocampus and dentate gyrus. *Hippocampus* **12**: 756-764

Morales M, Wang SD, Diaz-Ruiz O, Jho DH (2004) Cannabinoid CB1 receptor and serotonin 3 receptor subunit A (5-HT_{3A}) are co-expressed in GABA neurons in the rat telencephalon. *J Comp Neurol* **468**: 205-216

Moran AP, Rietschel ET, Kosunen TU, Zahringer U (1991) Chemical characterization of *Campylobacter jejuni* lipopolysaccharides containing N-acetylneuraminic acid and 2,3-diamino-2,3-dideoxy-D-glucose. *J Bacteriol* **173**: 618-626

Moraru, II, Kaftan EJ, Ehrlich BE, Watras J (1999) Regulation of type 1 inositol 1,4,5-trisphosphate-gated calcium channels by InsP₃ and calcium: Simulation of single channel kinetics based on ligand binding and electrophysiological analysis. *J Gen Physiol* **113**: 837-849

Morefield SI, Keefer EW, Chapman KD, Gross GW (2000) Drug evaluations using neuronal networks cultured on microelectrode arrays. *Biosens Bioelectron* **15**: 383-396

Morgans CW, Brandstatter JH, Kellerman J, Betz H, Wassle H (1996) A SNARE complex containing syntaxin 3 is present in ribbon synapses of the retina. *J Neurosci* **16**: 6713-6721

Morishima N, Ikai A (1987) Active site organization of bacterial type I fatty acid synthetase. *J Biochem (Tokyo)* **102**: 1451-1457

Morisset V, Ahluwalia J, Nagy I, Urban L (2001) Possible mechanisms of cannabinoid-induced antinociception in the spinal cord. *Eur J Pharmacol* **429**: 93-100

Morisset V, Urban L (2001) Cannabinoid-induced presynaptic inhibition of glutamatergic EPSCs in substantia gelatinosa neurons of the rat spinal cord. *J Neurophysiol* **86**: 40-48

Morley KC, Li KM, Hunt GE, Mallet PE, McGregor IS (2004) Cannabinoids prevent the acute hyperthermia and partially protect against the 5-HT depleting effects of MDMA ("Ecstasy") in rats. *Neuropharmacology* **46**: 954-965

Morozov YM, Freund TF (2003) Post-natal development of type 1 cannabinoid receptor immunoreactivity in the rat hippocampus. *Eur J Neurosci* **18**: 1213-1222

Morris AP, Gallacher DV, Irvine RF, Petersen OH (1987) Synergism of inositol trisphosphate and tetrakisphosphate in activating Ca²⁺-dependent K⁺ channels. *Nature* **330**: 653-655

Morris SA, Nerou EP, Riley AM, Potter BV, Taylor CW (2002) Determinants of adenophostin A binding to inositol trisphosphate receptors. *Biochem J* **367**: 113-120

Morton-Firth CJ, Shimizu TS, Bray D (1999) A free-energy-based stochastic simulation of the Tar receptor complex. *J Mol Biol* **286**: 1059-1074

Morton LF, Peachey AR, Knight CG, Farndale RW, Barnes MJ (1997) The platelet reactivity of synthetic peptides based on the collagen III fragment alpha1(III)CB4. Evidence for an integrin alpha2beta1 recognition site involving residues 522-528 of the alpha1(III) collagen chain. *J Biol Chem* **272**: 11044-11048

Mosedale DE, Grainger DJ (1999) An antibody present in normal human serum inhibits the binding of cytokines to their receptors in an in vitro system. *Biochem J* **343 Pt 1**: 125-133

Motley A, Bright NA, Seaman MN, Robinson MS (2003) Clathrin-mediated endocytosis in AP-2-depleted cells. *J Cell Biol* **162**: 909-918

Motobe T, Hashiguchi T, Uchimura T, Yamakuchi M, Taniguchi N, Komiya S, Maruyama I (2004) Endogenous cannabinoids are candidates for lipid mediators of bone cement implantation syndrome. *Shock* **21**: 8-12

Movsesyan VA, Stoica BA, Cernak I, Dabaghyan EA, Faden AI (2002) Anandamide Induces Neuronal Apoptosis in Primary Neuronal Cultures. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Msghina M, Millar AG, Charlton MP, Govind CK, Atwood HL (1999) Calcium entry related to active zones and differences in transmitter release at phasic and tonic synapses. *J Neurosci* **19**: 8419-8434

Muhammad I, Li XC, Dunbar DC, ElSohly MA, Khan IA (2001) Antimalarial (+)-trans-hexahydrodibenzopyran derivatives from *Machaerium multiflorum*. *J Nat Prod* **64**: 1322-1325

Mukhopadhyay S, Chapnick BM, Howlett AC (2002) Anandamide-induced vasorelaxation in rabbit aortic rings has two components: G protein dependent and independent. *Am J Physiol Heart Circ Physiol* **282**: H2046-2054

Mukhopadhyay S, Cowsik SM, Lynn AM, Welsh WJ, Howlett AC (1999) Regulation of Gi by the CB1 cannabinoid receptor C-terminal juxtamembrane region: structural requirements determined by peptide analysis. *Biochemistry* **38**: 3447-3455

Mukhopadhyay S, Das S, Howlett AC (2001) LPS-induced upregulation of CB2 cannabinoid receptors in RAW 264.7 macrophage cells is modulated by a cAMP-dependent protein kinase pathway. *FASEB Journal* **15**

Mukhopadhyay S, Howlett AC (2001) CB1 receptor-G protein association. Subtype selectivity is determined by distinct intracellular domains. *Eur J Biochem* **268**: 499-505

Mukhopadhyay S, McIntosh HH, Houston DB, Howlett AC (2000) The CB(1) cannabinoid receptor juxtamembrane C-terminal peptide confers activation to specific G proteins in brain. *Mol Pharmacol* **57**: 162-170

Muller-Vahl KR (2003) Cannabinoids reduce symptoms of Tourette's syndrome. *Expert Opin Pharmacother* **4**: 1717-1725

Muller BM, Kistner U, Kindler S, Chung WJ, Kuhlendahl S, Fenster SD, Lau LF, Veh RW, Haganir RL, Gundelfinger ED, Garner CC (1996) SAP102, a novel postsynaptic protein that interacts with NMDA receptor complexes in vivo. *Neuron* **17**: 255-265

Muller BM, Kistner U, Veh RW, Cases-Langhoff C, Becker B, Gundelfinger ED, Garner CC (1995) Molecular characterization and spatial distribution of SAP97, a novel presynaptic protein homologous to SAP90 and the Drosophila discs-large tumor suppressor protein. *J Neurosci* **15**: 2354-2366

Muller D, Sommer M, Kretzschmar M, Zimmermann T, Buko VU, Lukivskaya O, Dargel R (1991) Lipid peroxidation in thioacetamide-induced macronodular rat liver cirrhosis. *Arch Toxicol* **65**: 199-203

Muller P, Chambaut-Guerin AM, Rossignol B (1985) Comparative effects of cytochalasin D on the protein discharge induced by alpha- and beta-adrenergic or cholinergic agonists in rat exorbital lacrimal glands. *Biochim Biophys Acta* **844**: 158-166

Mulligan C, Rochford J, Denyer G, Stephens R, Yeo G, Freeman T, Siddle K, O'Rahilly S (2002) Microarray analysis of insulin and insulin-like growth factor-1 (IGF-1) receptor signaling reveals the selective up-regulation of the mitogen heparin-binding EGF-like growth factor by IGF-1. *J Biol Chem* **277**: 42480-42487

Mundt C, Licence S, Shimizu T, Melchers F, Martensson IL (2001) Loss of precursor B cell expansion but not allelic exclusion in VpreB1/VpreB2 double-deficient mice. *J Exp Med* **193**: 435-445

Mundy NI, Badcock NS, Hart T, Scribner K, Janssen K, Nadeau NJ (2004) Conserved genetic basis of a quantitative plumage trait involved in mate choice. *Science* **303**: 1870-1873

Munnik T, Irvine RF, Musgrave A (1998) Phospholipid signalling in plants. *Biochimica et Biophysica Acta* **1389**: 222-272

Munro S, Freeman M (2000) The notch signalling regulator fringe acts in the Golgi apparatus and requires the glycosyltransferase signature motif DXD. *Curr Biol* **10**: 813-820

Munro S, Thomas KL, Abu-Shaar M (1993) Molecular characterization of a peripheral receptor for cannabinoids. *Nature* **365**: 61-65

Murakami K, Yubisui T, Takeshita M, Miyata T (1989) The NH2-terminal structures of human and rat liver microsomal NADH-cytochrome b5 reductases. *J Biochem (Tokyo)* **105**: 312-317

Murakami M, Masuda S, Kudo I (2003) Arachidonate release and prostaglandin production by group IVC phospholipase A2 (cytosolic phospholipase A2gamma). *Biochem J* **372**: 695-702

Murakami S, Muramatsu M, Araki H, Otomo S (1994) Structure-activity relationships of unsaturated long chain fatty acids in relation to the inhibition of gastric H⁺,K⁺-ATPase. *Res Commun Mol Pathol Pharmacol* **85**: 57-66

Murayama T, Ogawa Y (1994) Relationships among ryanodine receptor isoforms expressed in vertebrate skeletal muscles based on immunologic cross-reactivities. *J Biochem (Tokyo)* **116**: 1117-1122

Murchie AI, Davis B, Isel C, Afshar M, Drysdale MJ, Bower J, Potter AJ, Starkey ID, Swarbrick TM, Mirza S, Prescott CD, Vaglio P, Aboul-ela F, Karn J (2004) Structure-based drug design targeting an inactive RNA conformation: exploiting the flexibility of HIV-1 TAR RNA. *J Mol Biol* **336**: 625-638

Murillo-Rodriguez E, Blanco-Centurion C, Sanchez C, Piomelli D, Shiromani PJ (2003) Anandamide enhances extracellular levels of adenosine and induces sleep: an in vivo microdialysis study. *Sleep* **26**: 943-947

Murillo-Rodriguez E, Cabeza R, Mendez-Diaz M, Navarro L, Prospero-Garcia O (2001) Anandamide-

induced sleep is blocked by SR141716A, a CB1 receptor antagonist and by U73122, a phospholipase C inhibitor. *Neuroreport* **12**: 2131-2136

Murillo-Rodriguez E, Giordano M, Cabeza R, Henriksen SJ, Mendez Diaz M, Navarro L, Prospero-Garcia O (2001) Oleamide modulates memory in rats. *Neurosci Lett* **313**: 61-64

Murillo-Rodriguez E, Sanchez-Alavez M, Navarro L, Martinez-Gonzalez D, Drucker-Colin R, Prospero-Garcia O (1998) Anandamide modulates sleep and memory in rats. *Brain Res* **812**: 270-274

Murillo-Rodriguez E, Sanchez C, Piomelli D, Shiromani PJ (2003) The endocannabinoids, anandamide and 2 - arachidonoyl glycerol modulating sleep via adenosine system. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Murphy JW, Kendall DA (2003) Integrity of extracellular loop 1 of the human cannabinoid receptor 1 is critical for high-affinity binding of the ligand CP 55,940 but not SR 141716A. *Biochem Pharmacol* **65**: 1623-1631

Murray J, Walmsley SR, Mecklenburgh KI, Cowburn AS, White JF, Rossi AG, Chilvers ER (2003) Hypoxic regulation of neutrophil apoptosis role: of reactive oxygen intermediates in constitutive and tumor necrosis factor alpha-induced cell death. *Ann N Y Acad Sci* **1010**: 417-425

Mussinu JM, Ruiu S, Mule AC, Pau A, Carai MA, Loriga G, Murineddu G, Pinna GA (2003) Tricyclic pyrazoles. Part 1: synthesis and biological evaluation of novel 1,4-dihydroindeno[1,2-c]pyrazol-based ligands for CB1 and CB2 cannabinoid receptors. *Bioorg Med Chem* **11**: 251-263

Musty RE, Reggio P, Consroe P (1995) A review of recent advances in cannabinoid research and the 1994 International Symposium on Cannabis and the Cannabinoids. *Life Sci* **56**: 1933-1940

Muthian S, Nithipatikom K, Campbell WB, Hillard CJ (2000) Synthesis and characterization of a fluorescent substrate for the N-arachidonoyl ethanolamine (anandamide) transmembrane carrier. *J Pharmacol Exp Ther* **293**: 289-295

Mutini C, Falzoni S, Ferrari D, Chiozzi P, Morelli A, Baricordi OR, Collo G, Ricciardi-Castagnoli P, Di Virgilio F (1999) Mouse dendritic cells express the P2X7 purinergic receptor: characterization and possible participation in antigen presentation. *J Immunol* **163**: 1958-1965

Naassila M, Pierrefiche O, Ledent C, Daoust M (2004) Decreased alcohol self-administration and increased alcohol sensitivity and withdrawal in CB1 receptor knockout mice. *Neuropharmacology* **46**: 243-253

Nackley AG, Makriyannis A, Hohmann AG (2003) Selective activation of cannabinoid CB(2) receptors suppresses spinal fos protein expression and pain behavior in a rat model of inflammation. *Neuroscience* **119**: 747-757

Nackley AG, Suplita RL, Hohmann AG (2003) A peripheral cannabinoid mechanism suppresses spinal Fos protein expression and pain behavior in a rat model of inflammation. *Neuroscience* **117**: 659-670

Nadipuram AK, Krishnamurthy M, Ferreira AM, Li W, Moore BM (2003) Synthesis and testing of novel classical cannabinoids: exploring the side chain ligand binding pocket of the CB1 and CB2 receptors. *Bioorg Med Chem* **11**: 3121-3132

Nagai K, Oubridge C, Kuglstatter A, Menichelli E, Isel C, Jovine L (2003) Structure, function and evolution of the signal recognition particle. *Embo J* **22**: 3479-3485

Nagayama T, Sinor AD, Simon RP, Chen J, Graham SH, Jin K, Greenberg DA (1999) Cannabinoids and neuroprotection in global and focal cerebral ischemia and in neuronal cultures. *J Neurosci* **19**: 2987-2995

Nagendra HG, Harrington AE, Harmer NJ, Pellegrini L, Blundell TL, Burke DF (2001) Sequence analyses and comparative modeling of fly and worm fibroblast growth factor receptors indicate that the determinants for FGF and heparin binding are retained in evolution. *FEBS Lett* **501**: 51-58

Nagy P, Jenei A, Kirsch AK, Szollosi J, Damjanovich S, Jovin TM (1999) Activation-dependent clustering of the erbB2 receptor tyrosine kinase detected by scanning near-field optical microscopy. *J Cell Sci* **112 (Pt 11)**: 1733-1741

Nakagawa Y, Waku K (1988) Selective inhibition of free arachidonic acid production in activated alveolar macrophages by calmodulin antagonists. *Biochem Biophys Res Commun* **156**: 947-953

Nakamura A, Shiomi H (1999) Recent advances in neuropharmacology of cutaneous nociceptors. *Jpn J Pharmacol* **79**: 427-431

Nakane S, Oka S, Arai S, Waku K, Ishima Y, Tokumura A, Sugiura T (2002) 2-Arachidonoyl-sn-glycero-3-phosphate, an arachidonic acid-containing lysophosphatidic acid: occurrence and rapid enzymatic conversion to 2-arachidonoyl-sn-glycerol, a cannabinoid receptor ligand, in rat brain. *Arch Biochem Biophys* **402**: 51-58

Nakane S, Tanaka T, Satouchi K, Kobayashi Y, Waku K, Sugiura T (2000) Occurrence of a novel cannabimimetic molecule 2-sciadonoylglycerol (2-eicosa-5',11',14'-trienoylglycerol) in the umbrella pine

Sciadopitys verticillata seeds. *Biol Pharm Bull* **23**: 758-761

Nakatsuka T, Chen HX, Roper SN, Gu JG (2003) Cannabinoid receptor-1 activation suppresses inhibitory synaptic activity in human dentate gyrus. *Neuropharmacology* **45**: 116-121

Nakazi M, Bauer U, Nickel T, Kathmann M, Schlicker E (2000) Inhibition of serotonin release in the mouse brain via presynaptic cannabinoid CB1 receptors. *Naunyn Schmiedebergs Arch Pharmacol* **361**: 19-24

Natarajan V, Reddy PV, Schmid PC, Schmid HH (1981) On the biosynthesis and metabolism of N-acylethanolamine phospholipids in infarcted dog heart. *Biochim Biophys Acta* **664**: 445-448

Natarajan V, Reddy PV, Schmid PC, Schmid HH (1982) N-Acylation of ethanolamine phospholipids in canine myocardium. *Biochim Biophys Acta* **712**: 342-355

Natarajan V, Schmid PC, Reddy PV, Schmid HH (1984) Catabolism of N-acylethanolamine phospholipids by dog brain preparations. *J Neurochem* **42**: 1613-1619

Natarajan V, Schmid PC, Reddy PV, Zuzarte-Augustin ML, Schmid HH (1983) Biosynthesis of N-acylethanolamine phospholipids by dog brain preparations. *J Neurochem* **41**: 1303-1312

Natarajan V, Schmid PC, Reddy PV, Zuzarte-Augustin ML, Schmid HH (1985) Occurrence of N-acylethanolamine phospholipids in fish brain and spinal cord. *Biochim Biophys Acta* **835**: 426-433

Natarajan V, Schmid PC, Schmid HH (1986) N-acylethanolamine phospholipid metabolism in normal and ischemic rat brain. *Biochim Biophys Acta* **878**: 32-41

Nathanson MH, Fallon MB, Padfield PJ, Maranto AR (1994) Localization of the type 3 inositol 1,4,5-trisphosphate receptor in the Ca²⁺ wave trigger zone of pancreatic acinar cells. *J Biol Chem* **269**: 4693-4696

Navarro L, Martinez-vargas M, Murillo-rodriguez E, Landa A, Mendez-diaz M, Prospero-garcia O (2003) Potential role of the cannabinoid receptor CB1 in rapid eye movement sleep rebound. *Neuroscience* **120**: 855-859

Navarro M, Carrera MR, Fratta W, Valverde O, Cossu G, Fattore L, Chowen JA, Gomez R, del Arco I, Villanua MA, Maldonado R, Koob GF, Rodriguez de Fonseca F (2001) Functional interaction between opioid and cannabinoid receptors in drug self-administration. *J Neurosci* **21**: 5344-5350

Navarro M, Chowen J, Rocio ACM, del Arco I, Villanua MA, Martin Y, Roberts AJ, Koob GF, de Fonseca FR (1998) CB1 cannabinoid receptor antagonist-induced opiate withdrawal in morphine-dependent rats. *Neuroreport* **9**: 3397-3402

Navarro M, Hernandez E, Munoz RM, del Arco I, Villanua MA, Carrera MR, Rodriguez de Fonseca F (1997) Acute administration of the CB1 cannabinoid receptor antagonist SR 141716A induces anxiety-like responses in the rat. *Neuroreport* **8**: 491-496

Navarro M, Rodriguez de Fonseca F (1998) The neurobiology of cannabinoid transmission: from anandamide signaling to higher cerebral functions and disease. *Neurobiol Dis* **5**: 379-385

Naver B, Stub C, Moller M, Fenger K, Hansen AK, Hasholt L, Sorensen SA (2003) Molecular and behavioral analysis of the R6/1 Huntington's disease transgenic mouse. *Neuroscience* **122**: 1049-1057

Nawy S (2000) Regulation of the on bipolar cell mGluR6 pathway by Ca²⁺. *J Neurosci* **20**: 4471-4479

Needleman DH, Aghdasi B, Seryshev AB, Schroepfer GJ, Jr., Hamilton SL (1997) Modulation of skeletal muscle Ca²⁺(+)-release channel activity by sphingosine. *Am J Physiol* **272**: C1465-1474

Nelson TE, Lin M, Zapata-Sudo G, Sudo RT (1996) Dantrolene sodium can increase or attenuate activity of skeletal muscle ryanodine receptor calcium release channel. Clinical implications. *Anesthesiology* **84**: 1368-1379

Nemeth J, Helyes Z, Than M, Jakab B, Pinter E, Szolcsanyi J (2003) Concentration-dependent dual effect of anandamide on sensory neuropeptide release from isolated rat tracheae. *Neurosci Lett* **336**: 89-92

Nerli B, Romanini D, Pico G (1997) Structural specificity requirements in the binding of beta lactam antibiotics to human serum albumin. *Chem Biol Interact* **104**: 179-202

Nerou EP, Riley AM, Potter BV, Taylor CW (2001) Selective recognition of inositol phosphates by subtypes of the inositol trisphosphate receptor. *Biochem J* **355**: 59-69

Nethrapalli IS, Singh M, Guan X, Guo Q, Lubahn DB, Korach KS, Toran-Allerand CD (2001) Estradiol (E2) elicits SRC phosphorylation in the mouse neocortex: the initial event in E2 activation of the MAPK cascade? *Endocrinology* **142**: 5145-5148

Netsiri C, Bradley DP, Takeda T, Smith MI, Papadakis N, Hall LD, Parsons AA, James MF, Huang CL (2003) A delayed class of BOLD waveforms associated with spreading depression in the feline cerebral cortex can be detected and characterised using independent component analysis (ICA). *Magn Reson Imaging* **21**: 1097-1110

Neubert TA, Johnson RS, Hurley JB, Walsh KA (1992) The rod transducin alpha subunit amino terminus is heterogeneously fatty acylated. *J Biol Chem* **267**: 18274-18277

New DC, Wong YH (2003) BML-190 and AM251 act as inverse agonists at the human cannabinoid CB2

receptor: signalling via cAMP and inositol phosphates. *FEBS Lett* **536**: 157-160

Newman EA, Zahs KR (1997) Calcium waves in retinal glial cells. *Science* **275**: 844-847

Newman JL, Stiers DL, Anderson WH, Schmid HH (1986) Phase behavior of synthetic N-acyl ethanolamine phospholipids. *Chem Phys Lipids* **42**: 249-260

Newsham-West D, Darlington CL, Smith PF (1998) Potent effects of a selective cannabinoid receptor agonist on some guinea pig medial vestibular nucleus neurons. *Eur J Pharmacol* **348**: R1-2

Neyton J, Trautmann A (1986) Acetylcholine modulation of the conductance of intercellular junctions between rat lacrimal cells. *J Physiol* **377**: 283-295

Ng EW, Aung MM, Abood ME, Martin BR, Razdan RK (1999) Unique analogues of anandamide: arachidonyl ethers and carbamates and norarachidonyl carbamates and ureas. *J Med Chem* **42**: 1975-1981

Ng YF, Meillon JC, Ryan T, Dominey AP, Davis AP, Sanders JK (2001) Gel-Phase MAS NMR Spectroscopy of a Polymer-Supported Pseudorotaxane and Rotaxane: Receptor Binding to an "Inert" Polyethylene Glycol Spacer We thank the EPSRC and Enterprise Ireland as well as the EU TMR programme for financial support. *Angew Chem Int Ed Engl* **40**: 1757-1760

Ni X, Geller EB, Eppihimer MJ, Eisenstein TK, Adler MW, Tuma RF (2004) Win 55212-2, a cannabinoid receptor agonist, attenuates leukocyte/endothelial interactions in an experimental autoimmune encephalomyelitis model. *Mult Scler* **10**: 158-164

Nicholas RS, Wing MG, Compston A (2001) Nonactivated microglia promote oligodendrocyte precursor survival and maturation through the transcription factor NF-kappa B. *Eur J Neurosci* **13**: 959-967

Nichols BJ (2003) GM1-containing lipid rafts are depleted within clathrin-coated pits. *Curr Biol* **13**: 686-690

Nichols BJ, Pelham HR (1998) SNAREs and membrane fusion in the Golgi apparatus. *Biochim Biophys Acta* **1404**: 9-31

Nicholson R, Small J, Dixon AK, Spanswick D, Lee K (2003) Serotonin receptor mRNA expression in rat dorsal root ganglion neurons. *Neurosci Lett* **337**: 119-122

Nicholson RA, Liao C, Zheng J, David LS, Coyne L, Errington AC, Singh G, Lees G (2003) Sodium channel inhibition by anandamide and synthetic cannabimimetics in brain. *Brain Res* **978**: 194-204

Nie J, Lewis DL (2001) The proximal and distal C-terminal tail domains of the CB1 cannabinoid receptor mediate G protein coupling. *Neuroscience* **107**: 161-167

Nie J, Lewis DL (2001) Structural domains of the CB1 cannabinoid receptor that contribute to constitutive activity and G-protein sequestration. *J Neurosci* **21**: 8758-8764

Niederhoffer N, Hansen HH, Fernandez-Ruiz JJ, Szabo B (2001) Effects of cannabinoids on adrenaline release from adrenal medullary cells. *Br J Pharmacol* **134**: 1319-1327

Niederhoffer N, Schmid K, Szabo B (2003) The peripheral sympathetic nervous system is the major target of cannabinoids in eliciting cardiovascular depression. *Naunyn Schmiedebergs Arch Pharmacol* **367**: 434-443

Niederhoffer N, Szabo B (1999) Effect of the cannabinoid receptor agonist WIN55212-2 on sympathetic cardiovascular regulation. *Br J Pharmacol* **126**: 457-466

Niederhoffer N, Szabo B (1999) Involvement of CB1 cannabinoid receptors in the EDHF-dependent vasorelaxation in rabbits. *Br J Pharmacol* **126**: 1383-1386

Nieri P, Greco R, Adinolfi B, Breschi MC, Martinotti E, Nannetti C, Podesta A (2003) CB1- and CB2-cannabinoid receptor-independent lipolysis induced by WIN 55,212-2 in male rat adipocytes. *Naunyn Schmiedebergs Arch Pharmacol* **368**: 352-359

Nieri P, Martinotti E, Testai L, Adinolfi B, Calderone V, Breschi MC (2003) R+-methanandamide inhibits tracheal response to endogenously released acetylcholine via capsazepine-sensitive receptors. *Eur J Pharmacol* **459**: 75-81

Nieri P, Martinotti E, Testai L, Martinelli C, Breschi MC (2003) Effects of cannabinoids on non-adrenergic non-cholinergic-mediated relaxation in guinea-pig trachea. *Eur J Pharmacol* **475**: 115-118

Nieuwenhuizen WF, van Leeuwen S, Jack RW, Egmond MR, Gotz F (2003) Molecular cloning and characterization of the alkaline ceramidase from *Pseudomonas aeruginosa* PA01. *Protein Expr Purif* **30**: 94-104

Nilius B, Vriens J, Prenen J, Droogmans G, Voets T (2004) TRPV4 calcium entry channel: a paradigm for gating diversity. *Am J Physiol Cell Physiol* **286**: C195-205

Nilsson O, Jacobsson SO, Fowler CJ (2003) Cannabinoid CB1 receptor activation does not prevent the toxicity of glutamate towards embryonic chick telencephalon primary cultures. *Comp Biochem Physiol C Toxicol Pharmacol* **136**: 245-251

Nirodi CS, Crews BC, Kozak KR, Morrow JD, Marnett LJ (2004) The glyceryl ester of prostaglandin E2 mobilizes calcium and activates signal transduction in RAW264.7 cells. *Proc Natl Acad Sci U S A* **101**: 1840-

- Nirodi CS, Crews BC, Kozak KR, Morrow JD, Marnett LJ** (2004) The glyceryl ester of prostaglandin E-2 mobilizes calcium and activates signal transduction in RAW264.7 cells. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 1840-1845
- Niven JE, Burrows M** (2003) Spike width reduction modifies the dynamics of short-term depression at a central synapse in the locust. *J Neurosci* **23**: 7461-7469
- Niven JE, Vahasoyrinki M, Juusola M, French AS** (2004) Interactions between light-induced currents, voltage-gated currents, and input signal properties in *Drosophila* photoreceptors. *J Neurophysiol* **91**: 2696-2706
- Nocerino E, Amato M, Izzo AA** (2000) Cannabis and cannabinoid receptors. *Fitoterapia* **71 Suppl 1**: S6-12
- Noe SN, Newton C, Widen R, Friedman H, Klein TW** (2000) Anti-CD40, anti-CD3, and IL-2 stimulation induce contrasting changes in CB1 mRNA expression in mouse splenocytes. *J Neuroimmunol* **110**: 161-167
- Noe SN, Newton C, Widen R, Friedman H, Klein TW** (2001) Modulation of CB1 mRNA upon activation of murine splenocytes. *Adv Exp Med Biol* **493**: 215-221
- Noe SN, Nyland SB, Ugen K, Friedman H, Klein TW** (1998) Cannabinoid receptor agonists enhance syncytia formation in MT-2 cells infected with cell free HIV-1MN. *Adv Exp Med Biol* **437**: 223-229
- Nogueron MI, Porgilsson B, Schneider WE, Stucky CL, Hillard CJ** (2001) Cannabinoid receptor agonists inhibit depolarization-induced calcium influx in cerebellar granule neurons. *J Neurochem* **79**: 371-381
- Nong L, Newton C, Cheng Q, Friedman H, Roth MD, Klein TW** (2002) Altered cannabinoid receptor mRNA expression in peripheral blood mononuclear cells from marijuana smokers. *J Neuroimmunol* **127**: 169-176
- Nong L, Newton C, Friedman H, Klein TW** (2001) CB1 and CB2 receptor mRNA expression in human peripheral blood mononuclear cells (PBMC) from various donor types. *Adv Exp Med Biol* **493**: 229-233
- Nowell KW, Pettit DA, Cabral WA, Zimmerman HW, Jr., Abood ME, Cabral GA** (1998) High-level expression of the human CB2 cannabinoid receptor using a baculovirus system. *Biochem Pharmacol* **55**: 1893-1905
- Nugent C, Prins JB, Whitehead JP, Savage D, Wentworth JM, Chatterjee VK, O'Rahilly S** (2001) Potentiation of glucose uptake in 3T3-L1 adipocytes by PPAR gamma agonists is maintained in cells expressing a PPAR gamma dominant-negative mutant: evidence for selectivity in the downstream responses to PPAR gamma activation. *Mol Endocrinol* **15**: 1729-1738
- Nugent C, Prins JB, Whitehead JP, Wentworth JM, Chatterjee VK, O'Rahilly S** (2001) Arachidonic acid stimulates glucose uptake in 3T3-L1 adipocytes by increasing GLUT1 and GLUT4 levels at the plasma membrane. Evidence for involvement of lipoxygenase metabolites and peroxisome proliferator-activated receptor gamma. *J Biol Chem* **276**: 9149-9157
- Nutt SL, Dingwell KS, Holt CE, Amaya E** (2001) *Xenopus* Sprouty2 inhibits FGF-mediated gastrulation movements but does not affect mesoderm induction and patterning. *Genes Dev* **15**: 1152-1166
- O'Kane CJ, Asztalos Z** (1999) Sexual behaviour: Courting dissatisfaction. *Curr Biol* **9**: R289-292
- O'Keefe TL, Williams GT, Batista FD, Neuberger MS** (1999) Deficiency in CD22, a B cell-specific inhibitory receptor, is sufficient to predispose to development of high affinity autoantibodies. *J Exp Med* **189**: 1307-1313
- O'Keefe TL, Williams GT, Davies SL, Neuberger MS** (1996) Hyperresponsive B cells in CD22-deficient mice. *Science* **274**: 798-801
- O'Keefe TL, Williams GT, Davies SL, Neuberger MS** (1998) Mice carrying a CD20 gene disruption. *Immunogenetics* **48**: 125-132
- O'Rahilly S, Farooqi IS, Yeo GS, Challis BG** (2003) Minireview: human obesity-lessons from monogenic disorders. *Endocrinology* **144**: 3757-3764
- O'Rourke L, Tooze R, Fearon DT** (1997) Co-receptors of B lymphocytes. *Curr Opin Immunol* **9**: 324-329
- O'Sullivan NL, Montgomery PC** (1990) Selective interactions of lymphocytes with neonatal and adult lacrimal gland tissues. *Invest Ophthalmol Vis Sci* **31**: 1615-1622
- O'Sullivan NL, Raja R, Montgomery PC** (1995) Lymphocyte adhesive interactions with lacrimal gland acinar epithelial cells in primary culture. *Invest Ophthalmol Vis Sci* **36**: 2246-2253
- O'Sullivan SE, Kendall DA, Randall MD** (2004) Characterisation of the vasorelaxant properties of the novel endocannabinoid N-arachidonoyl-dopamine (NADA). *Br J Pharmacol* **141**: 803-812
- Oba T** (1997) Niflumic acid differentially modulates two types of skeletal ryanodine-sensitive Ca(2+)-release channels. *Am J Physiol* **273**: C1588-1595
- Oba T, Ishikawa T, Murayama T, Ogawa Y, Yamaguchi M** (2000) H(2)O(2) and ethanol act synergistically to gate ryanodine receptor/calcium-release channel. *Am J Physiol Cell Physiol* **279**: C1366-1374

Obata T, Sakurai Y, Kase Y, Tanifuji Y, Horiguchi T (2003) Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epi prostaglandin F2alpha) by gas chromatography-mass spectrometry-selected ion monitoring for medical samples. *J Chromatogr B Analyt Technol Biomed Life Sci* **792**: 131-140

Ofek I, Fogel M, Attar-Namdar M, Tam Y, Muller R, Mechoulam R, Shohami E, Bab I (2003) Endocannabinoid regulation of bone remodeling. *Journal of Bone and Mineral Research* **18**: S69-S69

Offertaler L, Mo FM, Batkai S, Liu J, Begg M, Razdan RK, Martin BR, Bukoski RD, Kunos G (2003) Selective ligands and cellular effectors of a G protein-coupled endothelial cannabinoid receptor. *Mol Pharmacol* **63**: 699-705

Ogilvy-Stuart AL, Soos MA, Hands SJ, Anthony MY, Dunger DB, O'Rahilly S (2001) Hypoglycemia and resistance to ketoacidosis in a subject without functional insulin receptors. *J Clin Endocrinol Metab* **86**: 3319-3326

Ohno-Shosaku T, Matsui M, Fukudome Y, Shosaku J, Tsubokawa H, Taketo MM, Manabe T, Kano M (2003) Postsynaptic M1 and M3 receptors are responsible for the muscarinic enhancement of retrograde endocannabinoid signalling in the hippocampus. *Eur J Neurosci* **18**: 109-116

Ohno-Shosaku T, Matsui M, Fukudome Y, Shosaku J, Tsubokawa H, Taketo MM, Manabe T, Kano M (2003) Postsynaptic M-1 and M-3 receptors are responsible for the muscarinic enhancement of retrograde endocannabinoid signalling in the hippocampus. *European Journal of Neuroscience* **18**: 109-116

Ohno-Shosaku T, Shosaku J, Tsubokawa H, Kano M (2002) Cooperative endocannabinoid production by neuronal depolarization and group I metabotropic glutamate receptor activation. *Eur J Neurosci* **15**: 953-961

Ohno-Shosaku T, Tsubokawa H, Mizushima I, Yoneda N, Zimmer A, Kano M (2002) Presynaptic cannabinoid sensitivity is a major determinant of depolarization-induced retrograde suppression at hippocampal synapses. *J Neurosci* **22**: 3864-3872

Oka S, Tsuchie A, Tokumura A, Muramatsu M, Suhara Y, Takayama H, Waku K, Sugiura T (2003) Ether-linked analogue of 2-arachidonoylglycerol (noladin ether) was not detected in the brains of various mammalian species. *J Neurochem* **85**: 1374-1381

Okamoto H, Yatomi Y, Ohmori T, Satoh K, Matsumoto Y, Ozaki Y (2000) Sphingosine 1-phosphate stimulates G(i)- and Rho-mediated vascular endothelial cell spreading and migration. *Thromb Res* **99**: 259-265

Okamoto Y, Morishita J, Tsuboi K, Tonai T, Ueda N (2004) Molecular characterization of a phospholipase D generating anandamide and its congeners. *J Biol Chem* **279**: 5298-5305

Okkenhaug K, Bilancio A, Emery JL, Vanhaesebroeck B (2004) Phosphoinositide 3-kinase in T cell activation and survival. *Biochem Soc Trans* **32**: 332-335

Okkenhaug K, Vanhaesebroeck B (2003) PI3K in lymphocyte development, differentiation and activation. *Nat Rev Immunol* **3**: 317-330

Okubo Y, Siddle K, Firth H, O'Rahilly S, Wilson LC, Willatt L, Fukushima T, Takahashi S, Petry CJ, Saukkonen T, Stanhope R, Dunger DB (2003) Cell proliferation activities on skin fibroblasts from a short child with absence of one copy of the type 1 insulin-like growth factor receptor (IGF1R) gene and a tall child with three copies of the IGF1R gene. *J Clin Endocrinol Metab* **88**: 5981-5988

Olah Z, Karai L, Iadarola MJ (2001) Anandamide activates vanilloid receptor 1 (VR1) at acidic pH in dorsal root ganglia neurons and cells ectopically expressing VR1. *J Biol Chem* **276**: 31163-31170

Olah Z, Karai L, Iadarola MJ (2002) Protein kinase C(alpha) is required for vanilloid receptor 1 activation. Evidence for multiple signaling pathways. *J Biol Chem* **277**: 35752-35759

Olah Z, Karai L, Ruda MA, Iadarola MJ (2000) Anandamide induces Ca²⁺-uptake in DRG neurons and in cells ectopically expressing the vanilloid receptor (VR1). *Society for Neuroscience Abstracts* **26**: Abstract No.-39.36

Oland LD, Davison JS, Sharkey KA (2003) Endocannabinoids Inhibit Emesis in the Ferret. *Digestive Disease Week Abstracts and Itinerary Planner* **2003**

Oliva JM, Ortiz S, Palomo T, Manzanares J (2004) Spontaneous cannabinoid withdrawal produces a differential time-related responsiveness in cannabinoid CB1 receptor gene expression in the mouse brain. *J Psychopharmacol* **18**: 59-65

Oliveira L, Stallwood NA, Crankshaw DJ (2000) Effects of some isoprostanes on the human umbilical artery in vitro. *Br J Pharmacol* **129**: 509-514

Oliver D, Lien CC, Soom M, Baukowitz T, Jonas P, Fakler B (2004) Functional conversion between A-type and delayed rectifier K⁺ channels by membrane lipids. *Science* **304**: 265-270

Olson JM, Kennedy SJ, Cabral GA (2003) Expression of the murine CB2 cannabinoid receptor using a recombinant Semliki Forest virus. *Biochem Pharmacol* **65**: 1931-1942

Omar R, Bottrill FE, Hiley CR, White R (2000) Interaction of cyclic AMP modulating agents with levcromakalim in the relaxation of rat isolated mesenteric artery. *Eur J Pharmacol* **401**: 85-96

Omeir RL, Arreaza G, Deutsch DG (1999) Identification of two serine residues involved in catalysis by fatty acid amide hydrolase. *Biochem Biophys Res Commun* **264**: 316-320

Omeir RL, Chin S, Hong Y, Ahern DG, Deutsch DG (1995) Arachidonoyl ethanolamide-[1,2-¹⁴C] as a substrate for anandamide amidase. *Life Sci* **56**: 1999-2005

Onaivi ES, Akinshola BE, Uhl GR (2001) Modulation of cannabinoid receptor (CB1) mediated effects in-vitro and in-vivo. *Society for Neuroscience Abstracts* **27**

Onaivi ES, Chakrabarti A, Chaudhuri G (1996) Cannabinoid receptor genes. *Prog Neurobiol* **48**: 275-305

Onaivi ES, Chakrabarti A, Gwebu ET, Chaudhuri G (1995) Neurobehavioral effects of delta 9-THC and cannabinoid (CB1) receptor gene expression in mice. *Behav Brain Res* **72**: 115-125

Onaivi ES, Chaudhuri G, Abaci AS, Parker M, Manier DH, Martin PR, Hubbard JR (1999) Expression of cannabinoid receptors and their gene transcripts in human blood cells. *Prog Neuropsychopharmacol Biol Psychiatry* **23**: 1063-1077

Onaivi ES, Colas D, Perchuk A, Zhang PW, Ishiguro H, Taylor RE, Uhl GR, Akinshola BE (2003) Interaction between cannabinoids and abused substances. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Onaivi ES, Ishiguro H, Zhang P, Akinshola BE, Lin Z, Darmani N, Leonard C, Hall FS, Hope B, Uhl GR (2002) Cannabinoid Genetics and Behavior. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Onaivi ES, Leonard CM, Ishiguro H, Zhang PW, Lin Z, Akinshola BE, Uhl GR (2002) Endocannabinoids and cannabinoid receptor genetics. *Prog Neurobiol* **66**: 307-344

Ong WY, Mackie K (1999) A light and electron microscopic study of the CB1 cannabinoid receptor in primate brain. *Neuroscience* **92**: 1177-1191

Ong WY, Mackie K (1999) A light and electron microscopic study of the CB1 cannabinoid receptor in the primate spinal cord. *J Neurocytol* **28**: 39-45

Onizuka S, Kasaba T, Ibusuki S, Takasaki M (2002) Sevoflurane Decreases Intracellular Potassium Concentration and Membrane Potentials in the RPeD1 Neuron of *Lymnaea Stagnalis*. *Anesthesiology Abstracts of Scientific Papers Annual Meeting: Abstract No. A-85*

Onley DJ, Knight CG, Tuckwell DS, Barnes MJ, Farndale RW (2000) Micromolar Ca²⁺ concentrations are essential for Mg²⁺-dependent binding of collagen by the integrin alpha 2beta 1 in human platelets. *J Biol Chem* **275**: 24560-24564

Onorato JM, Jenkins AJ, Thorpe SR, Baynes JW (2000) Pyridoxamine, an inhibitor of advanced glycation reactions, also inhibits advanced lipoxidation reactions. Mechanism of action of pyridoxamine. *J Biol Chem* **275**: 21177-21184

Onoue H, Tanaka H, Tanaka K, Doira N, Ito Y (2000) Heterooligomer of type 1 and type 2 inositol 1, 4, 5-trisphosphate receptor expressed in rat liver membrane fraction exists as tetrameric complex. *Biochem Biophys Res Commun* **267**: 928-933

Orliac ML, Peroni R, Celuch SM, Adler-Graschinsky E (2003) Potentiation of anandamide effects in mesenteric beds isolated from endotoxemic rats. *J Pharmacol Exp Ther* **304**: 179-184

Ortar G, Ligresti A, De Petrocellis L, Morera E, Di Marzo V (2003) Novel selective and metabolically stable inhibitors of anandamide cellular uptake. *Biochem Pharmacol* **65**: 1473-1481

Ortiz S, Oliva JM, Perez-Rial S, Palomo T, Manzanares J (2004) Chronic ethanol consumption regulates cannabinoid CB1 receptor gene expression in selected regions of rat brain. *Alcohol Alcohol* **39**: 88-92

Otto S (2003) Dynamic combinatorial chemistry: a new method for selection and preparation of synthetic receptors. *Curr Opin Drug Discov Devel* **6**: 509-520

Otto S, Furlan RL, Sanders JK (2002) Recent developments in dynamic combinatorial chemistry. *Curr Opin Chem Biol* **6**: 321-327

Otto S, Kubik S (2003) Dynamic combinatorial optimization of a neutral receptor that binds inorganic anions in aqueous solution. *J Am Chem Soc* **125**: 7804-7805

Oubridge C, Kuglstatter A, Jovine L, Nagai K (2002) Crystal structure of SRP19 in complex with the S domain of SRP RNA and its implication for the assembly of the signal recognition particle. *Mol Cell* **9**: 1251-1261

Ouyang Y, Hwang SG, Han SH, Kaminski NE (1998) Suppression of interleukin-2 by the putative endogenous cannabinoid 2-arachidonoyl-glycerol is mediated through down-regulation of the nuclear factor of activated T cells. *Mol Pharmacol* **53**: 676-683

Owen DJ, Evans PR (1998) A structural explanation for the recognition of tyrosine-based endocytotic

signals. *Science* **282**: 1327-1332

Owen DJ, Wigge P, Vallis Y, Moore JD, Evans PR, McMahon HT (1998) Crystal structure of the amphiphysin-2 SH3 domain and its role in the prevention of dynamin ring formation. *Embo J* **17**: 5273-5285

Owen VJ, Taske NL, Lamb GD (1997) Reduced Mg²⁺ inhibition of Ca²⁺ release in muscle fibers of pigs susceptible to malignant hyperthermia. *Am J Physiol* **272**: C203-211

Oyamada H, Iino M, Endo M (1993) Effects of ryanodine on the properties of Ca²⁺ release from the sarcoplasmic reticulum in skinned skeletal muscle fibres of the frog. *J Physiol* **470**: 335-348

Oz M, Ravindran A, Diaz-Ruiz O, Zhang L, Morales M (2003) The endogenous cannabinoid anandamide inhibits alpha7 nicotinic acetylcholine receptor-mediated responses in *Xenopus* oocytes. *J Pharmacol Exp Ther* **306**: 1003-1010

Oz M, Tchugunova YB, Dunn SM (2000) Endogenous cannabinoid anandamide directly inhibits voltage-dependent Ca(2+) fluxes in rabbit T-tubule membranes. *Eur J Pharmacol* **404**: 13-20

Oz M, Zhang L, Morales M (2002) Endogenous cannabinoid, anandamide, acts as a noncompetitive inhibitor on 5-HT₃ receptor-mediated responses in *Xenopus* oocytes. *Synapse* **46**: 150-156

Oz M, Zhang L, Ravindran A, Morales M, Lupica CL (2004) DIFFERENTIAL EFFECTS OF ENDOGENOUS AND SYNTHETIC CANNABINOIDS ON {alpha}7-NICOTINIC ACETYLCHOLINE RECEPTOR-MEDIATED RESPONSES IN XENOPUS OOCYTES. *J Pharmacol Exp Ther*

Ozanne SE, Dorling MW, Wang CL, Nave BT (2001) Impaired PI 3-kinase activation in adipocytes from early growth-restricted male rats. *Am J Physiol Endocrinol Metab* **280**: E534-539

Ozanne SE, Olsen GS, Hansen LL, Tingey KJ, Nave BT, Wang CL, Hartil K, Petry CJ, Buckley AJ, Mosthaf-Seedorf L (2003) Early growth restriction leads to down regulation of protein kinase C zeta and insulin resistance in skeletal muscle. *J Endocrinol* **177**: 235-241

Ozawa T (2001) Ryanodine-sensitive Ca²⁺ release mechanism in non-excitabile cells (Review). *Int J Mol Med* **7**: 21-25

Pacher P, Batkai S, Kunos G (2004) Haemodynamic profile and responsiveness to anandamide of TRPV1 receptor knock-out mice. *J Physiol*

Padley JR, Li Q, Pilowsky PM, Goodchild AK (2003) Cannabinoid receptor activation in the rostral ventrolateral medulla oblongata evokes cardiorespiratory effects in anaesthetised rats. *Br J Pharmacol* **140**: 384-394

Page DT (2003) A function for Egf receptor signaling in expanding the developing brain in *Drosophila*. *Curr Biol* **13**: 474-482

Pagotto U, Marsicano G, Fezza F, Theodoropoulou M, Grubler Y, Stalla J, Arzberger T, Milone A, Lusa M, Di Marzo V, Lutz B, Stalla GK (2001) Normal human pituitary gland and pituitary adenomas express cannabinoid receptor type 1 and synthesize endogenous cannabinoids: first evidence for a direct role of cannabinoids on hormone modulation at the human pituitary level. *J Clin Endocrinol Metab* **86**: 2687-2696

Palade P (1987) Drug-induced Ca²⁺ release from isolated sarcoplasmic reticulum. III. Block of Ca²⁺-induced Ca²⁺ release by organic polyamines. *J Biol Chem* **262**: 6149-6154

Palade P, Dettbarn C, Alderson B, Volpe P (1989) Pharmacologic differentiation between inositol-1,4,5-trisphosphate-induced Ca²⁺ release and Ca²⁺- or caffeine-induced Ca²⁺ release from intracellular membrane systems. *Mol Pharmacol* **36**: 673-680

Palade P, Dettbarn C, Volpe P, Alderson B, Otero AS (1989) Direct inhibition of inositol-1,4,5-trisphosphate-induced Ca²⁺ release from brain microsomes by K⁺ channel blockers. *Mol Pharmacol* **36**: 664-672

Palazzo E, Marabese I, de Novellis V, Oliva P, Rossi F, Berrino L, Maione S (2001) Metabotropic and NMDA glutamate receptors participate in the cannabinoid-induced antinociception. *Neuropharmacology* **40**: 319-326

Palkovits M (2000) [The brain and the pain: neurotransmitters and neuronal pathways of pain perception and response]. *Orv Hetil* **141**: 2231-2239

Palmer SL, Khanolkar AD, Makriyannis A (2000) Natural and synthetic endocannabinoids and their structure-activity relationships. *Curr Pharm Des* **6**: 1381-1397

Palmer SL, Thakur GA, Makriyannis A (2002) Cannabinergic ligands. *Chem Phys Lipids* **121**: 3-19

Palnitkar SS, Bin B, Jimenez LS, Morimoto H, Williams PG, Paul-Pletzer K, Parness J (1999) [³H]Azidodantrolene: synthesis and use in identification of a putative skeletal muscle dantrolene binding site in sarcoplasmic reticulum. *J Med Chem* **42**: 1872-1880

Pan X, Ikeda SR, Lewis DL (1996) Rat brain cannabinoid receptor modulates N-type Ca²⁺ channels in a neuronal expression system. *Mol Pharmacol* **49**: 707-714

Pan X, Ikeda SR, Lewis DL (1998) SR 141716A acts as an inverse agonist to increase neuronal voltage-

dependent Ca²⁺ currents by reversal of tonic CB1 cannabinoid receptor activity. *Mol Pharmacol* **54**: 1064-1072

Panikashvili D, Simeonidou C, Ben-Shabat S, Hanus L, Breuer A, Mechoulam R, Shohami E (2001) An endogenous cannabinoid (2-AG) is neuroprotective after brain injury. *Nature* **413**: 527-531

Papa M, Diewald L, Carey MP, Esposito FJ, Gironi Carnevale UA, Sadile AG (2002) A rostro-caudal dissociation in the dorsal and ventral striatum of the juvenile SHR suggests an anterior hypo- and a posterior hyperfunctioning mesocorticolimbic system. *Behav Brain Res* **130**: 171-179

Papahatjis DP, Kourouli T, Abadji V, Goutopoulos A, Makriyannis A (1998) Pharmacophoric requirements for cannabinoid side chains: multiple bond and C1'-substituted delta 8-tetrahydrocannabinols. *J Med Chem* **41**: 1195-1200

Papahatjis DP, Nikas SP, Kourouli T, Chari R, Xu W, Pertwee RG, Makriyannis A (2003) Pharmacophoric requirements for the cannabinoid side chain. Probing the cannabinoid receptor subsite at C1'. *J Med Chem* **46**: 3221-3229

Papanastassiou AM, Fields HL, Meng ID (2004) Local application of the cannabinoid receptor agonist, WIN 55,212-2, to spinal trigeminal nucleus caudalis differentially affects nociceptive and non-nociceptive neurons. *Pain* **107**: 267-275

Pape JR, Skynner MJ, Sim JA, Herbison AE (2001) Profiling gamma-aminobutyric acid (GABA(A)) receptor subunit mRNA expression in postnatal gonadotropin-releasing hormone (GnRH) neurons of the male mouse with single cell RT-PCR. *Neuroendocrinology* **74**: 300-308

Paranavitane V, Coadwell WJ, Eguinoa A, Hawkins PT, Stephens L (2003) LL5beta is a phosphatidylinositol (3,4,5)-trisphosphate sensor that can bind the cytoskeletal adaptor, gamma-filamin. *J Biol Chem* **278**: 1328-1335

Parentin F (2003) Granulomatous anterior uveitis associated with bimatoprost: a case report. *Ocul Immunol Inflamm* **11**: 67-71

Paria BC, Das SK, Dey SK (1995) The preimplantation mouse embryo is a target for cannabinoid ligand-receptor signaling. *Proc Natl Acad Sci U S A* **92**: 9460-9464

Paria BC, Deutsch DD, Dey SK (1996) The uterus is a potential site for anandamide synthesis and hydrolysis: differential profiles of anandamide synthase and hydrolase activities in the mouse uterus during the periimplantation period. *Mol Reprod Dev* **45**: 183-192

Paria BC, Dey SK (2000) Ligand-receptor signaling with endocannabinoids in preimplantation embryo development and implantation. *Chem Phys Lipids* **108**: 211-220

Paria BC, Ma W, Andrenyak DM, Schmid PC, Schmid HH, Moody DE, Deng H, Makriyannis A, Dey SK (1998) Effects of cannabinoids on preimplantation mouse embryo development and implantation are mediated by brain-type cannabinoid receptors. *Biol Reprod* **58**: 1490-1495

Paria BC, Song H, Wang X, Schmid PC, Krebsbach RJ, Schmid HH, Bonner TI, Zimmer A, Dey SK (2001) Dysregulated cannabinoid signaling disrupts uterine receptivity for embryo implantation. *J Biol Chem* **276**: 20523-20528

Paria BC, Wang H, Dey SK (2002) Endocannabinoid signaling in synchronizing embryo development and uterine receptivity for implantation. *Chem Phys Lipids* **121**: 201-210

Paria BC, Zhao X, Wang J, Das SK, Dey SK (1999) Fatty-acid amide hydrolase is expressed in the mouse uterus and embryo during the periimplantation period. *Biol Reprod* **60**: 1151-1157

Parinandi NL, Schmid HH (1988) Effects of long-chain N-acyl ethanolamines on lipid peroxidation in cardiac mitochondria. *FEBS Lett* **237**: 49-52

Park B, Gibbons HM, Mitchell MD, Glass M (2003) Identification of the CB1 cannabinoid receptor and fatty acid amide hydrolase (FAAH) in the human placenta. *Placenta* **24**: 990-995

Park B, Gibbons HM, Mitchell MD, Glass M (2003) Identification of the CB1 cannabinoid receptor and fatty acid amide hydrolase (FAAH) in the human placenta (vol 24, pg 990, 2003). *Placenta* **24**: 990-995

Park B, McPartland JM, Glass M (2004) Cannabis, cannabinoids and reproduction. *Prostaglandins Leukot Essent Fatty Acids* **70**: 189-197

Park K, Brown PD (1994) Intracellular pH modulates ion channel activity in lacrimal gland acinar cells. *Jpn J Physiol* **44 Suppl 2**: S255-259

Park K, Brown PD (1995) Intracellular pH modulates the activity of chloride channels in isolated lacrimal gland acinar cells. *Am J Physiol* **268**: C647-650

Park KP, Beck JS, Douglas IJ, Brown PD (1994) Ca²⁺-activated K⁺ channels are involved in regulatory volume decrease in acinar cells isolated from the rat lacrimal gland. *J Membr Biol* **141**: 193-201

Parker LA, Kwiatkowska M, Burton P, Mechoulam R (2004) Effect of cannabinoids on lithium-induced vomiting in the *Suncus murinus* (house musk shrew). *Psychopharmacology (Berl)* **171**: 156-161

Parmentier-Batteur S, Jin K, Mao XO, Xie L, Greenberg DA (2002) Increased severity of stroke in CB1 cannabinoid receptor knock-out mice. *J Neurosci* **22**: 9771-9775

Parod RJ, Leslie BA, Putney JW, Jr. (1980) Muscarinic and alpha-adrenergic stimulation of Na and Ca uptake by dispersed lacrimal cells. *Am J Physiol* **239**: G99-105

Parod RJ, Putney JW, Jr. (1978) The role of calcium in the receptor mediated control of potassium permeability in the rat lacrimal gland. *J Physiol* **281**: 371-381

Parod RJ, Putney JW, Jr. (1979) Stimulation of ⁴⁵Ca efflux from rat lacrimal gland slices by carbachol and epinephrine. *Life Sci* **25**: 2211-2215

Parod RJ, Putney JW, Jr. (1980) Stimulus-permeability coupling in rat lacrimal gland. *Am J Physiol* **239**: G106-113

Parolaro D, Massi P, Rubino T, Monti E (2002) Endocannabinoids in the immune system and cancer. *Prostaglandins Leukot Essent Fatty Acids* **66**: 319-332

Parolaro D, Rubino T (2002) Is cannabinoid transmission involved in rewarding properties of drugs of abuse? *Br J Pharmacol* **136**: 1083-1084

Parrott RF, Vellucci SV (2000) Behaviour of pigs given corticotrophin-releasing hormone in combination with flumazenil or diazepam. *Pharmacol Biochem Behav* **67**: 465-471

Parry CM, Simas JP, Smith VP, Stewart CA, Minson AC, Efsthathiou S, Alcamì A (2000) A broad spectrum secreted chemokine binding protein encoded by a herpesvirus. *J Exp Med* **191**: 573-578

Partosoedarso ER, Abrahams TP, Scullion RT, Moerschbaecher JM, Hornby PJ (2003) Cannabinoid1 receptor in the dorsal vagal complex modulates lower oesophageal sphincter relaxation in ferrets. *J Physiol* **550**: 149-158

Pascall JC, Brown KD (2004) Intramembrane cleavage of ephrinB3 by the human rhomboid family protease, RHBDL2. *Biochem Biophys Res Commun* **317**: 244-252

Pascall JC, Luck JE, Brown KD (2002) Expression in mammalian cell cultures reveals interdependent, but distinct, functions for Star and Rhomboid proteins in the processing of the Drosophila transforming-growth-factor-alpha homologue Spitz. *Biochem J* **363**: 347-352

Passchier J, Gee A, Willemsen A, Vaalburg W, van Waarde A (2002) Measuring drug-related receptor occupancy with positron emission tomography. *Methods* **27**: 278-286

Passeti F, Dalley JW, Robbins TW (2003) Double dissociation of serotonergic and dopaminergic mechanisms on attentional performance using a rodent five-choice reaction time task. *Psychopharmacology (Berl)* **165**: 136-145

Passeti F, Levita L, Robbins TW (2003) Sulpiride alleviates the attentional impairments of rats with medial prefrontal cortex lesions. *Behav Brain Res* **138**: 59-69

Pate DW, Jarvinen K, Urtti A, Jarho P, Fich M, Mahadevan V, Jarvinen T (1996) Effects of topical anandamides on intraocular pressure in normotensive rabbits. *Life Sci* **58**: 1849-1860

Pate DW, Jarvinen K, Urtti A, Jarho P, Jarvinen T (1995) Ophthalmic arachidonylethanolamide decreases intraocular pressure in normotensive rabbits. *Curr Eye Res* **14**: 791-797

Pate DW, Jarvinen K, Urtti A, Jarho P, Mahadevan V, Jarvinen T (1997) Effects of topical alpha-substituted anandamides on intraocular pressure in normotensive rabbits. *Pharm Res* **14**: 1738-1743

Pate DW, Jarvinen K, Urtti A, Mahadevan V, Jarvinen T (1998) Effect of the CB1 receptor antagonist, SR141716A, on cannabinoid-induced ocular hypotension in normotensive rabbits. *Life Sci* **63**: 2181-2188

Patel HJ, Birrell MA, Crispino N, Hele DJ, Venkatesan P, Barnes PJ, Yacoub MH, Belvisi MG (2003) Inhibition of guinea-pig and human sensory nerve activity and the cough reflex in guinea-pigs by cannabinoid (CB2) receptor activation. *Br J Pharmacol* **140**: 261-268

Patel MK, Pinnock RD, Lee K (2001) Adenosine exerts multiple effects in dorsal horn neurones of the adult rat spinal cord. *Brain Res* **920**: 19-26

Patel NA, Moldow RL, Patel JA, Wu G, Chang SL (1998) Arachidonylethanolamide (AEA) activation of FOS proto-oncogene protein immunoreactivity in the rat brain. *Brain Res* **797**: 225-233

Patel S, Gerrits R, Muthian S, Greene AS, Hillard CJ (2002) The CB1 receptor antagonist SR141716 enhances stimulus-induced activation of the primary somatosensory cortex of the rat. *Neurosci Lett* **335**: 95-98

Patel S, Joseph SK, Thomas AP (1999) Molecular properties of inositol 1,4,5-trisphosphate receptors. *Cell Calcium* **25**: 247-264

Patel S, Morris SA, Adkins CE, O'Beirne G, Taylor CW (1997) Ca²⁺-independent inhibition of inositol trisphosphate receptors by calmodulin: redistribution of calmodulin as a possible means of regulating Ca²⁺ mobilization. *Proc Natl Acad Sci U S A* **94**: 11627-11632

Patel S, Rademacher DJ, Hillard CJ (2003) Differential regulation of the endocannabinoids anandamide

and 2-arachidonylglycerol within the limbic forebrain by dopamine receptor activity. *J Pharmacol Exp Ther* **306**: 880-888

Patel S, Wohlfeil ER, Rademacher DJ, Carrier EJ, Perry LJ, Kundu A, Falck JR, Nithipatikom K, Campbell WB, Hillard CJ (2003) The general anesthetic propofol increases brain N-arachidonyl ethanolamine (anandamide) content and inhibits fatty acid amide hydrolase. *Br J Pharmacol* **139**: 1005-1013

Paton GS, Pertwee RG, Davies SN (1998) Correlation between cannabinoid mediated effects on paired pulse depression and induction of long term potentiation in the rat hippocampal slice. *Neuropharmacology* **37**: 1123-1130

Patricelli MP, Cravatt BF (1999) Fatty acid amide hydrolase competitively degrades bioactive amides and esters through a nonconventional catalytic mechanism. *Biochemistry* **38**: 14125-14130

Patricelli MP, Cravatt BF (2000) Clarifying the catalytic roles of conserved residues in the amidase signature family. *J Biol Chem* **275**: 19177-19184

Patricelli MP, Cravatt BF (2001) Characterization and manipulation of the acyl chain selectivity of fatty acid amide hydrolase. *Biochemistry* **40**: 6107-6115

Patricelli MP, Cravatt BF (2001) Proteins regulating the biosynthesis and inactivation of neuromodulatory fatty acid amides. *Vitam Horm* **62**: 95-131

Patricelli MP, Lashuel HA, Giang DK, Kelly JW, Cravatt BF (1998) Comparative characterization of a wild type and transmembrane domain-deleted fatty acid amide hydrolase: identification of the transmembrane domain as a site for oligomerization. *Biochemistry* **37**: 15177-15187

Patricelli MP, Lovato MA, Cravatt BF (1999) Chemical and mutagenic investigations of fatty acid amide hydrolase: evidence for a family of serine hydrolases with distinct catalytic properties. *Biochemistry* **38**: 9804-9812

Patricelli MP, Patterson JE, Boger DL, Cravatt BF (1998) An endogenous sleep-inducing compound is a novel competitive inhibitor of fatty acid amide hydrolase. *Bioorg Med Chem Lett* **8**: 613-618

Patrignani P (2001) Oxidized lipids. *Ital Heart J* **2**: 873-877

Patrini G, Sacerdote P, Fuzio D, Manfredi B, Parolaro D (1997) Regulation of immune functions in rat splenocytes after acute and chronic in vivo treatment with CP-55,940, a synthetic cannabinoid compound. *J Neuroimmunol* **80**: 143-148

Patterson RL, van Rossum DB, Gill DL (1999) Store-operated Ca²⁺ entry: evidence for a secretion-like coupling model. *Cell* **98**: 487-499

Paul-Pletzer K, Palnitkar SS, Jimenez LS, Morimoto H, Parness J (2001) The skeletal muscle ryanodine receptor identified as a molecular target of [3H]azidodantrolene by photoaffinity labeling. *Biochemistry* **40**: 531-542

Pazirandeh M, Chirala SS, Wakil SJ (1991) Site-directed mutagenesis studies on the recombinant thioesterase domain of chicken fatty acid synthase expressed in *Escherichia coli*. *J Biol Chem* **266**: 20946-20952

Pearlman RJ, Aubrey KR, Vandenberg RJ (2003) Arachidonic acid and anandamide have opposite modulatory actions at the glycine transporter, GLYT1a. *J Neurochem* **84**: 592-601

Pelham HR (1999) SNAREs and the secretory pathway—lessons from yeast. *Exp Cell Res* **247**: 1-8

Pelham HR (2001) SNAREs and the specificity of membrane fusion. *Trends Cell Biol* **11**: 99-101

Peppiatt CM, Collins TJ, Mackenzie L, Conway SJ, Holmes AB, Bootman MD, Berridge MJ, Seo JT, Roderick HL (2003) 2-Aminoethoxydiphenyl borate (2-APB) antagonises inositol 1,4,5-trisphosphate-induced calcium release, inhibits calcium pumps and has a use-dependent and slowly reversible action on store-operated calcium entry channels. *Cell Calcium* **34**: 97-108

Percipalle P, Butler PJ, Finch JT, Jans DA, Rhodes D (1999) Nuclear localization signal recognition causes release of importin- α from aggregates in the cytosol. *J Mol Biol* **292**: 263-273

Perez PJ, Ramos-Franco J, Fill M, Mignery GA (1997) Identification and functional reconstitution of the type 2 inositol 1,4,5-trisphosphate receptor from ventricular cardiac myocytes. *J Biol Chem* **272**: 23961-23969

Perio A, Barnouin MC, Poncelet M, Soubrie P (2001) Activity of SH141716 on post-reinforcement pauses in operant responding for sucrose reward in rats. *Behav Pharmacol* **12**: 641-645

Perio A, Rinaldi-Carmona M, Maruani J, Barth F, Le Fur G, Soubrie P (1996) Central mediation of the cannabinoid cue: activity of a selective CB1 antagonist, SR 141716A. *Behav Pharmacol* **7**: 65-71

Perrier JF, Alaburda A, Hounsgaard J (2003) 5-HT_{1A} receptors increase excitability of spinal motoneurons by inhibiting a TASK-1-like K⁺ current in the adult turtle. *J Physiol* **548**: 485-492

Pertwee R, Griffin G, Fernando S, Li X, Hill A, Makriyannis A (1995) AM630, a competitive cannabinoid

receptor antagonist. *Life Sci* **56**: 1949-1955

Pertwee R, Griffin G, Hanus L, Mechoulam R (1994) Effects of two endogenous fatty acid ethanolamides on mouse vasa deferentia. *Eur J Pharmacol* **259**: 115-120

Pertwee RG (1997) Pharmacology of cannabinoid CB1 and CB2 receptors. *Pharmacol Ther* **74**: 129-180

Pertwee RG (1999) Cannabis and cannabinoids: pharmacology and rationale for clinical use. *Forsch Komplementarmed* **6 Suppl 3**: 12-15

Pertwee RG (1999) Evidence for the presence of CB1 cannabinoid receptors on peripheral neurones and for the existence of neuronal non-CB1 cannabinoid receptors. *Life Sci* **65**: 597-605

Pertwee RG (1999) Pharmacology of cannabinoid receptor ligands. *Curr Med Chem* **6**: 635-664

Pertwee RG (2000) Cannabinoid receptor ligands: clinical and neuropharmacological considerations, relevant to future drug discovery and development. *Expert Opin Investig Drugs* **9**: 1553-1571

Pertwee RG (2001) Cannabinoid receptors and pain. *Prog Neurobiol* **63**: 569-611

Pertwee RG (2001) Cannabinoids and the gastrointestinal tract. *Gut* **48**: 859-867

Pertwee RG (2002) Cannabinoids and multiple sclerosis. *Pharmacol Ther* **95**: 165-174

Pertwee RG, Fernando SR (1996) Evidence for the presence of cannabinoid CB1 receptors in mouse urinary bladder. *Br J Pharmacol* **118**: 2053-2058

Pertwee RG, Fernando SR, Griffin G, Abadji V, Makriyannis A (1995) Effect of phenylmethylsulphonyl fluoride on the potency of anandamide as an inhibitor of electrically evoked contractions in two isolated tissue preparations. *Eur J Pharmacol* **272**: 73-78

Pertwee RG, Fernando SR, Griffin G, Ryan W, Razdan RK, Compton DR, Martin BR (1996) Agonist-antagonist characterization of 6'-cyanohept-2'-yne- Δ^8 -tetrahydrocannabinol in two isolated tissue preparations. *Eur J Pharmacol* **315**: 195-201

Pertwee RG, Fernando SR, Nash JE, Coutts AA (1996) Further evidence for the presence of cannabinoid CB1 receptors in guinea-pig small intestine. *Br J Pharmacol* **118**: 2199-2205

Pertwee RG, Gibson TM, Stevenson LA, Ross RA, Banner WK, Saha B, Razdan RK, Martin BR (2000) O-1057, a potent water-soluble cannabinoid receptor agonist with antinociceptive properties. *Br J Pharmacol* **129**: 1577-1584

Pertwee RG, Griffin G, Lainton JA, Huffman JW (1995) Pharmacological characterization of three novel cannabinoid receptor agonists in the mouse isolated vas deferens. *Eur J Pharmacol* **284**: 241-247

Pertwee RG, Joe-Adigwe G, Hawksworth GM (1996) Further evidence for the presence of cannabinoid CB1 receptors in mouse vas deferens. *Eur J Pharmacol* **296**: 169-172

Pertwee RG, Ross RA (2002) Cannabinoid receptors and their ligands. *Prostaglandins Leukot Essent Fatty Acids* **66**: 101-121

Pertwee RG, Stevenson LA, Griffin G (1993) Cross-tolerance between Δ^9 -tetrahydrocannabinol and the cannabimimetic agents, CP 55,940, WIN 55,212-2 and anandamide. *Br J Pharmacol* **110**: 1483-1490

Pessah IN, Francini AO, Scales DJ, Waterhouse AL, Casida JE (1986) Calcium-ryanodine receptor complex. Solubilization and partial characterization from skeletal muscle junctional sarcoplasmic reticulum vesicles. *J Biol Chem* **261**: 8643-8648

Pestonjasp VK, Burstein SH (1998) Anandamide synthesis is induced by arachidonate mobilizing agonists in cells of the immune system. *Biochim Biophys Acta* **1394**: 249-260

Pesty A, Avazeri N, Lefevre B (1998) Nuclear calcium release by InsP3-receptor channels plays a role in meiosis reinitiation in the mouse oocyte. *Cell Calcium* **24**: 239-251

Petersen G, Chapman KD, Hansen HS (2000) A rapid phospholipase D assay using zirconium precipitation of anionic substrate phospholipids: application to n-acyl ethanolamine formation in vitro. *J Lipid Res* **41**: 1532-1538

Petersen G, Hansen HS (1999) N-acylphosphatidylethanolamine-hydrolysing phospholipase D lacks the ability to transphosphatidylate. *FEBS Lett* **455**: 41-44

Petersen OH (1986) Calcium-activated potassium channels and fluid secretion by exocrine glands. *Am J Physiol* **251**: G1-13

Petersen OH, Cancela JM (1999) New Ca²⁺-releasing messengers: are they important in the nervous system? *Trends Neurosci* **22**: 488-495

Petit F, Jeantaud B, Bertrand P, Imperato A (1999) Cannabinoid penetration into mouse brain as determined by ex vivo binding. *Eur J Pharmacol* **374**: 417-421

Petit F, Jeantaud B, Capet M, Doble A (1997) Interaction of brain cannabinoid receptors with guanine nucleotide binding protein: a radioligand binding study. *Biochem Pharmacol* **54**: 1267-1270

Petitou M, Herault JP, Bernat A, Driguez PA, Duchaussoy P, Lormeau JC, Herbert JM (1999) Synthesis of thrombin-inhibiting heparin mimetics without side effects. *Nature* **398**: 417-422

Pettit DA, Harrison MP, Olson JM, Spencer RF, Cabral GA (1998) Immunohistochemical localization of the neural cannabinoid receptor in rat brain. *J Neurosci Res* **51**: 391-402

Phillips T, Makoff A, Murrison E, Mimmack M, Waldvogel H, Faull R, Rees S, Emson P (1998) Immunohistochemical localisation of mGluR7 protein in the rodent and human cerebellar cortex using subtype specific antibodies. *Brain Res Mol Brain Res* **57**: 132-141

Pholpramool C, Korppaibool S (1977) Ionic dependence of the resting membrane potential of rabbit lacrimal gland in vitro. *Biochim Biophys Acta* **468**: 353-363

Pholpramool C, Tangkrisanavinont V (1976) A calcium ionophore-induced secretion in rabbit lacrimal gland in vivo. *Life Sci* **19**: 381-388

Picone RP, Fournier DJ, Makriyannis A (2002) Ligand based structural studies of the CB1 cannabinoid receptor. *J Pept Res* **60**: 348-356

Pietras TA, Rowland NE (2002) Effect of opioid and cannabinoid receptor antagonism on orphanin FQ-induced hyperphagia in rats. *European Journal of Pharmacology* **442**: 237-239

Pignatelli M, Grammatikopoulos G, Giuliano A, Ruocco L, Scamardella M, Sadile AG (2001) Prenatal elevation of endocannabinoids reduces hyperactivity in the Naples High Excitability rat. *Society for Neuroscience Abstracts* **27**

Pilitsis JG, Diaz FG, O'Regan MH, Phillis JW (2001) Inhibition of Na(+)/H(+) exchange by SM-20220 attenuates free fatty acid efflux in rat cerebral cortex during ischemia-reperfusion injury. *Brain Res* **913**: 156-158

Pinto JC, Potie F, Rice KC, Boring D, Johnson MR, Evans DM, Wilken GH, Cantrell CH, Howlett AC (1994) Cannabinoid receptor binding and agonist activity of amides and esters of arachidonic acid. *Mol Pharmacol* **46**: 516-522

Pinto L, Capasso R, Di Carlo G, Izzo AA (2002) Endocannabinoids and the gut. *Prostaglandins Leukot Essent Fatty Acids* **66**: 333-341

Pinto L, Izzo AA, Cascio MG, Bisogno T, Hospodar-Scott K, Brown DR, Mascolo N, Di Marzo V, Capasso F (2002) Endocannabinoids as physiological regulators of colonic propulsion in mice. *Gastroenterology* **123**: 227-234

Piomelli D (2000) Biochemistry and pharmacology of the endocannabinoid system. *Abstracts of Papers American Chemical Society* **219**

Piomelli D (2003) The molecular logic of endocannabinoid signalling. *Nat Rev Neurosci* **4**: 873-884

Piomelli D (2004) THC: moderation during implantation. *Nat Med* **10**: 19-20

Piomelli D, Beltramo M, Giuffrida A, Stella N (1998) Endogenous cannabinoid signaling. *Neurobiol Dis* **5**: 462-473

Piomelli D, Beltramo M, Glasnapp S, Lin SY, Goutopoulos A, Xie XQ, Makriyannis A (1999) Structural determinants for recognition and translocation by the anandamide transporter. *Proc Natl Acad Sci U S A* **96**: 5802-5807

Piomelli D, Freund TF, Nicoll R, Regehr W (2002) The Endogenous Cannabinoids: Retrograde Modulators of Synaptic Activity. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Piomelli D, Giuffrida A, Calignano A, Rodriguez de Fonseca F (2000) The endocannabinoid system as a target for therapeutic drugs. *Trends Pharmacol Sci* **21**: 218-224

Pirtle RM, Yoder DW, Huynh TT, Nampaisansuk M, Pirtle IL, Chapman KD (1999) Characterization of a palmitoyl-acyl carrier protein thioesterase (FatB1) in cotton. *Plant and Cell Physiology* **40**: 155-163

Pistis M, Muntoni AL, Pillolla G, Gessa GL (2002) Cannabinoids inhibit excitatory inputs to neurons in the shell of the nucleus accumbens: an in vivo electrophysiological study. *Eur J Neurosci* **15**: 1795-1802

Pistis M, Perra S, Pillolla G, Melis M, Gessa GL, Muntoni AL (2004) Cannabinoids modulate neuronal firing in the rat basolateral amygdala: evidence for CB1- and non-CB1-mediated actions. *Neuropharmacology* **46**: 115-125

Plane F, Holland M, Waldron GJ, Garland CJ, Boyle JP (1997) Evidence that anandamide and EDHF act via different mechanisms in rat isolated mesenteric arteries. *Br J Pharmacol* **121**: 1509-1511

Plant LD, Kemp PJ, Peers C, Henderson Z, Pearson HA (2002) Hypoxic depolarization of cerebellar granule neurons by specific inhibition of TASK-1. *Stroke* **33**: 2324-2328

Phackova K, Becka S, Skrob F, Kyslik P (2003) Isolation and characterization of a new strain of *Achromobacter* sp. with beta-lactam antibiotic acylase activity. *Appl Microbiol Biotechnol* **62**: 507-516

Poity S, Poity-Yamate C, Ueberfeld J, MacLeish PR, Tsacopoulos M (2000) Mechanisms of glutamate metabolic signaling in retinal glial (Muller) cells. *J Neurosci* **20**: 1809-1821

Poling JS, Rogawski MA, Salem N, Jr., Vicini S (1996) Anandamide, an endogenous cannabinoid, inhibits Shaker-related voltage-gated K⁺ channels. *Neuropharmacology* **35**: 983-991

Ponce G, Hoenicka J, Rubio G, Ampuero I, Jimenez-Arriero MA, Rodriguez-Jimenez R, Palomo T, Ramos JA (2003) Association between cannabinoid receptor gene (CNR1) and childhood attention deficit/hyperactivity disorder in Spanish male alcoholic patients. *Mol Psychiatry* **8**: 466-467

Poncellet M, Barnouin MC, Breliere JC, Le Fur G, Soubrie P (1999) Blockade of cannabinoid (CB1) receptors by 141716 selectively antagonizes drug-induced reinstatement of exploratory behaviour in gerbils. *Psychopharmacology (Berl)* **144**: 144-150

Poncellet M, Maruani J, Calassi R, Soubrie P (2003) Overeating, alcohol and sucrose consumption decrease in CB1 receptor deleted mice. *Neurosci Lett* **343**: 216-218

Ponting CP (2000) Novel repeats in ryanodine and IP3 receptors and protein O-mannosyltransferases. *Trends Biochem Sci* **25**: 48-50

Pop E (1999) Cannabinoids, endogenous ligands and synthetic analogs. *Curr Opin Chem Biol* **3**: 418-425

Porcella A, Casellas P, Gessa GL, Pani L (1998) Cannabinoid receptor CB1 mRNA is highly expressed in the rat ciliary body: implications for the antiglaucoma properties of marihuana. *Brain Res Mol Brain Res* **58**: 240-245

Porcella A, Marchese G, Casu MA, Rocchitta A, Lai ML, Gessa GL, Pani L (2002) Evidence for functional CB1 cannabinoid receptor expressed in the rat thyroid. *Eur J Endocrinol* **147**: 255-261

Porcella A, Marchese G, Casu MA, Rocchitta A, Lai ML, Gessa GL, Pani L (2002) Evidence for Functional Cb1 Cannabinoid Receptor Expressed in the Rat Thyroid Gland. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Porcella A, Maxia C, Gessa GL, Pani L (2000) The human eye expresses high levels of CB1 cannabinoid receptor mRNA and protein. *Eur J Neurosci* **12**: 1123-1127

Portella G, Laezza C, Laccetti P, De Petrocellis L, Di Marzo V, Bifulco M (2003) Inhibitory effects of cannabinoid CB1 receptor stimulation on tumor growth and metastatic spreading: actions on signals involved in angiogenesis and metastasis. *Faseb J* **17**: 1771-1773

Porter AC, Felder CC (2001) The endocannabinoid nervous system: unique opportunities for therapeutic intervention. *Pharmacol Ther* **90**: 45-60

Porter AC, Sauer JM, Knierman MD, Becker GW, Berna MJ, Bao J, Nomikos GG, Carter P, Bymaster FP, Leese AB, Felder CC (2002) Characterization of a novel endocannabinoid, virodhamine, with antagonist activity at the CB1 receptor. *J Pharmacol Exp Ther* **301**: 1020-1024

Portier M, Rinaldi-Carmona M, Pecceu F, Combes T, Poinot-Chazel C, Calandra B, Barth F, le Fur G, Casellas P (1999) SR 144528, an antagonist for the peripheral cannabinoid receptor that behaves as an inverse agonist. *J Pharmacol Exp Ther* **288**: 582-589

Poulet JF, Hedwig B (2001) Tympanic membrane oscillations and auditory receptor activity in the stridulating cricket *Gryllus bimaculatus*. *J Exp Biol* **204**: 1281-1293

Pow DV, Barnett NL (2000) Developmental expression of excitatory amino acid transporter 5: a photoreceptor and bipolar cell glutamate transporter in rat retina. *Neurosci Lett* **280**: 21-24

Pozo D (2003) VIP- and PACAP-mediated immunomodulation as prospective therapeutic tools. *Trends Mol Med* **9**: 211-217

Pozzi O, Misiano P, Clark GD, Visentin L (2003) Antagonism between the anti-inflammatory activity of the cannabinoid WIN 55212-2 and SR 141716A. *Pharmacology* **69**: 158-163

Prather PL, Martin NA, Breivogel CS, Childers SR (2000) Activation of cannabinoid receptors in rat brain by WIN 55212-2 produces coupling to multiple G protein alpha-subunits with different potencies. *Mol Pharmacol* **57**: 1000-1010

Pratt PF, Hillard CJ, Edgemond WS, Campbell WB (1998) N-arachidonylethanolamide relaxation of bovine coronary artery is not mediated by CB1 cannabinoid receptor. *Am J Physiol* **274**: H375-381

Preece M, Mukherjee B, Huang CL, Hall LD, Leslie RA, James MF (2001) Detection of pharmacologically mediated changes in cerebral activity by functional magnetic resonance imaging: the effects of sulpiride in the brain of the anaesthetised rat. *Brain Res* **916**: 107-114

Premkumar LS, Ahern GP (2000) Induction of vanilloid receptor channel activity by protein kinase C. *Nature* **408**: 985-990

Preston Z, Lee K, Widdowson L, Freeman TC, Dixon AK, Richardson PJ (2000) Adenosine receptor expression and function in rat striatal cholinergic interneurons. *Br J Pharmacol* **130**: 886-890

Preuss UW, Koller G, Zill P, Bondy B, Soyka M (2003) Alcoholism-related phenotypes and genetic variants of the CB1 receptor. *Eur Arch Psychiatry Clin Neurosci* **253**: 275-280

Prevot V, Rialas CM, Croix D, Salzet M, Dupouy JP, Poulain P, Beauvillain JC, Stefano GB (1998) Morphine and anandamide coupling to nitric oxide stimulates GnRH and CRF release from rat median eminence: neurovascular regulation. *Brain Res* **790**: 236-244

Price KL, Lummis SC (2004) The role of tyrosine residues in the extracellular domain of the 5-HT₃ receptor. *J Biol Chem*

Price TJ, Helesic G, Parghi D, Hargreaves KM, Flores CM (2003) The neuronal distribution of cannabinoid receptor type 1 in the trigeminal ganglion of the rat. *Neuroscience* **120**: 155-162

Price TJ, Patwardhan A, Akopian AN, Hargreaves KM, Flores CM (2004) Modulation of trigeminal sensory neuron activity by the dual cannabinoid-vanilloid agonists anandamide, N-arachidonoyl-dopamine and arachidonoyl-2-chloroethylamide. *Br J Pharmacol* **141**: 1118-1130

Priller J, Briley EM, Mansouri J, Devane WA, Mackie K, Felder CC (1995) Mead ethanolamide, a novel eicosanoid, is an agonist for the central (CB₁) and peripheral (CB₂) cannabinoid receptors. *Mol Pharmacol* **48**: 288-292

Pritchard NR, Cutler AJ, Uribe S, Chadban SJ, Morley BJ, Smith KG (2000) Autoimmune-prone mice share a promoter haplotype associated with reduced expression and function of the Fc receptor FcγRII. *Curr Biol* **10**: 227-230

Pritchard NR, Smith KG (2003) B cell inhibitory receptors and autoimmunity. *Immunology* **108**: 263-273

Proescholdt MG, Quigley L, Martin R, Herkenham M (2002) Immunization with a cannabinoid receptor type 1 peptide results in experimental allergic meningocerebellitis in the Lewis rat: a model for cell-mediated autoimmune neuropathology. *J Neurosci Res* **70**: 150-160

Pryce G, Ahmed Z, Hankey DJ, Jackson SJ, Croxford JL, Pocock JM, Ledent C, Petzold A, Thompson AJ, Giovannoni G, Cuzner ML, Baker D (2003) Cannabinoids inhibit neurodegeneration in models of multiple sclerosis. *Brain* **126**: 2191-2202

Pryor SR (2000) Is platelet release of 2-arachidonoyl-glycerol a mediator of cognitive deficits? An endocannabinoid theory of schizophrenia and arousal. *Med Hypotheses* **55**: 494-501

Puffenbarger RA, Boothe AC, Cabral GA (2000) Cannabinoids inhibit LPS-inducible cytokine mRNA expression in rat microglial cells. *Glia* **29**: 58-69

Puffenbarger RA, Kapulina O, Howell JM, Deutsch DG (2001) Characterization of the 5'-sequence of the mouse fatty acid amide hydrolase. *Neurosci Lett* **314**: 21-24

Puig-Domingo M, Guerrero JM, Reiter RJ, Peinado MA, Sabry I, Viader M, Webb SM (1988) Identification of immunoreactive somatostatin in the rat harderian gland: regulation of its content by growth hormone, beta-adrenergic agonists and calcium channel blockers. *Peptides* **9**: 571-574

Purvis D, Leonardova O, Farmakovskiy D, Cherkasov V (2003) An ultrasensitive and stable potentiometric immunosensor. *Biosens Bioelectron* **18**: 1385-1390

Pushkarev V, Tronko N, Kostyuchenko N, Kovalenko A, Mikosha A (2001) Modulation by N-stearoylethanolamine of K⁺ and mitotane effects on steroid hormones labeling in human adrenocortical tissue. *Biomedical Research (Tokyo)* **22**: 191-195

Putney JW, Jr. (1978) Stimulus-permeability coupling: role of calcium in the receptor regulation of membrane permeability. *Pharmacol Rev* **30**: 209-245

Putney JW, Jr., Bird GS (1994) The inositol phosphate-calcium signalling system in lacrimal gland cells. *Adv Exp Med Biol* **350**: 115-119

Putney JW, Jr., Huang Y, Bird GS (1998) Calcium signalling in lacrimal acinar cells. *Adv Exp Med Biol* **438**: 123-128

Putney JW, Jr., Parod RJ, Marier SH (1977) Control by calcium of protein discharge and membrane permeability to potassium in the rat lacrimal gland. *Life Sci* **20**: 1905-1911

Putney JW, Jr., VandeWalle CM, Leslie BA (1978) Stimulus-secretion coupling in the rat lacrimal gland. *Am J Physiol* **235**: C188-198

Qi L, Meijler MM, Lee SH, Sun C, Janda KD (2004) Solid-phase synthesis of anandamide analogues. *Org Lett* **6**: 1673-1675

Qin C, Lin S, Lang W, Goutopoulos A, Pavlopoulos S, Mauri F, Makriyannis A (1998) Determination of anandamide amidase activity using ultraviolet-active amine derivatives and reverse-phase high-performance liquid chromatography. *Anal Biochem* **261**: 8-15

Quartilho A, Mata HP, Ibrahim MM, Vanderah TW, Porreca F, Makriyannis A, Malan TP, Jr. (2003) Inhibition of inflammatory hyperalgesia by activation of peripheral CB₂ cannabinoid receptors. *Anesthesiology* **99**: 955-960

Qui MS, Green SH (1992) PC12 cell neuronal differentiation is associated with prolonged p21ras activity and consequent prolonged ERK activity. *Neuron* **9**: 705-717

Quinn G, Langford G (2001) The porcine endogenous retrovirus long terminal repeat contains a single nucleotide polymorphism that confers distinct differences in estrogen receptor binding affinity between PERV A and PERV B/C subtypes. *Virology* **286**: 83-90

Quinn KE, Ehrlich BE (1997) Methanethiosulfonate derivatives inhibit current through the ryanodine receptor/channel. *J Gen Physiol* **109**: 255-264

Quistad GB, Nomura DK, Sparks SE, Segall Y, Casida JE (2002) Cannabinoid CB1 receptor as a target for chlorpyrifos oxon and other organophosphorus pesticides. *Toxicol Lett* **135**: 89-93

Quistad GB, Sparks SE, Casida JE (2001) Fatty acid amide hydrolase inhibition by neurotoxic organophosphorus pesticides. *Toxicol Appl Pharmacol* **173**: 48-55

Quistad GB, Sparks SE, Segall Y, Nomura DK, Casida JE (2002) Selective inhibitors of fatty acid amide hydrolase relative to neuropathy target esterase and acetylcholinesterase: toxicological implications. *Toxicol Appl Pharmacol* **179**: 57-63

Qureshi J, Saady M, Cardounel A, Kalimi M (1998) Identification and characterization of a novel synthetic cannabinoid CP 55,940 binder in rat brain cytosol. *Mol Cell Biochem* **181**: 21-27

Racz I, Bilkei-Gorzo A, Toth ZE, Michel K, Palkovits M, Zimmer A (2003) A critical role for the cannabinoid CB1 receptors in alcohol dependence and stress-stimulated ethanol drinking. *J Neurosci* **23**: 2453-2458

Rademacher DJ, Patel S, Hopp FA, Dean C, Hillard CJ, Seagard JL (2003) Microinjection of a cannabinoid receptor antagonist into the NTS increases baroreflex duration in dogs. *Am J Physiol Heart Circ Physiol* **284**: H1570-1576

Raffa RB, Stone DJ, Jr., Hipp SJ (1999) Differential cholera-toxin sensitivity of supraspinal antinociception induced by the cannabinoid agonists delta9-THC, WIN 55,212-2 and anandamide in mice. *Neurosci Lett* **263**: 29-32

Raghupathi R, Graham DI, McIntosh TK (2000) Apoptosis after traumatic brain injury. *J Neurotrauma* **17**: 927-938

Rakhshan F, Day TA, Blakely RD, Barker EL (2000) Carrier-mediated uptake of the endogenous cannabinoid anandamide in RBL-2H3 cells. *J Pharmacol Exp Ther* **292**: 960-967

Raku T, Kitagawa M, Shimakawa H, Tokiwa Y (2003) Enzymatic synthesis of trehalose esters having lipophilicity. *J Biotechnol* **100**: 203-208

Ralevic V (2003) Cannabinoid modulation of peripheral autonomic and sensory neurotransmission. *Eur J Pharmacol* **472**: 1-21

Ralevic V, Kendall DA (2001) Cannabinoid inhibition of capsaicin-sensitive sensory neurotransmission in the rat mesenteric arterial bed. *Eur J Pharmacol* **418**: 117-125

Ralevic V, Kendall DA (2002) Cannabinoids inhibit pre- and postjunctionally sympathetic neurotransmission in rat mesenteric arteries. *Eur J Pharmacol* **444**: 171-181

Ralevic V, Kendall DA, Jerman JC, Middlemiss DN, Smart D (2001) Cannabinoid activation of recombinant and endogenous vanilloid receptors. *Eur J Pharmacol* **424**: 211-219

Ralevic V, Kendall DA, Randall MD, Smart D (2002) Cannabinoid modulation of sensory neurotransmission via cannabinoid and vanilloid receptors: roles in regulation of cardiovascular function. *Life Sci* **71**: 2577-2594

Ramakrishnan M, Swamy MJ (1998) Differential scanning calorimetric studies on the thermotropic phase transitions of N-acylethanolamines of odd chainlengths. *Chemistry and Physics of Lipids* **94**: 43-51

Ramakrishnan M, Swamy MJ (1999) Molecular packing and intermolecular interactions in N-acylethanolamines: crystal structure of N-myristoylethanolamine. *Biochim Biophys Acta* **1418**: 261-267

Ramer R, Brune K, Hinz B (2003) Ceramide confers cannabinoid-induced COX-2 expression in human neuroglioma cells. *Naunyn-Schmiedeberg's Archives of Pharmacology* **367**

Ramer R, Brune K, Pahl A, Hinz B (2001) R(+)-methanandamide induces cyclooxygenase-2 expression in human neuroglioma cells via a non-cannabinoid receptor-mediated mechanism. *Biochem Biophys Res Commun* **286**: 1144-1152

Ramer R, Brune K, Pahl A, Hinz B (2002) Induction of COX-2 expression by R(+)-methanandamide in human neuroglioma cells involves activation of p38 and p42/44 MAPK signaling pathways. *Naunyn-Schmiedeberg's Archives of Pharmacology* **365**

Ramer R, Weinzierl U, Schwind B, Brune K, Hinz B (2003) Ceramide is involved in r(+)-methanandamide-induced cyclooxygenase-2 expression in human neuroglioma cells. *Mol Pharmacol* **64**: 1189-1198

Ramos-Franco J, Bare D, Caenepeel S, Nani A, Fill M, Mignery G (2000) Single-channel function of recombinant type 2 inositol 1,4, 5-trisphosphate receptor. *Biophys J* **79**: 1388-1399

Ramos-Franco J, Fill M, Mignery GA (1998) Isoform-specific function of single inositol 1,4,5-trisphosphate receptor channels. *Biophys J* **75**: 834-839

Randall MD (1999) The cardiovascular actions of cannabinoids: More questions than answers. *British Journal of Pharmacology* **128**

Randall MD (2003) A new endothelial target for cannabinoids. *Mol Pharmacol* **63**: 469-470

Randall MD, Alexander SP, Bennett T, Boyd EA, Fry JR, Gardiner SM, Kemp PA, McCulloch AI, Kendall DA (1996) An endogenous cannabinoid as an endothelium-derived vasorelaxant. *Biochem Biophys Res Commun* **229**: 114-120

Randall MD, Kendall DA (1997) Involvement of a cannabinoid in endothelium-derived hyperpolarizing factor-mediated coronary vasorelaxation. *Eur J Pharmacol* **335**: 205-209

Randall MD, Kendall DA (1998) Anandamide and endothelium-derived hyperpolarizing factor act via a common vasorelaxant mechanism in rat mesentery. *Eur J Pharmacol* **346**: 51-53

Randall MD, Kendall DA (1998) Endocannabinoids: a new class of vasoactive substances. *Trends Pharmacol Sci* **19**: 55-58

Randall MD, McCulloch AI, Kendall DA (1997) Comparative pharmacology of endothelium-derived hyperpolarizing factor and anandamide in rat isolated mesentery. *Eur J Pharmacol* **333**: 191-197

Randriamampita C, Giaume C, Neyton J, Trautmann A (1988) Acetylcholine-induced closure of gap junction channels in rat lacrimal glands is probably mediated by protein kinase C. *Pflugers Arch* **412**: 462-468

Ransom BR, Neale E, Henkart M, Bullock PN, Nelson PG (1977) Mouse spinal cord in cell culture. I. Morphology and intrinsic neuronal electrophysiologic properties. *J Neurophysiol* **40**: 1132-1150

Ravinet Trillou C, Arnone M, Delgorge C, Gonalons N, Keane P, Maffrand JP, Soubrie P (2003) Anti-obesity effect of SR141716, a CB1 receptor antagonist, in diet-induced obese mice. *Am J Physiol Regul Integr Comp Physiol* **284**: R345-353

Ravinet Trillou C, Delgorge C, Menet C, Arnone M, Soubrie P (2004) CB1 cannabinoid receptor knockout in mice leads to leanness, resistance to diet-induced obesity and enhanced leptin sensitivity. *Int J Obes Relat Metab Disord* **28**: 640-648

Rawls SM, Cabassa J, Geller EB, Adler MW (2002) CB1 receptors in the preoptic anterior hypothalamus regulate WIN 55212-2 [(4,5-dihydro-2-methyl-4(4-morpholinylmethyl)-1-(1-naphthalenyl-carbonyl)-6H-pyrrolo[3,2,1ij]quinolin-6-one)-induced hypothermia. *J Pharmacol Exp Ther* **301**: 963-968

Rayman N, Lam KH, Laman JD, Simons PJ, Lowenberg B, Sonneveld P, Delwel R (2004) Distinct expression profiles of the peripheral cannabinoid receptor in lymphoid tissues depending on receptor activation status. *J Immunol* **172**: 2111-2117

Razdan RK, Mahadevan A (2002) Recent advances in the synthesis of endocannabinoid related ligands. *Chem Phys Lipids* **121**: 21-33

Reale V, Chatwin HM, Evans PD (2004) The activation of G-protein gated inwardly rectifying K⁺ channels by a cloned *Drosophila melanogaster* neuropeptide F-like receptor. *Eur J Neurosci* **19**: 570-576

Reale V, Hannan F, Hall LM, Evans PD (1997) Agonist-specific coupling of a cloned *Drosophila melanogaster* D1-like dopamine receptor to multiple second messenger pathways by synthetic agonists. *J Neurosci* **17**: 6545-6553

Reaves BJ, Row PE, Bright NA, Luzio JP, Davidson HW (2000) Loss of cation-independent mannose 6-phosphate receptor expression promotes the accumulation of lysobisphosphatidic acid in multilamellar bodies. *J Cell Sci* **113 (Pt 22)**: 4099-4108

Reche I, Ruiz-Gayo M, Fuentes JA (1998) Inhibition of opioid-degrading enzymes potentiates delta9-tetrahydrocannabinol-induced antinociception in mice. *Neuropharmacology* **37**: 215-222

Recht LD, Salmons R, Rosetti R, Jang T, Pipia G, Kubiakowski T, Karim P, Ross AH, Zurier R, Litofsky NS, Burstein S (2001) Antitumor effects of ajulemic acid (CT3), a synthetic non-psychoactive cannabinoid. *Biochem Pharmacol* **62**: 755-763

Reckless J, Grainger DJ (1999) Identification of oligopeptide sequences which inhibit migration induced by a wide range of chemokines. *Biochem J* **340 (Pt 3)**: 803-811

Reddy JV, Seaman MN (2001) Vps26p, a component of retromer, directs the interactions of Vps35p in endosome-to-Golgi retrieval. *Mol Biol Cell* **12**: 3242-3256

Reddy PV, Natarajan V, Schmid PC, Schmid HH (1983) N-Acylation of dog heart ethanolamine phospholipids by transacylase activity. *Biochim Biophys Acta* **750**: 472-480

Reddy PV, Schmid PC, Natarajan V, Schmid HH (1983) The role of cardiolipin as an acyl donor in dog heart N-acyl ethanolamine phospholipid biosynthesis. *Biochim Biophys Acta* **751**: 241-246

Redmer A, Kathmann M, Schlicker E (2003) Cannabinoid CB(1) receptor-mediated inhibition of hippocampal acetylcholine release is preserved in aged mice. *Br J Pharmacol* **138**: 1425-1430

Reeves DC, Goren EN, Akabas MH, Lummis SC (2001) Structural and electrostatic properties of the 5-HT₃ receptor pore revealed by substituted cysteine accessibility mutagenesis. *J Biol Chem* **276**: 42035-42042

Reeves DC, Sayed MF, Chau PL, Price KL, Lummis SC (2003) Prediction of 5-HT₃ receptor agonist-binding residues using homology modeling. *Biophys J* **84**: 2338-2344

Reggio PH (1999) Ligand-ligand and ligand-receptor approaches to modeling the cannabinoid CB₁ and CB₂ receptors: achievements and challenges. *Curr Med Chem* **6**: 665-683

Reggio PH (2002) Endocannabinoid structure-activity relationships for interaction at the cannabinoid receptors. *Prostaglandins Leukot Essent Fatty Acids* **66**: 143-160

Reggio PH (2003) Pharmacophores for ligand recognition and activation/inactivation of the cannabinoid receptors. *Curr Pharm Des* **9**: 1607-1633

Reggio PH, Basu-Dutt S, Barnett-Norris J, Castro MT, Hurst DP, Seltzman HH, Roche MJ, Gilliam AF, Thomas BF, Stevenson LA, Pertwee RG, Abood ME (1998) The bioactive conformation of aminoalkylindoles at the cannabinoid CB₁ and CB₂ receptors: insights gained from (E)- and (Z)-naphthylidene indenenes. *J Med Chem* **41**: 5177-5187

Reggio PH, Bramblett RD, Yuknavich H, Seltzman HH, Fleming DN, Fernando SR, Stevenson LA, Pertwee RG (1995) The design, synthesis and testing of desoxy-CBD: further evidence for a region of steric interference at the cannabinoid receptor. *Life Sci* **56**: 2025-2032

Reggio PH, Traore H (2000) Conformational requirements for endocannabinoid interaction with the cannabinoid receptors, the anandamide transporter and fatty acid amidohydrolase. *Chem Phys Lipids* **108**: 15-35

Reggio PH, Wang T, Brown AE, Fleming DN, Seltzman HH, Griffin G, Pertwee RG, Compton DR, Abood ME, Martin BR (1997) Importance of the C-1 substituent in classical cannabinoids to CB₂ receptor selectivity: synthesis and characterization of a series of O,₂-propano-delta 8-tetrahydrocannabinol analogs. *J Med Chem* **40**: 3312-3318

Reibaud M, Obinu MC, Ledent C, Parmentier M, Bohme GA, Imperato A (1999) Enhancement of memory in cannabinoid CB₁ receptor knock-out mice. *Eur J Pharmacol* **379**: R1-2

Reich CG, Alger BE (2003) Magnitude and kinetics of endocannabinoid release in hippocampus induced by theta - burst trains of action potentials. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Reik W, Davies K, Dean W, Kelsey G, Constancia M (2001) Imprinted genes and the coordination of fetal and postnatal growth in mammals. *Novartis Found Symp* **237**: 19-31; discussion 31-42

Reisert J, Matthews HR (1998) Na⁺-dependent Ca²⁺ extrusion governs response recovery in frog olfactory receptor cells. *J Gen Physiol* **112**: 529-535

Reisert J, Matthews HR (1999) Adaptation of the odour-induced response in frog olfactory receptor cells. *J Physiol* **519 Pt 3**: 801-813

Reisert J, Matthews HR (2000) Adaptation-induced changes in sensitivity in frog olfactory receptor cells. *Chem Senses* **25**: 483-486

Reisert J, Matthews HR (2001) Response properties of isolated mouse olfactory receptor cells. *J Physiol* **530**: 113-122

Reisert J, Matthews HR (2001) Responses to prolonged odour stimulation in frog olfactory receptor cells. *J Physiol* **534**: 179-191

Reisert J, Matthews HR (2001) Simultaneous recording of receptor current and intraciliary Ca²⁺ concentration in salamander olfactory receptor cells. *J Physiol* **535**: 637-645

Relvas JB, Setzu A, Baron W, Buttery PC, LaFlamme SE, Franklin RJ, French-Constant C (2001) Expression of dominant-negative and chimeric subunits reveals an essential role for beta1 integrin during myelination. *Curr Biol* **11**: 1039-1043

Resende AC, Ballejo G, Salgado MC (1998) Role of non-nitric oxide non-prostaglandin endothelium-derived relaxing factor(s) in bradykinin vasodilation. *Braz J Med Biol Res* **31**: 1229-1235

Reynolds DS, Carter RJ, Morton AJ (1998) Dopamine modulates the susceptibility of striatal neurons to 3-nitropropionic acid in the rat model of Huntington's disease. *J Neurosci* **18**: 10116-10127

Reynolds L, Jones K, Winton DJ, Cranston A, Houghton C, Howard L, Ponder BA, Smith DP (2001) C-cell and thyroid epithelial tumours and altered follicular development in transgenic mice expressing the long isoform of MEN 2A RET. *Oncogene* **20**: 3986-3994

Rhee MH (2002) Functional role of serine residues of transmembrane dopamin VII in signal transduction of CB₂ cannabinoid receptor. *J Vet Sci* **3**: 185-191

Rhee MH, Bayewitch M, Avidor-Reiss T, Levy R, Vogel Z (1998) Cannabinoid receptor activation differentially regulates the various adenylyl cyclase isozymes. *J Neurochem* **71**: 1525-1534

Rhee MH, Kim SK (2002) SR144528 as inverse agonist of CB₂ cannabinoid receptor. *J Vet Sci* **3**: 179-184

Rhee MH, Nevo I, Bayewitch ML, Zagoory O, Vogel Z (2000) Functional role of tryptophan residues in the fourth transmembrane domain of the CB₂ cannabinoid receptor. *J Neurochem* **75**: 2485-2491

Rhee MH, Nevo I, Levy R, Vogel Z (2000) Role of the highly conserved Asp-Arg-Tyr motif in signal transduction of the CB2 cannabinoid receptor. *FEBS Lett* **466**: 300-304

Rhee MH, Vogel Z, Barg J, Bayewitch M, Levy R, Hanus L, Breuer A, Mechoulam R (1997) Cannabinol derivatives: binding to cannabinoid receptors and inhibition of adenylyl cyclase. *J Med Chem* **40**: 3228-3233

Rice AS, Farquhar-Smith WP, Nagy I (2002) Endocannabinoids and pain: spinal and peripheral analgesia in inflammation and neuropathy. *Prostaglandins Leukot Essent Fatty Acids* **66**: 243-256

Rice OV, Gordon N, Gifford AN (2002) Conditioned place preference to morphine in cannabinoid CB1 receptor knockout mice. *Brain Res* **945**: 135-138

Rice W, Shannon JM, Burton F, Fiedeldej D (1997) Expression of a brain-type cannabinoid receptor (CB1) in alveolar Type II cells in the lung: regulation by hydrocortisone. *Eur J Pharmacol* **327**: 227-232

Richard-Parpaillon L, Heligon C, Chesnel F, Boujard D, Philpott A (2002) The IGF pathway regulates head formation by inhibiting Wnt signaling in *Xenopus*. *Dev Biol* **244**: 407-417

Richardson JD, Aanonsen L, Hargreaves KM (1998) Antihyperalgesic effects of spinal cannabinoids. *Eur J Pharmacol* **345**: 145-153

Richardson JD, Aanonsen L, Hargreaves KM (1998) Hypoactivity of the spinal cannabinoid system results in NMDA-dependent hyperalgesia. *J Neurosci* **18**: 451-457

Richardson JD, Kilo S, Hargreaves KM (1998) Cannabinoids reduce hyperalgesia and inflammation via interaction with peripheral CB1 receptors. *Pain* **75**: 111-119

Richardson PJ (2001) The adenosine A(2A) receptor of the basal ganglia. *J Physiol* **532**: 284

Richter A, Loscher W (2002) Effects of pharmacological manipulations of cannabinoid receptors on severity of dystonia in a genetic model of paroxysmal dyskinesia. *Eur J Pharmacol* **454**: 145-151

Richter TA, Spackman DS, Robinson JE, Dye S, Harris TG, Skinner DC, Evans NP (2001) Role of endogenous opioid peptides in mediating progesterone-induced disruption of the activation and transmission stages of the GnRH surge induction process. *Endocrinology* **142**: 5212-5219

Rickman C, Archer DA, Meunier FA, Craxton M, Fukuda M, Burgoyne RD, Davletov B (2004) Synaptotagmin interaction with the syntaxin/SNAP-25 dimer is mediated by an evolutionarily conserved motif and is sensitive to inositol hexakisphosphate. *J Biol Chem* **279**: 12574-12579

Rickman C, Craxton M, Osborne S, Davletov B (2004) Comparative analysis of tandem C2 domains from the mammalian synaptotagmin family. *Biochem J* **378**: 681-686

Rickman C, Davletov B (2003) Mechanism of calcium-independent synaptotagmin binding to target SNAREs. *J Biol Chem* **278**: 5501-5504

Rickman C, Meunier FA, Binz T, Davletov B (2004) High affinity interaction of syntaxin and SNAP-25 on the plasma membrane is abolished by botulinum toxin E. *J Biol Chem* **279**: 644-651

Rickman DW (1999) Parvalbumin immunoreactivity is enhanced by brain-derived neurotrophic factor in organotypic cultures of rat retina. *J Neurobiol* **41**: 376-384

Riegel AC, Williams JT, Lupica CR (2003) Cannabinoid CB1 receptors inhibit GABA-B mediated synaptic currents in midbrain dopamine neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Riley AM, Morris SA, Nerou EP, Correa V, Potter BV, Taylor CW (2002) Interactions of inositol 1,4,5-trisphosphate (IP(3)) receptors with synthetic poly(ethylene glycol)-linked dimers of IP(3) suggest close spacing of the IP(3)-binding sites. *J Biol Chem* **277**: 40290-40295

Rimondini R, Arlinde C, Sommer W, Heilig M (2002) Long-lasting increase in voluntary ethanol consumption and transcriptional regulation in the rat brain after intermittent exposure to alcohol. *Faseb J* **16**: 27-35

Rinaldi-Carmona M, Barth F, Congy C, Martinez S, Oustric D, Perio A, Poncelet M, Maruani J, Arnone M, Finance O, Soubrie P, Le Fur G (2004) SR147778, a new potent and selective antagonist of the CB1 cannabinoid receptor. Biochemical and pharmacological characterization. *J Pharmacol Exp Ther*

Rinaldi-Carmona M, Barth F, Heaulme M, Alonso R, Shire D, Congy C, Soubrie P, Breliere JC, Le Fur G (1995) Biochemical and pharmacological characterisation of SR141716A, the first potent and selective brain cannabinoid receptor antagonist. *Life Sci* **56**: 1941-1947

Rinaldi-Carmona M, Barth F, Heaulme M, Shire D, Calandra B, Congy C, Martinez S, Maruani J, Neliet G, Caput D, et al. (1994) SR141716A, a potent and selective antagonist of the brain cannabinoid receptor. *FEBS Lett* **350**: 240-244

Rinaldi-Carmona M, Barth F, Millan J, Derocq JM, Casellas P, Congy C, Oustric D, Sarran M, Bouaboula M, Calandra B, Portier M, Shire D, Breliere JC, Le Fur GL (1998) SR 144528, the first potent and selective antagonist of the CB2 cannabinoid receptor. *J Pharmacol Exp Ther* **284**: 644-650

Rinaldi-Carmona M, Calandra B, Shire D, Bouaboula M, Oustric D, Barth F, Casellas P, Ferrara P, Le

Fur G (1996) Characterization of two cloned human CB1 cannabinoid receptor isoforms. *J Pharmacol Exp Ther* **278**: 871-878

Rinaldi-Carmona M, Le Duigou A, Oustric D, Barth F, Bouaboula M, Carayon P, Casellas P, Le Fur G (1998) Modulation of CB1 cannabinoid receptor functions after a long-term exposure to agonist or inverse agonist in the Chinese hamster ovary cell expression system. *J Pharmacol Exp Ther* **287**: 1038-1047

Rinaldi-Carmona M, Pialot F, Congy C, Redon E, Barth F, Bachy A, Breliere JC, Soubrie P, Le Fur G (1996) Characterization and distribution of binding sites for [3H]-SR 141716A, a selective brain (CB1) cannabinoid receptor antagonist, in rodent brain. *Life Sci* **58**: 1239-1247

Rismondo V, Osgood TB, Leering P, Hattenhauer MG, Ubels JL, Edelhauser HF (1989) Electrolyte composition of lacrimal gland fluid and tears of normal and vitamin A-deficient rabbits. *Clao J* **15**: 222-228

Rivera C, Voipio J, Payne JA, Ruusuvuori E, Lahtinen H, Lamsa K, Pirvola U, Saarma M, Kaila K (1999) The K⁺/Cl⁻ co-transporter KCC2 renders GABA hyperpolarizing during neuronal maturation. *Nature* **397**: 251-255

Robbe D, Alonso G, Manzoni OJ (2003) Exogenous and endogenous cannabinoids control synaptic transmission in mice nucleus accumbens. *Ann N Y Acad Sci* **1003**: 212-225

Robbe D, Kopf M, Remaury A, Bockaert J, Manzoni OJ (2002) Endogenous cannabinoids mediate long-term synaptic depression in the nucleus accumbens. *Proc Natl Acad Sci U S A* **99**: 8384-8388

Robbins TW (2002) The 5-choice serial reaction time task: behavioural pharmacology and functional neurochemistry. *Psychopharmacology (Berl)* **163**: 362-380

Roberts LA, Christie MJ, Connor M (2002) Anandamide is a partial agonist at native vanilloid receptors in acutely isolated mouse trigeminal sensory neurons. *Br J Pharmacol* **137**: 421-428

Roberts SL, Furlan RL, Cousins GR, Sanders JK (2002) Simultaneous selection, amplification and isolation of a pseudo-peptide receptor by an immobilised N-methyl ammonium ion template. *Chem Commun (Camb)*: 938-939

Roberts SL, Furlan RL, Otto S, Sanders JK (2003) Metal-ion induced amplification of three receptors from dynamic combinatorial libraries of peptide-hydrazones. *Org Biomol Chem* **1**: 1625-1633

Robin P, Rossignol B, Raymond MN (1996) Recovery of protein secretion after brefeldin A treatment of rat lacrimal glands: effect of cAMP. *Am J Physiol* **271**: C783-793

Robin P, Rossignol B, Raymond MN (1998) PKA inhibitor, H-89, affects the intracellular transit of regulated secretory proteins in rat lacrimal glands. *Am J Physiol* **274**: C262-271

Robinson JE, Birch RA, Grindrod JA, Taylor JA, Unsworth WP (2003) Sexually differentiated regulation of GnRH release by gonadal steroid hormones in sheep. *Reprod Suppl* **61**: 299-310

Robinson L, Hinder L, Pertwee RG, Hampson RE, Riedel G (2003) Differential effects of systemic and intracranial cannabinoid infusion on spatial short-term memory in rats. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Robinson L, Kelly EA, Riedel G, Hampson RE (2002) Site - Directed Infusion of Cannabinoids Alter Hippocampus - Dependent Learning and Ensemble Coding in Rats. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Robinson L, Pertwee R, Riedel G (2000) Novel visual acuity test for the water maze: Importance of cholinergic and endocannabinoid system. *Journal of Physiology (Cambridge)* **528P**

Roch F, Jimenez G, Casanova J (2002) EGFR signalling inhibits Capicua-dependent repression during specification of Drosophila wing veins. *Development* **129**: 993-1002

Roche JP, Bounds S, Brown S, Mackie K (1999) A mutation in the second transmembrane region of the CB1 receptor selectively disrupts G protein signaling and prevents receptor internalization. *Mol Pharmacol* **56**: 611-618

Roderick HL, Bootman MD (2003) Bi-directional signalling from the InsP3 receptor: regulation by calcium and accessory factors. *Biochem Soc Trans* **31**: 950-953

Roderick HL, Bootman MD (2003) Calcium influx: is Homer the missing link? *Curr Biol* **13**: R976-978

Rodgers RJ, Haller J, Halasz J, Mikics E (2003) 'One-trial sensitization' to the anxiolytic-like effects of cannabinoid receptor antagonist SR141716A in the mouse elevated plus-maze. *Eur J Neurosci* **17**: 1279-1286

Rodgers RJ, Haller J, Halasz J, Mikics E, Baird CL, Cohen SL (2003) Differential effects of cannabinoid receptor antagonist, SR141716A, on trial 1 & trial 2 plus-maze anxiety in mice. *Journal of Psychopharmacology* **17**

Rodriguez de Fonseca F, Del Arco I, Martin-Calderon JL, Gorriti MA, Navarro M (1998) Role of the endogenous cannabinoid system in the regulation of motor activity. *Neurobiol Dis* **5**: 483-501

Rodriguez De Fonseca F, Gorriti MA, Bilbao A, Escuredo L, Garcia-Segura LM, Piomelli D, Navarro M

(2001) Role of the endogenous cannabinoid system as a modulator of dopamine transmission: implications for Parkinson's disease and schizophrenia. *Neurotox Res* **3**: 23-35

Rodriguez de Fonseca F, Navarro M, Gomez R, Escuredo L, Nava F, Fu J, Murillo-Rodriguez E, Giuffrida A, LoVerme J, Gaetani S, Kathuria S, Gall C, Piomelli D (2001) An anorexic lipid mediator regulated by feeding. *Nature* **414**: 209-212

Rodriguez de Fonseca F, Roberts AJ, Bilbao A, Koob GF, Navarro M (1999) Cannabinoid receptor antagonist SR141716A decreases operant ethanol self administration in rats exposed to ethanol-vapor chambers. *Zhongguo Yao Li Xue Bao* **20**: 1109-1114

Rodriguez de Fonseca F, Wenger T, Navarro M, Murphy LL (1999) Effects of delta9-THC on VIP-induced prolactin secretion in anterior pituitary cultures: evidence for the presence of functional cannabinoid CB1 receptors in pituitary cells. *Brain Res* **841**: 114-122

Rodriguez de Fonseca FR, Villanua MA, Munoz RM, San-Martin-Clark O, Navarro M (1995) Differential effects of chronic treatment with either dopamine D1 or D2 receptor agonists on the acute neuroendocrine actions of the highly potent synthetic cannabinoid HU-210 in male rats. *Neuroendocrinology* **61**: 714-721

Rodriguez JJ, Mackie K, Pickel VM (2001) Ultrastructural localization of the CB1 cannabinoid receptor in mu-opioid receptor patches of the rat Caudate putamen nucleus. *J Neurosci* **21**: 823-833

Rogers C, Reale V, Kim K, Chatwin H, Li C, Evans P, de Bono M (2003) Inhibition of *Caenorhabditis elegans* social feeding by FMRFamide-related peptide activation of NPR-1. *Nat Neurosci* **6**: 1178-1185

Rohrbough J, Spitzer NC (1999) Ca(2+)-permeable AMPA receptors and spontaneous presynaptic transmitter release at developing excitatory spinal synapses. *J Neurosci* **19**: 8528-8541

Roitenburd Belacortu V (1985) [Effect of thioacetamide on the rat liver under various conditions of protein supplementation to the diet]. *Rev Invest Clin* **37**: 303-310

Romero J, Berrendero F, Garcia-Gil L, Lin SY, Makriyannis A, Ramos JA, Fernandez-Ruiz JJ (1999) Cannabinoid receptor and WIN-55,212-2-stimulated [³⁵S]GTPgammaS binding and cannabinoid receptor mRNA levels in several brain structures of adult male rats chronically exposed to R-methanandamide. *Neurochem Int* **34**: 473-482

Romero J, Berrendero F, Perez-Rosado A, Manzanares J, Rojo A, Fernandez-Ruiz JJ, de Yébenes JG, Ramos JA (2000) Unilateral 6-hydroxydopamine lesions of nigrostriatal dopaminergic neurons increased CB1 receptor mRNA levels in the caudate-putamen. *Life Sci* **66**: 485-494

Romero J, de Miguel R, Garcia-Palomero E, Fernandez-Ruiz JJ, Ramos JA (1995) Time-course of the effects of anandamide, the putative endogenous cannabinoid receptor ligand, on extrapyramidal function. *Brain Res* **694**: 223-232

Romero J, Garcia-Palomero E, Berrendero F, Garcia-Gil L, Hernandez ML, Ramos JA, Fernandez-Ruiz JJ (1997) Atypical location of cannabinoid receptors in white matter areas during rat brain development. *Synapse* **26**: 317-323

Romero J, Garcia-Palomero E, Castro JG, Garcia-Gil L, Ramos JA, Fernandez-Ruiz JJ (1997) Effects of chronic exposure to delta9-tetrahydrocannabinol on cannabinoid receptor binding and mRNA levels in several rat brain regions. *Brain Res Mol Brain Res* **46**: 100-108

Romero J, Garcia-Palomero E, Lin SY, Ramos JA, Makriyannis A, Fernandez-Ruiz JJ (1996) Extrapyramidal effects of methanandamide, an analog of anandamide, the endogenous CB1 receptor ligand. *Life Sci* **58**: 1249-1257

Romero J, Garcia L, Cebeira M, Zadrozny D, Fernandez-Ruiz JJ, Ramos JA (1995) The endogenous cannabinoid receptor ligand, anandamide, inhibits the motor behavior: role of nigrostriatal dopaminergic neurons. *Life Sci* **56**: 2033-2040

Romero J, Garcia L, Fernandez-Ruiz JJ, Cebeira M, Ramos JA (1995) Changes in rat brain cannabinoid binding sites after acute or chronic exposure to their endogenous agonist, anandamide, or to delta 9-tetrahydrocannabinol. *Pharmacol Biochem Behav* **51**: 731-737

Romero J, Hillard CJ, Calero M, Rabano A (2002) Fatty acid amide hydrolase localization in the human central nervous system: an immunohistochemical study. *Brain Res Mol Brain Res* **100**: 85-93

Romero J, Lastres-Becker I, de Miguel R, Berrendero F, Ramos JA, Fernandez-Ruiz J (2002) The endogenous cannabinoid system and the basal ganglia. biochemical, pharmacological, and therapeutic aspects. *Pharmacol Ther* **95**: 137-152

Ronesi J, Gerdeman GL, Lovinger DM (2003) Timing and cellular source of release of endocannabinoids necessary for striatal LTD. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Ronesi J, Gerdeman GL, Lovinger DM (2004) Disruption of endocannabinoid release and striatal long-term depression by postsynaptic blockade of endocannabinoid membrane transport. *J Neurosci* **24**: 1673-1679

Roomans GM (1984) X-ray microanalysis of rat exorbital lacrimal gland. *Scan Electron Microsc*: 889-895

Ros J, Claria J, To-Figueras J, Planaguma A, Cejudo-Martin P, Fernandez-Varo G, Martin-Ruiz R, Arroyo V, Rivera F, Rodes J, Jimenez W (2002) Endogenous cannabinoids: a new system involved in the homeostasis of arterial pressure in experimental cirrhosis in the rat. *Gastroenterology* **122**: 85-93

Rosado JA, Porras T, Conde M, Sage SO (2001) Cyclic nucleotides modulate store-mediated calcium entry through the activation of protein-tyrosine phosphatases and altered actin polymerization in human platelets. *J Biol Chem* **276**: 15666-15675

Rosado JA, Sage SO (2000) Coupling between inositol 1,4,5-trisphosphate receptors and human transient receptor potential channel 1 when intracellular Ca²⁺ stores are depleted. *Biochem J* **350 Pt 3**: 631-635

Rosado JA, Sage SO (2000) Protein kinase C activates non-capacitative calcium entry in human platelets. *J Physiol* **529 Pt 1**: 159-169

Rosado JA, Sage SO (2001) Activation of store-mediated calcium entry by secretion-like coupling between the inositol 1,4,5-trisphosphate receptor type II and human transient receptor potential (hTrp1) channels in human platelets. *Biochem J* **356**: 191-198

Rosenberry TL, Roberts WL, Haas R (1986) Glycolipid membrane-binding domain of human erythrocyte acetylcholinesterase. *Fed Proc* **45**: 2970-2975

Roshak AK, Capper EA, Stevenson C, Eichman C, Marshall LA (2000) Human calcium-independent phospholipase A2 mediates lymphocyte proliferation. *J Biol Chem* **275**: 35692-35698

Rosler M (2002) The efficacy of cholinesterase inhibitors in treating the behavioural symptoms of dementia. *Int J Clin Pract Suppl*: 20-36

Ross BM, Kim DK, Bonventre JV, Kish SJ (1995) Characterization of a novel phospholipase A2 activity in human brain. *J Neurochem* **64**: 2213-2221

Ross CA, Danoff SK, Schell MJ, Snyder SH, Ullrich A (1992) Three additional inositol 1,4,5-trisphosphate receptors: molecular cloning and differential localization in brain and peripheral tissues. *Proc Natl Acad Sci U S A* **89**: 4265-4269

Ross RA (2003) Anandamide and vanilloid TRPV1 receptors. *Br J Pharmacol* **140**: 790-801

Ross RA, Brockie HC, Fernando SR, Saha B, Razdan RK, Pertwee RG (1998) Comparison of cannabinoid binding sites in guinea-pig forebrain and small intestine. *Br J Pharmacol* **125**: 1345-1351

Ross RA, Brockie HC, Stevenson LA, Murphy VL, Templeton F, Makriyannis A, Pertwee RG (1999) Agonist-inverse agonist characterization at CB1 and CB2 cannabinoid receptors of L759633, L759656, and AM630. *Br J Pharmacol* **126**: 665-672

Ross RA, Coutts AA, McFarlane SM, Anavi-Goffer S, Irving AJ, Pertwee RG, MacEwan DJ, Scott RH (2001) Actions of cannabinoid receptor ligands on rat cultured sensory neurones: implications for antinociception. *Neuropharmacology* **40**: 221-232

Ross RA, Craib SJ, Stevenson LA, Pertwee RG, Henderson A, Toole J, Ellington HC (2002) Pharmacological characterization of the anandamide cyclooxygenase metabolite: prostaglandin E2 ethanolamide. *J Pharmacol Exp Ther* **301**: 900-907

Ross RA, Gibson TM, Brockie HC, Leslie M, Pashmi G, Craib SJ, Di Marzo V, Pertwee RG (2001) Structure-activity relationship for the endogenous cannabinoid, anandamide, and certain of its analogues at vanilloid receptors in transfected cells and vas deferens. *Br J Pharmacol* **132**: 631-640

Ross RA, Gibson TM, Stevenson LA, Saha B, Crocker P, Razdan RK, Pertwee RG (1999) Structural determinants of the partial agonist-inverse agonist properties of 6'-azidohept-2'-yne-delta8-tetrahydrocannabinol at cannabinoid receptors. *Br J Pharmacol* **128**: 735-743

Roth MD, Baldwin GC, Tashkin DP (2002) Effects of delta-9-tetrahydrocannabinol on human immune function and host defense. *Chem Phys Lipids* **121**: 229-239

Rouach N, Nicoll RA (2003) Endocannabinoids contribute to short-term but not long-term mGluR-induced depression in the hippocampus. *Eur J Neurosci* **18**: 1017-1020

Rouzer CA, Ghebreselasie K, Marnett LJ (2002) Chemical stability of 2-arachidonylglycerol under biological conditions. *Chem Phys Lipids* **119**: 69-82

Rowland NE, Mukherjee M, Robertson K (2001) Effects of the cannabinoid receptor antagonist SR 141716, alone and in combination with dexfenfluramine or naloxone, on food intake in rats. *Psychopharmacology (Berl)* **159**: 111-116

Royle SJ, Bobanovic LK, Murrell-Lagnado RD (2002) Identification of a non-canonical tyrosine-based endocytic motif in an ionotropic receptor. *J Biol Chem* **277**: 35378-35385

Rubino T, Massi P, Vigano D, Fuzio D, Parolaro D (2000) Long-term treatment with SR141716A, the CB1 receptor antagonist, influences morphine withdrawal syndrome. *Life Sci* **66**: 2213-2219

Rubino T, Patrini G, Massi P, Fuzio D, Vigano D, Giagnoni G, Parolaro D (1998) Cannabinoid-precipitated withdrawal: a time-course study of the behavioral aspect and its correlation with cannabinoid

receptors and G protein expression. *J Pharmacol Exp Ther* **285**: 813-819

Rubino T, Tizzoni L, Vigano D, Massi P, Parolaro D (1997) Modulation of rat brain cannabinoid receptors after chronic morphine treatment. *Neuroreport* **8**: 3219-3223

Rubino T, Vigano D, Costa B, Colleoni M, Parolaro D (2000) Loss of cannabinoid-stimulated guanosine 5'-O-(3-[(35)S]Thiotriphosphate) binding without receptor down-regulation in brain regions of anandamide-tolerant rats. *J Neurochem* **75**: 2478-2484

Rubino T, Vigano D, Massi P, Parolaro D (2003) Cellular mechanisms of Delta 9-tetrahydrocannabinol behavioural sensitization. *Eur J Neurosci* **17**: 325-330

Rubino T, Vigano D, Massi P, Spinello M, Zagato E, Giagnoni G, Parolaro D (2000) Chronic delta-9-tetrahydrocannabinol treatment increases cAMP levels and cAMP-dependent protein kinase activity in some rat brain regions. *Neuropharmacology* **39**: 1331-1336

Rubino T, Vigano D, Zagato E, Sala M, Parolaro D (2000) In vivo characterization of the specific cannabinoid receptor antagonist, SR141716A: behavioral and cellular responses after acute and chronic treatments. *Synapse* **35**: 8-14

Rubovitch V, Gafni M, Sarne Y (2002) The cannabinoid agonist DALN positively modulates L-type voltage-dependent calcium-channels in N18TG2 neuroblastoma cells. *Brain Res Mol Brain Res* **101**: 93-102

Rubovitch V, Gafni M, Sarne Y (2004) The involvement of VEGF receptors and MAPK in the cannabinoid potentiation of Ca²⁺ flux into N18TG2 neuroblastoma cells. *Brain Res Mol Brain Res* **120**: 138-144

Rudarakanchana N, Flanagan JA, Chen H, Upton PD, Machado R, Patel D, Trembath RC, Morrell NW (2002) Functional analysis of bone morphogenetic protein type II receptor mutations underlying primary pulmonary hypertension. *Hum Mol Genet* **11**: 1517-1525

Rudge EU, Cutler AJ, Pritchard NR, Smith KG (2002) Interleukin 4 reduces expression of inhibitory receptors on B cells and abolishes CD22 and Fc gamma RII-mediated B cell suppression. *J Exp Med* **195**: 1079-1085

Rudling JE, Richardson J, Evans PD (2000) A comparison of agonist-specific coupling of cloned human alpha(2)-adrenoceptor subtypes. *Br J Pharmacol* **131**: 933-941

Rueda D, Galve-Roperh I, Haro A, Guzman M (2000) The CB(1) cannabinoid receptor is coupled to the activation of c-Jun N-terminal kinase. *Mol Pharmacol* **58**: 814-820

Rueda D, Navarro B, Martinez-Serrano A, Guzman M, Galve-Roperh I (2002) The endocannabinoid anandamide inhibits neuronal progenitor cell differentiation through attenuation of the Rap1/B-Raf/ERK pathway. *J Biol Chem* **277**: 46645-46650

Rueda P, Quiroz-Torres AM, Martinez-Vargas M, Prospero-Garcia O (2002) Endocannabinoid Effects on Memory Depend on Diurnal Variations. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Ruiu S, Pinna GA, Marchese G, Mussinu JM, Saba P, Tambaro S, Casti P, Vargiu R, Pani L (2003) Synthesis and characterization of NESS 0327: a novel putative antagonist of the CB1 cannabinoid receptor. *J Pharmacol Exp Ther* **306**: 363-370

Ruiz-Llorente L, Ortega-Gutierrez S, Viso A, Sanchez MG, Sanchez AM, Fernandez C, Ramos JA, Hillard C, Lasuncion MA, Lopez-Rodriguez ML, Diaz-Laviada I (2004) Characterization of an anandamide degradation system in prostate epithelial PC-3 cells: synthesis of new transporter inhibitors as tools for this study. *Br J Pharmacol* **141**: 457-467

Ruiz-Llorente L, Sanchez MG, Carmena MJ, Prieto JC, Sanchez-Chapado M, Izquierdo A, Diaz-Laviada I (2003) Expression of functionally active cannabinoid receptor CB1 in the human prostate gland. *Prostate* **54**: 95-102

Rukwied R, Watkinson A, McGlone F, Dvorak M (2003) Cannabinoid agonists attenuate capsaicin-induced responses in human skin. *Pain* **102**: 283-288

Runft LL, Watras J, Jaffe LA (1999) Calcium release at fertilization of *Xenopus* eggs requires type I IP(3) receptors, but not SH2 domain-mediated activation of PLCgamma or G(q)-mediated activation of PLCbeta. *Dev Biol* **214**: 399-411

Rusa R, Alkayed NJ, Crain BJ, Traystman RJ, Kimes AS, London ED, Klaus JA, Hurn PD (1999) 17beta-estradiol reduces stroke injury in estrogen-deficient female animals. *Stroke* **30**: 1665-1670

Russo E (1998) Cannabis for migraine treatment: the once and future prescription? An historical and scientific review. *Pain* **76**: 3-8

Rutter GA, Rizzuto R (2000) Regulation of mitochondrial metabolism by ER Ca²⁺ release: an intimate connection. *Trends Biochem Sci* **25**: 215-221

Ryan WJ, Banner WK, Wiley JL, Martin BR, Razdan RK (1997) Potent anandamide analogs: the effect of changing the length and branching of the end pentyl chain. *J Med Chem* **40**: 3617-3625

Saario SM, Savinainen JR, Laitinen JT, Jarvinen T, Niemi R (2004) Monoglyceride lipase-like enzymatic

activity is responsible for hydrolysis of 2-arachidonoylglycerol in rat cerebellar membranes. *Biochem Pharmacol* **67**: 1381-1387

Sabbadini RA, Betto R, Teresi A, Fachechi-Cassano G, Salviati G (1992) The effects of sphingosine on sarcoplasmic reticulum membrane calcium release. *J Biol Chem* **267**: 15475-15484

Sacerdote P, Massi P, Panerai AE, Parolaro D (2000) In vivo and in vitro treatment with the synthetic cannabinoid CP55, 940 decreases the in vitro migration of macrophages in the rat: involvement of both CB1 and CB2 receptors. *J Neuroimmunol* **109**: 155-163

Sagan S, Venance L, Torrens Y, Cordier J, Glowinski J, Giaume C (1999) Anandamide and WIN 55212-2 inhibit cyclic AMP formation through G-protein-coupled receptors distinct from CB1 cannabinoid receptors in cultured astrocytes. *Eur J Neurosci* **11**: 691-699

Saito T, Ochiai H (1993) Evidence for a glycolipid anchor of gp64, a putative cell-cell adhesion protein of *Polysphondylium pallidum*. *Eur J Biochem* **218**: 623-628

Salio C, Cottone E, Conrath M, Franzoni MF (2002) CB1 cannabinoid receptors in amphibian spinal cord: relationships with some nociception markers. *J Chem Neuroanat* **24**: 153-162

Salio C, Doly S, Fischer J, Franzoni MF, Conrath M (2002) Neuronal and astrocytic localization of the cannabinoid receptor-1 in the dorsal horn of the rat spinal cord. *Neurosci Lett* **329**: 13-16

Salio C, Fischer J, Franzoni MF, Conrath M (2002) Pre- and postsynaptic localizations of the CB1 cannabinoid receptor in the dorsal horn of the rat spinal cord. *Neuroscience* **110**: 755-764

Salio C, Fischer J, Franzoni MF, Mackie K, Kaneko T, Conrath M (2001) CB1-cannabinoid and mu-opioid receptor co-localization on postsynaptic target in the rat dorsal horn. *Neuroreport* **12**: 3689-3692

Salomon Y (1990) Melanocortin receptors: targets for control by extracellular calcium. *Mol Cell Endocrinol* **70**: 139-145

Salzet M (2000) Invertebrate molecular neuroimmune processes. *Brain Res Brain Res Rev* **34**: 69-79

Salzet M (2001) Neuroimmunology of opioids from invertebrates to human. *Neuroendocrinol Lett* **22**: 467-474

Salzet M, Breton C, Bisogno T, Di Marzo V (2000) Comparative biology of the endocannabinoid system possible role in the immune response. *Eur J Biochem* **267**: 4917-4927

Salzet M, Salzet-Raveillon B, Cocquerelle C, Verger-Bocquet M, Pryor SC, Rialas CM, Laurent V, Stefano GB (1997) Leech immunocytes contain proopiomelanocortin: nitric oxide mediates hemolymph proopiomelanocortin processing. *J Immunol* **159**: 5400-5411

Salzet M, Stefano GB (2002) The endocannabinoid system in invertebrates. *Prostaglandins Leukot Essent Fatty Acids* **66**: 353-361

Sampei K, Goto S, Alkayed NJ, Crain BJ, Korach KS, Traystman RJ, Demas GE, Nelson RJ, Hurn PD (2000) Stroke in estrogen receptor-alpha-deficient mice. *Stroke* **31**: 738-743; discussion 744

Sampson HW, Bowers DE, Cannon MS, Piscopo I (1982) Intracellular calcium localization in stimulated and non-stimulated extraorbital lacrimal glands of rats. *Tissue Cell* **14**: 735-749

Samson MT, Small-Howard A, Shimoda LM, Koblan-Huberson M, Stokes AJ, Turner H (2003) Differential roles of CB1 and CB2 cannabinoid receptors in mast cells. *J Immunol* **170**: 4953-4962

San Martin B, Bate M (2001) Hindgut visceral mesoderm requires an ectodermal template for normal development in *Drosophila*. *Development* **128**: 233-242

Sanchez C, de Ceballos ML, del Pulgar TG, Rueda D, Corbacho C, Velasco G, Galve-Roperh I, Huffman JW, Ramon y Cajal S, Guzman M (2001) Inhibition of glioma growth in vivo by selective activation of the CB(2) cannabinoid receptor. *Cancer Res* **61**: 5784-5789

Sanchez C, Galve-Roperh I, Rueda D, Guzman M (1998) Involvement of sphingomyelin hydrolysis and the mitogen-activated protein kinase cascade in the Delta9-tetrahydrocannabinol-induced stimulation of glucose metabolism in primary astrocytes. *Mol Pharmacol* **54**: 834-843

Sanchez C, Rueda D, Segui B, Galve-Roperh I, Levade T, Guzman M (2001) The CB(1) cannabinoid receptor of astrocytes is coupled to sphingomyelin hydrolysis through the adaptor protein fan. *Mol Pharmacol* **59**: 955-959

Sanchez C, Velasco G, Guzman M (1997) Delta9-tetrahydrocannabinol stimulates glucose utilization in C6 glioma cells. *Brain Res* **767**: 64-71

Sanchez C, Velasco G, Guzman M (1997) Metabolic stimulation of mouse spleen lymphocytes by low doses of delta9-tetrahydrocannabinol. *Life Sci* **60**: 1709-1717

Sanchez MG, Ruiz-Llorente L, Sanchez AM, Diaz-Laviada I (2003) Activation of phosphoinositide 3-kinase/PKB pathway by CB(1) and CB(2) cannabinoid receptors expressed in prostate PC-3 cells. Involvement in Raf-1 stimulation and NGF induction. *Cell Signal* **15**: 851-859

Sanchez MG, Sanchez AM, Ruiz-Llorente L, Diaz-Laviada I (2003) Enhancement of androgen receptor

expression induced by (R)-methanandamide in prostate LNCaP cells. *FEBS Lett* **555**: 561-566

Sanchis-Segura C, Cline BH, Marsicano G, Lutz B, Spanagel R (2004) Reduced sensitivity to reward in CB1 knockout mice. *Psychopharmacology* (Berl)

Sancho R, Calzado MA, Di Marzo V, Appendino G, Munoz E (2003) Anandamide inhibits nuclear factor-kappaB activation through a cannabinoid receptor-independent pathway. *Mol Pharmacol* **63**: 429-438

Sancho R, de la Vega L, Appendino G, Di Marzo V, Macho A, Munoz E (2003) The CB1/VR1 agonist arvanil induces apoptosis through an FADD/caspase-8-dependent pathway. *Br J Pharmacol* **140**: 1035-1044

Sancho R, Macho A, de La Vega L, Calzado MA, Fiebich BL, Appendino G, Munoz E (2004) Immunosuppressive activity of endovanilloids: N-arachidonoyl-dopamine inhibits activation of the NF-kappaB, NFAT, and activator protein 1 signaling pathways. *J Immunol* **172**: 2341-2351

Sandilands AJ, O'Shaughnessy KM, Brown MJ (2003) Greater inotropic and cyclic AMP responses evoked by noradrenaline through Arg389 beta 1-adrenoceptors versus Gly389 beta 1-adrenoceptors in isolated human atrial myocardium. *Br J Pharmacol* **138**: 386-392

Sanghi S, Kumar R, Lumsden A, Dickinson D, Klepeis V, Trinkaus-Randall V, Frierson HF, Jr., Laurie GW (2001) cDNA and genomic cloning of lacritin, a novel secretion enhancing factor from the human lacrimal gland. *J Mol Biol* **310**: 127-139

Sanna B, Kramer D, Genazzani AA (2002) The expression of the PDZ protein MALS-1/velis is regulated by calcium and calcineurin in cerebellar granule cells. *J Biol Chem* **277**: 49585-49590

Santucci V, Storme JJ, Soubrie P, Le Fur G (1996) Arousal-enhancing properties of the CB1 cannabinoid receptor antagonist SR 141716A in rats as assessed by electroencephalographic spectral and sleep-waking cycle analysis. *Life Sci* **58**: PL103-110

Sanudo-Pena MC, Strangman NM, Mackie K, Walker JM, Tsou K (1999) CB1 receptor localization in rat spinal cord and roots, dorsal root ganglion, and peripheral nerve. *Zhongguo Yao Li Xue Bao* **20**: 1115-1120

Sanudo-Pena MC, Tsou K, Romero J, Mackie K, Walker JM (2000) Role of the superior colliculus in the motor effects of cannabinoids and dopamine. *Brain Res* **853**: 207-214

Sanz P, Moreno E, Blasco R, Repetto M (1990) Study of delayed neurotoxicity caused by fatty acid anilides in hens. *Vet Hum Toxicol* **32**: 422-427

Saraiva M, Alcami A (2001) CrmE, a novel soluble tumor necrosis factor receptor encoded by poxviruses. *J Virol* **75**: 226-233

Sarker KP, Biswas KK, Yamakuchi M, Lee KY, Hahiguchi T, Kracht M, Kitajima I, Maruyama I (2003) ASK1-p38 MAPK/JNK signaling cascade mediates anandamide-induced PC12 cell death. *J Neurochem* **85**: 50-61

Sarker KP, Maruyama I (2003) Anandamide induces cell death independently of cannabinoid receptors or vanilloid receptor 1: possible involvement of lipid rafts. *Cell Mol Life Sci* **60**: 1200-1208

Sarker KP, Obara S, Nakata M, Kitajima I, Maruyama I (2000) Anandamide induces apoptosis of PC-12 cells: involvement of superoxide and caspase-3. *FEBS Lett* **472**: 39-44

Sasaki K, Burrows M (2003) Proprioceptors monitoring forces in a locust hind leg during kicking form negative feedback loops with flexor tibiae motor neurons. *J Exp Biol* **206**: 759-769

Sasaki T, Chang MC (1997) N-arachidonyl ethanolamine (anandamide) formation from N-arachidonylphosphatidylethanolamine in rat brain membranes. *Life Sci* **61**: 1803-1810

Sasaki T, Gallacher DV (1990) Extracellular ATP activates receptor-operated cation channels in mouse lacrimal acinar cells to promote calcium influx in the absence of phosphoinositide metabolism. *FEBS Lett* **264**: 130-134

Sasaki T, Gallacher DV (1992) The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. *J Physiol* **447**: 103-118

Sassoe-Pognetto M, Wassle H (1997) Synaptogenesis in the rat retina: subcellular localization of glycine receptors, GABA(A) receptors, and the anchoring protein gephyrin. *J Comp Neurol* **381**: 158-174

Sato T, Shoji H, Koga N (2003) Endotoxin adsorption by polymyxin B immobilized fiber column in patients with systemic inflammatory response syndrome: the Japanese experience. *Therap Apher Dial* **7**: 252-258

Satoh T, Nakatsuka D, Watanabe Y, Nagata I, Kikuchi H, Namura S (2000) Neuroprotection by MAPK/ERK kinase inhibition with U0126 against oxidative stress in a mouse neuronal cell line and rat primary cultured cortical neurons. *Neurosci Lett* **288**: 163-166

Satoh Y, Sano K, Habara Y, Kanno T (1997) Effects of carbachol and catecholamines on ultrastructure and intracellular calcium-ion dynamics of acinar and myoepithelial cells of lacrimal glands. *Cell Tissue Res* **289**: 473-485

Savage DB, Agostini M, Barroso I, Gurnell M, Luan J, Meirhaeghe A, Harding AH, Ihrke G, Rajanayagam O, Soos MA, George S, Berger D, Thomas EL, Bell JD, Meeran K, Ross RJ, Vidal-Puig

A, Wareham NJ, O'Rahilly S, Chatterjee VK, Schafer AJ (2002) Digenic inheritance of severe insulin resistance in a human pedigree. *Nat Genet* **31**: 379-384

Savidge J, Davis C, Shah K, Colley S, Phillips E, Ranasinghe S, Winter J, Kotsonis P, Rang H, McIntyre P (2002) Cloning and functional characterization of the guinea pig vanilloid receptor 1. *Neuropharmacology* **43**: 450-456

Savinainen JR, Jarvinen T, Laine K, Laitinen JT (2001) Despite substantial degradation, 2-arachidonoylglycerol is a potent full efficacy agonist mediating CB(1) receptor-dependent G-protein activation in rat cerebellar membranes. *Br J Pharmacol* **134**: 664-672

Savinainen JR, Saario SM, Niemi R, Jarvinen T, Laitinen JT (2003) An optimized approach to study endocannabinoid signaling: evidence against constitutive activity of rat brain adenosine A1 and cannabinoid CB1 receptors. *Br J Pharmacol* **140**: 1451-1459

Sawada M, Alkayed NJ, Goto S, Crain BJ, Traystman RJ, Shaivitz A, Nelson RJ, Hurn PD (2000) Estrogen receptor antagonist IC182,780 exacerbates ischemic injury in female mouse. *J Cereb Blood Flow Metab* **20**: 112-118

Scatton B, Sanger DJ (2000) Pharmacological and molecular targets in the search for novel antipsychotics. *Behav Pharmacol* **11**: 243-256

Schabitz WR, Giuffrida A, Berger C, Aschoff A, Schwaninger M, Schwab S, Piomelli D (2002) Release of fatty acid amides in a patient with hemispheric stroke: a microdialysis study. *Stroke* **33**: 2112-2114

Schatz AR, Lee M, Condie RB, Pulaski JT, Kaminski NE (1997) Cannabinoid receptors CB1 and CB2: a characterization of expression and adenylate cyclase modulation within the immune system. *Toxicol Appl Pharmacol* **142**: 278-287

Schelb V, Gobel I, Khairallah L, Zhou H, Cox SL, Trendelenburg AU, Hein L, Starke K (2001) Postnatal development of presynaptic receptors that modulate noradrenaline release in mice. *Naunyn Schmiedebergs Arch Pharmacol* **364**: 359-371

Schelegle ES (2003) Functional morphology and physiology of slowly adapting pulmonary stretch receptors. *Anat Rec* **270A**: 11-16

Schiffmann D, Gramorski A, Gross GW (In Press) Acute neurotoxicity of trimethyl tin chloride. *J Neurotoxicology*

Schiffmann DA, White JH, Cooper A, Nutley MA, Harding SE, Jumel K, Solari R, Ray KP, Gay NJ (1999) Formation and biochemical characterization of tube/pelle death domain complexes: critical regulators of postreceptor signaling by the *Drosophila* toll receptor. *Biochemistry* **38**: 11722-11733

Schiffrin EL (2001) A critical review of the role of endothelial factors in the pathogenesis of hypertension. *J Cardiovasc Pharmacol* **38 Suppl 2**: S3-6

Schindler M, Harris CA, Hayes B, Papotti M, Humphrey PP (2001) Immunohistochemical localization of adenosine A1 receptors in human brain regions. *Neurosci Lett* **297**: 211-215

Schindler M, Holloway S, Hathway G, Woolf CJ, Humphrey PP, Emson PC (1998) Identification of somatostatin sst2(a) receptor expressing neurones in central regions involved in nociception. *Brain Res* **798**: 25-35

Schindler M, Humphrey PP (1999) Differential distribution of somatostatin sst2 receptor splice variants in rat gastric mucosa. *Cell Tissue Res* **297**: 163-168

Schlicker E, Gothert M (1998) Interactions between the presynaptic alpha2-autoreceptor and presynaptic inhibitory heteroreceptors on noradrenergic neurones. *Brain Res Bull* **47**: 129-132

Schlicker E, Kathmann M (2001) Modulation of transmitter release via presynaptic cannabinoid receptors. *Trends Pharmacol Sci* **22**: 565-572

Schlicker E, Redmer A, Werner A, Kathmann M (2003) Lack of CB1 receptors increases noradrenaline release in vas deferens without affecting atrial noradrenaline release or cortical acetylcholine release. *Br J Pharmacol* **140**: 323-328

Schlicker E, Timm J, Gothert M (1996) Cannabinoid receptor-mediated inhibition of dopamine release in the retina. *Naunyn Schmiedebergs Arch Pharmacol* **354**: 791-795

Schlicker E, Timm J, Zentner J, Gothert M (1997) Cannabinoid CB1 receptor-mediated inhibition of noradrenaline release in the human and guinea-pig hippocampus. *Naunyn Schmiedebergs Arch Pharmacol* **356**: 583-589

Schlitzer M, Bohm M, Sattler I, Dahse HM (2000) Design, synthesis and early structure-activity relationship of farnesyltransferase inhibitors which mimic both the peptidic and the prenylic substrate. *Bioorg Med Chem* **8**: 1991-2006

Schmetzer S, Greenidge P, Kovar KA, Schulze-Alexandru M, Folkers G (1997) Structure-activity relationships of cannabinoids: a joint CoMFA and pseudoreceptor modelling study. *J Comput Aided Mol Des*

11: 278-292

Schmid HH (2000) Pathways and mechanisms of N-acylethanolamine biosynthesis: can anandamide be generated selectively? *Chem Phys Lipids* **108**: 71-87

Schmid HH, Berdyshev EV (2002) Cannabinoid receptor-inactive N-acylethanolamines and other fatty acid amides: metabolism and function. *Prostaglandins Leukot Essent Fatty Acids* **66**: 363-376

Schmid HH, Schmid PC, Berdyshev EV (2002) Cell signaling by endocannabinoids and their congeners: questions of selectivity and other challenges. *Chem Phys Lipids* **121**: 111-134

Schmid HH, Schmid PC, Natarajan V (1990) N-acylated glycerophospholipids and their derivatives. *Prog Lipid Res* **29**: 1-43

Schmid HH, Schmid PC, Natarajan V (1996) The N-acylation-phosphodiesterase pathway and cell signalling. *Chem Phys Lipids* **80**: 133-142

Schmid K, Niederhoffer N, Szabo B (2003) Analysis of the respiratory effects of cannabinoids in rats. *Naunyn Schmiedebergs Arch Pharmacol* **368**: 301-308

Schmid PC, Krebsbach RJ, Perry SR, Dettmer TM, Maasson JL, Schmid HH (1995) Occurrence and postmortem generation of anandamide and other long-chain N-acylethanolamines in mammalian brain. *FEBS Lett* **375**: 117-120

Schmid PC, Kuwae T, Krebsbach RJ, Schmid HH (1997) Anandamide and other N-acylethanolamines in mouse peritoneal macrophages. *Chem Phys Lipids* **87**: 103-110

Schmid PC, Natarajan V, Weis BK, Schmid HH (1986) Hydrolysis of N-acylated glycerophospholipids by phospholipases A2 and D: a method of identification and analysis. *Chem Phys Lipids* **41**: 195-207

Schmid PC, Paria BC, Krebsbach RJ, Schmid HH, Dey SK (1997) Changes in anandamide levels in mouse uterus are associated with uterine receptivity for embryo implantation. *Proc Natl Acad Sci U S A* **94**: 4188-4192

Schmid PC, Reddy PV, Natarajan V, Schmid HH (1983) Metabolism of N-acylethanolamine phospholipids by a mammalian phosphodiesterase of the phospholipase D type. *J Biol Chem* **258**: 9302-9306

Schmid PC, Schmid HH (1987) N-Acylation of ethanolamine phospholipids by acyl transfer does not involve hydrolysis. *Biochim Biophys Acta* **922**: 398-400

Schmid PC, Schwartz KD, Smith CN, Krebsbach RJ, Berdyshev EV, Schmid HH (2000) A sensitive endocannabinoid assay. The simultaneous analysis of N-acylethanolamines and 2-monoacylglycerols. *Chem Phys Lipids* **104**: 185-191

Schmid PC, Schwindenhammer D, Krebsbach RJ, Schmid HH (1998) Alternative pathways of anandamide biosynthesis in rat testes. *Chem Phys Lipids* **92**: 27-35

Schmid PC, Wold LE, Krebsbach RJ, Berdyshev EV, Schmid HH (2002) Anandamide and other N-acylethanolamines in human tumors. *Lipids* **37**: 907-912

Schmid PC, Zuzarte-Augustin ML, Schmid HH (1985) Properties of rat liver N-acylethanolamine amidohydrolase. *J Biol Chem* **260**: 14145-14149

Schmidt LG, Samochowiec J, Finckh U, Fiszler-Piosik E, Horodnicki J, Wendel B, Rommelspacher H, Hoehe MR (2002) Association of a CB1 cannabinoid receptor gene (CNR1) polymorphism with severe alcohol dependence. *Drug Alcohol Depend* **65**: 221-224

Schneider U, Leweke FM, Mueller-Vahl KR, Emrich HM (1998) Cannabinoid/anandamide system and schizophrenia: is there evidence for association? *Pharmacopsychiatry* **31 Suppl 2**: 110-113

Schneider U, Muller-Vahl KR, Stuhmann M, Gadzicki D, Heller D, Seifert J, Emrich HM (2000) [In Process Citation]. *Fortschr Neurol Psychiatr* **68**: 433-438

Schoepp DD, Jane DE, Monn JA (1999) Pharmacological agents acting at subtypes of metabotropic glutamate receptors. *Neuropharmacology* **38**: 1431-1476

Schreiber V (1994) [New findings on endogenous drug receptor ligands]. *Cas Lek Cesk* **133**: 137-139

Schuel H, Burkman LJ, Lippes J, Crickard K, Forester E, Piomelli D, Giuffrida A (2002) N-Acylethanolamines in human reproductive fluids. *Chem Phys Lipids* **121**: 211-227

Schuel H, Burkman LJ, Lippes J, Crickard K, Mahony MC, Giuffrida A, Picone RP, Makriyannis A (2002) Evidence that anandamide-signaling regulates human sperm functions required for fertilization. *Mol Reprod Dev* **63**: 376-387

Schuel H, Burkman LJ, Lippes J, Picone RP, Makriyannis A, Mahony MC, Giuffrida A, Piomelli D (2000) An endocannabinoid-signal system regulates human sperm. *Molecular Biology of the Cell* **11**

Schuel H, Goldstein E, Mechoulam R, Zimmerman AM, Zimmerman S (1994) Anandamide (arachidonylethanolamide), a brain cannabinoid receptor agonist, reduces sperm fertilizing capacity in sea urchins by inhibiting the acrosome reaction. *Proc Natl Acad Sci U S A* **91**: 7678-7682

Schuldt AJ, Brand AH (1999) Mastermind acts downstream of notch to specify neuronal cell fates in the

Drosophila central nervous system. *Dev Biol* **205**: 287-295

Schulz I, Streb H, Bayerdorffer E, Thevenod F (1985) Stimulus-secretion coupling in exocrine glands: the role of inositol-1,4,5-trisphosphate, calcium and cAMP. *Curr Eye Res* **4**: 467-473

Schuster J, Ates M, Brune K, Guhring H (2002) The cannabinoids R(-)-7-hydroxy-delta-6-tetrahydrocannabinol-dimethylheptyl (HU-210), 2-O-arachidonoylglycerylether (HU-310) and arachidonyl-2-chloroethylamide (ACEA) increase isoflurane provoked sleep duration by activation of cannabinoids 1 (CB1)-receptors in mice. *Neurosci Lett* **326**: 196-200

Schwabe JW, Teichmann SA (2004) Nuclear receptors: the evolution of diversity. *Sci STKE* **2004**: pe4

Schwartz AD, Whitacre CL, Wilson DF (1999) Do ryanodine receptors regulate transmitter release at the neuromuscular junction of rat? *Neurosci Lett* **274**: 163-166

Schwarz H, Blanco FJ, Lotz M (1994) Anandamide, an endogenous cannabinoid receptor agonist inhibits lymphocyte proliferation and induces apoptosis. *J Neuroimmunol* **55**: 107-115

Schweitzer P (2000) Cannabinoids decrease the K(+) M-current in hippocampal CA1 neurons. *J Neurosci* **20**: 51-58

Schweitzer P, Siggins GR, Madamba SG (1999) Cannabinoid modulation of neuronal activity in adult rat hippocampus. *Adv Exp Med Biol* **469**: 547-552

Schwiening CJ, Willoughby D (2002) Depolarization-induced pH microdomains and their relationship to calcium transients in isolated snail neurones. *J Physiol* **538**: 371-382

Scorticati C, Mohn C, De Laurentiis A, Vissio P, Fernandez Solari J, Seilicovich A, McCann SM, Rettori V (2003) The effect of anandamide on prolactin secretion is modulated by estrogen. *Proc Natl Acad Sci U S A* **100**: 2134-2139

Seagard JL, Dean C, Patel S, Rademacher DJ, Hopp FA, Schmeling WT, Hillard CJ (2004) Anandamide content and interaction of endocannabinoid/GABA modulatory effects in the NTS on baroreflex-evoked sympathoinhibition. *Am J Physiol Heart Circ Physiol* **286**: H992-1000

Seaman MN (2004) Cargo-selective endosomal sorting for retrieval to the Golgi requires retromer. *J Cell Biol* **165**: 111-122

Segall Y, Quistad GB, Nomura DK, Casida JE (2003) Arachidonylsulfonyl derivatives as cannabinoid CB1 receptor and fatty acid amide hydrolase inhibitors. *Bioorg Med Chem Lett* **13**: 3301-3303

Segall Y, Quistad GB, Sparks SE, Nomura DK, Casida JE (2003) Toxicological and structural features of organophosphorus and organosulfur cannabinoid CB1 receptor ligands. *Toxicol Sci* **76**: 131-137

Segovia G, Mora F, Crossman AR, Brotchie JM (2003) Effects of CB1 cannabinoid receptor modulating compounds on the hyperkinesia induced by high-dose levodopa in the reserpine-treated rat model of Parkinson's disease. *Mov Disord* **18**: 138-149

Seidel K, Hamza M, Ates M, Guhring H (2003) Flurbiprofen inhibits capsaicin induced calcitonin gene related peptide release from rat spinal cord via an endocannabinoid dependent mechanism. *Neurosci Lett* **338**: 99-102

Self DW (1999) Anandamide: a candidate neurotransmitter heads for the big leagues. *Nat Neurosci* **2**: 303-304

Selkoe DJ, Abraham CR, Podlisny MB, Duffy LK (1986) Isolation of low-molecular-weight proteins from amyloid plaque fibers in Alzheimer's disease. *J Neurochem* **46**: 1820-1834

Sellers LA (1999) Prolonged activation of extracellular signal-regulated kinase by a protein kinase C-dependent and N17Ras-insensitive mechanism mediates the proliferative response of G(i/o)-coupled somatostatin sst(4) receptors. *J Biol Chem* **274**: 24280-24288

Sellers LA, Alderton F, Carruthers AM, Schindler M, Humphrey PP (2000) Receptor isoforms mediate opposing proliferative effects through gbetagamma-activated p38 or Akt pathways. *Mol Cell Biol* **20**: 5974-5985

Sellers LA, Feniuk W, Humphrey PP, Lauder H (1999) Activated G protein-coupled receptor induces tyrosine phosphorylation of STAT3 and agonist-selective serine phosphorylation via sustained stimulation of mitogen-activated protein kinase. Resultant effects on cell proliferation. *J Biol Chem* **274**: 16423-16430

Sellers LA, Simon J, Lundahl TS, Cousens DJ, Humphrey PP, Barnard EA (2001) Adenosine nucleotides acting at the human P2Y1 receptor stimulate mitogen-activated protein kinases and induce apoptosis. *J Biol Chem* **276**: 16379-16390

Selley DE, Rorrer WK, Breivogel CS, Zimmer AM, Zimmer A, Martin BR, Sim-Selley LJ (2001) Agonist efficacy and receptor efficiency in heterozygous CB1 knockout mice: relationship of reduced CB1 receptor density to G-protein activation. *J Neurochem* **77**: 1048-1057

Selmer I, Schindler M, Allen JP, Humphrey PP, Emson PC (2000) Advances in understanding neuronal somatostatin receptors. *Regul Pept* **90**: 1-18

Selmer IS, Schindler M, Humphrey PP, Emson PC (2000) Immunohistochemical localization of the somatostatin sst(4) receptor in rat brain. *Neuroscience* **98**: 523-533

Selmer IS, Schindler M, Humphrey PP, Waldvogel HJ, Faull RL, Emson PC (2000) First localisation of somatostatin sst(4) receptor protein in selected human brain areas: an immunohistochemical study. *Brain Res Mol Brain Res* **82**: 114-125

Seltzman HH, Fleming DN, Thomas BF, Gilliam AF, McCallion DS, Pertwee RG, Compton DR, Martin BR (1997) Synthesis and pharmacological comparison of dimethylheptyl and pentyl analogs of anandamide. *J Med Chem* **40**: 3626-3634

Semyanov A, Kullmann DM (2000) Modulation of GABAergic signaling among interneurons by metabotropic glutamate receptors. *Neuron* **25**: 663-672

Senior K (2001) Endogenously produced cannabinoids and liver cirrhosis. *Lancet* **358**: 42

Sepe N, De Petrocellis L, Montanaro F, Cimino G, Di Marzo V (1998) Bioactive long chain N-acylethanolamines in five species of edible bivalve molluscs. Possible implications for mollusc physiology and sea food industry. *Biochim Biophys Acta* **1389**: 101-111

Setalo G, Jr., Singh M, Guan X, Toran-Allerand CD (2002) Estradiol-induced phosphorylation of ERK1/2 in explants of the mouse cerebral cortex: the roles of heat shock protein 90 (Hsp90) and MEK2. *J Neurobiol* **50**: 1-12

Setoguchi H, Nishimura J, Hirano K, Takahashi S, Kanaide H (2001) Leukotriene C(4) enhances the contraction of porcine tracheal smooth muscle through the activation of Y-27632, a rho kinase inhibitor, sensitive pathway. *Br J Pharmacol* **132**: 111-118

Seutin V (2003) [Effects of nicotine and cannabinoids on the central nervous system]. *Rev Med Liege* **58**: 19-21

Sewter C, Blows F, Considine R, Vidal-Puig A, O'Rahilly S (2002) Differential effects of adiposity on peroxisomal proliferator-activated receptor gamma1 and gamma2 messenger ribonucleic acid expression in human adipocytes. *J Clin Endocrinol Metab* **87**: 4203-4207

Sewter CP, Digby JE, Blows F, Prins J, O'Rahilly S (1999) Regulation of tumour necrosis factor-alpha release from human adipose tissue in vitro. *J Endocrinol* **163**: 33-38

Shah V (2001) Cellular and molecular basis of portal hypertension. *Clin Liver Dis* **5**: 629-644

Shah YB, Prior MJ, Dixon AL, Morris PG, Marsden CA (2004) Detection of cannabinoid agonist evoked increase in BOLD contrast in rats using functional magnetic resonance imaging. *Neuropharmacology* **46**: 379-387

Shakir KM, Simpkins CO, Gartner SL, Sobel DO, Williams TJ (1989) Phospholipase C activity in human polymorphonuclear leukocytes: partial characterization and effect of indomethacin. *Enzyme* **42**: 197-208

Shapira M, Gafni M, Sarne Y (2003) Long-term interactions between opioid and cannabinoid agonists at the cellular level: cross-desensitization and downregulation. *Brain Res* **960**: 190-200

Shapira M, Vogel Z, Sarne Y (2000) Opioid and cannabinoid receptors share a common pool of GTP-binding proteins in cotransfected cells, but not in cells which endogenously coexpress the receptors. *Cell Mol Neurobiol* **20**: 291-304

Sharkey AM, King A, Clark DE, Burrows TD, Jokhi PP, Charnock-Jones DS, Loke YW, Smith SK (1999) Localization of leukemia inhibitory factor and its receptor in human placenta throughout pregnancy. *Biol Reprod* **60**: 355-364

Sharma C, Smith T, Li S, Schroepfer GJ, Jr., Needleman DH (2000) Inhibition of Ca²⁺ release channel (ryanodine receptor) activity by sphingolipid bases: mechanism of action. *Chem Phys Lipids* **104**: 1-11

Sharma S, Sharma SC (1997) An update on eicosanoids and inhibitors of cyclooxygenase enzyme systems. *Indian J Exp Biol* **35**: 1025-1031

Shearin S, Bukoski RD (2002) Blockade of anandamide-induced relaxation and NO donor activity by ammonium paratungstate. *FASEB Journal* **16**

Shearman LP, Rosko KM, Fleischer R, Wang J, Xu S, Tong XS, Rocha BA (2003) Antidepressant-like and anorectic effects of the cannabinoid CB1 receptor inverse agonist AM251 in mice. *Behav Pharmacol* **14**: 573-582

Shen M, Piser TM, Seybold VS, Thayer SA (1996) Cannabinoid receptor agonists inhibit glutamatergic synaptic transmission in rat hippocampal cultures. *J Neurosci* **16**: 4322-4334

Shen M, Thayer SA (1998) The cannabinoid agonist Win55,212-2 inhibits calcium channels by receptor-mediated and direct pathways in cultured rat hippocampal neurons. *Brain Res* **783**: 77-84

Shen M, Thayer SA (1998) Cannabinoid receptor agonists protect cultured rat hippocampal neurons from excitotoxicity. *Mol Pharmacol* **54**: 459-462

Shen M, Thayer SA (1999) Delta9-tetrahydrocannabinol acts as a partial agonist to modulate glutamatergic

synaptic transmission between rat hippocampal neurons in culture. *Mol Pharmacol* **55**: 8-13

Sheng M, Wyszynski M (1997) Ion channel targeting in neurons. *Bioessays* **19**: 847-853

Sherwin JR, Smith SK, Wilson A, Sharkey AM (2002) Soluble gp130 is up-regulated in the implantation window and shows altered secretion in patients with primary unexplained infertility. *J Clin Endocrinol Metab* **87**: 3953-3960

Sheskin T, Hanus L, Slager J, Vogel Z, Mechoulam R (1997) Structural requirements for binding of anandamide-type compounds to the brain cannabinoid receptor. *J Med Chem* **40**: 659-667

Shewan D, Dwivedy A, Anderson R, Holt CE (2002) Age-related changes underlie switch in netrin-1 responsiveness as growth cones advance along visual pathway. *Nat Neurosci* **5**: 955-962

Shi C, Szczesniak A, Mao L, Jollimore C, Coca-Prados M, Hung O, Kelly ME (2003) A3 adenosine and CB1 receptors activate a PKC-sensitive Cl⁻ current in human nonpigmented ciliary epithelial cells via a G beta gamma-coupled MAPK signaling pathway. *Br J Pharmacol* **139**: 475-486

Shi J, Bui JD, Yang SH, He Z, Lucas TH, Buckley DL, Blackband SJ, King MA, Day AL, Simpkins JW (2001) Estrogens decrease reperfusion-associated cortical ischemic damage: an MRI analysis in a transient focal ischemia model. *Stroke* **32**: 987-992

Shi Y, Agematsu K, Ochs HD, Sugane K (2003) Functional analysis of human memory B-cell subpopulations: IgD+CD27+ B cells are crucial in secondary immune response by producing high affinity IgM. *Clin Immunol* **108**: 128-137

Shim JY, Collantes ER, Welsh WJ, Subramaniam B, Howlett AC, Eissenstat MA, Ward SJ (1998) Three-dimensional quantitative structure-activity relationship study of the cannabimimetic (aminoalkyl)indoles using comparative molecular field analysis. *J Med Chem* **41**: 4521-4532

Shim JY, Welsh WJ, Cartier E, Edwards JL, Howlett AC (2002) Molecular interaction of the antagonist N-(piperidin-1-yl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboxamide with the CB1 cannabinoid receptor. *J Med Chem* **45**: 1447-1459

Shim JY, Welsh WJ, Howlett AC (2003) Homology model of the CB1 cannabinoid receptor: sites critical for nonclassical cannabinoid agonist interaction. *Biopolymers* **71**: 169-189

Shimasue K, Urushidani T, Hagiwara M, Nagao T (1996) Effects of anandamide and arachidonic acid on specific binding of (+) -PN200-110, diltiazem and (-) -desmethoxyverapamil to L-type Ca²⁺ channel. *Eur J Pharmacol* **296**: 347-350

Shimizu K, Gurdon JB (1999) A quantitative analysis of signal transduction from activin receptor to nucleus and its relevance to morphogen gradient interpretation. *Proc Natl Acad Sci U S A* **96**: 6791-6796

Shimizu TS, Bray D (2002) Modelling the bacterial chemotaxis receptor complex. *Novartis Found Symp* **247**: 162-177; discussion 177-181, 198-206, 244-152

Shimizu TS, Le Novere N, Levin MD, Beavil AJ, Sutton BJ, Bray D (2000) Molecular model of a lattice of signalling proteins involved in bacterial chemotaxis. *Nat Cell Biol* **2**: 792-796

Shiraishi T, Imai S, Uda Y (2003) The presence of ceramidase activity in liver nuclear membrane. *Biol Pharm Bull* **26**: 775-779

Shire D, Calandra B, Bouaboula M, Barth F, Rinaldi-Carmona M, Casellas P, Ferrara P (1999) Cannabinoid receptor interactions with the antagonists SR 141716A and SR 144528. *Life Sci* **65**: 627-635

Shire D, Calandra B, Delpech M, Dumont X, Kaghad M, Le Fur G, Caput D, Ferrara P (1996) Structural features of the central cannabinoid CB1 receptor involved in the binding of the specific CB1 antagonist SR 141716A. *J Biol Chem* **271**: 6941-6946

Shire D, Calandra B, Rinaldi-Carmona M, Oustric D, Pessegue B, Bonnin-Cabanne O, Le Fur G, Caput D, Ferrara P (1996) Molecular cloning, expression and function of the murine CB2 peripheral cannabinoid receptor. *Biochim Biophys Acta* **1307**: 132-136

Shire D, Carillon C, Kaghad M, Calandra B, Rinaldi-Carmona M, Le Fur G, Caput D, Ferrara P (1995) An amino-terminal variant of the central cannabinoid receptor resulting from alternative splicing. *J Biol Chem* **270**: 3726-3731

Shirokova N, Garcia J, Rios E (1998) Local calcium release in mammalian skeletal muscle. *J Physiol* **512** (Pt 2): 377-384

Shivachar AC, Martin BR, Ellis EF (1996) Anandamide- and delta9-tetrahydrocannabinol-evoked arachidonic acid mobilization and blockade by SR141716A [N-(Piperidin-1-yl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboximide hydrochloride]. *Biochem Pharmacol* **51**: 669-676

Shoshan-Barmatz V, Zchut S (1993) The interaction of local anesthetics with the ryanodine receptor of the sarcoplasmic reticulum. *J Membr Biol* **133**: 171-181

Showalter VM, Compton DR, Martin BR, Aboud ME (1996) Evaluation of binding in a transfected cell line expressing a peripheral cannabinoid receptor (CB2): identification of cannabinoid receptor subtype selective

ligands. *J Pharmacol Exp Ther* **278**: 989-999

Shrestha R, Chapman KD (2001) N-acylethanolamine metabolism during cotton (*Gossypium hirsutum* L.) seed imbibition. *Plant Biology* (Rockville) **2001**

Shrestha R, Chapman KD (2002) Biochemical characterization of cottonseed microsomal N-acylethanolamine amidohydrolase. *Plant Biology* (Rockville) **2002**

Shrestha R, Dixon RA, Chapman KD (2003) Molecular identification of a functional homologue of the mammalian fatty acid amide hydrolase in *Arabidopsis thaliana*. *J Biol Chem* **278**: 34990-34997

Shrestha R, Noordermeer MA, van der Stelt M, Veldink GA, Chapman KD (2002) N-acylethanolamines are metabolized by lipoxygenase and amidohydrolase in competing pathways during cottonseed imbibition. *Plant Physiol* **130**: 391-401

Shrestha R, Noordermeer MA, Van der Stelt M, Veldink GA, Chapman KD (2002) N-acylethanolamines are metabolized by lipoxygenase and amidohydrolase in competing pathways during cottonseed inhibition. *Plant Physiology* **130**: 391-401

Siddle K, Urso B, Niesler CA, Cope DL, Molina L, Surinya KH, Soos MA (2001) Specificity in ligand binding and intracellular signalling by insulin and insulin-like growth factor receptors. *Biochem Soc Trans* **29**: 513-525

Siegfried Z, Kanyas K, Latzer Y, Karni O, Bloch M, Lerer B, Berry EM (2004) Association study of cannabinoid receptor gene (CNR1) alleles and anorexia nervosa: Differences between restricting and bingeing/purging subtypes. *American Journal of Medical Genetics Part B-Neuropsychiatric Genetics* **125B**: 126-130

Siegfried Z, Kanyas K, Latzer Y, Karni O, Bloch M, Lerer B, Berry EM (2004) Association study of cannabinoid receptor gene (CNR1) alleles and anorexia nervosa: differences between restricting and bingeing/purging subtypes. *Am J Med Genet* **125B**: 126-130

Sienaert I, De Smedt H, Parys JB, Missiaen L, Vanlingen S, Sipma H, Casteels R (1996) Characterization of a cytosolic and a luminal Ca²⁺ binding site in the type I inositol 1,4,5-trisphosphate receptor. *J Biol Chem* **271**: 27005-27012

Sienaert I, Missiaen L, De Smedt H, Parys JB, Sipma H, Casteels R (1997) Molecular and functional evidence for multiple Ca²⁺-binding domains in the type 1 inositol 1,4,5-trisphosphate receptor. *J Biol Chem* **272**: 25899-25906

Sil'kis IG (2002) [Possible mechanism of cannabinoid-mediated modulation of signal transduction through the basal ganglia]. *Russ Fiziol Zh Im I M Sechenova* **88**: 144-157

Siljander PR, Munnix IC, Smethurst PA, Deckmyn H, Lindhout T, Ouwehand WH, Farndale RW, Heemskerk JW (2004) Platelet receptor interplay regulates collagen-induced thrombus formation in flowing human blood. *Blood* **103**: 1333-1341

Silverdale MA, McGuire S, McInnes A, Crossman AR, Brotchie JM (2001) Striatal cannabinoid CB1 receptor mRNA expression is decreased in the reserpine-treated rat model of Parkinson's disease. *Exp Neurol* **169**: 400-406

Sim-Selley LJ (2003) Regulation of cannabinoid CB1 receptors in the central nervous system by chronic cannabinoids. *Crit Rev Neurobiol* **15**: 91-119

Sim JA, Skynner MJ, Herbison AE (2001) Direct regulation of postnatal GnRH neurons by the progesterone derivative allopregnanolone in the mouse. *Endocrinology* **142**: 4448-4453

Sim JA, Skynner MJ, Herbison AE (2001) Heterogeneity in the basic membrane properties of postnatal gonadotropin-releasing hormone neurons in the mouse. *J Neurosci* **21**: 1067-1075

Sim JA, Skynner MJ, Pape JR, Herbison AE (2000) Late postnatal reorganization of GABA(A) receptor signalling in native GnRH neurons. *Eur J Neurosci* **12**: 3497-3504

Simiand J, Keane M, Keane PE, Soubrie P (1998) SR 141716, a CB1 cannabinoid receptor antagonist, selectively reduces sweet food intake in marmoset. *Behav Pharmacol* **9**: 179-181

Simmons G, Reeves JD, Grogan CC, Vandenberghe LH, Baribaud F, Whitbeck JC, Burke E, Buchmeier MJ, Soilleux EJ, Riley JL, Doms RW, Bates P, Pohlmann S (2003) DC-SIGN and DC-SIGNR bind ebola glycoproteins and enhance infection of macrophages and endothelial cells. *Virology* **305**: 115-123

Simon J, Barnard EA (2003) The P2Y nucleotide receptors in the human genome. *Acta Biol Hung* **54**: 191-201

Simon J, Filippov AK, Goransson S, Wong YH, Frelin C, Michel AD, Brown DA, Barnard EA (2002) Characterization and channel coupling of the P2Y(12) nucleotide receptor of brain capillary endothelial cells. *J Biol Chem* **277**: 31390-31400

Simon J, Vigne P, Eklund KM, Michel AD, Carruthers AM, Humphrey PP, Frelin C, Barnard EA (2001) Activity of adenosine diphosphates and triphosphates on a P2Y(T) -type receptor in brain capillary

endothelial cells. *Br J Pharmacol* **132**: 173-182

Simon SM, Aderem A (1992) Myristoylation of proteins in the yeast secretory pathway. *J Biol Chem* **267**: 3922-3931

Simoneau, II, Hamza MS, Mata HP, Siegel EM, Vanderah TW, Porreca F, Makriyannis A, Malan TP, Jr. (2001) The cannabinoid agonist WIN55,212-2 suppresses opioid-induced emesis in ferrets. *Anesthesiology* **94**: 882-887

Simonian SX, Herbison AE (2001) Differing, spatially restricted roles of ionotropic glutamate receptors in regulating the migration of gnRH neurons during embryogenesis. *J Neurosci* **21**: 934-943

Simonian SX, Spratt DP, Herbison AE (1999) Identification and characterization of estrogen receptor alpha-containing neurons projecting to the vicinity of the gonadotropin-releasing hormone perikarya in the rostral preoptic area of the rat. *J Comp Neurol* **411**: 346-358

Simons JW, Cox RC, Egmond MR, Verheij HM (1999) Rational design of alpha-keto triglyceride analogues as inhibitors for *Staphylococcus hyicus* lipase. *Biochemistry* **38**: 6346-6351

Simpkins JW, Rajakumar G, Zhang YQ, Simpkins CE, Greenwald D, Yu CJ, Bodor N, Day AL (1997) Estrogens may reduce mortality and ischemic damage caused by middle cerebral artery occlusion in the female rat. *J Neurosurg* **87**: 724-730

Singer CA, Figueroa-Masot XA, Batchelor RH, Dorsa DM (1999) The mitogen-activated protein kinase pathway mediates estrogen neuroprotection after glutamate toxicity in primary cortical neurons. *J Neurosci* **19**: 2455-2463

Singer CA, Rogers KL, Strickland TM, Dorsa DM (1996) Estrogen protects primary cortical neurons from glutamate toxicity. *Neurosci Lett* **212**: 13-16

Singh M (2001) Ovarian hormones elicit phosphorylation of Akt and extracellular-signal regulated kinase in explants of the cerebral cortex. *Endocrine* **14**: 407-415

Singh M, Setalo G, Jr., Guan X, Warren M, Toran-Allerand CD (1999) Estrogen-induced activation of mitogen-activated protein kinase in cerebral cortical explants: convergence of estrogen and neurotrophin signaling pathways. *J Neurosci* **19**: 1179-1188

Singh R, Hurst DP, Barnett-Norris J, Lynch DL, Reggio PH, Guarnieri F (2002) Activation of the cannabinoid CB1 receptor may involve a W648/F336 rotamer toggle switch. *J Pept Res* **60**: 357-370

Sinha D, Bonner TI, Bhat NR, Matsuda LA (1998) Expression of the CB1 cannabinoid receptor in macrophage-like cells from brain tissue: immunochemical characterization by fusion protein antibodies. *J Neuroimmunol* **82**: 13-21

Siniosoglou S, Peak-Chew SY, Pelham HR (2000) Ric1p and Rgp1p form a complex that catalyses nucleotide exchange on Ypt6p. *Embo J* **19**: 4885-4894

Siniosoglou S, Pelham HR (2001) An effector of Ypt6p binds the SNARE Tlg1p and mediates selective fusion of vesicles with late Golgi membranes. *Embo J* **20**: 5991-5998

Siniosoglou S, Pelham HR (2002) Vps51p links the VFT complex to the SNARE Tlg1p. *J Biol Chem* **277**: 48318-48324

Sinor AD, Irvin SM, Greenberg DA (2000) Endocannabinoids protect cerebral cortical neurons from in vitro ischemia in rats. *Neurosci Lett* **278**: 157-160

Sipe JC, Chiang K, Gerber AL, Beutler E, Cravatt BF (2002) A missense mutation in human fatty acid amide hydrolase associated with problem drug use. *Proc Natl Acad Sci U S A* **99**: 8394-8399

Sistiaga A, Sanchez-Prieto J (2000) Protein phosphatase 2B inhibitors mimic the action of arachidonic acid and prolong the facilitation of glutamate release by group I mGlu receptors. *Neuropharmacology* **39**: 1544-1553

Sitsapesan R, Williams AJ (1990) Mechanisms of caffeine activation of single calcium-release channels of sheep cardiac sarcoplasmic reticulum. *J Physiol* **423**: 425-439

Siviy SM, Seifert TL (2002) Opioid and Cannabinoid Involvement in the Relative Playfulness of Juvenile Lewis and Fischer - 344 Rats. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Sjostrom PJ, Turrigiano GG, Nelson SB (2002) A Presynaptic Coincidence Detection Mechanism for LTD in Visual Cortical Layer - 5 Neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Skaper SD, Buriani A, Dal Toso R, Petrelli L, Romanello S, Facci L, Leon A (1996) The ALIAMide palmitoylethanolamide and cannabinoids, but not anandamide, are protective in a delayed postglutamate paradigm of excitotoxic death in cerebellar granule neurons. *Proc Natl Acad Sci U S A* **93**: 3984-3989

Slipetz DM, O'Neill GP, Favreau L, Dufresne C, Gallant M, Gareau Y, Guay D, Labelle M, Metters KM (1995) Activation of the human peripheral cannabinoid receptor results in inhibition of adenylyl cyclase. *Mol Pharmacol* **48**: 352-361

Smalley KS, Feniuk W, Sellers LA, Humphrey PP (1999) The pivotal role of phosphoinositide-3 kinase in

the human somatostatin sst(4) receptor-mediated stimulation of p44/p42 mitogen-activated protein kinase and extracellular acidification. *Biochem Biophys Res Commun* **263**: 239-243

Smalley KS, Koenig JA, Feniuk W, Humphrey PP (2001) Ligand internalization and recycling by human recombinant somatostatin type 4 (h sst(4)) receptors expressed in CHO-K1 cells. *Br J Pharmacol* **132**: 1102-1110

Smart D, Gunthorpe MJ, Jerman JC, Nasir S, Gray J, Muir AI, Chambers JK, Randall AD, Davis JB (2000) The endogenous lipid anandamide is a full agonist at the human vanilloid receptor (hVR1). *Br J Pharmacol* **129**: 227-230

Smart D, Jerman JC (2000) Anandamide: an endogenous activator of the vanilloid receptor. *Trends Pharmacol Sci* **21**: 134

Smart D, Jerman JC, Gunthorpe MJ, Brough SJ, Ranson J, Cairns W, Hayes PD, Randall AD, Davis JB (2001) Characterisation using FLIPR of human vanilloid VR1 receptor pharmacology. *Eur J Pharmacol* **417**: 51-58

Smart D, Jonsson KO, Vandevoorde S, Lambert DM, Fowler CJ (2002) 'Entourage' effects of N-acyl ethanolamines at human vanilloid receptors. Comparison of effects upon anandamide-induced vanilloid receptor activation and upon anandamide metabolism. *Br J Pharmacol* **136**: 452-458

Smart FM, Venkitaraman AR (2000) Inhibition of interleukin 7 receptor signaling by antigen receptor assembly. *J Exp Med* **191**: 737-742

Smethurst PA, Joutsu-Korhonen L, O'Connor MN, Wilson E, Jennings NS, Garner SF, Zhang Y, Knight CG, Dafforn TR, Buckle A, MJ IJ, De Groot PG, Watkins NA, Farndale RW, Ouweland WH (2004) Identification of the primary collagen-binding surface on human glycoprotein VI by site-directed mutagenesis and by a blocking phage antibody. *Blood* **103**: 903-911

Smith FL, Cichewicz D, Martin ZL, Welch SP (1998) The enhancement of morphine antinociception in mice by delta9-tetrahydrocannabinol. *Pharmacol Biochem Behav* **60**: 559-566

Smith FL, Fujimori K, Lowe J, Welch SP (1998) Characterization of delta9-tetrahydrocannabinol and anandamide antinociception in nonarthritic and arthritic rats. *Pharmacol Biochem Behav* **60**: 183-191

Smith FM, Humphrey PP, Murrell-Lagnado RD (1999) Identification of amino acids within the P2X2 receptor C-terminus that regulate desensitization. *J Physiol* **520 Pt 1**: 91-99

Smith JS, Coronado R, Meissner G (1985) Sarcoplasmic reticulum contains adenine nucleotide-activated calcium channels. *Nature* **316**: 446-449

Smith JS, Coronado R, Meissner G (1986) Single channel measurements of the calcium release channel from skeletal muscle sarcoplasmic reticulum. Activation by Ca²⁺ and ATP and modulation by Mg²⁺. *J Gen Physiol* **88**: 573-588

Smith JS, Imagawa T, Ma J, Fill M, Campbell KP, Coronado R (1988) Purified ryanodine receptor from rabbit skeletal muscle is the calcium-release channel of sarcoplasmic reticulum. *J Gen Physiol* **92**: 1-26

Smith PA, Sellers LA, Humphrey PP (2001) Somatostatin activates two types of inwardly rectifying K⁺ channels in MIN-6 cells. *J Physiol* **532**: 127-142

Smith PB, Compton DR, Welch SP, Razdan RK, Mechoulam R, Martin BR (1994) The pharmacological activity of anandamide, a putative endogenous cannabinoid, in mice. *J Pharmacol Exp Ther* **270**: 219-227

Smith PF (2002) Cannabinoids in the treatment of pain and spasticity in multiple sclerosis. *Curr Opin Investig Drugs* **3**: 859-864

Smith PJ, McQueen DS (2001) Anandamide induces cardiovascular and respiratory reflexes via vasosensory nerves in the anaesthetized rat. *Br J Pharmacol* **134**: 655-663

Smith PJW, McQueen DS (2000) Anandamide-induced reflex hyperventilation is mediated by vanilloid receptors on vasosensory nerves. *Journal of Physiology (Cambridge)* **528P**: 114P-115P

Smith PM (1992) Ins(1,3,4,5)P₄ promotes sustained activation of the Ca²⁺-dependent Cl⁻ current in isolated mouse lacrimal cells. *Biochem J* **283 (Pt 1)**: 27-30

Smith PM, Gallacher DV (1994) Thapsigargin-induced Ca²⁺ mobilization in acutely isolated mouse lacrimal acinar cells is dependent on a basal level of Ins(1,4,5)P₃ and is inhibited by heparin. *Biochem J* **299 (Pt 1)**: 37-40

Smith PM, Harmer AR, Letcher AJ, Irvine RF (2000) The effect of inositol 1,3,4,5-tetrakisphosphate on inositol trisphosphate-induced Ca²⁺ mobilization in freshly isolated and cultured mouse lacrimal acinar cells. *Biochem J* **347 Pt 1**: 77-82

Smith SJ, Augustine GJ (1988) Calcium ions, active zones and synaptic transmitter release. *Trends Neurosci* **11**: 458-464

Smith SR, Terminelli C, Denhardt G (2000) Effects of cannabinoid receptor agonist and antagonist ligands on production of inflammatory cytokines and anti-inflammatory interleukin-10 in endotoxemic mice. *J*

Pharmacol Exp Ther **293**: 136-150

Smith VP, Alcami A (2000) Expression of secreted cytokine and chemokine inhibitors by ectromelia virus. *J Virol* **74**: 8460-8471

Smith VP, Alcami A (2002) Inhibition of interferons by ectromelia virus. *J Virol* **76**: 1124-1134

Soderstrom K, Johnson F (2000) CB1 cannabinoid receptor expression in brain regions associated with zebra finch song control. *Brain Res* **857**: 151-157

Soderstrom K, Johnson F (2001) Zebra finch CB1 cannabinoid receptor: pharmacology and in vivo and in vitro effects of activation. *J Pharmacol Exp Ther* **297**: 189-197

Soderstrom K, Leid M, Moore FL, Murray TF (2000) Behavioral, pharmacological, and molecular characterization of an amphibian cannabinoid receptor. *J Neurochem* **75**: 413-423

Soderstrom K, Murray TF, Yoo HD, Ketchum S, Milligan K, Gerwick W, Ortega MJ, Salva J (1997) Discovery of novel cannabinoid receptor ligands from diverse marine organisms. *Adv Exp Med Biol* **433**: 73-77

Soilleux EJ (2003) DC-SIGN (dendritic cell-specific ICAM-grabbing non-integrin) and DC-SIGN-related (DC-SIGNR): friend or foe? *Clin Sci (Lond)* **104**: 437-446

Sokal DM, Elmes SJ, Kendall DA, Chapman V (2003) Intraplantar injection of anandamide inhibits mechanically-evoked responses of spinal neurones via activation of CB2 receptors in anaesthetised rats. *Neuropharmacology* **45**: 404-411

Soltész I, Alger BE, Piomelli D, Cravatt BF (2003) Endocannabinoids in epilepsy. *Epilepsia* **44**: 2-3

Someya A, Horie S, Murayama T (2002) Arachidonic acid release and prostaglandin F(2alpha) formation induced by anandamide and capsaicin in PC12 cells. *Eur J Pharmacol* **450**: 131-139

Somlo S, Ehrlich B (2001) Human disease: calcium signaling in polycystic kidney disease. *Curr Biol* **11**: R356-360

Somogyi R, Kolb HA (1989) Possible involvement of a G-protein in carbamylcholine-induced gap junction closure. *J Protein Chem* **8**: 434-436

Song C, Howlett AC (1995) Rat brain cannabinoid receptors are N-linked glycosylated proteins. *Life Sci* **56**: 1983-1989

Song ZH, Bonner TI (1996) A lysine residue of the cannabinoid receptor is critical for receptor recognition by several agonists but not WIN55212-2. *Mol Pharmacol* **49**: 891-896

Song ZH, Feng W (2002) Absence of a conserved proline and presence of a conserved tyrosine in the CB2 cannabinoid receptor are crucial for its function. *FEBS Lett* **531**: 290-294

Song ZH, Slowey CA (2000) Involvement of cannabinoid receptors in the intraocular pressure-lowering effects of WIN55212-2. *J Pharmacol Exp Ther* **292**: 136-139

Song ZH, Slowey CA, Hurst DP, Reggio PH (1999) The difference between the CB(1) and CB(2) cannabinoid receptors at position 5.46 is crucial for the selectivity of WIN55212-2 for CB(2). *Mol Pharmacol* **56**: 834-840

Song ZH, Zhong M (2000) CB1 cannabinoid receptor-mediated cell migration. *J Pharmacol Exp Ther* **294**: 204-209

Sonnleitner A, Conti A, Bertocchini F, Schindler H, Sorrentino V (1998) Functional properties of the ryanodine receptor type 3 (RyR3) Ca²⁺ release channel. *Embo J* **17**: 2790-2798

Soria-Gomez EJ, Garcia X, Rueda-Orozco P, Guzman-Vasquez K, Prospero-Garcia O (2003) Anandamide and oleamide administration into the nucleus accumbens shell increases food intake in rats. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Sorrentino V, Barone V, Rossi D (2000) Intracellular Ca(2+) release channels in evolution. *Curr Opin Genet Dev* **10**: 662-667

Souilhac J, Poncelet M, Rinaldi-Carmona M, Le Fur G, Soubrie P (1995) Intraatrial injection of cannabinoid receptor agonists induced turning behavior in mice. *Pharmacol Biochem Behav* **51**: 3-7

Souza HC, Salgado HC, Ballejo G, Salgado MC (2003) SR141716A-sensitive enhancement of ET-1 hypotensive effect by chronic NOS inhibition. *Hypertension* **42**: 802-805

Sparling PB, Giuffrida A, Piomelli D, Roszkopf L, Dietrich A (2003) Exercise activates the endocannabinoid system. *Neuroreport* **14**: 2209-2211

Spatz M, Chen Y, Golech S, Bembry J, Mechoulam R, McCarron RM (2001) Endocannabinoid 2-arachidonoyl glycerol modulates ET-1-induced brain endothelium responses. *Society for Neuroscience Abstracts* **27**

Spatz M, McCarron RM, Chen Y, Golech S, Mechoulam R (2003) 2 - Arachidonoyl glycerol modulation of cerebral microvascular endothelial responses to H₂O₂. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Speake T, Douglas IJ, Brown PD (1998) The role of calcium in the volume regulation of rat lacrimal acinar cells. *J Membr Biol* **164**: 283-291

Speake T, Elliott AC (1998) Modulation of calcium signals by intracellular pH in isolated rat pancreatic acinar cells. *J Physiol* **506 (Pt 2)**: 415-430

Speake T, Yodozawa S, Elliott AC (1998) Modulation of calcium signalling by intracellular pH in exocrine acinar cells. *Eur J Morphol* **36 Suppl**: 165-169

Spicuzza L, Haddad EB, Birrell M, Ling A, Clarke D, Venkatesan P, Barnes PJ, Belvisi MG (2000) Characterization of the effects of cannabinoids on guinea-pig tracheal smooth muscle tone: role in the modulation of acetylcholine release from parasympathetic nerves. *Br J Pharmacol* **130**: 1720-1726

Spier AD, Lummis SC (2000) The role of tryptophan residues in the 5-Hydroxytryptamine(3) receptor ligand binding domain. *J Biol Chem* **275**: 5620-5625

Spier AD, Wotherspoon G, Nayak SV, Nichols RA, Priestley JV, Lummis SC (1999) Antibodies against the extracellular domain of the 5-HT₃ receptor label both native and recombinant receptors. *Brain Res Mol Brain Res* **67**: 221-230

Sprague J, Harrison C, Rowbotham DJ, Smart D, Lambert DG (2001) Temperature-dependent activation of recombinant rat vanilloid VR1 receptors expressed in HEK293 cells by capsaicin and anandamide. *Eur J Pharmacol* **423**: 121-125

Spratt DP, Herbison AE (2001) Sexually dimorphic effects of testosterone on preoptic area calcitonin gene-related peptide mRNA expression depend upon neuron location and differential estrogen and androgen receptor activation. *Endocrinology* **142**: 3397-3404

Stadler J, Keenan TW, Bauer G, Gerisch G (1989) The contact site A glycoprotein of Dictyostelium discoideum carries a phospholipid anchor of a novel type. *Embo J* **8**: 371-377

Stahl SM (1998) Getting stoned without inhaling: anandamide is the brain's natural marijuana. *J Clin Psychiatry* **59**: 566-567

Staines DM, Thomas JO (1999) A sequence with homology to human HPFH-linked enhancer elements and to a family of G-protein linked membrane receptor genes is located downstream of the chicken beta-globin locus. *Gene* **234**: 345-352

Stamatakis EA, Hetherington MM (2003) Neuroimaging in eating disorders. *Nutr Neurosci* **6**: 325-334

Stamatov SD, Stawinski J (2002) Novel, regioselective transformation of an oxirane system. An efficient approach to the synthesis of endocannabinoid 2-arachidonoylglycerol. *Tetrahedron Letters* **43**: 1759-1761

Stamer WD, Golightly SF, Hosohata Y, Ryan EP, Porter AC, Varga E, Noecker RJ, Felder CC, Yamamura HI (2001) Cannabinoid CB(1) receptor expression, activation and detection of endogenous ligand in trabecular meshwork and ciliary process tissues. *Eur J Pharmacol* **431**: 277-286

Stanford SJ, Gitlin JM, Mitchell JA (2001) Identification of two distinct vasodilator pathways activated by ATP in the mesenteric bed of the rat. *Br J Pharmacol* **133**: 825-832

Stanley MA (2002) Imiquimod and the imidazoquinolones: mechanism of action and therapeutic potential. *Clin Exp Dermatol* **27**: 571-577

Stark S, Pacheco MA, Childers SR (1997) Binding of aminoalkylindoles to noncannabinoid binding sites in NG108-15 cells. *Cell Mol Neurobiol* **17**: 483-493

Stefano GB (1998) Autoimmunovascular regulation: morphine and anandamide and ancondamide stimulated nitric oxide release. *J Neuroimmunol* **83**: 70-76

Stefano GB (2000) Endocannabinoid immune and vascular signaling. *Acta Pharmacol Sin* **21**: 1071-1081

Stefano GB, Bilfinger TV, Rialas CM, Deutsch DG (2000) 2-arachidonoyl-glycerol stimulates nitric oxide release from human immune and vascular tissues and invertebrate immunocytes by cannabinoid receptor 1. *Pharmacol Res* **42**: 317-322

Stefano GB, Esch T, Cadet P, Zhu W, Mantione K, Benson H (2003) Endocannabinoids as autoregulatory signaling molecules: coupling to nitric oxide and a possible association with the relaxation response. *Med Sci Monit* **9**: RA63-75

Stefano GB, Goumon Y, Bilfinger TV, Welters ID, Cadet P (2000) Basal nitric oxide limits immune, nervous and cardiovascular excitation: human endothelia express a mu opiate receptor. *Prog Neurobiol* **60**: 513-530

Stefano GB, Liu Y, Goligorsky MS (1996) Cannabinoid receptors are coupled to nitric oxide release in invertebrate immunocytes, microglia, and human monocytes. *J Biol Chem* **271**: 19238-19242

Stefano GB, Rialas CM, Deutsch DG, Salzet M (1998) Anandamide amidase inhibition enhances anandamide-stimulated nitric oxide release in invertebrate neural tissues. *Brain Res* **793**: 341-345

Stefano GB, Salzet B, Rialas CM, Pope M, Kustka A, Neenan K, Pryor S, Salzet M (1997) Morphine- and anandamide-stimulated nitric oxide production inhibits presynaptic dopamine release. *Brain Res* **763**: 63-68

- Stefano GB, Salzet B, Salzet M** (1997) Identification and characterization of the leech CNS cannabinoid receptor: coupling to nitric oxide release. *Brain Res* **753**: 219-224
- Stefano GB, Salzet M, Bilfinger TV** (1998) Long-term exposure of human blood vessels to HIV gp120, morphine, and anandamide increases endothelial adhesion of monocytes: uncoupling of nitric oxide release. *J Cardiovasc Pharmacol* **31**: 862-868
- Stefano GB, Salzet M, Magazine HI, Bilfinger TV** (1998) Antagonism of LPS and IFN-gamma induction of iNOS in human saphenous vein endothelium by morphine and anandamide by nitric oxide inhibition of adenylate cyclase. *J Cardiovasc Pharmacol* **31**: 813-820
- Stefano GB, Salzet M, Rialas CM, Mattocks D, Fimiani C, Bilfinger TV** (1998) Macrophage behavior associated with acute and chronic exposure to HIV GP120, morphine and anandamide: endothelial implications. *Int J Cardiol* **64 Suppl 1**: S3-13
- Steffens M, Engler C, Zentner J, Feuerstein TJ** (2004) Cannabinoid CB1 receptor-mediated modulation of evoked dopamine release and of adenylyl cyclase activity in the human neocortex. *Br J Pharmacol* **141**: 1193-1203
- Steffens M, Feuerstein TJ** (2004) Receptor-independent depression of DA and 5-HT uptake by cannabinoids in rat neocortex-involvement of Na⁺/K⁺-ATPase. *Neurochemistry International* **44**: 529-538
- Steffens M, Feuerstein TJ, van Velthoven V, Schnierle P, Knorle R** (2003) Quantitative measurement of depolarization-induced anandamide release in human and rat neocortex. *Naunyn Schmiedebergs Arch Pharmacol* **368**: 432-436
- Steffens M, Klar M, Szabo B, Zentner J, Feuerstein TJ** (2002) Modulation of evoked (3H)-acetylcholine release in neocortical slices of humans and mice through CB1 receptors: Evidence for an endogenous tone in humans. *Naunyn-Schmiedeberg's Archives of Pharmacology* **365**
- Steffens M, Szabo B, Klar M, Rominger A, Zentner J, Feuerstein TJ** (2003) Modulation of electrically evoked acetylcholine release through cannabinoid CB1 receptors: evidence for an endocannabinoid tone in the human neocortex. *Neuroscience* **120**: 455-465
- Stein EA, Fuller SA, Edgemond WS, Campbell WB** (1996) Physiological and behavioural effects of the endogenous cannabinoid, arachidonylethanolamide (anandamide), in the rat. *Br J Pharmacol* **119**: 107-114
- Stein EA, Fuller SA, Edgemond WS, Campbell WB** (1998) Selective effects of the endogenous cannabinoid arachidonylethanolamide (anandamide) on regional cerebral blood flow in the rat. *Neuropsychopharmacology* **19**: 481-491
- Steiner H, Bonner TI, Zimmer AM, Kitai ST, Zimmer A** (1999) Altered gene expression in striatal projection neurons in CB1 cannabinoid receptor knockout mice. *Proc Natl Acad Sci U S A* **96**: 5786-5790
- Stella N**
- Stella N, Piomelli D** (2001) Receptor-dependent formation of endogenous cannabinoids in cortical neurons. *Eur J Pharmacol* **425**: 189-196
- Stella N, Schweitzer P, Piomelli D** (1997) A second endogenous cannabinoid that modulates long-term potentiation. *Nature* **388**: 773-778
- Stengel PW, Rippey MK, Cockerham SL, Devane WA, Silbaugh SA** (1998) Pulmonary actions of anandamide, an endogenous cannabinoid receptor agonist, in guinea pigs. *Eur J Pharmacol* **355**: 57-66
- Stephens L, Anderson K, Stokoe D, Erdjument-Bromage H, Painter GF, Holmes AB, Gaffney PR, Reese CB, McCormick F, Tempst P, Coadwell J, Hawkins PT** (1998) Protein kinase B kinases that mediate phosphatidylinositol 3,4,5-trisphosphate-dependent activation of protein kinase B. *Science* **279**: 710-714
- Stephens LR, Anderson KE, Hawkins PT** (2001) Src family kinases mediate receptor-stimulated, phosphoinositide 3-kinase-dependent, tyrosine phosphorylation of dual adaptor for phosphotyrosine and 3-phosphoinositides-1 in endothelial and B cell lines. *J Biol Chem* **276**: 42767-42773
- Stevens J, Jones RC, Bordoli RS, Trowsdale J, Gaskell SJ, Butcher GW, Joly E** (2000) Peptide specificity of RT1-A1(c), an inhibitory rat major histocompatibility complex class I natural killer cell ligand. *J Biol Chem* **275**: 29217-29224
- Stoffel W, Kruger E, Melzner I** (1980) Studies on the biosynthesis of ceramide. Does the reversed ceramidase reaction yield ceramides? *Hoppe Seylers Z Physiol Chem* **361**: 773-779
- Stoit AR, Lange JH, Hartog AP, Ronken E, Tipker K, Stuivenberg HH, Dijkman JA, Wals HC, Kruse CG** (2002) Design, synthesis and biological activity of rigid cannabinoid CB1 receptor antagonists. *Chem Pharm Bull (Tokyo)* **50**: 1109-1113
- Stoops JK, Wakil SJ** (1981) Animal fatty acid synthetase. A novel arrangement of the beta-ketoacyl synthetase sites comprising domains of the two subunits. *J Biol Chem* **256**: 5128-5133
- Storey H, Stewart A, Vandenabeele P, Luzio JP** (2002) The p55 tumour necrosis factor receptor TNFR1

contains a trans-Golgi network localization signal in the C-terminal region of its cytoplasmic tail. *Biochem J* **366**: 15-22

Storr M, Gaffal E, Saur D, Schusdziarra V, Allescher HD (2002) Effect of cannabinoids on neural transmission in rat gastric fundus. *Can J Physiol Pharmacol* **80**: 67-76

Storr M, Sibaev A, Marsicano G, Lutz B, Schusdziarra V, Timmermans JP, Allescher HD (2004) Cannabinoid receptor type 1 modulates excitatory and inhibitory neurotransmission in mouse colon. *Am J Physiol Gastrointest Liver Physiol* **286**: G110-117

Straiker A, Stella N, Piomelli D, Mackie K, Karten HJ, Maguire G (1999) Cannabinoid CB1 receptors and ligands in vertebrate retina: localization and function of an endogenous signaling system. *Proc Natl Acad Sci U S A* **96**: 14565-14570

Straiker A, Sullivan JM (2003) Cannabinoid receptor activation differentially modulates ion channels in photoreceptors of the tiger salamander. *J Neurophysiol* **89**: 2647-2654

Straiker AJ, Borden CR, Sullivan JM (2002) G-protein alpha subunit isoforms couple differentially to receptors that mediate presynaptic inhibition at rat hippocampal synapses. *J Neurosci* **22**: 2460-2468

Straiker AJ, Maguire G, Mackie K, Lindsey J (1999) Localization of cannabinoid CB1 receptors in the human anterior eye and retina. *Invest Ophthalmol Vis Sci* **40**: 2442-2448

Strangman NM, Patrick SL, Hohmann AG, Tsou K, Walker JM (1998) Evidence for a role of endogenous cannabinoids in the modulation of acute and tonic pain sensitivity. *Brain Res* **813**: 323-328

Street VA, Bosma MM, Demas VP, Regan MR, Lin DD, Robinson LC, Agnew WS, Tempel BL (1997) The type 1 inositol 1,4,5-trisphosphate receptor gene is altered in the opisthotonos mouse. *J Neurosci* **17**: 635-645

Striggow F, Ehrlich BE (1996) The inositol 1,4,5-trisphosphate receptor of cerebellum. Mn²⁺ permeability and regulation by cytosolic Mn²⁺. *J Gen Physiol* **108**: 115-124

Striggow F, Ehrlich BE (1997) Regulation of intracellular calcium release channel function by arachidonic acid and leukotriene B₄. *Biochem Biophys Res Commun* **237**: 413-418

Stuart AD, Eustace HE, McKee TA, Brown TD (2002) A novel cell entry pathway for a DAF-using human enterovirus is dependent on lipid rafts. *J Virol* **76**: 9307-9322

Stuart AD, McKee TA, Williams PA, Harley C, Shen S, Stuart DI, Brown TD, Lea SM (2002) Determination of the structure of a decay accelerating factor-binding clinical isolate of echovirus 11 allows mapping of mutants with altered receptor requirements for infection. *J Virol* **76**: 7694-7704

Sudhof TC, Newton CL, Archer BT, 3rd, Ushkaryov YA, Mignery GA (1991) Structure of a novel InsP₃ receptor. *Embo J* **10**: 3199-3206

Sugimoto H, Yamashita S (1999) Characterization of the transacylase activity of rat liver 60-kDa lysophospholipase-transacylase. Acyl transfer from the sn-2 to the sn-1 position. *Biochim Biophys Acta* **1438**: 264-272

Sugiura T, Kobayashi Y, Oka S, Waku K (2002) Biosynthesis and degradation of anandamide and 2-arachidonoylglycerol and their possible physiological significance. *Prostaglandins Leukot Essent Fatty Acids* **66**: 173-192

Sugiura T, Kodaka T, Kondo S, Nakane S, Kondo H, Waku K, Ishima Y, Watanabe K, Yamamoto I (1997) Is the cannabinoid CB1 receptor a 2-arachidonoylglycerol receptor? Structural requirements for triggering a Ca²⁺ transient in NG108-15 cells. *J Biochem (Tokyo)* **122**: 890-895

Sugiura T, Kodaka T, Kondo S, Tonegawa T, Nakane S, Kishimoto S, Yamashita A, Waku K (1996) 2-Arachidonoylglycerol, a putative endogenous cannabinoid receptor ligand, induces rapid, transient elevation of intracellular free Ca²⁺ in neuroblastoma x glioma hybrid NG108-15 cells. *Biochem Biophys Res Commun* **229**: 58-64

Sugiura T, Kodaka T, Kondo S, Tonegawa T, Nakane S, Kishimoto S, Yamashita A, Waku K (1997) Inhibition by 2-arachidonoylglycerol, a novel type of possible neuromodulator, of the depolarization-induced increase in intracellular free calcium in neuroblastoma x glioma hybrid NG108-15 cells. *Biochem Biophys Res Commun* **233**: 207-210

Sugiura T, Kodaka T, Nakane S, Kishimoto S, Kondo S, Waku K (1998) Detection of an endogenous cannabimimetic molecule, 2-arachidonoylglycerol, and cannabinoid CB1 receptor mRNA in human vascular cells: is 2-arachidonoylglycerol a possible vasomodulator? *Biochem Biophys Res Commun* **243**: 838-843

Sugiura T, Kodaka T, Nakane S, Miyashita T, Kondo S, Suhara Y, Takayama H, Waku K, Seki C, Baba N, Ishima Y (1999) Evidence that the cannabinoid CB1 receptor is a 2-arachidonoylglycerol receptor. Structure-activity relationship of 2-arachidonoylglycerol, ether-linked analogues, and related compounds. *J Biol Chem* **274**: 2794-2801

Sugiura T, Kondo S, Kishimoto S, Miyashita T, Nakane S, Kodaka T, Suhara Y, Takayama H, Waku K

(2000) Evidence that 2-arachidonoylglycerol but not N-palmitoylethanolamine or anandamide is the physiological ligand for the cannabinoid CB2 receptor. Comparison of the agonistic activities of various cannabinoid receptor ligands in HL-60 cells. *J Biol Chem* **275**: 605-612

Sugiura T, Kondo S, Sukagawa A, Nakane S, Shinoda A, Itoh K, Yamashita A, Waku K (1995) 2-Arachidonoylglycerol: a possible endogenous cannabinoid receptor ligand in brain. *Biochem Biophys Res Commun* **215**: 89-97

Sugiura T, Kondo S, Sukagawa A, Tonegawa T, Nakane S, Yamashita A, Ishima Y, Waku K (1996) Transacylase-mediated and phosphodiesterase-mediated synthesis of N-arachidonylethanolamine, an endogenous cannabinoid-receptor ligand, in rat brain microsomes. Comparison with synthesis from free arachidonic acid and ethanolamine. *Eur J Biochem* **240**: 53-62

Sugiura T, Kondo S, Sukagawa A, Tonegawa T, Nakane S, Yamashita A, Waku K (1996) Enzymatic synthesis of anandamide, an endogenous cannabinoid receptor ligand, through N-acylphosphatidylethanolamine pathway in testis: involvement of Ca(2+)-dependent transacylase and phosphodiesterase activities. *Biochem Biophys Res Commun* **218**: 113-117

Sugiura T, Kondo S, Sukagawa A, Tonegawa T, Nakane S, Yamashita A, Waku K (1996) N-arachidonylethanolamine (anandamide), an endogenous cannabinoid receptor ligand, and related lipid molecules in the nervous tissues. *J Lipid Mediat Cell Signal* **14**: 51-56

Sugiura T, Waku K (2000) 2-Arachidonoylglycerol and the cannabinoid receptors. *Chem Phys Lipids* **108**: 89-106

Sugiura T, Waku K (2000) 2-arachidonoylglycerol: a possible multifunctional lipid mediator in the nervous and immune systems. *Ann N Y Acad Sci* **905**: 344-346

Sugiura T, Waku K (2001) 2-arachidonoylglycerol: an endogenous cannabinoid receptor agonist. *World Rev Nutr Diet* **88**: 200-206

Sugiura T, Waku K (2002) Cannabinoid receptors and their endogenous ligands. *J Biochem (Tokyo)* **132**: 7-12

Sugiura T, Yoshinaga N, Kondo S, Waku K, Ishima Y (2000) Generation of 2-arachidonoylglycerol, an endogenous cannabinoid receptor ligand, in picrotoxinin-administered rat brain. *Biochem Biophys Res Commun* **271**: 654-658

Sugiura T, Yoshinaga N, Waku K (2001) Rapid generation of 2-arachidonoylglycerol, an endogenous cannabinoid receptor ligand, in rat brain after decapitation. *Neurosci Lett* **297**: 175-178

Suhara Y, Nakane S, Arai S, Takayama H, Waku K, Ishima Y, Sugiura T (2001) Synthesis and biological activities of novel structural analogues of 2-arachidonoylglycerol, an endogenous cannabinoid receptor ligand. *Bioorg Med Chem Lett* **11**: 1985-1988

Suhara Y, Takayama H, Nakane S, Miyashita T, Waku K, Sugiura T (2000) Synthesis and biological activities of 2-arachidonoylglycerol, an endogenous cannabinoid receptor ligand, and its metabolically stable ether-linked analogues. *Chem Pharm Bull (Tokyo)* **48**: 903-907

Sulcova A, Landa L (2003) Co-administration with cannabinoid receptor antagonist AM251 attenuates behavioural sensitization to methamphetamine antiaggressive effect in mice. *Behavioural Pharmacology* **14**: S59-S60

Sulcova E, Mechoulam R, Fride E (1998) Biphasic effects of anandamide. *Pharmacol Biochem Behav* **59**: 347-352

Sun YX, Tsuboi K, Okamoto Y, Tonai T, Murakami M, Kudo I, Ueda N (2004) Biosynthesis of anandamide and N-palmitoylethanolamine by sequential actions of phospholipase A 2 and lysophospholipase D. *Biochem J Pt*

Sundermeier T, Matthews G, Brink PR, Walcott B (2002) Calcium dependence of exocytosis in lacrimal gland acinar cells. *Am J Physiol Cell Physiol* **282**: C360-365

Sunter D, Hewson AK, Dickson SL (2003) Intracerebroventricular injection of apelin-13 reduces food intake in the rat. *Neurosci Lett* **353**: 1-4

Supattapone S, Worley PF, Baraban JM, Snyder SH (1988) Solubilization, purification, and characterization of an inositol trisphosphate receptor. *J Biol Chem* **263**: 1530-1534

Suplita RL, II, Farthing JN, Gutierrez T, Neely MH, Hohmann AG (2003) Endocannabinoids induce stress - induced analgesia through descending mechanisms. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Suplita RL, II, Nackley AG, Hohmann AG (2001) Site of action of endocannabinoid mechanisms of nonopioid stress-induced analgesia. Society for Neuroscience Abstracts **27**

Surinya KH, Molina L, Soos MA, Brandt J, Kristensen C, Siddle K (2002) Role of insulin receptor dimerization domains in ligand binding, cooperativity, and modulation by anti-receptor antibodies. *J Biol*

Chem **277**: 16718-16725

Suzuki K, Ando T (1972) Studies on protamines. XVI. The complete amino acid sequence of clupeine YII. J Biochem (Tokyo) **72**: 1419-1432

Swamy MJ, Ramakrishnan M, Angerstein B, Marsh D (2000) Spin-label electron spin resonance studies on the mode of anchoring and vertical location of the N-acyl chain in N-acylphosphatidylethanolamines. Biochemistry **39**: 12476-12484

Swatton JE, Morris SA, Cardy TJ, Taylor CW (1999) Type 3 inositol trisphosphate receptors in RINm5F cells are biphasically regulated by cytosolic Ca²⁺ and mediate quantal Ca²⁺ mobilization. Biochem J **344 Pt 1**: 55-60

Swatton JE, Morris SA, Wissing F, Taylor CW (2001) Functional properties of Drosophila inositol trisphosphate receptors. Biochem J **359**: 435-441

Swatton JE, Taylor CW (2002) Fast biphasic regulation of type 3 inositol trisphosphate receptors by cytosolic calcium. J Biol Chem **277**: 17571-17579

Szabo B, Dorner L, Pfreundner C, Norenberg W, Starke K (1998) Inhibition of GABAergic inhibitory postsynaptic currents by cannabinoids in rat corpus striatum. Neuroscience **85**: 395-403

Szabo B, Muller T, Koch H (1999) Effects of cannabinoids on dopamine release in the corpus striatum and the nucleus accumbens in vitro. J Neurochem **73**: 1084-1089

Szabo B, Siemes S, Wallmichrath I (2002) Inhibition of GABAergic neurotransmission in the ventral tegmental area by cannabinoids. Eur J Neurosci **15**: 2057-2061

Szabo B, Than M, Wallmichrath I, Thorn D (2004) Analysis of the effects of cannabinoids on synaptic transmission between basket and Purkinje cells in the cerebellar cortex of the rat. J Pharmacol Exp Ther

Szallasi A (2001) Vanilloid receptor ligands: hopes and realities for the future. Drugs Aging **18**: 561-573

Szallasi A (2002) Vanilloid (capsaicin) receptors in health and disease. Am J Clin Pathol **118**: 110-121

Szallasi A, Di Marzo V (2000) New perspectives on enigmatic vanilloid receptors. Trends Neurosci **23**: 491-497

Szallasi A, Fowler CJ (2002) After a decade of intravesical vanilloid therapy: still more questions than answers. Lancet Neurol **1**: 167-172

Szendrei K (2004) [A novel analgesics made from Cannabis]. Ideggyogy Sz **57**: 36-40

Szoke E, Balla Z, Csernoch L, Czeh G, Szolcsanyi J (2000) Interacting effects of capsaicin and anandamide on intracellular calcium in sensory neurones. Neuroreport **11**: 1949-1952

Szoke E, Czeh G, Szolcsanyi J, Seress L (2002) Neonatal anandamide treatment results in prolonged mitochondrial damage in the vanilloid receptor type 1-immunoreactive B-type neurons of the rat trigeminal ganglion. Neuroscience **115**: 805-814

Szolcsanyi J (2000) Anandamide and the question of its functional role for activation of capsaicin receptors. Trends Pharmacol Sci **21**: 203-204

Szostak VA, Feldman DE (2003) Spike timing dependent long term depression in I2/3 of rat barrel cortex requires CB1 receptors but not synaptically driven NMDA receptor currents. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Szuts D, Bienz M (2000) An autoregulatory function of Dfos during Drosophila endoderm induction. Mech Dev **98**: 71-76

Szuts D, Eresh S, Bienz M (1998) Functional intertwining of Dpp and EGFR signaling during Drosophila endoderm induction. Genes Dev **12**: 2022-2035

Tada T, Tada M, Hilton K, Barton SC, Sado T, Takagi N, Surani MA (1998) Epigenotype switching of imprintable loci in embryonic germ cells. Dev Genes Evol **207**: 551-561

Takahashi KA, Linden DJ (2000) Cannabinoid receptor modulation of synapses received by cerebellar Purkinje cells. J Neurophysiol **83**: 1167-1180

Takahashi M, Kohara A, Shishikura J, Kawasaki-Yatsugi S, Ni JW, Yatsugi S, Sakamoto S, Okada M, Shimizu-Sasamata M, Yamaguchi T (2002) YM872: a selective, potent and highly water-soluble alpha-amino-3-hydroxy-5-methylisoxazole-4-propionic acid receptor antagonist. CNS Drug Rev **8**: 337-352

Takei K, Stukenbrok H, Metcalf A, Mignery GA, Sudhof TC, Volpe P, De Camilli P (1992) Ca²⁺ stores in Purkinje neurons: endoplasmic reticulum subcompartments demonstrated by the heterogeneous distribution of the InsP3 receptor, Ca(2+)-ATPase, and calsequestrin. J Neurosci **12**: 489-505

Takeo S, Takenaka F (1978) Comparison of myocardial and adipose tissue lipase activity in the rat. Jpn Heart J **19**: 103-111

Tamalu F, Chiba C, Ishida AT, Saito T (2000) Functional differentiation of ganglion cells from multipotent progenitor cells in sliced retina of adult goldfish. J Comp Neurol **419**: 297-305

Tan YP, Marty A (1991) Protein kinase C-mediated desensitization of the muscarinic response in rat lacrimal

gland cells. *J Physiol* **433**: 357-371

Tan YP, Marty A, Trautmann A (1992) High density of Ca(2+)-dependent K+ and Cl- channels on the luminal membrane of lacrimal acinar cells. *Proc Natl Acad Sci U S A* **89**: 11229-11233

Tanda G, Goldberg SR (2003) Cannabinoids: reward, dependence, and underlying neurochemical mechanisms--a review of recent preclinical data. *Psychopharmacology (Berl)* **169**: 115-134

Tang MX, Jacobs D, Stern Y, Marder K, Schofield P, Gurland B, Andrews H, Mayeux R (1996) Effect of oestrogen during menopause on risk and age at onset of Alzheimer's disease. *Lancet* **348**: 429-432

Tangkrisanavinont V, Pholpramool C (1979) Extracellular free calcium and fluid secretion by the rabbit lacrimal gland in vivo. *Pflugers Arch* **382**: 275-277

Tanimura A, Tojyo Y, Matsumoto Y, Yajima T (1998) Imaging of calcium release in inositol 1,4,5-trisphosphate-sensitive internal stores in permeabilized HSY cells using fluorescent indicators. *Cell Struct Funct* **23**: 1-7

Tao Q, Abood ME (1998) Mutation of a highly conserved aspartate residue in the second transmembrane domain of the cannabinoid receptors, CB1 and CB2, disrupts G-protein coupling. *J Pharmacol Exp Ther* **285**: 651-658

Tao Q, McAllister SD, Andreassi J, Nowell KW, Cabral GA, Hurst DP, Bachtel K, Ekman MC, Reggio PH, Abood ME (1999) Role of a conserved lysine residue in the peripheral cannabinoid receptor (CB2): evidence for subtype specificity. *Mol Pharmacol* **55**: 605-613

Tarzia G, Duranti A, Tontini A, Piersanti G, Mor M, Rivara S, Plazzi PV, Park C, Kathuria S, Piomelli D (2003) Design, synthesis, and structure-activity relationships of alkylcarbamic acid aryl esters, a new class of fatty acid amide hydrolase inhibitors. *J Med Chem* **46**: 2352-2360

Taylor CW (1998) Inositol trisphosphate receptors: Ca2+-modulated intracellular Ca2+ channels. *Biochim Biophys Acta* **1436**: 19-33

Taylor CW, Genazzani AA, Morris SA (1999) Expression of inositol trisphosphate receptors. *Cell Calcium* **26**: 237-251

Taylor CW, Laude AJ (2002) IP3 receptors and their regulation by calmodulin and cytosolic Ca2+. *Cell Calcium* **32**: 321-334

Taylor CW, Thorn P (2001) Calcium signalling: IP3 rises again and again. *Curr Biol* **11**: R352-355

Teh YM, Neuberger MS (1997) The immunoglobulin (Ig)alpha and Igbeta cytoplasmic domains are independently sufficient to signal B cell maturation and activation in transgenic mice. *J Exp Med* **185**: 1753-1758

Telemaque-Potts S, Kuc RE, Maguire JJ, Ohlstein E, Yanagisawa M, Davenport AP (2002) Elevated systemic levels of endothelin-1 and blood pressure correlate with blunted constrictor responses and downregulation of endothelin(A), but not endothelin(B), receptors in an animal model of hypertension. *Clin Sci (Lond)* **103 Suppl 48**: 357S-362S

Tempia F, Konnerth A (1994) Calcium requirement of long-term depression and rebound potentiation in cerebellar Purkinje neurons. *Semin Cell Biol* **5**: 243-250

Tepavcevic V, Hodges RR, Zoukhri D, Dartt DA (2003) Signal transduction pathways used by EGF to stimulate protein secretion in rat lacrimal gland. *Invest Ophthalmol Vis Sci* **44**: 1075-1081

Terranova JP, Michaud JC, Le Fur G, Soubrie P (1995) Inhibition of long-term potentiation in rat hippocampal slices by anandamide and WIN55212-2: reversal by SR141716 A, a selective antagonist of CB1 cannabinoid receptors. *Naunyn Schmiedebergs Arch Pharmacol* **352**: 576-579

Terranova JP, Storme JJ, Lafon N, Perio A, Rinaldi-Carmona M, Le Fur G, Soubrie P (1996) Improvement of memory in rodents by the selective CB1 cannabinoid receptor antagonist, SR 141716. *Psychopharmacology (Berl)* **126**: 165-172

Thakur GA, Palmer SL, Harrington PE, Stergiades IA, Tius MA, Makriyannis A (2002) Enantiomeric resolution of a novel chiral cannabinoid receptor ligand. *J Biochem Biophys Methods* **54**: 415-422

Thomas A, Ross RA, Saha B, Mahadevan A, Razdan RK, Pertwee RG (2004) 6"-Azidohept-2"-yne-cannabidiol: a potential neutral, competitive cannabinoid CB1 receptor antagonist. *Eur J Pharmacol* **487**: 213-221

Thomas BF, Adams IB, Mascarella SW, Martin BR, Razdan RK (1996) Structure-activity analysis of anandamide analogs: relationship to a cannabinoid pharmacophore. *J Med Chem* **39**: 471-479

Thomas BF, Gilliam AF, Burch DF, Roche MJ, Seltzman HH (1998) Comparative receptor binding analyses of cannabinoid agonists and antagonists. *J Pharmacol Exp Ther* **285**: 285-292

Thomas D, Lipp P, Berridge MJ, Bootman MD (1998) Hormone-evoked elementary Ca2+ signals are not stereotypic, but reflect activation of different size channel clusters and variable recruitment of channels within a cluster. *J Biol Chem* **273**: 27130-27136

Thomas EA, Cravatt BF, Danielson PE, Gilula NB, Sutcliffe JG (1997) Fatty acid amide hydrolase, the degradative enzyme for anandamide and oleamide, has selective distribution in neurons within the rat central nervous system. *J Neurosci Res* **50**: 1047-1052

Thomas LS, Jane DE, Harris JR, Croucher MJ (2000) Metabotropic glutamate autoreceptors of the mGlu(5) subtype positively modulate neuronal glutamate release in the rat forebrain in vitro. *Neuropharmacology* **39**: 1554-1566

Thompson AJ, Lummis SC (2003) A single ring of charged amino acids at one end of the pore can control ion selectivity in the 5-HT₃ receptor. *Br J Pharmacol* **140**: 359-365

Thorig L, Van Haeringen NJ, Timmermans PB, Van Zwieten PA (1983) Peroxidase secretion from rat lacrimal gland cells in vitro: II. The role of calcium in stimulus-secretion coupling. *Exp Eye Res* **37**: 485-492

Thorn P, Petersen OH (1993) Nonselective cation channels in exocrine gland cells. *Exs* **66**: 185-200

Thorn P, Petersen OH (1994) A voltage-sensitive transient potassium current in mouse pancreatic acinar cells. *Pflugers Arch* **428**: 288-295

Thrower EC, Mobasher H, Dargan S, Marius P, Lea EJ, Dawson AP (2000) Interaction of luminal calcium and cytosolic ATP in the control of type 1 inositol (1,4,5)-trisphosphate receptor channels. *J Biol Chem* **275**: 36049-36055

Thumser AE, Voysey J, Wilton DC (1997) A fluorescence displacement assay for the measurement of arachidonoyl ethanolamide (anandamide) and oleoyl amide (octadecenoamide) hydrolysis. *Biochem Pharmacol* **53**: 433-435

Tiger G, Stenstrom A, Fowler CJ (2000) Pharmacological properties of rat brain fatty acid amidohydrolase in different subcellular fractions using palmitoylethanolamide as substrate. *Biochem Pharmacol* **59**: 647-653

Tius MA, Hill WA, Zou XL, Busch-Petersen J, Kawakami JK, Fernandez-Garcia MC, Drake DJ, Abadji V, Makriyannis A (1995) Classical/non-classical cannabinoid hybrids; stereochemical requirements for the southern hydroxyalkyl chain. *Life Sci* **56**: 2007-2012

Toescu EC, Lawrie AM, Petersen OH, Gallacher DV (1992) Spatial and temporal distribution of agonist-evoked cytoplasmic Ca²⁺ signals in exocrine acinar cells analysed by digital image microscopy. *Embo J* **11**: 1623-1629

Togetto M, Amadesi S, Harrison S, Creminon C, Trevisani M, Carreras M, Matera M, Geppetti P, Bianchi A (2001) Anandamide excites central terminals of dorsal root ganglion neurons via vanilloid receptor-1 activation. *J Neurosci* **21**: 1104-1109

Tong W, Collantes ER, Welsh WJ, Berglund BA, Howlett AC (1998) Derivation of a pharmacophore model for anandamide using constrained conformational searching and comparative molecular field analysis. *J Med Chem* **41**: 4207-4215

Topinka JR, Brecht DS (1998) N-terminal palmitoylation of PSD-95 regulates association with cell membranes and interaction with K⁺ channel Kv1.4. *Neuron* **20**: 125-134

Torres J, Briggs JA, Arkin IT (2002) Multiple site-specific infrared dichroism of CD3-zeta, a transmembrane helix bundle. *J Mol Biol* **316**: 365-374

Toth A, Kedei N, Wang Y, Blumberg PM (2003) Arachidonoyl dopamine as a ligand for the vanilloid receptor VR1 of the rat. *Life Sci* **73**: 487-498

Touze T, Hayward RD, Eswaran J, Leong JM, Koronakis V (2004) Self-association of EPEC intimin mediated by the beta-barrel-containing anchor domain: a role in clustering of the Tir receptor. *Mol Microbiol* **51**: 73-87

Tovey SC, de Smet P, Lipp P, Thomas D, Young KW, Missiaen L, De Smedt H, Parys JB, Berridge MJ, Thuring J, Holmes A, Bootman MD (2001) Calcium puffs are generic InsP(3)-activated elementary calcium signals and are downregulated by prolonged hormonal stimulation to inhibit cellular calcium responses. *J Cell Sci* **114**: 3979-3989

Tovey SC, Goraya TA, Taylor CW (2003) Parathyroid hormone increases the sensitivity of inositol trisphosphate receptors by a mechanism that is independent of cyclic AMP. *Br J Pharmacol* **138**: 81-90

Towler D, Glaser L (1986) Acylation of cellular proteins with endogenously synthesized fatty acids. *Biochemistry* **25**: 878-884

Trautmann A, Marty A (1984) Activation of Ca-dependent K channels by carbamoylcholine in rat lacrimal glands. *Proc Natl Acad Sci U S A* **81**: 611-615

Traynor D, Milne JL, Insall RH, Kay RR (2000) Ca(2+) signalling is not required for chemotaxis in Dictyostelium. *Embo J* **19**: 4846-4854

Trettel J, Fortin DA, Levine ES (2004) Endocannabinoid signalling selectively targets perisomatic inhibitory inputs to pyramidal neurones in juvenile mouse neocortex. *J Physiol* **556**: 95-107

Trettel J, Levine ES (2002) Inhibitory Perisomatic Inputs to Neocortical Pyramidal Neurons Are Suppressed

by Endogenous Cannabinoids. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Trettel J, Levine ES (2003) Endocannabinoids mediate rapid retrograde signaling at interneuron -> pyramidal neuron synapses of the neocortex. *Journal of Neurophysiology* **89**: 2334-2338

Trettel J, Levine ES (2003) Endocannabinoids mediate rapid retrograde signaling at interneuron forward pyramidal neuron synapses of the neocortex. *Journal of Neurophysiology (Bethesda)* **89**: 2334-2338

Trettel J, Levine ES (2003) Endocannabinoids mediate rapid retrograde signaling at interneuron right-arrow pyramidal neuron synapses of the neocortex. *J Neurophysiol* **89**: 2334-2338

Trettel J, Levine ES (2003) Retrograde signaling by endocannabinoids selectively targets perisomatic inhibitory inputs to pyramidal neurons of the neocortex. Society for Neuroscience Abstract Viewer and Itinerary Planner **2003**

Tripathy A, Xu L, Pasek DA, Meissner G (1999) Effects of 2,3-butanedione 2-monoxime on Ca²⁺ release channels (ryanodine receptors) of cardiac and skeletal muscle. *J Membr Biol* **169**: 189-198

Tripathy S, Chapman KD, Dixon RA (2002) Identification and characterization of a binding protein for N-acylethanolamines in membranes of tobacco cells. *Plant Biology (Rockville)* **2002**

Tripathy S, Kleppinger-Sparace K, Dixon RA, Chapman KD (2003) N-acylethanolamine signaling in tobacco is mediated by a membrane-associated, high-affinity binding protein. *Plant Physiol* **131**: 1781-1791

Tripathy S, Kleppinger-Sparace KF, Chapman KD, Dixon RA (2001) Evidence that N-Acylethanolamine signaling in tobacco is mediated by a cannabinoid receptor-like binding protein. *Plant Biology (Rockville)* **2001**

Tripathy S, Venables BJ, Chapman KD (1999) N-Acylethanolamines in signal transduction of elicitor perception. Attenuation Of alkalization response and activation of defense gene expression. *Plant Physiol* **121**: 1299-1308

Trowsdale J (2001) Genetic and functional relationships between MHC and NK receptor genes. *Immunity* **15**: 363-374

Tsai SJ, Wang YC, Hong CJ (2001) Association study between cannabinoid receptor gene (CNR1) and pathogenesis and psychotic symptoms of mood disorders. *Am J Med Genet* **105**: 219-221

Tsou K, Brown S, Sanudo-Pena MC, Mackie K, Walker JM (1998) Immunohistochemical distribution of cannabinoid CB1 receptors in the rat central nervous system. *Neuroscience* **83**: 393-411

Tsou K, Nogueron MI, Muthian S, Sanudo-Pena MC, Hillard CJ, Deutsch DG, Walker JM (1998) Fatty acid amide hydrolase is located preferentially in large neurons in the rat central nervous system as revealed by immunohistochemistry. *Neurosci Lett* **254**: 137-140

Tsuboi K, Hilligsmann C, Vandevoorde S, Lambert DM, Ueda N (2004) N-cyclohexanecarbonylpentadecylamine: a selective inhibitor of the acid amidase hydrolysing N-acylethanolamines, as a tool to distinguish acid amidase from fatty acid amide hydrolase. *Biochem J* **379**: 99-106

Tucker RC, Kagaya M, Page CP, Spina D (2001) The endogenous cannabinoid agonist, anandamide stimulates sensory nerves in guinea-pig airways. *Br J Pharmacol* **132**: 1127-1135

Turner M (2002) B-cell development and antigen receptor signalling. *Biochem Soc Trans* **30**: 812-815

Turner M, Billadeau DD (2002) VAV proteins as signal integrators for multi-subunit immune-recognition receptors. *Nat Rev Immunol* **2**: 476-486

Twells RC, Mein CA, Payne F, Veijola R, Gilbey M, Bright M, Timms A, Nakagawa Y, Snook H, Nutland S, Rance HE, Carr P, Dudbridge F, Cordell HJ, Cooper J, Tuomilehto-Wolf E, Tuomilehto J, Phillips M, Metzker M, Hess JF, Todd JA (2003) Linkage and association mapping of the LRP5 locus on chromosome 11q13 in type 1 diabetes. *Hum Genet* **113**: 99-105

Twells RC, Mein CA, Phillips MS, Hess JF, Veijola R, Gilbey M, Bright M, Metzker M, Lie BA, Kingsnorth A, Gregory E, Nakagawa Y, Snook H, Wang WY, Masters J, Johnson G, Eaves I, Howson JM, Clayton D, Cordell HJ, Nutland S, Rance H, Carr P, Todd JA (2003) Haplotype structure, LD blocks, and uneven recombination within the LRP5 gene. *Genome Res* **13**: 845-855

Twitchell W, Brown S, Mackie K (1997) Cannabinoids inhibit N- and P/Q-type calcium channels in cultured rat hippocampal neurons. *J Neurophysiol* **78**: 43-50

Tyler K, Hillard CJ, Greenwood-Van Meerveld B (2000) Inhibition of small intestinal secretion by cannabinoids is CB1 receptor-mediated in rats. *Eur J Pharmacol* **409**: 207-211

Tytgat J, Van Boven M, Daenens P (2000) Cannabinoid mimics in chocolate utilized as an argument in court. *Int J Legal Med* **113**: 137-139

Tzavara ET, Davis RJ, Perry KW, Li X, Salhoff C, Bymaster FP, Witkin JM, Nomikos GG (2003) The CB1 receptor antagonist SR141716A selectively increases monoaminergic neurotransmission in the medial prefrontal cortex: implications for therapeutic actions. *Br J Pharmacol* **138**: 544-553

Tzavara ET, Wade M, Nomikos GG (2003) Biphasic effects of cannabinoids on acetylcholine release in the hippocampus: site and mechanism of action. *J Neurosci* **23**: 9374-9384

Uchida Y, Hara M, Nishio H, Sidransky E, Inoue S, Otsuka F, Suzuki A, Elias PM, Holleran WM, Hamanaka S (2000) Epidermal sphingomyelins are precursors for selected stratum corneum ceramides. *J Lipid Res* **41**: 2071-2082

Ueda N (1995) [Anandamide: an endogenous cannabinoid receptor agonist]. *Seikagaku* **67**: 1036-1040

Ueda N (1999) [Anandamide and its related compounds]. *Tanpakushitsu Kakusan Koso* **44**: 1139-1145

Ueda N (2002) Endocannabinoid hydrolases. *Prostaglandins Other Lipid Mediat* **68-69**: 521-534

Ueda N, Goparaju SK, Katayama K, Kurahashi Y, Suzuki H, Yamamoto S (1998) A hydrolase enzyme inactivating endogenous ligands for cannabinoid receptors. *J Med Invest* **45**: 27-36

Ueda N, Katayama K, Goparaju SK, Kurahashi Y, Yamanaka K, Suzuki H, Yamamoto S (2002) Catalytic properties of purified recombinant anandamide amidohydrolase. *Adv Exp Med Biol* **507**: 251-256

Ueda N, Katayama K, Kurahashi Y, Suzuki M, Suzuki H, Yamamoto S, Katoh I, Di Marzo V, De Petrocellis L (1999) Enzymological and molecular biological studies on anandamide amidohydrolase. *Adv Exp Med Biol* **469**: 513-518

Ueda N, Kurahashi Y, Yamamoto K, Yamamoto S (1997) Anandamide amidohydrolase from porcine brain. Partial purification and characterization. *Adv Exp Med Biol* **407**: 323-328

Ueda N, Kurahashi Y, Yamamoto K, Yamamoto S, Tokunaga T (1996) Enzymes for anandamide biosynthesis and metabolism. *J Lipid Mediat Cell Signal* **14**: 57-61

Ueda N, Kurahashi Y, Yamamoto S, Tokunaga T (1995) Partial purification and characterization of the porcine brain enzyme hydrolyzing and synthesizing anandamide. *J Biol Chem* **270**: 23823-23827

Ueda N, Liu Q, Yamanaka K (2001) Marked activation of the N-acylphosphatidylethanolamine-hydrolyzing phosphodiesterase by divalent cations. *Biochim Biophys Acta* **1532**: 121-127

Ueda N, Yamamoto K, Kurahashi Y, Yamamoto S, Ogawa M, Matsuki N, Kudo I, Shinkai H, Shirakawa E, Tokunaga T (1995) Oxygenation of arachidonylethanolamide (anandamide) by lipoxygenases. *Adv Prostaglandin Thromboxane Leukot Res* **23**: 163-165

Ueda N, Yamamoto K, Yamamoto S, Tokunaga T, Shirakawa E, Shinkai H, Ogawa M, Sato T, Kudo I, Inoue K, et al. (1995) Lipoxygenase-catalyzed oxygenation of arachidonylethanolamide, a cannabinoid receptor agonist. *Biochim Biophys Acta* **1254**: 127-134

Ueda N, Yamamoto S (1995) [Anandamide: a marijuana-like compound produced in animal tissues]. *Tanpakushitsu Kakusan Koso* **40**: 2329-2339

Ueda N, Yamamoto S (2000) Anandamide amidohydrolase (fatty acid amide hydrolase). *Prostaglandins Other Lipid Mediat* **61**: 19-28

Ueda N, Yamanaka K, Katayama K, Goparaju SK, Suzuki H, Yamamoto S (2001) Alkaline and acid amidases hydrolyzing anandamide and other N-acylethanolamines. *World Rev Nutr Diet* **88**: 215-222

Ueda N, Yamanaka K, Terasawa Y, Yamamoto S (1999) An acid amidase hydrolyzing anandamide as an endogenous ligand for cannabinoid receptors. *FEBS Lett* **454**: 267-270

Ueda N, Yamanaka K, Yamamoto S (2001) Purification and characterization of an acid amidase selective for N-palmitoylethanolamine, a putative endogenous anti-inflammatory substance. *J Biol Chem* **276**: 35552-35557

Uehara A, Fill M, Velez P, Yasukochi M, Imanaga I (1996) Rectification of rabbit cardiac ryanodine receptor current by endogenous polyamines. *Biophys J* **71**: 769-777

Ugdyzhkova DS, Bernatskaya NA, Stefano JB, Graier VF, Tam SW, Mekhoulam R (2001) Endogenous cannabinoid anandamide increases heart resistance to arrhythmogenic effects of epinephrine: role of CB(1) and CB(2) receptors. *Bull Exp Biol Med* **131**: 251-253

Ujike H, Takaki M, Nakata K, Tanaka Y, Takeda T, Kodama M, Fujiwara Y, Sakai A, Kuroda S (2002) CNR1, central cannabinoid receptor gene, associated with susceptibility to hebephrenic schizophrenia. *Mol Psychiatry* **7**: 515-518

Ulfers AL, McMurry JL, Kendall DA, Mierke DF (2002) Structure of the third intracellular loop of the human cannabinoid 1 receptor. *Biochemistry* **41**: 11344-11350

Ulfers AL, McMurry JL, Miller A, Wang L, Kendall DA, Mierke DF (2002) Cannabinoid receptor-G protein interactions: G(alpha1)-bound structures of IC3 and a mutant with altered G protein specificity. *Protein Sci* **11**: 2526-2531

Undem BJ, Kollarik M (2002) Characterization of the vanilloid receptor 1 antagonist iodo-resiniferatoxin on the afferent and efferent function of vagal sensory C-fibers. *J Pharmacol Exp Ther* **303**: 716-722

Unwin N (2003) Structure and action of the nicotinic acetylcholine receptor explored by electron microscopy. *FEBS Lett* **555**: 91-95

Unwin N, Miyazawa A, Li J, Fujiyoshi Y (2002) Activation of the nicotinic acetylcholine receptor involves a switch in conformation of the alpha subunits. *J Mol Biol* **319**: 1165-1176

Upham BL, Rummel AM, Carbone JM, Trosko JE, Ouyang Y, Crawford RB, Kaminski NE (2003) Cannabinoids inhibit gap junctional intercellular communication and activate ERK in a rat liver epithelial cell line. *Int J Cancer* **104**: 12-18

Urban S, Brown G, Freeman M (2004) EGF receptor signalling protects smooth-cuticle cells from apoptosis during *Drosophila* ventral epidermis development. *Development* **131**: 1835-1845

Urban S, Lee JR, Freeman M (2001) *Drosophila* rhomboid-1 defines a family of putative intramembrane serine proteases. *Cell* **107**: 173-182

Urban S, Lee JR, Freeman M (2002) A family of Rhomboid intramembrane proteases activates all *Drosophila* membrane-tethered EGF ligands. *Embo J* **21**: 4277-4286

Urban S, Schlieper D, Freeman M (2002) Conservation of intramembrane proteolytic activity and substrate specificity in prokaryotic and eukaryotic rhomboids. *Curr Biol* **12**: 1507-1512

Urso B, Cope DL, Kalloo-Hosein HE, Hayward AC, Whitehead JP, O'Rahilly S, Siddle K (1999) Differences in signaling properties of the cytoplasmic domains of the insulin receptor and insulin-like growth factor receptor in 3T3-L1 adipocytes. *J Biol Chem* **274**: 30864-30873

Urso B, Niesler CU, O'Rahilly S, Siddle K (2001) Comparison of anti-apoptotic signalling by the insulin receptor and IGF-I receptor in preadipocytes and adipocytes. *Cell Signal* **13**: 279-285

Uusisaari M, Smirnov S, Voipio J, Kaila K (2002) Spontaneous epileptiform activity mediated by GABA(A) receptors and gap junctions in the rat hippocampal slice following long-term exposure to GABA(B) antagonists. *Neuropharmacology* **43**: 563-572

Vacca G, Serra S, Brunetti G, Carai MA, Gessa GL, Colombo G (2002) Boosting effect of morphine on alcohol drinking is suppressed not only by naloxone but also by the cannabinoid CB1 receptor antagonist, SR 141716. *Eur J Pharmacol* **445**: 55-59

Valdivia HH, Kirby MS, Lederer WJ, Coronado R (1992) Scorpion toxins targeted against the sarcoplasmic reticulum Ca(2+)-release channel of skeletal and cardiac muscle. *Proc Natl Acad Sci U S A* **89**: 12185-12189

Valenti M, Viganò D, Casico MG, Rubino T, Steardo L, Parolaro D, Di Marzo V (2004) Differential diurnal variations of anandamide and 2-arachidonoyl-glycerol levels in rat brain. *Cell Mol Life Sci* **61**: 945-950

Vales-Gomez M, Browne H, Reyburn HT (2003) Expression of the UL16 glycoprotein of Human Cytomegalovirus protects the virus-infected cell from attack by natural killer cells. *BMC Immunol* **4**: 4

Vales-Gomez M, Erskine RA, Deacon MP, Strominger JL, Reyburn HT (2001) The role of zinc in the binding of killer cell Ig-like receptors to class I MHC proteins. *Proc Natl Acad Sci U S A* **98**: 1734-1739

Valk P, Verbakel S, Vankan Y, Hol S, Mancham S, Ploemacher R, Mayen A, Lowenberg B, Delwel R (1997) Anandamide, a natural ligand for the peripheral cannabinoid receptor is a novel synergistic growth factor for hematopoietic cells. *Blood* **90**: 1448-1457

Valk P, Verbakel S, von Lindern M, Lowenberg B, Delwel R (2000) Enhancement of erythropoietin-stimulated cell proliferation by Anandamide correlates with increased activation of the mitogen-activated protein kinases ERK1 and ERK2. *Hematol J* **1**: 254-263

Valk PJ, Delwel R (1998) The peripheral cannabinoid receptor, Cb2, in retrovirally-induced leukemic transformation and normal hematopoiesis. *Leuk Lymphoma* **32**: 29-43

Valk PJ, Vankan Y, Joosten M, Jenkins NA, Copeland NG, Lowenberg B, Delwel R (1999) Retroviral insertions in Evi12, a novel common virus integration site upstream of Tra1/Grp94, frequently coincide with insertions in the gene encoding the peripheral cannabinoid receptor Cnr2. *J Virol* **73**: 3595-3602

Valverde O, Ledent C, Beslot F, Parmentier M, Roques BP (2000) Reduction of stress-induced analgesia but not of exogenous opioid effects in mice lacking CB1 receptors. *Eur J Neurosci* **12**: 533-539

Van den Bossche I, Vanheel B (2000) Influence of cannabinoids on the delayed rectifier in freshly dissociated smooth muscle cells of the rat aorta. *Br J Pharmacol* **131**: 85-93

Van der Aa F, Roskams T, Blyweert W, De Ridder D (2003) Interstitial cells in the human prostate: a new therapeutic target? *Prostate* **56**: 250-255

Van der Kloot W (1994) Anandamide, a naturally-occurring agonist of the cannabinoid receptor, blocks adenylate cyclase at the frog neuromuscular junction. *Brain Res* **649**: 181-184

Van der Kloot W, Benjamin WB, Balezina OP (1998) Calcitonin gene-related peptide acts presynaptically to increase quantal size and output at frog neuromuscular junctions. *J Physiol* **507 (Pt 3)**: 689-695

van der Stelt M, Di Marzo V (2003) The endocannabinoid system in the basal ganglia and in the mesolimbic reward system: implications for neurological and psychiatric disorders. *Eur J Pharmacol* **480**: 133-150

Van Der Stelt M, Di Marzo V (2004) Endovanilloids. *Eur J Biochem* **271**: 1827-1834

van der Stelt M, Hansen HH, Veldhuis WB, Bar PR, Nicolay K, Veldink GA, Vliegenthart JF, Hansen HS

(2003) Biosynthesis of endocannabinoids and their modes of action in neurodegenerative diseases. *Neurotox Res* **5**: 183-200

van der Stelt M, Nieuwenhuizen WF, Veldink GA, Vliegenthart JF (1997) Dioxygenation of N-linoleoyl amides by soybean lipoxygenase-1. *FEBS Lett* **411**: 287-290

Van Der Stelt M, Noordermeer MA, Kiss T, Van Zadelhoff G, Merghart B, Veldink GA, Vliegenthart JF (2000) Formation of a new class of oxylipins from N-acyl(ethanol)amines by the lipoxygenase pathway. *Eur J Biochem* **267**: 2000-2007

van der Stelt M, Paoletti AM, Maccarrone M, Nieuwenhuizen WF, Bagetta G, Veldink GA, Finazzi Agro A, Vliegenthart JF (1997) The effect of hydroxylation of linoleoyl amides on their cannabinomimetic properties. *FEBS Lett* **415**: 313-316

van der Stelt M, van Kuik JA, Bari M, van Zadelhoff G, Leeflang BR, Veldink GA, Finazzi-Agro A, Vliegenthart JF, Maccarrone M (2002) Oxygenated metabolites of anandamide and 2-arachidonoylglycerol: conformational analysis and interaction with cannabinoid receptors, membrane transporter, and fatty acid amide hydrolase. *J Med Chem* **45**: 3709-3720

van der Stelt M, Veldhuis WB, Maccarrone M, Bar PR, Nicolay K, Veldink GA, Di Marzo V, Vliegenthart JF (2002) Acute neuronal injury, excitotoxicity, and the endocannabinoid system. *Mol Neurobiol* **26**: 317-346

van der Stelt M, Veldhuis WB, van Haften GW, Fezza F, Bisogno T, Bar PR, Veldink GA, Vliegenthart JF, Di Marzo V, Nicolay K (2001) Exogenous anandamide protects rat brain against acute neuronal injury in vivo. *J Neurosci* **21**: 8765-8771

van der Stelt M, Veldhuis WB, Wadman MW, van Zadelhoff G, Fezza F, Veldink GA, Vliegenthart JFG, Bar PR, Nicolay K, Di Marzo V (2003) Mechanisms underlying in vivo neuroprotection by the endocannabinoid anandamide and the cannabinoid/vanilloid receptor agonist, arvanil. *Journal of Neurochemistry* **85**: 6-6

Van Haeringen NJ, Ensink F, Glasius E (1975) Amylase in human tear fluid: origin and characteristics, compared with salivary and urinary amylases. *Exp Eye Res* **21**: 395-403

van Pouderooyen G, Eggert T, Jaeger KE, Dijkstra BW (2001) The crystal structure of Bacillus subtilis lipase: a minimal alpha/beta hydrolase fold enzyme. *J Mol Biol* **309**: 215-226

Van Sickle MD, Oland LD, Ho W, Hillard CJ, Mackie K, Davison JS, Sharkey KA (2001) Cannabinoids inhibit emesis through CB1 receptors in the brainstem of the ferret. *Gastroenterology* **121**: 767-774

Van Sickle MD, Oland LD, Mackie K, Davison JS, Sharkey KA (2003) Delta9-tetrahydrocannabinol selectively acts on CB1 receptors in specific regions of dorsal vagal complex to inhibit emesis in ferrets. *Am J Physiol Gastrointest Liver Physiol* **285**: G566-576

van Zadelhoff G, Veldink GA, Vliegenthart JF (1998) With anandamide as substrate plant 5-lipoxygenases behave like 11-lipoxygenases. *Biochem Biophys Res Commun* **248**: 33-38

Vandevoorde S, Jonsson KO, Fowler CJ, Lambert DM (2003) Modifications of the ethanolamine head in N-palmitoylethanolamine: synthesis and evaluation of new agents interfering with the metabolism of anandamide. *J Med Chem* **46**: 1440-1448

Vandevoorde S, Lambert DM, Smart D, Jonsson KO, Fowler CJ (2003) N-Morpholino- and N-diethyl-analogues of palmitoylethanolamide increase the sensitivity of transfected human vanilloid receptors to activation by anandamide without affecting fatty acid amidohydrolase activity. *Bioorg Med Chem* **11**: 817-825

Vandevoorde S, Tsuboi K, Ueda N, Jonsson KO, Fowler CJ, Lambert DM (2003) Esters, retroesters, and a retroamide of palmitic acid: pool for the first selective inhibitors of N-palmitoylethanolamine-selective acid amidase. *J Med Chem* **46**: 4373-4376

Vanheel B, Van de Voorde J (2001) Regional differences in anandamide- and methanandamide-induced membrane potential changes in rat mesenteric arteries. *J Pharmacol Exp Ther* **296**: 322-328

Vanlingen S, Sipma H, De Smet P, Callewaert G, Missiaen L, De Smedt H, Parys JB (2000) Ca²⁺ and calmodulin differentially modulate myo-inositol 1,4, 5-trisphosphate (IP₃)-binding to the recombinant ligand-binding domains of the various IP₃ receptor isoforms. *Biochem J* **346 Pt 2**: 275-280

Vannacci A, Passani MB, Pierpaoli S, Giannini L, Mannaioni PF, Masini E (2003) Nitric oxide modulates the inhibitory effect of cannabinoids on the immunological activation of guinea pig mast cells. *Inflamm Res* **52 Suppl 1**: S07-08

Vannacci A, Zagli G, Marzocca C, Pierpaoli S, Passani MB, Mannaioni PF, Masini E (2002) Down-regulation by cannabinoids of the immunological activation of human basophils and guinea pig mast cells. *Inflamm Res* **51 Suppl 1**: S09-10

Varga K, Lake K, Martin BR, Kunos G (1995) Novel antagonist implicates the CB1 cannabinoid receptor in the hypotensive action of anandamide. *Eur J Pharmacol* **278**: 279-283

Varga K, Lake KD, Huangfu D, Guyenet PG, Kunos G (1996) Mechanism of the hypotensive action of

anandamide in anesthetized rats. *Hypertension* **28**: 682-686

Varga K, Wagner JA, Bridgen DT, Kunos G (1998) Platelet- and macrophage-derived endogenous cannabinoids are involved in endotoxin-induced hypotension. *FASEB J* **12**: 1035-1044

Varma N, Brager D, Morishita W, Lenz RA, London B, Alger B (2002) Presynaptic factors in the regulation of DSI expression in hippocampus. *Neuropharmacology* **43**: 550-562

Varma N, Brager DH, Morishita W, Lenz RA, London B, Alger B (2002) Presynaptic factors in the regulation of DST expression in hippocampus. *Neuropharmacology* **43**: 550-562

Varma N, Carlson G, Wang Y, Alger BE (2001) DSI promotes LTP induction in CA1. *Society for Neuroscience Abstracts* **27**

Varma N, Carlson GC, Ledent C, Alger BE (2001) Metabotropic glutamate receptors drive the endocannabinoid system in hippocampus. *J Neurosci* **21**: RC188

Varvel SA, Lichtman AH (2002) Evaluation of CB1 receptor knockout mice in the Morris water maze. *J Pharmacol Exp Ther* **301**: 915-924

Vasquez C, Lewis DL (1999) The CB1 cannabinoid receptor can sequester G-proteins, making them unavailable to couple to other receptors. *J Neurosci* **19**: 9271-9280

Vasquez C, Lewis DL (2003) The beta2-adrenergic receptor specifically sequesters Gs but signals through both Gs and Gi/o in rat sympathetic neurons. *Neuroscience* **118**: 603-610

Vasquez C, Navarro-Polanco RA, Huerta M, Trujillo X, Andrade F, Trujillo-Hernandez B, Hernandez L (2003) Effects of cannabinoids on endogenous K⁺ and Ca²⁺ currents in HEK293 cells. *Can J Physiol Pharmacol* **81**: 436-442

Vaughan CW, Connor M, Bagley EE, Christie MJ (2000) Actions of cannabinoids on membrane properties and synaptic transmission in rat periaqueductal gray neurons in vitro. *Mol Pharmacol* **57**: 288-295

Vaughan CW, McGregor IS, Christie MJ (1999) Cannabinoid receptor activation inhibits GABAergic neurotransmission in rostral ventromedial medulla neurons in vitro. *Br J Pharmacol* **127**: 935-940

Vela G, Ruiz-Gayo M, Fuentes JA (1995) Anandamide decreases naloxone-precipitated withdrawal signs in mice chronically treated with morphine. *Neuropharmacology* **34**: 665-668

Velasco L, Ruiz L, Sanchez MG, Diaz-Laviada I (2001) delta(9)-Tetrahydrocannabinol increases nerve growth factor production by prostate PC-3 cells. Involvement of CB1 cannabinoid receptor and Raf-1. *Eur J Biochem* **268**: 531-535

Veldhuis WB, van der Stelt M, Wadman MW, van Zadelhoff G, Maccarrone M, Fezza F, Veldink GA, Vliegthart JF, Bar PR, Nicolay K, Di Marzo V (2003) Neuroprotection by the endogenous cannabinoid anandamide and arvanil against in vivo excitotoxicity in the rat: role of vanilloid receptors and lipoxygenases. *J Neurosci* **23**: 4127-4133

Vellani V, Mapplebeck S, Moriondo A, Davis JB, McNaughton PA (2001) Protein kinase C activation potentiates gating of the vanilloid receptor VR1 by capsaicin, protons, heat and anandamide. *J Physiol* **534**: 813-825

Vellucci SV, Parrott RF (2000) Hippocampal gene expression in the pig: upregulation of corticotrophin releasing hormone mRNA following central administration of the peptide. *Neuropeptides* **34**: 221-228

Vellucci SV, Parrott RF, Mimmack ML (2002) Chronic dexamethasone-treatment alters mineralocorticoid receptor, truncated trkB and selected glutamate receptor subunit mRNA expression in the porcine hippocampus. *Neuropeptides* **36**: 291-298

Venance L, Maldonado R, Manzoni O (2004) [Endocannabinoids in the central nervous system]. *Med Sci (Paris)* **20**: 45-53

Venance L, Piomelli D, Glowinski J, Giaume C (1995) Inhibition by anandamide of gap junctions and intercellular calcium signalling in striatal astrocytes. *Nature* **376**: 590-594

Venance L, Sagan S, Giaume C (1997) (R)-methanandamide inhibits receptor-induced calcium responses by depleting internal calcium stores in cultured astrocytes. *Pflugers Arch* **434**: 147-149

Verca MSB, Marsicano G, Pagotto U, Fezza F, Milone A, Di Marzo V, Stalla G, Lutz B (2001) Normal human pituitary gland and pituitary adenomas express cannabinoid receptor type 1 and synthesize endocannabinoids. *Society for Neuroscience Abstracts* **27**

Verma S, Hiby SE, Loke YW, King A (2000) Human decidual natural killer cells express the receptor for and respond to the cytokine interleukin 15. *Biol Reprod* **62**: 959-968

Verme JL, Fu J, Astarita G, La Rana G, Russo R, Calignano A, Piomelli D (2005) The nuclear receptor peroxisome proliferator-activated receptor-alpha mediates the anti-inflammatory actions of palmitoylethanolamide. *Mol Pharmacol* **67**: 15-19

Verrico CD, Jentsch JD, Dazzi L, Roth RH (2003) Systemic, but not local, administration of cannabinoid CB1 receptor agonists modulate prefrontal cortical acetylcholine efflux in the rat. *Synapse* **48**: 178-183

Verty AN, McFarlane JR, McGregor IS, Mallet PE (2004) Evidence for an interaction between CB1 cannabinoid and melanocortin MCR-4 receptors in regulating food intake. *Endocrinology*

Verty AN, McGregor IS, Mallet PE (2004) Consumption of high carbohydrate, high fat, and normal chow is equally suppressed by a cannabinoid receptor antagonist in non-deprived rats. *Neurosci Lett* **354**: 217-220

Verty AN, Singh ME, McGregor IS, Mallet PE (2003) The cannabinoid receptor antagonist SR 141716 attenuates overfeeding induced by systemic or intracranial morphine. *Psychopharmacology (Berl)* **168**: 314-323

Vickers SP, Webster LJ, Wyatt A, Dourish CT, Kennett GA (2003) Preferential effects of the cannabinoid CB1 receptor antagonist, SR 141716, on food intake and body weight gain of obese (fa/fa) compared to lean Zucker rats. *Psychopharmacology (Berl)* **167**: 103-111

Vidrio H, Sanchez-Salvatori MA, Medina M (1996) Cardiovascular effects of (-)-11-OH-delta 8-tetrahydrocannabinol-dimethylheptyl in rats. *J Cardiovasc Pharmacol* **28**: 332-336

Vigano D, Grazia Cascio M, Rubino T, Fezza F, Vaccani A, Di Marzo V, Parolaro D (2003) Chronic morphine modulates the contents of the endocannabinoid, 2-arachidonoyl glycerol, in rat brain. *Neuropsychopharmacology* **28**: 1160-1167

Viggiano D, Ruocco LA, Pignatelli M, Grammatikopoulos G, Sadile AG (2003) Prenatal elevation of endocannabinoids corrects the unbalance between dopamine systems and reduces activity in the Naples High Excitability rats. *Neurosci Biobehav Rev* **27**: 129-139

Viggiano D, Ruocco LA, Pignatelli M, Grammatikopoulos G, Sadile AG (2003) Prenatal elevation of endocannabinoids corrects the unbalance between dopamine systems and reduces activity in the Naples High Excitability rats. *Neuroscience and Biobehavioral Reviews* **27**: 129-139

Vigna SR (2003) Cannabinoids and the gut. *Gastroenterology* **125**: 973-975

Vigorito E, Bell S, Hebeis BJ, Reynolds H, McAdam S, Emson PC, McKenzie A, Turner M (2004) Immunological function in mice lacking the Rac-related GTPase RhoG. *Mol Cell Biol* **24**: 719-729

Vincent P (1992) Cationic channels sensitive to extracellular ATP in rat lacrimal cells. *J Physiol* **449**: 313-331

Vindlacheruvu RR, Ebling FJ, Maywood ES, Hastings MH (1992) Blockade of Glutamatergic Neurotransmission in the Suprachiasmatic Nucleus Prevents Cellular and Behavioural Responses of the Circadian System to Light. *Eur J Neurosci* **4**: 673-679

Vinklerova J, Novakova J, Sulcova A (2002) Inhibition of methamphetamine self-administration in rats by cannabinoid receptor antagonist AM 251. *J Psychopharmacol* **16**: 139-143

Vinod KY, Kassir SA, Basavarajappa BS, Arango V, Mann JJ, Cooper TB, Hungund BL (2002) Upregulation of Cannabinoid Cb1 Receptors in the Prefrontal Cortex of Depressed Suicides. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Vinos J, Freeman M (2000) Evidence that Argos is an antagonistic ligand of the EGF receptor. *Oncogene* **19**: 3560-3562

Vivian JA, Kishioka S, Butelman ER, Broadbear J, Lee KO, Woods JH (1998) Analgesic, respiratory and heart rate effects of cannabinoid and opioid agonists in rhesus monkeys: antagonist effects of SR 141716A. *J Pharmacol Exp Ther* **286**: 697-703

Vlachou S, Nomikos GG, Panagis G (2003) WIN 55,212-2 decreases the reinforcing actions of cocaine through CB1 cannabinoid receptor stimulation. *Behav Brain Res* **141**: 215-222

Vogel Z, Barg J, Levy R, Saya D, Heldman E, Mechoulam R (1993) Anandamide, a brain endogenous compound, interacts specifically with cannabinoid receptors and inhibits adenylate cyclase. *J Neurochem* **61**: 352-355

Wager-Miller J, Westenbroek R, Mackie K (2002) Dimerization of G protein-coupled receptors: CB1 cannabinoid receptors as an example. *Chem Phys Lipids* **121**: 83-89

Wagner JA, Hu K, Bauersachs J, Karcher J, Wiesler M, Goparaju SK, Kunos G, Ertl G (2001) Endogenous cannabinoids mediate hypotension after experimental myocardial infarction. *J Am Coll Cardiol* **38**: 2048-2054

Wagner JA, Jarai Z, Batkai S, Kunos G (2001) Hemodynamic effects of cannabinoids: coronary and cerebral vasodilation mediated by cannabinoid CB(1) receptors. *Eur J Pharmacol* **423**: 203-210

Wagner JA, Varga K, Ellis EF, Rzigalinski BA, Martin BR, Kunos G (1997) Activation of peripheral CB1 cannabinoid receptors in haemorrhagic shock. *Nature* **390**: 518-521

Wagner JA, Varga K, Jarai Z, Kunos G (1999) Mesenteric vasodilation mediated by endothelial anandamide receptors. *Hypertension* **33**: 429-434

Wagner JA, Varga K, Kunos G (1998) Cardiovascular actions of cannabinoids and their generation during shock. *J Mol Med* **76**: 824-836

Waksman Y, Olson JM, Carlisle SJ, Cabral GA (1999) The central cannabinoid receptor (CB1) mediates inhibition of nitric oxide production by rat microglial cells. *J Pharmacol Exp Ther* **288**: 1357-1366

Waleh NS, Cravatt BF, Apte-Deshpande A, Terao A, Kilduff TS (2002) Transcriptional regulation of the mouse fatty acid amide hydrolase gene. *Gene* **291**: 203-210

Walker DS, Ly S, Lockwood KC, Baylis HA (2002) A direct interaction between IP(3) receptors and myosin II regulates IP(3) signaling in *C. elegans*. *Curr Biol* **12**: 951-956

Walker JM, Huang SM (2002) Cannabinoid analgesia. *Pharmacol Ther* **95**: 127-135

Walker JM, Huang SM (2002) Endocannabinoids in pain modulation. *Prostaglandins Leukot Essent Fatty Acids* **66**: 235-242

Walker JM, Huang SM (2002) Endocannabinoids in pain modulation. *Prostaglandins Leukotrienes and Essential Fatty Acids* **66**: 235-242

Walker JM, Huang SM, Strangman NM, Tsou K, Sanudo-Pena MC (1999) Pain modulation by release of the endogenous cannabinoid anandamide. *Proc Natl Acad Sci U S A* **96**: 12198-12203

Walker JM, Krey JF, Chu CJ, Huang SM (2002) Endocannabinoids and related fatty acid derivatives in pain modulation. *Chem Phys Lipids* **121**: 159-172

Walker JM, Strangman NM, Huang SM (2001) Cannabinoids and pain. *Pain Res Manag* **6**: 74-79

Wallace MJ, Blair RE, Falenski KW, Martin BR, DeLorenzo RJ (2003) The endogenous cannabinoid system regulates seizure frequency and duration in a model of temporal lobe epilepsy. *J Pharmacol Exp Ther* **307**: 129-137

Wallace MJ, Martin BR, DeLorenzo RJ (2002) Evidence for a physiological role of endocannabinoids in the modulation of seizure threshold and severity. *Eur J Pharmacol* **452**: 295-301

Wallace MJ, Wiley JL, Martin BR, DeLorenzo RJ (2001) Assessment of the role of CB1 receptors in cannabinoid anticonvulsant effects. *Eur J Pharmacol* **428**: 51-57

Wallmichrath I, Szabo B (2002) Cannabinoids inhibit striatonigral GABAergic neurotransmission in the mouse. *Neuroscience* **113**: 671-682

Walsh D, Nelson KA, Mahmoud FA (2003) Established and potential therapeutic applications of cannabinoids in oncology. *Support Care Cancer* **11**: 137-143

Walter L, Franklin A, Witting A, Moller T, Stella N (2002) Astrocytes in culture produce anandamide and other acylethanolamides. *J Biol Chem* **277**: 20869-20876

Walter L, Franklin A, Witting A, Wade C, Xie Y, Kunos G, Mackie K, Stella N (2003) Nonpsychotropic cannabinoid receptors regulate microglial cell migration. *J Neurosci* **23**: 1398-1405

Walter L, Stella N (2003) Endothelin-1 increases 2-arachidonoyl glycerol (2-AG) production in astrocytes. *Glia* **44**: 85-90

Walter L, Stella N (2004) Cannabinoids and neuroinflammation. *Br J Pharmacol* **141**: 775-785

Walter LA, Franklin A, Mhyre A, Mackie K, Stella N (2001) Microglial cells produce endocannabinoids and express functional cannabinoid receptors: Evidence that docosatetraenylethanolamide (DEA) is an additional endocannabinoid. *Society for Neuroscience Abstracts* **27**

Walter LA, Franklin A, Witting A, Wade C, Xie Y, Kunos G, Mackie K, Stella N (2002) Non - Psychotropic Cannabinoid Receptors Regulate Microglial Cell Migration. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2002**

Walton PD, Airey JA, Sutko JL, Beck CF, Mignery GA, Sudhof TC, Deerinck TJ, Ellisman MH (1991) Ryanodine and inositol trisphosphate receptors coexist in avian cerebellar Purkinje neurons. *J Cell Biol* **113**: 1145-1157

Wan M, Cravatt BF, Ring HZ, Zhang X, Francke U (1998) Conserved chromosomal location and genomic structure of human and mouse fatty-acid amide hydrolase genes and evaluation of clasper as a candidate neurological mutation. *Genomics* **54**: 408-414

Wang H, Matsumoto H, Guo Y, Paria BC, Roberts RL, Dey SK (2003) Differential G protein-coupled cannabinoid receptor signaling by anandamide directs blastocyst activation for implantation. *Proc Natl Acad Sci U S A* **100**: 14914-14919

Wang J, Al-Lamki RS, Zhang H, Kirkiles-Smith N, Gaeta ML, Thiru S, Pober JS, Bradley JR (2003) Histamine antagonizes tumor necrosis factor (TNF) signaling by stimulating TNF receptor shedding from the cell surface and Golgi storage pool. *J Biol Chem* **278**: 21751-21760

Wang J, Paria BC, Dey SK, Armant DR (1999) Stage-specific excitation of cannabinoid receptor exhibits differential effects on mouse embryonic development. *Biol Reprod* **60**: 839-844

Wang L, Liu J, Harvey-White J, Zimmer A, Kunos G (2003) Endocannabinoid signaling via cannabinoid receptor 1 is involved in ethanol preference and its age-dependent decline in mice. *Proc Natl Acad Sci U S A* **100**: 1393-1398

Wang SJ (2003) Cannabinoid CB1 receptor-mediated inhibition of glutamate release from rat hippocampal synaptosomes. *Eur J Pharmacol* **469**: 47-55

Wang T, Brown MJ (2001) Influence of beta1-adrenoceptor blockade on the gene expression of adenylate cyclase subtypes and beta-adrenoceptor kinase in human atrium. *Clin Sci (Lond)* **101**: 211-217

Wang T, Plumpton C, Brown MJ (1999) Selective beta1-adrenoceptor blockade enhances the activity of the stimulatory G-protein in human atrial myocardium. *Br J Pharmacol* **128**: 135-141

Wang TL, Sterling P, Vardi N (1999) Localization of type I inositol 1,4,5-triphosphate receptor in the outer segments of mammalian cones. *J Neurosci* **19**: 4221-4228

Wang X, Dow-Edwards D, Keller E, Hurd YL (2003) Preferential limbic expression of the cannabinoid receptor mRNA in the human fetal brain. *Neuroscience* **118**: 681-694

Wang Y, Liu Y, Ito Y, Hashiguchi T, Kitajima I, Yamakuchi M, Shimizu H, Matsuo S, Imaizumi H, Maruyama I (2001) Simultaneous measurement of anandamide and 2-arachidonoylglycerol by polymyxin B-selective adsorption and subsequent high-performance liquid chromatography analysis: increase in endogenous cannabinoids in the sera of patients with endotoxic shock. *Anal Biochem* **294**: 73-82

Wang Y, Liu Y, Sarker KP, Nakashima M, Serizawa T, Kishida A, Akashi M, Nakata M, Kitajima I, Maruyama I (2000) Polymyxin B binds to anandamide and inhibits its cytotoxic effect. *FEBS Lett* **470**: 151-155

Warne T, Chirnside J, Schertler GF (2003) Expression and purification of truncated, non-glycosylated turkey beta-adrenergic receptors for crystallization. *Biochim Biophys Acta* **1610**: 133-140

Warren RM, Bobrow LG, Earl HM, Britton PD, Gopalan D, Purushotham AD, Wishart GC, Benson JR, Hollingworth W (2004) Can breast MRI help in the management of women with breast cancer treated by neoadjuvant chemotherapy? *Br J Cancer* **90**: 1349-1360

Wartmann M, Campbell D, Subramanian A, Burstein SH, Davis RJ (1995) The MAP kinase signal transduction pathway is activated by the endogenous cannabinoid anandamide. *FEBS Lett* **359**: 133-136

Wasmeier C, Hutton JC (1996) Molecular cloning of phogrin, a protein-tyrosine phosphatase homologue localized to insulin secretory granule membranes. *J Biol Chem* **271**: 18161-18170

Watanabe H, Vriens J, Prenen J, Droogmans G, Voets T, Nilius B (2003) Anandamide and arachidonic acid use epoxyeicosatrienoic acids to activate TRPV4 channels. *Nature* **424**: 434-438

Watanabe K, Chirgadze DY, Lietha D, de Jonge H, Blundell TL, Gherardi E (2002) A new crystal form of the NK1 splice variant of HGF/SF demonstrates extensive hinge movement and suggests that the NK1 dimer originates by domain swapping. *J Mol Biol* **319**: 283-288

Watanabe K, Kayano Y, Matsunaga T, Yamamoto I, Yoshimura H (1996) Inhibition of anandamide amidase activity in mouse brain microsomes by cannabinoids. *Biol Pharm Bull* **19**: 1109-1111

Watanabe K, Matsunaga T, Nakamura S, Kimura T, Ho IK, Yoshimura H, Yamamoto I (1999) Pharmacological effects in mice of anandamide and its related fatty acid ethanalamides, and enhancement of cataleptogenic effect of anandamide by phenylmethylsulfonyl fluoride. *Biol Pharm Bull* **22**: 366-370

Watanabe K, Ogi H, Nakamura S, Kayano Y, Matsunaga T, Yoshimura H, Yamamoto I (1998) Distribution and characterization of anandamide amidohydrolase in mouse brain and liver. *Life Sci* **62**: 1223-1229

Watanabe N, Yamada S (1996) Activation of 20S proteasomes from spinach leaves by fatty acids. *Plant Cell Physiol* **37**: 147-151

Watanabe S, Doshi M, Hamazaki T (2003) n-3 Polyunsaturated fatty acid (PUFA) deficiency elevates and n-3 PUFA enrichment reduces brain 2-arachidonoylglycerol level in mice. *Prostaglandins Leukot Essent Fatty Acids* **69**: 51-59

Watanabe S, Ross WN (2003) Synaptically activated calcium waves suppress inhibition in hippocampal CA1 pyramidal neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Watkins NA, Dafforn TR, Kuijpers M, Brown C, Javid B, Lehner PJ, Navarrete C, Ouweland WH (2004) Molecular studies of anti-HLA-A2 using light-chain shuffling: a structural model for HLA antibody binding. *Tissue Antigens* **63**: 345-354

Watras J, Bezprozvanny I, Ehrlich BE (1991) Inositol 1,4,5-trisphosphate-gated channels in cerebellum: presence of multiple conductance states. *J Neurosci* **11**: 3239-3245

Watras J, Orlando R, Moraru, II (2000) An endogenous sulfated inhibitor of neuronal inositol trisphosphate receptors. *Biochemistry* **39**: 3452-3460

Weber A, Ni J, Ling KH, Acheampong A, Tang-Liu DD, Burk R, Cravatt BF, Woodward D (2004) Formation of prostamides from anandamide in FAAH knockout mice analyzed by HPLC with tandem mass spectrometry. *J Lipid Res* **45**: 757-763

Weber AN, Tauszig-Delamasure S, Hoffmann JA, Lelievre E, Gascan H, Ray KP, Morse MA, Imler JL,

Gay NJ (2003) Binding of the Drosophila cytokine Spatzle to Toll is direct and establishes signaling. *Nat Immunol* **4**: 794-800

Weidenfeld J, Feldman S, Mechoulam R (1994) Effect of the brain constituent anandamide, a cannabinoid receptor agonist, on the hypothalamo-pituitary-adrenal axis in the rat. *Neuroendocrinology* **59**: 110-112

Welch M, Todd DE, Whitehead NA, McGowan SJ, Bycroft BW, Salmond GP (2000) N-acyl homoserine lactone binding to the CarR receptor determines quorum-sensing specificity in *Erwinia*. *Embo J* **19**: 631-641

Welch SP (1997) Characterization of anandamide-induced tolerance: comparison to delta 9-THC-induced interactions with dynorphinergic systems. *Drug Alcohol Depend* **45**: 39-45

Welch SP, Dunlow LD, Patrick GS, Razdan RK (1995) Characterization of anandamide- and fluoroanandamide-induced antinociception and cross-tolerance to delta 9-THC after intrathecal administration to mice: blockade of delta 9-THC-induced antinociception. *J Pharmacol Exp Ther* **273**: 1235-1244

Welch SP, Eads M (1999) Synergistic interactions of endogenous opioids and cannabinoid systems. *Brain Res* **848**: 183-190

Welch SP, Huffman JW, Lowe J (1998) Differential blockade of the antinociceptive effects of centrally administered cannabinoids by SR141716A. *J Pharmacol Exp Ther* **286**: 1301-1308

Wen Y, Yang S, Liu R, Brun-Zinkernagel AM, Koulen P, Simpkins JW (2004) Transient cerebral ischemia induces aberrant neuronal cell cycle reentry and Alzheimer's disease-like tauopathy in female rats. *J Biol Chem* **Feb 24** [Epub ahead of print]

Wen Y, Yang S, Liu R, Perez EJ, Yi KD, Koulen P, Simpkins JW (2004) Estrogen attenuates post-ischemic and nuclear factor-kappa B activation induced by transient cerebral ischemia. *Brain Res* **In Press**

Wendeler M, Kolter T (2003) Inhibitors of endocannabinoid degradation: potential therapeutics for neurological disorders. *Angew Chem Int Ed Engl* **42**: 2938-2941

Wenger T, Fernandez-Ruiz JJ, Ramos JA (1999) Immunocytochemical demonstration of CB1 cannabinoid receptors in the anterior lobe of the pituitary gland. *J Neuroendocrinol* **11**: 873-878

Wenger T, Fragkakis G, Giannikou P, Probonas K, Yiannikakis N (1997) Effects of anandamide on gestation in pregnant rats. *Life Sci* **60**: 2361-2371

Wenger T, Fragkakis G, Giannikou P, Yiannikakis N (1997) The effects of prenatally administered endogenous cannabinoid on rat offspring. *Pharmacol Biochem Behav* **58**: 537-544

Wenger T, Gerendai I, Fezza F, Gonzalez S, Bisogno T, Fernandez-Ruiz J, Di Marzo V (2002) The hypothalamic levels of the endocannabinoid, anandamide, peak immediately before the onset of puberty in female rats. *Life Sci* **70**: 1407-1414

Wenger T, Gerendai I, Fezza F, Gonzalez S, Bisogno T, Fernandez-Ruiz J, Di Marzo V (2002) The hypothalamic levels of the endocannabinoid, anandamide, peak immediately before the onset of puberty in female rats (vol 70, pg 1407, 2002). *Life Sciences* **71**: 1349-1350

Wenger T, Jamali KA, Juaneda C, Leonardelli J, Tramu G (1997) Arachidonyl ethanolamide (anandamide) activates the parvocellular part of hypothalamic paraventricular nucleus. *Biochem Biophys Res Commun* **237**: 724-728

Wenger T, Ledent C, Csernus V, Gerendai I (2001) The central cannabinoid receptor inactivation suppresses endocrine reproductive functions. *Biochem Biophys Res Commun* **284**: 363-368

Wenger T, Ledent C, Tramu G (2003) The endogenous cannabinoid, anandamide, activates the hypothalamo-pituitary-adrenal axis in CB1 cannabinoid receptor knockout mice. *Neuroendocrinology* **78**: 294-300

Wenger T, Moldrich G (2002) The role of endocannabinoids in the hypothalamic regulation of visceral function. *Prostaglandins Leukot Essent Fatty Acids* **66**: 301-307

Wenger T, Toth BE, Juaneda C, Leonardelli J, Tramu G (1999) The effects of cannabinoids on the regulation of reproduction. *Life Sci* **65**: 695-701

Wenger T, Toth BE, Martin BR (1995) Effects of anandamide (endogenous cannabinoid) on anterior pituitary hormone secretion in adult ovariectomized rats. *Life Sci* **56**: 2057-2063

Wentworth JM, Agostini M, Love J, Schwabe JW, Chatterjee VK (2000) St John's wort, a herbal antidepressant, activates the steroid X receptor. *J Endocrinol* **166**: R11-16

Wentworth JM, Burris TP, Chatterjee VK (2000) HIV protease inhibitors block human preadipocyte differentiation, but not via the PPARgamma/RXR heterodimer. *J Endocrinol* **164**: R7-R10

Wentworth JM, Schoenfeld V, Meek S, Elgar G, Brenner S, Chatterjee VK (1999) Isolation and characterisation of the retinoic acid receptor-alpha gene in the Japanese pufferfish, *F. rubripes*. *Gene* **236**: 315-323

Werner NA, Koch JE (2003) Effects of the cannabinoid antagonists AM281 and AM630 on deprivation-

induced intake in Lewis rats. *Brain Res* **967**: 290-292

Wessler HG, Hoang CV, Chapman KD, Benjamin RC (1999) Molecular characterization of carbonic anhydrase from cotyledons of germinated cotton seeds. *Plant Biology (Rockville)* **1999**

Westhoff JH, Hwang SY, Scott Duncan R, Ozawa F, Volpe P, Inokuchi K, Koulou P (2003) Ves1/Homer proteins regulate ryanodine receptor type 2 function and intracellular calcium signaling. *Cell Calcium* **34**: 261-269

Wetley FR, Hawkins SF, Stewart A, Luzio JP, Howard JC, Jackson AP (2002) Controlled elimination of clathrin heavy-chain expression in DT40 lymphocytes. *Science* **297**: 1521-1525

White P, Burton KA, Fowden AL, Dauncey MJ (2001) Developmental expression analysis of thyroid hormone receptor isoforms reveals new insights into their essential functions in cardiac and skeletal muscles. *Faseb J* **15**: 1367-1376

White P, Dauncey MJ (1999) Differential expression of thyroid hormone receptor isoforms is strikingly related to cardiac and skeletal muscle phenotype during postnatal development. *J Mol Endocrinol* **23**: 241-254

White R, Hiley CR (1997) A comparison of EDHF-mediated and anandamide-induced relaxations in the rat isolated mesenteric artery. *Br J Pharmacol* **122**: 1573-1584

White R, Hiley CR (1998) The actions of some cannabinoid receptor ligands in the rat isolated mesenteric artery. *Br J Pharmacol* **125**: 533-541

White R, Ho WS, Bottrill FE, Ford WR, Hiley CR (2001) Mechanisms of anandamide-induced vasorelaxation in rat isolated coronary arteries. *Br J Pharmacol* **134**: 921-929

Whitehead JP, Soos MA, Aslesen R, O'Rahilly S, Jensen J (2000) Contraction inhibits insulin-stimulated insulin receptor substrate-1/2-associated phosphoinositide 3-kinase activity, but not protein kinase B activation or glucose uptake, in rat muscle. *Biochem J* **349 Pt 3**: 775-781

Whitney O, Soderstrom K, Johnson F (2001) Cannabinoid effects on song stimulus induced zenk expression within the songbird auditory telencephalon. *Society for Neuroscience Abstracts* **27**

Whitney O, Soderstrom K, Johnson F (2003) CB1 cannabinoid receptor activation inhibits a neural correlate of song recognition in an auditory/perceptual region of the zebra finch telencephalon. *J Neurobiol* **56**: 266-274

Whyte JR, Munro S (2001) A yeast homolog of the mammalian mannose 6-phosphate receptors contributes to the sorting of vacuolar hydrolases. *Curr Biol* **11**: 1074-1078

Whyte JR, Munro S (2002) Vesicle tethering complexes in membrane traffic. *J Cell Sci* **115**: 2627-2637

Wickens AP, Pertwee RG (1993) delta 9-Tetrahydrocannabinol and anandamide enhance the ability of muscimol to induce catalepsy in the globus pallidus of rats. *Eur J Pharmacol* **250**: 205-208

Wiley J, Balster R, Martin B (1995) Discriminative stimulus effects of anandamide in rats. *Eur J Pharmacol* **276**: 49-54

Wiley JL (1999) Cannabis: discrimination of "internal bliss"? *Pharmacol Biochem Behav* **64**: 257-260

Wiley JL, Compton DR, Dai D, Lainton JA, Phillips M, Huffman JW, Martin BR (1998) Structure-activity relationships of indole- and pyrrole-derived cannabinoids. *J Pharmacol Exp Ther* **285**: 995-1004

Wiley JL, Dewey MA, Jefferson RG, Winckler RL, Bridgen DT, Willoughby KA, Martin BR (2000) Influence of phenylmethylsulfonyl fluoride on anandamide brain levels and pharmacological effects. *Life Sci* **67**: 1573-1583

Wiley JL, Golden KM, Ryan WJ, Balster RL, Razdan RK, Martin BR (1997) Evaluation of cannabimimetic discriminative stimulus effects of anandamide and methylated fluoroanandamide in rhesus monkeys. *Pharmacol Biochem Behav* **58**: 1139-1143

Wiley JL, Jefferson RG, Griffin G, Liddle J, Yu S, Huffman JW, Martin BR (2002) Paradoxical pharmacological effects of deoxy-tetrahydrocannabinol analogs lacking high CB1 receptor affinity. *Pharmacology* **66**: 89-99

Wiley JL, Martin BR (1999) Effects of SR141716A on diazepam substitution for delta9-tetrahydrocannabinol in rat drug discrimination. *Pharmacol Biochem Behav* **64**: 519-522

Wiley JL, Martin BR (2002) Cannabinoid pharmacology: implications for additional cannabinoid receptor subtypes. *Chem Phys Lipids* **121**: 57-63

Wiley JL, Ryan WJ, Razdan RK, Martin BR (1998) Evaluation of cannabimimetic effects of structural analogs of anandamide in rats. *Eur J Pharmacol* **355**: 113-118

Wiley KE, Davenport AP (2001) Nitric oxide-mediated modulation of the endothelin-1 signalling pathway in the human cardiovascular system. *Br J Pharmacol* **132**: 213-220

Williams CM, Kirkham TC (1999) Anandamide induces overeating: mediation by central cannabinoid (CB1) receptors. *Psychopharmacology (Berl)* **143**: 315-317

Williams CM, Kirkham TC (2002) Observational analysis of feeding induced by Delta9-THC and anandamide. *Physiol Behav* **76**: 241-250

Williams CM, Kirkham TC (2002) Reversal of delta 9-THC hyperphagia by SR141716 and naloxone but not dexfenfluramine. *Pharmacol Biochem Behav* **71**: 333-340

Williams DH, Davies NL, Zerella R, Bardsley B (2004) Noncovalent interactions: defining cooperativity. Ligand binding aided by reduced dynamic behavior of receptors. Binding of bacterial cell wall analogues to ristocetin A. *J Am Chem Soc* **126**: 2042-2049

Williams EJ, Walsh FS, Doherty P (2003) The FGF receptor uses the endocannabinoid signaling system to couple to an axonal growth response. *J Cell Biol* **160**: 481-486

Willoughby KA, Moore SF, Martin BR, Ellis EF (1997) The biodisposition and metabolism of anandamide in mice. *J Pharmacol Exp Ther* **282**: 243-247

Wilson MJ, Torkar M, Haude A, Milne S, Jones T, Sheer D, Beck S, Trowsdale J (2000) Plasticity in the organization and sequences of human KIR/ILT gene families. *Proc Natl Acad Sci U S A* **97**: 4778-4783

Wilson RI, Kunos G, Nicoll RA (2001) Presynaptic specificity of endocannabinoid signaling in the hippocampus. *Neuron* **31**: 453-462

Wilson RI, Nicoll RA (2001) Endogenous cannabinoids mediate retrograde signalling at hippocampal synapses. *Nature* **410**: 588-592

Wilson RI, Nicoll RA (2002) Endocannabinoid signaling in the brain. *Science* **296**: 678-682

Wilson RI, Nicoll RA (2002) Neuroscience - Endocannabinoid signaling in the brain. *Science* **296**: 678-682

Wilson RI, Nicoll RA (2002) Neuroscience: Endocannabinoid signaling in the brain. *Science (Washington D C)* **296**: 678-682

Wilson SJ, Lovenberg TW, Barbier AJ (2003) A high-throughput-compatible assay for determining the activity of fatty acid amide hydrolase. *Anal Biochem* **318**: 270-275

Winand RJ, Kohn LD (1975) Stimulation of adenylate cyclase activity in retro-orbital tissue membranes by thyrotropin and an exophthalmogenic factor derived from thyrotropin. *J Biol Chem* **250**: 6522-6526

Windisch M, Hutter-Paier B, Schreiner E (2002) Current drugs and future hopes in the treatment of Alzheimer's disease. *J Neural Transm Suppl*: 149-164

Winnicka MM, Zbucki RR, Dadan J, Sawicki B, Hryniewicz A, Kosiorek P, Bialuk I, Puchalski Z (2003) An immunohistochemical study of the thyroid parafollicular (C) cells in rats treated with cannabinoids - preliminary investigations. *Folia Morphol (Warsz)* **62**: 419-421

Winsauer PJ, Lambert P, Moerschbaecher JM (1999) Cannabinoid ligands and their effects on learning and performance in rhesus monkeys. *Behav Pharmacol* **10**: 497-511

Wise ML, Rossi J, Gerwick WH (1997) Characterization of the substrate binding site of polyenoic fatty acid isomerase, a novel enzyme from the marine alga *Ptilota filicina*. *Biochemistry* **36**: 2985-2992

Wise ML, Soderstrom K, Murray TF, Gerwick WH (1996) Synthesis and cannabinoid receptor binding activity of conjugated triene anandamide, a novel eicosanoid. *Experientia* **52**: 88-92

Wisnoskey BJ, Sinkins WG, Schilling WP (2003) Activation of vanilloid receptor type I in the endoplasmic reticulum fails to activate store-operated Ca²⁺ entry. *Biochem J* **372**: 517-528

Wissing F, Nerou EP, Taylor CW (2002) A novel Ca²⁺-induced Ca²⁺ release mechanism mediated by neither inositol trisphosphate nor ryanodine receptors. *Biochem J* **361**: 605-611

Witting A, Franklin A, Stella N (2002) In cultured microglia the production of the endocannabinoid 2-arachidonyl-glycerol is selectively increased by ATP. *Glia*: S63-S63

Witting A, Franklin A, Stella N (2003) Diacylglycerol lipase - dependent production of the endocannabinoid 2 - arachidonylglycerol by microglial cells. *Society for Neuroscience Abstract Viewer and Itinerary Planner 2003*

Witting A, Franklin A, Stella N (2003) Uptake and hydrolysis of the endocannabinoid 2-arachidonylglycerol by primary mouse microglia. *Glia*: 44-44

Witting A, Stella N (2001) ATP increases the production of the endocannabinoid 2-arachidonylglycerol in cultured microglia. *Society for Neuroscience Abstracts* **27**

Witting A, Walter L, Wacker J, Moller T, Stella N (2004) P2X7 receptors control 2-arachidonylglycerol production by microglial cells. *Proc Natl Acad Sci U S A* **101**: 3214-3219

Wixler V, Smola U, Schuler M, Rapp U (1996) Differential regulation of Raf isozymes by growth versus differentiation inducing factors in PC12 pheochromocytoma cells. *FEBS Lett* **385**: 131-137

Wojciechowski MF, Sanderson MJ, Steele KP, Liston A (2000) Molecular phylogeny of the "temperate herbaceous tribes" of papilionoid legumes: a supertree approach. *In* P Herendeen, A Bruneau, eds, *Advances in Legume Systematics, Vol Part 9*. Royal Botanic Gardens, Kew, UK, pp 277-298

Wojcikiewicz RJ (1995) Type I, II, and III inositol 1,4,5-trisphosphate receptors are unequally susceptible to

down-regulation and are expressed in markedly different proportions in different cell types. *J Biol Chem* **270**: 11678-11683

Wojcikiewicz RJ, Luo SG (1998) Differences among type I, II, and III inositol-1,4,5-trisphosphate receptors in ligand-binding affinity influence the sensitivity of calcium stores to inositol-1,4,5-trisphosphate. *Mol Pharmacol* **53**: 656-662

Wolff MC, Leander JD (2003) SR141716A, a cannabinoid CB1 receptor antagonist, improves memory in a delayed radial maze task. *Eur J Pharmacol* **477**: 213-217

Wood SJ, Pritchard J, Sofroniew MV (1990) Re-expression of Nerve Growth Factor Receptor after Axonal Injury Recapitulates a Developmental Event in Motor Neurons: Differential Regulation when Regeneration is Allowed or Prevented. *Eur J Neurosci* **2**: 650-657

Woodard GE, Zhao J, Rosado JA, Brown J (2003) Differences between natriuretic peptide receptors in the olfactory bulb and hypothalamus from spontaneously hypertensive and normotensive rat brain. *Neurosci Res* **47**: 421-429

Woodard GE, Zhao J, Rosado JA, Brown J (2004) Patterning of renal cGMP production by the natriuretic peptide receptor type A and blood pressure in spontaneously hypertensive rats. *Regul Pept* **119**: 45-51

Woods DF, Bryant PJ (1993) ZO-1, DlgA and PSD-95/SAP90: homologous proteins in tight, septate and synaptic cell junctions. *Mech Dev* **44**: 85-89

Woodward DF, Krauss AH, Chen J, Lai RK, Spada CS, Burk RM, Andrews SW, Shi L, Liang Y, Kedzie KM, Chen R, Gil DW, Kharlamb A, Archeampong A, Ling J, Madhu C, Ni J, Rix P, Usansky J, Usansky H, Weber A, Welty D, Yang W, Tang-Liu DD, Garst ME, Brar B, Wheeler LA, Kaplan LJ (2001) The pharmacology of bimatoprost (Lumigan). *Surv Ophthalmol* **45 Suppl 4**: S337-345

Wotjak CT (2003) The endocannabinoid system of the brain: A potential therapeutic target for the treatment of anxiety disorders in traumatised patients? *Pharmacopsychiatry* **36**: 274-275

Wroblewski ST, Chen P, Hynes J, Jr., Lin S, Norris DJ, Pandit CR, Spergel S, Wu H, Tokarski JS, Chen X, Gillooly KM, Kiener PA, McIntyre KW, Patil-Koota V, Shuster DJ, Turk LA, Yang G, Leftheris K (2003) Rational design and synthesis of an orally active indolopyridone as a novel conformationally constrained cannabinoid ligand possessing antiinflammatory properties. *J Med Chem* **46**: 2110-2116

Wu G, D'Agati V, Cai Y, Markowitz G, Park JH, Reynolds DM, Maeda Y, Le TC, Hou H, Jr., Kucherlapati R, Edelmann W, Somlo S (1998) Somatic inactivation of Pkd2 results in polycystic kidney disease. *Cell* **93**: 177-188

Wyszynski M, Kharazia V, Shanghvi R, Rao A, Beggs AH, Craig AM, Weinberg R, Sheng M (1998) Differential regional expression and ultrastructural localization of alpha-actinin-2, a putative NMDA receptor-anchoring protein, in rat brain. *J Neurosci* **18**: 1383-1392

Wyszynski M, Lin J, Rao A, Nigh E, Beggs AH, Craig AM, Sheng M (1997) Competitive binding of alpha-actinin and calmodulin to the NMDA receptor. *Nature* **385**: 439-442

Wytenbach A, Carmichael J, Swartz J, Furlong RA, Narain Y, Rankin J, Rubinsztein DC (2000) Effects of heat shock, heat shock protein 40 (HDJ-2), and proteasome inhibition on protein aggregation in cellular models of Huntington's disease. *Proc Natl Acad Sci U S A* **97**: 2898-2903

Xia T, Coleman RA (1992) Diacylglycerol metabolism in neonatal rat liver: characterization of cytosolic diacylglycerol lipase activity and its activation by monoalkylglycerols. *Biochim Biophys Acta* **1126**: 327-336

Xiao AZ, Zhao YG, Duan EK (2002) Expression and regulation of the fatty acid amide hydrolase gene in the rat uterus during the estrous cycle and peri-implantation period. *Mol Hum Reprod* **8**: 651-658

Xie XQ, Chen JZ, Billings EM (2003) 3D structural model of the G-protein-coupled cannabinoid CB2 receptor. *Proteins* **53**: 307-319

Xu L, Jones R, Meissner G (1993) Effects of local anesthetics on single channel behavior of skeletal muscle calcium release channel. *J Gen Physiol* **101**: 207-233

Xu L, Tripathy A, Pasek DA, Meissner G (1998) Potential for pharmacology of ryanodine receptor/calcium release channels. *Ann N Y Acad Sci* **853**: 130-148

Yagen B, Burstein S (2000) Novel and sensitive method for the detection of anandamide by the use of its dansyl derivative. *J Chromatogr B Biomed Sci Appl* **740**: 93-99

Yamaguchi F, Tokuda M, Hatase O, Brenner S (1996) Molecular cloning of the novel human G protein-coupled receptor (GPCR) gene mapped on chromosome 9. *Biochem Biophys Res Commun* **227**: 608-614

Yamaguchi T, Hagiwara Y, Tanaka H, Sugiura T, Waku K, Shoyama Y, Watanabe S, Yamamoto T (2001) Endogenous cannabinoid, 2-arachidonoylglycerol, attenuates naloxone-precipitated withdrawal signs in morphine-dependent mice. *Brain Res* **909**: 121-126

Yamaguchi T, Kubota T, Watanabe S, Yamamoto T (2004) Activation of brain prostanoid EP3 receptors via arachidonic acid cascade during behavioral suppression induced by Delta8-tetrahydrocannabinol. *J*

Neurochem **88**: 148-154

Yamaguchi T, Shoyama Y, Watanabe S, Yamamoto T (2001) Behavioral suppression induced by cannabinoids is due to activation of the arachidonic acid cascade in rats. *Brain Res* **889**: 149-154

Yamaji K, Sarker KP, Kawahara K, Hashiguchi T, Biswas KK, Abeyama K, Wada H, Maruyama C (2003) Endocannabinoids are markedly increased in thrombotic thrombocytopenic purpura (TTP) and sporadic hemolytic-uremic syndrome (HUS) and induce endothelial apoptosis: Possible involvement of endocannabinoid system in TTP/HUS. *Blood* **102**: 357a-357a

Yamaji K, Sarker KP, Kawahara K, Iino S, Yamakuchi M, Abeyama K, Hashiguchi T, Maruyama I (2003) Anandamide induces apoptosis in human endothelial cells: its regulation system and clinical implications. *Thromb Haemost* **89**: 875-884

Yamamoto T, Anggadireja K, Hiranita T, Watanabe S (2004) Involvement of endocannabinoid in drug dependence and brain reward system. *Journal of Pharmacological Sciences* **94**: 44p-44p

Yamamoto T, Takada K (2000) Role of cannabinoid receptor in the brain as it relates to drug reward. *Jpn J Pharmacol* **84**: 229-236

Yan CY, Greene LA (1998) Prevention of PC12 cell death by N-acetylcysteine requires activation of the Ras pathway. *J Neurosci* **18**: 4042-4049

Yan MS, Lian ML, Huang JS (2000) [Cannabinoids, cannabinoid receptor and immune response]. *Sheng Li Ke Xue Jin Zhan* **31**: 261-264

Yang A, Saito M, Dunlop D, McGrath E, Ditaranto K, Thomas S, Soreghan B (2002) MEMBRANE PERTURBATIONS OF ENDOSOMAL/LYSOSOMAL VESICLES AND THEIR EFFECT ON LIPID METABOLISM AND INTRACELLULAR Abeta DEGRADATION. Society for Neuroscience Abstract Viewer and Itinerary Planner **2002**

Yang HY, Karoum F, Felder C, Badger H, Wang TC, Markey SP (1999) GC/MS analysis of anandamide and quantification of N-arachidonoylphosphatidylethanolamides in various brain regions, spinal cord, testis, and spleen of the rat. *J Neurochem* **72**: 1959-1968

Yang SH, He Z, Wu SS, He YJ, Cutright J, Millard WJ, Day AL, Simpkins JW (2001) 17-beta estradiol can reduce secondary ischemic damage and mortality of subarachnoid hemorrhage. *J Cereb Blood Flow Metab* **21**: 174-181

Yang SH, Liu R, Perez EJ, Wen Y, Stevens SM, Jr., Valencia T, Brun-Zinkernagel AM, Prokai L, Will Y, Dykens J, Koulen P, Simpkins JW (2004) Mitochondrial localization of estrogen receptor beta. *Proc Natl Acad Sci U S A* **101**: 4130-4135

Yang SH, Shi J, Day AL, Simpkins JW (2000) Estradiol exerts neuroprotective effects when administered after ischemic insult. *Stroke* **31**: 745-749; discussion 749-750

Yang Z, Wensel TG (1992) N-myristoylation of the rod outer segment G protein, transducin, in cultured retinas. *J Biol Chem* **267**: 23197-23201

Yang ZM, Paria BC, Dey SK (1996) Activation of brain-type cannabinoid receptors interferes with preimplantation mouse embryo development. *Biol Reprod* **55**: 756-761

Yanovsky Y, Mades S, Misgeld U (2003) Retrograde signaling changes the venue of postsynaptic inhibition in rat substantia nigra. *Neuroscience* **122**: 317-328

Yao L, Fan P, Jiang Z, Mailliard WS, Gordon AS, Diamond I (2003) Addicting drugs utilize a synergistic molecular mechanism in common requiring adenosine and Gi-beta gamma dimers. *Proc Natl Acad Sci U S A* **100**: 14379-14384

Yazulla S, Studholme KM, McIntosh HH, Deutsch DG (1999) Immunocytochemical localization of cannabinoid CB1 receptor and fatty acid amide hydrolase in rat retina. *J Comp Neurol* **415**: 80-90

Yazulla S, Studholme KM, McIntosh HH, Fan SF (2000) Cannabinoid receptors on goldfish retinal bipolar cells: electron-microscope immunocytochemistry and whole-cell recordings. *Vis Neurosci* **17**: 391-401

Yeo GS, Lank EJ, Farooqi IS, Keogh J, Challis BG, O'Rahilly S (2003) Mutations in the human melanocortin-4 receptor gene associated with severe familial obesity disrupts receptor function through multiple molecular mechanisms. *Hum Mol Genet* **12**: 561-574

Yesilyurt O, Dogrul A, Gul H, Seyrek M, Kusmez O, Ozkan Y, Yildiz O (2003) Topical cannabinoid enhances topical morphine antinociception. *Pain* **105**: 303-308

Ymer S, Schofield PR, Draguhn A, Werner P, Kohler M, Seeburg PH (1989) GABAA receptor beta subunit heterogeneity: functional expression of cloned cDNAs. *Embo J* **8**: 1665-1670

Yodozawa S, Speake T, Elliott A (1997) Intracellular alkalinization mobilizes calcium from agonist-sensitive pools in rat lacrimal acinar cells. *J Physiol* **499 (Pt 3)**: 601-611

Yokoyama Y, Charnock-Jones DS, Licence D, Yanaihara A, Hastings JM, Holland CM, Emoto M, Sakamoto A, Sakamoto T, Maruyama H, Sato S, Mizunuma H, Smith SK (2003) Expression of vascular

endothelial growth factor (VEGF)-D and its receptor, VEGF receptor 3, as a prognostic factor in endometrial carcinoma. *Clin Cancer Res* **9**: 1361-1369

Yoshida T, Hashimoto K, Zimmer A, Maejima T, Araishi K, Kano M (2002) The cannabinoid CB1 receptor mediates retrograde signals for depolarization-induced suppression of inhibition in cerebellar Purkinje cells. *J Neurosci* **22**: 1690-1697

Yoshikawa F, Iwasaki H, Michikawa T, Furuichi T, Mikoshiba K (1999) Cooperative formation of the ligand-binding site of the inositol 1,4, 5-trisphosphate receptor by two separable domains. *J Biol Chem* **274**: 328-334

Yousif MH, Oriowo MA (1999) Inhibitory effects of cannabinoid receptor ligands on electrically-evoked responses in rat isolated tracheal ring segments. *Pharmacol Res* **40**: 415-421

Yu M, Ives D, Ramesha CS (1997) Synthesis of prostaglandin E2 ethanolamide from anandamide by cyclooxygenase-2. *J Biol Chem* **272**: 21181-21186

Yuan M, Kiertscher SM, Cheng Q, Zoumalan R, Tashkin DP, Roth MD (2002) Delta 9-Tetrahydrocannabinol regulates Th1/Th2 cytokine balance in activated human T cells. *J Neuroimmunol* **133**: 124-131

Zahradnikova A, Minarovic I, Venema RC, Meszaros LG (1997) Inactivation of the cardiac ryanodine receptor calcium release channel by nitric oxide. *Cell Calcium* **22**: 447-454

Zahradnikova A, Zahradnik I, Gyorke I, Gyorke S (1999) Rapid activation of the cardiac ryanodine receptor by submillisecond calcium stimuli. *J Gen Physiol* **114**: 787-798

Zamudio FZ, Conde R, Arevalo C, Becerril B, Martin BM, Valdivia HH, Possani LD (1997) The mechanism of inhibition of ryanodine receptor channels by imperatoxin I, a heterodimeric protein from the scorpion *Pandinus imperator*. *J Biol Chem* **272**: 11886-11894

Zchut S, Feng W, Shoshan-Barmatz V (1996) Ryanodine receptor/calcium release channel conformations as reflected in the different effects of propranolol on its ryanodine binding and channel activity. *Biochem J* **315 (Pt 2)**: 377-383

Zecchini V, Brennan K, Martinez-Arias A (1999) An activity of Notch regulates JNK signalling and affects dorsal closure in *Drosophila*. *Curr Biol* **9**: 460-469

Zeilhofer HU, Blank NM, Neuhuber WL, Swandulla D (2000) Calcium-dependent inactivation of neuronal calcium channel currents is independent of calcineurin. *Neuroscience* **95**: 235-241

Zeng BY, Dass B, Owen A, Rose S, Cannizzaro C, Tel BC, Jenner P (1999) Chronic L-DOPA treatment increases striatal cannabinoid CB1 receptor mRNA expression in 6-hydroxydopamine-lesioned rats. *Neurosci Lett* **276**: 71-74

Zeng FY, Weigel PH (1996) Fatty acylation of the rat and human asialoglycoprotein receptors. A conserved cytoplasmic cysteine residue is acylated in all receptor subunits. *J Biol Chem* **271**: 32454-32460

Zenor BN, Weesner GD, Malven PV (1999) Endocrine and other responses to acute administration of cannabinoid compounds to non-stressed male calves. *Life Sci* **65**: 125-133

Zhang B, MacNaul K, Szalkowski D, Li Z, Berger J, Moller DE (1999) Inhibition of adipocyte differentiation by HIV protease inhibitors. *J Clin Endocrinol Metab* **84**: 4274-4277

Zhang J, Hoffert C, Vu HK, Groblewski T, Ahmad S, O'Donnell D (2003) Induction of CB2 receptor expression in the rat spinal cord of neuropathic but not inflammatory chronic pain models. *Eur J Neurosci* **17**: 2750-2754

Zhang L, Rubinow DR, Xaing G, Li BS, Chang YH, Maric D, Barker JL, Ma W (2001) Estrogen protects against beta-amyloid-induced neurotoxicity in rat hippocampal neurons by activation of Akt. *Neuroreport* **12**: 1919-1923

Zhang YQ, Shi J, Rajakumar G, Day AL, Simpkins JW (1998) Effects of gender and estradiol treatment on focal brain ischemia. *Brain Res* **784**: 321-324

Zheng JQ (2000) Turning of nerve growth cones induced by localized increases in intracellular calcium ions. *Nature* **403**: 89-93

Zheng L, Zomerdijk TP, Van Den Barselaar MT, Geertsma MF, Van Furth R, Nibbering PH (1999) Arachidonic acid, but not its metabolites, is essential for FcγR-stimulated intracellular killing of *Staphylococcus aureus* by human monocytes. *Immunology* **96**: 90-97

Zhou D, Shearman LP (2004) Voluntary exercise augments acute effects of CB1-receptor inverse agonist on body weight loss in obese and lean mice. *Pharmacol Biochem Behav* **77**: 117-125

Zhou D, Song ZH (2001) CB1 cannabinoid receptor-mediated neurite remodeling in mouse neuroblastoma N1E-115 cells. *J Neurosci Res* **65**: 346-353

Zhou D, Song ZH (2002) CB1 cannabinoid receptor-mediated tyrosine phosphorylation of focal adhesion kinase-related non-kinase. *FEBS Lett* **525**: 164-168

Zhu LX, Sharma S, Stolina M, Gardner B, Roth MD, Tashkin DP, Dubinett SM (2000) Delta-9-tetrahydrocannabinol inhibits antitumor immunity by a CB2 receptor-mediated, cytokine-dependent pathway. *J Immunol* **165**: 373-380

Zhuang S, Chen Y, Weiner JL, Hampson RE, Deadwyler SA (2003) Lack of functional presynaptic, but putative postsynaptic actions of cannabinoids in hippocampal neurons. *Society for Neuroscience Abstract Viewer and Itinerary Planner* **2003**

Zhuang S, Kittler J, Grigorenko EV, Kirby MT, Sim LJ, Hampson RE, Childers SR, Deadwyler SA (1998) Effects of long-term exposure to delta9-THC on expression of cannabinoid receptor (CB1) mRNA in different rat brain regions. *Brain Res Mol Brain Res* **62**: 141-149

Zhukov OD, Artamonov MV, Klimashevs'kyii VM, Hoseieva NM, Marhitych VM, Hula NM (2000) [N-acylethanolamine--a new class of natural adrenotropic modulators]. *Ukr Biokhim Zh* **72**: 24-27

Zimmer A, Zimmer AM, Hohmann AG, Herkenham M, Bonner TI (1999) Increased mortality, hypoactivity, and hypoalgesia in cannabinoid CB1 receptor knockout mice. *Proc Natl Acad Sci U S A* **96**: 5780-5785

Zipfel GJ, Babcock DJ, Lee JM, Choi DW (2000) Neuronal apoptosis after CNS injury: the roles of glutamate and calcium. *J Neurotrauma* **17**: 857-869

Zirpel L, Janowiak MA, Taylor DA, Parks TN (2000) Developmental changes in metabotropic glutamate receptor-mediated calcium homeostasis. *J Comp Neurol* **421**: 95-106

Zlatic M, Landgraf M, Bate M (2003) Genetic specification of axonal arbors: atonal regulates robo3 to position terminal branches in the Drosophila nervous system. *Neuron* **37**: 41-51

Zolese G, Falcioni G, Bertoli E, Galeazzi R, Wozniak M, Wypych Z, Gratton E, Ambrosini A (2000) Steady-state and time resolved fluorescence of albumins interacting with N-oleylethanolamine, a component of the endogenous N-acylethanolamines. *Proteins* **40**: 39-48

Zolese G, Wozniak M, Gratton E, Ambrosini A (2000) Steady-state and time-resolved fluorescence of HSA and BSA interacting with an N-acylethanolamine. *Chemistry and Physics of Lipids* **107**

Zolese G, Wozniak M, Mariani P, Saturni L, Bertoli E, Ambrosini A (2003) Different modulation of phospholipase A2 activity by saturated and monounsaturated N-acylethanolamines. *J Lipid Res* **44**: 742-753

Zoratti C, Kipmen-Korgun D, Osibow K, Malli R, Graier WF (2003) Anandamide initiates Ca(2+) signaling via CB2 receptor linked to phospholipase C in calf pulmonary endothelial cells. *Br J Pharmacol* **140**: 1351-1362

Zorn AM (2001) Wnt signalling: antagonistic Dickkopfs. *Curr Biol* **11**: R592-595

Zoukhri D, Dartt DA (1995) Cholinergic activation of phospholipase D in lacrimal gland acini is independent of protein kinase C and calcium. *Am J Physiol* **268**: C713-720

Zoukhri D, Hodges RR, Dicker DM, Dartt DA (1994) Role of protein kinase C in cholinergic stimulation of lacrimal gland protein secretion. *FEBS Lett* **351**: 67-72

Zoukhri D, Hodges RR, Rawe IM, Dartt DA (1998) Ca2+ signaling by cholinergic and alpha1-adrenergic agonists is up-regulated in lacrimal and submandibular glands in a murine model of Sjogren's syndrome. *Clin Immunol Immunopathol* **89**: 134-140

Zoukhri D, Hodges RR, Sergheraert C, Dartt DA (1998) Lacrimal gland functions are differentially controlled by protein kinase C isoforms. *Ann N Y Acad Sci* **842**: 217-220

Zoukhri D, Hodges RR, Sergheraert C, Dartt DA (1998) Protein kinase C isoforms differentially control lacrimal gland functions. *Adv Exp Med Biol* **438**: 181-186

Zoukhri D, Hodges RR, Sergheraert C, Dartt DA (2000) Cholinergic-induced Ca2+ elevation in rat lacrimal gland acini is negatively modulated by PKCdelta and PKCepsilon. *Invest Ophthalmol Vis Sci* **41**: 386-392

Zoukhri D, Hodges RR, Sergheraert C, Toker A, Dartt DA (1997) Lacrimal gland PKC isoforms are differentially involved in agonist-induced protein secretion. *Am J Physiol* **272**: C263-269

Zoukhri D, Pelosin JM, Mauduit P, Chambaz E, Sergheraert C, Rossignol B (1992) The rat lacrimal gland expresses the alpha isoform of PKC. Further evidence for the PMA-activated and phospholipid-independent protein kinase activity. *Cell Signal* **4**: 111-119

Zubenko GS, Stiffler JS, Hughes HB, Martinez AJ (1999) Reductions in brain phosphatidylinositol kinase activities in Alzheimer's disease. *Biol Psychiatry* **45**: 731-736

Zygmunt PM, Andersson DA, Hogestatt ED (2002) Delta 9-tetrahydrocannabinol and cannabinol activate capsaicin-sensitive sensory nerves via a CB1 and CB2 cannabinoid receptor-independent mechanism. *J Neurosci* **22**: 4720-4727

Zygmunt PM, Chuang H, Movahed P, Julius D, Hogestatt ED (2000) The anandamide transport inhibitor AM404 activates vanilloid receptors. *Eur J Pharmacol* **396**: 39-42

Zygmunt PM, Hogestatt ED, Waldeck K, Edwards G, Kirkup AJ, Weston AH (1997) Studies on the effects of anandamide in rat hepatic artery. *Br J Pharmacol* **122**: 1679-1686

Zygmunt PM, Julius I, Di Marzo I, Hogestatt ED (2000) Anandamide - the other side of the coin. Trends Pharmacol Sci **21**: 43-44

Zygmunt PM, Petersson J, Andersson DA, Chuang H, Sorgard M, Di Marzo V, Julius D, Hogestatt ED (1999) Vanilloid receptors on sensory nerves mediate the vasodilator action of anandamide. Nature **400**: 452-457

Zygmunt PM, Sorgard M, Petersson J, Johansson R, Hogestatt ED (2000) Differential actions of anandamide, potassium ions and endothelium-derived hyperpolarizing factor in guinea-pig basilar artery. Naunyn Schmiedebergs Arch Pharmacol **361**: 535-542