## **APPENDIX I** Common Abbreviations

## COMMON ACCEPTABLE ABBREVIATIONS (in order of terms)

When abbreviating words in an address, refer to the Address Abbreviations section of the *National Zip Code* and *Post Office Directory*, published by the U.S. Postal Service. For short names of antineoplastic drugs, consult the SEER Program Self Instructional Manual for Tumor Registrars: Book 8--Antineoplastic Drugs, 3rd Edition.

| 41.1                        |              |                                 | DU         |
|-----------------------------|--------------|---------------------------------|------------|
| Abdomen                     | ABD          | Bilateral                       | BIL        |
| Abdominal Perineal          | AP           | Bilateral Salpingo-oophorectomy | BSO        |
| Above Knee Amputation       | AK(A)        | Bile Duct                       | BD         |
| Acid Phosphatase            | ACID PHOS    | Biological Response Modifier    | BRM        |
| Acquired Immunodeficiency   |              | Biopsy                          | BX, Bx     |
| Syndrome                    | AIDS         | Blood Urea Nitrogen             | BUN        |
| Activities of Daily Living  | ADL          | Bone Marrow                     | BM         |
| Acute Granulocytic Leukemia | AGL          | Bone Scan                       | BSC        |
| Acute Lymphocytic Leukemia  | ALL          | Bowel Movement                  | BM         |
| Acute Myelogenous Leukemia  | AML          | Bowel Sounds                    | BS         |
| Adenocarcinoma              | ADENOCA      | Breath Sounds                   | BS, BRS    |
| Adjacent                    | ADJ          | Bright Red Blood (per Rectum)   | BRB(PR)    |
| Admission; Admit            | ADM          | Calcium                         | CA, Ca, ca |
| Against Medical Advice      | AMA          | Cancer, Carcinoma               | CA         |
| Aids Related Complex        | ARC          | Carcinoembryonic Antigen        | CEA        |
| Alcohol                     | ETOH         | Carcinoma In-situ               | CIS        |
| Alkaline Phosphatase        | ALK PHOS     | CAT Scan                        | CT, CT SC  |
| Alpha-fetoprotein           | AFP          | Centimeter                      | cm         |
| Also Known As               | AKA          | Central Nervous System          | CNS        |
| Ambulatory                  | AMB          | Cerebrospinal Fluid             | CSF        |
| Anaplastic                  | ANAP         | Cervical Intraepithelial        |            |
| Angiography                 | ANGIO        | Neoplasia                       | CIN        |
| Anterior                    | ANT          | Cervical Vertebra               | C1-C7      |
| Anteroposterior             | AP           | Cervix                          | CX         |
| Appendix                    | APP          | Cesium                          | CS         |
| Approximately               | APPROX       | Chemotherapy                    | CHEMO      |
| Arterial Blood Gas          | ABG          | Chest X-ray                     | CXR        |
| Arteriovenous               | AV           | Chief Complaint                 | CC         |
| Aspiration                  | ASP          | Chronic Granulocytic Leukemia   | CGL        |
| Auscultation & Percussion   | A&P          | Chronic Lymphocytic Leukemia    | CLL        |
| Autopsy                     | AUT          | Chronic Myelogenous Leukemia    | CML        |
| Axilla(ry)                  | AX           | Cigarettes                      | CIG        |
| Bacillus Calmette-Guerin    | BCG          | Clear                           | CLR        |
| Barium                      | BA           | Ascending Colon                 | A-COLON    |
| Barium Enema                | BE           | Descending Colon                | D-COLON    |
| Bartolin's, Urethral, and   | DL           | Sigmoid Colon                   | S-COLON    |
| Skene's Glands              | BUS          | Transverse Colon                | T-COLON    |
| Below Knee (Amputation)     | BK(A)        | Common Bile Duct                | CBD        |
| Benign Prostatic            |              | Complaining of                  | C/O        |
| Hypertrophy/Hyperplasia     | BPH          | Complete Blood Count            | CBC        |
| 11yperuopity/11yperplasia   | <i>D</i> 111 | Computerized Axial Tomography   | CDC<br>CT, |
|                             |              |                                 | CI,        |

| Consistant with              | C/W         | Costro outous stans                | CE          |
|------------------------------|-------------|------------------------------------|-------------|
| Consistent with              | C/W<br>Cont | Gastroenterostomy                  | GE          |
| Continue<br>Control Manain   | Cont        | Gastroesophageal                   | GE          |
| Costal Margin                | CM          | Gastrointestinal                   | GI          |
| Creatine Phosphokinase       | СРК         | Genitourinary                      | GU          |
| Cubic Centimeter             | CC          | Grade                              | GR          |
| Cystoscopy                   | CYSTO       | Gram                               | gm          |
| Cytology                     | CYTO        | Gynecology                         | GYN         |
| Cytomegalovirus              | CMV         | Head, Eyes, Ears, Nose, and Throat | HEENT       |
| Date of Birth                | DOB         | Hematocrit                         | НСТ         |
| Dead on Arrival              | DOA         | Hemoglobin                         | Hb, Hgb     |
| Decreased                    | DECR (or <) | History                            | Hx          |
| Dermatology                  | DERM        | History & Physical                 | H&P         |
| Diagnosis                    | DX          | History of                         | НО          |
| Diameter                     | DIAM        | History of Present Illness         | HPI         |
| Differentiated               | DIFF        | Hormone                            | HORM        |
| Dilatation & Curettage       | D&C         | Hospital                           | HOSP        |
| Discharge                    | DIS, DISCH, | Hour, Hours                        | Hr, Hrs     |
|                              | DS          | Human Chorionic Gonadotropin       | HCG         |
| Discontinued                 | DC          | Human Immunodeficiency Virus       | HIV         |
| Disease                      | DZ, DIS     | Human Papilloma Virus              | HPV         |
| Doctor                       | DR, MD      | Human T-Lymphotrophic              |             |
| Dorsalis Pedis               | DP          | Virus Type III                     | HTLV-III    |
| Ears, Nose & Throat          | ENT         | Hysterectomy                       | HYST        |
| Electroencephalogram         | EEG         | Immunoglobulin                     | Ig          |
| Electromyogram               | EMG         | Impression                         | IMP         |
| Emergency Room               | ER          | Includes, Including                | INCL        |
| Endoscopic Retrograde        |             | Increase                           | INCR (or >) |
| Cholangiopancreatography     | ERCP        | Inferior Vena Cava                 | IVC         |
| Enlarged                     | ENL         | Infiltrating                       | INFILT      |
| Esophagogastroduodenoscopy   | EGD         | Inpatient                          | IP          |
| Estrogen Receptor (Assay)    | ERA)        | Intercostal Margin (Space)         | ICM(S)      |
| Evaluation                   | EVAL        | Internal Mammary Artery            | IMA         |
| Examination                  | EXAM        | Intrathecal                        | IT          |
| Examination under Anesthesia | EUA         | Intravenous                        | IV          |
| Excision                     | exc         | Intravenous Pyelogram              | IVP         |
| Exploratory Laparotomy       | EXP LAP     | Intravenous Urography              | IVU         |
| Extend                       | EXT         | Iodine                             | Ι           |
| Extended Care Facility       | ECF         | Jugular Venous Distention          | JVD         |
| Extension                    | EXT         | Kidneys, Ureters, Bladder          | KUB         |
| External                     | EXT         | Kilogram                           | kg          |
| Extremity                    | EXT         | Kilovolt                           | КV          |
| Eyes, Ears, Nose, & Throat   | EENT        | Laparotomy                         | LAP         |
| Family (Medical) History     | F(M)H       | Large                              | LG          |
| Fever Unknown Origin         | FÙÓ         | Last Menstrual Period              | LMP         |
| Finger breadth               | FB          | Lateral                            | lat         |
| Floor of Mouth               | FOM         | Left                               | lt          |
| Follow-up                    | FU          | Left Costal Margin                 | LCM         |
| Fracture                     | Fx          | Left Lower Extremity               | LLE         |
| Frozen Section               | FS          | Left Lower Lobe                    | LLL         |
| Gallbladder                  | GB          | Left Lower Quadrant                | LLQ         |
| Sundiada                     |             | Lott Dottor Quadrant               | LLX         |

| 5 ,                               |                 | 1                                 | ε          |
|-----------------------------------|-----------------|-----------------------------------|------------|
| Left Salpingo-oophorectomy        | LSO             | Obstructed (-ing, -ion)           | OBST       |
| Left Upper Extremity              | LUE             | Operating Room                    | OR         |
| Left Upper Lobe                   | LUL             | Operation                         | OP         |
| Left Upper Quadrant               | LUQ             | Operative Report                  | OP RPT     |
| Liter                             | 1               | Ounce                             | OZ         |
| Liver, Kidney, Spleen (Bladder)   | LKS(B)          | Outpatient                        | OP         |
| Local M.D.                        | LMD             | Packs Per Day                     | PPD        |
| Lower Extremity                   | LE              | Palpated (-able)                  | PALP       |
| Lower Inner Quadrant              | LIQ             | Papanicolaou Smear                | Pap        |
| Lower Outer Quadrant              | LOQ             | Papillary                         | PAP        |
| Lumbar Puncture                   | LP              | Past Medical History              | РМН        |
| Lumbar Vertebra                   | L1-L5           | Pathology                         | PATH       |
| Lumbosacral                       | LS              | Patient                           | PT         |
| Lymphadenopathy-Associated        | LO              | Pelvic Inflammatory Disease       | PID        |
| Virus                             | LAV             | Percussion & Auscultation         | P&A        |
| Lymph Node(s)                     | LA V<br>LN, LNS | Percutaneous                      | PERC       |
| • •                               | MRI             |                                   | PMD        |
| Magnetic Resonance Imaging        | MALIG           | Personal (Primary) Medical Doctor | PMD<br>PE  |
| Malignant<br>Man dible            |                 | Physical Examination<br>Platelets |            |
| Mandible                          | MAND            |                                   | PLT        |
| Mastectomy                        | MAST            | Poorly Differentiated             | PD, POOR   |
| Maxillary                         | MAX             |                                   | DIFF       |
| Maximum                           | MAX             | Positive                          | POS (or +) |
| Medical Doctor                    | DR, MD          | Positron Emission Tomography      | PET        |
| Medicine                          | MED             | Possible                          | POSS       |
| Metastatic, Metastasis            | MET, METS       | Posterior                         | POST       |
| Microscopic                       | MICRO           | Posteroanterior                   | PA         |
| Midclavicular Line                | MCL             | Postmortem Examination            | POST       |
| Middle Lobe                       | ML              | Postoperative (-ly)               | PO, POSTOP |
| Millicurie (hours)                | MC(H)           | Postoperative Day                 | POD        |
| Milligram (hours)                 | MG(H)           | Preoperative (-ly)                | PREOP      |
| Milliliter                        | ml              | Present Illness                   | PI         |
| Millimeter                        | mm              | Prior to Admission                | PTA        |
| Million Electron Volts            | MEV             | Probable (-ly)                    | PROB       |
| Minimum                           | MIN             | Progesterone Receptor (Assay)     | PR(A)      |
| Moderate                          | MOD             | Pulmonary                         | PULM       |
| Moderately Differentiated         | MD, MOD         | Pulmonary Artery                  | PA         |
| 5                                 | DIFF            | Radiation                         | RAD        |
| Modified Radical Mastectomy       | MRM             | Radiation Absorbed Dose           | RAD        |
| Month                             | mo              | Radiation Therapy                 | RT         |
| Nausea & Vomiting                 | N&V             | Radical                           | RAD        |
| Neck Vein Distention              | NVD             | Radioimmunoassay                  | RIA        |
| Negative                          | NEG (or -)      | Radium                            | RA         |
| Neurology                         | NEURO           | Red Blood Cells                   | RBC        |
| No Evidence of Disease            | NED             | Resection                         | RESEC      |
| No Evidence of Metastatic Disease | NEMD            | Respiratory                       | RESP       |
| Normal                            | NL              | Review of Outside Films           | ROF        |
|                                   | NSF             | Review of Outside Slides          | ROF        |
| No Significant Findings           |                 |                                   |            |
| Not Applicable                    | NA<br>NOS       | Review of Systems                 | ROS        |
| Not Otherwise Specified           | NOS             | Right<br>Bight Costal Margin      | rt         |
| Not Recorded                      | NR              | Right Costal Margin               | RCM        |

Texas Cancer Registry

Cancer Reporting Handbook

|                                     |                  |                                   | 88         |
|-------------------------------------|------------------|-----------------------------------|------------|
| Right Lower Extremity               | RLE              | Upper Extremity                   | UE         |
| Right Lower Lobe                    | RLL              | Upper Gastrointestinal            | UGI        |
| Right Lower Quadrant                | RLQ              | Upper Inner Quadrant              | UIQ        |
| Right Middle Lobe                   | RML              | Upper Outer Quadrant              | UOQ        |
| Right Salpingo-oophorectomy         | RSO              | Vagina, Vaginal                   | VAG        |
| Right Upper Extremity               | RUE              | Vaginal Hysterectomy              | VAG HYST   |
| Right Upper Lobe                    | RUL              | Vaginal Intraepithelial Neoplasia | VAIN       |
| Right Upper Quadrant                | RUQ              | Vascular                          | VASC       |
| Rule Out                            | RO, R/O          | Vulvar Intraepithelial Neoplasia  | VIN        |
| Sacral Vertebra                     | S1-S5            | Well Differentiated               | WD, WELL   |
| Salpingo-oophorectomy               | SO               |                                   | DIFF       |
| Sequential Multiple Analysis        |                  | White Blood Cells                 | WBC        |
| (Biochem Profile)                   | SMA              | With                              | W/         |
| Serum Glutamic Oxaloacetic          |                  | Within Normal Limits              | WNL        |
| Transaminase                        | SGOT             | Without                           | W/O        |
| Serum Glutamic Pyruvic              | 5001             | Work-up                           | W/U        |
| Transaminase                        | SGPT             | X-ray                             | XR         |
| Shortness of Breath                 | SOB              | Year                              | YR         |
| Skilled Nursing Facility            | SNF              | i cui                             | IK         |
| Specimen                            | SPEC             | SYMBOLS                           |            |
| Split Thickness Skin Graft          | STSG             | STUDOLS                           |            |
| Small                               | SM, SML          | At                                | $\bigcirc$ |
| Small Bowel                         | SB, SML          | Comparison                        |            |
| Sinan Dower                         | BWL              | Decrease, Less than               | <          |
| Cervical Spine                      | C-SPINE          | Equals                            | =          |
| Lumbar Spine                        | L-SPINE          | Increase, More than               | >          |
| Sacral Spine                        | S-SPINE          | Negative                          | /          |
| Thoracic Spine                      | T-SPINE          | Number*                           | -<br>#     |
| Squamous                            | SQ, SQUAM        | Positive                          | +          |
| Squamous Cell Carcinoma             | SQ, SQUAM<br>SCC | Pounds**                          | #          |
| Status Post                         | SCC<br>S/P       | Times                             | #<br>X     |
| Subcutaneous                        |                  | Times                             | Х          |
| Superior Vena Cava                  | subq, SQ<br>SVC  | *If it appears before a numeral   |            |
| 1                                   |                  | *If it appears before a numeral.  |            |
| Surgery, Surgical                   | SURG             | **If it appears after a numeral.  |            |
| Symptoms<br>Thoracic                | sx<br>T          |                                   |            |
| Thoracic Vertebra                   | T<br>T1-T12      |                                   |            |
|                                     | 11-112           |                                   |            |
| Total Abdominal                     |                  |                                   |            |
| Hysterectomy-Bilateral              |                  |                                   |            |
| Salpingo-oophorectomy               | TAH-BSO          |                                   |            |
| Total Parenteral Nutrition          | TPN              |                                   |            |
| Total Vaginal Hysterectomy          | TVH              |                                   |            |
| Transitional Cell Carcinoma         | TCC              |                                   |            |
| Transurethral Resection             | TUR              |                                   |            |
| Transurethral Resection             |                  |                                   |            |
| Bladder (Tumor)                     | TURB (T)         |                                   |            |
| Transurethral Resection of Prostate | TURP             |                                   |            |
| Treatment                           | Rx, Tx           |                                   |            |
| Tumor Size                          | TS               |                                   |            |
| Undifferentiated                    | UNDIFF           |                                   |            |
|                                     |                  |                                   |            |