

**Table B1: Prevalence and Recency of Substance Use, by Grade:  
All Texas Secondary Students, 1988-2006**

	Ever Used 1988	Ever Used 1990	Ever Used 1992	Ever Used 1994	Ever Used 1996	Ever Used 1998	Ever Used 2000	Ever Used 2002	Ever Used 2004	Ever Used 2006	Past Month 1988	Past Month 1990	Past Month 1992	Past Month 1994	Past Month 1996	Past Month 1998	Past Month 2000	Past Month 2002	Past Month 2004	Past Month 2006
<b>Tobacco#</b>	-	56.2%	54.3%	54.5%	55.2%	54.7%	51.1%	44.9%	39.4%	35.4%	-	22.9%	20.9%	24.2%	26.2%	26.3%	22.4%	18.2%	17.0%	15.2%
Grade 7	-	42.4%	42.8%	40.1%	41.3%	40.2%	33.0%	28.2%	23.0%	18.7%	-	15.9%	14.8%	15.8%	17.0%	15.6%	10.9%	8.7%	6.9%	6.1%
Grade 8	-	52.7%	50.0%	51.9%	51.9%	50.2%	45.0%	36.0%	30.6%	27.4%	-	20.9%	17.1%	23.3%	22.6%	21.2%	17.2%	11.7%	10.5%	9.1%
Grade 9	-	59.4%	57.5%	57.2%	57.7%	57.0%	51.8%	48.2%	38.5%	36.1%	-	23.1%	23.1%	25.6%	27.5%	27.2%	22.6%	19.2%	15.7%	14.5%
Grade 10	-	58.0%	58.3%	59.6%	60.1%	59.9%	57.5%	49.5%	45.2%	40.4%	-	23.1%	21.9%	26.9%	29.6%	29.8%	25.2%	20.5%	21.2%	17.7%
Grade 11	-	61.5%	58.6%	60.7%	61.4%	61.7%	62.4%	53.3%	50.9%	44.8%	-	27.0%	24.1%	26.5%	30.8%	32.4%	30.5%	23.5%	24.1%	21.8%
Grade 12	-	66.5%	62.3%	62.7%	63.3%	63.5%	62.4%	58.7%	53.6%	49.9%	-	29.7%	26.9%	30.5%	33.6%	36.0%	32.7%	29.8%	27.9%	26.2%
<b>Alcohol</b>	75.5%	81.0%	75.6%	74.1%	73.3%	72.1%	70.7%	71.0%	67.9%	65.9%	42.8%	43.6%	37.0%	39.4%	37.3%	38.0%	36.1%	34.5%	32.6%	31.5%
Grade 7	58.5%	68.7%	58.2%	57.6%	56.4%	54.7%	51.0%	52.8%	50.7%	47.0%	28.0%	29.2%	23.5%	24.0%	23.1%	22.5%	19.4%	17.8%	16.8%	16.2%
Grade 8	68.7%	76.7%	70.9%	69.3%	68.0%	66.8%	64.7%	64.0%	61.1%	59.7%	31.6%	36.6%	30.4%	34.3%	31.6%	30.6%	29.7%	26.0%	23.6%	22.9%
Grade 9	75.9%	81.3%	78.0%	76.2%	76.1%	74.3%	72.0%	73.7%	67.9%	67.8%	41.0%	41.9%	38.5%	41.0%	38.2%	38.9%	36.2%	36.4%	32.5%	31.7%
Grade 10	83.0%	85.1%	82.4%	81.1%	79.0%	78.5%	77.7%	77.3%	74.5%	72.7%	49.2%	48.0%	41.5%	44.5%	42.1%	44.0%	41.1%	39.9%	38.8%	36.8%
Grade 11	84.5%	87.9%	83.9%	82.8%	82.2%	81.0%	81.2%	79.2%	77.2%	75.1%	55.1%	51.6%	44.4%	48.3%	45.7%	46.6%	46.0%	41.8%	42.0%	40.3%
Grade 12	86.4%	90.4%	86.1%	85.5%	84.6%	82.8%	83.2%	83.4%	80.7%	77.9%	57.5%	60.3%	49.9%	52.0%	50.8%	51.8%	50.6%	51.0%	47.4%	46.3%
<b>Inhalants</b>	30.0%	24.1%	23.2%	18.7%	19.8%	22.0%	18.9%	18.0%	17.0%	16.6%	7.0%	6.2%	5.3%	4.9%	5.1%	8.2%	6.8%	6.8%	6.7%	5.9%
Grade 7	33.1%	24.6%	25.9%	20.2%	22.1%	25.0%	19.5%	19.3%	19.5%	18.3%	11.8%	9.9%	9.2%	7.1%	8.1%	11.5%	9.2%	9.1%	9.1%	8.1%
Grade 8	32.0%	25.4%	26.1%	23.8%	23.9%	26.2%	22.9%	18.8%	20.5%	20.1%	9.4%	9.7%	8.0%	7.5%	7.4%	11.4%	9.9%	8.2%	9.2%	7.7%
Grade 9	30.7%	25.6%	23.3%	19.4%	21.3%	23.0%	18.7%	20.2%	17.6%	18.0%	6.8%	6.6%	3.7%	5.2%	4.8%	8.4%	6.6%	8.1%	6.2%	6.4%
Grade 10	29.3%	23.9%	22.3%	17.4%	18.2%	20.3%	18.4%	16.0%	15.7%	16.1%	6.0%	4.7%	4.0%	3.7%	3.6%	6.2%	4.8%	5.3%	5.7%	5.1%
Grade 11	26.6%	22.0%	20.8%	14.0%	15.5%	18.4%	18.0%	16.7%	14.0%	13.3%	5.3%	2.4%	2.9%	2.1%	2.4%	5.3%	5.1%	4.4%	4.9%	3.9%
Grade 12	25.5%	22.1%	18.4%	14.5%	14.4%	16.5%	14.5%	15.4%	13.4%	12.1%	3.3%	2.1%	2.0%	2.0%	2.2%	4.3%	3.5%	4.0%	3.7%	3.4%
<b>Any Illicit Drug</b>	39.1%	25.1%	22.4%	27.8%	33.7%	36.1%	33.7%	33.6%	31.5%	28.0%	17.1%	9.5%	8.4%	13.7%	17.7%	17.0%	15.4%	16.0%	14.4%	12.6%
Grade 7	25.0%	11.1%	11.4%	14.6%	19.0%	18.4%	14.5%	14.9%	13.2%	10.9%	12.8%	5.6%	5.0%	7.4%	10.2%	8.5%	6.6%	6.8%	5.4%	4.8%
Grade 8	33.0%	17.6%	15.0%	23.5%	28.4%	29.1%	24.7%	25.0%	21.3%	18.5%	16.6%	7.7%	5.1%	12.4%	15.6%	14.2%	11.9%	10.6%	9.4%	7.8%
Grade 9	36.0%	25.6%	23.9%	30.2%	37.3%	38.3%	33.5%	35.9%	30.6%	28.1%	15.4%	10.3%	9.9%	15.9%	20.7%	18.7%	16.0%	18.0%	14.3%	12.7%
Grade 10	42.9%	27.8%	28.1%	32.7%	39.0%	44.3%	40.7%	40.3%	40.0%	34.0%	18.4%	10.0%	10.3%	16.4%	20.4%	20.9%	18.1%	20.2%	18.8%	15.7%
Grade 11	49.1%	33.7%	29.2%	35.0%	41.5%	45.1%	48.1%	45.3%	44.1%	39.8%	20.6%	11.2%	11.2%	15.5%	20.5%	20.7%	21.1%	21.4%	20.6%	18.3%
Grade 12	54.3%	39.9%	31.8%	36.3%	42.5%	47.2%	48.4%	45.7%	45.5%	42.8%	20.2%	13.5%	10.3%	16.0%	20.5%	20.8%	21.6%	21.2%	20.4%	19.2%
<b>Marijuana</b>	31.5%	22.6%	19.7%	25.3%	31.2%	34.5%	32.2%	32.3%	29.8%	26.4%	11.5%	7.8%	6.8%	12.0%	15.9%	15.2%	13.7%	14.4%	12.6%	11.0%
Grade 7	18.8%	9.4%	9.9%	12.7%	16.6%	16.7%	13.2%	13.4%	11.7%	9.4%	7.6%	4.6%	3.9%	6.3%	8.7%	7.1%	5.6%	5.7%	4.4%	3.9%
Grade 8	26.6%	15.1%	11.9%	21.1%	25.5%	27.1%	23.2%	23.3%	19.3%	17.0%	11.7%	5.9%	4.0%	10.6%	13.7%	12.4%	10.4%	9.4%	7.8%	6.9%
Grade 9	28.1%	23.1%	21.2%	27.8%	34.9%	36.6%	31.8%	34.4%	28.9%	26.1%	10.5%	8.2%	8.3%	14.3%	18.8%	16.9%	14.2%	15.8%	12.5%	11.0%
Grade 10	34.4%	24.2%	24.5%	29.9%	36.1%	42.6%	39.1%	38.9%	38.3%	32.3%	12.4%	8.1%	8.3%	14.2%	18.4%	19.0%	16.1%	18.5%	17.0%	13.4%
Grade 11	40.7%	31.2%	26.0%	32.0%	39.1%	43.8%	46.5%	44.0%	42.3%	38.2%	14.3%	9.7%	8.7%	13.9%	18.8%	18.8%	18.9%	19.6%	18.0%	16.2%
Grade 12	45.7%	37.5%	29.3%	34.0%	40.5%	46.0%	47.0%	44.8%	44.4%	41.6%	13.9%	11.5%	8.4%	14.3%	18.5%	19.0%	19.6%	19.5%	18.4%	17.3%
<b>Marijuana Only##</b>	15.2%	12.7%	10.8%	14.8%	14.4%	18.3%	17.5%	16.5%	16.3%	13.8%	4.2%	2.8%	2.6%	5.8%	5.5%	6.0%	5.5%	5.4%	5.2%	4.3%
Grade 7	8.9%	5.9%	6.1%	8.4%	8.0%	9.3%	7.6%	7.1%	7.2%	5.5%	3.6%	2.2%	1.9%	3.8%	3.5%	3.2%	2.6%	2.5%	2.2%	1.9%
Grade 8	14.0%	8.9%	6.7%	12.7%	11.5%	14.7%	12.8%	13.1%	10.6%	9.6%	4.9%	2.4%	1.4%	5.5%	4.8%	5.2%	4.4%	4.1%	3.4%	3.1%
Grade 9	14.3%	12.9%	11.1%	16.9%	16.0%	19.4%	16.3%	16.7%	15.9%	14.0%	3.9%	3.1%	3.0%	7.7%	6.5%	6.7%	5.3%	5.8%	5.5%	4.6%
Grade 10	16.0%	13.4%	13.7%	17.0%	16.6%	22.3%	22.1%	20.1%	21.1%	16.5%	4.4%	2.5%	3.4%	6.1%	6.4%	7.4%	6.4%	7.2%	7.2%	4.9%
Grade 11	19.9%	17.9%	14.0%	18.1%	18.9%	23.5%	24.9%	22.3%	22.1%	19.5%	4.8%	3.6%	3.2%	6.2%	6.8%	7.1%	7.2%	6.7%	6.7%	5.9%
Grade 12	20.1%	19.8%	15.8%	18.3%	18.0%	23.4%	26.0%	22.7%	23.8%	20.9%	3.5%	2.9%	2.6%	5.7%	5.5%	6.7%	7.8%	6.5%	6.9%	6.2%
<b>Cocaine/Crack</b>	6.7%	5.8%	5.0%	5.6%	7.1%	9.3%	9.0%	8.7%	7.9%	7.9%	2.3%	1.6%	1.5%	1.7%	2.4%	3.5%	3.1%	3.2%	3.2%	2.9%
Grade 7	4.0%	1.8%	2.3%	2.8%	3.6%	4.4%	3.9%	3.8%	3.2%	3.1%	1.1%	0.8%	1.0%	1.0%	1.2%	1.7%	1.4%	1.7%	1.3%	1.0%
Grade 8	5.2%	3.9%	3.4%	4.7%	5.6%	7.3%	6.7%	5.6%	4.8%	4.9%	2.7%	1.5%	0.8%	1.4%	2.0%	2.9%	2.5%	2.0%	2.0%	1.7%
Grade 9	5.0%	6.2%	6.1%	5.9%	8.0%	9.8%	8.5%	9.6%	7.1%	7.5%	1.5%	1.5%	2.0%	2.0%	2.9%	3.8%	2.9%	3.5%	3.0%	2.9%
Grade 10	7.0%	6.1%	6.1%	6.5%	8.1%	11.4%	10.0%	10.2%	10.0%	9.4%	2.2%	1.4%	1.7%	2.0%	2.7%	4.2%	3.7%	4.3%	3.9%	3.4%
Grade 11	8.8%	7.8%	5.6%	6.9%	8.5%	11.8%	14.2%	11.8%	12.0%	11.6%	2.9%	1.6%	1.6%	2.0%	2.7%	4.5%	4.8%	4.4%	5.0%	4.3%
Grade 12	11.6%	10.2%	7.5%	8.3%	10.6%	13.2%	13.4%	12.7%	11.9%	12.9%	4.2%	2.9%	1.8%	2.4%	3.6%	4.6%	4.0%	3.7%	4.5%	4.5%

# Due to differences in methodology, 1988 figures can not be compared in this category.

## Use of "marijuana only" indicates using no other illicit drug besides marijuana.

**Table B1: Prevalence and Recency of Use: 1988-2006 (cont.)**

	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Ever Used	Past Month	Past Month	Past Month	Past Month	Past Month	Past Month	Past Month	Past Month	Past Month	
	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006
<b>Hallucinogens###</b>	6.6%	4.6%	4.9%	5.9%	7.4%	7.3%	5.4%	4.5%	4.8%	4.7%	2.4%	1.6%	1.5%	1.9%	2.4%	2.5%	1.8%	1.2%	1.6%	1.4%
Grade 7	3.4%	1.3%	1.7%	2.3%	2.4%	2.5%	1.5%	1.1%	1.2%	1.2%	1.2%	0.8%	0.7%	0.7%	0.9%	1.0%	0.3%	0.3%	0.5%	0.5%
Grade 8	4.2%	2.9%	2.2%	4.3%	4.7%	4.2%	2.5%	2.0%	2.7%	2.4%	1.6%	1.2%	0.7%	1.4%	1.6%	1.6%	0.9%	0.7%	0.8%	0.7%
Grade 9	5.7%	4.6%	6.0%	5.7%	8.0%	7.4%	5.4%	4.5%	4.3%	4.3%	2.0%	1.7%	1.6%	1.9%	3.1%	2.9%	1.8%	1.4%	1.4%	1.4%
Grade 10	6.7%	5.3%	6.0%	7.8%	9.5%	9.1%	6.4%	5.2%	6.3%	6.5%	2.2%	2.1%	2.0%	2.7%	3.0%	3.3%	2.5%	1.5%	2.2%	2.0%
Grade 11	9.3%	6.2%	6.9%	8.0%	10.3%	10.5%	9.2%	7.5%	7.6%	7.1%	3.6%	1.7%	2.2%	2.6%	2.7%	3.5%	2.9%	2.4%	2.2%	2.0%
Grade 12	11.7%	8.8%	8.2%	9.8%	12.5%	12.3%	9.5%	7.8%	8.2%	8.4%	4.2%	2.5%	2.0%	2.6%	3.5%	3.4%	2.9%	1.3%	2.4%	2.4%
<b>Uppers</b>	17.1%	7.2%	6.5%	7.0%	7.9%	8.2%	6.7%	7.3%	6.0%	5.7%	5.8%	2.1%	1.8%	2.3%	2.6%	3.1%	2.7%	3.3%	2.5%	2.3%
Grade 7	10.5%	3.0%	2.2%	2.5%	2.8%	3.0%	1.7%	1.7%	1.2%	0.9%	4.5%	1.4%	1.1%	1.1%	1.1%	1.3%	0.6%	0.6%	0.4%	0.5%
Grade 8	12.3%	5.2%	5.0%	5.5%	5.4%	5.6%	3.6%	3.2%	2.7%	2.5%	5.4%	2.2%	1.6%	2.3%	2.1%	2.2%	1.6%	1.3%	1.0%	0.9%
Grade 9	14.5%	7.8%	6.5%	7.6%	8.3%	8.7%	7.2%	8.3%	5.0%	5.0%	4.9%	2.7%	1.9%	2.6%	3.0%	3.5%	3.2%	4.0%	2.2%	1.9%
Grade 10	20.3%	8.6%	8.0%	9.2%	10.7%	10.8%	8.7%	8.5%	7.9%	7.6%	7.0%	2.1%	2.1%	3.0%	3.3%	4.2%	3.4%	4.4%	3.2%	3.4%
Grade 11	22.9%	8.9%	9.4%	9.6%	10.7%	10.8%	10.8%	12.8%	10.6%	9.8%	6.8%	1.7%	2.4%	2.3%	3.0%	4.1%	4.4%	5.7%	4.5%	4.1%
Grade 12	25.0%	11.1%	9.6%	9.9%	12.1%	12.0%	9.5%	11.3%	10.7%	10.2%	6.8%	2.3%	2.3%	2.6%	3.4%	3.8%	3.4%	4.3%	4.2%	3.9%
<b>Downers</b>	13.3%	4.4%	4.5%	4.5%	5.6%	6.6%	5.8%	7.1%	5.9%	5.9%	3.9%	1.2%	1.2%	1.4%	1.8%	2.6%	2.6%	3.4%	2.6%	2.5%
Grade 7	11.5%	2.2%	2.3%	2.1%	2.1%	2.5%	1.5%	1.4%	0.9%	0.9%	4.0%	1.0%	1.0%	0.7%	0.9%	1.0%	0.6%	0.6%	0.4%	0.4%
Grade 8	12.1%	3.8%	4.0%	4.0%	3.9%	4.3%	2.9%	3.0%	2.5%	2.3%	5.5%	1.7%	1.1%	1.5%	1.6%	1.7%	1.2%	1.3%	0.9%	0.9%
Grade 9	11.8%	4.8%	4.0%	5.0%	6.3%	7.1%	6.6%	7.8%	5.2%	5.2%	3.8%	1.4%	0.9%	1.8%	2.1%	2.9%	3.5%	3.7%	2.2%	2.1%
Grade 10	14.3%	4.9%	5.9%	5.6%	7.3%	8.8%	7.4%	8.6%	7.7%	8.0%	3.9%	1.0%	1.5%	1.7%	2.2%	3.4%	3.1%	4.9%	3.4%	3.8%
Grade 11	15.4%	5.1%	6.1%	5.4%	7.2%	8.9%	9.9%	12.2%	10.5%	10.4%	3.2%	0.8%	1.9%	1.2%	2.0%	3.4%	3.9%	5.6%	4.7%	4.4%
Grade 12	15.3%	6.5%	5.5%	6.0%	8.5%	9.4%	8.0%	11.4%	10.8%	10.9%	2.7%	1.3%	1.0%	1.7%	2.6%	3.2%	3.5%	4.8%	4.7%	4.3%
<b>Rohypnol</b>	NA	NA	NA	NA	NA	6.7%	4.5%	4.9%	3.5%	2.6%	NA	NA	NA	NA	NA	2.6%	1.7%	1.8%	1.3%	1.0%
Grade 7	NA	NA	NA	NA	NA	4.1%	2.4%	2.7%	1.7%	1.2%	NA	NA	NA	NA	NA	1.9%	1.1%	1.1%	0.6%	0.5%
Grade 8	NA	NA	NA	NA	NA	6.0%	4.3%	4.6%	3.4%	2.3%	NA	NA	NA	NA	NA	2.7%	1.9%	1.9%	1.3%	0.8%
Grade 9	NA	NA	NA	NA	NA	7.3%	4.9%	6.5%	4.0%	3.0%	NA	NA	NA	NA	NA	3.2%	2.0%	2.7%	1.5%	1.2%
Grade 10	NA	NA	NA	NA	NA	7.9%	5.0%	5.2%	4.2%	3.4%	NA	NA	NA	NA	NA	2.9%	1.8%	2.0%	1.7%	1.2%
Grade 11	NA	NA	NA	NA	NA	7.4%	5.8%	4.8%	4.0%	3.0%	NA	NA	NA	NA	NA	2.3%	1.8%	1.3%	1.6%	1.1%
Grade 12	NA	NA	NA	NA	NA	7.7%	4.8%	5.2%	3.5%	2.9%	NA	NA	NA	NA	NA	2.4%	1.3%	1.3%	1.1%	0.9%
<b>Steroids</b>	NA	1.7%	1.7%	1.9%	2.1%	2.1%	2.3%	2.3%	2.0%	1.5%	NA	*	*	0.5%	0.6%	0.7%	0.8%	0.7%	0.7%	0.6%
Grade 7	NA	1.5%	1.8%	1.7%	2.0%	2.3%	2.3%	2.0%	1.6%	1.3%	NA	0.5%	0.8%	0.5%	0.7%	0.7%	1.0%	0.7%	0.5%	0.5%
Grade 8	NA	1.6%	1.3%	2.0%	2.1%	2.4%	2.5%	1.9%	2.2%	1.5%	NA	0.7%	*	0.6%	0.6%	0.8%	0.8%	0.6%	0.8%	0.5%
Grade 9	NA	1.4%	1.9%	1.9%	2.0%	2.0%	2.0%	2.5%	1.9%	1.3%	NA	*	0.5%	0.6%	0.6%	0.7%	0.8%	0.7%	0.5%	0.5%
Grade 10	NA	1.8%	1.9%	1.8%	2.0%	1.9%	2.1%	2.5%	1.8%	1.7%	NA	*	*	*	0.5%	0.6%	0.7%	0.7%	0.7%	0.7%
Grade 11	NA	1.9%	1.4%	1.7%	2.3%	2.1%	2.7%	2.7%	2.1%	1.5%	NA	*	*	*	0.8%	0.8%	0.8%	0.5%	0.7%	0.7%
Grade 12	NA	2.2%	1.6%	2.2%	2.3%	2.3%	2.2%	2.4%	2.4%	1.8%	NA	*	*	0.5%	0.6%	0.8%	0.7%	0.9%	0.9%	0.8%
<b>Ecstasy</b>	NA	4.1%	2.6%	2.5%	5.4%	4.5%	4.5%	8.6%	5.5%	5.2%	NA	1.3%	0.6%	0.7%	1.5%	1.4%	1.9%	3.1%	1.8%	1.8%
Grade 7	NA	0.9%	1.5%	1.2%	1.7%	1.4%	1.5%	3.6%	1.8%	1.5%	NA	0.3%	0.5%	0.5%	0.7%	0.5%	0.6%	1.4%	0.7%	0.5%
Grade 8	NA	1.6%	0.8%	1.7%	3.4%	2.8%	2.5%	5.6%	4.1%	3.0%	NA	0.7%	0.4%	0.6%	1.2%	1.1%	1.1%	2.1%	1.2%	1.0%
Grade 9	NA	3.8%	2.4%	2.3%	5.7%	4.4%	4.7%	9.3%	4.9%	5.1%	NA	1.4%	0.6%	0.6%	2.1%	1.6%	2.0%	3.8%	1.6%	1.9%
Grade 10	NA	4.4%	2.7%	3.4%	6.7%	5.4%	5.5%	9.2%	6.4%	6.8%	NA	1.6%	0.7%	0.9%	1.8%	1.7%	2.3%	3.3%	2.1%	2.4%
Grade 11	NA	6.2%	3.7%	3.4%	7.5%	6.4%	7.5%	12.6%	8.3%	7.6%	NA	1.6%	0.9%	0.8%	1.6%	2.0%	3.2%	4.6%	3.2%	2.5%
Grade 12	NA	9.1%	5.8%	4.0%	9.4%	7.7%	6.7%	12.7%	9.1%	8.9%	NA	2.5%	0.6%	1.0%	1.8%	2.0%	3.0%	3.6%	2.8%	2.9%
<b>Heroin</b>	1.4%	NA	NA	NA	NA	2.4%	1.6%	1.7%	1.6%	1.5%	*	NA	NA	NA	NA	0.7%	0.5%	0.5%	0.5%	0.5%
Grade 7	1.4%	NA	NA	NA	NA	2.6%	1.8%	1.7%	1.6%	1.1%	*	NA	NA	NA	NA	0.9%	0.7%	0.6%	0.6%	0.5%
Grade 8	2.2%	NA	NA	NA	NA	2.8%	1.9%	1.9%	1.9%	1.7%	0.7%	NA	NA	NA	NA	0.9%	0.7%	0.5%	0.7%	0.5%
Grade 9	0.9%	NA	NA	NA	NA	2.3%	1.6%	1.8%	1.6%	1.8%	*	NA	NA	NA	NA	0.6%	0.6%	0.5%	0.6%	0.6%
Grade 10	1.1%	NA	NA	NA	NA	2.1%	1.4%	1.2%	1.7%	1.5%	*	NA	NA	NA	NA	0.7%	0.4%	0.4%	0.5%	0.6%
Grade 11	1.3%	NA	NA	NA	NA	2.3%	1.5%	1.9%	1.4%	1.6%	*	NA	NA	NA	NA	0.6%	0.2%	0.5%	0.7%	0.4%
Grade 12	1.5%	NA	NA	NA	NA	2.3%	1.5%	1.7%	1.5%	1.4%	*	NA	NA	NA	NA	0.6%	0.4%	0.3%	0.2%	0.5%

### Since 2004, the question wording has been changed slightly to list 'Mushrooms' as an example of hallucinogens.

NA: Not Available

\* %: Less than 0.5%

**Table B2: Prevalence and Recency of Substance Use, by Grade:  
All Texas Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	35.4%	15.2%	5.7%	14.5%	64.6%
Grade 7	18.7%	6.1%	2.7%	9.9%	81.3%
Grade 8	27.4%	9.1%	4.8%	13.5%	72.6%
Grade 9	36.1%	14.5%	6.0%	15.6%	63.9%
Grade 10	40.4%	17.7%	6.8%	15.9%	59.6%
Grade 11	44.8%	21.8%	6.7%	16.3%	55.2%
Grade 12	49.9%	26.2%	7.8%	15.9%	50.1%
<b>Alcohol</b>	65.9%	31.5%	11.9%	22.5%	34.1%
Grade 7	47.0%	16.2%	6.5%	24.3%	53.0%
Grade 8	59.7%	22.9%	10.5%	26.3%	40.3%
Grade 9	67.8%	31.7%	12.6%	23.5%	32.2%
Grade 10	72.7%	36.8%	14.4%	21.5%	27.3%
Grade 11	75.1%	40.3%	14.5%	20.3%	24.9%
Grade 12	77.9%	46.3%	14.3%	17.3%	22.1%
<b>Inhalants</b>	16.6%	5.9%	2.7%	8.0%	83.4%
Grade 7	18.3%	8.1%	2.6%	7.6%	81.7%
Grade 8	20.1%	7.7%	3.4%	9.0%	79.9%
Grade 9	18.0%	6.4%	2.9%	8.7%	82.0%
Grade 10	16.1%	5.1%	2.7%	8.3%	83.9%
Grade 11	13.3%	3.9%	2.2%	7.2%	86.7%
Grade 12	12.1%	3.4%	2.0%	6.7%	87.9%
<b>Any Illicit Drug</b>	28.0%	12.6%	5.3%	10.1%	72.0%
Grade 7	10.9%	4.8%	1.7%	4.4%	89.1%
Grade 8	18.5%	7.8%	3.4%	7.3%	81.5%
Grade 9	28.1%	12.7%	5.3%	10.1%	71.9%
Grade 10	34.0%	15.7%	6.6%	11.7%	66.0%
Grade 11	39.8%	18.3%	7.3%	14.2%	60.2%
Grade 12	42.8%	19.2%	8.2%	15.4%	57.2%
<b>Marijuana</b>	26.4%	11.0%	5.3%	10.1%	73.6%
Grade 7	9.4%	3.9%	1.5%	4.0%	90.6%
Grade 8	17.0%	6.9%	3.2%	6.9%	83.0%
Grade 9	26.1%	11.0%	5.3%	9.8%	73.9%
Grade 10	32.3%	13.4%	6.8%	12.1%	67.7%
Grade 11	38.2%	16.2%	7.7%	14.3%	61.8%
Grade 12	41.6%	17.3%	8.4%	15.9%	58.4%
<b>Marijuana Only</b>	13.8%	4.3%	2.8%	6.7%	86.2%
Grade 7	5.5%	1.9%	0.9%	2.7%	94.5%
Grade 8	9.6%	3.1%	1.7%	4.8%	90.4%
Grade 9	14.0%	4.6%	2.7%	6.7%	86.0%
Grade 10	16.5%	4.9%	3.6%	8.0%	83.5%
Grade 11	19.5%	5.9%	4.0%	9.6%	80.5%
Grade 12	20.9%	6.2%	4.4%	10.3%	79.1%
<b>Cocaine or Crack</b>	7.9%	2.9%	1.6%	3.4%	92.1%
Grade 7	3.1%	1.0%	0.5%	1.6%	96.9%
Grade 8	4.9%	1.7%	0.9%	2.3%	95.1%
Grade 9	7.5%	2.9%	1.5%	3.1%	92.5%
Grade 10	9.4%	3.4%	2.2%	3.8%	90.6%
Grade 11	11.6%	4.3%	2.4%	4.9%	88.4%
Grade 12	12.9%	4.5%	2.7%	5.7%	87.1%
<b>Cocaine</b>	7.3%	2.6%	1.6%	3.1%	92.7%
Grade 7	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 8	4.0%	1.4%	0.7%	1.9%	96.0%
Grade 9	6.8%	2.6%	1.4%	2.8%	93.2%
Grade 10	8.9%	3.2%	2.1%	3.6%	91.1%
Grade 11	11.3%	4.2%	2.3%	4.8%	88.7%
Grade 12	12.7%	4.3%	2.8%	5.6%	87.3%

**Table B2: Prevalence and Recency of Use: All Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 7	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 8	2.4%	0.7%	0.5%	1.2%	97.6%
Grade 9	2.5%	0.8%	0.5%	1.2%	97.5%
Grade 10	2.5%	0.7%	0.4%	1.4%	97.5%
Grade 11	2.5%	0.6%	0.6%	1.3%	97.5%
Grade 12	2.5%	0.6%	0.5%	1.4%	97.5%
<b>Hallucinogens</b>	4.7%	1.4%	1.0%	2.3%	95.3%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	2.4%	0.7%	0.5%	1.2%	97.6%
Grade 9	4.3%	1.4%	0.9%	2.0%	95.7%
Grade 10	6.5%	2.0%	1.4%	3.1%	93.5%
Grade 11	7.1%	2.0%	1.5%	3.6%	92.9%
Grade 12	8.4%	2.4%	1.9%	4.1%	91.6%
<b>Uppers</b>	5.7%	2.3%	1.3%	2.1%	94.3%
Grade 7	0.9%	0.5%	0.1%	0.3%	99.1%
Grade 8	2.5%	0.9%	0.6%	1.0%	97.5%
Grade 9	5.0%	1.9%	1.4%	1.7%	95.0%
Grade 10	7.6%	3.4%	1.6%	2.6%	92.4%
Grade 11	9.8%	4.1%	2.2%	3.5%	90.2%
Grade 12	10.2%	3.9%	2.4%	3.9%	89.8%
<b>Downers</b>	5.9%	2.5%	1.3%	2.1%	94.1%
Grade 7	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 8	2.3%	0.9%	0.5%	0.9%	97.7%
Grade 9	5.2%	2.1%	1.4%	1.7%	94.8%
Grade 10	8.0%	3.8%	1.6%	2.6%	92.0%
Grade 11	10.4%	4.4%	2.1%	3.9%	89.6%
Grade 12	10.9%	4.3%	2.5%	4.1%	89.1%
<b>Rohypnol</b>	2.6%	1.0%	0.5%	1.1%	97.4%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	2.3%	0.8%	0.5%	1.0%	97.7%
Grade 9	3.0%	1.2%	0.6%	1.2%	97.0%
Grade 10	3.4%	1.2%	0.7%	1.5%	96.6%
Grade 11	3.0%	1.1%	0.5%	1.4%	97.0%
Grade 12	2.9%	0.9%	0.5%	1.5%	97.1%
<b>Steroids</b>	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 9	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 10	1.7%	0.7%	0.2%	0.8%	98.3%
Grade 11	1.5%	0.7%	0.2%	0.6%	98.5%
Grade 12	1.8%	0.8%	0.2%	0.8%	98.2%
<b>Ecstasy</b>	5.2%	1.8%	1.2%	2.2%	94.8%
Grade 7	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 8	3.0%	1.0%	0.7%	1.3%	97.0%
Grade 9	5.1%	1.9%	1.0%	2.2%	94.9%
Grade 10	6.8%	2.4%	1.6%	2.8%	93.2%
Grade 11	7.6%	2.5%	1.7%	3.4%	92.4%
Grade 12	8.9%	2.9%	2.2%	3.8%	91.1%
<b>Heroin</b>	1.5%	0.5%	0.3%	0.7%	98.5%
Grade 7	1.1%	0.5%	0.1%	0.5%	98.9%
Grade 8	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 9	1.8%	0.6%	0.2%	1.0%	98.2%
Grade 10	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 11	1.6%	0.4%	0.4%	0.8%	98.4%
Grade 12	1.4%	0.5%	0.3%	0.6%	98.6%

**Table B3: Prevalence and Recency of Substance Use, by Grade:  
Texas Male Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	37.4%	17.5%	5.8%	14.1%	62.6%
Grade 7	20.7%	6.8%	3.0%	10.9%	79.3%
Grade 8	28.3%	9.8%	4.9%	13.6%	71.7%
Grade 9	37.7%	16.0%	6.1%	15.6%	62.3%
Grade 10	42.3%	20.4%	6.6%	15.3%	57.7%
Grade 11	47.8%	25.2%	6.9%	15.7%	52.2%
Grade 12	54.3%	32.4%	8.1%	13.8%	45.7%
<b>Alcohol</b>	64.2%	31.4%	11.2%	21.6%	35.8%
Grade 7	46.8%	16.2%	6.5%	24.1%	53.2%
Grade 8	58.0%	22.2%	10.3%	25.5%	42.0%
Grade 9	65.6%	30.9%	11.9%	22.8%	34.4%
Grade 10	70.3%	36.2%	13.1%	21.0%	29.7%
Grade 11	73.1%	41.2%	13.1%	18.8%	26.9%
Grade 12	76.6%	48.8%	13.1%	14.7%	23.4%
<b>Inhalants</b>	16.8%	5.8%	2.7%	8.3%	83.2%
Grade 7	18.3%	7.7%	2.7%	7.9%	81.7%
Grade 8	18.9%	6.8%	3.3%	8.8%	81.1%
Grade 9	17.0%	5.7%	2.8%	8.5%	83.0%
Grade 10	15.8%	4.8%	2.7%	8.3%	84.2%
Grade 11	14.6%	4.7%	2.4%	7.5%	85.4%
Grade 12	15.2%	4.1%	2.6%	8.5%	84.8%
<b>Any Illicit Drug</b>	30.3%	14.1%	5.4%	10.8%	69.7%
Grade 7	12.4%	5.4%	1.9%	5.1%	87.6%
Grade 8	20.0%	8.2%	3.6%	8.2%	80.0%
Grade 9	30.8%	13.9%	5.7%	11.2%	69.2%
Grade 10	36.3%	17.2%	7.0%	12.1%	63.7%
Grade 11	42.7%	21.1%	7.2%	14.4%	57.3%
Grade 12	46.5%	22.6%	8.3%	15.6%	53.5%
<b>Marijuana</b>	29.1%	12.5%	5.6%	11.0%	70.9%
Grade 7	11.3%	4.4%	1.9%	5.0%	88.7%
Grade 8	18.9%	7.3%	3.5%	8.1%	81.1%
Grade 9	29.4%	12.2%	5.9%	11.3%	70.6%
Grade 10	34.8%	15.0%	7.0%	12.8%	65.2%
Grade 11	41.8%	19.0%	7.6%	15.2%	58.2%
Grade 12	45.4%	20.5%	8.8%	16.1%	54.6%
<b>Marijuana Only</b>	15.8%	5.1%	3.1%	7.6%	84.2%
Grade 7	7.0%	2.4%	1.1%	3.5%	93.0%
Grade 8	11.4%	3.6%	2.0%	5.8%	88.6%
Grade 9	16.6%	5.3%	3.2%	8.1%	83.4%
Grade 10	18.8%	6.1%	4.1%	8.6%	81.2%
Grade 11	21.9%	7.4%	4.0%	10.5%	78.1%
Grade 12	21.9%	7.0%	4.6%	10.3%	78.1%
<b>Cocaine or Crack</b>	8.2%	3.1%	1.7%	3.4%	91.8%
Grade 7	3.0%	0.9%	0.5%	1.6%	97.0%
Grade 8	4.5%	1.7%	0.8%	2.0%	95.5%
Grade 9	7.5%	3.1%	1.6%	2.8%	92.5%
Grade 10	9.5%	3.7%	2.0%	3.8%	90.5%
Grade 11	12.4%	4.9%	2.5%	5.0%	87.6%
Grade 12	14.8%	5.5%	3.1%	6.2%	85.2%
<b>Cocaine</b>	7.7%	2.9%	1.6%	3.2%	92.3%
Grade 7	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 8	3.8%	1.4%	0.6%	1.8%	96.2%
Grade 9	6.9%	2.8%	1.5%	2.6%	93.1%
Grade 10	9.1%	3.4%	2.0%	3.7%	90.9%
Grade 11	12.2%	4.7%	2.5%	5.0%	87.8%
Grade 12	14.6%	5.4%	3.0%	6.2%	85.4%

**Table B3: Prevalence and Recency of Use: Male Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 7	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 8	2.0%	0.6%	0.4%	1.0%	98.0%
Grade 9	2.5%	0.9%	0.5%	1.1%	97.5%
Grade 10	2.4%	0.6%	0.3%	1.5%	97.6%
Grade 11	2.6%	0.8%	0.6%	1.2%	97.4%
Grade 12	2.9%	0.7%	0.6%	1.6%	97.1%
<b>Hallucinogens</b>	5.8%	1.9%	1.2%	2.7%	94.2%
Grade 7	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 8	2.9%	0.9%	0.6%	1.4%	97.1%
Grade 9	5.3%	1.7%	1.1%	2.5%	94.7%
Grade 10	7.4%	2.5%	1.6%	3.3%	92.6%
Grade 11	8.9%	2.8%	1.9%	4.2%	91.1%
Grade 12	11.4%	3.4%	2.7%	5.3%	88.6%
<b>Uppers</b>	5.3%	2.2%	1.2%	1.9%	94.7%
Grade 7	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 8	2.0%	0.8%	0.3%	0.9%	98.0%
Grade 9	4.4%	1.7%	1.3%	1.4%	95.6%
Grade 10	6.5%	2.6%	1.6%	2.3%	93.5%
Grade 11	9.4%	4.0%	2.2%	3.2%	90.6%
Grade 12	10.7%	4.4%	2.3%	4.0%	89.3%
<b>Downers</b>	5.8%	2.5%	1.3%	2.0%	94.2%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	2.0%	0.8%	0.4%	0.8%	98.0%
Grade 9	4.9%	2.1%	1.3%	1.5%	95.1%
Grade 10	7.3%	3.5%	1.5%	2.3%	92.7%
Grade 11	10.3%	4.6%	2.2%	3.5%	89.7%
Grade 12	11.8%	5.1%	2.5%	4.2%	88.2%
<b>Rohypnol</b>	2.5%	1.0%	0.4%	1.1%	97.5%
Grade 7	1.2%	0.5%	0.3%	0.4%	98.8%
Grade 8	2.2%	0.8%	0.4%	1.0%	97.8%
Grade 9	3.0%	1.3%	0.5%	1.2%	97.0%
Grade 10	2.9%	1.0%	0.6%	1.3%	97.1%
Grade 11	3.0%	1.4%	0.5%	1.1%	97.0%
Grade 12	2.7%	1.0%	0.4%	1.3%	97.3%
<b>Steroids</b>	2.2%	0.9%	0.4%	0.9%	97.8%
Grade 7	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 8	1.8%	0.8%	0.2%	0.8%	98.2%
Grade 9	1.7%	0.7%	0.2%	0.8%	98.3%
Grade 10	2.6%	1.1%	0.4%	1.1%	97.4%
Grade 11	2.5%	1.3%	0.3%	0.9%	97.5%
Grade 12	3.1%	1.3%	0.5%	1.3%	96.9%
<b>Ecstasy</b>	5.2%	2.0%	1.1%	2.1%	94.8%
Grade 7	1.3%	0.6%	0.2%	0.5%	98.7%
Grade 8	2.6%	0.9%	0.6%	1.1%	97.4%
Grade 9	4.9%	2.0%	0.9%	2.0%	95.1%
Grade 10	6.7%	2.6%	1.4%	2.7%	93.3%
Grade 11	8.0%	2.8%	1.7%	3.5%	92.0%
Grade 12	9.6%	3.7%	2.3%	3.6%	90.4%
<b>Heroin</b>	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	1.5%	0.6%	0.3%	0.6%	98.5%
Grade 9	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 10	1.6%	0.8%	0.2%	0.6%	98.4%
Grade 11	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 12	1.8%	0.7%	0.3%	0.8%	98.2%

**Table B4: Prevalence and Recency of Substance Use, by Grade:  
Texas Female Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	33.5%	13.2%	5.6%	14.7%	66.5%
Grade 7	16.9%	5.4%	2.4%	9.1%	83.1%
Grade 8	26.5%	8.5%	4.6%	13.4%	73.5%
Grade 9	34.6%	13.0%	6.0%	15.6%	65.4%
Grade 10	38.8%	15.4%	6.8%	16.6%	61.2%
Grade 11	42.1%	18.7%	6.6%	16.8%	57.9%
Grade 12	46.1%	20.8%	7.6%	17.7%	53.9%
<b>Alcohol</b>	67.5%	31.5%	12.6%	23.4%	32.5%
Grade 7	47.2%	16.3%	6.4%	24.5%	52.8%
Grade 8	61.3%	23.6%	10.6%	27.1%	38.7%
Grade 9	69.9%	32.5%	13.2%	24.2%	30.1%
Grade 10	74.7%	37.4%	15.4%	21.9%	25.3%
Grade 11	76.9%	39.5%	15.7%	21.7%	23.1%
Grade 12	79.1%	44.2%	15.3%	19.6%	20.9%
<b>Inhalants</b>	16.5%	6.1%	2.6%	7.8%	83.5%
Grade 7	18.4%	8.4%	2.7%	7.3%	81.6%
Grade 8	21.1%	8.5%	3.5%	9.1%	78.9%
Grade 9	18.9%	6.9%	3.1%	8.9%	81.1%
Grade 10	16.4%	5.3%	2.8%	8.3%	83.6%
Grade 11	12.1%	3.2%	2.0%	6.9%	87.9%
Grade 12	9.4%	2.7%	1.5%	5.2%	90.6%
<b>Any Illicit Drug</b>	25.9%	11.3%	5.0%	9.6%	74.1%
Grade 7	9.5%	4.3%	1.5%	3.7%	90.5%
Grade 8	17.0%	7.5%	3.1%	6.4%	83.0%
Grade 9	25.4%	11.5%	4.9%	9.0%	74.6%
Grade 10	32.1%	14.3%	6.4%	11.4%	67.9%
Grade 11	37.1%	15.7%	7.4%	14.0%	62.9%
Grade 12	39.5%	16.3%	8.0%	15.2%	60.5%
<b>Marijuana</b>	24.0%	9.7%	5.0%	9.3%	76.0%
Grade 7	7.8%	3.4%	1.2%	3.2%	92.2%
Grade 8	15.1%	6.5%	3.0%	5.6%	84.9%
Grade 9	23.0%	9.8%	4.8%	8.4%	77.0%
Grade 10	30.1%	11.9%	6.7%	11.5%	69.9%
Grade 11	35.1%	13.7%	7.7%	13.7%	64.9%
Grade 12	38.3%	14.5%	8.2%	15.6%	61.7%
<b>Marijuana Only</b>	12.1%	3.6%	2.5%	6.0%	87.9%
Grade 7	4.2%	1.5%	0.7%	2.0%	95.8%
Grade 8	7.8%	2.7%	1.4%	3.7%	92.2%
Grade 9	11.5%	3.9%	2.3%	5.3%	88.5%
Grade 10	14.4%	3.8%	3.2%	7.4%	85.6%
Grade 11	17.4%	4.6%	3.8%	9.0%	82.6%
Grade 12	19.9%	5.5%	4.2%	10.2%	80.1%
<b>Cocaine or Crack</b>	7.6%	2.6%	1.6%	3.4%	92.4%
Grade 7	3.2%	1.0%	0.5%	1.7%	96.8%
Grade 8	5.2%	1.7%	1.1%	2.4%	94.8%
Grade 9	7.4%	2.7%	1.4%	3.3%	92.6%
Grade 10	9.3%	3.3%	2.2%	3.8%	90.7%
Grade 11	10.8%	3.8%	2.3%	4.7%	89.2%
Grade 12	11.3%	3.6%	2.5%	5.2%	88.7%
<b>Cocaine</b>	7.0%	2.4%	1.5%	3.1%	93.0%
Grade 7	2.3%	0.6%	0.5%	1.2%	97.7%
Grade 8	4.2%	1.4%	0.8%	2.0%	95.8%
Grade 9	6.7%	2.4%	1.3%	3.0%	93.3%
Grade 10	8.8%	3.1%	2.2%	3.5%	91.2%
Grade 11	10.5%	3.7%	2.2%	4.6%	89.5%
Grade 12	11.0%	3.4%	2.5%	5.1%	89.0%

**Table B4: Prevalence and Recency of Use: Female Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.4%	0.7%	0.4%	1.3%	97.6%
Grade 7	1.9%	0.6%	0.3%	1.0%	98.1%
Grade 8	2.7%	0.8%	0.5%	1.4%	97.3%
Grade 9	2.5%	0.8%	0.5%	1.2%	97.5%
Grade 10	2.6%	0.8%	0.6%	1.2%	97.4%
Grade 11	2.4%	0.5%	0.5%	1.4%	97.6%
Grade 12	2.2%	0.5%	0.4%	1.3%	97.8%
<b>Hallucinogens</b>	3.8%	1.0%	0.9%	1.9%	96.2%
Grade 7	1.0%	0.4%	0.3%	0.3%	99.0%
Grade 8	2.0%	0.5%	0.4%	1.1%	98.0%
Grade 9	3.4%	1.1%	0.7%	1.6%	96.6%
Grade 10	5.7%	1.6%	1.3%	2.8%	94.3%
Grade 11	5.4%	1.3%	1.2%	2.9%	94.6%
Grade 12	5.9%	1.4%	1.4%	3.1%	94.1%
<b>Uppers</b>	6.0%	2.4%	1.4%	2.2%	94.0%
Grade 7	0.9%	0.5%	0.1%	0.3%	99.1%
Grade 8	2.9%	1.1%	0.8%	1.0%	97.1%
Grade 9	5.6%	2.1%	1.4%	2.1%	94.4%
Grade 10	8.6%	4.0%	1.8%	2.8%	91.4%
Grade 11	10.1%	4.1%	2.3%	3.7%	89.9%
Grade 12	9.8%	3.4%	2.5%	3.9%	90.2%
<b>Downers</b>	6.1%	2.4%	1.4%	2.3%	93.9%
Grade 7	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 8	2.6%	1.0%	0.6%	1.0%	97.4%
Grade 9	5.4%	2.1%	1.5%	1.8%	94.6%
Grade 10	8.6%	4.0%	1.8%	2.8%	91.4%
Grade 11	10.5%	4.1%	2.1%	4.3%	89.5%
Grade 12	10.1%	3.6%	2.5%	4.0%	89.9%
<b>Rohypnol</b>	2.7%	0.9%	0.6%	1.2%	97.3%
Grade 7	1.1%	0.5%	0.2%	0.4%	98.9%
Grade 8	2.4%	0.9%	0.5%	1.0%	97.6%
Grade 9	3.1%	1.1%	0.6%	1.4%	96.9%
Grade 10	3.8%	1.3%	0.9%	1.6%	96.2%
Grade 11	3.1%	0.9%	0.5%	1.7%	96.9%
Grade 12	3.0%	0.9%	0.5%	1.6%	97.0%
<b>Steroids</b>	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 7	0.9%	0.3%	0.1%	0.5%	99.1%
Grade 8	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 9	0.9%	0.2%	0.2%	0.5%	99.1%
Grade 10	1.0%	0.3%	0.1%	0.6%	99.0%
Grade 11	0.6%	0.2%	0.1%	0.3%	99.4%
Grade 12	0.7%	0.3%	0.1%	0.3%	99.3%
<b>Ecstasy</b>	5.2%	1.6%	1.3%	2.3%	94.8%
Grade 7	1.6%	0.4%	0.3%	0.9%	98.4%
Grade 8	3.3%	1.1%	0.8%	1.4%	96.7%
Grade 9	5.3%	1.8%	1.2%	2.3%	94.7%
Grade 10	6.8%	2.2%	1.8%	2.8%	93.2%
Grade 11	7.3%	2.1%	1.8%	3.4%	92.7%
Grade 12	8.2%	2.2%	2.1%	3.9%	91.8%
<b>Heroin</b>	1.5%	0.4%	0.2%	0.9%	98.5%
Grade 7	1.0%	0.4%	0.1%	0.5%	99.0%
Grade 8	1.8%	0.5%	0.3%	1.0%	98.2%
Grade 9	1.8%	0.6%	0.1%	1.1%	98.2%
Grade 10	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 11	1.4%	0.3%	0.3%	0.8%	98.6%
Grade 12	1.1%	0.3%	0.2%	0.6%	98.9%



**Table B5: Prevalence and Recency of Substance Use, by Grade:  
Texas Anglo Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	36.0%	17.9%	6.0%	12.1%	64.0%
Grade 7	15.1%	4.6%	2.3%	8.2%	84.9%
Grade 8	23.9%	8.6%	4.5%	10.8%	76.1%
Grade 9	34.5%	15.7%	5.8%	13.0%	65.5%
Grade 10	40.9%	21.0%	7.1%	12.8%	59.1%
Grade 11	48.0%	26.9%	7.4%	13.7%	52.0%
Grade 12	53.5%	31.2%	8.6%	13.7%	46.5%
<b>Alcohol</b>	65.4%	32.3%	13.2%	19.9%	34.6%
Grade 7	41.8%	11.7%	7.5%	22.6%	58.2%
Grade 8	55.1%	19.1%	12.1%	23.9%	44.9%
Grade 9	66.3%	30.8%	14.1%	21.4%	33.7%
Grade 10	72.3%	38.4%	15.4%	18.5%	27.7%
Grade 11	76.1%	43.6%	14.6%	17.9%	23.9%
Grade 12	80.1%	50.1%	15.2%	14.8%	19.9%
<b>Inhalants</b>	15.9%	5.1%	3.0%	7.8%	84.1%
Grade 7	14.4%	5.3%	2.7%	6.4%	85.6%
Grade 8	18.2%	6.5%	3.6%	8.1%	81.8%
Grade 9	17.3%	5.8%	3.0%	8.5%	82.7%
Grade 10	17.0%	5.3%	3.3%	8.4%	83.0%
Grade 11	14.6%	4.2%	2.7%	7.7%	85.4%
Grade 12	13.2%	3.3%	2.5%	7.4%	86.8%
<b>Any Illicit Drug</b>	26.6%	12.5%	5.5%	8.6%	73.4%
Grade 7	6.6%	2.3%	1.3%	3.0%	93.4%
Grade 8	13.3%	5.7%	2.7%	4.9%	86.7%
Grade 9	23.6%	10.8%	5.0%	7.8%	76.4%
Grade 10	32.2%	15.6%	7.0%	9.6%	67.8%
Grade 11	40.1%	20.0%	7.8%	12.3%	59.9%
Grade 12	44.1%	20.6%	9.1%	14.4%	55.9%
<b>Marijuana</b>	25.1%	10.9%	5.6%	8.6%	74.9%
Grade 7	5.4%	1.7%	1.1%	2.6%	94.6%
Grade 8	12.0%	5.0%	2.5%	4.5%	88.0%
Grade 9	21.6%	9.1%	4.9%	7.6%	78.4%
Grade 10	30.4%	13.1%	7.5%	9.8%	69.6%
Grade 11	38.7%	17.9%	8.3%	12.5%	61.3%
Grade 12	43.0%	18.8%	9.2%	15.0%	57.0%
<b>Marijuana Only</b>	12.2%	3.5%	2.8%	5.9%	87.8%
Grade 7	3.0%	0.8%	0.5%	1.7%	97.0%
Grade 8	6.2%	1.8%	1.2%	3.2%	93.8%
Grade 9	11.3%	3.4%	2.5%	5.4%	88.7%
Grade 10	14.4%	4.1%	3.8%	6.5%	85.6%
Grade 11	17.8%	5.2%	4.0%	8.6%	82.2%
Grade 12	20.6%	5.7%	4.8%	10.1%	79.4%
<b>Cocaine or Crack</b>	6.5%	2.2%	1.7%	2.6%	93.5%
Grade 7	1.8%	0.3%	0.4%	1.1%	98.2%
Grade 8	2.7%	0.9%	0.6%	1.2%	97.3%
Grade 9	4.7%	1.6%	1.3%	1.8%	95.3%
Grade 10	7.8%	2.7%	2.0%	3.1%	92.2%
Grade 11	10.9%	3.7%	3.1%	4.1%	89.1%
Grade 12	11.7%	4.0%	2.9%	4.8%	88.3%
<b>Cocaine</b>	6.0%	2.0%	1.6%	2.4%	94.0%
Grade 7	1.1%	0.2%	0.2%	0.7%	98.9%
Grade 8	2.1%	0.8%	0.3%	1.0%	97.9%
Grade 9	4.0%	1.4%	1.1%	1.5%	96.0%
Grade 10	7.3%	2.5%	1.9%	2.9%	92.7%
Grade 11	10.6%	3.6%	2.9%	4.1%	89.4%
Grade 12	11.3%	3.8%	2.8%	4.7%	88.7%

**Table B5: Prevalence and Recency of Use: Anglo Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.0%	0.4%	0.5%	1.1%	98.0%
Grade 7	1.3%	0.2%	0.3%	0.8%	98.7%
Grade 8	1.2%	0.2%	0.4%	0.6%	98.8%
Grade 9	2.0%	0.5%	0.5%	1.0%	98.0%
Grade 10	2.3%	0.6%	0.4%	1.3%	97.7%
Grade 11	2.6%	0.5%	0.7%	1.4%	97.4%
Grade 12	2.5%	0.6%	0.7%	1.2%	97.5%
<b>Hallucinogens</b>	6.5%	1.9%	1.5%	3.1%	93.5%
Grade 7	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 8	3.1%	0.9%	0.7%	1.5%	96.9%
Grade 9	5.3%	1.8%	1.1%	2.4%	94.7%
Grade 10	8.3%	2.4%	2.0%	3.9%	91.7%
Grade 11	10.2%	3.0%	2.3%	4.9%	89.8%
Grade 12	11.1%	3.0%	2.8%	5.3%	88.9%
<b>Uppers</b>	8.3%	3.4%	2.0%	2.9%	91.7%
Grade 7	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 8	2.9%	1.1%	0.7%	1.1%	97.1%
Grade 9	6.7%	2.6%	2.0%	2.1%	93.3%
Grade 10	10.8%	4.9%	2.4%	3.5%	89.2%
Grade 11	14.2%	6.1%	3.4%	4.7%	85.8%
Grade 12	14.3%	5.3%	3.6%	5.4%	85.7%
<b>Downers</b>	8.1%	3.4%	2.0%	2.7%	91.9%
Grade 7	0.8%	0.2%	0.2%	0.4%	99.2%
Grade 8	2.6%	1.1%	0.7%	0.8%	97.4%
Grade 9	6.4%	2.7%	1.9%	1.8%	93.6%
Grade 10	10.5%	5.1%	2.3%	3.1%	89.5%
Grade 11	13.8%	5.9%	3.0%	4.9%	86.2%
Grade 12	14.4%	5.6%	3.6%	5.2%	85.6%
<b>Rohypnol</b>	2.0%	0.8%	0.4%	0.8%	98.0%
Grade 7	0.6%	0.3%	0.2%	0.1%	99.4%
Grade 8	1.5%	0.6%	0.4%	0.5%	98.5%
Grade 9	2.2%	1.0%	0.4%	0.8%	97.8%
Grade 10	2.7%	0.9%	0.6%	1.2%	97.3%
Grade 11	2.6%	1.0%	0.5%	1.1%	97.4%
Grade 12	2.4%	0.8%	0.5%	1.1%	97.6%
<b>Steroids</b>	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 7	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 8	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 9	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 10	2.1%	0.7%	0.5%	0.9%	97.9%
Grade 11	1.9%	0.8%	0.3%	0.8%	98.1%
Grade 12	1.9%	0.8%	0.3%	0.8%	98.1%
<b>Ecstasy</b>	6.0%	2.1%	1.5%	2.4%	94.0%
Grade 7	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 8	2.7%	1.0%	0.6%	1.1%	97.3%
Grade 9	4.7%	1.8%	1.0%	1.9%	95.3%
Grade 10	7.7%	2.8%	2.3%	2.6%	92.3%
Grade 11	9.6%	3.1%	2.2%	4.3%	90.4%
Grade 12	10.1%	3.3%	2.8%	4.0%	89.9%
<b>Heroin</b>	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 7	0.8%	0.3%	0.0%	0.5%	99.2%
Grade 8	1.3%	0.3%	0.3%	0.7%	98.7%
Grade 9	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 10	1.4%	0.6%	0.3%	0.5%	98.6%
Grade 11	2.1%	0.4%	0.5%	1.2%	97.9%
Grade 12	1.6%	0.6%	0.3%	0.7%	98.4%

**Table B6: Prevalence and Recency of Substance Use, by Grade:  
Texas African American Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	24.5%	7.4%	3.1%	14.0%	75.5%
Grade 7	18.3%	5.0%	2.3%	11.0%	81.7%
Grade 8	22.2%	5.5%	3.3%	13.4%	77.8%
Grade 9	27.3%	8.4%	3.3%	15.6%	72.7%
Grade 10	26.2%	7.3%	2.8%	16.1%	73.8%
Grade 11	26.1%	8.4%	2.9%	14.8%	73.9%
Grade 12	28.9%	11.2%	4.6%	13.1%	71.1%
<b>Alcohol</b>	62.9%	24.8%	10.9%	27.2%	37.1%
Grade 7	49.7%	16.5%	6.1%	27.1%	50.3%
Grade 8	61.4%	22.5%	9.0%	29.9%	38.6%
Grade 9	64.4%	26.2%	10.1%	28.1%	35.6%
Grade 10	68.1%	27.2%	13.5%	27.4%	31.9%
Grade 11	68.6%	27.7%	15.0%	25.9%	31.4%
Grade 12	69.7%	32.7%	14.2%	22.8%	30.3%
<b>Inhalants</b>	11.5%	4.4%	1.6%	5.5%	88.5%
Grade 7	18.5%	8.3%	2.4%	7.8%	81.5%
Grade 8	15.0%	5.6%	2.2%	7.2%	85.0%
Grade 9	11.0%	4.1%	1.7%	5.2%	89.0%
Grade 10	9.1%	2.8%	1.2%	5.1%	90.9%
Grade 11	5.9%	2.0%	0.9%	3.0%	94.1%
Grade 12	5.5%	2.4%	0.3%	2.8%	94.5%
<b>Any Illicit Drug</b>	26.1%	10.7%	4.7%	10.7%	73.9%
Grade 7	10.0%	3.9%	1.6%	4.5%	90.0%
Grade 8	18.2%	7.1%	3.1%	8.0%	81.8%
Grade 9	27.3%	10.9%	4.7%	11.7%	72.7%
Grade 10	33.8%	14.4%	6.0%	13.4%	66.2%
Grade 11	37.2%	15.3%	6.8%	15.1%	62.8%
Grade 12	38.9%	16.7%	7.7%	14.5%	61.1%
<b>Marijuana</b>	25.6%	10.0%	4.7%	10.9%	74.4%
Grade 7	9.4%	3.5%	1.6%	4.3%	90.6%
Grade 8	17.1%	6.4%	2.9%	7.8%	82.9%
Grade 9	26.6%	9.7%	5.1%	11.8%	73.4%
Grade 10	33.2%	13.6%	6.0%	13.6%	66.8%
Grade 11	37.0%	14.5%	6.7%	15.8%	63.0%
Grade 12	38.9%	16.3%	8.0%	14.6%	61.1%
<b>Marijuana Only</b>	20.1%	7.1%	3.7%	9.3%	79.9%
Grade 7	6.6%	2.1%	1.1%	3.4%	93.4%
Grade 8	13.5%	4.4%	2.3%	6.8%	86.5%
Grade 9	21.5%	7.2%	3.9%	10.4%	78.5%
Grade 10	26.8%	9.9%	5.0%	11.9%	73.2%
Grade 11	29.5%	10.8%	5.2%	13.5%	70.5%
Grade 12	29.4%	10.9%	6.0%	12.5%	70.6%
<b>Cocaine or Crack</b>	1.9%	0.8%	0.4%	0.7%	98.1%
Grade 7	1.8%	0.4%	0.3%	1.1%	98.2%
Grade 8	1.8%	0.8%	0.5%	0.5%	98.2%
Grade 9	1.8%	1.2%	0.2%	0.4%	98.2%
Grade 10	1.6%	0.5%	0.4%	0.7%	98.4%
Grade 11	1.9%	1.0%	0.3%	0.6%	98.1%
Grade 12	2.7%	1.1%	0.5%	1.1%	97.3%
<b>Cocaine</b>	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 7	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 8	1.4%	0.6%	0.5%	0.3%	98.6%
Grade 9	1.3%	0.6%	0.3%	0.4%	98.7%
Grade 10	1.5%	0.4%	0.4%	0.7%	98.5%
Grade 11	1.8%	0.9%	0.3%	0.6%	98.2%
Grade 12	2.5%	1.1%	0.5%	0.9%	97.5%

**Table B6: Prevalence and Recency of Use: African American Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 7	1.0%	0.3%	0.1%	0.6%	99.0%
Grade 8	1.1%	0.4%	0.3%	0.4%	98.9%
Grade 9	1.0%	0.7%	0.1%	0.2%	99.0%
Grade 10	0.4%	0.2%	0.1%	0.1%	99.6%
Grade 11	0.6%	0.4%	0.1%	0.1%	99.4%
Grade 12	1.4%	0.4%	0.3%	0.7%	98.6%
<b>Hallucinogens</b>	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 7	0.7%	0.5%	0.1%	0.1%	99.3%
Grade 8	0.9%	0.3%	0.2%	0.4%	99.1%
Grade 9	1.2%	0.5%	0.1%	0.6%	98.8%
Grade 10	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 11	1.4%	0.3%	0.6%	0.5%	98.6%
Grade 12	1.9%	0.7%	0.2%	1.0%	98.1%
<b>Uppers</b>	1.7%	0.7%	0.4%	0.6%	98.3%
Grade 7	0.6%	0.2%	0.2%	0.2%	99.4%
Grade 8	1.3%	0.6%	0.2%	0.5%	98.7%
Grade 9	1.2%	0.5%	0.3%	0.4%	98.8%
Grade 10	2.1%	0.7%	0.6%	0.8%	97.9%
Grade 11	2.6%	0.9%	0.7%	1.0%	97.4%
Grade 12	3.1%	1.3%	0.8%	1.0%	96.9%
<b>Downers</b>	2.2%	0.9%	0.5%	0.8%	97.8%
Grade 7	0.4%	0.2%	0.1%	0.1%	99.6%
Grade 8	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 9	1.5%	0.7%	0.4%	0.4%	98.5%
Grade 10	2.9%	1.5%	0.6%	0.8%	97.1%
Grade 11	3.4%	1.5%	1.0%	0.9%	96.6%
Grade 12	4.9%	1.6%	1.1%	2.2%	95.1%
<b>Rohypnol</b>	0.7%	0.4%	0.1%	0.2%	99.3%
Grade 7	0.4%	0.2%	0.0%	0.2%	99.6%
Grade 8	1.1%	0.5%	0.2%	0.4%	98.9%
Grade 9	0.9%	0.5%	0.1%	0.3%	99.1%
Grade 10	0.4%	0.1%	0.1%	0.2%	99.6%
Grade 11	0.7%	0.4%	0.1%	0.2%	99.3%
Grade 12	0.7%	0.3%	0.3%	0.1%	99.3%
<b>Steroids</b>	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 7	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 8	1.5%	0.6%	0.1%	0.8%	98.5%
Grade 9	0.7%	0.2%	0.3%	0.2%	99.3%
Grade 10	1.4%	0.5%	0.0%	0.9%	98.6%
Grade 11	1.6%	0.9%	0.4%	0.3%	98.4%
Grade 12	1.5%	0.6%	0.2%	0.7%	98.5%
<b>Ecstasy</b>	2.9%	1.1%	0.7%	1.1%	97.1%
Grade 7	1.2%	0.3%	0.4%	0.5%	98.8%
Grade 8	2.4%	1.0%	0.5%	0.9%	97.6%
Grade 9	2.9%	1.1%	0.6%	1.2%	97.1%
Grade 10	3.4%	1.2%	0.6%	1.6%	96.6%
Grade 11	4.0%	1.1%	1.2%	1.7%	96.0%
Grade 12	4.6%	2.3%	1.1%	1.2%	95.4%
<b>Heroin</b>	0.8%	0.4%	0.1%	0.3%	99.2%
Grade 7	0.8%	0.4%	0.0%	0.4%	99.2%
Grade 8	1.1%	0.6%	0.2%	0.3%	98.9%
Grade 9	0.6%	0.3%	0.0%	0.3%	99.4%
Grade 10	0.5%	0.2%	0.1%	0.2%	99.5%
Grade 11	0.5%	0.0%	0.1%	0.4%	99.5%
Grade 12	1.0%	0.6%	0.2%	0.2%	99.0%

**Table B7: Prevalence and Recency of Substance Use, by Grade:  
Texas Hispanic Secondary Students, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	40.0%	16.3%	6.6%	17.1%	60.0%
Grade 7	22.3%	7.7%	3.4%	11.2%	77.7%
Grade 8	33.8%	11.5%	5.9%	16.4%	66.2%
Grade 9	42.0%	16.1%	7.4%	18.5%	58.0%
Grade 10	47.1%	19.2%	8.3%	19.6%	52.9%
Grade 11	50.0%	22.6%	7.4%	20.0%	50.0%
Grade 12	55.6%	27.6%	8.8%	19.2%	44.4%
<b>Alcohol</b>	69.2%	34.6%	11.2%	23.4%	30.8%
Grade 7	51.3%	20.2%	5.9%	25.2%	48.7%
Grade 8	65.3%	27.6%	10.2%	27.5%	34.7%
Grade 9	72.3%	35.9%	12.1%	24.3%	27.7%
Grade 10	76.4%	40.8%	13.6%	22.0%	23.6%
Grade 11	78.2%	43.7%	13.8%	20.7%	21.8%
Grade 12	80.4%	49.6%	13.3%	17.5%	19.6%
<b>Inhalants</b>	19.3%	7.3%	2.8%	9.2%	80.7%
Grade 7	21.3%	10.1%	2.7%	8.5%	78.7%
Grade 8	23.7%	9.5%	3.5%	10.7%	76.3%
Grade 9	21.0%	7.7%	3.2%	10.1%	79.0%
Grade 10	17.7%	5.8%	3.0%	8.9%	82.3%
Grade 11	14.2%	4.1%	2.2%	7.9%	85.8%
Grade 12	13.2%	3.8%	2.0%	7.4%	86.8%
<b>Any Illicit Drug</b>	31.5%	14.3%	5.4%	11.8%	68.5%
Grade 7	15.0%	7.2%	2.2%	5.6%	85.0%
Grade 8	24.5%	10.7%	4.0%	9.8%	75.5%
Grade 9	34.0%	15.7%	6.1%	12.2%	66.0%
Grade 10	38.3%	17.7%	6.9%	13.7%	61.7%
Grade 11	42.3%	18.3%	7.4%	16.6%	57.7%
Grade 12	44.8%	20.0%	7.7%	17.1%	55.2%
<b>Marijuana</b>	29.5%	12.2%	5.6%	11.7%	70.5%
Grade 7	13.0%	5.9%	2.0%	5.1%	87.0%
Grade 8	22.6%	9.3%	4.2%	9.1%	77.4%
Grade 9	31.8%	13.7%	6.3%	11.8%	68.2%
Grade 10	36.2%	15.0%	6.8%	14.4%	63.8%
Grade 11	40.2%	15.7%	7.7%	16.8%	59.8%
Grade 12	43.2%	17.3%	8.2%	17.7%	56.8%
<b>Marijuana Only</b>	14.1%	4.5%	2.5%	7.1%	85.9%
Grade 7	7.4%	2.7%	1.3%	3.4%	92.6%
Grade 8	12.1%	4.2%	2.0%	5.9%	87.9%
Grade 9	15.2%	5.3%	2.6%	7.3%	84.8%
Grade 10	15.9%	4.4%	3.1%	8.4%	84.1%
Grade 11	18.5%	5.1%	3.7%	9.7%	81.5%
Grade 12	19.1%	5.7%	3.5%	9.9%	80.9%
<b>Cocaine or Crack</b>	11.9%	4.5%	2.1%	5.3%	88.1%
Grade 7	4.7%	1.8%	0.7%	2.2%	95.3%
Grade 8	8.2%	2.8%	1.3%	4.1%	91.8%
Grade 9	12.1%	4.8%	2.2%	5.1%	87.9%
Grade 10	14.9%	5.7%	3.4%	5.8%	85.1%
Grade 11	17.3%	6.7%	2.8%	7.8%	82.7%
Grade 12	19.4%	6.8%	3.7%	8.9%	80.6%
<b>Cocaine</b>	11.2%	4.1%	2.1%	5.0%	88.8%
Grade 7	3.6%	1.3%	0.6%	1.7%	96.4%
Grade 8	6.9%	2.3%	1.2%	3.4%	93.1%
Grade 9	11.6%	4.5%	2.1%	5.0%	88.4%
Grade 10	14.3%	5.4%	3.3%	5.6%	85.7%
Grade 11	17.0%	6.6%	2.7%	7.7%	83.0%
Grade 12	19.3%	6.8%	3.6%	8.9%	80.7%

**Table B7: Prevalence and Recency of Use: Hispanic Students, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	3.3%	1.0%	0.6%	1.7%	96.7%
Grade 7	2.6%	1.0%	0.4%	1.2%	97.4%
Grade 8	3.8%	1.2%	0.6%	2.0%	96.2%
Grade 9	3.3%	1.1%	0.7%	1.5%	96.7%
Grade 10	3.6%	1.1%	0.6%	1.9%	96.4%
Grade 11	3.2%	0.8%	0.5%	1.9%	96.8%
Grade 12	3.1%	0.6%	0.5%	2.0%	96.9%
<b>Hallucinogens</b>	4.2%	1.3%	0.8%	2.1%	95.8%
Grade 7	1.1%	0.6%	0.2%	0.3%	98.9%
Grade 8	2.5%	0.6%	0.4%	1.5%	97.5%
Grade 9	4.3%	1.2%	1.0%	2.1%	95.7%
Grade 10	6.4%	2.1%	1.3%	3.0%	93.6%
Grade 11	5.5%	1.4%	1.0%	3.1%	94.5%
Grade 12	7.4%	2.3%	1.4%	3.7%	92.6%
<b>Uppers</b>	4.6%	1.9%	0.9%	1.8%	95.4%
Grade 7	1.1%	0.6%	0.1%	0.4%	98.9%
Grade 8	2.4%	0.9%	0.6%	0.9%	97.6%
Grade 9	4.7%	1.7%	1.1%	1.9%	95.3%
Grade 10	6.6%	2.8%	1.3%	2.5%	93.4%
Grade 11	7.6%	3.2%	1.7%	2.7%	92.4%
Grade 12	7.9%	3.1%	1.6%	3.2%	92.1%
<b>Downers</b>	5.3%	2.2%	1.1%	2.0%	94.7%
Grade 7	1.2%	0.5%	0.2%	0.5%	98.8%
Grade 8	2.5%	0.8%	0.7%	1.0%	97.5%
Grade 9	5.4%	2.1%	1.3%	2.0%	94.6%
Grade 10	7.5%	3.4%	1.3%	2.8%	92.5%
Grade 11	9.2%	4.1%	1.5%	3.6%	90.8%
Grade 12	8.9%	3.8%	1.8%	3.3%	91.1%
<b>Rohypnol</b>	4.1%	1.5%	0.8%	1.8%	95.9%
Grade 7	2.0%	0.9%	0.4%	0.7%	98.0%
Grade 8	3.7%	1.3%	0.7%	1.7%	96.3%
Grade 9	4.7%	1.7%	1.0%	2.0%	95.3%
Grade 10	5.5%	1.9%	1.3%	2.3%	94.5%
Grade 11	4.8%	1.6%	0.8%	2.4%	95.2%
Grade 12	4.6%	1.4%	0.8%	2.4%	95.4%
<b>Steroids</b>	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 7	1.1%	0.5%	0.2%	0.4%	98.9%
Grade 8	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 9	1.2%	0.4%	0.1%	0.7%	98.8%
Grade 10	1.5%	0.7%	0.1%	0.7%	98.5%
Grade 11	1.0%	0.4%	0.1%	0.5%	99.0%
Grade 12	1.7%	0.8%	0.2%	0.7%	98.3%
<b>Ecstasy</b>	5.3%	1.8%	1.1%	2.4%	94.7%
Grade 7	1.8%	0.6%	0.2%	1.0%	98.2%
Grade 8	3.5%	1.1%	0.9%	1.5%	96.5%
Grade 9	5.9%	2.2%	1.1%	2.6%	94.1%
Grade 10	7.3%	2.5%	1.5%	3.3%	92.7%
Grade 11	6.9%	2.2%	1.5%	3.2%	93.1%
Grade 12	8.5%	2.7%	2.0%	3.8%	91.5%
<b>Heroin</b>	1.8%	0.6%	0.3%	0.9%	98.2%
Grade 7	1.5%	0.7%	0.2%	0.6%	98.5%
Grade 8	2.2%	0.6%	0.4%	1.2%	97.8%
Grade 9	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 10	1.9%	0.7%	0.2%	1.0%	98.1%
Grade 11	1.5%	0.4%	0.3%	0.8%	98.5%
Grade 12	1.2%	0.3%	0.2%	0.7%	98.8%

**Table B8: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Who Reported Earning A's/B's, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	31.6%	12.7%	5.2%	13.7%	68.4%
Grade 7	15.5%	4.2%	2.2%	9.0%	84.5%
Grade 8	23.4%	6.9%	4.0%	12.5%	76.6%
Grade 9	30.4%	10.6%	5.2%	14.5%	69.6%
Grade 10	36.1%	14.7%	6.3%	15.1%	63.9%
Grade 11	41.1%	18.7%	6.5%	15.9%	58.9%
Grade 12	47.9%	24.2%	8.0%	15.7%	52.1%
<b>Alcohol</b>	64.0%	29.1%	11.9%	22.9%	36.0%
Grade 7	44.3%	14.0%	6.0%	24.3%	55.7%
Grade 8	57.2%	20.4%	10.3%	26.6%	42.8%
Grade 9	65.1%	28.2%	12.5%	24.4%	34.9%
Grade 10	70.7%	33.6%	14.6%	22.5%	29.3%
Grade 11	73.4%	37.8%	14.7%	20.8%	26.6%
Grade 12	77.2%	45.3%	14.3%	17.7%	22.8%
<b>Inhalants</b>	14.4%	4.9%	2.4%	7.1%	85.6%
Grade 7	16.0%	6.7%	2.4%	6.9%	84.0%
Grade 8	17.6%	6.5%	3.1%	8.0%	82.4%
Grade 9	15.4%	5.1%	2.6%	7.7%	84.6%
Grade 10	13.9%	4.1%	2.4%	7.5%	86.1%
Grade 11	11.4%	3.2%	1.9%	6.3%	88.6%
Grade 12	10.8%	3.0%	1.8%	6.1%	89.2%
<b>Any Illicit Drug</b>	24.1%	9.9%	4.8%	9.4%	75.9%
Grade 7	8.0%	3.0%	1.3%	3.6%	92.0%
Grade 8	14.4%	5.5%	2.8%	6.2%	85.6%
Grade 9	22.0%	8.8%	4.5%	8.7%	78.0%
Grade 10	29.3%	12.0%	6.3%	11.1%	70.7%
Grade 11	35.7%	15.3%	6.8%	13.6%	64.3%
Grade 12	40.2%	17.4%	7.9%	14.9%	59.8%
<b>Marijuana</b>	22.6%	8.6%	4.7%	9.2%	77.4%
Grade 7	6.6%	2.3%	1.1%	3.1%	93.4%
Grade 8	13.0%	4.7%	2.6%	5.7%	87.0%
Grade 9	20.2%	7.6%	4.3%	8.4%	79.8%
Grade 10	27.5%	10.0%	6.3%	11.2%	72.5%
Grade 11	34.0%	13.5%	7.0%	13.6%	66.0%
Grade 12	39.0%	15.6%	8.1%	15.3%	61.0%
<b>Marijuana Only</b>	12.5%	3.5%	2.6%	6.3%	87.5%
Grade 7	4.0%	1.1%	0.7%	2.2%	96.0%
Grade 8	7.7%	2.3%	1.4%	4.1%	92.3%
Grade 9	11.8%	3.5%	2.4%	5.9%	88.2%
Grade 10	14.9%	3.9%	3.5%	7.6%	85.1%
Grade 11	18.4%	5.2%	3.7%	9.5%	81.6%
Grade 12	20.3%	5.9%	4.3%	10.1%	79.7%
<b>Cocaine or Crack</b>	6.0%	2.0%	1.3%	2.8%	94.0%
Grade 7	2.3%	0.6%	0.4%	1.3%	97.7%
Grade 8	3.4%	1.1%	0.6%	1.7%	96.6%
Grade 9	4.9%	1.6%	1.1%	2.2%	95.1%
Grade 10	7.0%	2.4%	1.6%	3.0%	93.0%
Grade 11	9.2%	3.2%	1.9%	4.2%	90.8%
Grade 12	11.0%	3.5%	2.3%	5.2%	89.0%
<b>Cocaine</b>	5.6%	1.8%	1.2%	2.6%	94.4%
Grade 7	1.7%	0.4%	0.3%	1.0%	98.3%
Grade 8	2.8%	0.8%	0.5%	1.4%	97.2%
Grade 9	4.3%	1.4%	0.9%	2.0%	95.7%
Grade 10	6.7%	2.2%	1.6%	2.9%	93.3%
Grade 11	9.0%	3.1%	1.8%	4.1%	91.0%
Grade 12	10.8%	3.4%	2.3%	5.1%	89.2%

**Table B8: Prevalence of Use: Students Who Reported Earning A's/B's, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	1.7%	0.4%	0.3%	1.0%	98.3%
Grade 7	1.4%	0.3%	0.3%	0.8%	98.6%
Grade 8	1.7%	0.4%	0.3%	0.9%	98.3%
Grade 9	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 10	1.8%	0.5%	0.4%	1.0%	98.2%
Grade 11	2.0%	0.5%	0.4%	1.1%	98.0%
Grade 12	2.0%	0.4%	0.4%	1.1%	98.0%
<b>Hallucinogens</b>	3.9%	1.1%	0.9%	2.0%	96.1%
Grade 7	0.8%	0.3%	0.1%	0.3%	99.2%
Grade 8	1.9%	0.4%	0.4%	1.0%	98.1%
Grade 9	3.1%	0.9%	0.6%	1.6%	96.9%
Grade 10	5.3%	1.5%	1.1%	2.7%	94.7%
Grade 11	5.9%	1.7%	1.2%	3.0%	94.1%
Grade 12	7.7%	2.0%	1.9%	3.8%	92.3%
<b>Uppers</b>	4.8%	1.8%	1.1%	1.8%	95.2%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	2.0%	0.7%	0.5%	0.8%	98.0%
Grade 9	3.8%	1.4%	1.0%	1.5%	96.2%
Grade 10	6.1%	2.6%	1.3%	2.1%	93.9%
Grade 11	8.3%	3.3%	2.0%	3.1%	91.7%
Grade 12	9.3%	3.4%	2.2%	3.8%	90.7%
<b>Downers</b>	5.0%	1.9%	1.1%	1.9%	95.0%
Grade 7	0.6%	0.2%	0.1%	0.3%	99.4%
Grade 8	1.7%	0.6%	0.4%	0.7%	98.3%
Grade 9	3.8%	1.4%	1.0%	1.4%	96.2%
Grade 10	6.5%	2.8%	1.5%	2.2%	93.5%
Grade 11	8.8%	3.5%	1.8%	3.5%	91.2%
Grade 12	9.9%	3.7%	2.4%	3.8%	90.1%
<b>Rohypnol</b>	1.9%	0.6%	0.4%	0.9%	98.1%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	1.5%	0.5%	0.3%	0.6%	98.5%
Grade 9	1.9%	0.6%	0.4%	1.0%	98.1%
Grade 10	2.4%	0.7%	0.5%	1.1%	97.6%
Grade 11	2.3%	0.8%	0.4%	1.2%	97.7%
Grade 12	2.4%	0.7%	0.4%	1.3%	97.6%
<b>Steroids</b>	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 7	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 8	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 9	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 10	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 11	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 12	1.6%	0.6%	0.3%	0.7%	98.4%
<b>Ecstasy</b>	4.2%	1.3%	1.0%	1.9%	95.8%
Grade 7	1.1%	0.3%	0.2%	0.6%	98.9%
Grade 8	2.2%	0.8%	0.5%	0.9%	97.8%
Grade 9	3.7%	1.3%	0.8%	1.6%	96.3%
Grade 10	5.3%	1.7%	1.3%	2.3%	94.7%
Grade 11	6.3%	2.0%	1.4%	2.9%	93.7%
Grade 12	7.6%	2.3%	1.8%	3.5%	92.4%
<b>Heroin</b>	1.1%	0.4%	0.2%	0.6%	98.9%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.2%	0.3%	0.3%	0.6%	98.8%
Grade 9	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 10	1.0%	0.4%	0.1%	0.4%	99.0%
Grade 11	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 12	1.1%	0.4%	0.2%	0.6%	98.9%



**Table B9: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Who Reported Earning C's, D's, or F's, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	49.9%	25.1%	7.5%	17.4%	50.1%
Grade 7	31.0%	12.9%	4.8%	13.4%	69.0%
Grade 8	42.7%	17.4%	8.0%	17.3%	57.3%
Grade 9	53.8%	26.3%	8.4%	19.0%	46.2%
Grade 10	56.8%	29.2%	8.4%	19.2%	43.2%
Grade 11	60.7%	35.1%	7.9%	17.7%	39.3%
Grade 12	62.0%	38.0%	7.1%	16.9%	38.0%
<b>Alcohol</b>	73.8%	40.7%	12.0%	21.1%	26.2%
Grade 7	57.4%	24.6%	8.1%	24.7%	42.6%
Grade 8	69.3%	32.4%	11.2%	25.8%	30.7%
Grade 9	76.7%	43.0%	12.7%	21.1%	23.3%
Grade 10	80.4%	48.6%	13.5%	18.2%	19.6%
Grade 11	82.7%	50.9%	13.8%	18.0%	17.3%
Grade 12	82.4%	53.0%	13.7%	15.6%	17.6%
<b>Inhalants</b>	25.3%	10.1%	3.9%	11.3%	74.7%
Grade 7	27.2%	13.2%	3.8%	10.2%	72.8%
Grade 8	29.4%	12.4%	4.4%	12.6%	70.6%
Grade 9	26.4%	10.4%	3.9%	12.1%	73.6%
Grade 10	23.9%	8.7%	4.2%	11.0%	76.1%
Grade 11	21.1%	7.1%	3.3%	10.7%	78.9%
Grade 12	19.1%	5.8%	3.1%	10.2%	80.9%
<b>Any Illicit Drug</b>	43.2%	23.0%	7.1%	13.2%	56.8%
Grade 7	22.1%	11.4%	3.2%	7.5%	77.9%
Grade 8	33.5%	16.6%	5.5%	11.5%	66.5%
Grade 9	47.0%	24.7%	8.0%	14.3%	53.0%
Grade 10	51.5%	29.1%	8.0%	14.4%	48.5%
Grade 11	57.2%	31.0%	9.8%	16.4%	42.8%
Grade 12	58.0%	30.4%	9.7%	18.0%	42.0%
<b>Marijuana</b>	41.4%	20.3%	7.5%	13.6%	58.6%
Grade 7	20.1%	9.6%	3.1%	7.3%	79.9%
Grade 8	31.6%	14.9%	5.5%	11.2%	68.4%
Grade 9	44.4%	21.5%	8.7%	14.2%	55.6%
Grade 10	49.8%	25.6%	8.5%	15.7%	50.2%
Grade 11	56.2%	27.7%	10.9%	17.6%	43.8%
Grade 12	57.1%	27.4%	10.5%	19.1%	42.9%
<b>Marijuana Only</b>	19.2%	7.3%	3.5%	8.4%	80.8%
Grade 7	11.3%	4.8%	1.7%	4.8%	88.7%
Grade 8	16.3%	6.3%	2.7%	7.4%	83.7%
Grade 9	20.5%	7.9%	3.6%	9.0%	79.5%
Grade 10	22.0%	8.5%	4.1%	9.4%	78.0%
Grade 11	24.1%	8.5%	5.2%	10.4%	75.9%
Grade 12	24.0%	8.2%	4.7%	11.1%	76.0%
<b>Cocaine or Crack</b>	15.0%	6.3%	3.1%	5.6%	85.0%
Grade 7	6.0%	2.3%	1.0%	2.8%	94.0%
Grade 8	10.4%	4.2%	2.1%	4.2%	89.6%
Grade 9	15.7%	7.1%	2.9%	5.7%	84.3%
Grade 10	18.0%	7.4%	4.2%	6.4%	82.0%
Grade 11	21.6%	9.1%	4.7%	7.8%	78.4%
Grade 12	24.3%	10.3%	5.4%	8.6%	75.7%
<b>Cocaine</b>	14.0%	5.8%	3.0%	5.2%	86.0%
Grade 7	4.6%	1.7%	0.8%	2.1%	95.4%
Grade 8	8.6%	3.6%	1.6%	3.4%	91.4%
Grade 9	14.7%	6.4%	2.8%	5.4%	85.3%
Grade 10	17.3%	6.9%	4.1%	6.3%	82.7%
Grade 11	21.0%	8.8%	4.5%	7.7%	79.0%
Grade 12	24.2%	10.1%	5.6%	8.6%	75.8%

**Table B9: Students Who Reported Earning C's, D's, or F's, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	4.8%	1.7%	0.9%	2.2%	95.2%
Grade 7	3.4%	1.4%	0.4%	1.6%	96.6%
Grade 8	4.9%	1.9%	0.8%	2.2%	95.1%
Grade 9	5.2%	1.9%	1.2%	2.1%	94.8%
Grade 10	5.0%	1.7%	0.7%	2.7%	95.0%
Grade 11	4.6%	1.2%	1.0%	2.4%	95.4%
Grade 12	5.6%	1.6%	1.2%	2.9%	94.4%
<b>Hallucinogens</b>	8.0%	2.8%	1.7%	3.5%	92.0%
Grade 7	2.7%	1.0%	0.6%	1.1%	97.3%
Grade 8	4.4%	1.6%	0.8%	2.0%	95.6%
Grade 9	8.2%	3.0%	1.7%	3.5%	91.8%
Grade 10	11.1%	4.1%	2.5%	4.6%	88.9%
Grade 11	12.0%	3.6%	2.7%	5.7%	88.0%
Grade 12	12.8%	4.5%	2.6%	5.7%	87.2%
<b>Uppers</b>	9.1%	4.1%	2.1%	2.9%	90.9%
Grade 7	1.8%	1.0%	0.3%	0.5%	98.2%
Grade 8	4.1%	1.8%	0.9%	1.3%	95.9%
Grade 9	8.9%	3.6%	2.5%	2.8%	91.1%
Grade 10	13.2%	6.1%	2.9%	4.2%	86.8%
Grade 11	16.3%	7.6%	3.6%	5.1%	83.7%
Grade 12	16.0%	7.0%	3.8%	5.1%	84.0%
<b>Downers</b>	9.8%	4.7%	2.1%	3.0%	90.2%
Grade 7	2.0%	1.0%	0.5%	0.6%	98.0%
Grade 8	4.6%	1.9%	1.2%	1.5%	95.4%
Grade 9	9.6%	4.5%	2.7%	2.4%	90.4%
Grade 10	13.7%	7.5%	2.3%	3.9%	86.3%
Grade 11	17.3%	8.3%	3.4%	5.7%	82.7%
Grade 12	17.3%	7.7%	3.6%	6.0%	82.7%
<b>Rohypnol</b>	5.6%	2.4%	1.2%	2.1%	94.4%
Grade 7	2.9%	1.5%	0.5%	0.8%	97.1%
Grade 8	5.4%	2.0%	1.1%	2.3%	94.6%
Grade 9	6.5%	3.0%	1.3%	2.2%	93.5%
Grade 10	7.1%	2.7%	1.7%	2.6%	92.9%
Grade 11	6.1%	2.5%	1.1%	2.5%	93.9%
Grade 12	5.5%	2.1%	0.9%	2.5%	94.5%
<b>Steroids</b>	2.1%	0.9%	0.3%	0.9%	97.9%
Grade 7	1.9%	0.9%	0.2%	0.8%	98.1%
Grade 8	2.1%	1.0%	0.3%	0.9%	97.9%
Grade 9	1.7%	0.6%	0.2%	0.9%	98.3%
Grade 10	2.4%	1.0%	0.3%	1.1%	97.6%
Grade 11	2.1%	1.0%	0.4%	0.7%	97.9%
Grade 12	3.2%	1.6%	0.3%	1.3%	96.8%
<b>Ecstasy</b>	9.3%	3.6%	2.1%	3.7%	90.7%
Grade 7	2.9%	1.4%	0.6%	1.0%	97.1%
Grade 8	6.0%	2.0%	1.6%	2.4%	94.0%
Grade 9	9.6%	3.9%	1.7%	4.0%	90.4%
Grade 10	12.3%	4.8%	2.8%	4.6%	87.7%
Grade 11	13.2%	4.5%	2.8%	5.8%	86.8%
Grade 12	16.4%	6.3%	4.4%	5.7%	83.6%
<b>Heroin</b>	3.0%	1.1%	0.5%	1.5%	97.0%
Grade 7	2.5%	1.1%	0.3%	1.1%	97.5%
Grade 8	3.5%	1.1%	0.4%	1.9%	96.5%
Grade 9	3.3%	0.9%	0.6%	1.7%	96.7%
Grade 10	3.3%	1.3%	0.3%	1.6%	96.7%
Grade 11	2.4%	0.5%	0.5%	1.4%	97.6%
Grade 12	3.1%	1.3%	0.6%	1.2%	96.9%

**Table B10: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Who Lived with Both Parents, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	30.8%	13.1%	5.2%	12.5%	69.2%
Grade 7	14.9%	4.7%	2.3%	7.9%	85.1%
Grade 8	22.6%	7.3%	3.9%	11.4%	77.4%
Grade 9	30.0%	11.9%	5.1%	13.0%	70.0%
Grade 10	35.4%	15.2%	6.2%	14.0%	64.6%
Grade 11	41.3%	19.8%	6.6%	14.9%	58.7%
Grade 12	47.4%	24.3%	8.1%	15.0%	52.6%
<b>Alcohol</b>	61.6%	28.9%	11.1%	21.6%	38.4%
Grade 7	42.0%	14.0%	5.8%	22.2%	58.0%
Grade 8	54.3%	20.4%	9.0%	24.9%	45.7%
Grade 9	63.4%	28.7%	12.0%	22.7%	36.6%
Grade 10	68.3%	33.8%	13.3%	21.2%	31.7%
Grade 11	71.7%	38.3%	13.9%	19.5%	28.3%
Grade 12	75.4%	44.4%	14.0%	17.0%	24.6%
<b>Inhalants</b>	14.9%	5.3%	2.4%	7.2%	85.1%
Grade 7	16.5%	7.4%	2.2%	6.9%	83.5%
Grade 8	17.8%	6.9%	3.0%	7.9%	82.2%
Grade 9	16.2%	5.5%	2.8%	7.9%	83.8%
Grade 10	13.8%	4.4%	2.3%	7.1%	86.2%
Grade 11	12.2%	3.4%	2.1%	6.7%	87.8%
Grade 12	11.1%	3.3%	1.8%	6.0%	88.9%
<b>Any Illicit Drug</b>	22.7%	10.2%	4.3%	8.2%	77.3%
Grade 7	8.1%	3.6%	1.3%	3.2%	91.9%
Grade 8	13.9%	6.0%	2.3%	5.6%	86.1%
Grade 9	21.5%	9.6%	4.0%	7.9%	78.5%
Grade 10	27.3%	12.5%	5.4%	9.4%	72.7%
Grade 11	34.2%	15.4%	6.6%	12.2%	65.8%
Grade 12	38.0%	16.8%	7.5%	13.7%	62.0%
<b>Marijuana</b>	21.1%	8.7%	4.3%	8.1%	78.9%
Grade 7	6.7%	2.7%	1.2%	2.8%	93.3%
Grade 8	12.3%	5.1%	2.2%	5.0%	87.7%
Grade 9	19.6%	8.0%	4.2%	7.4%	80.4%
Grade 10	25.6%	10.3%	5.5%	9.8%	74.4%
Grade 11	32.6%	13.5%	6.8%	12.3%	67.4%
Grade 12	36.7%	15.0%	7.7%	14.0%	63.3%
<b>Marijuana Only</b>	11.0%	3.4%	2.2%	5.4%	89.0%
Grade 7	3.8%	1.3%	0.7%	1.8%	96.2%
Grade 8	6.8%	2.4%	1.0%	3.4%	93.2%
Grade 9	10.4%	3.3%	2.0%	5.1%	89.6%
Grade 10	13.1%	3.9%	2.9%	6.3%	86.9%
Grade 11	16.5%	4.9%	3.5%	8.1%	83.5%
Grade 12	18.4%	5.5%	4.0%	8.9%	81.6%
<b>Cocaine or Crack</b>	6.6%	2.4%	1.3%	2.9%	93.4%
Grade 7	2.6%	0.9%	0.4%	1.3%	97.4%
Grade 8	4.0%	1.5%	0.8%	1.7%	96.0%
Grade 9	6.1%	2.5%	1.1%	2.5%	93.9%
Grade 10	7.1%	2.7%	1.5%	2.9%	92.9%
Grade 11	10.0%	3.8%	1.9%	4.3%	90.0%
Grade 12	11.6%	3.9%	2.6%	5.1%	88.4%
<b>Cocaine</b>	6.0%	2.2%	1.2%	2.6%	94.0%
Grade 7	1.9%	0.6%	0.3%	1.0%	98.1%
Grade 8	3.2%	1.2%	0.6%	1.4%	96.8%
Grade 9	5.5%	2.1%	1.1%	2.3%	94.5%
Grade 10	6.7%	2.5%	1.5%	2.7%	93.3%
Grade 11	9.7%	3.6%	1.9%	4.2%	90.3%
Grade 12	11.4%	3.7%	2.6%	5.1%	88.6%

**Table B10: Prevalence of Use: Students Who Lived with Both Parents, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.1%	0.7%	0.3%	1.1%	97.9%
Grade 7	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 8	2.1%	0.7%	0.5%	0.9%	97.9%
Grade 9	2.0%	0.8%	0.4%	0.8%	98.0%
Grade 10	2.0%	0.6%	0.3%	1.1%	98.0%
Grade 11	2.2%	0.6%	0.4%	1.2%	97.8%
Grade 12	2.5%	0.6%	0.5%	1.4%	97.5%
<b>Hallucinogens</b>	3.9%	1.2%	0.8%	1.9%	96.1%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	1.7%	0.4%	0.4%	0.9%	98.3%
Grade 9	3.3%	1.0%	0.7%	1.6%	96.7%
Grade 10	5.4%	1.9%	1.1%	2.4%	94.6%
Grade 11	5.9%	1.7%	1.2%	3.0%	94.1%
Grade 12	7.5%	2.0%	1.7%	3.8%	92.5%
<b>Uppers</b>	4.4%	1.8%	1.0%	1.6%	95.6%
Grade 7	0.7%	0.4%	0.0%	0.3%	99.3%
Grade 8	1.7%	0.6%	0.5%	0.6%	98.3%
Grade 9	3.7%	1.4%	1.0%	1.3%	96.3%
Grade 10	6.0%	2.7%	1.4%	1.9%	94.0%
Grade 11	7.7%	3.1%	1.7%	2.9%	92.3%
Grade 12	8.8%	3.3%	1.9%	3.6%	91.2%
<b>Downers</b>	4.6%	1.9%	1.0%	1.7%	95.4%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	1.6%	0.6%	0.4%	0.6%	98.4%
Grade 9	3.7%	1.4%	1.1%	1.2%	96.3%
Grade 10	6.1%	2.9%	1.3%	1.9%	93.9%
Grade 11	8.3%	3.4%	1.6%	3.3%	91.7%
Grade 12	9.0%	3.6%	2.1%	3.3%	91.0%
<b>Rohypnol</b>	2.1%	0.8%	0.4%	0.9%	97.9%
Grade 7	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 8	1.7%	0.6%	0.4%	0.7%	98.3%
Grade 9	2.4%	1.0%	0.4%	1.0%	97.6%
Grade 10	2.4%	0.9%	0.6%	0.9%	97.6%
Grade 11	2.5%	0.9%	0.5%	1.1%	97.5%
Grade 12	2.6%	0.8%	0.5%	1.3%	97.4%
<b>Steroids</b>	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 7	1.2%	0.5%	0.1%	0.6%	98.8%
Grade 8	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 9	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 10	1.6%	0.7%	0.2%	0.7%	98.4%
Grade 11	1.4%	0.5%	0.3%	0.6%	98.6%
Grade 12	1.9%	0.8%	0.2%	0.9%	98.1%
<b>Ecstasy</b>	4.2%	1.4%	0.9%	1.9%	95.8%
Grade 7	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 8	2.1%	0.7%	0.5%	0.9%	97.9%
Grade 9	4.0%	1.7%	0.7%	1.6%	96.0%
Grade 10	5.5%	2.0%	1.1%	2.4%	94.5%
Grade 11	6.1%	1.9%	1.3%	2.9%	93.9%
Grade 12	7.6%	2.5%	1.5%	3.6%	92.4%
<b>Heroin</b>	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	1.3%	0.4%	0.3%	0.6%	98.7%
Grade 9	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 10	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 11	1.3%	0.3%	0.3%	0.7%	98.7%
Grade 12	1.4%	0.4%	0.3%	0.7%	98.6%

**Table B11: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Not Living with Both Parents, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	42.8%	18.7%	6.5%	17.6%	57.2%
Grade 7	25.5%	8.5%	3.4%	13.6%	74.5%
Grade 8	35.5%	12.2%	6.2%	17.1%	64.5%
Grade 9	46.0%	18.6%	7.5%	19.9%	54.0%
Grade 10	48.4%	21.9%	7.5%	19.0%	51.6%
Grade 11	50.4%	24.9%	6.9%	18.6%	49.6%
Grade 12	54.3%	29.2%	7.5%	17.6%	45.7%
<b>Alcohol</b>	73.2%	35.8%	13.3%	24.1%	26.8%
Grade 7	55.6%	20.1%	7.7%	27.8%	44.4%
Grade 8	68.7%	27.3%	12.7%	28.7%	31.3%
Grade 9	74.9%	36.7%	13.5%	24.7%	25.1%
Grade 10	79.6%	41.8%	15.9%	21.9%	20.4%
Grade 11	80.7%	43.7%	15.4%	21.6%	19.3%
Grade 12	82.2%	49.6%	14.7%	17.9%	17.8%
<b>Inhalants</b>	19.5%	6.9%	3.2%	9.4%	80.5%
Grade 7	21.6%	9.2%	3.4%	9.0%	78.4%
Grade 8	23.9%	9.0%	4.2%	10.7%	76.1%
Grade 9	20.9%	7.7%	3.2%	10.0%	79.1%
Grade 10	19.7%	6.2%	3.5%	10.0%	80.3%
Grade 11	14.9%	4.6%	2.5%	7.8%	85.1%
Grade 12	13.7%	3.6%	2.2%	7.9%	86.3%
<b>Any Illicit Drug</b>	36.7%	16.7%	6.8%	13.2%	63.3%
Grade 7	15.8%	6.9%	2.3%	6.6%	84.2%
Grade 8	26.1%	10.9%	5.1%	10.1%	73.9%
Grade 9	38.7%	17.7%	7.4%	13.6%	61.3%
Grade 10	44.8%	20.9%	8.6%	15.3%	55.2%
Grade 11	48.8%	22.9%	8.5%	17.4%	51.2%
Grade 12	50.9%	23.3%	9.3%	18.3%	49.1%
<b>Marijuana</b>	35.2%	14.9%	6.9%	13.4%	64.8%
Grade 7	14.2%	5.9%	2.3%	6.0%	85.8%
Grade 8	24.7%	9.8%	5.1%	9.8%	75.3%
Grade 9	36.7%	15.7%	7.3%	13.7%	63.3%
Grade 10	43.0%	18.3%	8.9%	15.8%	57.0%
Grade 11	47.3%	20.5%	9.1%	17.7%	52.7%
Grade 12	49.9%	21.2%	9.8%	18.9%	50.1%
<b>Marijuana Only</b>	18.6%	5.9%	3.6%	9.1%	81.4%
Grade 7	8.6%	3.0%	1.3%	4.3%	91.4%
Grade 8	14.2%	4.4%	2.9%	6.9%	85.8%
Grade 9	19.6%	6.7%	3.9%	9.0%	80.4%
Grade 10	21.8%	6.6%	4.6%	10.6%	78.2%
Grade 11	24.3%	7.5%	4.7%	12.1%	75.7%
Grade 12	24.9%	7.3%	5.2%	12.4%	75.1%
<b>Cocaine or Crack</b>	10.0%	3.6%	2.1%	4.3%	90.0%
Grade 7	3.9%	1.2%	0.7%	2.0%	96.1%
Grade 8	6.2%	2.0%	1.2%	3.0%	93.8%
Grade 9	9.8%	3.6%	2.1%	4.1%	90.2%
Grade 10	12.9%	4.7%	3.2%	5.0%	87.1%
Grade 11	14.0%	5.2%	3.0%	5.8%	86.0%
Grade 12	15.2%	5.5%	3.0%	6.7%	84.8%
<b>Cocaine</b>	9.4%	3.3%	2.1%	4.0%	90.6%
Grade 7	3.0%	0.8%	0.5%	1.7%	97.0%
Grade 8	5.3%	1.8%	0.9%	2.6%	94.7%
Grade 9	9.0%	3.3%	1.9%	3.8%	91.0%
Grade 10	12.5%	4.5%	3.0%	5.0%	87.5%
Grade 11	13.8%	5.0%	3.0%	5.8%	86.2%
Grade 12	14.9%	5.3%	3.1%	6.5%	85.1%

**Table B11: Prevalence of Use: Students Not Living with Both Parents, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.8%	0.7%	0.6%	1.5%	97.2%
Grade 7	2.0%	0.6%	0.4%	1.0%	98.0%
Grade 8	2.8%	0.7%	0.4%	1.7%	97.2%
Grade 9	3.1%	0.9%	0.7%	1.5%	96.9%
Grade 10	3.3%	0.9%	0.6%	1.8%	96.7%
Grade 11	3.0%	0.7%	0.7%	1.6%	97.0%
Grade 12	2.5%	0.5%	0.6%	1.4%	97.5%
<b>Hallucinogens</b>	6.2%	1.9%	1.3%	3.0%	93.8%
Grade 7	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 8	3.6%	1.0%	0.8%	1.8%	96.4%
Grade 9	5.9%	2.1%	1.1%	2.7%	94.1%
Grade 10	8.3%	2.3%	1.9%	4.1%	91.7%
Grade 11	8.9%	2.6%	1.9%	4.4%	91.1%
Grade 12	10.0%	3.0%	2.3%	4.7%	90.0%
<b>Uppers</b>	7.7%	3.1%	1.8%	2.8%	92.3%
Grade 7	1.3%	0.6%	0.2%	0.5%	98.7%
Grade 8	3.7%	1.4%	0.8%	1.5%	96.3%
Grade 9	7.2%	2.8%	1.8%	2.6%	92.8%
Grade 10	10.2%	4.5%	2.1%	3.6%	89.8%
Grade 11	13.1%	5.6%	3.1%	4.4%	86.9%
Grade 12	12.8%	4.8%	3.2%	4.8%	87.2%
<b>Downers</b>	8.2%	3.5%	1.8%	2.9%	91.8%
Grade 7	1.3%	0.6%	0.2%	0.5%	98.7%
Grade 8	3.6%	1.3%	0.9%	1.4%	96.4%
Grade 9	7.6%	3.2%	2.0%	2.4%	92.4%
Grade 10	11.0%	5.1%	2.3%	3.6%	89.0%
Grade 11	13.8%	5.9%	2.9%	5.0%	86.2%
Grade 12	14.1%	5.4%	3.3%	5.4%	85.9%
<b>Rohypnol</b>	3.5%	1.3%	0.6%	1.6%	96.5%
Grade 7	1.6%	0.7%	0.3%	0.6%	98.4%
Grade 8	3.3%	1.2%	0.7%	1.4%	96.7%
Grade 9	4.1%	1.5%	0.8%	1.8%	95.9%
Grade 10	4.9%	1.6%	1.1%	2.2%	95.1%
Grade 11	3.9%	1.4%	0.7%	1.8%	96.1%
Grade 12	3.3%	1.0%	0.5%	1.8%	96.7%
<b>Steroids</b>	1.6%	0.6%	0.3%	0.7%	98.4%
Grade 7	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 8	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 9	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 10	2.0%	0.7%	0.3%	1.0%	98.0%
Grade 11	1.8%	0.9%	0.2%	0.7%	98.2%
Grade 12	1.8%	0.7%	0.4%	0.7%	98.2%
<b>Ecstasy</b>	7.0%	2.4%	1.7%	2.9%	93.0%
Grade 7	2.1%	0.7%	0.3%	1.1%	97.9%
Grade 8	4.5%	1.6%	1.1%	1.8%	95.5%
Grade 9	6.9%	2.3%	1.5%	3.1%	93.1%
Grade 10	8.9%	3.0%	2.3%	3.6%	91.1%
Grade 11	10.1%	3.4%	2.3%	4.4%	89.9%
Grade 12	11.0%	3.6%	3.3%	4.1%	89.0%
<b>Heroin</b>	1.9%	0.6%	0.3%	1.0%	98.1%
Grade 7	1.4%	0.6%	0.1%	0.7%	98.6%
Grade 8	2.2%	0.6%	0.4%	1.2%	97.8%
Grade 9	2.3%	0.7%	0.3%	1.3%	97.7%
Grade 10	1.8%	0.7%	0.3%	0.8%	98.2%
Grade 11	2.1%	0.6%	0.4%	1.1%	97.9%
Grade 12	1.6%	0.6%	0.2%	0.8%	98.4%

**Table B12: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Who Would Seek Help from Adults  
for Substance Abuse Problems, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	32.9%	13.6%	5.2%	14.1%	67.1%
Grade 7	16.4%	4.8%	2.2%	9.4%	83.6%
Grade 8	24.7%	7.7%	4.3%	12.7%	75.3%
Grade 9	33.4%	12.6%	5.7%	15.1%	66.6%
Grade 10	37.9%	15.8%	6.3%	15.8%	62.1%
Grade 11	43.1%	20.3%	6.4%	16.4%	56.9%
Grade 12	48.6%	24.6%	7.3%	16.7%	51.4%
<b>Alcohol</b>	64.3%	29.4%	11.7%	23.2%	35.7%
Grade 7	44.2%	14.1%	6.0%	24.1%	55.8%
Grade 8	57.6%	20.4%	10.1%	27.1%	42.4%
Grade 9	66.2%	29.6%	12.2%	24.4%	33.8%
Grade 10	71.7%	34.9%	14.1%	22.7%	28.3%
Grade 11	74.5%	38.8%	14.6%	21.1%	25.5%
Grade 12	77.7%	44.6%	14.5%	18.6%	22.3%
<b>Inhalants</b>	14.8%	5.0%	2.5%	7.3%	85.2%
Grade 7	16.0%	6.7%	2.4%	6.9%	84.0%
Grade 8	17.9%	6.5%	3.0%	8.4%	82.1%
Grade 9	16.3%	5.4%	2.6%	8.3%	83.7%
Grade 10	14.4%	4.3%	2.5%	7.6%	85.6%
Grade 11	11.9%	3.3%	2.0%	6.6%	88.1%
Grade 12	10.8%	2.9%	1.8%	6.1%	89.2%
<b>Any Illicit Drug</b>	25.1%	10.8%	4.6%	9.7%	74.9%
Grade 7	8.6%	3.5%	1.4%	3.7%	91.4%
Grade 8	15.6%	6.4%	2.7%	6.5%	84.4%
Grade 9	24.8%	10.4%	4.8%	9.6%	75.2%
Grade 10	30.7%	13.6%	5.8%	11.3%	69.3%
Grade 11	36.8%	16.2%	6.9%	13.7%	63.2%
Grade 12	40.6%	17.4%	7.8%	15.4%	59.4%
<b>Marijuana</b>	23.7%	9.4%	4.7%	9.6%	76.3%
Grade 7	7.4%	2.8%	1.3%	3.3%	92.6%
Grade 8	14.4%	5.7%	2.6%	6.1%	85.6%
Grade 9	23.1%	9.2%	4.6%	9.3%	76.9%
Grade 10	29.2%	11.6%	5.9%	11.7%	70.8%
Grade 11	35.4%	14.3%	7.2%	13.9%	64.6%
Grade 12	39.5%	15.6%	8.1%	15.8%	60.5%
<b>Marijuana Only</b>	12.8%	3.8%	2.5%	6.5%	87.2%
Grade 7	4.5%	1.5%	0.7%	2.3%	95.5%
Grade 8	8.4%	2.6%	1.4%	4.4%	91.6%
Grade 9	12.8%	4.0%	2.3%	6.5%	87.2%
Grade 10	15.6%	4.4%	3.2%	8.0%	84.4%
Grade 11	18.4%	5.1%	3.8%	9.5%	81.6%
Grade 12	20.5%	5.8%	4.3%	10.4%	79.5%
<b>Cocaine or Crack</b>	6.8%	2.3%	1.5%	3.0%	93.2%
Grade 7	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 8	3.9%	1.4%	0.7%	1.8%	96.1%
Grade 9	6.4%	2.3%	1.3%	2.8%	93.6%
Grade 10	8.0%	2.7%	2.0%	3.3%	92.0%
Grade 11	10.5%	3.8%	2.2%	4.5%	89.5%
Grade 12	11.5%	3.7%	2.5%	5.3%	88.5%
<b>Cocaine</b>	6.3%	2.1%	1.4%	2.8%	93.7%
Grade 7	1.7%	0.5%	0.3%	0.9%	98.3%
Grade 8	3.2%	1.1%	0.6%	1.5%	96.8%
Grade 9	5.9%	2.0%	1.3%	2.6%	94.1%
Grade 10	7.6%	2.6%	1.8%	3.2%	92.4%
Grade 11	10.2%	3.7%	2.1%	4.4%	89.8%
Grade 12	11.3%	3.6%	2.5%	5.2%	88.7%

**Table B12: Students Who Would Seek Help from Adults, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	1.9%	0.5%	0.4%	1.0%	98.1%
Grade 7	1.3%	0.4%	0.2%	0.7%	98.7%
Grade 8	1.9%	0.5%	0.4%	1.0%	98.1%
Grade 9	1.9%	0.6%	0.3%	1.0%	98.1%
Grade 10	2.0%	0.6%	0.3%	1.1%	98.0%
Grade 11	2.2%	0.5%	0.4%	1.3%	97.8%
Grade 12	2.1%	0.4%	0.5%	1.2%	97.9%
<b>Hallucinogens</b>	4.1%	1.1%	0.9%	2.1%	95.9%
Grade 7	0.8%	0.3%	0.1%	0.4%	99.2%
Grade 8	1.8%	0.5%	0.4%	0.9%	98.2%
Grade 9	3.6%	1.1%	0.8%	1.7%	96.4%
Grade 10	5.7%	1.6%	1.2%	2.9%	94.3%
Grade 11	6.3%	1.6%	1.4%	3.3%	93.7%
Grade 12	7.5%	2.0%	1.7%	3.8%	92.5%
<b>Uppers</b>	5.0%	1.9%	1.2%	1.9%	95.0%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	2.0%	0.7%	0.5%	0.8%	98.0%
Grade 9	4.4%	1.6%	1.1%	1.7%	95.6%
Grade 10	6.5%	2.6%	1.5%	2.4%	93.5%
Grade 11	8.9%	3.5%	2.2%	3.2%	91.1%
Grade 12	9.4%	3.4%	2.2%	3.8%	90.6%
<b>Downers</b>	5.2%	2.0%	1.2%	2.0%	94.8%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	1.9%	0.7%	0.5%	0.7%	98.1%
Grade 9	4.4%	1.7%	1.2%	1.5%	95.6%
Grade 10	6.8%	3.0%	1.5%	2.3%	93.2%
Grade 11	9.5%	3.7%	2.0%	3.8%	90.5%
Grade 12	10.0%	3.6%	2.4%	4.0%	90.0%
<b>Rohypnol</b>	2.2%	0.7%	0.5%	1.0%	97.8%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	1.9%	0.6%	0.4%	0.9%	98.1%
Grade 9	2.6%	0.9%	0.5%	1.2%	97.4%
Grade 10	3.0%	0.9%	0.7%	1.4%	97.0%
Grade 11	2.8%	1.0%	0.4%	1.4%	97.2%
Grade 12	2.5%	0.7%	0.4%	1.4%	97.5%
<b>Steroids</b>	1.2%	0.4%	0.2%	0.6%	98.8%
Grade 7	1.0%	0.3%	0.2%	0.5%	99.0%
Grade 8	1.2%	0.5%	0.1%	0.6%	98.8%
Grade 9	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 10	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 11	1.3%	0.6%	0.1%	0.6%	98.7%
Grade 12	1.5%	0.6%	0.2%	0.7%	98.5%
<b>Ecstasy</b>	4.4%	1.4%	1.0%	2.0%	95.6%
Grade 7	1.0%	0.3%	0.1%	0.6%	99.0%
Grade 8	2.4%	0.8%	0.5%	1.1%	97.6%
Grade 9	4.1%	1.4%	0.9%	1.8%	95.9%
Grade 10	5.7%	1.9%	1.3%	2.5%	94.3%
Grade 11	6.8%	2.0%	1.5%	3.3%	93.2%
Grade 12	8.0%	2.3%	2.1%	3.6%	92.0%
<b>Heroin</b>	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 7	0.7%	0.3%	0.1%	0.3%	99.3%
Grade 8	1.2%	0.3%	0.2%	0.7%	98.8%
Grade 9	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 10	1.1%	0.4%	0.1%	0.6%	98.9%
Grade 11	1.3%	0.2%	0.3%	0.8%	98.7%
Grade 12	1.1%	0.3%	0.2%	0.6%	98.9%



**Table B13: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Who Would Not Seek Help from Adults  
for Substance Abuse Problems, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	45.3%	22.0%	7.7%	15.6%	54.7%
Grade 7	29.7%	11.5%	5.2%	13.0%	70.3%
Grade 8	39.7%	15.4%	7.0%	17.3%	60.3%
Grade 9	46.0%	21.3%	7.2%	17.5%	54.0%
Grade 10	49.5%	25.0%	8.5%	16.0%	50.5%
Grade 11	51.8%	28.1%	7.9%	15.8%	48.2%
Grade 12	55.8%	32.5%	10.3%	13.0%	44.2%
<b>Alcohol</b>	72.9%	40.5%	13.3%	19.1%	27.1%
Grade 7	60.4%	25.7%	9.3%	25.4%	39.6%
Grade 8	70.1%	34.2%	12.5%	23.4%	29.9%
Grade 9	73.6%	39.9%	13.8%	19.9%	26.4%
Grade 10	76.2%	44.2%	15.7%	16.3%	23.8%
Grade 11	77.6%	46.6%	14.2%	16.8%	22.4%
Grade 12	79.3%	54.1%	13.3%	11.9%	20.7%
<b>Inhalants</b>	23.9%	9.4%	3.9%	10.6%	76.1%
Grade 7	29.1%	14.1%	4.3%	10.7%	70.9%
Grade 8	29.8%	12.4%	5.5%	11.9%	70.2%
Grade 9	24.4%	9.5%	4.0%	10.9%	75.6%
Grade 10	23.3%	8.2%	3.8%	11.3%	76.7%
Grade 11	18.4%	6.4%	2.9%	9.1%	81.6%
Grade 12	16.9%	5.0%	2.9%	9.0%	83.1%
<b>Any Illicit Drug</b>	39.5%	20.0%	7.4%	12.1%	60.5%
Grade 7	21.3%	11.2%	3.0%	7.1%	78.7%
Grade 8	30.1%	14.2%	6.1%	9.8%	69.9%
Grade 9	38.7%	19.6%	7.3%	11.8%	61.3%
Grade 10	45.5%	22.6%	9.7%	13.2%	54.5%
Grade 11	50.5%	25.9%	9.0%	15.6%	49.5%
Grade 12	52.2%	27.2%	9.4%	15.6%	47.8%
<b>Marijuana</b>	37.1%	17.3%	7.6%	12.2%	62.9%
Grade 7	18.4%	9.1%	2.9%	6.4%	81.6%
Grade 8	27.5%	12.2%	5.8%	9.5%	72.5%
Grade 9	36.0%	16.5%	7.7%	11.8%	64.0%
Grade 10	42.7%	19.3%	9.9%	13.5%	57.3%
Grade 11	48.7%	23.3%	9.2%	16.2%	51.3%
Grade 12	50.9%	24.7%	10.0%	16.2%	49.1%
<b>Marijuana Only</b>	18.3%	6.6%	4.0%	7.7%	81.7%
Grade 7	10.1%	4.2%	1.7%	4.2%	89.9%
Grade 8	14.5%	5.3%	3.0%	6.2%	85.5%
Grade 9	18.5%	6.6%	4.3%	7.6%	81.5%
Grade 10	20.0%	6.5%	5.4%	8.1%	80.0%
Grade 11	23.7%	8.8%	4.6%	10.3%	76.3%
Grade 12	23.5%	8.5%	4.8%	10.2%	76.5%
<b>Cocaine or Crack</b>	12.3%	5.0%	2.4%	4.9%	87.7%
Grade 7	6.5%	2.4%	1.0%	3.1%	93.5%
Grade 8	8.4%	3.1%	1.7%	3.6%	91.6%
Grade 9	11.0%	4.9%	2.1%	4.0%	89.0%
Grade 10	14.2%	6.0%	2.9%	5.3%	85.8%
Grade 11	15.8%	6.4%	2.9%	6.5%	84.2%
Grade 12	19.0%	7.8%	3.9%	7.3%	81.0%
<b>Cocaine</b>	11.4%	4.6%	2.3%	4.5%	88.6%
Grade 7	4.9%	1.7%	0.8%	2.4%	95.1%
Grade 8	7.1%	2.6%	1.4%	3.1%	92.9%
Grade 9	9.8%	4.4%	1.8%	3.6%	90.2%
Grade 10	13.7%	5.7%	2.8%	5.2%	86.3%
Grade 11	15.6%	6.0%	3.0%	6.6%	84.4%
Grade 12	18.8%	7.7%	3.9%	7.2%	81.2%

**Table B13: Students Who Would Not Seek Help from Adults, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	4.0%	1.3%	0.8%	1.9%	96.0%
Grade 7	4.0%	1.4%	0.6%	2.0%	96.0%
Grade 8	4.3%	1.3%	0.9%	2.1%	95.7%
Grade 9	4.3%	1.6%	1.1%	1.6%	95.7%
Grade 10	3.9%	1.2%	0.5%	2.2%	96.1%
Grade 11	3.7%	1.2%	0.8%	1.7%	96.3%
Grade 12	3.9%	1.2%	0.6%	2.1%	96.1%
<b>Hallucinogens</b>	7.4%	2.6%	1.7%	3.1%	92.6%
Grade 7	2.7%	1.2%	0.7%	0.8%	97.3%
Grade 8	4.6%	1.5%	1.1%	2.0%	95.4%
Grade 9	6.7%	2.4%	1.2%	3.1%	93.3%
Grade 10	9.5%	3.5%	2.2%	3.8%	90.5%
Grade 11	10.1%	3.4%	2.2%	4.5%	89.9%
Grade 12	12.0%	3.6%	3.0%	5.4%	88.0%
<b>Uppers</b>	8.7%	4.2%	1.9%	2.6%	91.3%
Grade 7	2.4%	1.4%	0.2%	0.8%	97.6%
Grade 8	4.5%	1.9%	1.2%	1.4%	95.5%
Grade 9	7.4%	3.4%	1.9%	2.1%	92.6%
Grade 10	11.5%	6.2%	2.2%	3.1%	88.5%
Grade 11	13.7%	6.6%	2.7%	4.4%	86.3%
Grade 12	13.6%	6.2%	3.0%	4.4%	86.4%
<b>Downers</b>	9.0%	4.4%	1.9%	2.7%	91.0%
Grade 7	2.1%	1.0%	0.3%	0.8%	97.9%
Grade 8	4.0%	1.8%	1.2%	1.0%	96.0%
Grade 9	7.5%	3.4%	2.0%	2.1%	92.5%
Grade 10	12.1%	6.5%	2.1%	3.5%	87.9%
Grade 11	14.5%	7.2%	2.7%	4.6%	85.5%
Grade 12	14.6%	6.8%	3.3%	4.5%	85.4%
<b>Rohypnol</b>	4.0%	1.8%	0.9%	1.3%	96.0%
Grade 7	2.4%	1.5%	0.4%	0.5%	97.6%
Grade 8	4.1%	2.0%	0.9%	1.2%	95.9%
Grade 9	4.5%	2.1%	0.8%	1.6%	95.5%
Grade 10	4.5%	1.8%	1.2%	1.5%	95.5%
Grade 11	4.1%	1.6%	0.9%	1.6%	95.9%
Grade 12	4.2%	1.8%	0.7%	1.7%	95.8%
<b>Steroids</b>	2.6%	1.1%	0.4%	1.1%	97.4%
Grade 7	2.8%	0.9%	0.3%	1.6%	97.2%
Grade 8	2.7%	0.8%	0.6%	1.3%	97.3%
Grade 9	1.8%	0.8%	0.3%	0.7%	98.2%
Grade 10	3.0%	1.5%	0.5%	1.0%	97.0%
Grade 11	2.1%	1.1%	0.3%	0.7%	97.9%
Grade 12	3.4%	1.7%	0.3%	1.4%	96.6%
<b>Ecstasy</b>	8.3%	3.4%	1.9%	3.0%	91.7%
Grade 7	3.5%	1.7%	0.6%	1.2%	96.5%
Grade 8	5.7%	2.4%	1.3%	2.0%	94.3%
Grade 9	8.2%	3.6%	1.5%	3.1%	91.8%
Grade 10	10.2%	3.8%	2.6%	3.8%	89.8%
Grade 11	10.5%	3.9%	2.6%	4.0%	89.5%
Grade 12	12.2%	5.3%	2.5%	4.4%	87.8%
<b>Heroin</b>	2.9%	1.2%	0.5%	1.2%	97.1%
Grade 7	2.7%	1.4%	0.2%	1.1%	97.3%
Grade 8	3.4%	1.2%	0.8%	1.4%	96.6%
Grade 9	2.9%	1.0%	0.4%	1.5%	97.1%
Grade 10	2.6%	1.2%	0.4%	1.0%	97.4%
Grade 11	2.8%	1.0%	0.6%	1.2%	97.2%
Grade 12	3.0%	1.5%	0.3%	1.2%	97.0%

**Table B14: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Living in School District Three Years or Less, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	36.7%	15.5%	5.4%	15.8%	63.3%
Grade 7	21.3%	7.0%	3.1%	11.2%	78.7%
Grade 8	30.2%	10.3%	5.2%	14.7%	69.8%
Grade 9	39.6%	16.6%	6.0%	17.0%	60.4%
Grade 10	43.9%	19.7%	6.3%	17.9%	56.1%
Grade 11	47.7%	23.1%	6.7%	17.9%	52.3%
Grade 12	53.8%	27.1%	6.6%	20.1%	46.2%
<b>Alcohol</b>	64.8%	30.3%	11.1%	23.4%	35.2%
Grade 7	48.0%	17.1%	6.7%	24.2%	52.0%
Grade 8	60.4%	24.2%	9.7%	26.5%	39.6%
Grade 9	67.9%	31.8%	12.2%	23.9%	32.1%
Grade 10	73.1%	37.6%	13.3%	22.2%	26.9%
Grade 11	75.0%	40.7%	13.9%	20.4%	25.0%
Grade 12	79.4%	45.3%	14.9%	19.2%	20.6%
<b>Inhalants</b>	18.9%	6.9%	3.0%	9.0%	81.1%
Grade 7	19.9%	8.6%	3.0%	8.3%	80.1%
Grade 8	22.2%	8.8%	3.5%	9.9%	77.8%
Grade 9	19.1%	6.9%	3.0%	9.2%	80.9%
Grade 10	18.3%	5.6%	3.2%	9.5%	81.7%
Grade 11	15.4%	5.0%	2.2%	8.2%	84.6%
Grade 12	15.2%	4.0%	2.5%	8.7%	84.8%
<b>Any Illicit Drug</b>	28.8%	12.9%	5.1%	10.8%	71.2%
Grade 7	12.1%	5.3%	1.6%	5.2%	87.9%
Grade 8	21.1%	9.3%	3.3%	8.5%	78.9%
Grade 9	31.3%	14.0%	5.9%	11.4%	68.7%
Grade 10	38.1%	17.2%	7.1%	13.8%	61.9%
Grade 11	42.4%	19.7%	7.8%	14.9%	57.6%
Grade 12	45.3%	19.5%	8.6%	17.2%	54.7%
<b>Marijuana</b>	27.3%	11.4%	5.2%	10.7%	72.7%
Grade 7	10.6%	4.5%	1.4%	4.7%	89.4%
Grade 8	19.5%	8.2%	3.4%	7.9%	80.5%
Grade 9	29.7%	12.3%	5.8%	11.6%	70.3%
Grade 10	36.4%	14.8%	7.2%	14.4%	63.6%
Grade 11	41.0%	17.9%	8.0%	15.1%	59.0%
Grade 12	44.5%	17.8%	8.9%	17.8%	55.5%
<b>Marijuana Only</b>	14.4%	4.6%	2.6%	7.2%	85.6%
Grade 7	6.4%	2.3%	0.8%	3.3%	93.6%
Grade 8	10.9%	4.0%	1.7%	5.2%	89.1%
Grade 9	15.9%	5.1%	2.9%	7.9%	84.1%
Grade 10	18.5%	5.4%	3.6%	9.5%	81.5%
Grade 11	20.9%	6.5%	4.0%	10.4%	79.1%
Grade 12	22.2%	6.0%	5.1%	11.1%	77.8%
<b>Cocaine or Crack</b>	8.1%	3.0%	1.4%	3.7%	91.9%
Grade 7	3.2%	0.9%	0.6%	1.7%	96.8%
Grade 8	5.4%	1.9%	0.8%	2.7%	94.6%
Grade 9	8.3%	3.6%	1.3%	3.4%	91.7%
Grade 10	11.1%	3.9%	2.5%	4.7%	88.9%
Grade 11	12.5%	4.4%	2.5%	5.6%	87.5%
Grade 12	14.5%	5.1%	2.6%	6.8%	85.5%
<b>Cocaine</b>	7.5%	2.7%	1.4%	3.4%	92.5%
Grade 7	2.4%	0.7%	0.3%	1.4%	97.6%
Grade 8	4.5%	1.6%	0.7%	2.2%	95.5%
Grade 9	7.4%	3.2%	1.1%	3.1%	92.6%
Grade 10	10.5%	3.7%	2.4%	4.4%	89.5%
Grade 11	12.1%	4.3%	2.2%	5.6%	87.9%
Grade 12	14.3%	5.0%	2.7%	6.6%	85.7%

**Table B14: Students in School District Three Years or Less, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.7%	0.8%	0.4%	1.5%	97.3%
Grade 7	1.9%	0.4%	0.4%	1.1%	98.1%
Grade 8	2.6%	0.8%	0.3%	1.5%	97.4%
Grade 9	3.0%	1.1%	0.4%	1.5%	97.0%
Grade 10	3.2%	0.8%	0.6%	1.8%	96.8%
Grade 11	3.0%	0.8%	0.5%	1.7%	97.0%
Grade 12	3.1%	0.6%	0.6%	1.9%	96.9%
<b>Hallucinogens</b>	4.9%	1.4%	1.0%	2.5%	95.1%
Grade 7	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 8	3.2%	0.9%	0.6%	1.7%	96.8%
Grade 9	4.7%	1.3%	1.1%	2.3%	95.3%
Grade 10	7.2%	2.0%	1.5%	3.7%	92.8%
Grade 11	8.0%	2.0%	1.8%	4.2%	92.0%
Grade 12	9.9%	2.8%	1.8%	5.3%	90.1%
<b>Uppers</b>	5.6%	2.1%	1.3%	2.2%	94.4%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	2.6%	1.0%	0.5%	1.1%	97.4%
Grade 9	5.7%	1.9%	1.7%	2.1%	94.3%
Grade 10	8.4%	3.3%	1.7%	3.4%	91.6%
Grade 11	10.6%	3.9%	2.9%	3.8%	89.4%
Grade 12	10.8%	4.2%	2.2%	4.4%	89.2%
<b>Downers</b>	5.7%	2.3%	1.2%	2.2%	94.3%
Grade 7	0.9%	0.4%	0.1%	0.4%	99.1%
Grade 8	2.6%	1.1%	0.5%	1.0%	97.4%
Grade 9	5.9%	2.3%	1.6%	2.0%	94.1%
Grade 10	8.7%	3.5%	1.7%	3.5%	91.3%
Grade 11	10.6%	4.3%	2.4%	3.9%	89.4%
Grade 12	11.6%	4.6%	1.9%	5.1%	88.4%
<b>Rohypnol</b>	2.8%	1.1%	0.4%	1.3%	97.2%
Grade 7	1.2%	0.5%	0.3%	0.4%	98.8%
Grade 8	2.7%	1.1%	0.3%	1.3%	97.3%
Grade 9	3.2%	1.3%	0.6%	1.3%	96.8%
Grade 10	4.1%	1.4%	0.8%	1.9%	95.9%
Grade 11	3.5%	1.2%	0.5%	1.8%	96.5%
Grade 12	3.1%	0.8%	0.4%	1.9%	96.9%
<b>Steroids</b>	1.5%	0.5%	0.2%	0.8%	98.5%
Grade 7	1.3%	0.4%	0.1%	0.8%	98.7%
Grade 8	1.9%	0.5%	0.3%	1.1%	98.1%
Grade 9	1.4%	0.4%	0.3%	0.7%	98.6%
Grade 10	1.4%	0.4%	0.2%	0.8%	98.6%
Grade 11	1.6%	0.7%	0.2%	0.7%	98.4%
Grade 12	1.5%	0.7%	0.2%	0.6%	98.5%
<b>Ecstasy</b>	5.4%	1.8%	1.1%	2.5%	94.6%
Grade 7	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 8	3.9%	1.4%	0.7%	1.8%	96.1%
Grade 9	5.7%	2.0%	1.1%	2.6%	94.3%
Grade 10	7.4%	2.5%	1.6%	3.3%	92.6%
Grade 11	8.6%	2.5%	1.9%	4.2%	91.4%
Grade 12	10.5%	3.6%	2.1%	4.8%	89.5%
<b>Heroin</b>	1.8%	0.6%	0.2%	1.0%	98.2%
Grade 7	1.2%	0.4%	0.1%	0.7%	98.8%
Grade 8	2.1%	0.7%	0.4%	1.0%	97.9%
Grade 9	2.0%	0.6%	0.3%	1.1%	98.0%
Grade 10	1.8%	0.7%	0.2%	0.9%	98.2%
Grade 11	2.1%	0.6%	0.3%	1.2%	97.9%
Grade 12	2.1%	0.7%	0.3%	1.1%	97.9%

**Table B15: Prevalence and Recency of Substance Use, by Grade:  
Texas Secondary Students Living in School District More Than Three Years, 2006**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Tobacco</b>	34.9%	15.2%	5.8%	13.9%	65.1%
Grade 7	17.4%	5.6%	2.5%	9.3%	82.6%
Grade 8	26.2%	8.6%	4.6%	13.0%	73.8%
Grade 9	34.7%	13.6%	6.0%	15.1%	65.3%
Grade 10	39.1%	17.0%	6.9%	15.2%	60.9%
Grade 11	43.6%	21.3%	6.7%	15.6%	56.4%
Grade 12	49.3%	26.0%	8.1%	15.2%	50.7%
<b>Alcohol</b>	66.5%	32.0%	12.3%	22.2%	33.5%
Grade 7	46.5%	15.7%	6.4%	24.4%	53.5%
Grade 8	59.6%	22.4%	10.8%	26.4%	40.4%
Grade 9	68.0%	31.7%	12.8%	23.5%	32.0%
Grade 10	72.5%	36.5%	14.8%	21.2%	27.5%
Grade 11	75.3%	40.2%	14.7%	20.4%	24.7%
Grade 12	77.7%	46.5%	14.2%	17.0%	22.3%
<b>Inhalants</b>	15.7%	5.5%	2.6%	7.6%	84.3%
Grade 7	17.5%	7.8%	2.5%	7.2%	82.5%
Grade 8	19.2%	7.2%	3.4%	8.6%	80.8%
Grade 9	17.5%	6.1%	2.9%	8.5%	82.5%
Grade 10	15.3%	4.9%	2.6%	7.8%	84.7%
Grade 11	12.4%	3.5%	2.2%	6.7%	87.6%
Grade 12	11.5%	3.3%	1.9%	6.3%	88.5%
<b>Any Illicit Drug</b>	27.7%	12.5%	5.3%	9.9%	72.3%
Grade 7	10.3%	4.5%	1.8%	4.0%	89.7%
Grade 8	17.3%	7.2%	3.4%	6.7%	82.7%
Grade 9	26.6%	12.1%	5.1%	9.4%	73.4%
Grade 10	32.5%	15.2%	6.5%	10.8%	67.5%
Grade 11	38.7%	17.7%	7.1%	13.9%	61.3%
Grade 12	42.3%	19.2%	8.1%	15.0%	57.7%
<b>Marijuana</b>	26.1%	10.9%	5.4%	9.8%	73.9%
Grade 7	8.9%	3.6%	1.6%	3.7%	91.1%
Grade 8	15.8%	6.3%	3.2%	6.3%	84.2%
Grade 9	24.6%	10.4%	5.1%	9.1%	75.4%
Grade 10	30.8%	12.9%	6.6%	11.3%	69.2%
Grade 11	37.1%	15.5%	7.6%	14.0%	62.9%
Grade 12	41.1%	17.3%	8.3%	15.5%	58.9%
<b>Marijuana Only</b>	13.6%	4.2%	2.9%	6.5%	86.4%
Grade 7	5.1%	1.7%	1.0%	2.4%	94.9%
Grade 8	9.0%	2.7%	1.7%	4.6%	91.0%
Grade 9	13.1%	4.4%	2.6%	6.1%	86.9%
Grade 10	15.7%	4.8%	3.5%	7.4%	84.3%
Grade 11	19.0%	5.7%	3.9%	9.4%	81.0%
Grade 12	20.6%	6.3%	4.2%	10.1%	79.4%
<b>Cocaine or Crack</b>	7.8%	2.8%	1.7%	3.3%	92.2%
Grade 7	3.0%	1.0%	0.5%	1.5%	97.0%
Grade 8	4.7%	1.6%	1.0%	2.1%	95.3%
Grade 9	7.1%	2.6%	1.6%	2.9%	92.9%
Grade 10	8.8%	3.3%	2.0%	3.5%	91.2%
Grade 11	11.1%	4.2%	2.4%	4.5%	88.9%
Grade 12	12.7%	4.3%	2.9%	5.5%	87.3%
<b>Cocaine</b>	7.3%	2.6%	1.6%	3.1%	92.7%
Grade 7	2.2%	0.7%	0.4%	1.1%	97.8%
Grade 8	3.8%	1.3%	0.8%	1.7%	96.2%
Grade 9	6.6%	2.4%	1.5%	2.7%	93.4%
Grade 10	8.4%	3.0%	2.1%	3.3%	91.6%
Grade 11	10.9%	4.1%	2.3%	4.5%	89.1%
Grade 12	12.4%	4.2%	2.7%	5.5%	87.6%

**Table B15: Students Living in School District More Than Three Years, 2006 (Cont.)**

	Ever Used	Past Month	School Year (Not Past Month)	Not Past Year	Never Used
<b>Crack</b>	2.2%	0.6%	0.5%	1.1%	97.8%
Grade 7	1.7%	0.6%	0.3%	0.8%	98.3%
Grade 8	2.3%	0.7%	0.5%	1.1%	97.7%
Grade 9	2.2%	0.7%	0.6%	0.9%	97.8%
Grade 10	2.3%	0.7%	0.4%	1.2%	97.7%
Grade 11	2.2%	0.5%	0.5%	1.2%	97.8%
Grade 12	2.4%	0.6%	0.5%	1.3%	97.6%
<b>Hallucinogens</b>	4.7%	1.4%	1.1%	2.2%	95.3%
Grade 7	1.0%	0.4%	0.2%	0.4%	99.0%
Grade 8	2.1%	0.6%	0.5%	1.0%	97.9%
Grade 9	4.2%	1.4%	0.8%	2.0%	95.8%
Grade 10	6.3%	2.0%	1.4%	2.9%	93.7%
Grade 11	6.6%	2.0%	1.4%	3.2%	93.4%
Grade 12	8.2%	2.3%	1.9%	4.0%	91.8%
<b>Uppers</b>	5.8%	2.4%	1.3%	2.1%	94.2%
Grade 7	1.0%	0.5%	0.1%	0.4%	99.0%
Grade 8	2.4%	0.9%	0.6%	0.9%	97.6%
Grade 9	4.8%	1.9%	1.2%	1.7%	95.2%
Grade 10	7.3%	3.4%	1.6%	2.3%	92.7%
Grade 11	9.5%	4.1%	2.0%	3.4%	90.5%
Grade 12	10.1%	3.8%	2.4%	3.9%	89.9%
<b>Downers</b>	6.0%	2.6%	1.4%	2.0%	94.0%
Grade 7	0.9%	0.4%	0.2%	0.3%	99.1%
Grade 8	2.2%	0.8%	0.6%	0.8%	97.8%
Grade 9	4.9%	2.0%	1.4%	1.5%	95.1%
Grade 10	7.7%	3.9%	1.7%	2.1%	92.3%
Grade 11	10.3%	4.4%	2.0%	3.9%	89.7%
Grade 12	10.8%	4.2%	2.7%	3.9%	89.2%
<b>Rohypnol</b>	2.5%	0.9%	0.5%	1.1%	97.5%
Grade 7	1.1%	0.5%	0.2%	0.4%	98.9%
Grade 8	2.1%	0.7%	0.6%	0.8%	97.9%
Grade 9	3.0%	1.1%	0.6%	1.3%	97.0%
Grade 10	3.1%	1.1%	0.7%	1.3%	96.9%
Grade 11	2.9%	1.1%	0.5%	1.3%	97.1%
Grade 12	2.8%	0.9%	0.5%	1.4%	97.2%
<b>Steroids</b>	1.5%	0.6%	0.2%	0.7%	98.5%
Grade 7	1.3%	0.6%	0.1%	0.6%	98.7%
Grade 8	1.3%	0.5%	0.2%	0.6%	98.7%
Grade 9	1.3%	0.5%	0.1%	0.7%	98.7%
Grade 10	1.8%	0.8%	0.2%	0.8%	98.2%
Grade 11	1.5%	0.7%	0.2%	0.6%	98.5%
Grade 12	1.9%	0.8%	0.3%	0.8%	98.1%
<b>Ecstasy</b>	5.2%	1.8%	1.2%	2.2%	94.8%
Grade 7	1.6%	0.5%	0.3%	0.8%	98.4%
Grade 8	2.6%	0.9%	0.7%	1.0%	97.4%
Grade 9	4.8%	1.9%	0.9%	2.0%	95.2%
Grade 10	6.6%	2.3%	1.6%	2.7%	93.4%
Grade 11	7.2%	2.4%	1.7%	3.1%	92.8%
Grade 12	8.5%	2.8%	2.1%	3.6%	91.5%
<b>Heroin</b>	1.4%	0.5%	0.2%	0.7%	98.6%
Grade 7	1.1%	0.4%	0.2%	0.5%	98.9%
Grade 8	1.5%	0.4%	0.3%	0.8%	98.5%
Grade 9	1.7%	0.6%	0.2%	0.9%	98.3%
Grade 10	1.4%	0.6%	0.2%	0.6%	98.6%
Grade 11	1.4%	0.3%	0.4%	0.7%	98.6%
Grade 12	1.3%	0.5%	0.2%	0.6%	98.7%