

TEXAS HEALTH AND HUMAN SERVICES COMMISSION

DEPARTMENT OF STATE HEALTH SERVICES
DEPARTMENT OF AGING AND DISABILITY SERVICES



DRUG FORMULARY 2005


<http://www.dshs.state.tx.us/mhprograms/Formulary.shtm>

HOW TO USE THIS FORMULARY

The Texas Department of State Health Services (DSHS)/Department of Aging and Disability Services (DADS) Drug Formulary is the publication that outlines the medications that have been approved for use in Community Mental Health Centers, Mental Health State Hospitals and the Mental Retardation State School systems. The formulary is published annually in the last quarter of the calendar year. This document is divided into three sections (Alphabetical Listing, Therapeutic Classification/Cost Index, and Alphabetical Index) to facilitate usage.


1. ALPHABETICAL LISTING:

This section lists all the medications alphabetically by generic (nonproprietary) name. Trade (proprietary) names and abbreviations are listed in parenthesis after the generic name. In this section, all approved dosage forms and strengths are also listed.



2. THERAPEUTIC CLASSIFICATION/COST INDEX:

This section groups the medications by therapeutic usage and lists them alphabetically by generic (nonproprietary) name. Medications may be listed in multiple categories. For trade names, consult the alphabetical index. Also in this section is a relative cost index so that medications used in similar situations can be evaluated keeping cost of care in mind. Relative cost is based on cost per day of the average dose. The cost of bulk items is listed per unit.



* Index = \$ < \$\$ < \$ < \$\$ < \$\$\$ < \$\$\$\$ < \$\$\$\$\$ < \$\$\$\$\$\$ < \$\$\$\$\$\$\$

3. ALPHABETICAL INDEX:

This section lists all the medications alphabetically by trade name, generic name, and abbreviations. Page numbers for each of the listings is provided.

INTRODUCTION

The purpose of the DSHS/DADS Executive Formulary Committee is to maintain and update the *Formulary* and to recommend standards for drug use within the Community Mental Health Centers, Mental Health State Hospital and the Mental Retardation State School systems. The Committee is concerned with maintaining the highest standards for drug use. To assist the clinician in prescribing the most cost effective agents a Therapeutic Classification with relative cost data is provided. Because of their frequency of use, the highest level of concern and vigilance centers on the psychotropic medications. For the clinician's reference, the *Formulary* provides tables summarizing the recommended dosage ranges for the psychotropic drugs; however, these guidelines are not intended to replace other references or the clinician's clinical judgment. The clinician is urged to check with other references, including the Department of State Health Services rule governing prescribing of psychoactive medications (Texas Administrative Code, Title 25, Part 1, Chapter 415, Subchapter A), *The American Hospital Formulary Service Drug Information, Facts & Comparisons*, and *The AMA Drug Evaluations* among other reliable sources.

This *Formulary*, is not intended to be a reference for drug use. Rather it is to serve the clinician as a listing of drugs, which are approved for use within the Department. Approval of a drug entity for inclusion in the Formulary does not imply approval of all formulations containing that entity. The Executive Formulary Committee will decide which formulations are approved for use within the department. Not all drugs listed in the *Formulary* will be stocked at each facility's pharmacy. If a physician, dentist, nurse or pharmacist desires to have a drug added to the *Formulary*, he or she should complete and submit the appropriate form (New Drug Application, DF-1, see Appendix 1) to the facility's Pharmacy and Therapeutics Committee. If it is approved at the facility level but is not included in the Departmental Formulary, the facility's Director of Pharmacy must then forward the request to the DSHS/DADS Executive Formulary Committee in care of the Texas Department of State Health Services, State Hospital Section. Requests received at least 30 days prior to the quarterly meeting will be considered at that meeting. Requests received less than 30 days before the meeting will not be considered until the following meeting. Clinicians and facilities are encouraged to submit supporting documents with their formulary request. The Executive Formulary Committee will evaluate the submission's appropriateness based upon the efficacy and safety of the proposed drug compared with existing formulary items and cost effectiveness of the new agent. When appropriate, the Executive Formulary committee will add the new drug or replace old agents in the same pharmacological/therapeutic category with the new agent. The DSHS/DADS *Formulary* and Interim Formulary Updates are available at <http://www.dshs.state.tx.us/mhprograms/Formulary.shtm>

The DSHS/DADS Formulary consists of routine and reserve drugs. Drugs in the reserve class have specific guidelines for use printed in the *Formulary*. These guidelines will be used to audit the appropriate use of reserve drugs. Based on the audit results, continuing education will be developed and targeted as needed. The purpose of reserve status is to stimulate thought and promote care in prescribing. Discussions about the use of reserve status drugs with peers are encouraged. Use of reserve status drugs

requires documentation of justification in the patient's progress notes.

As a means of preventing medication errors, the *Formulary* has incorporated TALL MAN characters to assist in distinguishing look-alike drug names. TALL MAN characters are being implemented in various parts of the pharmaceutical industry in order to prevent medication errors. Even though the *Formulary* may not play a major role in preventing medication errors, hopefully this change will stimulate the awareness of TALL MAN characters and assist in implementing this print style in other areas of our medication use process.

The Texas Department of State Health Services and The Texas Department of Aging and Disability Services utilize a closed formulary system. Only drugs listed in the *Formulary* are to be stocked, prescribed and dispensed in DSHS/DADS facilities including pharmaceutical products recommended by consultants for specialized treatments. When a patient's condition requires a drug not listed in the *Formulary*, limited quantities can be obtained for use in that particular patient. However, documentation (Non-Formulary Drug Justification Form, DF-2, see Appendix 2) should be submitted to the facility Clinical Director and the Office of the Medical Director where it will be reviewed by the Executive Formulary Committee to assure reasonable compliance with the *Formulary*.

When requested by the Commissioner, the Executive Formulary Committee will make other recommendations regarding drug use. If facility clinicians have topics for committee consideration, these requests should be sent to the Chairperson, DSHS/DADS Executive Formulary Committee in care of the Texas Department of State Health Services, State Hospital Section (mail code 2023). The Committee also appreciates your comments concerning the printing of the *Formulary* and Committee deliberations and decisions. To facilitate your involvement, a schedule of the review process has been added to this edition of the *Formulary*. Please feel free to provide input.

Robert L. Ward, DO
Interim - Chairperson
Executive Formulary Committee

Steven P. Shon, MD
Medical Director, Behavioral Health
DSHS

December 2004
Date

MEMBERS OF THE DSHS/DADS EXECUTIVE FORMULARY COMMITTEE

Victoria B. Morgan, MD, Chair Rusk State Hospital	Jack McCoy, MD Lufkin State School
Janet Adams, MSN, RN, CNS San Antonio State School	Daniel J. Still, PharmD, BCPP San Antonio State Hospital
Rosah Chadwick, RPh Denton State School	Ann L. Richards, PharmD, BCPP Pharmacy Services Director San Antonio State Hospital
Erlinda R. Devera, MD Rio Grande State Center	Cindy Sturdivant, BSN, RNC Big Spring State Hospital
Emilio Dominguez, MD Center for Health Care Services San Antonio	Bernardo C. Tarin-Godoy, MD El Paso Psychiatric Center
Jeanna Heidel, PharmD Rusk State Hospital	Robert L. Ward, DO Kerrville State Hospital
Robin Mallett, MD Gulf Coast Center	
<i>Ex-Officio Members</i>	
Stephen P. Shon, MD Medical Director, Behavioral Health (DSHS)	
Kenny Dudley Director, State Hospital Sections (DSHS)	
Robert Kifowit Director, State Mental Retardation Facilities (DADS)	
Mike Maples Director, MH/SA Program Services (DSHS)	
Barbara Otting, MSN, RN Discipline Coordinator Nursing Services (DADS)	
Patricia Martin Director, Contracting & Procurement Support, State Operations (HHSC)	
Camille Hemlock, MD Discipline Coordinator Medical Services (DADS)	
Nina Jo Muse, MD Psychiatric Advisor for Mental Health (DSHS)	
DSHS/DADS DRUG FORMULARY EDITOR	
Sharon M. Tramonte, PharmD San Antonio State School	

Table of Contents

Formulary Review Schedule	9
Procedure for Addition of Drugs to the Formulary	10
Psychotropic Dosage Guidelines	11
Antipsychotics	13
Antidepressants	14
Foods Containing Tyramine	15
Mood Stabilizers.....	16
Stimulants	16
Miscellaneous Drugs Used for Psychotropic Purposes	16
Anxiolytics	17
Sedatives and Hypnotics.....	17
Reserve Drugs	18
Therapeutic Serum Concentrations of Some Anticonvulsants	21
Antibiotic Sensitivities	22
Alphabetical Listing	24
Therapeutic Classification/Cost Index	72
Antidiabetic Agents	72
Insulins, Human	72
Sulfonylureas	72
Miscellaneous Antidiabetics	72
Glucose Elevating Agents	72
Antidotes/Deterrents/Poison Control Agents	73
Antihistamines	73
Antineoplastic Agents	73
Blood Modifying Agents	73
Antiplatelet	73
Anticoagulant	74
Anticoagulation Antagonist.....	74
Miscellaneous Blood Modifying Agents.....	74

Cardiovascular Agents	74
Diuretics	74
Cardiac Glycosides	74
Antianginals.....	75
Antiarrhythmics	75
Calcium Channel Blockers	75
Beta-Adrenergic Blockers.....	75
Antihyperlipidemics	75
Angiotensin Converting Enzyme Inhibitors.....	75
Vasopressors	76
Miscellaneous Antihypertensives	76
Miscellaneous Cardiovasculars	76
Central Nervous System Agents	76
Analgesics	76
Antiemetic/Antivertigo Agents	77
Psychotropic Agents.....	78
Sedatives and Hypnotics.....	80
Anticonvulsants	81
Muscle Relaxants	81
AntiParkinson Agents.....	82
Agents for Migraine	82
Miscellaneous Central Nervous System Agents.....	82
Endocrine Agents	82
Estrogens	82
Progesterones	82
Combination Products	83
Androgens.....	83
Adrenal Cortical Steroids.....	83
Thyroid Agents	83
Miscellaneous Endocrine Agents	83
Gastrointestinal Agents	84
Antacids	84
Antispasmodics/Anticholinergic Agents.....	84
Histamine (H ₂) Antagonists	84
Proton Pump Inhibitors.....	84
Antiflatulents.....	84
Stimulants	84
Laxatives	85
Antidiarrheals	85
Rectal Agents.....	86
Miscellaneous Gastrointestinal Agents.....	86

Genitourinary Agents	86
Interstitial Cystitis Agents	86
Genitourinary Irrigants.....	86
Urinary Alkalinizers.....	87
Urinary Anticholinergics.....	87
Urinary Cholinergics	87
Vaginal Antifungals.....	87
Miscellaneous Genitourinary Agents	87
Immunological Agents	87
Immune Serums.....	87
Bacterial Vaccines.....	87
Viral Vaccines	88
Toxoids.....	88
<i>In-Vivo</i> Diagnostic Biologicals	88
Infectious Disease Agents	88
Antibiotics	88
Antifungals	89
Antimalarials.....	89
Antituberculars	90
Antivirals.....	90
Anthelmintics	90
Urinary Anti-Infectives	90
Miscellaneous Anti-Infectives	90
Intravenous Solutions and Additives	91
Intravenous Solutions.....	91
Electrolyte Replacement Additives	91
Nutritional Agents	92
Vitamins	92
Minerals Trace Elements and Electrolytes	92
Combination Products	92

Respiratory Agents	93
Bronchodilators	93
Decongestants	93
Steroids	93
Antitussives	93
Expectorants	93
Cough and Cold Preparations	93
Miscellaneous Respiratory Drugs.....	94
Topical Agents	94
Ophthalmics	94
Otics	95
Nasal, Mouth and Throat Agents.....	96
Dermatologicals.....	96
Irrigation Solutions.....	99
Alphabetical Index	100
Appendix 1: New Drug Application Form	111
Appendix 2: Non-Formulary Drug Justification Form	113
Appendix 3: Adverse Drug Reaction Reporting (MedWatch) Form	114

FORMULARY REVIEW SCHEDULE

For FY05 – FY07 (9/1/04 – 8/31/07)

FY	Meeting Number	Category
05	1*	Antidiabetic Antidotes/Deterrents/Poison Control Antihistamines Antineoplastic Blood Modifying
	2	Analgesics Antiemetics/Antivertigo Sedative and Hypnotics Anticonvulsants
	3	Muscle Relaxants Antiparkinson Agents Migraine Miscellaneous CNS Endocrine
	4	Infectious Disease
06	1*	Gastrointestinal Genitourinary
	2	Immunological Intravenous Solutions and Additives Nutritional
	3	Respiratory Ophthalmic
	4	Otics Nasal, Mouth and Throat Irrigation Solutions
07	1*	Dermatologicals, (Acne agents to Anti-Infectives Antifungals)
	2	Dermatologicals (Scabicides to Miscellaneous Dermatologicals)
	3	Psychotropic
	4	Cardiovascular

* Reserve Drugs and Tables reviewed annually

PROCEDURE FOR ADDITION OF DRUGS TO THE FORMULARY

A physician, dentist, nurse or pharmacist desiring that a new drug be added to the *Formulary* should submit a new drug application (Form DF-1) to the facility's formulary committee. If approved, the new drug application should be forwarded to the Executive Formulary Committee. The following information should accompany the application:

- (1) published articles in the biomedical literature that substantiate the efficacy and safety of the proposed new drug;
- (2) advantages of the proposed new drug compared with similar therapeutic agents presently in the *Formulary*;
- (3) drugs in the *Formulary* which the proposed agent will replace or supplement;
- (4) cost effectiveness data.

New drug applications should be received by the secretary of the committee thirty days prior to the committee's scheduled meeting date. Applications received after this time will be considered at the next meeting.

The chairperson will assign a committee member to present an objective treatise and recommendations concerning the proposed to new drug to the Executive Formulary Committee. The committee may decide to approve or deny the drug's inclusion, approve the drug on a trial basis, or postpone a decision until the following meeting of the committee. The committee, at its discretion, may approve a drug's inclusion in the *Formulary* subject to specific limitations (e.g., recommendation by qualified specialists or consultants) or as a reserve drug.

The specific limitations or guidelines for use of a reserve drug are stated in the formulary. A credentialed clinician may prescribe reserve drugs outside *Formulary* guidelines; however, such exceptions must be justified in the patient record and must be reviewed in routine facility audits of reserve drug utilization.

PSYCHOTROPIC DOSAGE GUIDELINES

The following is a list of psychotropic drug dosages. These guidelines are not intended to establish rigid standards of treatment but to assist in monitoring the pharmacotherapy of the patient. Furthermore, guidelines for special patient populations are not intended to be absolute. For those medications that have a well established therapeutic serum range, the dosage should be based upon the desired serum range and response rather than a specific maximum administered daily dosage. These guidelines should be used in conjunction with sound clinical judgment and the prescriber's experience.

In children and adolescents, metabolic and physiologic differences from adults should be considered when prescribing. Dosing based on body weight may be more accurate when treating these patients.

Different dosage requirements are usually necessary in the geriatric population. Since there is no standard definition for "geriatric", the arbitrary age of 65 has been chosen to identify geriatric patients. In general, geriatric patient dosing guidelines should reflect a "go low, go slow" approach. Standard reference books should be consulted if needed for appropriate dosages when treating this population.

In general, when treating patients with developmental disabilities, a "go low, go slow" approach is recommended when increasing or decreasing psychotropic medication. The use of psychotropic medication can be therapeutic and empowering for a person with both mental retardation and a mental illness. The primary goal is to obtain an accurate diagnosis of behavioral and psychiatric symptoms so that the patients' treatment is appropriate. A functional analysis by a psychologist is vital prior to starting any psychotropic medication except in an emergency. The U. S. Health Care Financing Administration now states that the least intrusive and most positive intervention to treat behavioral or psychiatric symptoms in a person with mental retardation may be the use of a psychotropic medication.

Prescribing psychotropic medication should be based on the following resources:

The Department of State Health Services rule governing prescribing of psychoactive medications (Texas Administrative Code, Title 25, Part 1, Chapter 415, Subchapter A)

Other useful resources that reflect current Standards of Care for the mentally ill include but are not limited to the following:

Treatment Guidelines of Various Psychiatric Disorders

Examples include:

APA Practice Guideline for the treatment of Patients with Schizophrenia. *Am J Psychiatry* 1997; 154: 4 (April supplement)

APA Practice Guideline for Major Depressive Disorder in Adults. *Am J Psychiatry* 1993; 150 (supplement)

Consensus Guidelines for Bipolar Disorder. *J Clin Psychiatry* 1996; 57 (suppl

12a)

Psychotropic Medications and Developmental Disabilities: The International Consensus Handbook (Reiss and Aman, eds; AAMR, 202-387-1968)

Consensus Guidelines of Psychotropic Medication in Persons with Developmental Disabilities *AJMR*, May 2000 (special issue)

Texas Implementation of Medication Algorithms (TIMA):
www.dshs.state.tx.us/mhprograms/TIMA.shtm

Revised 29 October 2004

ANTIPSYCHOTICS

Drug	Suggested Maximum Dose (mg/day)*
Aripiprazole (Abilify)	30
chlorproMAZINE (Thorazine)	2,000
Clozapine (Clozaril) - RESERVE USE	900
Fluphenazine ¹ (oral) (Prolixin)	60
Fluphenazine Decanoate ¹ (Prolixin)	100 (q 1 - 4 weeks)
Haloperidol ² (oral) (Haldol)	40
Haloperidol Decanoate ² (Haldol)	450 mg per month
Loxapine (Loxitane)	250
Mesoridazine (Serentil) ³ - RESERVE USE	500
Molindone (Moban)	225
Olanzapine (Zyprexa)	30
Perphenazine (Trilafon)	64
Quetiapine (Seroquel)	800
Risperidone (Risperdal, Risperdal M-Tab, Risperdal Consta)	8 ⁴
Thioridazine (Mellaril) ³ - RESERVE USE	(ABSOLUTE) 800
Thiothixene (Navane)	60
Trifluoperazine (Stelazine)	80
Ziprasidone (Geodon)	240

*except where noted

¹ Fluphenazine Therapeutic Concentration = 1 - 3 ng/mL

² Haloperidol Therapeutic Concentration = 3 - 15 ng/mL

³ A boxed warning has been added to advise clinicians of prolongation of the QTc interval

⁴ Risperidone doses >6 mg/day have increased risk of EPS

Revised 29 October 2004

ANTIDEPRESSANTS

Drug	Suggested Maximum Dose (mg/day)
Amitriptyline (Elavil)	300
Amoxapine (Asendin)	600
buPROPion (Wellbutrin)	450/day (with no single dose > 150)
buPROPion SR (Wellbutrin SR)	400 450
Citalopram (Celexa)	60
Desipramine (Norpramin)	300* ¹
Doxepin (Sinequan, Adapin)	300
Escitalopram (Lexapro)	20
Fluoxetine (Prozac)	80
Fluvoxamine (Luvox)	300
Imipramine (Tofranil)	300* ²
Maprotiline (Ludiomil)	225
Mirtazapine (Remeron)	45
Nortriptyline (Pamelor, Aventyl)	200* ³
Paroxetine (Paxil)	50
Phenelzine (Nardil)	90
Protriptyline (Vivactil)	60
Sertraline (Zoloft)	200
Tranylcypromine (Parnate)	60
Trazodone (Desyrel)	600
Trimipramine (Surmontil)	300
Venlafaxine (Effexor)	375
Venlafaxine XR (Effexor XR)	

*Plasma concentration monitoring is recommended if these doses are exceeded.

¹Desipramine Therapeutic Concentration = 100-300 ng/mL

²Imipramine Therapeutic Concentration = 150-250 ng/mL

³Nortriptyline Therapeutic Concentration = 50-150 ng/mL

Revised 29 October 2004

FOODS CONTAINING TYRAMINE

***High Amounts of Tyramine**

Smoked, aged or pickled meat or fish
Sauerkraut
Aged Cheeses such as Swiss and Cheddar
Yeast extracts
Fava beans

****Moderate Amounts of Tyramine**

Beer
Avocados
Meat extracts
Red wines such as Chianti

*****Low Amounts of Tyramine**

Caffeine-containing beverages
Distilled spirits
Chocolate
Soy sauce
Cottage and cream cheeses
Yogurt and sour cream

*May not consume

**May consume in moderation

***May consume

Adapted from Shulman KI, et al. Dietary restriction, tyramine, and the use of monoamine oxidase inhibitors. *J Clin Psychopharmacol.* 1989; 9: 397.

MOOD STABILIZERS

Drug	Suggested Maximum Dose (mg/day)*	Therapeutic Serum Concentration
Carbamazepine (Tegretol, Tegretol XR, Carbatrol)	1,600	4 - 12 mcg/mL
Lamotrigine (Lamictal)	400	nd
Lithium (Lithobid, Eskalith)	3,600 (<65 years old) 1,800 (≥65 years old)	0.6-1.5 mEq/L 0.6-1.0 mEq/L
Oxcarbazepine (Trileptal)	2,400	nd
Topiramate (Topamax)	1,600	nd
Valproic Acid/Valproate (Depakene), Divalproex (Depakote)	60 mg/kg	50 - 150 mcg/mL
Verapamil (Calan, Isoptin)	480	nd

* Plasma concentration monitoring is recommended if these doses are exceeded
nd = not yet determined

Revised 29 October 2004

STIMULANTS

Drug	Suggested Maximum Dose (mg/day)
Amphetamine Mixture (Adderall, Adderall XR)	60*
Dextroamphetamine (Dexedrine)	60*
Methylphenidate (Ritalin, Concerta)	60

* suggested maximum dosage in children

Revised 24 October 2003

MISCELLANEOUS DRUGS USED FOR PSYCHOTROPIC PURPOSES

Drug	Suggested Maximum Dose (mg/day)
clomiPRAMINE (Anafranil)	250
Clonidine (Catapres)	0.4
Propranolol (Inderal)	160 (anxiety)***

*** Maximum dose has not been determined for aggression or self-injurious behavior (SIB).

Revised 19 October 1998

ANXIOLYTICS

Drug	Suggested Maximum Dose (mg/day)	
	Under 65 years (mg/day)	Over 65 years (mg/day)
Alprazolam (Xanax)	4	2
(exception: for panic disorder)	10	N/A
busPIRone (BuSpar)	60	60
Chlordiazepoxide (Librium)	100*	40*
Clonazepam (Klonopin)	20	10
Clorazepate (Tranxene)	60	30
Diazepam (Valium)	60	20
Lorazepam (Ativan)	10*	3*
Oxazepam (Serax)	90	60

*Larger doses may be necessary in some cases of alcohol/substance withdrawal.

Revised 19 October 1998

SEDATIVES AND HYPNOTICS

Drug	Suggested Maximum Dose (mg/day)	
	Under 65 years (mg/day)	Over 65 years (mg/day)
Amobarbital (Amytal) - RESERVE USE	500	500
Chloral Hydrate (Noctec)	1500*	1500*
diphenhydrAMINE (Benadryl)	300	300
hydrOXYzine (Atarax, Vistaril)	300	300
Mirtazapine (Remeron)	30	15
Temazepam (Restoril)	30	15
Trazodone (Desyrel)	150	150
Triazolam (Halcion)	0.25	0.125
Zaleplon (Sonata)	10	5
Zolpidem (Ambien)	10	5

* Individual dose usually 500 mg but doses up to 1 gram may be used to produce conscious sedation for certain procedures

Revised 25 October 2002

RESERVE DRUGS

The purpose of the reserve drug class is to stimulate thought and promote care in prescribing. Discussions and interaction with other prescribers is strongly encouraged. When reserve status drugs are utilized, documentation of justification in the patient's progress notes is mandated. To assist the prescriber, specific guidelines have been developed by the Executive Formulary Committee for use of each drug so classified. The guidelines will be used to audit the appropriate use of reserve drugs. Based on the audit results, continuing education will be developed and targeted as needed.

Drug	Guidelines for Use
Amobarbital (Amytal) C-II	For use with research protocols
Azithromycin (Zithromax)	<ol style="list-style-type: none"> 1) If a macrolide antibiotic is indicated for the treatment of an infection, then erythromycin is the drug of choice 2) The patient has prior side effects (not anaphylactic) to erythromycin which is documented in the chart 3) The prescriber is aware of the significant cost difference between erythromycin, clarithromycin, and azithromycin 4) The prescriber is aware that all macrolide antibiotics have the potential to have drug interactions
Cefuroxime Axetil (Ceftin) - Oral Form	<ol style="list-style-type: none"> 1) Streptococcus or Staphylococcus infections or any penicillin-sensitive organism infections in patients who are <ol style="list-style-type: none"> a) allergic to penicillin, and b) intolerant of erythromycin; or c) allergic or intolerant to sulfonamides; or d) therapeutic failures with penicillin, erythromycin, or sulfonamides; or 2) <i>H. influenza</i> or <i>Branhamella catarrhalis</i> infections or 3) Oral continuation of IV therapy for appropriate indications (not appropriate follow-up for coliforms); 4) Not to be used for oral therapy of gram negative infections
Clarithromycin(Biaxin)	<ol style="list-style-type: none"> 1) If a macrolide antibiotic is indicated for the treatment of an infection, then erythromycin is the drug of choice 2) The patient has prior side effects (not anaphylactic) to erythromycin which is documented in the chart 3) The prescriber is aware of the significant cost difference between erythromycin and clarithromycin 4) The prescriber is aware that all macrolide antibiotics have the potential to have drug interactions
Clobetasol (Temovate)	To be used under the direction of a dermatologist
Clopidogrel (Plavix)	Documented sensitivity to aspirin

Drug	Guidelines for Use
Clozapine (Clozaril)	<ol style="list-style-type: none"> 1) For use in patients with refractory schizophrenia or schizoaffective disorder; or 2) For use in schizophrenic or schizoaffective patients who cannot tolerate other antipsychotics; or 3) Psychosis associated with other organic conditions who have failed two antipsychotics or who cannot tolerate other antipsychotics; or 4) Manic disorders with psychosis in patients who have failed two antipsychotics
Divalproex ER (Depakote ER)	For the treatment of migraine headaches and epilepsy only.
Donepezil (Aricept)	<ol style="list-style-type: none"> 1) Preferred agent for patients who have been newly diagnosed with Alzheimer's disease 2) Patient's response needs to be monitored with a Mini-Mental Status Exam (MMSE) during the course of therapy 3) Initial dose is 5 mg/day for 4 to 6 weeks 4) Maximum dose is 10 mg/day and dose cannot be increased to 10 mg/day until the patient has been on 5 mg/day for 4 to 6 weeks
Felbamate (Felbatol)	Weekly progress note by physician monitoring for response and adverse effects for at least two weeks following initiation of therapy
Mesoridazine (Serentil)	<ol style="list-style-type: none"> 1) Indicated only for patients with refractory schizophrenia (failed other classes of antipsychotics) 2) EKG prior to initiating therapy: 7 – 14 days after dose change; 7 – 14 days after other medication changes that could significantly alter the cardiac effects of Thioridazine; every six months; and as clinically indicated 3) Potassium level prior to initiating therapy; every six months; and as clinically indicated 4) Magnesium level prior to initiating therapy; and as clinically indicated (especially if potassium level is low)
Nabumetone (Relafen)	For the treatment of chronic osteoarthritis or chronic rheumatoid arthritis
Ophthalmic agents containing a steroid	Consultation with an Ophthalmologist prior to initiation.
Pentamidine (Pentam)	<ol style="list-style-type: none"> 1) Prophylaxis post-treatment of documented <i>Pneumocystis carinii</i> pneumonia; or 2) Prophylaxis of <i>Pneumocystis carinii</i> in patients with T₄ counts of less than 200
Rivastigmine (Exelon)	Patient's response needs to be monitored with mini-mental status exam (MMSE) during the course of therapy
Thioridazine (Mellaril)	<ol style="list-style-type: none"> 1) Indicated only for patients with refractory schizophrenia (failed other classes of antipsychotics) 2) EKG prior to initiating therapy: 7 – 14 days after dose change; 7 – 14 days after other medication changes that could significantly alter the cardiac effects of Thioridazine; every six months; and as clinically indicated 3) Potassium level prior to initiating therapy; every six months; and as clinically indicated 4) Magnesium level prior to initiating therapy; and as clinically indicated (especially if potassium level is low)

Drug

Guidelines for Use

Drug	Guidelines for Use
Tizanidine (Zanaflex)	<ol style="list-style-type: none">1) Documented failure or intolerance to baclofen2) Liver enzymes obtained at baseline, 1, 3, and 6 months and at least annually3) Documentation of efficacy after one month of therapy4) The dose should be decreased in severe renal dysfunction (CrCl <25 mL/min)

THERAPEUTIC SERUM CONCENTRATIONS OF SOME ANTICONVULSANTS

Drug	(mcg/mL)
Carbamazepine (Tegretol, Tegretol XR, Carbatrol)	4-12
Ethosuximide (Zarontin)	40-100
Phenobarbital (Luminal)	10-40
Phenytoin (Dilantin)	10-20
Valproic Acid, Valproate, Divalproex (Depakene, Depakote)	Seizure Disorder: 50-150 Bipolar Disorder: 50-125 Aggression: not established

Serum concentrations are useful in the evaluation of therapy. However, they should only be considered as a guide to treatment, not the sole criterion for determination of dosage regimens.

The following anticonvulsants do not have an established therapeutic serum concentration range. Routine monitoring of these anticonvulsants is not warranted as serum concentrations cannot be correlated with clinical efficacy.

- Benzodiazepines
- Gabapentin
- Lamotrigine
- Levetiracetam
- Oxcarbazepine
- Tiagabine
- Topiramate
- Zonisamide

*Source: USP Dispensing Information, 1998
The United States Pharmacopeial Convention, Inc.

Revised 1 October 2004

ANTIBIOTIC SENSITIVITIES

STREP/STAPH INFECTIONS

Oral Medication	Dose	Cost/Day*
Pen V Potassium (Strep only)	500 mg q6h	0.40
Cloxacillin/Dicloxacillin	500 mg q6h	1.40
Cloxacillin/Dicloxacillin	1 gm q6h	2.80
Cefuroxime Axetil - Reserve Use	500 mg q8h	15.90
Cephalexin	500 mg q6h	0.63
Erythromycin	500 mg q6h	0.48
Clarithromycin - Reserve Use	500 mg q6h	10.97
Trimethoprim/Sulfamethoxazole	DS q12h	0.12

STAPH INFECTIONS

IV Medication	Dose	Cost/Day*
Nafcillin	2 gm q4h	18.72
Vancomycin	500 mg q6h	13.18

SINUSITIS - OTITIS MEDIA

Oral Medication	Dose	Cost/Day*
Amoxicillin	500 mg q8h	0.38
Amoxicillin/Clavulanate	500 mg q8h	7.47
Cefuroxime Axetil - Reserve Use	500 mg q8h	15.90
Clarithromycin - Reserve Use	500 mg q8h	8.23
Trimethoprim/Sulfamethoxazole	DS q12h	0.12
Erythromycin	500 mg q6h	0.48
Clindamycin	300 mg q6h	7.11

* Cost may vary slightly between facilities

UTI - GRAM (-)
E. COLI, KLEBSIELLA, PROTEUS

Medication	Route	Dose	Cost/Day*
Ceftriaxone	IV	1 gm qD	25.44
Trimethoprim/Sulfamethoxazole	IV	1.2 gm sulfa q12h	1.32
Ciprofloxacin	IV	400 mg q12h	60.00
Ciprofloxacin	PO	500 mg q12h	6.20
Trimethoprim/Sulfamethoxazole	PO	DS q12h	0.12

PSEUDOMONAS INFECTIONS

Medication	Route	Dose	Cost/Day*
Ticarcillin/Clavulanate	IV	3.1 gm q6h	43.26
Ciprofloxacin	IV	400 mg q12h	60.00
Gentamicin	IV	1.8 mg/kg q8h	14.40
Ciprofloxacin	PO	500 mg q12h	6.20

ANAEROBES

Medication	Route	Dose	Cost/Day*
Ticarcillin/Clavulanate	IV	3.1 gm q6h	43.26
Metronidazole	IV	500 mg q12h	32.78
Clindamycin	IV	900 mg q8h	17.26
Amoxicillin/Clavulanate	PO	500 mg q8h	7.47
Metronidazole	PO	750 mg q8h	0.40
Clindamycin	PO	300 mg q6h	7.11

* Cost may vary slightly between facilities

Revised 30 November 1998

ALPHABETICAL LISTING

Abrasive Cleanser (Brasivol, Pernox)

Pernox Cleanser (contains sulfur, salicylic acid, EDTA): 56 g, 113 g
Brasivol Cleanser (contains aluminum oxide): fine (153 g), medium (180 g), rough (195 g) textures

Acetaminophen (Tylenol)

Liquid: 160 mg/5 mL, 500 mg/15 mL
Suppository, rectal: 120 mg, 125 mg, 325 mg, 650 mg
Tablet: 325 mg, 500 mg, 650 mg
Tablet, chewable: 80 mg

Acetaminophen/Codeine C-III

Suspension, oral: Acetaminophen 120 mg/Codeine 12 mg per 5 mL (C-V)
Tablet:
#2: Acetaminophen 300 mg/Codeine 15 mg
#3: Acetaminophen 300 mg/Codeine 30 mg

Acetaminophen/Hydrocodone (Lortab, Vicodin)

Elixir: Acetaminophen 167 mg/Hydrocodone 2.5 mg per 5 mL with 7% alcohol
Tablet: Acetaminophen 325 mg/Hydrocodone 5 mg, Acetaminophen 325 mg/Hydrocodone 10 mg, Acetaminophen 500 mg/Hydrocodone 2.5 mg, Acetaminophen 500 mg/Hydrocodone 5 mg, Acetaminophen 500 mg/Hydrocodone 7.5 mg, Acetaminophen 500 mg/Hydrocodone 10 mg

acetaZOLAMIDE (Diamox)

Capsule, sustained release: 500 mg
Tablet: 125 mg, 250 mg

Acetic Acid (Acetasol, VoSol)

Solution, otic: 2%

Acetic Acid/Aluminum Acetate (Domeboro Otic)

Solution, otic: 2% acetic acid in aluminum acetate

Acetic Acid/Hydrocortisone/Propylene Glycol/Sodium Acetate/Benzethonium (VoSol HC)

Solution, otic: 1% Hydrocortisone, 2% Acetic Acid, 3% Propylene Glycol, 0.015% Sodium Acetate, and 0.02% Benzethonium

Acetylcysteine (Mucomyst)

Solution, inhalation: 10% [100 mg/mL], 20% [200 mg/mL]

Activated Charcoal

Liquid, oral, activated, with sorbitol: 25 g, 30 g, 50 g
Powder for oral suspension, activated: 15 g, 30 g, 40 g, 120 g, 240 g

Acyclovir (Zovirax)

Capsule: 200 mg
Powder for injection: 500 mg, 1000 mg
Ointment, topical 5% [50 mg/g]: 3 gm, 15 gm
Suspension, oral: 200 mg/5 mL
Tablet: 400 mg, 800 mg

Adapalene (Differin)

Gel, topical: 0.1%

Adenosine (Adenocard)

Injection: 3 mg/mL

Albuterol (Proventil, Ventolin)

Aerosol, inhalation, chlorofluorocarbon free: 90 mcg/dose (17g) [200 doses]
Solution, inhalation: 0.083% [83 mg/mL], 0.5% [50 mg/mL]
Syrup: 2 mg/5 mL
Tablet: 2 mg, 4 mg
Tablet, extended release: 4 mg, 8 mg

Alendronate (Fosamax)

Tablet: 5 mg, 10 mg, 35 mg, 40 mg, 70 mg

Allopurinol (Zyloprim)

Tablet: 100 mg, 300 mg

Alprazolam (Xanax) C-IV

Tablet: 0.25 mg, 0.5 mg, 1 mg, 2 mg

Aluminum Acetate (Burow's Solution,)

Solution, topical: 480 mL

Aluminum Hydroxide (Amphojel)

Suspension, oral: 320 mg/5 mL, 600 mg/5 mL
Tablet: 300 mg, 400 mg, 500 mg, 600 mg

Aluminum Hydroxide/Magnesium Trisilicate (Gaviscon)

Tablet, chewable: each tablet contains Aluminum Hydroxide/Magnesium Trisilicate

Aluminum Hydroxide/Magnesium Hydroxide (Maalox)

Suspension, oral: containing Aluminum Hydroxide/Magnesium Hydroxide
Tablet: each tablet contains Aluminum Hydroxide/Magnesium Hydroxide

Aluminum Hydroxide/Magnesium Hydroxide/Simethicone (Mylanta, Aludrox)

Liquid, oral: containing Aluminum Hydroxide/Magnesium Hydroxide/Simethicone

Tablet: each tablet contains Aluminum Hydroxide/Magnesium Hydroxide/Simethicone

Amantadine (Symmetrel)

Capsule: 100 mg

Syrup: 50 mg/5 mL

Amino Acid Injection (Aminosyn)

Infusion: 3.5%, 5%, 7%, 8.5%, 10%, 15%

Aminophylline (79% Theophylline)

Injection: 25 mg/mL

Suppository, rectal: 250 mg

Amitriptyline (Elavil)

Tablet: 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg

Amlodipine (Norvasc)

Tablet, extended release: 2.5 mg, 5 mg, 10 mg

Amobarbital (Amytal) C-II - RESERVE USE

Capsule: 65 mg, 200 mg 100 mg

Injection: 250 mg, 500 mg

Tablet: 30 mg, 50 mg, 100 mg, 500 mg

Amoxapine (Asendin)

Tablet: 25 mg, 50 mg, 100 mg, 150 mg

Amoxicillin (Amoxil, Polymox)

Capsule: 250 mg, 500 mg

Powder for oral suspension: 50 mg/mL, 125 mg/5 mL, 250 mg/5 mL

Tablet: 500 mg, 875 mg

Tablet, chewable: 125 mg, 250 mg

Amoxicillin/Clavulanate (Augmentin)

Tablet: 200 mg (contains 28.5 mg Clavulanate), 250 mg (contains 125 mg Clavulanate), 400 mg (contains 57 mg Clavulanate), 500 mg (contains 125 mg Clavulanate), 875 mg (contains 125 mg Clavulanate)

Tablet, chewable: 125 mg (contains 31.25 mg Clavulanate), 250 mg (contains 62.5 mg Clavulanate)

Amphetamine Mixture (Adderall, Adderall XR) CII

Capsule, extended release: 5 mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg

Tablet: 5 mg, 10 mg, 12.5 mg, 15 mg, 20 mg, 25 mg, 30 mg

Ampicillin (Polycillin, Omnipen)

Capsule, as anhydrous: 250 mg, 500 mg

Capsule, as trihydrate: 250 mg, 500 mg

Powder for injection: 125 mg, 250 mg, 500 mg, 1 g, 2 g, 10 g

Powder for oral suspension, as trihydrate: 125 mg/5 mL, 250 mg/5 mL

Antipyrine/Benzocaine (Allergen, Auralgan)

Solution, otic

Aripiprazole (Abilify)

Tablet: 5 mg, 10 mg, 15 mg, 20 mg, 30 mg

Ascorbic Acid (Vitamin C)

Solution, oral: 100 mg/mL

Tablet: 250 mg, 500 mg

Tablet, chewable: 250 mg, 500 mg

Aspirin

Suppository, rectal: 300 mg, 600 mg

Tablet: 81 mg, 325 mg, 500 mg

Tablet, buffered: 325 mg with buffering agents

Tablet, chewable: 81 mg

Tablet, enteric coated: 81 mg, 325 mg, 500 mg, 650 mg, 975 mg

Atenolol (Tenormin)

Tablet: 25 mg, 50 mg, 100 mg

Atomoxetine (Strattera)

Capsule: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg

Atorvastatin (Lipitor)

Tablet: 10 mg, 20 mg, 40 mg

Atropine Sulfate (Isopto Atropine)

Ointment, ophthalmic: 1%

Solution, ophthalmic: 1%

Attapulgit

Liquid, oral concentrate: 600 mg/15 mL, 750 mg/15 mL

Azithromycin (Zithromax)- RESERVE USE

Powder for oral solution: 200 mg/5 mL, 400 mg/5 mL

Tablet: 250 mg, 600 mg

Bacitracin (Baciguent)

Injection: 50,000 units
Ointment, ophthalmic: 500 units/g
Ointment, topical: 500 units/g

Bacitracin/Polymyxin B (Polysporin)

Ointment, ophthalmic: Bacitracin 500 units/Polymyxin B 10,000 units/g
Ointment, topical: Bacitracin 500 units/Polymyxin B 10,000 units/g
Powder, topical: Bacitracin 500 units/Polymyxin B 10,000 units/g

Baclofen (Lioresal)

Tablet: 10 mg, 20 mg

Beclomethasone (Vanceril, Beconase)

Spray, nasal: 0.084% (19 g) [120 metered doses]
Spray, nasal, aqueous: 42 mcg/inhalation (25 g) [≥ 200 metered doses], 84 mcg/inhalation (25 g) [≥ 200 metered doses]

Benazepril (Lotensin)

Tablet: 5 mg, 10 mg, 20 mg, 40 mg

Benzalkonium Chloride (Zephiran)

Concentrate, topical: 17%
Solution, topical, aqueous: 1:750
Spray, topical: 1:750

Benzocaine (Lanacaine)

Topical, for mucous membranes:
Gel: 6%, 20%
Liquid: 20%
Topical, dermatologic:
Cream, topical: 5%, 6%
Lotion: 8%
Ointment: 5%
Spray: 5%, 20%
Mouth/Throat preparations:
Gel: 6.3%, 7.5%, 10%, 15%, 20%
Liquid: 5%, 6.3%, 10%, 20%
Lozenges: 5 mg, 6 mg, 10 mg, 15 mg

Benzoin, Compound Tincture

Tincture, topical (also contains aloe, storax, tolu balsam, 74% to 80% alcohol): 30 mL, 60 mL, 120 mL, 480 mL, 4000 mL

Benzoyl Peroxide

Bar: 5%
Cream, topical: 10%
Gel, topical: 2.5%, 5%, 10%
Liquid, topical: 5%, 10%
Lotion: 10%

Benzoyl Peroxide/Clindamycin (BenzaClin)

Gel, topical: Benzoyl Peroxide 5%/Clindamycin 1%

Benzotropine (Cogentin)

Injection: 1 mg/mL
Tablet: 0.5 mg, 1 mg, 2 mg

Betamethasone Valerate (Valisone)

Cream, topical: 0.01%, 0.1%
Lotion: 0.1%
Ointment, topical: 0.1%

Betaxolol (Betoptic S)

Solution, ophthalmic: 0.5%
Suspension, ophthalmic: 0.25%

Bethanechol (Urecholine)

Injection: 5 mg/mL
Tablet: 5 mg, 10 mg, 25 mg, 50 mg

Bimatoprost (Lumigan)

Solution, ophthalmic: 0.03%

Biperiden (Akineton)

Injection: 5 mg/mL
Tablet: 2 mg

Bisacodyl (Dulcolax)

Suppository, rectal: 10 mg
Tablet, enteric coated: 5 mg

Bismuth Subsalicylate (Pepto-Bismol, Bismatrol, Kaopectate)

Liquid, oral: 262mg/15 mL
Tablet, chewable: 262 mg

Brimonidine (Alphagan)

Solution, ophthalmic: 0.15%, 0.2%

Bromocriptine (Parlodel)

Capsule: 5 mg

Tablet: 2.5 mg

Brompheniramine/Pseudoephedrine (Bromfed)

Capsule: 12 mg Brompheniramine/120 mg Pseudoephedrine

Elixir: 4 mg Brompheniramine/30 mg Pseudoephedrine

Syrup: 2 mg Brompheniramine/30 mg Pseudoephedrine

Tablet: 4 mg Brompheniramine/60 mg Pseudoephedrine

Bupivacaine (Marcaine)

Injection: 0.25%, 0.5%, 0.75%

buPROPion (Wellbutrin, Wellbutrin SR, Zyban)

Tablet: 75 mg, 100 mg

Tablet, sustained release: 100 mg, 150 mg, 200 mg

busPIRone (BuSpar)

Tablet: 5 mg, 10 mg, 15 mg, 30 mg

Calamine/Zinc Oxide/Glycerin (Calamine Lotion)

Lotion, topical: 120 mL, 240 mL, 480 mL

Calamine/Pramoxine (Caladryl)

Lotion, topical: 180 mL

Calcipotriene (Dovonex)

Cream, topical: 0.005%

Ointment, topical: 0.005%

Calcitonin-Salmon (Miacalcin)

Nasal spray: 200 IU/activation

Calcium Carbonate (Os-Cal, Titalac) [40% elemental calcium]

Liquid, oral: 500 mg/5 mL, 1000 mg/5 mL

Tablet: 600 mg, 1250 mg, 1500 mg

Tablet, chewable: 350 mg, 500 mg, 550 mg, 750 mg, 850 mg, 1000 mg

Calcium Citrate (Citracal) [21% elemental calcium]

Tablet: 200 mg, 250 mg

Calcium Carbonate/Vitamin D (Oscal + D)

Tablet: Calcium 250 mg/Vitamin D 125 IU, Calcium 500 mg/Vitamin D 125 IU

Calcium Glubionate (Neo-Calglucon) [6% elemental calcium]

Syrup: 1.8 g/5 mL

Calcium Gluconate [9% elemental calcium]

Injection: 10% [100 mg/mL]

Tablet: 500 mg, 650 mg, 975 mg, 1g

Calcium Undecylenate (Caldesene)

Powder, topical: 10%

Camphor-Phenol (Campho-Phenique)

Liquid, topical: 10.8% Camphor/4.7% phenol [with eucalyptus oil and mineral oil]

Captopril (Capoten)

Tablet: 12.5 mg, 25 mg, 50 mg, 100 mg

Carbamazepine (Tegretol, Tegretol XR, Carbatrol)

Capsule, extended release: 200 mg, 300 mg

Suspension, oral: 100 mg/5 mL

Tablet: 200 mg

Tablet, chewable: 100 mg

Tablet, extended release: 100 mg, 200 mg, 400 mg

Carbamide Peroxide/Glycerin/Propylene Glycol/Sodium Stannate (Debrox, Gly-Oxide)

Gel, oral: 10%

Solution, oral: 10%, 15%

Solution, otic: 6.5%

Carboxymethylcellulose/Electrolytes (Saliva Substitute, Moi-Stir, Salivart, MouthKote, Salix)

Solution, oral

Cascara Sagrada (Cascara Aromatic)

Aromatic fluid extract: 120 mL, 473 mL

Tablet: 325 mg

Cefazolin (Kefzol, Ancef)

Injection: 500 mg, 1 g

Powder for injection: 250 mg, 500 mg, 1 g, 5 g, 10 g, 20 g

Cefoperazone (Cefobid)

Infusion, premixed in dextrose: 1 g, 2 g

Powder for injection: 1 g, 2 g

Ceftriaxone (Rocephin)

Infusion, premixed in dextrose: 1 g, 2 g

Powder for injection: 250 mg, 500 mg, 1 g, 2 g, 10 g

Cefuroxime Axetil (Ceftin) - Oral form only - RESERVE USE

Powder for oral suspension: 125 mg/5 mL, 250 mg/5 mL

Tablet: 125 mg, 250 mg, 500 mg

Cellulose (Unifiber)

Powder, oral: 150 g, 270 g, 480 g

Cephalexin (Keflex)

Capsule: 250 mg, 500 mg

Powder for oral suspension: 100 mg/mL, 125 mg/5 mL, 250 mg/5 mL

Tablet: 250 mg, 500 mg, 1 g

Tablet: 500 mg

Cetylpyridinium (Cepacol)

Lozenges: 0.07% Cetylpyridinium/0.3% Benzyl Alcohol [with tartrazine]

Mouthwash: 0.05% Cetylpyridinium/14% Alcohol [with tartrazine]

Troches: 0.07% Cetylpyridinium/10 mg Benzocaine [with tartrazine]

Chloral Hydrate (Noctec) C-IV

Capsule: 500 mg

Suppository, rectal: 324 mg, 500 mg

Syrup: 250 mg/5 mL, 500 mg/5 mL

Chlordiazepoxide (Librium) - oral form only - C-IV

Capsule: 5 mg, 10 mg, 25 mg

Chlorhexidine (Peridex, Hibiclens, Bactoshield)

Liquid, topical, with 4% isopropyl alcohol: 4%

Rinse, oral, with 12% alcohol: 0.12%

Chloroquine (Aralen)

Tablet: 250 mg, 500 mg

Chlorpheniramine (Chlor-Trimeton, Teldrin)

Capsule: 12 mg

Syrup: 2 mg/5 mL

Tablet: 4 mg, 8 mg, 12 mg

Tablet, chewable: 2 mg

Tablet, timed release: 8 mg, 12 mg

chlorproMAZINE (Thorazine)

Concentrate, oral: 30 mg/mL, 100 mg/mL

Injection: 25 mg/mL

Syrup: 10 mg/5 mL

Tablet: 10 mg, 25 mg, 50 mg, 100 mg, 200 mg

Chlorthalidone (Hygroton)

Tablet: 15 mg, 25 mg, 50 mg, 100 mg

Cholestyramine (Questran)

Powder, oral: 4 gm resin/9 gm powder

Powder for oral suspension (with aspartame): 4 gm resin/5 gm powder

Powder for oral suspension (with phenylalanine): 4 gm resin/5.5 gm powder

Tablet: 1 gm

Ciprofloxacin (Cipro, Ciloxan)

Injection: 200 mg, 400 mg

Solution, ophthalmic: 0.3%

Suspension, oral: 5 gm/100 mL, 10 gm/100 mL

Tablet: 100 mg, 250 mg, 500 mg, 750 mg

Ciprofloxacin/Hydrocortisone (Cipro Otic)

Solution, otic: Ciprofloxacin 2 mg/Hydrocortisone 10 mg per mL

Citalopram (Celexa)

Tablet: 10 mg, 20 mg, 40 mg

Clarithromycin (Biaxin) - RESERVE USE

Granules for oral suspension: 125 mg/5 mL, 250 mg/5 mL

Tablet, film coated: 250 mg, 500 mg

Clindamycin (Cleocin, Cleocin T)

Capsule: 75 mg, 150 mg, 300 mg

Gel, topical: 1% [10 mg/g]

Granules for oral solution: 75 mg/5 mL

Injection: 150 mg/mL

Lotion: 1% [10 mg/mL]

Solution, topical: 1% [10 mg/mL]

Clobetasol (Temovate) - RESERVE USE

Cream, topical: 0.05%

Cream, topical, in emollient base: 0.05%

Gel, topical: 0.05%

Ointment, topical: 0.05%

Scalp application: 0.05%

clomiPRAMINE (Anafranil) - for Obsessive Compulsive Disorder

Capsule: 25 mg, 50 mg, 75 mg

Clonazepam (Klonopin) C-IV

Tablet: 0.5 mg, 1 mg, 2 mg

Clonidine (Catapres)

Patch, transdermal: 1, 2, and 3 (0.1, 0.2, 0.3 mg/day, 7 day duration)
Tablet: 0.1 mg, 0.2 mg, 0.3 mg

Clopidogrel (Plavix) - RESERVE USE

Tablet: 75 mg

Clorazepate (Tranxene, Tranxene SD) C-IV

Capsule: 3.75 mg, 7.5 mg, 15 mg
Tablet: 3.75 mg, 7.5 mg, 15 mg
Tablet, sustained release: 11.25 mg, 22.5 mg

Clotrimazole (Lotrimin, Mycelex, Gyne-Lotrimin, Fungoid)

Cream, topical: 1%
Cream, vaginal: 1%, 2%
Lotion: 1%
Solution, topical: 1%
Suppository, vaginal: 100 mg, 200 mg
Tablet, vaginal: 100 mg, 500 mg
Troche: 10 mg

Cloxacillin (Cloxapen, Tegopen)

Capsule: 250 mg, 500 mg
Powder for oral suspension: 125 mg/5 mL

Clozapine (Clozaril) - RESERVE USE

Tablet: 25 mg, 100 mg

Coal Tar (Ionil-T, Tegrin, Pentrax, Polytar)

Liquid, topical: 30%
Shampoo: 1%, 2%, 2.5%, 5%
Solution, topical: 120 mL, 480 mL

Cod Liver Oil/Zinc Oxide/Talc (Desitin)

Ointment, topical: 40% Zinc Oxide [with Cod Liver Oil, Talc, Petrolatum, Lanolin, and Methylparaben]

Colchicine

Tablet: 0.5 mg, 0.6 mg

Collagenase (Santyl)

Ointment, topical: 0.03%, 0.1%

Corticotropin (ACTH)

Injection, repository: 40 units/mL, 80 units/mL
Powder for injection: 25 units, 40 units

Cortisone

Injection: 50 mg/mL
Tablet: 5 mg, 10 mg, 25 mg

Cromolyn (Intal)

Inhalation, oral: 800 mcg/spray
Solution, nebulizing: 10 mg/mL
Solution, nasal: 40 mg/mL
Solution, ophthalmic: 4%

Crotamiton (Eurax)

Lotion: 10%

Cyanocobalamin (Vitamin B₁₂)

Injection: 1000 mcg/mL
Tablet: 100 mcg, 250 mcg, 500 mcg, 1000 mcg

Cyproheptadine (Periactin)

Syrup: 2 mg/5 mL with 5% alcohol
Tablet: 4 mg

Dantrolene (Dantrium)

Capsule: 25 mg, 50 mg, 100 mg
Powder for injection: 20 mg

Deferoxamine (Desferal)

Powder for injection: 500 mg

Delavirdine (DLV, Rescriptor)

Tablet: 100 mg, 200 mg

Desipramine (Norpramin, Pertofrane)

Tablet: 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg

Desmopressin (DDAVP, Stimate)

Solution, nasal: 100 mcg/mL, 1.5 mg/mL
Tablet: 0.1 mg, 0.2 mg

Desonide (Desowen, Tridesilon)

Cream: 0.05%
Lotion: 0.05%
Ointment: 0.05%

Dexamethasone (Decadron)

Injection, as sodium phosphate: 4 mg/mL, 10 mg/mL, 20 mg/mL, 24 mg/mL
Solution, oral: 0.5 mg/5 mL
Suspension, ophthalmic: 0.1% with methylcellulose 0.5% - **RESERVE USE**
Tablet: 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg

Dextran (Gentran, LMD, Macrodex, Rheomacrodex)

High molecular weight: 6% Dextran 75 in D5W, 6% Dextran 75 in NS, 6% Dextran 70 in NS
Low molecular weight: 10% Dextran 40 in D5W, 10% Dextran 40 in NS

Dextroamphetamine (Dexedrine)

Capsule, sustained release: 5 mg, 10 mg, 15 mg
Tablet: 5 mg, 10 mg (5 mg tablet contain tartrazine)

Dextromethorphan

Capsule: 30 mg
Liquid, oral: 3.5 mg/5 mL, 7.5 mg/5 mL, 10 mg/15 mL, 15 mg/5 mL
Liquid, oral, sustained release: 30 mg/5 mL
Lozenges: 2.5 mg, 5 mg, 7.5 mg

Dextrose/Sodium Chloride Intravenous Solution

Dextrose 5% in 0.2% Sodium Chloride
Dextrose 5% in 0.45% Sodium Chloride
Dextrose 5% in 0.9% Sodium Chloride

Dextrose 5%/Sodium Chloride/Potassium Chloride Intravenous Solution

Dextrose 5%/Sodium Chloride 0.2%/Potassium Chloride
Infusion with Potassium Chloride: 10 mEq, 20 mEq
Dextrose 5%/Sodium Chloride 0.45%/Potassium Chloride
Infusion with Potassium Chloride: 10 mEq, 20 mEq, 40 mEq
Dextrose 5%/Sodium Chloride 0.9%/Potassium Chloride
Infusion with Potassium Chloride: 20 mEq, 40 mEq

Dextrose 5% in Water

Infusion

Dextrose 5% in Ringer's Lactate

Infusion

Dextrose 5% with Multiple Electrolytes (D5 E75, Baxter)

Infusion

Dextrose 50% in Water

Infusion: 500 mL, 1000 mL, 2000 mL
Syringe: 50 mL
Vials: 50 mL

Diaper Rash Ointment (Desitin, Diaperene, Vitamin A&D)

see *Cod Liver Oil/Zinc Oxide/Talc (Desitin)*

see *Vitamin A&D Ointment*

see *Zinc Oxide/Petrolatum/Imidazolidinyl Urea (Diaperene)*

Diaper Rash Powder (Mexsana)

Powder: contains kaolin, eucalyptus oil, camphor, corn starch, lemon oil, zinc oxide

Diazepam (Valium, Diastat) C-IV

Gel, rectal: 2.5 mg, 5 mg, 10 mg, 15 mg, 20 mg

Injection: 5 mg/mL

Solution, oral: 1 mg/mL, 5 mg/mL

Tablet: 2 mg, 5 mg, 10 mg

Dibucaine (Nupercainal)

Ointment, topical: 1%

Dicloxacillin (Dycill, Dynapen, Pathocil)

Capsule: 125 mg, 250 mg, 500 mg

Powder for oral suspension: 62.5 mg/mL

Dicyclomine (Bentyl)

Capsule: 10 mg, 20 mg

Injection: 10 mg/mL

Syrup: 10 mg/5 mL

Tablet: 10 mg

Didanosine (ddl, Videx)

Capsule, delayed release: 250 mg

Powder for oral solution: 100 mg, 167 mg, 250 mg, 375 mg, 2 gm, 4 gm

Tablet, chewable: 25 mg, 50 mg, 100 mg, 150 mg, 200 mg

Digoxin (Lanoxin)

Capsule: 50 mcg, 100 mcg, 200 mcg

Elixir: 50 mcg/mL with 10% alcohol

Injection: 100 mcg/mL, 250 mcg/mL

Tablet: 125 mcg, 250 mcg, 500 mcg

Diltiazem (Cardizem)

Capsule, sustained release:

Cardizem CD: 120 mg, 180 mg, 240 mg, 300 mg

Cardizem SR: 60 mg, 90 mg, 120 mg

Dilacor XR: 180 mg, 240 mg

Tiazac: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg

Tablet: 30 mg, 60 mg, 90 mg, 120 mg

Tablet, sustained release: 120 mg, 180 mg, 240 mg

Dimercaprol (B.A.L.)

Injection: 100 mg/mL

diphenhydrAMINE (Benadryl)

Capsule: 25 mg, 50 mg

Cream, topical: 2%

Injection: 50 mg/mL

Lotion: 1%

Syrup: 12.5 mg/5 mL

Tablet: 25 mg, 50 mg

Diphtheria & Tetanus Toxoids Adsorbed (DT)

Injection, single dose

Diphtheria & Tetanus Toxoids Adsorbed for Adult Use (Td)

Injection, single dose

Disulfiram (Antabuse)

Tablet: 250 mg, 500 mg

Divalproex (Depakote, Depakote ER, Divalproex ER)

Capsule, sprinkles: 125 mg

Tablet, delayed release: 125 mg, 250 mg, 500 mg

Tablet, extended release: 250 mg, 500 mg - **RESERVE USE**

Docusate Calcium (Surfak)

Capsule: 250 mg

Docusate Sodium (Colace, Doxinate)

Capsule: 100 mg, 250 mg

Liquid, oral: 150 mg/15 mL

Syrup: 60 mg/15 mL

Tablet: 100 mg

Docusate Sodium/Casanthrol (Peri-Colace)

Syrup, oral: Docusate 60 mg/Casanthrol 30 mg per 15 mL

Docusate Sodium/Sennosides (Peri-Colace)

Tablet: Docusate 50 mg/Sennosides 8.6 mg

Donepezil (Aricept) - RESERVE USE

Tablet: 5 mg, 10 mg

DOPamine (Intropin)

Infusion in D5W: 0.8 mg/mL, 1.6 mg/mL, 3.2 mg/mL

Injection: 40 mg/mL, 80 mg/mL, 160 mg/mL

Doxepin (Sinequan, Adapin)

Capsule: 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg
Concentrate, oral: 10 mg/mL

Doxycycline (Vibramycin, Periostat)

Capsule: 50 mg, 100 mg
Powder for injection: 100 mg, 200 mg
Powder for oral suspension: 25 mg/5 mL
Syrup: 50 mg/5 mL
Tablet: 20 mg, 50 mg, 100 mg

Duloxetine (Cymbalta)

Capsule, delayed release: 20 mg, 30 mg, 60 mg

Emollient Lotion/Cream (Lubriderm, Allercrème, Keri Lotion, Cetaphil, Lac-Hydrin, Eucerin, Nutraderm)

Lotion/Cream, topical

Emollient Ointment (Lanolin, Aquaphor)

Ointment, topical

Enalapril (Vasotec)

Tablet: 2.5 mg, 5 mg, 10 mg, 20 mg

Enoxaparin (Lovenox)

Injection: 30 mg, 40 mg, 60 mg, 80 mg, 100 mg, 120 mg

Epinephrine (Adrenalin)

Auto-injector: 1:2000 [0.15 mg], 1:1000 [0.3 mg]
Injection: 1:100,000 [0.01 mg/mL], 1:10,000 [0.1 mg/mL], 1:1000 [1 mg/mL]

Ergocalciferol (Calciferol, Drisdol)

See *Vitamin D*

Erythromycin (Erythrocin)

Erythromycin base (Eryc, E-Mycin, Ery-Tab, E-Base, PCE):

Capsule, delayed release: 250 mg
Tablet, enteric coated: 250 mg, 333 mg, 500 mg
Tablet, film coated: 250 mg, 500 mg
Tablet, polymer coated particles: 333 mg, 500 mg

Erythromycin Ethylsuccinate (EryPed, E.E.S.):

Granules/Powder for oral suspension: 200 mg/5 mL, 400 mg/5 mL
Suspension, oral: 200 mg/5 mL, 400 mg/5 mL
Suspension, oral (drops): 100 mg/2.5 mL

Tablet: 400 mg

Tablet, chewable: 200 mg

Ointment, ophthalmic: 5%

Erythromycin/Benzoyl Peroxide (Benzamycin)

Gel, topical: Erythromycin 30 mg/Benzoyl Peroxide 50 mg per gram (with 16% alcohol)

Erythromycin Ethylsuccinate/Sulfisoxazole Suspension (Pediazole)

Suspension, oral: 200 mg/600 mg per 5 mL

Escitalopram (Lexapro)

Tablet: 5 mg, 10 mg, 20 mg

Estradiol (Estrace, Vivelle, Alora, Climara, Estraderm)

Cream, vaginal: 43 gm

Systems, transdermal: 0.025 mg, 0.0375 mg, 0.05 mg, 0.075 mg, 0.1 mg per 24 hr

Tablets: 0.5 mg, 1 mg, 2 mg

Estrogen/medroxyPROGESTERone (PremPro)

Tablet: Conjugated estrogen 0.625 mg/medroxyPROGESTERone 2.5 mg

Estrogens, Conjugated (Premarin)

Cream, vaginal: 0.625 mg/g

Injection: 25 mg

Tablet: 0.3 mg, 0.625 mg, 0.9 mg, 1.25 mg, 2.5 mg

Ethambutol (Myambutol)

Tablet: 100 mg, 400 mg

Ethinyl Estradiol/Norethindrone (Loestrin, Ortho-Novum 777)

Loestrin:

1/20: Ethinyl Estradiol 0.02 mg/Norethindrone 1 mg

1.5/30: Ethinyl Estradiol 0.03 mg/Norethindrone 1.5 mg

Ortho-Novum 777: Phase 1 (Ethinyl Estradiol 0.035 mg/Norethindrone 0.5 mg), Phase 2 (Ethinyl Estradiol 0.035 mg/Norethindrone 0.75 mg), Phase 3 (Ethinyl Estradiol 0.035 mg/Norethindrone 1 mg)

Ethinyl Estradiol/Norgestrel (Ovral, Lo-Ovral)

Lo-Ovral: Ethinyl Estradiol 0.03 mg/Norgestrel 0.3 mg

Ovral: Ethinyl Estradiol 0.05 mg/Norgestrel 0.5 mg

Ethionamide

Tablet, sugar coated: 250 mg

Ethosuximide (Zarontin)

Capsule: 250 mg

Syrup: 250 mg/5 mL

Ethyl Chloride

Spray: 100 g, 105 mL, 120 mL, 270 mL

Famotidine (Pepcid)

Injection: 10 mg/mL

Powder for oral suspension: 40 mg/5 mL

Tablet: 10 mg, 20 mg, 40 mg

Felbamate (Felbatol) - RESERVE USE

Suspension, oral: 600 mg/5 mL

Tablet: 400 mg, 600 mg

Felodipine (Plendil)

Tablet, extended release: 2.5 mg, 5 mg, 10 mg

Fentanyl (Duragesic) C-II

Patch, transdermal: 25 mcg/hr, 50 mcg/hr, 75 mcg/hr, 100 mcg/hr

Ferrous Fumarate/Docusate Sodium (Ferro-Sequels)[contains 33% elemental iron]

Tablet, timed released: Ferrous fumarate 150 mg [50 mg]/Docusate Sodium 100 mg

Ferrous Sulfate (Feosol, Fer-In-Sol) [contains 20% elemental iron]

Elixir with 5% alcohol: 220 mg/5 mL [18 mg/5 mL]

Tablet: 300 mg [60 mg], 325 mg [65 mg]

Fexofenadine (Allegra)

Tablet: 30 mg, 60 mg, 180 mg

Fexofenadine/Pseudoephedrine (Allegra-D)

Tablet, extended release: 60 mg Fexofenadine/120 mg Pseudoephedrine

Flavoxate (Urispas)

Tablet, film coated: 100 mg

Fluconazole (Diflucan)

Tablet: 100 mg, 150 mg, 200 mg, 250 mg, 500 mg

Fludrocortisone (Florinef)

Tablet: 0.1 mg

Fluocinolone (Synalar)

Cream, topical: 0.01%, 0.025%

Oil: 0.01%

Ointment, topical: 0.025%

Shampoo: 0.01%

Solution, topical: 0.01%

Fluocinonide (Lidex)

Cream, topical: 0.05%
Gel, topical: 0.05%
Ointment, topical: 0.05%
Solution, topical: 0.05%

Fluorescein Sodium

Injection: 10%
Strip, ophthalmic: 1 mg

Fluoxetine (Prozac)

Capsule: 10 mg, 20 mg
Liquid, oral: 20 mg/5 mL
Tablet: 10 mg, 20 mg

Fluphenazine (Prolixin)

Concentrate: 5 mg/mL with 14% alcohol
Elixir: 2.5 mg/5 mL with 14% alcohol
Injection, as decanoate: 25 mg/mL
Injection, as hydrochloride: 2.5 mg/mL
Tablet: 1 mg, 2.5 mg, 5 mg, 10 mg

Fluticasone (Flonase, Flovent)

Aerosol, inhalation, oral: 44 mcg/actuation, 110 mcg/actuation, 220 mcg/actuation
Inhalation, nasal: 50 mcg/actuation

Fluvastatin (Lescol)

Capsule: 20 mg, 40 mg

Fluvoxamine (Luvox)

Tablet: 25 mg, 50 mg, 100 mg

Folic Acid (Folvite)

Tablet: 0.4 mg, 0.8 mg, 1 mg

Fosphenytoin (Cerebyx)

Injection: 100 Phenytoin Equivalents [PE]/2 mL, 500 PE/10 mL

Furosemide (Lasix)

Injection: 10 mg/mL
Solution, oral: 10 mg/mL, 40 mg/5 mL
Tablet: 20 mg, 40 mg, 80 mg

Gabapentin (Neurontin)

Capsule: 100 mg, 300 mg, 400 mg
Tablet: 600 mg, 800 mg

Galantamine (Reminyl)

Solution, oral: 4 mg/mL

Tablet, film coated: 4 mg, 8 mg, 12 mg

Gemfibrozil (Lopid)

Tablet, film coated: 600 mg

Gentamicin (Garamycin)

Cream, topical: 0.1%

Infusion, premixed in D5W: 60 mg, 80 mg, 100 mg

Infusion, premixed in NS: 40 mg, 60 mg, 80 mg, 90 mg, 100 mg, 120 mg

Injection: 10 mg/mL, 40 mg/mL

Injection, intrathecal (preservative free): 2 mg/mL

Ointment, ophthalmic: 0.3% [3 mg/g]

Ointment, topical: 0.1%

Solution, ophthalmic: 0.3% [3 mg/mL]

glipiZIDE (Glucotrol)

Tablet: 5 mg, 10 mg

Tablet, extended release: 2.5 mg, 5 mg, 10 mg

Glucagon

Powder for injection: 1 mg

Glucose

Gel, oral

Tablet

glyBURIDE (Micronase, DiaBeta)

Tablet: 1.25 mg, 2.5 mg, 5 mg

Tablet, micronized: 1.5 mg, 3 mg, 6 mg

Glycerin (Sani-Supp)

Suppository, rectal

Griseofulvin (Fulvicin)

Microsize:

Capsule: 125 mg, 250 mg

Suspension, oral: 125 mg/5 mL with 0.2% alcohol

Tablet: 250 mg, 500 mg

Ultramicrosize:

Tablet: 125 mg, 165 mg, 250 mg, 330 mg

Guaifenesin (Robitussin)

Caplet, sustained release: 600 mg
Liquid, oral: 100 mg/5 mL, 200 mg/5 mL
Tablet: 100 mg, 200 mg
Tablet, sustained release: 600 mg

Guaifenesin/Dextromethorphan (Robitussin DM)

Liquid, oral: Guaifenesin 100 mg/Dextromethorphan 10 mg per 5 mL

Guaifenesin/Pseudoephedrine (Entex PSE)

Tablet: Guaifenesin 600 mg/Pseudoephedrine 120 mg

Guanethidine (Ismelin)

Tablet: 10 mg, 25 mg

Haloperidol (Haldol)

Concentrate, oral: 2 mg/mL
Injection, as decanoate: 50 mg/mL, 100 mg/mL
Injection, as lactate: 5 mg/mL
Tablet: 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg, 20 mg

Heparin

Injection: 100 units/mL, 1,000 units/mL, 10,000 units/mL, 20,000 units/mL

Hepatitis A Vaccine (Vaqta)

Injection, single dose

Hepatitis B Immune Globulin (HBIG)

Injection, single dose

Hepatitis B Virus Vaccine, Recombinant (Recombivax HB, Engerix-B)

Injection: 5 mcg/mL, 10 mcg/mL, 20 mcg/mL

Hexachlorophene (pHisoHex)

Liquid, topical: 3%

Homatropine (Isopto Homatropine)

Solution, ophthalmic: 2%, 5%

hydrALAZINE (Apresoline)

Tablet: 10 mg, 25 mg, 50 mg, 100 mg

Hydrochlorothiazide (HydroDIURIL, Esidrix)

Solution, oral: 50 mg/5 mL
Tablet: 25 mg, 50 mg, 100 mg

Hydrocodone/Guaifenesin (Hycotuss, Kwelcof)

Liquid, oral: Hydrocodone 5 mg/Guaifenesin 100 mg per 5 mL

Hydrocortisone

Injection, as sodium succinate: 100 mg, 250 mg, 500 mg, 1000 mg

Suppositories, rectal, as acetate: 10 mg, 25 mg

Suspension, oral, as cypionate: 10 mg/5 mL

Hydrocortisone base:

Cream, rectal: 1%, 2.5%

Tablet, oral: 5 mg, 10 mg, 20 mg

Hydrocortisone, topical (Lanacort, Corticaine):

Cream, topical: 0.5%, 1%, 2.5%

Lotion, topical: 0.5%, 1%, 2%, 2.5%

Ointment, topical: 0.5%, 1%, 2.5%

Hydrogen Peroxide

Solution, topical: 3%

hydrOXYzine (Atarax, Vistaril)

Injection, as hydrochloride: 25 mg/mL, 50 mg/mL

Suspension: 25 mg/5 mL

Syrup, as hydrochloride: 10 mg/5 mL

Tablet: 10 mg, 25 mg, 50 mg, 100 mg

Ibuprofen (Motrin)

Suspension, oral: 40 mg/mL, 100 mg/5 mL

Tablet: 200 mg, 400 mg, 600 mg, 800 mg

Tablet, chewable: 50 mg, 100 mg

Imipramine (Tofranil)

Capsule: 75 mg, 100 mg, 125 mg, 150 mg

Tablet: 10 mg, 25 mg, 50 mg

Indinavir (Crixivan)

Capsule: 400 mg

Influenza Virus Vaccine (Fluzone, Fluviron)

Injection, single dose

Insulin, Aspart (NovoLog)

Injection: 100 units/mL

Insulin, Combination (70/30)

Injection: 100 units/mL

Insulin, Glargine (Lantus)

Injection: 100 units/mL

Insulin, Lente

Injection: 100 units/mL

Insulin, Lispro (Humalog)

Injection: 100 units/mL

Insulin, Lispro/Insulin, Lispro Protamine (Humalog Mix 75/25)

Injection: 100 units/mL

Insulin, NPH

Injection: 100 units/mL

Insulin, Regular

Injection: 100 units/mL

Insulin, Ultralente

Injection: 100 units/mL

Ipecac Syrup

Syrup: 70 mg/mL

Ipratropium (Atrovent)

Inhalation: 18 mcg/actuation

Solution, nasal: 0.03%, 0.06%

Solution, nebulizing: 0.02%

Isoniazid (INH)

Injection: 100 mg/mL

Syrup: 50 mg/5 mL

Tablet: 50 mg, 100 mg, 300 mg

Isosorbide Dinitrate (Isordil, Sorbitrate)

Capsule, sustained release: 40 mg

Tablet, chewable: 5 mg, 10 mg

Tablet, oral: 5 mg, 10 mg, 20 mg, 30 mg, 40 mg

Tablet, sublingual: 2.5 mg, 5 mg, 10 mg

Tablet, sustained release: 40 mg

Isosorbide Mononitrate (Imdur, ISMO, Monoket)

Tablet: 10 mg, 20 mg

Tablet, extended release: 30 mg, 60 mg, 120 mg

Kaolin-Pectin

Suspension: 30 mL, 120 mL, 180 mL, 240 mL

Ketoconazole (Nizoral)

Cream, topical: 2%

Shampoo: 2%

Tablet: 200 mg

Ketorolac (Toradol)

Injection: 15 mg/mL, 30 mg/mL

Labetalol (Normodyne)

Tablet: 100 mg, 200 mg, 300 mg

Lactobacillus Acidophilus (Lactinex, Bacid)

Capsule

Granules: 1 g/packet

Tablet, chewable

Lactulose (Cephulac)

Syrup: 10 g/15 mL

Lamivudine (Epivir)

Solution, oral: 10 mg/mL

Tablet: 150 mg

Lamivudine/Zidovudine (Combivir)

Tablet: Lamivudine 150 mg/Zidovudine 300 mg

Lamotrigine (Lamictal)

Tablet: 25 mg, 100 mg, 150 mg, 200 mg

Lansoprazole (Prevacid)

Capsule, enteric coated granules: 15 mg, 30 mg

Granules for oral suspension: 15 mg, 30 mg

Latanoprost (Xalatan)

Solution, ophthalmic: 0.005%

Leucovorin (Wellcovorin)

Injection: 3 mg/mL

Powder for injection: 25 mg, 50 mg, 100 mg, 350 mg

Tablet: 5 mg, 10 mg, 15 mg, 25 mg

Levarterenol (Levophed)

see Norepinephrine

Levetiracetam (Keppra)

Tablets: 250 mg, 500 mg, 750 mg

Levodopa (Larodopa)

Capsule: 100 mg, 250 mg, 500 mg

Tablet: 100 mg, 250 mg, 500 mg

Carbidopa/Levodopa (Sinemet)

10/100: Carbidopa 10 mg/Levodopa 100 mg/

25/100: Carbidopa 25 mg/Levodopa 100 mg

25/250: Carbidopa 25 mg/Levodopa 250 mg

Sustained release: Carbidopa 25 mg/Levodopa 100 mg, Carbidopa 50 mg/Levodopa 200 mg

Levofloxacin (Levaquin)

Infusion: 250 mg, 500 mg

Tablet: 250 mg, 500 mg

Levonorgestrel/Ethinyl Estradiol (Tri-Levlen, Triphasil)

Tablet: Phase I (Levonorgestrel 0.05 mg/Ethinyl Estradiol 30 mcg), Phase 2

(Levonorgestrel 0.075 mg/Ethinyl Estradiol 40 mg), Phase 3 (Levonorgestrel 0.125 mg/ Ethinyl Estradiol 30 mg)

Levothyroxine (Synthroid)

Powder for injection: 200 mcg/mL, 500 mcg/mL

Tablet: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 112 mcg, 125 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg

Lidocaine (Xylocaine)

Injection: 0.4%, 1%, 2%, 4%, 10%

Gel, topical: 2%, 2.5%

Liquid, topical: 2.5%, 4%

Liquid, viscous: 2%

Ointment, topical: 2.5%, 5%

Solution, topical: 2%, 4%

Lidocaine/Prilocaine (EMLA)

Cream: Lidocaine 2.5%/Prilocaine 2.5%

Lindane (Gamma Benzene Hexachloride, Kwell)

Lotion: 1%

Shampoo: 1%

Liotrix (Thyrolar, Euthroid)

Tablet: 15 mg, 30 mg, 60 mg, 120 mg, 180 mg [thyroid equivalent]

Lisinopril (Prinivil, Zestril)

Tablet: 2.5 mg, 5 mg, 10 mg, 20 mg, 40 mg

Lithium Carbonate (Eskalith, Lithonate, Lithobid)

Capsule: 150 mg, 300 mg, 600 mg

Tablet: 300 mg

Tablet, controlled release: 450 mg

Tablet, slow release: 300 mg

Lithium Citrate

Syrup: 300 mg/5 mL

Loperamide (Imodium)

Capsule: 2 mg

Liquid, oral: 1 mg/5 mL

Tablet: 2 mg

Loratadine (Claritin)

Tablet: 10 mg

Lorazepam (Ativan) C-IV

Injection: 2 mg/mL, 4 mg/mL

Solution, oral: 2 mg/mL

Tablet: 0.5 mg, 1 mg, 2 mg

Loxapine (Loxitane)

Capsule: 5 mg, 10 mg, 25 mg, 50 mg

Concentrate, oral: 25 mg/mL

Magnesium Citrate

Solution, oral: 300 mL

Magnesium Hydroxide (Milk of Magnesia)

Liquid, oral: 400 mg/5 mL

Liquid, oral, concentrate: 800 mg/5 mL

Tablet, chewable: 311 mg

Magnesium Sulfate (Epsom Salt)

Granules: ~40 mEq magnesium/5 g

Injection: 100 mg/mL, 125 mg/mL, 250 mg/mL, 500 mg/mL

Maprotiline (Ludiomil)

Tablet: 25 mg, 50 mg, 75 mg

Measles, Mumps and Rubella Virus Vaccine, Live (MMR II)

Injection, single dose

Mebendazole (Vermox)

Tablet, chewable: 100 mg

Meclizine (Antivert, Bonine)

Tablet: 12.5 mg, 25 mg, 50 mg

Tablet, chewable: 25 mg

medroxyPROGESTERone (Provera)

Injection, suspension: 100 mg/mL, 150 mg/mL, 400 mg/mL

Tablet: 2.5 mg, 5 mg, 10 mg

Memantine (Namenda)

Tablet: 5 mg, 10 mg

Menthol

Cream

Liquid

Ointment

Patch

Spray

Mephobarbital (Mebaral) C-IV

Tablet: 32 mg, 50 mg, 100 mg

Mesalamine (Asacol, Pentasa, Rowasa)

Capsule, controlled release: 250 mg

Suppository: 500 mg

Suspension, rectal: 4 gm/60 mL

Tablet, delayed release: 400 mg

Mesoridazine (Serentil) - RESERVE USE

Injection: 25 mg/mL

Liquid, oral: 25 mg/mL

Tablet: 10 mg, 25 mg, 50 mg, 100 mg

Metaproterenol (Alupent)

Aerosol, oral: 0.65 mg/metered dose

Solution for inhalation: 0.4%, 0.6%, 5%

Metformin (Glucophage, Glucophage XR)

Tablet: 500 mg, 850 mg, 1000 mg

Tablet, extended release: 500 mg, 750 mg

Methadone (Dolophine) C-II

Solution, oral: 1 mg/mL

Tablet: 5 mg, 10 mg, 40 mg

Methimazole (Tapazole)

Tablet: 5 mg, 10 mg

Methocarbamol (Robaxin)

Tablet: 500 mg, 750 mg

Methotrexate

Injection: 2.5 mg/mL, 25 mg/mL

Injection, preservative free: 25 mg/mL

Powder for injection: 20 mg, 25 mg, 50 mg, 100 mg, 250 mg, 1 g

Tablet: 2.5 mg

Methylcellulose (Citrucel)

Powder: Methylcellulose 2 g per tbsp [with sucrose]

Powder, sugar free: Methylcellulose 2 g per tbsp [with phylalanine]

Methyldopa (Aldomet)

Injection: 50 mg/mL

Suspension, oral: 250 mg/5 mL

Tablet: 125 mg, 250 mg, 500 mg

Methylphenidate (Ritalin, Concerta)

Tablet: 5 mg, 10 mg, 20 mg

Tablet, extended release: 18 mg, 36 mg, 27 mg, 54 mg

Tablet, sustained release: 20 mg

Methylprednisolone (Medrol)

Injection, as acetate: 20 mg/mL, 40 mg/mL, 80 mg/mL

Injection, as sodium succinate: 40 mg, 125 mg, 500 mg, 1000 mg, 2000 mg

Tablet: 2 mg, 4 mg, 8 mg, 16 mg, 24 mg, 32 mg

Menthol/Methyl Salicylate (Ben-Gay)

Cream, topical: 30%

methyITESTOSTERone (Android, Oreton) C-IV

Capsule: 10 mg

Tablet: 10 mg, 25 mg

Tablet, buccal: 5 mg, 10 mg

Metoclopramide (Reglan)

Injection: 5 mg/mL

Syrup, sugar free: 5 mg/5 mL

Tablet: 5 mg, 10 mg

Metoprolol (Lopressor, Toprol XL)

Tablet: 50 mg, 100 mg

Tablet, extended release: 25 mg, 50 mg, 100 mg, 200 mg

Metronidazole (Flagyl, Noritate, MetroGel)

Capsule: 375 mg
Cream, topical: 1%
Gel, topical: 0.75% [7.5 mg/mL]
Gel, vaginal: 0.75%
Injection: 5 mg/mL
Powder for injection: 500 mg
Tablet: 250 mg, 500 mg

Miconazole (Monistat)

Cream, topical: 2%
Cream, vaginal: 2%
Injection: 10 mg/mL
Lotion: 2%
Powder, topical: 2%
Spray, topical: 2%
Suppository, vaginal: 100 mg, 200 mg

Midazolam (Versed) C-IV

Injection: 1 mg/mL, 5 mg/mL

Mineral Oil - for topical use only

Oil: 480 mL

Mirtazapine (Remeron)

Tablet: 15 mg, 30 mg, 45 mg
Tablet, rapid dissolving: 15 mg, 30 mg, 45 mg

Misoprostol (Cytotec)

Tablet: 100 mcg, 200 mcg

Molindone (Moban)

Concentrate, oral: 20 mg/mL
Tablet: 5 mg, 10 mg, 25 mg, 50 mg, 100 mg

Mometasone (Nasonex)

Inhalation, nasal: 50 mcg/actuation

Morphine C-II

Injection: 1 mg/mL, 2 mg/mL, 4 mg/mL, 10 mg/mL
Solution, oral: 20 mg/mL
Tablet, controlled release: 15 mg, 30 mg, 60 mg
Tablet, sublingual: 10 mg

Multivitamin (Unicap, Hexavitamins)

Liquid, oral: each solution contains a minimum of USDA requirements

Tablet: each tablet contains a minimum of USDA requirements

Tablet, chew: each tablet contains a minimum of USDA requirements

Multivitamin, Prenatal (Filibon)

Tablet: each tablet contains a minimum of USDA requirements

Multivitamin/Minerals

Liquid, oral: each solution contains a minimum of USDA requirements

Tablet: each tablet contains a minimum of USDA requirements

Tablet, chew: each tablet contains a minimum of USDA requirements

Multivitamins, Pediatric (Poly-Vi-Sol)

Liquid, oral: each solution contains a minimum of USDA requirements

Mupirocin (Bactroban)

Ointment, intranasal: 2%

Ointment, topical: 2%

Nabumetone (Relafen) - RESERVE USE

Tablet: 500 mg, 750 mg

Nadolol (Corgard)

Tablet: 20 mg, 40 mg, 80 mg, 120 mg, 160 mg

Nafcillin (Unipen)

Capsule: 250 mg

Powder for injection: 500 mg, 1 g, 2 g, 4 g, 10 g

Solution: 250 mg/5 mL

Tablet: 500 mg

Naloxone (Narcan)

Injection: 0.4 mg/mL, 1 mg/mL

Naltrexone (Trexan, ReVia)

Tablet: 50 mg

Naphazoline (Naphcon, AK-Con)

Solution, ophthalmic: 0.012%, 0.1%

Naproxen (Naprosyn)

Tablet: 220 mg, 250 mg, 275 mg, 375 mg, 500 mg, 550 mg

Tablet, controlled release: 500 mg

Nelfinavir (Viracept)

Powder for oral solution: 50 mg/g

Tablet: 250 mg

Neomycin (Mycifradin)

Tablet: 500 mg

Neomycin/Polymyxin B/Bacitracin (Triple Antibiotic Ointment)

Ointment, topical: Neomycin 3.5 mg/Polymyxin B 5000 units/Bacitracin 400 units

Neomycin/Polymyxin B/Hydrocortisone (Cortisporin)

Solution, otic: Neomycin 5 mg/Polymyxin B 10,000 units/Hydrocortisone 10 mg per mL

Suspension, otic: Neomycin 5 mg/Polymyxin B 10,000 units/Hydrocortisone 10 mg per mL

Nevirapine (NVP, Viramune)

Tablet: 200 mg

Niacin/Nicotinamide (Nicobid)

Capsule, extended release: 250 mg, 500 mg

Tablet: 50 mg, 100 mg, 250 mg, 500 mg

Tablet, extended release: 250 mg, 500 mg, 750 mg, 1000 mg

Nicotine (Nicoderm, Habitrol, ProStep, Nicotrol, Nicorette)

Patch, transdermal:

Habitrol: 21 mg/day, 14 mg/day, 7 mg/day

Nicoderm: 21 mg/day, 14 mg/day, 7 mg/day

Nicotrol: 15 mg/day (gradual release over 16 hours)

Pieces, chewing gum, as polacrilex: 2 mg/square, 4 mg/square

NIFEdipine (Procardia)

Capsule, liquid-filled: 10 mg, 20 mg

Tablet, sustained release: 30 mg, 60 mg, 90 mg

Nitrofurantoin (Macrochantin)

Capsule: 50 mg, 100 mg

Capsule, extended release: 100 mg

Capsule, macrocrystal: 25 mg, 50 mg, 100 mg

Capsule, macrocrystal/monohydrate: 100 mg

Suspension, oral: 25 mg/mL

Nitroglycerin

Capsule, sustained release: 2.5 mg, 6.5 mg, 9 mg, 13 mg

Ointment, topical 2%: 30 gm, 60 gm

Patch, transdermal, topical: systems designed to deliver 2.5 mg, 5 mg, 7.5 mg, 10 mg, or 15 mg over 24 hours

Spray, translingual: 0.4 mg/metered spray

Tablet, buccal, controlled release: 2 mg, 3 mg

Tablet, sublingual: 0.3 mg, 0.4 mg, 0.6 mg

Tablet, sustained release: 2.6 mg, 6.5 mg, 9 mg

Non-Soap Cleanser (Cetaphil)

Lotion

Norepinephrine or Levarterenol (Levophed)

Injection: 1 mg/mL

Norgestimate/Ethinyl Estradiol (Ortho Tri-Cyclen)

Tablet: 21 day, 28 day

Nortriptyline (Aventyl, Pamelor)

Capsule: 10 mg, 25 mg, 50 mg, 75 mg

Solution: 10 mg/5 mL

Nystatin (Mycostatin)

Cream, topical: 100,000 units/g

Ointment, topical: 100,000 units/g

Powder for oral suspension: 50 million units, 1 billion units, 2 billion units, 5 billion units

Powder, topical: 100,000 units/g

Suspension, oral: 100,000 units/mL

Tablet, oral: 500,000 units

Troche: 200,000 units

Olanzapine (Zyprexa, Zydys)

Injection: 10 mg/2 mL

Tablet: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg

Tablet, rapid dissolving: 5 mg, 10 mg, 15 mg, 20 mg

Olopatadine (Patanol)

Solution, ophthalmic: 0.1%

Omeprazole (Prilosec)

Capsule, delayed release: 10 mg, 20 mg, 40 mg

Ophthalmic Lubricant (HypoTears, HypoTears PF) [preservative-free, lanolin-free]

Ointment, ophthalmic: 3.5 gm

Solution, ophthalmic: 0.6 mL

Oxacillin (Prostaphlin)

Capsule: 250 mg, 500 mg

Powder for injection: 250 mg, 500 mg, 1 g, 2 g, 4 g, 10 g

Powder for oral solution: 250 mg/5 mL

Oxazepam (Serax) C-IV

Capsule: 10 mg, 15 mg, 30 mg

Tablet: 15 mg

Oxcarbazepine (Trileptal)

Tablet: 150 mg, 300 mg, 600 mg

Oxybutynin (Ditropan, Ditropan XL)

Syrup: 5 mg/5 mL

Tablet: 5 mg

Tablet, extended release: 5 mg, 10 mg, 15 mg

Oxycodone (OxyContin) C-II

Tablet, controlled release: 10 mg, 20 mg, 40 mg, 80 mg, 160 mg

Oxymetazoline (Afrin)

Solution, nasal, drops: 0.025%, 0.05%

Solution, nasal, spray: 0.05%

Pancrelipase (Pancrease, Creon)

Capsule: contains lipase, protease and amylase

Tablet: contains lipase, protease and amylase

Pantoprazole (Protonix)

Tablet: 40 mg, 20 mg

Paroxetine (Paxil)

Tablet: 10 mg, 20 mg, 30 mg, 40 mg

Tablet, controlled release: 12.5 mg, 25 mg, 37.5 mg, 50 mg

Penicillamine (Cuprimine)

Capsule: 125 mg, 250 mg

Tablet: 250 mg

Penicillin G Benzathine (Bicillin)

Injection: 300,000 units/mL, 600,000 units/mL

Penicillin G Benzathine/Penicillin G Procaine (Bicillin C-R)

Injection: Penicillin G Benzathine 150,000 units/Penicillin G Procaine 150,000 units,

Penicillin G Benzathine 900,000 units/Penicillin G Procaine 300,000 units

Penicillin G Procaine (Wycillin)

Injection (suspension): 300,000 units/mL, 500,000 units/mL, 600,000 units/mL

Penicillin G Sodium

Injection: 5 million units

Penicillin V Potassium (Pen-Vee K, V-Cillin K)

Powder for oral solution: 125 mg/5 mL, 250 mg/5 mL

Tablet: 125 mg, 250 mg, 500 mg

Pentamidine (Pentam) - RESERVE USE

Inhalation: 300 mg

Powder for injection: 300 mg

Permethrin (Elimite, NIX)

Cream, topical: 5%

Lotion: 1%

Shampoo: 1%

Perphenazine (Trilafon)

Tablet: 2 mg, 4 mg, 8 mg, 16 mg

Petrolatum, White (Vaseline)

Ointment, topical: 430 g

Phenazopyridine (Pyridium)

Tablet: 95 mg, 100 mg, 200 mg

Phenelzine (Nardil)

Tablet: 15 mg

Phenobarbital (Luminal) C-IV

Capsule: 16 mg

Elixir: 20 mg/5 mL

Injection: 30 mg/mL, 60 mg/mL, 65 mg/mL, 130 mg/mL

Tablet: 8 mg, 15 mg, 16 mg, 30 mg, 32 mg, 60 mg, 65 mg, 100 mg

Phenol (Chloraseptic)

Mouthwash/Gargle: 1.4%

Throat Spray: 0.5%

Phenylephrine (Neo-Synephrine)

Solution, nasal, drops: 0.125%, 0.25%, 0.5%

Solution, nasal, spray: 0.25%, 0.5%, 1%

Solution, ophthalmic: 2.5%, 10%

Phenytoin (Dilantin)

Capsule, extended release: 30 mg, 100 mg
Capsule, immediate release: 100 mg
Injection: 50 mg/mL
Suspension, oral: 125 mg/5 mL
Tablet, chewable: 50 mg

Physostigmine (Antilirium)

Injection: 1 mg/mL

Phytonadione (Vitamin K₁, Mephyton, Konakion)

Injection, aqueous colloidal: 2 mg/mL, 10 mg/mL
Injection, aqueous (IM only): 2 mg/mL, 10 mg/mL
Tablet: 5 mg

Pilocarpine (Isopto Carpine)

Solution, ophthalmic, as hydrochloride: 1%, 2%, 4%

Pimecrolimus (Elidel)

Cream: 1%

Pneumococcal Vaccine, Polyvalent (Pneumovax)

Injection, single dose

Podophyllum Resin

Liquid, topical: 25% in benzoin

Poliovirus Vaccine, Inactivated (IPOL)

Injection, single dose

Polycarbophil (Fibercon, Fiber-Lax)

Tablet: 500 mg, 600 mg, 625 mg, 650 mg

Polyethylene Glycol (MiraLax)

Powder for oral solution

Polymyxin B/Bacitracin (Polysporin)

Ointment, ophthalmic: Polymyxin B 10,000 units/Bacitracin 500 units
Ointment, topical: Polymyxin B 10,000 units/Bacitracin 500 units
Powder, topical: Polymyxin B 10,000 units/Bacitracin 500 units

Polymyxin B/Neomycin (Neosporin)

Cream: Polymyxin B 10,000 units/Neomycin 3.5 mg

Polymyxin B/Trimethoprim (Polytrim)

Solution, ophthalmic: Polymyxin B 10,000 units/Trimethoprim 1 mg/mL

Potassium Chloride

Capsules: 8 mEq, 10 mEq

Crystals for oral suspension, extended release: 20 mEq/packet

Liquid, oral: 10% [20 mEq/15 mL], 15% [30 mEq/15 mL], 20% [40 mEq/15 mL]

Powder for oral suspension(per packet): 15 mEq, 20 mEq, 25 mEq

Injection, concentrate: 2 mEq/mL

Tablet, controlled release (microencapsulated): 750 mg [10 mEq], 1500 mg [20 mEq]

Tablet, controlled release (wax matrix): 500 mg [6.7 mEq], 600 mg [8 mEq], 750 mg [10 mEq]

Potassium Citrate (Urocit K)

Tablet: 5 mEq, 10 mEq

Potassium Citrate Combinations (Polycitra, Polycitra-LC, Polycitra K, Citrolith)

Solution, oral: containing Sodium Citrate /Potassium Citrate/Citric Acid

Solution, oral: containing Sodium Citrate/Potassium Citrate

Potassium Iodide (SSKI)

Solution, oral: 100 mg/mL, 1 g/mL

Povidone-Iodine (Betadine)

Cleanser, topical: 60 mL, 240 mL

Ointment, topical: 10%

Solution, prep: 30 mL, 60 mL, 240 mL, 473 mL, 1000 mL, 4000 mL

Solution, topical: 10%

Pramoxine (Tronothane)

Cream, topical: 1%

Gel, topical: 1%

Lotion: 1%

Ointment, topical: 1%

Spray: 1%

Prazosin (Minipress)

Capsule: 1 mg, 2 mg, 5 mg

prednisoLONE (Delta-Cortef)

Injection, as sodium phosphate: 20 mg/mL

Liquid, oral: 5 mg/mL

Syrup: 15 mg/mL

Tablet: 5 mg

predniSONE (Meticorten, Deltasone)

Solution, oral, concentrate: 5 mg/mL with 30% alcohol

Syrup: 5 mg/5 mL

Tablet: 1 mg, 2.5 mg, 5 mg, 10 mg, 20 mg, 50 mg

Primidone (Mysoline)

Suspension, oral: 250 mg/5 mL

Tablet: 50 mg, 250 mg

Probenecid (Benemid)

Tablet: 500 mg

Procainamide (Pronestyl)

Capsule: 250 mg, 375 mg, 500 mg

Tablet: 250 mg, 375 mg, 500 mg

Tablet, sustained release: 250 mg, 500 mg, 750 mg, 1000 mg

Prochlorperazine (Compazine)

Injection: 5 mg/mL

Suppository, rectal: 2.5 mg, 5 mg, 25 mg

Syrup: 5 mg/5 mL

Tablet: 5 mg, 10 mg, 25 mg

Promethazine (Phenergan)

Injection: 25 mg/mL, 50 mg/mL

Suppository, rectal: 12.5 mg, 25 mg, 50 mg

Syrup: 6.25 mg/5 mL, 25 mg/5 mL

Tablet: 12.5 mg, 25 mg, 50 mg

Propantheline (Pro-Banthine)

Tablet: 7.5 mg, 15 mg

Proparacaine (Alcaine)

Solution, ophthalmic: 0.5%

Propranolol (Inderal)

Capsule, sustained release: 60 mg, 80 mg, 120 mg, 160 mg

Injection: 1 mg/mL

Solution, oral: 4 mg/mL, 8 mg/mL, 80 mg/mL

Tablet: 10 mg, 20 mg, 40 mg, 60 mg, 80 mg, 90 mg

Propylene Glycol Electrolyte Solution (PEG, Co-Lyte, GoLYTELY, OCL)

Powder for oral solution: 2000 mL, 4000 mL, 4800 mL, 6000 mL

Propylthiouracil

Tablet: 50 mg

Protamine

Injection: 10 mg/mL

Protriptyline (Vivactil)

Tablet: 5 mg, 10 mg

Pseudoephedrine (Sudafed)

Liquid, oral: 15 mg/5 mL, 30 mg/mL
Tablet, immediate release: 30 mg, 60 mg
Tablet, timed release: 120 mg
Tablet, extended release: 120 mg, 240 mg

Psyllium (Metamucil)

Granules: 4.03 g per rounded teaspoon, 2.5 g per rounded teaspoon
Powder, hydrophilic: 3.4 g per rounded teaspoon

Pyrantel (Antiminth)

Capsule: 180 mg
Liquid, oral: 50 mg/mL
Suspension, oral: 50 mg/mL

Pyrazinamide

Tablet: 500 mg

Pyrethins/Piperonyl Butoxide (A-200, RID)

Liquid, topical: 0.18%, 0.3%
Shampoo: 0.3%, 0.33%

Pyridoxine (Vitamin B₆)

Injection: 100 mg/mL
Tablet: 25 mg, 50 mg, 100 mg

Quetiapine (Seroquel)

Tablet: 25 mg, 100 mg, 200 mg, 300 mg

Quinidine Gluconate

Tablet, sustained release: 324 mg

Quinidine Sulfate

Tablet: 200 mg, 300 mg
Tablet, sustained action: 300 mg

Raloxifene (Evista)

Tablet: 60 mg

Ranitidine (Zantac)

Injection: 25 mg/mL
Granules, effervescent: 150 mg
Syrup: 15 mg/mL
Tablet: 75 mg, 150 mg, 300 mg
Tablet, effervescent: 150 mg

Rectal Hemorrhoidal Cream with Hydrocortisone

Cream: see Hydrocortisone

Rectal Hemorrhoidal Ointment (Anusol)

Ointment

Rectal Hemorrhoidal Suppositories (Wyanoids, Anusol)

Suppository, rectal:

Rectal Hemorrhoidal Suppositories with Hydrocortisone (Anusol-HC)

Suppository, rectal: see Hydrocortisone

Repaglinide (Prandin)

Tablet: 0.5 mg, 1 mg, 2 mg

Rifampin (Rifadin)

Capsule: 150 mg, 300 mg

Injection: 600 mg

Rifampin/Isoniazid (Rifamate)

Capsule: Rifampin 300 mg/Isoniazid 150 mg

Ringer's Lactate Solution (Hartmann's Solution)

Infusion: 150 mL, 250 mL, 500 mL, 1000 mL

Risperidone (Risperdal, Risperdal M-Tab, Risperdal Consta)

Injection, long acting: 25 mg/2 mL, 37.5 mg/2 mL, 50 mg/2 mL

Solution, oral: 1 mg/mL

Tablet: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg

Tablet, orally disintegrating: 0.5 mg, 1 mg, 2 mg

Ritonavir (Norvir)

Capsule: 100 mg

Solution, oral: 80 mg/mL

Rivastigmine (Exelon) - RESERVE USE

Capsule: 1.5 mg, 3 mg, 4.5 mg, 6 mg

Rosiglitazone (Avandia)

Tablet: 2 mg, 4 mg, 8 mg

Rubella Virus Vaccine Live (Meruvax II)

Injection, single dose

Salicylic Acid (Compound W, DuoFilm, Mediplast)

Gel, topical: 17%
Liquid, topical: 17%
Lotion: 3%
Plaster: 40%
Soap: 2%

Salmeterol (Serevent)

Aerosol, inhalation: 25 mcg/dose
Powder, inhalation: 50 mcg

Saquinavir (Invirase, Fortovase)

Capsule: 200 mg

Scopolamine (Isopto Hyoscine)

Solution, ophthalmic: 0.25%

Selenium Sulfide (Selsun)

Shampoo: 1%, 2.5%

Senna (Senokot)

Tablet: 8.6 mg, 25 mg

Sertraline (Zoloft)

Concentrate, oral: 20 mg/mL
Tablet: 25 mg, 50 mg, 100 mg

Sevelamer (Renagel)

Tablet: 400 mg, 800 mg

Silver Nitrate

Applicator sticks

Silver Sulfadiazine (Silvadene)

Cream, topical: 1%

Simethicone (Mylicon)

Drops, oral: 40 mg/0.6 mL
Tablet, chewable: 40 mg, 80 mg, 125 mg

Simvastatin (Zocor)

Tablet: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg

Sodium Bicarbonate

Injection: 4.2% [5 mEq/10 mL], 8.4% [10 mEq/10 mL]

Sodium Chloride

Drops, nasal: 0.9%
Infusion: 0.2%, 0.45%, 0.9%, 3%, 5%, 20%, 23.4%
Injection, bacteriostatic: 0.9%
Injection, for admixtures: 50 mEq, 100 mEq, 635 mEq
Ointment, ophthalmic: 5%
Solution, irrigation: 0.45%, 0.9%
Solution, nasal: 0.4%, 0.6%, 0.65%
Solution, nebulizing: 0.9%
Solution, ophthalmic: 2%, 5%
Tablet: 650 mg, 1 g
Tablet, enteric coated: 1 g
Tablet, slow release: 600 mg

Sodium Chloride Intravenous Solution

Sodium Chloride 0.2%
Sodium Chloride 0.45%
Sodium Chloride 0.9%

Sodium Citrate/Citric Acid (Bicitra, Oracit)

Solution, oral:
Bicitra: Sodium Citrate 500 mg/Citric Acid 334 mg per 5 mL
Oracit: Sodium Citrate 400 mg/Citric Acid 640 mg per 5 mL

Sodium Fluoride

Liquid, oral: 360 mL, 480 mL, 540 mL
Tablet, chewable: 0.25 mg, 0.5 mg, 1 mg, 1.1 mg, 2.2 mg

Sodium Lactate

Injection: Sodium 167 mEq/Lactate 168 mEq per liter

Sodium Phosphate/Biphosphate (Fleet Phospho-Soda, Fleet's Enema)

Enema: Sodium Phosphate 7 g/Sodium Biphosphate 19 g per 118 mL
Injection: Phosphate 3 mmol and Sodium 4 mEq per mL
Solution, oral: Sodium Phosphate 18 g/Sodium Biphosphate 48 g per 100 mL

Sodium Polystyrene Sulfonate (Kayexalate)

Powder for suspension: 454 gm
Suspension, oral: 1.25 gm/5 mL (with sorbitol and alcohol)

Sorbitol

Solution, oral: 70%

Spironolactone (Aldactone)

Tablet: 25 mg, 50 mg, 100 mg

Spiroinolactone/Hydrochlorothiazide (Aldactazide)

Tablet: Spiroinolactone 25 mg/Hydrochlorothiazide 25 mg, Spiroinolactone 50 mg/
Hydrochlorothiazide 50 mg

Stannous Fluoride (OmniMed, PerioMed)

Solution, oral: 0.4%, 0.63%

Stavudine (d4T, Zerit)

Capsule: 15 mg, 20 mg, 30 mg, 40 mg
Solution, oral: 1 mg/mL

Sucralfate (Carafate)

Suspension, oral: 1 g/10 mL
Tablet: 1 g

Sulfacetamide Sodium (Sulamyd, Sebizon)

Lotion: 10%
Ointment, ophthalmic: 10%
Solution, ophthalmic: 10%

Sulfasalazine (Azulfidine)

Tablet: 500 mg
Tablet, delayed release: 500 mg

Sulfur/Resorcinol (Sulforcin, Rezamid)

Lotion: Sulfur 5%/Resorcinol 2% [with up to 28% alcohol]

Sulindac (Clinoril)

Tablet: 150 mg, 200 mg

Sumatriptan (Imitrex)

Injection: 12 mg/mL
Nasal Spray: 5 mg, 20 mg
Tablet: 25 mg, 50 mg, 100 mg

Sunscreen/block

Cream/Lotion: contains a minimum SPF of 15

Tacrolimus (Protopic)

Ointment: 0.03%, 0.1%

Tamoxifen (Nolvadex)

Tablet: 10 mg, 20 mg

Tazarotene (Tazorac, Avage)

Cream, topical: 0.05%, 0.1%
Gel, topical: 0.05%, 0.1%

Temazepam (Restoril) C-IV

Capsule: 7.5 mg, 15 mg, 30 mg

Terbinafine (Lamisil)

Cream, topical: 1%

Tablet: 250 mg

Terbutaline (Brethine)

Aerosol, oral: 0.2 mg/actuation

Injection: 1 mg/mL

Tablet: 2.5 mg, 5 mg

Testosterone (Androlan) C-IV

Injection, in oil, as cypionate: 100 mg/mL, 200 mg/mL

Injection, in oil, as enanthate: 100 mg/mL, 200 mg/mL

Tetracycline (Achromycin, Panmycin)

Capsule: 100 mg, 250 mg, 500 mg

Suspension, oral: 125 mg/5 mL

Tablet: 250 mg, 500 mg

Tetrahydrozoline (Visine Allergy Relief, Visine Moisturizing)

Solution, ophthalmic: 0.05%

Theophylline (Elixophyllin)

Capsule, timed release (12 hour): 130 mg, 260 mg

Capsule, timed release (24 hour): 100 mg, 200 mg, 300 mg

Solution, oral: 80 mg/15 mL, 150 mg/15 mL

Tablet, immediate release [Slo-phyllin]: 100 mg, 125 mg, 200 mg, 250 mg, 300 mg

Tablet, timed release:

Theolair SR (8-12 hour): 100 mg, 200 mg, 250 mg, 300 mg, 500 mg

Theo-Dur (8-24 hour): 100 mg, 200 mg, 300 mg, 450 mg

Theophylline SR (12-24 hour): 100 mg, 200 mg, 300 mg

Uniphyl (24 hour): 400 mg

Thiabendazole (Mintezol)

Suspension, oral: 500 mg/5 mL

Tablet, chewable: 500 mg

Thiamine (Vitamin B₁)

Injection: 100 mg/mL, 200 mg/mL

Tablet: 50 mg, 100 mg, 250 mg, 500 mg

Thioridazine (Mellaril) - RESERVE USE

Concentrate, oral: 30 mg/mL, 100 mg/mL

Tablet: 10 mg, 15 mg, 25 mg, 50 mg, 100 mg, 150 mg, 200 mg

Thiothixene (Navane)

Capsule: 1 mg, 2 mg, 5 mg, 10 mg, 20 mg

Thyroid, Desiccated (Thyroid)

Capsule (pork source): 60 mg, 120 mg, 180 mg, 300 mg

Tablet:

Armour: 15 mg, 30 mg, 60 mg, 90 mg, 120 mg, 180 mg, 240 mg, 300 mg

Thyral (bovine source): 30 mg, 60 mg, 120 mg

Thyroid Strong (60 mg is equivalent to 90 mg thyroid, USP)

Thyroid, USP: 15 mg, 30 mg, 60 mg, 120 mg, 180 mg, 300 mg

Tiagabine (Gabatril)

Tablet: 2 mg, 4 mg, 12 mg, 16 mg, 20 mg

Ticarcillin (Ticar)

Powder for injection: 1 g, 3 g, 6 g, 20 g, 30 g

Ticarcillin/Clavulanate (Timentin)

Powder for injection: 3.1 g

Timolol (Timoptic)

Gel, ophthalmic: 0.25%, 0.5%

Solution, as maleate, ophthalmic: 0.25%, 0.5%

Solution, as maleate, ophthalmic, preservative free, single use: 0.25%, 0.5%

Tablet: 5 mg, 10 mg, 20 mg

Timolol/Dorzolamide (Cosopt)

Solution, ophthalmic: Timolol 0.5%/Dorzolamide 2%

Tioconazole (Vagistat-1)

Ointment, vaginal: 6.5%

Tizanidine (Zanaflex) - RESERVE USE

Tablet: 2 mg, 4 mg

Tobramycin (Nebcin, Tobrex)

Injection: 10 mg/mL, 40 mg/mL

Ointment, ophthalmic: 0.3%

Powder for injection: 40 mg/mL

Solution, ophthalmic: 0.3%

Tobramycin/Dexamethasone (TobraDex) [contains Benzalkonium] - RESERVE USE

Ointment, ophthalmic: Tobramycin 0.3%/Dexamethasone 0.1%

Suspension, ophthalmic: Tobramycin 0.3%/ Dexamethasone 0.1%

TOLBUTamide (Orinase)

Tablet: 250 mg, 500 mg

Tolnaftate (Tinactin)

Aerosol, topical, liquid: 1%
Aerosol, topical, powder: 1%
Cream, topical: 1%
Powder, topical: 1%
Solution, topical: 1%

Tolterodine (Detrol, Detrol LA)

Capsule, extended release: 2 mg, 4 mg
Tablet: 1 mg, 2 mg

Topiramate (Topamax)

Tablet: 25 mg, 100 mg, 200 mg

Tramadol (Ultram)

Tablet: 50 mg

Tranlycypromine (Parnate)

Tablet: 10 mg

Travoprost (Travatan)

Solution, ophthalmic: 0.004%

Trazodone (Desyrel)

Tablet: 50 mg, 100 mg, 150 mg, 300 mg

Tretinoin Gel (Retin-A)

Cream, topical: 0.025%, 0.05%, 0.1%
Gel, topical: 0.01%, 0.025%, 0.1%
Liquid, topical: 0.05%

Triamcinolone (Aristocort, Kenacort, Azmacort, Nasacort)

Aerosol, oral, inhalation: 100 mcg/metered spray
Aerosol, topical: 0.2 mg/2 second spray
Cream, topical: 0.025%, 0.1%, 0.5%
Lotion, topical: 0.025%, 0.1%
Ointment, topical: 0.025%, 0.1%, 0.5%
Spray, intranasal: 55 mcg/actuation [100 sprays/canister]

Triamcinolone in Oral Adhesive Base (Kenalog in Orabase)

Paste: Triamcinolone 0.1%

Triamterene (Dyrenium)

Capsule: 50 mg, 100 mg

Triamterene/Hydrochlorothiazide (Dyazide, Maxzide)

Capsule (Dyazide): 37.5 mg Triamterene/25 mg Hydrochlorothiazide, 50 mg Triamterene/25 mg Hydrochlorothiazide
Tablet (Maxzide): 37.5 mg Triamterene/25 mg Hydrochlorothiazide, 75 mg Triamterene/50 mg Hydrochlorothiazide

Triazolam (Halcion) C-IV

Tablet: 0.125 mg, 0.25 mg

Trifluoperazine (Stelazine)

Tablet: 1 mg, 2 mg, 5 mg, 10 mg

Trihexyphenidyl (Artane)

Capsule, sustained release: 5 mg
Elixir: 2 mg/5 mL
Tablet: 2 mg, 5 mg

Trimethobenzamide (Tigan)

Injection: 100 mg/mL
Suppository, rectal: 100 mg, 200 mg

Trimethoprim/Sulfamethoxazole (Co-Trimoxazole, Bactrim, Septra)

The 5:1 ratio of Sulfamethoxazole (SMX) to Trimethoprim (TMP) is constant in all dosage forms

Injection: 80 mg SMX/16 mg TMP per mL
Suspension, oral: 200 mg SMX/40 mg TMP per 5 mL
Tablet: 400 mg SMX/80 mg TMP, 800 mg SMX/160 mg TMP

Trimipramine (Surmontil)

Capsule: 25 mg, 50 mg, 100 mg

Tripolidine/Pseudoephedrine (Actifed)

Capsule, extended release: Tripolidine 5 mg/Pseudoephedrine 120 mg
Syrup: Tripolidine 1.25 mg/Pseudoephedrine 30 mg per 10 mL
Tablet: Tripolidine 2.5 mg/Pseudoephedrine 60 mg

Tropicamide (Mydracil)

Solution, ophthalmic: 0.5%, 1%

Trypsin/Balsam Peru/Castor Oil (Granulex)

Aerosol: Trypsin 0.1 mg/Balsam Peru 72.5 mg/Castor Oil 650 mg per 0.82 mL

Tuberculin, Purified Protein Derivative (P.P.D.)

Intermediate test strength: 5 TU/0.1 mL

Valproic Acid/Valproate (Depakene)

Capsule: 250 mg

Syrup: 250 mg/5 mL

Vancomycin (Vancocin)

Capsule: 125 mg, 250 mg

Powder for oral solution: 1 g, 10 g

Powder for injection: 500 mg, 1 g, 2 g, 5 g, 10 g

Varicella Virus Vaccine, Live (Varivax)

Injection, single dose

Venlafaxine (Effexor)

Capsule, sustained release: 37.5 mg, 75 mg, 150 mg

Tablet: 25 mg, 37.5 mg, 50 mg, 75 mg, 100 mg

Verapamil (Calan, Isoptin)

Capsule, sustained release: 120 mg, 180 mg, 240 mg, 360 mg

Injection: 2.5 mg/mL

Tablet: 40 mg, 80 mg, 120 mg

Tablet, sustained release: 120 mg, 180 mg, 240 mg

Vitamin A (Aquasol A)

Capsule: 10,000 units, 25,000 units, 50,000 units

Injection: 50,000 units/mL

Tablet: 5000 units

Vitamin A&D Ointment

Ointment, topical: 113 g

Vitamin B Complex/Vitamin C (Stresscaps, Allbee with C)

Capsule: each capsule contains a minimum of USDA requirements

Tablet: each tablet contains a minimum of USDA requirements

Vitamin B Complex/Vitamin C/Zinc

Tablet: each tablet contains a minimum of USDA requirements

Vitamin D (Ergocalciferol, Calciferol, Drisdol)

Drops, oral: 200 IU/drop

Vitamin E (Aquasol E)

Capsule: 100 units, 200 units, 400 units, 1000 units

Tablet: 200 units, 400 units

Warfarin (Coumadin)

Tablet: 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 7.5 mg, 10 mg

Water for Injection

Infusion: 5 mL, 250 mL, 500 mL, 1000 mL, 2000 mL, 3000 mL

Water for Irrigation

Solution, irrigation

Zafirlukast (Accolate)

Tablet: 20 mg

Zaleplon (Sonata)

Capsule: 5 mg, 10 mg

Zidovudine (AZT, Retrovir)

Capsule: 100 mg

Injection: 10 mg/mL

Syrup: 50 mg/5 mL

Tablet: 300 mg

Zinc Oxide

Ointment, topical: 20% in white ointment

Paste, topical: 25% in white petrolatum

Ziprasidone (Geodon)

Capsule: 20 mg, 40 mg, 60 mg, 80 mg

Injection: 20 mg

Zinc Oxide/Petrolatum/Imidazolidinyl Urea (Diaperene)

Ointment, topical

Zinc Sulfate

Capsule: 220 mg [50 mg zinc]

Injection: 1 mg/mL, 5 mg/mL

Zinc Undecylenate (Desenex)

Cream, topical: 20%

Foam, topical: 10% [with 35.2% alcohol]

Ointment, topical: 30 gm

Powder, topical: 19%

Zolpidem (Ambien) C-IV

Tablet: 5 mg, 10 mg

Zonisamide (Zonegran)

Capsule: 100 mg

THERAPEUTIC CLASSIFICATION/COST INDEX

ANTIDIABETIC AGENTS

INSULINS, HUMAN

Insulin, Aspart (NovoLog)	\$\$\$\$\$\$\$
Insulin, Combination (70/30)	\$\$\$\$
Insulin, Glargine (Lantus)	\$\$\$\$\$\$\$
Insulin, Lente	\$\$\$\$
Insulin, Lispro (Humalog)	\$\$\$\$\$\$\$
Insulin, Lispro/Insulin, Lispro Protamine (Humalog Mix 75/25)	\$\$\$\$\$\$\$
Insulin, NPH	\$\$\$\$
Insulin, Regular	\$\$\$\$
Insulin, Ultralente	\$\$\$\$

SULFONYLUREAS

glipiZIDE (Glucotrol)	\$
glyBURIDE (Micronase, DiaBeta)	\$\$
TOLBUTamide (Orinase)	\$\$

MISCELLANEOUS ANTIDIABETICS

Metformin (Glucophage, Glucophage XR)	\$\$
Repaglinide (Prandin)	\$\$ - \$\$\$\$
Rosiglitazone (Avandia)	\$\$-\$\$\$

GLUCOSE ELEVATING AGENTS

Dextrose 50% in Water	\$\$
Glucagon	\$\$\$\$\$\$\$
Glucose	\$ - \$\$\$

ANTIDOTES/DETERRENTS/POISON CONTROL AGENTS

Acetylcysteine (Mucomyst)	
Activated Charcoal	
Deferoxamine (Desferal)	
Dimercaprol (B.A.L.)	
Disulfiram (Antabuse)	
Glucagon	
Glucose, oral	
Ipecac Syrup	
Leucovorin (Wellcovorin)	
Naloxone (Narcan)	\$\$ - \$\$
Naltrexone (Trexan, ReVia)	\$\$\$
Nicotine Polacrilex (Nicorette)	\$\$ - \$\$\$\$\$
Nicotine Transdermal Patch (Nicoderm, Habitrol, ProStep, Nicotrol)	\$\$\$
Penicillamine (Cuprimine)	
Physostigmine (Antilirium)	
Phytonadione (Vitamin K ₁ , Mephyton)	\$\$ - \$\$\$
Protamine	\$

ANTI-HISTAMINES

Brompheniramine/Pseudoephedrine (Bromfed)	\$\$
Chlorpheniramine (Chlor-Trimeton, Teldrin)	\$ - \$
Cyproheptadine (Periactin)	\$
diphenhydrAMINE (Benadryl)	\$
Fexofenadine (Allegra)	\$\$
Fexofenadine/Pseudoephedrine (Allegra-D)	\$\$
hydrOXYzine (Atarax, Vistaril)	\$ - \$\$
Loratadine (Claritin)	\$\$
Promethazine (Phenergan)	\$\$
Triprolidine/Pseudoephedrine (Actifed)	\$

ANTINEOPLASTIC AGENTS

Methotrexate	
Tamoxifen (Nolvadex)	

BLOOD MODIFYING AGENTS

ANTIPLATELET

Aspirin	\$
Clopidogrel (Plavix) – RESERVE USE	\$\$\$

ANTICOAGULANT

Heparin	\$\$
Enoxaparin (Lovenox)	\$\$\$\$\$\$\$
Warfarin (Coumadin)	\$

ANTICOAGULATION ANTAGONIST

Phytonadione (Vitamin K ₁ , Mephyton)	\$\$ - \$\$\$
Protamine	\$

MISCELLANEOUS BLOOD MODIFYING AGENTS

Ferrous Fumarate/Docusate Sodium (Ferro-Sequels) [33% elemental iron]	\$\$
Ferrous Sulfate (Feosol, Fer-In-Sol) [20% elemental iron]	\$

CARDIOVASCULAR AGENTS

DIURETICS

Thiazides & Related Diuretics	
Chlorthalidone (Hygroton)	\$
Hydrochlorothiazide (HydroDIURIL, Esidrix)	\$
Loop Diuretics	
Furosemide (Lasix)	\$
Potassium-Sparing Diuretics	
Spironolactone (Aldactone)	\$
Triamterene (Dyrenium)	\$ - \$
Carbonic Anhydrase Inhibitors	
acetaZOLAMIDE (Diamox)	\$
Combination Diuretics	
Spironolactone/Hydrochlorothiazide (Aldactazide)	\$ - \$\$
Triamterene/Hydrochlorothiazide (Dyazide, Maxzide)	\$ - \$

CARDIAC GLYCOSIDES

Digoxin (Lanoxin)	\$
-------------------	----

ANTIANGINALS

Isosorbide Dinitrate (Isordil, Sorbitrate)	\$
Isosorbide Mononitrate (Imdur, ISMO, Monoket)	\$
Nitroglycerin	\$ - \$

ANTIARRHYTHMICS

Adenosine (Adenocard)	\$\$\$\$\$\$\$
Procainamide (Pronestyl)	\$ - \$
Quinidine Gluconate	\$\$
Quinidine Sulfate	\$\$ - \$\$\$

CALCIUM CHANNEL BLOCKERS

Amlodipine (Norvasc)	\$ - \$\$
Diltiazem (Cardizem)	\$ - \$\$
Felodipine (Plendil)	\$ - \$\$
NIFEdipine (Procardia)	\$ - \$\$\$
Verapamil (Calan, Isoptin)	\$ - \$\$

BETA-ADRENERGIC BLOCKERS

Atenolol (Tenormin)	\$
Labetalol (Normodyne)	\$ - \$\$
Metoprolol (Lopressor, Toprol XL)	\$ - \$\$
Nadolol (Corgard)	\$ - \$\$\$
Propranolol (Inderal)	\$ - \$\$\$

ANTIHYPERLIPIDEMICS

Atorvastatin (Lipitor)	\$\$
Cholestyramine (Questran)	\$ - \$\$\$
Fluvastatin (Lescol)	\$\$
Gemfibrozil (Lopid)	\$
Niacin/Nicotinamide (Nicobid)	\$ - \$
Simvastatin (Zocor)	\$ - \$\$

ANGIOTENSIN CONVERTING ENZYME INHIBITORS

Benazepril (Lotensin)	\$\$
Captopril (Capoten)	\$
Enalapril (Vasotec)	\$\$
Lisinopril (Prinivil, Zestril)	\$

VASOPRESSORS

DOPamine (Intropin)	\$\$\$ - \$\$\$\$
Epinephrine (Adrenalin)	\$ - \$\$\$\$\$\$\$
Norepinephrine or Levarterenol (Levophed)	\$\$\$ - \$\$\$\$\$\$\$

MISCELLANEOUS ANTIHYPERTENSIVES

Clonidine (Catapres)	\$ - \$\$\$\$\$
Guanethidine (Ismelin)	\$\$ - \$\$
hydrALAZINE (Apresoline)	\$
Methyldopa (Aldomet)	\$ - \$\$\$\$\$
Prazosin (Minipress)	\$ - \$\$

MISCELLANEOUS CARDIOVASCULARS

Sodium Polystyrene Sulfonate (Kayexalate)	\$\$ - \$\$\$\$
---	-----------------

CENTRAL NERVOUS SYSTEM AGENTS

ANALGESICS

Nonsteroidal Anti-Inflammatory Agents

Aspirin	\$ - \$
Ibuprofen (Motrin)	\$ - \$\$
Ketorolac (Toradol)	\$\$\$\$ - \$\$\$\$\$
Nabumetone (Relafen) - RESERVE USE	\$\$
Naproxen (Naprosyn)	\$\$
Sulindac (Clinoril)	\$ - \$\$

Opiate Agonists

Fentanyl (Duragesic)	\$\$\$-\$\$\$\$
Methadone (Dolophine) C-II	\$ - \$\$\$\$
Morphine C-II	\$ - \$\$\$
Oxycodone (OxyContin)	\$\$ - \$\$\$\$\$

Miscellaneous Analgesics & Antipyretics

Acetaminophen (Tylenol)	\$ - \$\$
Acetaminophen/Codeine C-III	\$ - \$
Acetaminophen/Hydrocodone (Lortab, Vicodin)	\$\$ - \$\$
Tramadol (Ultram)	\$ - \$\$\$\$

ANTIEMETIC/ANTIVERTIGO AGENTS

diphenhydrAMINE (Benadryl)	\$
hydrOXYzine (Atarax, Vistaril)	\$ - \$\$
Meclizine (Antivert, Bonine)	\$
Metoclopramide (Reglan)	\$ - \$\$\$
Prochlorperazine (Compazine)	\$ - \$\$\$
Promethazine (Phenergan)	\$ - \$\$\$\$\$
Trimethobenzamide (Tigan)	\$\$

PSYCHOTROPIC AGENTS

Benzodiazepines

Alprazolam (Xanax) C-IV	\$ - \$
Chlordiazepoxide (Librium) <u>oral only</u> C-IV	\$
Clonazepam (Klonopin)	\$\$ - \$\$\$\$
Clorazepate (Tranxene) C-IV	\$ - \$\$
Diazepam (Valium) C-IV	\$
Lorazepam (Ativan) C-IV	\$ - \$\$\$
Oxazepam (Serax) C-IV	\$ - \$\$
Temazepam (Restoril) C-IV	\$
Triazolam (Halcion) C-IV	\$ - \$

Antidepressants

Monoamine Oxidase Inhibitors

Phenelzine (Nardil)	\$\$ - \$
Tranylcypromine (Parnate)	\$\$

Serotonin Selective Reuptake Inhibitors (SSRIs)

Citalopram (Celexa)	\$\$
Escitalopram (Lexapro)	\$\$
Fluoxetine (Prozac)	\$\$ - \$\$\$\$
Fluvoxamine (Luvox)	\$\$ - \$\$\$
Paroxetine (Paxil)	\$\$ - \$\$\$\$
Sertraline (Zoloft)	\$ - \$\$\$

Serotonin Norepinephrine Reuptake Inhibitors (SNRIs)

Duloxetine (Cymbalta)	\$\$\$ - \$\$\$\$
Venlafaxine (Effexor)	\$ - \$\$\$\$

Tricyclic Agents

Amitriptyline (Elavil)	\$\$ - \$
clomiPRAMINE (Anafranil) - for OCD	\$ - \$\$\$
Desipramine (Norpramin, Pertofrane)	\$ - \$
Doxepin (Sinequan, Adapin)	\$ - \$\$
Imipramine (Tofranil)	\$
Nortriptyline (Aventyl, Pamelor)	\$ - \$\$
Protriptyline (Vivactil)	\$ - \$\$
Trimipramine (Surmontil)	\$ - \$\$\$

SEE "PSYCHOTROPIC DOSAGE GUIDELINES", PAGE 11

Miscellaneous Agents	
Amoxapine (Asendin)	\$ - \$\$
buPROPion (Wellbutrin, Wellbutrin SR, Zyban)	\$\$ - \$\$\$
Maprotiline (Ludiomil)	\$ - \$
Mirtazapine (Remeron)	\$\$ - \$\$\$
Trazodone (Desyrel)	\$ - \$
Antipsychotics	
Aripiprazole (Abilify)	\$\$\$\$ - \$\$\$\$\$
chlorproMAZINE (Thorazine)	\$
Clozapine (Clozaril) - RESERVE USE	\$\$ - \$\$\$\$\$
Fluphenazine (Prolixin)	\$ - \$\$\$
Fluphenazine Decanoate (Prolixin Decanoate)	\$\$ - \$\$\$
Haloperidol (Haldol)	\$
Haloperidol Decanoate (Haldol Decanoate)	\$\$ - \$\$\$
Loxapine (Loxitane)	\$ - \$\$\$
Mesoridazine (Serentil) - RESERVE USE	\$ - \$\$\$
Molindone (Moban)	\$ - \$\$\$
Olanzapine (Zyprexa, Zydys)	\$\$\$ - \$\$\$\$\$
Perphenazine (Trilafon)	\$\$ - \$
Quetiapine (Seroquel)	\$\$ - \$\$\$\$\$
Risperidone (Risperdal, Risperdal M-Tab, Risperdal Consta)	\$\$ - \$\$\$\$\$
Thioridazine (Mellaril) - RESERVE USE	\$ - \$
Thiothixene (Navane)	\$ - \$
Trifluoperazine (Stelazine)	\$\$ - \$
Ziprasidone (Geodon)	\$\$\$\$
Mood Stabilizers	
Carbamazepine (Tegretol)	\$ - \$\$\$
Divalproex (Depakote)	\$\$ - \$\$\$
Lamotrigine (Lamictal)	\$\$ - \$\$\$
Lithium Carbonate (Eskalith, Lithonate, Lithobid)	\$
Lithium Citrate	\$\$ - \$\$
Valproate (Depakene)	\$\$ - \$\$
Stimulants	
Amphetamine Mixture (Adderall, Adderall XR) CII	\$\$ - \$\$
Atomoxetine (Strattera)	\$\$ - \$\$\$\$
Dextroamphetamine (Dexedrine) C-II (<u>Rarely used in adults</u>)	\$ - \$\$
Methylphenidate (Ritalin, Concerta) C-II (<u>Rarely used in adults</u>)	\$ - \$\$

SEE "PSYCHOTROPIC DOSAGE GUIDELINES", PAGE 11

Miscellaneous Psychotropic Agents

busPIRone (BuSpar)	\$\$ - \$\$\$\$
hydrOXYzine (Atarax, Vistaril)	\$
Naloxone (Narcan)	\$ - \$\$
Naltrexone (Trexan, ReVia)	\$\$\$ - \$\$\$\$\$

SEDATIVES AND HYPNOTICS

Barbiturates

Amobarbital (Amytal) C-II - RESERVE USE	\$\$\$\$
--	----------

Benzodiazepines

Alprazolam (Xanax)	\$ - \$
Clonazepam (Klonopin)	\$\$ - \$\$\$\$
Diazepam (Valium)	\$
Lorazepam (Ativan)	\$ - \$\$\$
Midazolam (Versed)	\$\$\$ - \$\$\$\$\$
Oxazepam (Serax)	\$
Temazepam (Restoril)	\$
Triazolam (Halcion)	\$ - \$

Miscellaneous Sedative and Hypnotics

Chloral Hydrate (Noctec) C-IV	\$ - \$\$
diphenhydrAMINE (Benadryl)	\$
Midazolam (Versed)	\$\$\$ - \$\$\$\$\$
Trazodone (Desyrel)	\$ - \$
Zaleplon (Sonata)	\$\$
Zolpidem (Ambien) C-IV	\$\$

ANTICONVULSANTS

Barbiturates

Mephobarbital (Mebaral) C-IV	\$ - \$\$
Phenobarbital (Luminal) C-IV	\$ - \$\$
Primidone (Mysoline)	\$\$ - \$\$

Benzodiazepines

Clonazepam (Klonopin) C-IV	\$\$ - \$\$
Clorazepate (Tranxene, Tranxene SD) C-IV	\$ - \$\$
Diazepam (Valium, Diastat) C-IV	\$ - \$\$\$\$\$\$\$
Lorazepam (Ativan) C-IV	\$ - \$\$\$

Hydantoins

Fosphenytoin (Cerebyx)	\$\$\$\$\$\$\$
Phenytoin (Dilantin)	\$\$ - \$\$

Succinimides

Ethosuximide (Zarontin)	\$ - \$\$\$
-------------------------	-------------

Miscellaneous Anticonvulsants

Carbamazepine (Tegretol)	\$\$ - \$\$\$\$
Divalproex (Depakote)	\$\$ - \$\$\$\$
Felbamate (Felbatol) - RESERVE USE	\$\$ - \$\$\$\$
Gabapentin (Neurontin)	\$\$ - \$\$\$
Lamotrigine (Lamictal)	\$\$ - \$\$\$
Levetiracetam (Keppra)	\$\$\$-\$\$\$\$
Oxcarbazepine (Trileptal)	\$\$-\$\$\$\$
Tiagabine (Gabatril)	\$\$\$ - \$\$\$\$
Topiramate (Topamax)	\$\$\$ - \$\$\$\$
Valproate (Depakene)	\$ - \$\$\$\$
Zonisamide (Zonegran)	\$\$ - \$\$\$\$

MUSCLE RELAXANTS

Baclofen (Lioresal)	\$\$ - \$
Dantrolene (Dantrium)	\$\$ - \$\$\$\$
Diazepam (Valium) C-IV	\$ - \$\$
Methocarbamol (Robaxin)	\$ - \$\$\$
Tizanidine (Zanaflex) - RESERVE USE	\$\$

ANTI-PARKINSON AGENTS

Amantadine (Symmetrel)	\$\$
Benzotropine (Cogentin)	\$ - \$\$\$\$
Biperiden (Akineton)	\$
Bromocriptine (Parlodel)	\$\$ - \$\$\$\$\$\$
Levodopa (Larodopa)	\$ - \$\$
Carbidopa/Levodopa (Sinemet)	\$\$ - \$\$\$\$
Trihexyphenidyl (Artane)	\$ - \$\$

AGENTS FOR MIGRAINE

Atenolol (Tenormin)	\$
Divalproex (Depakote, Depakote ER- RESERVE USE)	\$\$ - \$\$\$\$
Metoprolol (Lopressor, Toprol XL)	\$ - \$\$
Nadolol (Corgard)	\$ - \$\$\$
Naproxen (Naprosyn)	\$\$
Propranolol (Inderal)	\$ - \$\$\$
Sumatriptan (Imitrex)	\$\$\$\$\$ - \$\$\$\$\$\$
Valproate (Depakene)	\$ - \$\$\$\$
Verapamil (Calan, Isoptin)	\$ - \$\$

MISCELLANEOUS CENTRAL NERVOUS SYSTEM AGENTS

Donepezil (Aricept) - RESERVE USE	\$\$\$
Galantamine (Reminyl)	\$\$\$
Memantine (Namenda)	\$\$ - \$\$\$
Rivastigmine (Exelon) - RESERVE USE	\$\$\$

ENDOCRINE AGENTS

ESTROGENS

Estradiol (Estrace, Vivelle, Alora, Climara, Estraderm)	\$ - \$\$\$\$\$\$
Estrogens, Conjugated (Premarin)	\$\$

PROGESTERONES

medroxyPROGESTERone (Provera)	\$ - \$\$
-------------------------------	-----------

COMBINATION PRODUCTS

Estrogen/medroxyPROGESTERone (PremPro)	\$\$
Ethinyl Estradiol/Norethindrone (Loestrin, Ortho-Novum 777)	\$\$\$\$\$\$\$
Ethinyl Estradiol/Norgestrel (Ovral, Lo-Ovral)	\$\$\$\$\$\$\$
Levonorgestrel/Ethinyl Estradiol (Tri-Levlen, Triphasil)	\$\$\$\$\$\$\$
Norgestimate/Ethinyl Estradiol (Ortho Tri-Cyclen)	\$\$\$\$\$\$\$

ANDROGENS

methylTESTOSTERone (Android, Oreton) C-IV	\$\$ - \$\$\$\$
Testosterone (Androlan) C-IV	\$\$ - \$\$\$

ADRENAL CORTICAL STEROIDS

Cortisone	\$ - \$\$
Dexamethasone (Decadron)	\$ - \$\$
Fludrocortisone (Florinef)	\$ - \$\$
Hydrocortisone	\$\$ - \$\$\$\$\$
Methylprednisolone (Medrol)	\$ - \$\$\$\$
prednisoLONE (Delta-Cortef)	\$ - \$\$
predniSONE (Meticorten, Deltasone)	\$ - \$\$\$\$
Triamcinolone (Aristocort, Kenacort)	\$ - \$\$\$\$\$

THYROID AGENTS

Levothyroxine (Synthroid)	\$
Liotrix (Thyrolar, Euthroid)	\$\$
Methimazole (Tapazole)	\$\$ - \$\$
Propylthiouracil	\$
Thyroid, Desiccated (Thyroid)	\$

MISCELLANEOUS ENDOCRINE AGENTS

Alendronate (Fosamax)	\$\$
Allopurinol (Zyloprim)	\$
Calcitonin-Salmon (Miacalcin)	\$\$\$
Colchicine	\$
Corticotropin (ACTH)	\$\$\$\$
Desmopressin (DDAVP, Stimate)	\$\$\$ - \$\$\$\$
Probenecid (Benemid)	\$
Raloxifene (Evista)	\$\$

GASTROINTESTINAL AGENTS

ANTACIDS

Aluminum Hydroxide (Amphojel)	\$ - \$\$
Aluminum Hydroxide/Magnesium Trisilicate (Gaviscon)	\$ - \$\$
Aluminum Hydroxide/Magnesium Hydroxide (Maalox)	\$ - \$
Aluminum Hydroxide/Magnesium Hydroxide/ Simethicone (Mylanta, Aludrox)	\$ - \$
Calcium Carbonate (Os-Cal, Titalac) - 40% elemental calcium	\$

ANTISPASMODICS/ANTICHOLINERGIC AGENTS

Dicyclomine (Bentyl)	\$ - \$\$
Propantheline (Pro-Banthine)	\$ - \$\$

HISTAMINE (H₂) ANTAGONISTS

Preferred Agent: Famotidine (Pepcid)	\$ - \$\$\$\$
<i>Others:</i> Ranitidine (Zantac)	\$ - \$\$\$\$

PROTON PUMP INHIBITORS

Preferred Agent: Lansoprazole (Prevacid)	\$\$\$
Pantoprazole (Protonix) – price based on market share	\$\$ - \$\$\$
<i>Others:</i> Omeprazole (Prilosec)	\$\$\$

ANTIPLATULENTS

Simethicone (Mylicon)	\$ - \$\$
-----------------------	-----------

STIMULANTS

Metoclopramide (Reglan)	\$ - \$\$
-------------------------	-----------

LAXATIVES

Saline Laxatives

Magnesium Citrate	\$
Magnesium Hydroxide (Milk of Magnesia)	\$
Magnesium Sulfate (Epsom Salt)	\$\$
Sodium Phosphate/Biphosphate (Fleet Phospho-Soda, Fleet's Enema)	\$\$ - \$\$

Irritant/Stimulant Laxatives

Bisacodyl (Dulcolax)	\$
Cascara Sagrada (Cascara Aromatic)	\$
Senna (Senokot)	\$ - \$

Bulk Laxatives

Cellulose (Unifiber)	\$
Methylcellulose (Citrucel)	\$
Polycarbophil (Fibercon, Fiber-Lax)	\$ - \$\$\$\$\$\$\$
Psyllium (Metamucil)	\$

Osmotic Laxatives

Lactulose (Cephulac)	\$ - \$\$
Polyethylene Glycol (MiraLax)	\$ - \$\$
Propylene Glycol Electrolyte Solution (PEG, Co-Lyte, GoLYTELY, OCL)	\$
Sorbitol	\$ - \$

Combination Laxatives

Docusate Sodium/Casanthrol (Peri-Colace)	\$
Docusate Sodium/Sennosides (Peri-Colace)	\$

Surfactants

Docusate Calcium (Surfak)	\$
Docusate Sodium (Colace, Doxinate)	\$

Miscellaneous Laxatives

Glycerin Suppository (Sani-Supp)	\$
----------------------------------	----

ANTIDIARRHEALS

Attapulgite	\$\$ - \$\$
Bismuth Subsalicylate (Pepto-Bismol, Bismatrol, Kaopectate)	\$ - \$
Kaolin-Pectin	\$\$ - \$\$
Lactobacillus Acidophilus (Lactinex, Bacid)	\$\$ - \$\$
Loperamide (Imodium)	\$ - \$\$

RECTAL AGENTS

Pramoxine (Tronothane)	\$ - \$\$
Rectal Hemorrhoidal Cream with Hydrocortisone	\$\$\$
Rectal Hemorrhoidal Ointment (Anusol)	\$\$
Rectal Hemorrhoidal Suppositories (Wyanoids, Anusol)	\$
Rectal Hemorrhoidal Suppositories with Hydrocortisone (Anusol-HC)	\$ - \$\$

MISCELLANEOUS GASTROINTESTINAL AGENTS

Activated Charcoal	
Bismuth Subsalicylate (Pepto-Bismol, Bismatrol)	\$ - \$
Ipecac Syrup	
Meclizine (Antivert, Bonine)	\$
Mesalamine (Asacol, Pentasa, Rowasa)	\$\$\$ - \$\$\$\$\$
Misoprostol (Cytotec)	\$\$
Pancrelipase (Pancrease, Creon)	\$\$ - \$\$\$\$\$
Prochlorperazine (Compazine)	\$ - \$\$\$
Sucralfate (Carafate)	\$ - \$\$\$\$\$
Sulfasalazine (Azulfidine)	\$\$
Trimethobenzamide (Tigan)	\$\$

GENITOURINARY AGENTS

INTERSTITIAL CYSTITIS AGENTS

Phenazopyridine (Pyridium)	\$ - \$\$
----------------------------	-----------

GENITOURINARY IRRIGANTS

Sodium Chloride	\$\$\$
Water for Irrigation	\$ - \$\$

URINARY ALKALINIZERS

Potassium Citrate (Urocit K)	\$ - \$\$\$\$
Potassium Citrate Combinations (Polycitra, Polycitra-LC, Polycitra K, Citrolith)	\$\$ - \$\$
Sodium Bicarbonate	\$ - \$\$
Sodium Citrate/Citric Acid (Bicitra, Oracit)	\$\$ - \$\$\$

URINARY ANTICHOLINERGICS

Flavoxate (Urispas)	\$\$\$
Oxybutynin (Ditropan, Ditropan XL)	\$\$ - \$\$
Tolterodine (Detrol, Detrol LA)	\$\$ - \$\$\$

URINARY CHOLINERGICS

Bethanechol (Urecholine)	\$ - \$\$\$
--------------------------	-------------

VAGINAL ANTIFUNGALS

Clotrimazole (Gyne-Lotrimin, Mycelex)	\$\$\$\$ - \$\$\$\$\$
Miconazole (Monistat)	\$\$\$\$ - \$\$\$\$\$
Tioconazole (Vagistat-1)	\$\$\$\$

MISCELLANEOUS GENITOURINARY AGENTS

Estradiol (Estrace)	\$\$ - \$\$\$\$\$\$
Estrogens, Conjugated (Premarin)	\$\$\$\$\$
Nitrofurantoin (Macrochantin)	\$\$ - \$\$\$\$
Sevelamer (Renagel)	\$\$\$ - \$\$\$\$

IMMUNOLOGICAL AGENTS

IMMUNE SERUMS

Hepatitis B Immune Globulin (HBIG)	\$\$\$\$\$\$\$
------------------------------------	----------------

BACTERIAL VACCINES

Pneumococcal Vaccine, Polyvalent (Pneumovax)	\$\$\$\$\$
--	------------

VIRAL VACCINES

Hepatitis A Vaccine (Vaqta)	\$\$\$\$\$\$\$
Hepatitis B Virus Vaccine, Recombinant (Recombivax HB, Engerix-B)	\$\$\$\$\$\$\$
Influenza Virus Vaccine (Fluzone, Fluviron)	\$\$
Measles, Mumps and Rubella Virus Vaccine, Live (MMR II)	\$\$\$\$\$\$\$
Poliovirus Vaccine, Inactivated (IPOL)	\$\$\$\$\$
Rubella Virus Vaccine Live (Meruvax II)	\$\$\$\$\$
Varicella Virus Vaccine, Live (Varivax)	\$\$\$\$\$\$\$

TOXOIDS

Diphtheria & Tetanus Toxoids Adsorbed (DT)	\$\$\$\$
Diphtheria & Tetanus Toxoids Adsorbed for Adult Use (Td)	\$\$\$

***IN-VIVO* DIAGNOSTIC BIOLOGICALS**

Tuberculin, Purified Protein Derivative (P.P.D.)	\$\$ - \$\$\$\$\$\$
--	---------------------

INFECTIOUS DISEASE AGENTS

ANTIBIOTICS

Penicillins

Amoxicillin (Amoxil, Polymox)	\$ - \$\$\$\$
Amoxicillin/Clavulanate (Augmentin)	\$\$\$ - \$\$\$\$\$
Ampicillin (Polycillin, Omnipen)	\$ - \$\$\$\$
Cloxacillin (Cloxapen, Tegopen) or Dicloxacillin (Dycill, Dynapen, Pathocil)	\$ - \$\$\$\$\$
Nafcillin (Unipen) or Oxacillin (Prostaphlin)	\$ - \$\$\$\$\$
Penicillin G Benzathine (Bicillin)	\$\$\$ - \$\$\$\$\$\$
Penicillin G Benzathine/Penicillin G Procaine (Bicillin C-R)	\$\$\$\$
Penicillin G Procaine (Wycillin)	\$\$ - \$\$\$\$\$
Penicillin G Sodium	\$\$ - \$\$\$\$
Penicillin V Potassium (Pen-Vee K, V-Cillin K)	\$ - \$\$
Ticarcillin (Ticar)	\$\$\$\$\$ - \$\$\$\$\$\$
Ticarcillin/Clavulanate (Timentin)	\$\$\$\$\$\$\$

Cephalosporins	
Cefazolin (Kefzol, Ancef)	\$\$\$\$ - \$\$\$\$\$\$
Cefoperazone (Cefobid)	\$\$\$\$\$\$
Ceftriaxone (Rocephin)	\$\$\$\$\$\$
Cefuroxime Axetil (Ceftin) - Oral form only -	\$\$\$ - \$\$\$\$\$\$
RESERVE USE	
Cephalexin (Keflex)	\$ - \$
Macrolides	
Azithromycin (Zithromax) - RESERVE USE	\$\$\$\$\$\$
Clarithromycin (Biaxin) - RESERVE USE	\$\$\$ - \$\$\$\$
Erythromycin (Erythrocin)	\$ - \$
Erythromycin Ethylsuccinate/Sulfisoxazole Suspension (Pediazole)	\$ - \$\$
Tetracyclines	
Doxycycline (Vibramycin)	\$ - \$\$\$\$\$
Tetracycline (Achromycin, Panmycin)	\$ - \$\$
Quinolones	
Ciprofloxacin (Cipro)	\$\$\$\$ - \$\$\$\$\$\$
Levofloxacin (Levaquin)	\$\$\$\$\$ - \$\$\$\$\$\$
Aminoglycosides	
Gentamicin (Garamycin)	\$\$
Neomycin (Mycifradin)	\$\$ - \$\$\$\$
Tobramycin (Nebcin)	\$\$\$ - \$\$\$\$
Miscellaneous Antibiotics	
Clindamycin (Cleocin)	\$ - \$\$\$\$\$\$
Metronidazole (Flagyl)	\$ - \$\$\$\$\$\$
Trimethoprim/Sulfamethoxazole (Co- Trimoxazole, Bactrim, Septra)	\$ - \$\$\$\$\$\$
Vancomycin (Vancocin)	\$\$\$\$ - \$\$\$\$\$\$

ANTIFUNGALS

Fluconazole (Diflucan)	\$\$\$\$ - \$\$\$\$\$\$
Griseofulvin (Fulvicin)	\$
Ketoconazole (Nizoral)	\$\$ - \$\$\$
Nystatin (Mycostatin)	\$\$ - \$\$

ANTIMALARIALS

Chloroquine (Aralen)	\$\$\$
----------------------	--------

ANTITUBERCULARS

Ethambutol (Myambutol)	\$\$ - \$\$\$\$
Ethionamide	\$\$\$
Isoniazid (INH)	\$
Pyrazinamide	\$ - \$\$\$
Rifampin (Rifadin)	\$\$ - \$\$\$\$\$\$\$
Rifampin/Isoniazid (Rifamate)	\$\$

ANTIVIRALS

Acyclovir (Zovirax)	\$\$ - \$\$\$\$
Amantadine (Symmetrel)	\$\$ - \$\$
Delavirdine (DLV, Rescriptor)	\$\$\$\$
Didanosine (ddl, Videx)	\$\$\$\$
Indinavir (Crixivan)	\$\$\$\$\$
Lamivudine (Epivir)	\$\$\$\$
Lamivudine/Zidovudine (Combivir)	\$\$\$\$\$\$
Nelfinavir (Viracept)	\$\$\$\$\$\$
Nevirapine (NVP, Viramune)	\$\$\$\$
Ritonavir (Norvir)	\$\$\$\$ - \$\$\$\$\$\$
Saquinavir (Invirase, Fortovase)	\$\$\$\$
Stavudine (d4T, Zerit)	\$\$\$\$
Zidovudine (AZT, Retrovir)	\$\$\$\$ - \$\$\$\$\$

ANTIHELMINTICS

Mebendazole (Vermox)	\$\$\$ - \$\$\$\$\$
Pyrantel (Antiminth)	\$ - \$\$\$\$
Thiabendazole (Mintezol)	\$\$\$\$

URINARY ANTI-INFECTIVES

Nitrofurantoin (Macrochantin)	\$\$ - \$\$\$\$
-------------------------------	-----------------

MISCELLANEOUS ANTI-INFECTIVES

Pentamidine (Pentam) - RESERVE USE	\$\$\$\$\$\$
---	--------------

INTRAVENOUS SOLUTIONS AND ADDITIVES

INTRAVENOUS SOLUTIONS

Amino Acid Injection (Aminosyn)	\$\$\$\$ - \$\$\$\$\$\$
Dextran (Gentran, LMD, Macrodex, Rheomacrodex)	\$\$\$\$\$ - \$\$\$\$\$\$
Dextrose/Sodium Chloride Intravenous Solution	\$\$\$\$
Dextrose 5% in 0.2% Sodium Chloride	
Dextrose 5% in 0.45% Sodium Chloride	
Dextrose 5% in 0.9% Sodium Chloride	
Dextrose 5% in Water	\$ - \$\$
Dextrose 5% in Ringer's Lactate	\$
Dextrose 5% with Multiple Electrolytes (D5 E75, Baxter)	\$\$\$
Dextrose 5%/Sodium Chloride/Potassium Chloride Intravenous Solution	\$\$\$\$\$\$ - \$\$\$\$\$\$
Dextrose 5%/Sodium Chloride 0.2%/Potassium Chloride	
Dextrose 5%/Sodium Chloride 0.45%/Potassium Chloride	
Dextrose 5%/Sodium Chloride 0.9%/Potassium Chloride	
Dextrose 50% in Water	\$\$\$\$ - \$\$\$\$\$
Ringer's Lactate Solution (Hartmann's Solution)	\$\$
Sodium Chloride Intravenous Solution	\$\$\$\$ - \$\$\$\$\$
Sodium Chloride 0.2%	\$ - \$\$\$
Sodium Chloride 0.45%	
Sodium Chloride 0.9%	
Water for Injection	\$\$ - \$\$\$\$

ELECTROLYTE REPLACEMENT ADDITIVES

Calcium Gluconate	\$\$
Magnesium Sulfate	\$ - \$
Potassium Chloride	\$ - \$\$
Sodium Bicarbonate	\$ - \$\$
Sodium Chloride	\$ - \$\$
Sodium Lactate	\$\$\$\$
Zinc Sulfate	\$ - \$\$

NUTRITIONAL AGENTS

VITAMINS

Ascorbic Acid (Vitamin C)	\$ - \$
Cyanocobalamin (Vitamin B ₁₂)	\$ - \$\$\$\$\$\$\$
Folic Acid (Folvite)	\$ - \$\$\$\$
Leucovorin (Wellcovorin)	\$\$ - \$\$\$\$
Niacin/Nicotinamide (Nicobid)	\$
Phytonadione (Vitamin K ₁ , Mephyton, Konakion)	\$\$ - \$\$\$
Pyridoxine (Vitamin B ₆)	\$ - \$\$
Thiamine (Vitamin B ₁)	\$ - \$
Vitamin A (Aquasol A)	\$ - \$\$\$\$\$\$\$
Vitamin D (Ergocalciferol, Calciferol, Drisdol)	\$
Vitamin E (Aquasol E)	\$ - \$\$\$\$\$\$\$

MINERALS TRACE ELEMENTS AND ELECTROLYTES

Calcium Carbonate (Os-Cal, Titalac) - 40% elemental calcium	\$
Calcium Citrate (Citracal)	\$
Calcium Glubionate (Neo-Calglucon) - 6% elemental calcium	\$ - \$\$
Calcium Gluconate - 9% elemental calcium	\$\$
Ferrous Fumarate/Docusate Sodium (Ferro-Sequels) - 33% elemental iron	\$\$
Ferrous Sulfate (Feosol, Fer-In-Sol) -20% elemental iron	\$
Zinc Sulfate	\$ - \$\$

COMBINATION PRODUCTS

Calcium Carbonate/Vitamin D (Oscal + D)	\$
Multivitamin (Unicap, Hexavitamins)	\$ - \$
Multivitamin/Minerals	\$ - \$
Multivitamins, Pediatric (Poly-Vi-Sol)	\$\$
Multivitamins, Prenatal (Filibon)	\$
Vitamin B Complex/Vitamin C (Stresscaps, Allbee with C)	\$
Vitamin B Complex/Vitamin C/Zinc	\$

RESPIRATORY AGENTS

BRONCHODILATORS

Albuterol (Proventil, Ventolin)	\$ - \$\$\$
Aminophylline	\$\$ - \$\$
Metaproterenol (Alupent)	\$ - \$\$\$\$\$\$
Salmeterol (Serevent)	\$\$\$\$\$\$\$
Terbutaline (Brethine)	\$ - \$\$\$\$\$\$
Theophylline (Elixophyllin)	\$ - \$\$

DECONGESTANTS

Pseudoephedrine (Sudafed)	\$ - \$\$
---------------------------	-----------

STEROIDS

Beclomethasone (Vanceril, Beconase)	\$\$\$\$\$\$\$
Fluticasone (Flonase, Flovent)	\$\$\$\$\$\$\$
Mometasone (Nasonex)	\$\$\$\$\$\$\$
Triamcinolone (Azmacort, Nasacort)	\$\$\$\$\$\$\$

ANTITUSSIVES

Dextromethorphan	\$ - \$\$
------------------	-----------

EXPECTORANTS

Guaifenesin (Robitussin)	\$ - \$\$
Potassium Iodide (SSKI)	\$ - \$

COUGH AND COLD PREPARATIONS

Brompheniramine/Pseudoephedrine (Bromfed)	\$\$
Chlorpheniramine (Chlor-Trimeton, Teldrin)	\$ - \$\$
diphenhydrAMINE (Benadryl)	\$
Fexofenadine (Allegra)	\$\$
Fexofenadine/Pseudoephedrine (Allegra-D)	\$\$
Guaifenesin/Dextromethorphan (Robitussin DM)	\$ - \$\$
Guaifenesin/Pseudoephedrine (Entex PSE)	\$
Hydrocodone/Guaifenesin (Hycotuss, Kwelcof)	\$\$
Loratadine (Claritin)	\$\$
Triprolidine/Pseudoephedrine (Actifed)	\$

MISCELLANEOUS RESPIRATORY DRUGS

Acetylcysteine (Mucomyst)	\$\$\$\$ - \$\$\$\$\$\$
Cromolyn (Intal)	\$\$\$\$\$\$
Ipratropium (Atrovent Inhaler)	\$\$\$\$\$\$
Sodium Chloride	\$ - \$
Zafirlukast (Accolate)	\$\$

TOPICAL AGENTS

OPHTHALMICS

Agents for Glaucoma

Betaxolol (Betoptic S)	\$\$\$\$
Bimatoprost (Lumigan)	\$\$\$\$\$\$
Brimonidine (Alphagan)	\$\$\$\$\$\$
Latanoprost (Xalatan)	\$\$\$\$\$\$
Pilocarpine (Isopto Carpine)	\$ - \$\$\$\$\$\$
Timolol (Timoptic)	\$\$ - \$\$\$\$\$\$
Timolol/Dorzolamide (Cosopt)	\$\$\$\$\$\$
Travoprost (Travatan)	\$\$\$\$\$\$

Antibiotics

Bacitracin (Baciguent)	\$
Ciprofloxacin (Ciloxan)	\$\$\$\$\$ - \$\$\$\$\$\$
Erythromycin	\$\$
Gentamicin (Garamycin)	\$\$
Polymyxin B/Bacitracin (Polysporin)	\$\$\$\$\$
Polymyxin B/Trimethoprim (Polytrim)	\$\$\$
Sulfacetamide Sodium (Sulamyd)	\$ - \$\$\$\$\$\$
Tobramycin (Tobrex)	\$\$ - \$\$\$\$\$\$

Mydriatics

Atropine Sulfate (Isopto Atropine)	\$\$
Homatropine (Isopto Homatropine)	\$\$ - \$\$\$\$
Phenylephrine (Neo-Synephrine)	\$\$ - \$\$\$\$
Scopolamine (Isopto Hyoscine)	\$\$ - \$\$\$
Tropicamide (Mydracyl)	\$\$ - \$\$\$\$

Lubricants

Ophthalmic Lubricant (HypoTears, HypoTears PF) [preservative-free, lanolin-free]	\$ - \$\$\$\$
--	---------------

Decongestant/Antiallergy	
Naphazoline (Naphcon, AK-Con)	\$\$
Olopatadine (Patanol)	\$\$\$\$\$\$\$
Tetrahydrozoline (Visine Allergy Relief, Visine Moisturizing)	\$\$\$
Miscellaneous Ophthalmics	
Dexamethasone (Decadron) - RESERVE USE	\$\$
Fluorescein Sodium	\$ - \$\$\$
Proparacaine (Alcaine)	\$\$
Sodium Chloride	\$\$ - \$\$\$\$
Tobramycin/Dexamethasone (TobraDex)- RESERVE USE	\$\$\$\$\$\$ - \$\$\$\$\$\$

OTICS

Acetic Acid (Acetasol, VoSol)	\$\$
Acetic Acid/Aluminum Acetate (Domeboro Otic)	\$
Acetic Acid/Hydrocortisone/Propylene Glycol/ Sodium Acetate/Benzethonium (VoSol HC)	\$\$
Antipyrine/Benzocaine (Allergen, Auralgan)	\$ - \$\$
Carbamide Peroxide/Glycerin/Propylene Glycol/ Sodium Stannate (Debrox)	\$
Ciprofloxacin/Hydrocortisone (Cipro HC Otic)	\$\$\$\$\$\$\$
Mineral Oil	\$\$
Neomycin/Polymyxin B/Hydrocortisone (Cortisporin - ear drops only)	\$\$\$

NASAL, MOUTH AND THROAT AGENTS

Benzocaine	\$\$ - \$\$\$
Carbamide Peroxide/Glycerin/Propylene Glycol/ Sodium Stannate (Gly-Oxide)	\$\$\$
Carboxymethylcellulose/Electrolytes (Saliva Substitute, Moi-Stir, Salivart, MouthKote, Salix)	\$ - \$\$\$
Cetylpyridinium (Cepacol)	\$ - \$\$\$
Chlorhexidine (Peridex)	\$\$
Clotrimazole (Mycelex, Fungoid)	\$\$
Doxycycline (Periostat)	\$\$\$
Nystatin (Mycostatin)	\$\$ - \$\$\$
Oxymetazoline (Afrin)	\$
Phenol (Chloraseptic)	\$\$
Phenylephrine (Neo-Synephrine)	\$\$
Sodium Fluoride	\$
Stannous Fluoride (OmniMed, PerioMed)	\$\$\$\$
Triamcinolone in Oral Adhesive Base (Kenalog in Orabase)	\$\$

DERMATOLOGICALS

Acne Agents

Adapalene (Differin)	\$\$\$\$\$\$\$
Benzoyl Peroxide	\$ - \$\$
Benzoyl Peroxide/Clindamycin (BenzaClin)	\$\$\$\$\$\$\$
Clindamycin (Cleocin T)	\$\$\$ - \$\$\$\$\$
Erythromycin/Benzoyl Peroxide (Benzamycin)	\$\$\$\$\$\$\$
Metronidazole (Noritate, MetroGel)	\$\$\$\$\$\$\$
Sulfur/Resorcinol (Sulforcin, Rezamid)	\$\$\$\$
Tretinoin Gel (Retin-A)	\$\$\$\$\$\$\$ - \$\$\$\$\$\$

Skin Cleansers

Abrasive Cleanser (Brasivol, Pernox)	\$\$\$\$
Non-Soap Cleanser (Cetaphil)	\$\$\$ - \$\$\$\$

Sunscreens

Cream/Lotion: contains a minimum SPF of 15	\$\$\$\$
--	----------

Burn Agents

Bacitracin (Baciguent)	\$
Silver Sulfadiazine (Silvadene)	\$\$ - \$\$\$\$\$\$

Diaper Rash Agents

Diaper Rash Ointment (Desitin, Vitamin A&D Ointment, Diaperene)	\$ - \$\$
Diaper Rash Powder (Mexsana)	\$\$

Antiseborrheic Agents	
Selenium Sulfide (Selsun)	\$\$ - \$\$\$\$
Sulfacetamide Sodium (Sebizon)	\$\$\$\$\$\$\$
Antipsoriatics	
Calcipotriene (Dovonex)	\$\$\$\$\$\$\$
Methotrexate	\$\$\$\$
Selenium Sulfide (Selsun)	\$\$ - \$\$\$\$
Tazarotene (Tazorac, Avage)	\$\$\$\$\$\$\$
Anti-Histamine Agents	
Calamine/Zinc Oxide/Glycerin (Calamine Lotion)	\$
Calamine/Pramoxine (Caladryl)	\$\$\$
diphenhydrAMINE (Benadryl)	\$
Antiseptics & Germicides	
Benzalkonium Chloride (Zephiran)	\$\$ - \$\$\$\$
Chlorhexidine (Hibiclens, Bactoshield)	\$\$ - \$\$\$
Hexachlorophene (pHisoHex)	\$\$\$ - \$\$\$\$\$\$
Povidone-Iodine (Betadine)	\$ - \$\$\$\$\$
Anti-Infectives	
Antibiotics	
Bacitracin (Baciguent)	\$
Bacitracin/Polymyxin B (Polysporin)	\$\$\$ - \$\$\$\$
Clindamycin (Cleocin T)	\$\$\$ - \$\$\$\$\$\$
Gentamicin (Garamycin)	\$\$\$
Metronidazole (Noritate, MetroGel)	\$\$\$\$\$\$\$
Mupirocin (Bactroban)	\$\$\$\$\$\$\$
Neomycin/Polymyxin B/Bacitracin (Triple Antibiotic Ointment)	\$
Polymyxin B/Neomycin (Neosporin)	\$\$ - \$\$\$\$\$\$
Antiviral	
Acyclovir (Zovirax)	\$\$\$\$\$\$\$
Antifungals	
Calcium Undecylenate (Caldesene)	\$\$
Clotrimazole (Lotrimin, Fungoid)	\$\$\$\$\$
Ketoconazole (Nizoral)	\$\$\$\$\$ - \$\$\$\$\$\$
Miconazole (Monistat)	\$\$\$ - \$\$\$\$\$
Nystatin (Mycostatin)	\$\$ - \$\$\$\$
Terbinafine (Lamisil)	\$\$\$\$\$
Tolnaftate (Tinactin)	\$\$ - \$\$\$
Zinc Undecylenate (Desenex)	\$\$\$ - \$\$\$\$

Scabicides & Pediculicides	
Crotamiton (Eurax)	\$\$\$\$
Lindane (Gamma Benzene Hexachloride, Kwell)	\$\$\$\$\$
Permethrin 1% Liquid (NIX)	\$\$\$
Permethrin 5% Cream (Elimite)	\$\$\$\$\$
Pyrethins/Piperonyl Butoxide (A-200, RID)	\$\$\$\$
Corticosteroids	
Betamethasone Valerate (Valisone)	\$\$ - \$\$\$\$
Clobetasol (Temovate) - RESERVE USE	\$\$\$\$\$\$\$
Desonide (Desowen, Tridesilon)	\$\$ - \$\$\$\$\$\$
Fluocinolone or Fluocinonide (Synalar, Lidex)	\$\$ - \$\$\$\$
Hydrocortisone (Lanacort, Corticaine)	\$ - \$\$\$\$\$
Triamcinolone (Aristocort, Kenacort)	\$ - \$\$\$\$\$
Local Anesthetics	
Benzocaine (Lanacaine)	\$ - \$\$\$
Bupivacaine (Marcaine)	\$\$
Dibucaine (Nupercainal)	\$ - \$\$\$
Ethyl Chloride	\$\$\$\$
Lidocaine (Xylocaine)	\$\$ - \$\$\$\$\$
Lidocaine/Prilocaine (EMLA)	\$\$\$\$ - \$\$\$\$\$\$
Pramoxine (Tronothane)	\$\$\$ - \$\$\$\$\$
Emollients	
Emollient Lotion/Cream (Lubriderm, Allercrème, Keri Lotion, Cetaphil, Lac-Hydrin, Eucerin, Nutraderm)	\$\$ - \$\$\$
Emollient Ointment (Lanolin, Aquaphor)	\$ - \$\$\$\$
Skin Protectants	
Benzoin, Compound Tincture	\$\$
Silver Sulfadiazine (Silvadene)	\$\$ - \$\$\$\$\$\$
Zinc Oxide	\$\$\$ - \$\$\$\$\$
Ointment & Lotion Bases	
Petrolatum, White (Vaseline)	\$\$
Tar-Containing Agents	
Coal Tar (Ionil-T, Tegrin, Pentrax, Polytar)	\$\$\$
Wet Dressings & Soaks	
Aluminum Acetate (Burow's Solution)	\$\$ - \$\$\$\$\$

Rubs and Liniments	
Menthol	\$\$ - \$\$\$\$
Menthol/Methyl Salicylate (Ben-Gay)	\$
Keratolytics	
Podophyllum Resin	\$\$\$\$\$\$
Salicylic Acid(Compound W, DuoFilm, Mediplast)	\$\$ - \$\$\$\$
Miscellaneous Dermatologicals	
Camphor-Phenol (Campho-Phenique)	\$\$
Collagenase (Santyl)	\$\$\$\$\$\$\$
Hydrogen Peroxide	\$
Pimecrolimus (Elidel)	\$\$\$\$\$\$\$
Silver Nitrate	\$
Tacrolimus (Protopic)	\$\$\$\$\$\$\$
Trypsin/Balsam Peru/Castor Oil (Granulex)	\$\$\$\$
Zinc Oxide	\$\$\$ - \$\$\$\$\$

IRRIGATION SOLUTIONS

Sodium Chloride	\$\$\$
Water for Injection	\$\$ - \$\$\$\$

ALPHABETICAL INDEX

A-200.....	61, 98	Amantadine.....	26, 82, 90
Abilify.....	13, 27, 79	Ambien.....	17, 71, 80
Abrasive Cleanser.....	24, 96	Amino Acid Injection.....	26, 91
Accolate.....	71, 94	Aminophylline.....	26, 93
Acetaminophen.....	24, 76	Aminosyn.....	26, 91
Acetaminophen/Codeine.....	24, 76	Amitriptyline.....	14, 26, 78
Acetaminophen/Hydrocodone.....	24, 76	Amlodipine.....	26, 75
Acetasol.....	24, 95	Amobarbital.....	17, 18, 26, 80
acetaZOLAMIDE.....	24, 74	Amoxapine.....	14, 26, 79
Acetic Acid.....	24, 95	Amoxicillin.....	26, 88
Acetic Acid/Aluminum Acetate.....	24, 95	Amoxicillin/Clavulanate.....	26, 88
Acetic Acid/Hydrocortisone/Propylene Glycol/Sodium Acetate/Benzethonium.....	24, 95	Amoxil.....	26, 88
Acetylcysteine.....	24, 73, 94	Amphetamine Mixture.....	16, 26, 79
Achromycin.....	66, 89	Amphojel.....	25, 84
ACTH.....	34, 83	Ampicillin.....	27, 88
Actifed.....	69, 73, 93	Amytal.....	17, 18, 26, 80
Activated Charcoal.....	25, 73, 86	Anafranil.....	16, 33, 78
Acyclovir.....	25, 90, 97	Ancef.....	31, 89
Adapalene.....	25, 96	Android.....	51, 83
Adapin.....	14, 39, 78	Androlan.....	66, 83
Adderall.....	16, 26, 79	Antabuse.....	38, 73
Adderall XR.....	16, 26, 79	Antilirium.....	58, 73
Adenocard.....	25, 75	Antiminth.....	61, 90
Adenosine.....	25, 75	Antipyrine/Benzocaine.....	27, 95
Adrenalin.....	39, 76	Antivert.....	50, 77, 86
Afrin.....	56, 96	Anusol.....	62, 86
AK-Con.....	53, 95	Anusol-HC.....	62, 86
Akineton.....	29, 82	Apresoline.....	44, 76
Albuterol.....	25, 93	Aquaphor.....	39, 98
Alcaine.....	60, 95	Aquasol A.....	70, 92
Aldactazide.....	65, 74	Aquasol E.....	70, 92
Aldactone.....	64, 74	Aralen.....	32, 89
Aldomet.....	51, 76	Aricept.....	19, 38, 82
Alendronate.....	25, 83	Aripiprazole.....	13, 27, 79
Allbee with C.....	70, 92	Aristocort.....	68, 83, 98
Allegra.....	41, 73, 93	Artane.....	69, 82
Allegra-D.....	41, 73, 93	Asacol.....	50, 86
Allercreme.....	39, 98	Ascorbic Acid.....	27, 92
Allergen.....	27, 95	Asendin.....	14, 26, 79
Allopurinol.....	25, 83	Aspirin.....	27, 73, 76
Alora.....	40, 82	Atarax.....	17, 45, 73, 77, 80
Alphagan.....	29, 94	Atenolol.....	27, 75, 82
Alprazolam.....	17, 25, 78, 80	Ativan.....	17, 49, 78, 80, 81
Aludrox.....	26, 84	Atomoxetine.....	27, 79
Aluminum Acetate.....	25, 98	Atorvastatin.....	27, 75
Aluminum Hydroxide.....	25, 84	Atropine Sulfate.....	27, 94
Aluminum Hydroxide/Magnesium Hydroxide.....	25, 84	Atrovent.....	46, 94
Aluminum Hydroxide/Magnesium Hydroxide/Simethicone.....	26, 84	Attapulgite.....	27, 85
Aluminum Hydroxide/Magnesium Trisilicate.....	25, 84	Augmentin.....	26, 88
Alupent.....	50, 93	Auralgan.....	27, 95
		Avage.....	65, 97
		Avandia.....	62, 72

Aventyl.....	14, 55, 78	Calamine/Zinc Oxide/Glycerin	30, 97
Azithromycin.....	18, 27, 89	Calan.....	16, 70, 75, 82
Azmacort	68, 93	Calciferol	39, 70, 92
AZT.....	71, 90	Calcipotriene	30, 97
Azulfidine	65, 86	Calcitonin-Salmon.....	30, 83
B.A.L.....	38, 73	Calcium Carbonate	30, 84, 92
Bacid	47, 85	Calcium Carbonate/Vitamin D	30, 92
Baciguent	28, 94, 96, 97	Calcium Citrate	30, 92
Bacitracin.....	28, 94, 96, 97	Calcium Glubionate	30, 92
Bacitracin/Polymyxin B.....	28, 97	Calcium Gluconate	31, 91, 92
Baclofen	28, 81	Calcium Undecylenate.....	31, 97
Bactoshield.....	32, 97	Caldesene.....	31, 97
Bactrim	69, 89	Campho-Phenique.....	31, 99
Bactroban	53, 97	Camphor-Phenol.....	31, 99
Beclomethasone	28, 93	Capoten	31, 75
Beconase	28, 93	Captopril.....	31, 75
Benadryl	17, 38, 73, 77, 80, 93, 97	Carafate	65, 86
Benazepril	28, 75	Carbamazepine	16, 21, 31, 79, 81
Benemid	60, 83	Carbamide Peroxide/Glycerin/Propylene Glycol/Sodium Stannate	31, 95, 96
Ben-Gay	51, 99	Carbatrol	16, 21, 31
Bentyl	37, 84	Carbidopa/Levodopa	48, 82
BenzaClin.....	29, 96	Carboxymethylcellulose/Electrolytes	31, 96
Benzalkonium Chloride	28, 97	Cardizem.....	37, 75
Benzamycin.....	40, 96	Cascara Aromatic	31, 85
Benzocaine	28, 96, 98	Cascara Sagrada.....	31, 85
Benzoin, Compound Tincture	28, 98	Catapres	16, 34, 76
Benzoyl Peroxide	29, 96	Cefazolin	31, 89
Benzoyl Peroxide/Clindamycin	29, 96	Cefobid.....	31, 89
Benztropine	29, 82	Cefoperazone	31, 89
Betadine	59, 97	Ceftin.....	18, 32, 89
Betamethasone Valerate.....	29, 98	Ceftriaxone.....	31, 89
Betaxolol.....	29, 94	Cefuroxime Axetil.....	18, 32, 89
Bethanechol	29, 87	Celexa	14, 33, 78
Betoptic S	29, 94	Cellulose	32, 85
Biaxin.....	18, 33, 89	Cepacol.....	32, 96
Bicillin	56, 88	Cephalexin	32, 89
Bicillin C-R.....	56, 88	Cephulac.....	47, 85
Bicitra	64, 87	Cerebyx.....	42, 81
Bimatoprost	29, 94	Cetaphil.....	39, 55, 96, 98
Biperiden	29, 82	Cetylpyridinium	32, 96
Bisacodyl	29, 85	Chloral Hydrate.....	17, 32, 80
Bismatrol	29, 85, 86	Chloraseptic.....	57, 96
Bismuth Subsalicylate	29, 85, 86	Chlordiazepoxide	17, 32, 78
Bonine	50, 77, 86	Chlorhexidine	32, 96, 97
Brasivol.....	24, 96	Chloroquine.....	32, 89
Brethine	66, 93	Chlorpheniramine	32, 73, 93
Brimonidine	29, 94	chlorproMAZINE	13, 32, 79
Bromfed.....	30, 73, 93	Chlorthalidone.....	33, 74
Bromocriptine	30, 82	Chlor-Trimeton	32, 73, 93
Brompheniramine/Pseudoephedrine	30, 73, 93	Cholestyramine	33, 75
Bupivacaine.....	30, 98	Ciloxan	33, 94
buPROPion	14, 30, 79	Cipro	33, 89
Burow's Solution.....	25, 98	Cipro HC Otic.....	33, 95
BuSpar	17, 30, 80	Ciprofloxacin	33, 89, 94
busPIRone	17, 30, 80	Ciprofloxacin/Hydrocortisone.....	33, 95
Caladryl	30, 97	Citalopram.....	14, 33, 78
Calamine Lotion	30, 97	Citracal.....	30, 92
Calamine/Pramoxine.....	30, 97		

Citrolith	59, 87	Delta-Cortef.....	59, 83
Citrucel	51, 85	Deltasone.....	59, 83
Clarithromycin	18, 33, 89	Depakene.....	16, 21, 70, 79, 81, 82
Claritin	49, 73, 93	Depakote.....	16, 21, 38, 79, 82
Cleocin	33, 89	Depakote ER.....	19, 38, 82
Cleocin T	33, 96, 97	Desenex.....	71, 97
Climara	40, 82	Desferal.....	35, 73
Clindamycin.....	33, 89, 96, 97	Desipramine.....	14, 35, 78
Clinoril	65, 76	Desitin	34, 37, 96
Clobetasol	18, 33, 98	Desmopressin	35, 83
clomiPRAMINE	16, 33, 78	Desonide.....	35, 98
Clonazepam	17, 33, 78, 80, 81	Desowen.....	35, 98
Clonidine	16, 34, 76	Desyrel.....	14, 17, 68, 79, 80
Clopidogrel	18, 34, 73	Detrol	68, 87
Clorazepate	17, 34, 78, 81	Detrol LA	68, 87
Clotrimazole	34, 87, 96, 97	Dexamethasone.....	36, 83, 95
Cloxacillin	34, 88	Dexedrine.....	16, 36, 79
Cloxapen	34, 88	Dextran	36, 91
Clozapine	13, 19, 34, 79	Dextroamphetamine	16, 36, 79
Clozaril	13, 19, 34, 79	Dextromethorphan	36, 93
Coal Tar.....	34, 98	Dextrose 5% in 0.2% Sodium Chloride	36, 91
Cod Liver Oil/Zinc Oxide/Talc	34, 37	Dextrose 5% in 0.45% Sodium Chloride	36, 91
Cogentin.....	29, 82	Dextrose 5% in 0.9% Sodium Chloride	36, 91
Colace	38, 85	Dextrose 5% in Ringer's Lactate	36, 91
Colchicine.....	34, 83	Dextrose 5% in Water.....	36, 91
Collagenase	34, 99	Dextrose 5% with Multiple Electrolytes.....	36, 91
Co-Lyte.....	60, 85	Dextrose 5%/Sodium Chloride 0.2%/Potassium Chloride	36, 91
Combivir	47, 90	Dextrose 5%/Sodium Chloride 0.45%/Potassium Chloride	36, 91
Compazine	60, 77, 86	Dextrose 5%/Sodium Chloride 0.9%/Potassium Chloride	36, 91
Compound W	63, 99	Dextrose 5%/Sodium Chloride/Potassium Chloride Intravenous Solution	36, 91
Concerta.....	16, 51, 79	Dextrose 50% in Water.....	36, 72, 91
Corgard	53, 75, 82	Dextrose/Sodium Chloride Intravenous Solution..	36, 91
Corticaine	45, 98	DiaBeta	43, 72
Corticotropin.....	34, 83	Diamox.....	24, 74
Cortisone	35, 83	Diaper Rash Powder.....	37, 96
Cortisporin.....	54, 95	Diaperene	37, 71, 96
Cosopt.....	67, 94	Diastat.....	37, 81
Co-Trimoxazole.....	69, 89	Diazepam.....	17, 37, 78, 80, 81
Coumadin	70, 74	Dibucaine	37, 98
Creon.....	56, 86	Dicloxacillin	37, 88
Crixivan	45, 90	Dicyclomine.....	37, 84
Cromolyn	35, 94	Didanosine.....	37, 90
Crotamiton.....	35, 98	Differin.....	25, 96
Cuprimine.....	56, 73	Diffucan	41, 89
Cyanocobalamin	35, 92	Digoxin	37, 74
Cymbalta	39, 78	Dilantin	21, 58, 81
Cyproheptadine.....	35, 73	Diltiazem	37, 75
Cytotec	52, 86	Dimercaprol.....	38, 73
d4T	65, 90	diphenhydrAMINE.....	17, 38, 73, 77, 80, 93, 97
D5 E75	36, 91	Diphtheria & Tetanus Toxoids Adsorbed.....	38, 88
Dantrium.....	35, 81	Diphtheria & Tetanus Toxoids Adsorbed for Adult Use	38, 88
Dantrolene.....	35, 81	Disulfiram	38, 73
DDAVP.....	35, 83	Ditropan	56, 87
ddl	37, 90		
Debrox.....	31, 95		
Decadron.....	36, 83, 95		
Deferoxamine.....	35, 73		
Delavirdine	35, 90		

Ditropan XL	56, 87	Ethyl Chloride	40, 98
Divalproex	16, 21, 38, 79, 81, 82	Eucerin	39, 98
Divalproex ER	19, 38	Eurax	35, 98
DLV	35, 90	Euthroid	48, 83
Docusate Calcium	38, 85	Evista	61, 83
Docusate Sodium	38, 85	Exelon	19, 62, 82
Docusate Sodium/Casanthrol	38, 85	Famotidine	41, 84
Docusate Sodium/Sennosides	38, 85	Felbamate	19, 41, 81
Dolophine	50, 76	Felbatol	19, 41, 81
Domeboro Otic	24, 95	Felodipine	41, 75
Donepezil	19, 38, 82	Fentanyl	41, 76
DOPamine	38, 76	Feosol	41, 74, 92
Dovonex	30, 97	Fer-In-Sol	41, 74, 92
Doxepin	14, 39, 78	Ferro-Sequels	41, 74, 92
Doxinate	38, 85	Ferrous Fumarate/Docusate Sodium	41, 74, 92
Doxycycline	39, 89, 96	Ferrous Sulfate	41, 74, 92
Drisdol	39, 70, 92	Fexofenadine	41, 73, 93
Dulcolax	29, 85	Fexofenadine/Pseudoephedrine	41, 73, 93
Duloxetine	39, 78	Filibon	53, 92
DuoFilm	63, 99	Flagyl	52, 89
Duragesic	41, 76	Flavoxate	41, 87
Dyazide	69, 74	Fleet Phospho-Soda	64, 85
Dycill	37, 88	Fleet's Enema	64, 85
Dynapen	37, 88	Flonase	42, 93
Dyrenium	68, 74	Florinef	41, 83
Effexor	14, 70, 78	Flovent	42, 93
Elavil	14, 26, 78	Fluconazole	41, 89
Elidel	58, 99	Fludrocortisone	41, 83
Elimate	57, 98	Fluocinolone	41, 98
Elixophyllin	66, 93	Fluocinonide	42, 98
EMLA	48, 98	Fluorescein Sodium	42, 95
Emollient Lotion/Cream	39, 98	Fluoxetine	14, 42, 78
Emollient Ointment	39, 98	Fluphenazine	13, 42, 79
Enalapril	39, 75	Fluticasone	42, 93
Engerix-B	44, 88	Fluvastatin	42, 75
Enoxaparin	39, 74	Fluvirion	45, 88
Entex PSE	44, 93	Fluvoxamine	14, 42, 78
Epinephrine	39, 76	Fluzone	45, 88
Epivir	47, 90	Folic Acid	42, 92
Epsom Salt	49, 85	Folvite	42, 92
Ergocalciferol	39, 70, 92	Fortovase	63, 90
Erythrocin	39, 89	Fosamax	25, 83
Erythromycin	39, 89, 94	Fosphenytoin	42, 81
Erythromycin Ethylsuccinate/Sulfisoxazole	40, 89	Fulvicin	43, 89
Erythromycin/Benzoyl Peroxide	40, 96	Fungoid	34, 96, 97
Escitalopram	14, 40, 78	Furosemide	42, 74
Esidrix	44, 74	Gabapentin	42, 81
Eskalith	16, 49, 79	Gabapril	67, 81
Estrace	40, 82, 87	Galantamine	43, 82
Estraderm	40, 82	Gamma Benzene Hexachloride	48, 98
Estradiol	40, 82, 87	Garamycin	43, 89, 94, 97
Estrogen/medroxyPROGESTERone	40, 83	Gaviscon	25, 84
Estrogens, Conjugated	40, 82, 87	Gemfibrozil	43, 75
Ethambutol	40, 90	Gentamicin	43, 89, 94, 97
Ethinyl Estradiol/Norethindrone	40, 83	Gentran	36, 91
Ethinyl Estradiol/Norgestrel	40, 83	Geodon	13, 71, 79
Ethionamide	40, 90	glipiZIDE	43, 72
Ethosuximide	21, 40, 81	Glucagon	43, 72, 73

Glucophage	50, 72	Insulin, Regular	46, 72
Glucophage XR	50, 72	Insulin, Ultralente	46, 72
Glucose	43, 72	Intal	35, 94
Glucotrol	43, 72	Intropin	38, 76
glyBURIDE	43, 72	Invirase	63, 90
Glycerin	43, 85	Ionil-T	34, 98
Gly-Oxide	31, 96	Ipecac Syrup	46, 73, 86
GoLYTELY	60, 85	IPOLE	58, 88
Granulex	69, 99	Ipratropium	46, 94
Griseofulvin	43, 89	Ismelin	44, 76
Guaifenesin	44, 93	ISMO	46, 75
Guaifenesin/Dextromethorphan	44, 93	Isoniazid	46, 90
Guaifenesin/Pseudoephedrine	44, 93	Isoptin	16, 70, 75, 82
Guanethidine	44, 76	Isopto Atropine	27, 94
Gyne-Lotrimin	34, 87	Isopto Carpine	58, 94
Habitrol	54, 73	Isopto Homatropine	44, 94
Halcion	17, 69, 78, 80	Isopto Hyoscine	63, 94
Haldol	13, 44, 79	Isordil	46, 75
Haloperidol	13, 44, 79	Isosorbide Dinitrate	46, 75
Hartmann's Solution	62, 91	Isosorbide Mononitrate	46, 75
HBIG	44, 87	Kaolin-Pectin	46, 85
Heparin	44, 74	Kaopectate	29, 85
Hepatitis A Vaccine	44, 88	Kayexalate	64, 76
Hepatitis B Immune Globulin	44, 87	Keflex	32, 89
Hepatitis B Virus Vaccine, Recombinant	44, 88	Kefzol	31, 89
Hexachlorophene	44, 97	Kenacort	68, 83, 98
Hexavitamins	53, 92	Kenalog in Orabase	68, 96
Hibiclens	32, 97	Keppra	47, 81
Homatropine	44, 94	Keri Lotion	39, 98
Humalog	46, 72	Ketoconazole	47, 89, 97
Humalog Mix 75/25	46, 72	Ketorolac	47, 76
Hycotuss	45, 93	Klonopin	17, 33, 78, 80, 81
hydrALAZINE	44, 76	Konakion	58, 92
Hydrochlorothiazide	44, 74	Kwelcof	45, 93
Hydrocodone/Guaifenesin	45, 93	Kwell	48, 98
Hydrocortisone	45, 83, 98	Labetalol	47, 75
HydroDIURIL	44, 74	Lac-Hydrin	39, 98
Hydrogen Peroxide	45, 99	Lactinex	47, 85
hydrOXYzine	17, 45, 73, 77, 80	Lactobacillus Acidophilus	47, 85
Hygroton	33, 74	Lactulose	47, 85
HypoTears	55, 94	Lamictal	16, 47, 79, 81
HypoTears PF	55, 94	Lamisil	66, 97
Ibuprofen	45, 76	Lamivudine	47, 90
Imdur	46, 75	Lamivudine/Zidovudine	47, 90
Imipramine	14, 45, 78	Lamotrigine	16, 47, 79, 81
Imitrex	65, 82	Lanacaine	28, 98
Imodium	49, 85	Lanacort	45, 98
Inderal	16, 60, 75, 82	Lanolin	39, 98
Indinavir	45, 90	Lanoxin	37, 74
Influenza Virus Vaccine	45, 88	Lansoprazole	47, 84
INH	46, 90	Lantus	45, 72
Insulin, Aspart	45, 72	Larodopa	48, 82
Insulin, Combination (70/30)	45, 72	Lasix	42, 74
Insulin, Glargine	45, 72	Latanoprost	47, 94
Insulin, Lente	46, 72	Lescol	42, 75
Insulin, Lispro	46, 72	Leucovorin	47, 73, 92
Insulin, Lispro/Insulin, Lispro Protamine	46, 72	Levaquin	48, 89
Insulin, NPH	46, 72	Levarterenol	47, 55, 76

Levetiracetam.....	47, 81	Mephobarbital	50, 81
Levodopa.....	48, 82	Mephyton	58, 73, 74, 92
Levofloxacin	48, 89	Meruvax II	62, 88
Levonorgestrel/Ethinyl Estradiol	48, 83	Mesalamine.....	50, 86
Levophed.....	47, 55, 76	Mesoridazine	13, 19, 50, 79
Levothyroxine	48, 83	Metamucil.....	61, 85
Lexapro	14, 40, 78	Metaproterenol.....	50, 93
Librium.....	17, 32, 78	Metformin	50, 72
Lidex.....	42, 98	Methadone	50, 76
Lidocaine	48, 98	Methimazole.....	50, 83
Lidocaine/Prilocaine	48, 98	Methocarbamol	51, 81
Lindane.....	48, 98	Methotrexate	51, 73, 97
Lioresal.....	28, 81	Methylcellulose	51, 85
Liotrix.....	48, 83	Methyldopa	51, 76
Lipitor.....	27, 75	Methylphenidate	16, 51, 79
Lisinopril	48, 75	Methylprednisolone.....	51, 83
Lithium.....	16, 49, 79	methylTESTOSTERone.....	51, 83
Lithobid.....	16, 49, 79	Meticorten	59, 83
Lithonate.....	49, 79	Metoclopramide	51, 77, 84
LMD.....	36, 91	Metoprolol	51, 75, 82
Loestrin.....	40, 83	MetroGel	52, 96, 97
Lo-Ovral.....	40, 83	Metronidazole	52, 89, 96, 97
Loperamide	49, 85	Mexsana	37, 96
Lopid.....	43, 75	Miacalcin	30, 83
Lopressor	51, 75, 82	Miconazole.....	52, 87, 97
Loratadine	49, 73, 93	Micronase	43, 72
Lorazepam	17, 49, 78, 80, 81	Midazolam.....	52, 80
Lortab	24, 76	Milk of Magnesia	49, 85
Lotensin.....	28, 75	Mineral Oil.....	52, 95
Lotrimin.....	34, 97	Minipress.....	59, 76
Lovenox.....	39, 74	Mintezol.....	66, 90
Loxapine.....	13, 49, 79	MiraLax	58, 85
Loxitane.....	13, 49, 79	Mirtazapine	14, 17, 52, 79
Lubriderm	39, 98	Misoprostol.....	52, 86
Ludiomil	14, 49, 79	MMR II	49, 88
Lumigan.....	29, 94	Moban	13, 52, 79
Luminal.....	21, 57, 81	Moi-Stir.....	31, 96
Luvox.....	14, 42, 78	Molindone	13, 52, 79
Maalox.....	25, 84	Mometasone	52, 93
Macrochantin	54, 87, 90	Monistat	52, 87, 97
Macrodex.....	36, 91	Monoket	46, 75
Magnesium Citrate	49, 85	Morphine	52, 76
Magnesium Hydroxide	49, 85	Motrin	45, 76
Magnesium Sulfate	49, 85, 91	MouthKote.....	31, 96
Maprotiline.....	14, 49, 79	Mucomyst.....	24, 73, 94
Marcaine.....	30, 98	Multivitamin	53, 92
Maxzide	69, 74	Multivitamin, Prenatal	53, 92
Measles, Mumps and Rubella Virus Vaccine, Live.....	49, 88	Multivitamin/Minerals	53, 92
Mebaral	50, 81	Multivitamins, Pediatric	53, 92
Mebendazole.....	49, 90	Mupirocin	53, 97
Meclizine	50, 77, 86	Myambutol	40, 90
Mediplast.....	63, 99	Mycelex.....	34, 87, 96
Medrol	51, 83	Mycifradin.....	54, 89
medroxyPROGESTERone.....	50, 82	Mycostatin.....	55, 89, 96, 97
Mellaril.....	13, 20, 66, 79	Mydriacyl.....	69, 94
Memantine.....	50, 82	Mylanta	26, 84
Menthol.....	50, 99	Mylicon.....	63, 84
Menthol/Methyl Salicylate	51, 99	Mysoline.....	60, 81

Nabumetone.....	19, 53, 76	OmniMed	65, 96
Nadolol	53, 75, 82	Omnipen	27, 88
Nafcillin.....	53, 88	Ophthalmic Lubricant.....	55, 94
Naloxone	53, 73, 80	Oracit	64, 87
Naltrexone	53, 73, 80	Oreton	51, 83
Namenda.....	50, 82	Orinase	67, 72
Naphazoline	53, 95	Ortho Tri-Cyclen	55, 83
Naphcon	53, 95	Ortho-Novum 777	40, 83
Naprosyn.....	53, 76, 82	Os-Cal.....	30, 84, 92
Naproxen.....	53, 76, 82	Oscal + D	30, 92
Narcan.....	53, 73, 80	Ovral	40, 83
Nardil.....	14, 57, 78	Oxacillin	56, 88
Nasacort.....	68, 93	Oxazepam.....	17, 56, 78, 80
Nasonex	52, 93	Oxcarbazepine.....	16, 56, 81
Navane	13, 67, 79	Oxybutynin	56, 87
Nebcin	67, 89	Oxycodone.....	56, 76
Nelfinavir	54, 90	OxyContin	56, 76
Neo-Calglucon	30, 92	Oxymetazoline	56, 96
Neomycin	54, 89	P.P.D.....	69, 88
Neomycin/Polymyxin B/Bacitracin	54, 97	Pamelor.....	14, 55, 78
Neomycin/Polymyxin B/Hydrocortisone	54, 95	Pancrease.....	56, 86
Neosporin.....	58, 97	Pancrelipase	56, 86
Neo-Synephrine	57, 94, 96	Panmycin	66, 89
Neurontin.....	42, 81	Pantoprazole.....	56, 84
Nevirapine	54, 90	Parlodol.....	30, 82
Niacin/Nicotinamide	54, 75, 92	Parnate	14, 68, 78
Nicobid	54, 75, 92	Paroxetine.....	14, 56, 78
Nicoderm	54, 73	Patanol.....	55, 95
Nicorette	54, 73	Pathocil	37, 88
Nicotine	54, 73	Paxil	14, 56, 78
Nicotine Polacrilex.....	54, 73	Pediazole	40, 89
Nicotine Transdermal Patch.....	54, 73	PEG	60, 85
Nicotrol	54, 73	Penicillamine.....	56, 73
NIFEdipine.....	54, 75	Penicillin G Benzathine.....	56, 88
Nitrofurantoin.....	54, 87, 90	Penicillin G Benzathine/Penicillin G Procaine	56, 88
Nitroglycerin	55, 75	Penicillin G Procaine.....	57, 88
NIX	57, 98	Penicillin G Sodium.....	57, 88
Nizoral	47, 89, 97	Penicillin V Potassium	57, 88
Noctec	17, 32, 80	Pentam.....	19, 57, 90
Nolvadex	65, 73	Pentamidine	19, 57, 90
Non-Soap Cleanser.....	55, 96	Pentasa.....	50, 86
Norepinephrine.....	55, 76	Pentrax.....	34, 98
Norgestimate/Ethinyl Estradiol.....	55, 83	Pen-Vee K.....	57, 88
Noritrate.....	52, 96, 97	Pepcid	41, 84
Normodyne.....	47, 75	Pepto-Bismol.....	29, 85, 86
Norpramin	14, 35, 78	Periactin	35, 73
Nortriptyline	14, 55, 78	Peri-Colace	38, 85
Norvasc	26, 75	Peridex.....	32, 96
Norvir.....	62, 90	PerioMed.....	65, 96
NovoLog.....	45, 72	Periostat.....	39, 96
Nupercainal	37, 98	Permethrin	57, 98
Nutraderm	39, 98	Pernox.....	24, 96
NVP	54, 90	Perphenazine.....	13, 57, 79
Nystatin	55, 89, 96, 97	Pertofrane	35, 78
OCL	60, 85	Petrolatum, White	57, 98
Olanzapine	13, 55, 79	Phenazopyridine	57, 86
Olopatadine	55, 95	Phenelzine	14, 57, 78
Omeprazole.....	55, 84	Phenergan	60, 73, 77

Phenobarbital	21, 57, 81	ProStep	54, 73
Phenol	57, 96	Protamine	60, 73, 74
Phenylephrine	57, 94, 96	Protonix	56, 84
Phenytoin	21, 58, 81	Protopic	65, 99
pHisoHex	44, 97	Protriptyline	14, 60, 78
Physostigmine	58, 73	Proventil	25, 93
Phytonadione	58, 73, 74, 92	Provera	50, 82
Pilocarpine	58, 94	Prozac	14, 42, 78
Pimecrolimus	58, 99	Pseudoephedrine	61, 93
Plavix	18, 34, 73	Psyllium	61, 85
Plendil	41, 75	Pyrantel	61, 90
Pneumococcal Vaccine, Polyvalent	58, 87	Pyrazinamide	61, 90
Pneumovax	58, 87	Pyrethins/Piperonyl Butoxide	61, 98
Podophyllum Resin	58, 99	Pyridium	57, 86
Poliovirus Vaccine, Inactivated	58, 88	Pyridoxine	61, 92
Polycillin	27, 88	Questran	33, 75
Polycitra	59, 87	Quetiapine	13, 61, 79
Polycitra K	59, 87	Quinidine Gluconate	61, 75
Polycitra-LC	59, 87	Quinidine Sulfate	61, 75
Polyethylene Glycol	58, 85	Raloxifene	61, 83
Polymox	26, 88	Ranitidine	61, 84
Polymyxin B/Bacitracin	58, 94	Recombivax HB	44, 88
Polymyxin B/Neomycin	58, 97	Rectal Hemorrhoidal Cream with Hydrocortisone	61, 86
Polymyxin B/Trimethoprim	58, 94	Rectal Hemorrhoidal Ointment	62, 86
Polysporin	28, 58, 94, 97	Rectal Hemorrhoidal Suppositories	62, 86
Polytar	34, 98	Rectal Hemorrhoidal Suppositories with Hydrocortisone	62, 86
Polytrim	58, 94	Reglan	51, 77, 84
Poly-Vi-Sol	53, 92	Relafen	19, 53, 76
Potassium Chloride	59, 91	Remeron	14, 17, 52, 79
Potassium Citrate	59, 87	Reminyl	43, 82
Potassium Citrate Combinations	59, 87	Renagel	63, 87
Potassium Iodide	59, 93	Repaglinide	62, 72
Povidone-Iodine	59, 97	Rescriptor	35, 90
Pramoxine	59, 86, 98	Restoril	17, 66, 78, 80
Prandin	62, 72	Retin-A	68, 96
Prazosin	59, 76	Retrovir	71, 90
prednisoLONE	59, 83	ReVia	53, 73, 80
predniSONE	59, 83	Rezamid	65, 96
Premarin	40, 82, 87	Rheomacrodex	36, 91
PremPro	40, 83	RID	61, 98
Prevacid	47, 84	Rifadin	62, 90
Prilosec	55, 84	Rifamate	62, 90
Primidone	60, 81	Rifampin	62, 90
Prinivil	48, 75	Rifampin/Isoniazid	62, 90
Pro-Banthine	60, 84	Ringer's Lactate Solution	62, 91
Probenecid	60, 83	Risperdal	13, 62, 79
Procainamide	60, 75	Risperdal Consta	13, 62, 79
Procardia	54, 75	Risperdal M-Tab	13, 62, 79
Prochlorperazine	60, 77, 86	Risperidone	13, 62, 79
Prolixin	13, 42, 79	Ritalin	16, 51, 79
Promethazine	60, 73, 77	Ritonavir	62, 90
Pronestyl	60, 75	Rivastigmine	19, 62, 82
Propantheline	60, 84	Robaxin	51, 81
Proparacaine	60, 95	Robitussin	44, 93
Propranolol	16, 60, 75, 82	Robitussin DM	44, 93
Propylene Glycol Electrolyte Solution	60, 85	Rocephin	31, 89
Propylthiouracil	60, 83	Rosiglitazone	62, 72
Prostaphlin	56, 88		

Rowasa	50, 86	Sulfocin	65, 96
Rubella Virus Vaccine Live	62, 88	Sulfur/Resorcinol	65, 96
Salicylic Acid	63, 99	Sulindac	65, 76
Saliva Substitute	31, 96	Sumatriptan.....	65, 82
Salivart	31, 96	Sunscreen/block	65, 96
Salix.....	31, 96	Surfak.....	38, 85
Salmeterol	63, 93	Surmontil.....	14, 69, 78
Sani-Supp.....	43, 85	Symmetrel.....	26, 82, 90
Santyl	34, 99	Synalar	41, 98
Saquinavir	63, 90	Synthroid.....	48, 83
Scopolamine	63, 94	Tacrolimus	65, 99
Sebizon	65, 97	Tamoxifen	65, 73
Selenium Sulfide	63, 97	Tapazole	50, 83
Selsun	63, 97	Tazarotene.....	65, 97
Senna.....	63, 85	Tazorac.....	65, 97
Senokot	63, 85	Tegopen.....	34, 88
Septra.....	69, 89	Tegretol.....	16, 21, 31, 79, 81
Serax.....	17, 56, 78, 80	Tegretol XR.....	16, 21, 31
Serentil	13, 19, 50, 79	Tegrin	34, 98
Serevent.....	63, 93	Teldrin	32, 73, 93
Seroquel.....	13, 61, 79	Temazepam.....	17, 66, 78, 80
Sertraline	14, 63, 78	Temovate.....	18, 33, 98
Sevelamer	63, 87	Tenormin.....	27, 75, 82
Silvadene.....	63, 96, 98	Terbinafine.....	66, 97
Silver Nitrate.....	63, 99	Terbutaline.....	66, 93
Silver Sulfadiazine.....	63, 96, 98	Testosterone.....	66, 83
Simethicone	63, 84	Tetracycline.....	66, 89
Simvastatin.....	63, 75	Tetrahydrozoline	66, 95
Sinemet	48, 82	Theophylline.....	66, 93
Sinequan	14, 39, 78	Thiabendazole	66, 90
Sodium Bicarbonate.....	63, 87, 91	Thiamine	66, 92
Sodium Chloride.....	64, 86, 94, 95, 99	Thioridazine	13, 20, 66, 79
Sodium Chloride 0.2%	64, 91	Thiothixene	13, 67, 79
Sodium Chloride 0.45%	64, 91	Thorazine.....	13, 32, 79
Sodium Chloride 0.9%	64, 91	Thyroid	67, 83
Sodium Chloride Intravenous Solution.....	64, 91	Thyroid, Desiccated.....	67, 83
Sodium Citrate/Citric Acid	64, 87	Thyrolar.....	48, 83
Sodium Fluoride	64, 96	Tiagabine	67, 81
Sodium Lactate	64, 91	Ticar	67, 88
Sodium Phosphate/Biphosphate.....	64, 85	Ticarcillin.....	67, 88
Sodium Polystyrene Sulfonate.....	64, 76	Ticarcillin/Clavulanate.....	67, 88
Sonata	17, 71, 80	Tigan	69, 77, 86
Sorbitol	64, 85	Timentin	67, 88
Sorbitrate.....	46, 75	Timolol	67, 94
Spirolactone	64, 74	Timolol/Dorzolamide	67, 94
Spirolactone/Hydrochlorothiazide	65, 74	Timoptic	67, 94
SSKI	59, 93	Tinactin	68, 97
Stanous Fluoride.....	65, 96	Tioconazole.....	67, 87
Stavudine	65, 90	Titralac	30, 84, 92
Stelazine.....	13, 69, 79	Tizanidine.....	20, 67, 81
Stimate	35, 83	TobraDex.....	67, 95
Strattera.....	27, 79	Tobramycin.....	67, 89, 94
Stresscaps	70, 92	Tobramycin/Dexamethasone.....	67, 95
Sucralfate	65, 86	Tobrex.....	67, 94
Sudafed	61, 93	Tofranil.....	14, 45, 78
Sulamyd	65, 94	TOLBUTamide	67, 72
Sulfacetamide Sodium	65, 94, 97	Tolnaftate.....	68, 97
Sulfasalazine.....	65, 86	Tolterodine	68, 87

Topamax	16, 68, 81	Verapamil	16, 70, 75, 82
Topiramate	16, 68, 81	Vermox	49, 90
Toprol XL	51, 75, 82	Versed	52, 80
Toradol	47, 76	Vibramycin	39, 89
Tramadol	68, 76	Vicodin	24, 76
Tranxene	17, 34, 78, 81	Videx	37, 90
Tranxene SD	34, 81	Viracept	54, 90
Tranlycypromine	14, 68, 78	Viramune	54, 90
Travatan	68, 94	Visine Allergy Relief	66, 95
Travoprost	68, 94	Visine Moisturizing	66, 95
Trazodone	14, 17, 68, 79, 80	Vistaril	17, 45, 73, 77, 80
Tretinoin	68, 96	Vitamin A	70, 92
Trexan	53, 73, 80	Vitamin A&D Ointment	37, 70, 96
Triamcinolone	68, 83, 93, 98	Vitamin B Complex/Vitamin C	70, 92
Triamcinolone in Oral Adhesive Base	68, 96	Vitamin B Complex/Vitamin C/Zinc	70, 92
Triamterene	68, 74	Vitamin B ₁	66, 92
Triamterene/Hydrochlorothiazide	69, 74	Vitamin B ₁₂	35, 92
Triazolam	17, 69, 78, 80	Vitamin B ₆	61, 92
Tridesilon	35, 98	Vitamin C	27, 92
Trifluoperazine	13, 69, 79	Vitamin D	70, 92
Trihexyphenidyl	69, 82	Vitamin E	70, 92
Trilafon	13, 57, 79	Vitamin K ₁	58, 73, 74, 92
Trileptal	16, 56, 81	Vivactil	14, 60, 78
Tri-Levlen	48, 83	Vivelle	40, 82
Trimethobenzamide	69, 77, 86	VoSol	24, 95
Trimethoprim/Sulfamethoxazole	69, 89	VoSol HC	24, 95
Trimipramine	14, 69, 78	Warfarin	70, 74
Triphasil	48, 83	Water for Injection	71, 91, 99
Triple Antibiotic Ointment	54, 97	Water for Irrigation	71, 86
Triprolidine/Pseudoephedrine	69, 73, 93	Wellbutrin	14, 30, 79
Tronothane	59, 86, 98	Wellbutrin SR	14, 30, 79
Tropicamide	69, 94	Wellcovorin	47, 73, 92
Trypsin/Balsam Peru/Castor Oil	69, 99	Wyanoids	62, 86
Tuberculin, Purified Protein Derivative	69, 88	Wycillin	57, 88
Tylenol	24, 76	Xalatan	47, 94
Ultram	68, 76	Xanax	17, 25, 78, 80
Unicap	53, 92	Xylocaine	48, 98
Unifiber	32, 85	Zafirlukast	71, 94
Unipen	53, 88	Zaleplon	17, 71, 80
Urecholine	29, 87	Zanaflex	20, 67, 81
Urispas	41, 87	Zantac	61, 84
Urocit K	59, 87	Zarontin	21, 40, 81
Vagistat-1	67, 87	Zephiran	28, 97
Valisone	29, 98	Zerit	65, 90
Valium	17, 37, 78, 80, 81	Zestril	48, 75
Valproate	16, 21, 70, 79, 81, 82	Zidovudine	71, 90
Valproic Acid	16, 21, 70	Zinc Oxide	71, 98, 99
Vanceril	28, 93	Zinc Oxide/Petrolatum/Imidazolidinyl Urea	37, 71
Vancocin	70, 89	Zinc Sulfate	71, 91, 92
Vancomycin	70, 89	Zinc Undecylenate	71, 97
Vaqta	44, 88	Ziprasidone	13, 71, 79
Varicella Virus Vaccine, Live	70, 88	Zithromax	18, 27, 89
Varivax	70, 88	Zocor	63, 75
Vaseline	57, 98	Zolofl	14, 63, 78
Vasotec	39, 75	Zolpidem	17, 71, 80
V-Cillin K	57, 88	Zonegran	71, 81
Venlafaxine	14, 70, 78	Zonisamide	71, 81
Ventolin	25, 93	Zovirax	25, 90, 97

Zyban30, 79
Zydis.....55, 79

Zyloprim25, 83
Zyprexa 13, 55, 79

APPENDIX 1: NEW DRUG APPLICATION FORM

415 — C
EXHIBIT A

TEXAS DEPARTMENT OF MENTAL HEALTH AND MENTAL RETARDATION

NEW DRUG APPLICATION
(for inclusion in the *DSHS/DADS Drug Formulary*)

** (THE NEW DRUG APPLICATION PROCESS IS DESCRIBED ON THE BACK OF THIS FORM.) **

Date: _____

Name of practitioner submitting the application: _____

Name of entity with which the practitioner is associated by employment or contract (i.e., state hospital, state school, state center, or local authority (state-operated community services (SOCS) or community MHMR center)):

Information regarding new drug:

Therapeutic Classification	
Generic Name	
Trade Name(s)	
Manufacturer(s)	
Dosage Form(s)	

Explain the pharmacological action or use of this drug:

Explain the advantages of this drug over those listed in the formulary:

State which drugs this new drug would replace or supplement:

application is approved

signature of chairman of facility pharmacy and therapeutics committee

OR

application is appropriate and complete

signature of clinical/medical director or designee

Section 415.108 of TDMHMR rules governing the use and maintenance of the *THHSC Drug Formulary* (25 TAC, Chapter 415, Subchapter C) describes the procedures for applying to have a drug added to the formulary, which are:

§415.108. Applying to Have a Drug Added to the Formulary.

- (a) Any member of the Executive Formulary Committee, any service system component* practitioner, or any contract practitioner may apply to have a drug added to the *THHSC Drug Formulary* by completing the New Drug Application Form DF-1, referenced as Exhibit A in §415.112 of this title (relating to Exhibit) and including:
 - (1) published articles in biomedical literature that substantiate the efficacy and safety of the proposed drug;
 - (2) information on the advantages of the proposed drug compared with similar formulary drugs;
 - (3) a list of formulary drugs that the proposed drug would replace or supplement; and
 - (4) cost effectiveness data.
- (b) Submitting the application.
 - (1) If the person submitting the application is a facility** practitioner or a facility contract practitioner, then that practitioner submits the application to the facility's pharmacy and therapeutics committee for approval. If the committee approves the application, then it forwards the application to the Executive Formulary Committee.
 - (2) If the person submitting the application is a non-facility service system component practitioner or a non-facility service system component contract practitioner, then that practitioner submits the application to the component's clinical/medical director or designee who determines if the application is appropriate and complete, and if so, forwards the application to the Executive Formulary Committee.
 - (3) If the person completing the application is a member of the Executive Formulary Committee, then that person submits the application directly to Executive Formulary Committee.
- (c) The Executive Formulary Committee considers the drug application and recommends:
 - (1) approving the proposed drug's inclusion and, if appropriate, approving audit criteria and recommending dosage guidelines;
 - (2) denying the proposed drug's inclusion;
 - (3) approving the proposed drug on a trial basis for a specified period of time;
 - (4) approving the proposed drug as a reserve drug, with guidelines; or
 - (5) postponing the decision until a later meeting.

* The term "service system component" means a state hospital, state school, state center, or local authority (state-operated community services (SOCS) or community MHMR center).

** The term "facility" means a state hospital, state school, or state center.

APPENDIX 2: NON-FORMULARY DRUG JUSTIFICATION FORM

TEXAS DEPARTMENT OF MENTAL HEALTH
AND MENTAL RETARDATION

Non-Formulary Drug Justification

Facility/Component _____

Drug Name
 (Generic) (Trade) (Strength) (AHFS Therapeutic Class)

The purpose of the *Formulary* is to ensure that the treatments available to THHSC consumers are consistent with need, effectiveness, risk, and cost. Exceptions to the *Formulary* are limited to the three categories listed below.

This request is for:

- an individual patient treatment course. Is this chronic or acute therapy?
- more than one patient/course of therapy. It is estimated that _____ patients will be treated with this drug. Is this chronic or acute therapy?

Reason for request:

- An illness for which no *Formulary* drug is as safe or effective.
- A trial supply in anticipation of application to *Formulary*.
- To prevent interruption of course of therapy established prior to admission.

Quantity Ordered	Cost/Unit	Total Purchase Cost	*Estimate Course Chronic Cost Per Month	*Estimate Course Acute Cost

- Alternative drugs are available on the *TXMHMR Formulary*.

 Attending Physician (signature) _____
Date

Was the drug ordered yes or no?

<input type="checkbox"/> AGREE _____ Pharmacy Director or designee (signature)	<input type="checkbox"/> DISAGREE _____ Date	
<input type="checkbox"/> APPROVED _____ Facility clinical/medical director or designee (signature)	<input type="checkbox"/> DISAPPROVED	<input type="checkbox"/> EMERGENCY <small>Facility clinical/medical director's approval must be obtained within three working days.</small> _____ Date

APPENDIX 3: ADVERSE DRUG REACTION REPORTING (MEDWATCH) FORM



For **VOLUNTARY** reporting
by health professionals of adverse
events and product problems

Form Approved: OMB No. 0910-0291 Expires: 11/30/99
See OMB statement on reverse

FDA Use Only

Triage unit
sequence #

Page ____ of ____

A. Patient information

1. Patient identifier In confidence	2. Age at time of event: or _____ Date of birth: _____	3. Sex <input type="checkbox"/> female <input type="checkbox"/> male	4. Weight ____ lbs or ____ kgs
--	--	--	---

B. Adverse event or product problem

1. Adverse event and/or Product problem (e.g., defects/malfunctions)

2. Outcomes attributed to adverse event (check all that apply)

<input type="checkbox"/> death _____ (mo/day/yr)	<input type="checkbox"/> disability
<input type="checkbox"/> life-threatening	<input type="checkbox"/> congenital anomaly
<input type="checkbox"/> hospitalization – initial or prolonged	<input type="checkbox"/> required intervention to prevent permanent impairment/damage
	<input type="checkbox"/> other: _____

3. Date of event (mo/day/yr)	4. Date of this report (mo/day/yr)
------------------------------	------------------------------------

5. Describe event or problem

6. Relevant tests/laboratory data, including dates

7. Other relevant history, including preexisting medical conditions (e.g., allergies, race, pregnancy, smoking and alcohol use, hepatic/renal dysfunction, etc.)

C. Suspect medication(s)

1. Name (give labeled strength & mfr/labeler, if known)	
#1 _____	
#2 _____	
2. Dose, frequency & route used	3. Therapy dates (if unknown, give duration) from/to (or best estimate)
#1 _____	#1 _____
#2 _____	#2 _____
4. Diagnosis for use (indication)	5. Event abated after use stopped or dose reduced
#1 _____	#1 <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> doesn't apply
#2 _____	#2 <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> doesn't apply
6. Lot # (if known)	7. Exp. date (if known)
#1 _____	#1 _____
#2 _____	#2 _____
8. Event reappeared after reintroduction	
#1 <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> doesn't apply	
#2 <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> doesn't apply	
9. NDC # (for product problems only)	

10. Concomitant medical products and therapy dates (exclude treatment of event)	

D. Suspect medical device

1. Brand name	
2. Type of device	
3. Manufacturer name & address	4. Operator of device <input type="checkbox"/> health professional <input type="checkbox"/> lay user/patient <input type="checkbox"/> other: _____
5. Expiration date (mo/day/yr)	
6. model # _____	7. If implanted, give date (mo/day/yr)
catalog # _____	
serial # _____	8. If explanted, give date (mo/day/yr)
lot # _____	
other # _____	
9. Device available for evaluation? (Do not send to FDA) <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> returned to manufacturer on _____ (mo/day/yr)	
10. Concomitant medical products and therapy dates (exclude treatment of event)	

E. Reporter (see confidentiality section on back)

1. Name & address		phone #
_____		_____
2. Health professional? <input type="checkbox"/> yes <input type="checkbox"/> no		3. Occupation
_____		_____
4. Also reported to <input type="checkbox"/> manufacturer <input type="checkbox"/> user facility		
5. If you do NOT want your identity disclosed to the manufacturer, place an "X" in this box. <input type="checkbox"/>		<input type="checkbox"/> distributor

PLEASE TYPE OR USE BLACK INK



Mail to: MEDWATCH
5600 Fishers Lane
Rockville, MD 20852-9787

or FAX to:
1-800-FDA-0178

FDA Form 3500

Submission of a report does not constitute an admission that medical personnel or the product caused or contributed to the event.

ADVICE ABOUT VOLUNTARY REPORTING

Report experiences with:

- medications (drugs or biologics)
- medical devices (including in-vitro diagnostics)
- special nutritional products (dietary supplements, medical foods, infant formulas)
- other products regulated by FDA

Report **SERIOUS** adverse events. An event is serious when the patient outcome is:

- death
- life-threatening (real risk of dying)
- hospitalization (initial or prolonged)
- disability (significant, persistent or permanent)
- congenital anomaly
- required intervention to prevent permanent impairment or damage

Report even if:

- you're not certain the product caused the event
- you don't have all the details

Report product problems – quality, performance or safety concerns such as:

- suspected contamination
- questionable stability
- defective components
- poor packaging or labeling
- therapeutic failures

How to report:

- just fill in the sections that apply to your report
- use section C for all products except medical devices
- attach additional blank pages if needed
- use a separate form for each patient
- report either to FDA or the manufacturer (or both)

Important numbers:

- 1-800-FDA-0178 to FAX report
- 1-800-FDA-7737 to report by modem
- 1-800-FDA-1088 to report by phone or for more information
- 1-800-822-7967 for a VAERS form for vaccines

If your report involves a serious adverse event with a device and it occurred in a facility outside a doctor's office, that facility may be legally required to report to FDA and/or the manufacturer. Please notify the person in that facility who would handle such reporting.

Confidentiality: The patient's identity is held in strict confidence by FDA and protected to the fullest extent of the law. The reporter's identity, including the identity of a self-reporter, may be shared with the manufacturer unless requested otherwise. However, FDA will not disclose the reporter's identity in response to a request from the public, pursuant to the Freedom of Information Act.

The public reporting burden for this collection of information has been estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to:

OHHS Reports Clearance Office
Paperwork Reduction Project (0910-0221)
Hubert H. Humphrey Building, Room 531-H
200 Independence Avenue, S.W.
Washington, DC 20201

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number."

Please **DO NOT**
RETURN this form
to this address.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service - Food and Drug Administration

FDA Form 3500-back

Please Use Address Provided Below – Just Fold In Thirds, Tape and Mail

Department of
Health and Human Services
Public Health Service
Food and Drug Administration
Rockville, MD 20857

Official Business
Penalty for Private Use \$300

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 946 ROCKVILLE, MD

POSTAGE WILL BE PAID BY FOOD AND DRUG ADMINISTRATION

MEDWATCH

The FDA Medical Products Reporting Program
Food and Drug Administration
5600 Fishers Lane
Rockville, MD 20852-9787