REPORTABLE LIST

This listing provides documentation of all conditions the TCR considers reportable. Note the following changes:

Reportable conditions from both the *International Classification of Diseases for Oncology*,

Second Edition (ICD-O-2) and the Third Edition (ICD-O-3) are included in the listing.

Newly reportable conditions and terms with behavior changed from /1 (borderline) in *ICD-O-2* to /3 (malignant) in *ICD-O-3* are identified in **bold** print. These conditions are reportable only when diagnosed on or after January 1, 2001.

Several terms changed behavior from /3 (malignant) in *ICD-O-2* to /1 (borderline) in *ICD-O-3*. These conditions are reportable only when diagnosed prior to January 1, 2001, and are identified in *[brackets and italics]*.

New terms and synonyms for existing ICD-O codes were added.

Adamantinoma (long bones, malignant, tibial only)

Adenoacanthoma

Adenocarcinofibroma

Adenocarcinoma

Adenofibroma (malignant endometrioid only)

Adenoma (carcinoid bronchial and

cylindroid bronchial only)

Adenosarcoma

AIN III (anal intraepithelial neoplasia,

grade III)

Ameloblastoma (malignant only)

Androblastoma (malignant only)

Anemia, refractory

Angioendotheliomatosis

Angiomyosarcoma

Angiosarcoma

Argentaffinoma (malignant only)

Arrhenoblastoma (malignant only)

Astroblastoma

Astrocytoma

Astroglioma

Blastoma

Cancer

Carcinoid (exclude tumor of appendix, strumal,

argentaffin tumor NOS,

 $enter ochromaf fin-like\ cell\ NOS,\ and$

tubular)

Carcinofibroma

Carcinoma

Carcinomatosis

Carcinosarcoma

CASTLE (Carcinoma showing thymus-like element)

Chloroma

Cholangiocarcinoma

Chondroblastoma

Chondrosarcoma

Chordoma

Choriocarcinoma

Chorioepithelioma

Chorionepithelioma

Class IV cytology

Class V cytology

Comedocarcinoma

CPNET (central primitive

neuroectodermal, NOS)

Cylindroma (exclude eccrine dermal, and

skin)

Cyst (dermoid with malignant

transformation only or dermoid with

secondary tumor)

Cystadenocarcinofibroma

Cystadenocarcinoma

Cystadenofibroma (malignant endometrioid only)

[Cystadenoma (diagnosis date prior to

January 1, 2001); (mucinous, borderline malignancy papillary, borderline malignancy papillary mucinous, borderline malignancy papillary pseudomucinous, borderline malignancy papillary serous, borderline malignancy pseudomucinous, borderline malignancy serous, borderline malignancy only)]

Cystosarcoma phyllodes (malignant only)

Cytopenia, refractory with multilineage dysplasia

Dermatofibrosarcoma

Diktyoma (exclude benign)

DIN III (ductal intraepithelial neoplasia, grade III)

Disease (include only:

alpha heavy chain

Bowen

Chronic Myeloproliferative

Di Guglielmo

Franklin

gamma heavy chain

Heavy chain NOS

Hodgkin

immunoproliferative [NOS and small

intestinal only] Letterer-Siwe

mast cell, systemic tissue

Mu heavy chain

Myeloproliferative, chronic, NOS

Paget [exclude of bone]

Sezary

Disorder, myeloproliferative, chronic Disorder, primary cutaneous CD30+

T-cell lymphoproliferative

Dysgerminoma

Ectomesenchymoma

Endometriosis, stromal

Enteroglucagonoma (malignant only)

Ependymoblastoma

Ependymoma (exclude myxopapillary)

Epithelioma (NOS, basal cell, malignant,

and squamous cell only)

Erythremia (acute and chronic only)

Erythroleukemia

Erythroplasia, Queyrat

Esthesioneuroblastoma

Esthesioneurocytoma

Esthesioneuroepithelioma

Fibrochondrosarcoma

Fibrodentinosarcoma

Fibroepithelioma, of Pinkus type or

NOS

Fibroliposarcoma

Fibromyxosarcoma

Fibro-odontosarcoma

Fibrosarcoma

Fibroxanthoma (malignant only)

Gangliocytoma

Ganglioglioma

Ganglioneuroblastoma

Ganglioneuroma

Gastrinoma (malignant only)

Gemistocytoma

Germinoma

GIST-Gastrointestinal stromal tumor (malignant only)

Glioblastoma

Glioma

Gliomatosis cerebri

Gliosarcoma

Glomangiosarcoma

Glucagonoma (malignant only)

Granuloma (Hodgkin only)

Hemangioblastoma

Hemangioendothelioma (malignant only)

Hemangiopericytoma (malignant only)

Hemangiosarcoma

Hepatoblastoma Hepatocarcinoma

Hepatocholangiocarcinoma

Hepatoma (exclude benign)

Hidradenocarcinoma

Hidradenoma (malignant only)

Histiocytoma (malignant fibrous only)

Histiocytosis (malignant, and acute

progressive X only)

Histiocytosis, Langerhans cell, disseminated or generalized

Hutchinson melanotic freckle (melanoma In situ only)

Hypernephroma

Immunocytoma

Insulinoma (malignant only)

LCIS, NOS (lobular carcinoma in situ)

Leiomyosarcoma Lentigo maligna

Leukemia (exclude granular lymphocytic)

Linitis plastica

Liposarcoma (exclude well differentiated liposarcoma, superficial)

LN2 (of breast also called lobular neoplasia, grade 2 only)

Lymphangioendothelioma (malignant only)

Lymphoplastoma Lymphoplastoma Lymphoppithelioma

Lymphoma

Lymphosarcoma

Macroglobulinemia, Waldenstrom

Malignancy Malignant

Mastocytoma (malignant only) Mastocytosis (malignant only)

Medulloblastoma
Medulloepithelioma
Medullomyoblastoma
Melanocytoma, meningeal
Melanoma (exclude juvenile)

Melanomatosis, meningeal

Melanosis (precancerous only)

Meningioma

Mesenchymoma (malignant only) Mesonephroma (exclude benign)

Mesothelioma (exclude benign and cystic)

Metaplasia, agnogenic myeloid

Microglioma

MPNST, NOS (malignant peripheral

nerve sheath tumor)

Multiple neurofibromatosis

Mycosis fungoides

Myelofibrosis (acute, chronic idiopathic, with myeloid metaplasia or as a result of myeloproliferative disease only)

Myeloma Myelomatosis

Myelosclerosis (megakaryocytic, acute,

malignant or with myeloid metaplasia)

Myelosis

Myoblastoma (malignant granular cell only)

Myoepithelioma (malignant only)

Myosarcoma

Myosis, stromal NOS or endolymphatic stromal

Myxoliposarcoma Myxosarcoma

Neoplasia, ductal intraepithelial, grade 3 (of breast, also called DIN III)

Neoplasia, intratubular germ cell

Neoplasia, lobular, grade 2 of breast only (also called LN2)

Neoplasia, **squamous** intraepithelial, grade 3 (of **anus**, vulva and vagina only- also called, **AIN III**, VIN III and VAIN III) Neoplasm(malignant only, **except in C70.0**-

C72.9, C75.1-C75.3)

Nephroblastoma

Nephroma (exclude mesoblastic)

Neurilemmoma Neurilemmosarcoma Neuroblastoma

Neurocytoma, olfactory

Neuroepithelioma Neurofibrosarcoma Neurosarcoma

Nevus (malignant blue only)

Odontosarcoma

Oligoastrocytoma, mixed Oligodendroblastoma Oligodendroglioma Orchioblastoma Osteochondrosarcoma Osteoclastoma (malignant

only)Osteofibrosarcoma
Osteosarcoma
Pancreatoblastoma
Panmyelosis, acute only
Papilloma, choroid plexus
Papulosis, lymphomatoid

Paraganglioma (malignant only)

Paragranuloma, Hodgkin

Perineural MPNST

Perineurioma (malignant only)

Subependymoma

Subependymoma-ependymoma, mixed Pheochromoblastoma Sympathicoblastoma Pheochromocytoma (malignant only) Syndrome, Pilomatrixoma (malignant only) 5q deletion with myelodysplastic Pinealoma syndrome Pineoblastoma Hypereosinophilic Pineocytoma Pituitary Adenoma Myelodysplastic NOS Plasmacytoma PNET (primitive neuroectodermal tumor) with 5q deletion syndrome Pneumoblastoma therapy-related, NOS therapy-related, alkylating agent Polycythemia (proliferative, rubra vera, related or vera) therapy-related, epidopophyllotoxin related Polyembryoma **Preleukemic** Polyposis (malignant lymphomatous only) Porocarcinoma Sezary Synovioma (NOS and malignant only) Poroma, eccrine (malignant only) PPNET (peripheral primitive neuroectodermal Syringoma chondroid, (malignant only) Teratoblastoma, malignant tumor) Preleukemia Teratocarcinoma Prolactinoma Teratoma (embryonal, immature, malignant, and with malignant transformation only) Pseudomyxoma peritonei Queyrat erythroplasia Thecoma (malignant only) Thrombocythemia (essential, essential Rathke Pouch Tumor hemorrhagic, idiopathic, or idiopathic Reticuloendotheliosis hemorrhagic) Reticulosarcoma Thymoma (malignant or **type C** only) Reticulosis (histiocytic medullary, Tumor (include only): malignant, **pagetoid**, and polymorphic only) Retinoblastoma adenocarcinoid adrenal cortical (malignant only) Rhabdomyosarcoma alpha cell (malignant only) Rhabdosarcoma Askin Sarcoma (exclude well differentiated liposarcoma, superficial) Bednar Sarcomatosis (meningeal only) beta cell (malignant only) Brenner (malignant only) Schwannoma **Burkitt** Seminoma carcinoid, NOS (except of appendix) **SETTLE** (spindle epithelial tumor carcinoid (malignant only) with thymus-like element) desmoplastic small round cell Somatostatinoma (malignant only) embolus Spermatocytoma Spiradenoma (malignant only) endodermal sinus Spongioblastoma epithelial (malignant only) Spongioneuroblastoma **Ewing** fibrous, solitary (malignant only) Stromatosis, endometrial Struma (malignant ovarii and Wuchernde follicular dendritic cell Langhans only) fusiform cell type (malignant only)

June 2006 I-4

G cell (malignant only)

gastrin cell (malignant only) gastrointestinal stromal (malignant only) germ cell giant cell (malignant only) glomus (malignant only) granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) malignant (any type) pineal parenchymal of intermediate differentiation Pinkus plasma cell polyvesicular vitelline primitive neuroectodermal rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001] Sellar region granular cell tumor
gastrointestinal stromal (malignant only) germ cell giant cell (malignant only) granular cell (malignant only) granulosa cell (malignant or rhabdoid, NOS granulosa cell (malignant only) granutz sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) differentiation Pinkus plasma cell polyvesicular vitelline primitive neuroectodermal rhabdoid, NOS rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
germ cell giant cell (malignant only) glomus (malignant only) granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) gianna cell polyvesicular vitelline primitive neuroectodermal rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
giant cell (malignant only) glomus (malignant only) granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) polyvesicular vitelline primitive neuroectodermal rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
glomus (malignant only) granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) primitive neuroectodermal rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
glomus (malignant only) granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) primitive neuroectodermal rhabdoid, NOS rhabdoid/teratoid, atypical round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
granular cell (malignant only) granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) rhabdoid, NOS rhabdoid, NOS rhabdoid, NOS rhabdoid, NOS set satelly round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
granulosa cell (malignant or sarcomatoid only) Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) granulosa cell (malignant or round cell, desmoplastic, small Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
sarcomatoid only)round cell, desmoplastic, smallGrawitzSchminkeinterstitial cell (malignant only)secondaryintravascular bronchial alveolar[serous, NOS, of low malignant potentialKlatskinserous, papillary, of low malignantKrukenbergpotential; diagnosis date prior to January 1,Leydig cell (malignant only)2001]
Grawitz interstitial cell (malignant only) intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) Schminke secondary [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
intravascular bronchial alveolar Klatskin Krukenberg Leydig cell (malignant only) [serous, NOS, of low malignant potential serous, papillary, of low malignant potential; diagnosis date prior to January 1, 2001]
Klatskin serous, papillary, of low malignant Krukenberg potential; diagnosis date prior to January 1, Leydig cell (malignant only) 2001]
Krukenberg potential; diagnosis date prior to January 1, Leydig cell (malignant only) 2001]
Leydig cell (malignant only) 2001]
mast cell (malignant only) Sertoli-Leydig cell (poorly
Merkel cell differentiated, with heterologous
mesenchymal (malignant only) elements, sarcomatoid (malignant only)
mesodermal, mixed sinus, endodermal
metastatic small cell type (malignant only)
mixed pineal soft tissue (malignant only)
mixed salivary gland type (malignant spindle cell type (malignant only)
only) spindle epithelial with thymus-like
[mucinous, of low malignant potential; element or thymus-like
diagnosis date prior to January 1, 2001] differentiation
mucocarcinoid steroid cell (malignant only)
Mullerian mixed sweat gland (malignant only)
neuroectodermal (exclude melanotic) teratoid/rhabdoid, atypical
nonencapsulating sclerosing transitional pineal
odontogenic (malignant only) triton, malignant
olfactory, neurogenic trophoblastic, epithelioid
Pancoast vitelline, polyvesicular
[papillary mucinous, of low malignant Wilm
potential; diagnosis date prior to yolk sac
January 1, 2001] Ulcer, rodent
[papillary serous, of low malignant VAIN III (vaginal intraepithelial neoplasia,
potential; diagnosis date prior to grade 3)
January 1, 2001] VIN III (vulvar intraepithelial neoplasia,
peripheral neuroectodermal or grade 3)
peripheral primitive Vipoma (malignant only)
neuroectodermal, NOS Xanthoastrocytoma, pleomorphic
peripheral nerve sheath (malignant
only) Resource: NAACCR Procedure Guidelines for Cancer
phyllodes (malignant only) Registries Series IV: Appendix D February 2002