




List of EPA Certified Wood Stoves September 19, 2007



EPA Wood Heater Program

Enclosed is the list of wood stoves certified by the United States Environmental Protection Agency (EPA). Each EPA certified wood stove or wood heating appliance has been independently tested by an accredited laboratory to meet a particulate emissions limit of 7.5* grams per hour for noncatalytic wood stoves and 4.1* grams per hour for catalytic wood stoves. All wood heating appliances subject to the New Source Performance Standard for Residential Wood Heaters under the Clean Air Act offered for sale in the United States are required to meet these emission limits. An EPA certified wood stove can be identified by a temporary paper label attached to the front of the wood stove and a permanent metal label affixed to the back or side of the wood stove (See examples below). Please contact John DuPree at 202-564-5950 should you have questions regarding a particular model line or manufacturer.



*

Temporary Wood Stove Label



Permanent Wood Stove Label

Wood stoves offered for sale in the state of Washington must meet a particulate emissions limit of 4.5 grams per hour for non catalytic wood stoves and 2.1 grams per hour for catalytic wood stoves.



Certified Wood Heaters

Manufacturer	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
--------------	---------------------	------------	-------------------------	--------------------

Aladdin Hearth Products

1445 North Highway
Colville WA99114 ,
USA
509-684-3745

<http://www.aladdinhearth.com/>

Sunburst II Model 2208

Noncatalytic	4.4	63 %	11500-36300	11/16/2003
--------------	-----	------	-------------	------------

American Road Equipment Company

4201 North 26th Street
Omaha NE68111 ,
USA
402-451-2575

Erik SW II Catalytic Environmentalist SSW-1000

Catalytic	1.2	72 %	9800-46900	06/30/88
-----------	-----	------	------------	----------

Amesti LTDA

Jose Miguel Carrera N 6
Santiago Chile ,

Rondo 450

Noncatalytic	4.0	63 %	11,842-24,288	04/30/2012
--------------	-----	------	---------------	------------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Appalachian Stove & Fabricators, Inc.

329 Emma Road

Asheville NC28806 ,

USA

(828) 253-0164

<http://www.appalachianstove.com/>

28 CD

Catalytic

4.5

72 %

9500-16300

06/30/90

32-BW-XL-88, Gemini-XLB 1989

Catalytic

4.0

72 %

8400-19800

10/24/93

36-BW-1988

Catalytic

3.9

72 %

9500-19300

10/06/93

Heritage Classic A, T16, Cast heat & Catskill

Noncatalytic

4.4

63 %

10,300-31,200

12/12/2008

Heritage Classic;

Noncatalytic

6.8

63 %

11057-31327

10/11/2006

Model 30-CD

Catalytic

3.7

72 %

8500-21400

07/10/2006

Model 32-BW

Catalytic

2.5

72 %

10400-24500

2/22/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 36 BW	Catalytic	3.3	72 %	10600-30200	10/15/2012
Model 360-CR	Catalytic	2.8	72 %	10600-29100	08/16/2011
Model 52 WXL 1988	Catalytic	4.2	72 %	10500-15400	06/30/90
Trailmaster 4N1-XL	Catalytic	4.7	72 %	9600-19600	06/30/90
Trailmaster Model 4N1-XL II	Catalytic	3.4	72 %	10100-26900	05/23/2006
Archgard Industries, Ltd.					
7116 Beatty Dr.					
Mission BCV2V6B4 ,					
Canada					
604-820-8262					
http://www.archgard.com/					
Chalet 1600	Noncatalytic	2.9	63 %	10,611-29,181	08/07/2012
Chalet 1800	Noncatalytic	3.6	63 %	10,700-35,500	07/21/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Optima PS1

Noncatalytic

0.9

63 %

10,196-29,581

07/15/2011

Austroflamm Industries Inc.

1007 International Drive

Oakdale PA15071-922 ,
USA

724-695-2430

<http://www.austroflamm.com/>

Esprit Wood 119.1

Noncatalytic

6.3

63 %

11400-43600

12/07/2000

Integra C1121

Pellet

2.7

78 %

9300-31100

05/03/99

Irony M

Pellet

6.6

63 %

11800-46800

08/09/2011

Barbeques Galore/Pricotech

45 Princes Road West

Auburn 02144 ,
Australia

+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic

2.7

63 %

11600-36200

01/23/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Blaze King Industries, Inc.

146 A Street

Walla Walla WA99362 ,

USA

509-522-2730

<http://www.blazeking.com/>

Blaze King, Auto Light PAL-4000

Pellet

2.5

78 %

12200-33700

03/29/94

Blaze King KEJ 1107

Catalytic

1.8

72 %

9100-39800

07/09/2012

Blaze King KEJ-1102

Catalytic

3.9

72 %

7900-42600

08/03/2010

Blaze King, King Catalytic Insert KEI-1300

Catalytic

2.2

72 %

10100-34500

06/30/90

Blaze King, King Catalytic KEJ-1101

Catalytic

1.9

72 %

9000-35300

06/30/90

Blaze King PEJ 1003

Catalytic

3.5

72 %

10300-41600

08/22/2010

Blaze King, Princess Catalytic PEJ-1002

Catalytic

3.7

72 %

8400-35400

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Blaze King Princess Insert Model PI 1010	Catalytic	2.8	72 %	9,300-31,200	11/04/2008
Blaze King, Royal Guardian RGT-3001	Noncatalytic	5.8	63 %	9400-39800	12/20/2008
Blaze King, Royal Heir RHT-2100	Catalytic	3.0	72 %	6800-57100	06/30/90
Blaze King, Royal Heir RHT-2200, 2250	Catalytic	2.5	72 %	7700-31100	06/30/90
Briarwood II/90	Noncatalytic	3.5	63 %	10600-36000	10/27/2009
Eagle/Pioneer E90, PZ-90, Briarwood XE-90, XEI-90	Noncatalytic	5.2	63 %	13500-38000	04/05/2010
Heat Pro C110	Catalytic	2.8	72 %	9600-32400	12/20/2008
Heat Pro C210	Catalytic	2.1	72 %	10700-43300	08/29/2008
Princess Insert Model PI 1010A	Catalytic	2.0	72 %	7,200-29,500	02/28/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Princess PEJ 1006

Catalytic

2.4

72 %

12000-35600

11/07/2010

Ceramiche Savio di Elio & C. s.n.c.

10010 Torre Canavese ,
Italy

<http://www.ceramichesavio.it/uk/default.htm>

Catellante di Castellante and Real Castillo di Ague Model CS1

Noncatalytic

5.1

63 %

11200-40800

06/25/2007

Real Castello di Moncaueri/Castllo Della Venaria

Noncatalytic

5.6

63 %

10100-24200

6/27/2007

CFM Corporation

Route 107, P.O. Box 501
Bethel VT05032 ,
USA
802-234-2300

<http://www.cfmcorp.com/>

Aspen 1920 & Plymouth HWS10

Noncatalytic

4.3

63 %

9100-18000

8/25/2009

CW2500X00, CW2500X02, JW2500X00, CJW2500X02, DW2500 and JW2500X10

Noncatalytic

4.7

63 %

9500-57800

03/13/2010

DutchWest Large 2479

Noncatalytic

1.3

63 %

11,300-26,500

09/10/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
DutchWest Medium 2478	Noncatalytic	1.5	63 %	10,600-25,300	06/24/2009
DutchWest Small Model	Noncatalytic	1.4	63 %	7,800-25,100	09/28/2009
EWF 30	Noncatalytic	3.5	63 %	11,100-40,500	11/25/2010
FW247001 to FE247004 and JW1000PF1	Noncatalytic	5.0	63 %	11500-18900	03/24/2009
Model EWF 36A	Catalytic	2.4	72 %	11,300-75,500	09/03/2008
Vermont Castings Defiant 1610	Noncatalytic	2.9	63 %	10,000-30,000	07/14/2011

CFM Corporation (Jacuzzi Leisure Products, Inc.)

Route 107, P.O. Box 501

Bethel VT05032 ,

USA

802-234-2300

Campbell/Jacuzzi FW300005-FW300008 & FW300019-FW300027,

Noncatalytic 4.4 63 % 12000-55100 08/12/2007

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	------------------	------------	----------------------	-----------------

S27X/S28X & FW27 Series, CJW1500L02, JW1500L10 and JW1500P10, FW1500, DW1500

Noncatalytic	4.4	63 %	10300-29200	10/07/2012
--------------	-----	------	-------------	------------

CFM Corporation (Vermont Castings, Inc.)

Route 107, Box 501

Bethel VT05032 ,
USA

(802) 234-2300

<http://www.vermontcastings.com/>

2370	Catalytic	1.0	72 %	5700-18300	06/30/90
Aspen Model 1920	Noncatalytic	6.3	63 %	10100-26400	04/28/2004
C.D. Adirondack Wood Heater FA267CL	Catalytic	3.7	72 %	8400-40000	06/30/90
C.D. Extra-Lg. Federal Convection Heater FA288CCL	Catalytic	2.6	72 %	8400-38700	06/30/90
C.D. Federal "A Plus" FA224ACL	Catalytic	3.5	72 %	7200-30000	06/30/90
C.D. Large Federal Box Heater FA209CL	Catalytic	4.3	72 %	9000-25600	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
C.D. Lg. Fed. Convection Heater FA264CCL, FA264CCR	Catalytic	1.6	72 %	6600-26700	06/30/90
C.D. Rocky Mountain Heater FA211CL	Catalytic	2.9	72 %	6800-27800	06/30/90
C.D. Sequoia FA455	Catalytic	3.6	72 %	8700-60300	06/30/90
C.D. Small Federal Box Heater FA207CL	Catalytic	4.3	72 %	6200-28000	06/30/90
C.D. Small Federal Convection Heater FA224CCL	Catalytic	2.8	72 %	7000-30600	06/30/90
Century/Dutchmaster FW and CDW	Noncatalytic	1.0	63 %	11,800-32,300	01/22/2012
Defiant 1610	Noncatalytic	0.0	0 %		
Defiant 1910 & 1945	Catalytic	0.8	72 %	10600-44400	4/7/2008
Defiant Encore	Catalytic	0.6	72 %	6200-32900	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Defiant Encore 2140	Catalytic	1.8	72 %	9000-41300	02/22/95
Defiant Encore 2550 (Formerly 2190)	Catalytic	1.6	72 %	8700-41700	09/11/2006
Dutchwest Extra Large Convection 2462	Catalytic	1.3	72 %	8300-28000	06-12-2008
Dutchwest Large Convection Heater (Model 2461)	Catalytic	1.4	72 %	10700-29500	04/12/2008
Dutchwest Small Convection Heater #2460	Catalytic	1.1	72 %	6600-27300	05/11/2008
Encore 1450 N/C	Noncatalytic	0.7	63 %	10,600-24050	06/23/2010
EWf36		2.7	72 %	11,800-68,600	4/18/2008
FA224	Catalytic	3.1	72 %	9100-34800	04/25/95
FA264	Catalytic	2.2	72 %	9500-31700	04/25/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
FA288	Catalytic	3.1	72 %	7800-29300	04/17/95
FA455	Catalytic	1.3	72 %	10400-26500	05/18/95
Intrepid II 1308	Catalytic	3.1	72 %	10200-22500	01/29/95
Intrepid II Model 1990	Catalytic	2.1	72 %	8300-26700	07/16/2012
Intrepid II Model 2070	Catalytic	2.4	72 %	9200-19300	12/22/99
Intrepid Model 1640	Noncatalytic	3.3	63 %	8200-19500	08/16/2005
Madison 1650	Noncatalytic	5.5	63 %	11400-31000	12/05/2005
Model 2170	Catalytic	2.1	72 %	9400-22800	06/06/2001
Resolute Acclaim 0041	Catalytic	5.1	72 %	8700-30900	09/23/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Resolute Acclaim (Model Number 2490) & TLWS1					
	Noncatalytic	3.4	63 %	9500-33900	03/18/2008
Seville 1630					
	Noncatalytic	6.3	63 %	12000-27300	10/11/2005
Seville 1635 and 1600 Insert					
	Noncatalytic	4.5	63 %	9,900-30,800	06/04/2006
Seville Insert					
	Noncatalytic	5.5	63 %	10200-27400	02/17/2007
WinterWarm Fireplace Insert Model 1280					
	Catalytic	2.1	72 %	10300-30000	09/15/2008
WinterWarm Small Insert Model 2080					
	Catalytic	2.1	72 %	8700-31100	01/25/2010
WinterWarm Small Insert (model 2370)					
	Catalytic	4.0	72 %	9250-21500	9/30/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Consuming Fire, Inc.

12033 Mariposa Road

Wrightwood CA92345 ,

USA

760-949-2077

Perfect Hearth

Noncatalytic

3.4

63 %

11,700-38,100

09/24/2007

Country Flame Technologies, Inc.

900 George Street

Marshfield MO65706 ,

USA

417-466-7161

<http://www.countryflame.com/>

B-6, B-I

Catalytic

4.6

72 %

9600-48200

06/30/90

B/A

Catalytic

2.0

72 %

10400-55500

05/18/2010

BBF

Catalytic

3.0

72 %

10500-51400

02/15/2010

BBF-6, BBF-I

Catalytic

3.0

72 %

9500-48600

06/30/90

Combo Air

Noncatalytic

7.0

63 %

9300-46400

11-14-96

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
E-1/90	Catalytic	1.7	72 %	9600-37800	12/12/2005
E-2	Catalytic	3.3	72 %	13000-34400	06/12/95
E1-6, E1-I	Catalytic	3.7	72 %	12400-55300	06/30/90
Inglenook INGW-02	Noncatalytic	4.4	63 %	11,600-38,000	09/06/2007
NC-6D	Noncatalytic	4.7	63 %	11700-54900	07/28/2009
O-2	Catalytic	2.5	72 %	8000-30000	06/30/90
O-2/90	Catalytic	3.0	72 %	10800-34100	04/11/2006
OV-21	Noncatalytic	4.2	63 %	11700-42200	06/16/2008
OV-2100	Noncatalytic	4.1	63 %	11700-32700	03/03/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
OV-2600	Noncatalytic	3.5	63 %	11500-33600	03/03/2008
OV-26BF-I	Noncatalytic	3.7	63 %	11400-41300	06/16/2008
OV-3000	Noncatalytic	2.9	63 %	11800-34000	2-11-2008
Patriot	Noncatalytic	6.9	63 %	11300-34000	09/25/96
R-6	Catalytic	3.3	72 %	13800-50700	06/30/88
R/90	Catalytic	1.5	72 %	10600-46800	01/29/2006
S-6, S-I	Catalytic	6.5	72 %	13100-48900	06/30/90
SBF/A	Catalytic	3.6	72 %	8700-33600	05/18/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Country Stoves, Inc.

1502 14th Street NW

Auburn WA98071 ,

USA

253-735-1100

<http://www.countrystoves.com/>

Alpine

Noncatalytic

3.5

63 %

11,455-42,445

08/29/2010

C-210, SS210 and ST210

Noncatalytic

4.2

63 %

9500-36100

07-14-2007

C-240 and E-240

Noncatalytic

5.1

63 %

11500-36700

12-20-96

Canyon S310, T-Top Model S310

Noncatalytic

3.2

63 %

11400-34900

07/07/2010

Converter C-30, C-35

Catalytic

4.0

72 %

8000-49200

06/30/90

Converter C310/ST310, Elite E310

Noncatalytic

3.5

63 %

11600-38800

06/03/2006

Legacy S260, T-TOP S260, CONVERTER C260, and ELITE E260

Noncatalytic

4.1

63 %

11800-48000

10/25/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Performer S180, C180, E180	Noncatalytic	6.6	63 %	11400-38700	06/23/93
PS 40 & PI 40	Pellet	1.1	63 %	7,476-21,343	04/05/2012
Starlite C-20, C-21	Noncatalytic	9.6	63 %	7700-43500	06/30/90
Starlite C-20, C-21	Noncatalytic	9.6	63 %	7700-43500	06/30/90
Striker Model S 160/C 160	Noncatalytic	1.6	63 %	12500-41200	11/10/2008
STRIKER S130, C-50L, C130, CA-50, CA-50L, CA-55	Noncatalytic	5.6	63 %	9300-43600	08/29/94
T-Top C-40, C-45, C-46	Noncatalytic	5.7	63 %	10700-40900	07/25/93
T-TOP S 240	Noncatalytic	4.9	63 %	11300-42700	10/21/96

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

CRD Precision Fabricators Inc. (Chippewa)

Route 5, Box 190

Chippewa Falls WI54729 ,

USA

715-723-9667

Energy King Legacy 1600

Noncatalytic

7.0

63 %

11700-23100

7/19/98

Energy King Legacy 1650

Noncatalytic

3.7

63 %

11400-41300

04/20/98

Energy King Legacy 2100

Noncatalytic

3.2

63 %

11000-31100

07/29/93

Energy King Legacy 2150

Noncatalytic

2.9

63 %

11800-34000

04/20/98

Energy King Legacy 900

Noncatalytic

6.5

63 %

10200-30800

7/19/98

Energy King Legacy 950

Noncatalytic

4.2

63 %

11700-42200

04/20/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Dell Point Technologies

3 Rue Montmartre

Blainville Quebec J7C 2Z6 ,

Canada

514-331-6212

<http://www.pelletstove.com/>

DC 2000, Europa

Pellet

0.6

78 %

10400-24100

02/16/2010

Derco, Inc./Grizzly Stoves

10005 East U.S. 223

P.O. Box 9

Blissfield MI49228 ,

USA

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

06/30/90

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

06/30/90

Super Achiever FPI-2-LEX

Catalytic

2.4

72 %

9800-34200

06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Deville

Charleville ,
France

<http://www.flamme-bleue.com/english.php>

Deville 7794 - Comfort

Noncatalytic 6.9 63 % 11,300-35,100 11/01/2009

Dovre, Inc.

401 Hankes Avenue
Aurora **IL60505** ,
USA
(312) 844-3353

<http://www.aladdinhearth.com/>

Heirloom 300 HC

Catalytic 4.5 72 % 11600-45100 06/30/90

Horizon 500 CC

Catalytic 2.9 72 % 10300-33800 06/30/88

Drolet Stoves and Fireplaces

1700 Leonharmel Street
Quebec City **QuebecG1N 4R9** ,
Canada
418-527-3060

<http://www.drolet.ca/Engindex2.htm>

Model HT-1200 Std., HT-1200 Deluxe and Ht-1200 Siberian

Noncatalytic 6.5 63 % 8300-36000 06/25/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Empire Products, Inc.

5061 Brooks Street

Montclair CA91763 ,

USA

909-399-3355

<http://www.empireproductsinc.com/>

EF-2100

Noncatalytic

5.7

63 %

11,000-42,900

04/05/2009

Sweet Home AFX-HT, AFI-HT

Noncatalytic

6.4

63 %

11300-28200

06/14/2003

England's Stove Works, Inc.

589 S. Five Forks Road

Monroe VA24574 ,

USA

(804) 929-0120

<http://www.englishstoves.com/>

13-NCMH

Noncatalytic

2.4

63 %

11,579-32,017

08/02/2010

22 PIC

Catalytic

5.1

72 %

9000-30200

06/30/90

24 ACD

Catalytic

2.7

72 %

9000-20100

05/01/2007

30-NC

Noncatalytic

1.6

63 %

11,950-28,337

11/03/2009

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Englander 13-NC Summers Heat,50-snc Golden Eagle and 50-TNC Timber Ridge			13-NCI/50-TNC131	
Noncatalytic	2.6	63 %	10,000-29,200	10/01/2008
Englander 25-PDV, Summers Heat 55SHP22, and Timber Ridge 55TRP22 Pellet				
Pellet	2.6	78 %	10,700-24,500	09/13/2007
Englander Econo Radiant 18PC				
Catalytic	3.6	72 %	8500-31000	06/30/88
Englander Fireplace Insert 28JC				
Catalytic	4.4	72 %	8400-29100	06/30/90
Englander Freestanding Radiant 24FC				
Catalytic	2.4	72 %	7200-35600	06/30/90
Englander Front Loading Fireplace 28IC				
Catalytic	2.5	72 %	8200-24400	06/30/90
Englander Front Loading Space Saver 28CC				
Catalytic	2.7	72 %	7900-25500	06/30/90
Model 18 PC				
Catalytic	2.2	72 %	8700-26400	05/18/2005
Model 18M-H				
Catalytic	2.0	72 %	7800-26900	10/04/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 24IC	Catalytic	2.6	72 %	10200-27100	07/06/2000
Pellet Fuel Burning Room Heater	Noncatalytic	3.1	78 %	8200-22400	04/06/2011
Summers Heat Model 50-SHW20	Catalytic	2.1	72 %	7200-28600	06/27/2005
Summers Heat Model 50-SHW22	Catalytic	3.8	72 %	9100-25400	05/30/2005
Summers Heat Model 50-SHW25	Catalytic	2.4	72 %	5400-17400	10/13/2005
Emerald	Noncatalytic	4.4	63 %	11000-35500	06/26/2005

Eureka Heating PTY Limited
459 Dorset Road
Bayswater Victoria 3153 ,
Australia
01161397291422

<http://www.eureka-heating.com/>

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Evergreen Marketing, Inc.

Suite 310
8196 SW Hall Boulevard
Beaverton OR97229 ,
USA
503-598-7667

Mohawk 60A

Catalytic 3.8 72 % 4700-14300 06/30/90

Evergreen Metal Products Inc.

910 Sleater-Kinney Road S.E.
Suite 202
Lacey WA98503 ,
USA
206-459-0445

Schrader Pelletmiser 905-P

Pellet 1.0 78 % 11000-32700 06/15/93

F. Huemer Ges. M.B.H.

A-4631 Krenglbach
Schmieding 25 ,
Austria

Austroflamm Wega II

Pellet 1.3 78 % 8500-42000 8/28/97

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Fireplace Products International Limited

6988 Venture Street

Delta BCV4G 1H4 ,

Canada

604-946-5155

<http://www.regency-fire.com/>

F1100S, I1100S I1200S , HI200

Noncatalytic

3.0

63 %

10600-34700

03/16/2010

F1100S, I1100S Small Flush Insert, F1100S-1

Noncatalytic

3.8

63 %

09400-38700

11/13/94

F2000M Medium Freestanding Stove

Noncatalytic

7.1

63 %

11800-34200

03/29/95

F2100M-Medium Freestanding Stoves, I2100M-Medium Fireplace Insert

Noncatalytic

3.8

63 %

11700-38700

12-23-2007

F2100MI

Noncatalytic

3.9

63 %

11,300-38,800

04/04/2007

Fireplace Insert R-16

Noncatalytic

6.6

63 %

11100-32900

07/18/94

FP90, EX-90/R90 Wood Fireplace

Noncatalytic

3.8

63 %

11,700-42,300

06/22/2010

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
H200 Hampton Cast Freestanding Stove Noncatalytic	3.9	63 %	10,900 - 19,400	08/02/2005
H2100M Hearth Heater Insert Noncatalytic	3.5	63 %	10800-46900	12/12/2011
Hampton Medium Cast Freestanding Woodstove Model H300 Noncatalytic	4.2	63 %	10,600-28,500	06/06/2008
I2000M14 Noncatalytic	4.5	63 %	11200-42700	06/30/90
Large Freestanding Stove - F3100L & Large Noncatalytic	4.2	63 %	11900-42900	05/06/2008
Large Freestanding Woodstove R6,RA6,RA8 Noncatalytic	3.9	63 %	11500-59000	08/26/93
Medium Freestanding R3, RA3, R9 Noncatalytic	4.2	63 %	11200-35500	06/30/90
Model 2400M, I2400M, S3400, HI300, CC75 Noncatalytic	3.4	63 %	12000- 36800	12/13/2007
Regency R14-2 Noncatalytic	5.0	63 %	11500-37500	03/29/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Small Freestanding R7, RA7, R5	Noncatalytic	8.3	63 %	5900-33500	06/30/90
Z2500L Zero Clearance Fireplace	Noncatalytic	5.2	63 %	10600-39700	02/07/2011

Foundries du Lion S.A.

5 Voie Axiale

Couvin 5660 ,

Belgium

+ 32 60 31 01 04

Efel Harmony 386.75	Catalytic	3.8	72 %	7100-51000	08/16/93
Efel Symphony 387.74	Catalytic	5.1	72 %	10600-49700	06/30/90
Efel Symphony 390.74	Catalytic	1.8	72 %	10700-33000	01/15/96
Harmony I	Noncatalytic	4.4	63 %	11800-55000	02/26/2006
Harmony IIIB	Noncatalytic	2.7	63 %	11,200-57,300	09/08/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Model S-33,S-83,H33,R22,X33

Noncatalytic

3.3

63 %

8,600-37,300

11/21/2008

Foyers Supreme Incorporated

3594 Jarry East
Montreal, Quebec H1Z2G4

<http://www.supremem.com/index.html>

Supreme Plus

Noncatalytic

7.0

63 %

96,000-16,300

09/02/2009

Volcano Plus

Noncatalytic

4.3

63 %

11,310-25,189

04/05/2012

Frantech, Inc.

900 George Street
Marshfield MO65706 ,
USA
417-466-7161

<http://www.countryflame.com/>

Seefire 1600 S

Noncatalytic

7.0

63 %

11700-23100

7/9/98

Seefire 2100 S

Noncatalytic

3.2

63 %

11000-31100

07/29/98

Seefire 900 S

Noncatalytic

6.5

63 %

10200-30800

7/9/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Gibraltar Stoves, Inc.

512-72nd Street

Holmes Beach FL34217 ,

USA

813-779-2217

LCC, MCC, SCC, CFS, CFI & DDI

Catalytic

2.8

72 %

8400-28700

04/17/2000

GLG Australia

Auburn New ,

Australia

Pearl Bay

Noncatalytic

3.8

63 %

11,300-35,300

10/18/2007

Glo King/Pierce Engineered Products Inc.

P.O. Box 10107

Eugene OR97440 ,

USA

400HT

Noncatalytic

7.0

63 %

10000-40200

05/26/2004

GK 100 HT

Noncatalytic

3.2

63 %

10600-61400

10/17/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

GK-300HT	Noncatalytic	7.0	63 %	11000-31000	10/25/2004
----------	--------------	-----	------	-------------	------------

GK-500HT	Noncatalytic	6.4	63 %	10000-22400	08/04/2004
----------	--------------	-----	------	-------------	------------

Godin Imports, Inc.

8 Lahave St.
 South Portland ME04106-490 ,
 USA
 207-773-1920

Nouvelle Epoque 3137	Catalytic	3.9	72 %	10500-20700	08/16/93
----------------------	-----------	-----	------	-------------	----------

H.M.F. Forlong and Maisey Ltd.

15 Vickery Street
 Private Bag 3126
 Te Rapa - Hamilton ,
 New Zealand
 64-7-849 2212
<http://www.forlongmaisey.co.nz/>

Merlin "3", M 3000	Noncatalytic	6.1	63 %	12300-37000	11/04/98
--------------------	--------------	-----	------	-------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hajduk

,

Prima MR-51

Noncatalytic

3.8

63 %

11,636-35,246

06/02/2010

Harman Stove Company

Box 619

352 Mountain House Road

Halifax PA17032 ,

USA

(717) 362-9080

CW30

Noncatalytic

3.6

63 %

10000-34000

2-8-98

Invincible RS

Pellet

1.5

78 %

6200-32800

04/12/2011

Model Exception TL200

Noncatalytic

4.4

63 %

11000-42400

07/28/2010

Oakwood

Noncatalytic

2.3

63 %

10,900-30,500

09/09/2007

Treemont TAC-260C,TAC-260CF

Catalytic

3.9

72 %

8400-40700

10/21/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Treemont TAC-340C

Catalytic

2.8

72 %

7400-33800

10/21/98

Treemont TAC-520C

Catalytic

5.2

72 %

12000-37300

06/30/90

Hase Kaminofenbau

Care of Hearthstone

317 Stafford Avenue ,

Morrisville, VT 05661

Bari

Noncatalytic

3.6

63 %

11,805-31,653

01/30/2011

Hawke Manufacturing Company, Inc.

19 Warehouse Circle

P.O. Box 507

Marietta SC29661 ,

USA

803-836-8008

HMI 28II

Catalytic

2.6

72 %

6100-39600

09/22/2000

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hearth and Home Technologies

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.aladdinhearth.com/>

1890(S30)

Pellet

5.7

78 %

11200-42700

08/31/95

2100 ACC

Noncatalytic

2.1

63 %

11,400-27,200

04/01/2012

4300ACC

Noncatalytic

1.0

63 %

11,842-38,305

02/05/2012

5700 ACT

Noncatalytic

4.2

63 %

11800-45900

4/24/2012

7100FP

Noncatalytic

3.1

63 %

13,800-67,300

04/01/2008

Arrow 14, 20

Noncatalytic

4.0

63 %

14000-36100

06/30/90

Arrow 18

Noncatalytic

7.2

63 %

14500-34400

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Arrow 55	Catalytic	3.0	72 %	9900-37500	06/30/90
Arrow Fireplace Insert 25	Catalytic	4.7	72 %	11300-55000	06/30/90
Arrow S12 (Stove) & I12 (Insert)	Noncatalytic	3.7	63 %	9900-32100	8/26/2003
Aurora Model 700	Noncatalytic	4.3	63 %	11800-30900	11/14/2001
Heat N Glo Number FT-300	Noncatalytic	3.3	63 %	10,000-41,000	02/10/2008
Heat-N-Glo FT-210	Noncatalytic	3.9	63 %	9,800-36,600	08/28/2007
Heatilator 11, 12	Noncatalytic	5.1	63 %	12400-36100	06/30/90
Heatilator 1190/Arrow 1490(S20)	Noncatalytic	6.1	63 %	10500-44500	08/10/95
Heirloom 390	Catalytic	2.8	72 %	9100-31800	01/24/96

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Horizon 500 CC	Catalytic	3.6	72 %	8300-28000	04/18/95
Model 2590	Catalytic	3.8	72 %	9900-34300	11/29/95
Model 2700I	Noncatalytic	4.2	63 %	11200-35900	6/20/2008
Model 400	Noncatalytic	2.9	63 %	8700-2200	11-23-2007
Northstar/Constitution	Noncatalytic	3.3	63 %	11,300-51,200	03/05/2008
Quadra Fire 2100 Millennium & 2100 ACT	Noncatalytic	2.0	63 %	10900- 37200	2/12/2012
Quadra Fire 4300 ACT	Noncatalytic	1.2	63 %	11900-58500	7/23/2012
Quadra-Fire 1800	Noncatalytic	5.1	63 %	10600-31300	06-25-97
Quadra-Fire 2000, 2000-I	Noncatalytic	6.1	63 %	7400-43700	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire 2100, 2100 I	Noncatalytic	3.6	63 %	9300-39300	8/04/2009
Quadra-Fire 3000F, 3000 I	Noncatalytic	6.5	63 %	9000-44700	06/30/90
Quadra-Fire 3100 ACC	Noncatalytic	1.1	63 %	11900-43200	01/31/2011
Quadra-Fire 3100 ACT & 3100I ACT	Noncatalytic	1.3	63 %	11400-46900	03/23/2011
Quadra-Fire 3100F, 3100 I	Noncatalytic	2.1	63 %	11900-43200	09/14/2009
Quadra-Fire 4100	Noncatalytic	4.0	63 %	11700-50500	1/30/2000
Quadra-Fire 5100 I ACT B		2.0	63 %	11,900-50,600	11/18/2009
Quadra-Fire 5100-I Fireplace Insert	Noncatalytic	2.7	63 %	11800-49900	10/26/2008
Quadra-fire Cape Cod	Noncatalytic	2.2	63 %	11500-43000	8/05/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire Cumberland Gap	Noncatalytic	3.4	63 %	11,200-44,300	09/08/2008
Quadra-Fire Isle Royale	Noncatalytic	2.9	63 %	10400-46800	09/19/2010
Quadra-Fire Model 4100I and Bodega Bay	Noncatalytic	3.1	63 %	9,000-41,800	08/28/2012
Quadrafire 1800 I	Noncatalytic	4.9	63 %	10000-33200	11-17-97
Quadrafire 1900	Noncatalytic	2.2	63 %	11500-32200	05/12/2010
Quadrafire 4300	Noncatalytic	2.1	63 %	11900-39900	07/30/2011
S-22 & S-22I	Noncatalytic	4.0	63 %	12000-36900	3/11/2004
S10 and I10	Noncatalytic	5.9	63 %	11200-40600	09-18-97
Yosemite	Noncatalytic	2.7	63 %	10900-28600	7/20/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hearthstone Quality Home Heating Products Inc.

317 Stafford Avenue

Morrisville VT05661 ,

USA

802-888-5232

<http://www.hearthstonestoves.com/>

Bennington

Noncatalytic

3.6

63 %

11900-32600

03/15/2011

Clydesdale Model 8490

Noncatalytic

3.1

63 %

11,900-33,100

12/29/2009

Craftsbury 8390

Noncatalytic

3.1

63 %

10,973-25,563

05/21/2009

Heritage

Noncatalytic

2.3

63 %

10700-29400

09/22/2007

Homestead 8570

Noncatalytic

1.9

63 %

10500-33600

07/13/2010

Morgan model 8470

Noncatalytic

4.3

63 %

10500-29300

05/12/2008

Phoenix 8612

Noncatalytic

2.4

63 %

10500-41500

04/08/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Shelburne Model 8370	Noncatalytic	2.1	63 %	11,800-32,400	09/05/2011
Starlet	Noncatalytic	3.6	63 %	9200-25400	11/6/2005
Tribute Model 8040	Noncatalytic	3.0	63 %	10,600-28,300	05/21/2009

HearthStone Quality Home Heating Products, Incorporated

317 Stafford Avenue
 Morrisville VT05661 ,
 USA
 802-888-5232

<http://www.hearthstonestoves.com/>

Heritage I, Model 8021	Noncatalytic	2.7	63 %	11,700-32,800	06/26/2012
------------------------	--------------	-----	------	---------------	------------

Heat Tech Industries

P.O. Box 727
 Biggs CA95917 ,
 USA
 916-868-1020

<http://www.heat-techstoves.com/>

No. 26 GM	Noncatalytic	4.0	63 %	11300-35800	08/30/96
-----------	--------------	-----	------	-------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Heat-N-Glo Fireplace Products, Inc.

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.heatnglo.com/>

CBS-41

Noncatalytic

3.9

63 %

10000-30300

01-14-2007

Heatilator, Inc.

1915 W. Saunders Street

Mt. Pleasant IA52641 ,

USA

319-385-9211

Heatilator LE

Noncatalytic

4.5

63 %

11500-44400

05/02/2005

Heating Energy Systems, Inc.

14300 SE Industrial Way

P.O. Box 593

Clackamas OR97015 ,

USA

503-786-4004

Trailblazer 1700/1706

Noncatalytic

4.6

63 %

11000-32400

10/3/2001

Trailblazer Classic 1300/1306

Noncatalytic

3.2

72 %

11300-32400

06/14/2001

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Trailblazer Classic 1500/1700	Noncatalytic	4.9	63 %	9500-36600	11/29/95
Trailblazer Genesis 1600, Classic 1500	Noncatalytic	8.2	63 %	12100-28100	06/30/90
Trailblazer Genesis 1600/1800	Noncatalytic	3.0	63 %	11400-36400	11/09/2000
Trailblazer Genesis 2000-C	Catalytic	3.1	72 %	10600-37500	09/12/99

Heritage Stoves Inc.
352 South Main Street
Clearfield UT84015 ,
USA
801-773-8606

American 2000C	Catalytic	5.5	72 %	13600-33800	06/30/90
Bostonian 2500 C (Insert)	Catalytic	3.8	72 %	10600-22300	11/10/98
Bostonian 2500C	Catalytic	6.8	72 %	9600-37300	06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hi-Teck Stoves

2985 South, 3600 West

Salt Lake City UT84119 ,

USA

1-800-456-8606

Hi Teck H 2000C

Catalytic

3.6

72 %

12600-41400

12/03/95

High Energy Manufacturing, Limited

PO Box 400

Vermillion Bay, Ontario POV 2VO ,

Canada

807-227-2745

J1000 Pellet Stove

Pellet

2.1

78 %

13,000 - 21,800

05/01/2011

High Sierra Stoves, Ltd.

P.O. Box 1247

720 North Mulberry Street

Hildale UT84784 ,

USA

Ambassador 4700TE

Catalytic

2.5

72 %

10100-37600

06/30/90

Cricket 5300

Noncatalytic

6.6

63 %

11000-36400

07/11/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Cricket MHCR 5200	Catalytic	3.5	72 %	6800-27600	06/30/90
Diplomat 4300 TE	Catalytic	5.1	72 %	10400-53400	06/30/88
Evolution 7000TE,7000C	Catalytic	4.0	72 %	11200-43000	06/30/90
Evolution 8000TE	Catalytic	2.2	72 %	7900-40500	06/30/90
Evolution Model 7000C	Catalytic	2.8	72 %	7700-29400	09/24/2006
Sierra Ambassador 4700 TEC	Catalytic	3.2	72 %	10800-42600	02/26/2006
Sierra Classic 1500B	Noncatalytic	6.9	63 %	8600-34700	9/18/2006
Sierra Classic 1500T	Noncatalytic	7.5	63 %	6900-34600	9/30/2006
Sierra Evolution 8000 TEC	Catalytic	2.5	72 %	9700-35900	02/13/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Sweet Home Catalytic Fir AK-18	Catalytic	3.1	72 %	8800-29500	06/30/90
Sweet Home NFX-HT	Noncatalytic	7.8	63 %	14500-33200	06/30/90
Sweet Home Solitaire PFA 2000	Pellet	4.0	78 %	9700-28200	06/30/90

High Valley Construction & Maintenance Corp.

6573 Highway 226S

Spruce Pine NC28777 ,

USA

828-765-4004

<http://www.highvalleystoves.com/start.shtml>

High Valley 2000, Craft Stove 2000	Catalytic	3.3	72 %	10800-43100	12/20/2004
High Valley Bay 2500	Catalytic	3.1	72 %	7700-40900	06/16/2008
High Valley Model 1500	Catalytic	3.4	72 %	9400-34200	5/2/2009
Model 1600	Noncatalytic	2.7	63 %	11800-40400	05/06/2004

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hitzer, Inc.

269 East Main Street

Berne IN46711 ,

USA

(219) 589-8536

<http://www.hitzer.com/>

Glo King 300HT

Noncatalytic

7.0

63 %

11000-31000

10/25/94

Glo King 400HT

Noncatalytic

7.0

63 %

10000-40200

05/26/94

Glo King 500SD

Noncatalytic

6.4

63 %

10000-22400

08/04/94

Horizon Research Inc.

Suite #105

17905 Bothell Way Southeast

Bothell WA98012 ,

USA

Eclipse

Pellet

1.0

78 %

7800-33100

12/20/94

Model HR-2

Pellet

0.9

78 %

10500-33400

11/08/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hussong Manufacturing Company, Inc.(Kozy Heat)

Olivia, Model Number OVL-PC

Noncatalytic

2.5

63 %

8,100-21,400

07/20/2012

Hussong Manufacturing Company, Inc.

204 Industrial Park Drive

Lakefield MN56150 ,

USA

507-662-6641

<http://www.kozyheat.com/>

Kozy Heat Z 42

Noncatalytic

3.3

63 %

11500-35100

08/02/2006

Hutch Manufacturing Company

200 Commerce Avenue

P.O. Box 350

Loudon TN37774 ,

USA

(800) 251-9232

DWI-42C

Catalytic

1.6

72 %

9800-54600

06/30/90

DWI-42C-2 (EPA)

Catalytic

1.5

72 %

10700-52800

07/11/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
HRD-18C	Catalytic	4.5	72 %	9300-39100	06/30/90
HRD-27C Catalytic Freestanding	Catalytic	2.5	72 %	10300-56200	09/13/2004
HRS-18C Small Freestanding	Catalytic	2.9	72 %	10300-38400	09/13/2004

Ingenieria De Combustion Bosca Chile S.A.
Americo Vespucio 2077
Santiago ,
Chile

Gold 400	Noncatalytic	4.4	63 %	11,800-26,800	07/28/2010
Spirit 500	Pellet	1.2	78 %	8,700-21,700	06/27/2012
Spirit 550	Noncatalytic	3.6	63 %	11,359-26,100	03/30/2012

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

J. A. Roby

490 Rue de L'Argon

Charlesbourg, Quebec ,

G2N 2C9

Evolution and Atmosphere

Noncatalytic

6.9

63 %

9,043 - 28,675

01/20/2011

Mystere

Catalytic

6.0

63 %

12,900-24,200

04/05/2012

Jacuzzi Leisure Products, Inc.

Route 107, P.O. Box 501

Bethel VT05032 ,

USA

802-234-2300

Cabot Elite S17XE

Noncatalytic

4.5

63 %

11300-34400

07/15/98

Campbell Elite S14XE

Noncatalytic

5.1

63 %

11000-31100

06/21/95

Douglas Elite S131E, S132E; Mini Elite S111E,S112E

Noncatalytic

7.1

63 %

10400-22200

06/30/90

Fraser Elite I, S407E, S408E, S409E

Noncatalytic

3.4

63 %

10000-37900

07/15/2003

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

Gordon Elite S18XE	Noncatalytic	3.0	63 %	11300-31200	06/06/96
--------------------	--------------	-----	------	-------------	----------

Model Campbell II Elite S-24X & FW24 Series, CJW1000L02,	Noncatalytic	5.3	63 %	10600-26100	7/01/2011
--	--------------	-----	------	-------------	-----------

Jayline Heating Ltd.
 106 Henderson Valley Road
 Auckland ,
 New Zealand
 64 9 836 0858

AMZED JAYLINE 1B AND FS	Noncatalytic	5.4	63 %	9500-40400	04/05/1999
-------------------------	--------------	-----	------	------------	------------

Amzed Jayline Ukal U-12	Noncatalytic	2.9	63 %	9900-28200	03/18/99
-------------------------	--------------	-----	------	------------	----------

Jotul North America (Jotul U.S.A., Inc.)
 400 Riverside Street
 Portland ME04104 ,
 USA
 207-797-5912

<http://www.jotulflame.com/>

Alpha 350132	Catalytic	3.1	72 %	10100-33000	06/14/93
--------------	-----------	-----	------	-------------	----------

American Fireplace Stove 3TDC	Catalytic	4.0	72 %	8800-31700	06/30/90
-------------------------------	-----------	-----	------	------------	----------

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
C450, Tamarack, Kennebec	Noncatalytic	4.4	63 %	11,900-36,100	09/06/2012
Castine F400	Noncatalytic	3.8	63 %	11300-27800	07/25/2010
F100 Nordic QT	Noncatalytic	3.0	63 %	7,700- 27,400	3/21/2007
F118 CB	Noncatalytic	3.5	63 %	12,000-23,500	8/2/2010
F3CBII	Noncatalytic	3.8	63 %	11400-43500	09/29/2010
F500	Noncatalytic	3.2	63 %	12000-34700	6/13/2008
Firelight 12	Catalytic	2.4	72 %	10500-32100	07/09/2003
Firelight 12CB	Noncatalytic	4.4	63 %	13500-45900	05/20/2004
Jotul F600	Noncatalytic	4.1	63 %	11,600-32,500	03/31/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Jotul Model 602 CB Classic	Noncatalytic	5.2	63 %	9700-42100	7/28/2009
Jotul Oslo F-500	Noncatalytic	3.0	63 %	10900-35000	04/05/2004
Jotul Petite	Noncatalytic	4.5	63 %	10500-39900	11/4/2004
Model 3 CB	Noncatalytic	5.8	63 %	11900-58300	03/14/2001
Model 3 TDIC-2	Catalytic	3.6	72 %	10900-30600	10/12/2000
Model 8 TDIC	Catalytic	3.8	72 %	10900-35100	09/07/94
Model C350	Noncatalytic	4.0	63 %	11,500-34,200	06/27/2012
Model Series 8	Catalytic	3.1	72 %	12600-33000	09/11/2001

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Jydepejsan A/S

Wittus Fire by Design

PO Box 120 ,
Pound Ridge, NY 10576
914-764-5679

www.wittus.com

Trendline, Soft Line, Fine Line, Zeus, Athene, Troja, Hera, Avanti

Noncatalytic	3.9	63 %	11300- 28100	08/17/2011
--------------	-----	------	--------------	------------

Kent Heating Limited

P.O. Box 23-340 Papatoetoe
59 Tidal Road Mangere

Auckland ,
New Zealand

Fax 649-275-7558

<http://www.kentheating.com/>

Catalytic Tile Fire

Catalytic	2.0	72 %	5900-24500	06/30/90
-----------	-----	------	------------	----------

Log Fire 2000

Noncatalytic	7.0	63 %	11200-23700	09/15/93
--------------	-----	------	-------------	----------

Log Fire LPE

Noncatalytic	5.9	63 %	8900-28200	06/30/90
--------------	-----	------	------------	----------

Sherwood 2000

Noncatalytic	8.1	63 %	13000-26600	06/30/89
--------------	-----	------	-------------	----------

Sherwood L.E.M. XLE-1

Noncatalytic	6.5	63 %	9600-33400	06/30/87
--------------	-----	------	------------	----------

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Tile Fire 2000, Ultima 2000	Noncatalytic	6.3	63 %	12500-21700	06/30/90
Tile Fire L.E.M. TLE-1	Noncatalytic	5.9	63 %	8500-38600	06/30/90
Ultima 2000S	Noncatalytic	4.5	63 %	11000-23000	03/08/95

Krog Iversen & Co. A/S
 Glasvaenget 3-9
 Postboks 60
 Vissenbjerg 5492 ,
 Denmark
 45 64 47 31 31
<http://www.warmfurniture.com/>

Andersen 8	Noncatalytic	2.9	63 %	11900-30100	05/03/2005
Andersen 8.2	Noncatalytic	3.5	63 %	7,600-28,800	03/09/2009
Basic 1 & 3	Noncatalytic	2.2	63 %	10032-17906	07/29/2009
Basic 4	Noncatalytic	2.2	63 %	10000-22100	05/02/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
DSA 4	Noncatalytic	1.1	63 %	10,500-27,900	05/10/2006
Model Scan 61	Noncatalytic	4.5	63 %	10,600-29,300	02/26/2009
Scan 10-A	Noncatalytic	4.4	63 %	11,600-37,700	1/12/2009
Scan 20	Noncatalytic	5.1	63 %	9900-19000	03/11/2004
Scan 24	Noncatalytic	2.9	63 %	11300-22500	06/14/2004
Scan 4.5	Noncatalytic	3.3	63 %	9,500-31,000	8/10/2009
Scan 47.2	Noncatalytic	3.1	63 %	10400 - 30900	02/26/2008
Scan 5.2	Noncatalytic	4.2	63 %	11800-26500	6/29/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Kuma Stove And Iron Works

450 Old Highway 95

Hayden ID83858 ,

USA

208-762-8002

<http://www.kumastoves.com/>

Kuma K-300/K-400, K-100B

Catalytic

2.8

72 %

12100-65200

09/29/2004

Kuma Scott HT-1

Noncatalytic

3.5

63 %

11700-29800

10/11/2011

Kuma Wood Classic Model HT-2

Noncatalytic

3.2

63 %

11300-48000

10/21/2009

Model Kuma 100/300/400

Catalytic

2.2

72 %

10100-52100

7/16/2012

Lennox Hearth Products

1110 West Taft Ave.

Orange CA92865 ,

USA

714-921-6100

<http://www.lennoxhearthproducts.com/>

1000HT, 1100HT, 2000HT, 2200HT

Noncatalytic

8.3

63 %

6600-32200

06/30/88

1003-C

Catalytic

3.7

72 %

11700-36800

5/23/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
2800HT	Noncatalytic	4.5	63 %	11500-46700	12/3/2006
Bayview BV400, BV450	Catalytic	5.5	72 %	11000-53700	06/30/90
Bayview BV450C/BV400C-2	Catalytic	3.0	72 %	11000-48100	04/19/2010
Bayview II, 2000C, BV4000C, BV4000C-2	Catalytic	1.9	72 %	6600-40900	04/03/2010
Bayview II BV4000	Catalytic	3.1	72 %	9200-42300	06/30/90
Brass Flame KS-1005, KS-2000I	Noncatalytic	6.0	63 %	11800-44000	11/01/2000
Brass Flame KS-805	Noncatalytic	6.0	63 %	9300-49800	05/31/2005
Brass Flame KS-805	Noncatalytic	5.3	63 %	9300-49800	06/30/90
Earth Stove and Ranger 1500HT, 1400HT	Noncatalytic	6.6	63 %	11700-37000	6/02/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
KS-1005, SV-14; KS-2000, FI-15	Noncatalytic	6.0	63 %	9500-41100	06/30/90
Model T200C	Catalytic	3.2	72 %	8500-34900	8-19-2002
Traditions T-100	Catalytic	3.8	72 %	8300-43800	06/30/90
Traditions T150C, T100SC	Catalytic	4.1	72 %	6500-35300	03/02/2005
Traditions T300HT & T3000HT	Noncatalytic	2.6	63 %	10700-37400	07/10/2012
Whitfield Advantage WP-2	Pellet	1.3	78 %	10900-35100	08/01/93
Whitfield Fireplace/Hearth Stove	Pellet	1.0	78 %	11000-35700	06/30/90
Whitfield WP-1, III T, II-T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800	07/16/2007
WP-2 III T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800	7/16/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Les Produits d'Acier Nordic International

11725 Philippe-Panneton

Montreal Quebec H1E 4M1 ,

Canada

514-494-4522

Diamant

Noncatalytic

7.5

63 %

11,100-26,100

08/22/2007

Olympia

Catalytic

4.6

72 %

9,659-26,407

11/01/2009

Lexington Forge

,

SSI 30

Noncatalytic

3.5

63 %

11,000-30,600

08/08/2012

SSW 30

Noncatalytic

7.5

63 %

11,000-30,600

08/08/2012

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Long Agribusiness

111 Fairview Street
P.O. Box 1139
Tarboro NC27886 ,
USA
252-823-4151

2062 Catalytic freestanding/insert

Catalytic 3.3 72 % 10600-20700 03/09/94

Silent Flame 2058

Catalytic 5.3 72 % 9000-27100 06/30/90

Silent Flame Model 2058A

Catalytic 2.3 72 % 9600-30600 08/31/2000

Silent Flame Model 2062

Catalytic 2.4 72 % 9900-32600 11-05-97

Luap Associates, Inc.

2720 Roosevelt Blvd.
Eugene OR97402 ,
USA
503-461-2141

Eagle 2001

Pellet 2.6 78 % 8400-55200 06/30/88

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Lucky Distributing

8111 NE Columbia Blvd
Portland, OR 92718 ,
503-252-1249

Esprit

Noncatalytic

4.4

63 %

11,817-32,263

08/07/2012

Integra

Pellet

3.6

78 %

10,024-31,268

04/30/2012

Martin Industries, Inc.

301 E. Tennessee Str.
P.O. Box 128
Florence AL35631 ,
USA
256-767-0330

Ashley

Catalytic

3.8

72 %

5700-35300

03/15/94

Ashley APC2,APC2C; King KC2,KC2B; Atlanta AC2,AC2B

Catalytic

3.0

72 %

9700-27900

06/30/90

Ashley APS5,APS5B; King KC5,KC5B; Atlanta AC5,AC5B

Catalytic

3.8

72 %

9400-35400

06/30/90

Ashley CAHF,CAHFB; King MCF,MCFB; Atlanta ACF,ACFB

Catalytic

4.8

72 %

9900-30000

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

C-92	Catalytic	2.4	72 %	7200-29500	06/30/88
------	-----------	-----	------	------------	----------

C-92	Catalytic	5.3	72 %	5200-33200	06/30/90
------	-----------	-----	------	------------	----------

C-92	Catalytic	3.0	72 %	13900-35700	08-07-97
------	-----------	-----	------	-------------	----------

Max Blank GmbH

Lake Bluff IL ,
USA

<http://www.maxblank.com/>

Atlanta K02, Siena, Monza, Davos, Ravenna, Heidelberg, Solero, Toulouse, Zitro, Rio, Memphis, Niagara,	Noncatalytic	4.5	63 %	11,479-36,009	4/11/2010
--	--------------	-----	------	---------------	-----------

Bordeaux	Noncatalytic	5.6	63 %	10,129-34,342	10/17/2010
----------	--------------	-----	------	---------------	------------

Florenz K0 2, Volterra, Padua, Atlanta BF	Noncatalytic	3.1	63 %	11,842-34,680	03/24/2010
---	--------------	-----	------	---------------	------------

Mega K 03	Noncatalytic	5.1	63 %	10,500-33,000	12/08/2010
-----------	--------------	-----	------	---------------	------------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Metal M.D.R. Inc.

536 Guy Street

Granby Quebec J2G 7J8 ,

Canada

450-777-6070

Model HE-1400, XE-1400, & XTD-1.5

Noncatalytic

4.3

63 %

10800-34000

04/23/2007

XVR-111, XT-4000, XLT-11000

Noncatalytic

%

11,700-28,300

Morso Jernstæberi

Furvej 6

DK-7900

Nykøbing Mors ,

Denmark

45 96 69 19 00

<http://www.morsoe.com/us/index.html>

2B Classic

Noncatalytic

3.9

63 %

10900 -23600

1/9/2011

Morso Jernstæberi

Furvej 6

DK-7900

Nykøbing Mors ,

Denmark

45 96 69 19 00

<http://www.morsoe.com/us/index.html>

Model 2B

Noncatalytic

4.1

63 %

9,300-30,700

11/29/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Model 5660,

Noncatalytic

%

Morso Jernstoberi A/S

Furvej 6

DK-7900

Nykobing Mors ,

Denmark

45 96 69 19 00

<http://www.morsoe.com/us/index.html>

3600 Series

Noncatalytic

5.2

63 %

11,400-49,500

09/25/2011

8140, 8142, 8147, 8151 and 8150

Noncatalytic

4.5

63 %

10,864-25,370

12/08/2010

Model 2040

Noncatalytic

3.8

63 %

11,100-40,100

03/15/2010

Model 4600

Noncatalytic

3.2

63 %

11,100-25,600

02/06/2008

Model 4650 (Soapstone)

Noncatalytic

3.7

63 %

10,900-25,700

07/03/2008

Model 7110

Noncatalytic

3.8

63 %

10,700-27,900

05/06/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Morso 1710	Noncatalytic	4.4	63 %	12,000-39,800	09/01/2011
Owl 3410/3440 & 3450	Noncatalytic	3.5	63 %	8400-23600	10/25/2010
Panther 2110	Noncatalytic	4.7	63 %	10300-60500	1/9/2006
Panther Model 2110B	Noncatalytic	4.3	63 %	8,600-42,100	10/11/2007
Squirrel 1410 and 1420	Noncatalytic	3.3	63 %	9600-22000	06/15/2010

National Steelcrafters of Oregon
P.O. Box 24910
P.O. Box 2501
Eugene OR97402 ,
USA
(503) 683-3210
<http://www.breckwell.com/>

Breckwell W3000FS/W3000I	Noncatalytic	2.3	63 %	11600-33700	06/18/2004
Chateau NC24	Noncatalytic	5.4	63 %	14500-51000	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Craft CB-4830 Insert	Catalytic	3.4	72 %	9100-22400	08/22/95
Craft Stove CB-4426	Catalytic	3.9	72 %	12100-35600	06/30/90
Craft Stove CB-4426, CB-26, CAT 44-1	Catalytic	3.9	72 %	12100-35600	06/30/88
Craft Stove CB-4830	Catalytic	3.1	72 %	11600-41100	06/30/88
Craft Stove CB-4830, CB-300	Catalytic	3.1	72 %	11600-41100	06/30/88
Navigator Stove Works, Inc.					
68 South First St.					
Brooklyn N.Y.11211 ,					
USA					
718-486-8049					
http://www.marinestove.com/					
Navigator NSW2	Noncatalytic	3.6	63 %	10500-28200	03/08/2006
NSW-1 Sardine	Noncatalytic	3.5	63 %	11,400-19,400	08/20/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

New Buck Corporation (Buck Stove Corp.)

1265 Bakersville Highway
P.O. Box 69
Spruce Spring NC28777 ,
USA
828-765-6144
<http://www.buckstovecorp.com/>

41BCV, BBay, CD, CS, CV, CBAY, PCV, PCBAY

Catalytic 2.6 72 % 6900-27800 08/18/93

50PCV, 50PBay, 50CV, 50CBay, 50CD, 50BCV, 50BBay

Catalytic 2.5 72 % 10100-38000 06/02/94

Bay Model 91

Catalytic 3.5 72 % 10400-50400 08/20/2006

Big Buck 28000-C

Catalytic 4.7 72 % 8500-39100 06/30/90

Buck 74/Tharrington T-74

Noncatalytic 3.6 63 % 11,600-41,400 08/10/2011

Buck Bay Model 91

Catalytic 1.2 72 % 8,800-51,200 11/06/2007

Buck Master

Catalytic 2.1 72 % 10,800-49,800 08/05/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Little Buck 26000-C	Catalytic	4.0	72 %	6800-38700	06/30/90
Model 18	Noncatalytic	3.1	63 %	10000-22400	07/23/2008
Model 20, catalytic	Catalytic	3.2	72 %	10800-37500	09/04/2010
Model 21	Noncatalytic	6.2	63 %	11400-41200	09/09/2006
Model 21	Noncatalytic	4.4	63 %	12,000-444,000	
Model 26	Noncatalytic	5.4	63 %	11900-42600	10/24/2011
Model 261	Noncatalytic	2.9	63 %	10271-32263	08/07/2012
Model 51 Buck Carolina	Noncatalytic	6.7	63 %	11800-40900	11/7/2011
Model 70	Catalytic	5.0	72 %	9800-31300	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 71 Freestanding/Insert Catalytic	Catalytic	3.6	72 %	13100-40200	12/06/94
Model 81/85	Noncatalytic	4.3	63 %	11900-45400	02/14/2011
MODEL XL-80	Catalytic	2.7	72 %	9200-40500	8/19/2012
New Buck/Carolina Model 17	Catalytic	1.2	72 %	8100-27900	06/20/2001
Regular Buck 27000-C	Catalytic	3.8	72 %	14700-25100	06/30/90
Regular Buck 27000-CR	Catalytic	4.8	72 %	14700-30800	06/30/90

NHC Inc.
317 Stafford Avenue
Morrisville VT05661 ,
USA
802-888-5232

<http://www.hearthstonestoves.com/>

Harvest A-III catalytic	Catalytic	2.5	72 %	10500-36400	09-25-2012
-------------------------	-----------	-----	------	-------------	------------

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Harvest HII	Catalytic	3.8	72 %	8800-28900	09/09/93
Mansfield	Noncatalytic	3.2	63 %	10200-27900	09/20/2000
Mansfield I	Noncatalytic	2.9	63 %	13600-45300	06/01/2009
Model 3-C	Noncatalytic	2.0	72 %	7900-15000	06/30/90
Phoenix	Noncatalytic	4.9	63 %	10300-43000	03/16/95
Phoenix	Noncatalytic	3.4	63 %	10400-35200	04-27-2000

Nordpeis A/S

Lierskogen ,
Norway

<http://www.nordpeis.no/>

Saturn A	Noncatalytic	6.0	63 %	10,100-25,000	11/10/2007
----------	--------------	-----	------	---------------	------------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

NU-TEC/Upland Distributors, Inc.

72 College Street
P.O. Box 908
East Greenwich RI02818 ,
USA
(401) 738-2915
<http://www.nutec-castings.com/>

Brenden BR-60

Catalytic

1.4

72 %

11000-29400

08/25/98

Townsend Woodstove TN-25

Catalytic

2.7

72 %

10200-27500

09/10/95

Upland Amity AM-40

Catalytic

2.6

72 %

10600-23600

12/20/98

OK Doke, Ltd.

1425 Weld County Road 32
Longmont CO80501-961 ,
USA
(303) 776-2300

Sweethearth Presidential 800/800XL

Catalytic

3.6

72 %

9900-20000

07/11/99

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Olsberg Hermann Everken, Gmbh

176 Saunders Road

Barrie ONL4N 9A4 ,

Canada

705-721-1388

<http://www.olsberg.com/>

Bristol OH-L

Noncatalytic

2.1

63 %

11,800-32,200

04/04/2010

Bristol OH-M

Noncatalytic

2.7

63 %

11,000-33,200

08/16/2007

Oregon Woodstoves, Inc.

1844 Main St.

P.O. Box 70107

Springfield OR97477 ,

USA

541-747-8868

#1, Design 01

Catalytic

2.7

72 %

9600-49700

06/30/90

Model OS/1

Catalytic

1.4

72 %

7800-40000

02/21/2001

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Orley's Manufacturing Company, Inc.

1718 W. Antelope Road

White City OR97503 ,

USA

503-777-5340

Cougar G-225

Catalytic

2.7

72 %

9100-36200

06/30/90

Leopard U245,U246,UO245,UO246; Panther F245,F246

Catalytic

3.5

72 %

9100-39000

06/30/87

Orrville Products, Inc.

375 East Orr Street

P.O. Box 902

Orrville OH44667-090 ,

USA

800-232-4010

<http://www.comfortecgasfireplace.com/>

CC 350

Catalytic

3.8

72 %

13700-68900

07/23/2005

CC-185l and 165l

Noncatalytic

3.8

63 %

11500-48600

08/29/96

CC175 and CC155

Noncatalytic

4.4

63 %

10900-39200

09/21/95

CC180

Noncatalytic

3.9

63 %

10700-57600

04/05/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
CC185 and CC165	Noncatalytic	5.3	63 %	11300-46100	06/21/96
CC250	Catalytic	3.5	72 %	13200-29800	08/31/95
Country Comfort CC100	Noncatalytic	8.5	63 %	8700-33400	06/30/90
Country Comfort CC125	Noncatalytic	9.5	63 %	12300-27600	06/30/88
Country Comfort CC150, CC1000, CC150H	Noncatalytic	7.5	63 %	7200-23900	06/30/90
Country Comfort CC160	Noncatalytic	5.3	63 %	11600-36500	08/09/98
COUNTRY COMFORT CC160	Noncatalytic	2.9	63 %	11900-47800	08/29/2005
Country Comfort CC325	Catalytic	3.5	72 %	18600-60600	09/09/2003
Country Comfort CC350	Catalytic	4.3	72 %	11200-29100	06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Osburn Manufacturing, Inc.

1700 Leonharmel

Quebec City QuebecG1N 4R9 ,

Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1050	Noncatalytic	6.9	63 %	10600-42900	10/06/2003
2200	Noncatalytic	5.7	63 %	10400-41500	9/14/2004
Imperial 2000	Noncatalytic	4.6	63 %	9000-33000	06/30/90
Imperial MKII, MKII Insert, Goldenaire	Noncatalytic	7.0	63 %	10700-51600	06/30/90

Pacific Energy Fireplace Products Limited

P.O. Box 1060

Duncan BCV9L 3Y2 ,

Canada

250-748-1184

<http://www.pacificenergy.net/>

Alderlea, Super 27 Design D, Spectrum, Standard, Pacific Ins, Spectrum Classic and Fusion	Noncatalytic	3.4	63 %	11000-34600	06/02/2009
S-27, Spectrum, Standard, Pacific	Noncatalytic	6.4	63 %	10600-36400	06/30/90

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	------------------	------------	----------------------	-----------------

Summit Series A, Summit Insert, Summit Classic and Alderlea T6

Noncatalytic	3.6	63 %	10300-37500	03/12/2008
--------------	-----	------	-------------	------------

Vista Series C, Vista Classic, Vista Artisan, Vista Insert, and Alderlea T4

Noncatalytic	2.9	63 %	12400-26300	09/10/2008
--------------	-----	------	-------------	------------

Panda Wood Stoves

6261 Crater Lake Highway
 Medford OR97504 ,
 USA
 503-826-7804

UMF-400

Catalytic	5.0	72 %	7600-38300	06/30/88
-----------	-----	------	------------	----------

Pellefier Inc.

P.O. Box 487
 Morton WA98356-048 ,
 USA

Venturi PVI-87

Pellet	0.5	78 %	9000-31800	06/30/90
--------	-----	------	------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Piazzetta S.p.A.
31010 Casell d'Asolo
Treviso ,
Italy

904	Noncatalytic	7.5	63 %	6700-28300	08/09/98
Model 905	Noncatalytic	6.8	63 %	11600-30300	08/09/1998

Polar Fireplaces
4390 Paletta Court
Burlington Ontario L7L 5R2 ,
Canada
905-632-4710

Woodchief 300 E	Noncatalytic	4.8	63 %	11600-43700	11/18/98
Woodchief 400 E	Noncatalytic	5.1	63 %	11500-59000	11/18/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Precision Gas Technologies

1390 17th Avenue S.E.

Calgary Alberta T2G 5J3 ,

Canada

403-262-4421

WS-250

Noncatalytic

4.0

63 %

11700-50500

01/30/2000

PSG Distribution Inc.

798, 8 Ieme Avenue Est.

La Guadeloupe Quebec G0M 1G0 ,

Canada

1-418-459-6458

<http://www.psg-distribution.com/site.asp>

Caddy (duct furnace)

Noncatalytic

6.6

63 %

12000-52900

3/19/2008

Rais A/S

23 Hack Green Road

Pound Ridge NY 10576 ,

USA

(914) 764-5679

<http://www.raiswittus.com/>

Gabo Pina Vola

Noncatalytic

2.1

63 %

12,000-26,700

03/24/2009

Malta, Bando and Bora

Noncatalytic

4.3

63 %

11400-32900

12/11/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Rais 60-A Insert	Noncatalytic	7.2	63 %	11600-51300	10/31/2011
Rondo, Mino II Steel and Mino II SST	Noncatalytic	4.3	63 %	11,431-22,561	12/14/2010
Renfyre Stove Co./Maco Enterprises, Inc					
RR 2					
Drayton	Ontario	N0G 1P0	,		
Canada					
519-638-2746					
2800	Noncatalytic	3.4	63 %	11900-23700	11/29/2010
5000 Combination Range Design #50001	Noncatalytic	5.5	63 %	13600-21600	06/30/90
Fireview 2300	Noncatalytic	7.0	63 %	11700-27500	7/11/2009
Fireview Insert 2700	Noncatalytic	3.8	63 %	9400-27500	9/11/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Reverso Manufacturing, Ltd.

790 Rowntree Dairy Road

Woodbridge Ontario L4L 5V3 ,

Canada

(416) 748-3064

Challenger MMX

Noncatalytic

2.6

63 %

11200-33800

08/22/2000

Riteway-Dominion Manufacturing Company, Inc.

Box 5

1680 Country Club Road

Harrisonburg VA22801 ,

USA

(703) 434-3800

Dominion 005

Catalytic

4.5

72 %

7000-29100

06/30/90

RJM Manufacturing, Inc

P.O. Box 27

1210 Lowater Road

Chippewa Falls WI54729 ,

USA

715-720-1794

<http://www.energyking.com>

Achiever FPI-1-LEX

Catalytic

2.0

72 %

7900-26700

10/24/2003

Energy King 2500C

Catalytic

3.0

72 %

16100-39800

01/26/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Energy King Bay 2000C	Catalytic	2.5	72 %	11400-34600	02/08/2010
FPI-2-LEX/90	Catalytic	1.6	72 %	10300-36500	06/29/2005
Model Silhouette 2850C	Catalytic	3.2	72 %	8100-34700	06-02-2009

RSF / Industrial Chimney Company, Incorporated

400 J-F Kennedy
 St. Jerome QCJ7Y 4C7 ,
 Canada
 450-565-6336

www.icc-rsf.com

Ardent HF 40	Noncatalytic	9.9	63 %	6400-30600	06/30/90
HT (Onyx), ONYX AP	Noncatalytic	4.5	63 %	11800-35600	04/29/2012
Opel 2000C, OPEL AP	Catalytic	3.7	72 %	10600-49700	03/26/2007
TOPAZ/CHAEMELON (With Fan)	Noncatalytic	5.5	63 %	9500-25800	10/25/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

TOPAZ/CHAMELEON (Without Fan), TOPAZ, Chameleon

Noncatalytic	4.0	63 %	11100-25700	10/24/2011
--------------	-----	------	-------------	------------

Russo Products, Inc.

61 Pleasant Street

Randolph MA02368 ,

USA

781-963-1182

GV-30C

Catalytic	3.1	72 %	10300-39400	06/30/90
-----------	-----	------	-------------	----------

GV-30S

Catalytic	2.5	72 %	9500-38700	08/29/2001
-----------	-----	------	------------	------------

Russo Glassview GV-21

Catalytic	2.9	72 %	10200-29600	10/21/2003
-----------	-----	------	-------------	------------

W-18C

Catalytic	6.2	72 %	7900-40900	06/30/90
-----------	-----	------	------------	----------

W-25C

Catalytic	2.4	72 %	8400-31300	06/30/90
-----------	-----	------	------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Salvo Machinery, Inc.

P.O. Box 6145
220 Shove Street

Fall River MA02724 ,
USA
508-678-7507

Citation Classic W45NC/WI45NC

Noncatalytic

7.1

63 %

11800-32200

1/27/97

Model Citation

Catalytic

2.4

72 %

9600-33500

08/01/94

Sarratt Agencies Limited

1/677 Boronia Road
c/o Meridian Heating

Wantirna 3152 ,
Australia
(0061-3) 887-2687

Merlin 3 FS-15, IS-15

Noncatalytic

6.1

63 %

9800-21100

06/30/90

Saxon Wood Heaters Pty, Ltd.

45 Princes Road West

Auburn 02144 ,
Australia
+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic

2.7

63 %

11600-36200

01/23/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Security Chimneys International Ltd.

2125 Monterey

Laval Quebec H7L 3T6 ,

Canada

450-973-9999

<http://www.securitychimneys.com/>

BIS Design No. 1.2

Noncatalytic

5.5

63 %

14200-55800

06/30/90

BIS II

Noncatalytic

5.3

63 %

11300-41500

06/15/2005

BIS Panorama, Villa Vista

Catalytic

4.1

72 %

10900-35,600

06/15/2011

BIS Tradition and Montecito Estate

Noncatalytic

7.3

63 %

11,500-39-300

11/10/2009

BIS Ultima, Brentwood, BIS Tradition CE, and Montecito

Noncatalytic

3.7

63 %

10,442-27,746

03/26/2012

BIS Ultra

Noncatalytic

5.1

63 %

11033-46700

10/21/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Selkirk Canada Corporation

Hamilton ON ,
Canada

<http://www.selkirkcanada.com>

Model HE40

Noncatalytic

5.7

63 %

11,383-45,459

12/20/2009

Shenandoah Manufacturing Company, Inc.

P.O. Box 839
Harrisonburg VA22801 ,
USA
(703) 434-3838

CH-77, CH-84

Catalytic

3.1

72 %

8000-33800

08/03/93

Sherwood Industries, Ltd.

6782 Oldfield Road
Saanichton BCV8M 2A3 ,
Canada
604-652-6080

<http://www.enviro-fire.com/>

Empress/Windsor

Pellet

78 %

Enviro 1200, 1200I

Noncatalytic

3.4

63 %

11,500-34,200

1/14/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Enviro Model 1700I, 1700	Noncatalytic	4.5	63 %	9,400-31,800	11/01/2009
Vista Flame Enviro Fire 1000FS and Vista Flame 1000FS	Noncatalytic	4.1	63 %	11700-32700	02/03/2009
Vista Flame Envirofire 1000	Noncatalytic	6.5	63 %	10200-30800	07/09/93
Vista Flame Envirofire 1500	Noncatalytic	7.0	63 %	11700-23100	7/9/98
Vista Flame Envirofire 1600 FS, 1600 FPI	Noncatalytic	3.5	63 %	11500-33600	02/03/2009
Vista Flame Envirofire 2000	Noncatalytic	3.2	63 %	11000-31100	07/29/98
Vista Flame Envirofire 2100 FS	Noncatalytic	2.9	63 %	11800-34000	02/03/2009
Vista Flame Envirofire EF II	Pellet		78 %		
Vista Flame Envirofire Evolution Model EF 5/VF 5	Pellet		%		

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Vista Flame Envirofire Pellet Stove

Pellet

78 %

Stove Builder International

,

Apollo

Noncatalytic

63 %

11/01/2011

Stove Builder International Inc.

1700 Leonharmel

Quebec City Quebec G1N 4R9 ,

Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1600

Noncatalytic

4.4

63 %

11800-42400

08/02/2009

1600 B-I/Ashley 4600/Forester 4700

Noncatalytic

4.8

63 %

11900-35500

08/02/2009

2200 Bay/2000

Noncatalytic

2.7

63 %

11700-30400

11/27/2005

Apollo/Apollo II

Noncatalytic

3.6

63 %

10600-24700

12/11/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Emerald 2000	Pellet	1.7	78 %	7500-24500	02/26/96
Gemini 1500 (With Blower)	Noncatalytic	6.2	63 %	11500-43900	04/17/2011
Gemini 1500N (Without Blower)	Noncatalytic	7.5	63 %	11100-37300	05/03/2011
HT 1600-Standard/HT 1600 Deluxe/HT-1600 Siberian/Ashley 1600	Noncatalytic	3.5	63 %	11200-26400	10/04/2010
HT-2000 Standard/HT-2000 Deluxe/HT-2000	Noncatalytic	3.9	63 %	11600-60300	11/18/2008
Le Chancelier	Noncatalytic	4.5	63 %	11900-29400	06/26/2012
LeBachelier	Noncatalytic	4.9	63 %	11800-24500	08/05/2012
New Generation NG 1800	Noncatalytic	5.7	63 %	11,500-30,800	05/24/2007
Osburn 1100	Noncatalytic	5.7	63 %	11000-35000	08/26/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Osburn 1800	Noncatalytic	2.7	63 %	9700-36300	08/02/2006
Osburn 2400 B	Noncatalytic	3.5	63 %	11900-40900	12/12/2006
Sahara	Noncatalytic	7.5	63 %	11,000-25,700	12/21/2011
XVR-I/XLT-1/XT-1800 Classic EPA	Noncatalytic	6.9	63 %	11,400-27,500	08/30/2011
XVR-II, XT-1400 adn XLT-II	Noncatalytic	5.9	63 %	11800-27300	5/02/2007

StoveBuilder International, Inc.
536 Guy Street
Granby Quebec J2G 7J8 ,
Canada
450-777-6070

Model HE-1800, XE-1800 & XTD-1.9	Noncatalytic	5.9	63 %	11600-38700	06/13/2007
XTD1.1/XE-1000	Noncatalytic	6.0	63 %	9900-47300	08/22/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Suburban Manufacturing Company

676 Broadway Street
P.O. Box 399

Dayton TN37321 ,
USA
(615) 775-2131

Woodchief W6-88C, Woodmaster W6-88WC

Catalytic 3.4 72 % 9500-42500 09/15/93

TEC Enterprises

Box 23

Lewiston ID83501 ,
USA
(208) 843-7297

2000 pellet stove

Pellet 4.7 78 % 11600-22500 08/01/94

Thelin Company Inc.

P.O. Box 847

Nevada City NV95959 ,
USA
(916) 273-1976

<http://www.thelinco.com/>

Thelin T-4000

Noncatalytic 3.6 63 % 9,900-38400 11/06/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Thermic Distribution Europe

5 Voie Axiale

Couvin 5660 ,

Belgium

+ 32 60 31 01 04

Efel Harmony 386.75

Catalytic

3.8

72 %

7100-51000

08/16/93

Efel Symphony 387.74

Catalytic

5.1

72 %

10600-49700

06/30/90

Efel Symphony 390.74

Catalytic

1.8

72 %

10700-33000

01/15/96

Harmony I

Noncatalytic

4.4

63 %

11800-55000

02/26/2006

Harmony IIIB

Noncatalytic

2.7

63 %

11,200-57,300

09/08/2007

Model S-33,S-83,H33,R22,X33

Noncatalytic

3.3

63 %

8,600-37,300

11/21/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Thermic, Inc.

P.O. Box 11986
N. 9510 Newport Highway
Spokane WA99211 ,
USA
509-467-4328

Crossfire FS-1

Pellet

0.5

78 %

6900-39900

06/30/90

Tianjin Berkeley Furniture Corporation

18400 East Gale Avenue
Berkeley Forge and Foundry
City of Industry CA91748 ,
USA
626-810-0101
<http://www.berkeleyforge.com/>

TR 001

Noncatalytic

4.2

63 %

9200-28300

8/27/2006

Tolotti Manufacturing, Inc.

670 Dunn Circle
Sparks NV89431 ,
USA
702-359-5661

Benchmark, 1800; P,I,ZC

Noncatalytic

7.8

63 %

10000-32000

06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Travis Industries, Inc.

4800 Harbour Point Blvd. SW

Mukilteo WA98275 ,

USA

425-827-9505

<http://www.travisproducts.com/>

Avalon 1000C2

Catalytic

3.5

72 %

7300-47100

06/30/90

Avalon 1196, Lopi 520/96, Flush Bay-96

Noncatalytic

7.4

63 %

11300-43600

03/20/95

Avalon 700

Noncatalytic

5.9

63 %

9200-39100

06/30/90

Avalon 901

Noncatalytic

5.2

63 %

7500-45500

06/30/90

Avalon 996

Noncatalytic

5.5

63 %

9500-45600

03/20/95

Avalon Cottage/Mission

Noncatalytic

2.9

63 %

11600-36500

04/04/2010

Avalon Olympic, Lopi Liberty, Lopi Freedom Bay

Noncatalytic

2.6

63 %

12000-45100

04/20/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Avalon Pendelton 90/Pendelton 45	Noncatalytic	3.0	63 %	8700-44400	04/25/2010
Avalon Rainier 90/Rainier 45	Noncatalytic	2.0	63 %	11200-40000	05-02-2009
Fireplace Xtrordinair 44 Elite	Catalytic	2.5	72 %	11000-45300	3/27/2008
Fireplace Xtrordinair Elite 36 Z.C. & B.I.	Catalytic	2.3	72 %	11900-47100	04/03/2010
Fireplace Xtrordinair Model 36A	Catalytic	4.1	72 %	10300-54700	05/21/2012
Flex-95 FL, LX, and FS	Catalytic	4.1	72 %	10900-55300	10/12/94
Flush Wood A Fireplace Insert	Noncatalytic	4.1	63 %	11,300-33,400	11/18/2008
Leyden and Avalon Arbor	Noncatalytic	2.4	63 %	10,700-33,900	05/18/2011
LOPI 380-96	Noncatalytic	5.2	63 %	9400-52800	03/20/95

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
LOPI ANSWER/LOPI PATRIOT/LOPI PARLOR/LOPI Republic, Model Number 1250 and Avalon Spokane				
Noncatalytic	4.4	63 %	11600-38500	10/22/2012
LOPI Answer/Patriot (Formerly Answer-NT)				
Noncatalytic	3.3	63 %	12000-41000	10/13/98
Lopi Elan E1, E2				
Noncatalytic	4.3	63 %	11700-26300	06/30/90
Lopi Elan-96				
Noncatalytic	7.4	63 %	12000-51400	03/20/95
Lopi Endeavor, Lopi Revere (Formerly 380-NT & X-NT)				
Noncatalytic	1.9	63 %	9300-42200	05/06/2008
Lopi Flawless Performance 380, 440				
Noncatalytic	7.0	63 %	6900-48700	06/30/90
Lopi Flex FS, FL, LX				
Catalytic	2.9	72 %	10900-31000	07/19/93
LOPI Freedom				
Noncatalytic	3.6	63 %	11800-47500	07/18/2011
Lopi Premiere Answer Series PA1, PA2, PA3, PA4,PA5				
Noncatalytic	7.0	63 %	8000-31500	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Lopi Sheffield	Noncatalytic	3.9	63 %	10,300-34,400	09/14/2011
Lopi The Answer	Noncatalytic	6.7	63 %	10500-63100	07/26/94
Lopi X Fireplace Insert	Noncatalytic	6.0	63 %	13600-29100	06/30/90
Lopi X/96	Noncatalytic	7.2	63 %	11600-53900	03/20/95
Model 36 F	Catalytic	4.0	72 %	11900-55000	10/26/94
Model 44-A BI and Z.C.	Catalytic	2.3	72 %	10700-75700	03/22/2000
Tri-Fab, Inc.					
62880 Peerless Court					
Bend OR97701 ,					
USA					
503-389-0304					
SunRise P-48-H, P-48-L	Noncatalytic	5.5	63 %	11700-25800	09/11/94

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
SunRise P-54 & SunRise PIL-8	Noncatalytic	5.0	63 %	10600-26500	10/05/95
SunRise P56	Noncatalytic	6.2	63 %	10700-39700	06/30/90

Tulikivi Oyj

Tulikivi Maxi XV 2	Noncatalytic	4.2	63 %	12,058-38,224	09/06/2010
Tulikivi MINI XV 1	Noncatalytic	4.5	63 %	12,100-38,200	09/06/2010

U.S. Stove Company
 227 Industrial Park Drive
 South Pittsburg TN37380 ,
 USA
 (615) 837-2100

<http://www.usstove.com/>

Ashley AFS24, King K3, cat., freestanding/insert	Catalytic	2.6	72 %	10300-34600	11/11/2000
Ashley AHS2, AHS2B; King KHS2	Catalytic	1.9	72 %	13700-34300	08/02/2000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Ashley C-92	Catalytic	3.0	72 %	11000-36900	3/16/2003
Ashley CAHF-2, Atlanta ACF-2, King MCF-2	Catalytic	1.6	72 %	12800-38900	12/22/99
ASHLEY NCA-1/KING KPS	Noncatalytic	7.2	63 %	6500-23200	8/24/2000
Bay Insert 4500	Catalytic	3.7	72 %	9600-30700	02/16/94
Clayton Mfg Clay 60B, 70	Catalytic	2.7	72 %	12100-54300	04/30/96
Magnolia Model 2015	Noncatalytic	5.7	63 %	11,500-30,800	10/22/2008
Wonder Wood 6000, 2821, Sears 143.8404	Catalytic	3.7	72 %	9100-18700	12/13/93
Wonder Wood (Glass Front) 2921, Sears 143.8417	Catalytic	3.3	72 %	12500-54600	03/09/94

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

United States Stove Company

5500M, 5500XL, 5500XLT

Pellet

1.6

78 %

9,126-27,677

04/10/2012

6039, 6039 T, 6039 HF, 6039 TP

Pellet

1.5

78 %

8,528-29,921

04/10/2012

APS 1100B

Noncatalytic

5.9

63 %

10,100-25,000

10/11/2011

Vestal Manufacturing

P.O. Box 420

Sweetwater TN37874 ,

USA

615-337-6125

Vestal Fireplace Insert V-200-I, V-200-P, V-200-L

Catalytic

2.0

72 %

11700-26500

07/06/2000

Vestal Radiant Heater V-100

Catalytic

2.2

72 %

9400-27700

07/06/2000

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Vogelzang International Incorporated

18400 East Gale Avenue
400 West 17th Street
Holland MI49423 ,
USA
616-396-1911
<http://www.berkeleyforge.com/>

Defender

Noncatalytic

4.2

63 %

9200-28300

8/27/2006

Highlander, Shiloh Insert, Model TR003

Noncatalytic

5.8

63 %

9000-26300

3/8/2007

Wamsler Herd und Ofen GmbH

Landsberger Strasse 372
D-8000 Munchen 21 ,
Germany
89-589-6243

HOK 10

Noncatalytic

4.6

63 %

9200-16900

06/30/90

Waterford Stanley Limited

Bilberry Waterfo ,
Ireland
011-353-51-302300

<http://www.waterfordstanley.com/>

100B 90 32 RV

Noncatalytic

3.9

63 %

10600-26500

08/31/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
100B 90 32 TV	Noncatalytic	3.1	63 %	10800-32400	05/25/2010
100B Design 29	Noncatalytic	7.5	63 %	7200-27500	06/30/90
104 MK II 31	Noncatalytic	2.9	63 %	8800-25900	10/26/2004
Ashling	Noncatalytic	4.1	63 %	12000-29800	10/19/2008
Erin	Noncatalytic	7.6	63 %	11800-41500	06/30/90
Erin OA	Noncatalytic	4.1	63 %	10400-30300	07/09/2008
Erin/90 TV	Noncatalytic	5.7	63 %	10200-39900	01/17/2010
Erin/90 TV	Noncatalytic	4.2	63 %	10500-40900	10/17/2010
Model 100B, 100B O.S.A., Leprechaun	Noncatalytic	4.3	63 %	9000-26700	07/19/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Trinity 35

Noncatalytic

7.0

63 %

11800-39300

12/28/97

Trinity OA

Noncatalytic

4.0

63 %

11500-43800

02/15/2010

Webco Industries

105 East Street

Woodland CA95695 ,

USA

(916) 666-6107

Marquis 800, 800 XL

Catalytic

3.6

72 %

9900-20000

06/02/99

Weitz & Co., Inc.

1447 E. State St.

P.O. Box 340

Boise ID83616 ,

USA

208-939-8218

<http://www.blazeking.com/>

Briarwood BB, BBI and BBZC

Noncatalytic

4.8

63 %

10600-25300

11-05-2002

Briarwood II 87

Noncatalytic

7.3

63 %

9900-45900

06/30/88

Briarwood XE 88

Noncatalytic

6.4

63 %

12800-34200

06/30/88

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Eagle 88, Pioneer ZC

Noncatalytic

6.4

63 %

12800-22800

06/30/88

Welenco Manufacturing, Inc.

533 Thain Rd

Lewiston ID83501-553 ,
USA

(208) 743-5525

P-1000W

Pellet

0.7

78 %

9600-23900

06/30/88

Weso-Aurorahautte GmbH

Pleasant Drive

Ceramic Radiant Heat

Lochmere NH03252 ,
USA

603-524-9663

Prestige 125, 225, 325, 425

Noncatalytic

7.3

63 %

8900-31200

06/30/90

Renaissance 326

Noncatalytic

8.0

63 %

9200-32900

06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Winrich International

P.O. Box 51

Bristol WI53104 ,

USA

414-857-7800

Winrich Pellet Stove

Pellet

1.6

78 %

8500-27900

12-23-97

Winston Stove Company

13643 Fifth Street

Chino CA91710 ,

USA

909-591-7405

Model WP-18

Pellet

0.6

78 %

10000-21300

08/29/94

Model WP-24

Pellet

1.5

78 %

9700-29400

08/29/94

Wittus Fire By Design

PO Box120

Pound Ridge, NY 10576

,

Shaker Stove

Catalytic

7.3

63 %

9,667-29,242

08/07/2012

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Wolf Steel Ltd.

24 Napoleon Road

Barrie ONL4M 4Y8 ,

Canada

705-721-1212

<http://www.napoleon.on.ca/>

1600C-1

Noncatalytic

7.2

63 %

9,200-33,400

07/15/2009

EPA1600C

Noncatalytic

5.4

63 %

12,375-28,127

1/29/2009

Napoleon 1000

Noncatalytic

6.5

63 %

10200-30800

06/14/93

Napoleon 1100

Noncatalytic

4.1

63 %

11700-32700

04/20/2008

Napoleon 1400

Noncatalytic

3.5

63 %

11500-33600

04/20/2008

Napoleon 1500

Noncatalytic

7.0

63 %

11700-23100

06/14/93

Napoleon 1900

Noncatalytic

2.9

63 %

11800-34000

04/20/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Napoleon 2000

Noncatalytic

3.2

63 %

11000-31100

07/29/93

Napoleon Prestige NZ-26

Noncatalytic

5.4

63 %

11500-27400

8/30/2009

Wolf's Casual Living

6101 N Blackstone Avenue

Fresno CA93710 ,

USA

559-431-6120

BV

Catalytic

3.8

72 %

10800-35400

01/17/2007

Woodkiln Inc.

24 Jamestown Street

Sinclairville NY14782 ,

USA

(716) 962-8178

Woodkiln WK-23

Noncatalytic

3.8

63 %

10700-27200

7/15/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Woodstock Soapstone Company, Inc.

66 Airpark Road

West Lebanon NH03784 ,

USA

603-298-5955

<http://www.woodstocksoapstone.com/>

Catalytic Fairview Soapstone Stove #201

Catalytic

3.5

72 %

13200-40000

7/26/2009

Catalytic Fireview Soapstone Stove #205

Catalytic

1.4

72 %

10900-42900

3/6/2011

Paladian Model 202 & Model 203

Catalytic

1.9

72 %

8500-35000

08/07/2012

Yunca Heating

P.O. Box 932

38 Bowmont Street

Invercargill ,

New Zealand

Yunca WEGJ E/481

Noncatalytic

5.0

63 %

10700-30300

06-28-98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Zephyr Stoves, Inc.

2800 Pringle Road SE Ste 130

Salem Oregon, 97302

888-842-8454

Volcano Plus

Noncatalytic

4.5

63 %

10,700-34,800

03/28/2012

Total number of certified stoves:

682

Efficiencies shown are default efficiencies. These stoves have not been laboratory tested for efficiency.

The default efficiencies are: noncatalytic wood heaters - 63%, catalytic wood heaters - 72% and pellet stoves - 78%.