

The attached Excel table was prepared for GPRA planning purposes as an aid in prioritizing the need for Fish and Wildlife Service management actions for various taxa of protected migratory birds.

All of the birds listed are protected by the Migratory Bird Treaty Act. The table includes all protected migratory bird species except those that occur in such small numbers (i.e., they are of accidental occurrence) as to make meaningful habitat or population management impractical.

Species are listed alphabetically by **Common root Name**. For example, Long-tailed Duck is listed as Duck, Long-tailed; and Black-throated Green Warbler is listed as Warbler, Black-throated Green. Species with one-word names such as Chuck-will's-widow and Mallard are listed alphabetically in the first column only. Scientific names (**Genus, Species**, and, as needed, **Subspecies**) are also provided. A species may appear on the list more than once if different populations have been assigned different Qualifier, Status, and Designation codes (see below).

The **Qualifier** column is used to designate which populations of a species are of management concern. In most cases, populations are defined by FWS administrative regions (designated Regions 1, 2, 3, 4, 5, 6, or 7) or Bird Conservation Regions (BCRs). In some cases, this column indicates which populations are not of management concern, as in "except OR & WA pops." Many waterfowl species have traditionally been managed at the population level, and these are indicated; see, for example, Hi-Line and Rocky Mountain populations of the Canada Goose. This column is also used to identify MBTA-protected species that are Endangered (E) or Threatened (T). The entry in this column will normally be blank for two diametrically opposed groups of species: (1) those of management concern throughout their range, and (2) those of low priority everywhere because they are Common.

The **Status** column is used to flag the species identified as Birds of Management Concern (BMC), plus those that are Common (C) or Over Abundant (OA).

The **Designation** column is used to further classify the species identified as Birds of Management Concern (BMC) in the Status column into six sub-categories: (1) Threatened or Endangered (T/E); Birds of Conservation Concern at (2) National (= BCC/N), (3) Regional (= BCC/R), or (4) BCR (= BCC/BCR) scales; (5) Game Birds Above Desired Condition (=GBADC), and (6) Game Birds Below Desired Condition (=GBBDC). The Over Abundant (OA) and Common (C) categories carry over from the Status column.

GBADC's have populations that are at or above long-term averages or management goals, or exhibit increasing population trends. GBBDC's have populations that are below long-term averages or management goals, or exhibit declining population trends. Over Abundant denotes a category of species for which management actions may sometimes be necessary to control populations. Common species are generally considered to have secure populations. While T/E species are a high FWS priority, the primary focus of the Service's Migratory Bird Program is on species that are not so listed, either because they have never required listing, or because they have been recovered and de-listed.

	Common Name	Genus	Species	Subspecies	Qualifier^a	Status^b	Designation^c
Albatross	Black-footed	<i>Phoebastria</i>	<i>nigripes</i>			BMC	BCC/N
Albatross	Laysan	<i>Phoebastria</i>	<i>immutabilis</i>		BCR 67 & 68 pops only	BMC	BCC/BCR
Albatross	Short-tailed	<i>Phoebastria</i>	<i>albatrus</i>		E	BMC	T/E
Anhinga		<i>Anhinga</i>	<i>Anhinga</i>			C	C
Ani	Groove-billed	<i>Crotophaga</i>	<i>sulcirostris</i>			C	C
Ani	Smooth-billed	<i>Crotophaga</i>	<i>ani</i>		Region 4(a)	BMC	BCC/R
Auklet	Cassin's	<i>Ptychoramphus</i>	<i>aleuticus</i>		BCR 32 pop only	BMC	BCC/BCR
Auklet	Cassin's	<i>Ptychoramphus</i>	<i>aleuticus</i>		except BCR 32 pop	C	C
Auklet	Crested	<i>Aethia</i>	<i>cristatella</i>			C	C
Auklet	Least	<i>Aethia</i>	<i>pusilla</i>			C	C
Auklet	Parakeet	<i>Aethia</i>	<i>psittacula</i>			C	C
Auklet	Rhinoceros	<i>Cerorhinca</i>	<i>monocerata</i>			C	C
Auklet	Whiskered	<i>Aethia</i>	<i>pygmaea</i>			BMC	BCC/N
Avocet	American	<i>Recurvirostra</i>	<i>americana</i>		BCR 9 pop only	BMC	BCC/BCR
Avocet	American	<i>Recurvirostra</i>	<i>americana</i>		except BCR 9 pop	C	C
Beardless-Tyrannulet	Northern	<i>Campostoma</i>	<i>imberbe</i>		Region 2	BMC	BCC/R
Becard	Rose-throated	<i>Pachyrhamphus</i>	<i>aglaiae</i>	<i>gravis</i>	Region 2	BMC	BCC/R
Bittern	American	<i>Botaurus</i>	<i>lentiginosus</i>		Region 3 pop only	BMC	BCC/R
Bittern	American	<i>Botaurus</i>	<i>lentiginosus</i>		except Region 3 pop	C	C
Bittern	Least	<i>Ixobrychus</i>	<i>exilis</i>			C	C
Blackbird	Brewer's	<i>Euphagus</i>	<i>cynocephalus</i>			C	C/N
Blackbird	Red-winged	<i>Agelaius</i>	<i>phoeniceus</i>			C	C/N
Blackbird	Rusty	<i>Euphagus</i>	<i>carolinus</i>		Region 3 pop only	BMC	BCC/R
Blackbird	Rusty	<i>Euphagus</i>	<i>carolinus</i>		except Region3 pops	C	C/N
Blackbird	Tricolored	<i>Agelaius</i>	<i>tricolor</i>			BMC	BCC/N
Blackbird	Yellow-headed	<i>Xanthocephalus</i>	<i>xanthocephalus</i>			C	C/N
Blackbird	Yellow-shouldered	<i>Agelaius</i>	<i>xanthomus</i>		E	BMC	T/E
Black-Hawk	Common	<i>Buteogallus</i>	<i>anthracinus</i>		Region 2	BMC	BCC/R
Bluebird	Eastern	<i>Sialia</i>	<i>sialis</i>			C	C
Bluebird	Mountain	<i>Sialia</i>	<i>currucoides</i>			C	C
Bluebird	Western	<i>Sialia</i>	<i>mexicana</i>			C	C
Bobolink		<i>Dolichonyz</i>	<i>oryzivorus</i>		Regions 3 & 6 only	BMC	BCC/R
Booby	Blue-footed	<i>Sula</i>	<i>nebouxi</i>			C	C
Booby	Brown	<i>Sula</i>	<i>leucogaster</i>		Region 4(b)	BMC	BCC/R
Booby	Brown	<i>Sula</i>	<i>leucogaster</i>		except Region 4(b) pop	C	C
Booby	Masked	<i>Sula</i>	<i>dactylatra</i>	<i>dactylatra</i>	Region 4(b)	BMC	BCC/R
Booby	Masked	<i>Sula</i>	<i>dactylatra</i>		except Region 4(b) pop	C	C
Booby	Red-footed	<i>Sula</i>	<i>sula</i>	<i>sula</i>	Region 4(b)	BMC	BCC/R
Booby	Red-footed	<i>Sula</i>	<i>sula</i>		except Region 4(b) pop	C	C
Brambling		<i>Fringilla</i>	<i>montifringilla</i>			C	C

Brant	(Atlantic)	<i>Branta</i>	<i>bernicla</i>	<i>hrota</i>	Western Atlantic pop	BMC	GBBDC
Brant	(Black)	<i>Branta</i>	<i>bernicla</i>	<i>nigricans</i>	Eastern Pacific pop	BMC	GBBDC
Brant	(Gray-bellied)	<i>Branta</i>	<i>bernicla</i>	<i>hrota & nigricans</i>	Canadian High Arctic pop	BMC	GBBDC
Bufflehead		<i>Bucephala</i>	<i>albeola</i>			BMC	GBADC
Bullfinch	Puerto Rican	<i>Loxigilla</i>	<i>portoricensis</i>			C	C
Bunting	Indigo	<i>Passerina</i>	<i>cyanea</i>			C	C
Bunting	Lark	<i>Calamospiza</i>	<i>melanocorys</i>		Region 2 pop only	BMC	BCC/R
Bunting	Lark	<i>Calamospiza</i>	<i>melanocorys</i>		except Region 2 pop	C	C
Bunting	Lazuli	<i>Passerina</i>	<i>amoena</i>			C	C
Bunting	McKay's	<i>Plectrophenax</i>	<i>hyperboreus</i>			BMC	BCC/N
Bunting	Painted	<i>Passerina</i>	<i>ciris</i>			BMC	BCC/N
Bunting	Snow	<i>Plectrophenax</i>	<i>nivalis</i>			C	C
Bunting	Varied	<i>Passerina</i>	<i>versicolor</i>		Region 2	BMC	BCC/R
Bush tit		<i>Psaltriparus</i>	<i>minimus</i>			C	C
Canvasback		<i>Aythya</i>	<i>valisineria</i>			BMC	GBBDC
Caracara	Crested (Audubon's)	<i>Caracara</i>	<i>plancus</i>	<i>audubonii</i>	T	BMC	T/E
Cardinal	Northern	<i>Cardinalis</i>	<i>cardinalis</i>			C	C
Carib	Green-throated	<i>Eulampis</i>	<i>holosericeus</i>			C	C
Catbird	Gray	<i>Dumetella</i>	<i>carolinensis</i>			C	C
Chat	Yellow-breasted	<i>Icteria</i>	<i>virens</i>			C	C
Chickadee	Black-capped	<i>Poecile</i>	<i>atricapilla</i>	<i>practicus</i>	BCR 28 (Southern Blue Ridge) pop only	BMC	BCC/BCR
Chickadee	Black-capped	<i>Poecile</i>	<i>atricapillus</i>		except BCR 28 (Southern Blue Ridge) pop	C	C
Chickadee	Boreal	<i>Poecile</i>	<i>hudsonicus</i>			C	C
Chickadee	Carolina	<i>Poecile</i>	<i>carolinensis</i>			C	C
Chickadee	Chestnut-backed	<i>Poecile</i>	<i>rufescens</i>			C	C
Chickadee	Gray-headed	<i>Poecile</i>	<i>cinctus</i>			C	C
Chickadee	Mexican	<i>Poecile</i>	<i>sclateri</i>			C	C
Chickadee	Mountain	<i>Poecile</i>	<i>gambeli</i>			C	C
Chuck-will's-widow		<i>Caprimulgus</i>	<i>carolinensis</i>			BMC	BCC/N
Condor	California	<i>Gymnogyps</i>	<i>californianus</i>		E	BMC	T/E
Coot	American	<i>Fulica</i>	<i>americana</i>			BMC	GBADC
Coot	Caribbean	<i>Fulica</i>	<i>caribaea</i>		Region 4(b)	BMC	BCC/R
Coot	Hawaiian	<i>Fulica</i>	<i>alai</i>		E	BMC	T/E
Cormorant	Brandt's	<i>Phalacrocorax</i>	<i>penicillatus</i>			C	C
Cormorant	Double-crested	<i>Phalacrocorax</i>	<i>auritus</i>	<i>auritus</i>	Interior pop	OA	OA
Cormorant	Double-crested	<i>Phalacrocorax</i>	<i>auritus</i>	<i>auritus</i>	NE Atlantic pop	OA	OA
Cormorant	Double-crested	<i>Phalacrocorax</i>	<i>auritus</i>	<i>floridanus</i>	Florida pop	OA	OA
Cormorant	Double-crested	<i>Phalacrocorax</i>	<i>auritus</i>			C	C
Cormorant	Great	<i>Phalacrocorax</i>	<i>carbo</i>			C	C
Cormorant	Neotropic	<i>Phalacrocorax</i>	<i>brasilianus</i>			C	C

Cormorant	Pelagic	<i>Phalacrocorax</i>	<i>pelagicus</i>		C	C	
Cormorant	Red-faced	<i>Phalacrocorax</i>	<i>urile</i>	BCRs 1 & 2	BMC	BCC/BCR	
Cormorant	Red-faced	<i>Phalacrocorax</i>	<i>urile</i>		C	C	
Cowbird	Bronzed	<i>Molothrus</i>	<i>aeneus</i>		C	C/N	
Cowbird	Brown-headed	<i>Molothrus</i>	<i>ater</i>		C	C/N	
Cowbird	Shiny	<i>Molothrus</i>	<i>bonariensis</i>		C	C/N	
Crake	Yellow-breasted	<i>Porzana</i>	<i>flaviventer</i>	Region 4(b)	BMC	BCC/R	
Crane	Sandhill	<i>Grus</i>	<i>canadensis</i>	<i>canadensis,</i> <i>rowani,</i> & <i>tabida</i>	Mid-Continent pop	BMC	GBADC
Crane	Sandhill	<i>Grus</i>	<i>canadensis</i>	<i>tabida</i>	Rocky Mountain pop	BMC	GBADC
Crane	Sandhill	<i>Grus</i>	<i>canadensis</i>		except pulla ssp & hunted pops	C	C
Crane	Sandhill (Mississippi)	<i>Grus</i>	<i>canadensis</i>	<i>pulla</i>	E	BMC	T/E
Crane	Whooping	<i>Grus</i>	<i>americana</i>		E	BMC	T/E
Creepers	Brown	<i>Certhia</i>	<i>americana</i>		C	C	
Crossbill	Red	<i>Loxia</i>	<i>curvirostra</i>	<i>bendirei</i>	BCR 28 (Southern Appalachians) pop only	BMC	BCC/BCR
Crossbill	Red	<i>Loxia</i>	<i>curvirostra</i>			C	C
Crossbill	White-winged	<i>Loxia</i>	<i>leucoptera</i>			C	C
Crow	American	<i>Corvus</i>	<i>brachyrhynchos</i>			C	C
Crow	Fish	<i>Corvus</i>	<i>ossifragus</i>			C	C
Crow	Hawaiian	<i>Corvus</i>	<i>hawaiiensis</i>	E	BMC	T/E	
Crow	Northwestern	<i>Corvus</i>	<i>caurinus</i>			C	C
Crow	Tamaulipas	<i>Corvus</i>	<i>imparatus</i>			C	C
Crow	White-necked	<i>Corvus</i>	<i>leucognaphalus</i>	E	BMC	T/E	
Cuckoo	Black-billed	<i>Coccyzus</i>	<i>erythrophthalmus</i>			BMC	BCC/N
Cuckoo	Mangrove	<i>Coccyzus</i>	<i>minor</i>	Region 4(a)	BMC	BCC/R	
Cuckoo	Yellow-billed	<i>Coccyzus</i>	<i>americanus</i>	Region 1 & 2 (Western) pops only	BMC	BCC/R	
Cuckoo	Yellow-billed	<i>Coccyzus</i>	<i>americanus</i>	except Region 1 & 2 (Western) pops	C	C	
Curlew	Bristle-thighed	<i>Numenius</i>	<i>tahitiensis</i>			BMC	BCC/N
Curlew	Eskimo	<i>Numenius</i>	<i>borealis</i>	E	BMC	T/E	
Curlew	Long-billed	<i>Numenius</i>	<i>americanus</i>			BMC	BCC/N
Dickcissel		<i>Spiza</i>	<i>americana</i>			BMC	BCC/N
Dipper	American	<i>Cinclus</i>	<i>mexicanus</i>			C	C
Dove	Inca	<i>Columbina</i>	<i>inca</i>			C	C
Dove	Mourning	<i>Zenaida</i>	<i>macroura</i>	Western pop	BMC	GBBDC	
Dove	Mourning	<i>Zenaida</i>	<i>macroura</i>	Central pop	BMC	GBADC	
Dove	Mourning	<i>Zenaida</i>	<i>macroura</i>	Eastern pop	BMC	GBADC	
Dove	White-tipped	<i>Leptotila</i>	<i>verreauxi</i>			BMC	GBADC
Dove	White-winged	<i>Zenaida</i>	<i>asiatica</i>			BMC	GBADC
Dove	Zenaida	<i>Zenaida</i>	<i>aurita</i>			BMC	GBADC
Dovekie		<i>Alle</i>	<i>alle</i>			C	C
Dowitcher	Long-billed	<i>Limnodromus</i>	<i>scolopaceus</i>			C	C

Dowitcher	Short-billed	<i>Limnodromus</i>	<i>griseus</i>		BMC	BCC/N
Duck	American Black	<i>Anas</i>	<i>rupripes</i>	Atlantic Flyway pop	BMC	GBBDC
Duck	American Black	<i>Anas</i>	<i>rupripes</i>	Mississippi Flyway pop	BMC	GBBDC
Duck	Harlequin	<i>Histrionicus</i>	<i>histrionicus</i>	<i>histrionicus</i> (Eastern pop)	BMC	GBBDC
Duck	Harlequin	<i>Histrionicus</i>	<i>histrionicus</i>	<i>pacificus</i> (Western pop)	BMC	GBBDC
Duck	Hawaiian	<i>Anas</i>	<i>wyvilliana</i>	E	BMC	T/E
Duck	Laysan	<i>Anas</i>	<i>laysanensis</i>	E	BMC	T/E
Duck	Long-tailed	<i>Clangula</i>	<i>hyemalis</i>		BMC	GBADC
Duck	Masked	<i>Nomonyx</i>	<i>dominicus</i>	Region 4(b)	BMC	BCC/R
Duck	Mottled	<i>Anas</i>	<i>fulvigula</i>		BMC	GBBDC
Duck	Ring-necked	<i>Aythya</i>	<i>collaris</i>		BMC	GBBDC
Duck	Ruddy	<i>Oxyura</i>	<i>jamaicensis</i>	Puerto Rican pop only	BMC	BCC/R
Duck	Ruddy	<i>Oxyura</i>	<i>jamaicensis</i>	except Puerto Rican pop	BMC	GBADC
Duck	Wood	<i>Aix</i>	<i>sponsa</i>	Eastern pop	BMC	GBBDC
Duck	Wood	<i>Aix</i>	<i>sponsa</i>	Interior pop	BMC	GBBDC
Duck	Wood	<i>Aix</i>	<i>sponsa</i>	Western pop	BMC	GBBDC
Dunlin		<i>Calidris</i>	<i>alpina</i>	<i>arctica</i> Region 7	BMC	BCC/R
Dunlin		<i>Calidris</i>	<i>alpina</i>	except <i>arctica</i> ssp	C	C
Eagle	Bald	<i>Haliaeetus</i>	<i>leucocephalus</i>	T (Lower 48 pops only)	BMC	T/E
Eagle	Bald	<i>Haliaeetus</i>	<i>leucocephalus</i>	Alaska pops only	C	C
Eagle	Golden	<i>Aquila</i>	<i>chrysaetos</i>	Region 6 pop only	BMC	BCC/R
Eagle	Golden	<i>Aquila</i>	<i>chrysaetos</i>	except Region 6 pop	C	C
Egret	Cattle	<i>Bubulcus</i>	<i>ibis</i>		C	C
Egret	Great	<i>Ardea</i>	<i>alba</i>		C	C
Egret	Reddish	<i>Egretta</i>	<i>rufescens</i>		BMC	BCC/N
Egret	Snowy	<i>Egretta</i>	<i>thula</i>		C	C
Eider	Common	<i>Somateria</i>	<i>mollissima</i>		BMC	GBBDC
Eider	Common	<i>Somateria</i>	<i>mollissima</i>	<i>dresseri</i> Atlantic pop	BMC	GBADC
Eider	Common	<i>Somateria</i>	<i>mollissima</i>	<i>v-nigra</i> Pacific pop	BMC	GBADC
Eider	King	<i>Somateria</i>	<i>spectabilis</i>		BMC	GBADC
Eider	Spectacled	<i>Somateria</i>	<i>fischeri</i>	T	BMC	T/E
Eider	Steller's	<i>Polysticta</i>	<i>stelleri</i>	T	BMC	T/E
Elaenia	Caribbean	<i>Elaenia</i>	<i>martinica</i>		C	C
Emerald	Puerto Rican	<i>Chlorostilbon</i>	<i>maugaeus</i>		C	C
Euphonia	Antillean	<i>Euphonia</i>	<i>musica</i>		C	C
Falcon	Aplomado (Northern)	<i>Falco</i>	<i>femoralis</i>	<i>septentrionalis</i> E	BMC	T/E
Falcon	Peregrine	<i>Falco</i>	<i>peregrinus</i>	<i>anatum</i>	BMC	BCC/N
Falcon	Peregrine	<i>Falco</i>	<i>peregrinus</i>	<i>pealei</i>	BMC	BCC/BCR
Falcon	Peregrine	<i>Falco</i>	<i>peregrinus</i>	except <i>anatum</i> ssp	C	C
Falcon	Peregrine	<i>Falco</i>	<i>tundrius</i>	excluding Alaska	C	C

Falcon	Prairie	<i>Falco</i>	<i>mexicanus</i>			BMC	BCC/N
Finch	Cassin's	<i>Carpodacus</i>	<i>cassinii</i>			C	C
Finch	House	<i>Carpodacus</i>	<i>mexicanus</i>		CA pops only	C	C/N
Finch	House	<i>Carpodacus</i>	<i>mexicanus</i>		except California pops	C	C
Finch	Purple	<i>Carpodacus</i>	<i>purpureus</i>			C	C
Flicker	Gilded	<i>Colaptes</i>	<i>chrysoides</i>		Region 2 pop only	BMC	BCC/R
Flicker	Gilded	<i>Colaptes</i>	<i>chrysoides</i>		except Region 2 pop	C	C
Flicker	Northern	<i>Colaptes</i>	<i>auratus</i>			C	C
Flycatcher	Acadian	<i>Empidonax</i>	<i>virescens</i>		Region 3 pop only	BMC	BCC/R
Flycatcher	Acadian	<i>Empidonax</i>	<i>virescens</i>		except Region 3 pop	C	C
Flycatcher	Alder	<i>Empidonax</i>	<i>alnorum</i>			C	C
Flycatcher	Ash-throated	<i>Myiarchus</i>	<i>cinerascens</i>			C	C
Flycatcher	Buff-breasted	<i>Empidonax</i>	<i>fulvifrons</i>		Region 2	BMC	BCC/R
Flycatcher	Cordilleran	<i>Empidonax</i>	<i>occidentalis</i>			C	C
Flycatcher	Dusky	<i>Empidonax</i>	<i>oberholseri</i>			C	C
Flycatcher	Dusky-capped	<i>Myiarchus</i>	<i>tuberculifer</i>			C	C
Flycatcher	Fork-tailed	<i>Tyrannus</i>	<i>savana</i>			C	C
Flycatcher	Gray	<i>Empidonax</i>	<i>wrightii</i>			C	C
Flycatcher	Great Crested	<i>Myiarchus</i>	<i>crinitus</i>			C	C
Flycatcher	Hammond's	<i>Empidonax</i>	<i>hammondii</i>			C	C
Flycatcher	Least	<i>Empidonax</i>	<i>minimus</i>			C	C
Flycatcher	Olive-sided	<i>Contopus</i>	<i>cooperi</i>			BMC	BCC/N
Flycatcher	Pacific-slope	<i>Empidonax</i>	<i>difficilis</i>			C	C
Flycatcher	Puerto Rican	<i>Myiarchus</i>	<i>antillarum</i>		Region 4(b)	BMC	BCC/R
Flycatcher	Scissor-tailed	<i>Tyrannus</i>	<i>forficatus</i>			BMC	BCC/N
Flycatcher	Sulphur-bellied	<i>Myiodynastes</i>	<i>luteiventris</i>			C	C
Flycatcher	Vermilion	<i>Pyrocephalus</i>	<i>rubinus</i>			C	C
Flycatcher	Willow	<i>Empidonax</i>	<i>traillii</i>		except extimus ssp	C	C
Flycatcher	Willow (Southwestern)	<i>Empidonax</i>	<i>traillii</i>	<i>extimus</i>	E	BMC	T/E
Flycatcher	Yellow-bellied	<i>Empidonax</i>	<i>flaviventris</i>			C	C
Frigatebird	Great	<i>Fregata</i>	<i>minor</i>			C	C
Frigatebird	Lesser	<i>Fregata</i>	<i>ariel</i>		BCR 68	BMC	BCC/BCR
Frigatebird	Magnificent	<i>Fregata</i>	<i>magnificens</i>		Region 4(b)	BMC	BCC/R
Frigatebird	Magnificent	<i>Fregata</i>	<i>magnificens</i>		except Region 4(b)	C	C
Fulmar	Northern	<i>Fulmarus</i>	<i>glacialis</i>			C	C
Gadwall		<i>Anas</i>	<i>strepera</i>	<i>strepera</i>	North American pop	BMC	GBADC
Gallinule	Purple	<i>Porphyrio</i>	<i>martinica</i>			BMC	GBADC
Gallinule	Purple	<i>Porphyryula</i>	<i>martinica</i>		Louisiana pop only	C	C/N
Gannet	Northern	<i>Morus</i>	<i>bassanus</i>			C	C
Gnatcatcher	Black-capped	<i>Polioptila</i>	<i>nigriceps</i>			C	C
Gnatcatcher	Black-tailed	<i>Polioptila</i>	<i>melanura</i>			C	C
Gnatcatcher	Blue-gray	<i>Polioptila</i>	<i>caerulea</i>			C	C

Gnatcatcher	California (Coastal)	<i>Polioptila</i>	<i>californica</i>		T	BMC	T/E
Godwit	Bar-tailed	<i>Limosa</i>	<i>lapponica</i>			BMC	BCC/N
Godwit	Black-tailed	<i>Limosa</i>	<i>limosa</i>			C	C
Godwit	Hudsonian	<i>Limosa</i>	<i>haemastica</i>			BMC	BCC/N
Godwit	Marbled	<i>Limosa</i>	<i>fedoa</i>			BMC	BCC/N
Goldeneye	Barrow's	<i>Bucephala</i>	<i>islandica</i>		Atlantic pop	BMC	GBADC
Goldeneye	Barrow's	<i>Bucephala</i>	<i>islandica</i>		Pacific pop	BMC	GBADC
Goldeneye	Common	<i>Bucephala</i>	<i>clangula</i>			BMC	GBADC
Golden-Plover	American	<i>Pluvialis</i>	<i>dominica</i>			BMC	BCC/N
Golden-Plover	Pacific	<i>Pluvialis</i>	<i>fulva</i>			BMC	BCC/N
Goldfinch	American	<i>Carduelis</i>	<i>tristis</i>			C	C
Goldfinch	Lawrence's	<i>Carduelis</i>	<i>lawrencei</i>			BMC	BCC/N
Goldfinch	Lesser	<i>Carduelis</i>	<i>psaltria</i>			C	C
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>leucopareia</i>	Aleutian pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>canadensis & interior</i>	Atlantic pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>minima</i>	Cackling pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>interior</i>	Eastern Prairie pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>hutchinsii & parvipes</i>	Eastern Tall Grass Prairie pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>moffitti</i>	Hi-Line pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>interior</i>	Mississippi Valley pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>canadensis & interior</i>	North Atlantic pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>moffitti</i>	Rocky Mountains pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>taverneri & parvipes</i>	Taverner pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>moffitti & maxima</i>	Western Prairie & Great Plains pops	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>	<i>hutchinsii & parvipes</i>	Western Tall Grass Prairie pop	BMC	GBADC
Goose	Canada	<i>Branta</i>	<i>canadensis</i>		Mississippi Flyway resident	OA	OA
Goose	Canada	<i>Branta</i>	<i>canadensis</i>		Atlantic Flyway resident	OA	OA
Goose	Canada (Cackling)	<i>Branta</i>	<i>canadensis</i>	<i>minima</i>		BMC	GBBDC
Goose	Canada (Dusky)	<i>Branta</i>	<i>canadensis</i>	<i>occidentalis</i>		BMC	GBBDC
Goose	Canada (Southern James Bay)	<i>Branta</i>	<i>canadensis</i>	<i>interior</i>	Southern James Bay pop	BMC	GBBDC
Goose	Emperor	<i>Chen</i>	<i>canagicus</i>			BMC	GBBDC
Goose	Greater White-fronted (Pacific)	<i>Anser</i>	<i>albifrons</i>	<i>frontalis</i>	Pacific Flyway pop (part)	BMC	GBBDC
Goose	Greater White-fronted (Pacific)	<i>Anser</i>	<i>albifrons</i>	<i>gambelli</i>	Pacific Flyway pop (part)	BMC	GBBDC
Goose	Hawaiian	<i>Branta</i>	<i>sandvicensis</i>		E	BMC	T/E
Goose	Ross's	<i>Chen</i>	<i>rossii</i>		Western Central Flyway pop	BMC	GBADC
Goose	Ross's	<i>Chen</i>	<i>rossii</i>		Mid-Continent pop	OA	OA

Goose	Snow (Greater)	<i>Chen</i>	<i>caerulescens</i>	<i>atlantica</i>		BMC	GBADC
Goose	Snow (Lesser)	<i>Chen</i>	<i>caerulescens</i>	<i>caerulescens</i>	Western Central Flyway pop	BMC	GBADC
Goose	Snow (Lesser)	<i>Chen</i>	<i>caerulescens</i>	<i>caerulescens</i>	Western Arctic/Wrangell Island pop	BMC	GBADC
Goose	Snow (Lesser)	<i>Chen</i>	<i>caerulescens</i>	<i>caerulescens</i>	Mid-Continent pop	OA	OA
Goose	Snow (Wrangell Island)	<i>Chen</i>	<i>caerulescens</i>	<i>caerulescens</i>	Wrangell Island pop	BMC	GBBDC
Goose	White-fronted	<i>Anser</i>	<i>albifrons</i>	<i>frontalis & gambelli</i>	Pacific pop	BMC	GBADC
Goose	White-fronted	<i>Anser</i>	<i>albifrons</i>		Mid-Continent pop	BMC	GBADC
Goose	White-fronted (Tule)	<i>Anser</i>	<i>albifrons</i>	<i>elgasi</i>		BMC	GBBDC
Goshawk	Northern	<i>Accipiter</i>	<i>gentilis</i>	<i>atricapillus</i>	BCR 34 pop only	BMC	BCC/BCR
Goshawk	Northern	<i>Accipiter</i>	<i>gentilis</i>	<i>laingi</i>	BCRs 5 & 34	BMC	BCC/BCR
Goshawk	Northern	<i>Accipiter</i>	<i>gentilis</i>			C	C
Grackle	Boat-tailed	<i>Quiscalus</i>	<i>major</i>			C	C/N
Grackle	Common	<i>Quiscalus</i>	<i>quiscula</i>			C	C/N
Grackle	Greater Antillean	<i>Quiscalus</i>	<i>niger</i>			C	C
Grackle	Great-tailed	<i>Quiscalus</i>	<i>mexicanus</i>			C	C/N
Grassquit	Black-faced	<i>Tiaris</i>	<i>bicolor</i>			C	C
Grassquit	Yellow-faced	<i>Tiaris</i>	<i>olivacea</i>			C	C
Grebe	Clark's	<i>Aechmorphus</i>	<i>clarkii</i>			C	C
Grebe	Eared	<i>Podiceps</i>	<i>nigricollis</i>			C	C
Grebe	Horned	<i>Podiceps</i>	<i>auritus</i>			C	C
Grebe	Least	<i>Tachybaptus</i>	<i>dominicus</i>			C	C
Grebe	Pied-billed	<i>Podilymbus</i>	<i>podiceps</i>			C	C
Grebe	Red-necked	<i>Podiceps</i>	<i>grisegena</i>			C	C
Grebe	Western	<i>Aechmorphus</i>	<i>occidentalis</i>			C	C
Greenshank	Common	<i>Tringa</i>	<i>nebularia</i>			C	C
Grosbeak	Black-headed	<i>Pheucticus</i>	<i>melanocephalus</i>			C	C
Grosbeak	Blue	<i>Guiraca</i>	<i>caerulea</i>			C	C
Grosbeak	Evening	<i>Coccothraustes</i>	<i>vespertinus</i>			C	C
Grosbeak	Pine	<i>Pinicola</i>	<i>enucleator</i>			C	C
Grosbeak	Rose-breasted	<i>Pheucticus</i>	<i>ludovicianus</i>			C	C
Ground-Dove	Common	<i>Columbina</i>	<i>passerina</i>	<i>exigua</i>	BCR 27 & 31 pops only	BMC	BCC/BCR
Ground-Dove	Common	<i>Columbina</i>	<i>passerina</i>			C	C
Ground-Dove	Ruddy	<i>Columbina</i>	<i>talpacoti</i>			C	C
Guillemot	Black	<i>Cepphus</i>	<i>grylle</i>			C	C
Guillemot	Pigeon	<i>Cepphus</i>	<i>columba</i>			C	C
Gull	Black-headed	<i>Larus</i>	<i>ridibundus</i>			C	C
Gull	Bonaparte's	<i>Larus</i>	<i>philadelphia</i>			C	C
Gull	California	<i>Larus</i>	<i>californicus</i>			C	C
Gull	Franklin's	<i>Larus</i>	<i>pipixcan</i>			C	C
Gull	Glaucous	<i>Larus</i>	<i>hyperboreus</i>			C	C
Gull	Glaucous-winged	<i>Larus</i>	<i>glaucescens</i>			C	C
Gull	Great Black-backed	<i>Larus</i>	<i>marinus</i>			C	C

Gull	Heerman's	<i>Larus</i>	<i>heermanni</i>			C	C
Gull	Herring	<i>Larus</i>	<i>argentatus</i>			C	C
Gull	Iceland	<i>Larus</i>	<i>glaucooides</i>			C	C
Gull	Ivory	<i>Pagophila</i>	<i>eburnea</i>			C	C
Gull	Laughing	<i>Larus</i>	<i>atricilla</i>			C	C
Gull	Lesser Black-backed	<i>Larus</i>	<i>fuscus</i>			C	C
Gull	Little	<i>Larus</i>	<i>minutus</i>			C	C
Gull	Mew	<i>Larus</i>	<i>canus</i>			C	C
Gull	Ring-billed	<i>Larus</i>	<i>delawarensis</i>			C	C
Gull	Ross's	<i>Rhodostethia</i>	<i>rosea</i>			C	C
Gull	Sabine's	<i>Xema</i>	<i>sabini</i>			C	C
Gull	Slaty-backed	<i>Larus</i>	<i>schistisagus</i>			C	C
Gull	Thayer's	<i>Larus</i>	<i>thayeri</i>			C	C
Gull	Western	<i>Larus</i>	<i>occidentalis</i>			C	C
Gull	Yellow-footed	<i>Larus</i>	<i>livens</i>			C	C
Gyrfalcon		<i>Falco</i>	<i>rusticolus</i>			C	C
Harrier	Northern	<i>Circus</i>	<i>cyaneus</i>			BMC	BCC/N
Hawk	Broad-winged	<i>Buteo</i>	<i>platypterus</i>		except <i>brunnescens</i> ssp	C	C
Hawk	Broad-winged (Puerto Rican)	<i>Buteo</i>	<i>platypterus</i>	<i>brunnescens</i>	E	BMC	T/E
Hawk	Cooper's	<i>Accipiter</i>	<i>cooperii</i>			C	C
Hawk	Ferruginous	<i>Buteo</i>	<i>regalis</i>			BMC	BCC/N
Hawk	Gray	<i>Asturina</i>	<i>nitida</i>		Region 2	BMC	BCC/R
Hawk	Harris's	<i>Parabuteo</i>	<i>unicinctus</i>		BCR 36 pop only	BMC	BCC/BCR
Hawk	Harris's	<i>Parabuteo</i>	<i>unicinctus</i>			C	C
Hawk	Hawaiian	<i>Buteo</i>	<i>solitarius</i>		E	BMC	T/E
Hawk	Red-shouldered	<i>Buteo</i>	<i>lineatus</i>			C	C
Hawk	Red-tailed	<i>Buteo</i>	<i>jamaicensis</i>			C	C
Hawk	Rough-legged	<i>Buteo</i>	<i>lagopus</i>			C	C
Hawk	Sharp-shinned	<i>Accipiter</i>	<i>striatus</i>		except <i>venator</i> ssp	C	C
Hawk	Sharp-shinned (Puerto Rican)	<i>Accipiter</i>	<i>striatus</i>	<i>venator</i>	E	BMC	T/E
Hawk	Short-tailed	<i>Buteo</i>	<i>brachyurus</i>		Region 4(a)	BMC	BCC/R
Hawk	Swainson's	<i>Buteo</i>	<i>swainsoni</i>			BMC	BCC/N
Hawk	White-tailed	<i>Buteo</i>	<i>albicaudatus</i>		Region 2	BMC	BCC/R
Hawk	Zone-tailed	<i>Buteo</i>	<i>albonotatus</i>			C	C
Heron	Great Blue	<i>Ardea</i>	<i>herodias</i>			C	C
Heron	Green	<i>Butorides</i>	<i>virescens</i>			C	C
Heron	Little Blue	<i>Egretta</i>	<i>caerulea</i>			BMC	BCC/N
Heron	Tricolored	<i>Egretta</i>	<i>tricolor</i>			C	C
Hummingbird	Allen's	<i>Selasphorus platycercus</i>	<i>sasin</i>			C	C
Hummingbird	Anna's	<i>Calypte</i>	<i>anna</i>			C	C
Hummingbird	Antillean Crested	<i>Orthorhyncus</i>	<i>cristatus</i>			C	C
Hummingbird	Berylline	<i>Amazilia</i>	<i>beryllina</i>			C	C
Hummingbird	Black-chinned	<i>Archilochus</i>	<i>alexandri</i>			C	C
Hummingbird	Blue-throated	<i>Lampornis</i>	<i>clemenciae</i>			C	C
Hummingbird	Broad-billed	<i>Cyanthus</i>	<i>latirostris</i>		Region 2	BMC	BCC/R

Hummingbird	Broad-tailed	<i>Selasphorus</i>	<i>platycercus</i>		C	C
Hummingbird	Buff-bellied	<i>Amazilia</i>	<i>yucatanensis</i>	Region 2	BMC	BCC/R
Hummingbird	Calliope	<i>Stellula</i>	<i>calliope</i>		C	C
Hummingbird	Costa's	<i>Calypte</i>	<i>leucotis</i>	BCR 34 pop only	BMC	BCC/BCR
Hummingbird	Costa's	<i>Calypte</i>	<i>costae</i>		C	C
Hummingbird	Lucifer	<i>Calothorax</i>	<i>lucifer</i>	Region 2	BMC	BCC/R
Hummingbird	Magnificent	<i>Eugenes</i>	<i>fulgens</i>		C	C
Hummingbird	Ruby-throated	<i>Archilochus</i>	<i>colubris</i>		C	C
Hummingbird	Rufous	<i>Selasphorus</i>	<i>rufus</i>		BMC	BCC/N
Hummingbird	Violet-crowned	<i>Amazilia</i>	<i>violiceps</i>		C	C
Hummingbird	White-eared	<i>Hylocharis</i>	<i>leucotis</i>		C	C
Ibis	Glossy	<i>Plegadis</i>	<i>falcinellus</i>		C	C
Ibis	White	<i>Eudocimus</i>	<i>albus</i>	BCR 31 & 37 pops only	BMC	BCC/BCR
Ibis	White	<i>Eudocimus</i>	<i>albus</i>		C	C
Ibis	White-faced	<i>Plegadis</i>	<i>chihi</i>		C	C
Jabiru		<i>Jabiru</i>	<i>mycteria</i>		C	C
Jacana	Northern	<i>Jacana</i>	<i>spinosa</i>		C	C
Jaeger	Long-tailed	<i>Stercorarius</i>	<i>longicaudus</i>		C	C
Jaeger	Parasitic	<i>Stercorarius</i>	<i>parasiticus</i>		C	C
Jaeger	Pomarine	<i>Stercorarius</i>	<i>pomarinus</i>		C	C
Jay	Blue	<i>Cyanocitta</i>	<i>cristata</i>		C	C
Jay	Brown	<i>Cyanocorax</i>	<i>morio</i>		C	C
Jay	Gray	<i>Perisoreus</i>	<i>canadensis</i>		C	C
Jay	Green	<i>Cyanocorax</i>	<i>yncas</i>		C	C
Jay	Mexican	<i>Aphelocoma</i>	<i>ultramarina</i>		C	C
Jay	Pinyon	<i>Gymnorhinus</i>	<i>cyranocephalus</i>	BCR 16 pop only	BMC	BCC/BCR
Jay	Pinyon	<i>Gymnorhinus</i>	<i>cyranocephalus</i>		C	C
Jay	Steller's	<i>Cyanocitta</i>	<i>stelleri</i>	OR & WA pops only	C	C/N
Jay	Steller's	<i>Cyanocitta</i>	<i>stelleri</i>	except OR & WA pops	C	C
Junco	Dark-eyed	<i>Junco</i>	<i>hyemalis</i>		C	C
Junco	Yellow-eyed	<i>Junco</i>	<i>phaeonotus</i>		C	C
Kestrel	American	<i>Falco</i>	<i>sparverius</i>	<i>paulus</i> BCRs 25, 27, & 37	BMC	BCC/BCR
Kestrel	American	<i>Falco</i>	<i>sparverius</i>		C	C
Killdeer		<i>Charadrius</i>	<i>vociferus</i>		C	C
Kingbird	Cassin's	<i>Tyrannus</i>	<i>vociferans</i>		C	C
Kingbird	Couch's	<i>Tyrannus</i>	<i>couchii</i>		C	C
Kingbird	Eastern	<i>Tyrannus</i>	<i>tyrannus</i>		C	C
Kingbird	Gray	<i>Tyrannus</i>	<i>dominicensis</i>		C	C
Kingbird	Tropical	<i>Tyrannus</i>	<i>melancholicus</i>		C	C
Kingbird	Western	<i>Tyrannus</i>	<i>verticalis</i>		C	C
Kingfisher	Belted	<i>Ceryle</i>	<i>alcyon</i>		C	C
Kingfisher	Green	<i>Chloroceryle</i>	<i>americana</i>		C	C
Kingfisher	Ringed	<i>Ceryle</i>	<i>torquata</i>		C	C
Kinglet	Golden-crowned	<i>Regulus</i>	<i>satrapa</i>		C	C

Kinglet	Ruby-crowned	<i>Regulus</i>	<i>calendula</i>			C	C
Kiskadee	Great	<i>Pitangus</i>	<i>sulphuratus</i>			C	C
Kite	Hook-billed	<i>Chondrohierax</i>	<i>uncinatus</i>			C	C
Kite	Mississippi	<i>Ictinia</i>	<i>mississippiensis</i>		BCR 19 & 26 pops	BMC	BCC/BCR
Kite	Mississippi	<i>Ictinia</i>	<i>mississippiensis</i>			C	C
Kite	Snail (Everglades)	<i>Rostrhamus</i>	<i>sociabilis</i>	<i>plumbeus</i>	E	BMC	T/E
Kite	Swallow-tailed	<i>Elanoides</i>	<i>forficatus</i>			BMC	BCC/N
Kite	White-tailed	<i>Elanus</i>	<i>leucurus</i>			C	C
Kittiwake	Black-legged	<i>Rissa</i>	<i>tridactyla</i>			C	C
Kittiwake	Red-legged	<i>Rissa</i>	<i>brevirostris</i>			BMC	BCC/N
Knot	Red	<i>Calidris</i>	<i>canutus</i>			BMC	BCC/N
Lark	Horned	<i>Eremophila</i>	<i>alpestris</i>	<i>strigata</i>		BMC	BCC/BCR
Lark	Horned	<i>Eremophila</i>	<i>alpestris</i>		CA pops only (except C strigata ssp)		C/N
Lark	Horned	<i>Eremophila</i>	<i>alpestris</i>		except CA pops & strigata ssp	C	C
Limpkin		<i>Aramus</i>	<i>guarauna</i>			BMC	BCC/N
Lizard-Cuckoo	Puerto Rican	<i>Saurothera</i>	<i>vielloti</i>			C	C
Longspur	Chestnut-collared	<i>Calcarius</i>	<i>ornatus</i>			BMC	BCC/N
Longspur	Lapland	<i>Calcarius</i>	<i>lapponicus</i>			C	C
Longspur	McCown's	<i>Calcarius</i>	<i>mccownii</i>			BMC	BCC/N
Longspur	Smith's	<i>Calcarius</i>	<i>pictus</i>			BMC	BCC/N
Loon	Arctic	<i>Gavia</i>	<i>arctica</i>			C	C
Loon	Common	<i>Gavia</i>	<i>immer</i>			C	C
Loon	Pacific	<i>Gavia</i>	<i>pacifica</i>			C	C
Loon	Red-throated	<i>Gavia</i>	<i>stellata</i>		BCR 2 pop only	BMC	BCC/BCR
Loon	Red-throated	<i>Gavia</i>	<i>stellata</i>			C	C
Loon	Yellow-billed	<i>Gavia</i>	<i>adamsii</i>			BMC	BCC/N
Magpie	Black-billed	<i>Pica</i>	<i>hudsonia</i>			C	C
Magpie	Yellow-billed	<i>Pica</i>	<i>nuttallii</i>			C	C
Mallard		<i>Anas</i>	<i>platyrhynchos</i>			BMC	GBBDC
Mango	Antillean	<i>Anthracothorax</i>	<i>dominicus</i>			C	C
Mango	Green	<i>Anthracothorax</i>	<i>viridis</i>			C	C
Martin	Caribbean	<i>Progne</i>	<i>dominicensis</i>			C	C
Martin	Purple	<i>Progne</i>	<i>subis</i>			C	C
Meadowlark	Eastern	<i>Sturnella</i>	<i>magna</i>			C	C
Meadowlark	Western	<i>Sturnella</i>	<i>neglecta</i>			C	C
Merganser	Common	<i>Mergus</i>	<i>merganser</i>			BMC	GBADC
Merganser	Hooded	<i>Lophodytes</i>	<i>cucullatus</i>			BMC	GBADC
Merganser	Red-breasted	<i>Mergus</i>	<i>serrator</i>			BMC	GBADC
Merlin		<i>Falco</i>	<i>columbarius</i>			C	C
Millerbird	Nihoa	<i>Acrocephalus</i>	<i>familiaris</i>	<i>kingi</i>	E	BMC	T/E
Mockingbird	Northern	<i>Mimus</i>	<i>polyglottos</i>			C	C
Moorhen	Common	<i>Gallinula</i>	<i>chloropus</i>			BMC	GBADC
Moorhen	Common (Hawaiian)	<i>Gallinula</i>	<i>chloropus</i>	<i>sandvicensis</i>	E	BMC	T/E
Murre	Common	<i>Uria</i>	<i>aalge</i>			C	C

Murre	Thick-billed	<i>Uria</i>	<i>lomvia</i>		C	C	
Murrelet	Ancient	<i>Synthliboramphus</i>	<i>antiquus</i>	BCR 1 & 2 pops	BMC	BCC/BCR	
Murrelet	Ancient	<i>Synthliboramphus</i>	<i>antiquus</i>		C	C	
Murrelet	Craveri's	<i>Synthliboramphus</i>	<i>craveri</i>		C	C	
Murrelet	Kittlitz's	<i>Brachyramphus</i>	<i>brevirostris</i>		BMC	BCC/N	
Murrelet	Marbled	<i>Brachyramphus</i>	<i>marmoratus</i>	T (Lower 48 pops only)	BMC	T/E	
Murrelet	Marbled	<i>Brachyramphus</i>	<i>marmoratus</i>	(AK pops only)	BMC	BCC/N	
Murrelet	Xantus's	<i>Synthliboramphus</i>	<i>hypoleucus</i>		BMC	BCC/N	
Nighthawk	Antillean	<i>Chordeiles</i>	<i>gundlachii</i>		C	C	
Nighthawk	Common	<i>Chordeiles</i>	<i>minor</i>		C	C	
Nighthawk	Lesser	<i>Chordeiles</i>	<i>acutipennis</i>		C	C	
Night-Heron	Black-crowned	<i>Nycticorax</i>	<i>nycticorax</i>		C	C	
Night-Heron	Yellow-crowned	<i>Nyctanassa</i>	<i>violacea</i>		C	C	
Nightjar	Buff-collared	<i>Caprimulgus</i>	<i>ridgwayi</i>		C	C	
Nightjar	Puerto Rican	<i>Caprimulgus</i>	<i>noctitherus</i>	E	BMC	T/E	
Noddy	Black	<i>Anous</i>	<i>minutus</i>		C	C	
Noddy	Blue-gray	<i>Procelsterna</i>	<i>cerulea</i>	Region 1(b&c)	BMC	BCC/R	
Noddy	Brown	<i>Anous</i>	<i>stolidus</i>		C	C	
Noddy	Lesser	<i>Anous</i>	<i>tenuirostris</i>		C	C	
Nutcracker	Clark's	<i>Nucifraga</i>	<i>columbiana</i>		C	C	
Nuthatch	Brown-headed	<i>Sitta</i>	<i>pusilla</i>		BMC	BCC/N	
Nuthatch	Pygmy	<i>Sitta</i>	<i>pygmaea</i>		C	C	
Nuthatch	Red-breasted	<i>Sitta</i>	<i>canadensis</i>		C	C	
Nuthatch	White-breasted	<i>Sitta</i>	<i>carolinensis</i>		C	C	
Omao		<i>Myadestes</i>	<i>obscurus</i>		BMC	BCC/N	
Oriole	Altamira	<i>Icterus</i>	<i>gularis</i>	Region 2	BMC	BCC/R	
Oriole	Audubon's	<i>Icterus</i>	<i>graduacauda</i>	Region 2	BMC	BCC/R	
Oriole	Baltimore	<i>Icterus</i>	<i>galbula</i>	BCR 30 pop only	BMC	BCC/BCR	
Oriole	Baltimore	<i>Icterus</i>	<i>galbula</i>		C	C	
Oriole	Bullock's	<i>Icterus</i>	<i>bullockii</i>		C	C	
Oriole	Greater Antillean	<i>Icterus</i>	<i>dominicensis</i>	Region 4(b)	BMC	BCC/R	
Oriole	Hooded	<i>Icterus</i>	<i>cucullatus</i>	<i>cucullatus</i>	Region 2	BMC	BCC/R
Oriole	Hooded	<i>Icterus</i>	<i>cucullatus</i>	<i>sennetti</i>	Region 2	BMC	BCC/R
Oriole	Orchard	<i>Icterus</i>	<i>spurius</i>	BCR 20, 22, 25, 26, & 27 pops only	BMC	BCC/BCR	
Oriole	Orchard	<i>Icterus</i>	<i>spurius</i>		C	C	
Oriole	Scott's	<i>Icterus</i>	<i>parisorum</i>		C	C	
Osprey		<i>Pandion</i>	<i>haliaetus</i>		C	C	
Ovenbird		<i>Seiurus</i>	<i>aurocapillus</i>		C	C	
Owl	Barn	<i>Tyto</i>	<i>alba</i>		C	C	
Owl	Barred	<i>Strix</i>	<i>varia</i>		C	C	
Owl	Boreal	<i>Aegolius</i>	<i>funereus</i>		C	C	
Owl	Burrowing	<i>Athene</i>	<i>cunicularia</i>		BMC	BCC/N	
Owl	Elf	<i>Micrathene</i>	<i>whitneyi</i>	Region 2	BMC	BCC/R	
Owl	Flammulated	<i>Otus</i>	<i>flammeolus</i>		BMC	BCC/N	
Owl	Great Gray	<i>Strix</i>	<i>nebulosa</i>		C	C	

Owl	Great Horned	<i>Bubo</i>	<i>virginianus</i>			C	C
Owl	Long-eared	<i>Asio</i>	<i>otus</i>	<i>wilsonianus</i>	BCR 23 pop only	BMC	BCC/BCR
Owl	Long-eared	<i>Asio</i>	<i>otus</i>			C	C
Owl	Northern Hawk	<i>Surnia</i>	<i>ulula</i>			C	C
Owl	Northern Saw-whet	<i>Aegolius</i>	<i>acadicus</i>		BCR 28 (breeding) pop only	BMC	BCC/BCR
Owl	Northern Saw-whet	<i>Aegolius</i>	<i>acadicus</i>			C	C
Owl	Short-eared	<i>Asio</i>	<i>flammeus</i>	<i>flammeus</i>		BMC	BCC/N
Owl	Short-eared	<i>Asio</i>	<i>flammeus</i>		except flammeus ssp	C	C
Owl	Snowy	<i>Nyctea</i>	<i>scandiaca</i>			C	C
Owl	Spotted	<i>Strix</i>	<i>occidentalis</i>	<i>occidentalis</i>	BCRs 15 & 32	BMC	BCC/BCR
Owl	Spotted	<i>Strix</i>	<i>occidentalis</i>		occidentalis ssp only	C	C
Owl	Spotted (Mexican)	<i>Strix</i>	<i>occidentalis</i>	<i>lucida</i>	T	BMC	T/E
Owl	Spotted (Northern)	<i>Strix</i>	<i>occidentalis</i>	<i>caurina</i>	T	BMC	T/E
Oystercatcher	American	<i>Haematopus</i>	<i>palliatius</i>			BMC	BCC/N
Oystercatcher	Black	<i>Haematopus</i>	<i>bachmani</i>			BMC	BCC/N
Palm-Swift	Antillean	<i>Tachornis</i>	<i>phoenicobia</i>			C	C
Parula	Northern	<i>Parula</i>	<i>americana</i>		BCR 26 & 27 pops only	BMC	BCC/BCR
Parula	Northern	<i>Parula</i>	<i>americana</i>			C	C
Parula	Tropical	<i>Parula</i>	<i>ptiayumi</i>		Region 2	BMC	BCC/R
Pauraque	Common	<i>Nyctidromus</i>	<i>albicollis</i>			C	C
Pelican	American White	<i>Pelecanus</i>	<i>erythrorhynchos</i>		BCR 26 pop only	BMC	BCC/BCR
Pelican	American White	<i>Pelecanus</i>	<i>erythrorhynchos</i>			C	C
Pelican	Brown	<i>Pelecanus</i>	<i>occidentalis</i>		E (except Atlantic Coast, FL, & AL pops)	BMC	T/E
Pelican	Brown	<i>Pelecanus</i>	<i>occidentalis</i>		Atlantic Coast, FL, & AL pops only	C	C
Petrel	Black-capped	<i>Pterodroma</i>	<i>hasitata</i>			BMC	BCC/N
Petrel	Bonin	<i>Pterodroma</i>	<i>hypoleuca</i>			C	C
Petrel	Bulwer's	<i>Bulweria</i>	<i>bulwerii</i>			C	C
Petrel	Cook's	<i>Pterodroma</i>	<i>cookii</i>			C	C
Petrel	Dark-rumped (=Hawaiian)	<i>Pterodroma</i>	<i>sandwichensis</i>		E	BMC	T/E
Petrel	Herald	<i>Pterodroma</i>	<i>arminjoniana</i>		BCR 68	BMC	BCC/BCR
Pewee	Greater	<i>Contopus</i>	<i>pertinax</i>		Region 2	BMC	BCC/R
Pewee	Lesser Antillean	<i>Contopus</i>	<i>latirostris</i>		Region 4(b)	BMC	BCC/R
Phainopepla		<i>Phainopepla</i>	<i>nitens</i>			C	C
Phalarope	Red	<i>Phalaropus</i>	<i>fulicaria</i>			C	C
Phalarope	Red-necked	<i>Phalaropus</i>	<i>lobatus</i>			C	C
Phalarope	Wilson's	<i>Phalaropus</i>	<i>tricolor</i>			BMC	BCC/N
Phoebe	Black	<i>Sayornis</i>	<i>nigricans</i>			C	C
Phoebe	Eastern	<i>Sayornis</i>	<i>phoebe</i>			C	C
Phoebe	Say's	<i>Sayornis</i>	<i>saya</i>			C	C
Pigeon	Band-tailed	<i>Columba</i>	<i>fasciata</i>			BMC	GBBDC
Pigeon	Plain (Puerto Rican)	<i>Columba</i>	<i>inornata</i>	<i>wetmorei</i>	E	BMC	T/E

Pigeon	Red-billed	<i>Columba</i>	<i>flavirostris</i>		Region 2	BMC	BCC/R
Pigeon	Scaly-naped	<i>Columba</i>	<i>squamosa</i>			BMC	GBADC
Pigeon	White-crowned	<i>Columba</i>	<i>leucocephala</i>		Region 4(a&b)	BMC	BCC/R
Pigeon	White-crowned	<i>Columba</i>	<i>leucocephala</i>			BMC	GBADC
Pintail	Northern	<i>Anas</i>	<i>acuta</i>			BMC	GBBDC
Pintail	White-cheeked	<i>Anas</i>	<i>bahamensis</i>		Region 4(b)	BMC	BCC/R
Pipit	American	<i>Anthus</i>	<i>rubescens</i>			C	C
Pipit	Red-throated	<i>Anthus</i>	<i>cervinus</i>			C	C
Pipit	Sprague's	<i>Anthus</i>	<i>spragueii</i>			BMC	BCC/N
Plover	Black-bellied	<i>Pluvialis</i>	<i>squatarola</i>			C	C
Plover	Mongolian	<i>Charadrius</i>	<i>mongolus</i>			C	C
Plover	Mountain	<i>Charadrius</i>	<i>montanus</i>			BMC	BCC/N
Plover	Piping	<i>Charadrius</i>	<i>melodus</i>		E (Great Lakes watershed pops of IL, IN, MI, MN, NY, OH, PA, & OH)	BMC	T/E
Plover	Piping	<i>Charadrius</i>	<i>melodus</i>		T (all other pops)	BMC	T/E
Plover	Semipalmated	<i>Charadrius</i>	<i>semipalmatus</i>			C	C
Plover	Snowy	<i>Charadrius</i>	<i>alexandrinus</i>	(except <i>nivosus</i> ssp)		BMC	BCC/N
Plover	Snowy (Western)	<i>Charadrius</i>	<i>alexandrinus</i>	<i>nivosus</i>	T	BMC	T/E
Plover	Wilson's	<i>Charadrius</i>	<i>wilsonia</i>			BMC	BCC/N
Poorwill	Common	<i>Phalaenoptilus</i>	<i>nuttallii</i>			C	C
Puffin	Atlantic	<i>Fratercula</i>	<i>arctica</i>			C	C
Puffin	Horned	<i>Fratercula</i>	<i>corniculata</i>			C	C
Puffin	Tufted	<i>Fratercula</i>	<i>cirrhata</i>			C	C
Pygmy-Owl	Ferruginous	<i>Glaucidium</i>	<i>brasilianum</i>	<i>ridgwayi</i>	Region 2	BMC	BCC/R
Pygmy-Owl	Ferruginous (Cactus)	<i>Glaucidium</i>	<i>brasilianum</i>	<i>cactorum</i>	E	BMC	T/E
Pygmy-Owl	Northern	<i>Glaucidium</i>	<i>gnoma</i>			C	C
Pyrrhuloxia		<i>Cardinalis</i>	<i>sinuatus</i>	<i>fulvescens</i>	BCR 36 pop only	BMC	BCC/BCR
Pyrrhuloxia		<i>Cardinalis</i>	<i>sinuatus</i>			C	C
Quail-Dove	Bridled	<i>Geotrygon</i>	<i>mystacea</i>		Region 4(b)	BMC	BCC/R
Quail-Dove	Key West	<i>Geotrygon</i>	<i>chrysia</i>		Region 4(b)	BMC	BCC/R
Quail-Dove	Ruddy	<i>Geotrygon</i>	<i>montana</i>			C	C
Quetzal	Eared	<i>Euptilotis</i>	<i>neoxenus</i>			C	C
Rail	Black	<i>Laterallus</i>	<i>jamaicensis</i>			BMC	BCC/N
Rail	Clapper	<i>Rallus</i>	<i>longirostris</i>	(except <i>lepipes</i> , <i>obsoletus</i> , and <i>yumanensis</i>)		BMC	GBADC
Rail	Clapper (California)	<i>Rallus</i>	<i>longirostris</i>	<i>obsoletus</i>	E	BMC	T/E
Rail	Clapper (Light-footed)	<i>Rallus</i>	<i>longirostris</i>	<i>levipes</i>	E	BMC	T/E
Rail	Clapper (Yuma)	<i>Rallus</i>	<i>longirostris</i>	<i>yumanensis</i>	E	BMC	T/E
Rail	King	<i>Rallus</i>	<i>elegans</i>			BMC	GBBDC
Rail	Virginia	<i>Rallus</i>	<i>limicola</i>			BMC	GBADC
Rail	Yellow	<i>Coturnicops</i>	<i>noveboracensis</i>			BMC	BCC/N
Raven	Chihuahuan	<i>Corvus</i>	<i>cryptoleucus</i>			C	C
Raven	Common	<i>Corvus</i>	<i>corax</i>			C	C

Razorbill		<i>Alca</i>	<i>torda</i>		BMC	BCC/N
Redhead		<i>Aythya</i>	<i>americana</i>		BMC	GBBDC
Redpoll	Common	<i>Carduelis</i>	<i>flammea</i>		C	C
Redpoll	Hoary	<i>Carduelis</i>	<i>hornemanni</i>		C	C
Redstart	American	<i>Setophaga</i>	<i>ruticilla</i>		C	C
Redstart	Painted	<i>Myioborus</i>	<i>pictus</i>		C	C
Roadrunner	Greater	<i>Geococcyx</i>	<i>californianus</i>		C	C
Robin	American	<i>Turdus</i>	<i>migratorius</i>		C	C
Rosy-Finch	Black	<i>Leucosticte</i>	<i>atrata</i>		C	C
Rosy-Finch	Brown-capped	<i>Leucosticte</i>	<i>australis</i>		C	C
Rosy-Finch	Gray-crowned	<i>Leucosticte</i>	<i>tephrocotis</i>		C	C
Ruff		<i>Philomachus</i>	<i>pugnax</i>		C	C
Sanderling		<i>Calidris</i>	<i>alba</i>	BCR 9, 10, 11, & 17 pops only	BMC	BCC/BCR
Sanderling		<i>Calidris</i>	<i>alba</i>		C	C
Sandpiper	Baird's	<i>Calidris</i>	<i>bairdii</i>		C	C
Sandpiper	Buff-breasted	<i>Tryngites</i>	<i>subruficollis</i>		BMC	BCC/N
Sandpiper	Curlew	<i>Calidris</i>	<i>ferruginea</i>		C	C
Sandpiper	Least	<i>Calidris</i>	<i>minutilla</i>		C	C
Sandpiper	Pectoral	<i>Calidris</i>	<i>melanotos</i>		C	C
Sandpiper	Purple	<i>Calidris</i>	<i>maritima</i>	Region 5	BMC	BCC/R
Sandpiper	Rock	<i>Calidris</i>	<i>pitlocnemis</i>		BMC	BCC/N
Sandpiper	Semipalmated	<i>Calidris</i>	<i>pusilla</i>	Puerto Rican pop only	BMC	BCC/R
Sandpiper	Semipalmated	<i>Calidris</i>	<i>pusilla</i>	except Puerto Rican pop	C	C
Sandpiper	Sharp-tailed	<i>Calidris</i>	<i>acuminata</i>		C	C
Sandpiper	Solitary	<i>Tringa</i>	<i>solitaria</i>		BMC	BCC/N
Sandpiper	Spotted	<i>Actitis</i>	<i>macularia</i>		C	C
Sandpiper	Stilt	<i>Calidris</i>	<i>himantopus</i>		BMC	BCC/N
Sandpiper	Upland	<i>Bartramia</i>	<i>longicauda</i>		BMC	BCC/N
Sandpiper	Western	<i>Calidris</i>	<i>mauri</i>		C	C
Sandpiper	White-rumped	<i>Calidris</i>	<i>fuscicollis</i>	BCR 11 pop only	BMC	BCC/BCR
Sandpiper	White-rumped	<i>Calidris</i>	<i>fuscicollis</i>		C	C
Sandpiper	Wood	<i>Tringa</i>	<i>glareola</i>		C	C
Sapsucker	Red-breasted	<i>Sphyrapicus</i>	<i>ruber</i>		C	C
Sapsucker	Red-naped	<i>Sphyrapicus</i>	<i>nuchalis</i>		BMC	BCC/N
Sapsucker	Williamson's	<i>Sphyrapicus</i>	<i>thyroideus</i>		BMC	BCC/N
Sapsucker	Yellow-bellied	<i>Sphyrapicus</i>	<i>varius</i>	BCR 28 (breeding) pop only	BMC	BCC/BCR
Sapsucker	Yellow-bellied	<i>Sphyrapicus</i>	<i>varius</i>		C	C
Scaup	Greater	<i>Aythya</i>	<i>marila</i>		BMC	GBBDC
Scaup	Lesser	<i>Aythya</i>	<i>affinis</i>		BMC	GBBDC
Scoter	Black	<i>Melanitta</i>	<i>nigra</i>	<i>americana</i> Atlantic pop	BMC	GBADC
Scoter	Black	<i>Melanitta</i>	<i>nigra</i>	<i>americana</i> Pacific pop	BMC	GBADC
Scoter	Surf	<i>Melanitta</i>	<i>perspicillata</i>		BMC	GBADC
Scoter	White-winged	<i>Melanitta</i>	<i>fusca</i>		BMC	GBADC

Screech-Owl	Eastern	<i>Otus</i>	<i>asio</i>		C	C
Screech-Owl	Puerto Rican	<i>Otus</i>	<i>nudipes</i>		C	C
Screech-Owl	Western	<i>Otus</i>	<i>kennicottii</i>		C	C
Screech-Owl	Whiskered	<i>Otus</i>	<i>trichopsis</i>	Region 2	BMC	BCC/R
Scrub-Jay	Florida	<i>Aphelocoma</i>	<i>coerulescens</i>	T	BMC	T/E
Scrub-Jay	Island	<i>Aphelocoma</i>	<i>insularis</i>		BMC	BCC/N
Scrub-Jay	Western	<i>Aphelocoma</i>	<i>californica</i>	OR & WA pops only	C	C/N
Scrub-Jay	Western	<i>Aphelocoma</i>	<i>californica</i>	except OR & WA pops	C	C
Shearwater	Audubon's	<i>Puffinus</i>	<i>lherminieri</i>	Region 4(a&b)	BMC	BCC/R
Shearwater	Black-vented	<i>Puffinus</i>	<i>opisthomelas</i>		C	C
Shearwater	Buller's	<i>Puffinus</i>	<i>bulleri</i>		C	C
Shearwater	Christmas	<i>Puffinus</i>	<i>nativitatis</i>	BCRs 67 & 68	BMC	BCC/BCR
Shearwater	Christmas	<i>Puffinus</i>	<i>nativitatis</i>		C	C
Shearwater	Cory's	<i>Calonectris</i>	<i>diomedea</i>		C	C
Shearwater	Flesh-footed	<i>Puffinus</i>	<i>carneipes</i>		C	C
Shearwater	Greater	<i>Puffinus</i>	<i>gravis</i>		C	C
Shearwater	Manx	<i>Puffinus</i>	<i>puffinus</i>		C	C
Shearwater	Pink-footed	<i>Puffinus</i>	<i>creatopus</i>		C	C
Shearwater	Short-tailed	<i>Puffinus</i>	<i>tenuirostris</i>		C	C
Shearwater	Sooty	<i>Puffinus</i>	<i>griseus</i>		C	C
Shearwater	Townsend's (Newell's)	<i>Puffinus</i>	<i>auricularis</i>	<i>newelli</i> T	BMC	T/E
Shearwater	Wedge-tailed	<i>Puffinus</i>	<i>pacificus</i>		C	C
Shoveler	Northern	<i>Anas</i>	<i>clypeata</i>		BMC	GBADC
Shrike	Loggerhead	<i>Lanius</i>	<i>ludovicianus</i>		BMC	BCC/N
Shrike	Loggerhead (San Clemente)	<i>Lanius</i>	<i>ludovicianus</i>	<i>mearnsi</i> E	BMC	T/E
Shrike	Northern	<i>Lanius</i>	<i>excubitor</i>		C	C
Siskin	Pine	<i>Carduelis</i>	<i>pinus</i>		C	C
Skimmer	Black	<i>Rynchops</i>	<i>niger</i>		BMC	BCC/N
Snipe	Wilson's	<i>Gallinago</i>	<i>delicata</i>		BMC	GBADC
Solitaire	Townsend's	<i>Myadestes</i>	<i>townsendi</i>		C	C
Sora		<i>Porzana</i>	<i>carolina</i>		BMC	GBADC
Sparrow	American Tree	<i>Spizella</i>	<i>arborea</i>		C	C
Sparrow	Bachman's	<i>Aimophila</i>	<i>aestivalis</i>		BMC	BCC/N
Sparrow	Baird's	<i>Ammodramus</i>	<i>bairdii</i>		BMC	BCC/N
Sparrow	Black-chinned	<i>Spizella</i>	<i>atrogularis</i>	<i>evura</i>	BMC	BCC/N
Sparrow	Black-chinned	<i>Spizella</i>	<i>atrogularis</i>	except <i>evura</i> ssp	C	C
Sparrow	Black-throated	<i>Amphispiza</i>	<i>bilineata</i>		C	C
Sparrow	Botteri's	<i>Aimophila</i>	<i>botterii</i>	<i>arizonae</i> Region 2	BMC	BCC/R
Sparrow	Botteri's	<i>Aimophila</i>	<i>botterii</i>	<i>texana</i> Region 2	BMC	BCC/R
Sparrow	Brewer's	<i>Spizella</i>	<i>breweri</i>		BMC	BCC/N
Sparrow	Cassin's	<i>Aimophila</i>	<i>cassinii</i>		BMC	BCC/N
Sparrow	Chipping	<i>Spizella</i>	<i>passerina</i>		C	C
Sparrow	Clay-colored	<i>Spizella</i>	<i>pallida</i>		C	C
Sparrow	Field	<i>Spizella</i>	<i>pusilla</i>	<i>arenacea</i> BCR 20, 21, & 22 pops only	BMC	BCC/BCR

Sparrow	Field	<i>Spizella</i>	<i>pusilla</i>			C	C
Sparrow	Five-striped	<i>Aimophila</i>	<i>quinquestrata</i>			C	C
Sparrow	Fox	<i>Passerella</i>	<i>iliacus</i>			C	C
Sparrow	Golden-crowned	<i>Zonotrichia</i>	<i>atricapilla</i>		CA pops only	C	C/N
Sparrow	Golden-crowned	<i>Zonotrichia</i>	<i>atricapilla</i>		except CA pops	C	C
Sparrow	Grasshopper	<i>Ammodramus</i>	<i>savannarum</i>			BMC	BCC/N
Sparrow	Grasshopper (Florida)	<i>Ammodramus</i>	<i>savannarum</i>	<i>floridanus</i>	E	BMC	T/E
Sparrow	Harris's	<i>Zonotrichia</i>	<i>querula</i>			BMC	BCC/N
Sparrow	Henslow's	<i>Ammodramus</i>	<i>henslowii</i>			BMC	BCC/N
Sparrow	Lark	<i>Chondestes</i>	<i>grammacus</i>			C	C
Sparrow	Le Conte's	<i>Ammodramus</i>	<i>leconteii</i>			BMC	BCC/N
Sparrow	Lincoln's	<i>Melospiza</i>	<i>lincolni</i>			C	C
Sparrow	Nelson's Sharp-tailed	<i>Ammodramus</i>	<i>nelsoni</i>			BMC	BCC/N
Sparrow	Olive	<i>Arremonops</i>	<i>rufivirgatus</i>			C	C
Sparrow	Rufous-crowned	<i>Aimophila</i>	<i>ruficeps</i>	<i>eremoeca</i>	BCR 20 pop only	BMC	BCC/BCR
Sparrow	Rufous-crowned	<i>Aimophila</i>	<i>ruficeps</i>			C	C
Sparrow	Rufous-winged	<i>Aimophila</i>	<i>carpalis</i>			BMC	BCC/N
Sparrow	Sage	<i>Amphispiza</i>	<i>belli</i>	<i>nevadensis</i>	Region 2 pop only	BMC	BCC/R
Sparrow	Sage	<i>Amphispiza</i>	<i>belli</i>		except clementeae ssp & nevada spp (Region 2 only)	C	C
Sparrow	Sage (San Clemente)	<i>Amphispiza</i>	<i>belli</i>	<i>clementeae</i>	T	BMC	T/E
Sparrow	Saltmarsh Sharp-tailed	<i>Ammodramus</i>	<i>caudacutus</i>			BMC	BCC/N
Sparrow	Savannah	<i>Passerculus</i>	<i>sandwichensis</i>			C	C
Sparrow	Seaside	<i>Ammodramus</i>	<i>maritimus</i>			BMC	BCC/N
Sparrow	Seaside (Cape Sable)	<i>Ammodramus</i>	<i>maritimus</i>	<i>mirabilis</i>	E	BMC	T/E
Sparrow	Song	<i>Melospiza</i>	<i>melodia</i>	<i>graminea</i>	BCR 32	BMC	BCC/BCR
Sparrow	Song	<i>Melospiza</i>	<i>melodia</i>	<i>maxillaris</i>	BCR 32	BMC	BCC/BCR
Sparrow	Song	<i>Melospiza</i>	<i>melodia</i>	<i>pusillula</i>	BCR 32	BMC	BCC/BCR
Sparrow	Song	<i>Melospiza</i>	<i>melodia</i>	<i>samuelis</i>	BCR 32	BMC	BCC/BCR
Sparrow	Song	<i>Melospiza</i>	<i>melodia</i>			C	C
Sparrow	Swamp	<i>Melospiza</i>	<i>georgiana</i>			C	C
Sparrow	Vesper	<i>Pooecetes</i>	<i>gramineus</i>	<i>affinis</i>	BCR 5	BMC	BCC/BCR
Sparrow	Vesper	<i>Pooecetes</i>	<i>gramineus</i>			C	C
Sparrow	White-crowned	<i>Zonotrichia</i>	<i>leucophrys</i>		CA pops only	C	C/N
Sparrow	White-crowned	<i>Zonotrichia</i>	<i>leucophrys</i>		except CA pops	C	C
Sparrow	White-throated	<i>Zonotrichia</i>	<i>albicollis</i>			C	C
Spindalis	Puerto Rican	<i>Spindalis</i>	<i>portoricensis</i>			C	C
Spoonbill	Roseate	<i>Ajaia</i>	<i>ajaja</i>			C	C
Stilt	Black-necked	<i>Himantopus</i>	<i>mexicanus</i>	<i>knudseni</i>	E	BMC	T/E
Stilt	Black-necked	<i>Himantopus</i>	<i>mexicanus</i>		except knudseni ssp	C	C
Stint	Red-necked	<i>Calidris</i>	<i>ruficollis</i>			C	C
Stork	Wood	<i>Mycteria</i>	<i>americana</i>		E	BMC	T/E
Storm-Petrel	Ashy	<i>Oceanodroma</i>	<i>homochroa</i>			BMC	BCC/N
Storm-Petrel	Band-rumped	<i>Oceanodroma</i>	<i>castro</i>			BMC	BCC/N
Storm-Petrel	Black	<i>Oceanodroma</i>	<i>melania</i>			C	C

Storm-Petrel	Fork-tailed	<i>Oceanodroma</i>	<i>furcata</i>		C	C
Storm-Petrel	Leach's	<i>Oceanodroma</i>	<i>leucorhoa</i>		C	C
Storm-Petrel	Least	<i>Oceanodroma</i>	<i>microsoma</i>		C	C
Storm-Petrel	Tristram's	<i>Oceanodroma</i>	<i>tristrami</i>	Region 1(b)	BMC	BCC/R
Storm-Petrel	Wedge-rumped	<i>Oceanodroma</i>	<i>tethys</i>		C	C
Storm-Petrel	Wilson's	<i>Oceanites</i>	<i>oceanicus</i>		C	C
Surfbird		<i>Aphriza</i>	<i>virgata</i>		BMC	BCC/N
Swallow	Bahama	<i>Tachycineta</i>	<i>cyaneoviridis</i>		C	C
Swallow	Bank	<i>Riparia</i>	<i>riparia</i>		C	C
Swallow	Barn	<i>Hirundo</i>	<i>rustica</i>		C	C
Swallow	Cave	<i>Petrochelidon</i>	<i>fulva</i>		C	C
Swallow	Cliff	<i>Petrochelidon</i>	<i>pyrrhonota</i>		C	C
Swallow	Northern Rough-winged	<i>Stelgidopteryx</i>	<i>serripennis</i>		C	C
Swallow	Tree	<i>Tachycineta</i>	<i>bicolor</i>		C	C
Swallow	Violet-green	<i>Tachycineta</i>	<i>thalassina</i>		C	C
Swan	Mute	<i>Cygnus</i>	<i>olor</i>		OA	OA
Swan	Trumpeter	<i>Cygnus</i>	<i>buccinator</i>	Rocky Mountain pop	BMC	GBBDC
Swan	Trumpeter	<i>Cygnus</i>	<i>buccinator</i>	Interior pop	BMC	GBBDC
Swan	Tundra	<i>Cygnus</i>	<i>columbianus</i>	Eastern pop	BMC	GBADC
Swan	Tundra	<i>Cygnus</i>	<i>columbianus</i>	Western pop	BMC	GBADC
Swan	Whooper	<i>Cygnus</i>	<i>cygnus</i>		C	C
Swift	Black	<i>Cypseloides</i>	<i>niger</i>		BMC	BCC/N
Swift	Chimney	<i>Chaetura</i>	<i>pelagica</i>		C	C
Swift	Common	<i>Apus</i>	<i>apus</i>		C	C
Swift	Fork-tailed	<i>Apus</i>	<i>pacificus</i>		C	C
Swift	Vaux's	<i>Chaetura</i>	<i>vauxi</i>		C	C
Swift	White-throated	<i>Aeronautes</i>	<i>saxatalis</i>		C	C
Tanager	Hepatic	<i>Piranga</i>	<i>flava</i>		C	C
Tanager	Puerto Rican	<i>Nesospingus</i>	<i>speculiferus</i>		C	C
Tanager	Scarlet	<i>Piranga</i>	<i>olivacea</i>		C	C
Tanager	Summer	<i>Piranga</i>	<i>rubra</i>		C	C
Tanager	Western	<i>Piranga</i>	<i>ludoviciana</i>		C	C
Tattler	Wandering	<i>Heteroscelus</i>	<i>incanus</i>		C	C
Teal	Cinnamon	<i>Anas</i>	<i>cyanoptera</i>		BMC	GBADC
Teal	Green-winged	<i>Anas</i>	<i>carolinensis</i>	<i>carolinensis</i>	BMC	GBADC
Teal	Blue-winged	<i>Anas</i>	<i>discors</i>		BMC	GBADC
Tern	Aleutian	<i>Sterna</i>	<i>aleutica</i>		BMC	BCC/N
Tern	Arctic	<i>Sterna</i>	<i>paradisaea</i>	Region 7	BMC	BCC/R
Tern	Arctic	<i>Sterna</i>	<i>paradisaea</i>	except Region 7	C	C
Tern	Black	<i>Chlidonias</i>	<i>niger</i>	Region 3 pop only	BMC	BCC/R
Tern	Black	<i>Chlidonias</i>	<i>niger</i>	except Region 3	C	C
Tern	Bridled	<i>Sterna</i>	<i>anaethetus</i>		C	C
Tern	Caspian	<i>Sterna</i>	<i>caspia</i>	BCR 5 pop only	BMC	BCC/BCR
Tern	Caspian	<i>Sterna</i>	<i>caspia</i>	except Great Lakes pop	C	C

Tern	Common	<i>Sterna</i>	<i>hirundo</i>		Great Lakes pop only	BMC	BCC/N
Tern	Common	<i>Sterna</i>	<i>hirundo</i>			C	C
Tern	Elegant	<i>Sterna</i>	<i>elegans</i>		Region 1(a)	BMC	BCC/R
Tern	Forster's	<i>Sterna</i>	<i>forsteri</i>			C	C
Tern	Gray-backed	<i>Sterna</i>	<i>lunata</i>			C	C
Tern	Gull-billed	<i>Sterna</i>	<i>nilotica</i>	<i>arenea</i>		BMC	BCC/N
Tern	Gull-billed	<i>Sterna</i>	<i>nilotica</i>		except <i>arenea</i> ssp	C	C
Tern	Least	<i>Sterna</i>	<i>antillarum</i>	<i>antillarum</i>		BMC	BCC/N
Tern	Least	<i>Sterna</i>	<i>antillarum</i>		antillarum ssp only	C	C
Tern	Least (California)	<i>Sterna</i>	<i>antillarum</i>	<i>browni</i>	E	BMC	T/E
Tern	Least (Interior)	<i>Sterna</i>	<i>antillarum</i>	<i>athalassos</i>	E	BMC	T/E
Tern	Roseate	<i>Sterna</i>	<i>dougallii</i>	<i>dougallii</i>	E (Atlantic Coast south to NC)	BMC	T/E
Tern	Roseate	<i>Sterna</i>	<i>dougallii</i>	<i>dougallii</i>	T (FL, PR, & VI pops)	BMC	T/E
Tern	Royal	<i>Sterna</i>	<i>maxima</i>			C	C
Tern	Sandwich	<i>Sterna</i>	<i>sandvicensis</i>			C	C
Tern	Sooty	<i>Sterna</i>	<i>fuscata</i>			C	C
Tern	White	<i>Gygis</i>	<i>alba</i>			C	C
Thrasher	Bendire's	<i>Toxostoma</i>	<i>bendirei</i>			BMC	BCC/N
Thrasher	Brown	<i>Toxostoma</i>	<i>rufum</i>			C	C
Thrasher	California	<i>Toxostoma</i>	<i>redivivum</i>			C	C
Thrasher	Crissal	<i>Toxostoma</i>	<i>crissale</i>			BMC	BCC/N
Thrasher	Curve-billed	<i>Toxostoma</i>	<i>curvirostre</i>	<i>oberholseri</i>	BCR 36 pop only	BMC	BCC/BCR
Thrasher	Curve-billed	<i>Toxostoma</i>	<i>curvirostre</i>			C	C
Thrasher	Le Conte's	<i>Toxostoma</i>	<i>lecontei</i>			BMC	BCC/N
Thrasher	Long-billed	<i>Toxostoma</i>	<i>longirostre</i>			C	C
Thrasher	Pearly-eyed	<i>Margarops</i>	<i>fuscatus</i>			C	C
Thrasher	Sage	<i>Oreoscoptes</i>	<i>montanus</i>			C	C
Thrush	Bicknell's	<i>Catharus</i>	<i>bicknelli</i>			BMC	BCC/N
Thrush	Gray-cheeked	<i>Catharus</i>	<i>minimus</i>			C	C
Thrush	Hermit	<i>Catharus</i>	<i>guttatus</i>			C	C
Thrush	Large Kauai (=Kamao)	<i>Myadestes</i>	<i>myadestinus</i>		E	BMC	T/E
Thrush	Molokai (=Olomao)	<i>Myadestes</i>	<i>lanaiensis</i>	<i>rutha</i>	E	BMC	T/E
Thrush	Red-legged	<i>Turdus</i>	<i>plumbeus</i>			C	C
Thrush	Small Kauai (=Puaiohi)	<i>Myadestes</i>	<i>palmeri</i>		E	BMC	T/E
Thrush	Swainson's	<i>Catharus</i>	<i>ustulatus</i>			C	C
Thrush	Varied	<i>Ixoreus</i>	<i>naevius</i>			C	C
Thrush	Wood	<i>Hylocichla</i>	<i>mustelina</i>			BMC	BCC/N
Titmouse	Bridled	<i>Baeolophus</i>	<i>wollweberi</i>			C	C
Titmouse	Juniper	<i>Baeolophus</i>	<i>griseus</i>			C	C
Titmouse	Oak	<i>Baeolophus</i>	<i>inornatus</i>			C	C
Titmouse	Tufted	<i>Baeolophus</i>	<i>bicolor</i>			C	C
Towhee	Abert's	<i>Pipilo</i>	<i>aberti</i>			C	C
Towhee	California	<i>Pipilo</i>	<i>crissalis</i>		except <i>eremophilus</i> ssp	C	C

Towhee	California (Inyo)	<i>Pipilo</i>	<i>crissalis</i>	<i>eremophilus</i>	T	BMC	T/E
Towhee	Canyon	<i>Pipilo</i>	<i>fuscus</i>			C	C
Towhee	Eastern	<i>Pipilo</i>	<i>erythrophthalmus</i>			C	C
Towhee	Green-tailed	<i>Pipilo</i>	<i>chlorurus</i>			C	C
Towhee	Spotted	<i>Pipilo</i>	<i>maculatus</i>	<i>clementae</i>	BCR 32	BMC	BCC/BCR
Towhee	Spotted	<i>Pipilo</i>	<i>maculatus</i>			C	C
Trogon	Elegant	<i>Trogon</i>	<i>elegans</i>		Region 2	BMC	BCC/R
Tropicbird	Red-billed	<i>Phaethon</i>	<i>aethereus</i>		Puerto Rican pop only	BMC	BCC/R
Tropicbird	Red-billed	<i>Phaethon</i>	<i>aethereus</i>		except Puerto Rican pop	C	C
Tropicbird	Red-tailed	<i>Phaethon</i>	<i>rubricauda</i>			C	C
Tropicbird	White-tailed	<i>Phaethon</i>	<i>lepturus</i>	<i>catesbyi</i>	Region 4(b)	BMC	BCC/R
Tropicbird	White-tailed	<i>Phaethon</i>	<i>lepturus</i>		except Region 4(b) pop	C	C
Turnstone	Black	<i>Arenaria</i>	<i>melanocephala</i>			BMC	BCC/N
Turnstone	Ruddy	<i>Arenaria</i>	<i>interpres</i>			C	C
Veery		<i>Catharus</i>	<i>fuscescens</i>			C	C
Verdin		<i>Auriparus</i>	<i>flaviceps</i>	<i>ornatus</i>	BCR 36 pop only	BMC	BCC/BCR
Verdin		<i>Auriparus</i>	<i>flaviceps</i>			C	C
Vireo	Bell's	<i>Vireo</i>	<i>belli</i>			BMC	BCC/N
Vireo	Bell's (Least)	<i>Vireo</i>	<i>belli</i>	<i>pusillus</i>	E	BMC	T/E
Vireo	Black-capped	<i>Vireo</i>	<i>atricapillus</i>		E	BMC	T/E
Vireo	Black-whiskered	<i>Vireo</i>	<i>altiloquus</i>	<i>barbatulus</i>	Region 4(a)	BMC	BCC/R
Vireo	Blue-headed	<i>Vireo</i>	<i>solitarius</i>			C	C
Vireo	Cassin's	<i>Vireo</i>	<i>cassinii</i>			C	C
Vireo	Gray	<i>Vireo</i>	<i>vicinior</i>			BMC	BCC/N
Vireo	Hutton's	<i>Vireo</i>	<i>huttoni</i>			C	C
Vireo	Philadelphia	<i>Vireo</i>	<i>philadelphicus</i>			C	C
Vireo	Plumbeus	<i>Vireo</i>	<i>plumbeus</i>			C	C
Vireo	Puerto Rican	<i>Vireo</i>	<i>latimeri</i>		Region 4(b)	BMC	BCC/R
Vireo	Red-eyed	<i>Vireo</i>	<i>olivaceus</i>			C	C
Vireo	Warbling	<i>Vireo</i>	<i>gilvus</i>			C	C
Vireo	White-eyed	<i>Vireo</i>	<i>griseus</i>			C	C
Vireo	Yellow-green	<i>Vireo</i>	<i>flavoviridis</i>			C	C
Vireo	Yellow-throated	<i>Vireo</i>	<i>flavifrons</i>			C	C
Vulture	Black	<i>Coragyps</i>	<i>atratus</i>			C	C
Vulture	Turkey	<i>Cathartes</i>	<i>aura</i>			C	C
Wagtail	White	<i>Motacilla</i>	<i>alba</i>			C	C
Wagtail	Yellow	<i>Motacilla</i>	<i>flava</i>			C	C
Warbler	Adelaide's	<i>Dendroica</i>	<i>adelaidae</i>		Region 4(b)	BMC	BCC/R
Warbler	Arctic	<i>Phylloscopus</i>	<i>borealis</i>		Region 7	BMC	BCC/R
Warbler	Bachman's	<i>Vermivora</i>	<i>bachmanii</i>		E	BMC	T/E
Warbler	Bay-breasted	<i>Dendroica</i>	<i>castanea</i>		Region 5 pop only	BMC	BCC/R
Warbler	Black-and-white	<i>Mniotilta</i>	<i>varia</i>			C	C
Warbler	Blackburnian	<i>Dendroica</i>	<i>fusca</i>			C	C
Warbler	Blackpoll	<i>Dendroica</i>	<i>striata</i>		Region 7 pop only	BMC	BCC/R

Warbler	Blackpoll	<i>Dendroica</i>	<i>striata</i>		except Region 7 pop	C	C
Warbler	Black-throated Blue	<i>Dendroica</i>	<i>caerulescens</i>	<i>cairnsi</i>	Region 3 & Puerto Rican pops only	BMC	BCC/R
Warbler	Black-throated Blue	<i>Dendroica</i>	<i>caerulescens</i>		except Region 3 and Puerto Rican pops	C	C
Warbler	Black-throated Gray	<i>Dendroica</i>	<i>nigrescens</i>	<i>halseii</i>	Region 2	BMC	BCC/R
Warbler	Black-throated Gray	<i>Dendroica</i>	<i>nigrescens</i>		except Region 2 pop	C	C
Warbler	Black-throated Green	<i>Dendroica</i>	<i>virens</i>		BCR 27 pop only	BMC	BCC/BCR
Warbler	Black-throated Green	<i>Dendroica</i>	<i>virens</i>			C	C
Warbler	Blue-winged	<i>Vermivora</i>	<i>pinus</i>		Region 3 pop only	BMC	BCC/R
Warbler	Blue-winged	<i>Vermivora</i>	<i>pinus</i>		except Region 3 pop	C	C
Warbler	Canada	<i>Wilsonia</i>	<i>canadensis</i>			BMC	BCC/N
Warbler	Cape May	<i>Dendroica</i>	<i>trigrina</i>		Region 3 pop only	BMC	BCC/R
Warbler	Cape May	<i>Dendroica</i>	<i>trigrina</i>		except Region 3 pop	C	C
Warbler	Cerulean	<i>Dendroica</i>	<i>cerulea</i>			BMC	BCC/N
Warbler	Chestnut-sided	<i>Dendroica</i>	<i>pensylvanica</i>		BCR 14 pop only	BMC	BCC/BCR
Warbler	Chestnut-sided	<i>Dendroica</i>	<i>pensylvanica</i>			C	C
Warbler	Colima	<i>Vermivora</i>	<i>crissalis</i>		Region 2	BMC	BCC/R
Warbler	Connecticut	<i>Oporornis</i>	<i>agilis</i>		Region 3 pop only	BMC	BCC/R
Warbler	Elfin-woods	<i>Dendroica</i>	<i>angelai</i>			BMC	BCC/N
Warbler	Golden-cheeked	<i>Dendroica</i>	<i>chrysoparia</i>	E		BMC	T/E
Warbler	Golden-winged	<i>Vermivora</i>	<i>chrysoptera</i>			BMC	BCC/N
Warbler	Grace's	<i>Dendroica</i>	<i>graciae</i>			BMC	BCC/N
Warbler	Hermit	<i>Dendroica</i>	<i>occidentalis</i>			C	C
Warbler	Hooded	<i>Wilsonia</i>	<i>citrina</i>			C	C
Warbler	Kentucky	<i>Oporornis</i>	<i>formosus</i>			BMC	BCC/N
Warbler	Kirtland's	<i>Dendroica</i>	<i>kirtlandii</i>	E		BMC	T/E
Warbler	Lucy's	<i>Vermivora</i>	<i>luciae</i>			C	C
Warbler	MacGillivray's	<i>Oporornis</i>	<i>tolmiei</i>			C	C
Warbler	Magnolia	<i>Dendroica</i>	<i>magnolia</i>			C	C
Warbler	Mourning	<i>Oporornis</i>	<i>philadelphia</i>			C	C
Warbler	Nashville	<i>Vermivora</i>	<i>ruficapilla</i>			C	C
Warbler	Olive	<i>Peucedramus</i>	<i>taeniatus</i>		Region 2	BMC	BCC/R
Warbler	Orange-crowned	<i>Vermivora</i>	<i>celata</i>			C	C
Warbler	Palm	<i>Dendroica</i>	<i>palmarum</i>			C	C
Warbler	Pine	<i>Dendroica</i>	<i>pinus</i>			C	C
Warbler	Prairie	<i>Dendroica</i>	<i>discolor</i>			BMC	BCC/N
Warbler	Prothonotary	<i>Protonotaria</i>	<i>citrea</i>			BMC	BCC/N
Warbler	Red-faced	<i>Cardellina</i>	<i>rubrifrons</i>		Region 2	BMC	BCC/R
Warbler	Swainson's	<i>Limnothlypis</i>	<i>swainsonii</i>			BMC	BCC/N
Warbler	Tennessee	<i>Vermivora</i>	<i>peregrina</i>			C	C
Warbler	Townsend's	<i>Dendroica</i>	<i>townsendi</i>			C	C
Warbler	Virginia's	<i>Vermivora</i>	<i>virginiae</i>		Region 6 pop only	BMC	BCC/R

Warbler	Virginia's	<i>Vermivora</i>	<i>virginiae</i>		except Region 6 pop	C	C
Warbler	Wilson's	<i>Wilsonia</i>	<i>pusilla</i>			C	C
Warbler	Worm-eating	<i>Helmitheros</i>	<i>vermivorus</i>			BMC	BCC/N
Warbler	Yellow	<i>Dendroica</i>	<i>petechia</i>	<i>cruciana</i>		BMC	BCC/BCR
Warbler	Yellow	<i>Dendroica</i>	<i>petechia</i>	<i>gundlachi</i>		BMC	BCC/BCR
Warbler	Yellow	<i>Dendroica</i>	<i>petechia</i>	<i>sonorana</i>		BMC	BCC/BCR
Warbler	Yellow	<i>Dendroica</i>	<i>petechia</i>			C	C
Warbler	Yellow-rumped	<i>Dendroica</i>	<i>coronata</i>			C	C
Warbler	Yellow-throated	<i>Dendroica</i>	<i>dominica</i>	<i>albilora & dominica</i>	BCR 31 pop only	BMC	BCC/BCR
Warbler	Yellow-throated	<i>Dendroica</i>	<i>dominica</i>			C	C
Waterthrush	Louisiana	<i>Seiurus</i>	<i>motacilla</i>			BMC	BCC/N
Waterthrush	Northern	<i>Seiurus</i>	<i>noveboracensis</i>		Puerto Rican pop only	BMC	BCC/R
Waterthrush	Northern	<i>Seiurus</i>	<i>noveboracensis</i>		except Puerto Rican pop	C	C
Waxwing	Bohemian	<i>Bombycilla</i>	<i>garrulus</i>			C	C
Waxwing	Cedar	<i>Bombycilla</i>	<i>cedrorum</i>			C	C
Whimbrel		<i>Numenius</i>	<i>phaeopus</i>			BMC	BCC/N
Whip-poor-will		<i>Caprimulgus</i>	<i>vociferus</i>	<i>vociferus</i>		BMC	BCC/N
Whip-poor-will		<i>Caprimulgus</i>	<i>vociferus</i>		except <i>vociferus</i> ssp	C	C
Whistling-Duck	Black-bellied	<i>Dendrocygna</i>	<i>autumnalis</i>			BMC	GBADC
Whistling-Duck	Fulvous	<i>Dendrocygna</i>	<i>bicolor</i>			BMC	GBADC
Whistling-Duck	West Indian	<i>Dendrocygna</i>	<i>arborea</i>		Region 4(b)	BMC	BCC/R
Wigeon	American	<i>Anas</i>	<i>americana</i>			BMC	GBBDC
Wigeon	American	<i>Anas</i>	<i>americana</i>			BMC	GBADC
Wigeon	Eurasian	<i>Anas</i>	<i>penelope</i>			C	C
Willet		<i>Catoptrophorus</i>	<i>semipalmatus</i>	<i>inornatus</i>	BCR 11 pop only	BMC	BCC/BCR
Willet		<i>Catoptrophorus</i>	<i>semipalmatus</i>			C	C
Woodcock	American	<i>Scolopax</i>	<i>minor</i>		Eastern pop	BMC	GBBDC
Woodcock	American	<i>Scolopax</i>	<i>minor</i>		Central pop	BMC	GBBDC
Woodpecker	Arizona	<i>Picoides</i>	<i>arizonae</i>		Region 2	BMC	BCC/R
Woodpecker	Arizona	<i>Picoides</i>	<i>arizonae</i>			C	C
Woodpecker	Black-backed	<i>Picoides</i>	<i>arcticus</i>			C	C
Woodpecker	Downy	<i>Picoides</i>	<i>pubescens</i>			C	C
Woodpecker	Gila	<i>Melanerpes</i>	<i>uropygialis</i>		BCR 33	BMC	BCC/BCR
Woodpecker	Gila	<i>Melanerpes</i>	<i>uropygialis</i>			C	C
Woodpecker	Golden-fronted	<i>Melanerpes</i>	<i>aurifrons</i>			C	C
Woodpecker	Hairy	<i>Picoides</i>	<i>villosus</i>			C	C
Woodpecker	Ivory-billed	<i>Campephilus</i>	<i>principalis</i>		E	BMC	T/E
Woodpecker	Ladder-backed	<i>Picoides</i>	<i>scalaris</i>		BCR 20 pop only	BMC	BCC/BCR
Woodpecker	Ladder-backed	<i>Picoides</i>	<i>scalaris</i>			C	C
Woodpecker	Lewis's	<i>Melanerpes</i>	<i>lewis</i>			BMC	BCC/N
Woodpecker	Nuttall's	<i>Picoides</i>	<i>nuttalli</i>			C	C
Woodpecker	Pileated	<i>Dryocopus</i>	<i>pileatus</i>			C	C
Woodpecker	Puerto Rican	<i>Melanerpes</i>	<i>portoricensis</i>			C	C

Woodpecker	Red-bellied	<i>Melanerpes</i>	<i>carolinus</i>			C	C
Woodpecker	Red-cockaded	<i>Picoides</i>	<i>borealis</i>		E	BMC	T/E
Woodpecker	Red-headed	<i>Melanerpes</i>	<i>erythrocephalus</i>			BMC	BCC/N
Woodpecker	Strickland's	<i>Picoides</i>	<i>stricklandi</i>			C	C
Woodpecker	Three-toed	<i>Picoides</i>	<i>tridactylus</i>			C	C
Woodpecker	White-headed	<i>Picoides</i>	<i>albobarvatus</i>			BMC	BCC/N
Wood-Pewee	Eastern	<i>Contopus</i>	<i>virens</i>			C	C
Wood-Pewee	Western	<i>Contopus</i>	<i>sordidulus</i>			C	C
Wren	Bewick's	<i>Thryomanes</i>	<i>bewicki</i>		except bewicki ssp	C	C
Wren	Bewick's	<i>Thryomanes</i>	<i>bewickii</i>	<i>bewickii</i>		BMC	BCC/N
Wren	Cactus	<i>Campylorhynchus</i>	<i>brunneicapillus</i>		BCR 32 & 36 pops only	BMC	BCC/BCR
Wren	Cactus	<i>Campylorhynchus</i>	<i>brunneicapillus</i>			C	C
Wren	Canyon	<i>Catherpes</i>	<i>mexicanus</i>			C	C
Wren	Carolina	<i>Thryothorus</i>	<i>ludovicianus</i>			C	C
Wren	House	<i>Troglodytes</i>	<i>aedon</i>			C	C
Wren	Marsh	<i>Cistothorus</i>	<i>palustris</i>	<i>palustris</i>	BCR 30	BMC	BCC/BCR
Wren	Marsh	<i>Cistothorus</i>	<i>palustris</i>			C	C
Wren	Rock	<i>Salpinctes</i>	<i>obsoletus</i>			C	C
Wren	Sedge	<i>Cistothorus</i>	<i>platensis</i>			BMC	BCC/N
Wren	Winter	<i>Troglodytes</i>	<i>troglodytes</i>			C	C
Yellowlegs	Greater	<i>Tringa</i>	<i>melanoleuca</i>		BCR 22 & 32 pops only	BMC	BCC/BCR
Yellowlegs	Greater	<i>Tringa</i>	<i>melanoleuca</i>			C	C
Yellowlegs	Lesser	<i>Tringa</i>	<i>flavipes</i>			C	C
Yellowthroat	Common	<i>Geothlypis</i>	<i>trichas</i>	<i>sinuosa</i>	BCR 32	BMC	BCC/BCR
Yellowthroat	Common	<i>Geothlypis</i>	<i>trichas</i>			C	C

^a Codes: BCR = Bird Conservation Region; E = species protected by the Endangered Species Act; Region = FWS administration region

^b Codes: BMC = Birds of Management Concern, C = Common, OA = Over Abundant

^c Codes: BCC/N = Birds of Conservation Concern/National; BCC/R = Birds of Conservation Concern/Regional; BCC/BCR = Birds of Conservation Concern/BCR; GBBDC = Gamebirds Below Desired Condition; GBADC = Game Birds Above Desired Condition; C = Common; C/N = Common, subject to depredation order; OA = Over Adundant; T/E = Threatened or Endangered under the Endangered Species Act