

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,315,920 cases]		150.0	39.0	19.0	10.4	6.6	9.4	19.9	4.8
Traumatic injuries and disorders	0	137.9	38.3	18.7	10.3	6.6	9.3	19.7	4.7
Traumatic injuries and disorders, unspecified	00	3.8	1.1	.7	.3	.2	.4	.7	.1
Traumatic injuries to bones, nerves, spinal cord	01	12.3	4.4	2.2	1.1	1.1	2.3	3.5	.1
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	.1	.1	(⁷)	.1	—	(⁷)	(⁷)	—
Dislocations	011	1.2	.2	.1	.1	.1	.2	.2	(⁷)
Fractures	012	10.8	4.1	2.1	.9	1.0	2.1	3.3	.1
Traumatic injuries to nerves, except the spinal cord	014	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	(⁷)	—	—	—	—	(⁷)	(⁷)	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	(⁷)	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	64.8	4.5	1.9	1.8	.6	3.3	6.8	4.0
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	.5	.1	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Sprains, strains, tears	021	64.3	4.4	1.8	1.8	.6	3.2	6.7	4.0
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	.1	(⁷)	—	(⁷)	(⁷)	—	(⁷)	(⁷)
Open wounds	03	14.4	12.7	6.1	3.8	2.3	.2	.6	—
Open wounds, unspecified	030	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—
Amputations	031	.9	.9	.2	.1	.6	—	(⁷)	—
Amputations, fingertip	0311	.6	.6	.2	.1	.4	—	—	—
Amputations, except fingertip	0319	.3	.3	.1	(⁷)	.2	—	(⁷)	—
Animal or insect bites	032	.5	—	—	—	—	—	—	—
Avulsions	033	.2	.2	.1	(⁷)	.1	(⁷)	—	—
Cuts, lacerations	034	11.0	10.0	5.0	3.1	1.5	.2	.5	—
Gunshot wounds	036	(⁷)	—	—	—	—	—	—	—
Punctures, except bites	037	1.7	1.6	.9	.5	.1	(⁷)	(⁷)	—
Multiple open wounds	038	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—	—
Open wounds, n.e.c.	039	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)	—
Surface wounds and bruises	04	16.7	9.9	5.0	2.2	1.0	1.3	4.0	—
Surface wounds and bruises, unspecified	040	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Abrasions, scratches	041	1.2	1.1	.5	.1	.1	(⁷)	.1	—
Blisters	042	(⁷)	(⁷)	—	(⁷)	—	—	(⁷)	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Total [1,315,920 cases]	38.7	21.1	6.5	6.4	6.6	0.3	2.6	1.9	0.7	16.0
Traumatic injuries and disorders	35.7	19.3	2.5	4.4	6.5	.3	2.4	1.8	.7	14.2
Traumatic injuries and disorders, unspecified4	.2	(⁷)	.1	.4	—	.1	.1	(⁷)	.4
Traumatic injuries to bones, nerves, spinal cord5	.2	(⁷)	—	.7	—	.1	.1	(⁷)	.6
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	(⁷)	—	—	—	(⁷)	—	—	—	—	(⁷)
Dislocations4	.2	(⁷)	—	.1	—	(⁷)	(⁷)	—	.2
Fractures1	(⁷)	(⁷)	—	.6	—	.1	.1	(⁷)	.4
Traumatic injuries to nerves, except the spinal cord	(⁷)	—	—	—	(⁷)	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	—	—	—	—	(⁷)	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	30.8	16.8	1.6	—	2.3	(⁷)	.6	.6	(⁷)	10.9
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified2	.1	(⁷)	—	(⁷)	—	(⁷)	(⁷)	—	.1
Sprains, strains, tears	30.7	16.7	1.6	—	2.3	(⁷)	.6	.6	(⁷)	10.8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	(⁷)	(⁷)	(⁷)	—	—	—	—	—	—	(⁷)
Open wounds	—	—	—	(⁷)	.2	(⁷)	.6	.2	.5	.1
Open wounds, unspecified	—	—	—	—	—	—	—	—	—	—
Amputations	—	—	—	—	(⁷)	—	—	—	—	(⁷)
Amputations, fingertip	—	—	—	—	(⁷)	—	—	—	—	—
Amputations, except fingertip	—	—	—	—	(⁷)	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	—	.5	(⁷)	.5	—
Avulsions	—	—	—	—	—	(⁷)	—	—	—	—
Cuts, lacerations	—	—	—	—	.2	(⁷)	.1	.1	(⁷)	.1
Gunshot wounds	—	—	—	—	—	—	(⁷)	(⁷)	—	—
Punctures, except bites	—	—	—	(⁷)	(⁷)	—	.1	(⁷)	(⁷)	(⁷)
Multiple open wounds	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	(⁷)	(⁷)	—	—	.9	(⁷)	.5	.4	.1	.1
Surface wounds and bruises, unspecified	—	—	—	—	(⁷)	—	(⁷)	—	—	—
Abrasions, scratches	—	—	—	—	(⁷)	—	(⁷)	(⁷)	(⁷)	(⁷)
Blisters	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Bruises, contusions	043	13.5	7.1	4.0	2.1	0.9	1.2	3.9	-
Foreign bodies (superficial splinters, chips)	044	1.6	1.6	.4	(⁷)	(⁷)	-	-	-
Friction burns	045	(⁷)	-	-	-	-	-	-	-
Multiple surface wounds and bruises	048	.1	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	-
Surface wounds and bruises, n.e.c.	049	(⁷)	(⁷)	(⁷)	(⁷)	-	(⁷)	-	-
Burns	05	3.2	-	-	-	-	-	-	-
Burns, unspecified	050	-	-	-	-	-	-	-	-
Chemical burns	051	.9	-	-	-	-	-	-	-
Electrical burns	052	.1	-	-	-	-	-	-	-
Heat burns, scalds	053	2.2	-	-	-	-	-	-	-
Multiple burns	058	(⁷)	-	-	-	-	-	-	-
Burns, n.e.c.	059	(⁷)	-	-	-	-	-	-	-
Intracranial injuries	06	.7	.3	.2	.1	-	.1	.2	-
Intracranial injuries, unspecified	060	.1	(⁷)	(⁷)	-	-	-	(⁷)	-
Cerebral hemorrhages	061	(⁷)	-	-	-	-	-	-	-
Concussions	062	.6	.3	.2	.1	-	.1	.2	-
Multiple intracranial injuries	068	(⁷)	-	-	-	-	-	-	-
Effects of environmental conditions ..	07	.3	-	-	-	-	-	-	-
Effects of reduced temperature	071	(⁷)	-	-	-	-	-	-	-
Frostbite	0711	(⁷)	-	-	-	-	-	-	-
Effects of heat and light	072	.2	-	-	-	-	-	-	-
Effects of heat and light, unspecified	0720	(⁷)	-	-	-	-	-	-	-
Heat stroke	0721	(⁷)	-	-	-	-	-	-	-
Heat syncope	0722	(⁷)	-	-	-	-	-	-	-
Heat fatigue	0723	.1	-	-	-	-	-	-	-
Effects of heat and light, n.e.c. ..	0729	.1	-	-	-	-	-	-	-
Effects of air pressure	073	(⁷)	-	-	-	-	-	-	-
Effects of air pressure, unspecified	0730	(⁷)	-	-	-	-	-	-	-
Effects of air pressure, n.e.c.	0739	(⁷)	-	-	-	-	-	-	-
Multiple traumatic injuries and disorders	08	5.5	1.7	.9	.3	.4	1.0	1.6	-
Multiple traumatic injuries and disorders, unspecified	080	.2	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	-
Cuts, abrasions, bruises	081	.9	.4	.2	.1	.1	.1	.2	-
Sprains and bruises	082	2.3	.6	.3	.2	.1	.4	.9	-
Fractures and burns	083	(⁷)	-	-	-	-	(⁷)	-	-
Fractures and other injuries	084	1.1	.4	.2	(⁷)	.2	.3	.2	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Bruises, contusions	(7)	(7)	—	—	0.8	(7)	0.4	0.4	0.1	0.1
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	(7)	—	—	—	(7)
Friction burns	—	—	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	—	—	—	—	(7)	—	(7)	(7)	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	(7)	(7)	—	—
Burns	—	—	—	3.0	(7)	.2	—	—	—	—
Burns, unspecified	—	—	—	—	(7)	—	—	—	—	—
Chemical burns	—	—	—	.9	—	—	—	—	—	—
Electrical burns	—	—	—	.1	—	—	—	—	—	—
Heat burns, scalds	—	—	—	2.1	—	.2	—	—	—	—
Multiple burns	—	—	—	—	—	(7)	—	—	—	—
Burns, n.e.c.	—	—	—	(7)	—	—	—	—	—	—
Intracranial injuries	—	—	—	—	.1	—	(7)	(7)	—	(7)
Intracranial injuries, unspecified	—	—	—	—	(7)	—	—	—	—	—
Cerebral hemorrhages	—	—	—	—	—	—	—	—	—	—
Concussions	—	—	—	—	.1	—	(7)	(7)	—	(7)
Multiple intracranial injuries	—	—	—	—	—	—	—	—	—	—
Effects of environmental conditions	—	—	—	.3	—	—	—	—	—	—
Effects of reduced temperature	—	—	—	(7)	—	—	—	—	—	—
Frostbite	—	—	—	(7)	—	—	—	—	—	—
Effects of heat and light	—	—	—	.2	—	—	—	—	—	—
Effects of heat and light, unspecified	—	—	—	(7)	—	—	—	—	—	—
Heat stroke	—	—	—	(7)	—	—	—	—	—	—
Heat syncope	—	—	—	(7)	—	—	—	—	—	—
Heat fatigue	—	—	—	.1	—	—	—	—	—	—
Effects of heat and light, n.e.c.	—	—	—	.1	—	—	—	—	—	—
Effects of air pressure	—	—	—	(7)	—	—	—	—	—	—
Effects of air pressure, unspecified	—	—	—	(7)	—	—	—	—	—	—
Effects of air pressure, n.e.c.	—	—	—	(7)	—	—	—	—	—	—
Multiple traumatic injuries and disorders	(7)	(7)	—	—	.8	(7)	.2	.2	(7)	.1
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	(7)	—	(7)	(7)	—	(7)
Cuts, abrasions, bruises	—	—	—	—	.1	—	(7)	(7)	—	(7)
Sprains and bruises	(7)	(7)	—	—	.3	—	.1	.1	(7)	(7)
Fractures and burns	—	—	—	—	—	—	—	—	—	—
Fractures and other injuries	—	—	—	—	.1	(7)	(7)	(7)	—	(7)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Burns and other injuries	085	(⁷)	(⁷)	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	1.0	.3	0.2	(⁷)	0.1	0.2	0.3	—
Other traumatic injuries and disorders	09	16.2	3.6	1.6	.7	1.1	.8	2.2	0.4
Other traumatic injuries and disorders, unspecified	090	(⁷)	(⁷)	—	—	—	—	—	—
Asphyxiations/strangulations, suffocations	091	(⁷)	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	.2	—	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	094	(⁷)	(⁷)	—	—	(⁷)	(⁷)	(⁷)	—
Other poisonings and toxic effects	095	.8	—	—	—	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	(⁷)	—	—	—	—	—	—	—
Animal or insect bites, venomous	0951	.4	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	.3	—	—	—	—	—	—	—
Traumatic complications	096	(⁷)	—	—	—	—	—	—	—
Traumatic complications, unspecified	0960	(⁷)	—	—	—	—	—	—	—
Traumatic shock	0961	(⁷)	—	—	—	—	—	—	—
Multiple traumatic complications	0968	(⁷)	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	(⁷)	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	15.0	3.5	1.6	.7	1.1	.8	2.2	.4
Crushing injuries	0971	1.7	1.5	.6	.1	.8	(⁷)	.1	(⁷)
Back pain, hurt back	0972	4.3	.2	.1	(⁷)	(⁷)	.2	.5	.1
Soreness, pain, hurt, except the back	0973	7.6	1.5	.8	.5	.2	.5	1.4	.2
Multiple nonspecified injuries and disorders	0978	.7	.1	(⁷)	—	—	.1	.2	(⁷)
Nonspecified injuries and disorders, n.e.c.	0979	.7	.2	.1	(⁷)	.1	(⁷)	.1	(⁷)
Other traumatic injuries and disorders, n.e.c.	099	.3	.1	.1	(⁷)	(⁷)	(⁷)	(⁷)	—
Systemic diseases and disorders	1	9.0	.3	.1	.1	(⁷)	(⁷)	.1	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Burns and other injuries	-	-	-	-	-	(⁷)	-	-	-	-
Other combinations of traumatic injuries and disorders, n.e.c.	-	-	-	-	0.2	-	(⁷)	(⁷)	-	(⁷)
Other traumatic injuries and disorders	4.0	2.2	0.8	1.0	1.1	(⁷)	.2	.2	(⁷)	2.0
Other traumatic injuries and disorders, unspecified	-	-	-	(⁷)	-	-	-	-	-	-
Asphyxiations/strangulations, suffocations	-	-	-	(⁷)	-	-	-	-	-	(⁷)
Electrocutions, electric shocks	-	-	-	.2	-	-	-	-	-	-
Internal injuries to organs and blood vessels of the trunk	-	-	-	-	(⁷)	-	-	-	-	-
Other poisonings and toxic effects	-	-	-	.7	-	-	(⁷)	-	(⁷)	-
Other poisonings and toxic effects, unspecified	-	-	-	(⁷)	-	-	-	-	-	-
Animal or insect bites, venomous	-	-	-	.4	-	-	(⁷)	-	(⁷)	-
Other poisonings and toxic effects, n.e.c.	-	-	-	.3	-	-	-	-	-	-
Traumatic complications	-	-	-	(⁷)	-	-	-	-	-	-
Traumatic complications, unspecified	-	-	-	-	-	-	-	-	-	-
Traumatic shock	-	-	-	(⁷)	-	-	-	-	-	-
Multiple traumatic complications	-	-	-	-	-	-	-	-	-	-
Traumatic complications, n.e.c.	-	-	-	(⁷)	-	-	-	-	-	-
Nonspecified injuries and disorders	4.0	2.2	.8	(⁷)	1.0	(⁷)	.2	.2	(⁷)	2.0
Crushing injuries	(⁷)	(⁷)	-	-	.1	-	(⁷)	(⁷)	-	(⁷)
Back pain, hurt back	2.2	1.4	.1	-	.2	-	(⁷)	(⁷)	-	.8
Soreness, pain, hurt, except the back	1.5	.7	.6	(⁷)	.5	-	.2	.2	(⁷)	1.0
Multiple nonspecified injuries and disorders1	.1	(⁷)	-	.2	-	(⁷)	(⁷)	-	.1
Nonspecified injuries and disorders, n.e.c.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	-	.1
Other traumatic injuries and disorders, n.e.c.	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	-	(⁷)	(⁷)	-	(⁷)
Systemic diseases and disorders	2.8	1.7	3.9	1.2	(⁷)	-	(⁷)	(⁷)	(⁷)	.6

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Systemic diseases and disorders, unspecified	10	(⁷)	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs	11	(⁷)	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	3.2	0.1	(⁷)	(⁷)	—	—	(⁷)	(⁷)
Inflammatory diseases of the central nervous system	121	(⁷)	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	(⁷)	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	(⁷)	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, n.e.c.	1229	(⁷)	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	(⁷)	—	—	—	—	—	—	—
Migraine	1232	(⁷)	—	—	—	—	—	—	—
Other disorders of the central nervous system, n.e.c.	1239	(⁷)	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	2.7	(⁷)	—	—	—	—	—	(⁷)
Disorders of the peripheral nervous system, unspecified	1240	(⁷)	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	2.5	—	—	—	—	—	(⁷)	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	(⁷)	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	.1	(⁷)	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	.5	.1	(⁷)	—	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	.1	(⁷)	—	—	—	—	—	—
Conjunctivitis non-viral	1252	.1	(⁷)	(⁷)	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	(⁷)	(⁷)	—	—	—	—	—	—
Welder's flash	1256	.2	—	—	—	—	—	—	—
Visual disturbances	1258	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Systemic diseases and disorders, unspecified	-	-	(7)	-	-	-	-	-	-	-
Diseases of the blood and blood forming organs	-	-	-	-	-	-	-	-	-	-
Nervous system and sense organs diseases	(7)	-	2.6	0.4	-	-	-	-	-	(7)
Inflammatory diseases of the central nervous system	-	-	-	(7)	-	-	-	-	-	-
Inflammatory diseases of the central nervous system, n.e.c.	-	-	-	-	-	-	-	-	-	-
Degenerative diseases of the central nervous system	-	-	-	-	-	-	-	-	-	(7)
Degenerative diseases of the central nervous system, n.e.c.	-	-	-	-	-	-	-	-	-	-
Other disorders of the central nervous system	-	-	(7)	(7)	-	-	-	-	-	-
Migraine	-	-	-	(7)	-	-	-	-	-	-
Other disorders of the central nervous system, n.e.c.	-	-	(7)	-	-	-	-	-	-	-
Disorders of the peripheral nervous system	(7)	-	2.6	-	-	-	-	-	-	(7)
Disorders of the peripheral nervous system, unspecified	-	-	(7)	-	-	-	-	-	-	-
Carpal tunnel syndrome	(7)	-	2.5	-	-	-	-	-	-	-
Inflammatory and toxic neuropathy, toxic polyneuropathy	-	-	(7)	-	-	-	-	-	-	-
Other disorders of the peripheral nervous system, n.e.c.	-	-	.1	-	-	-	-	-	-	(7)
Disorders of the eye, adnexa, vision	-	-	-	.4	-	-	-	-	-	(7)
Disorders of the eye, adnexa, vision, unspecified	-	-	-	(7)	-	-	-	-	-	(7)
Conjunctivitis non-viral	-	-	-	.1	-	-	-	-	-	-
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	-	-	-	(7)	-	-	-	-	-	-
Welder's flash	-	-	-	.2	-	-	-	-	-	-
Visual disturbances	-	-	-	(7)	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Disorders of the eye, adnexa, vision, n.e.c.	1259	(⁷)	(⁷)	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	(⁷)	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	(⁷)	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	(⁷)	—	—	—	—	—	—	—
Circulatory system diseases	13	.1	—	—	—	—	—	—	—
Hypertensive disease	132	(⁷)	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	(⁷)	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	(⁷)	—	—	—	—	—	—	—
Other forms of heart disease	135	(⁷)	—	—	—	—	—	—	—
Cerebrovascular disease	136	(⁷)	—	—	—	—	—	—	—
Stroke	1361	(⁷)	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	(⁷)	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	(⁷)	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	(⁷)	—	—	—	—	—	—	—
Diseases of the veins, lymphatics, n.e.c.	1389	—	—	—	—	—	—	—	—
Respiratory system diseases	14	.2	—	—	—	—	—	(⁷)	—
Respiratory system diseases, unspecified	140	(⁷)	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	141	(⁷)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	(⁷)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	(⁷)	—	—	—	—	—	—	—
Allergic rhinitis	1421	(⁷)	—	—	—	—	—	—	—
Pneumonia, influenza	143	(⁷)	—	—	—	—	—	—	—
Influenza	1432	(⁷)	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	.1	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	(⁷)	—	—	—	—	—	—	—
Bronchitis	1441	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Disorders of the eye, adnexa, vision, n.e.c.	-	-	-	(7)	-	-	-	-	-	(7)
Disorders of the ear, mastoid process, hearing	-	-	-	(7)	-	-	-	-	-	-
Deafness, hearing loss or impairment	-	-	-	(7)	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Circulatory system diseases	(7)	(7)	-	-	-	-	-	-	-	.1
Hypertensive disease	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	-	-	-	-	-	-	-	-	-	(7)
Myocardial infarction (heart attack)	-	-	-	-	-	-	-	-	-	(7)
Other forms of heart disease	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease	-	-	-	-	-	-	-	-	-	(7)
Stroke	-	-	-	-	-	-	-	-	-	(7)
Diseases of arteries, arterioles, capillaries	-	-	-	-	-	-	-	-	-	-
Diseases of arteries, arterioles, capillaries, n.e.c.	-	-	-	-	-	-	-	-	-	-
Diseases of the veins, lymphatics ..	-	-	-	-	-	-	-	-	-	(7)
Diseases of the veins, lymphatics, n.e.c.	-	-	-	-	-	-	-	-	-	(7)
Respiratory system diseases	-	-	-	.2	-	-	-	-	-	-
Respiratory system diseases, unspecified	-	-	-	(7)	-	-	-	-	-	-
Acute respiratory infections (including common cold)	-	-	-	(7)	-	-	-	-	-	-
Other diseases of upper respiratory tract	-	-	-	(7)	-	-	-	-	-	-
Other diseases of upper respiratory tract, unspecified	-	-	-	(7)	-	-	-	-	-	-
Allergic rhinitis	-	-	-	(7)	-	-	-	-	-	-
Pneumonia, influenza	-	-	-	(7)	-	-	-	-	-	-
Influenza	-	-	-	(7)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	-	-	-	.1	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions, unspecified	-	-	-	(7)	-	-	-	-	-	-
Bronchitis	-	-	-	(7)	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Extrinsic asthma	1443	(⁷)	—	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	(⁷)	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	(⁷)	—	—	—	—	—	—	—
Pneumoconioses	145	(⁷)	—	—	—	—	—	—	—
Coal workers' pneumoconiosis (including anthracosis, black lung, miner's asthma)	1451	(⁷)	—	—	—	—	—	—	—
Byssinosis, Mill fever	1461	(⁷)	—	—	—	—	—	—	—
Other respiratory system diseases	149	(⁷)	—	—	—	—	—	(⁷)	—
Atelectasis, collapsed lung	1495	(⁷)	—	—	—	—	—	(⁷)	—
Other respiratory system diseases, n.e.c.	1499	(⁷)	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	2.6	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Hernia	153	2.6	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Hernia, unspecified	1530	1.2	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Inguinal hernia	1531	1.0	(⁷)	—	—	—	—	(⁷)	(⁷)
Hiatal hernia	1532	(⁷)	—	—	—	—	—	—	—
Ventral hernia	1533	.2	—	—	—	—	—	—	—
Hernia, n.e.c.	1539	.2	—	—	—	—	—	(⁷)	(⁷)
Digestive system diseases and disorders, n.e.c.	159	(⁷)	—	—	—	—	—	—	—
Genitourinary system diseases and disorders	16	(⁷)	—	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	(⁷)	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	2.2	.1	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	.1	(⁷)	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	(⁷)	—	—	—	—	—	—	—
Dorsopathies	172	.2	(⁷)	(⁷)	—	—	—	(⁷)	—
Dorsopathies, unspecified	1720	(⁷)	—	—	—	—	—	—	—
Sciatica	1721	.1	—	—	—	—	—	(⁷)	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Extrinsic asthma	-	-	-	(7)	-	-	-	-	-	-
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	-	-	-	(7)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Pneumoconioses	-	-	-	(7)	-	-	-	-	-	-
Coal workers' pneumoconiosis (including anthracosis, black lung, miner's asthma)	-	-	-	(7)	-	-	-	-	-	-
Byssinosis, Mill fever	-	-	-	(7)	-	-	-	-	-	-
Other respiratory system diseases	-	-	-	(7)	-	-	-	-	-	-
Atelectasis, collapsed lung	-	-	-	-	-	-	-	-	-	-
Other respiratory system diseases, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Digestive system diseases and disorders	2.3	1.5	(7)	-	(7)	-	(7)	(7)	-	0.2
Hernia	2.3	1.5	(7)	-	(7)	-	(7)	(7)	-	.2
Hernia, unspecified	1.0	.7	(7)	-	(7)	-	-	-	-	.1
Inguinal hernia9	.6	(7)	-	-	-	-	-	-	.1
Hiatal hernia	(7)	(7)	-	-	-	-	-	-	-	(7)
Ventral hernia2	.1	-	-	-	-	-	-	-	(7)
Hernia, n.e.c.2	.1	-	-	-	-	-	-	-	(7)
Digestive system diseases and disorders, n.e.c.	-	-	-	-	-	-	-	-	-	-
Genitourinary system diseases and disorders	-	-	-	-	-	-	-	-	-	(7)
Diseases and disorders of the genital tract	-	-	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders5	.2	1.2	(7)	-	-	(7)	(7)	-	.2
Musculoskeletal system and connective tissue diseases and disorders, unspecified	(7)	-	.1	-	-	-	-	-	-	(7)
Arthropathies and related disorders (arthritis)	-	-	(7)	-	-	-	-	-	-	(7)
Dorsopathies1	.1	(7)	-	-	-	-	-	-	.1
Dorsopathies, unspecified	-	-	-	-	-	-	-	-	-	-
Sciatica	(7)	(7)	(7)	-	-	-	-	-	-	(7)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lumbago	1722	(⁷)	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	(⁷)	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	.2	(⁷)	(⁷)	—	—	—	(⁷)	—
Rheumatism, except the back, unspecified	173	1.7	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Bursitis	1730	.2	(⁷)	(⁷)	—	—	—	(⁷)	—
Synovitis	1731	.1	(⁷)	—	(⁷)	—	—	(⁷)	—
Tendonitis	1732	(⁷)	—	—	—	—	—	—	—
Tenosynovitis	1733	.9	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)
Ganglion/cystic tumor	1734	.1	(⁷)	(⁷)	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1735	.1	(⁷)	—	(⁷)	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	1739	.3	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Disorders of the skin and subcutaneous tissue	179	.1	(⁷)	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue, unspecified	18	.7	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Infections of the skin and subcutaneous tissue, unspecified	180	(⁷)	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	181	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Cellulitis and abscess	1810	(⁷)	(⁷)	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1812	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Dermatitis	1819	(⁷)	(⁷)	—	—	—	—	—	—
Dermatitis, unspecified	182	.5	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1820	.1	—	—	—	—	—	—	—
Allergic dermatitis	1822	.1	—	—	—	—	—	—	—
Irritant dermatitis	1823	.2	—	—	—	—	—	—	—
Other contact dermatitis	1824	.1	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1825	(⁷)	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	1829	(⁷)	—	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	183	(⁷)	—	—	—	—	—	—	—
	1830	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Lumbago	(⁷)	-	-	-	-	-	-	-	-	(⁷)
Disc disorders, except dislocation	-	-	-	-	-	-	-	-	-	-
Dorsopathies, n.e.c.1	0.1	(⁷)	-	-	-	-	-	-	(⁷)
Rheumatism, except the back3	.1	1.1	(⁷)	-	-	-	(⁷)	-	.2
Rheumatism, except the back, unspecified	(⁷)	-	.1	(⁷)	-	-	-	-	-	(⁷)
Bursitis	(⁷)	(⁷)	(⁷)	-	-	-	-	-	-	(⁷)
Synovitis	-	-	-	-	-	-	-	-	-	(⁷)
Tendonitis2	.1	.5	-	-	-	-	-	-	.1
Tenosynovitis	(⁷)	(⁷)	.1	-	-	-	-	-	-	(⁷)
Ganglion/cystic tumor	(⁷)	(⁷)	.1	-	-	-	-	-	-	(⁷)
Rheumatism, except the back, n.e.c.1	(⁷)	.2	-	-	-	-	-	-	(⁷)
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	(⁷)	-	.1	-	-	-	-	-	-	(⁷)
Disorders of the skin and subcutaneous tissue	-	-	(⁷)	.6	-	-	(⁷)	-	(⁷)	(⁷)
Disorders of the skin and subcutaneous tissue, unspecified	-	-	-	(⁷)	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue	-	-	-	(⁷)	-	-	(⁷)	-	(⁷)	(⁷)
Infections of the skin and subcutaneous tissue, unspecified	-	-	-	(⁷)	-	-	-	-	-	(⁷)
Cellulitis and abscess	-	-	-	(⁷)	-	-	(⁷)	-	(⁷)	(⁷)
Infections of the skin and subcutaneous tissue, n.e.c.	-	-	-	-	-	-	-	-	-	-
Dermatitis	-	-	-	.5	-	-	-	-	-	-
Dermatitis, unspecified	-	-	-	.1	-	-	-	-	-	-
Contact dermatitis and other eczema	-	-	-	.1	-	-	-	-	-	-
Allergic dermatitis	-	-	-	.2	-	-	-	-	-	-
Irritant dermatitis	-	-	-	.1	-	-	-	-	-	-
Other contact dermatitis	-	-	-	(⁷)	-	-	-	-	-	-
Dermatitis, n.e.c.	-	-	-	(⁷)	-	-	-	-	-	-
Other inflammatory conditions of the skin	-	-	-	(⁷)	-	-	-	-	-	-
Other inflammatory conditions of the skin, unspecified	-	-	-	(⁷)	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other inflammatory conditions, n.e.c.	1839	(⁷)	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	(⁷)	—	—	—	—	—	—	—
Corns and callosities (including callus, clavus)	1891	(⁷)	—	—	—	—	—	—	—
Urticaria, hives	1898	(⁷)	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	(⁷)	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	(⁷)	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	(⁷)	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	(⁷)	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	(⁷)	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	.2	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	(⁷)	—	—	—	—	—	—	—
Bacterial diseases	21	(⁷)	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	(⁷)	—	—	—	—	—	—	—
Other bacterial diseases	219	(⁷)	—	—	—	—	—	—	—
Diphtheria, whooping cough	2192	(⁷)	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	(⁷)	—	—	—	—	—	—	—
Viral diseases	22	.1	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	(⁷)	—	—	—	—	—	—	—
Chickenpox	2233	(⁷)	—	—	—	—	—	—	—
Herpes zoster	2234	(⁷)	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	(⁷)	—	—	—	—	—	—	—
Viral hepatitis	225	(⁷)	—	—	—	—	—	—	—
Non-Type A or non-Type B viral hepatitis	2259	(⁷)	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	(⁷)	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other inflammatory conditions, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	-	-	-	(7)	-	-	-	-	-	-
Corns and callosities (including callus, clavus)	-	-	-	-	-	-	-	-	-	-
Urticaria, hives	-	-	-	(7)	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Other systemic diseases and disorders	-	-	(7)	-	-	-	-	-	-	(7)
Endocrine, nutritional, metabolic, and immunity disorder	-	-	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	-	-	-	-	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	-	-	(7)	-	-	-	-	-	-	(7)
Infectious and parasitic diseases	-	-	-	.2	-	-	-	-	-	-
Infectious and parasitic diseases, unspecified	-	-	-	(7)	-	-	-	-	-	-
Bacterial diseases	-	-	-	(7)	-	-	-	-	-	-
Bacterial diseases, unspecified	-	-	-	(7)	-	-	-	-	-	-
Other bacterial diseases	-	-	-	(7)	-	-	-	-	-	-
Diphtheria, whooping cough	-	-	-	(7)	-	-	-	-	-	-
Other bacterial diseases, n.e.c. ..	-	-	-	(7)	-	-	-	-	-	-
Viral diseases	-	-	-	.1	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	(7)	-	-	-	-	-	-
Chickenpox	-	-	-	(7)	-	-	-	-	-	-
Herpes zoster	-	-	-	(7)	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Viral hepatitis	-	-	-	(7)	-	-	-	-	-	-
Non-Type A or non-Type B viral hepatitis	-	-	-	(7)	-	-	-	-	-	-
Viral diseases of the conjunctiva	-	-	-	(7)	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia) ..	-	-	-	(7)	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 —

Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other arthropod-borne diseases	23	(⁷)	—	—	—	—	—	—	—
Lyme disease	237	(⁷)	—	—	—	—	—	—	—
Mycoses	24	(⁷)	—	—	—	—	—	—	—
Mycoses, n.e.c.	249	(⁷)	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	.1	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	(⁷)	—	—	—	—	—	—	—
Other salmonella infections	263	(⁷)	—	—	—	—	—	—	—
Shigellosis	264	(⁷)	—	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	.1	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	.1	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	(⁷)	—	—	—	—	—	—	—
Neoplasms, tumors, and cancer	3	(⁷)	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1.6	0.3	0.1	0.1	(⁷)	(⁷)	0.1	(⁷)
Symptoms, signs, and ill-defined conditions, unspecified	40	(⁷)	—	—	—	—	—	—	—
Symptoms	41	1.6	.3	.1	.1	(⁷)	(⁷)	.1	(⁷)
Symptoms, unspecified	410	.1	(⁷)	(⁷)	(⁷)	—	—	—	—
General symptoms	411	.5	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
General symptoms, unspecified	4110	(⁷)	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	.1	(⁷)	(⁷)	—	—	(⁷)	(⁷)	—
Convulsions, seizures	4112	(⁷)	—	—	—	—	—	(⁷)	—
Malaise and fatigue	4113	(⁷)	—	—	—	—	—	—	—
Dizziness	4114	.1	(⁷)	—	(⁷)	—	—	—	—
Non-specified allergic reaction ...	4115	.1	—	—	—	—	—	—	—
Multiple general symptoms	4118	(⁷)	—	—	—	—	—	—	—
General symptoms, n.e.c.	4119	.2	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)
Symptoms involving nervous and musculoskeletal systems	412	.5	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	.1	(⁷)	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other arthropod-borne diseases	-	-	-	(7)	-	-	-	-	-	-
Lyme disease	-	-	-	(7)	-	-	-	-	-	-
Mycoses	-	-	-	(7)	-	-	-	-	-	-
Mycoses, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	-	-	-	.1	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, unspecified	-	-	-	(7)	-	-	-	-	-	-
Other salmonella infections	-	-	-	(7)	-	-	-	-	-	-
Shigellosis	-	-	-	(7)	-	-	-	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	-	-	-	.1	-	-	-	-	-	-
Other infectious and parasitic diseases	-	-	-	.1	-	-	-	-	-	-
Acariasis (including scabies, chiggers, mites)	-	-	-	(7)	-	-	-	-	-	-
Neoplasms, tumors, and cancer	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	0.1	(7)	0.2	.4	(7)	-	(7)	(7)	(7)	0.5
Symptoms, signs, and ill-defined conditions, unspecified	-	-	-	(7)	-	-	-	-	-	-
Symptoms1	(7)	.2	.4	(7)	-	(7)	(7)	(7)	.5
Symptoms, unspecified	-	-	(7)	(7)	-	-	-	-	-	(7)
General symptoms	(7)	(7)	(7)	.2	(7)	-	(7)	(7)	-	.2
General symptoms, unspecified	-	-	-	(7)	-	-	-	-	-	-
Loss of consciousness not heat related	(7)	-	-	(7)	(7)	-	(7)	(7)	-	.1
Convulsions, seizures	-	-	-	-	-	-	-	-	-	(7)
Malaise and fatigue	-	-	-	-	-	-	-	-	-	(7)
Dizziness	-	-	-	(7)	-	-	-	-	-	(7)
Non-specified allergic reaction ...	-	-	-	.1	-	-	-	-	-	-
Multiple general symptoms	-	-	-	-	-	-	-	-	-	(7)
General symptoms, n.e.c.	(7)	(7)	(7)	(7)	-	-	(7)	(7)	-	(7)
Symptoms involving nervous and musculoskeletal systems	(7)	(7)	.1	(7)	(7)	-	-	-	-	.2
Symptoms involving nervous and musculoskeletal systems, unspecified	-	-	(7)	-	-	-	-	-	-	(7)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Spasms or tremors, n.e.c.	4121	(⁷)	—	—	—	—	—	—	—
Earache	4122	(⁷)	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	(⁷)	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	.4	0.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Symptoms involving skin and other integumentary tissue	413	.2	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Symptoms involving skin and other integumentary tissue, unspecified	4130	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Edema (including dropsy)	4131	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	(⁷)	—	—	—	—	—	—	—
Symptoms involving head and neck	414	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Headache, except migraine	4141	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Symptoms involving head and neck, n.e.c.	4149	(⁷)	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	.2	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	(⁷)	—	—	—	—	—	—	—
Chest pain	4164	(⁷)	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	.1	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system	417	(⁷)	—	—	—	—	—	—	—
Nausea and vomiting	4171	(⁷)	—	—	—	—	—	—	—
Abdominal pain, unspecified	4175	(⁷)	—	—	—	—	—	—	—
Multiple symptoms	418	.1	(⁷)	(⁷)	(⁷)	—	—	—	—
Abnormal findings	42	(⁷)	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	(⁷)	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Spasms or tremors, n.e.c.	-	-	-	-	-	-	-	-	-	-
Earache	-	-	-	(7)	-	-	-	-	-	-
Multiple symptoms involving nervous and musculoskeletal systems	-	-	-	-	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems, n.e.c.	(7)	(7)	0.1	(7)	(7)	-	-	-	-	0.1
Symptoms involving skin and other integumentary tissue	(7)	-	(7)	(7)	-	-	(7)	(7)	(7)	(7)
Symptoms involving skin and other integumentary tissue, unspecified	-	-	-	(7)	-	-	-	-	-	-
Edema (including dropsy)	(7)	-	(7)	(7)	-	-	(7)	(7)	(7)	(7)
Symptoms involving skin and other integumentary tissue, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Symptoms involving head and neck	-	-	-	(7)	-	-	-	-	-	-
Headache, except migraine	-	-	-	(7)	-	-	-	-	-	(7)
Symptoms involving head and neck, n.e.c.	-	-	-	(7)	-	-	-	-	-	-
Symptoms involving respiratory system and chest	(7)	-	-	.1	(7)	-	-	-	-	(7)
Symptoms involving respiratory system and chest, unspecified	-	-	-	(7)	-	-	-	-	-	-
Chest pain	-	-	-	-	-	-	-	-	-	(7)
Symptoms involving respiratory system and chest, n.e.c.	-	-	-	.1	-	-	-	-	-	(7)
Symptoms involving digestive and urinary system	-	-	-	(7)	-	-	-	-	-	-
Nausea and vomiting	-	-	-	(7)	-	-	-	-	-	-
Abdominal pain, unspecified	-	-	-	-	-	-	-	-	-	-
Multiple symptoms	-	-	-	(7)	-	-	-	-	-	(7)
Abnormal findings	-	-	-	(7)	-	-	-	-	-	-
Abnormal findings from histological and immunological studies	-	-	-	(7)	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other diseases, conditions, and disorders	5	0.5	—	—	—	—	—	—	—
Mental disorders or syndromes	52	.5	—	—	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	(⁷)	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	.4	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	.2	—	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	.1	—	—	—	—	—	—	—
Panic disorder	5213	(⁷)	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	.2	—	—	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	(⁷)	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	(⁷)	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	(⁷)	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Nonclassifiable	9999	.7	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2003 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other diseases, conditions, and disorders	-	-	-	0.1	(⁷)	-	0.1	0.1	-	0.3
Mental disorders or syndromes	-	-	-	.1	(⁷)	-	.1	.1	-	.3
Mental disorder or syndrome, unspecified	-	-	-	-	-	-	-	-	-	(⁷)
Anxiety, stress, neurotic disorders	-	-	-	.1	(⁷)	-	.1	.1	-	.3
Anxiety, stress, neurotic disorders, unspecified	-	-	-	(⁷)	-	-	(⁷)	(⁷)	-	.1
Post-traumatic anxiety acute	-	-	-	(⁷)	(⁷)	-	(⁷)	(⁷)	-	(⁷)
Panic disorder	-	-	-	-	-	-	-	-	-	(⁷)
Neurotic reaction to stress	-	-	-	(⁷)	-	-	(⁷)	(⁷)	-	.1
Multiple anxiety, stress, neurotic disorders	-	-	-	(⁷)	-	-	-	-	-	(⁷)
Neurotic disorders, n.e.c.	-	-	-	-	-	-	-	-	-	(⁷)
Mental disorders or syndromes, n.e.c.	-	-	-	-	-	-	-	-	-	-
Multiple diseases, conditions, and disorders	(⁷)	-	(⁷)	(⁷)	(⁷)	-	-	-	-	(⁷)
Nonclassifiable	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	-	(⁷)	(⁷)	(⁷)	.5

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck

against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Less than 0.1 case per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor