

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,259,320	17,880	161,370	44,790	82,160	127,790
Contact with objects and equipment	0	335,160	570	39,210	20,020	55,050	69,360
Contact with objects and equipment, unspecified	00	6,880	–	640	130	1,330	1,090
Struck against object	01	83,330	60	8,520	8,920	13,260	16,580
Struck against object, unspecified ..	010	4,980	–	540	320	1,220	990
Stepped on object	011	11,840	40	1,670	190	130	4,040
Struck against stationary object	012	49,180	–	4,300	7,420	7,500	8,840
Struck against moving object	013	8,290	–	530	140	3,250	990
Struck against object, n.e.c.	019	9,040	–	1,480	830	1,150	1,720
Struck by object	02	170,080	420	26,130	8,880	11,520	42,750
Struck by object, unspecified	020	6,650	20	770	190	690	1,960
Struck by falling object	021	61,400	290	17,150	5,870	3,800	20,010
Struck by flying object	022	18,550	100	610	150	490	8,080
Struck by flying object, unspecified	0220	1,650	–	140	–	110	530
Struck by dislodged flying object, particle	0221	9,360	60	140	130	210	2,910
Struck by discharged object or substance	0222	4,740	–	80	–	110	3,640
Struck by flying object, n.e.c.	0229	2,800	–	250	–	60	1,010
Struck by swinging or slipping object	023	56,910	–	4,420	1,240	2,710	7,460
Struck by swinging or slipping object, unspecified	0230	1,590	–	310	20	50	210
Struck by or slammed in swinging door or gate	0231	9,120	–	80	110	380	40
Struck by slipping handheld object	0232	41,960	–	3,650	920	1,550	5,790
Struck by swinging or slipping object, n.e.c.	0239	4,240	–	370	180	730	1,430
Struck by rolling, sliding objects on floor or ground level	024	5,500	–	710	370	1,450	550
Struck by object, n.e.c.	029	21,080	–	2,470	1,060	2,370	4,680
Caught in or compressed by equipment or objects	03	55,160	–	3,630	1,950	28,010	7,720
Caught in or compressed by equipment or objects, unspecified	030	3,550	–	240	160	1,310	720
Caught in running equipment or machinery	031	21,700	–	–	–	19,120	–
Compressed or pinched by rolling, sliding, or shifting objects	032	10,580	–	1,020	580	2,260	2,820
Caught in or compressed by equipment or objects, n.e.c.	039	19,330	–	2,380	1,210	5,320	4,180

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	182,820	234,010	58,410	111,270	57,230	181,590
Contact with objects and equipment	—	7,020	44,020	27,560	2,080	70,260
Contact with objects and equipment, unspecified	—	50	1,820	280	40	1,500
Struck against object	—	5,410	3,620	10,130	110	16,720
Struck against object, unspecified ..	—	80	610	460	—	730
Stepped on object	—	3,150	210	260	—	2,130
Struck against stationary object	—	1,920	1,310	6,930	—	10,930
Struck against moving object	—	40	840	1,580	20	890
Struck against object, n.e.c.	—	220	650	910	—	2,040
Struck by object	—	470	34,410	9,300	1,490	34,710
Struck by object, unspecified	—	—	760	310	110	1,800
Struck by falling object	—	190	2,380	1,900	590	9,210
Struck by flying object	—	—	810	130	—	8,160
Struck by flying object, unspecified	—	—	60	—	—	770
Struck by dislodged flying object, particle	—	—	290	—	—	5,590
Struck by discharged object or substance	—	—	340	20	—	510
Struck by flying object, n.e.c.	—	—	130	40	—	1,290
Struck by swinging or slipping object	—	120	28,150	2,660	—	10,140
Struck by swinging or slipping object, unspecified	—	—	250	370	—	380
Struck by or slammed in swinging door or gate	—	90	40	1,710	—	6,670
Struck by slipping handheld object	—	—	27,240	280	—	2,510
Struck by swinging or slipping object, n.e.c.	—	—	630	300	—	590
Struck by rolling, sliding objects on floor or ground level	—	40	40	1,360	—	920
Struck by object, n.e.c.	—	90	2,260	2,940	730	4,480
Caught in or compressed by equipment or objects	—	170	3,440	6,610	210	3,400
Caught in or compressed by equipment or objects, unspecified	—	—	140	470	—	490
Caught in running equipment or machinery	—	—	1,930	570	—	60
Compressed or pinched by rolling, sliding, or shifting objects	—	—	250	2,630	—	960
Caught in or compressed by equipment or objects, n.e.c.	—	130	1,120	2,940	180	1,880

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Caught in or crushed in collapsing materials	04	350	—	—	—	—	50
Caught in or crushed in collapsing materials, unspecified	040	80	—	—	—	—	20
Excavation or trenching cave-in	041	100	—	—	—	—	—
Caught in or crushed in collapsing structure	044	110	—	—	—	—	—
Caught in or crushed in collapsing materials, n.e.c.	049	50	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	14,940	80	120	50	60	700
Rubbed or abraded by friction or pressure, unspecified	050	90	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	1,090	—	—	—	—	230
Rubbed or abraded by objects being handled	052	260	—	—	—	—	60
Rubbed or abraded by foreign matter in eye	053	13,060	80	80	—	—	200
Rubbed or abraded by friction or pressure, n.e.c.	059	440	—	—	—	—	190
Rubbed, abraded, or jarred by vibration	06	1,770	—	—	50	470	40
Rubbed, abraded, or jarred by vibration, unspecified	060	40	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	1,130	—	—	—	240	—
Rubbed, abraded, or jarred by other machine or equipment vibration	062	450	—	—	—	210	—
Rubbed, abraded, or jarred by vibration, n.e.c.	069	160	—	—	50	20	40
Contact with objects and equipment, n.e.c.	09	2,640	—	150	50	400	410
Falls	1	255,600	—	3,150	4,440	2,950	3,790
Fall, unspecified	10	2,280	—	80	50	—	—
Fall to lower level	11	79,800	—	330	390	300	480
Fall to lower level, unspecified	110	760	—	—	—	—	—
Fall down stairs or steps	111	18,920	—	20	—	—	—
Fall from floor, dock, or ground level	112	4,490	—	—	—	—	110
Fall from floor, dock, or ground level, unspecified	1120	920	—	—	—	—	—
Fall through existing floor opening	1121	990	—	—	—	—	20

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Caught in or crushed in collapsing materials	—	70	—	—	—	220
Caught in or crushed in collapsing materials, unspecified	—	—	—	—	—	50
Excavation or trenching cave-in	—	50	—	—	—	60
Caught in or crushed in collapsing structure	—	—	—	—	—	90
Caught in or crushed in collapsing materials, n.e.c.	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	—	790	—	—	60	13,020
Rubbed or abraded by friction or pressure, unspecified	—	—	—	—	—	20
Rubbed or abraded by kneeling on surface	—	720	—	—	—	120
Rubbed or abraded by objects being handled	—	—	—	—	—	120
Rubbed or abraded by foreign matter in eye	—	—	—	—	—	12,600
Rubbed or abraded by friction or pressure, n.e.c.	—	—	—	—	—	160
Rubbed, abraded, or jarred by vibration	—	20	160	1,020	—	—
Rubbed, abraded, or jarred by vibration, unspecified	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	—	—	—	890	—	—
Rubbed, abraded, or jarred by other machine or equipment vibration	—	—	140	90	—	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	—	50	540	200	170	690
Falls	—	221,110	640	6,220	230	13,050
Fall, unspecified	—	1,720	—	—	—	370
Fall to lower level	—	70,240	50	1,970	20	6,030
Fall to lower level, unspecified	—	630	—	—	—	80
Fall down stairs or steps	—	18,100	—	110	—	680
Fall from floor, dock, or ground level	—	3,390	—	60	—	840
Fall from floor, dock, or ground level, unspecified	—	440	—	—	—	400
Fall through existing floor opening	—	700	—	—	—	270

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Fall through floor surface	1122	540	—	20	—	—	40
Fall from loading dock	1123	760	—	—	—	—	—
Fall from ground level to lower level	1124	850	—	—	—	—	—
Fall from floor, dock, or ground level, n.e.c.	1129	420	—	—	—	—	—
Fall from ladder	113	22,140	—	50	—	80	110
Fall from piled or stacked material	114	850	—	80	—	—	40
Fall from roof	115	2,340	—	—	—	—	20
Fall from roof, unspecified	1150	630	—	—	—	—	—
Fall through existing roof opening	1151	250	—	—	—	—	—
Fall through roof surface	1152	340	—	—	—	—	—
Fall through skylight	1153	40	—	—	—	—	—
Fall from roof edge	1154	860	—	—	—	—	—
Fall from roof, n.e.c.	1159	220	—	—	—	—	—
Fall from scaffold, staging	116	3,260	—	—	—	—	—
Fall from building girders or other structural steel	117	340	—	—	—	—	—
Fall from nonmoving vehicle	118	14,810	—	20	50	50	60
Fall to lower level, n.e.c.	119	11,890	—	100	250	100	90
Jump to lower level	12	5,360	—	90	20	110	170
Jump to lower level, unspecified	120	150	—	—	—	—	—
Jump from scaffold, platform, loading dock	121	440	—	—	—	—	—
Jump from structure, structural element, n.e.c.	122	610	—	70	—	—	—
Jump from nonmoving vehicle	123	2,570	—	—	—	—	20
Jump to lower level, n.e.c.	129	1,580	—	—	—	40	90
Fall on same level	13	167,010	—	2,650	3,930	2,470	3,130
Fall on same level, unspecified	130	2,750	—	—	180	20	140
Fall to floor, walkway, or other surface	131	140,980	—	—	—	—	—
Fall onto or against objects	132	21,290	—	2,610	3,640	2,410	2,920
Fall on same level, n.e.c.	139	1,990	—	—	110	40	80
Fall, n.e.c.	19	1,150	—	—	50	70	—
Bodily reaction and exertion	2	511,750	80	117,850	19,780	18,780	50,520
Bodily reaction and exertion, unspecified	20	5,340	—	20	50	—	—
Bodily reaction	21	135,720	—	760	370	200	480
Bodily reaction, unspecified	210	6,500	—	—	—	—	70
Bending, climbing, crawling, reaching, twisting	211	54,130	—	330	80	60	290
Sudden reaction when surprised, frightened, startled	212	1,580	—	—	—	—	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Fall through floor surface	—	450	—	—	—	—
Fall from loading dock	—	700	—	—	—	—
Fall from ground level to lower level	—	740	—	—	—	90
Fall from floor, dock, or ground level, n.e.c.	—	360	—	20	—	—
Fall from ladder	—	18,710	20	20	—	3,120
Fall from piled or stacked material	—	640	—	—	20	50
Fall from roof	—	2,050	—	—	—	240
Fall from roof, unspecified	—	590	—	—	—	—
Fall through existing roof opening	—	200	—	—	—	50
Fall through roof surface	—	290	—	—	—	40
Fall through skylight	—	—	—	—	—	—
Fall from roof edge	—	790	—	—	—	70
Fall from roof, n.e.c.	—	160	—	—	—	50
Fall from scaffold, staging	—	3,030	—	20	—	140
Fall from building girders or other structural steel	—	320	—	—	—	—
Fall from nonmoving vehicle	—	13,060	—	1,400	—	140
Fall to lower level, n.e.c.	—	10,300	—	340	—	710
Jump to lower level	—	4,230	—	560	—	170
Jump to lower level, unspecified	—	110	—	—	—	—
Jump from scaffold, platform, loading dock	—	390	—	—	—	—
Jump from structure, structural element, n.e.c.	—	450	—	—	—	—
Jump from nonmoving vehicle	—	1,960	—	490	—	50
Jump to lower level, n.e.c.	—	1,310	—	50	—	70
Fall on same level	—	144,420	300	3,630	190	6,290
Fall on same level, unspecified	—	2,140	—	—	—	230
Fall to floor, walkway, or other surface	—	140,740	—	40	—	180
Fall onto or against objects	—	290	300	3,470	190	5,460
Fall on same level, n.e.c.	—	1,240	—	90	—	420
Fall, n.e.c.	—	510	—	40	—	190
Bodily reaction and exertion	182,820	5,080	11,340	16,730	44,710	44,060
Bodily reaction and exertion, unspecified	4,880	—	—	60	—	220
Bodily reaction	127,280	4,010	40	460	340	1,770
Bodily reaction, unspecified	5,770	40	—	—	120	360
Bending, climbing, crawling, reaching, twisting	52,700	150	20	80	80	350
Sudden reaction when surprised, frightened, startled	1,510	—	—	—	—	40

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Running without other incident	213	1,200	—	—	—	—	—
Sitting	214	520	—	—	—	—	—
Slip, trip, loss of balance without fall	215	37,500	—	330	190	50	100
Standing	216	1,120	—	—	—	—	—
Walking without other incident	217	5,890	—	—	—	—	—
Bodily reaction, n.e.c.	219	27,280	—	40	50	60	20
Overexertion	22	316,670	70	117,050	19,350	18,560	49,970
Overexertion, unspecified	220	24,490	—	6,000	1,930	1,560	3,600
Overexertion in lifting	221	173,400	—	79,810	9,740	8,860	28,460
Overexertion in pulling or pushing objects	222	53,570	—	12,000	4,090	4,830	8,450
Overexertion in holding, carrying, turning, or wielding objects	223	47,230	—	14,560	2,780	2,460	7,250
Overexertion in throwing objects	224	2,090	—	1,120	50	20	270
Overexertion, n.e.c.	229	15,880	—	3,560	760	830	1,940
Repetitive motion	23	48,710	—	—	—	—	—
Repetitive motion, unspecified	230	12,230	—	—	—	—	—
Typing or key entry	231	7,840	—	—	—	—	—
Repetitive use of tools	232	6,590	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	233	15,910	—	—	—	—	—
Repetitive motion, n.e.c.	239	6,140	—	—	—	—	—
Bodily conditions, n.e.c.	25	2,890	—	—	—	—	—
Bodily reaction and exertion, n.e.c. ...	29	2,410	—	—	—	—	—
Exposure to harmful substances or environments	3	52,830	16,990	530	260	3,310	3,480
Exposure to harmful substances or environments, unspecified	30	260	50	—	—	—	—
Contact with electric current	31	2,650	—	—	110	520	1,560
Contact with electric current, unspecified	310	160	—	—	—	—	90
Contact with electric current of machine, tool, appliance, or light fixture	311	1,110	—	—	80	470	390
Contact with wiring, transformers, or other electrical components	312	900	—	—	—	—	830
Contact with overhead power lines	313	40	—	—	—	—	40
Struck by lightning	315	100	—	—	—	—	—
Contact with electric current, n.e.c.	319	320	—	—	—	—	200
Contact with temperature extremes ...	32	18,960	870	480	70	2,440	1,690
Exposure to environmental heat	321	1,590	—	—	—	—	—
Exposure to environmental cold	322	180	—	—	—	—	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Running without other incident	1,100	70	—	—	—	—
Sitting	430	—	—	60	—	—
Slip, trip, loss of balance without fall	33,160	2,710	—	150	50	750
Standing	1,050	—	—	—	—	50
Walking without other incident	5,310	540	—	—	—	—
Bodily reaction, n.e.c.	26,260	460	—	150	70	160
Overexertion	—	1,020	11,260	16,200	44,350	38,830
Overexertion, unspecified	—	100	720	1,020	5,170	4,370
Overexertion in lifting	—	320	2,190	2,830	21,350	19,810
Overexertion in pulling or pushing objects	—	190	2,430	10,490	4,180	6,920
Overexertion in holding, carrying, turning, or wielding objects	—	110	4,460	940	9,860	4,810
Overexertion in throwing objects	—	—	—	—	—	600
Overexertion, n.e.c.	—	310	1,430	910	3,800	2,310
Repetitive motion	48,710	—	—	—	—	—
Repetitive motion, unspecified	12,230	—	—	—	—	—
Typing or key entry	7,840	—	—	—	—	—
Repetitive use of tools	6,590	—	—	—	—	—
Repetitive placing, grasping, or moving objects, except tools	15,910	—	—	—	—	—
Repetitive motion, n.e.c.	6,140	—	—	—	—	—
Bodily conditions, n.e.c.	—	—	—	—	—	2,890
Bodily reaction and exertion, n.e.c. ...	1,950	20	—	—	—	350
Exposure to harmful substances or environments	—	—	2,220	150	360	25,530
Exposure to harmful substances or environments, unspecified	—	—	—	—	20	180
Contact with electric current	—	—	150	70	—	210
Contact with electric current, unspecified	—	—	—	—	—	60
Contact with electric current of machine, tool, appliance, or light fixture	—	—	130	—	—	40
Contact with wiring, transformers, or other electrical components	—	—	—	—	—	—
Contact with overhead power lines	—	—	—	—	—	—
Struck by lightning	—	—	—	—	—	100
Contact with electric current, n.e.c.	—	—	—	50	—	—
Contact with temperature extremes ...	—	—	410	80	—	12,930
Exposure to environmental heat	—	—	—	—	—	1,590
Exposure to environmental cold	—	—	—	—	—	180

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Contact with hot objects or substances	323	17,130	850	480	70	2,440	1,680
Contact with cold objects or substances	324	50	—	—	—	—	—
Exposure to air pressure changes	33	230	—	—	—	—	—
Pressure changes in airplane, other aircraft	332	210	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	27,020	16,000	—	50	60	200
Exposure to caustic, noxious, or allergenic substances, unspecified	340	3,250	1,290	—	—	—	50
Inhalation of substance	341	4,960	3,720	—	—	—	90
Inhalation of substance, unspecified	3410	1,670	1,290	—	—	—	—
Inhalation in enclosed, restricted, or confined space	3411	570	480	—	—	—	—
Inhalation in open or nonconfined space	3412	2,710	1,950	—	—	—	60
Contact with skin or other exposed tissue	342	12,380	10,120	—	—	—	40
Injections, stings, venomous bites	343	4,910	50	—	—	—	—
Injections, stings, venomous bites, unspecified	3430	720	—	—	—	—	—
Needle sticks	3431	410	—	—	—	—	—
Bee, wasp, hornet sting	3432	2,300	—	—	—	—	—
Other stings or venomous bites	3433	1,190	—	—	—	—	—
Injections, stings, venomous bites, n.e.c.	3439	290	—	—	—	—	—
Ingestion of substance	344	170	70	—	—	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,350	740	—	—	—	—
Exposure to noise	35	180	—	—	—	—	—
Exposure to noise over time	351	50	—	—	—	—	—
Exposure to noise in single incident	352	70	—	—	—	—	—
Exposure to radiation	36	1,990	—	—	—	290	20
Exposure to welding light	362	1,900	—	—	—	270	—
Exposure to radiation, n.e.c.	369	80	—	—	—	—	20
Exposure to traumatic or stressful event, n.e.c.	37	1,380	—	—	—	—	—
Other oxygen deficiency, n.e.c.	389	20	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	140	40	—	—	—	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Contact with hot objects or substances	—	—	410	80	—	11,130
Contact with cold objects or substances	—	—	—	—	—	20
Exposure to air pressure changes	—	—	—	—	—	230
Pressure changes in airplane, other aircraft	—	—	—	—	—	210
Exposure to caustic, noxious, or allergenic substances	—	—	—	—	340	10,330
Exposure to caustic, noxious, or allergenic substances, unspecified	—	—	—	—	210	1,630
Inhalation of substance	—	—	—	—	—	1,140
Inhalation of substance, unspecified	—	—	—	—	—	340
Inhalation in enclosed, restricted, or confined space	—	—	—	—	—	90
Inhalation in open or nonconfined space	—	—	—	—	—	700
Contact with skin or other exposed tissue	—	—	—	—	70	2,110
Injections, stings, venomous bites	—	—	—	—	—	4,860
Injections, stings, venomous bites, unspecified	—	—	—	—	—	710
Needle sticks	—	—	—	—	—	390
Bee, wasp, hornet sting	—	—	—	—	—	2,300
Other stings or venomous bites	—	—	—	—	—	1,190
Injections, stings, venomous bites, n.e.c.	—	—	—	—	—	270
Ingestion of substance	—	—	—	—	—	100
Exposure to caustic, noxious, or allergenic substances, n.e.c.	—	—	—	—	60	490
Exposure to noise	—	—	—	—	—	180
Exposure to noise over time	—	—	—	—	—	50
Exposure to noise in single incident	—	—	—	—	—	70
Exposure to radiation	—	—	1,650	—	—	—
Exposure to welding light	—	—	1,620	—	—	—
Exposure to radiation, n.e.c.	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	—	—	—	—	—	1,370
Other oxygen deficiency, n.e.c.	—	—	—	—	—	20
Exposure to harmful substances or environments, n.e.c.	—	—	—	—	—	60

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Transportation accidents	4	62,860	—	—	—	1,900	—
Transportation accident, unspecified	40	1,540	—	—	—	—	—
Highway accident	41	38,950	—	—	—	130	—
Highway accident, unspecified	410	3,430	—	—	—	—	—
Collision between vehicles, mobile equipment	411	27,230	—	—	—	40	—
Collision between vehicles, mobile equipment, unspecified	4110	8,410	—	—	—	—	—
Re-entrant collision	4111	280	—	—	—	—	—
Moving in same direction	4112	6,610	—	—	—	—	—
Moving in opposite directions, oncoming	4113	1,570	—	—	—	—	—
Moving in intersection	4114	4,050	—	—	—	—	—
Moving and standing vehicle, mobile equipment in roadway	4115	4,140	—	—	—	—	—
Moving and standing vehicle, mobile equipment side of road	4116	590	—	—	—	—	—
Collision between vehicles, mobile equipment, n.e.c.	4119	1,580	—	—	—	—	—
Vehicle struck stationary object or equipment in roadway	412	430	—	—	—	—	—
Vehicle struck stationary object, equipment on side of road	413	1,660	—	—	—	—	—
Noncollision accident	414	5,730	—	—	—	80	—
Noncollision accident, unspecified	4140	120	—	—	—	—	—
Jack-knifed or overturned no collision	4141	2,960	—	—	—	—	—
Ran off highway no collision	4142	1,220	—	—	—	—	—
Sudden start or stop, n.e.c.	4144	560	—	—	—	—	—
Noncollision accident, n.e.c.	4149	850	—	—	—	—	—
Highway accident, n.e.c.	419	480	—	—	—	—	—
Nonhighway accident, except rail, air, water	42	10,190	—	—	—	810	—
Nonhighway accident, unspecified	420	240	—	—	—	—	—
Collision between vehicles or mobile equipment	421	1,420	—	—	—	—	—
Vehicle, mobile equipment struck stationary object	422	2,520	—	—	—	240	—
Noncollision accident	423	5,630	—	—	—	540	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Transportation accidents	—	170	—	60,420	—	360
Transportation accident, unspecified	—	—	—	1,540	—	—
Highway accident	—	—	—	38,560	—	220
Highway accident, unspecified	—	—	—	3,300	—	120
Collision between vehicles, mobile equipment	—	—	—	27,070	—	100
Collision between vehicles, mobile equipment, unspecified	—	—	—	8,320	—	60
Re-entrant collision	—	—	—	280	—	—
Moving in same direction	—	—	—	6,550	—	—
Moving in opposite directions, oncoming	—	—	—	1,570	—	—
Moving in intersection	—	—	—	4,050	—	—
Moving and standing vehicle, mobile equipment in roadway	—	—	—	4,140	—	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	590	—	—
Collision between vehicles, mobile equipment, n.e.c.	—	—	—	1,570	—	—
Vehicle struck stationary object or equipment in roadway	—	—	—	420	—	—
Vehicle struck stationary object, equipment on side of road	—	—	—	1,660	—	—
Noncollision accident	—	—	—	5,640	—	—
Noncollision accident, unspecified	—	—	—	120	—	—
Jack-knifed or overturned no collision	—	—	—	2,930	—	—
Ran off highway no collision	—	—	—	1,220	—	—
Sudden start or stop, n.e.c.	—	—	—	540	—	—
Noncollision accident, n.e.c.	—	—	—	810	—	—
Highway accident, n.e.c.	—	—	—	480	—	—
Nonhighway accident, except rail, air, water	—	120	—	9,210	—	40
Nonhighway accident, unspecified	—	—	—	230	—	—
Collision between vehicles or mobile equipment	—	—	—	1,400	—	—
Vehicle, mobile equipment struck stationary object	—	—	—	2,280	—	—
Noncollision accident	—	120	—	4,950	—	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Noncollision accident, unspecified	4230	60	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	1,200	—	—	—	50	—
Fell from and struck by vehicle, mobile equipment	4232	220	—	—	—	50	—
Overturned	4233	1,890	—	—	—	180	—
Loss of control	4234	240	—	—	—	—	—
Struck by shifting load	4235	120	—	—	—	—	—
Sudden start or stop, n.e.c.	4236	720	—	—	—	120	—
Noncollision accident, n.e.c.	4239	1,180	—	—	—	110	—
Nonhighway accident, n.e.c.	429	380	—	—	—	—	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	10,760	—	—	—	950	—
Pedestrian struck by vehicle, mobile equipment, unspecified	430	1,200	—	—	—	40	—
Pedestrian struck by vehicle, mobile equipment in roadway	431	710	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment on side of road	432	660	—	—	—	210	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	8,200	—	—	—	680	—
Railway accident	44	270	—	—	—	—	—
Collision between railway vehicle and other vehicle	442	50	—	—	—	—	—
Derailement	445	60	—	—	—	—	—
Railway accident, n.e.c.	449	150	—	—	—	—	—
Water vehicle accident	45	350	—	—	—	—	—
Collision	451	230	—	—	—	—	—
Fall on ship, boat	454	80	—	—	—	—	—
Water vehicle accident, n.e.c.	459	—	—	—	—	—	—
Aircraft accident	46	780	—	—	—	—	—
During takeoff or landing	461	80	—	—	—	—	—
Aircraft accident, n.e.c.	469	700	—	—	—	—	—
Transportation accident, n.e.c.	49	20	—	—	—	—	—
Fires and explosions	5	2,420	200	250	70	60	370
Fire unintended or uncontrolled	51	1,390	110	—	—	—	—
Fire, unspecified	510	100	—	—	—	—	—
Fire in residence, building, or other structure	511	440	40	—	—	—	—
Forest, brush, or other outdoor fire	512	20	—	—	—	—	—
Ignition of clothing from controlled heat source	513	300	—	—	—	—	—

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Noncollision accident, unspecified	-	-	-	60	-	-
Fall from moving vehicle, mobile equipment	-	120	-	1,030	-	-
Fell from and struck by vehicle, mobile equipment	-	-	-	170	-	-
Overturned	-	-	-	1,710	-	-
Loss of control	-	-	-	220	-	-
Struck by shifting load	-	-	-	100	-	-
Sudden start or stop, n.e.c.	-	-	-	600	-	-
Noncollision accident, n.e.c.	-	-	-	1,070	-	-
Nonhighway accident, n.e.c.	-	-	-	350	-	-
Pedestrian, nonpassenger struck by vehicle, mobile equipment	-	-	-	9,780	-	-
Pedestrian struck by vehicle, mobile equipment, unspecified	-	-	-	1,160	-	-
Pedestrian struck by vehicle, mobile equipment in roadway	-	-	-	680	-	-
Pedestrian struck by vehicle, mobile equipment on side of road	-	-	-	450	-	-
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	-	-	-	7,480	-	-
Railway accident	-	-	-	220	-	40
Collision between railway vehicle and other vehicle	-	-	-	50	-	-
Derailment	-	-	-	40	-	-
Railway accident, n.e.c.	-	-	-	120	-	20
Water vehicle accident	-	-	-	340	-	-
Collision	-	-	-	230	-	-
Fall on ship, boat	-	-	-	80	-	-
Water vehicle accident, n.e.c.	-	-	-	20	-	-
Aircraft accident	-	-	-	760	-	-
During takeoff or landing	-	-	-	60	-	-
Aircraft accident, n.e.c.	-	-	-	690	-	-
Transportation accident, n.e.c.	-	-	-	20	-	-
Fires and explosions	-	-	-	-	-	1,450
Fire unintended or uncontrolled	-	-	-	-	-	1,260
Fire, unspecified	-	-	-	-	-	90
Fire in residence, building, or other structure	-	-	-	-	-	400
Forest, brush, or other outdoor fire	-	-	-	-	-	20
Ignition of clothing from controlled heat source	-	-	-	-	-	300

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Event code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Fire, n.e.c.	519	530	50	—	—	—	—
Explosion	52	1,030	90	240	70	50	370
Explosion, unspecified	520	40	—	—	—	—	—
Explosion of battery	521	70	40	—	—	—	—
Explosion of pressure vessel or piping	522	600	40	180	—	—	190
Explosion, n.e.c.	529	320	—	50	—	—	150
Assaults and violent acts	6	24,880	—	160	130	—	130
Assaults and violent acts, unspecified	60	100	—	—	—	—	—
Assaults and violent acts by person(s)	61	17,670	—	160	130	—	130
Assaults and violent acts by person(s), unspecified	610	2,270	—	—	—	—	—
Biting	611	340	—	—	—	—	—
Hitting, kicking, beating	612	8,790	—	80	80	—	60
Shooting	613	170	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	1,810	—	—	—	—	40
Stabbing	615	100	—	—	—	—	—
Threats or verbal assaults	617	50	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,110	—	70	50	—	—
Assaults by animals	63	7,090	—	—	—	—	—
Assaults by animals, unspecified ...	630	480	—	—	—	—	—
Nonvenomous bites	631	3,580	—	—	—	—	—
Assaults by animals, n.e.c.	639	3,030	—	—	—	—	—
Other events or exposures	9	150	—	—	—	—	—
Nonclassifiable	9999	13,660	—	210	90	100	130

See footnotes at end of table.

TABLE R33. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected sources of injury or illness, 2004 — Continued

Event	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Fire, n.e.c.	—	—	—	—	—	450
Explosion	—	—	—	—	—	190
Explosion, unspecified	—	—	—	—	—	—
Explosion of battery	—	—	—	—	—	—
Explosion of pressure vessel or piping	—	—	—	—	—	100
Explosion, n.e.c.	—	—	—	—	—	70
Assaults and violent acts	—	360	90	50	9,790	14,150
Assaults and violent acts, unspecified	—	—	—	—	20	80
Assaults and violent acts by person(s)	—	360	90	50	9,780	6,960
Assaults and violent acts by person(s), unspecified	—	—	—	—	920	1,320
Biting	—	—	—	—	170	170
Hitting, kicking, beating	—	20	—	—	5,510	2,990
Shooting	—	—	—	—	—	170
Squeezing, pinching, scratching, twisting	—	—	—	—	1,320	370
Stabbing	—	—	40	—	—	50
Threats or verbal assaults	—	—	—	—	—	50
Assaults and violent acts by person(s), n.e.c.	—	280	—	—	1,840	1,810
Assaults by animals	—	—	—	—	—	7,090
Assaults by animals, unspecified ...	—	—	—	—	—	480
Nonvenomous bites	—	—	—	—	—	3,580
Assaults by animals, n.e.c.	—	—	—	—	—	3,030
Other events or exposures	—	—	—	—	—	110
Nonclassifiable	—	250	90	110	50	12,620

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies