

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2006

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
<b>Total</b> .....		1,183,500	775,900	403,740	3,860	157,740	259,320	394,870	361,250	10,310
<b>Head</b> .....	0	82,420	59,270	22,900	250	12,910	21,600	25,760	21,590	570
Head, unspecified .....	00	17,250	10,510	6,680	50	2,660	4,750	4,780	4,900	150
Cranial region, including skull .....	01	9,940	6,250	3,620	70	1,480	2,110	3,100	3,120	130
Cranial region, unspecified .....	010	170	120	40	—	30	50	40	40	—
Brain .....	011	6,300	3,670	2,610	20	1,070	1,530	1,980	1,670	50
Scalp .....	012	2,610	1,850	720	40	320	390	680	1,150	70
Skull .....	013	690	500	190	—	50	130	300	210	—
Multiple cranial region locations .....	018	80	50	30	—	—	—	30	30	—
Cranial region, n.e.c. ....	019	90	60	30	—	—	—	60	20	—
Ear(s) .....	02	1,890	1,300	580	—	350	550	300	680	—
Face .....	03	52,060	40,170	11,770	120	8,310	13,890	16,960	12,610	280
Face, unspecified .....	030	3,810	2,430	1,380	—	510	830	1,150	1,310	—
Forehead .....	031	2,930	1,980	930	—	400	820	950	740	—
Eye(s) .....	032	35,970	29,060	6,860	50	5,740	10,250	11,570	8,250	170
Nose, nasal cavity .....	033	2,310	1,500	790	20	460	550	590	670	40
Nose, except internal location of diseases or disorders .....	0330	2,240	1,470	760	20	460	540	560	650	40
Internal nasal location, unspecified .....	0331	40	—	20	—	—	—	20	—	—
Multiple internal nasal locations .....	0338	20	20	—	—	—	—	—	—	—
Cheek(s) .....	034	810	490	310	—	90	110	210	390	20
Jaw/chin .....	035	790	560	220	—	70	230	260	220	—
Mouth .....	036	2,940	2,260	670	—	670	550	1,260	460	—
Mouth, unspecified .....	0360	410	310	100	—	20	130	160	100	—
Lip(s) .....	0361	1,030	900	130	—	250	140	570	70	—
Tongue .....	0362	20	20	—	—	—	—	—	—	—
Tooth(teeth) .....	0363	1,210	790	420	—	380	240	350	250	—
Multiple mouth locations .....	0368	190	160	20	—	—	20	130	20	—
Mouth, n.e.c. ....	0369	70	60	—	—	—	—	40	20	—
Multiple face locations .....	038	2,170	1,650	520	—	290	490	880	500	—
Face, n.e.c. ....	039	330	220	90	20	100	70	90	60	20
Multiple head locations .....	08	1,120	950	170	—	80	240	580	220	—
Head, n.e.c. ....	09	170	90	80	—	20	50	40	60	—
<b>Neck, including throat</b> .....	1	17,840	10,440	7,240	160	1,810	4,020	6,300	5,520	190
Neck, except internal location of diseases or disorders .....	10	17,660	10,400	7,100	160	1,800	4,010	6,160	5,490	190
Internal neck location, unspecified .....	11	120	20	110	—	—	—	110	—	—
Vocal cord(s) .....	12	20	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	401,900	265,590	134,980	1,330	42,280	86,080	139,990	130,070	3,470
Trunk, unspecified .....	20	2,260	1,510	720	20	160	380	1,280	400	30
Shoulder, including clavicle, scapula .....	21	75,810	48,440	27,030	330	7,520	13,620	25,130	28,950	590
Chest, including ribs, internal organs .....	22	18,170	12,710	5,390	80	2,250	3,540	6,660	5,570	150

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Chest, except internal location of diseases or disorders .....	220	16,260	11,890	4,290	70	2,070	3,210	5,930	4,900	150
Internal chest location, unspecified .....	221	190	90	100	—	30	50	60	50	—
Heart .....	223	430	200	230	—	30	30	60	300	—
Bronchus .....	224	140	50	90	—	50	20	40	30	—
Lung(s), pleura .....	225	1,150	470	680	—	70	230	570	280	—
Back, including spine, spinal cord .....	23	250,870	160,740	89,340	790	27,160	57,140	88,100	76,160	2,300
Back, including spine, spinal cord, unspecified .....	230	105,380	69,580	35,770	20	12,600	23,810	38,070	30,160	740
Lumbar region .....	231	122,830	78,870	43,340	620	12,400	27,550	41,760	39,800	1,310
Thoracic region .....	232	9,940	5,170	4,620	150	960	2,480	3,670	2,630	210
Sacral region .....	233	1,190	490	700	—	150	330	370	340	—
Coccygeal region .....	234	1,390	690	700	—	200	390	400	400	—
Multiple back regions .....	238	9,030	5,110	3,920	—	750	2,400	3,260	2,590	30
Back, including spine, spinal cord, n.e.c. ....	239	1,110	830	290	—	110	180	580	240	—
Abdomen .....	24	27,040	23,700	3,300	40	2,460	5,570	9,200	9,640	160
Abdomen, except internal location of diseases or disorders .....	240	7,820	5,580	2,230	—	860	2,080	2,860	1,910	100
Internal abdominal location, unspecified .....	241	8,360	7,840	490	30	720	1,660	2,720	3,220	40
Stomach organ .....	242	700	590	110	—	80	140	240	240	—
Urinary organs .....	244	20	20	—	—	—	—	—	—	—
Kidney(s) .....	2442	20	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,990	9,570	430	—	790	1,590	3,350	4,230	30
Intestines, peritoneum, unspecified .....	2450	9,330	8,990	340	—	740	1,430	3,130	4,010	30
Peritoneum .....	2451	450	410	50	—	40	120	160	140	—
Large intestine/colon, rectum .....	2453	160	140	—	—	—	40	40	70	—
Intestines, n.e.c. ....	2459	30	20	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	60	60	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	80	40	40	—	—	40	20	20	—
Pelvic region .....	25	20,630	14,800	5,760	80	2,030	4,470	6,730	7,170	220
Pelvic region, unspecified .....	250	220	150	80	—	20	50	80	80	—
Hip(s) .....	251	7,680	4,210	3,430	40	860	1,450	2,210	3,090	80
Pelvis .....	252	1,200	930	280	—	90	230	360	520	—
Buttock(s) .....	253	1,940	860	1,070	—	100	830	590	420	—
Groin .....	254	8,760	7,980	780	—	780	1,810	3,190	2,870	100
External reproductive tract structures .....	255	560	520	—	30	130	80	210	100	30
External reproductive tract structures, unspecified .....	2550	80	50	—	30	—	—	30	—	30
Scrotum .....	2551	370	370	—	—	120	70	110	80	—
Penis .....	2552	90	90	—	—	—	—	70	—	—
Multiple pelvic region locations .....	258	150	90	60	—	30	—	60	50	—
Pelvic region, n.e.c. ....	259	130	70	60	—	20	20	40	50	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple trunk locations .....	28	7,010	3,620	3,390	—	700	1,320	2,820	2,160	—
Trunk, n.e.c. ....	29	110	60	40	—	—	30	50	20	—
<b>Upper extremities</b> .....	<b>3</b>	<b>274,180</b>	<b>184,480</b>	<b>89,020</b>	<b>680</b>	<b>44,410</b>	<b>61,950</b>	<b>88,710</b>	<b>77,070</b>	<b>2,030</b>
Upper extremities, unspecified .....	30	740	540	200	—	50	90	100	490	—
Arm(s) .....	31	54,860	35,730	18,920	200	8,500	11,970	16,500	17,480	410
Arm(s), unspecified .....	310	18,510	11,220	7,290	—	2,850	4,400	5,830	5,370	60
Upper arm(s) .....	311	4,310	3,000	1,240	60	510	720	1,110	1,900	80
Elbow(s) .....	312	18,020	11,810	6,140	80	2,560	3,540	5,560	6,190	170
Forearm(s) .....	313	10,860	7,880	2,920	50	2,250	2,710	2,980	2,820	90
Multiple arm(s) locations .....	318	2,510	1,380	1,120	—	250	480	820	940	—
Arm(s), n.e.c. ....	319	650	440	210	—	70	120	190	270	—
Wrist(s) .....	32	48,810	24,220	24,490	100	5,680	9,800	15,600	17,400	340
Hand(s), except finger(s) .....	33	49,480	35,050	14,320	110	9,290	11,040	16,670	12,030	450
Finger(s), fingernail(s) .....	34	106,050	80,340	25,450	250	18,900	25,460	35,170	25,720	790
Multiple upper extremities locations ...	38	14,160	8,530	5,620	—	1,970	3,590	4,660	3,910	30
Multiple upper extremities locations, unspecified .....	380	240	160	80	—	20	80	100	50	—
Hand(s) and finger(s) .....	381	4,620	3,500	1,120	—	810	1,600	1,250	960	—
Hand(s) and wrist(s) .....	382	3,370	1,820	1,550	—	300	940	1,060	1,060	—
Hand(s) and arm(s) .....	383	1,550	960	580	—	320	280	530	410	—
Multiple upper extremities locations, n.e.c. ....	389	4,370	2,090	2,290	—	520	700	1,710	1,440	—
Upper extremities, n.e.c. ....	39	80	50	30	—	—	—	20	50	—
<b>Lower extremities</b> .....	<b>4</b>	<b>262,180</b>	<b>177,400</b>	<b>83,740</b>	<b>1,030</b>	<b>37,450</b>	<b>56,200</b>	<b>85,140</b>	<b>81,140</b>	<b>2,250</b>
Lower extremities, unspecified .....	40	200	120	70	—	60	—	50	70	20
Leg(s) .....	41	134,550	90,130	43,810	610	16,600	26,790	42,350	47,670	1,140
Leg(s), unspecified .....	410	18,270	13,040	5,220	—	2,870	4,160	5,720	5,450	70
Thigh(s) .....	411	5,820	4,210	1,540	60	610	1,310	1,930	1,880	80
Knee(s) .....	412	95,520	62,360	32,730	430	11,200	18,400	29,690	35,430	800
Lower leg(s) .....	413	10,660	7,990	2,560	110	1,400	2,290	3,390	3,400	180
Multiple leg(s) locations .....	418	3,440	1,890	1,540	—	450	550	1,420	1,010	—
Leg(s), n.e.c. ....	419	850	640	210	—	80	90	190	500	—
Ankle(s) .....	42	61,770	40,510	20,960	290	10,140	15,430	20,490	15,190	510
Foot(feet), except toe(s) .....	43	43,840	31,390	12,350	100	7,010	9,810	14,620	11,920	480
Foot(feet), except toe(s), unspecified .....	430	39,300	28,060	11,140	90	6,180	9,070	13,270	10,310	460
Instep(s) .....	431	310	250	50	—	50	60	110	80	—
Sole .....	432	3,110	2,260	850	—	610	530	830	1,130	20
Sole(s), unspecified .....	4320	420	360	70	—	90	90	150	90	—
Ball(s) .....	4321	40	40	—	—	—	—	—	20	—
Arch(es) .....	4322	100	80	20	—	40	—	20	30	—
Heel(s) .....	4323	2,510	1,750	750	—	470	400	640	980	20
Multiple sole(s) locations .....	4328	30	20	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	4329	20	20	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	380	320	60	—	30	40	170	130	—
Foot(feet), n.e.c. ....	439	750	500	250	—	140	100	230	270	—
Toe(s), toenail(s) .....	44	13,610	10,300	3,290	20	2,130	2,660	5,180	3,580	70

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, gender, and length of service with employer, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple lower extremities locations ....	48	8,120	4,910	3,210	—	1,500	1,470	2,450	2,670	30
Multiple lower extremities locations, unspecified .....	480	180	130	50	—	50	20	50	40	—
Foot(foot) and leg(s) .....	481	820	550	280	—	90	140	370	220	—
Foot(foot) and ankle(s) .....	482	2,750	1,730	1,020	—	520	520	820	890	—
Foot(foot) and toe(s) .....	483	930	630	300	—	260	120	240	300	—
Multiple lower extremities locations, n.e.c. ....	489	3,440	1,870	1,560	—	570	670	970	1,210	—
Lower extremities, n.e.c. ....	49	90	30	60	—	—	30	20	40	—
<b>Body systems</b> .....	5	18,220	9,470	8,710	30	2,510	3,790	6,260	5,400	260
<b>Multiple body parts</b> .....	8	115,930	63,190	52,680	60	15,020	23,680	39,160	37,510	550
<b>Other body parts</b> .....	9	60	50	—	—	—	—	30	—	—
Other body parts, n.e.c. ....	98	60	50	—	—	—	—	30	—	—
<b>Nonclassifiable</b> .....	9999	10,780	6,010	4,440	320	1,360	1,980	3,520	2,940	990

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies