

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,183,500	169,410	14.3	137,130	11.6	219,480	18.5
Traumatic injuries and disorders	0	1,103,270	159,480	14.5	129,760	11.8	208,070	18.9
Traumatic injuries and disorders, unspecified	00	41,660	5,370	12.9	4,730	11.4	7,690	18.5
Traumatic injuries to bones, nerves, spinal cord	01	104,470	5,410	5.2	5,680	5.4	11,120	10.6
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	640	70	10.9	—	—	110	17.2
Dislocations	011	8,750	550	6.3	600	6.9	870	9.9
Fractures	012	94,110	4,730	5.0	5,020	5.3	10,030	10.7
Traumatic injuries to spinal cord	013	140	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	250	—	—	20	8.0	20	8.0
Multiple traumatic injuries to bones nerves, spinal cord	018	360	—	—	20	5.6	30	8.3
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	230	40	17.4	—	—	50	21.7
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	477,360	55,170	11.6	50,450	10.6	93,280	19.5
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	3,840	320	8.3	250	6.5	550	14.3
Sprains, strains, tears	021	472,740	54,830	11.6	50,140	10.6	92,680	19.6
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	780	—	—	60	7.7	50	6.4
Open wounds	03	130,800	29,160	22.3	20,130	15.4	25,410	19.4
Open wounds, unspecified	030	780	270	34.6	240	30.8	140	17.9
Amputations	031	7,990	300	3.8	510	6.4	910	11.4
Amputations, fingertip	0311	5,630	230	4.1	420	7.5	690	12.3
Amputations, except fingertip	0319	2,360	60	2.5	90	3.8	210	8.9
Animal or insect bites	032	4,490	1,070	23.8	1,010	22.5	1,020	22.7
Avulsions	033	1,770	380	21.5	160	9.0	370	20.9
Cuts, lacerations	034	99,460	23,350	23.5	15,390	15.5	19,440	19.5
Gunshot wounds	036	110	—	—	—	—	—	—
Punctures, except bites	037	15,750	3,740	23.7	2,810	17.8	3,480	22.1
Multiple open wounds	038	60	—	—	—	—	—	—
Open wounds, n.e.c.	039	360	40	11.1	20	5.6	30	8.3
Surface wounds and bruises	04	125,360	29,890	23.8	22,470	17.9	28,750	22.9
Surface wounds and bruises, unspecified	040	320	110	34.4	50	15.6	50	15.6
Abrasions, scratches	041	9,240	3,070	33.2	2,030	22.0	2,290	24.8
Blisters	042	300	40	13.3	140	46.7	40	13.3
Bruises, contusions	043	101,260	20,580	20.3	16,830	16.6	23,520	23.2
Foreign bodies (superficial splinters, chips)	044	13,620	5,970	43.8	3,290	24.2	2,730	20.0
Friction burns	045	60	20	33.3	—	—	—	—
Multiple surface wounds and bruises	048	390	70	17.9	60	15.4	90	23.1

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	152,890	12.9	136,110	11.5	80,700	6.8	287,780	24.3	7
Traumatic injuries and disorders	143,670	13.0	124,550	11.3	72,690	6.6	265,040	24.0	7
Traumatic injuries and disorders, unspecified	5,090	12.2	4,040	9.7	2,970	7.1	11,780	28.3	8
Traumatic injuries to bones, nerves, spinal cord	9,430	9.0	13,940	13.3	9,170	8.8	49,730	47.6	29
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	—	—	30	4.7	160	25.0	240	37.5	22
Dislocations	570	6.5	910	10.4	610	7.0	4,650	53.1	34
Fractures	8,640	9.2	12,940	13.7	8,350	8.9	44,410	47.2	28
Traumatic injuries to spinal cord	—	—	—	—	—	—	30	21.4	8
Traumatic injuries to nerves, except the spinal cord	30	12.0	20	8.0	20	8.0	130	52.0	33
Multiple traumatic injuries to bones nerves, spinal cord	50	13.9	40	11.1	—	—	200	55.6	46
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	30	13.0	—	—	20	8.7	70	30.4	7
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	68,820	14.4	57,560	12.1	31,550	6.6	120,530	25.2	8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	550	14.3	460	12.0	260	6.8	1,440	37.5	14
Sprains, strains, tears	68,170	14.4	57,030	12.1	31,210	6.6	118,680	25.1	8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	100	12.8	70	9.0	70	9.0	420	53.8	32
Open wounds	17,830	13.6	13,540	10.4	8,560	6.5	16,170	12.4	4
Open wounds, unspecified	—	—	50	6.4	20	2.6	60	7.7	2
Amputations	1,010	12.6	1,050	13.1	1,430	17.9	2,790	34.9	22
Amputations, fingertip	740	13.1	830	14.7	1,150	20.4	1,560	27.7	19
Amputations, except fingertip	260	11.0	220	9.3	280	11.9	1,240	52.5	35
Animal or insect bites	330	7.3	250	5.6	180	4.0	630	14.0	3
Avulsions	190	10.7	270	15.3	90	5.1	320	18.1	5
Cuts, lacerations	13,910	14.0	10,730	10.8	5,840	5.9	10,790	10.8	4
Gunshot wounds	40	36.4	—	—	—	—	50	45.5	24
Punctures, except bites	2,300	14.6	1,150	7.3	960	6.1	1,310	8.3	3
Multiple open wounds	—	—	—	—	—	—	20	33.3	15
Open wounds, n.e.c.	50	13.9	20	5.6	—	—	200	55.6	81
Surface wounds and bruises	13,980	11.2	10,580	8.4	5,230	4.2	14,480	11.6	3
Surface wounds and bruises, unspecified	20	6.2	70	21.9	—	—	20	6.2	3
Abrasions, scratches	680	7.4	650	7.0	130	1.4	390	4.2	2
Blisters	30	10.0	—	—	—	—	40	13.3	2
Bruises, contusions	12,170	12.0	9,450	9.3	4,950	4.9	13,770	13.6	4
Foreign bodies (superficial splinters, chips)	1,020	7.5	320	2.3	120	.9	180	1.3	2
Friction burns	—	—	—	—	—	—	—	—	2
Multiple surface wounds and bruises	50	12.8	50	12.8	20	5.1	60	15.4	5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Surface wounds and bruises, n.e.c.	049	170	30	17.6	60	35.3	30	17.6
Burns	05	26,050	5,400	20.7	3,820	14.7	5,820	22.3
Burns, unspecified	050	30	—	—	—	—	—	—
Chemical burns	051	7,490	1,830	24.4	1,610	21.5	1,840	24.6
Electrical burns	052	1,050	190	18.1	160	15.2	210	20.0
Heat burns, scalds	053	17,440	3,380	19.4	2,040	11.7	3,760	21.6
Multiple burns	058	20	—	—	—	—	—	—
Intracranial injuries	06	6,060	980	16.2	1,030	17.0	1,640	27.1
Intracranial injuries, unspecified	060	170	—	—	—	—	60	35.3
Cerebral hemorrhages	061	40	—	—	—	—	—	—
Concussions	062	5,830	970	16.6	1,010	17.3	1,570	26.9
Effects of environmental conditions ..	07	3,540	1,080	30.5	540	15.3	650	18.4
Effects of reduced temperature	071	290	—	—	—	—	20	6.9
Frostbite	0711	40	—	—	—	—	—	—
Hypothermia	0712	230	—	—	—	—	—	—
Effects of heat and light	072	3,020	1,050	34.8	520	17.2	580	19.2
Effects of heat and light, unspecified	0720	190	50	26.3	20	10.5	100	52.6
Heat stroke	0721	300	30	10.0	120	40.0	90	30.0
Heat syncope	0722	110	40	36.4	20	18.2	20	18.2
Heat fatigue	0723	370	200	54.1	50	13.5	60	16.2
Multiple effects of heat and light	0728	70	—	—	60	85.7	—	—
Effects of heat and light, n.e.c. ..	0729	1,990	730	36.7	260	13.1	320	16.1
Effects of air pressure	073	230	—	—	—	—	50	21.7
Effects of air pressure, unspecified	0730	90	—	—	—	—	—	—
Aero-otitis media	0731	50	—	—	—	—	—	—
Caisson disease, bends, divers' palsy	0733	20	—	—	—	—	20	100.0
Multiple effects of air pressure ..	0738	30	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	50	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	45,890	5,700	12.4	5,010	10.9	7,380	16.1
Multiple traumatic injuries and disorders, unspecified	080	2,830	200	7.1	310	11.0	420	14.8
Cuts, abrasions, bruises	081	7,930	1,630	20.6	1,120	14.1	1,650	20.8
Sprains and bruises	082	18,020	2,560	14.2	2,120	11.8	3,060	17.0
Fractures and burns	083	50	—	—	—	—	—	—
Fractures and other injuries	084	10,550	530	5.0	540	5.1	1,160	11.0
Burns and other injuries	085	340	—	—	160	47.1	40	11.8
Other combinations of traumatic injuries and disorders, n.e.c.	089	6,170	770	12.5	760	12.3	1,050	17.0
Other traumatic injuries and disorders	09	142,080	21,330	15.0	15,900	11.2	26,340	18.5
Other traumatic injuries and disorders, unspecified	090	480	70	14.6	70	14.6	50	10.4
Asphyxiations/strangulations, suffocations	091	240	40	16.7	70	29.2	70	29.2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Surface wounds and bruises, n.e.c.	—	—	20	11.8	—	—	—	—	2
Burns	3,440	13.2	3,170	12.2	1,340	5.1	3,060	11.7	4
Burns, unspecified	—	—	—	—	—	—	—	—	17
Chemical burns	740	9.9	730	9.7	200	2.7	540	7.2	3
Electrical burns	130	12.4	100	9.5	20	1.9	250	23.8	5
Heat burns, scalds	2,560	14.7	2,330	13.4	1,110	6.4	2,260	13.0	5
Multiple burns	—	—	—	—	—	—	—	—	11
Intracranial injuries	700	11.6	460	7.6	460	7.6	790	13.0	4
Intracranial injuries, unspecified	—	—	20	11.8	—	—	70	41.2	14
Cerebral hemorrhages	—	—	—	—	—	—	—	—	7
Concussions	690	11.8	440	7.5	450	7.7	700	12.0	4
Effects of environmental conditions	470	13.3	360	10.2	90	2.5	360	10.2	3
Effects of reduced temperature	—	—	—	—	—	—	230	79.3	39
Frostbite	—	—	—	—	—	—	—	—	5
Hypothermia	—	—	—	—	—	—	—	—	39
Effects of heat and light	420	13.9	290	9.6	50	1.7	100	3.3	2
Effects of heat and light, unspecified	—	—	—	—	—	—	—	—	3
Heat stroke	20	6.7	20	6.7	—	—	20	6.7	3
Heat syncope	—	—	20	18.2	—	—	—	—	2
Heat fatigue	40	10.8	—	—	—	—	—	—	1
Multiple effects of heat and light	—	—	—	—	—	—	—	—	2
Effects of heat and light, n.e.c.	350	17.6	240	12.1	30	1.5	70	3.5	3
Effects of air pressure	40	17.4	60	26.1	40	17.4	20	8.7	11
Effects of air pressure, unspecified	—	—	40	44.4	—	—	—	—	21
Aero-otitis media	30	60.0	—	—	—	—	—	—	6
Caisson disease, bends, divers' palsy	—	—	—	—	—	—	—	—	4
Multiple effects of air pressure	—	—	—	—	—	—	—	—	3
Effects of air pressure, n.e.c.	—	—	20	40.0	—	—	—	—	10
Multiple traumatic injuries and disorders	5,430	11.8	5,770	12.6	3,370	7.3	13,220	28.8	10
Multiple traumatic injuries and disorders, unspecified	220	7.8	200	7.1	320	11.3	1,160	41.0	24
Cuts, abrasions, bruises	1,230	15.5	750	9.5	600	7.6	960	12.1	5
Sprains and bruises	2,440	13.5	2,150	11.9	1,210	6.7	4,470	24.8	8
Fractures and burns	—	—	—	—	—	—	30	60.0	53
Fractures and other injuries	900	8.5	1,890	17.9	900	8.5	4,640	44.0	25
Burns and other injuries	20	5.9	—	—	—	—	90	26.5	3
Other combinations of traumatic injuries and disorders, n.e.c.	620	10.0	760	12.3	340	5.5	1,870	30.3	9
Other traumatic injuries and disorders	18,480	13.0	15,130	10.6	9,970	7.0	34,920	24.6	7
Other traumatic injuries and disorders, unspecified	20	4.2	80	16.7	60	12.5	150	31.2	14
Asphyxiations/strangulations, suffocations	40	16.7	—	—	—	—	—	—	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Electrocutions, electric shocks	093	1,600	390	24.4	170	10.6	490	30.6
Internal injuries to organs and blood vessels of the trunk	094	70	—	—	—	—	20	28.6
Other poisonings and toxic effects	095	7,070	2,590	36.6	970	13.7	1,630	23.1
Other poisonings and toxic effects, unspecified	0950	560	330	58.9	—	—	140	25.0
Animal or insect bites, venomous	0951	4,420	1,330	30.1	630	14.3	1,120	25.3
Other poisonings and toxic effects, n.e.c.	0959	2,100	930	44.3	330	15.7	360	17.1
Traumatic complications	096	130	30	23.1	—	—	—	—
Traumatic shock	0961	20	—	—	—	—	—	—
Multiple traumatic complications	0968	30	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	20	28.6	—	—	—	—
Nonspecified injuries and disorders	097	131,180	18,150	13.8	14,550	11.1	23,830	18.2
Crushing injuries	0971	15,410	1,780	11.6	1,470	9.5	2,820	18.3
Back pain, hurt back	0972	35,330	3,990	11.3	4,040	11.4	7,300	20.7
Soreness, pain, hurt, except the back	0973	69,720	10,790	15.5	7,760	11.1	11,880	17.0
Multiple nonspecified injuries and disorders	0978	4,360	470	10.8	430	9.9	740	17.0
Nonspecified injuries and disorders, n.e.c.	0979	6,350	1,130	17.8	850	13.4	1,090	17.2
Other traumatic injuries and disorders, n.e.c.	099	1,310	70	5.3	80	6.1	260	19.8
Systemic diseases and disorders	1	57,560	5,750	10.0	3,790	6.6	7,200	12.5
Systemic diseases and disorders, unspecified	10	460	30	6.5	—	—	70	15.2
Diseases of the blood and blood forming organs	11	40	—	—	—	—	—	—
Diseases of the blood and blood forming organs, unspecified	110	20	—	—	—	—	—	—
Nervous system and sense organs diseases	12	18,780	2,570	13.7	1,660	8.8	2,160	11.5
Inflammatory diseases of the central nervous system	121	70	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	50	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	50	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Electrocutions, electric shocks	100	6.2	200	12.5	30	1.9	240	15.0	5
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	30	42.9	24
Other poisonings and toxic effects	670	9.5	370	5.2	430	6.1	420	5.9	2
Other poisonings and toxic effects, unspecified	20	3.6	40	7.1	—	—	20	3.6	1
Animal or insect bites, venomous	450	10.2	260	5.9	380	8.6	250	5.7	3
Other poisonings and toxic effects, n.e.c.	210	10.0	70	3.3	50	2.4	150	7.1	2
Traumatic complications	20	15.4	20	15.4	—	—	30	23.1	13
Traumatic shock	—	—	—	—	—	—	—	—	1
Multiple traumatic complications	—	—	—	—	—	—	20	66.7	75
Traumatic complications, n.e.c.	20	28.6	20	28.6	—	—	—	—	7
Nonspecified injuries and disorders	17,510	13.3	14,100	10.7	9,380	7.2	33,660	25.7	7
Crushing injuries	1,770	11.5	1,950	12.7	1,380	9.0	4,230	27.4	10
Back pain, hurt back	5,590	15.8	3,670	10.4	2,420	6.8	8,310	23.5	7
Soreness, pain, hurt, except the back	9,200	13.2	7,500	10.8	4,980	7.1	17,610	25.3	7
Multiple nonspecified injuries and disorders	460	10.6	360	8.3	190	4.4	1,710	39.2	11
Nonspecified injuries and disorders, n.e.c.	490	7.7	610	9.6	400	6.3	1,790	28.2	6
Other traumatic injuries and disorders, n.e.c.	120	9.2	350	26.7	50	3.8	380	29.0	16
Systemic diseases and disorders	6,630	11.5	9,210	16.0	6,990	12.1	17,990	31.3	15
Systemic diseases and disorders, unspecified	80	17.4	70	15.2	30	6.5	150	32.6	15
Diseases of the blood and blood forming organs	—	—	—	—	—	—	20	50.0	58
Diseases of the blood and blood forming organs, unspecified	—	—	—	—	—	—	—	—	180
Nervous system and sense organs diseases	1,880	10.0	2,230	11.9	1,600	8.5	6,680	35.6	15
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	50	71.4	173
Inflammatory diseases of the central nervous system, n.e.c.	—	—	—	—	—	—	40	80.0	173
Degenerative diseases of the central nervous system	20	40.0	—	—	—	—	30	60.0	76
Degenerative diseases of the central nervous system, unspecified	—	—	—	—	—	—	20	100.0	76

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Degenerative diseases of the central nervous system, n.e.c.	1229	30	—	—	—	—	—	—
Other disorders of the central nervous system	123	330	—	—	—	—	—	—
Migraine	1232	310	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	13,670	420	3.1	640	4.7	1,080	7.9
Disorders of the peripheral nervous system, unspecified	1240	260	20	7.7	—	—	—	—
Carpal tunnel syndrome	1241	13,010	370	2.8	630	4.8	1,030	7.9
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	90	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	310	30	9.7	—	—	20	6.5
Disorders of the eye, adnexa, vision	125	4,490	2,100	46.8	1,010	22.5	1,040	23.2
Disorders of the eye, adnexa, vision, unspecified	1250	190	90	47.4	30	15.8	20	10.5
Conjunctivitis non-viral	1252	1,540	670	43.5	350	22.7	330	21.4
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	300	190	63.3	50	16.7	50	16.7
Blindness, low vision	1255	30	—	—	—	—	—	—
Welder's flash	1256	1,760	1,010	57.4	440	25.0	270	15.3
Visual disturbances	1258	110	20	18.2	70	63.6	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	560	110	19.6	60	10.7	360	64.3
Disorders of the ear, mastoid process, hearing	126	180	30	16.7	—	—	50	27.8
Deafness, hearing loss or impairment	1261	130	30	23.1	—	—	30	23.1
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	30	—	—	—	—	20	66.7
Circulatory system diseases	13	630	40	6.3	20	3.2	40	6.3
Circulatory system diseases, unspecified	130	20	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	380	—	—	—	—	20	5.3
Myocardial infarction (heart attack)	1331	200	—	—	—	—	20	10.0
Cerebrovascular disease	136	80	—	—	—	—	—	—
Stroke	1361	80	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	70	20	28.6	—	—	—	—
Aneurysm nontraumatic	1372	40	20	50.0	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	20	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	60	—	—	—	—	20	33.3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Degenerative diseases of the central nervous system, n.e.c.	-	-	-	-	-	-	-	-	10
Other disorders of the central nervous system	-	-	-	-	-	-	320	97.0	50
Migraine	-	-	-	-	-	-	300	96.8	50
Disorders of the peripheral nervous system	1,640	12.0	2,140	15.7	1,580	11.6	6,170	45.1	27
Disorders of the peripheral nervous system, unspecified	50	19.2	50	19.2	-	-	110	42.3	17
Carpal tunnel syndrome	1,550	11.9	2,040	15.7	1,520	11.7	5,880	45.2	27
Inflammatory and toxic neuropathy, toxic polyneuropathy	-	-	30	33.3	-	-	30	33.3	17
Other disorders of the peripheral nervous system, n.e.c.	40	12.9	20	6.5	50	16.1	150	48.4	27
Disorders of the eye, adnexa, vision	200	4.5	70	1.6	-	-	50	1.1	2
Disorders of the eye, adnexa, vision, unspecified	20	10.5	30	15.8	-	-	-	-	2
Conjunctivitis non-viral	130	8.4	20	1.3	-	-	30	1.9	2
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	-	-	-	-	-	-	-	-	1
Blindness, low vision	-	-	-	-	-	-	-	-	2
Welder's flash	30	1.7	-	-	-	-	-	-	1
Visual disturbances	-	-	-	-	-	-	-	-	2
Disorders of the eye, adnexa, vision, n.e.c.	-	-	20	3.6	-	-	-	-	4
Disorders of the ear, mastoid process, hearing	-	-	-	-	-	-	70	38.9	5
Deafness, hearing loss or impairment	-	-	-	-	-	-	60	46.2	14
Disorders of the ear, mastoid process, and hearing, n.e.c.	-	-	-	-	-	-	-	-	5
Circulatory system diseases	70	11.1	210	33.3	40	6.3	200	31.7	12
Circulatory system diseases, unspecified	-	-	-	-	-	-	-	-	9
Ischemic heart disease, including heart attack	40	10.5	190	50.0	-	-	110	28.9	12
Myocardial infarction (heart attack)	40	20.0	-	-	-	-	110	55.0	54
Cerebrovascular disease	-	-	-	-	-	-	50	62.5	85
Stroke	-	-	-	-	-	-	50	62.5	85
Diseases of arteries, arterioles, capillaries	20	28.6	-	-	-	-	20	28.6	6
Aneurysm nontraumatic	20	50.0	-	-	-	-	-	-	2
Diseases of arteries, arterioles, capillaries, n.e.c.	-	-	-	-	-	-	20	100.0	125
Diseases of the veins, lymphatics ..	-	-	-	-	-	-	-	-	13

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hemorrhoids	1382	20	—	—	—	—	—	—
Respiratory system diseases	14	1,580	400	25.3	210	13.3	520	32.9
Respiratory system diseases, unspecified	140	150	20	13.3	30	20.0	40	26.7
Acute respiratory infections (including common cold)	141	410	220	53.7	—	—	130	31.7
Other diseases of upper respiratory tract	142	190	20	10.5	90	47.4	40	21.1
Allergic rhinitis	1421	60	—	—	—	—	30	50.0
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis) ...	1422	20	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	100	—	—	90	90.0	—	—
Pneumonia, influenza	143	70	—	—	—	—	—	—
Pneumonia	1431	30	—	—	—	—	—	—
Legionnaires' disease	1433	20	—	—	—	—	—	—
Pneumonia, influenza, n.e.c.	1439	20	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	690	130	18.8	60	8.7	280	40.6
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	—	—	—	—	—
Bronchitis	1441	90	20	22.2	20	22.2	20	22.2
Extrinsic asthma	1443	340	40	11.8	20	5.9	210	61.8
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	120	30	25.0	—	—	40	33.3
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	110	30	27.3	—	—	—	—
Other respiratory system diseases	149	40	—	—	—	—	—	—
Digestive system diseases and disorders	15	18,790	380	2.0	250	1.3	1,420	7.6
Diseases of esophagus, stomach, duodenum	152	40	—	—	—	—	—	—
Hernia	153	18,720	370	2.0	240	1.3	1,410	7.5
Hernia, unspecified	1530	7,530	160	2.1	110	1.5	430	5.7
Inguinal hernia	1531	7,470	140	1.9	50	.7	770	10.3
Hiatal hernia	1532	420	—	—	50	11.9	—	—
Ventral hernia	1533	1,600	40	2.5	—	—	130	8.1
Hernia, n.e.c.	1539	1,690	20	1.2	—	—	80	4.7
Genitourinary system diseases and disorders	16	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	11,460	1,120	9.8	950	8.3	1,740	15.2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hemorrhoids	—	—	—	—	—	—	—	—	20
Respiratory system diseases	150	9.5	120	7.6	60	3.8	130	8.2	3
Respiratory system diseases, unspecified	20	13.3	—	—	—	—	30	20.0	5
Acute respiratory infections (including common cold)	—	—	30	7.3	—	—	—	—	1
Other diseases of upper respiratory tract	20	10.5	—	—	—	—	—	—	2
Allergic rhinitis	—	—	—	—	—	—	—	—	4
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis) ...	—	—	—	—	—	—	—	—	4
Other diseases of upper respiratory tract, n.e.c.	—	—	—	—	—	—	—	—	2
Pneumonia, influenza	30	42.9	—	—	—	—	20	28.6	9
Pneumonia	—	—	—	—	—	—	—	—	30
Legionnaires' disease	—	—	—	—	—	—	—	—	10
Pneumonia, influenza, n.e.c.	—	—	—	—	—	—	—	—	8
Chronic obstructive pulmonary disease and allied conditions	60	8.7	70	10.1	30	4.3	50	7.2	3
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	—	—	—	—	—	20
Bronchitis	—	—	—	—	—	—	—	—	3
Extrinsic asthma	—	—	—	—	20	5.9	20	5.9	3
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	20	16.7	—	—	—	—	5
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	20	18.2	20	18.2	—	—	—	—	8
Other respiratory system diseases	—	—	—	—	—	—	—	—	3
Digestive system diseases and disorders	1,870	10.0	4,400	23.4	4,030	21.4	6,430	34.2	24
Diseases of esophagus, stomach, duodenum	—	—	—	—	20	50.0	—	—	7
Hernia	1,860	9.9	4,390	23.5	4,010	21.4	6,430	34.3	24
Hernia, unspecified	750	10.0	1,870	24.8	1,430	19.0	2,770	36.8	24
Inguinal hernia	760	10.2	1,310	17.5	1,860	24.9	2,580	34.5	24
Hiatal hernia	60	14.3	90	21.4	70	16.7	140	33.3	20
Ventral hernia	130	8.1	560	35.0	240	15.0	500	31.2	18
Hernia, n.e.c.	160	9.5	560	33.1	420	24.9	440	26.0	21
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	2
Musculoskeletal system and connective tissue diseases and disorders	1,300	11.3	1,550	13.5	1,060	9.2	3,740	32.6	14

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	160	20	12.5	—	—	30	18.8
Arthropathies and related disorders (arthritis)	171	140	—	—	—	—	30	21.4
Dorsopathies	172	1,310	140	10.7	250	19.1	240	18.3
Dorsopathies, unspecified	1720	30	—	—	—	—	—	—
Sciatica	1721	410	40	9.8	150	36.6	40	9.8
Lumbago	1722	20	—	—	—	—	—	—
Disc disorders, except dislocation	1723	130	—	—	—	—	20	15.4
Dorsopathies, n.e.c.	1729	720	100	13.9	90	12.5	170	23.6
Rheumatism, except the back	173	9,800	960	9.8	690	7.0	1,430	14.6
Rheumatism, except the back, unspecified	1730	690	60	8.7	80	11.6	130	18.8
Bursitis	1731	650	60	9.2	60	9.2	190	29.2
Synovitis	1732	70	—	—	—	—	—	—
Tendonitis	1733	4,750	480	10.1	300	6.3	610	12.8
Tenosynovitis	1734	750	80	10.7	20	2.7	100	13.3
Ganglion/cystic tumor	1735	480	40	8.3	20	4.2	80	16.7
Rheumatism, except the back, n.e.c.	1739	2,410	240	10.0	220	9.1	320	13.3
Osteopathies, chondropathies, acquired deformities	174	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	40	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,720	1,190	20.8	680	11.9	1,230	21.5
Disorders of the skin and subcutaneous tissue, unspecified	180	190	60	31.6	70	36.8	30	15.8
Infections of the skin and subcutaneous tissue	181	1,570	80	5.1	140	8.9	250	15.9
Infections of the skin and subcutaneous tissue, unspecified	1810	630	20	3.2	30	4.8	70	11.1
Carbuncle and furuncle	1811	20	—	—	—	—	—	—
Cellulitis and abscess	1812	690	40	5.8	70	10.1	150	21.7
Pilonidal cyst	1815	40	—	—	20	50.0	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	180	20	11.1	—	—	30	16.7
Dermatitis	182	3,430	720	21.0	420	12.2	890	25.9
Dermatitis, unspecified	1820	530	120	22.6	60	11.3	120	22.6
Contact dermatitis and other eczema	1822	950	170	17.9	130	13.7	220	23.2
Allergic dermatitis	1823	1,390	280	20.1	120	8.6	430	30.9
Irritant dermatitis	1824	480	150	31.2	100	20.8	90	18.8
Other contact dermatitis	1825	20	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	50	—	—	—	—	20	40.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	—	—	—	—	80	50.0	30
Arthropathies and related disorders (arthritis)	—	—	—	—	—	—	80	57.1	31
Dorsopathies	90	6.9	140	10.7	40	3.1	400	30.5	6
Dorsopathies, unspecified	—	—	—	—	—	—	—	—	11
Sciatica	30	7.3	40	9.8	—	—	90	22.0	3
Lumbago	—	—	—	—	—	—	—	—	19
Disc disorders, except dislocation	—	—	20	15.4	—	—	70	53.8	55
Dorsopathies, n.e.c.	40	5.6	80	11.1	20	2.8	220	30.6	5
Rheumatism, except the back	1,190	12.1	1,380	14.1	1,000	10.2	3,150	32.1	14
Rheumatism, except the back, unspecified	50	7.2	110	15.9	50	7.2	210	30.4	14
Bursitis	130	20.0	70	10.8	40	6.2	110	16.9	7
Synovitis	—	—	—	—	—	—	50	71.4	55
Tendonitis	620	13.1	710	14.9	600	12.6	1,440	30.3	14
Tenosynovitis	100	13.3	130	17.3	60	8.0	260	34.7	14
Ganglion/cystic tumor	70	14.6	110	22.9	40	8.3	120	25.0	13
Rheumatism, except the back, n.e.c.	220	9.1	250	10.4	210	8.7	950	39.4	19
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—	—	—	18
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	20	50.0	22
Disorders of the skin and subcutaneous tissue	1,250	21.9	610	10.7	150	2.6	610	10.7	5
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	2
Infections of the skin and subcutaneous tissue	430	27.4	300	19.1	60	3.8	320	20.4	10
Infections of the skin and subcutaneous tissue, unspecified	280	44.4	150	23.8	—	—	80	12.7	10
Carbuncle and furuncle	—	—	—	—	—	—	—	—	2
Cellulitis and abscess	100	14.5	100	14.5	30	4.3	200	29.0	10
Pilonidal cyst	—	—	—	—	—	—	—	—	2
Infections of the skin and subcutaneous tissue, n.e.c.	30	16.7	50	27.8	—	—	40	22.2	12
Dermatitis	760	22.2	290	8.5	70	2.0	270	7.9	3
Dermatitis, unspecified	70	13.2	90	17.0	—	—	60	11.3	5
Contact dermatitis and other eczema	270	28.4	40	4.2	20	2.1	100	10.5	5
Allergic dermatitis	360	25.9	110	7.9	20	1.4	70	5.0	3
Irritant dermatitis	50	10.4	40	8.3	20	4.2	40	8.3	2
Other contact dermatitis	—	—	—	—	—	—	—	—	1
Dermatitis, n.e.c.	—	—	—	—	—	—	—	—	4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other inflammatory conditions of the skin	183	450	310	68.9	30	6.7	40	8.9
Other inflammatory conditions of the skin, unspecified	1830	90	—	—	—	—	30	33.3
Other inflammatory conditions, n.e.c.	1839	350	300	85.7	30	8.6	—	—
Diseases of sebaceous glands	184	20	—	—	—	—	—	—
Sebaceous cyst	1842	20	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	60	—	—	—	—	—	—
Urticaria, hives	1898	30	—	—	—	—	—	—
Other systemic diseases and disorders	19	90	20	22.2	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	20	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	70	—	—	—	—	—	—
Infectious and parasitic diseases	2	2,550	350	13.7	1,020	40.0	340	13.3
Infectious and parasitic diseases, unspecified	20	130	—	—	—	—	20	15.4
Bacterial diseases	21	290	50	17.2	—	—	70	24.1
Bacterial diseases, unspecified	210	20	—	—	—	—	—	—
Tuberculoses	211	20	—	—	—	—	—	—
Tuberculoses, unspecified	2110	20	—	—	—	—	—	—
Other bacterial diseases	219	250	40	16.0	—	—	60	24.0
Diphtheria, whooping cough	2192	70	—	—	—	—	50	71.4
Septicemia	2197	40	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	130	30	23.1	—	—	—	—
Viral diseases	22	590	60	10.2	30	5.1	150	25.4
Viral diseases accompanied by exanthem (eruptive fever)	223	380	—	—	—	—	70	18.4
Chickenpox	2233	280	—	—	—	—	—	—
Herpes zoster	2234	40	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	50	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	90	50	55.6	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	90	50	55.6	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	90	—	—	—	—	60	66.7
Mumps	2292	30	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	60	—	—	—	—	60	100.0
Other arthropod-borne diseases	23	30	—	—	—	—	—	—
Lyme disease	237	20	—	—	—	—	—	—
Mycoses	24	70	20	28.6	30	42.9	—	—
Dermatophytosis (including athlete's foot, tinea)	241	40	20	50.0	20	50.0	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other inflammatory conditions of the skin	30	6.7	—	—	—	—	—	—	1
Other inflammatory conditions of the skin, unspecified	30	33.3	—	—	—	—	—	—	8
Other inflammatory conditions, n.e.c.	—	—	—	—	—	—	—	—	1
Diseases of sebaceous glands	—	—	—	—	—	—	20	100.0	57
Sebaceous cyst	—	—	—	—	—	—	20	100.0	57
Other diseases and disorders of the skin and subcutaneous tissue	20	33.3	—	—	—	—	—	—	5
Urticaria, hives	—	—	—	—	—	—	—	—	3
Other systemic diseases and disorders	20	22.2	—	—	—	—	20	22.2	13
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	—	—	—	1
Systemic diseases and disorders, n.e.c.	20	28.6	—	—	—	—	20	28.6	18
Infectious and parasitic diseases	470	18.4	270	10.6	30	1.2	70	2.7	2
Infectious and parasitic diseases, unspecified	20	15.4	70	53.8	—	—	—	—	15
Bacterial diseases	60	20.7	80	27.6	—	—	20	6.9	6
Bacterial diseases, unspecified	—	—	—	—	—	—	—	—	4
Tuberculoses	—	—	—	—	—	—	—	—	23
Tuberculoses, unspecified	—	—	—	—	—	—	—	—	23
Other bacterial diseases	50	20.0	70	28.0	—	—	—	—	6
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	5
Septicemia	30	75.0	—	—	—	—	—	—	6
Other bacterial diseases, n.e.c. ..	—	—	70	53.8	—	—	—	—	12
Viral diseases	270	45.8	70	11.9	—	—	—	—	7
Viral diseases accompanied by exanthem (eruptive fever)	240	63.2	50	13.2	—	—	—	—	9
Chickenpox	230	82.1	40	14.3	—	—	—	—	10
Herpes zoster	—	—	—	—	—	—	—	—	2
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	—	—	—	—	—	—	—	—	3
Viral diseases of the conjunctiva	20	22.2	—	—	—	—	—	—	1
Viral conjunctivitis (ophthalmia) ..	20	22.2	—	—	—	—	—	—	1
Other diseases due to viruses and Chlamydiae	20	22.2	—	—	—	—	—	—	4
Mumps	20	66.7	—	—	—	—	—	—	10
Other diseases due to viruses and Chlamydiae, n.e.c.	—	—	—	—	—	—	—	—	4
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	4
Lyme disease	—	—	—	—	—	—	—	—	4
Mycoses	—	—	—	—	—	—	—	—	2
Dermatophytosis (including athlete's foot, tinea)	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Dermatomycosis	242	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	80	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	20	—	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—	—
Other infectious and parasitic diseases	29	1,360	190	14.0	940	69.1	70	5.1
Acariasis (including scabies, chiggers, mites)	294	1,330	180	13.5	930	69.9	70	5.3
Symptoms, signs, and ill-defined conditions	4	11,230	2,540	22.6	1,430	12.7	2,550	22.7
Symptoms, signs, and ill-defined conditions, unspecified	40	240	40	16.7	—	—	20	8.3
Symptoms	41	10,840	2,430	22.4	1,420	13.1	2,510	23.2
Symptoms, unspecified	410	390	50	12.8	60	15.4	40	10.3
General symptoms	411	4,010	1,120	27.9	550	13.7	970	24.2
General symptoms, unspecified	4110	160	20	12.5	70	43.8	30	18.8
Loss of consciousness not heat related	4111	1,020	170	16.7	130	12.7	360	35.3
Convulsions, seizures	4112	190	30	15.8	40	21.1	20	10.5
Dizziness	4114	730	400	54.8	100	13.7	90	12.3
Non-specified allergic reaction ...	4115	500	140	28.0	90	18.0	140	28.0
Multiple general symptoms	4118	530	200	37.7	60	11.3	110	20.8
General symptoms, n.e.c.	4119	870	160	18.4	50	5.7	220	25.3
Symptoms involving nervous and musculoskeletal systems	412	2,070	190	9.2	110	5.3	290	14.0
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	180	20	11.1	—	—	40	22.2
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	20	50.0
Earache	4122	100	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	80	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,670	140	8.4	100	6.0	200	12.0
Symptoms involving skin and other integumentary tissue	413	910	120	13.2	120	13.2	190	20.9
Symptoms involving skin and other integumentary tissue, unspecified	4130	100	20	20.0	—	—	50	50.0
Edema (including dropsy)	4131	700	80	11.4	90	12.9	110	15.7

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Dermatomycosis	—	—	—	—	—	—	—	—	6
Infectious diseases peculiar to the intestines	20	25.0	—	—	—	—	20	25.0	7
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	—	—	—	5
Other salmonella infections	—	—	—	—	—	—	—	—	8
Shigellosis	—	—	—	—	—	—	—	—	6
Other infectious and parasitic diseases	90	6.6	40	2.9	20	1.5	—	—	2
Acariasis (including scabies, chiggers, mites)	90	6.8	30	2.3	20	1.5	—	—	2
Symptoms, signs, and ill-defined conditions	1,050	9.3	1,100	9.8	410	3.7	2,150	19.1	4
Symptoms, signs, and ill-defined conditions, unspecified	20	8.3	90	37.5	—	—	70	29.2	16
Symptoms	1,020	9.4	980	9.0	400	3.7	2,060	19.0	4
Symptoms, unspecified	20	5.1	—	—	—	—	210	53.8	44
General symptoms	400	10.0	380	9.5	130	3.2	460	11.5	3
General symptoms, unspecified	—	—	—	—	—	—	20	12.5	2
Loss of consciousness not heat related	160	15.7	110	10.8	30	2.9	70	6.9	5
Convulsions, seizures	40	21.1	40	21.1	—	—	—	—	7
Dizziness	40	5.5	40	5.5	—	—	60	8.2	1
Non-specified allergic reaction ...	40	8.0	50	10.0	20	4.0	30	6.0	3
Multiple general symptoms	30	5.7	50	9.4	20	3.8	60	11.3	3
General symptoms, n.e.c.	70	8.0	90	10.3	50	5.7	220	25.3	5
Symptoms involving nervous and musculoskeletal systems	190	9.2	260	12.6	140	6.8	880	42.5	20
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	30	16.7	—	—	70	38.9	11
Spasms or tremors, n.e.c.	—	—	—	—	—	—	—	—	3
Earache	20	20.0	60	60.0	—	—	—	—	12
Multiple symptoms involving nervous and musculoskeletal systems	20	25.0	20	25.0	—	—	20	25.0	12
Symptoms involving nervous and musculoskeletal systems, n.e.c.	140	8.4	160	9.6	130	7.8	790	47.3	28
Symptoms involving skin and other integumentary tissue	90	9.9	110	12.1	30	3.3	240	26.4	7
Symptoms involving skin and other integumentary tissue, unspecified	—	—	—	—	—	—	—	—	3
Edema (including dropsy)	60	8.6	110	15.7	30	4.3	230	32.9	13

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	100	—	—	30	30.0	20	20.0
Symptoms involving head and neck	414	640	210	32.8	110	17.2	130	20.3
Headache, except migraine	4141	500	170	34.0	100	20.0	60	12.0
Symptoms involving head and neck, n.e.c.	4149	110	30	27.3	—	—	60	54.5
Symptoms involving cardiovascular system	415	40	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,760	560	31.8	170	9.7	640	36.4
Symptoms involving respiratory system and chest, unspecified	4160	820	180	22.0	50	6.1	460	56.1
Chest pain	4164	390	150	38.5	60	15.4	50	12.8
Multiple symptoms involving respiratory system and chest ...	4168	100	40	40.0	—	—	20	20.0
Symptoms involving respiratory system and chest, n.e.c.	4169	440	180	40.9	60	13.6	110	25.0
Symptoms involving digestive and urinary system	417	280	50	17.9	50	17.9	60	21.4
Nausea and vomiting	4171	170	40	23.5	40	23.5	20	11.8
Abdominal pain, unspecified	4175	60	—	—	—	—	20	33.3
Multiple symptoms involving digestive or urinary system	4178	20	—	—	—	—	—	—
Symptoms involving digestive and urinary system, n.e.c.	4179	20	—	—	—	—	—	—
Multiple symptoms	418	700	120	17.1	250	35.7	170	24.3
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	80	60	75.0	—	—	—	—
Multiple chemical sensitivity	481	50	50	100.0	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	40	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	2,370	250	10.5	170	7.2	230	9.7
Mental disorders or syndromes	52	2,350	250	10.6	160	6.8	230	9.8
Mental disorder or syndrome, unspecified	520	80	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,220	230	10.4	160	7.2	220	9.9

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving skin and other integumentary tissue, n.e.c.	20	20.0	-	-	-	-	-	-	3
Symptoms involving head and neck	50	7.8	50	7.8	30	4.7	70	10.9	2
Headache, except migraine	40	8.0	50	10.0	30	6.0	60	12.0	2
Symptoms involving head and neck, n.e.c.	-	-	-	-	-	-	-	-	3
Symptoms involving cardiovascular system	-	-	20	50.0	-	-	-	-	7
Symptoms involving cardiovascular system, unspecified	-	-	-	-	-	-	-	-	14
Symptoms involving respiratory system and chest	180	10.2	60	3.4	50	2.8	100	5.7	3
Symptoms involving respiratory system and chest, unspecified	60	7.3	20	2.4	30	3.7	20	2.4	4
Chest pain	100	25.6	-	-	20	5.1	-	-	2
Multiple symptoms involving respiratory system and chest ...	-	-	-	-	-	-	30	30.0	4
Symptoms involving respiratory system and chest, n.e.c.	20	4.5	20	4.5	-	-	50	11.4	2
Symptoms involving digestive and urinary system	-	-	70	25.0	-	-	50	17.9	5
Nausea and vomiting	-	-	60	35.3	-	-	-	-	3
Abdominal pain, unspecified	-	-	-	-	-	-	30	50.0	50
Multiple symptoms involving digestive or urinary system	-	-	-	-	-	-	-	-	4
Symptoms involving digestive and urinary system, n.e.c.	-	-	-	-	-	-	-	-	60
Multiple symptoms	80	11.4	20	2.9	20	2.9	40	5.7	2
Other symptoms, n.e.c.	-	-	-	-	-	-	-	-	3
Abnormal findings	-	-	-	-	-	-	-	-	14
Multiple symptoms, signs, and ill-defined conditions	-	-	-	-	-	-	-	-	1
Multiple chemical sensitivity	-	-	-	-	-	-	-	-	1
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-	-	-	8
Symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-	-	-	5
Other diseases, conditions, and disorders	160	6.8	370	15.6	220	9.3	970	40.9	21
Mental disorders or syndromes	160	6.8	370	15.7	210	8.9	970	41.3	21
Mental disorder or syndrome, unspecified	-	-	-	-	-	-	40	50.0	30
Anxiety, stress, neurotic disorders	160	7.2	350	15.8	200	9.0	910	41.0	20

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Anxiety, stress, neurotic disorders, unspecified	5210	890	40	4.5	50	5.6	130	14.6
Post-traumatic anxiety acute	5211	370	50	13.5	—	—	—	—
Panic disorder	5213	90	70	77.8	—	—	—	—
Neurotic reaction to stress	5214	770	70	9.1	100	13.0	60	7.8
Multiple anxiety, stress, neurotic disorders	5218	80	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	20	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	500	50	10.0	—	—	100	20.0
Nonclassifiable	9999	6,010	1,000	16.6	940	15.6	990	16.5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2006 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Anxiety, stress, neurotic disorders, unspecified	50	5.6	170	19.1	110	12.4	340	38.2	22
Post-traumatic anxiety acute	30	8.1	20	5.4	20	5.4	220	59.5	43
Panic disorder	—	—	—	—	—	—	—	—	1
Neurotic reaction to stress	70	9.1	150	19.5	60	7.8	260	33.8	15
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	—	60	75.0	122
Neurotic disorders, n.e.c.	—	—	—	—	—	—	—	—	16
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	—	20	40.0	30
Other diseases, conditions, and disorders, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple diseases, conditions, and disorders	20	4.0	40	8.0	20	4.0	260	52.0	35
Nonclassifiable	880	14.6	570	9.5	330	5.5	1,290	21.5	6

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies