



(WARNINGS/INFORMATION CONTINUED ON BACK OF LABEL)
SALE TO PERSONS 17 YEARS OF AGE OR YOUNGER IS PROHIBITED

8 57084 00017 0

Tamper Evident Do Not Use II Printed Seal Is Cut. Torn Or Missing

260994 11/22/05 DCP/*Oce*

RECURRENT HEADACHES, DEPRESSION OR OTHER PSYCHIATRIC CONDITION, GLAUCOMA, DIFFICULTY IN URINATING, PROSTATE ENLARGEMENT, OR SEIZURE DISORDER, OR IFYOU ARE USING A MONOAMINE OXIDASE INHBITOR (MAOI) OR ANY OTHER DIETARY SUPPLEMENT, PRESCRIPTION DRUG OR OVER-THE-COUNTER DRUG CONTAINING EPHEDRINE, OR PHENY PROPANOLAMINE (INGREDIENTS FOUND IN CERTAIN ALLERGY, ASTHMA, COUGH/COLD, AND WEIGHT CONTROL PRODUCTS). DO NOT EXCEED RECOMMENDED SERVING, EXCEEDING RECOMMENDED SERVING, EXCEEDING RECOMMENDED SERVING MY CAUSE SERIOUS ADVERSE HEALTH EFFECTS, INCLUDING HEART ATTACK AND STROKE. DISCONTINUE USE AND CALL A PHYSICIAN OR LICENSED OUAL FIELD HEALTH CARE PROFESSIONAL IMMEDIATELY IF YOU EXPERIENCE RAPID HEARTBEAT, DIZJNESS, SEVERE HEADACHE, SHORTMESS OF BREATH, OR OTHER SIMILAR SYMPTOMS. INDIVIDUALS WHO CONSUME CAFFEINE WITH THIS PRODUCT MAY EXPERIENCE SERIOUS ADVERSE HEALTH FEFECTS. INDIVIDUALS WHO ARE SENSITIVE TO THE EFFECTS OF CAFFEINE SHOULD CONSULT A LICENSED HEALTH CARE PROFESSIONAL BEFORE CONSUMING THIS PRODUCT, IN CASE OF OVERDOSE, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. AVOID ALCOHOL WHILE TAKING THIS PRODUCT.

THE MAXIMUM RECOMMENDED DOSAGE OF EPHEDRINE FOR A HEALTHY ADULT HUMAN IS 100 MILLIGRAMS IN A 24-HOUR PERIOD FOR NOT MORE THAN 12 WEEKS. IMPROPER USE OF THIS PRODUCT MAY BE HAZARDOUS TO A PERSON'S HEALTH. EXCEEDING RECOMMENDED SERVING WILL NOT IMPROVE RESULTS.

THIS PRODUCT HAS 25 MILLIGRAMS OF CONCENTRATED EPHEDRINE GROUP ALKALOIDS PER SERVING IN THE FORM OF HERBAL EXTRACTS.

To report adverse effects call FDA's MedWatch at 1-800-332-1088

†THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

KEY BENEFITS OF LIPODRENE ™

• Increases the metabolic rate, promoting thermogenesis (the burning of stored body fat)†

• Slows the absorption of serotonin, which helps in weight management by controlling food cravings and supressing the appetite t

the appetite.†
• Inhibits the absorption of dietary fats by acting as a lipase inhibitor.†

How Soon Should LipodreneTM Begin to Work for Me?

You should feel the energizing effects in approximately
30 minutes which may last up to six hours. There is no set
amount of weight loss, however you should begin to see
results within the first week.†

260994 11/22/05 DCP/