

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2003

(in hundreds)

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin | | | | | | | | |
|---|--------------------------------|-------------------------------|-----------------------|------------|-------------------------|------------|--|--|-----------------------------------|-----------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multirace | Not reported |
| Total | | 13,159.2 | 6,171.6 | 1,084.7 | 1,600.8 | 154.1 | 49.9 | 69.1 | 12.5 | 13.1 | 4,004.6 |
| Head | 0 | 847.4 | 402.3 | 69.7 | 118.8 | 13.3 | 3.7 | 4.7 | .5 | .6 | 233.7 |
| Head, unspecified | 00 | 160.0 | 69.0 | 12.3 | 18.5 | 4.2 | .9 | .8 | — | — | 54.3 |
| Cranial region, including skull | 01 | 107.0 | 49.3 | 7.7 | 13.2 | 1.5 | — | — | — | — | 34.7 |
| Cranial region, unspecified | 010 | 5.2 | 3.1 | .2 | 1.3 | — | — | — | — | — | .5 |
| Brain | 011 | 65.0 | 32.2 | 3.9 | 4.6 | .8 | — | — | — | — | 23.1 |
| Scalp | 012 | 31.4 | 11.9 | 3.4 | 6.4 | .6 | — | — | — | — | 8.8 |
| Skull | 013 | 4.2 | 1.5 | — | .9 | — | — | — | — | — | 1.7 |
| Multiple cranial region locations | 018 | .4 | — | — | — | — | — | — | — | — | .4 |
| Cranial region, n.e.c. | 019 | .8 | .6 | — | — | — | — | — | — | — | — |
| Ear(s) | 02 | 18.7 | 5.5 | 1.2 | 1.7 | — | — | — | — | — | 9.8 |
| Face | 03 | 550.4 | 273.7 | 46.4 | 84.6 | 7.3 | 2.6 | 3.3 | .5 | .4 | 131.6 |
| Face, unspecified | 030 | 38.8 | 17.5 | 4.1 | 6.1 | .9 | — | .4 | — | — | 9.6 |
| Forehead | 031 | 33.9 | 15.6 | 5.3 | 3.0 | .4 | — | .6 | — | — | 8.7 |
| Eye(s) | 032 | 369.4 | 182.8 | 26.1 | 60.8 | 4.5 | 1.5 | 2.1 | .5 | — | 90.8 |
| Nose, nasal cavity | 033 | 33.4 | 18.1 | 2.1 | 6.0 | — | — | — | — | — | 6.9 |
| Nose, except internal location of diseases or disorders | 0330 | 32.9 | 17.9 | 2.1 | 6.0 | — | — | — | — | — | 6.7 |
| Nasal passages | 0333 | .2 | — | — | — | — | — | — | — | — | — |
| Cheek(s) | 034 | 8.7 | 3.7 | .6 | 1.2 | — | — | — | — | — | 3.2 |
| Jaw/chin | 035 | 8.6 | 6.0 | .8 | .7 | — | — | — | — | — | 1.0 |
| Mouth | 036 | 32.8 | 16.9 | 4.7 | 5.0 | — | — | — | — | — | 5.6 |
| Mouth, unspecified | 0360 | 6.6 | 4.5 | .4 | .4 | — | — | — | — | — | 1.3 |
| Lip(s) | 0361 | 7.2 | 2.4 | 1.6 | 1.5 | — | — | — | — | — | 1.5 |
| Tongue | 0362 | .5 | — | — | — | — | — | — | — | — | — |
| Tooth(teeth) | 0363 | 14.8 | 8.6 | 2.4 | 1.3 | — | — | — | — | — | 2.2 |
| Multiple mouth locations | 0368 | 2.5 | .9 | — | .7 | — | — | — | — | — | .5 |
| Mouth, n.e.c. | 0369 | 1.1 | — | — | — | — | — | — | — | — | — |
| Multiple face locations | 038 | 21.2 | 11.2 | 2.4 | 1.5 | .8 | — | — | — | — | 5.0 |
| Face, n.e.c. | 039 | 3.5 | 2.0 | .4 | .4 | — | — | — | — | — | .8 |
| Multiple head locations | 08 | 9.2 | 4.0 | 1.8 | .7 | — | — | — | — | — | 2.6 |
| Head, n.e.c. | 09 | 2.0 | .8 | .4 | — | — | — | — | — | — | .7 |
| Neck, including throat | 1 | 212.2 | 110.1 | 17.0 | 12.2 | 2.1 | .6 | 1.2 | — | .9 | 68.0 |
| Neck, except internal location of diseases or disorders | 10 | 211.2 | 109.8 | 16.9 | 12.2 | 2.1 | .6 | 1.2 | — | .9 | 67.4 |
| Internal neck location, unspecified | 11 | .6 | — | — | — | — | — | — | — | — | .5 |
| Pharynx | 15 | .2 | .2 | — | — | — | — | — | — | — | — |
| Trunk | 2 | 4,725.1 | 2,247.6 | 379.6 | 524.7 | 51.7 | 15.1 | 30.1 | 3.8 | 4.3 | 1,468.2 |
| Trunk, unspecified | 20 | 17.9 | 8.2 | 1.0 | 2.0 | .5 | — | — | — | — | 5.6 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2003 — Continued

(in hundreds)

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin | | | | | | | | Not reported |
|--|--------------------------------|-------------------------------|-----------------------|------------|-------------------------|------------|--|--|-----------------------------------|-----------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multirace | |
| Shoulder, including clavicle, scapula | 21 | 845.2 | 414.6 | 64.0 | 79.7 | 7.0 | 2.1 | 6.1 | 1.1 | 0.4 | 270.3 |
| Chest, including ribs, internal organs | 22 | 200.5 | 108.1 | 15.3 | 19.6 | 1.7 | 1.3 | — | — | — | 54.2 |
| Chest, except internal location of diseases or disorders | 220 | 180.3 | 94.2 | 14.7 | 18.5 | 1.3 | 1.3 | .2 | — | — | 50.1 |
| Internal chest location, unspecified | 221 | 1.8 | .7 | — | — | — | — | — | — | — | .7 |
| Heart | 223 | 3.0 | 2.4 | — | — | — | — | — | — | — | .5 |
| Bronchus | 224 | 1.2 | .9 | — | — | — | — | — | — | — | .2 |
| Lung(s), pleura | 225 | 13.9 | 9.6 | .5 | .7 | — | — | — | — | — | 2.8 |
| Back, including spine, spinal cord | 23 | 3,037.5 | 1,411.4 | 257.9 | 348.2 | 38.9 | 9.9 | 18.6 | 1.7 | 2.1 | 949.0 |
| Back, including spine, spinal cord, unspecified | 230 | 1,322.9 | 657.8 | 125.4 | 152.4 | 18.5 | 3.6 | 9.0 | 1.2 | 1.4 | 353.6 |
| Lumbar region | 231 | 1,446.5 | 633.6 | 113.2 | 170.3 | 18.5 | 5.6 | 6.6 | .4 | .5 | 497.9 |
| Thoracic region | 232 | 129.4 | 55.1 | 9.1 | 12.0 | .7 | .4 | .4 | — | — | 51.6 |
| Sacral region | 233 | 15.6 | 7.8 | .8 | 1.0 | — | — | — | — | — | 6.0 |
| Coccygeal region | 234 | 29.4 | 13.5 | 2.5 | 1.4 | .2 | — | 1.4 | — | — | 10.4 |
| Multiple back regions | 238 | 88.5 | 40.1 | 6.9 | 10.6 | .9 | — | 1.2 | — | — | 28.4 |
| Back, including spine, spinal cord, n.e.c. | 239 | 5.1 | 3.5 | — | .4 | — | — | — | — | — | 1.2 |
| Abdomen | 24 | 302.8 | 168.5 | 15.6 | 31.4 | 1.0 | .8 | 2.9 | .6 | 1.2 | 80.8 |
| Abdomen, except internal location of diseases or disorders | 240 | 71.9 | 33.0 | 8.0 | 9.1 | .5 | .4 | .7 | — | — | 20.0 |
| Internal abdominal location, unspecified | 241 | 115.3 | 70.9 | 2.8 | 12.4 | .2 | — | 1.2 | — | — | 27.4 |
| Stomach organ | 242 | 5.2 | 3.5 | — | — | — | — | — | — | — | 1.0 |
| Urinary organs | 244 | .6 | — | — | .2 | — | — | — | — | — | .4 |
| Kidney(s) | 2442 | .6 | — | — | .2 | — | — | — | — | — | .4 |
| Intestines, peritoneum | 245 | 108.4 | 60.4 | 4.5 | 9.4 | .4 | — | .9 | — | 1.1 | 31.3 |
| Intestines, peritoneum, unspecified | 2450 | 95.0 | 53.9 | 3.1 | 7.6 | — | — | .9 | — | 1.1 | 27.7 |
| Peritoneum | 2451 | 7.1 | 3.4 | .7 | 1.5 | — | — | — | — | — | 1.6 |
| Small intestine | 2452 | 1.6 | .6 | — | — | — | — | — | — | — | .9 |
| Large intestine/colon, rectum | 2453 | 4.4 | 2.5 | .7 | — | — | — | — | — | — | 1.0 |
| Intestines, n.e.c. | 2459 | .2 | — | — | — | — | — | — | — | — | — |
| Liver | 2461 | .2 | — | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | .8 | — | — | — | — | — | — | — | — | .4 |
| Pelvic region | 25 | 229.8 | 100.5 | 19.5 | 25.5 | 1.8 | .4 | 1.3 | .4 | — | 80.5 |
| Pelvic region, unspecified | 250 | 3.8 | 1.4 | — | — | — | — | — | — | — | 2.2 |
| Hip(s) | 251 | 95.9 | 40.9 | 6.6 | 7.7 | .8 | — | .8 | — | — | 38.4 |
| Pelvis | 252 | 9.6 | 7.4 | — | .5 | — | — | — | — | — | 1.4 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2003 — Continued

(in hundreds)

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin | | | | | | | | Not reported |
|---|--------------------------------|-------------------------------|-----------------------|------------|-------------------------|------------|--|--|-----------------------------------|-----------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multirace | |
| Buttock(s) | 253 | 17.4 | 5.6 | 2.1 | 1.9 | 0.5 | — | 0.2 | — | — | 7.1 |
| Groin | 254 | 96.9 | 42.9 | 10.1 | 13.5 | .4 | — | — | — | — | 29.7 |
| External reproductive tract structures | 255 | 3.3 | .7 | — | 1.5 | — | — | — | — | — | .8 |
| External reproductive tract structures, unspecified | 2550 | .6 | — | — | — | — | — | — | — | — | .4 |
| Scrotum | 2551 | 1.9 | .4 | — | 1.2 | — | — | — | — | — | — |
| Penis | 2552 | .5 | .2 | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 2559 | — | — | — | — | — | — | — | — | — | .2 |
| Testis(testes) | 2562 | .2 | — | — | — | — | — | — | — | — | — |
| Uterus | 2564 | .2 | — | — | — | — | — | — | — | — | .2 |
| Multiple pelvic region locations | 258 | 1.0 | .6 | — | .2 | — | — | — | — | — | .2 |
| Pelvic region, n.e.c. | 259 | 1.7 | .9 | — | — | — | — | — | — | — | .5 |
| Multiple trunk locations | 28 | 90.0 | 36.1 | 6.2 | 18.0 | .8 | 0.7 | .4 | — | 0.6 | 27.2 |
| Trunk, n.e.c. | 29 | 1.4 | .2 | — | .4 | — | — | — | — | — | .5 |
| Upper extremities | 3 | 2,985.3 | 1,395.2 | 238.2 | 428.6 | 42.3 | 15.2 | 10.9 | 2.3 | 2.4 | 850.0 |
| Upper extremities, unspecified | 30 | 6.3 | .9 | .4 | .4 | — | — | — | — | — | 4.3 |
| Arm(s) | 31 | 575.1 | 270.7 | 34.9 | 69.7 | 7.4 | 2.0 | 2.3 | — | — | 187.8 |
| Arm(s), unspecified | 310 | 205.4 | 86.7 | 17.0 | 25.3 | 2.2 | .4 | .6 | — | — | 72.8 |
| Upper arm(s) | 311 | 41.4 | 21.3 | 1.9 | 3.6 | .4 | .2 | — | — | — | 13.7 |
| Elbow(s) | 312 | 192.7 | 95.3 | 11.2 | 18.5 | 2.2 | .6 | .6 | — | — | 64.3 |
| Forearm(s) | 313 | 93.0 | 45.8 | 3.2 | 16.3 | 1.3 | .7 | — | — | — | 25.6 |
| Multiple arm(s) locations | 318 | 35.8 | 18.5 | 1.1 | 4.9 | 1.2 | .2 | .8 | — | — | 9.1 |
| Arm(s), n.e.c. | 319 | 6.7 | 3.0 | .4 | 1.0 | — | — | — | — | — | 2.3 |
| Wrist(s) | 32 | 652.8 | 324.3 | 49.7 | 64.7 | 9.4 | 1.3 | 1.7 | — | — | 201.2 |
| Hand(s), except finger(s) | 33 | 511.2 | 232.1 | 42.5 | 77.5 | 6.9 | 3.6 | 1.8 | — | 1.0 | 145.5 |
| Finger(s), fingernail(s) | 34 | 1,063.7 | 483.2 | 95.9 | 193.4 | 16.0 | 5.5 | 4.8 | 1.4 | .5 | 263.1 |
| Multiple upper extremities locations .. | 38 | 175.1 | 83.7 | 14.7 | 22.8 | 2.4 | 2.7 | .4 | — | .4 | 47.7 |
| Multiple upper extremities locations, unspecified | 380 | 2.2 | .5 | — | .4 | — | — | — | — | — | 1.0 |
| Hand(s) and finger(s) | 381 | 58.3 | 26.0 | 4.6 | 7.6 | — | 2.5 | — | — | — | 16.9 |
| Hand(s) and wrist(s) | 382 | 34.6 | 15.1 | 2.2 | 5.8 | .8 | .2 | — | — | — | 10.4 |
| Hand(s) and arm(s) | 383 | 22.6 | 13.0 | 1.7 | 3.0 | — | — | — | — | — | 4.5 |
| Multiple upper extremities locations, n.e.c. | 389 | 57.4 | 29.0 | 5.9 | 6.0 | 1.0 | — | — | — | .4 | 14.9 |
| Upper extremities, n.e.c. | 39 | 1.1 | .4 | — | — | — | — | — | — | — | .5 |
| Lower extremities | 4 | 2,795.7 | 1,301.8 | 218.1 | 331.2 | 24.3 | 10.1 | 15.3 | 3.9 | 3.3 | 888.3 |
| Lower extremities, unspecified | 40 | 2.7 | 1.2 | — | — | — | — | — | — | — | 1.4 |
| Leg(s) | 41 | 1,467.1 | 696.1 | 110.1 | 155.7 | 8.6 | 4.9 | 6.7 | 1.6 | 2.1 | 481.3 |
| Leg(s), unspecified | 410 | 208.6 | 93.9 | 19.0 | 31.7 | 2.1 | .7 | — | — | — | 61.0 |

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2003 — Continued

(in hundreds)

| Part of body | Part of body code ² | Private industry ³ | Race or ethnic origin | | | | | | | | | |
|--|--------------------------------|-------------------------------|-----------------------|--------------|-------------------------|-------------|--|--|-----------------------------------|------------|--------------|--------------|
| | | | White only | Black only | Hispanic or Latino only | Asian only | Native Hawaiian or other Pacific Islander only | American Indian or Alaskan Native only | Hispanic or Latino and other race | Multirace | Not reported | |
| Thigh(s) | 411 | 55.0 | 23.9 | 5.7 | 4.8 | — | 0.4 | — | — | — | — | 19.9 |
| Knee(s) | 412 | 1,058.6 | 513.5 | 76.7 | 102.4 | 5.3 | 2.8 | 5.1 | 1.2 | 2.0 | — | 349.6 |
| Lower leg(s) | 413 | 111.8 | 50.7 | 6.2 | 14.1 | 1.0 | — | 1.3 | — | — | — | 38.4 |
| Multiple leg(s) locations | 418 | 27.3 | 12.2 | 2.2 | 2.7 | .2 | .9 | — | — | — | — | 9.2 |
| Leg(s), n.e.c. | 419 | 5.8 | 1.9 | .4 | — | — | — | — | — | — | — | 3.3 |
| Ankle(s) | 42 | 680.0 | 313.6 | 55.5 | 86.1 | 9.0 | 2.5 | 4.2 | .9 | .4 | — | 207.8 |
| Foot(foot), except toe(s) | 43 | 439.0 | 196.4 | 34.3 | 61.3 | 4.6 | 1.7 | 3.4 | 1.2 | .7 | — | 135.9 |
| Foot(foot), except toe(s), unspecified | 430 | 378.6 | 168.0 | 30.5 | 50.0 | 3.8 | 1.6 | 3.2 | .6 | — | — | 120.7 |
| Instep(s) | 431 | 9.0 | 1.9 | — | 3.3 | .4 | — | — | .6 | — | — | 2.3 |
| Sole | 432 | 38.5 | 18.2 | 2.9 | 7.1 | — | — | — | — | — | — | 9.8 |
| Sole(s), unspecified | 4320 | 7.1 | 2.2 | — | 1.3 | — | — | — | — | — | — | 3.5 |
| Ball(s) | 4321 | .2 | .2 | — | — | — | — | — | — | — | — | — |
| Arch(es) | 4322 | .8 | .7 | — | — | — | — | — | — | — | — | — |
| Heel(s) | 4323 | 28.9 | 14.9 | 2.8 | 4.6 | — | — | — | — | — | — | 6.0 |
| Multiple sole(s) locations | 4328 | .8 | — | — | .7 | — | — | — | — | — | — | — |
| Sole(s), n.e.c. | 4329 | .7 | — | — | — | — | — | — | — | — | — | — |
| Multiple foot(foot) locations | 438 | 4.2 | 2.9 | — | — | — | — | — | — | — | — | 1.1 |
| Foot(foot), n.e.c. | 439 | 8.7 | 5.4 | .5 | .8 | — | — | — | — | — | — | 2.0 |
| Toe(s), toenail(s) | 44 | 124.7 | 58.4 | 12.7 | 15.0 | 1.0 | — | 1.0 | .2 | — | — | 36.1 |
| Multiple lower extremities locations | 48 | 81.8 | 35.8 | 5.4 | 13.0 | 1.2 | .6 | — | — | — | — | 25.7 |
| Multiple lower extremities locations, unspecified | 480 | 1.5 | — | — | — | — | — | — | — | — | — | .9 |
| Foot(foot) and leg(s) | 481 | 8.1 | 3.4 | .9 | 2.3 | — | — | — | — | — | — | 1.4 |
| Foot(foot) and ankle(s) | 482 | 27.7 | 13.6 | 2.4 | 4.1 | — | — | — | — | — | — | 7.5 |
| Foot(foot) and toe(s) | 483 | 7.6 | 2.6 | — | 1.3 | .7 | — | — | — | — | — | 2.7 |
| Multiple lower extremities locations, n.e.c. | 489 | 36.8 | 15.9 | 1.9 | 5.0 | .2 | .5 | — | — | — | — | 13.2 |
| Lower extremities, n.e.c. | 49 | .5 | — | — | — | — | — | — | — | — | — | — |
| Body systems | 5 | 184.9 | 88.5 | 17.0 | 19.4 | 2.7 | — | .8 | — | — | — | 56.1 |
| Multiple body parts | 8 | 1,304.1 | 583.2 | 135.7 | 151.3 | 16.9 | 4.5 | 5.9 | 1.9 | 1.4 | — | 403.7 |
| Other body parts | 9 | 2.3 | — | 1.0 | — | — | — | — | — | — | — | 1.1 |
| Other body parts, n.e.c. | 98 | 2.3 | .2 | 1.0 | — | — | — | — | — | — | — | 1.1 |
| Nonclassifiable | 9999 | 102.1 | 42.5 | 8.5 | 14.4 | .7 | — | — | — | .2 | — | 35.5 |

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor