

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Total		1,234,680	–	90	41,530	133,760	290,500	311,830	282,310	135,290	27,050	12,310
Traumatic injuries and disorders	0	1,145,900	–	90	39,970	127,150	273,810	287,840	257,060	124,420	25,160	10,400
Traumatic injuries and disorders, unspecified	00	38,480	–	–	1,510	3,970	9,160	8,430	9,140	4,270	1,300	720
Traumatic injuries to bones, nerves, spinal cord	01	107,620	–	20	2,560	9,530	22,720	24,410	25,390	17,860	4,460	690
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	750	–	–	20	80	300	150	100	100	–	–
Dislocations	011	10,050	–	–	150	1,030	2,630	2,520	1,950	1,360	390	20
Fractures	012	95,830	–	20	2,360	8,390	19,710	21,210	23,080	16,310	4,070	670
Traumatic injuries to nerves, except the spinal cord	014	570	–	–	–	–	50	440	40	–	–	–
Multiple traumatic injuries to bones nerves, spinal cord	018	250	–	–	–	–	–	40	120	60	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	–	–	–	–	–	50	90	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	–	–	12,700	48,520	122,570	139,630	119,780	52,720	8,490	4,340
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	–	–	60	450	980	1,030	990	560	110	50
Sprains, strains, tears	021	503,530	–	–	12,510	47,900	121,430	138,480	118,470	52,070	8,350	4,300
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	–	–	–	180	160	120	320	90	–	–
Open wounds	03	135,540	–	30	9,370	23,660	35,860	28,600	23,430	10,980	2,490	1,130
Open wounds, unspecified	030	1,100	–	–	–	240	240	230	260	90	20	–
Amputations	031	8,450	–	–	370	1,260	1,860	2,010	1,910	780	230	30
Amputations, fingertip	0311	5,780	–	–	230	820	1,290	1,450	1,280	580	120	30
Amputations, except fingertip	0319	2,660	–	–	140	440	570	560	630	200	110	–
Animal or insect bites	032	4,530	–	–	270	700	1,160	890	800	670	40	–
Avulsions	033	1,630	–	–	110	310	340	410	260	190	20	–
Cuts, lacerations	034	101,660	–	30	7,330	18,020	27,170	21,200	16,720	8,370	2,030	800
Gunshot wounds	036	480	–	–	–	280	60	90	20	20	–	–
Punctures, except bites	037	17,210	–	–	1,250	2,720	4,980	3,670	3,410	790	110	290
Multiple open wounds	038	90	–	–	–	20	30	–	30	–	–	–
Open wounds, n.e.c.	039	400	–	–	–	120	30	100	30	70	40	–
Surface wounds and bruises ..	04	132,490	–	20	6,110	16,470	31,400	30,870	29,300	13,770	3,400	1,160
Surface wounds and bruises, unspecified	040	390	–	–	–	40	90	160	80	20	20	–

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Abrasions, scratches	041	9,750	—	—	520	1,630	2,370	2,340	2,090	670	60	70
Blisters	042	480	—	—	—	110	150	70	90	30	—	—
Bruises, contusions	043	107,770	—	20	5,270	12,470	25,040	24,290	24,420	12,140	3,230	880
Foreign bodies (superficial splinters, chips)	044	13,120	—	—	300	2,090	3,510	3,770	2,390	820	50	190
Friction burns	045	90	—	—	—	—	20	20	20	—	—	—
Multiple surface wounds and bruises	048	580	—	—	—	100	170	140	80	60	20	—
Surface wounds and bruises, n.e.c.	049	320	—	—	—	20	50	80	130	30	—	—
Burns	05	24,890	—	—	2,350	4,000	7,420	4,710	4,520	1,300	300	300
Burns, unspecified	050	40	—	—	—	—	—	—	—	—	—	—
Chemical burns	051	6,360	—	—	300	830	1,640	1,830	1,190	380	50	130
Electrical burns	052	1,280	—	—	70	200	470	260	230	40	—	—
Heat burns, scalds	053	17,150	—	—	1,970	2,950	5,280	2,600	3,060	870	250	160
Burns, n.e.c.	059	60	—	—	—	—	30	—	20	—	—	—
Intracranial injuries	06	6,870	—	—	170	1,080	1,520	1,740	1,260	700	320	60
Intracranial injuries, unspecified	060	110	—	—	—	20	20	20	20	20	—	—
Cerebral hemorrhages	061	70	—	—	—	—	—	—	20	—	—	—
Concussions	062	6,590	—	—	160	1,040	1,480	1,690	1,220	680	260	60
Multiple intracranial injuries	068	20	—	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	—	—	—	—	—	20	—	—	50	—
Effects of environmental conditions	07	2,560	—	—	120	240	500	870	550	180	70	30
Effects of reduced temperature	071	170	—	—	—	20	20	40	40	40	—	—
Frostbite	0711	110	—	—	—	—	—	40	—	30	—	—
Effects of reduced temperature, n.e.c.	0719	30	—	—	—	—	—	—	—	—	—	—
Effects of heat and light	072	2,280	—	—	110	210	460	760	490	140	70	30
Effects of heat and light, unspecified	0720	70	—	—	—	—	20	20	20	—	—	—
Heat stroke	0721	320	—	—	—	20	50	80	100	—	20	—
Heat syncope	0722	70	—	—	20	—	—	—	20	—	—	—
Heat fatigue	0723	550	—	—	30	40	70	290	60	50	—	—
Heat edema	0724	20	—	—	—	—	—	—	—	—	—	—
Multiple effects of heat and light	0728	30	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,220	—	—	50	130	300	340	280	70	40	—
Effects of air pressure	073	90	—	—	—	—	20	50	20	—	—	—
Effects of air pressure, unspecified	0730	40	—	—	—	—	—	40	—	—	—	—
Aero-otitis media	0731	30	—	—	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Multiple traumatic injuries and disorders	08	50,090	—	—	1,070	4,840	10,770	12,010	11,820	7,330	1,620	630
Multiple traumatic injuries and disorders, unspecified	080	1,460	—	—	—	160	300	300	340	270	70	—
Cuts, abrasions, bruises	081	8,040	—	—	350	890	2,030	1,710	1,640	1,120	210	100
Sprains and bruises	082	21,240	—	—	360	2,460	4,470	5,170	5,040	2,950	620	180
Fractures and burns	083	100	—	—	—	—	60	—	30	—	—	—
Fractures and other injuries	084	9,660	—	—	160	680	1,790	2,400	2,240	1,850	470	70
Burns and other injuries	085	310	—	—	20	70	40	100	50	40	—	—
Intracranial injuries and injuries to internal organs	086	30	—	—	—	—	20	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,250	—	—	180	590	2,050	2,300	2,490	1,090	260	280
Other traumatic injuries and disorders	09	138,590	—	—	4,030	14,850	31,900	36,570	31,870	15,330	2,710	1,320
Other traumatic injuries and disorders, unspecified	090	440	—	—	—	70	140	80	80	30	50	—
Asphyxiations/strangulations, suffocations	091	250	—	—	20	—	30	70	80	20	20	—
Electrocutions, electric shocks	093	1,700	—	—	—	340	400	470	390	90	—	—
Internal injuries to organs and blood vessels of the trunk	094	160	—	—	—	—	—	—	20	100	—	—
Other poisonings and toxic effects	095	6,710	—	—	160	810	1,530	2,030	1,550	500	50	100
Other poisonings and toxic effects, unspecified	0950	360	—	—	—	—	90	200	50	20	—	—
Animal or insect bites, venomous	0951	3,990	—	—	80	400	990	1,210	890	350	30	30
Other poisonings and toxic effects, n.e.c.	0959	2,360	—	—	80	400	440	610	610	140	20	60
Traumatic complications	096	100	—	—	—	30	30	30	—	—	—	—
Multiple traumatic complications	0968	20	—	—	—	—	—	20	—	—	—	—
Traumatic complications, n.e.c.	0969	70	—	—	—	20	20	—	—	—	—	—
Nonspecified injuries and disorders	097	127,960	—	—	3,780	13,400	29,560	33,540	29,460	14,440	2,550	1,220
Crushing injuries	0971	14,430	—	—	540	2,000	3,570	3,820	3,020	1,040	290	160
Back pain, hurt back	0972	35,650	—	—	620	3,610	9,010	10,440	8,360	3,010	380	230
Soreness, pain, hurt, except the back	0973	65,160	—	—	1,890	6,510	14,280	16,060	15,290	8,930	1,610	570

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Multiple nonspecified injuries and disorders ...	0978	5,110	—	—	50	400	1,010	1,710	1,290	450	180	40
Nonspecified injuries and disorders, n.e.c.	0979	7,610	—	—	680	880	1,690	1,510	1,510	1,020	100	220
Other traumatic injuries and disorders, n.e.c.	099	1,260	—	—	60	180	200	340	280	150	40	—
Systemic diseases and disorders	1	64,740	—	—	770	4,020	11,910	18,490	19,690	8,210	1,170	480
Systemic diseases and disorders, unspecified	10	380	—	—	—	—	70	100	100	80	—	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	21,990	—	—	290	1,110	3,880	6,300	7,390	2,710	190	110
Nervous system and sense organs diseases, unspecified	120	30	—	—	—	—	—	—	20	—	—	—
Inflammatory diseases of the central nervous system	121	30	—	—	—	—	20	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	20	—	—	—	—	20	—	—	—	—	—
Degenerative diseases of the central nervous system	122	20	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	70	—	—	—	—	20	30	—	—	—	—
Migraine	1232	60	—	—	—	—	—	30	—	—	—	—
Disorders of the peripheral nervous system	124	17,140	—	—	40	360	2,780	4,800	6,430	2,540	120	70
Disorders of the peripheral nervous system, unspecified	1240	190	—	—	—	—	—	50	70	60	—	—
Carpal tunnel syndrome	1241	16,460	—	—	40	340	2,710	4,580	6,200	2,410	120	70
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	110	—	—	—	—	—	40	40	30	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	370	—	—	—	20	60	140	110	40	—	—
Disorders of the eye, adnexa, vision	125	4,270	—	—	250	730	1,020	1,150	890	150	70	20

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Disorders of the eye, adnexa, vision, unspecified	1250	280	-	-	-	20	70	130	40	-	-	-
Conjunctivitis non-viral	1252	870	-	-	50	150	250	170	200	50	-	-
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	-	-	-	100	70	60	90	30	-	-
Blindness, low vision	1255	430	-	-	-	-	-	-	420	-	-	-
Welder's flash	1256	1,940	-	-	190	430	490	620	90	30	-	20
Visual disturbances	1258	120	-	-	-	-	90	20	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c. ..	1259	280	-	-	-	20	40	150	40	30	-	-
Disorders of the ear, mastoid process, hearing	126	210	-	-	-	-	50	90	30	20	-	-
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	-	-	-	-	-	-	-	-	-	-
Deafness, hearing loss or impairment	1261	100	-	-	-	-	20	40	-	-	-	-
Tinnitus	1262	30	-	-	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	-	-	-	-	-	20	-	-	-	-
Nervous system and sense organs diseases, n.e.c. ...	129	220	-	-	-	-	-	220	-	-	-	-
Circulatory system diseases ..	13	540	-	-	-	-	60	80	310	60	-	-
Hypertensive disease	132	40	-	-	-	-	-	-	20	-	-	-
Ischemic heart disease, including heart attack	133	330	-	-	-	-	-	20	260	30	-	-
Myocardial infarction (heart attack)	1331	320	-	-	-	-	-	20	260	30	-	-
Cerebrovascular disease ...	136	30	-	-	-	-	-	-	20	-	-	-
Stroke	1361	30	-	-	-	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	138	100	-	-	-	-	50	20	-	-	-	-
Hemorrhoids	1382	60	-	-	-	-	40	-	-	-	-	-
Respiratory system diseases	14	1,830	-	-	-	110	280	580	480	350	-	-
Respiratory system diseases, unspecified	140	180	-	-	-	-	-	80	50	30	-	-
Acute respiratory infections (including common cold)	141	50	-	-	-	-	-	-	20	-	-	-
Other diseases of upper respiratory tract	142	130	-	-	-	-	20	40	40	20	-	-
Other diseases of upper respiratory tract, unspecified	1420	30	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*	
Allergic rhinitis	1421	40	-	-	-	-	-	-	-	-	-	-	-
Other diseases of upper respiratory tract, n.e.c.	1429	50	-	-	-	-	-	20	20	-	-	-	-
Pneumonia, influenza	143	300	-	-	-	-	70	160	50	-	-	-	-
Pneumonia	1431	220	-	-	-	-	-	150	50	-	-	-	-
Influenza	1432	60	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	144	1,020	-	-	-	70	140	240	290	270	-	-	-
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1441	20	-	-	-	-	-	-	-	-	-	-	-
Extrinsic asthma	1443	580	-	-	-	30	80	190	250	30	-	-	-
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	300	-	-	-	-	30	20	20	230	-	-	-
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	-	-	-	-	-	30	20	-	-	-	-
Pneumonopathy	146	30	-	-	-	-	-	-	-	-	-	-	-
Other respiratory system diseases	149	100	-	-	-	-	30	40	20	-	-	-	-
Other respiratory system diseases, unspecified ...	1490	40	-	-	-	-	-	30	-	-	-	-	-
Other respiratory system diseases, n.e.c.	1499	40	-	-	-	-	20	20	-	-	-	-	-
Digestive system diseases and disorders	15	20,480	-	-	180	1,180	3,440	6,110	5,940	2,720	700	220	220
Hernia	153	20,480	-	-	180	1,180	3,430	6,110	5,930	2,720	700	220	220
Hernia, unspecified	1530	9,280	-	-	140	440	1,570	2,930	2,840	1,040	210	120	120
Inguinal hernia	1531	7,820	-	-	30	570	1,160	2,160	2,110	1,240	470	70	70
Hiatal hernia	1532	340	-	-	-	20	90	90	80	50	-	-	-
Ventral hernia	1533	1,550	-	-	-	100	360	420	470	150	-	30	30
Hernia, n.e.c.	1539	1,490	-	-	-	60	240	500	430	240	20	-	-
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	-	-	70	1,070	2,930	3,980	4,300	1,670	130	120	120
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	-	-	-	-	30	40	60	30	-	-	-
Arthropathies and related disorders (arthritis)	171	170	-	-	-	-	-	20	90	40	-	-	-
Dorsopathies	172	1,390	-	-	-	140	320	430	370	110	20	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported*	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over			
Dorsopathies, unspecified	1720	50	—	—	—	—	—	—	—	—	—	—	—	—
Sciatica	1721	420	—	—	—	50	100	120	100	40	20	—	—	—
Lumbago	1722	30	—	—	—	—	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	230	—	—	—	40	30	50	70	40	—	—	—	—
Dorsopathies, n.e.c.	1729	660	—	—	—	40	150	240	190	40	—	—	—	—
Rheumatism, except the back	173	12,400	—	—	70	910	2,570	3,440	3,740	1,460	100	—	120	—
Rheumatism, except the back, unspecified	1730	880	—	—	—	130	380	160	120	60	—	—	—	—
Bursitis	1731	880	—	—	—	70	140	120	470	70	—	—	—	—
Synovitis	1732	50	—	—	—	—	—	—	20	—	—	—	—	—
Tendonitis	1733	5,720	—	—	40	500	1,350	1,860	1,410	490	30	—	50	—
Tenosynovitis	1734	640	—	—	—	40	90	240	140	90	20	—	—	—
Ganglion/cystic tumor	1735	760	—	—	20	50	180	200	240	50	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	3,490	—	—	—	110	410	850	1,330	690	30	—	50	—
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	—	20	20	20	—	—	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	—	—	—	—	20	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—	20	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	—	—	—	—	—	20	40	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,000	—	—	210	530	1,210	1,280	1,150	570	50	—	—	—
Disorders of the skin and subcutaneous tissue, unspecified	180	250	—	—	—	—	100	70	60	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	1,090	—	—	—	60	220	390	240	170	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	290	—	—	—	20	80	110	50	20	—	—	—	—
Cellulitis and abscess	1812	580	—	—	—	20	100	200	140	120	—	—	—	—
Pilonidal cyst	1815	80	—	—	—	—	40	40	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	—	—	—	—	—	30	40	20	—	—	—	—
Dermatitis	182	3,100	—	—	200	450	680	720	700	300	40	—	—	—
Dermatitis, unspecified ...	1820	470	—	—	—	40	130	110	140	20	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*	
Atopic dermatitis and related conditions	1821	20	-	-	-	-	-	-	-	-	-	-	-
Contact dermatitis and other eczema	1822	810	-	-	70	100	160	210	190	90	-	-	-
Allergic dermatitis	1823	980	-	-	90	170	230	270	140	70	-	-	-
Irritant dermatitis	1824	710	-	-	30	140	130	110	180	110	-	-	-
Other contact dermatitis	1825	30	-	-	-	-	-	-	-	-	-	-	-
Dermatitis, n.e.c.	1829	70	-	-	-	-	30	-	40	-	-	-	-
Other inflammatory conditions of the skin	183	190	-	-	-	-	-	50	110	-	-	-	-
Other inflammatory conditions of the skin, unspecified	1830	150	-	-	-	-	-	20	110	-	-	-	-
Other inflammatory conditions, n.e.c.	1839	20	-	-	-	-	-	-	-	-	-	-	-
Diseases of sebaceous glands	184	90	-	-	-	-	-	-	-	80	-	-	-
Sebaceous cyst	1842	90	-	-	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	189	280	-	-	-	-	190	40	40	-	-	-	-
Chronic skin ulcers	1897	30	-	-	-	-	-	-	20	-	-	-	-
Urticaria, hives	1898	210	-	-	-	-	150	40	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	-	-	-	-	40	-	-	-	-	-	-
Other systemic diseases and disorders	19	210	-	-	-	-	40	60	-	40	50	-	-
Endocrine, nutritional, metabolic, and immunity disorder	191	110	-	-	-	-	-	50	-	30	-	-	-
Diseases and disorders of other endocrine glands	1912	100	-	-	-	-	-	50	-	30	-	-	-
Systemic diseases and disorders, n.e.c.	199	100	-	-	-	-	40	-	-	20	-	-	-
Infectious and parasitic diseases	2	1,770	-	-	60	280	610	240	390	150	-	-	30
Infectious and parasitic diseases, unspecified	20	20	-	-	-	-	-	-	-	-	-	-	-
Bacterial diseases	21	550	-	-	50	140	210	30	90	20	-	-	20
Tuberculoses	211	20	-	-	-	-	-	20	-	-	-	-	-
Tuberculoses, unspecified	2110	20	-	-	-	-	-	20	-	-	-	-	-
Other bacterial diseases	219	520	-	-	50	140	200	-	80	20	-	-	20
Diphtheria, whooping cough	2192	60	-	-	-	-	-	-	-	20	-	-	20

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported*
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over		
Septicemia	2197	80	-	-	-	-	30	-	30	-	-	-	
Other bacterial diseases, n.e.c	2199	360	-	-	-	140	170	-	30	-	-	-	
Viral diseases	22	390	-	-	-	100	100	70	60	50	-	-	
Non-arthropod-borne viral diseases of the central nervous system	222	50	-	-	-	-	-	-	-	-	-	-	
Viral diseases accompanied by exanthem (eruptive fever)	223	170	-	-	-	30	40	30	40	-	-	-	
Chickenpox	2233	130	-	-	-	30	40	20	20	-	-	-	
Herpes zoster	2234	30	-	-	-	-	-	-	20	-	-	-	
Viral hepatitis	225	20	-	-	-	-	-	-	-	-	-	-	
Type A viral hepatitis (infectious hepatitis)	2251	20	-	-	-	-	-	-	-	-	-	-	
Viral diseases of the conjunctiva	226	130	-	-	-	-	60	30	-	30	-	-	
Viral conjunctivitis (ophthalmia)	2262	110	-	-	-	-	60	-	-	30	-	-	
Other diseases due to viruses and Chlamydiae ...	229	20	-	-	-	-	-	-	-	-	-	-	
Other arthropod-borne diseases	23	50	-	-	-	-	-	-	-	-	-	-	
Lyme disease	237	40	-	-	-	-	-	-	-	-	-	-	
Mycoses	24	100	-	-	-	-	40	20	-	20	-	-	
Dermatophytosis (including athlete's foot, tinea)	241	90	-	-	-	-	40	20	-	20	-	-	
Infectious diseases peculiar to the intestines	26	200	-	-	-	-	50	40	80	20	-	-	
Other salmonella infections	263	20	-	-	-	-	-	-	-	-	-	-	
Shigellosis	264	20	-	-	-	-	-	-	-	-	-	-	
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	-	-	-	-	20	20	40	-	-	-	
Infectious diseases peculiar to the intestines, n.e.c.	269	60	-	-	-	-	20	-	20	-	-	-	
Other infectious and parasitic diseases	29	480	-	-	-	20	210	70	140	30	-	-	
Other infectious and parasitic diseases, unspecified	290	20	-	-	-	-	-	-	-	-	-	-	
Pediculosis and phthirus infestation (lice)	293	30	-	-	-	-	30	-	-	-	-	-	
Acariasis (including scabies, chiggers, mites)	294	430	-	-	-	20	180	60	140	30	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Symptoms, signs, and ill-defined conditions	4	12,920	—	—	440	1,270	2,560	3,150	3,370	1,400	640	100
Symptoms, signs, and ill-defined conditions, unspecified	40	100	—	—	—	—	20	40	40	—	—	—
Symptoms	41	12,670	—	—	440	1,260	2,530	3,040	3,280	1,370	640	100
Symptoms, unspecified	410	440	—	—	—	—	160	90	120	60	—	—
General symptoms	411	4,540	—	—	180	570	680	880	1,200	470	470	90
General symptoms, unspecified	4110	140	—	—	—	20	20	60	30	—	—	—
Loss of consciousness not heat related	4111	950	—	—	50	140	150	170	140	220	90	—
Convulsions, seizures	4112	250	—	—	60	30	—	—	140	—	—	—
Dizziness	4114	1,270	—	—	50	180	130	120	400	70	320	—
Non-specified allergic reaction	4115	560	—	—	—	20	190	200	110	30	—	—
Multiple general symptoms	4118	150	—	—	—	50	—	40	20	—	—	—
General symptoms, n.e.c.	4119	1,200	—	—	—	130	170	280	360	130	40	90
Symptoms involving nervous and musculoskeletal systems	412	2,850	—	—	—	100	580	830	880	420	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	—	—	—	—	60	30	110	30	—	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—	—	—	—	—
Earache	4122	90	—	—	—	—	—	70	—	—	—	—
Eye strain	4123	40	—	—	—	—	—	30	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	—	—	—	150	—	20	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	—	—	—	90	350	680	750	380	—	—
Symptoms involving skin and other integumentary tissue	413	1,050	—	—	20	100	210	420	140	130	30	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	—	—	—	—	30	50	—	20	—	—
Edema (including dropsy)	4131	750	—	—	—	80	140	300	110	100	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	-	-	-	-	40	70	-	-	-	-
Symptoms involving head and neck	414	610	-	-	20	70	300	80	120	20	-	-
Symptoms involving head and neck, unspecified	4140	20	-	-	-	-	-	-	-	-	-	-
Headache, except migraine	4141	490	-	-	20	60	270	60	70	-	-	-
Multiple symptoms involving head and neck	4148	20	-	-	-	-	-	-	-	-	-	-
Symptoms involving head and neck, n.e.c. ...	4149	60	-	-	-	-	-	20	20	-	-	-
Symptoms involving cardiovascular system	415	30	-	-	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system, unspecified	4150	20	-	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	416	2,080	-	-	200	200	470	430	500	180	100	-
Symptoms involving respiratory system and chest, unspecified	4160	1,100	-	-	190	20	220	200	250	120	100	-
Hyperventilation	4161	40	-	-	-	-	-	-	-	-	-	-
Chest pain	4164	250	-	-	-	-	110	70	50	-	-	-
Multiple symptoms involving respiratory system and chest	4168	50	-	-	-	-	20	-	20	-	-	-
Symptoms involving respiratory system and chest, n.e.c.	4169	640	-	-	-	130	130	150	180	40	-	-
Symptoms involving digestive and urinary system	417	310	-	-	-	-	40	80	160	-	-	-
Nausea and vomiting	4171	110	-	-	-	-	30	30	40	-	-	-
Abdominal pain, unspecified	4175	110	-	-	-	-	-	-	-	-	-	-
Multiple symptoms involving digestive or urinary system	4178	70	-	-	-	-	-	50	-	-	-	-
Multiple symptoms	418	730	-	-	-	180	90	190	150	80	20	-
Other symptoms, n.e.c.	419	50	-	-	-	-	-	40	-	-	-	-
Abnormal findings	42	80	-	-	-	-	-	50	20	-	-	-
Abnormal findings from histological and immunological studies	426	60	-	-	-	-	-	20	20	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2005 — Continued

Nature	Nature code ²	Private industry ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*	
Other abnormal findings	429	20	-	-	-	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	48	60	-	-	-	-	-	20	20	-	-	-	-
Multiple chemical sensitivity	481	20	-	-	-	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	-	-	-	-	-	-	20	-	-	-	-
Other diseases, conditions, and disorders	5	2,750	-	-	-	210	740	610	820	350	20	-	-
Mental disorders or syndromes	52	2,710	-	-	-	210	730	600	810	350	-	-	-
Mental disorder or syndrome, unspecified	520	120	-	-	-	-	40	50	-	20	-	-	-
Anxiety, stress, neurotic disorders	521	2,540	-	-	-	210	660	540	790	330	-	-	-
Anxiety, stress, neurotic disorders, unspecified ..	5210	1,160	-	-	-	90	430	210	240	170	-	-	-
Post-traumatic anxiety acute	5211	210	-	-	-	30	60	-	100	20	-	-	-
Post-traumatic anxiety chronic	5212	50	-	-	-	-	-	-	30	-	-	-	-
Panic disorder	5213	30	-	-	-	-	20	-	-	-	-	-	-
Neurotic reaction to stress	5214	940	-	-	-	60	140	260	350	110	-	-	-
Multiple anxiety, stress, neurotic disorders	5218	140	-	-	-	-	-	40	50	30	-	-	-
Mental disorders or syndromes, n.e.c.	529	50	-	-	-	-	20	-	20	-	-	-	-
Other diseases, conditions, and disorders, n.e.c.	59	30	-	-	-	-	-	-	-	-	-	-	-
Multiple diseases, conditions, and disorders	8	300	-	-	-	30	70	40	100	30	20	-	-
Nonclassifiable	9999	6,290	-	-	270	810	800	1,480	880	720	30	1,310	-

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

* This table was replaced on 11/1/2007. The 35 to 44 years old and age not reported age group estimates in the previous version of this table, which was posted on 11/17/2006, were revised in industries included in NAICS 212, Mining (except Oil and Gas). These revised estimates also affect the age group estimates

for these higher level industry sectors: Mining (NAICS code 22); Natural Resources and Mining; Goods-producing industries; and total private industry.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies