

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2005

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,234,680	28,110	83,060	247,270	80,020	91,400	15,540	152,490	107,770	173,440	253,570	–
Head	0	81,090	1,570	4,830	12,310	5,150	5,260	1,620	12,180	10,050	13,790	14,320	–
Head, unspecified	00	15,640	280	1,210	3,000	1,890	1,550	240	1,620	1,030	1,550	3,260	–
Cranial region, including skull	01	10,680	310	860	1,630	730	880	170	1,490	860	1,060	2,690	–
Cranial region, unspecified	010	310	–	–	30	30	20	–	30	80	30	70	–
Brain	011	6,980	290	670	1,040	510	630	100	980	380	730	1,650	–
Scalp	012	2,680	20	140	330	150	190	60	400	370	270	750	–
Skull	013	490	–	20	100	20	30	–	80	30	20	180	–
Multiple cranial region locations	018	70	–	–	–	–	–	–	–	–	–	30	–
Cranial region, n.e.c.	019	160	–	–	120	–	–	–	–	–	–	20	–
Ear(s)	02	1,340	20	40	260	120	100	–	80	370	120	210	–
Face	03	51,990	950	2,380	7,200	2,330	2,660	1,060	8,810	7,680	10,920	7,980	–
Face, unspecified	030	3,870	250	210	780	250	300	30	560	410	540	540	–
Forehead	031	3,540	80	160	480	300	150	120	500	490	730	530	–
Eye(s)	032	34,740	450	1,240	4,080	1,090	1,600	800	5,950	5,710	8,530	5,290	–
Nose, nasal cavity	033	2,490	80	290	180	100	230	50	560	250	270	510	–
Nose, except internal location of diseases or disorders	0330	2,430	70	250	170	90	220	50	560	250	260	510	–
Cheek(s)	034	1,010	–	40	250	–	40	20	160	200	200	80	–
Jaw/chin	035	1,260	40	20	280	210	–	30	290	30	150	210	–
Mouth	036	2,230	–	160	250	210	150	–	490	300	270	410	–
Mouth, unspecified	0360	320	–	60	–	–	–	–	120	40	30	50	–
Lip(s)	0361	500	–	20	70	60	30	–	130	60	100	30	–
Tongue	0362	120	–	–	–	–	–	–	–	–	–	–	–
Tooth(teeth)	0363	1,080	–	70	160	40	80	–	210	90	120	310	–
Multiple mouth locations	0368	160	–	–	–	–	–	–	20	110	–	–	–
Mouth, n.e.c.	0369	40	–	–	–	–	20	–	–	–	–	–	–
Multiple face locations	038	2,580	50	260	880	130	170	–	300	210	220	340	–
Face, n.e.c.	039	270	–	–	40	40	–	–	–	90	20	70	–
Multiple head locations	08	1,270	–	330	150	80	60	–	160	80	130	140	–
Head, n.e.c.	09	170	–	–	–	–	–	–	–	20	–	40	–
Neck, including throat	1	18,470	590	1,910	3,250	1,360	1,300	100	2,140	1,700	1,930	4,180	–
Neck, except internal location of diseases or disorders	10	18,410	580	1,900	3,250	1,360	1,280	100	2,140	1,700	1,930	4,170	–
Internal neck location, unspecified	11	40	–	–	–	–	–	–	–	–	–	–	–
Internal neck location, n.e.c.	19	20	–	–	–	–	–	–	–	–	–	–	–
Trunk	2	428,500	7,520	29,580	90,700	27,830	30,580	4,520	47,740	36,130	54,660	99,020	–
Trunk, unspecified	20	2,650	30	90	310	260	100	80	400	170	410	800	–

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Shoulder, including clavicle, scapula	21	77,800	1,160	4,860	14,690	5,180	5,510	760	7,910	5,700	12,280	19,700	—
Chest, including ribs, internal organs	22	18,400	650	1,010	3,480	1,370	1,110	350	2,450	1,610	1,820	4,550	—
Chest, except internal location of diseases or disorders	220	16,320	550	890	3,100	790	900	350	2,360	1,420	1,620	4,340	—
Internal chest location, unspecified	221	210	20	—	20	90	—	—	20	—	—	30	—
Heart	223	340	20	—	70	30	50	—	—	110	—	60	—
Bronchus	224	100	—	—	20	—	30	—	—	—	30	—	—
Lung(s), pleura	225	1,420	60	120	270	440	130	—	70	70	150	110	—
Back, including spine, spinal cord ..	23	270,890	4,510	20,820	62,020	17,140	19,730	2,530	29,680	23,200	31,760	59,410	—
Back, including spine, spinal cord, unspecified	230	116,160	2,100	8,090	26,510	7,200	7,280	1,240	15,260	11,010	14,110	23,350	—
Lumbar region	231	132,660	2,100	10,810	29,940	8,750	10,590	1,030	12,500	10,770	15,250	30,870	—
Thoracic region	232	10,670	120	1,000	2,840	550	930	100	850	530	1,270	2,470	—
Sacral region	233	1,330	—	90	360	40	150	20	140	30	210	290	—
Coccygeal region	234	2,270	30	100	660	190	280	—	170	160	240	430	—
Multiple back regions	238	7,500	140	720	1,620	400	500	130	730	700	650	1,920	—
Back, including spine, spinal cord, n.e.c.	239	290	—	—	100	—	—	—	20	20	40	80	—
Abdomen	24	28,350	540	920	4,180	1,830	1,700	390	4,080	3,100	4,990	6,620	—
Abdomen, except internal location of diseases or disorders	240	7,540	130	320	2,040	470	470	80	860	710	1,010	1,440	—
Internal abdominal location, unspecified	241	10,010	180	270	1,120	690	410	170	1,780	1,150	1,780	2,460	—
Stomach organ	242	550	—	—	110	20	20	—	70	50	130	140	—
Intestines, peritoneum	245	10,080	220	310	810	640	780	140	1,360	1,170	2,050	2,570	—
Intestines, peritoneum, unspecified	2450	8,600	200	230	650	520	650	110	1,160	970	1,810	2,290	—
Peritoneum	2451	710	30	50	20	70	90	—	90	100	90	170	—
Small intestine	2452	180	—	—	20	—	—	—	20	—	60	60	—
Large intestine/colon, rectum	2453	460	—	—	90	30	30	—	80	80	80	30	—
Intestines, n.e.c.	2459	130	—	30	—	—	—	—	—	20	—	20	—
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	40	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	—	—	50	—	—	—	—	—	20	—	—
Pelvic region	25	20,850	520	1,320	3,700	1,420	1,640	300	2,070	1,680	2,400	5,790	—
Pelvic region, unspecified	250	450	—	50	20	—	70	—	130	60	30	80	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Hip(s)	251	8,520	400	760	2,030	560	710	110	820	600	880	1,650	—
Pelvis	252	1,050	—	20	150	130	80	60	160	80	70	310	—
Buttock(s)	253	1,200	40	160	250	60	200	40	60	60	70	270	—
Groin	254	8,900	70	300	1,130	660	580	80	690	870	1,320	3,190	—
External reproductive tract structures	255	390	—	—	40	—	—	—	140	—	20	150	—
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—	—	—	—	—	20	—
Scrotum	2551	310	—	—	—	—	—	—	130	—	20	120	—
Penis	2552	30	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations ..	258	240	—	—	30	—	—	—	60	—	—	120	—
Pelvic region, n.e.c.	259	90	—	30	40	—	—	—	—	—	—	—	—
Multiple trunk locations	28	9,400	110	550	2,290	630	770	90	1,160	660	990	2,130	—
Trunk, n.e.c.	29	150	—	20	40	—	20	—	—	—	—	40	—
Upper extremities	3	284,750	6,130	14,310	57,760	14,660	18,320	3,530	37,330	27,270	62,100	43,170	—
Upper extremities, unspecified	30	330	—	20	50	80	40	—	30	—	90	20	—
Arm(s)	31	55,440	1,700	3,850	9,810	3,940	3,730	550	7,530	5,340	8,920	10,020	—
Arm(s), unspecified	310	19,550	940	1,290	3,770	1,570	1,280	170	2,340	1,820	2,870	3,450	—
Upper arm(s)	311	5,210	90	390	500	580	470	40	880	550	680	1,020	—
Elbow(s)	312	17,870	430	1,080	3,020	1,200	1,350	160	2,130	1,870	3,090	3,540	—
Forearm(s)	313	9,380	150	810	1,550	350	370	120	1,750	950	1,940	1,390	—
Multiple arm(s) locations	318	2,980	100	280	830	240	200	50	360	120	300	500	—
Arm(s), n.e.c.	319	460	—	—	150	—	50	—	60	30	50	110	—
Wrist(s)	32	56,250	2,440	3,930	9,800	3,810	6,540	470	5,450	3,850	11,760	8,140	—
Hand(s), except finger(s)	33	47,020	420	1,470	11,010	2,230	2,310	470	6,470	5,350	9,610	7,640	—
Finger(s), fingernail(s)	34	111,090	1,180	3,750	24,740	3,920	4,250	1,930	16,320	10,980	28,610	15,400	—
Multiple upper extremities locations	38	14,440	380	1,290	2,220	680	1,450	120	1,520	1,750	3,070	1,940	—
Multiple upper extremities locations, unspecified	380	250	—	—	20	30	60	—	30	50	20	30	—
Hand(s) and finger(s)	381	4,600	180	110	640	130	200	70	640	820	1,270	540	—
Hand(s) and wrist(s)	382	3,100	80	190	430	140	340	30	240	370	820	470	—
Hand(s) and arm(s)	383	1,830	60	120	420	80	190	—	180	100	380	280	—
Multiple upper extremities locations, n.e.c.	389	4,650	60	850	720	300	660	—	430	410	590	610	—
Upper extremities, n.e.c.	39	180	—	—	120	—	—	—	—	—	30	—	—
Lower extremities	4	271,740	7,250	18,890	50,030	19,630	20,720	4,200	38,350	21,770	27,850	62,940	—
Lower extremities, unspecified	40	300	—	—	60	—	30	—	—	60	60	70	—
Leg(s)	41	141,060	3,870	10,610	27,100	9,990	9,940	2,580	19,380	12,700	13,980	30,840	—
Leg(s), unspecified	410	19,700	520	720	4,180	1,000	1,180	570	3,400	1,400	1,990	4,740	—
Thigh(s)	411	5,510	100	730	880	250	270	80	660	610	850	1,080	—
Knee(s)	412	100,560	2,860	8,120	19,280	8,030	7,670	1,590	12,650	9,660	9,520	21,140	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Lower leg(s)	413	12,030	330	840	2,290	620	520	220	2,160	800	1,220	3,020	—
Multiple leg(s) locations	418	2,780	70	180	450	80	290	110	390	110	350	750	—
Leg(s), n.e.c.	419	470	—	20	20	—	20	—	130	100	50	110	—
Ankle(s)	42	65,000	1,870	4,660	12,030	4,780	5,390	960	9,260	4,460	5,500	16,060	—
Foot(feet), except toe(s)	43	43,840	1,060	1,760	7,080	3,220	3,730	500	6,830	3,190	5,580	10,880	—
Foot(feet), except toe(s), unspecified	430	38,340	930	1,610	6,420	2,980	3,320	470	5,410	2,750	5,040	9,390	—
Instep(s)	431	640	40	30	110	60	60	—	110	40	100	100	—
Sole	432	3,880	90	80	430	180	280	20	1,150	320	370	970	—
Sole(s), unspecified	4320	640	—	20	—	—	30	—	220	90	40	220	—
Ball(s)	4321	80	—	—	—	—	—	—	50	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	3,120	90	60	400	170	240	—	880	230	320	720	—
Multiple foot(feet) locations	438	290	—	—	20	—	60	—	60	40	20	70	—
Foot(feet), n.e.c.	439	690	—	30	100	—	—	—	100	40	60	350	—
Toe(s), toenail(s)	44	12,880	270	890	1,980	1,040	910	70	1,640	930	1,790	3,360	—
Multiple lower extremities locations	48	8,530	170	960	1,700	600	720	90	1,220	440	930	1,700	—
Multiple lower extremities locations, unspecified	480	70	—	—	—	—	—	—	20	—	—	20	—
Foot(feet) and leg(s)	481	840	20	30	160	40	90	—	140	30	180	150	—
Foot(feet) and ankle(s)	482	2,780	40	220	570	240	180	20	520	200	290	510	—
Foot(feet) and toe(s)	483	1,030	20	80	270	70	110	—	140	20	100	230	—
Multiple lower extremities locations, n.e.c.	489	3,800	90	620	700	250	350	50	400	190	350	790	—
Lower extremities, n.e.c.	49	130	—	—	70	—	—	—	20	—	—	30	—
Body systems	5	17,950	650	1,570	4,400	1,400	2,620	340	1,680	1,470	1,740	2,060	—
Multiple body parts	8	120,960	4,040	11,560	25,650	9,370	11,530	1,040	12,070	8,920	10,260	26,510	—
Other body parts	9	20	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	370	420	3,150	620	1,050	180	990	470	1,120	1,370	—

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies