

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2005

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		1,234,680	64,230	232,240	227,230	212,480	211,180	190,410	96,910
Head	0	81,090	3,670	14,870	16,670	15,130	14,180	10,900	5,680
Head, unspecified	00	15,640	1,050	2,800	3,010	3,020	2,910	1,960	900
Cranial region, including skull	01	10,680	520	1,810	1,980	2,070	1,690	1,560	1,050
Cranial region, unspecified	010	310	—	50	30	90	90	20	20
Brain	011	6,980	340	1,180	1,370	1,290	1,080	910	820
Scalp	012	2,680	140	490	430	480	440	550	150
Skull	013	490	20	70	140	80	60	60	50
Multiple cranial region locations	018	70	—	—	—	—	20	—	—
Cranial region, n.e.c.	019	160	—	20	—	120	—	—	—
Ear(s)	02	1,340	60	160	270	220	340	170	120
Face	03	51,990	2,010	9,930	10,870	9,730	8,980	7,000	3,480
Face, unspecified	030	3,870	190	630	800	690	670	530	350
Forehead	031	3,540	130	910	860	540	450	490	160
Eye(s)	032	34,740	1,320	6,310	7,360	6,720	6,190	4,790	2,060
Nose, nasal cavity	033	2,490	60	430	550	430	480	290	260
Nose, except internal location of diseases or disorders	0330	2,430	60	420	540	430	440	280	260
Cheek(s)	034	1,010	20	220	290	160	160	130	30
Jaw/chin	035	1,260	50	240	250	190	140	220	170
Mouth	036	2,230	160	550	390	390	410	170	180
Mouth, unspecified	0360	320	—	80	50	90	30	—	60
Lip(s)	0361	500	70	130	100	90	30	60	20
Tongue	0362	120	—	—	—	—	—	—	—
Tooth(teeth)	0363	1,080	90	200	170	160	300	80	90
Multiple mouth locations	0368	160	—	20	50	40	40	—	—
Mouth, n.e.c.	0369	40	—	—	20	—	—	—	—
Multiple face locations	038	2,580	70	620	320	570	390	350	270
Face, n.e.c.	039	270	—	30	40	60	100	30	—
Multiple head locations	08	1,270	30	160	520	80	160	190	130
Head, n.e.c.	09	170	—	20	20	—	100	20	—
Neck, including throat	1	18,470	820	3,240	3,500	2,980	3,070	3,320	1,540
Neck, except internal location of diseases or disorders	10	18,410	820	3,220	3,480	2,980	3,060	3,320	1,540
Internal neck location, unspecified	11	40	—	—	—	—	—	—	—
Internal neck location, n.e.c.	19	20	—	20	—	—	—	—	—
Trunk	2	428,500	24,040	84,070	79,610	72,250	70,240	65,090	33,190
Trunk, unspecified	20	2,650	150	570	560	440	410	450	80
Shoulder, including clavicle, scapula	21	77,800	3,750	13,900	15,090	14,010	13,060	12,100	5,890
Chest, including ribs, internal organs	22	18,400	750	4,290	3,610	2,920	2,730	2,710	1,390
Chest, except internal location of diseases or disorders	220	16,320	660	3,670	3,130	2,630	2,450	2,420	1,360
Internal chest location, unspecified	221	210	20	120	30	—	—	20	—
Heart	223	340	40	70	40	70	40	70	—
Bronchus	224	100	—	20	30	—	40	—	—
Lung(s), pleura	225	1,420	20	410	370	220	190	190	20
Back, including spine, spinal cord	23	270,890	16,720	55,020	49,070	44,220	43,970	40,120	21,770

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Back, including spine, spinal cord, unspecified	230	116,160	6,200	23,680	21,080	19,030	19,940	16,660	9,580
Lumbar region	231	132,660	9,120	26,950	23,900	21,530	20,690	19,910	10,550
Thoracic region	232	10,670	760	2,210	2,100	1,800	1,630	1,460	710
Sacral region	233	1,330	150	190	210	210	330	150	110
Coccygeal region	234	2,270	60	530	470	280	210	410	320
Multiple back regions	238	7,500	440	1,380	1,260	1,340	1,120	1,470	490
Back, including spine, spinal cord, n.e.c.	239	290	—	70	60	30	60	70	—
Abdomen	24	28,350	1,060	5,140	5,840	4,910	4,910	4,600	1,890
Abdomen, except internal location of diseases or disorders	240	7,540	380	1,540	1,270	1,150	1,180	1,410	610
Internal abdominal location, unspecified	241	10,010	300	1,680	2,200	1,840	1,730	1,630	630
Stomach organ	242	550	—	90	100	170	90	50	40
Intestines, peritoneum	245	10,080	370	1,810	2,220	1,690	1,880	1,480	620
Intestines, peritoneum, unspecified	2450	8,600	360	1,550	1,910	1,400	1,530	1,290	560
Peritoneum	2451	710	—	120	190	140	150	90	30
Small intestine	2452	180	—	50	40	—	30	40	—
Large intestine/colon, rectum	2453	460	—	60	70	90	170	30	30
Intestines, n.e.c.	2459	130	—	30	20	40	—	40	—
Other digestive structures	246	20	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	248	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	—	20	40	20	—	20	—
Pelvic region	25	20,850	1,180	3,590	3,550	3,660	3,700	3,600	1,560
Pelvic region, unspecified	250	450	—	90	60	130	50	70	40
Hip(s)	251	8,520	800	1,420	1,400	1,480	1,460	1,220	750
Pelvis	252	1,050	30	260	310	140	220	50	40
Buttock(s)	253	1,200	70	180	180	100	280	260	130
Groin	254	8,900	240	1,430	1,500	1,730	1,640	1,780	580
External reproductive tract structures ..	255	390	—	110	60	30	20	140	—
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—	—	—
Scrotum	2551	310	—	100	30	20	—	140	—
Penis	2552	30	—	—	20	—	—	—	—
Multiple pelvic region locations	258	240	30	20	40	50	—	80	—
Pelvic region, n.e.c.	259	90	—	60	—	—	—	—	—
Multiple trunk locations	28	9,400	430	1,550	1,840	2,020	1,430	1,510	610
Trunk, n.e.c.	29	150	—	20	50	50	30	—	—
Upper extremities	3	284,750	13,720	51,490	50,970	47,900	50,400	46,780	23,500
Upper extremities, unspecified	30	330	20	30	50	20	60	140	—
Arm(s)	31	55,440	2,690	9,220	9,060	9,540	10,530	9,450	4,960
Arm(s), unspecified	310	19,550	860	3,240	3,230	2,920	3,810	3,840	1,640
Upper arm(s)	311	5,210	170	950	980	1,150	750	660	550
Elbow(s)	312	17,870	970	3,010	2,890	2,970	3,550	3,000	1,480
Forearm(s)	313	9,380	470	1,560	1,450	1,890	1,720	1,280	1,020
Multiple arm(s) locations	318	2,980	220	420	430	520	630	580	180

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Arm(s), n.e.c.	319	460	—	40	70	110	60	80	100
Wrist(s)	32	56,250	2,890	10,610	10,390	9,010	10,200	9,020	4,130
Hand(s), except finger(s)	33	47,020	2,070	8,160	7,830	8,460	8,180	7,640	4,680
Finger(s), fingernail(s)	34	111,090	5,340	20,340	21,060	18,450	18,750	18,330	8,840
Multiple upper extremities locations	38	14,440	710	2,990	2,580	2,410	2,680	2,190	880
Multiple upper extremities locations, unspecified	380	250	—	120	50	20	20	20	—
Hand(s) and finger(s)	381	4,600	210	1,030	860	820	690	740	240
Hand(s) and wrist(s)	382	3,100	60	540	640	650	390	640	180
Hand(s) and arm(s)	383	1,830	130	350	260	370	300	280	130
Multiple upper extremities locations, n.e.c.	389	4,650	300	940	770	540	1,280	500	320
Upper extremities, n.e.c.	39	180	—	140	—	—	—	20	—
Lower extremities	4	271,740	14,040	50,200	50,080	47,030	47,420	40,870	22,100
Lower extremities, unspecified	40	300	20	50	40	40	60	30	70
Leg(s)	41	141,060	7,450	26,420	24,510	25,700	24,600	20,740	11,620
Leg(s), unspecified	410	19,700	1,310	3,720	3,570	3,470	3,540	2,840	1,240
Thigh(s)	411	5,510	220	610	1,120	1,250	1,320	710	280
Knee(s)	412	100,560	5,250	18,930	17,320	18,160	17,360	14,860	8,690
Lower leg(s)	413	12,030	510	2,280	1,890	2,340	1,950	1,830	1,240
Multiple leg(s) locations	418	2,780	150	720	550	410	380	410	160
Leg(s), n.e.c.	419	470	—	170	60	70	60	90	—
Ankle(s)	42	65,000	3,490	11,850	12,760	10,430	11,020	10,010	5,440
Foot(feet), except toe(s)	43	43,840	1,910	8,130	8,840	7,030	7,990	6,640	3,300
Foot(feet), except toe(s), unspecified ..	430	38,340	1,690	7,140	7,380	6,430	6,980	5,680	3,040
Instep(s)	431	640	20	170	120	110	130	70	20
Sole	432	3,880	200	740	900	420	650	760	220
Sole(s), unspecified	4320	640	—	250	160	50	60	120	—
Ball(s)	4321	80	—	40	20	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—
Heel(s)	4323	3,120	190	440	720	370	570	620	210
Multiple foot(feet) locations	438	290	—	40	60	20	90	70	—
Foot(feet), n.e.c.	439	690	—	40	380	50	150	60	—
Toe(s), toenail(s)	44	12,880	580	2,530	2,550	2,210	2,230	1,780	1,000
Multiple lower extremities locations	48	8,530	580	1,210	1,330	1,610	1,500	1,660	630
Multiple lower extremities locations, unspecified	480	70	—	—	20	—	20	—	—
Foot(feet) and leg(s)	481	840	60	150	180	110	200	100	50
Foot(feet) and ankle(s)	482	2,780	120	370	340	700	560	480	200
Foot(feet) and toe(s)	483	1,030	70	190	200	210	130	170	50
Multiple lower extremities locations, n.e.c.	489	3,800	330	490	590	580	590	900	320
Lower extremities, n.e.c.	49	130	—	—	50	20	—	—	20
Body systems	5	17,950	1,110	2,980	3,720	3,000	3,410	2,710	1,020

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple body parts	8	120,960	6,280	23,600	20,860	22,220	20,360	18,680	8,970
Other body parts	9	20	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	550	1,790	1,830	1,960	2,100	2,050	920

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies