

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2006

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		1,183,500	-	170	39,330	132,120	270,670	301,700	266,660	134,030	25,170	13,640
Head	0	82,420	-	-	3,760	11,350	21,610	21,050	14,630	7,490	1,620	900
Head, unspecified	00	17,250	-	-	1,030	2,050	4,100	4,180	2,910	2,120	610	240
Cranial region, including skull	01	9,940	-	-	390	1,260	1,780	2,660	2,240	1,110	410	110
Cranial region, unspecified	010	170	-	-	-	-	20	50	60	-	-	-
Brain	011	6,300	-	-	340	980	1,110	1,700	1,160	700	260	50
Scalp	012	2,610	-	-	30	200	440	690	830	300	70	50
Skull	013	690	-	-	-	60	170	190	140	60	60	-
Multiple cranial region locations	018	80	-	-	-	-	30	20	-	-	-	-
Cranial region, n.e.c.	019	90	-	-	-	-	-	-	30	30	-	-
Ear(s)	02	1,890	-	-	20	80	290	840	220	430	-	-
Face	03	52,060	-	-	2,300	7,520	15,170	13,190	8,980	3,780	570	540
Face, unspecified	030	3,810	-	-	220	330	870	1,270	640	380	70	40
Forehead	031	2,930	-	-	190	350	680	570	670	340	110	-
Eye(s)	032	35,970	-	-	1,360	5,300	11,170	9,190	6,260	2,130	180	380
Nose, nasal cavity	033	2,310	-	-	80	480	480	530	340	300	70	40
Nose, except internal location of diseases or disorders	0330	2,240	-	-	80	470	460	510	330	290	70	40
Internal nasal location, unspecified	0331	40	-	-	-	-	-	20	-	-	-	-
Multiple internal nasal locations	0338	20	-	-	-	-	-	-	-	-	-	-
Cheek(s)	034	810	-	-	-	100	140	170	150	210	-	20
Jaw/chin	035	790	-	-	30	80	230	170	220	60	-	-
Mouth	036	2,940	-	-	180	690	700	770	390	160	50	-
Mouth, unspecified	0360	410	-	-	-	30	140	100	90	20	-	-
Lip(s)	0361	1,030	-	-	110	150	310	330	70	40	30	-
Tongue	0362	20	-	-	-	-	-	-	-	-	-	-
Tooth(teeth)	0363	1,210	-	-	50	460	220	220	160	90	20	-
Multiple mouth locations	0368	190	-	-	-	20	-	110	40	-	-	-
Mouth, n.e.c.	0369	70	-	-	-	-	-	-	-	-	-	-
Multiple face locations	038	2,170	-	-	170	180	830	430	260	190	70	30
Face, n.e.c.	039	330	-	-	70	20	70	90	60	20	-	-
Multiple head locations	08	1,120	-	-	20	400	250	160	230	40	20	-
Head, n.e.c.	09	170	-	-	-	40	20	20	60	20	-	-
Neck, including throat	1	17,840	-	-	270	1,560	4,430	5,230	4,010	2,010	180	150
Neck, except internal location of diseases or disorders	10	17,660	-	-	270	1,540	4,310	5,210	3,990	2,010	180	150
Internal neck location, unspecified	11	120	-	-	-	-	100	-	-	-	-	-
Vocal cord(s)	12	20	-	-	-	-	-	-	-	-	-	-
Trunk	2	401,900	-	110	9,980	37,310	91,580	109,870	94,060	46,790	7,570	4,630
Trunk, unspecified	20	2,260	-	-	80	160	340	540	420	610	80	30
Shoulder, including clavicle, scapula	21	75,810	-	-	1,520	5,880	13,960	19,120	20,360	11,990	2,140	840

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Chest, including ribs, internal organs	22	18,170	-	-	470	1,530	3,110	3,630	5,230	3,410	560	230
Chest, except internal location of diseases or disorders	220	16,260	-	-	430	1,370	2,780	3,340	4,750	2,850	510	220
Internal chest location, unspecified	221	190	-	-	-	50	20	60	40	20	-	-
Heart	223	430	-	-	-	-	20	40	60	280	30	-
Bronchus	224	140	-	-	-	20	-	40	40	20	-	-
Lung(s), pleura	225	1,150	-	-	30	90	290	140	340	240	20	-
Back, including spine, spinal cord	23	250,870	-	100	6,750	24,530	62,900	72,840	54,950	22,610	3,310	2,880
Back, including spine, spinal cord, unspecified	230	105,380	-	-	3,210	10,160	26,710	30,160	22,520	10,010	1,520	1,080
Lumbar region	231	122,830	-	90	2,860	11,330	30,460	36,530	27,840	10,620	1,510	1,580
Thoracic region	232	9,940	-	-	350	1,660	2,760	2,300	1,850	760	140	130
Sacral region	233	1,190	-	-	30	230	290	260	290	70	20	-
Coccygeal region	234	1,390	-	-	110	150	320	410	270	110	-	20
Multiple back regions	238	9,030	-	-	160	940	2,190	2,670	1,960	930	110	60
Back, including spine, spinal cord, n.e.c.	239	1,110	-	-	30	60	170	520	220	110	-	-
Abdomen	24	27,040	-	-	550	2,790	5,700	7,100	6,390	3,670	470	380
Abdomen, except internal location of diseases or disorders	240	7,820	-	-	190	1,320	2,180	1,840	1,300	750	40	200
Internal abdominal location, unspecified	241	8,360	-	-	190	740	1,610	2,240	2,390	970	180	40
Stomach organ	242	700	-	-	-	70	160	140	200	100	30	-
Urinary organs	244	20	-	-	-	-	-	-	-	-	-	-
Kidney(s)	2442	20	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	245	9,990	-	-	150	590	1,720	2,870	2,470	1,830	220	130
Intestines, peritoneum, unspecified	2450	9,330	-	-	150	530	1,600	2,700	2,270	1,750	200	130
Peritoneum	2451	450	-	-	-	60	80	150	90	60	20	-
Large intestine/colon, rectum	2453	160	-	-	-	-	40	20	80	20	-	-
Intestines, n.e.c.	2459	30	-	-	-	-	-	-	-	-	-	-
Multiple internal abdominal locations	248	60	-	-	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	249	80	-	-	-	-	40	-	20	-	-	-
Pelvic region	25	20,630	-	-	510	1,830	3,990	4,560	5,040	3,600	920	180
Pelvic region, unspecified	250	220	-	-	-	20	50	40	80	20	-	-
Hip(s)	251	7,680	-	-	210	360	1,190	1,350	2,090	1,710	720	50
Pelvis	252	1,200	-	-	-	60	180	170	290	470	40	-
Buttock(s)	253	1,940	-	-	20	90	710	380	480	250	-	-
Groin	254	8,760	-	-	260	1,120	1,750	2,390	1,900	1,100	120	120
External reproductive tract structures	255	560	-	-	-	160	90	170	100	20	-	-
External reproductive tract structures, unspecified	2550	80	-	-	-	30	-	20	-	-	-	-

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Scrotum	2551	370	-	-	-	130	70	150	20	-	-	-
Penis	2552	90	-	-	-	-	-	-	60	-	-	-
Multiple pelvic region locations	258	150	-	-	-	-	-	40	60	-	-	-
Pelvic region, n.e.c.	259	130	-	-	-	-	-	20	60	30	-	-
Multiple trunk locations	28	7,010	-	-	110	590	1,550	2,030	1,640	890	100	90
Trunk, n.e.c.	29	110	-	-	-	-	20	50	20	-	-	-
Upper extremities	3	274,180	-	30	13,470	37,330	65,540	65,190	57,750	26,880	5,140	2,850
Upper extremities, unspecified	30	740	-	-	-	80	60	150	80	360	-	-
Arm(s)	31	54,860	-	-	1,320	5,540	11,390	15,310	12,960	6,310	1,330	690
Arm(s), unspecified	310	18,510	-	-	400	2,100	4,220	4,690	4,060	2,270	610	180
Upper arm(s)	311	4,310	-	-	60	380	560	1,360	1,120	620	130	70
Elbow(s)	312	18,020	-	-	480	1,330	3,470	5,080	5,160	1,940	350	220
Forearm(s)	313	10,860	-	-	300	1,430	2,480	3,360	1,790	1,100	220	170
Multiple arm(s) locations	318	2,510	-	-	60	260	530	580	720	310	-	30
Arm(s), n.e.c.	319	650	-	-	-	50	130	240	120	70	-	20
Wrist(s)	32	48,810	-	-	1,800	4,510	10,410	12,020	12,270	6,230	1,070	490
Hand(s), except finger(s)	33	49,480	-	20	3,000	7,730	13,070	10,820	9,360	4,160	680	660
Finger(s), fingernail(s)	34	106,050	-	-	6,390	17,540	27,130	23,690	19,940	8,590	1,850	920
Multiple upper extremities locations	38	14,160	-	-	950	1,910	3,470	3,180	3,110	1,240	200	90
Multiple upper extremities locations, unspecified	380	240	-	-	-	70	50	50	40	30	-	-
Hand(s) and finger(s)	381	4,620	-	-	230	880	1,360	850	820	390	70	20
Hand(s) and wrist(s)	382	3,370	-	-	340	300	770	810	780	290	60	20
Hand(s) and arm(s)	383	1,550	-	-	40	310	350	410	320	100	20	-
Multiple upper extremities locations, n.e.c.	389	4,370	-	-	330	360	950	1,050	1,160	430	60	40
Upper extremities, n.e.c.	39	80	-	-	-	20	-	20	30	-	-	-
Lower extremities	4	262,180	-	20	8,910	32,650	57,700	63,590	59,570	30,750	6,250	2,750
Lower extremities, unspecified	40	200	-	-	-	-	60	60	30	20	-	-
Leg(s)	41	134,550	-	-	3,240	11,980	25,850	34,390	35,850	18,120	3,760	1,350
Leg(s), unspecified	410	18,270	-	-	390	2,590	3,840	4,660	4,120	1,870	650	150
Thigh(s)	411	5,820	-	-	80	850	1,160	1,600	1,250	600	260	30
Knee(s)	412	95,520	-	-	2,160	7,610	17,980	23,990	26,540	13,710	2,470	1,050
Lower leg(s)	413	10,660	-	-	430	700	2,120	2,940	2,740	1,380	220	120
Multiple leg(s) locations	418	3,440	-	-	170	180	630	1,060	850	470	70	-
Leg(s), n.e.c.	419	850	-	-	-	50	120	150	340	90	90	-
Ankle(s)	42	61,770	-	-	2,720	10,040	15,980	15,030	10,480	5,820	1,060	630
Foot(feet), except toe(s)	43	43,840	-	-	2,170	7,390	10,250	9,340	8,360	4,790	1,030	510
Foot(feet), except toe(s), unspecified	430	39,300	-	-	1,990	6,780	9,410	8,210	7,390	4,310	740	470
Instep(s)	431	310	-	-	20	40	80	60	60	30	-	-
Sole	432	3,110	-	-	120	510	490	700	650	350	270	20
Sole(s), unspecified	4320	420	-	-	40	90	70	130	50	40	-	-
Ball(s)	4321	40	-	-	-	-	-	-	20	-	-	-
Arch(es)	4322	100	-	-	-	30	-	20	-	-	-	-
Heel(s)	4323	2,510	-	-	60	390	390	540	550	290	260	20

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Age									Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Multiple sole(s) locations	4328	30	-	-	-	-	-	-	-	-	-	-	-
Sole(s), n.e.c.	4329	20	-	-	-	-	-	-	-	-	-	-	-
Multiple foot(feet) locations	438	380	-	-	-	30	70	130	90	40	-	-	-
Foot(feet), n.e.c.	439	750	-	-	50	30	190	240	170	60	-	-	-
Toe(s), toenail(s)	44	13,610	-	-	570	2,250	3,650	2,710	3,010	1,090	200	130	-
Multiple lower extremities locations	48	8,120	-	-	190	960	1,890	2,050	1,820	880	200	130	-
Multiple lower extremities locations, unspecified	480	180	-	-	-	-	60	40	50	-	-	20	-
Foot(feet) and leg(s)	481	820	-	-	-	30	220	220	190	130	-	20	-
Foot(feet) and ankle(s)	482	2,750	-	-	40	490	480	730	590	280	90	40	-
Foot(feet) and toe(s)	483	930	-	-	50	130	310	160	150	80	20	20	-
Multiple lower extremities locations, n.e.c.	489	3,440	-	-	80	300	820	900	840	380	80	40	-
Lower extremities, n.e.c.	49	90	-	-	-	-	20	-	20	40	-	-	-
Body systems	5	18,220	-	-	470	2,280	3,950	5,320	4,230	1,680	140	150	-
Multiple body parts	8	115,930	-	-	2,210	8,510	23,180	29,350	30,370	17,430	3,810	1,060	-
Other body parts	9	60	-	-	-	-	-	-	30	-	-	-	-
Other body parts, n.e.c.	98	60	-	-	-	-	-	-	30	-	-	-	-
Nonclassifiable	9999	10,780	-	-	270	1,140	2,670	2,090	2,010	990	450	1,160	-

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies