

BEST AVAILABLE SCIENCE REFERENCES

This file contains all of the references from the King County Best Available Science (BAS) reports, Volume I: Review of Science Literature and Volume II: Assessment of Proposed Ordinances. The BAS reports were produced as part of the proposed Critical Areas, Stormwater, and Clearing and Grading Ordinances. Below, the references are grouped under the chapters that correspond to the BAS reports.

Best Available Science – Volume I, Review of Science Literature

Chapter 1: Introduction

Endangered Species Act Listing Documents and Rules: www.nwr.noaa.gov , www.fws.gov ,
www.salmoninfo.org/tricounty.htm .

King County, The 2002 King County Annual Growth Report,
<http://www.metrokc.gov/budget/agr/agr02/>

King County, 2002 Benchmarks Report, 2002a

King County Comprehensive Plan, update 2002b <http://www.metrokc.gov/ddes/compplan>

National Pollution Discharge Elimination System (NPDES):
www.metrokec.gov/wlr/stormwater/NPDESCompliance.htm .

Noss, R.F., M.A. O’Connell and D.D. Murphy. 1997. *The Science of Conservation Planning, Habitat Conservation under the Endangered Species Act*. Washington, D.C., Island Press.

Revised Code of Washington (RCW) 36.70A.172 <http://www.leg.wa.gov/rcw/index.cfm>

Washington Administrative Code (WAC) 365-195-900 to 925.

Chapter 2: Scientific Framework

Forman, R.T.T. 1995. *Land Mosaics: the ecology of landscapes and regions*. Cambridge University Press, London.

Merriam, H.G. 1988a Landscape dynamics in farmland. *Trends in Ecology and Evolution* 3:16-20.

Merriam, H.G. 1988b. Modeling woodland species adapting to an agricultural landscape. Pp. 67-68 *In* Schreiber, K.F., ed. *Connectivity in landscape ecology*. Munstersche Geographische Arbeiten 29. Ferdinand Schiningh, Paderborn, Germany.

Merriam, H.G. 1990. Ecological processes in the time and space of farmland mosaics. Pp. 121-133 *In* Zonneveld, I., and R.T.T. Forman, eds. *Changing landscapes: an ecological perspective*, Springer-Verlag, New York.

Chapter 3: Flood Hazard Areas

Bolton S. and J. Shellberg. 2001. Ecological issues in floodplains and riparian corridors. White paper prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington Department of Transportation. University of Washington, Center for Streamside Studies.

Carlton, D.K., Barker, B, Nelson, R and J Stypula. 1989. Effect of lost floodplain storage on flood peaks. In *Partnerships: Effective Flood Hazard Management*. Proceedings of the 13th Annual Conference of the Association of State Floodplain Managers, May 22nd – 27th, Scottsdale, Arizona.

Conrad, D.R., McNitt, B and M Stout. 1998. *Higher Ground: A report on voluntary property buyouts in the nation's floodplains, a common ground solution serving people at risk, taxpayers and the environment*, National Wildlife Federation, Washington, D.C.

DeVries, J.J. 1980. *Effects of Flood Plain Encroachments on Peak Flow*, The Hydrologic Engineering Center, U.S. Army Corps of Engineers, Davis, California.

Federal Emergency Management Agency, 2002a. *CRS Coordinator's Manual*. Federal Insurance and Mitigation Administration. 2002 Edition.

Federal Emergency Management Agency. 2002b. *Guidelines and Specifications for Flood Hazard Mapping Partners*. Executive Summary. February Edition.

Federal Emergency Management Agency, 2002c. *Floodplain Management: Higher Regulatory Standards*. Region 10. 2nd Edition. February.

Federal Emergency Management Agency. 2001a. *Flood Insurance Study, King County, Washington and Incorporated Areas*. December 6.

Federal Emergency Management Agency. 2001b. *Modernizing FEMA's flood hazard mapping program: Recommendations for using future-conditions hydrology for the National Flood Insurance Program*. Final Report. November. Hazards Study Branch, Federal Insurance and Mitigation Administration.

Federal Emergency Management Agency, 2001c. *Floodplain and fisheries resource management: Incorporating fish habitat measures into the FEMA region 10 model flood damage prevention ordinance*. Supporting information: FEMA model ordinance for flood loss reduction and fish habitat enhancement. Region 10. March 31.

Gippel, C.J., I.C. O'Neill, B.L Finlayson, and I. Schnatz. 1996. Hydraulic guidelines for the reintroduction and management of large woody debris in lowland systems. *Regulated Rivers Research and Management* 12: 223-236.

Gippel, C.J., I.C. O'Neill. and BL Finlayson. 1992. *The hydraulic basis of snag management*. Centre for Environmental Applied Hydrology, Department of Civil and Agricultural Engineering, University of Melbourne, Parkville.

- Johnson, A.W. and J.M. Stypula. 1993. Guidelines for Bank Stabilization Projects in the Riverine Environments of King County. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.
- King County. 1993. King County Flood Hazard Reduction Plan. Final. King County Department of Public Works, Surface Water Management Division, Seattle, Washington.
- Larson, L.L. and D. Plasencia. 2001. No adverse impact: a new direction in floodplain management policy. *Natural Hazards Review*, November, Vol 2, No 4. ISSN 1527-6988, Natural Hazards Center, University of Colorado, Boulder, Colorado.
- Maddock. 1976. A primer on floodplain dynamics. *Journal of Soil and Water Conservation*. 31: 44-47.
- Montgomery, D.R. and J. Buffington. 1993. Channel classification: prediction of channel response and assessment of channel condition. Washington Department of Natural Resources. Report TFW-SH10-93-002.
- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Prestegard, B.D. Richter, R.E. Sparks and J.C. Stromberg. 1997. The natural flow regime: a paradigm for river conservation and restoration. *BioScience* 47: 769-784.
- Shields Jr., F.D. and N.R. Nunnally. 1984. Environmental aspects of clearing and snagging. *Journal of Environmental Engineering*. 110: 152-165.
- U.S. Department of Agriculture. 1998. Stream corridor restoration: principles, processes, and practices. National Engineering Handbook 210-VI, Natural Resources Conservation Service, Washington, D.C.
- United States. 2002. Code of Federal Regulations. Title 44 Emergency Management and Assistance, Parts 59-78, National Flood Insurance Program, Washington, D.C.
- United States. 1994. Riegle Community Development Act. Public Law 103-325, Section 511, Title V – National Flood Insurance Reform.

Chapter 4: Channel Migration Zones

- Abbe, T.R., and D.R. Montgomery, 1996. Large woody debris jams, channel hydraulics and habitat formation in large rivers. *Regulated Rivers: Research and Management*, Vol. 12. 201-221.
- Abbe, T.R., and D.R. Montgomery, 2003. Patterns and processes of wood debris accumulation in the Queets river basin, Washington. *Geomorphology* 51: 81-107.
- Bilby, R.E. and P.A. Bisson, 1998. Function and Distribution of Large Woody Debris, 324-346 in R.J. Naiman and R.E. Bilby editors: *River Ecology and Management; Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York NY.
- Bilby, R.E. and J.W. Ward 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of American Fisheries Society* 118: 368-378.

- Bolton, S. and J. Shellberg, 2001. Aquatic Habitat Guidelines White Paper: Ecological Issues in Floodplains and Riparian Corridors. Prepared for WA State Dept of Fish and Wildlife and others.
- Collins, B.D., D.R. Montgomery, and A.J. Sheikh, 2003. Reconstructing the historic river landscape of the Puget Lowland. In: Restoration of Puget Sound Rivers, D.R. Montgomery, S. Bolton, D.B. Booth, and L. Wall, editors. University of Washington Press, 505 pages.
- Collins, B.D. and D.R. Montgomery, 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington. Restoration Ecology Vol. 10 No. 2, 237-247.
- Church, M. 1983. Patterns of instability in a wandering gravel bed channel. Special Publications of the International Association of Sedimentologists. 6: 169-180.
- Dunne, T. and L.B. Leopold, 1978. Water in Environmental Planning. WH Freeman and Company, USA.
- Federal Emergency Management Agency, 1994. National Flood Insurance Reform Act.
- Federal Emergency Management Agency, 1999. Riverine Erosion Hazard Areas: Mapping Feasibility Study, FEMA, Technical Services Division, Hazards Study Branch.
- GeoEngineers, 2003. Geomorphic evaluation and channel migration zone analysis, Puyallup, Carbon and White Rivers. Report prepared for Pierce County Public Works and Utilities Environmental Services, Water Programs Division, June 2003.
- Graf, W.L., 1984. A probabilistic approach to spatial assessment of river channel instability. Water Resources Research. Vol. 20. P 953.
- Ham, K.G., and M. Church, 2000. Bed-material transport estimated from channel morphodynamics, Chilliwack River, British Columbia, Earth Surface Processes and Landforms 25: 1123-1142.
- Keller, E.A. and F.J. Swanson, 1979. Effects of large organic material on channel form and fluvial processes. Earth Surface Processes, Vol. 4, 361-380.
- King County, 1993. Flood Hazard Reduction Plan.
- King County, 1999. Channel migration public rule.
- Knighton, D. 1998. Fluvial form and processes. Wiley and sons, New York.
- Leopold, L.B., M.G. Wolman, and J.P. Miller, 1964. Fluvial processes in geomorphology. Dover publications, New York.
- May, C.W., 2002. Protection of stream-riparian ecosystems: a review of best available science. Prepared for Kitsap County Natural Resources Coordinator.
- Maser, C. and Sedell, J.R. 1994. From the forest to the Sea. The ecology of wood in streams, rivers, estuaries, and oceans. St Lucie Press, Florida.
- Montgomery, D. R., and J.M. Buffington, 1993. Channel classification, prediction of channel response, and assessment of channel condition. Washington State Department of Natural Resources Report TFW-SH10-93-002, Olympia Washington.
- Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, P.L. Olson, E.A. Steel, 1992. Fundamental elements of ecologically healthy

watersheds in the Pacific Northwest coastal ecoregion. 127-188 in R.J. Naiman, editor. *Watershed Management: Balancing sustainability and environmental change*. Springer-Verlag, New York NY.

National Marine Fisheries Service, 2000. CMZ definition in Federal Register, p 42462, 2000.

O'Connor, J.E., M.A. Jones, T.L. Haluska, 2003. Flood plain and channel dynamics of the Quinalt and Queets Rivers, Washington, USA. *Geomorphology* 51: 31-59.

Perkins, S.J., 1993. Green River channel migration study. King County Dept of Public Works, Surface Water Management Division, Seattle, WA.

Perkins, S.J., 1996. Channel migration in the three forks area of the Snoqualmie River. King County Department of Natural Resources, Surface Water Management Division, Seattle, Washington.

Pollock, M. M. and P.M. Kennard. 1999. A Low Risk Strategy for Preserving Riparian Buffers Needed to Protect and Restore Salmonid Habitat in Forested Watersheds of Washington State. 10,000 Years Institute, Bainbridge Island, Washington.

Rapp, C.F. and T.B. Abbe, 2003. A Framework for Delineating Channel Migration Zones. Washington State Department of Ecology and Washington State Department of Transportation. Final draft report.

Schumm, S. 1977. *The fluvial system*. Wiley, New York.

Shannon and Wilson, 1991. Tolt and Raging Rivers channel migration study, King County, Washington, with maps. Prepared for Surface Water Management Division, King County Department of Public Works, Seattle, WA by Shannon & Wilson, Inc., Seattle, WA.

Skidmore, P.B., P. Cooper, and K.F. Boyd. 1999. Methodology for determining meander corridor limits. In: *Proceedings of the American Water Resources Association Annual Water Resources Conference*, Seattle, WA, December, 1999.

Washington Dept of Natural Resources, 2001. *State Forest Practice Board Manual: Channel migration zones and bankfull channel features*.

Chapter 5: Geologic Hazard Areas

Seismic Hazard Areas:

Atwater, B. F., 1987, Evidence for great Holocene earthquakes along the outer coast of Washington State: *Science*, v. 236, no. 4804, p. 942-944.

Atwater, B. F., 1988, Geologic studies for seismic zonation of the Puget lowland. In *National Earthquake Hazards Reduction Program, Summaries of Technical Reports*, V. 25: U.S. Geological Survey Open-File Report 88-16, p. 120-133.

Atwater, B. F.; Grant, Wendy, 1987 Holocene subduction earthquakes in coastal Washington

Beget, J. E., 1983, Glacier Peak, Washington-A potentially hazardous Cascade volcano: *Environmental Geology*, v. 5, no. 2, p. 83-92.

- Atwater, B.F, Moore, 1992, *Science*, V. 258.
- Crandell, D. R., 1973, Map showing potential hazards from future eruptions of Mount Rainier, Washington: U.S. Geological Survey Miscellaneous Investigations Map 1-836, 1 sheet, scale 1:250,000.
- Crandell, D. R.; Mullineaux, D. R., 1967, Volcanic hazards at Mount Rainier Washington: U.S. Geological Survey Bulletin 1238, 26 p.
- Crandell, D. R.; Mullineaux, D. R., 1978, Potential hazards from future eruptions of Mount St. Helens volcano, Washington: U.S. Geological Survey Bulletin 1383-C, 26 p.
- Crosson, R. S., 1983, Review of seismicity in the Puget Sound region from 1970 through 1978. In Yount, J. C.; Crosson, R. S., editors, 1983, Proceedings of Conference XIV, Earthquake hazards of the Puget Sound region, Washington: U.S. Geological Survey Open- File Report 83-19, p. 6-18.
- Crosson, R. S.; Frank, D. G., 1975, The Mt. Rainier earthquake of July 18, 1973, and its tectonic significance: *Seismological Society of America Bulletin*, v. 65, no. 2, p. 393-401.
- Evans, S. G., 1986, Landslide damming in the Cordillera of western Canada. In Schuster, R. L., editor, 1986, Landslide dams-Processes, risk and mitigation: American Society of Civil Engineers Geotechnical Special Publication 3, p. 11-130.
- Gower, H. D.; Yount, J. C.; Crosson, R. S., 1985, Seismotectonic map of the Puget Sound region, Washington: U.S. Geological Survey Miscellaneous Investigations Series Map 1-1613
- Hansen, W. R., 1966, Effects of the earthquake of March 27, 1964, at Anchorage, Alaska: U.S. Geological Survey Professional Paper 542-A, 68 p
- Heaton, T. H.; Hartzell, S. H., 1986, Source characteristics of hypothetical subduction earthquakes in the northwestern United States: *Seismological Society of America Bulletin*, v. 76, no. 3
- Ihnen, S.; Hadley, D. M., 1986, Prediction of strong ground motion in the Puget Sound region-The 1965 Seattle earthquake: *Seismological Society of America Bulletin*, v. 76, no. 4
- Keefer, D. K., 1983, Landslides, soil liquefaction, and related ground failures in Puget Sound earthquakes. In Yount J. C.; Crosson, R. S., editors, 1983, Proceedings of Conference XIV, Earthquake hazards of the Puget Sound region, Washington: U.S. Geological Survey Open-File Report 83-19, p. 280-299.
- Langston, C. A., 1981, A study of Puget Sound strong ground motion: *Seismological Society of America Bulletin*, v. 71, no. 3
- Langston, C. A.; Lee, J.-J., 1983, Effect of structure geometry on strong ground motions-The Duwamish River Valley, Seattle, Washington: *Seismological Society of America Bulletin*, v. 73, no. 6
- McCulloch, D. S.; Bonilla, M. G., 1970, Effects of the earthquake of March 27, 1964, on the Alaska railroad: U.S. Geological Survey Professional Paper 545-D, 161 p.
- McLucas, G. B., compiler, 1980, Preliminary fault map of Washington: Washington Division of Geology and Earth Resources Open-File Report 80-2, 5 p., 1 plate, scale 1: 1,000,000.
- Newmark, N. M.; Hall, W. J., 1982, Earthquake spectra and design: *Earthquake Engineering Research Institute Monograph*, v. 3, 103 p.

References

- University of Washington, Department of Geophysics, Tsunami! Website, 2000.
- Plafker, George, 1969, Tectonics of the March 27, 1964, Alaska earthquake. [Chapter I of] The Alaska earthquake, March 27, 1964-Regional effects: U.S. Geological Survey Professional Paper 543-1, 74 p
- Rasmussen, N. H.; Millard, R. C.; Smith, S. W., 1974, Earthquake hazard evaluation of the Puget Sound region Washington State: University of Washington Dept. of Earth and Space Sciences
- Reinhart, M. A.; Bourgeois, Joanne, 1987, Distribution of anomalous sand at Willapa Bay, Washington- Evidence for large-scale landward-directed processes [abstract]: EOS (American Geophysical Union Transactions), v. 68, no. 44.
- Stanley, Villaseñor, Benz, 1999. *Subduction Zone and Crustal Dynamics of Western Washington: A Tectonic Model for Earthquake Hazards Evaluation*
- Wiegel, R. L., 1970, Tsunamis. In Wiegel, R. L., editor, 1970, Earthquake engineering: Prentice-Hall, Inc., p. 253-308.
- Wilson, B. W.; Torum, A. F., 1972, Effects of the tsunamis-An engineering study. In National Research Council Committee on the Alaska Earthquake, 1972, The great Alaska earthquake of 1964- Oceanography and coastal engineering, p. 361-523.

Erosion Hazard Areas:

- Coastal Engineering – Coastal Hazards – Sea Grant Program – various publications, University of Wisconsin, 2002
- Daniels – Hammer, 1992. Soil Geomorphology. Wiley and Sons;
- Dietrich, W.E., Wilson, C.J., Montgomery, D.R., McKean, J. and Bauer, R. (1992): Erosion thresholds and land surface morphology. *Geology*, 20: 675-679.
- Houghton, P.D. & Charman, P.E.V. 1986, Glossary of Terms Used in Soil Conservation, Soil Conservation Service of NSW, Sydney
- King County, 1990. Sensitive Areas Map Folio;
- Nsw Coastline Management Manual (Nsw-Cmm) New South Wales Government, September 1990. Isbn 0730575063
- Soil Survey – King County Area Washington, United States Department of Agriculture, Soil Conservation Service, Issued November 1973
- Terzaghi & Peck, Soil Mechanics in Engineering Practice, Wiley & Tuttle, 1948
- University of Washington, King County, WSDOT, 2002. Regional Road Maintenance Endangered Species Act Program Guidelines;

Landslide Hazard Areas:

- Ashmore, P., Contemporary Erosion of the Canadian Landscape, *Progress in Physical Geography*, 17 (2), 190-204, 1993.

- Abbe, T.B., and D.R. Montgomery, Large woody debris jams, channel hydraulics and habitat formation in large rivers, *Regulated Rivers-Research & Management*, 12 (2-3), 201-221, 1996.
- Benda, L., and T. Dunne, Stochastic forcing of sediment supply to channel networks from landsliding and debris flow, *Water Resources Research*, 33 (12), 2849-2863, 1997.
- Benda, L., and T. Dunne, Stochastic forcing of sediment supply to channel networks from landsliding and debris flow, *Water Resources Research*, 33 (12), 2849-2863, 1997.
- Booth, D.B., 1989, Runoff and stream channel changes following urbanization in King County, *in*, Engineering Geology in Washington, Richard W. Galster, ed.: Washington Division of Geology and Earth Resources Bulletin 78, v. II, p. 639-649.
- “Forest Vegetation Removal and Slope Stability in the Idaho Batholith,” USDA Research Paper INT-271, May 1981, (D. Gray and W. Megahan).
- Gerstel, Brunengo, Lingley Jr., Logan, Shipman, Walsh, *Washington Geology*, vol. 25, no. 1, March 1997
- Miller, R.D., 1973, Map showing relative slope stability in part of west-central King County, Washington: U.S. Geological Survey Miscellaneous Investigations Series Map, I-852-A, 1:48,000.
- Mullineaux, D.R., Waldron, H.H., and Rubin, Meyer, 1965, Stratigraphy and chronology of late interglacial and early Vashon glacial time in the Seattle area, Washington: U.S. Geological Survey Bulletin 1194-O, 10 p.
- Mullineaux, D.R., Nichols, T.C., and Speirer, R.A., 1964, A zone of montmorillonitic weathered clay in Pleistocene deposits at Seattle Washington: U.S. Geological Survey Professional Paper 501-D, p. D99-D103.
- Thorsen, G.W., 1989, Landslide provinces in Washington, *in* Engineering Geology in Washington, Richard W. Galster, ed.: Washington Division of Geology and Earth Resources Bulletin 78, v. I, p. 71-89.
- Tubbs, D.W., 1974a, Landslides in Seattle, Washington Division of Mines and Geology Information Circular 52, 15 p., scale 1:31,680.
- Tubbs, D.W., 1974b, Landslides and associated damage during early 1972 in art of west central King County, Washington: U.S. Geological Survey Miscellaneous Investigations Series Map, I-852-B, 1:48,000.

Volcanic Hazard Areas:

- Edward W. Wolfe and Thomas C. Pierson, 1995, Volcanic-Hazard Zonation for Mount St. Helens, Washington, 1995: USGS Open-File Report 95-497
- Howel Williams and Alexander McBirney, *Volcanology*, 1979, Freeman-Cooper and Co., San Francisco, CA.
- Edward Wolfe and Thomas C. Pierson, *Volcanic Hazard Zonation for Mt. St. Helens, Washington*, 1995, USGS Open-File Report 95-497
- Frank Press and William Siever, *Earth* – 2nd Ed., 1978, W.H. Freeman and Co., San Francisco, CA.

- Richard B. Waitt, Larry G. Mastin, and James E. Begét, 1995, Volcanic-Hazard Zonation for Glacier Peak Volcano, Washington: USGS Open-File Report 95-499
- Tilling, R.I., 1980, Monitoring active volcanoes, USGS Yearbook, fiscal year 1977, reprint, 11 p.
Tilling, R.I., 1980, Monitoring active volcanoes, USGS Yearbook, fiscal year 1977, reprint, 11 p.
- Tilling, R.I., 1987, Eruptions of Mount St. Helens: Past, present, and future, Washington, D.C., U.S. Government Printing Office, 41 p.
- Tilling, R.I., 1989, Volcanic Hazards, short course in geology: v. 1, Washington, D.C., American Geophysical Union, 123 p.
- Tilling, R.I., 1991, Reducing volcanic risk: Are we winning some battles but losing the war?, Earthquakes and Volcanoes, 22 (3), p. 133-137.
- Tilling, R.I. and P.W. Lipman, 1993, Lessons in reducing volcano risk, Nature, 364, p. 277-280.
- Woods, Andrew, Volcanic Hazard at Proposed Yucca Mountain Nuclear Waste Repository, Geophysical Research Letters, Journal of the American Geophysical Union, July, 2002.

Coal Mine Hazard Areas:

- Alfreds R. Jumikis, Rock Mechanics, 2nd Ed., 1983, Transtech Publications and Rutgers University
- Amuedo and Ivey, Coal and Clay Mine Hazard Study and Estimated Unmined Coal Resources, Jefferson County, Colorado, 1978
- Carpenter, P. J.; C. J. Booth, and M. A. Johnston. Application of Surface Geophysics to Detection and Mapping of Mine Subsidence Fractures in Drift and Bedrock: 1994.
- Crowell, D. L., 1995, The hazards of mine subsidence: Ohio Division of Geological Survey, Ohio Geology,
- Galster, Richard W. et al., Engineering Geology in Washington, Volume I, 1989, Washington State Department of Natural Resources, Division of Geology and Earth Resources, Bulletin 78.
- King County, 1990.Sensitive Areas Map Folio.
- Pipkin and Trent ,1997 Geology and the Environment 2nd edition.

Chapter 6: Critical Aquifer Recharge Areas

- Aller, L., T. Bennet, , J.H. Lehr, and R.J. Petty. 1987. DRASTIC: a standardized system for evaluating groundwater pollution potential using hydrogeologic settings. U.S. EPA Report 600-2-85-018.
- Alley, W.M., T.E. Reilly, and O.L. Franke. 1999. Sustainability of Ground-Water Resources. (U.S. Geologic Survey: Circular 1186).

- Barrett, Michael, "Re: Risk of GW contamination from infiltration BMPs." E-mail to Multiple recipients of list. 20 Dec 2002.
- Bekesi, G. and J. McConchie. 2002. The use of aquifer-media characteristics to model vulnerability to contamination, Manawatu region New Zealand. *Hydrogeology Journal* 10(2): 322–331.
- Bidlake, W.R. and K.L. Payne. 2001. Estimating recharge to ground water from precipitation at Navel Submarine Base Bangor and Vicinity, Kitsap County, Washington. U.S. Geological Survey Water-Resources Investigation Report 01-4110.
- Burgess, D.B., and S.W. Fletcher. 1998. Methods used to delineate groundwater source protection zones in England and Wales. Groundwater Pollution, Aquifer Recharge and Vulnerability (Robins, N S, ed.). Geological Society Special Publication 130, London, England, pp. 199-210.
- Cleary, T.C.B.F and R.W. Cleary. 1991. Delineation of Wellhead Protection Areas: Theory and Practice, *Water Science and Technology* 24(11): 239-250.
- Colorado State University Cooperative Education. Agricultural Chemicals and Groundwater Protection. 1993. Turf BMP Fact Sheet.
- Colorado State University Cooperative Education. Best Management Practices for Nitrogen Fertilization. 1994. Bulletin #XMC-172
- Dai, F.C., C.F. Lee, and X.H. Zhang. 2001. GIS-based geo-environmental evaluation for urban land-use planning: a case study. *Engineering Geology* 61 (4): 257-271.
- Dingman, S.L. 2002. Physical Hydrology. Prentice-Hall, Inc. Upper Saddle River New Jersey. p. 382.
- Dissmeyer, G.E. (Editor). 2000. Drinking Water from Forests and Grasslands – A Synthesis of the Scientific Literature. U.S. Department of Agriculture, Forest Service, Southern Research Center, General Technical Report SRS-39.
- Ducci, D., 1999. GIS techniques for mapping groundwater contamination risk. *Natural Hazards* 20(2-3): 279-294.
- Erwin, M.L. and A.J. Tesoriero. 1997. Predicting Ground-Water Vulnerability to Nitrate in the Puget Sound Basin, USGS Fact Sheet 061-97, June 1997.
- Fagnan, N., R. Lefebvre, E. Boisvert, and Y. Michaud. 1998. Evaluation of Groundwater Vulnerability to Contamination in the Laurentian Piedmont Using the Drastic Method. University of Quebec. INRS – Georesources. 215 p. (In French)
- Foster, S., R. Hirata, D. Gomes, M. D’Elia, and M. Paris. 2002. Groundwater Quality Protection. The World Bank. Washington, D.C.
- Fritch, T.G, C.L. McKnight, J.C. Yelderman Jr, S.I. Dworkin and J.G. Arnold. 1999. A predictive modeling approach to assessing the groundwater pollution susceptibility of the Paluxy Aquifer, Central Texas, using a Geographic Information System. *Environmental Geology* 39 (9): 1063-1069.
- Fritch, T.G, C.L. McKnight, J.C. Yelderman Jr, et al. 2000. An aquifer vulnerability assessment of the Paluxy aquifer, central Texas, USA, using GIS and a modified DRASTIC approach. *Environmental Management* 25(3): 337-345.

- Garland, D. & Lyszak, J. “The High Rock Aquifer Break of October 1993.” WA State Dept. of Ecology, NWRO. Technical Memorandum. December 1995.
- Holman-Dodds, J.K., A.A. Bradley, and K.W. Potter. 2003. Evaluation of hydrologic benefits of infiltration based urban storm water management. *Journal of the American Water Resources Association* 39(1): 205-215.
- Ireland Department of the Environment. 2001. Policy and Practice for the Protection of Groundwater in Northern Ireland. Environment and Heritage Services Printing Unit
- King County. 1995. Mapping Aquifer Susceptibility to Contamination in King County. King County Dept. of Development and Environmental Services, Seattle, WA.
- King County. 1993. Best Management Practices for Golf Course Development and Operation. King County Environmental Division, Seattle, WA.
- Konrad, C.P. and S.J. Burges. 2001. Hydrologic Mitigation using On-Site Residential Storm-Water Detention. *Journal of Water Resources Planning and Management* 127(2): 99-107.
- Lobo-Ferreira J.P. and M.M. Oliveira. 1997. Drastic Groundwater Vulnerability Mapping of Portugal. “Groundwater: An Endangered Resource,” Proceedings of Theme C 27th Congress of the International Association for Hydraulic Research, San Francisco, USA, Aug. 10-15. pp. 132-137.
- Lynch, S.D., A.G. Reynders, and R.R. Schulz. 1993. Preparing input data for a national-scale groundwater vulnerability map of Southern Africa, in 6th National Hydrological Symposium, SANCIAHS, Sept. 1993 and *Water S.A.* 20: 239-246, Pietermaritzburg, South Africa. 1994.
- Mahler, R.L., H.W. Homan, and G.P. Carpenter. 2002. Pesticides and their Movement in Soil and Water. Quality Water for Idaho Current Information Series No. 865. University of Idaho Cooperative Extension System.
- Menani, M. R., 2001. Evaluating and mapping the groundwater pollution susceptibility of the El Madher alluvial aquifer, Eastern Algeria, using the Drastic method. *Science et changements planétaires / Sécheresse*. 12(2): 95-101.
- Merchant, J.W. 1994. GIS-Based Groundwater Pollution Hazard Assessment - A Critical-Review of The Drastic Model. *Photogrammetric Engineering & Remote Sensing* 60 (9): 1117-1128.
- Napolitano, P. and A.G. Fabbri. 1996. Single-parameter sensitivity analysis for aquifer vulnerability assessment using DRASTIC and SINTACS. *HydroGIS 96: Application of Geographic Information Systems in Hydrology and Water Resources Management* (Proceedings of the Vienna Conference, April 1996). IAHS Publ. No.235, pp. 559-566.
- Navulur, K.C.S. and B.A. Engel. 1998. Groundwater vulnerability assessment to non-point source nitrate pollution on a regional scale using GIS, *T ASAE* 41 (6): 1671-1678. Office of Community Development (OCD), “Model Code Recommendations for Designating and Protecting Critical Areas” (1st ed., 2nd draft, May 2002b).
- Otto, C.J., L.E. Bates, G. Bartle, C. Johnston and T. Power. 2000. Development of a hydrogeological database and groundwater vulnerability assessment using GIS and integrated modeling, Garden Island, WA. Progress Report: Hydrogeological Investigation. CSIRO Land and Water.

- Pacheco, A., J.M.B. Mendes, T. Martins, S. Hassuda, and A.A. Kimmelman. 1991. Cemeteries – a potential risk to groundwater. *Water Science and Technology* 24(11): 97-104.
- Parsons, J. Richelle, and M. Allen-King. 2003. “A Geologic Source of Arsenic in Washington State Ground Water: A Literature Review” Poster at 4th Symposium on the Hydrogeology of Washington State, Tacoma, April 8-10, 2003.
- Potts, A. 2002, Dec 13. “Risk of GW contamination from infiltration BMPs.” E-mail to Multiple recipients of list.
- Redmond – Bear Creek Valley Ground Water Management Committee. 1999. Redmond-Bear Creek Valley Groundwater Management Plan: Management Strategies.
- Shahid, S., 2000. A study of groundwater pollution vulnerability using DRASTIC/GIS, West Bengal, India. *Journal of Environmental Hydrology* 8(1).
- Shukla S., S. Mostaghimi, and V.O. Shanholtz. 1998. A GIS-based modeling approach for evaluating groundwater vulnerability to pesticides. *Journal of the American Water Resources Association* 34(6): 1275-1293.
- Spongberg, A.L. and P.M. Becks. 2000. Inorganic soil contamination from cemetery leachate. *Water, Air and Soil Pollution* 117: 313-327.
- Standard Industrial Classification Manual. 1987. URL: <http://www.osha.gov/cgi-bin/sic/sicser5>
- Stark S.L, J.R. Nuckols, and J. Rada. 1999. Using GIS to investigate septic system sites and nitrate pollution potential. *Journal of Environmental Health* 61(8):15-22.
- Stempvoort, V., D., L. Ewert, and L. Wassenaar. 1992. AVI: A method for groundwater protection mapping in the Prairie Provinces of Canada. Prairie Provinces Water Board, Regina, Saskatchewan.
- Swanson, R. D. 1992. Methods to determine wellhead protection areas for public supply wells in Clark County, Washington, Intergovernmental Resource Center, p.37.
- Teso, R.R., M.P. Poe, T. Younglove, and P.M. McCool. 1996. Use of logistic regression and GIS modeling to predict groundwater vulnerability to pesticides, *Journal of Environmental Quality* 25: 425-432.
- Thurston Co. Public Health, 1995 “The Direct & Cumulative Effects of Gravel Mining on Ground Water Within Thurston County, Washington.”
- Tindall, J.A., and J.R. Kunkel. Unsaturated zone hydrology for scientists and engineers. Prentice-Hall, Inc. Upper Saddle River New Jersey. p 331.
- Tucker M.A., D.L. Thomas, D.D. Bosch, et al., 2000. GIS-based coupling of GLEAMS and REMM. *Hydrology: I. Development and sensitivity*, *T ASAE* 43 (6): 1525-1534.
- U.S. Department of Transportation. 2003. Pipeline Safety Statistics. Research and Special Programs Administration - Office of Pipeline Safety. URL: <http://www.pipeline101.rspa.dot.gov/pipelineInfo/statistics.htm>
- U.S. Environmental Protection Agency. 1986. Methodology for analysis of detention basins for control of urban runoff quality, EPA 440-5-87-001.
- U.S. Environmental Protection Agency. 1993. Guidelines for delineation of wellhead protection areas, EPA 440-5-93-001; update of same document produced in 1987 (EPA 440/6-87-010).

References

- U.S. Environmental Protection Agency. 1995a. Fact sheets and the citizen's guide to pest control and pesticide safety, EPA 730-K-95-001.
- U.S. Environmental Protection Agency. 1995b. Sole Source Aquifer Designation, EPA 440-9-95-001; update of same document produced in 1987 (EPA 440/6-87-003).
- U.S. Environmental Protection Agency. 1997. State Source Water Assessment and Protection Programs, EPA 816-R-97-009.
- U.S. Environmental Protection Agency. 2000. Low impact development (LID) – A literature review, EPA 841-B-00-005.
- U.S. Environmental Protection Agency. 2001a. Source Water Protection Practices Bulletin – Managing above ground storage tanks to prevent contamination of drinking water, EPA 916-F-01-022.
- U.S. Environmental Protection Agency. 2001b. Source Water Protection Practices Bulletin – Managing storm water runoff to prevent contamination of drinking water, EPA 816-F-01-020.
- U.S. Environmental Protection Agency. 2001c. Source Water Protection Practices Bulletin – Managing turfgrass and garden fertilizer application to prevent contamination of drinking water, EPA 816-F-01-029.
- U.S. Environmental Protection Agency. 2001d. Source Water Protection Practices Bulletin – Managing Underground Storage Tanks to Prevent Contamination of Drinking Water, EPA 816-F-01-023.
- U.S. Environmental Protection Agency. 2001e. Fact Sheet – Wood Preserving Industry, Downloaded from the web on August 22, 2003. URL: <http://www.epa.gov/Region7/waste/pdf/factsheet.pdf>.
- U.S. Environmental Protection Agency. 2001f. Technical Fact Sheet – Final Rule for (Non-Radon) Radionuclides in Drinking Water, EPA 816-F-00-013.
- U.S. Environmental Protection Agency. 2002. Onsite Wastewater Treatment Systems Manual, EPA 625-R-00-008.
- U.S. Environmental Protection Agency. 2003a. “Pesticides – about pesticides.” Downloaded from the web on July 24, 2003. URL: <http://www.epa.gov/pesticides/about/index.htm>
- U.S. Environmental Protection Agency. 2003b. Potential sources of drinking water contamination index, documentation from webpage: <http://www.epa.gov/safewater/swp/sources1.html#COMM>
- U.S. Geological Survey. 2001. Ground-water-level monitoring and the importance of long-term water-level data. U.S. Geological Survey Circular 1217.
- U.S. Geological Survey. 1999. Sustainability of ground-water resources. U.S. Geological Survey Circular 1186.
- U.S. Geological Survey. 2002. Assessing Ground-Water Vulnerability to Contamination: Providing Scientifically Defensible Information for Decision Makers. U.S. Geological Survey Circular 1224.
- Washington State Dept. of Ecology. 1997. Oil Spills in Washington State: A Historical Analysis (Pub #97-253).

References

- Washington State Dept. of Ecology. 2000a. Guidance Document for the Establishment of Critical Aquifer Recharge Area Ordinances (Pub #97-30, K. Cook, revised July 2000).
- Washington State Dept. of Ecology. 2000b. Occurrence of Methyl Tertiary-Butyl Ether (MTBE) in Groundwater at Leaking Underground Storage Tank Sites in Washington. (Pub #00-09-054)
- Washington State Dept. of Ecology. 2000c. Maury Island Gravel Mining Impact Studies – Final Fact Sheet. (Pub #00-09-005).
- Washington State Dept. of Health. Source Water Assessment Program (SWAP), documentation from webpage: http://www.doh.wa.gov/ehp/dw/our_main_pages/swap.htm. 2003.
- Washington State Dept. of Health. Rule Development Committee Issue Research Report – Lot size (minimum land area), August 2002, downloaded 7/14/03: <http://www.doh.wa.gov/ehp/ts/WW/TechIssueReports/T-7A-LotSize-SCH.pdf>
- World Health Organization. 1998. The impacts of cemeteries on the environment and public health. World Health Regional Office for Europe, Copenhagen, Denmark.
- Young, T.M. and R.D. Golding. 2002. Underground storage tank system field-based research project report. California State Water Resources Control Board, Sacramento, CA.

Chapter 7: Aquatic Areas

- Agee, J.K., 1997. Fire management for the 21st century, in Kohm, K.A., and J.F. Franklin, eds., *Creating a Forestry for the 21st Century*. Island Press, Washington, D.C.
- Andrus, C. W., B. A. Long, et al., 1988. “Woody debris and its contribution to pool formation in a coastal stream 50 years after logging.” *Canadian Journal of Fisheries and Aquatic Sciences*, 45: 2080-2086.
- Anonamous, 2001. Ecology adopts new shoreline master program guidelines. *Confluence* (Quarterly newsletter exploring the Sate of Washington’s Waters and Shorelands). Vol. 5(1):1-3. Washington Department of Ecology, Olympia, WA.
- Baker, C., and H. Haemmerle, 1990. Native growth protection easements: survival and effectiveness. Technical report. King County Department of Development and Environmental Services, Renton, Washington.
- Bassett, C. E., 1978. Effect of cover and social structure on position choice by brown trout (*Salmo trutta*) in a stream. Master's thesis, Michigan State University, East Lansing.
- Beechie, T. J. and T. H. Sibley, 1997. “Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams.” *Transactions of the American Fisheries Society* 126: 217-229.
- Beechie, T.J., and T.H. Sibley, 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams. *Trans. Amer. Fish. Soc.* 126:217-229.

- Beechie, T., E. Beamer, and L. Wasserman, 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. *N. Am. J. Fish. Management.* 14(4) 797-811.
- Beschta, R. L., R. E. Bilby, et al., 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pages 191-232 *in*. O. E. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fishery interactions* Institute of Forest Resources, University of Washington, Seattle.
- Bilby, R. E., 1984. "Removal of woody debris may affect stream channel stability." *Journal of Forestry* 82: 609-613.
- Bilby, R. E., 1981. "Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed." *Ecology* 62: 1234-1243.
- Bilby, R. E. and P. A. Bisson, 1998. Function and distribution of large woody debris. Pages 324-346 *in*. R. J. Naiman and R. E. Bilby, Eds. *River ecology and management: Lessons from the Pacific Coastal Region* Springer-Verlag, New York.
- Bilby, R. E. and G. E. Likens, 1980. "Importance of organic dams in the structure and function of stream ecosystems." *Ecology* 61: 1107-1113.
- Bilby, R. E. and J. W. Ward, 1991. "Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second-growth forests in southwestern Washington." *Canadian Journal of Fisheries and Aquatic Sciences* 48: 2499-2508.
- Bilby, R. E. and J. W. Ward, 1989. "Changes in characteristics and function of woody debris with increasing size of streams in western Washington." *Transactions of the American Fisheries Society* 118: 368-378.
- Bisson, P. A., R. E. Bilby, et al., 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143-190 *in*. O. E. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fish interactions* College of Forest Resources, University of Washington. Seattle, WA.
- Bisson, P. A., J. L. Nielsen, et al., 1982. A system of naming habitat types in small streams with examples of habitat utilization by salmonids during low streamflow. Pages 62-73 *in* N. B. Armantrout, Ed. *Acquisition and utilization of aquatic habitat inventory information* American Fisheries Society, Western Division. Bethesda, MD.
- Bisson, P. A. and J. R. Sedell, 1984. Salmonid populations in streams in clearcut vs. old-growth forests of western Washington. Pages 121-129 *in* W. R. Meehan, T. R. Merrell, Jr and T. A. Hanley, Eds. *Fish and wildlife relationships in old-growth forests* American Institute of Fishery Research Biologists, Juneau, AK.
- Booth, D.B., 1987. Timing and processes of deglaciation along the southern margin of the
- Booth, D.B. 1989. Run-off and stream-channel changes following urbanization in King County, Washington. Pages 639-650 *in* R. Gallster, editor. *Engineering Geology in Washington, Volume II: Washington Division of Geology and Earth Resources Bulletin* 78.
- Booth, D.B., 1991. Urbanization and the natural drainage system – impacts, solutions and prognosis. *The Northwest Environmental Journal* 7:93-118

- Booth, D.B., 2000. Forest Cover, Impervious surface area, and the mitigation of urbanization impacts in King County, Washington. Technical report prepared for King County Dept. Natural Resources, Seattle, WA.
- Booth, D.B., and P.C. Henshaw, 2001. Rates of channel erosion in small urban streams. Pages 17-38 in M.S. Wigmosta and S.J. Burges, editors. Land Use and Watersheds: human influences on hydrology and geomorphology in urban and forestry areas. Water and Science Application Volume 2. Amer. Geophysical Union, Washington, DC.
- Booth, D.B., D. Hartley, R. Jackson, 2002. Forest cover, impervious surface area, and the mitigation of stormwater impacts. J. Amer. Water Res. Assoc. 38(3): 835-845.
- Booth, D.B., and L. E. Reinelt, 1993. Consequences of urbanization aquatic systems—measured effects, degradation thresholds, and corrective strategies.
- Bortelson, G.C., M.J. Chrzastowski, and A.K. Helgerson, 1980. Historical changes of shoreline and wetland and eleven major deltas in the Puget Sound region, Washington. Atlas HA-617. Dept. of the Interior, U.S. Geological Survey.
- Bossu, M. F., 1954. "Relationship between trout populations and cover on a small stream." Journal of Wildlife Management 18: 229-239.
- Brosofske, K. D., J. Chen, et al., 1997. "Harvesting effects on microclimatic gradients from small streams to uplands in western Washington." Ecological Applications 7: 1888-1200.
- Brown, G. W. and J. T. Krygier, 1970. "Effects of clear-cutting on stream temperature." Water Resources Research 6: 1133-1139.
- Brown, T. G. and G. F. Hartman, 1988. "Contribution of seasonally flooded lands and minor tributaries to the production of coho salmon in Carnation Creek, British Columbia." Transactions of the American Fisheries Society 117: 546-551.
- Bryant, M. D., 1983. "The role and management of woody debris in west coast salmonid nursery streams." North American Journal of Fisheries Management 3: 322-330.
- Bustard, D. R. and D. W. Narver, 1975. "Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*)." Journal of the Fisheries Research Board of Canada 32: 667-680.
- Butler, R. L. and V. M. Hawthorne, 1968. "The reactions of dominant trout to changes in overhead artificial cover." Transactions of the American Fisheries Society 97: 37-41.
- Canning, D.J. and H. Shipman, 1995. The cumulative effects of shoreline erosion control and associated land clearing processes, Puget Sound, Washington. Coastal Management Studies, volume 10. Washington Department of Ecology, Shorelands and Water Resources Program, Olympia, WA.
- Canning, R.D., and H. Shipman, 1995. The cumulative effects of shoreline erosion control and associated land clearing practices, Puget Sound, Washington. Coastal erosion Management Studies, Volume 10. Shorelands and Water resources Program, WA Dept. Ecology.
- Cederholm, C.J., D.B. Houston, D.L. Cole, and W.J. Scarlett, 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. Can. J. Fish. Aquat. Sci., Vol 46:1347-1355.

- Cederholm, C.J., Kunze, M.D., Murota, T., and A. Sibatani, 1999. Pacific salmon carcasses: essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24(10): 6-16.
- Cederholm, C. J., D. H. Johnson, et al., 2000. Pacific salmon and wildlife: ecological contexts, relationships, and implications for management, Washington Department of Fish and Wildlife, Habitat Program, Olympia, WA.
- Cederholm, C. J. and W. J. Scarlett, 1982. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1978. Pages 98-110 in E. L. Brannon and E. O. Salo, Eds. Proceedings of the salmon and trout migratory behavior symposium, June 3-5, 1981, University of Washington, School of Fisheries, Seattle.
- Chapman, D.W., 1978. Production in Fish Populations. Pages 5-25 in S. D. Gerking, Ed. Ecology of Freshwater Fish Production, John Wiley & Sons, New York.
- Chase, V.P., L.S. Deming, F. Latawiec, 1995 (Revised 1997). Buffers for wetlands and surface waters: a guidebook for New Hampshire Municipalities. Audubon Society of New Hampshire, 80 pp.
- Collins, B.D., and D.R. Montgomery, 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget lowland, Washington. *Restoration Ecology* 10(2): 237-247.
- Collins, B.D., D.R. Montgomery, and A.D. Haas, 2002. Historical changes in the distribution and functions of large wood in Puget lowland rivers. *Canadian Journal of Fisheries and Aquatic Sciences*, 59:66-76.
- Cummins, K., D. Botkin, et.al., 1994. Status and future of salmon of western Oregon and northern California: management of the riparian zone for the conservation and production of salmon, Center for the Study of the Environment, Santa Barbara, CA.
- DesBonnet, A., P. Pogue, V. Lee, and N. Wolff, 1994. Vegetated buffers in the coastal zone—a summary review and bibliography. Coastal Resources Center Technical Report No. 2064, University of Rhode Island Graduate School of Oceanography, Narragansett, Rhode Island, 72 p.
- DeVore, P. W. and R. J. White, 1978. “Daytime responses of brown trout (*Salmo trutta*) to cover stimuli in stream channels.” *Transactions of the American Fisheries Society* 107: 763-771.
- Dolloff, C. A., 1986. “Effects of stream cleaning on juvenile coho salmon and Dolly Varden in southeast Alaska.” *Transactions of the American Fisheries Society* 115: 743-755.
- Downing, J., 1983. The Coast of Puget Sound: its processes and development. University of Washington Press, Seattle, WA. 126 p.
- Dury, G. H., 1969. Relation of Morphometry to Runoff Frequency. Pages 177-188 in R. J. Chorley, Ed. Introduction to Fluvial Processes, Methuen & Co., New York.
- Elliot, S. T., 1986. “Reduction of a Dolly Varden population and macrobenthos after removal of logging debris.” *Transactions of the American Fisheries Society* 115: 392-400.
- Everett, R.A., and G.M. Ruiz, 1993. Coarse woody debris as a refuge from predation in aquatic communities: an experiment test. *Oecologia* 93: 475-486.
- Fausch, K. D., 1984. “Profitable stream positions for salmonids: relating specific growth rate to net energy gain.” *Canadian Journal of Zoology* 62: 441-451.

References

- Fausch, K. D. and T. G. Northcote, 1992. "Large woody debris and salmonid habitat in a small coastal British Columbia stream." *Canadian Journal of Fisheries and Aquatic Sciences* 49: 682-693.
- Fausch, K. D. and R. J. White, 1981. "Competition between brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*) for positions in a Michigan stream." *Canadian Journal of Fisheries and Aquatic Sciences*, 38: 1220-1227.
- Fausch, K. D. and R. J. White, 1986. "Competition among juveniles of coho salmon, brook trout, and brown trout in a laboratory stream, and implications for Great Lakes tributaries." *Transactions of the American Fisheries Society* 115: 363-381.
- FEMAT, 1993. *Forest ecosystem management: an ecological, economic, and social assessment*, U.S. Government Printing Office, Washington, DC.
- Franklin, J.F. 1988. Pacific Northwest forests. Pages 103-130 in M.G. Barbour and W.D. Billings, editors. *North American terrestrial vegetation*. Cambridge University Press, Cambridge.
- Frissell, C.A., 1991. Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (U.S.A.). *Conservation Biology* 7(2): 342-354.
- Frissell, C.A., and Nawa, R.K., 1992. Incidence and causes of physical failure of artificial habitat structures in streams of western Oregon and Washington. *North American Journal of Fisheries Management*, 12: 182-187.
- Gende, S.M., R.T. Edwards, M.F. Willson, and M.S. Wipfli, 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience* 52(10): 917-928.
- Gerstel, W.J., M.J. Brunengo, W.S. Lingley, Jr., R.L. Logan, H. Shipman, and T. Walsh. 1997. Puget Sound bluffs: the where, why, and when of landslides following the holiday 1996/97 storms. *Washington Geology* 25(1): 17 – 31.
- Gibson, R. J. and M. H. A. Keenleyside, 1966. "Responses to light of young Atlantic salmon (*Salmo salar*) and brook trout (*Salvelinus fontinalis*)." *Journal of the Fisheries Research Board of Canada* 23: 1007-1023.
- Gordon, N.D., T. A. McMahon, and B. L. Finlayson, 1992. *Stream hydrology: and introduction for ecologists*. John Wiley & sons Ltd., New York.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins, 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *BioScience*. 41(8): 540-551.
- Gregory, S. V. and P. A. Bisson, 1997. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. Pages 277-314 in D. J. Stouder, P. A. Bisson and R. J. Naiman, Eds. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, New York.
- Gregory, S. V., F. J. Swanson, et al., 1991. "An ecosystem perspective of riparian zones: focus on links between land and water." *Bioscience* 41: 540-551.
- Grette, G. B., 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. Master's thesis, University of Washington, Seattle.

- Gruber, J. C. II, 1978. Response of adult wild brown trout (*Salmo trutta*) to light and velocity under simulated bank cover in stream channels. Master's thesis, Michigan State University, East Lansing.
- Haberstock, A.E., H.G. Nichols, M.P. DesMeules, J. Wright, J.M. Christensen, and D.H. Hudnut, 2000. Method to identify effective riparian buffer widths for Atlantic salmon habitat protection. *J. Amer. Water Res. Assoc.* 36(6): 1271-1286.
- Hall, J. D. and R. L. Lantz, 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. Pages 355-375 in T. G. Northcote, Ed. *Salmon and Trout in Streams*, University of British Columbia, Vancouver.
- Harmon, M. E., J. F. Franklin, et al., 1986. "Ecology of coarse woody debris in temperate ecosystems." *Advances in Ecological Research* 15: 133-302.
- Harr, R.D., W.C. Harper, and J.T. Kygier, 1975. Changes in hydrographs after road building and clear-cutting in the Oregon Coast Range. *Water Resources research* 11(3): 436-444.
- Hartman, G. F. and J. C. Scrivener, 1990. "Impacts of forestry practices on a coastal stream ecosystem, Carnation Creek, British Columbia." *Canadian Bulletin of Fisheries and Aquatic Sciences* 223.
- Heede, B. H., 1972. "Influences of a forest on the hydraulic geometry of two mountain streams." *Water Resources Bulletin* 8: 523-530.
- Heede, B.H., 1985. Channel adjustments to the removal of log steps: an experiment in a mountain stream. *Environmental Management* 9(5): 427-432.
- Heifetz, J., M. L. Murphy, et al., 1986. "Effects of logging on winter habitat of juvenile salmonids in Alaskan streams." *North American Journal of Fisheries Management* 6: 52-58.
- Hicks, B.J., R.L. Beschta and R. D. Harr, 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. *Water Resources Bulletin* 27(2): 217-226.
- Holtby, L. B., 1988. "Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*)." *Canadian Journal of Fisheries and Aquatic Sciences*, 45: 502-515.
- Hynes, H. B. N., 1972. *The ecology of running waters*. University of Toronto Press, Toronto, Ontario, Canada.
- Independent Multidisciplinary Science Team., 2002. Recovery of wild salmonids in western Oregon lowlands. Technical report 2002-1 to the Oregon plan for salmon and watersheds, Governor's Natural Resources Office, Salem, Oregon.
- Jackson, C.R., and C.A. Sturm, 2002. Woody debris and channel morphology in first- and second-order forested channels in Washington's coast ranges. *Water Resources Research* 38(9): 1-14.
- Jackson, C.R., S.J. Burges, X. Liang, K. M. Laytham, K.R. Whiting, D.M. Hartley, C.W. Crawford, B.N. Johnson, and R.R. Horner, 2001. Development and application of simplified continuous hydrologic modeling for drainage design and analysis. Pages 39-58 in M.S. Wigmosta and S.J. Burges, editors. *Land Use and Watersheds: human influences on hydrology and geomorphology in urban and forestry areas*. Water and Science Application Volume 2, American Geophysical Union, Washington, DC..

- Karr, J. R. and E.W. Chu, 1999. Restoring Life in Running Waters - Better Biological Monitoring, Island Press, Washington, D.C..
- Keller, E. A. and F. J. Swanson, 1979. "Effects of large organic material on channel form and fluvial processes." *Earth Surface Processes* 4: 361-380.
- King County, 1987. Basin Reconnaissance Program: Program Summary – Volume 3 technical appendix. King County Dept. of Public Works, Seattle, WA.
- King County, 1990. King County Wetlands Inventory: Volume 1. King County Dept. Public Works, Seattle, WA.
- Kondolf, G.M., 2000. Some suggested guidelines for geomorphic aspects of anadromous salmonid habitat restoration proposals. *Restoration Ecology* 8(1): 48-56.
- Kondolf, G. M., R. Kattelman, et al., 1996. Status of riparian habitat. Pages 1009-1030 *in* Sierra Nevada Ecosystem Project: Final report to Congress, vol. II, Assessments and scientific basis for management options. University of California, Centers for Water and Wildland Resources, Davis.
- Lee, K.E., R.M. Goldstein, and P.E. Hanson, 2001. Relation between fish communities and riparian zone conditions at two spatial scales. *Journal of American Water Resources Association*, 37(6): 1465-1473.
- Leinkaemper, G. W. and F. J. Swanson, 1987. "Dynamics of large woody debris in streams in old-growth Douglas-fir forests." *Canadian Journal of Forest Research* 17: 150-156.
- Levings, C.D. and G. Jamieson, 2001. Marine and estuarine riparian habitats and their role in coastal ecosystems, Pacific Region. Canadian Science Advisory Secretariat, Research document 2001/109.
- Lestelle, L. C., 1978. The effects of forest debris removal on a population of resident cutthroat trout in a small headwater stream. Master's thesis, University of Washington, Seattle.
- Lincoln, R. J., G. A. Boxhall, et al., 1993. A dictionary of ecology, evolution and systematics. Cambridge University Press, Cambridge, U.K.
- Lisle, T. E., 1986. "Stabilization of a gravel channel by large streamside obstructions and bedrock bends, Jacoby Creek, northwestern California." *Geological Society of America Bulletin* 8: 999-1011.
- Lisle, T. E. and H. M. Kelsey, 1982. Effects of large roughness elements on the thalweg course and pool spacing. Pages 134-135 *in* L. B. Leopold, Ed. American geomorphological field group field trip guidebook, 1982 conference, Pinedale, Wyoming American Geophysical Union, Berkeley, CA.
- Lowrance, R., R. Todd, et al., 1984. "Riparian forests as nutrient filters in agricultural watersheds." *Bioscience* 34: 374-377.
- Lucchetti, G., and R. Fuerstenberg, Robert, 1993. Management of coho salmon habitat in urbanizing landscapes of King County, Washington, USA. Pages 308-317 *in* L. Berg and P. Delaney, editors. Proc. of the 1992 coho workshop, Nanaimo, British Columbia. North Pacific International Chapter, American Fisheries Society, and Association of Professional Biologists of British Columbia, Vancouver, British Columbia.

References

- Ludwa, K., G. Lucchetti, K. Fresh, and K. Walter, 1997. Assessing stream-dwelling fish in basins of the Lake Washington watershed, summer 1996. King County Department of Natural Resources, Washington Department of Fish and Wildlife and Muckleshoot Indian Tribe.
- MacCrimmon, H. R. and W. Kwain, 1966. "Use of overhead cover by rainbow trout exposed to series of light intensities." *Journal of the Fisheries Research Board of Canada* 23: 983-990.
- Maser, C., R. Tarrant, J. M. Trappe, and J. F. Franklin, 1988. From the forest to the sea: a story of fallen trees. General Technical Report, PNW-GTR-299. Pacific Northwest Research Station, U.S. Dept. of Agriculture, Forest Service, Portland, OR
- Maser, C. and J. Sedell, 1994. From the forest to the sea: the ecology of wood in streams. St. Lucie Press, Delray Beach, FL.
- May, C. W., 2000. Protection of stream-riparian ecosystems: a review of best available science. Office of the Natural Resources Coordinator, Kitsap County, Washington.
- May, C.W., R.R. Horner, J.R. Karr, B.W. Marr, and E.B. Welch, 1997. Effects of urbanization on small streams in the Puget Sound Lowland Ecoregion. *Watershed Protection Techniques* 2(4): 483-494.
- McDade, M. H., F. J. Swanson, et al., 1990. "Source distances for coarse woody debris entering small streams in western Oregon and Washington." *Canadian Journal of Forest Sciences* 20: 326-330.
- McKinney, M.L, 2002. Urbanization, biodiversity, and conservation. *BioScience* 52(10): 883-890.
- McMahon, T. E. and G. F. Hartman, 1989. "Influence of cover complexity and current velocity in winter habitat use by juvenile coho salmon (*Oncorhynchus kisutch*)." *Canadian Journal of Fisheries and Aquatic Sciences*, 46:1551-1557.
- Megahan, W., 1982. Channel sediment storage behind obstructions in forested drainage basins draining the granitic bedrock of the Idaho batholith. *In* Sediment budgets and routing by forested drainage basins. U.S. Department of Agriculture, Forest Service, Portland, OR.
- Megahan, W. F., 1982. Channel sediment storage behind obstructions in forested drainage basins draining the granite bedrock of the Idaho batholith. Pages 114-121 *in* F. J. Swanson, R. J. Janda, T. Dunne and D. N. Swanson, Eds. Sediment budgets and routing in forested drainage basins U.S. Department of Agriculture, Forest Service Research Paper.
- Ministry of Forests, 1996. The scientific panel for sustainable forest practices in Clayoquot Sound (<http://www.forestry.ubc.ca/conservation/panel./clayhome.html>).
- Moscrip, A.L., and D.R. Montgomery. Urbanization, flood frequency, and salmon abundance in Puget lowland streams. *Journal American Water Resources Association* 33(6): 1289-1297.
- Montgomery, D. R., T. B. Abbe, et al., 1996. "Distribution of bedrock and alluvial channels in forested mountain drainages." *Nature* 381: 587-589.
- Montgomery, D. R. and J. M. Buffington, 1997. "Channel-reach morphology in mountain drainage basins." *GSA Bulletin* 109: 596-611.
- Montgomery, D. R., J. M. Buffington, et al., 1995. "Pool spacing in forest channels." *Water Resources Research* 31: 1097-1105.

- Murphy, M. L., J. Heifitz, et al., 1989. "Habitat utilization by juvenile Pacific salmon in the glacial Taku River, southeast Alaska." *Canadian Journal of Fisheries and Aquatic Sciences* 46:1677-1685.
- Murphy, M. L. and W. R. Meehan, 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, MD.
- Myers, M. J. and V. H. Resh, 2000. "Undercut banks: a habitat for more than just trout." *Transactions of the American Fisheries Society* 129: 594-597.
- Naiman, R.J., T.J. Beechie, L.E. Benda, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, C. Oliver, P. Olson, and E.A. Steel, 1992. Fundamentals elements of ecologically healthy watersheds in the Pacific Northwest Coastal Ecoregion. Pp. 127-188 in R.J. Naiman, editor. *Watershed Management: balancing sustainability and environmental change*. Springer-Verlag, NY.
- Naiman, R. J., T. J. Beechie, et al., 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pages 127-188 in R. J. Naiman, Ed. *Watershed management: balancing sustainability and environmental change* Springer-Verlag, New York.
- Naiman, R. J. and R. E. Bilby, Eds., 1998. *River ecology and management: lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York.
- Naiman, R. J., H. Décamps, et al., 1993. "The role of riparian corridors in maintaining regional biodiversity." *Ecological Applications* 3: 209-212.
- Naiman, R. J. and K. H. Rogers, 1997. "Large animals and system-level characteristics in river corridors." *Bioscience* 47: 521-529.
- National Research Council, 1995. *Upstream: salmon and people in the Pacific Northwest*. Committee on Protection and management of Pacific Northwest anadromous salmonids, Board on Environmental Studies and Toxicology, Commission on Life Sciences, National Research Council, Washington, DC.
- Newbold, J. D., D. C. Erman, et al., 1980. "Effects of logging on macroinvertebrates in stream with and without buffer strips." *Canadian Journal of Fisheries and Aquatic Sciences* 37: 1076-1085.
- O'Connor, M. and D. R. Harr, 1994. *Bedload transport and large organic debris in steep mountain streams in forested watersheds on the Olympic Peninsula*. Report TFW-SH7-94-001. Washington Department of Natural Resources, Olympia, WA.
- Palmer, L., 1998. *Puget Sound coastal bluff landsliding: magnitude, mechanism and management*. ASCE Geotechnical Symposium, April, 1998.
- Palone, R.S., and A.H. Todd (eds), 1997. *Chesapeake Bay riparian handbook: a guide for establishing and maintaining riparian forest buffers*. USDA Forest Service. NA-TP-02-97 Radnor, PA.
- Parametrix, Inc, 2002. *Biological Review Tri-County Model 4(d) Rule Response Proposal*. Prepared for Tri-County Salmon Conservation Coalition.
- Pearson, T.N. and C.W. Hopley. 1999. A Practical Approach for Assessing Ecological Risks Associated with Fish Stocking Programs. *Fisheries* 24 (9): 16-23.

References

- Pentilla, D.E. 2001. Effects of shading upland vegetation on egg survival for summer spawning surf smelt on upper intertidal beaches in Puget Sound. In Proc. Puget Sound Research 2001.
- Perkins, S. J., 1989. Interactions of landslide supplied sediment in forested watersheds. Master's thesis, University of Washington, Seattle.
- Pess, G. R., D. R. Montgomery, E. A. Steel, R. E. Bilby, B. E. Feist, and H. M. Greenberg, 2002. Landscape characteristics, land use, and coho salmon (*Oncorhynchus kisutch*) abundance, Snohomish River, Washington State, USA. Canadian Journal of Fisheries and Aquatic Sciences 59: 613-623.
- Peterson, N. P. and L. M. Reid, 1984. Wall-base channels: their evolution, distribution, and use by juvenile coho salmon in the Clearwater River, Washington. Pages 215-225 in J. M. Walton and D. B. Houston, Eds. Proceedings of the Olympic Wild Fish Conference, Port Angeles, Washington, USA, March 23-25, 1983, Peninsula College, Port Angeles, WA..
- Pollack, M. M. and P. M. Kennard, 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of Washington state, 10,000 Years Institute, Bainbridge Island, WA.
- Portland Metro, 1999. Development of measures to conserve, protect and restore riparian corridors in the Metro Region: "Streamside CPR". Metro Growth Management Services, Portland, OR. 113 p.
- Quinn, T.P., and N.P. Peterson, 1994. The effect of forest practices on fish populations. Final Report, Washington Department of Natural Resources and the Cooperative Monitoring and Resource Commercial Timber-Fish-Wildlife Program, May, 1994. 155 pp.
- Ralph, S.C., G.C. Poole, L.L. Conquest, and R.J. Naiman, 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. Canadian Journal of Fisheries and Aquatic Sciences 51:37-51.
- Reeves, G. H., L. E. Benda, et al, (1995). "A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest." American Fisheries Society Symposium 17: 334-349.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P. A. Bisson, and J.R. Sedell, 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitat of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. Pp. 334-349 in J.L. Nielsen, editor. Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17, Bethesda, Maryland.
- Reice, S.R., R.C. Wissmar, and R.J. Naiman, 1990. Disturbance regimes, resilience, and recovery of animal communities and habitats in lotic ecosystems. Environmental
- Richards, K. 1982. Rivers: form and process in alluvial channels. Methuen & Co., Ltd., New York, USA. 361 p.
- Robison, E. G. and R. L. Beschta, 1990. "Coarse woody debris and channel morphology interactions for undisturbed streams in southeast Alaska, U.S.A." Earth Surface Processes and Landforms 15: 149-156.

- Roni, P., T.J. Beechie, R.E. Bilby, F.E. Leonetti, M.M. Pollock, and G.R. Pess, 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in the Pacific Northwest watersheds. *North American Journal of Fisheries Management* 22:1-20.
- Roni, P., and T.P. Quinn, 2001. Density and size of juvenile salmonids in response to placement of large woody debris in western Oregon and Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences Canadian*. 58:282-292.
- Roper, B., D., Kondolf, D. Heller, and K. Wieman, 1998. Durability of Pacific Northwest instream structures following floods. *North American Journal of Fisheries Management*, 18:686-693.
- Schindler, D.E., and M.D. Scheuerell, 2002. Habitat coupling in lakes. *Oikos* 98: 177-189.
- Scholz, N.L., N.K. Truelove, B.L. French, B.A. Berijikian, T.P. Quinn, E. Castillas, and T.K. Collier, 2000. Diazinon disrupts antipredator and homing behaviors in chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 57:1911-1918.
- Sedell, J. R., P. A. Bisson, F. J. Swanson, and S. V. Gregory. What we know about large trees that fall into streams and rivers. Pages 47 – 82 in Maser et al editors. From the forest to the sea: a story of fallen trees. General Technical Report, PNW-GTR-299. Pacific Northwest Research Station, U.S. Dept. of Agriculture, Forest Service, Portland, OR
- Sedell, J.R., and R.L. Beschta, 1991. Bringing back the “bio” in bioengineering. *American Fisheries Society Symposium* 10:160-175
- Sedell, J. R., P. A. Bisson, et al., 1989. What we know about large trees that fall into streams and rivers. Pages 47-81 in. C. Maser, R. F. Tarrant, J. M. Trappe and J. F. Franklin, Eds. From the forest to the sea. U.S. Department of Agriculture, Forest Service, Portland, OR.
- Sedell, J. R. and J. L. Froggart, 1984. “Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, USA from its floodplain by snagging and streamside forest removal.” *Verhandlungen Internationale Vereinigung Limnologie* 22:1828-1834.
- Sedell, J. R. and K. J. Luchessa, 1981. Using the historical record as an aid to salmon habitat enhancement. Pages 210-223 in N. B. Armantrout, Ed. Symposium on acquisition and utilization of aquatic habitat inventory information. American Fisheries Society, Western Division, Bethesda, MD.
- Simenstad, C.A., S.B. Brandt, A. Chalmers, R. Dame, L.A. Deegan, R. Hodson, and E.D. Houde, 2000. Habitat-biotic interactions. Pages 427-455 in J.E. Hobbie, editor, *Estuarine Science: a synthetic approach to research and practice*. Island Press, Covelo, California.
- Spence, B. C., G. A. Lomnicki, et al., 1966. An ecosystem approach to salmonid conservation. Report TR-4501-96-6057, ManTech Environmental Research Services Corp., Corvallis, OR.
- Stanford, J. A. and J. V. Ward, 1988. “The hyporheic habitat of riverine ecosystems.” *Nature* 335: 64-66.
- Staude, C. 1984. The amphipod genus *Paramoera* Miers (Gammaridae:Eusiroidea:Pontogeneiidae) in the Eastern North Pacific *Amphipacifica* 1: 61-102.

- Stewart, P. A., 1970. Physical factors influencing trout density in a small stream. Ph.D. dissertation, Colorado State University, Fort Collins, CO.
- Stewart, J.S., L. Wang, J. Lyons, J.A. Horwath, and R. Bannerman, 2001. Influences of watershed, riparian-corridor, and reach-scale characteristics on aquatic biota in agricultural watersheds. *J. Amer. Water Resources Assoc.* 37(6): 1475-1487.
- Stouder, D. J., P. A. Bisson, et al., Eds., 1997. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, New York.
- Sullivan, K., T. E. Lisle, et al., 1987. Stream channels: the link between forests and fishes. Pages 39-97 in E. O. Salo and T. W. Cundy, Eds. *Streamside management: forestry and fishery interactions*. College of Forest Resources, University of Washington, Seattle, WA.
- Swanson, F. J. and G. W. Lienkaemper, 1978. Physical consequences of large organic debris in Pacific Northwest streams. Report PNW-69, U.S. Department of Agriculture, Forest Service, Portland, OR.
- Swanson, f. J., G. W. Lienkaemper, et al., 1976. History, physical effects, and management implications of large organic debris in western Oregon streams. Report PNW-56, U.S. Department of Agriculture, Forest Service, Portland, OR.
- Swanson, F.J., Gregory, S.V., J.R. Sedell and A.G. Campbell, 1982. Land-water interactions: The riparian zone, pages 267-291. In: Edmonds, R.L. (ed.) *Analysis of coniferous forest ecosystems in the western United States*. U.S. Int. Biol. Prog. Synthesis Series 14. Hutchinson Ross, Stoudsburg, PA.
- Tschaplinski, P. J. and G. F. Hartman, 1983. "Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implication for overwinter survival." *Canadian Journal of Fisheries and Aquatic Sciences* 40: 452-461.
- Ulrike, Z, and A. Peter, 2002. The introduction of woody debris into a channelized stream: effect on trout populations and habitat. *River Research and Applications* 18: 355-366.
- U.S. Fish and Wildlife Service and seven other "organization-authors", 1999. *Forests and Fish Report*. Presented to the State of Washington Forest Practices Board and the Governor's Salmon Recovery Office, Olympia, Washington.
- Van Sickle, J. and S. Gregory, 1990. "Modeling inputs of large woody debris to streams from falling trees." *Canadian Journal of Forest Research* 20: 1593-1601.
- Vannote, R. L., G. W. Minshall, et al., 1980. "The river continuum concept." *Canadian Journal of Fisheries and Aquatic Sciences* 37(130-137).
- Waters, T.F. 1995. *Sediment in streams: sources, biological effects, and control*. American fisheries Monograph 7, American fisheries Society, Bethesda, Maryland, 251 pp.
- Ward, G. W., K. W. Cummins, et al., 1982. Habitat and food resources for invertebrate communities in South Fork Hoh River, Olympic National Park, Washington. In E. E. Starkey, J. F. Franklin and J. W. Matthews, Eds. *Ecological research in national parks of the Pacific Northwest: proceedings*. Oregon State University Forest Research Laboratory, Corvallis.

- Welch, E. B., J. M. Jacoby, C. W. May, 1998. Stream quality. Pages 69-96 in R. J. Naiman and R. E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York.
- White, R.J., 1991. Resisted lateral scour in streams—its special importance to salmonid habitat and management. American Fisheries Society Symposium 10:200-203.
- Williams, G.D., R.M. Thom, J.E. Starks, J.S. Brennan, J.P. Houghton, D. Woodruff, P.L. Striplin, M. Miller, M. Pederson, A. Skillman, R. Kropp, A. Borde, C. Freeland, K. McArthur, V. Fagerness, S. Blanton, and L. Blackmore, 2001. Reconnaissance assessment of the state of the nearshore ecosystem: eastern shore of central Puget Sound, including Vashon and Maury islands (WRIAs 8 and 9). J.S. Brennan, editor. Report prepared for King County Dept. Natural Resources, Seattle, WA.
- With, K.A., 2001. The landscape ecology of invasive spread. Conservation Biology 16(5): 1192-1203.
- Zimmerman, R.C., J.C. Goodlet, et.al. 1967. The influence of vegetation on channel form of small streams. Pages 255-275 in Symposium on River Morphology. International Association of Scientific Hydrology Publication, Wallingford, England.

Chapter 8: Wildlife Areas

- Adam, M.D., and J.P. Hayes. 2000. Use of bridges as night roosts by bats in the Oregon Coast Range. Journal of Mammalogy 81(2):402-407.
- Agee, J.K. 1995. Management of greenbelts and forest remnants in urban forest landscapes. Pages 128-138 in G.A. Bradley, ed. Urban Forest Landscapes: Integrating Multidisciplinary Perspectives. The University of Washington Press, Seattle, Washington.
- Allaby, M., ed. 1999. A dictionary of zoology. Oxford University Press, Oxford, UK.
- Allen, A.W. 1982. Habitat suitability index models: marten. General Technical Report FWS/OBS-82 (10.11). Washington, D.C.: USDI Fish and Wildlife Service. 9 pp.
- Allen, A.W. 1983. Habitat suitability index models: fisher. General Technical Report FWS/OBS-82 (10.45). Washington, D.C.: USDI Fish and Wildlife Service.
- Allen, A.W. 1984. Habitat suitability index models: mink. General Technical Report FWS/OBS-82 (10.61). Washington, D.C.: USDI Fish and Wildlife Service. 19 pp.
- Almond, J.D. 1971. Federal programs affecting wildlife. Pages 28-31 in R.D. Teague, ed. A Manual of Wildlife Conservation. The Wildlife Society, Washington, D.C.
- Anderson, B.W., and S.A. Laymon. 1989. Creating habitat for the yellow-billed cuckoo (*Coccyzus americanus*). Pages 468-472 in USDA Forest Service, General Technical Report PSW-110.
- Andren, H., and P. Anglestam. 1988. Elevated predation rates as an edge effect in habitat islands: experimental evidence. Ecology 69:544-547.

- Ashton, D.T., A.J. Lind, and K.E. Schlick. 1997. Western pond turtle (*Clemmys marmorata*). Natural history. USDA Forest Service, Southwest Research Station, Redwood Sciences Lab. Arcata, California.
- Aubry, K. B., C. M. Senger, and R. L. Crawford. 1987. Discovery of Larch Mountain salamanders *Plethodon larselli* in the central Cascade Range of Washington. *Biol. Conserv.* 42:147-152.
- Aubry, K.B. and D.B. Houston 1992. Distribution and status of the fisher (*Martes pennanti*) in Washington. *Northwestern Naturalist* 73:69-79.
- Balda, R.P. 1975. Vegetation structure and breeding bird diversity. p.59-80. In Smith, D. R. (eds.) Management of forest and range habitats for nongame birds: proceedings of the symposium. USDA Forest Service Gen. Tech. Rep. WO-1, Washington, DC.
- Balmford, A., A. Bruner, P. Cooper, R. Costanza, S. Farber, R.E. Green, M. Jenkins, P. Jefferiss, V. Jessamy, J. Madden, K. Munro, N. Myers, S. Naeem, J. Paavola, M. Rayment, S. Rosendo, J. Roughgarden, K. Trumper, R.K. Turner. 2002. Economic reasons for conserving wild nature. *Science* 297:950-953.
- Banci, V. 1994. Wolverine. Pages 99-127 in L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski, eds. The scientific basis for conserving forest carnivores, American marten, fisher, lynx, and wolverine in the western United States. General Technical Report RM-254. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station. 184 pp.
- Barbour, R.W., and W.H. Davis. 1969. *Plecotus townsendii*. Pages 164-177 in *Bats of America*. Univ. Press of Kentucky, Lexington.
- Barclay, R.M.R., and R.M. Brigham, eds. 1996. Bats and Forests Symposium. Research Branch, British Columbia Ministry of Forests, Victoria, British Columbia. <http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23.htm>
- Bargmann, G. 1998. Forage fish management plan. Washington Department of Fish and Wildlife, Fish Management Program, Marine Resources Division, Olympia, Washington. 65 pp.
- Barr, T.C., Jr. 1967. Observations on the ecology of caves. *American Naturalist*. 101:475-491.
- Bate, L.J. 1995. Monitoring woodpecker abundance and habitat in the central Oregon Cascades. University of Moscow. Moscow, Idaho. M.S. Thesis. 116 pp.
- Baydack, R.K., H. Campa III and J.B. Haufler 1999. Practical approaches to the conservation of biological diversity. Island Press, Washington, DC.
- Bechert, D.M. and I.J. Ball. 1983. Merlin (*Falco columbarius*). Pp. 124-137 in J. Armbruster, ed. Effects of surface mining on 30 species of special concern or interest. FWS/OBS: 83/35. U.S. Fish and Wildl. Serv. Office of Biol. Serv., Washington DC. 237 pp.
- Beier, P., and J.E. Drennan. 1997. Forest structure and prey abundance in foraging areas of northern goshawks. *Ecological Applications* 7:564-571.
- Beier, P., and R.F. Noss. 1998. Do habitat corridors really provide connectivity? *Conservation Biology* 12:1241-1252.
- Beissinger, S.R., and D.R. Osborne. 1982. Effects of urbanization on avian community organization. *Condor* 84:75-83.

References

- Benedict, E. 1980. Biological resources of caves with an emphasis on biota of the Pacific Northwest. Pp. 17-22 *In*: Sim, M., and L. Sim, eds. Far west cave management symposium proceedings; 1979 October 23-26. Redding, CA. Oregon City, Oregon.
- Bennett, A. F. 1990. Habitat corridors and the conservation of small mammals in a fragmented forest environment. *Landscape Ecology* 4:109-122.
- Bent, A. C. 1937. Life histories of North American birds of prey: order Falconiformes (Part 1). Smithsonian Inst. U. S. Natl. Mus. Bull. 167. 409 pp.
- Bentivoglio, N., J. Baldwin, P.G.R. Jodice, D.E. Mack, T. Max, S. Miller, S. K. Nelson, K. Ostrom, C. J. Ralph, M. Raphael, C. Strong, C. Thompson, R. Wilk. 2002. Northwest Forest Plan Marbled Murrelet Effectiveness Monitoring 2000 Annual Report.
- Betts, B.J., A.J. Stefano, and S.D. Wagner. 2000. Responses of little brown and Townsend's big-eared bats to microclimate changes in maternity roosts. *Northwestern Naturalist* 81(2):70. (Abstracts from the Year 2000 Joint Annual Meeting of the Society of Northwestern Vertebrate Biology and the Washington Chapter of the Wildlife Society held at Ocean Shores, Washington, March 14-18, 2000). (Abstract)
- Bevers, M., and C.H. Flather. 1999. Numerically exploring habitat fragmentation effects on populations using cell-based coupled map lattices. *Theoretical Population Biology* 55:61-76.
- Bissonette, J.A., ed. 1997. *Wildlife and landscape ecology: effects of pattern and scale*. 410 pp.
- Bissonette, J.A., R.J. Fredrickson and B.J. Tucker. 1991. American marten: a case for landscape-level management. Pages 117-134 *in* J.E. Rodiek and E.G. Bolan, eds. *Wildlife and habitats in managed landscapes*. Island Press, Washington, DC.
- Blair, R.B. 1996. Land use and avian species diversity along an urban gradient. *Ecological Applications* 6:506-519.
- Blake, J.G. and J.R. Karr. 1984. Species composition of bird communities and the conservation benefit of large versus small forests. *Biological Conservation* 30:173-187.
- Blessing, B.J., P.P. Eriksen, L. L. C. Jones and M. G. Raphael. 1999. Nests of the Van Dyke's salamander (*Plethodon vandykei*) from the Olympic peninsula, Washington. *Northwestern Naturalist* 80:77-81.
- Boal, C.W., and R.W. Mannan. 1994. Northern goshawk diets in ponderosa pine forests on the Kaibab Plateau. *Studies in Avian Biology* 16:97-102.
- Bonar, R.L. 2000. Availability of pileated woodpecker cavities and use by other species. *Journal of Wildlife Management* 64:52-59.
- Bormann, H. and G.E. Likens. 1979. *Pattern and process in a forested ecosystem*. Springer-Verlag, New York.
- Bosakowski, T., and M.E. Vaughn. 1996. Developing a practical method for surveying northern goshawks in managed forests of the western Cascades. *Western Journal of Applied Forestry* 11:109-113.
- Bosakowski, T., B. McCullough, F.J. Lapsansky, and M.E. Vaughn. 1999. Northern Goshawks nesting on a private industrial forest in western Washington. *Journal of Raptor Research* 33(3):240-244.

- Botkin D.B. and M.J. Sobel. 1975. Stability in time-varying ecosystems. *American Naturalist* 109:625-646.
- Bowman, I., and J. Siderius. 1984. Management guidelines for the protection of heronries in Ontario. Ontario Ministry of Natural Resources, Wildlife Branch, Toronto, Ontario, Canada.
- Braumandl, T.F., and R.F. Holt. 2000. Refining definitions of old growth to aid in locating old-growth forest reserves. *In* Proceedings, From science to management and back: a science forum for southern interior ecosystems of British Columbia. C. Hollstedt, L Sutherland, and T. Innes (editors). Southern Interior Forest Extension and Research Partnership, Kamloops, B.C., pp. 41-44.
- Brooker, L., M. Brooker, and P. Cale. 1999. Animal dispersal in fragmented habitat: measuring habitat connectivity, corridor use, and dispersal mortality. *Conservation Ecology* [online] 3(1):4. Available online: <http://www.consecol.org/vol3/iss1/art4>
- Brown, A.W.A. 1978. Ecology of pesticides. John Wiley and Sons, New York, New York.
- Brown, E.R. 1985. Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. Part I. Publication No. R6-F&WL-192-1985. Portland, OR: USDA Forest Service, Pacific Northwest Region. 332 pp.
- Brown, P.E., and R.D. Berry. 1997. Renewed mining and reclamation: Impacts on bats and potential mitigation. Pp. 196-201 *in* Brandt, J.E., ed. Vision 2000: An environmental commitment: proceedings of the 14th annual national meeting of the American Society for Surface Mining and Reclamation. Railroad Commission of Texas, Surface Mining and Reclamation Division, Austin, Texas. 787 pp.
- Brown, P.E., R.D. Berry, and C. Brown. 1994. Foraging behavior of Townsend's big-eared bats (*Plecotus townsendii*) on Santa Cruz Island. Pages 367-369 *in* W.L. Halvorson and G.J. Maender, eds. Fourth California Islands Symposium, Santa Barbara Museum of Natural History, Santa Barbara, California.
- Buckley, P.A., and F.G. Buckley. 1976. Guidelines for the protection and management of colonially nesting waterbirds. U.S. National Park Service, North Atlantic Regional Office, Boston, Massachusetts.
- Bull, E.L. 1987. Ecology of the Pileated Woodpecker in northeastern Oregon. *Journal of Wildlife Management*. 51:472-481.
- Bull, E.L. 1991. Summer roosts and roosting behavior of Vaux's swifts in old growth forests. *Northwest Naturalist*. 72(2):78-82.
- Bull, E.L. 2002. The Value of Coarse Woody Debris to Vertebrates in the Pacific Northwest. Pp. 171-178 *In*: Proceedings of the symposium on the ecology and management of dead wood in western forests. 1999 November 2-4; Reno, NV. Gen. Tech. Rep. PSW-GTR-181. Albany, California: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station.
- Bull, E.L. and A.K. Blumton. 1997. Roosting behavior of post-fledging Vaux's Swifts in northeastern Oregon. *J. Field Ornithol.* 68: 302-305.
- Bull, E.L. and C.T. Collins. 1993b. Nesting chronology, molt, and ectoparasites of Vaux's Swifts in northeastern Oregon. *Avocetta* 17: 203-207.

References

- Bull, E.L., and C.T. Collins. 1993. Vaux's swift (*Chaetura vauxi*). Number 77 in A. Poole and F. Gill, editors. The Birds of North America. Academy of National Science and American Ornithologists' Union, Philadelphia, Pennsylvania.
- Bull, E.L., and H.D. Cooper. 1991. Vaux's swift nests in hollow trees. *Western Birds* 22:85-91.
- Bull, E.L., and J.A. Jackson. 1995. Pileated Woodpecker (*Dryocopus pileatus*). In A. Poole and F. Gill, editors, The Birds of North America, No. 148. Academy of Natural Sciences, Philadelphia, and American Ornithologists' Union, Washington, DC. 24 pp.
- Bull, E.L., and J.E. Hohman. 1993. The association between Vaux's swifts and old growth forest in northeastern Oregon. *Western Birds* 24(1):38-42.
- Bull, E.L., and R.C. Beckwith. 1993. Diet and foraging behavior of Vaux's swift in northeastern Oregon. *Condor* 95:1016-1023.
- Bull, E.L., and R.S. Holthausen. 1993. Habitat use and management of pileated woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 57:335-345.
- Bull, E.L., R.S. Holthausen, and D.B. Marx. 1990. How to determine snag density. *Western Journal of Applied Forestry* 5(2):56-58.
- Bunnell, F.L., and A.S. Harestad. 1983. Dispersal and dispersion of black-tailed deer: models and observations. *J. Mamm.* 64:201-209.
- Burel, F. 1989. Landscape structure effects on carabid beetles spatial patterns in western France. *Landscape Ecology* 2:215-226.
- Burghardt, J.E. 2000. Bat-compatible closures of abandoned underground mines in the National Park System. Office of Surface Mining Technical Interactive Forum: bat conservation and mining, St. Louis, Missouri. 23pp.
- Bushman, E.S., and G.D. Therres. 1988. Habitat management guidelines for forest interior breeding birds of coastal Maryland. Maryland Department of Natural Resources, Wildlife Tech. Publ. 88-1. 50 pp.
- Buskirk, S.W. and L.F. Ruggiero 1994. American marten. Pages 7-37 In L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski, eds. The scientific basis for conserving forest carnivores, American marten, fisher, lynx, and wolverine in the western United States. General Technical Report RM-254. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station. 184 pp.
- Butler, R.W. 1991. A review of the biology and conservation of the great blue heron (*Ardea herodias*) in British Columbia. Technical Report Number 154. Canadian Wildlife Service, Pacific and Yukon Region, British Columbia, Canada.
- Butler, R.W. 1992. Great Blue Heron. No. 25 in A. Poole, P. Stettenheim, and F. Gill, editors. The Birds of North America. American Ornithologists Union and Academy of Natural Science, Philadelphia, Pennsylvania, USA.
- Cade, B.S. 1985. Winter habitat preferences and migration patterns of blue grouse in Middle Park Colorado. Thesis. Colorado State University, Fort Collins, Colorado.
- Cade, B.S., and R.W. Hoffman. 1990. Winter use of Douglas fir forests by blue grouse in Colorado. *Journal of Wildlife Management* 54:471-479.

- Cade, T. J., J. H. Enderson, L. F. Kiff, and C. M. White. 1997. Are there enough good data to justify de-listing the American peregrine falcon? *Wildlife Society Bulletin* 25:730-738.
- Cade, T.J., J.E. Enderson, C.G. Thelander and C.M. White, eds. 1988. Peregrine falcon populations: their management and recovery. The Peregrine Fund, Boise, Idaho.
- Carey, A. B., S. P. Horton and B. L. Biswell. 1992. Northern spotted owls: Influence of prey base and landscape character. *Ecological Monographs* 62:223-250.
- Carmichael, D. Breck Jr., and David C. Jr. Guynn. 1983. Snag density and utilization by wildlife in the upper Piedmont of South Carolina. pp. 107-110 *in* Snag habitat management: proceedings of the symposium, Jerry W. Davis, Gregory A. Goodwin, and Richard A. Ockenfels [technical coordinators], U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, General Technical Report, RM-99.
- Cassirer, E.F., and C.R. Groves. 1989. Breeding ecology of harlequin ducks (*Histrionicus histrionicus*) of the Kaniksu National Forest, Idaho. Idaho Department of Fish and Game, Boise, Idaho.
- Cassirer, E.F., and C.R. Groves. 1994. Ecology of harlequin ducks in northern Idaho. Unpublished Report, Idaho Department of Fish and Game, Boise, Idaho.
- Chandler, S.K., J.D. Fraser, D.A. Buehler, and J.K.D. Seegar. 1995. Perch trees and shoreline development as predictors of bald eagle distribution on Chesapeake Bay. *Journal of Wildlife Management* 59:325-330.
- Chapin, T.G., D.J. Harrison and D.D. Katnik 1998. Influence of landscape pattern on habitat use by American marten in an industrial forest. *Conservation Biology* 12:1327-1337.
- Chappell, C.B., R.C. Crawford, C. Barrett, J. Kagan, D.H. Johnson, M. O’Mealy, G.A. Green, H.L. Ferguson, W.D. Edge, E.L. Greda, and A.T. O’Neil. 2001. Wildlife habitats: descriptions, status, trends, and system dynamics. *In*: Johnson, David H.; O’Neil, Thomas A., managing directors. *Wildlife habitat relationships in Oregon and Washington*. Corvallis, Oregon: Oregon State University Press; 736 p.
- Chasan, D.J. 1993. *Mountains to Sound: The Creation of a Greenway across the Cascades*. Sasquatch Books, Seattle, Washington.
- Cline, S.P., A.B. Berg, and H.M. Wight. 1980. Snag characteristics and dynamics in Douglas-fir forests, western Oregon. *Journal of Wildlife Management*. 44(4):773-786.
- Coleman, J.S., and S.A. Temple. 1996. On the prowl. *Wisconsin Natural Resources* 20:4-8.
- Conner, R.N. 1979. Minimum standards and forest wildlife management. *Wildlife Society Bulletin* 7:293-296.
- Conner, R.N., S.D. Jones, and G.D. Jones. 1994. Snag condition and woodpecker foraging ecology in a bottomland hardwood forest. *Wilson Bulletin* 106:242-257.
- Corkran, C.C., and C. Thoms. 1996. *Amphibians of Oregon, Washington, and British Columbia*. Lone Pine Publishing, Edmonton, Alta., Canada. 175pp.
- Costanza, R., R. d’Arge, R. de Groot, S. Farber, M. Grasso, B. Hannon, K. Limburg, S. Naeem, R. O’Neill, J. Paruelo, R. Raskin, and P. Sutton. 1997. The value of the world’s ecosystem services and natural capital. *Nature* vol. 387, pp. 253-260.

- Couch, D., and T.J. Hassler. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest)--Olympia oyster. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.124). U.S. Army Corps of Engineers, TR EL-82-4. 8 pp.
- Craighead, J. J., and F. C. Craighead, Jr. 1956. Hawks, owls and wildlife. Stackpole Co., Harrisburg, Penn. 443 pp.
- Crocker-Bedford, D.C. 1990. Goshawk reproduction and forest management. Wildl. Soc. Bull. 18:262-269.
- Crocker-Bedford, D.C. 1998. The value of demographic and habitat studies in determining the status of northern goshawks (*Accipiter gentilis atricapillus*) with special reference to Crocker-Bedford (1990) and Kennedy (1997). Journal of Raptor Research 32(4):329-336.
- Daily, G.C., S. Alexander, P.R. Ehrlich, L. Goulder, J. Lubchenco, P.A. Matson, H.A. Mooney, S. Postel, S.H. Schneider, D. Tilman, and G.M. Woodwell. 1999?. Ecosystem Services: Benefits Supplied to Human Societies by Natural Ecosystems. In *Issues in Ecology*, Ecological Society of America. 14 p.
- Dasmann, R.F. 1981. Wildlife Biology, 2nd edition. John Wiley & Sons, New York, New York.
- Davis, A.M., and T.F. Glick. 1978. Urban ecosystems and island biogeography. Environmental Conservation 3:299-304.
- Davis, J.W., G.A. Goodwin, and R.A. Ockenfels, eds. 1983. Snag habitat management: proceedings of the symposium. June 7-9, 1983. Northern Arizona University, Flagstaff. U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, General Technical Report RM-99. 226 pp.
- Dawson, D. 1994. Are habitat corridors conduits for animals and plants in a fragmented landscape: a review of the scientific evidence. English Nature Research Reports, Peterborough, England. Number 94.
- DeGange, A.R. 1996. The marbled murrelet: A conservation assessment. U.S. Forest General Technical Report PNW-GTR-388. 72 pp.
- Desimone, S.M. 1997. Occupancy rates and habitat relationships of Northern Goshawks in historic nesting areas in Oregon. MS thesis, Oregon State University, Corvallis, Oregon.
- Destefano, S. 1998. Determining the status of northern goshawks in the West: Is our conceptual model correct? Journal of Raptor Research 32(4):342-348.
- DeStafano, S., S.K. Daw, S.M. Desimone, and E.C. Meslow. 1994. Density and productivity of northern goshawks: implications for monitoring and management. Studies in Avian Biology 16:88-91.
- Destefano, S., and J. McCloskey. 1997. Does vegetation structure limit the distribution of northern goshawks in the Oregon Coast Ranges? Journal of Raptor Research 31(1):34-39.
- Dickman, C.R. 1987. Habitat fragmentation and vertebrate species richness in an urban environment. Journal of Applied Ecology 24:337-351.
- Dobkin, D.S., R.D. Gettinger, and M.G. Gerdes. 1995. Springtime movements, roost use, and foraging activity of Townsend's big-eared bat (*Plecotus townsendii*) in central Oregon. Great Basin Naturalist 55(4):315-321.

- Dobler, F. C. 1993. Wintering peregrine falcon (*Falco peregrinus*) habitat utilization near Sequim, Washington. *Northwest Science* 67:231-237.
- Donnelly, R.E. 2002. Design of habitat reserves and settlements for bird conservation in the Seattle metropolitan area. A dissertation in partial fulfillment of the requirements of the degree of Doctor of Philosophy. University of Washington, College of Forest Resources. 81pp.
- Dramstad, W.E., J.D. Olson, and R.T.T. Forman. 1996. Landscape ecology principles in landscape architecture and land-use planning. Island Press, Washington, D.C.
- Duncan, J.R., D.H. Johnson, and T.H. Nicholls. 1997. Biology and conservation of owls of the northern hemisphere. Second International Symposium. February 5-9, 1997. Winnipeg, Manitoba, Canada. USDA Forest Service, General Technical Report NC-190.
- Enderson, J. H., and G. R. Craig. 1997. Wide ranging by nesting Peregrine Falcons (*Falco peregrinus*) determined by radiotelemetry. *Journal of Raptor Research* 31:333-338.
- Environment Canada. 1997. Sustaining Canada's Forests: Timber Harvesting. National Environmental Indicator Series, SOE Bulletin No. 95-4. Available Online: <http://199.212.18.79/~ind/English/Forest/Bulletin>
- Erdelen, M. 1984. Bird communities and vegetation structure: I. Correlations and comparisons of simple and diversity indices. *Oecologia* 61:277-284.
- Ewins, P.J. 1997. Osprey (*Pandion haliaetus*) populations in forested areas of North America: changes, their causes and management recommendations. *J. Raptor Res* 31(2):138-150.
- Fahrig, L. 2002. Effect of habitat fragmentation on the extinction threshold: A synthesis. *Ecological Applications* 12:346-353.
- Fahrig, L. and G. Merriam. 1994. Conservation of fragmented populations. *Conservation Biology* 8(1):50-59.
- Fellers, G.M. 2000. Predation on *Corynorhinus townsendii* by *Rattus rattus*. *The Southwestern Naturalist* 45(4):524-527.
- Fellers, G.M., and E.D. Pierson. 2002. Habitat use and foraging behavior of Townsend's big-eared bat (*Corynorhinus townsendii*) in coastal California. *Journal of Mammalogy*. 83(1):167-177
- Finn, S.P., J.M. Marzluff, and D.E. Varland. 2002b. Effects of landscape and local habitat attributes on northern goshawk site occupancy in western Washington. *Forest Science* 48:427-436.
- Finn, S.P., D.E. Varland, J.M. Marzluff. 2002a. Does northern goshawk breeding occupancy vary with nest-stand characteristics on the Olympic Peninsula, Washington? *Journal of Raptor Research* 36:265-279.
- Fischer, R.A., and J.C. Fischenich. 2000. Design recommendations for riparian corridors and vegetated buffer strips. EMRRP Technical Notes Collection (TN EMRRP-SR-24), U.S. Army Engineer Research and Development Center, Vicksburg, Mississippi.
- Foppen, R.P.D., J.P. Chardon, and W. Liefveld. 2000. Understanding the role of sink patches in source-sink metapopulations: reed warbler in an agricultural landscape. *Conservation Biology* 14:1881-1892.

- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest Ecosystem Management: An Ecological, Economic, and Social Assessment, United States Department of Agriculture, Forest Service.
- Forman, R.T.T. 1995. *Land Mosaics: The ecology of landscapes and regions*. Cambridge University Press, Cambridge.
- Forman, R.T.T., and M. Godron. 1986. *Landscape Ecology*. Wiley, New York.
- Forsman, E.D. 1976. A preliminary investigation of the spotted owl in Oregon. Corvallis, Oregon: Oregon State University: 127p. Thesis.
- Forsman, E.D. 1980. Habitat utilization by spotted owls in west-central Cascades of Oregon. Corvallis, Oregon: Oregon State University. 95p. Dissertation.
- Forsman, E.D. 1981. Habitat utilization by spotted owls on the Eugene District of the Bureau of Land Management. Tech. Rep. Portland, Oregon: U.S. Department of the Interior, Bureau of Land Management. 63p.
- Forsman, E.D., K.M. Horn, and G.W. Mires. 1985. Northern spotted owls. Pages 259-267 in E.R. Brown, editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. Number 1 - Chapter Narratives. USDA Forest Service, PNW #R6-F&WL-192-1985, Portland, Oregon.
- Frankel, O.H., and M.E. Soulé. 1981. Nature reserves. Pages 97-132 in Conservation and Evolution. Cambridge University Press, Cambridge.
- Franklin, J.F. 1993. Preserving biodiversity: Species, ecosystems or landscapes? *Ecological Applications* 3:202-205.
- Franklin, J.J., and R.T.T. Forman. 1987. Creating landscape patterns by forest cutting: ecological consequences and principles. *Landscape Ecology* 1:5-18.
- Franklin, J.F., and T.A. Spies. 1991a. Ecological definitions of old-growth Douglas-fir forests. Pages 61-69 In: Ruggiero, L. F.; Aubry, K. B.; Carey, A. B.; Huff, M. H., eds. Wildlife and vegetation of unmanaged Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Franklin, J.F., and T.A. Spies. 1991b. Composition, function, and structure of old-growth Douglas-fir forests. Pages 71-77 In: Ruggiero, L. F.; Aubry, K. B.; Carey, A. B.; Huff, M. H., eds. Wildlife and vegetation of unmanaged Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Freel, M. 1991. A literature review for management of the marten and fisher on national forests in California. U.S. Dept. of Agriculture, Forest Service, Pacific Southwest Region, Los Padres National Forest, July 1991.
- Gabrielson, I. N., and S. G. Jewett. 1940. Birds of Oregon. Oregon State Coll., Corvallis. 650 pp.
- Gaines, D. and S.A. Laymon. 1984. Decline, status and preservation of the yellow-billed cuckoo in California. *Western Birds* 15(2):49-80.
- Garber, D.P., J.R. Koplín, and J.R. Kahl. 1974. Osprey management on the Lassen National Forest, California. Pages 119–122 in F.N. Hamerstrom, Jr., Ed., Proceedings of the conference on raptor conservation. Raptor Res. Rep. No. 2.

References

- Gashwiler, J.S. 1959. Small mammal study in west-central Oregon. *J. Mammal.* 40(1):129-139.
- Glover, F.A. 1953. A nesting study of the band-tailed pigeon in northwestern California. *California Fish and Game* 39:397-407.
- Gog, J., R. Woodroffe, and J. Swinton. 2002. Disease in endangered metapopulations: the importance of alternative hosts. *Proceedings of Royal Society of London* 269:671-676.
- Goggans, R., R.D. Dixon and L.C. Seminara. 1989. Habitat use by three-toed and black-backed woodpeckers, Deschutes National Forest, Oregon. *Ore. Dept. Fish Wildl. - Nongame Wildl. Prog. USDA Deschutes Natl. For. Tech. Rep.* 87-3-02. 43 pp.
- Goldstein, P.Z. 1999. Functional ecosystems and biodiversity buzzwords. *Conservation Biology* 13(2):247-255.
- Gorfyrd, A., and R.I. Hansel. 1986. Prediction of bird-community metrics in urban woodlots. Pages 321-326 *in* J. Verner, M. L. Morrison, and C. J. Ralph, editors. *Wildlife 2000, Modeling Habitat Relationships of Terrestrial Vertebrates*. The University of Wisconsin Press, Madison, Wisconsin.
- Graham, R.E. 1966. Observations on the roosting habits of the big-eared bat, *Plecotus townsendii*, in California limestone caves. *Cave Notes* 8:17-22.
- Graham, R.T., R.L. Rodriguez, K.M. Paulin, R.L. Player, A.P. Heap, and R. Williams. 1999. The Northern Goshawk in Utah: habitat assessment and management recommendations. USDA Forest Service, Rocky Mountain Research Station, General Technical Report RMRS-GTR-22. 48 pp.
- Graham, R.T., R.T. Reynolds, M.H. Reiser, R.L. Bassett, and D.A. Boyce. 1994. Sustaining forest habitat for the northern goshawk: a question of scale. *Studies in Avian Biology* 16:12-17.
- Grebence, B. L., and C.M. White. 1989. Physiographic characteristics of peregrine falcon nesting habitat along the Colorado River system in Utah (USA). *Great Basin Naturalist* 49:408-418.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones. *BioScience*. 41(8):540-550.
- Grenier, J.J. and S.K. Nelson. 1995. Marbled murrelet habitat associations in Oregon. Pp. 191-201 *in*: Ralph, C.J., G.L. Hunt, Jr., M.G. Raphael, and J.F. Piatt, eds. *Ecology and Conservation of the Marbled Murrelet*. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station; Gen. Tech. Rep. PSW-GTR-152.
- Grue, C.E., W.J. Fleming, D.G. Busby, and E.F. Hill. 1983. Assessing hazards of organophosphate pesticides to wildlife. *Transactions of the North American Wildlife and Natural Resources Conference* 48:200-220.
- Grumbine, R.E. 1994. What is Ecosystem Management? *Conservation Biology* 8: 27-38.
- Gutierrez, R.J., C.E. Braun, and T.P. Zapatka. 1975. Reproductive biology of the band-tailed pigeon in Colorado and New Mexico. *Auk*. 92:665-677.
- Gutzwiller, K.J., ed. 2002. *Applying landscape ecology in biological conservation*. Springer. 518 pp.
- Haddad, N.M., D.K. Rosenberg, and B.R. Noon. 2000. On experimentation and the study of corridors: response to Beier and Noss. *Conservation Biology* 14(5):1543-1545.

- Hamer, T.E. 1995. Inland habitat associations in western Washington. Pp. 163-175 *in*: Ralph, C.J.; Hunt, G.L., Jr., M.G. Raphael, and J.F. Piatt, eds. Ecology and Conservation of the Marbled Murrelet. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station; Gen. Tech. Rep. PSW-GTR-152.
- Hamer, T.E., and S.K. Nelson. 1995. Characteristics of marbled murrelet nest trees and nesting stands. Pp. 69-82 *in*: Ralph, C.J.; Hunt, G.L., Jr., M.G. Raphael, and J.F. Piatt, eds. Ecology and Conservation of the Marbled Murrelet. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station; Gen. Tech. Rep. PSW-GTR-152.
- Hansen, A.J., and D.L. Urban. 1992. Avian response to landscape pattern: the role of species' life histories. *Landscape Ecology* 7(3):163-180.
- Hansson, L. 1983. Bird numbers across edges between mature conifer forest and clear cuts in central Sweden. *Ornis Scandinavica* 14:97-103.
- Hargis, C.D., C. McCarthy, and R.D. Perloff. 1994. Home ranges and habitats of northern goshawks in eastern California. *Studies in Avian Biology* 16:66-74.
- Harmon, M.E., J.F. Franklin, F.J. Swanson, P. Sollins, S.V. Gregory, J.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, and K. Cromack, Jr. 1986. Ecology of coarse woody debris in temperate ecosystems. *In Advances in Ecological Research* 15:133-302.
- Hartwig, C.L. 1999. Effect of forest age, structural elements, and prey density on the relative abundance of pileated woodpecker (*Dryocopus pileatus abieticola*) on South-eastern Vancouver Island. M.S. Thesis., Univ. Victoria. Victoria, BC.
- Hayes, G.E., and J.B. Buchanan. 2002. Washington state status report for the peregrine falcon. Washington Department of Fish and Wildlife. Olympia, Washington. 77 pp.
- Hayward, G.D., and R. E. Escano. 1989. Goshawk nest-site characteristics in western Montana and northern Idaho. *Condor* 91:476-479.
- Hayward, G.D., T. Holland, and R.E. Escano. 1990. Goshawk habitat relationships. in Old-growth habitats and associated wildlife species in the northern Rocky Mountains. N.M. Warren (ed.). Report R1-90-42. USDA Forest Service, Wildlife Habitat Relationships Program, Northern Region, Missoula, Montana. 47 p.
- Henny, C.J., F.P. Ward, K.E. Riddle, and R.M. Prouty. 1982. Migratory peregrine falcons, *Falco peregrinus*, accumulate pesticide in Latin America during winter. *Canadian Field Naturalist* 96:333-338.
- Herlugson, C. 1975. Status and distribution of the western bluebird and the mountain bluebird in the state of Washington. Pullman, WA: Washington State University. Thesis.
- Herrington, R.E. 1988. Talus use by amphibians and reptiles in the Pacific Northwest. Pages 216-221 *in* Szaro, R.C., K.E. Severson, and D.R. Patton, eds. Management of amphibians, reptiles, and small mammals of North America: proc. of symp. U.S. For. Serv. Gen. Tech. Rep. RM-166.
- Herrington, R.E., and J.H. Larsen. 1985. Current status, habitat requirements and management of the Larch Mountain salamander *Plethodon larselli* Burns. *Biol. Conserv.* 34:169-179.
- Herson-Jones, L.M., M. Heraty, and B. Jordan. 1995. Riparian buffer strategies for urban watersheds. Washington, DC, USA, Metropolitan Washington Council of Governments: 101.

References

- Herter, D.H. and L.L. Hicks. 2000. Barred owl and spotted owl populations and habitat in the central Cascade Range of Washington. *J. Raptor Res.* 34(4):279-286.
- Hertlein, L.G. 1959. Notes on California oysters. *Veliger* 2:5-10.
- Hess, G. 1996a. Disease in metapopulations: implications for conservation. *Ecology* 77:1617-1632.
- Hess, G. 1996b. Linking extinction to connectivity and habitat destruction in metapopulation models. *The American Naturalist* 148:226-236.
- Holland, D.C. 1994. The western pond turtle: habitat and history. Oregon Department of Fish and Game Final Report.
- Hoover, R.L., and D.L. Wills, eds. 1987. Managing forested lands for wildlife. Colorado Division of Wildlife, Denver, Colorado.
- Hughes, J.M. 1999. Yellow-billed Cuckoo (*Coccyzus americanus*). In *The Birds of North America*, No. 418. (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Humphrey, S.R., and T.H. Kunz. 1976. Ecology of a Pleistocene relict, the western big-eared bat (*Plecotus townsendii*), in the southern Great Plains. *J. Mamm.* 57:470-94.
- Ingles, L.G. 1947. Ecology and life history of the California gray squirrel. *Calif. Fish and Game* 33:139-158.
- Ingram, R. 1973. Wolverine, fisher and marten in central Oregon. Oregon State Game Comm., Central Reg. Admin. Rep. 73-2.
- Interagency Marbled Murrelet Committee (IMMC). 1991. Interim Management Guidelines for Marbled Murrelet Habitat Conservation in Washington, Oregon and California. Pacific Seabird Group.
- Jackman, S.M., and J.M. Scott. 1975. Literature review of 23 selected forest birds of the Pacific Northwest. USDA Forest Service, Portland, Oregon.
- Janes, S.W. 1984a. Fidelity to breeding territory in a population of red-tailed hawks. *The Condor* 86:200-203.
- Janes, S.W. 1984b. Influences of territory composition and interspecific competition on red-tailed hawk reproductive success. *Ecology* 65(3):862-870.
- Janes, S.W. 1994. Partial loss of red-tailed hawk territories to Swainson's hawks: relations to habitat. *The Condor* 96:52-57.
- Janes, S.W. 2003. Breeding populations of Swainson's hawks, red-tailed hawks, and golden eagles in north central Oregon: 1975-1982 and 1999. *Western North American Naturalist* 63(3):363-365.
- Jensen, K.E., and P.D. Boersma. 1993. Land development and human disturbance as factors in determining great blue heron (*Ardea herodias*) colony size and location in the Puget Sound Region. Unpublished Report, University of Washington, Seattle, Washington.
- Jewett, S. G., W. P. Taylor, W. T. Shaw, and J. W. Aldrich. 1953. *Birds of Washington State*. Univ. Washington Press, Seattle. 767 pp.

References

- Johnsgard, P.A. 1973. Grouse and quails of North America. University of Nebraska Press, Lincoln, Nebraska. 533pp.
- Johnsgard, P.A. 1987. Diving birds of North America. Univ. Nebraska Press, Lincoln. xii + 292 pp.
- Johnson, D.H., and T.A. O'Neil. 2001. Wildlife-Habitat Relationships in Oregon and Washington. Oregon State University Press, Corvallis, Oregon, USA.
- Johnson, P.J. 1986. Letter on file with the Washington Department of Wildlife, Nongame Program, Olympia, Washington.
- Jones, L.L.C. 1989. *Plethodon vandykei* (Van Dyke's salamander); reproduction. Herp. Review 20:48.
- Jones, L.L.C., and J. B. Atkinson. 1989. New records of salamanders from Long Island, Washington. Northwestern Nat. 70:40-42.
- Jorgensen, S.E. and W.J. Mitsch. 1989. Ecological Engineering Principles. Pp. 21-37 in Jorgensen, S.E., and W.J. Mitsch, eds. Ecological Engineering: an introduction to ecotechnology. John Wiley and Sons, New York..
- Kahl, J.R. 1972. Better homes for feathered fishermen. Outdoor California 33(1):4-6.
- Kahler, T., M. Grassley, and D. Beauchamp 2001. Final report on effects of shorezone development. Prepared for the City of Bellevue by The Watershed Company and the University of Washington, School of Fisheries, Washington Cooperative Fish and Wildlife Research Unit, Bellevue, Washington.
- Kauffman, J.B., M. Mahrt, L.A. Mahrt and W.D. Edge. 2001. Wildlife of riparian habitats. Pp. 361-388 in Johnson, D.H., and T.A. O'Neil, eds. Wildlife-Habitat Relationships in Oregon and Washington. Oregon State University Press, Corvallis, Oregon.
- Kaufmann, M.R., R.T. Graham, D.A. Boyce, Jr., W.H. Moir, L Perry, R.T. Reynolds, P. Melhop, C.B. Edminster, W.M. Block, and P.S. Corn. 1994. An ecological basis for ecosystem management. General technical Report RM-246. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Kautz, J.E., and C.E. Braun. 2000. Feasibility of estimating band-tailed pigeon population parameters using capture-recapture. Pp. 1-14 IN Studies of band-tailed pigeons. Colorado Division of Wildlife, Special Report Number 75.
- Keane, J.J., and M.L. Morrison. 1994. Northern goshawk ecology: effects of scale and levels of biological organization. Studies in Avian Biology 16:3-11.
- Keitt, T.H., D.L. Urban, and B.T. Milne. 1997. Detecting critical scales in fragmented landscapes. Conservation Ecology [URL] 1(1):4.
- Kennedy, P.L. 1997. The northern goshawk (*Accipiter gentilis atricapillus*): is there evidence of a population decline? Journal of Raptor Research 31:95-106.
- Kennedy, P.L. 1998. Evaluating northern goshawks (*Accipiter gentilis atricapillus*) population status: A reply to Smallwood and Crocker-Bedford. Journal of Raptor Research 32(4):336-342.
- Kennedy, P.L., J.M. Ward, G.A. Rinker, and J.A. Gessaman. 1994. Post-fledging areas in northern goshawk home ranges. Studies in Avian Biology 16:75-82.

References

- Keppie, D.M., and C.E. Braun. 2000. Band-tailed Pigeon (*Columba fasciata*). In Poole, A., and F. Gill, eds. The Birds of North America. The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Kilham, L. 1966. Nesting activities of black-backed woodpeckers. *Condor* 68:308-310.
- King County Surface Water Management Division, Snohomish County Surface Water Management, and City of Redmond Stormwater Division. 1990. Bear Creek Basin Plan. King County Surface Water Management Division, Seattle, Washington.
- King County Surface Water Management Division, Washington State Department of Ecology, and City of Issaquah. 1996. Final Issaquah Creek Basin and Nonpoint Action Plan. King County Department of Natural Resources, Seattle, Washington.
- King County. 1994. Final East Lake Sammamish Basin and Nonpoint Action Plan. King County, Surface Water Management, Seattle, Washington.
- King County. 2000. King County Comprehensive Plan 2000.
- King County. 2002. Public Benefit Rating System: Resource Information. King County Department of Natural Resources and Parks, Water and Land Resources Division, Seattle, Washington.
- Kingsbury, P.D. 1975. Effects of aerial forest spraying on aquatic fauna in M. L. Prebble, ed. Aerial control of forest insects in Canada. Department of Environment, Ottawa, Ontario, Canada.
- Knight, R.L., V. Marr, and S.K. Knight. 1983. Communal roosting of bald eagles in Washington. In Anthony, R.G., F.B. Isaacs, and R.W. Frenzel, editors. Proceedings of a workshop on habitat management for nesting and roosting bald eagles in the western United States. Oregon Cooperative Wildlife Research Unit, Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.
- Knight, R.L., and S.K. Skagen. 1988. Effects of recreational disturbance on birds of prey: a review. Pages 355-359 in Proc. Southwest raptor management symposium and workshop. Inst. Wildl. Res., Natl. Wildl. Fed. Sci. Tech. Ser. No. 11.
- Knight, R.L., and S.A. Temple. 1995. Wildlife and recreationists: coexistence through management. Pages 327-333 in R.L. Knight and K.J. Gutzwiller, eds. Wildlife and recreationists: coexistence through research and management. Island Press, Covelo, California. 372 pp.
- Knutson, K.L., and V.L. Leaf. 1997. Management recommendations for Washington's priority habitats: Riparian. Olympia, Washington, Washington Department of Fish and Wildlife: 181.
- Koehler, G.M., W.R. Moore, and R.A. Taylor 1975. Preserving the pine marten: management guidelines for western forests. *Western wildlife* 2:31-36.
- Korringa, P. 1976. Farming the flat oysters of the genus *Ostrea*: A multidisciplinary treatise. Elsevier, Amsterdam. 238 pp.
- Kuchel, C.R. 1977. Some aspects of the behavior and ecology of harlequin ducks in Glacier National Park, Montana. Thesis, University of Montana, Missoula, Montana.
- Kunz, T.H. and R.A. Martin. 1982. *Plecotus townsendii townsendii*. Mammalian Species Account, No. 175. American Society of Mammalogists.

References

- Lambeck, R.J. 1997. Focal species: a multi-species umbrella for nature conservation. *Conservation Biology* 11:849-856.
- Larrison, E. J., and K. G. Sonnenberg. 1968. Washington birds: their location and identification. Seattle Audubon Soc., Seattle, Wash. 258 pp.
- Larsen, E.M., ed. 1997. Management recommendations for Washington's priority species, Volume III: Amphibians and Reptiles. WSDFW (Wash. Dept. Fish and Wildl.), Olympia, Washington.
- Larsen, E.M., E. Rodrick, and R. Milner. 1995. Management recommendations for Washington's priority species. Volume I: Invertebrates. Washington Department of Fish and Wildlife, Olympia, Washington.
- Laymon, S.A. 1980. Feeding and nesting behavior of the yellow-billed cuckoo in the Sacramento Valley. California Department of Fish and Game Administrative Report 80-2, Job IV-1.42.
- Laymon, S.A. and M.D. Halterman. 1989. A proposed habitat management plan for Yellow-billed Cuckoos in California. USDA Forest Service Gen. Tech. Rep. PSW-110 p 272-277.
- Lee, K.N. 1993. *Compass and Gyroscope: Integrating science and politics for the environment*. Island Press, Washington, D.C.
- Lee, L.C., T.A. Muir, and R.R. Johnson. 1989. Riparian ecosystems as essential habitat for raptors in the American West. In Pendleton, B.G., ed. Proceedings of the western raptor management symposium and workshop. Nat. Wildl. Fed. Science and Tech. Series No. 12.
- Leet, W.S., C.M. Dewees, R. Klingbeil, and E.J. Larson (eds.). 2001. California's Living Marine Resources: A Status Report. The Resources Agency, California Department of Fish and Game. 592 pp.
- Lehmkuhl, J.F., and L.F. Ruggiero. 1991. Forest fragmentation in the Pacific Northwest and its potential effects on wildlife. Pp. 35-46 in Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff, eds. Wildlife and vegetation of unmanaged Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Leonard, J.P. 1998. Nesting and foraging ecology of band-tailed pigeons in western Oregon. Ph.D. dissertation, Oregon State University, Corvallis, Oregon.
- Leonard, W.P., H.A. Brown, L.L.C. Jones, K.R. McAllister, and R.M. Storm. 1993. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle, Wash. 168pp.
- Leopold, A. 1933. Game Management. Scribner's & Sons, New York, New York.
- Levenson, H., and J.R. Koplín. 1984. Effects of human activity on the productivity of nesting Ospreys. *Journal of Wildlife Management*. 48:1374-1377.
- Lewis, J.C., R. Milner, and M. Whalen. 1999. Common loon (*Gavia immer*). In E. M. Larsen and N. Nordstrom, editors. Management Recommendations for Washington's Priority Species, Volume IV: Birds
- Lidicker, W.Z.J. and W.D. Koenig. 1996. Responses of terrestrial vertebrates to habitat edges and corridors. Pp.85-110. In McCullough, D.R. ed. *Metapopulations and Wildlife Conservation*. Island Press, Washington D.C.

- Liliehalm, R.J., W.B. Kessler, and K. Merrill. 1993. Stand density index applied to timber and goshawk habitat objectives in Douglas-fir. *Environmental Management* 17: 773-779.
- Logan, W., E.R. Brown, D. Longrie, G. Herb and R.A. Corthell. 1985. Edges. Pp.116-128 in Brown, E.R., ed. *Management of wildlife and fish habitats in forests in western Oregon and Washington. Part 1-Chapter narratives.* USDA Forest Service, Portland, Oregon.
- Lucchetti, G., K. Richter, and R. Schaefer. In revision. Monitoring of Acquisitions and Conservation Easements. In Roni, P., ed. *Monitoring Stream and Watershed Restoration.* American Fisheries Society, Bethesda, Maryland.
- Lundquist, R., V.S. Kelly, S.T. White and R. Fleming 1995. Assessment of special emphasis wildlife species and other wildlife species of concern for the Plum Creek Habitat conservation Plan. Technical Report No. 8. Seattle WA: Plum Creek Timber Company. 75 pp.
- Lundquist, R.W. 1988. Habitat use by cavity-nesting birds in the southern Washington Cascades. Seattle: University of Washington. 168 p. M.S. thesis.
- MacArthur, R.H. 1964. On Bird Species Diversity. *Ecology* 42:594-598.
- MacArthur, R.H., J.W. MacArthur and J. Preer. 1962. On Bird Species Diversity II. Prediction of Bird Census from Habitat Measurement. *American Naturalist* 96:167-174.
- MacClintock, L., R.F. Whitcomb and B.L. Whitcomb. 1977. Evidence for the value of corridors and minimization of isolation in preserving biotic diversity. *Amer. Birds* 31:6-16.
- Machtans, C.S., M.A. Villard, and S.J. Hannon. 1996. Use of riparian buffer strips as movement corridors by forest birds. *Conservation Biology* 10(5):1366-1379.
- Magnusson, W.E. 1994. The role of wildlife management in the maintenance of biodiversity. Pages 209-220 in S.K. Majumdar, F.J. Brenner, J.E. Lovich, J.F. Schalles, and E.W. Miller, editors. *Biological Diversity: Problems and Challenges.* The Pennsylvania Academy of Science.
- Mannan, R.W., C.E. Meslow, H.M. Wight. 1980. Use of snags by birds in Douglas-fir forests, western Oregon. *Journal of Wildlife Management.* 44(4):787-797.
- Manuwal, D.A. 1991. Spring bird communities in the southern Washington Cascade Range. Pp. 161-174 in L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, technical coordinators. *Wildlife and Vegetation of unmanaged Douglas-fir Forests.* USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-285, Portland, Oregon.
- Manuwal, D.A., and M. Huff. 1987. Spring and winter bird populations in a Douglas-fir forest sere. *Journal of Wildlife Management* 51(3):586-595.
- Marcot, B.G. M.A. Castellano, J.A. Christy, L.K. Croft, J.F. Lehmkuhl, R.H. Naney, K. Nelson, C.G. Niwa, R.E. Rosentreter, R.E. Sandquist, B.C. Wales, E. Zieroth. 1997. Terrestrial ecology assessment. Pp 1497-1713 in Quigley, T.M., and S.J. Arbelbide, eds. *An assessment of ecosystem components in the interior Columbia Basin and portions of the Klamath and Great Basins. Volume III. Gen. Tech. Rep. PNW-GTR-405.* Portland, OR: Pacific Northwest Research Station, Forest Service, U.S. Department of Agriculture.
- Marcot, B.G., R.S. Holthausen, J. Teply, and W.D. Carrier. 1991. Old-growth inventories: status, definitions, and visions for the future. Pp. 47-60 in: Ruggiero. L.F., K.B. Aubry, A.B. Carey, and M.H. Huff, eds. *Wildlife and vegetation of unmanaged Douglas-fir forests.* Gen. Tech.

References

- Rep. PNW-GTR-285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Marcot, B.G., K. Mellen, J.L. Ohmann, K.L. Waddell, E.A. Willhite, B.B. Hostetler, S.A. Livingston, C. Ogden, and T. Dreisbach. In prep. DecAID -- work in progress on a decayed wood advisor for Washington and Oregon forests. Research Note PNW-RN-XXX. USDA Forest Service, Pacific Northwest Region, Portland OR. Available online: <http://www.notes.fs.fed.us:81/pnw/DecAID/DecAID.nsf/Home?OpenPage>
- Marcot, B.G., and M. Vander Heyden. 2001. Key ecological functions of wildlife species. Pp. 168-186 in Johnson, D.H., and T.A. O'Neil, eds. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis Oregon.
- Maryland Department of Natural Resources. 2001. *Maryland's GreenPrint Program: summary of methods to identify and evaluate Maryland's Green Infrastructure – Draft*. Chesapeake and Coastal Watershed Services, Annapolis, Maryland.
- Marzluff, J.M., and G.A. Bradley. In press. Ecological restoration in the settled-wildland interface. In P. Friederici, ed. *Ecological restoration of southwestern ponderosa pine forests*. Island Press.
- Marzluff, J.M., and R.E. Donnelly. 2002a. Conserve native birds in residential neighborhoods by managing neighborhood forest and limiting surrounding development. Fact sheet. Online at: <http://www.urbanecology.washington.edu/products/FactSheetSettle.pdf>
- Marzluff, J.M., and R.E. Donnelly. 2002b. Conserve Native Birds in Suburban and Urban Landscapes by Creating Moderate-sized Habitat Reserves. Fact sheet. Online at: <http://www.urbanecology.washington.edu/products/FactSheetReserve.pdf>
- Marzluff, J.M., and K. Ewing. 2001. Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes. *Restoration Ecology* 9:280-292.
- Marzluff, J.M., M.G. Raphael, and R. Sallabanks. 2000. Understanding the effects of forest management on avian species. *Wildl. Soc. Bulletin*. 28:1132-1143.
- Maser, C., S.P. Cline, K. Cromack Jr., J.M. Trappe, and E. Hansen. 1988. What We Know About Large Trees That Fall to the Forest Floor. In C. Maser, R. Tarrant, J. M. Trappe, and J.F. Franklin, editors. *From the mountains to the sea: a story of fallen trees*. Pacific Northwest Research Station, U.S. Department of Agriculture Forest Service, Portland, Oregon.
- Maser, C., J.M. Geist, D.M. Concannon, R. Anderson, and B. Lovell. 1979a. Wildlife habitats in managed rangelands – the Great Basin of Southeastern Oregon, geomorphic and edaphic habitats. Gen. Tech. Rep. PNW-99. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 84 pp.
- Maser, C., B.R. Mate, J. F. Franklin, and C. T. Dyrness. 1981. Natural history of Oregon coast mammals. *Pac. Northwest For. And Range Exp. Sta., USDA, For. Serv., Gen. Tech. Rep., PNW-133*. 496pp.
- Maser, C., J.E. Rodiek, and J.W. Thomas. 1979b. Cliffs, talus and caves. Pp. 96-103 in: Thomas, J.W., ed. *Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington*. Agric. Handb. 553. Washington D.C. U.S. Department of Agriculture.

References

- Maser, C., and M.J. Trappe. 1984. The fallen tree—a source of diversity. Pages 335-339 in *New forests for a changing world: Proceedings of the Society of American Foresters National Conference; October 16-20 1983, Portland, Oregon.* Society of American Foresters, Bethesda, Maryland.
- McClelland, B.R., and P.T. McClelland. 1999. Pileated woodpecker nest and roost trees in Montana: Links with old-growth and forest “health”. *Wildlife Society Bulletin* 27:846-857.
- McDonnell, M.J., and S.T.A. Pickett. 1990. The study of ecosystem structure and function along gradients of urbanization: an unexploited opportunity for ecology. *Ecology* 71: 1232-1237.
- McDonnell, M.J., S.T.A. Pickett, P. Groffman, P. Bohlen, P.V. Pouyat, W.C. Zipperer, P.W. Parmelee, M.M. Carreiro, and K. Medley. 1997. Ecosystem processes along an urban-to-rural gradient. *Urban Ecosystems* 1:21-36.
- McEwen, L.C., C.E. Knittle, and M.L. Richmond. 1972. Wildlife effects from grasshopper insecticides sprayed on short-grass range. *Journal of Range Management* 25:188-194.
- McGrath, M.T. 1997. Northern Goshawk habitat analysis in managed forest landscapes. M.S. thesis, Oregon State University, Corvallis, Oregon.
- McIntyre, J.W. 1978. Wintering behavior of common loons. *Auk* 95:396-403.
- McIntyre, J.W. 1983. Nurseries: a consideration of habitat requirement during the early chick-rearing period in common loons. *Journal of Field Ornithology* 54:247-53.
- McKinnon, D.C. 1987. *Planning for Wildlife Habitat in Urbanizing Areas of Washington.* MS. Washington State University, Pullman, Washington.
- McMillan, R.O., D.A. Armstrong, and P.A. Dinnel. 1995. Comparison of intertidal habitat use and growth rates of two Northern Puget Sound cohorts of 0+ age Dungeness crab, *Cancer magister*. *Estuaries* 18(2):390-398.
- Mech, L.D., D.H. Pletscher and C.J. Martinka 1995. Gray wolf status and trends in the contiguous United States. In E.T. LaRoe, G.S. Farris, C.E. Pucket, P.D. Doran and M.J. Mac, eds. *Our living resources 1994: A report to the nation on the distribution, abundance and health of U.S. plants, animals, and ecosystems.* National Biological Survey, Washington, D.C. 530 pp.
- Meffe, G.K., C.R. Carroll, eds. 1994. *Principles of conservation biology.* 2nd Edition. Sinauer Associates, Inc., Sunderland, Massachusetts..
- Mellen, T.K. 1987. Home range and habitat use of Pileated Woodpeckers, western Oregon. M.S. Thesis, Oregon State Univ., Corvallis, Oregon.
- Mellen, T.K., E.C. Meslow, and R.W. Mannan. 1992. Summertime home range and habitat use of pileated woodpeckers in western Oregon. *Journal of Wildlife Management* 56:96-103.
- Meyer, C.B., S.L. Miller, and C.J. Ralph. 2002. Multi-scale landscape and seascape patterns associated with marbled murrelet nesting areas on the U.S. west coast. *Landscape Ecology* 17(2):95-115.
- Meyer, J.L. 1997. Conserving ecosystem function. In *The Ecological Basis of Conservation*, S.T.A.
- Miller, E., and T. Dring. 1988. Territorial defense of multiple lakes by common loons: a preliminary report. Pages 1-14 in P. I. V. Strong, ed. *Conf. on Common Loon Res. and Manage.*, North American Loon Fund, Meredith, New Hampshire.

References

- Miller, S.L., and C.J. Ralph. 1995. Relationships of marbled murrelets with habitat and vegetation characteristics at inland sites in California. Pp. 205-218 *in*: Ralph, C.J.; Hunt, G.L., Jr.; Raphael, M.G.; Piatt, J.F., eds. Ecology and Conservation of the Marbled Murrelet. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station; Gen. Tech. Rep. PSW-GTR-152.
- Milligan-Raedeker, D.A., and K.J. Raedeker. 1995. Wildlife habitat design in urban forest landscapes. Pages 139-149 in G. A. Bradley, editor. Urban Forest Landscapes: Integrating Multidisciplinary Perspectives. The University of Washington Press, Seattle, Washington.
- Millsap, B.A., P.L. Kennedy, M.A. Byrd, G. Court, J.H. Enderson, and R.N. Rosenfield. 1998. Review of the proposal to de-list the American peregrine falcon. Wildlife Society Bulletin 26:522-538.
- Minor, W.F., M. Minor, and M.F. Ingraldi. 1993. Nesting of red-tailed hawks and great horned owls in a central New York urban/suburban area. J. Field Ornithol. 64(4):433-439.
- Moore, K.R., and C.J. Henny. 1983. Nest site characteristics of three coexisting *Accipiter* hawks in northeastern Oregon. Raptor Research. 17(3):65-76.
- Morrison, M.L., M.F. Dedon, M.G. Raphael, and M.P. Yoder-Williams. 1986. Snag requirements of cavity-nesting birds: are USDA Forest Service guidelines being met? Western Journal of Applied Forestry 1(2):38-40.
- Morrison, M., B.G. Marcot and R.W. Mannan. 1998. Wildlife-habitat relationships: concepts and applications. Second Edition. University of Wisconsin Press, Madison, Wisconsin.
- Mudd, D.R. 1975. Touchet River study: Part I. Washington Department of Game, Olympia, Washington. 43 pp.
- Murphy, M.L., and K.U. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. North American Journal of Fish Management 9:427-436.
- Mussehl, T.W. 1962. Some physical characteristics of ground vegetation used by blue grouse broods. Unpublished Report. Montana Fish and Game, Helena, Montana. 11pp.
- Naeem, S. 1998. Species redundancy and ecosystem reliability. Conservation Biology 12(1): 39-45.
- Naiman, R.J., H. Décamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. Ecological Applications 3:209-12.
- Neitro, W.A., R.W. Mannan, D. Taylor, V.W. Binkley, B.C. Marcot, F.F. Wagner, and S.P. Cline. 1985. Snags. Pp. 129-169 *in* E.R. Brown, editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. Number 1 - Chapter Narratives. USDA Forest Service, PNW #R6-F&WL-192-1985, Portland, Oregon.
- Nelson, S.K., and R.W. Peck. 1995. Behavior of Marbled Murrelets at nine nest sites in Oregon. Northwestern Naturalist 76:43-53.
- Nieland, J. 1990. Boulder cave recreation and cave management assessment. Unpubl. rep. to Naches Ranger Dist. Yakima, Washington.
- Nieland, J. 1991. Cave management principles and responsibilities. Unpubl. recreation seminar rep.

References

- Nightingale, B., and C. Simenstad. 2001. Overwater Structures: Marine Issues. White Paper submitted to Washington Dept. of Fish and Wildlife, Washington Dept. of Ecology, and Washington Dept. of Transportation.
- Nilsson, S.G. 1986. Evolution of hole-nesting in birds: on balancing selection pressures. *Auk* 103:432-435.
- Noss, R.F. 1987. Corridors in real landscapes: A reply to Simberloff and Cox. *Conservation Biology* 1159-164.
- Noss, R.F. 1993. Wildlife corridors. In Smith, D., and P. Hellmund, eds. *Ecology of greenways*. Minneapolis: University of Minnesota Press.
- Noss, R.F., M.A. O'Connell and D.D. Murphy. 1997. *The Science of Conservation Planning, Habitat Conservation under the Endangered Species Act*. Washington, D.C., Island Press.
- O'Neil, T.A., D.H. Johnson, C. Barrett, M. Trevithick, K.A. Bettinger, C. Kiilsgaard, M. Vander Heyden, E.L. Greda, D. Stinson, B.G. Marcot, P.J. Doran, S. Tank, and L. Wunder. 2001. Matrixes for wildlife-habitat relationships in Oregon and Washington. CD-ROM. in: D.H. Johnson and T.A. O'Neil, editors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis Oregon.
- Ohmann, J.L. 2002. Snag dynamics in Western Oregon and Washington. USDA Forest Service, Pacific Northwest Region, and Pacific Northwest Research Station, Portland, Oregon. (online at: <http://wwwnotes.fs.fed.us:81/pnw/DecAID/DecAID.nsf/Home?OpenPage>)
- Ohmann, J.L., and K.L. Waddell. 2002 Regional patterns of dead wood in forested habitats of Oregon and Washington. Pp. 535-560 In: *Proceedings of the symposium on the ecology and management of dead wood in western forests*. 1999 November 2-4; Reno, NV. Gen. Tech. Rep. PSW-GTR-181. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station.
- Olsen, J., and P. Olsen. 1980. Alleviating the impacts of human disturbance on the breeding peregrine falcon: Public and recreational lands. *Corella* 4:54-57.
- Pacific Coast American Peregrine Falcon Recovery Team. 1982. Pacific Coast recovery plan for the American peregrine falcon, *Falco peregrinus anatum*. U.S. Fish and Wildlife Service, Denver, Colorado, USA.
- Pagel, J.E., and D.A. Bell. 1997. Reply to Cade et al. regarding de-listing the American peregrine falcon. *Wildlife Society Bulletin* 25:739-742.
- Pagel, J.E., D.A. Bell, and B.E. Norton. 1996. De-listing the American peregrine falcon: Is it premature? *Wildlife Society Bulletin* 24:429-435.
- Paine, R.T., 1974. Intertidal community structure: Experimental studies on the relationship between a dominant competitor and its principal predator. *Oecologia*, 15:93-120.
- Palis, J., J. Soule, and G. Hammerson. 1999. The Nature Conservancy. Northern Goshawk (*Accipiter gentilis*) Species Management Abstract. Revisions by D.W. Mehlman and M. Koenen.
- Parker, J. 1980. Great blue herons (*Ardea herodias*) in northwestern Montana: nesting habitat use and the effects of human disturbance. Thesis, University of Montana, Missoula, Montana.

- Patrick, R. 1975. Stream Communities, *In Ecology and Evolution of Communities*, eds. M.L. Cody and J.M. Diamond. Belknap Press, Cambridge, MA, 445-459.
- Payne, N.F., and F.C. Bryant. 1994. Techniques for wildlife management of uplands. McGraw-Hill, New York. 840 pp.
- Payne, N.J., B.V. Helson, K.M.S. Sundaram, and R.A. Fleming. 1988. Estimating buffer zone widths for pesticide applications. *Pesticide Science* 24:147-161.
- Peakall, D.B., and L.F. Kiff. 1988. DDE Contamination in Peregrines and American Kestrels and its effect on reproduction. Pp. 337-350 in T.J. Cade, J.E. Enderson, C.G. Thelander and C.M. White, eds. *Peregrine Falcon Populations: Their management and recovery*. The Peregrine Fund, Boise, Idaho.
- Pearson, O.P., M.R. Koford, and A.K. Pearson. 1952. Reproduction of the lump-nosed bat (*Corynorhinus rafinesquei*) in California. *J. Mamm.* 33: 273-320.
- Perault, D.R. and M.V. Lomolino. 2000. Corridors and mammal community structure across a fragmented, old-growth forest landscape. *Ecological Monographs* 70:401-422.
- Perkins, J.M. 1982. Northwest Oregon bat survey. Final Report for contract #82-0-4. Oregon Dept. of Fish and Wildlife, 54 pp.
- Perkins, J.M. 1985. The plight of *Plecotus townsendii*. *Bats* 2(1):1-2.
- Perkins, J.M. 1991. *Plecotus townsendii*: survey for the North Umpqua Ranger District of the Umpqua National Forest. Unpublished Report, U.S. Forest Service, Roseberg, Oregon.
- Perkins, J.M., and C. Levesque 1987. Distribution, status, and habitat affinities of Townsend's big-eared bat (*Plecotus townsendii*) in Oregon. Technical Report #86-5-01. Portland, OR: Oregon Department of Fish and Wildlife, Nongame Wildlife Program. 50 pp.
- Perkins, J.M., J.R. Peterson, and A.J. Perkins. 1994. Roost selection in hibernating *Plecotus townsendii*. *Bat Research News* 35:110. (abstract)
- Peterson, D.L., and V.T. Parker, eds. 1998. *Ecological scale: theory and applications*. Columbia University Press. 615 pp.
- Petit, D.R., K.E. Petit, T.C. Grubb, Jr., and L.J. Reichhardt. 1985. Habitat and snag selection by woodpeckers in a clearcut: analysis using artificial snags. *Wilson Bulletin* 97(4):525-533.
- Pickett, S.T.A. 1989. Space-for-time substitution as an alternative to long-term studies. In *Long-term studies in ecology: approaches and alternatives*. G.E. Likens, ed. Springer-Verlag, New York. Pp. 110-135.
- Pickett, S.T.A., M.L. Cadenasso, J.M. Grove, C.H. Nilon, R.V. Pouyat, W.C. Zipperer, and R. Costanza. 2001. Urban ecological systems: Linking terrestrial ecological, physical and socioeconomic components of metropolitan areas. *Annual Review of Ecology and Systematics* 32:127-157.
- Pickett, S.T.A., V.T. Parker, and P.L. Fiedler. 1992. The New Paradigm in Ecology: Implications for Conservation Biology above the Species Level. In *Conservation Biology*, eds. P.L. Fiedler and S.K. Jain. Chapman and Hall, New York, pp. 64-88.
- Pickett, S.T.A. and P.S. White, eds. 1985. *The ecology of natural disturbance and patch dynamics*. Academic Press. Orlando, FL.

References

- Pierson, E.D. 1989. Help for Townsend's big-eared bats in California. *Bats* 7(1):5-8.
- Pierson, E.D. and P.E. Brown. 1992. Saving old mines for bats. *Bats* 10(4):11-13.
- Pierson, E.D., and G.M. Fellers. 1998. Distribution and ecology of the big-eared bat, *Corynorhinus* (= *Plecotus*) *townsendii* in California. Unpublished Report, U.S. Geological Survey, Biological Resources Division, Species at Risk Program, Reston, Virginia.
- Pierson, E.D., and W.E. Rainey. 1998. Distribution, status, and management of Townsend's big-eared bat (*Corynorhinus townsendii*) in California. State of California, Department of Fish and Game. BMCP Technical Report Number 96-7. Davis, California.
- Pierson, E.D., W.E. Rainey, and D.M. Koontz. 1991. Bats and mines: experimental mitigation for Townsend's big-eared bat at the McLaughlin Mine in California. Pp. 313-42 in *Proceedings of Thome Ecological Institute. Issues and technology in management of impacted wildlife*, April 8- 10, 1991. Snowmass, Colorado.
- Pierson, E.D., W.E. Rainey, and D.M. Koontz. 1991. Bats and mines: experimental mitigation for Townsend's big-eared bat in the McLaughlin Mine in California. Pages 313-342. In *Proceedings of Thome Ecological Institute. Issues and technology in management of impacted wildlife*, April 8-10, 1991. Thome Ecological Institute, Snowmass, Colorado.
- Pierson, E.D., M.C. Wackenhut, J.S. Altenbach, P. Bradley, P. Call, D.L. Genter, C.E. Harris, B.L. Keller, B. Lengus, L. Lewis, B. Luce, K.W. Navo, J.M. Perkins, S. Smith, and L. Welch. 1999. Species conservation assessment and strategy for Townsend's big-eared bat (*Corynorhinus townsendii townsendii* and *Corynorhinus townsendii pallescens*). Idaho Conservation Effort, Idaho Department of Fish and Game, Boise.
- Pinkowski, B.C. 1979. Foraging ecology and habitat utilization in the genus (*Sialia*). Pages 165-190 in Dickson et al., eds. *The Role of Insectivorous Birds in Forest Ecosystems*. New York, Academic Press.
- Plum Creek, 1996. Multi-species habitat conservation plan on forestlands owned by Plum Creek Timber Company, LP in the I-90 corridor of the Central Cascades Mountain Range, Washington. Plum Creek Timber Company, Seattle, Washington.
- Pojar, J. and A. MacKinnon, eds. 1994. *Plants of the Pacific Northwest coast*. B.C. Ministry of Forests and Lone Pine Publishing, Canada. 526pp.
- Poole, A.F. 1981. The effects of human disturbance on Osprey reproductive success. *Colon. Waterbirds* 4:20-27.
- Poole, A.F. 1989. *Ospreys, A Natural and Unnatural History*. Cambridge University Press, New York.
- Poole, R.W. 1974. *Quantitative ecology*. McGraw-Hill, New York.
- Potter, M.A. 1990. Movement of North Island brown kiwi (*Apteryx australis mantelli*) between forest fragments. *New Zealand Journal of Ecology* 14:17-24.
- Powell, R.A. and W.J. Zielinski 1994. Fisher. Pp. 38-73 in L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L. J. Lyon and W.J. Zielinski, eds. *The scientific basis for conserving forest carnivores, American marten, fisher, lynx, and wolverine in the western United States*. General Technical Report RM-254. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station. 184 pp.

References

- Preston, C.R. 1990. Distribution of raptor foraging in relation to prey biomass and habitat structure. *The Condor* 92:107-112.
- Preston, C.R., and R.D. Beane. 1993. Red-tailed hawk (*Buteo jamaicensis*). In: Poole, A., and F. Gill, eds *The birds of North America*, No. 52. Philadelphia: The Academy of Natural Sciences; Washington D.C.: The American Ornithologists' Union.
- Quinn, T., and D.H. Johnson, eds. 2001. Five case studies in wildlife modeling. Pages 537-566 in Johnson D.H., and T.A. O'Neil, editors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis, Oregon.
- Quinn, T., and R. Milner. 1999. Great blue heron (*Ardea herodias*). In E. M. Larsen and N. Nordstrom, editors. *Management Recommendations for Washington's Priority Species*, Volume IV: Birds [Online]. Available <http://www.wa.gov/wdfw/hab/phs/vol4/gbheron.htm>.
- Ralph, C.J., G.L. Hunt, Jr., M.G. Raphael, and J.F. Piatt. 1995. Ecology and conservation of the marbled murrelet in North America: an overview. Pp. 3-22 in Ralph, C.J.; Hunt, G.L., Jr.; Raphael, M.G.; Piatt, J.F., comps., eds. *Ecology and Conservation of the Marbled Murrelet*. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station; Gen. Tech. Rep. PSW-GTR-152.
- Raphael, M.G., D.E. Mack, and B.A. Cooper. 2000. Landscape-scale relationships between abundance of marbled murrelets and distribution of nesting habitat. *Condor* 104:331-342.
- Raphael, M.G. and M. White. 1984. Use of snags by cavity-nesting birds in the Sierra Nevada. *Wildlife Monographs* 86:1-66.
- Reese, D.A. 1996. Comparative demography and habitat use of western pond turtles in Northern California: The effects of damming and related alterations. Unpublished Ph.D. Dissertation, University of California, Berkeley. 253 pp.
- Reese, D.A., and H.H. Welsh. 1997. Use of terrestrial habitat by western pond turtles, *Clemmys marmorata*: implications for management. Pages 352-357 in J. Van Abbema, editor. *Proceedings: Conservation, Restoration, and Management of Tortoises and Turtles--an International Conference*. State University of New York, Purchase, New York.
- Renken, R.B., and E.P. Wiggers. 1989. Forest characteristics related to pileated woodpecker territory size in Missouri. *Condor* 91:642-652.
- Renken, R.B., and E.P. Wiggers. 1993. Habitat characteristics related to pileated woodpecker densities in Missouri. *Wilson Bull.* 105:77-83.
- Reynolds, R.T., R.T. Grahm, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the Northern Goshawk in the Southwestern United States. USDA Forest Service Gen. Tech. Rep. RM-217, ft. Collins, CO.
- Reynolds, R.T., S.M. Joy, and D.G. Leslie. 1994. Nest productivity, fidelity, and spacing of northern goshawks in Arizona. *Studies in Avian Biology* 16:106-113.
- Reynolds, R.T. and H.M. Wight. 1978. Distribution, density, and productivity of accipiter hawks breeding in Oregon. *Wils. Bull.* 90:182-96.
- Richardson, C.T., and C.K. Miller. 1997. Recommendations for protecting raptors from human disturbance: a review. *Wildlife Society Bulletin* 25(3):634-638.

References

- Richter, K.O. and A.L. Azous. 2000. Bird communities in relation to watershed development. Pp.275-284 in Azous, A.L., and R.R. Horner, eds. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, Florida.
- Richter, K.O., and A.L. Azous. 2000b. Amphibian distribution, abundance, and habitat use. Pages 143-165 in Azous, A.L., and R.R. Horner, eds. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, Florida.
- Richter, K.O., and A.L. Azous. 2000c. Bird distribution, abundance, and habitat use. Pages 167-199 in Azous, A.L., and R.R. Horner, eds. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, Florida.
- Richter, K.O., and A.L. Azous. 2000d. Terrestrial small mammal distribution, abundance and habitat use. Pages 201-218 in Azous, A.L., and R.R. Horner, eds. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, Florida.
- Riparian Habitat Technical Committee. 1985. *Forest Riparian Habitat Study: Phase 1 Report*. 1, Washington State Department of Ecology, Olympia, Washington.
- Robbins, C.S., B. Bruun, and H.S. Zim. 1986. *Birds of North America*. Golden Press, New York. 340 pp.
- Robertson, F.D. 1986. A sponsor's viewpoint. Pages xvii-xviii in J. M. Verner, M.L. Ralph, C.J., editor. *Wildlife 2000: Modeling Habitat Relationships of terrestrial vertebrates*. The University of Wisconsin Press, Madison, Wisconsin.
- Rodiek, J.E., and E.G. Bolen. 1991. *Wildlife and habitats in managed landscapes*. Island Press, Washington, D.C.
- Rodrick, E., and R. Milner 1991. *Management Recommendations for Washington's Priority Habitats and Species*. Washington Department of Wildlife, Wildlife Management, Fish Management, and Habitat Management Divisions, Olympia, Washington.
- Rogers, J.A., Jr., and H.T. Smith. 1995. Set-back distances to protect nesting bird colonies from human disturbance in Florida. *Conservation Biology* 9:89-99.
- Rogers, K.H. 1997. Operationalizing ecology under a new paradigm. In *The Ecological Basis of Conservation*, eds. S.T.A. Pickett, R.S. Ostfeld, M. Shachak, G.E. Likens. Chapman and Hall, New York, pp. 60-77.
- Rohila, C.M., and J.M. Marzluff. 2002. Landscape and local effects on snags and cavity-nesting birds in an urbanizing area. Masters Thesis. University of Washington, College of Forest Resources, Seattle, Washington. Available online: http://www.urbanecology.washington.edu/products/Rohila_urban_bird_snag_thesis2002.pdf.
- Roloff, G.J., G.F. Wilhere, T. Quinn, and S. Kohlmann. 2001. An overview of models and their role in wildlife management. Pages 512-536 in. Oregon State University Press, Corvallis, Oregon.
- Rose, C.L., B. G. Marcot, T. K. Mellen, J. L. Ohmann, K. L. Waddell, D. L. Lindley, and B. Schreiber. 2001. Decaying wood in Pacific Northwest forests: concepts and tools for habitat management. Pp. 580-623 in: D. H. Johnson and T. A. O'Neil, editors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis Oregon.

- Rosenberg, D.K., B.R. Noon, J.W. Megahan, and E.C. Meslow. 1998. Compensatory behavior of *Ensatina eschscholtzii* in biological corridors: a field experiment. *Canadian Journal of Zoology* 76:117-133.
- Rosenberg, D.K., B.R. Noon, and E.C. Meslow. 1995. Towards a definition of biological corridor. Pages 436-439 in Bissonette, J.A., and P.R. Krausman, eds. Integrating people and wildlife for a sustainable future. International Wildlife Management Congress. The Wildlife Society. Bethesda, Maryland.
- Rosenberg, D.K., B.R. Noon, and E.C. Meslow. 1997. Biological corridors: form, function, and efficacy. *BioScience* 47(10):677-687.
- Rubec, C.D.A. 1997. Policy for conservation of the functions and values of forested wetlands. Pp.45-59 in Trettin, C.C., M.F. Jurgensen, D.F. Grigal, R.M. Gale, and J.K. Jeglum, eds. Northern forested wetlands: ecology and management. Lewis Publishers, Boca Raton, Florida.
- Runyan, C. 1987. Location and density of nests of the red-tailed hawk, *Buteo jamaicensis*, in Richmond, British Columbia. *Canadian Field-Naturalist* 101(3):415-418.
- San Diego County. 1998. County of San Diego Multiple Species Conservation Program North County Sub Area Plan.
- Sanders, T.A. 1999. Habitat availability, dietary mineral supplement, and measuring abundance of band-tailed pigeons in western Oregon. Ph.D. dissertation, Oregon State University, Corvallis, Oregon.
- Sanger, C.M. 1987. Cave biology. Conference materials from the Cave Management Seminar, Vancouver, Washington.
- Sanger, C.M., and R.L. Crawford. 1984. Biological inventory, Mount St. Helens cave basalt flow area. Unpubl. final rep., Gifford Pinchot Nat. For., St. Helens Ranger Dist., Amboy.
- Santillo, D.J., D.M. Leslie, Jr., and P.W. Brown. 1989. Response of small mammals and habitat to glyphosphate application on clearcuts. *Journal of Wildlife Management* 53:164-172.
- Saunders, D.A., and R.J. Hobbs. 1991. Nature Conservation 2: the role of corridors. Chipping Norton, Australia: Surrey Beatty & Sons. 442 pages.
- Savignac, C., A. Desrochers, and J. Huot. 2000. Habitat use by Pileated Woodpeckers at two spatial scales in eastern Canada. *Canadian Journal of Zoology* 2000; 78:219-225.
- Savill, N.J., and P. Hogweg. 1998. Spatially induced speciation prevents extinction: the evolution of dispersal distance in oscillatory predator prey models. *Proc. R. Soc. Lond. B* 265:25-32.
- Scharpf, R.W., and F.C. Dobler 1985. Caves, cliffs, and talus. Pp. 187-197 In E.R. Brown, ed. Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. Part 1, Chapter Narratives. USDA Forest Service, Serial No. 62.
- Schroeder, R.L. 1982. Habitat suitability index models: pileated woodpecker. U.S. Dept. Int., Fish Wildl. Serv. FWS/OBS-82/10.39. 15 PP.
- Schroeder, R.L. 1984. Habitat suitability index models: black brant. U.S. Dept. Int., Fish Wildl. Service. FWS/OBS-82/10.63.
- Scott, J.A. 1987. The butterflies of North America: a natural history and field guide. Stanford Univ. Press.

References

- Scott, T.A., W. Wehtje, and M. Wehtje. 2001. The need for strategic planning in passive restoration of wildlife populations. *Restoration Ecology* 9:262-271.
- Scott, V.E., K.E. Evans, D.R. Patton, and C.P. Jones. 1977. Cavity-nesting birds of North American forests. Forest Service, Agriculture Handbook 511, Washington, D.C. 112 p.
- Seaburg, K. 1966. The big blue grouse. *Montana Wildlife*. July: 23-27.
- Shafer, C.L. 1997. Terrestrial nature reserve design at the urban/rural interface. Pages 345-378 in M.W. Schwartz, ed. *Conservation in highly fragmented landscapes*. Chapman and Hall, New York.
- Shaw, J. 1985. *Introduction to wildlife management*. McGraw-Hill, New York, New York.
- Sherwin, R.E., W.L. Gannon, J.S. Altenbach, and D. Stricklan. 2000a. Roost fidelity of Townsend's big-eared bat in Utah and Nevada.. *Transactions of the Western Section of the Wildlife Society*. 36:15-20
- Sherwin, R.E., D. Stricklan, and D.S. Rogers. 2000. Roosting affinities of Townsend's big-eared bat (*Corynorhinus townsendii*) in northern Utah. *Journal of Mammalogy* 81(4):939-947.
- Short, H.L., and R.J. Cooper. 1985. Habitat suitability index models: great blue heron. U.S. Fish and Wildlife Service, Biological Report 82(10.99).
- Simberloff, D. 1982. A succession of paradigms in ecology: Essentialism to materialism and probabilism. In *Conceptual issues in ecology*, ed. Esa Saarinen. Reidel, Boston, pp. 63-99.
- Simberloff, D. 1998. Flagships, umbrellas, and keystones: is single-species management passé in the landscape era? *Biological Conservation* 83(3):247-257.
- Simberloff, D., J.A. Farr, J. Cox, and D.W. Mehlman. 1992. Movement corridors: conservation bargains or poor investments? *Conservation Biology* 6(4):493-504.
- Simberloff, D. and J. Cox. 1987. Consequences and costs of conservation corridors. *Conservation Biology* 163-71.
- Singer, S.W. D.L. Suddjian, and S.A. Singer. 1995. Fledging behavior, flight patterns, and forest characteristics at Marbled Murrelet tree nests in California. *Northwestern Naturalist* 76: 54-62.
- Skagen S.K., C.P. Melcher C.P. and E. Muths. 2001. The interplay of habitat change, human disturbance and species interactions in a waterbird colony. *American Midland Naturalist*, 145(1):18-28.
- Small, M., and W.N. Johnson, Jr. 1982. *Wildlife management in riparian habitats*. Publ. of the Maine Agric. Exp. Stn., Orono, Maine.
- Smallwood, K.S. 1998. On the evidence needed for listing northern goshawks (*Accipiter gentilis*) under the Endangered Species Act: A reply to Kennedy. *Journal of Raptor Research* 32(4): 323-329.
- Smallwood, K.S. 1999. Scale domains of abundance among species of mammalian Carnivora. *Environmental conservation* 26:102-111.
- Smallwood, K.S. 2001. Linking habitat restoration to meaningful units of animal demography. *Restoration Ecology* 9:253-261.

- Smith, G.J. 1987. Pesticide use and toxicology in relation to wildlife: organophosphorous and carbamate compounds. Research Publication Number 170. U.S. Fish and Wildlife Service, Washington, D.C.
- Snow, C. 1972. Habitat management series for endangered species, Report Number 1: American peregrine falcon (*Falco peregrinus anatum*) and Arctic peregrine falcon (*Falco peregrinus tundrius*). U.S. Bureau of Land Management, Technical Note.
- Soule, M.E. 1991. Land use planning and wildlife maintenance. *Journal of the American Planning Association* 57:313-323.
- Soule, M.E., D.T. Bolger, A.C. Alberts, J. Wright, M. Sorice, and S. Hill. 1988. Reconstructed dynamics of rapid extinctions of chaparral-requiring birds in urban habitat islands. *Conservation Biology* 2:75-92.
- Soulé, M.E., and B.A. Wilcox, editors. 1980. *Conservation biology: an evolutionary-ecological perspective*. Sinauer Associates, Sunderland, Massachusetts.
- Speiser, R. 1990. Nest site characteristics of red-tailed hawks in western Washington. *Northwestern Naturalist* 71:95-97.
- Speiser, R., and T. Bosakowski. 1987. Nest site selection by northern goshawks in northern New Jersey and southeastern New York. *Condor* 89:387-394.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. *An Ecosystem Approach to Salmonid Conservation*. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR.
- Spencer, R. 2001. Washington state elk herd plan, north rainier elk herd (draft). Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia, Washington. 41 pp.
- Spencer, W.D. 1981. Pine marten habitat preferences at Sagehen Creek, California. MS Thesis. Univ. California, Berkeley, California.
- Spies, T.A. 1991. Plant species diversity and occurrence in young, mature, and old-growth Douglas-fir stands in western Oregon and Washington (USA). Pages 111-121 in L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, editors. *Wildlife and vegetation of unmanaged Douglas-fir forests*. U.S. Forest Service Gen. Tech. Rep. PNW-GTR-285, Portland, Oregon.
- Spies, T.A., J.F. Franklin, and T.B. Thomas. 1988. Coarse woody debris in Douglas-fir forests of western Oregon and Washington. *Ecology* 69:1689-1702.
- Squires, J.R., and R.T. Reynolds. 1997. Northern Goshawk (*ACCIPITER GENTILIS*). In A. Poole and F. Gill, editors, *The Birds of North America*, No. 298. Academy of Natural Sciences, Philadelphia, and American Ornithologists' Union, Washington, DC. 32 pp.
- Squires, J.R., and L.F. Ruggiero. 1996. Nest-site preference of Northern Goshawks in south-central Wyoming. *J. Wildl. Manage.* 60:170-177.
- St. Clair, C.C., M. Bélisle, A. Desrochers, and S. Hannon. 1998. Winter responses of forest birds to habitat corridors and gaps. *Conservation Ecology* [online] 2(2):13. Available online: <http://www.consecol.org/vol2/iss2/art13>

- Stabins, H., and K. Raedeke. 1992. Status of great blue heron nesting colonies in King County, Washington. Northwest Science 66:126. (abstract)
- Stalmaster, M.V. 1987. The bald eagle. Universe Books, New York. 227 pp.
- Starfield, A.M., K.A. Smith, and A.L. Bleloch. 1997. A pragmatic approach to modeling for wildlife management. Journal of Wildlife Management. 61:261-270.
- Stihler, C.W., and J.S. Hall 1993. Endangered bat populations in West Virginia caves gated or fenced to reduce human disturbance. Bat Research News 34(4):20-24.
- Stinson, D.W. 2001. Washington state recovery plan for the lynx. Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia, Washington. 78 pp.
- Stone, W.B., and J.C. Okoniewski. 1988. Organochlorine pesticide-related mortalities of raptors and other birds in New York, 1982-1986. Pp. 429-438 in T.J. Cade, J.E. Enderson, C.G. Thelander and C.M. White, eds. Peregrine Falcon Populations: Their management and recovery. The Peregrine Fund, Boise, Idaho.
- Strong, P.I.V. 1985. Habitat selection by common loons. University of Maine, Orono, Maine. Ph.D. dissertation.
- Strong, P.I.V., and J.A. Bissonette. 1985. Management considerations for common loons in Maine. Maine Coop. Wildl. Res. Unit, U.S. Fish and Wildlife Service, Orono, Maine. Unpublished report.
- Stout, W.E., R.K. Anderson, and J.M. Papp. 1998. Urban, suburban and rural red-tailed hawk nesting habitat and populations in southeast Wisconsin. J. Raptor Res. 32(2):221-228.
- Swenson, J.E. 1979. Factors affecting status and reproduction of Ospreys in Yellowstone National Park. Journal of Wildlife Management. 43:595-602.
- Teague, R.D., ed. 1971. A Manual of Wildlife Conservation. The Wildlife Society, Washington, D.C.
- Terrell, C.R., and P. Bytnar-Perfetti. 1989. Water quality indicators guide: surface waters. SCS-TP-161. U.S. Soil Conservation Service, Washington, D.C.
- The Nature Conservancy. 1998. Species management abstract: Pileated woodpecker (*Dryocopus pileatus*). Arlington, Virginia. 13pp.
- The Nature Conservancy. 1999. Species management abstract: Goshawk (*Accipiter gentilis*). Arlington, Virginia. 12pp. online
- The Nature Conservancy. 2001. Species management abstract: Vaux's swift (*Chaetura vauxi*). Arlington, Virginia. 11pp.
- Thomas, D.W., G.P. Bell, and M.B. Fenton. 1987. Variation in echolocation call frequencies recorded from North American Vespertilionid bats: a cautionary note. Journal of Mammalogy 68(4):843-845.
- Thomas, G.E. 1993. Estimating annual total heron population counts. Appl. Statistics 42: 473-486.
- Thomas, J.W., ed. 1979. Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. USDA, For. Serv., Agric. Handb. No. 553. Forest Service, U.S. Department of Agriculture. 512pp.

References

- Thomas, J.W. 1986. Wildlife-habitat modeling--cheers, fears, and introspection. Pp. xix-xxv *in* Verner, J.M., M.L. Ralph, C. J., eds. *Wildlife 2000: Modeling Habitat Relationships of terrestrial vertebrates*. The University of Wisconsin Press, Madison, Wisconsin.
- Thompson, C.W. 2000. Marbled murrelet population assessment and habitat relationships 1999-2000. Unpublished report, Washington Department of Fish and Wildlife, Mill Creek.
- Tilghman, N.G. 1987. Characteristics of urban woodlots affecting breeding bird diversity and abundance. *Landscape and Urban Planning* 14:481-495.
- Tipton, V.M. 1984. Evidence of movement of a maternity colony of *Plecotus townsendii virginianus* throughout the summer. *Virginia Journal of Science* 35:90. (abstract)
- Tracy, C.R., and P.F. Brussard. 1994. Preserving biodiversity: species in landscapes. *Ecological Applications* 4(2):205-207.
- Trevithic, M., T.A. O'Neill and C. Barrett. 2001. An introduction to wildlife-habitat relationships CD-ROM. P.686 & CD-ROM *in* Johnson, D.H., and T.A. O'Neill, eds. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR.
- Tuttle, M.D. 1981. Gating as a means of protecting cave dwelling bats. *In* Stitt, R., ed. *Cave gating: A handbook*. Revised 2nd ed., National Speleological Society, Huntsville, Alabama.
- Tuttle, M.D., and D.E. Stevenson. 1978. Variation in the cave environment and its biological implications. Pp. 108-121 *in* Zuber, R., J. Chester, S. Gilbert, and D. Rhodes, eds. *National cave symposium proceedings; 1977 October 3-7, Big Sky, Montana*. Albuquerque, New Mexico. Adobe Press.
- Tuttle, M.D., and D.A.R. Taylor. 1998. *Bats and mines*. Bat Conservation International, Resource Publication No. 3., revised edition. 50 pp.
- USDA. 1986. Guidelines for selecting live or dead standing tree wildlife habitat. USDA For. Serv. PNW. Reg. 6 pp.
- USFS. 1997. Tongass National Forest land and resource management plan: forest plan. US Department of Agriculture, Forest Service, Alaska Region. Juneau, Alaska.
- USFWS (U.S. Fish and Wildlife Service). 1997a. Recovery plan for the threatened Marbled Murrelet (*Brachyramphus marmoratus*) in Washington, Oregon, and California. U.S. Department of the Interior. Portland, Oregon, USA. 203 pp. Available online: <http://ecos.fws.gov/recovery%5Fplan/pdf%5Ffiles/1997/970924.pdf>
- USFWS. 1985. Sensitive species management plan for the western yellow-billed cuckoo. USDI U.S. Fish and Wildlife Service, Region 1.
- USFWS. 1987. Northern rocky mountain wolf recovery plan. USDI Fish and Wildlife Service, Denver, Colorado. 119 pp.
- USFWS. 1993. Grizzly Bear Recovery Plan, appended. USDI Fish and Wildlife Service, Missoula, Montana. 195 pp.
- USFWS. 1997b. Grizzly Bear Recovery Plan, supplement containing the North Cascades Recovery Plan. USDI Fish and Wildlife Service, Missoula, Montana. 24 pp.
- Van Daele, L.J. and H.A. Van Daele. 1982. Factors affecting the productivity of ospreys nesting in west-central Idaho. *Condor* 84:292-299.

- Van Horne, B. and J.A. Wiens. 1991. Forest Bird Habitat Suitability Models and the Development of General Habitat Models. *Fish and Wildlife Research* 8:1-30.
- Vana-Miller, S.L. 1987. Habitat suitability index models: Osprey. USDI Fish and Wildlife Service Biological Report 82(10.154).
- Verner, J.M., M.L. Morrison, and C.J. Ralph, editors. 1986. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates*. The University of Wisconsin Press, Madison, Wisconsin.
- Vitousek, P.M., H.A. Mooney, J. Lubchenco, and J.M. Melillo. 1997. Human domination of Earth's ecosystems. *Science* 277:494-499.
- Vivian-Smith, G. 1997. Microtopographic heterogeneity and floristic diversity in experimental wetland communities. *Journal of Ecology* 85:71-82.
- Vizyova, A. 1986. Urban woodlots as islands for vertebrates: a preliminary attempt on estimating the barrier effect of urban structural units. *Ecology (CSSR)* 5:407-419.
- Vonhof, M.J., and R.M.R. Barclay. 1997. Use of stumps as roosts by the western long-eared bat. *Journal of Wildlife Management*. 61(3):674-684.
- Vos, K.K., R.A. Ryder, and W.D. Graul. 1985. Response of breeding great blue herons to human disturbance in north central Colorado. *Colonial Waterbirds* 8:13-22.
- Wallen, R.L. 1987. Habitat utilization by harlequin ducks in Grand Teton National Park. Thesis, Montana State University, Bozeman, Montana.
- Ware, D.A., M. Tirhi, and B. Herbig. 1999. Mountain quail (*Oreortyx pictus*). In E. M. Larsen and N. Nordstrom, editors. *Management Recommendations for Washington's Priority Species, Volume IV: Birds*.
- WDFW (Washington Department of Fish and Wildlife). 1995. *Priority Habitat Management Recommendations: Snags-Draft*. Washington Department of Fish and Wildlife, Olympia, Washington.
- WDFW. 1999a. *Game status and trend report*. Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia, Washington. 195 pp.
- WDFW. 1999b. *Priority Habitats and Species*. Washington Department of Fish and Wildlife, Olympia, Washington.
- WDFW 199X. *Management recommendations for the red-tailed hawk (Buteo jamaicensis)*. Mill Creek, Washington.
- WDW (Washington Department of Wildlife). 1989. *Merlin, Falco columbarius*. Washington Department of Fish and Wildlife, Olympia, Washington.
- WDW. 1991. *Endangered & Threatened 1991 Status Report*. Washington Department of Wildlife, Olympia, Washington. 14 pp.
- WDW. 1991a. *Species of concern list*. Wash. Dept. of Wildl., Nongame Prog., Olympia, Washington.
- WDW. 1993. *Townsend's big-eared bat (Plecotus townsendii)*. Draft management recommendations. Wash. Dept. Wildl., Nongame Prog., Olympia, Washington.

- WDW. 1994. Priority habitats management recommendations: caves. Unpub. Draft Rep. Olympia, Washington. 54 pp plus front matter.
- Washington State Department of Revenue. 1993. Open space taxation act: current use assessment information. Washington State Department of Revenue, Olympia, Washington.
- Waters, J.R., B.R. Noon, and J. Verner. 1990. Lack of nest site limitation in a cavity-nesting bird community. *Journal of Wildlife Management* 54:239-245
- Watershed Management Committee. 1998. Lower Cedar River Basin and Nonpoint Pollution Action Plan. Metropolitan King, Seattle, Washington.
- Watson, J.W., D.W. Hays, S.P. Finn, and M.P. Meehan. 1998. Prey of breeding northern goshawks in Washington. *Journal of Raptor Research* 32(4):297-305.
- Watson, J.W., D.W. Hays, and D.J. Pierce. 1999. Efficacy of northern goshawk broadcast surveys in Washington State. *Journal of Wildlife Management* 63(1):98-106.
- Watson, J.W., and D.J. Pierce. 1998. Migration, diets, and home ranges of bald eagles breeding along Hood Canal and at Indian Island, Washington. WDFW. Wildlife Research Division. Olympia.
- Watson, J.W., and E.A. Rodrick. 2002. Bald eagle (*Haliaeetus leucocephalus*). In E.M. Larsen and N. Nordstrom, editors. Management Recommendations for Washington's Priority Species, Volume IV: Birds
- Wegner, J. and G. Merriam. 1979. Movement of birds and small mammals between a wood and adjoining farmland habitats. *Journal of Applied Ecology* 16:349-357.
- Welsh, H. H.J., and A.L. Lind. 1988. Old growth forest and the distribution of the terrestrial herpetofauna. Pp. 439-458 in R.C. Szaro, K.E. Severson, and D.R. Patton, editors. Management of amphibians, reptiles, and small mammals in North America. USDA Forest Service, Gen. Tech. Rep. RM-166, Fort Collins, Colorado.
- Westall, M.A. 1986. Osprey in R.L. Di Silvestro, ed. Audubon Wildlife Report 1986. National Audubon Soc., New York.
- White, C.M., W.B. Emison, and W.M. Bren. 1988. Atypical nesting habitat of the peregrine falcon (*Falco peregrinus*) in Victoria, Australia. *Journal of Raptor Research* 22:37-43.
- White, C.M., and T.L. Thurow. 1985. Reproduction of ferruginous hawks exposed to controlled disturbance. *The Condor* 87:14-22.
- White, D.H., and J.T. Seginak. 1987. Cave gate designs for use in protecting endangered bats. *Wildlife Society Bulletin* 15:445-449.
- White, P.S. 1979. Pattern, process, and natural disturbance in vegetation. *Botanical Review* 45: 229-299.
- Whittaker, R.H. and S.A. Levin. 1977. The role of mosaic phenomena in natural communities. *Theoretical Population Biology* 12: 117-139.
- Widen, P. 1989. The hunting habitat of goshawks *Accipiter gentilis* in boreal forests of central Sweden. *Ibis*. 131(2):205-31.
- Willson, M.F. 1974. Avian community organization and habitat structure. *Ecology* 55:1017-1029.

- Wilson, A.G., Jr., J.H. Larsen, Jr., and K.R. McAllister. 1995. Distribution of Van Dyke's salamander (*Plethodon vandykei* Van Denburgh). *Am. Midl. Nat.* 134:388-393.
- Woodbridge, B. and P.J. Detrich. 1994. Territory occupancy and habitat patch size of northern goshawks in the southern Cascades of California. *Studies in Avian Biology* 16:83-87.
- Wootton, J.T., and D.A. Bell. 1992. A metapopulation model of the peregrine falcon in California: Viability and management strategies. *Ecological Applications* 2:307-321.
- Wright, J.B. 1998. The role of conservation easement sites in biogeographic and biological research in the U.S.A. *Environmental conservation* 25:85-89.
- Yahner, R.H. 1988. Changes in wildlife communities near edges. *Conservation Biology* 2:333-339.
- Yoakum, J., and W.P. Dasmann. 1971. Habitat manipulation practices. p.173-231. *In* Giles, R.H., ed. *Wildlife Management Techniques*. The Wildlife Society, Washington, D.C.
- Zarn, M. 1974. Osprey (*Pandion haliaetus carolinensis*). USDI BLM Habitat Management Series for Unique or Endangered Species Rept. # 12.
- Zwickel, F.C., and J.F. Bendell. 1985. Blue grouse-effects on and influences of a changing forest. *The Forestry Chronicle* 61:185-188.

Chapter 9: Wetlands

- Adamus, P., T. J. Danielson, and A. Gonyaw. 2001. Indicators for Monitoring Biological Integrity of Inland Freshwater Wetlands: A survey of North America Technical Literature (1990-2000). EPA843-R-01, US Environmental Protection, Washington, DC.
- Adamus, P. R. 1983. A method for wetland functional assessment, volume II. FHWA Assessment Method. Federal Highway Administration, U.S. Department of Transportation, Washington, DC. Rep. No. FHWA-IP-82-24.
- Adamus, P. R. 1995. Validating a habitat evaluation method for predicting avian richness. *Wildlife Society Bulletin* 23:743-749.
- Adamus, P.R. 2000. Terrestrial vertebrate species of the Willamette River Basin: A species habitat relationships matrix and spatial modelling approach. Report to USEPA Environmental Research Laboratory, Corvallis, OR.
- Adamus, P. R. 2001. Methods for evaluating wetland condition: Biological assessment methods for birds. Pages 1-16 in. U.S. Environmental Protection Agency, Office of Water, Washington, DC. EPA 822-R-01-0071.
- Adamus, P. 2003. National Database of Wetland Plant Sensitivities to Enrichment and Hydrologic Alteration. USEPA/Oregon State University,
- Adamus, P.R. and L.T. Stockwell. 1983. A method for wetland functional assessment, vol.1. FHWA, U.S. Department of Transportation, FHWA-IP-82-23.
- Adamus, P.R., L.T. Stockwell, Clarain F. J. Jr., M. E. Morrow, L. E. Rozas, and R. D. Smith. 1991. Wetland evaluation technique (WET), Volume 1: Literature review and evaluation

rationale. US Army Corpse of Engineers, Waterways Experiment Station, Vicksburg, MS. Wetlands Research Program Technical Report WRP-DE-2.

- Addiscott, T.M. 1997. A critical review of the value of buffer zone environments as pollution control tool. Pages 236-243 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection*. The Proceedings of the International Conference on Buffer Zones. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Allen, A.W. 1983. *Habitat Suitability Index Models: Mink*. Fish and Wildlife Service, Department of the Interior, FWA/OBS-82/10.61
- Armstrong, T.N., R. Reimschuessel, and B.P. Bradley. 2002. DNA damage, histological changes and DNA repair in larval Japanese medaka (*Oryzias latipes*) exposed to ultraviolet-B radiation. *Aquatic Toxicology* 58:1-14.
- Arnold C.L. Jr. and C.J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. *American Planning Association Journal* 62:243-258.
- Arora, K., S.K. Mickelson, J.L. Baker, D.P. Tierney, and C.J. Peters. 1996. Herbicide retention by vegetative buffer strips from runoff under natural rainfall. *Trans. ASAE* 39:2155-2162.
- Askins, R.A. 2000. *Restoring North America's Birds: Lessons from Landscape Ecology*. Yale University Press, New Haven, CN.
- Aubry, K.B. 1997. Influence of Stand Structure and Landscape Composition on Terrestrial Amphibians. p.1-43. *In* Aubry, K.B., S.D. West, D.A. Manuwal, A.B. Stringer, J.L. Erickson and S. Pearson (eds.) *Wildlife Use of Managed Forests: A Landscape Perspective*. Timber, Fish, and Wildlife,
- Aubry, K. 2000. Amphibians in managed, second-growth Douglas-fir forests. *J. Wildl. Manage.* 64:1041-1052.
- Azous, A.L. and S.S. Cooke. 2001. Wetland plant communities in relation to watershed development. Pages 255-263 in A. L. Azous and R. R. Horner, editors. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Azous, A.L. and R.R. Horner (eds.) 2001. *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL, USA.
- Azous, A.L., L.E. Reinelt, and J. Burkey. 1997. Managing wetland hydroperiod: Issues and Concerns. Chapter 13. Pages 187-197 in A. L.A. a. R.R. Horner, editor. *Wetlands and Urbanization: Implications for the Future*. Washington State Department of Ecology, Olympia, WA. King County Water and Land Resources Division and the University of Washington, Seattle, WA. Olympia and Seattle, WA.
- Azous, A.L. and K.O. Richter. 1995. Amphibian and plant community responses to changing hydrology in urban wetlands. Pages 156-162 in E. Robichaud, editor. *Puget Sound Research 1995 Proceedings*. Puget Sound Water Quality Authority, Olympia, WA, USA.
- Balda, R.P. 1975. Vegetation structure and breeding bird diversity. Pages 59-80 in D.R. Smith, editor. *Management of forest and range habitats for nongame birds: proceedings of the symposium*. USDA Forest Service Gen. Tech. Rep. WO-1, Washington, DC.
- Baker, C. and H. Haemmerle. 1990. Native growth protection easements -- survival and effectiveness. King County and King County Conservation District, Seattle, WA.

References

- Batzer, D.P. and V.H. Resh. 1992. Macroinvertebrates of California seasonal wetlands and responses to experimental habitat manipulation. *Wetlands* 12:1-7. Beier, P., and R. F. Noss. 1998. Do habitat corridors provide connectivity? *Conservation Biology* 12:1241-1252.
- Bell, J.M. 2002. An assessment of selected Sphagnum-dominated peatlands of King County, Washington and their decline. M.Sc. Olympia, WA.
- Bennett, A.F. 1990. Habitat corridors and the conservation of small mammals in a fragmented forest environment. *Landscape Ecology* 4:109-122
- Bennett, A.F. 1991. Roads, roadsides and wildlife conservation: a review. Pages 99-118 in D. A. Saunders and R. J. Hobbs, editors. *Nature Conservation 2:the role of corridors*. Beatty & Sons, Chipping Norton, New South Wales, Australia.
- Boles, M. 2001. Wetland Hydrology Guidelines - Draft. King County Department of Development and Environmental Services, Renton, WA.
- Booth, D.B. 2000. Forest cover, impervious-surface area, and the mitigation of urbanization impacts in King County, Washington. Center for Urban Water Resources Management, Seattle, WA, USA. unpublished
- Booth, D.B. and P.C. Henshaw. 2002. Rates of channel erosion in small urban streams. p. 17-38. *In* Wigmosta, M. S. and S. J. Burges (eds.) *Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas*. Water Science and Application Volume 2. American Geophysical Union, Washington, D.C.
- Brennan, J. 2001. Reconnaissance assessment of the state of the nearshore ecosystem: Eastern Shore of Central Puget Sound, including Vashon and Maury Islands (WRIAs 8 and 9). Battelle Marine Sciences Laboratory, Pentec Environmental, Striplin Environmental Associates, Shapiro Associates Inc., King County Department of Natural Resources, Seattle, WA.
- Blaustein, A., J.M. Romansic, J.M. Kiesecker, and A.C. Hatch. 2003. Ultraviolet radiation, toxic chemicals and amphibian population declines. *Diversity and Distributions* 9:123-140.
- Blaustein, A.R., P.D. Hoffman, D.G. Hokit, J.M. Kiesecker, S.C. Walls, and J.B. Hays. 1994b. UV repair and resistance to solar UV-B in amphibian eggs: A link to population declines? *Proceedings National Academy of Sciences* 9:1791-1795.
- Blaustein, A.R., J.J. Beatty, D.H. Olson, and R.M. Storm. 1995. *The Biology of Amphibians and Reptiles in Old-Growth Forests in the Pacific Northwest*. PNW-GTR-337, US Forest Service, Pacific Northwest Research Station, Corvallis, OR, USA.
- Borgeraas, J. and D.O. Hessen. 2002. Variations of antioxidant enzymes in *Daphnia* species and populations as related to ambient UV exposure. *Hydrobiologia* 477:15-30.
- Brandt, M., S. Bergstrom, and M. Gardelin. 1988. Modelling the effects of clearcutting on runoff - examples from central Sweden. *Ambio* 17:307-313.
- Brinson, M.M. 1993a. A Hydrogeomorphic Classification for Wetlands. Final Technical Report WRP-DE-4, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Brinson, M.M. 1993b. Changes in the functioning of wetlands along environmental gradients. *Wetlands* 13:65-74.

- Brook, B.W., D.W. Tonkyn, J.J. O'Grady, and R. Frankham. 2002. Contribution of inbreeding to extinction risk in threatened species. *Conservation Biology* 6:16 [online].
- Brooks, R.P., and M.J. Croonquist. 1990. Wetland, habitat, and trophic response guilds for wildlife species in Pennsylvania. *Journal of the Pennsylvania Academy of Science* 64:93-102.
- Brown, C.J. and B. Blossey. 2002. Plant invasions and amphibian declines: are they linked? In *Society for Conservation Biology 16th Annual Meeting*, editor. (Co hosted by DICE and the British Ecological Society), Canterbury, UK.
- Brown, E.R. 1985a. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 1-Chapter narratives. USDA Forest Service, USFS Pub. No. R6-F&WL-192-1985, Portland, OR.
- Brown, E.R. 1985b. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 2-Appendices. USDA Forest Service, USFS Pub. No. R6-F&WL-192-1985, Portland, OR.
- Brown, M. and J.J. Dinsmore. 1986. Implications of marsh size and isolation for marsh bird management. *J. Wildl. Manage.* 50:392-397.
- Brown, M.T., J.M. Schaefer, and K.H. Brandt. 1990. Buffer zones for water, wetlands and wildlife in East Central Florida. Prepared for the East Central Florida Regional Planning Council, Winter Park, Florida. Center for Wetlands, University of Florida, Gainesville, Florida.
- Burke, V.J. and G.J. Whitfield. 1995. Terrestrial buffer zones and wetland conservation: A case study of freshwater turtles in Carolina bay. *Conservation Biology* 9:1365-1369.
- Bury, R.B. 1988. Habitat Relationships and Ecological Importance of Amphibians and Reptiles. p.61-76. In Raedeke, K. J. (eds.) *Streamside Management: Riparian Wildlife and Forestry Interactions*.
- Carr, L.W. and L.L. Fahrig. 2001. Effect of road traffic on two amphibian species of differing vagility. *Conservation Biology* 15:1071-1078
- Castelle, A. J. and A. W. Johnson. 2000. Riparian vegetation effectiveness. National Council for Air and Stream Improvement, Research Triangle Park, NC, USA. Tech. Bull. No. 799.
- Castelle, A.J., C. Conolly, M. Emers, E. D. Metz, S. Meyer, M. Witter, S. Mauermann, T. Erickson, and S. S. Cooke. 1992a. Wetland Buffers: Use and Effectiveness. Publication #92-10, Adolphson Associates, Inc., Shorelands and Coastal Zone Management Program, Olympia, WA, USA.
- Castelle, A.J., A.W. Johnson, and C. Conolly. 1994. Wetland and stream buffer size requirements - a review. *Journal of Environmental Quality* 23:878-882.
- Chaubey, I., D.R. Edwards, T.C. Daniel, P.A. Moore Jr., and D.I. Nichols. 1994. Effectiveness of vegetative filter strips in retaining surface-applied swine manure constituents. *Trans. ASAE* 37:845-850.
- Clawson, R.G., B.G. Lockable, R.H. Jones, J.A. Stanturf, and M. Messina. 1997. Amphibian responses to helicopter harvesting in forested floodplains of low order, backwater streams. *Forest Ecology and Management* 90:225-235.
- Colborn, T. and K. Thayer. 2000. Aquatic ecosystems: harbingers of endocrine disruption. *Ecological Applications* 10:949-957.

References

- Cooper, J.R., J.W. Gilliam, R. B. Daniels, and W. P. Robarge. 1987. Riparian areas as filters for agricultural sediment. *J. Soil Sci. Soc. Am.* 51:416-420.
- Correll, D.L. 1997. Buffer zones and water quality protection: general principles. Pages 7-20 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their Processes and Potential in Water Protection. The Proceedings of the International Conference on Buffer Zones*, September 1996. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Cowardin, L.M., V. Carter, F.C. Goulet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitat of the United States. FWS/OBS-79/31, U.S. Fish and Wildlife Service, Washington D.C., USA.
- Cronk, J.K. and M.S. Fennessy. 2001. *Wetland plants biology and ecology*. Lewis Publishers, Boca Raton, FL.
- Croonquist, M.J. 1990. Avian and mammalian community comparisons between protected and altered watersheds- a landscape approach. MS. Pennsylvania State University, University Park, PA.
- Croonquist, M.J., and R. Brooks. 1993. Effects of habitat disturbance on bird communities in riparian corridors. *Journal of Soil and Water Conservation* 48:65-70.
- Cummins, K.W., M.A. Wilzbach, D.M. Gates, J.B. Perry, and W.B. Taliaferro. 1989. Shredders and Riparian Vegetation. *Bioscience* 39:24-30.
- Daniels, M.B. and J.W. Gilliam. 1996. Sediment and chemical load reduction by grass and riparian filters. *Soil Sci. Soc. Amer. J.* 60:246-251.
- Davidson, C., H.B. Shaffer and M.R. Jennings. 2002. Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate-change hypotheses for California amphibian declines. *Conservation Biology* 16:1588-1601.
- Dawson, D. 1994. Are habitat corridors conduits for animals and plants in a fragmented landscape: a review of the scientific evidence. Number 94, *English Nature Research Reports*, Peterborough, England.
- deMaynadier, P.G., and M.L. Hunter Jr. 1999. Forest canopy closure and juvenile emigration by pool-breeding amphibians in Maine. *Journal of Wildlife Management* 63:441-450.
- Dennison, M.S., and J.F. Berry. 1993. *Wetlands: Guide to science, law, and technology*. Noyes Publications, Park Ridge, New Jersey, U.S.A.
- Desbonnet, A., P. Pogue, V. Lee and N. Wolff. 1994. Vegetated buffers in the Coastal Zone - A summary review and bibliography. Coastal Resources Center Tech. Rep. Num. 2064. University of Rhode Island Graduate School of Oceanography, Narragansett, RI.
- Dickerson, K.K., M.J. Hooper, T. Huang and M. Allen. 2003. Determination of malathion aerial drift and associated effects to the endangered Wyoming Toad (*Bufo baxteri*) at Mortenson and Hutton Lake National Wildlife Refuges and Potential Reintroduction Sites. p.96-110. *In* Linder, G., S. Krest, D. Sparling and E.E. Little (eds.) *Multiple stressor effects in relation to declining amphibian populations*, ASTM STP 1443. ASTM International,
- Dickson, B.C., and D.J. Schaeffer. 1997. Ecorestoration of riparian forests for non-point source pollution control: Policy and ecological considerations in agroecosystem watersheds. Pages 221-227 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. *Buffer Zones: Their*

- Processes and Potential in Water Protection. The Proceedings of the International Conference on Buffer Zones. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Dillaha, T.A., III, and S.P. Inamdar. 1997. Buffer zones as sediment traps or sources. Pages 33-42 in N. Haycock, T. Burt, K. Goulding, and G. Pinay, editors. Buffer Zones: Their Processes and Potential in Water Protection. The Proceedings of the International Conference on Buffer Zones. Quest Environmental, Harpenden, Hertfordshire, UK, Oxford, UK.
- Dodd, C.K. Jr. 1996. Use of terrestrial habitats by amphibians in the sandhill uplands of north-central Florida. *Alytes* 14:42-52.
- Dodd, C.K. Jr., and B. S. Cade. 1998. Movement patterns and the conservation of amphibians breeding in small, temporary wetlands. *Conservation Biology* 12:331-339.
- Dodd C.K. Jr., and L.L. Smith. 2003. Habitat destruction and alteration: historical trends and future prospects for amphibians. p. 94-112. In Semlitsch, R.D. (eds.) *Amphibian Conservation*. Smithsonian Books, Washington, D.C.
- Doyle, R.C., G.C. Stanton, and D.C. Wolf. 1977. Effectiveness of forest and grass buffer filters in improving water quality of manure polluted runoff. American Society of Agricultural Engineers. Paper 77-2501,
- Dumas, P.C. 1966. Studies of the *Rana* species complex in the Pacific Northwest. *Copeia* 1966:60-73.
- Dunne, T., and L.B. Leopold. 1978. *Water in Environmental Planning*. W.H. Freeman and Company, San Francisco, CA, USA.
- Ebbert, J.C., S.S. Embrey, B.R.W, A J. Tesoriero, and A.L. Haggland. 2000. *Water Quality in the Puget Sound Basin, Washington and British Columbia 1996098*. USGS, Denver, CO. U.S. Geological Survey Circular 1216.
- Efford, I.E., and J.A. Mathias. 1969. A comparison of two salamander populations in Marion Lake, British Columbia. *Copeia* 1969:723-736.
- Emers, M. 1990. Community patterns along a water level gradient in freshwater wetlands. M.SC. Thesis, University of Washington.
- Erman, D.C., J.D. Newbold, and K.B. Roby. 1977. Evaluation of streamside bufferstrips for protecting aquatic organisms. California Water Resources Center, Davis, CA, USA. Contribution No. 165, ISSN 0575-4941.
- Euliss, N.H., Jr., and D.M. Mushet. 1996. Water-level fluctuation in wetlands as a function of landscape condition in the prairie pothole region. *Wetlands* 16:587-593.
- Ewing, K. 1996. Tolerance of four wetland plant species to flooding and sediment deposition. *Environmental and Experimental Botany* 36:131-146.
- Fahrig, L. 1997. Relative effects of habitat loss and fragmentation on population extinction. *Journal of Wildlife Management* 61:603-610.
- Fahrig, L. and G. Merriam. 1985. Habitat patch connectivity and population survival. *Ecology* 66:1762-1768.
- Fahrig, L., J. H. Pedlar, S. E. Pope, P. D. Taylor, and J. F. Wegner. 1995. Effect of road traffic on amphibian density. *Biological Conservation* 73:177-182.

- Fairbairn, S. E. and J. J. Dinsmore. 2001. Local and landscape-level influences on wetland bird communities of the prairie pothole region of Iowa, USA. *Wetlands* 21:41-47.
- Federal Interagency Committee for Wetland Delineation, (U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service and U.S. D.A. Soil Conservation Service). 1989. Cooperative Tech. Pub. Federal Manual for Identifying and Delineating Jurisdictional Wetlands.
- Findlay, C. S. and J. Houlihan. 1997. Human correlates of species richness in Southeastern Ontario wetlands. *Conservation Biology* 11:1000-1009.
- Foppen, R. and R. Reijnen. 1994. The effects of car traffic on breeding bird populations in woodland. II. Breeding dispersal of male yellow warblers (*Phylloscopus trochilus*) in relation to the proximity of a highway. *Journal of Applied Ecology* 31:95-101.
- Foppen, R. P. B., J. P. Chadron, and W. Liefveld. 2000. Understanding the role of sink patches in source-sink metapopulations: reed warbler in an agricultural landscape. *Conservation Biology* 14:1881-1891.
- Forest Ecosystem Management Assessment Team, F. 1993. Forest Ecosystem Management: An Ecological, Economic, and Social Assessment. United States Department of Agriculture, Forest Service
- Forman, R. T. T. 1995. Land mosaics the ecology of landscapes and regions. Cambridge University Press, Cambridge, England.
- Forman, R. T. T. and M. Godron. 1986. Landscape Ecology. John Wiley & Sons, International.
- Forman, R. T. T. and Others. 2003. Road ecology: science and solutions. Island Press, Washington, DC.
- Franklin, J. F. and R. T. T. Forman. 1987. Creating landscape patterns by forest cutting: Ecological consequences and principles. *Landscape Ecology* 1:5-18.
- Freda, J. 1986. The influence of acidic pond water on amphibians: a review. *Water Air Soil Pollution* 30:39-450.
- Galatowitsch, S. M. and A. van der Valk. 1994. Restoring Prairie Wetlands: An Ecological Approach. Iowa State University Press, Ames, IO, USA.
- Galatowitsch, S. M., N. O. Anderson, and P. D. Ascher. 1999. Invasiveness in wetland plants in temperate North America. *Wetlands* 19:733-755.
- Galli, F.J. 1991. Thermal impacts associated with urbanization and stormwater management best management practices. Metropolitan Washington Council of Governments/Maryland Department of Environment, Washington, DC.
- Ghaffarzadeh, M., C.A. Robinson, and R.M. Cruse. 1992. Vegetative filter strip effects on sediment deposition from overland flow. Madison, WI: Agronomy Abstracts, ASA. 324 pp.
- Gibbs, J.P. 1993. Importance of small wetlands for the persistence of local populations of wetland-associated animals. *Wetlands* 13:25-31.
- Gibbs, J.P. 1998a. Amphibian movements in response to forest edges, roads, and streambeds in southern New England. *Journal of Wildlife Management* 62:584-589.

- Gibbs, J.P. 1998b. Distribution of woodland amphibians along a forest fragmentation gradient. *Landscape Ecology* 13:263-268.
- Gibbs, J.P. 2000. Wetland loss and biodiversity conservation. *Conservation Biology* 14:314-317.
- Gibbs, J.P., J.R. Longcore, D.G. McAuley, and J.K. Ringelman. 1991. Use of wetland habitats by selected nongame water birds in Maine. U.S. Fish and Wildlife Service, Fish Wildl. Res. 9, Washington, DC, USA.
- Gilbert, F.F. and R. Allwine. 1991. Terrestrial amphibian communities in the Oregon Cascade Range. p.319-324. *In* Aubry, K. B. and M. H. Brookes (eds.) *Wildlife and vegetation of unmanaged Douglas-Fir forests*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR, USA.
- Gosselink, J.G. and L.C. Lee. 1989. Cumulative impact assessment in bottomless hardwood forests. *Wetlands* 9:Special Issue.
- Gosselink, J.G., G.P. Shaffer, L.C. Lee, D.M. Burdick, D.L. Childers, N.C. Leibowitz, S.C. Hamilton, R. Boumans, D. Cushman, S. Fields, M. Koch and J.M. Visser. 1990. Landscape conservation in a forested wetland watershed: Can we manage cumulative impacts? *BioScience* 40:588-600.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones: Focus on links between land and water. *Bioscience* 41:540-551.
- Grismer, M.E. 1981. Evaluating dairy waste management systems influence on fecal coliform concentration in runoff. M.Sc. Oregon State University, Corvallis, OR.
- Gulve, P.S. 1994. Distribution and extinction patterns within a northern metapopulation of the pool frog, *Rana lessonae*. *Ecology* 75:1357-1367
- Gustafson, E.J., and G.R. Parker. 1994. Using an index of habitat patch proximity for landscape design. *Landscape and Urban Planning* 29:117-130.
- Hagar, J.C. 1999. Influence of riparian buffer width on bird assemblages in western Oregon. *J. of Wildlife Management* 63:484-496.
- Haila, Y., I. Hanski and S. Raivio. 1993. Turnover of breeding birds in small forest fragments: the “sampling” colonization hypothesis corroborated. *Ecology* 74:714-725.
- Haines, T.A. 1981. Acidic precipitation and its consequences for aquatic ecosystems: A review. *Transactions of the American Fisheries Society* 110:669-707.
- Hammer, D.A. 1989. *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial and Agricultural*. Lewis Publishers, Inc., Chelsea, MI.
- Hammer 2002 *Creating freshwater wetlands*. Lewis Publishers, Boca Raton, FL
- Harris, L.D. 1984. Travel corridors and connectivity of islands. Pages 141-144 in *The Fragmented Forest: Island Biogeography Theory and the Preservation of Biotic Diversity*. University of Chicago Press, Chicago, IL.
- Harris, L.D. and J. Eisenberg. 1989. Enhanced linkages: Necessary steps for success in conservation of faunal diversity. Pages 166-181 in M. C. Pearl and D. Western, editors. *Conservation for the 21st century*. Oxford University Press, New York, NY.

- Harris, L.D. and P.B. Gallagher. 1989. New initiatives for wildlife conservation: the need for movement corridors. Pages 11-34 in G. Mackintosh, editor. In defense of wildlife: Preserving communities and corridors. Defenders of Wildlife, Washington DC.
- Harris, R.A. 1986. Vegetative barriers: An alternative highway noise abatement measure. *Noise Control Engineering Journal* 27:4-8.
- Hawkins, C.P., M.L. Murphy, N.H. Anderson, and M. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1173-1185
- Hawkes, V.C., G.F. Searing, and M.W. Demarchi. 2003. Effectiveness of riparian management zones in providing habitat for wildlife: Resampling at extended post-treatment interval. State of Washington Department of Natural Resources, Olympia, WA. Year 1 Annual Report.
- Hayes, M.P., C.A. Pearl, and C.J. Rombough. 2001. *Rana aurora aurora* (Northern Red-legged frog) movement. *Herpetological Review* 32:35-38.
- Hensel, B.R. and M.V. Miller. 1991. Effects of wetlands creation on groundwater flow. *Journal Of Hydrology* 126:293-314.
- Herricks, E.E. 1995. *Stormwater Runoff and Receiving Systems: Impact, Monitoring, and Assessment*. CRC Lewis Publishers, New York.
- Hicks, A.L. 1995. Impervious surface area and benthic macroinvertebrate response as an index of impact from urbanization on freshwater wetlands. M.S. University of Massachusetts, Amherst, MA, USA.
- Hinsley, S.A., P.E. Bellamy, and I. Newton. 1995. Bird species turnover and stochastic extinction in woodland fragments. *Ecography* 18:41-50.
- Holling, C.S. (eds.) 1978. *Adaptive Environmental Assessment and Management*. Wiley, New York, NY.
- Horner, R.R. 1995. Toward ecologically based urban runoff management. p. 365-377. *In* Herricks, E.E. (eds.) *Stormwater Runoff and Receiving Systems: Impact, Monitoring, and Assessment*. CRC Lewis Publishers, New York.
- Horner, R.R. and B.W. Mar. 1982. Guide for water quality impact assessment of highway operations on maintenance. Washington Department of Transportation, Olympia, WA. Report No. WA-RD-39.14.
- Horner, R.R., A.L. Azous, K.O. Richter, S.S. Cooke, L.E. Reinelt, and K. Ewing. 2001. Wetlands and stormwater management guidelines. p. 299-323. *In* Azous, A.L. and R.R. Horner (eds.) *Wetlands and Urbanization: Implications for the Future*. Lewis Publishers, Boca Raton, FL.
- Houck, C.A. 1996. The distribution and abundance of invasive plant species in freshwater wetlands of the Puget Sound Lowlands, King County, Washington. M.Sc., University of Washington, Seattle, WA.
- Hruby, T., T. Granger, K. Brunner, S. Cooke, K. Dublonica, R. Gersib, L. Reinelt, K. Richter, D. Sheldon, E. Teachout, A. Wald, and F. Weinmann. 1999. *Methods for Assessing Wetland Functions Volume 1: Riverine and Depressional Wetlands in the Lowlands of Western Washington*. No. 99-115, Washington State Department of Ecology, Olympia, WA.

- Hruby, T., W.E. Cesanek, and K.E. Miller. 1995. Estimating relative wetland values for regional planning. *Wetlands* 15:93-107.
- Janzen, D.H. 1983. No park is an island: Increase in interference from outside as park size decreases. *Oikos* 41:402-410.
- Janzen, D.H. 1996. No park is an island: Increase in interference from outside as park size decreases. Pages 192-202 in F. B. Samson and F. L. Knopf, editors. *Ecosystem Management: Selected Readings*. Springer-Verlag, New York.
- Johnson, A.W. and D.M. Ryba. 1992. A Literature Review of Recommended Buffer Widths to Maintain Various Functions of Stream Riparian Areas. King County Surface Water Management Division, Seattle, WA USA.
- Johnson, P.A., D.L. Mock, E.J. Teachout, and A. McMillan. 2000. Washington State Wetland Mitigation Evaluation Study Phase 1: Compliance. WSDOE Washington State Department of Ecology, DOE, Olympia, WA. 00-06-016
- Johnson, P.A., D.L. Mock, A. McMillan, L. Driscoll, and T. Hruby. 2002. Washington State Wetland Mitigation Evaluation Study Phase 2: Evaluating Success. Washington State Department of Ecology, DOE, Olympia, WA. 02-06-009.
- Joly, P., C. Miaud, A. Lehmann, and O. Grolet. 2001. Habitat matrix effects on pond occupancy in newts. *Conservation Biology* 15:239-248.
- Jones, J.R., B.P. Borofka, and R. W. Bachmann. 1976. Factors effecting nutrient loads in some Iowa streams. *Water Res.* 100:117-122.
- Kauffman, J.B., M. Mahrt, L.A. Mahrt, and W. D. Edge. 2001. Wildlife of riparian habitats. P.361-388: book 736. *In* Johnson, D.H. and T.A. O’Neil (eds.) *Wildlife-Habitat Relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR, USA.
- Keddy, P.A. 1990. Competitive hierarchies and centrifugal organization in plant communities. p. 265-290. *In* Grace, J.B. and D. Tilman (eds.) *Perspectives on Plant Competition*. Academic Press, New York, NY.
- Keddy, P.A. 2000. *Wetland Ecology Principles and Conservation*. Cambridge University Press, Cambridge, UK.
- Keller, C.M.E., C.S. Robbins, and J.S. Hatfield. 1993. Avian communities in riparian forests of different widths in Maryland and Delaware. *Wetlands* 13:137-144.
- King County. 1990. Sensitive Areas Ordinance, Title 21. King County, Seattle, WA.
- King County. 1991. King County Wetlands Inventory. King County Environmental Division, Parks, Planning and Resources Department, Seattle, WA, USA.
- King County 1994. Surface Water Management Division, Final East Lake Sammamish Basin and Nonpoint Action Plan. King County, Surface Water Management Division, Seattle, WA.
- King County. 1998. King County Surface Water Design Manual. Department of Natural Resources, Seattle, WA.
- King County Surface Water Management Division, Snohomish County Surface Water Management, and City of Redmond Stormwater Division. 1990. Bear Creek Basin Plan. King County Surface Water Management Division, Seattle, WA.

- King County Surface Water Management Division, Washington State Department of Ecology, and City of Issaquah. 1996. Final Issaquah Creek Basin and Nonpoint Action Plan. King County Department of Natural Resources, Seattle, WA.
- Klein, R.D. 1979. Urbanization and stream quality impairment. *Wat. Res. Bull.* 15:948-963.
- Knopf, F.L. and F.B. Samson. 1988. Ecological patterning of riparian avifaunas. p.77-78. *In* Raedeke, K. J. (eds.) *Streamside management: Riparian wildlife and forestry interactions*. University of Washington, Institute of Forest Resources, Seattle, WA.
- Kostadinov, S.C. and S.S. Mitrovic 1994. Effect of forest cover on the stream flow from small watersheds. *Journal of Soil and Water Conservation* 382-385.
- Knutson, K.L., and V.L. Neaf. 1997. Management recommendations for Washington's priority habitats: Riparian. Washington Department of Fish and Wildlife, Olympia, WA.
- Konrad, C.P. and D.B. Booth. 2002. Hydrologic trends associated with urban development for selected streams in the Puget Sound Basin, Western Washington. U.S. Geological Survey, Tacoma, WA. Water-Resources Investigations Report 02-4040.
- Kulzer, L., S. Luchessa, A.S. Cooke, R. Errington, and F. Weinmann. 2001. Characteristics of low-elevation Sphagnum-dominated peatlands of western Washington: a community profile. USEPA, Region 10, Seattle, WA, USA.
- Kusler, J.A. 1983. *Our National Wetland Heritage: A Protection Guidebook*. Environmental Law Institute, Washington, DC, USA.
- Kusler, J.A. and T. Opheim. 1996. *Our National Wetland Heritage: A Protection Guidebook*. Second Edition. Environmental Law Institute, Washington, DC, USA.
- La Polla, V.N. and G.W. Barrett. 1993. Effects of corridor width and presence on the population dynamics of the meadow vole (*Microtus pennsylvanicus*). *Landscape Ecology* 8:25-38.
- Laudenslayer, W.F. 1986. Summary: predicting effects of habitat patchiness and fragmentation - the manager's viewpoint. Pages 331-333 in J. Verner, M.L. Morrison, and C.J. Ralph, editors. *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin Press, Madison, WI.
- Lee, D., T.A. Dillaha, and J.H. Sherrard. 1999. Modeling phosphorous transport in grass buffer strips. *J. Environ. Eng. ASCE* 115:409-427.
- Lee, K.H., T.M. Isenhardt, R.C. Schultz, and S.K. Mickelson. 2000. *J. Environmental Quality* 29: 1200-1205. Lehmkuhl, J.F., L.F. Ruggiero, and P.A. Hall. 1991. Landscape-scale patterns of forest fragmentation and wildlife richness and abundance in the southern Washington Cascade Range. Pages 425-442 in L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, editors. *Wildlife and vegetation of unmanaged Douglas-fir forests*. U.S. Forest Service Gen. Tech. Rep. PNW-GTR-285, Portland, OR.
- Lehmkuhl, J.F., B.G. Marcot, and T. Quinn. 2001. Characterizing species at risk. p.474-500. *In* Johnson, D.H. and T.A. O'Neil (eds.) *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR.
- Leonard, W.P., H.A. Brown, L.L.C. Jones, K. R. McAllister, and R. M. Storm. 1993. *Amphibians of Washington and Oregon*. Seattle Audubon Society, Seattle, WA.

- Levings, C.D., K. Conlin, and B. Raymond. 1991. Intertidal habitats used by juvenile Chinook salmon (*Oncorhynchus tshawytscha*) rearing in the north arm of the Fraser River estuary. *Marine Pollution Bulletin* 22:20-26.
- Livingston, E.H. 1995. Lessons learned from a decade of stormwater treatment in Florida. p. 339-363. *In* Herricks, E.E. (eds.) *Stormwater runoff and reviving systems*. Lewis Publishers, Boca Raton, FL.
- Liddle, M. J. and H. R. A. Scorgie. 1980. The Effects of Recreation on Freshwater Plants and Animals: A Review. *Biological Conservation* 17:183-206.
- Livingston, E. H. 1995. Lessons learned from a decade of stormwater treatment in Florida. p.339-363. *In* Herricks, E. E. (eds.) *Stormwater runoff and reviving systems*. Lewis Publishers, Boca Raton, FL.
- Lovejoy, T.E., R.O.J. Biorregaard, A.B. Ryklands, J.R. Malcolm, C.E. Quintela, L.H. Harper, K.S.J. Brown, A.H. Powell, G.V.N. Powell, H.O.R. Schubart, and M.B. Hays. 1986. Edge and other effects of isolation on Amazon forest fragments. Pages 257-285 in M. E. Soulé, editor. *Conservation Biology: The science of scarcity and diversity*. Sinauer Associates, Sunderland, MA.
- Low, J.B. 1945. Ecology and management of the redhead (*Nyroca americana*) in Iowa. *Ecol. Monogr.* 15:35-69.
- Lowrance, R. R. 1992. Groundwater nitrate and denitrification in a Coastal Plain riparian forest. *J. Environ. Qual.* 21:401-405.
- Lowrance, R., R. Leonard, and J. Sheridan. 1985. Managing riparian ecosystems to control nonpoint source pollution. *J. of Water and Soil Conservation* 40:87-97.
- Lynch, J.A., E.S. Corbett, and K. Mussallem. 1985. Best management practices for controlling non-point source pollution on forested watersheds. *Journal of Soil and Water Conservation* 40:164-167.
- Mader, H.J. 1984. Animal habitat isolation by roads and agricultural fields. *Biological Conservation* 29:81-96.
- Madison, C.E., R.L. Blevins, W.W. Frye, and B.J. Barfield. 1992. Tillage and grass filter strip effects upon sediment and chemical losses. Madison, WI: *Agronomy Abstracts, ASA*. p. 331.
- Magette, W.L., R.B. Brinsfield, R.E. Palmer, and J.D. Wood. 1989. Nutrient and sediment removal by vegetated buffer strips. *Trans. of the ASAE* 32:663-667
- Maitland, P.S. and N.C. Morgan. 1997. *Conservation Management of Freshwater Habitats: Lakes, Rivers and Wetlands*. Chapman & Hall, New York, NY, USA.
- Martin-Yanny, E. 1992. *The impacts of urbanization on wetland bird communities*. M.S. University of Washington, Seattle, WA, USA.
- Maryland Department of Natural Resources. 2001. *Maryland's GreenPrint Program: Summary of Methods to Identify and Evaluate Maryland's Green Infrastructure-Draft*. Chesapeake and Coastal Watershed Services, Annapolis, Maryland.
- Maryland Department of Natural Resources. 2002. *GreenPrint Program Implementation*.
- Marzluff, J.M. and K. Ewing. 2001. Restoration of fragmented landscapes for the conservation of birds: a general framework and specific recommendations for urbanizing landscapes. *Restoration Ecology* 9:280-292.

- Marzluff, J.M. and R. Sallabanks, (eds.) 1998. Avian Conservation: Research and Management. Island Press, Washington, D.C., USA.
- Marzluff, J.M., R. Bowman, and R. Donnelly, editors. 2001. Avian Ecology and Conservation in an Urbanizing World. Kluwer Academic Publishers, Norwell, MA, USA.
- May, C.W. 2000. Protection of stream-riparian ecosystems: a review of best available science. Kitsap County Natural Resource Coordinator
- McCafferty, W.P., and A.V. Provonsha. 1981. Aquatic Entomology. Jones and Bartlett Publishers, Boston, MA, USA.
- McGarigal, K. and W.C. McComb. 1992. Streamside versus upslope breeding bird communities in the central Oregon coast range. *Journal Of Wildlife Management* 56:10-22
- McMillan, A. 2000. The science of wetland buffers and its implications for the management of wetlands. MS. Evergreen State College, Olympia, WA.
- Medin, D.E. and W.P. Clary. 1990. Bird population in and adjacent to beaver pond ecosystems in Idaho. USDA Forest Service, Intermountain research Station, Ogden, UT. Res. Pap. INT-432.
- Merritt, R.W. and K.W. Cummins. 1996. Introduction (to the aquatic insects of North America). Pages 1-4 in R. W. Merritt and K. W. Cummins, editors. *An Introduction to the Aquatic Insects of North America*. Kendall/Hunt Publishing Company, Dubuque, IO, USA.
- Mech, S. G. and J. G. Hallett. 2001. Evaluating the effectiveness of corridors: a genetic approach. *Conservation Biology* 15:467-474.
- Medin and Clary 1990 *
- Merriam, G. and A. Lanoue. 1990. Corridor use by small mammals: field measurement for three experimental types of *Peromyscus leucopus*. *Landscape Ecology* 4:123-131.
- METRO. 2002. METRO's Technical Report for Goal 5: Revised Draft. Portland, OR.
- Meyers, J.L. and others. 2003. Where rivers are born: The scientific imperative for defending small streams and wetlands. *American Rivers/Sierra Club*,
- Mickelson, S.K., I.L. Baker, K. Arora, and A. Misra. 1995. A summary report: the effectiveness of buffer strips in reducing herbicide losses. Proc. 50th Annual Mtg. Soil and Water Conservation Society.
- Middleton, B. 1999. Wetland restoration, flood pulsing, and disturbance dynamics. John Wiley & Sons, Inc., New York.
- Milligan, D.A. 1985. The ecology of avian use of urban freshwater wetlands in King County, Washington. M.S. University of Washington, Seattle, WA.
- Mitsch, W.J. and J.G. Gosselink. 1993. *Wetlands; Second Edition*, Second Edition. Van Nostrand Reinhold, New York, NY.
- Mitchell, J.C., S.C. Reinehart, J.F. Pagels, K.A. Buhlmann, and C.A. Pague. 1997. Factors influencing amphibian and small mammal assemblages in central Appalachian forests. *Forest Ecology and Management* 96:65-16.
- Mitsch, W.J. and J.G. Gosselink. 1993. *Wetlands*, 2nd edition. Van Nostrand Reinhold, New York, NY, USA.

- Mockler, A., L. Casey, M. Bowles, N. Gillen, and J. Hansen. 1998. Results of monitoring King County wetland and stream mitigations. King County Department of Development and Environmental Services, Renton, WA.
- Murkin, H.R. 1991. Effects of prolonged flooding on nektonic invertebrates in small diked marshes. *Can. J. Fish. Aquat. Sci.* 48:2355-2364.
- Murkin, E.J., H.R. Murkin, and R.D. Titman. 1992. Nektonic invertebrate abundance and distribution at the emergent vegetation - open water interface in The Delta Marsh, Manitoba Canada. *Wetlands* 12:45-52.
- Murkin, H.R., R.M. Kaminski, and R.D. Titman. 1982. Responses by dabbling ducks and aquatic invertebrates to an experimentally manipulated cattail marsh. *Can. J. Zool.* 60:2324-2332.
- Murkin, H.R. and D.A. Wrubleski. 1988. Aquatic invertebrates of freshwater wetlands: function and ecology. Pages 239-249 in D.D. Hook, W.H.M. Jr., H.K. Smith, J. Gregory, V.B. Jr., M.R. DeVoe, R.E. Sojka, S. Gilbert, R. Bani, L.H. Stolzy, C. Brooks, T.D. Matthews, and T.H. She, editors. *The Ecology and Management of Wetlands. Volume 1: Ecology of Wetlands.* Timber Press, Portland, OR USA.
- Murphy, M.L. and J.D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade Mountains, Oregon. *Can. J. Fish. Aquat. Sci.* 38:137-145.
- Murphy, M.L., C.P. Hawkins, and N.H. Anderson. 1981. Effects of canopy modification and accumulated sediment on stream communities. *Transactions of the American Fisheries Society* 110:469-478.
- National Research Council (NRC): 1992. Restoration of aquatic ecosystems. National Academy Press, Washington D.C.
- National Research Council (NRC). 1995. Wetlands: Characteristics and boundaries (Prepublication Draft). National Academy Press, Washington, DC.
- National Research Council: (NRC) 2001. Compensating for wetland losses under the Clean Water Act. National Academy Press, Washington D.C.
- National Research Council (NRC). 2002. Riparian Areas: Functions and Strategies for Management. National Academy Press, Washington, D.C.
- Naugle, D.E., R.R. Johnson, and M.E. Estey. 2001. A landscape approach to conserving wetland bird habitat in the prairie pothole region of eastern South Dakota. *Wetlands* 21:1-17.
- Nichols, D.I., T.C. Daniel, D.R. Edwards, P.A. Moore, and D.H. Pote. 1998. Use of grass filter strips to reduce 17-beta-estradiol in runoff from fescue applied poultry litter. *J. Soil and Water Conservation* 53:71-77.
- Nordstrom, N. and R. Milner. 1997. Western Pond Turtle: *Clemmys marmorata*. Pages 7-1 to 7-7 in E. M. T. Larson, editor. *Management Recommendations for Washington's Priority Species, Volume III: Amphibians and Reptiles.* Wash. Dept. Fish and Wildl., Olympia, WA, USA.
- Noss and Harris. 1989 *

- Null, W.S., G. Skinner, and W. Leonard. 2000. Wetland functions characterization tool for linear projects. Washington State Department of Transportation, Environmental Affairs Office, Olympia, WA. Wetland Strategic Plan Implementation Project
- Nussbaum, R.A., D.B. Edmond, Jr, and R.M. Storm. 1983. Amphibians & Reptiles of the Pacific Northwest. University of Idaho Press, Moscow, Idaho, USA.
- Oakley, A.L., J.A. Collins, L.B. Everson, D.A. Heller, J.C. Howerton and R.E. Vincent. 1985. Riparian zones and freshwater wetlands. p.57-80. *In* Brown, E. R. (eds.) Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. USDA Forest Service, O'Connell, M.A., J.G. Hallett, S.D. and S.D. West. 1993. Wildlife use of riparian habitats: A literature review. Timber, Fish and Wildlife, Cheney, WA. TFW-WL1-93-001.
- Oxley, D.J., M.B. Fenton and G.R. Carmody. 1974. The effects of roads on populations of small mammals. *The Journal of Applied Ecology* 11:51-59.
- O'Connell, M.A., J.G. Hallett, S.D. West, K.A. Kelsey, D.A. Manuwal, and S.F. Pearson. 2000. Effectiveness of Riparian Management Zones in Providing Habitat for Wildlife. Final Report submitted to LWAG, TFW Program. LWAD, Timber Fish and Wildlife Program, None. TFW-LWAGI-00-001.
- Paton, P.W.C., and W.B.I. Crouch. 2002. Using the phenology of pond-breeding amphibians to develop conservation strategies. *Conserv. Biol.* 16:194-204.
- Pearsell, W.G. and G. Mulamoottil. 1996. Toward the integration of wetland functional boundaries into suburban landscapes. p.139-151. *In* Mulamoottil, G., B.G. Warner and E.A. McBean (eds.) Wetlands: environmental gradients, boundaries, and buffers. Lewis Publishers, Boca Eaton, FL.
- Pearson, S.M. 1994. Landscape-level processes and wetland conservation in the southern Appalachian Mountains. *Water, Air and Soil Pollution* 77:321-332.
- Pearson, S.F. and D.A. Manuwal. 2001. Breeding bird response to riparian buffer width in managed Pacific Northwest Douglas-Fir Forests. *Ecological Applications* 3:840-853.
- Perison, D., J. Phelps, C. Pavel, R. Kellison, J.A. Stanturf and M.G. Messina. 1997. The effects of timber harvest in a South Carolina blackwater bottomland. *Forest Ecology and Management* 90:171-185.
- Peterjohn, W.T. and D.L. Correll. 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* 65: 1466-1475.
- Perison, D., J. Phelps, C. Pavel, R. Kellison, J.A. Stanturf, and M. G. Messina. 1997. The effects of timber harvest in a South Carolina blackwater bottomland. *Forest Ecology and Management*. *Forest Ecology and Management* 90:171-185.
- Phelps, J.P. and R. A. Lancia. 1993. Effect of timber harvest on the herpetofauna community of a bottomland hardwood ecosystem: preliminary results. Pages 151-154 in Seventh Biennial Southern Silvicultural Research Conference. USDA General Tech Report S0-93, Mobile, AL, USA.
- Phipps, R.G. and W.G. Crumpton. 1994. Factors affecting nitrogen loss in experimental wetlands with different hydrologic loads. *Ecological Engineering* 3:399-408
- Pollock, M.M. and P. Kennard. 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of the Pacific Northwest. 10,000 Years Institute, Seattle, WA.

References

- Pough, F.H. 1976. Acid precipitation and embryonic mortality of spotted salamanders (*Ambystoma maculatum*). *Science* 192:68-70.
- Pough, F.H., E.M. Smith, D.H. Rhodes, and A. Collazo. 1987. The Abundance of Salamanders in Forest Stands with Different Histories of Disturbance. *Forest Ecology and Management* 20:1-9.
- Raedeke, K.J. (ed.) 1988a. Forest Management and Wildlife in the Pacific Northwest. *Northwest Environmental Journal* 4:263-278.
- Raedeke, K.J. 1988b. Introduction. in K. J. Raedeke, editor. *Streamside Management: Riparian Wildlife and Forestry Interactions*. University of Washington, Institute of Forest Resources, Contribution No. 59, Seattle, WA.
- Raedeke, K.J. and J.F. Lehmkuhl. 1986. A simulation procedure for modeling the relationships between wildlife and forest management. Pages 377-381 in J. Verner, M. L. Morrison, and C. J. Ralph, editors. *Wildlife 2000: Modeling Habitat Relationships of Terrestrial Vertebrates*. University of Wisconsin Press, Madison, WI.
- Rattenborg, N.C., S.L. Lima, and C.J. Amlaner. 1999. UV-B damage amplified by transposons in maize. *Nature* 397:398-399.
- Raymond, L.R. and L.M. Hardy. 1991. Effects of a clearcut on a population of the mole salamander, *Ambystoma talpoideum*, in and adjacent unaltered forest. *J. of Herp.* 25:509-512.
- Reese, K.P. and J.T. Ratti. 1988. Edge Effect: A Concept under Scrutiny. Pages 127-136 in Special Session 2. *Emerging Concepts in Wildlife and Wildland Management*.
- Reijnen, R. and R. Foppen. 1994. The effects of car traffic on breeding bird populations in woodland. I. Evidence of reduced habitat quality for willow warblers (*Phylloscopus trochillus*) breeding close to a highway. *Journal of Applied Ecology* 31:85-94.
- Reijnen, R., R. Foppen, C.T. Braak, and J. Thissen. 1995. The effects of car traffic on breeding bird populations in woodland. III. Reduction of density in relation to the proximity of main roads. *Journal of Applied Ecology* 32:187-202.
- Reinelt, L.E., and R.R. Horner. 1993. Pollutant removal from stormwater runoff by palustrine wetlands based on comprehensive budgets. *Ecological Engineering* 4:77-97.
- Reinelt, L., R. Horner and A. Azous. 1998. Impacts of urbanization on palustrine (depressional freshwater) wetlands-research and management in the Puget Sound region. *Urban Ecosystems* 2:219-236.
- Richter, K.O. 1997. Criteria for the restoration and creation of wetland habitats of lentic-breeding amphibians of the Pacific Northwest. Pages 72-94 in K. B. Macdonald and F. Weinmann, editors. *Wetland and Riparian Restoration: Taking a Broader View*. USEPA, Region 10, Seattle, WA, USA.
- Richter, K.O. 2001. Macroinvertebrate distribution, abundance, and habitat use. p.97-141. In Azous, A.L. and R.R. Horner (eds.) *Wetlands and urbanization: Implications for the future*. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. in prep. Wetland Habitats. In Jones, L.L.C., W.P. Leonard and D.H. Olson (eds.) *Amphibians of Northwestern North America*. Seattle Audubon Society. Seattle Audubon Society, Seattle, WA.

- Richter, K.O., and A.L. Azous. 2001a. Amphibian distribution, abundance, and habitat use. Pages 143-165 in A.L.A. a. R.R. Horner, editor. Wetlands and Urbanization: Implications for the Future. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001b. Bird distribution, abundance, and habitat use. Pages 167-199 in A.L. Azous and R.R. Horner, editors. Wetlands and Urbanization: Implications for the Future. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001c. Terrestrial small mammal distribution, abundance and habitat use. p. 201-218. *In* Azous, A.L. and R.R. Horner (eds.) Wetlands and Urbanization: Implications for the Future. Lewis Publishers, Boca Raton, FL.
- Richter, K.O. and A.L. Azous. 2001d. Bird communities in relation to watershed development. Pages 275-284 in A. L. A. a. R. R. Horner, editor. Wetlands and Urbanization: Implications for the Future. Lewis Publishers, Boca Raton, FL.
- Rattenborg, N.C., S.L. Lima, and C.J. Amlaner. 1999. UV-B damage amplified by transposons in maize. *Nature* 397:398-399.
- Rosenberg, D.M. and H.V. Danks. 1987. Aquatic Insects of Peatlands and Marshes in Canada. *Memoirs of the Entomological Society of Canada* No. 140:174.
- Rosenberg, D.M. and V.H. Resh. 1996. Use of Aquatic Insects in Biomonitoring. Pages 87-97 in R.W. Merritt and K.W. Cummins, editors. *An Introduction to the Aquatic Insects of North America*. Kendall/Hunt Publishing Company, Dubuque, IO, USA.
- Rothermel, B.B. and R.D. Semlitsch. 2002. Experimental Investigation of landscape resistance of forest versus old-field habitats to emigrating juvenile amphibians. *Conservation Biology* 16:1324-1332.
- Rosenberg, D.K., B.R. Noon, and E.C. Meslow. 1997. Biological corridors: form, function, and efficacy. *BioScience* 47:677-687
- Rotella and Ratti 1992 *
- Rudolph D.C., and J.G. Dickson. 1990. Streamside zone width and amphibian and reptile abundance. *The Southwestern Naturalist* 35:472-476.
- San Diego County. 1998. County of San Diego Multiple Species Conservation Program North County Sub Area Plan.
- Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation biology* 5:18-32.
- Schellinger, G.R., and J.C. Clausen. 1992. Vegetative filter treatment of dairy barnyard runoff in cold regions. *J. Environ. Qual.* 21:40-45.
- Schueler, T. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1:100-111.
- Schwer, C.B. and J.C. Clausen. 1989. Vegetated filter treatment of dairy milkhouse wastewater. *J. Environmental Water Quality* 18:446-451.
- Semlitsch, R.D. 2000. Size does matter: The value of small isolated wetlands. *National Wetlands Newsletter*: 5-13, non-inclusive.
- Semlitsch, R.D. 1998. Biological delineation of terrestrial buffer zones for pond-breeding salamanders. *Conservation Biology* 12:1113-1119.

References

- Semlitsch, R.D. 2000. Size does matter: The value of small isolated wetlands. National Wetlands Newsletter 5-13.
- Semlitsch, R.D. 2002. Critical elements for biologically based recovery plans of aquatic-breeding amphibians. *Conserv. Biol.* 16:619-629.
- Semlitsch, R.D. 2003. Conservation of pond-breeding amphibians. p. 8-23. In Semlitsch, R. D. (eds.) *Amphibian conservation*. Smithsonian Books, Washington, D.C.
- Semlitsch, R.D., and J.R. Bodie. 1998. Are small, isolated wetlands expendable? *Conservation Biology* 12:1129-1133.
- Shisler, J.K., R.A. Jordan, and R.N. Wargo. 1987. Coastal wetland buffer delineation. New Jersey Department of Environmental Protection, Trenton, NJ.
- Shoop, C.R. 1968. Migratory orientation of *Ambystoma maculatum*: Movements near breeding ponds and displacements of migrating individuals. *Biological Bulletin* 135:230-238.
- Short, H.L. and R.J. Cooper. 1985. Habitat Suitability Index Models: Great Blue Heron. 82(10.99), U.S. Department of Interior, Fish and Wildlife Service, Washington, DC, USA.
- Shreffler, D.K., C. Simenstad and R.M. Thom. 1990. Temporary residence by juvenile salmon in a restored estuarine wetland. *Can. J. Fish. Aquat. Sci.* 47:2079-2084.
- Simberloff, D. 1993. How forest fragmentation hurts species and what to do about it. Pages 85-90 in *Sustainable ecological systems: Implementing an ecological approach to land management*. United States Department of Agriculture, Flagstaff, Arizona.
- Simberloff, D. 1998. Flagships, umbrellas, and keystones: Is single species management passé in the landscape era? *Biological Conservation* 83:247-257.
- Simenstad, C.A., K.L. Fresh, and E.O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: An unappreciated function. p.343-364. In Kennedy, V. S. (eds.) *Estuarine comparisons*. Academic Press, New York.
- Sjögren, P. 1991. Extinction and isolation gradients in metapopulations: The case of the pool frog (*Rana lessonae*). *Biological Journal Of The Linnean Society* 42:135-148.
- Skelly, D.K., E.E. Werner, and S.A. Cortwright. 1999. Long-term distributional dynamics of a Michigan amphibian assemblage. *Ecology* 80:2326-2337.
- Smith, R.D., A. Amman, C. Bartoldus, and M.M. Brinson. 1995. An approach for assessing wetland functions using hydrogeomorphic classification, reference wetlands, and functional indices. US Army Engineers Waterways Experiment Station, Vicksburg MS, USA. Technical Report TR WRP-DE-10.
- Snodgrass, J.W., M. Komoroski, L. Byran, Jr., and J. Burger. 2000. Relationships among isolated wetland size, hydroperiod, and amphibian species richness: implications for wetland regulations. *Conservation Biology* 14:414-419.
- Spackman, S.C. and J.W. Hughes. 1995. Assessment of minimum stream corridor width for biological conservation: Species richness and distribution along mid-order streams in Vermont, USA. *Biological Conservation* 71:325-332.
- Spaling, H. 1995. Analyzing cumulative environmental effects of agricultural land drainage in southern Ontario, Canada. *Agriculture, Ecosystems and Environment* 53:279-292. Sparling,

- D.W., G.M. Fellers, and L.L. McConnell. 2001a. Pesticides and amphibian population declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591-1595.
- Sparling, D.W., G.M. Fellers, and L.L. McConnell. 2001. Pesticides and amphibian population declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591-1595.
- Sparling, D.W., K.O. Richter, A. Calhoun, and M. Micacchion. 2001. Methods for evaluating wetland condition: Using amphibians in bioassessments of wetlands. EPA 822-R-01-0071, U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- Spence, B.C., G.A. Lomnicky, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmon conservation. *Management Technology*, TR-4501-96-6057.
- Steeger, T. and J. Tietge. 2003. White Paper on Potential Developmental Effects of Atrazine on Amphibians. U.S. Environmental Protection Agency: Office of Prevention, Pesticides and Toxic Substances, Office of Pesticide Program, Environmental Fate and Effects Division. Electronic Publication.
- Stephens, P.A. and W.J. Sutherland. 1999. Consequences of the Allee effect for behavior, ecology and conservation. *Tree* 14:401-405.
- St. John, A.D. 2002. Reptiles of the Northwest: Alaska to California: Rockies to the Coast. Lone Pine Publishing, Renton, WA.
- Stenhouse, S.L. 1985. Migratory orientation and homing in *Ambystoma maculatum* and *Ambystoma opacum*. *Copeia* 3: 631-637.
- Storm, R.M. and W.P. Leonard. 1995. Reptiles of Washington and Oregon. Seattle Audubon Society, Seattle, WA, USA.
- Taylor, B.L. 1993. The influence of wetland and watershed morphological characteristics on wetland hydrology and relationships to wetland vegetation communities. M.S. University of Washington, Seattle, WA, USA.
- Taylor, B.L., K.A. Ludwa, and R.R. Horner. 1995. Urbanization effects on wetland hydrology and water quality. Pages 146-154 in E. Robichaud, editor. Puget Sound Research '95 Proceedings. Puget Sound Water Quality Authority, Olympia, WA, USA.
- Temple, S.A. and J.R. Carey. 1988. Modeling dynamics of habitat-interior bird populations in fragmented landscapes. *Conservation Biology* 2:340-347.
- Thom, R.M., A.B. Borde, K.O. Richter, and L.F. Hibler. 2001. Influence of Urbanization on Ecological Processes in Wetlands. Pages 5-16 in M. S. Wigmosta and S. J. Burges, editors. 'Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas.' American Geophysical Union, Washington, D.C.
- Thomas, J.W., R.G. Anderson, C. Maser, and E. L. Bull. 1979. Snags. Pages 60-77 in J.W. Thomas, tech., editor. *Wildlife Habitats in Managed Forests the Blue Mountains of Oregon and Washington*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR.
- Trettin, C.C., M.F. Jurgensen, D.F. Grigal, M.R. Gale, and J.K. Jeglum (eds.) 1996. Northern forested wetlands. Lewis Publishers, Boca Raton, FL.
- U.S. Army Corps of Engineers. 1987. Corps of Engineers wetland delineation manual. U.S. Department of Defense,

- USEPA. 2003. Effects of acid rain: lakes and streams. Electronic Publication.
<http://www.epa.gov/airmarkets/acidrain/effects/surfacewater.html> Accessed Sept 25, 2003.
- Verner, J.M., M.L. Morrison, and C.J. Ralph (eds.) 1986. Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates. The University of Wisconsin Press, Madison, WI.
- Vesely, D.G. 1996. Terrestrial amphibian abundance and species richness in headwater riparian buffer strips, Oregon Coast Range. MS. Oregon State University,
- Voigts, D.K. 1976. Aquatic invertebrate abundance in relation to changing marsh vegetation. *American Midland Naturalist* 95:313-322.
- Vos, C.C. and A.H.P. Stumpel. 1995. Comparison of habitat-isolation parameters in relation to fragmented distribution patterns in the tree frog (*Hyla arborea*). *Landscape Ecology* 11:203-214.
- Vymazal, J. 1995. Algae and element cycling in wetlands. Lewis, Boca Raton, FL
- Waldick, R.C., B. Freedman, and R.J. Wassersug. 1999. The consequences for amphibians of the conversion of a natural, mixed-species forests to conifer plantations in southern New Brunswick. *Canadian-Field-Naturalist* 113:408-418.
- Walters, C. and R. Hilborn. 1978. Ecological optimization and adaptive management. *Annual Review of Ecology and Systematics* 9:157-188. Washington State Office of Community Development. 2002. Model code recommendations for designating and protecting critical areas: First edition (2nd Draft). Growth Management Services, Olympia, WA.
- Washington Department of Wildlife (WDFW). 1993. Status of the Western Pond Turtle (*Clemmys marmorata*). Wash. Dept. Wildl., Olympia, WA, USA.
- Washington State Department of Ecology (WSDOE). 1993. Washington State Wetlands Rating System: Western Washington, Second Edition. Pub. No. 93-74, Washington State Department of Ecology, Olympia, WA.
- Washington State Department of Ecology (WSDOE). 2001. Section 2.5.8 Minimum Requirement #8: Wetlands Protection. p.2-33 to 2-35. *In* (eds.) Stormwater Management Manual for Western Washington. WSDOE Washington State Department of Ecology,, Olympia, WA.
- Washington State Office of Community Development (WSOCD). 2002. Model code recommendations for designating and protecting critical areas: First edition (2nd Draft). Growth Management Services, Olympia, WA.
- Watson, J.W., K.R. McAllister, D.J. Pierce and A. Alvarado. 1998. Movements, habitat selection, and population characteristics of a remnant population of Oregon Spotted Frogs (*Rana pretiosa*) in Thurston County, Washington. Washington Department of Fish and Wildlife, Olympia, WA.
- Watson, J.W., K.R. McAllister, D.J. Pierce, and A. Alvarado. 2000. Ecology of a remnant population of Oregon Spotted Frogs (*Rana pretiosa*) in Thurston County, Washington. Final Report. Washington Department of Fish and Wildlife, Olympia, Washington.
- Weller, M. W. 1979. Birds of some Iowa wetlands in relation to concepts of faunal preservation. *Proc. Iowa Acad. Sci.* 86:81-88.

- Weller, M.W. 1988. The influence of hydrologic maxima and minima on wildlife habitat and production values of wetlands. Pages 339 in J.A. Kusler and G. Brooks, editors. Proceedings of the National Wetland Symposium: Wetland Hydrology. Association of State Wetland Managers, Inc., Berne, NY, USA.
- Weller, M.W. 1994. Freshwater Marshes: Ecology and Wildlife Management, 3rd ed., edition. University of Minnesota Press, Minneapolis, MN, USA.
- Weller, M. W. 1999. Wetland Birds: Habitat Resources and Conservation Implications. Cambridge University Press, Weller, M. W., and L. H. Fredrickson. 1974. Avian ecology of a managed glacial marsh. *The Living Bird* 12:269-291.
- Weller, M. W. and L. H. Fredrickson. 1974. Avian ecology of a managed glacial marsh. *The Living Bird* 12:269-291.
- Wellnitz, T. A., N. L. Poff, G. Cosyleon, and B. Steury. 2001. Current velocity and spatial scale as determinants of the distribution and abundance of two rheophilic herbivorous insects. *Landscape Ecology* 16:111-120.
- Werschkul, D. F., E. McMahon, and M. Leitschuh. 1976. Some effects of human activities on the Great Blue Heron in Oregon. *The Wilson Bulletin* 88:661-662.
- Whiting, K. 2001. Analysis of wetland-water-level fluctuations. King County Surface Water Management Division, Seattle, WA.
- Wiggins, G. B., R. J. Mackay, and I. M. Smith. 1980. Evolutionary and ecological strategies of animals in annual temporary pools. *Arch. Hydrobiol.* 58:97-206.
- Wilcove, D. 1985a. Forest fragmentation and the decline of migratory songbirds. Ph.D. thesis. Yale University.
- Wilcove, D. S. 1985b. Nest predation in forest tracts and the decline of migratory songbirds. *Ecology* 66:1211-1214.
- Willson, M. F. 1974. Avian community organization and habitat structure. *Ecology* 55:1017-1029.
- Williams, G. L. 1985. Classifying wetlands according to relative wildlife value: application to water impoundments. Pages 110-119 in D. K. M, compiler, editor. Water impoundments for wildlife: a habitat management workshop. U.S. For. Serv.,.
- Willner, G. R., G. A. Feldhamer, E. E. Zucker, and J. A. Chapman. 1980. *Ondatra zibethicus*. *Mammalian Species: American Society of Mammalogists* 141:1-8.
- World Wildlife Fund. 1992. *Statewide Wetlands Strategies: A Guide to Protecting and Managing the Resource*. Island Press, Washington, DC.
- Yahner, R. H. 1989. Changes in wildlife communities near edges. *Conservation Biology* 2:333-339.
- Yahner, R. H., T. E. Morrell, and J. S. Rachael. 1989. Effects of edge contrast on depredation of artificial avian nests. *Journal of Wildlife Management* 53:1135-1139.
- Yahner, R. H. and D. P. Scott. 1988. Effects of forest fragmentation on depredation of artificial nests. *Wildlife Management* 52.

- Yanes, M., J. M. Velasco, and F. Suarez. 1995. Permeability of roads and railways to vertebrates: the importance of culverts. *Biological Conservation* 71:217-222.
- Young, R. A., T. Huntrods, and W. Anderson. 1980. Effectiveness of riparian buffer strips in controlling pollution from feedlot runoff. *J. Environ. Qual.* 9:483-487.
- Zeigler, R. 2003. Critical Areas/Stormwater Ordinance Review letter. Habitat Biologist, Washington Department of Fish and Wildlife.
- Acknowledged incomplete reference

Appendix B: Stormwater

- Booth, D.B., D. Hartley, R. Jackson, 2002. Forest cover, impervious surface area, and the mitigation of stormwater impacts. *Journal of American Water Resources Association.* 38(3): 835-845.
- Booth, D. B. 2000. Forest Cover, Impervious-Surface Area, and The Mitigation of Urbanization Impacts in King County, Washington. Center for Urban Water Resources Management, Seattle, WA, USA. unpublished
- Arnold C. L. Jr. and C. J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. *American Planning Association Journal* 62:243-258.
- Booth, D. B. and C. R. Jackson. 1994. Urbanization of aquatic systems - degradation thresholds and limits of mitigation. 425-434. *Effects of Human-Induced Changes on Hydrologic Systems, Proceedings; Annual Summer Symposium of the American Water Resources Association, Jackson Hole, WY, USA.*
- Booth, D. B. and L. E. Reinelt. 1993. Consequences of urbanization on aquatic systems - measured effects, degradation thresholds, and corrective strategies. *Watershed '93, A National Conference on Watershed Management,*
- Klein, R. D. 1979. Urbanization and stream quality impairment. *Wat. Res. Bull.* 15:948-963.
- Ostergaard, E. C. 2001b. Pond-breeding amphibian use of stormwater ponds in King County, Washington. MS. University of Washington, Seattle, WA.
- Reinelt, L., R. Horner and A. Azous. 1998. Impacts of urbanization on palustrine (depressional freshwater) wetlands-research and management in the Puget Sound region. *Urban Ecosystems* 2:219-236.
- Taylor, B. L. 1993. The influence of wetland and watershed morphological characteristics on wetland hydrology and relationships to wetland vegetation communities. M.S. University of Washington, Seattle, WA, USA.
- Thom, R. M., A. B. Borde, K. O. Richter and L. F. Hibler. 2001. Influence of urbanization on ecological processes in wetlands. p.5-16. *In* Wigmosta, M. S. and S. J. Burges (eds.) *Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas.* American Geophysical Union, Washington, D.C.

Azous, L., L. E. Reinelt and J. Burkey. 2001. Managing wetland hydroperiod: Issues and concerns. p.287-298. *In* Azous, A. and L. L. Horner (eds.) *Wetlands and urbanization: Implications for the future*. Lewis Publishers, Boca Raton, FL.

Schueler, T. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1:100-111.

Best Available Science – Volume II, Assessment of Proposed Ordinances

Chapter 1: Introduction

Endangered Species Act Listing Documents and Rules: www.nwr.noaa.gov and www.fws.gov

King County, The 2002 King County Annual Growth Report, <http://www.metrokc.gov/budget/agr/agr02/>

King County, 2002 Benchmarks Report, 2002a

King County Buildable Lands Report 2002c

King County Comprehensive Plan, update 2002b <http://www.metrokc.gov/ddes/compplan>

Revised Code of Washington (RCW) 36.70A.172 <http://www.leg.wa.gov/rcw/index.cfm>

Revised Code of Washington (RCW) 36.70A.011

Washington Administrative Code (WAC) 365-195-900 to 925

Chapter 4: Assessment of Stormwater, and Clearing and Grading Ordinances

Arnold C. L. Jr. and C. J. Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. *American Planning Association Journal* 62:243-258.

Azous, L., L. E. Reinelt and J. Burkey. 2001. Managing wetland hydroperiod: Issues and concerns. p.287-298. *In* Azous, A. and L. L. Horner (eds.) *Wetlands and urbanization: Implications for the future*. Lewis Publishers, Boca Raton, FL.

Booth, D.B., D. Hartley, R. Jackson, 2002. Forest cover, impervious surface area, and the mitigation of stormwater impacts. *Journal of American Water Resources Association*. 38(3): 835-845.

Booth, D. B. 2000. Forest cover, impervious-surface area, and the mitigation of urbanization impacts in King County, Washington. Center for Urban Water Resources Management, Seattle, WA, USA. unpublished

Booth, D. B. and C. R. Jackson. 1994. Urbanization of aquatic systems - degradation thresholds and limits of mitigation. 425-434. *Effects of Human-Induced Changes on Hydrologic Systems, Proceedings; Annual Summer Symposium of the American Water Resources Association*, Jackson Hole, WY, USA.

Booth, D. B. and L. E. Reinelt. 1993. Consequences of urbanization on aquatic systems - measured effects, degradation thresholds, and corrective strategies. *Watershed '93, A National Conference on Watershed Management*.

Burkey, Jeff, "Hydrology for Land and Water Stewardship," October 3, 2003 talk for Washington State University (WSU) Cooperative Extension.

Klein, R. D. 1979. Urbanization and stream quality impairment. *Water Resource Bulletin*. 15:948-963.

Ostergaard, E. C. 2001b. Pond-breeding amphibian use of stormwater ponds in King County, Washington. MS. University of Washington, Seattle, WA.

Reinelt, L., R. Horner and A. Azous. 1998. Impacts of urbanization on palustrine (depressional freshwater) wetlands-research and management in the Puget Sound region. *Urban Ecosystems* 2:219-236.

Taylor, B. L. 1993. The influence of wetland and watershed morphological characteristics on wetland hydrology and relationships to wetland vegetation communities. M.S. University of Washington, Seattle, WA, USA.

Thom, R. M., A. B. Borde, K. O. Richter and L. F. Hibler. 2001. Influence of urbanization on ecological processes in wetlands. p.5-16. *In* Wigmosta, M. S. and S. J. Burges (eds.) *Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas*. American Geophysical Union, Washington, D.C.

Schueler, T. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1:100-111.

Chapter 6: Conclusions

Overview of the Growth Management Act: Growth Management Services

Washington Department of Trade and Community Development, 2003.

Appendix A: The Effects of Agricultural Operations On Critical Areas

- Altieri, M.A. 1995. *Agroecology: The Science of Sustainable Agriculture*. Westview, Boulder, CO.
- Angermeier, P.L. and J.R. Karr. 1984. Relationships between woody debris and fish habitat in a small warmwater stream. *Transactions of the American Fisheries Society* 113: 716-726.
- Armstrong, C.L. and J.K. Mitchell. 1987. Transformations of rainfall by plant canopy. *Transactions of the American Society of Agricultural Engineers* 30: 688-696.
- Askins, R.A. 2000. *Restoring North America's Birds: Lessons from Landscape Ecology*. Yale University Press. New Haven, Connecticut.
- Auten, J.T. 1933. Porosity and water absorption of forest soils. *Journal of Agricultural Research* 46: 997-1014.
- Bamberger, M. 1991. Continuous sodding and its ecological effects on the landscape in steep slope vineyards in the Ruwer Valley area. Pp. 125-134 in G. Richter, ed., *Combating soil erosion in vineyards of the Mosel region*.
- Benke, A.C., T.C. Van Arsdall, jr., D.M. Gillespie, and F.K. Parrish. 1984. Invertebrate productivity in a subtropical blackwater river: the importance of habitat and life history. *Ecological Monographs* 54: 25-63.
- Bennett, R.O. and R.E. Wolke. 1987. The effect of sublethal endrin exposure on rainbow trout (*Salmo gairdneri* Richardson). I. Evaluation of serum cortisol concentrations and immune responsiveness. *L. Fish. Biol.* 31: 375-385.
- Beschta, R.L., J.R. Boyle, C.C. Chambers, W.P. Gibson, S.V. Gregory, J. Grizzel, J.C. Hagar, J.L. Li, W.C. McComb, M.L. Reiter, G.H. Taylor and J.E. Warila. 1995. Cumulative effects of forest practices in Oregon. Oregon State University, Corvallis, OR. Prepared for the Oregon Department of Forestry, Salem, OR.
- Best, L.B. 1986. Conservation Tillage: ecological traps for nesting birds.? *Wildlife Society Bulletin* 14: 308-317.
- _____, K.E. Freemark, J.J. Dinsmore, and M. Camp. 1995. A review and synthesis of habitat use by breeding birds in agricultural landscapes of Iowa. *American Midland Naturalist* 134: 1-29.
- Birge, W.J., R.D. Hoyt, J.A. Black, M.D. Kercher, and W.A. Robison. 1993. Effects of chemical stresses on behavior of larval and juvenile fishes and amphibians. Pp. 55-65. In: Fuiman, L.A., ed. *Water Quality and the Early Life Stages of Fishes*. American Fisheries Society Symposium 14, AFS, Bethesda, MD.
- Borman, F.H. and G.E. Likens. 1969. The watershed: Ecosystem concept and studies of nutrient cycles. In: G.M. Van Dyne, ed., *The Ecosystem Concept in Natural Resource Management*. Academic Press, New York.
- Bortleson, G.C. and D.A. Davis. 1997. Pesticides in small streams in the Puget Sound Basin, 1987-1995. U.S. Geologic Survey Fact Sheet 067-97, 7 p. USGS, Tacoma, WA.

- Brinson, M.M., H.D. Bradshaw and E.S. Kane. 1984. Nutrient assimilative capacity of an alluvial floodplain swamp. *Journal of Applied Ecology* 21: 1041-1057.
- Brown, E.R. ed. 1985. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 1, Chapter narratives. 332 p. Part 2, Appendices. 302 p. USDA Forest Service Rep. R6-F&WL-192-1985.
- Budd, W.W., P.L. Cohen, P.R. Saunders, and F.R. Steiner. 1987. Stream corridor management in the Pacific Northwest: 1. Determination of stream corridor widths. *Environmental Management* 11: 587-597.
- Bury, R.B. 1988. Habitat relationships and ecological importance of amphibians and reptiles. Pp. 61-76 in K.J. Raedeke, ed., *Streamside Management: Riparian Wildlife and Forestry Interactions*. University of Washington Institute of Forest Resources Contribution No. 59. Seattle, WA.
- Capel, S., J.A. Crawford, R.J. Robel, L.W. Burger, Jr., and N.W. Southernnton. 1993. Agricultural practices and pesticides. Pp. 172-173 in K.E. Church and T.V. Donley, eds. Quail Symposium. Kansas Dept. of Wildlife and Parks.
- CAST. 1985. Agriculture and Groundwater Quality Report No. 103. Council of Agricultural Science and Technology.
- Cederholm, C.J., M.D. Kunze, T. Murota, and A. Sibatani. 1999. Pacific Salmon carcasses: essential nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24-6-15.
- Chaney, E., E. Elmore, and W.S. Platts. 1990. Livestock grazing on western riparian areas. Produced for the U.S. Environmental Protection Agency. Northwest Resource Information Center, Inc., Eagle, Idaho.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Trans. Amer. Fish. Soc.* 117: 1-21.
- Cook, M. and D. Hoag. 1993. Conservation Compliance: The Clock is Running. North Carolina Cooperative Extension Service, Publication AG-439-23. North Carolina State University, Raleigh.
- Cook, P.M., E.W. Zabel, and R.E. Peterson. 1977. The TCDD toxicity equivalence approach for characterizing risks for early life stage mortality in trout. Pp. 9-27. In: Rolland, R.M., M. Gilbertson, and R.E. Peterson, eds. *Chemically induced alterations in functional development and reproduction of fishes*. SETAC Press, Pensacola, FL.
- Cooper, A.B., C.M. Smith, and M.J. Smith. 1995. Effects of riparian set-aside on soil characteristics in an agricultural landscape: Implications for nutrient transport and retention. *Agricultural Ecosystems and Environment* 55: 61-67.
- Cooper, A.C. 1965. The effect of transported stream sediments on survival of sockeye and pink salmon eggs and alevins. *Int. Pac. Sal. Fish Comm. Bull.* 18. 58p.
- Cooper, J.R., J.W. Gilliam, R.B. Daniels, and W.B. Robarge. 1987. Riparian Areas as Filters for Agricultural Sediment. *Soil. Science Society of America Journal* 51: 416-420.
- Cooper, J.R., and J.W. Gilliam. 1987. Phosphorus redistribution from cultivated fields into riparian areas. *Soil Science Society of America Journal* 51: 1600-1604.

- Correll, D.L., J.W. Pierce, and T.L. Wu. 1978. Studies of the transport of atrazine and alachlor from minimum till corn fields into Chesapeake Bay tidal waters. *Proc. Northeast. Weed Sci. Soc.* 32: 21-32.
- Correll, D.L. 1996. Buffer zones and water quality protection: general principles. In: *Buffer Zones: Their Processes and Potential in Water Protection*. Proceedings of the International Conference on Buffer Zones, September 1996. Pp.7-20. N.E. Haycock, T.P. Burt, K.W.T. Goulding, and G. Pinay, eds. Quest Environmental, Harpenden, Hertfordshire, AL5 5LJ, UK.
- Correll, D.L., T.E. Jordan, and D.E. Weller. 1997. Failure of agricultural riparian buffers to protect surface waters from groundwater contamination. In: J.Gilbert, (Ed.) *Groundwater-Surface Water Ecotones*. Cambridge University Press, London.
- Cross, S.P. 1988. Riparian systems and small mammals and bats. Pp. 93-112 In K.J. Raedeke ed., *Streamside Management: Riparian Wildlife and Forestry Interactions*. University of Washington Institute of Forest Resources Cont. no. 59. Seattle, WA.
- Cross, F.B. and J.T. Collins. 1975. *Fishes in Kansas*. University of Kansas Museum of Natural History, Lawrence, KS.
- Curran, W.S. 1996. *Cover Crops for Conservation Tillage Systems*. Conservation Tillage Series Number 5. College of Agricultural Sciences, Cooperative Extension. Pennsylvania State University, University Park, PA. 7 pp.
- Daniels, R.B. and J.W. Gilliam. 1996. Sediment and Chemical Load Reduction by Grass and Riparian Filters. *Soil Science Society of America Journal* 60:246-251.
- Dillaha, T.A., R.B. Reneau, S. Mostaghimi, and D. Lee. 1989. Vegetative Filter Strips for Agricultural Nonpoint Source Pollution Control. *Transactions of the American Society of Agricultural Engineers* 32(2):513-519.
- Dodson, J.J., and C.I. Mayfield. 1979. Modification of the rheotropic response of rainbow trout (*Salmo gairdneri*) by sublethal doses of the aquatic herbicides diquat and simazine. *Environ. Pollut.* 18: 147-161.
- Doyle, R.C., G.C. Stanton and D.C. Wolf. 1977. Effectiveness of forest and grass buffer filters in improving the water quality of manure polluted runoff. *American Society of Agricultural Engineers Paper* 77-2501.
- Eck, K.J. 2000. *Vegetated Filter Strips for Improved Water Quality*. Purdue University Cooperative Extension Service Publication AY-285.
- Edge, W.D. 2001. Wildlife of Agriculture, Pastures, and Mixed Environs. Pp. 342-360 in D.H. Johnson and T.A. O'Neill, eds. *Wildlife-Habitat Relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR.
- Edwards, W.M. and L.B. Owens. 1991. Large storm effects on total soil erosion. *J. Soil and Water Conservation* 46(1): 75-78.
- Eghball, B., J.E. Gilley, L.A. Kramer, and T.B. Moorman. 2000. Narrow Grass Hedge Effects on Phosphorous and Nitrogen in Runoff Following Manure and Fertilizer Application. *Journal of Soil and Water Conservation* 55 (2): 172-176.
- Elmore, W. 1992. Riparian responses to grazing practices. Pp. 442-457 in R.J. Naiman, ed., *Watershed management: balancing sustainability and environmental change*. Springer-Verlag, New York.

- Elson, P.F., L.N. Lauzier, and V. Zitco. 1972. A preliminary study of salmon movements in a polluted estuary. Pp. 325-330. In: M. Ruivo, ed. *Marine pollution and Sea Life*. Fishing News Ltd., London.
- Evans, R. 1980. Mechanics of Water Erosion and their spatial and temporal controls: an empirical viewpoint. Pp. 109-128 in M.J. Kirby and R.P.C. Morgan, eds., *Soil Erosion*. Wiley, Chichester, England.
- Ewel, K.C. 1978. Riparian Ecosystems: Conservation of their unique characteristics. In: *Strategies for Protection and Management of Floodplain Wetlands and other Riparian Ecosystems: Proceedings of the Symposium*, pp. 56-62. Forest Service General Technical Report WO-12, Washington, D.C.
- Fajardo, J.J., J.W. Bauder, and S.D. Cash. 2001. Managing nitrate and bacteria in runoff from livestock confinement areas with vegetative filter strips. *J. Soil and Water Conservation* 56(3): 185-191.
- Fitzgibbon, C.D. 1997. Small mammals in farm woodlands: the effects of habitat isolation and surrounding land-use patterns. *Journal of Applied Ecology* 34: 530-539.
- Fleischner, T.L. 1994. Ecological costs of livestock grazing in western North America. *Conservation Biology* 8: 629-645.
- Forman, R.T.T. 1995. *Land Mosaics: The ecology of landscapes and regions*. Cambridge University Press, London.
- Fournier, F. 1972. *Soil Conservation*. Nature and Environment Series, Council of Europe.
- Franklin, E.C., J.D. Gregory, and M.D. Smolen. 1992. Enhancement of the Effectiveness of Forested Filter Zones by Dispersion of Agricultural Runoff. Report No. UNC-WRRI-92-270, Water Resources Research Institute, Raleigh, NC.
- Franti, T.G. 1997. Vegetative Filter Strips for Agriculture. University of Nebraska Cooperative Extension. Report NF 97-352.
- Fuerstenberg, R., G. Lucchetti, K. Richter, and H. Haemmerle. 2002. Analysis of the scientific basis for policy and regulation: Is this “best available science”? King County Department of Natural Resources and Parks, Seattle, WA. 4pp.
- Gammon, J.R. 1977. The status of Indiana streams and fish from 1800 to 1900. *Proceedings from the Indiana Academy of Science* 86: 209-216.
- GAO (General Accounting Office). 1988. Public Rangelands: some riparian areas restored but widespread improvements will be slow. GAO/RCE9-88-105. U.S. Congress, General Accounting Office, Washington, D.C.
- Gilley, J.E., B. Eghball, L.A. Kramer, and T.B. Moorman. 2000. Narrow Grass Hedge Effects on Runoff and Soil Loss. *Journal of Soil and Water Conservation* 55 (2): 190-196.
- Gorman, O.T. and J.R. Karr. 1977. Habitat structure and stream fish communities. *Ecology* 59:507-515.
- Gough, S.C. 1988. Stream water quality using vegetated filter strips: structure and function related to sediment control. Masters Thesis . University of Missouri, Columbia, MO.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *BioScience* 41: 540-551.

- Gril, J.J., J.P. Canler, and J. Carsouille. 1989. The benefit of permanent grass and mulching for limiting runoff and erosion in vineyards. Experimentations using rainfall simulators in the Beaujolais. In *Soil Erosion Protection Methods in Europe*. Soil Technical Series 1: 157-166.
- Groffmann, P.M., E.A. Axelrod, J.L. Lemunyon, and W.M. Sullivan. 1991. Denitrification in grass and forest vegetated filter strips. *J. Environ. Qual.* 20: 671-674.
- Guillette, L.J. Jr., D.A. Crain, A.A. Rooney, and D. B. Pickford. 1995. Organization versus activation: the role of endocrine-disrupting contaminants (EDCs) during embryonic development in wildlife. *Environ. Health Perspect. Supp.* 103: 157-164.
- Hatfield, J.L., S.K. Mickelson, J.L. Baker, K. Arora, D.P. Tierney, and C.J. Peter. 1995. Buffer strips: landscape modifications to reduce off-site herbicide movement. In: *Clean Water, Clean Environment — 21st Century. Volume I: Pesticides*. Pp. 85-88. American Society of Agricultural Engineers, St. Joseph, MO.
- Haycock, N.E. and G. Pinay. 1993. Groundwater nitrate dynamics in grass and poplar vegetated riparian buffer strips during the winter. *Journal of Environmental Quality* 22: 273-278.
- Hemphill, D.D. and J. Hart. 1991. Effect of nitrogen rate and placement on broccoli yield and nitrogen uptake. Report to the Oregon Processed Vegetable Commission. 5pp.
- Hornbeck, J.W., R.S. Pierce and C.A. Federer. 1970. Streamflow changes after forest clearing in New England. *Water Resources Research* 6: 1124-1132.
- Hudson, N.W. and D.C. Jackson. 1959. Results achieved in the measurement of erosion in Southern Rhodesia. Pp. 575-583 In *Proceedings of the Third Inter-African Soils Conference*, Dalaba.
- James, B.R., B.B. Bagley and P.H. Gallagher. 1994. Riparian zone vegetation effects on nitrate concentrations in shallow groundwater. Proceedings of the 1990 Chesapeake Bay Research Conference.
- Johnston, W.E. 1990. Ecological Problems Associated with Agricultural Development: Some Examples from the United States. Pp. 265-280 in *Ecological Risks: Perspectives from Poland and the United States*. National Academy of Sciences, Washington, D.C.
- Jordan, T.E., D.L. Correll and D.E. Weller. 1993. Nutrient interception by a riparian forest receiving inputs from adjacent cropland. *J. Environ. Qual.* 22: 467-473.
- Karr, J.R. and I.J. Schlosser. 1978. Water resources and the land-water interface. *Science* 201: 229-234.
- Kaspar, T.C., J.K. Radke and J.M. Laflin. 2001. Small grain cover crops and wheel traffic effects on infiltration, runoff, and erosion. *Journal of Soil and Water Conservation* 56(2): 160-164.
- Klapproth, J.C. 2000. Understanding the Science Behind Riparian Forest Buffers: Effects on Water Quality. Virginia Cooperative Extension. Pub. No. 420-151. Virginia Polytechnic Institute and State University.
- Knight, R.L. 1988. Relationships of Birds of Prey and Riparian Habitat in the Pacific Northwest. Pp. 79-92 in K.J. Raedeke, ed., *Streamside Management: Riparian Wildlife and Forestry Interactions*. University of Washington Institute of Forest Resources Cont. no. 59. Seattle, WA.

- Koski, K.V. 1972. Effects of sediment on fish resources. Fisheries Research Institute. University of Washington. 36p.
- Lal, R., E. Regnier, D.J. Eckert, W.M. Edwards, and R. Hammond. 1991. Expectations of cover crops for sustainable agriculture. Pp. 1-11 in W.L. Hargrove (ed.) *Cover Crops for Clean Water*. Soil and Water Conservation Society, Ankeny, IA.
- Leeds, R., L.C. Brown, M.R. Sulc, and L VanLieshout. 1994. Vegetative Filter Strips: Application, Installation and Maintenance. Ohio State University Extension. Publication number AEX-467-94.
- Likens, G.E., F.H. Bormann, N.M. Johnson, D.W. Fisher, and R.S. Pierce. 1970. Effects of forest cutting and herbicide treatment on nutrient budgets in the Hubbard Brook watershed-ecosystem. *Ecological Monographs* 40: 23-47.
- Lowrance, R., R.L. Todd, J. Fail, jr., O. Hendrickson, jr., R. Leonard, and L. Asmussen. 1984. Riparian forests as nutrient filters in agricultural watersheds. *Bioscience* 34: 374-377.
- Lowrance, R., R. Leonard, and J. Sheridan. 1985. Managing riparian ecosystems to control nonpoint pollution. *Journal of Soil and Water Conservation* 40: 87-91.
- Lowrance, R., J.K. Sharpe, and J.M. Sheridan. 1986. Long-term sediment deposition in the riparian zone of a coastal plain watershed. *Journal of Soil and Water Conservation* 41:266-271.
- Luna, J. 1998. Multiple Impacts of Cover Crops in Farming Systems. Integrated Farming Systems, Oregon State University, Corvallis, OR. 10 pp.
- Mac, M.J., P.A. Opler, C.E. Puckett Haecker, and P.D. Doran. 1998. Status and Trends of the nation's biological resources. 2 vols. U.S. Department of the Interior, U.S. Geological Survey, Reston, Va.
- Madison, R.J. and J.O. Brunett. Overview of the occurrence of nitrate in groundwater of the United States. In National Water Summary 1984. Hydrological Events, Selected Water Quality Trends, and Groundwater Resources, pp. 93-105. U.S. Geological Survey Water Supply Paper 2275. U.S. Govt. Printing Office, Washington, D.C.
- Magette, W.L., R.B. Brinsfield, R.E. Palmer, and J.D. Wood. 1989. Nutrient and sediment removal by vegetated filter strips. *Transactions of the American Society of Agricultural Engineers* 32: 663-667.
- Marsh, George Perkins. 1864. *Man and Nature, Or, Physical Geography as Modified by Human Action*. Belknap Press, Harvard University, Cambridge, MA. Eighth Printing.
- Maxted, J.R., E.L. Dickey and G.M. Mitchell. 1994. Habitat quality of Delaware nontidal streams. Delaware 305(b) report for 1994. Department of Natural Resources and Environmental Control, Dover, Delaware.
- Mayfield, H.F. 1965. The brown-headed cowbird with old and new hosts. *Living Bird* 4:128.
- Menzel, B.W., J.B. Bamum and L.M. Antosch. 1984. Ecological alterations of Iowa prairie-agricultural streams. *Iowa State Journal of Research* 59: 5-30.
- Merriam, H.G. 1988a. Landscape dynamics in farmland. *Trends in Ecology and Evolution* 3: 16-20.

References

- Merriam, H.G. 1988b. Modeling woodland species adapting to an agricultural landscape. In: K-F. Schreiber, ed. *Connectivity in Landscape Ecology*, pp. 67-68. Munstersche Geographische Arbeiten 29. Ferdinand Schiningh, Paderborn, Germany.
- Merriam, G. 1990. Ecological processes in the time and space of farmland mosaics. In: I. Zonneveld and R.T.T. Forman, eds. *Changing Landscapes: An Ecological Perspective*, pp. 121-133. Springer-Verlag, New York.
- Mitchell, D.G., P.M. Chapman and T. J. Long. 1987. Seawater challenge testing of coho salmon smolts following exposure to Roundup herbicide. *Environ. Toxicol. Chem.* 6: 875-878.
- Moorman, T.B., D.B. Jaynes, K. Javachandran, J.M. Novak, J. Miller, C.A. Cambardella, and J.L. Hatfield. 1995. Processes controlling atrazine leaching in the pothole topography of Central Iowa. In: *Clean Water, Clean Environment—21st Century. Volume I: Pesticides*. Pp. 133-136. American Society of Agricultural Engineers, St. Joseph, MO.
- Morgan, R.P.C. 1995. *Soil Erosion and Conservation*, Second Edition. Longman Group Limited, Essex, England.
- Mostaghimi, S., T.A. Dillaha and V.O. Shanholtz. 1988. Influence of tillage systems and residue levels on runoff, sediment and phosphorus losses. *Transactions of the American Society of Agricultural Engineers* 31(1): p.128.
- Mostaghimi, S., T.M. Younos and U.S. Tim. 1992. Crop residue effects on nitrogen yields in water and sediment runoff from two tillage systems. *Agricultural Ecosystems and the Environment* 39: p. 187.
- Murphy, G.P. and D.R. Shaw. 1997. Effects of Vegetative Filter Strip Width on Reducing Fluometuron and Norflurazon Losses in Surface Runoff. Publication No. TB214. Mississippi Agricultural and Forestry Experiment Station, Mississippi State University.
- Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O’Conner, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pp. 127-188 in R.J. Naiman, ed., *Watershed Management: balancing sustainability and environmental change*. Springer-verlag, New York.
- Naiman, R.J., R.E. Bilby, D.E. Schindler, and J.M. Helfield. 2002. Pacific salmon, Nutrients, and the Dynamics of Freshwater and Riparian Ecosystems. *Ecosystems* 5: 399-417.
- National Research Council. 1982. Impacts of Emerging Agricultural Trends on Fish and Wildlife Habitat. Committee on Impacts of Emerging Agricultural Trends on Fish and Wildlife Habitat, National Academy Press, Washington, D.C.
- National Resources Conservation Service. 1998. National Handbook of Conservation Practice. Conservation Practice Standard Code 340. Cover crops.
- National Resources Conservation Service. 1999. National Handbook of Conservation Practice. Conservation Practice Standard Code 393: Filter Strip.
- Omernik, J.M. 1977. Nonpoint source-stream nutrient level relationships: A nationwide study. EPA 600/3-77-105. Corvallis Env. Res. Lab., Environmental Protection Agency, Corvallis, OR. 151 pp.

- Omernik, J.M., A.R. Abernathy, and L.M. Male. 1981. Stream nutrient levels and proximity of agricultural and forest land to streams: Some relationships. *Journal of Soil and Water Conservation* 36: 227-231.
- Osborn, L.L. and D.A. Kovacic 1993. Riparian vegetated buffer strips in water quality restoration and stream management. *Freshwater Biology* 29: 243-258.
- Palone, R.S. and A.H. Todd, Eds. 1997. *Chesapeake Bay Riparian Handbook: a Guide for Establishing and Maintaining Riparian Forest Buffers*. USDA Forest Service, Northeastern Area State and Private Forestry. Pub. No. NA-TP-02-97. Radnor, PA.
- Parsons, J.E., R.B. Daniels, and J.W. Gilliam. 2000. Reduction in Sediment and Chemical Load Agricultural Field Runoff by Vegetative Filter Strips. North Carolina State University, Department of Biological and Agricultural Engineering Report 286.
- Patrick, W.H. and K.R. Reddy. 1976. Nitrification-denitrification reactions in flooded soils and water bottoms: Dependence on oxygen supply and ammonium diffusion. *Journal of Environmental Quality* 5: 469-472.
- Peterjohn, W.T. and D.L. Correll. 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* 65: 1466-1475.
- Phillips, R.W. 1971. Effects of sediment on the gravel environment and fish production. In: *Proceedings of a symposium, forest land uses and stream production*. Oregon State University, Corvallis.
- Pickering, A.D. 1993. Endocrine-induced pathology is stressed salmonid fish. *Fish. Res.* 17: 35-50.
- Pinay, G. and H. DeCamps. 1988. The role of riparian woods in regulating nitrogen fluxes between the alluvial aquifer and surface water: a conceptual model. *Regulated Rivers: Research and Management* 2: 506-516.
- Platts, W. S. 1991. Livestock grazing. Pp. 389-424 in W.R. Meehan, ed., *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special Publication No. 19, American Fisheries Society. Bethesda, MD.
- Reese, K.P. and J.T. Ratti. 1988. Edge effect: A concept under scrutiny. *Transactions of the North American Wildlife and Natural Resources Conference* 53: 127-136.
- Regehr, D.L., D.L. Devlin, and P.L. Barnes. 196. Using vegetative filter strips in crop fields. Cooperative Extension Service Pub. No. MF-2224. Kansas State University, Manhattan, KS.
- Renard, K.G., G.R. Foster, G.A. Weesies and J.P. Porter. 1991. RUSLE: Revised universal soil loss equation. *Journal of Soil and Water Conservation* 46 (1): 30-33.
- Rhode, W.A., L.E. Asmussen, E.W. Hauser, R.D. Wauchope, and H.D. Allison. 1980. Trifluralin movement in runoff from a small agricultural watershed. *J. Environ. Qual.* 9: 37-42.
- Riparian Habitat Technical Committee. 1985. Forest riparian habitat study, Phase 1 report. No. WDOE 85-3. 203 p. Washington Department of Ecology, Olympia, WA.
- Ritter, W.F. and A. Shirmohammadi, Eds. 2001. *Agricultural Nonpoint Source Pollution: Watershed Management and Hydrology*. Lewis Publishers, New York.
- Sattell, R., R. Dick, D. Hemphill, J. Selker, F. Brandi-Dohrn, H. Minchew, M. Hess, J. Sandeno, and S. Kaufman. 1999. Nitrogen Scavenging: Using Cover Crops to Reduce Nitrate Leaching

- in Western Oregon. Oregon State University Extension Service EM 8728. Oregon State University, Corvallis, OR. 8 pp.
- Schmitz, R.A. and W.R. Clark. 1999. Survival of ring-necked pheasant hens during spring in relation to landscape features. *Journal of Wildlife Management* 63: 147-154.
- Schnabel, RR. 1986. Nitrate concentrations in a small stream as affected by chemical and hydrologic interactions in the riparian zones. Pp. 263-281 in D.L. Connell, ed., *Water Research Perspectives*. Smithsonian Institution Press, Washington, D.C.
- Scholz, N. L. 2001. Personal communication. National Marine Fisheries Service. NOAA. Seattle, WA. Senior Scientist-toxicologist.
- Schultz, R.C., J.P. Colletti, W.W. Simpkins, C.W. Mize, and M.L. Thompson. 1994. Developing a multispecies riparian buffer strip agroforestry system. In: *Riparian Ecosystems in the Humid US, Functions, Values and Management*. Pp. 203-225. Natl. Assoc. Conserv. Districts, Washington, D.C.
- Schultz, R.C., P.H. Wray, J.P. Colletti, T.M. Isenhardt, C.A. Rodrigues, and A. Kuehl. 1996. *Stewards of our Streams: Buffer Strip Design, Establishment and Maintenance*. Iowa State University Extension, Pub. No. PM-1626b. Ames, Iowa.
- Sear, D.A. 1993. Fine sediment infiltration into gravel spawning beds within a regulated river experiencing floods: ecological implications for salmonids. *Regulated Rivers: Research and Management* 8: 373-390.
- Sekely, A.C., D.J. Mulla and D.W. Bauer. 2002. Streambank slumping and its contribution to the phosphorus and suspended sediment loads of the Blue Earth River, Minnesota. *Journal of Soil and Water Conservation* 57 (5): 243-250.
- Shields, F.D. Jr., S.S. Knight and C.M. Cooper. 1994. Effects of channel incision on base flow stream habitats and fishes. *Environmental Management* 18: 43-57.
- Smith, P.W. 1971. Illinois streams: a classification based on their fishes and an analysis of factors responsible for disappearance of native species. *Biological Notes* 76, Illinois Natural History Survey. Urbana, Illinois.
- Smith, D.S. and P.C. Hellmund. 1993. *Ecology of Greenways: Design and Function of Linear Conservation Areas*. University of Minnesota Press. Minneapolis, MN.
- Soil Conservation Service. 1984. Southeast Washington cooperative river basin study. With US Forest Service and Economic Research Service. US Dept. of Agriculture, Washington, D.C.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. *An Ecosystem Approach to Salmonid Conservation*. TR-4501-96-6057. ManTech Environmental Research Services Corp. Corvallis, OR.
- Stallman, H. and L.B. Best. 1996. Bird use of an experimental strip cropping system in northeast Iowa. *Journal of Wildlife Management* 60: 354-362.
- Swanson, F. J., S.V. Gregory, J.R. Sedell and A.G. Campbell. 1982. Land-water interactions: the riparian zone. Pp. 267-291 in R.L. Edmonds, ed. *Analysis of coniferous forest ecosystems in the Western United States*. Volume 14, Hutchinson Ross Pub. Co., Stroudsburg, PA.

- Tate, K.W., G.A. Nader, D.J. Lewis, E.R. Atwill, and J.M. Conner. Evaluation of Buffers to Improve the Quality of Runoff from Irrigated Pastures. *Journal of Soil and Water Conservation* 55 (4):473-476.
- Wells, D.E., and A.A. Cowan. 1982. Vertebral dysplasia in salmonids caused by the herbicide trifluralin. *Environ. Pollut.* 29: 249-260.
- Whitney, G.G. 1994. *From Coastal Wilderness to Fruited Plain: A History of Environmental Change in Temperate North America from 1500 to the Present.* Cambridge University Press, Cambridge.
- Wiesbrook, M. 2000. Using Buffer Strips to Protect Water Quality. *Illinois Pesticide Review* Vol. 2000: 2, 4pp.
- Wilson, L.G. 1967. Sediment Removal from Flood Water by Grass Filtration. *Transactions of the American Society of Agricultural Engineers* 10: 35-37.
- U.S. Department of Agriculture. 1973. *Soil Survey of King County, Washington.* Soil Conservation Service. Washington, D.C.
- U.S. Geological Survey. 1997. Pesticides in selected small streams in the Puget Sound Basin, 1987-1995. USGS Fact Sheet 067-97, US Geological Survey, Tacoma, WA.
- Yahner, R.H. 1988. Changes in wildlife communities near edges. *Conservation Biology* 2: 333-339.
- Young, R.A., T. Huntrods, and W. Anderson. 1980. Effectiveness of riparian buffer strips in controlling pollution from feedlot runoff. *J. Environ. Qual.* 9: 483-487.
- Yuan, Y., S.M. Dabney and R.L. Bingner. 2002. Cost effectiveness of agricultural BMPs for sediment reduction in the Mississippi Delta. *Journal of Soil and Water Conservation* 57(5): 259-267.
- Zanchi, C. 1983. Influenze dell'azione battente dellapioggia e del ruscellamento nel processo erosivo e variazione dell'erodibilita del suolo nei diversi periodi stagionali. *Annali Istituto Sperimentale per lo Studio e la Difesa del Suolo* 14: 347-358.