



OREGON DEPARTMENT OF HUMAN SERVICES  
Public Health Division, Injury Prevention and Epidemiology Program



# Injury in Oregon

*Injury Prevention and  
Epidemiology Program  
Annual Report 2007*

This report was supported by the cooperative agreement 5U17CE024803-03 from the Centers for Disease Control and Prevention. Its content is solely the responsibility of the Oregon Injury Prevention and Epidemiology Program and do not necessarily represent the official views of the Centers for Disease Control and Prevention



# Acknowledgements

Matthew R. Laidler, MA, MPH, *Injury Prevention and Epidemiology Program Epidemiologist*

Lisa Millet, MSH, *Injury Prevention and Epidemiology Program Manager*

Melvin Kohn, MD, MPH, *State Epidemiologist*

Data for this report were compiled from a number of published and unpublished Oregon department of Human Services sources.

For additional information regarding this report, contact the Injury Prevention and Epidemiology Program epidemiologist: [matthew.laidler@state.or.us](mailto:matthew.laidler@state.or.us)



Oregon Department of Human Services

Division of Public Health

Injury Prevention and Epidemiology

<http://www.oregon.gov/DHS/ph/ipe/index.shtml>

September 2007

Updated September 9, 2008

---



# Table of Contents

Executive summary	1	Hospitalizations	64
Introduction	2		
		Chapter 8: Other unintentional injury	
Chapter 1: Suicide		Deaths and hospitalizations	67
Deaths	18		
Hospitalizations	20	Chapter 9: Traumatic Brain Injury	
Youth	22	Deaths	71
Older adults	23	Hospitalizations	73
Chapter 2: Motor Vehicle Traffic		Appendix	
Deaths	27	Deaths	81
Hospitalizations	29	Hospitalizations	114
Children under 15	31	Public data sources	147
Teen drivers	32		
Older drivers	33		
Chapter 3: Other Transportation			
Deaths and hospitalizations	36		
Chapter 4: Falls			
Deaths	41		
Hospitalizations	43		
Older adults	45		
Chapter 5: Unintentional Poisoning			
Deaths	49		
Hospitalizations	51		
Chapter 6: Homicide and Assault			
Deaths	55		
Hospitalizations	57		
Chapter 7: Drowning			
Deaths	62		

---



# Executive Summary

Injury is the fourth leading cause of death in Oregon, and is also among the leading causes of hospitalization. Although injuries are commonly and inaccurately considered accidents or random events, injuries are preventable, and making injury a top public health priority assures reduction in the injury burden in Oregon. Each year, more than 2,000 Oregonians die as a result of injury, and nearly 20,000 are hospitalized as a direct result of injuries.

- In 2005, the leading cause of injury mortality in Oregon was suicide, at 14.8 deaths per 100,000 (age adjusted). This was over 500 deaths in 2005. Suicide alone contributed over 10,000 years of potential life lost (YPLL) in 2005—almost one third of all potential years of life lost due to injuries, and approximately as much as all motor vehicle traffic fatalities.
- Injury is responsible for more years of potential life lost in Oregon than cancer, heart disease, or stroke. For persons under 44 years of age, injury is the leading cause of death in Oregon.
- Motor vehicle traffic-related deaths were the second leading cause of injury mortality in 2005, with a rate of 12.4 per 100,000 (age adjusted).
- Unintentional falls were the third leading cause of injury mortality in 2005 with a rate of 9.1 deaths per 100,000 (age adjusted). Unintentional falls are the leading cause of hospitalization due to injury.
- Unintentional poisonings were the 4<sup>th</sup> leading cause of injury mortality in 2005, with a rate of 7.1 per 100,000 (age adjusted). Unintentional poisonings have increased significantly in the past few years and more so in males than in females. Over 900 hospitalizations and 250 deaths resulted from unintentional poisoning in 2005.
- There was a slight yet significant decline in the age-adjusted rate of hospitalization for total external injuries between 2001 and 2005, from 556 to 529 hospitalizations per 100,000.

As a preventable cause of death and hospitalization, each Oregonian can take steps to minimize the risks of injury by working to modify the environments, products, policies, and behaviors that facilitate or fail to prevent injury. These steps begin with understanding the impact and causes that lead to injury.



# Introduction

Injury is the fourth leading cause of death in Oregon, and is also among the leading causes of hospitalization. It is typical to consider some causes of death—cancer, heart disease, stroke—as mainly affecting Oregonians in older age groups. However, anyone can be affected by injury, regardless of age, sex, or race. In fact, injury is the leading cause of death for Oregonians under 44 years of age. More than 2,100 Oregonians die each year as the result of injury; more than 1,400 of these are unintentional injuries.

Oregon Department of Human Services (DHS), Public Health Division, in cooperation with the Centers for Disease Control (CDC), has implemented statewide injury surveillance and prevention programs in the effort to reduce the burden of injury among Oregonians. This means that injury deaths and hospitalizations are tracked over time in an effort to understand the impact and causes of injury in Oregon, leading to efforts to prevent future injuries in the community.

## DEFINING INJURY

It is common to consider injuries the result of accidents. However, this implies that injuries are unpredictable and unpreventable. Actually, injuries are preventable (and at the community level are also predictable), and making injury prevention a top public health priority help and recognizing that injuries are preventable facilitates the reduction of the injury burden on Oregonians.

Although injuries can be categorized in multiple ways—where they occur, how they occur, etc.—it is typical to categorize injuries in terms of cause and intent. Cause typifies the how the injury occurred—for instance, by motor vehicle, firearm, struck by an object, by falling, etc. Intent is typified by either unintentional or intentional injury. While unintentional injuries often result as a form of rapid transfer of energy from object to person (e.g. being struck by a motor vehicle), intentional injuries are the result of intentional harm imposed upon one person by another, or upon oneself (e.g. suicide). This report does not include injuries sustained as a result of adverse effects of surgical or medical procedures.



## INJURY AS A PUBLIC HEALTH ISSUE

Public health is a population-based health approach by which health issues are addressed at the community level, versus at the individual level. Prevention is a primary goal of this approach, and efforts to prevent adverse outcomes (whether communicable or chronic diseases, or injuries), target communities over individuals. Since the whole community is the focus of prevention, many different solutions to preventing injuries can be applied to the many different types of injury.

The public health approach to injury prevention is a process that involves identifying and defining the problem, identifying risk and protective factors, developing and testing prevention strategies, and assuring widespread adoption of effective strategies.

Rather than address single types of injury that occur to individuals on a one-to-one basis, broad causes and prevention solutions are the focus of injury prevention in public health. Instead of focusing on individuals and the treatment of individual injuries as they arise, it is the whole community, the community's whole health, and community-level prevention which defines the public health approach.

Sometimes, prevention at the community level involves changing the environment in which injuries occur—for example: installing traffic signals at intersections, or requiring certain products to be fire safe. At other times, prevention at the community level involves education—such as informing school sports programs about preventing head injuries, or providing information to guide changes in health policies or laws. Although the public health workforce may not always directly provide prevention services, public health agencies identify the important conditions and patterns that contribute to injury at the community level, and identify and leverage solutions through community partnerships to promote prevention.

## INJURY PREVENTION

This annual report is written by the Injury Prevention and Epidemiology Program, which is within the Public Health Division of the Oregon Department of Human Services, and whose goal it is to improve the health and safety of the public in Oregon through the reduction of the burden of injuries.

The Injury Prevention and Epidemiology Program works to reduce the burden of injury in Oregon by monitoring injury events (Deaths, hospitalizations, etc.) in the population, and utilizing information about injury occurrence to update and carry out the state injury prevention plan. The state injury prevention plan is a roadmap of how to reduce injury in Oregon, which includes goals and objectives, actions and tasks, and measures of success that help determine when goals and objectives in injury reduction have been reached.



## DATA LIMITATIONS, TECHNICAL ISSUES

This annual report focuses on data from 2005, which is the most recent complete mortality data that is available in Oregon at the time of this report. However, in order to assess trends in injury over time and compare recent data with previous years, data are mostly displayed for a 5 year interval—2001 through 2005. Some data are aggregated over multiple years when the number of events is too few to calculate a reliable rate. In this case, the average number of cases by year (per 100,000 population) is the rate shown. This is known as the average annual rate, and uses the midpoint population (in this case, the population in 2003) as the rate denominator.

The main sources of data used here are mortality data, which are obtained from the Oregon Center for Health Statistics, and hospitalization data, which are obtained from all non-federal Oregon acute-care inpatient facilities. Hospitalization data do not contain personal identifiers that would facilitate identification of multiple admissions, and may include re-admissions, transfers, and deaths. Hospitalization data do not contain information about persons treated in emergency departments and released. Mortality data and hospitalization data use two different versions of the International Classification of Diseases ( ICD-10 and ICD-9), which vary somewhat in regard to the injury categories covered in this report.

Age-adjusted rates are generally used to show the impact of the major injury categories outlined in this report, although crude rates are also used where appropriate. Age-adjusted rates are weighted by a standard population so that the rate in question can be compared to rates from other locations or groups (the Oregon rate of suicide compared to the national rate of suicide, for instance). Although the value of an adjusted rate is not in itself a useful measure, adjusted rates help determine whether two or more rates differ.

Crude rates show the actual number of events in the population in question (i.e. population of Oregon), although crude rates do not account for differences in population structures between populations that might explain differences between the rates. For example, the differences in higher crude rates comparing males to females might be explained by the fact that there are fewer older males than older females. As a result of different population structures, differences in crude rates might very well be the result of the differences in the two populations.

Confidence limits are used for some rates to show the possible variability in those measures. Confidence limits form an interval which contains the range of possible values for an estimate. Confidence intervals are sometimes helpful for determining whether two rates are truly different in the statistical sense.

# THE BURDEN OF INJURY IN OREGON: AN OVERVIEW

Injury is among the leading causes of death in Oregon. Table 1 shows the rank of the leading causes of death in 2005, with all external injury (injury by all forms of intent—intentional and unintentional) ranking as 4<sup>th</sup>. Even when unintentional injury alone is considered in comparison with the leading causes of death, injury still ranks among the five leading causes of death with 1,427 unintentional injury deaths in 2005.

**Table 1. Leading causes of death in Oregon, 2005**

Malignant Neoplasms	7,277
Heart Disease	6,720
Cerebrovascular Disease	2,226
Injury (all types of intent) <sup>1</sup>	2,193
Chronic Lower Respiratory Disease	1,823

However, there are substantial differences in the number of injury deaths that occur by age group (see Appendix), and therefore in the ranking of leading causes of death by age group. Injury is the leading cause of death for Oregonians under 45 years of age. After age 44, the mortality burden greatly shifts to causes such as cancer (malignant neoplasm), heart disease, stroke, and

chronic respiratory disease. As a leading cause of death for younger age groups, injury has a substantial impact on the population of the state.

The impact of injury cannot be viewed solely in terms of rates and counts alone. In order to fully understand the burden of injury on Oregonians, the years of potential life lost—a measure of the number of the years of potential life lost due to premature death—should also be assessed (See Figure 1).

Years of potential life lost (YPLL) measures the potential years that might have been lived by deceased persons, had the individuals in question lived to at least age 65. Since the majority of deaths occur to persons in older age groups, general mortality rates mostly show the underlying disease processes in the older population.


YPLL more adequately reflects the impact of injury in a population since the measure shows the number of years that might have been lived had some deaths not occurred earlier than expected. Figure 1 shows the burden of injury in Oregon by years of potential life lost in comparison with the crude rates for the same leading causes of death. It is clear that although cancer ranks as the leading cause of death with a crude rate of over 200 deaths per 100,000 population<sup>2</sup>, injury exceeds cancer in the number

---

<sup>1</sup> Does not include deaths due to complications from medical or surgical care.


<sup>2</sup> All population denominators used in this report are based on National Center for Health Statistics bridged-race postcensal population estimates.

of years of potential life lost. Translated into a rate this means that in 2005 over 1,100 years of potential life were lost per 100,000 persons in Oregon, due to injury alone.




## TRENDS IN INJURY

The rate of injury death has remained relatively constant between 2001 and 2005, with an age-adjusted<sup>3</sup> rate of 55.6 per 100,000 population in 2001 to 57.4 per 100,000 in 2005 (See Figure 2). This is slightly higher than the 2004 national rate of 56.2 per 100,000 population.<sup>4</sup>



Confidence intervals<sup>5</sup> for the age-adjusted rates of total injury mortality (shown in figures as brackets) suggest that there is no significant difference between the rates for the five years shown, which is confirmed by test of hypothesis.

The crude injury mortality rates show a similar pattern as the age-adjusted rates, with a 2001 crude rate of 56.9 per 100,000, and a 2005 rate of 60.2 per 100,000.



Age-adjusted rates of injury hospitalizations (See Figure 3) have decreased from 480.6 to 454.8 per 100,000 population between 2001 and 2005. The difference in confidence intervals between 2001 and 2005 suggests that the 2005 rate is significantly lower than the rate in 2001. The rates of hospitalization seem to indicate a general trend of decline during the five year period of 2001 to 2005.

<sup>3</sup> All age-adjusted rates are calculated using the National Center for Health Statistics age distribution #1 age group specific weights.


<sup>4</sup>Centers for Disease Control and Prevention, National Center for Injury Prevention and Control, WISQARS Fatal Injuries: Mortality Reports.

<sup>5</sup> 95% confidence intervals for age-adjusted rates are based on the gamma method (Fay and Feuer, 1997). Confidence intervals are a measure of the possible variation in a measure, and are shown in graphs as gray brackets around a rate.




## LEADING CAUSES OF INJURY DEATH

Figure 4 shows the leading causes of injury death in 2005 by age-adjusted rate, with suicide, motor vehicle traffic fatalities (MVT), and falls dominating the leading causes, each with over 9 deaths per 100,000 population. The rate of suicide was 14.8 per 100,000 population in 2005, while the rate of drowning was 1.5 per 100,000 population.




## LEADING CAUSES OF INJURY HOSPITALIZATION

Although the suicide rate leads in the cause of injury death in 2005, the leading cause of hospitalization in Oregon is falls (See Figure 5), with 210 hospitalizations per 100,000 age-adjusted population. Drowning, which is also one of the leading causes of injury death in 2005, shows a hospitalization rate of less than 1 in 100,000 age-adjusted population. The rate of falls hospitalization is more than 3 times greater than the next highest rate—motor vehicle traffic injuries.



## INJURY RATES BY AGE GROUP


Falls are one of the most prominent leading causes of injury death and hospitalization. A large proportion of injury deaths and hospitalizations occur among elderly persons.



Since the population of the older age groups in Oregon is proportionally smaller than most other age groups, the highest mortality and hospitalization rates are in the older age groups—and most prominently among those 85 years of age and older (See Figure 6 and Figure 7).

hospitalization rates in older age groups would give the appearance that the vast majority of injury deaths and hospitalizations occur to elderly persons, when in fact, the greatest overall number of injury deaths (67.7%) in 2005 occurred to person under the age of 65. Similarly, 61% of injury hospitalizations occurred in persons under age 65. In terms of YPLL, deaths in younger persons contribute 100% of all potential years lost due to injury (as shown in Figure 1) since deaths occurring among those 65 and older are not used in the calculation of YPLL.

The substantially higher rates of injury death and hospitalization rates in older age groups would give the appearance that the vast majority of injury deaths and hospitalizations occur to elderly persons, when in fact, the greatest overall number of injury deaths (67.7%) in 2005 occurred to person under the age of 65. Similarly, 61% of injury hospitalizations occurred in persons under age 65. In terms of YPLL, deaths in younger persons contribute 100% of all potential years lost due to injury (as shown in Figure 1) since deaths occurring among those 65 and older are not used in the calculation of YPLL.




## INJURY RATES BY SEX AND AGE GROUP


There are clear differences in injury mortality rates between males and females (See Figure 8), with male rates typically higher when assessing all external causes of injury. However, the same pattern is not in evidence when assessing hospitalization rates, as females demonstrate greater age-specific rates of hospitalization compared to males

after age 65—a pattern that continues beyond age 85. (See Figure 9).

When specific causes of death are assessed, as in Figure 10, males again show higher rates of mortality for all of the leading injury causes of death. For suicide and MVT deaths, the age-adjusted male rate is




more than twice the female rate of mortality in 2005.




Age-adjusted hospitalization rates in 2005 (See Figure 11) show that females are hospitalized more frequently per 100,000 population than males for falls, suicide attempts, and unintentional poisonings. Males retain a higher rate of hospitalization for MVT injury than females.

**Figure 10. Age-adjusted injury death rates by sex and cause, Oregon residents, 2005**



**Figure 11. Age-adjusted injury hospitalization rates by sex and cause, Oregon residents, 2005**



## FOR FURTHER INFORMATION ON INJURY AND INJURY PREVENTION

- Injury Prevention and Epidemiology Program, Public health Division, Oregon Department of Human Services:  
[www.oregon.gov/DHS/ph/ipe/index.shtml](http://www.oregon.gov/DHS/ph/ipe/index.shtml)
- Centers for Disease Control and Prevention, National center for Injury Prevention and Control: [www.cdc.gov/ncipc/](http://www.cdc.gov/ncipc/)
- Oregon SafeKids: [www.oregon.gov/DHS/ph/safekids/index.shtml](http://www.oregon.gov/DHS/ph/safekids/index.shtml)
- National SafeKids: [www.safekids.org](http://www.safekids.org)
- American Academy of Pediatrics: [www.aap.org/default.htm](http://www.aap.org/default.htm)
- State and Territorial Injury Prevention Directors Association:  
[www.stipda.org/](http://www.stipda.org/)
- United States Consumer Product Safety Commission: [www.cpsc.gov/](http://www.cpsc.gov/)
- Partnership Against Violence Network: [www.pavnet.org/](http://www.pavnet.org/)
- Suicide Prevention Resource Center:: [www.sprc.org](http://www.sprc.org)
- Society for the Advancement of Violence and Injury Research:  
[www.savirweb.org](http://www.savirweb.org)
- Brain Injury Association of Oregon: [www.biaoregon.org](http://www.biaoregon.org)
- Attorney General’s Task Force on Sexual Assault: [www.oregonsatf.org](http://www.oregonsatf.org)
- Governor’s Council on Domestic Violence::  
[www.oregon.gov/OSP/CJSD/](http://www.oregon.gov/OSP/CJSD/)



## Suicide

**S**uicide is among the leading causes of death in Oregon, and is a major public health issue nationally. Each year, there are more than 500 suicides in Oregon, and more than 1,800 hospitalizations due to suicide attempt.

Rates of suicide increase with age, and for men, this pattern is apparent, as rates more than double between persons 55-64 years of age and those 85 years of age and older. However, deaths are only the tip of the iceberg, as suicide hospitalizations in Oregon not include emergency room visits due to suicide attempts or attempts that go unreported. It is not known how many persons in Oregon are treated in emergency departments and released, or how many do not present for medical treatment following a suicide attempt.

### S U I C I D E F A C T S

- There were over 550 suicides in Oregon in 2005.
- Men are more likely to die from suicide than women.
- The rate of suicide increases with age, and are highest in males 65 years of age and older.

Nationally, the CDC estimates that over 132,000 persons were hospitalized in 2002 following suicide attempts, and over 116,000 were treated in emergency departments.<sup>6</sup>

Although nationally, men are four times more likely to die from suicide than women, women attempt suicide three times more often than men during their lifetime.<sup>7</sup> In 2005, suicide was the 7th leading cause (overall) of death for Oregon men and 12th for women. In Oregon in 2005, there were more than five times the number of suicides

---

<sup>6</sup> Centers for Disease Control, Suicide Fact Sheet, [www.cdc.gov/ncipc/factsheets/suifacts.htm](http://www.cdc.gov/ncipc/factsheets/suifacts.htm)

<sup>7</sup> Centers for Disease Control, Suicide Fact Sheet, [www.cdc.gov/ncipc/factsheets/suifacts.htm](http://www.cdc.gov/ncipc/factsheets/suifacts.htm)

than homicides. For Oregonians 35 to 54 years old, suicide ranks among the top five causes of death. In Oregon, women have a higher rate of hospitalization due to suicide attempt, and the highest rates occur among those 15-24 years of age.





## DEATHS



The age-adjusted rate of suicide has not significantly changed between 2001 and 2005. In 2001, the rate of suicide was 14.9 per 100,000 population, while in 2005 the rate was 14.8 (See Figure 12). On average, there are over 540 suicides annually in Oregon.

The rate of suicide


**Table 2. Crude Rates by Year**

2001	15.1
2002	14.7
2003	16.5
2004	15.5
2005	15.4


among males is typically about 5 times greater than that among females (See Figure 13). Neither the female or male rate of suicide has changed substantially between 2001 and 2005. The male suicide rate in 2005 is significantly higher than the female rate.

Over 55% of suicides involve the use of firearms (See Figure 14), 20% involve poisons (including those described in Chapter 5). Seventeen percent involve suffocation (e.g. hanging), and the remainder involve other means.


Suicide rates increase with age (See Figure 15), although this increase is mainly the result of higher suicide rates in men than women. For men 85 years of age or older, the average annual suicide rate is 10 times greater than that of women, and is 4 times greater than the rate of suicide in males 15 to 24 years of age.



**Figure 14. Percent of suicides by mechanism, Oregon residents, 2001-2005**




**Figure 15. Average annual suicide mortality rate by sex & age group, Oregon residents, 2001-2005**




## HOSPITALIZATIONS

The rate of hospitalization due to suicide attempt has not significantly declined between 2001 and 2005 (See Figure 16), from 53.3 per 100,000 persons in 2001 to 52.2 per 100,000 in 2005.



Although varying slightly between 2001 and 2005, the age-adjusted rate of hospitalization for females due to suicide attempt is typically twice the male rate (See Figure 17). In 2005, the rate of hospitalization for females was 65.5 per 100,000 compared to 39.2 per 100,000 population for males. The female rate is significantly higher than the male rate.


The average annual rate of hospitalization (See Figure 18) gain shows that female rates



are much greater than those of males in the same age groups, and in nearly each age group shown in Figure 18, the female rate is higher than that of the males in the same age group. Females 15-24 have the highest average annual rate, although this rate (119.35 per 100,000) is only slightly greater than females 35-44 years of age (119.32 per 100,000). For males, the

highest rate of hospitalization occurs in the 35-44 year old age group, yet this rate is nearly half of that of females in the same age category. After age 64, the rates between males and females are only slightly different, and the rate for males 75-84 years of age


(14.4 per 100,000) is slightly higher than the rate for females in the same age group (14.1 per 100,000).



Although the causes for hospitalization due to suicide attempt are the same as for suicide death (See Figure 19), the proportion of hospitalizations due to specific causes of suicide attempt are quite divergent from the proportions of suicide deaths due to the same manner. For hospitalizations, 92% percent are due to poisoning, while the

next most frequent mechanism of injury—cutting and/or piercing—is only 4%. Firearms were involved in 2% of suicide attempt hospitalizations.


2001	53.3
2002	51.8
2003	51.3
2004	55.3
2005	52.1



## YOUTH

Youth are considered at increased risk for suicide, and youth suicide remains an important public health issue.


**Figure 20. Suicide mortality rates by year, Oregon residents 10-24 years of age, 2001-2005**



The rate of youth suicide in Oregon—those in 10 to 24 years of age—increased slightly between 2001 and 2004. The rate in 2001 was 7.0 per 100,000 population, while the 2005 rate was 8.2 per 100,000 population. There is no significant difference between the rate in 2001 and the rate in 2005.

There was a slight decline in the number of hospitalizations during the same period, from 66.1 per 100,000 in 2001 to 60.7 per 100,000 in 2005, although this decline is not statistically significant.


**Figure 21. Suicide attempt hospitalization rates by year, Oregon residents 10-24 years of age, 2001-2005**



## OLDER ADULTS

Adults 65 years of age and older are also considered an at-risk group for suicide, and demonstrate the highest suicide rates of any age group.


The rates for this group have not changed significantly between 2001 and 2005,



although there has been a slight increase in the number of suicides during that period (See Figure 22). The 2001 rate was 22.8 per 100,000 population, while the 2005 rate was 25.7 per 100,000 population.

The rate of hospitalization for this group appears to have increased between 2001 and

2005, from 12.9 per 100,000 in 2001 to 14.5 per 100,000 in 2005 (See Figure 23); however, there is no significant difference between the rate at the beginning of the time period and the rate in 2005. It should be noted that the rate of hospitalization for



suicide among persons 65 years of age and older is actually lower than the rate of mortality for the same age group.

## PREVENTION

Suicide is a major public health issues both nationally and in Oregon. The rates of suicide are especially high among elderly men. The Oregon Injury Prevention and Epidemiology program has developed an elder suicide prevention plan which emphasizes the following prevention concepts and strategies:

- Promote awareness that suicide in older adults is a public health problem that is preventable.
- Develop Broad-Based Support for elder suicide prevention.
- Develop and implement strategies to reduce the stigma associated with aging and with being a senior consumer of mental health, substance abuse and suicide prevention services.
- Develop and implement community-based suicide prevention programs for older adults.
- Promote efforts to reduce access to lethal means and methods of self-harm by older adults.
- Implement training for recognition and assessment of at-risk behavior in and delivery of effective treatment to older adults.
- Develop and promote effective clinical and professional practices for suicide prevention.
- Improve reporting and portrayals of suicidal behavior, mental illness, and substance abuse among older adults in the entertainment and news media.
- Promote and support research on late life suicide and suicide prevention.
- Improve and expand surveillance systems and evaluation of prevention programs for suicidal behavior.



- Review Oregon's Youth Suicide Prevention Plan at:  
<http://www.oregon.gov/DHS/ph/ipe/ysp/2000plan/index.shtml>
- Review Oregon's Older Adult Suicide Prevention Plan at:  
<http://www.oregon.gov/DHS/ph/ipe/esp/index.shtml>



# 2

## Motor Vehicle Traffic

**M**otor vehicle traffic (MVT) injuries are one of the leading causes of death and hospitalization in Oregon. Every year, more than 400 Oregonians are killed in motor vehicle traffic incidents, and over 2,200 are hospitalized.

### MOTOR VEHICLE TRAFFIC INJURY FACTS

- Leading cause of injury death among those 1 to 24 years of age, in 2005
- Leading cause of injury hospitalization for those 15-24 years of age
- Second leading cause of injury hospitalization for those over 55 years of age
- The rate of MVT deaths did not significantly decrease from 2001 to 2005
- Over 400 Oregonians are killed in motor vehicle traffic crashes every year

Motor vehicle traffic injuries include all those involving automobiles, trucks, vans, motorcycles and motorized cycles, traveling on public roadways. The major categories of motor vehicle traffic involvement include vehicle occupants, motor cyclists, pedal cyclists, and pedestrians, depending specifically on the decedent's or patient's involvement.



## DEATHS

In 2005, approximately 21% of all injury deaths were attributable to motor vehicle traffic incidents.

The motor vehicle traffic death rate in Oregon (See Figure 24) has decreased slightly, from 13.9 in 2001 to 12.4 in 2005. However, there is little variation in the overall year-to-year death rates in this same period, and the difference between the rates in 2001 and 2005 is not significant.

The crude rates of motor vehicle traffic fatalities in

2001	14.0
2002	12.6
2003	14.6
2004	13.0
2005	12.7





Table 4 (which shows the crude burden of motor vehicle traffic deaths in Oregon not adjusted by age) shows a similar trend in data as age-adjusted rates for the same period with an overall decline.


The rate of motor vehicle traffic mortality is significantly higher for males overall compared to females—which is consistent

for the entire period of 2001-2005 (See Figure 25). Both males and females show a slight overall decrease in the sex-specific mortality rates between 2001 and 2005.

In comparing age groups between males and females, Figure 26 shows that the highest average annual rates are in males 85 and older,




followed by males 75 to 84, and males 15 to 24. The highest rates for females show a similar distribution, with the highest rates in those over 65 years of age, followed by those 15 to 24 years of age.



By category of involvement (See Figure 27), the majority of motor vehicle traffic deaths involved occupants of motor vehicles (about 64% per year).

Traffic fatalities per vehicle miles traveled estimates the effects of exposure on the outcome of MVT deaths. In 2001, there were 1.41 traffic fatalities per 100 million vehicle miles travels (VMT).<sup>8</sup> In 2005, the rate was 1.38, which was slight increase from the 2004 rate of 1.28 fatalities per 100 million VMT.



<sup>8</sup> Oregon Department of Transportation, Annual Performance Progress Report for State Fiscal Year 2004-2005: [http://www.oregon.gov/ODOT/CS/PERFORMANCE/docs/2005\\_ANNUAL\\_PERFORMANCE\\_REPOR\\_T\\_9\\_30.pdf](http://www.oregon.gov/ODOT/CS/PERFORMANCE/docs/2005_ANNUAL_PERFORMANCE_REPOR_T_9_30.pdf)


## HOSPITALIZATIONS

The age-adjusted motor vehicle traffic hospitalization rate in Oregon (See Figure 28) gradually declined since 2001, with an overall significant decrease in the rate between 2001 and 2005. The rate in 2001 was 68 per 100,000 persons, and was 61.5 in 2005.

Crude rates have also declined overall since 2001, from a high of 69.3 hospitalizations per 100,000 Oregon population to 63.5 per 100,000 in 2005 (See Table 5).

**Table 5. Crude Rates by Year**


2001	68.6
2002	67.2
2003	65.2
2004	61.8
2005	62.9




The rate of motor vehicle traffic hospitalization is significantly higher for males overall compared to females—a trend which is consistent for the entire period of 2001-2005 (See Figure 29). Both males and females show a slight overall decrease in the sex-specific mortality rates between 2001 and 2005.

In comparing age groups between males and females, Figure 30 shows that the highest rates are in males 15 to 24 years of age, followed by males age 85 and older. The highest rates for females show a similar distribution, with the highest rates in those over 75 to 84 years of age, followed by those 15 to 24 years of age.

The rate in females 75 to 84 is the only age category where the female rate of hospitalization surpasses the male rate in any age category.




**Figure 30. Average annual motor vehicle traffic hospitalization rate by sex & age group, Oregon residents, 2001-2005**




## CHILDREN UNDER 15

Motor vehicle traffic is a leading cause of injury death for children 0-14 years of age. Between 2001 and 2005, 139 Oregon children under 15 died as a result of motor vehicle traffic injuries. This translates into a rate of nearly 5 per 100,000 children in 2001 to 3 per 100,000 children in 2005 (See Figure 31).




The hospitalization rate significantly decreased between 2001 and 2005 for children under 15 (See Figure 32). The rate in 2001 was 25.3 per 100,000 population, and declined to 20.2 per 100,000 children in 2005, although there was a slight increase between 2001 and 2003. Between 2001 and 2005, 845 hospitalizations

associated with motor vehicle traffic injuries occurred in the 0-14 age group.




## TEENS

The rate of mortality for 15 to 19 year olds changed little between 2001 and 2005, from 23.2 deaths per 100,000 population in 2001 to 20.9 in 2005 (See Figure 33). Teens have the highest rate of hospitalization due to motor vehicle traffic incidents in the state, and among the highest rates of motor vehicle traffic mortality. Nationally, motor vehicle traffic mortality and hospitalization rates for teens are known to be high, and Oregon reflects similar trends. However, the 2005 mortality rate in Oregon is less than the 2004 national rate of 24.7 per 100,000.





The rate of hospitalization for teens 15-19 declined (See Figure 34) between 2001 and 2005, from a high of 126.4 per 100,000 population in 2001 to 115.5 per 100,000 in 2005. However, the decline between the 2001 rate and the 2005 rate was not significant.



Annually, more than 50 deaths and 250 hospitalizations occur in the 15-19 year old age group due to motor vehicle traffic.

## OLDER ADULTS

The rate of mortality for adults 65 and older has not significantly declined since 2001, although there is a slight decrease in the rate between 2001 and 2005 from 22.7 deaths per 100,000 population to 20.1 deaths per 100,000 in 2005 (See Figure 35).



Motor vehicle traffic injury was the second leading cause of hospitalization among older adults and was the second leading cause of death for those in the 65 to 74 age category. Between 2001 and 2005, over 460 deaths in older adults were due to motor vehicle traffic injury.

Hospitalization rates for older adults due to motor vehicle traffic declined only slightly between 2001 and 2005 (See Figure 36). Annually, over 300 hospitalizations in older adults are due to motor vehicle injuries. The annual rates vary from a high of 74.1 per 100,000 older adults in 2001, to 71.9 per 100,000 older adults in 2005.

National data from the 2001 National Household Travel Survey<sup>9</sup>, conducted under the Federal Highway Administration, indicates that the average daily person miles

traveled decreases with age, after age 65. For persons 36 to 65 years of age, the average daily miles traveled in 2001 was 48.8, while for persons over 65, this number decreases to 27.5. If adults in Oregon travel similar daily distances as the national whole, this may indicate that older adults in Oregon have a higher rate of mortality per miles traveled than those under age 65.

<sup>9</sup> U.S. Dept. of Transportation, Federal Highway Administration, *Summary of travel trends: 2001 national household travel survey*: <http://nhts.ornl.gov/2001/pub/STT.pdf>



## PREVENTION

Motor vehicle traffic injuries are preventable; protective equipment such as safety belts and prevention of impaired driving can reduce the burden of injury caused by MVT.

In the 2006 Behavioral Risk Factor Survey, most Oregonians (97.9%) responded that they always or nearly always wear a seatbelt while driving or riding in a car. However, males are less likely than females to wear a seatbelt, and 3.0% of males in Oregon are at risk as a result, compared to 1.3% of females.

Fewer people always wear seatbelts (90.6%), and again, males are more at risk than females overall, with 12.4% of males responding that they did not always wear seatbelts while driving or riding in a car compared to 6.4% of females.

Impaired driving contributes substantially to MVT injuries in Oregon. In 2004, 44% of MVT fatalities in Oregon involved alcohol.<sup>10</sup> Each alcohol-related fatality costs an estimated \$3.6 million in monetary and quality of life costs, while the estimated cost per survivor of alcohol-related crashes is \$108,000.<sup>11</sup> In light of the approximately 400 MVT deaths, and 2,200 hospitalizations in Oregon each year, the costs of MVT injuries are enormous.

The Oregon Injury Prevention and Epidemiology Program worked with community partners in the effort to establish a graduated driver's license in Oregon. Research has shown that GDL programs reduce the crash risk among teens.

Recommended MVT injury prevention measures include:

- Placing children in age- and size-appropriate restraint systems, which reduce fatal and serious injuries by more than half.<sup>12</sup> Child safety seats reduce the risk of death in passenger cars by 71% for infants, and by 54% for children ages 1-4 years.<sup>13</sup>
- Enhance safety belt enforcement programs.

---

<sup>10</sup> National Highway Traffic Safety Administration (NHTSA), available from [www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/RNotes/2005/809\\_904/809904.htm](http://www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/RNotes/2005/809_904/809904.htm)

<sup>11</sup> National Highway Traffic Safety Administration (NHTSA), available from [www.nhtsa.dot.gov/people/injury/alcohol/impaired\\_driving\\_pg2/OR.htm](http://www.nhtsa.dot.gov/people/injury/alcohol/impaired_driving_pg2/OR.htm)

<sup>12</sup> Department of Transportation (US), National Highway Traffic Safety Administration (NHTSA). *BoosterSeat.gov*. Washington (DC): NHTSA; 2006d. Available from [www.boostersat.gov](http://www.boostersat.gov).

<sup>13</sup> Department of Transportation (US), National Highway Traffic Safety Administration (NHTSA). *Traffic Safety Facts 2005: Children*. Washington (DC): NHTSA; 2006b. Available from [www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/TSF2005/ChildrenTSF05.pdf](http://www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/TSF2005/ChildrenTSF05.pdf)

- Promote and maintain effective measures to reduce impaired driving. The Task Force on Community Preventive Services, an independent, nonfederal panel of community health experts, has recently issued recommendations that outline effective measures that include: sobriety checkpoints, “zero tolerance” laws for young drivers, reducing legal blood alcohol concentration to 0.08%, minimum legal drinking age laws, server intervention training programs, mass media campaigns to reduce alcohol-impaired driving, school-based health promotion programs to promote avoiding riding with impaired drivers, and multifaceted community-based programs.<sup>14</sup>



---


<sup>14</sup> Guide to Community Preventive Services: [www.thecommunityguide.org/mvoi/](http://www.thecommunityguide.org/mvoi/), CDC: [www.cdc.gov/ncipc/duip/mvsafety.htm](http://www.cdc.gov/ncipc/duip/mvsafety.htm)

# 3

## Other Transport

Not all transport-related injuries occur on public roadways, and non-traffic transport injuries are a frequent cause of injury death. On average, 50 Oregon residents die annually as a result of non-traffic transport injuries involving transport such as watercraft, off-road vehicles, trains, aircraft, or animals. There are also over 690 hospitalizations per year on average, involving other non-traffic transport injuries.


OTHER TRANSPORT INJURY FACTS	
▪	Between 2001 and 2005, over 150 deaths were due to water transport injuries
▪	The most frequent category of involvement of other transport death is watercraft
▪	Off-road vehicles are the second most frequent category of other transport mortality



The most frequent cause of mortality due to non-traffic transport injuries involves watercraft (See Figure 37), followed by off-road vehicles. On average, 30 deaths occur annually due to injuries sustained through watercraft involvement, while 7 deaths on average occur annually due to non-traffic off-road vehicle involvement. Approximately 5 deaths occur annually due to involvement of other


non-traffic transport (“other” category in Figure 37 includes transport such as special industrial vehicles, trains, heavy transport, agricultural vehicles, etc.).

The crude rate of mortality due to other transport injuries declined slightly between 2001 and 2005. In 2001 the rate was 1.5 per 100,000 persons, while the 2005 rate was 1.3 per 100,000.



The rate of hospitalization (See Figure 39) remained relatively unchanged over the 2001 to 2005 time period, although the rate in 2005 was higher than the rate in 2004. In 2005, there were over 100 more hospitalizations due to transport injuries than in 2004. The 2001 rate was 19.5 per 100,000 while the 2005 rate was 21 per 100,000.


Mortality due to transport injuries generally increases with age, as shown in Figures 40 and 41. This pattern is observed even when land transport injuries and other non-traffic transport



(e.g. water transport) injuries are analyzed separately—as Figures 40 and 41 show. Since the number of non-traffic transport injuries is relatively small, some age groups contain counts of less than 20 deaths, requiring that the rates are interpreted with caution. Although the highest rates occur in the 75-84 year old age group, the most frequently involved age group (by count) is the


45-54 year old age group, where nearly 50 transport injury deaths occurred between 2001 and 2005.

**Figure 40. Average annual rate of mortality for other land transport injuries by age group, Oregon residents, 2001- 2005**




Hospitalizations are coded differently (using International Classification of Diseases version 9), and as a result, Figure 42 shows the age distribution of hospitalization rates for various means of transportation including railway, off-road vehicles and other motor vehicle not in traffic, water and air transport.

**Figure 41. Average annual rate of mortality of other\* transport injuries by age group, Oregon residents, 2001- 2005**



**Figure 42. Average annual rate of hospitalization for other transport injuries by age group, Oregon residents, 2001- 2005**



## PREVENTION

Injuries involving watercraft, off-road vehicles, and other forms of transport can be prevented. Recommendations include:

- Avoid alcohol or other intoxicants when operating any form of transport.
- Follow all safety laws when operating transport.
- Use personal safety equipment. Children especially should use safety equipment, including helmets. Children should never operate transport intended for adults.
- Oregon statute requires boats to carry U.S. Coast Guard readily-accessible personal floatation devices (PFDs) for each person on board.<sup>15</sup> PFDs are required to be appropriately sized for each person for which they are intended. For children 12 and under, a PFD must be worn at all times on a deck or open cockpit of a vessel while underway.<sup>16</sup>



- Persons under 18 riding on public lands while operating a Class I or III ATV must wear a helmet. An ATV operator's permit is required for all motorcycle (Class III) operators who are between age 7 and 17 years or anyone who does not possess a driver's license.

<sup>15</sup> Oregon Revised Statutes, Chapter 830.

<sup>16</sup> This includes both motorized and non-motorized vessels; few exceptions under Oregon law, see summary of state boating laws on Oregon State Marine Board website for further details. Oregon State Marine Board: [www.boatoregon.com/Safety/Lifejacket.html](http://www.boatoregon.com/Safety/Lifejacket.html)

# 4

## Falls

**F**all injuries<sup>17</sup> are one of the leading causes of injury hospitalization in Oregon, and among the leading causes of injury-related death for older adults. More hospitalizations are due to falls than any other single injury-related cause. Each year, more than 300 deaths and 8,000 hospitalizations in Oregon are due to falls.

FALL INJURY FACTS	
▪	Falls are the overall leading cause of injury hospitalization in Oregon
▪	Leading cause of injury death among those 75 years of age and older in 2005
▪	Leading cause of injury hospitalization for those 45 years of age and older in 2005
▪	Leading cause of injury hospitalization for those under 15 years of age in 2005

Falls are a major injury issue for older adults in Oregon, as the rates of both hospitalization and death due to falls are vastly greater in the older age groups, and increase with age.

The average annual rate of hospitalization due to falls in women 55-64 years of age between 2001 and 2005 was 226 per 100,000. For women 75-84 years of age, the rate was over 1,600 per 100,000—over a 7 fold increase per 100,000 persons. For women over age 85, the rate was over 3,800 per 100,000 persons. For Oregon adults 65 and older, this is more than 5,000 hospitalizations annually. Fall deaths demonstrate a similar pattern, as the mortality rates in older adults are also substantially greater than those in the younger age groups.



---

<sup>17</sup> Falls described within this section do not include intentional or undetermined intent (i.e. unintentional only).

## DEATHS

The age-adjusted fall death rate in Oregon (See Figure 43) has increased slightly between 2001 and 2005, from 7.8 deaths per 100,000 in 2001 to 9.1 per 100,000 in 2005. Crude rates per 100,000 demonstrate a similar trend as the age-adjusted rates (Table 6). The proportion of fall-related deaths in Oregon's population has significantly increased between 2001 and 2005, although this is not reflected in the age-adjusted rates.


Comparing male and female rates (See Figure 44) demonstrates a similar pattern as the aggregate rates between 2001 and 2005, with an overall increased rate of death for both

**Table 6. Crude Rates by Year**


2001	8.4
2002	9.7
2003	9.3
2004	10.6
2005	10.5

males and females.

While the aggregated rate of fall deaths is below 10 deaths per 100,000, the rate of death increases greatly with age. Figure 45 shows the rates by age group, with those 85 years of age and older at a rate of well over 200 persons per




100,000 population.



While 53% of all fall deaths are females, males actually have a higher mortality rate which is especially apparent in the older age groups.



**Figure 45. Average annual unintentional fall mortality rate by sex and age group, Oregon residents, 2001-2005**




## HOSPITALIZATIONS

The age-adjusted fall hospitalization rate declined slightly between 2001 and 2005, from a high of 219 hospitalizations per 100,000 in 2001 to 210 hospitalizations per 100,000 in 2005, although the decrease between these years is not significant.

The crude hospitalization rate in the overall Oregon population indicates that approximately 230 (Table 7) hospitalizations occur annually per 100,000 population.

Hospitalization rates by sex (See Figure 47) show that the female rate is significantly higher




**Table 7. Crude Rates by Year**


2001	229.0
2002	233.2
2003	232.2
2004	233.1
2005	227.6

than the male rate, and that both rates declined slightly between 2001 and 2005.

While females have a higher sex-specific rate of fall hospitalization, males have a higher rate of fall mortality.



**Figure 48. Average annual unintentional fall hospitalization rate by sex & age group, Oregon residents, 2001-2005**





## OLDER ADULTS

The mortality rate in adults over age 65 due to falls has increased significantly between 2001 and 2005 from 56.3 per 100,000 in 2001 to 70.2 in 2005.

The rate of hospitalization in the over 65 age group remained relatively unchanged throughout the 2001 to 2005 time period, and there is no significant difference in the

proportion of persons hospitalized in this age group between 2001 and 2005.



## PREVENTION

Falls are a significant injury problem, especially among the elderly where the majority of falls occur, and where the rates increase greatly with age. Nationally, falls are the leading cause of injury death, the most common cause of non-fatal injury injuries and hospital admissions for trauma, and cost billions of dollars annually in direct medical costs.<sup>18</sup> In Oregon, falls are the most frequent cause of traumatic brain injury (TBI) hospitalizations, and are associated with 38% of all TBI hospitalizations between 2001 and 2005.

In the 2006 Behavioral Risk Factor Survey, 10% of adults 45 years of age and older responded that they had experienced at least one fall within the preceding 3 months. 22.5% of those that fell at least once reported that the fall caused an injury.

Falls can be prevented, and for the elderly where most falls occur, recommendations<sup>19</sup> for prevention include:

- Getting regular exercise to improve strength and balance.
- Reducing side-effects of medications by checking with physicians or pharmacists for medication reviews that might reduce or prevent drug interactions.
- Reducing hazards in the home that might lead to falls.
- Checking vision at least once a year, and improving lighting conditions in the home.
- The Oregon Injury Prevention and Epidemiology Program supports successful Tai Chi programs for the elderly which are modeled on programs that have shown effectiveness in reducing the incidence of falls in the elderly.

As Oregon's population ages, falls will likely remain a significant injury concern. This is why taking action on healthy aging—such as getting regular exercise—is important in starting early in the life cycle to protect from future fall injuries and deaths.

---

<sup>18</sup> Centers for Disease Control and Prevention, National Center for Injury Prevention and Control [www.cdc.gov/ncipc/factsheets/adultfalls.htm](http://www.cdc.gov/ncipc/factsheets/adultfalls.htm)

<sup>19</sup> Centers for Disease Control and Prevention, National Center for Injury Prevention and Control [www.cdc.gov/ncipc/factsheets/adultfalls.htm](http://www.cdc.gov/ncipc/factsheets/adultfalls.htm)



## Poisoning

Unintentional poisonings are among the most frequent causes of death, and among unintentional injury deaths, is the most frequent cause after motor vehicle traffic and fall deaths. Unintentional poisoning deaths are more frequent than drowning or deaths due to fire. On average, there are over 200 deaths annually due to unintentional poisoning, and the number has steadily increased since 2001. There are also approximately 890 hospitalizations on average per year due to unintentional poisoning. It is unknown how many persons are treated in emergency rooms and released.

### UNINTENTIONAL POISONING INJURY FACTS

- The rate of unintentional poisoning has steadily increased since 2001.
- Males have higher rates of both death and hospitalization
- The mortality rate is highest in those 45-54 years of age
- Over 200 deaths occur annually due to unintentional poisoning

Unintentional poisonings are due to a variety of substances, although nationally the single greatest cause of unintentional poisoning deaths is drug overdoses of prescription or illegal drugs.<sup>20</sup> However, the category of unintentional poisoning used here includes non-opioid analgesics, psychotherapeutic drugs, narcotics and hallucinogens, drugs acting on the central nervous system, alcohol, organic solvents and halogenated hydrocarbons, carbon monoxide and other gases, pesticides, and other or unspecified chemicals or drugs.

The CDC has estimated that mortality due to unintentional poisoning has increased 62.5% between 1999 and 2004, with the rate of drug-poisoning deaths increasing 68.3% in the same time period. The age-adjusted rate of unintentional poisoning in Oregon in 2005 was slightly higher than the national rate reported in 2004 (7.09 versus 7.08)


<sup>20</sup> Centers for Disease Control and Prevention. Unintentional Poisoning Deaths—United States, 1999-2004. MMWR, 2007; 56(05): 93-96.

Much like national rates, mortality due to unintentional poisoning has increased substantially in Oregon between 2001 and 2005. While the rate of hospitalization has increased significantly in the same time period, the rate of increase has not been as great as that seen in mortality rates.



## DEATHS

The age-adjusted mortality rate due to unintentional poisoning increased from 4.1 deaths per 100,000 population to 7.1 per 100,000 (See Figure 51). The increased rate in 2005 is statistically higher than the rate in 2001, and with the apparent upward trend, indicates that the increase is not likely due to chance variation in the number of fatalities.




The rate for males was higher for the 2001-2005 time period, and also saw the greatest increase between 2004 and 2005, increasing from 7.4 to 10.1 deaths per 100,000 (See Figure 52).

2001	4.1
2002	5.6
2003	6.5
2004	6.1
2005	7.2

The highest rates of death are in the 45-54 year old age group, followed by those in the 35-44 year old age group (See Figure 53). Deaths for both males and females peak in this age group.


The greatest rate of increase for unintentional poisoning deaths occurred for narcotics and psychodysleptics (a category which includes cannabis derivatives, cocaine, codeine, heroin, lysergide [LSD], mescaline, methadone, morphine, and opium [alkaloids]) where the crude rate increased from 2.4 deaths per 100,000 in 2001 to 4.8 per 100,000 in 2005. This was followed by deaths occurring from poisoning from antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, where the rate increased 0.4 to 0.7 per 100,000





from 2001 to 2005. The greatest increases in the rates of death attributable to narcotics and psychodysleptics occurred among 25-34 year olds and 45-54 year olds. The 25-34 year old rate increased from 1.9 deaths per 100,000 in 2001 to 6.8 deaths per 100,000 in 2005. The rate for 45-54 year olds increased from 5.1 deaths per 100,000 in 2001 to 10.7 deaths per 100,000 in 2005.

**Figure 53. Average annual unintentional poisoning mortality rate by sex and age group, Oregon residents, 2001-2005**




## HOSPITALIZATIONS

The rate of hospitalization also increased between 2001 and 2005 (See Figure 54), although the increase was not significant. In 2001 the rate of hospitalization was 22.6 per 100,000, increasing to 25.4 in 2005.

Both male and female rates increased over this time period, with male rates being slightly higher than that of females (See Figure 55).


Figure 56 shows that the rate of hospitalization increases with age, culminating in the




**Table 9. Crude Rates by Year**

2001	22.7
2002	24.0
2003	27.6
2004	24.8
2005	25.9

highest rates in those 85 years and older, followed by those 75-84 years of age. The rate of hospitalization is also markedly high in those 1-4 years of age, and is higher than any other rate up to the 75-84 year-old age group.



**Figure 56. Average annual unintentional poisoning hospitalization rate by sex & age group, Oregon residents, 2001-2005**



## PREVENTION

Unintentional poisonings occur for a number of reasons, and involve substances from carbon monoxide and household chemicals to prescription drugs and narcotics. Poisonings can be prevented at both the household and community levels.

Some recommendations for prevention include:

- Communities and safety advocates can raise awareness by participating in National Poison Prevention Week which occurs each March (third week of the month). See [www.poisonprevention.org/poison.htm](http://www.poisonprevention.org/poison.htm) for further information.
- The American Association of Poison Control Centers has produced a classroom program for preschoolers that promotes poisoning prevention. See [www.1-800-222-1222.info/poisonPrevention/preschool.asp](http://www.1-800-222-1222.info/poisonPrevention/preschool.asp) for further information. An adult education program is also available: [www.1-800-222-1222.info/poisonPrevention/adultEd.asp](http://www.1-800-222-1222.info/poisonPrevention/adultEd.asp)
- In the household:
  - Read and follow all drug labels carefully, and never share or sell prescription drugs.
  - Keep all medicines in their original containers, and keep them out of reach of children. Keep opioid pain medications in a place that can only be accessed by the person taking them or dispensing them (or their caretaker).
  - Keep the Oregon Poison Control phone number (1-800-222-1222) on or near the telephone.
  - Dispose of old medications or chemical products properly.





## Homicide and Assault

**H**omicide and assault are responsible for approximately 100 deaths annually in Oregon (annual average, 2001-2005), and over 480 hospitalizations each year on average. Males have the highest rates of homicide and assault, especially those in the 15-24 year old age groups.

The age-adjusted rate of homicide in Oregon (2.7 per 100,000 population in 2005) is below the nation rate (5.9 per 100,000 population in 2004), although the rate in Oregon has remained relatively unchanged between 2001 and 2005.


### HOMICIDE AND ASSAULT FACTS

- There are on average over 100 homicides per year in Oregon
- Males 15-24 years of age have the highest rates of homicide and assault hospitalization



## DEATHS

The age-adjusted rate of homicide has varied little between 2001 and 2005, and the confidence intervals for the rates suggest that there are no significant differences from year-to-year in this 5 year interval (See Figure 57). The age-adjusted rate in 2001 was 3.1 per




100,000 population and 2.7 per 100,000 in 2005. The rate of homicide is higher overall in males compared to females, although in 2005 over the 2001 rate.

**Table 10. Crude Rates by Year**


2001	3.1
2002	3.0
2003	2.6
2004	3.1
2005	2.8

Typically, males demonstrate higher rates of homicide for most age groups (See Figure 58), and males 15-24 show the highest rates of any age group. In the very youngest and oldest age groups (under 1 year of age and 85 and older), females have a higher average annual rate of homicide than males, although these rates should be interpreted with caution since they are

based on frequencies of less than 20 cases.




**Figure 59. Average annual homicide rate by sex & age group, Oregon residents, 2001-2005**



## HOSPITALIZATIONS

The rate of hospitalization due to assault has remained stable over the 2001 to 2005 period, with no significant change (See Figure 60). The rate in 2001 was 14.0 per 100,000, increasing slightly to 14.4 per 100,000 in 2005.

Males have a higher rate of hospitalization due to assault compared to females, and the rate for males is typically about 5 times as high as the female rate (See Figure 61). The male



hospitalization rate due to assault was 23.9 per 100,000 in 2005, while the rate for females the same year was 4.5 per 100,000.


**Table 11. Crude Rates by Year**

2001	14.0
2002	13.1
2003	13.1
2004	14.3
2005	14.4

There are also substantial age-group differences in the rates of assault hospitalization (See Figure 62). Males demonstrate the highest overall average annual rate in the 15-24 year old age group. The rate for this age-group is 56.8 per 100,000 population, while the rate for females in the same age group is


6.0 per 100,000.

Much like homicide rates, males demonstrate the highest rates of assault hospitalization for each age group, except in the youngest and oldest age groups. The female rate of assault hospitalization is greater than the male rate in the less than 1 year old age group (11.0 per 100,000 population for females, 10.4 per





100,000 for males), as well as in the 75 to 84 year old age group (2.3 per 100,000 for females, 1.5 per 100,000 for males). Females less than 1 year of age have the highest female rate of assault hospitalization.



## PREVENTION

Violence inflicts a tremendous social toll, and is manifest in many forms such as child abuse and maltreatment, sexual violence, intimate partner violence, youth violence, and homicide and suicide. The primary goal of violence prevention is stopping all forms of violence before they begin. Violence often has complex social causes, and in order to understand the circumstances and risk factors that lead to violence, the Oregon IPE Program participates in the National Violent Death Reporting System (NVDRS), which monitors violent deaths and risk factors.



Significant disparities exist in violence mortality, and this is evident when homicide rates among African-Americans are compared to whites. Nationally, the sixth leading cause of mortality for African-Americans is homicide—a cause which is not in the top 10 causes of death for non-Hispanic whites.<sup>21</sup> Between 2001 and 2004, the adjusted rate (aggregate) of homicide among African-American males in Oregon was 17.8 deaths per 100,000, compared to 3.1 per 100,000 among white males. Although this is lower than the national rate<sup>22</sup> of 37.1 among African-Americans (2001-2004 aggregate), the rate in Oregon points out the progress still to be made in preventing violence—especially where disparities in outcomes and prevention occur.

Violence can be prevented by:

- Use and support of programs that have been developed to reduce child maltreatment and abuse. Sources include evidence-based programs such as the national Nurse-Family Partnership: [www.nursefamilypartnership.org/index.cfm?fuseaction=home](http://www.nursefamilypartnership.org/index.cfm?fuseaction=home), and parenting intervention programs [www.cdc.gov/ncipc/pub-res/parenting/ChildMalT-Briefing.pdf](http://www.cdc.gov/ncipc/pub-res/parenting/ChildMalT-Briefing.pdf)
- Youth violence can be prevented through implementing and supporting best practices programs including parent and family based strategies, home visit strategies, social-cognitive strategies, and mentoring strategies.<sup>23</sup>

---

<sup>21</sup> <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5401a1.htm#tab>

<sup>22</sup> CDC, WISQARS: <http://www.cdc.gov/ncipc/wisqars/>

<sup>23</sup> Best Practices of Youth Violence Prevention: a Sourcebook for Community Action, [www.cdc.gov/ncipc/dvp/bestpractices.htm](http://www.cdc.gov/ncipc/dvp/bestpractices.htm)

For further information on violence prevention, and Oregon's violence prevention actions, see:

- The Oregon Violent Death Reporting System:  
[www.oregon.gov/DHS/ph/ipe/nvdrs/index.shtml](http://www.oregon.gov/DHS/ph/ipe/nvdrs/index.shtml)
- Oregon Violence Against Women Prevention Plan:  
[www.oregon.gov/DHS/ph/ipe/index.shtml](http://www.oregon.gov/DHS/ph/ipe/index.shtml)
- Report on the costs of intimate partner violence (IPV):  
[www.oregon.gov/DHS/ph/ipv/index.shtml](http://www.oregon.gov/DHS/ph/ipv/index.shtml)
- Recommendations to Prevent Sexual Violence in Oregon:  
[www.oregon.gov/DHS/ph/ipe/index.shtml](http://www.oregon.gov/DHS/ph/ipe/index.shtml)

# 7

## Drowning

**B**etween 2001 and 2005 there were 241 drowning deaths in Oregon. Although not occurring with the magnitude of deaths caused by motor vehicle traffic injuries, suicide, or falls, drowning is an important and preventable injury problem, especially for children where it remains a leading cause of death for those under 15 years of age.

### DROWNING INJURY FACTS



- 75% of drowning deaths occurring between 2001 and 2005 were among males
- Drowning is a leading cause of death among children under 15 years of age
- The highest rate of drowning occurs among males 15-24 years of age.



## DEATHS

The age-adjusted rate of drowning remained relatively unchanged during the 2001-2005 period. The 2001 rate was 1.2 per 100,000 while the 2005 rate was 1.6 per 100,000.


Males overall have a higher drowning mortality rate than females; the male rate in 2005 was 2.5 per 100,000 while the female rate the same year was 0.5 per 100,000.



**Table 12. Crude Rates by Year**

2001	1.2
2002	1.1
2003	1.3
2004	1.6
2005	1.5

**Figure 65. Average annual drowning mortality rate by sex and age group, Oregon residents, 2001-2005**



## HOSPITALIZATIONS

Hospitalization rates for drowning/submersion are typically very low, possibly reflecting the lethality of drowning as a cause of injury death.

**Table 13. Crude Rates by Year**

2001	0.8
2002	0.8
2003	1.0
2004	0.5
2005	0.6


**Figure 66. Age-adjusted drowning/submersion hospitalization rates by year, Oregon residents, 2001-2005**



Between 2001 and 2005, there were 134 hospitalizations overall for drowning/submersion. The rates of hospitalization were below 1 case per 100,000 population for each year between 2001 and 2005.

The male rate is higher than that for females, much like the mortality rates.

**Figure 67. Age-adjusted drowning/submersion hospitalization rates by sex, Oregon residents, 2001-2005**



## PREVENTION

Drowning can be prevented in many ways including:

- Particularly for young children around pools, active supervision by caretakers is essential. In addition, ensuring appropriate barriers around pools can also reduce risk. While swimming skills can help prevent drowning, teaching young children to swim is not a substitute for active supervision.
- Personal flotation devices (a.k.a. life vests) should be worn in both motorized and non-motorized water craft, as well as for non-boating recreation in rivers and lakes. Oregon statute requires boats to carry U.S. Coast Guard readily-accessible PFDs for each person on board.<sup>24</sup> PFDs are required to be appropriately sized for each person for which they are intended. For children 12 and under, a PFD must be worn at all times on a deck or open cockpit of a vessel while underway.<sup>25</sup>
- As of 2005, Oregon building code requires that all residential outdoor swimming pools, including in-ground, aboveground on on-ground pools, hot tubs or spas shall be provided with a barrier. Pools require four-sided fencing and locking access gates.<sup>26</sup>



---

<sup>24</sup> Oregon Revised Statutes, Chapter 830.

<sup>25</sup> This includes both motorized and non-motorized vessels; few exceptions under Oregon law, see summary of state boating laws on Oregon State Marine Board website for further details. Oregon State Marine Board: [www.boatoregon.com/Safety/Lifejacket.html](http://www.boatoregon.com/Safety/Lifejacket.html)

<sup>26</sup> Oregon Residential Specialty Code, 2005.



Where the wall of a dwelling serves as part of the barrier, the pools shall be equipped with a powered safety cover or other means of protection, such as self-closing doors. Spas or hot tubs with a locking safety cover are exempt from the 4-sided fencing rule (Appendix G, 2005 Oregon Residential Specialty Code).

- Extra caution should be used when swimming in cold bodies of water.
- Alcohol and water sports do not mix. Avoid alcohol or other intoxicants when engaged in water sports.

A recent study by the Oregon Injury Prevention and Epidemiology Program found that 34% of drowning deaths in Oregon children 15 years of age and younger occurred in swimming pools (the remaining sites included rivers and streams, lakes, canals, ocean, tubs, and not specified).<sup>27</sup> For drowning fatalities in this age group, the type of water body was 6 times more likely to have been a swimming pool for children under 3 years of age. Active supervision of children in and around water bodies is an extremely important factor in preventing drowning fatalities in children.

---

<sup>27</sup> <http://www.oregon.gov/DHS/ph/cdsummary/2007/ohd5610.pdf>




## Other Unintentional Injury

Injury surveillance is not limited to the major causes of injury death and hospitalization, and there are numerous causes of injury death and hospitalization that although uncommon, make up a substantial proportion of the injuries that occur in Oregon each year.

OTHER INJURY FACTS	
▪	On average, there are 50 suffocations annually in Oregon
▪	There are on average 32 deaths caused by fire or flame in Oregon per year

This section covers unintentional injuries where the annual average rate of mortality is less than 1.5 cases per 100,000. These injuries include deaths due to fires and burns,




injury deaths involving machinery, deaths due to natural or environmental causes (e.g. bitten by animals, exposure to excessive heat or cold, natural disasters), and unintentional suffocation deaths.

Hospitalizations include these same causes with the addition of cutting/piercing, overexertion, and

being struck by or against an object.<sup>28</sup>

The annual average rate of unintentional suffocation in Oregon is 1.4 per 100,000. The rate of fire and burn mortality was 0.9 deaths per 100,000. Deaths due to natural/environmental causes occurred 0.05 times per 100,000 population between 2001 and 2005, and machinery caused 0.03 injury deaths per 100,000 annually between 2001 and 2005.

For hospitalizations, being struck by/against (such as falling objects) resulted in 12.7 hospitalizations per 100,000 persons annually between 2001 and 2005. Overexertion caused 10.7 hospitalizations per 100,000 annually. Natural or environmental caused resulted in 6.5 hospitalizations annually in the same period, and cuts/piercing, machinery, and fires/burns resulted in 5.8, 5.3, 4.9 hospitalizations per 100,000 annually for the 2001 to 2005 period.



<sup>28</sup> Detailed tables of causes of injury death by manner and intent can be found in the report appendix.



## Traumatic Brain Injury

**T**raumatic brain injury (TBI) is defined as any jolt or blow to the head, or a head penetrating injury disrupting brain functioning. The CDC estimates that nationally 50,000 people die in the US each year as a result of TBI, 235,000 are hospitalized, and 1.1 million are treated and released from emergency departments.<sup>29</sup> Nationally, the leading causes of TBI are falls, motor vehicle traffic crashes, struck by/against objects or persons, and assault.

TBI is a considerable injury problem in public health because of the individual and social impacts resulting from TBI. It is estimated that 5.3 million persons in the US require either life-long or long-term assistance in performing activities in daily living due to TBI, and the direct and indirect medical costs of TBI were estimated at \$60 billion in 2000.<sup>30</sup>

T B I F A C T S	
▪	There were 3,220 Oregon resident deaths associated with TBI in between 2001 and 2005.
▪	There were over 12,800 hospitalizations associated with TBI between 2001 and 2005.
▪	Males have higher rates of TBI associated death and hospitalization.
▪	Firearms are the most frequent cause of TBI death.
▪	Falls are the most frequent cause of TBI hospitalization.

Generally, TBI are considered a contributing cause of death where injury deaths are concerned, and therefore TBI deaths are associated with some of the leading causes of injury death in Oregon (i.e. MVT, Falls). In terms of hospitalizations, TBI is determined through assessing all diagnostic codes listed in hospital discharge data. As a result of these two conditions, TBI is not represented in this report as an independent cause of death or hospitalization, but rather, is associated with the particular manner (i.e. MVT, fall, drowning/submersion, etc.) or intent (i.e.

---

<sup>29</sup> Centers for Disease Control, TBI Fact Sheet, [www.cdc.gov/ncipc/tbi/FactSheets/TBI\\_Fact\\_Sheets.htm](http://www.cdc.gov/ncipc/tbi/FactSheets/TBI_Fact_Sheets.htm)

<sup>30</sup> Ibid.


unintentional, suicide, homicide) that led to the injury. Therefore, some deaths and hospitalizations reported in this section are also reported in other sections of this report, except as different causes of death and hospitalization.



## DEATHS


The age-adjusted mortality rate due to TBI has declined slightly between 2001 and 2005, although the decline has not been significant. The rate in 2001 was 18.2 per 100,000, while the 2005 rate was 16.9 per 100,000. In total, there were 3,220 deaths in

Oregon associated with TBI between 2001 and 2005.



The rate of TBI is higher in males than females, typically three times the female rate from year to year. In 2005, the male rate was 26.8 per 100,000 compared to the female rate of 7.9 per 100,000.

The age distribution of TBI rates shows that rates typically increase with age, and that the highest rates are in persons 85 years of age and older. The average annual rate for males in the 85 and older age group is 121.8 per 100,000 population, while the rate for females in the same age group is 40.7 per 100,000. The greatest increase in rates occurs after the 65-74 year old age group, where the rate difference between those in the 75-84 year old age group is nearly double.




**Table 14. Crude Rates by Year**

2001	18.6
2002	18.4
2003	18.7
2004	17.2
2005	17.6


The leading causes of TBI indicate that firearms were involved in 40% of all TBI deaths

between 2001 and 2005. 35% of TBI deaths were the result of MVT injury, and 15% were due to falls. The remaining 10% were due to a variety of other causes.

**Figure 72. Average annual traumatic brain injury mortality rate by sex & age group, Oregon residents, 2001-2005**




**Figure 73. Leading mechanisms of traumatic brain injury mortality by percent, Oregon residents, 2001-2005**




## HOSPITALIZATIONS

Although the rate of hospitalization for TBI remained relatively stable between 2001 and 2004, there was an increase in the rate of hospitalization in 2005, which represents



a significant increase over the 2001 rate (See Figure 74). The rate in 2001 was 69.5 per 100,000, which increases to 74.8 per 100,000 in 2005.

The rate of TBI hospitalization is higher in males than in females (See Figure 75). In 2005, the rate for males was 102.1 per 100,000 while the female rate was 48.3 per 100,000.



The highest rates by age occur among those 85 years of age and older (See Figure 76). The average annual rate for males is higher than that for females in all age categories. Overall, there were 12,829

hospitalizations associated with TBI between 2001 and 2005.

Most of the TBI-associated hospitalizations (See


Figure 77) between 2001 and 2005 involved falls (38%, N=4,259). Motor vehicle traffic hospitalizations were the second leading cause (37%, N=4,150), followed by stuck by/against (8%, N=921).




**Table 14. Crude Rates by Year**

2001	70.1
2002	71.1
2003	71.1
2004	71.6
2005	76.4

**Figure 76. Average annual traumatic brain injury hospitalization rate by sex and age group, Oregon residents, 2001-2005**



**Figure 77. Leading causes of traumatic brain injury hospitalization by percent, Oregon residents, 2001-2005**



## PREVENTION

There are many ways in which the chances of sustaining a traumatic brain injury can be reduced. These include<sup>31</sup>:

- Always wearing a seatbelt while riding or driving in a motor vehicle.
- Never drive under the influence of alcohol.
- Use the correct safety seat, booster, or seatbelt for children. Oregon’s laws require that infants ride in rear-facing seats until one year of age **and** 20 lbs. Children over one year **and** between 20 and 40 lbs must be secured with a forward-facing child safety seat up to a minimum of 40 lbs, or the weight limit of the seat. Children weighing over 40 lbs must be secured in a booster seat until they are 8 years of age **or** 4’ 9” in height. Children 8 years of age and older, **or** taller than 4’ 9” must ride properly secured with the vehicle safety belt system.
- Children should always wear helmets when engaged in riding bicycles, scooters, motorcycles, all-terrain vehicles, snowmobiles, skateboards, or when using inline skates. Helmets should also be worn when engaged in contact sports (football, ice hockey, boxing), and sports such as baseball and softball when running or batting. Other outdoor activities also require helmets for safety, including skiing and snowboarding, and horseback riding.
- Make living and play spaces safer for children. This includes installing window guards and safety gates that can prevent falls down stairs or through open windows.
- Make living spaces safer for seniors by removing tripping or stumbling hazards such as throw rugs or clutter in walkways; installing non-slip mats in tubs and showers and grab bars next to toilets, tubs, and showers; installing handrails on both sides of stairways; improving lighting in the household; improving balance and lower body strength through a regular activity program, and with physician approval.
- Raising community awareness by participating in Brain Injury Awareness Month, in March.

For further information on TBI prevention, see:

- The Brain Injury Recovery Kit: [www.daytimer.com/birk/](http://www.daytimer.com/birk/)

---

<sup>31</sup> Adapted from CDC prevention recommendations: [www.cdc.gov/ncipc/tbi/Prevention.htm](http://www.cdc.gov/ncipc/tbi/Prevention.htm)

- Understanding Brain Injury, A Guide for Employers:  
[biaoregon.org/medicalpro.htm](http://biaoregon.org/medicalpro.htm)
- Period of Purple Crying, preventing shaken baby Syndrome and other Infant Abuse: [www.dontshake.com/Subject.aspx?CategoryID=13](http://www.dontshake.com/Subject.aspx?CategoryID=13)
- Heads Up Toolkit for Physicians:  
[www.cdc.gov/ncipc/tbi/physicians\\_tool\\_kit.htm](http://www.cdc.gov/ncipc/tbi/physicians_tool_kit.htm) and Heads Up: Concussion in Youth Sports: [www.cdc.gov/ConcussionInYouthSports/](http://www.cdc.gov/ConcussionInYouthSports/)

# Index

- Accidents, 3
- Age-adjusted rates, 6
- Assault, 54
- Confidence limits, 6
- Crude rates, 6
- Drowning, 61
- Elder suicide, 23
- Environmental causes, 67
- Excessive heat, 67
- Falls, 40
  - Older adults, 45
- Fires and burns, 67
- Homicide, 54
- Hospitalization data, 6
- Injury rates by age group, 12
- Injury rates by sex and age group, 13
- Leading causes of death, 8
- Leading causes of injury death, 10
- Leading causes of injury hospitalization, 11
- Machinery, 67
- Mortality data, 6
- Motor vehicle traffic, 26-35
  - Children under 15, 31
  - Impaired driving, 34
  - Older adults, 33
  - Teens, 32
- Natural disasters, 67
- Non-traffic transport. *See* Other transport
- Off-road vehicles, 36
- Other Transport, 36-39
- Personal floatation devices, 65
- Poison Control, 53
- Poisonings, 47-53
- Pools, 65
- Prevention, 15
- Public health approach 4
- Suffocation, 68
- Suicide, 16-25
- Traumatic Brain Injury, 69-76
- Trends in injury, 9
- Violence, 59
- Watercraft, 34
- Years of potential life lost. *See* YPLL
- Youth suicide, 22
- YPLL, 7

# Appendix

## CONTENTS

Table 1A. Number of deaths and crude death rate per 100,000 population by intent, manner and year, 2001-2005, Oregon residents	81
Table 2A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2001.	83
Table 3A. Injury death rate per 100,000 population according to intent and mechanism, by age, Oregon residents, 2001.	85
Table 4A. Injury deaths according to intent and mechanism, by age, Oregon residents, 2002.	87
Table 5A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2002.	89
Table 6A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2003.	91
Table 7A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2003.	93
Table 8A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2004.	95
Table 9A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2004.	97
Table 10A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2005.	99
Table 11A. Injury death rates per 100,000 population according to intent	

and mechanism, by age, Oregon residents, 2005.	101
Table 12A. Male injury death according to intent and mechanism, by age, Oregon residents, 2005.	103
Table 13A. Male injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005.	105
Table 14A. Female injury deaths according to intent and mechanism, by age, Oregon residents, 2005.	107
Table 15A. Females rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005.	109
Table 16A. Five leading causes/mechanism of injury death by intent, mechanism, and age group, 2001-2005 aggregated data and average annual rate, Oregon residents.	111
Table 17A. Select causes/mechanisms of injury death by county, Oregon residents, 2005.	112
Table 1B. Hospitalizations by mechanism/intent and year, Oregon residents, 2001-2005.	114
Table 2B. Number of hospitalizations by age group, Oregon residents, 2001.	116
Table 3B. Rate of hospitalization by age group, Oregon residents, 2001.	118
Table 4B. Number of hospitalizations by age group, Oregon residents, 2002.	120
Table 5B. Rate of hospitalization by age group, Oregon residents, 2002.	122
Table 6B. Number of hospitalizations by age group, Oregon residents, 2003.	124
Table 7B. Rate of hospitalization by age group, Oregon residents, 2003.	126
Table 8B. Number of hospitalizations by age group, Oregon residents, 2004.	128

Table 9B. Rate of hospitalization by age group, Oregon residents, 2004.	130
Table 10B. Number of hospitalizations by age group, Oregon residents, 2005.	132
Table 11B. Rate of hospitalization by age group, Oregon residents, 2005.	134
Table 12B. Number of female hospitalizations by age group, Oregon residents, 2005.	136
Table 13B. Rate of female hospitalization, Oregon residents, 2005.	138
Table 14B. Number of male hospitalizations by age group, Oregon residents, 2005.	140
Table 15B. Male rate of hospitalization by age group, Oregon residents, 2005.	142
Table 16B. Five leading causes of injury hospitalization by cause/mechanism, intent, and age group, 2001-2005 aggregated data and average annual rate, Oregon residents.	144
Table 17B. Select causes/mechanisms of injury hospitalization by county, Oregon residents, 2005.	145
Public data sources	147

# MORTALITY \*

Table 1A. Number of deaths and crude death rate per 100,000 population by intent, mechanism and year, 2001-2005, Oregon residents.

Intent and mechanism	2001		2002		2003		2004		2005	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
<b>Unintentional Total</b>	<b>1,256</b>	<b>36.2</b>	<b>1,382</b>	<b>39.2</b>	<b>1,388</b>	<b>39.0</b>	<b>1,423</b>	<b>39.6</b>	<b>1,427</b>	<b>39.2</b>
Cut/pierce	0	0.0	1	0.0	3	0.1	1	0.0	1	0.0
Drowning	42	1.2	38	1.1	46	1.3	59	1.6	55	1.5
Fall	293	8.4	343	9.7	331	9.3	381	10.6	381	10.5
Fire/flame	34	1.0	39	1.1	27	0.8	34	0.9	23	0.6
Hot object/scald	0	0.0	1	0.0	0	0.0	1	0.0	1	0.0
Firearm	11	0.3	9	0.3	4	0.1	7	0.2	3	0.1
Machinery	13	0.4	15	0.4	8	0.2	13	0.4	11	0.3
Motor Vehicle traffic	488	14.0	443	12.6	519	14.6	467	13.0	464	12.7
Other pedal cyclist	4	0.1	5	0.1	6	0.2	6	0.2	3	0.1
Other pedestrian	11	0.3	12	0.3	10	0.3	12	0.3	12	0.3
Other land transport	16	0.5	15	0.4	13	0.4	19	0.5	15	0.4
Other transport	28	0.8	37	1.1	34	1.0	24	0.7	30	0.8
Natural/environmental	15	0.4	19	0.5	13	0.4	17	0.5	20	0.5
Poisoning	144	4.1	199	5.6	232	6.5	224	6.2	262	7.2
Struck by/against	11	0.3	23	0.7	16	0.4	11	0.3	8	0.2
Suffocation	50	1.4	55	1.6	37	1.0	62	1.7	46	1.3
Other specified	18	0.5	32	0.9	22	0.6	14	0.4	14	0.4
NEC	30	0.9	18	0.5	12	0.3	12	0.3	20	0.5
Not specified	48	1.4	78	2.2	55	1.5	59	1.6	58	1.6
<b>Suicide Total</b>	<b>524</b>	<b>15.1</b>	<b>517</b>	<b>14.7</b>	<b>589</b>	<b>16.5</b>	<b>555</b>	<b>15.5</b>	<b>559</b>	<b>15.4</b>
Cut/pierce	9	0.3	9	0.3	13	0.4	9	0.3	8	0.2
Drowning	8	0.2	6	0.2	10	0.3	5	0.1	7	0.2
Fall	10	0.3	14	0.4	11	0.3	11	0.3	12	0.3
Fire/flame	2	0.1	2	0.1	3	0.1	2	0.1	3	0.1
Firearm	287	8.3	291	8.3	329	9.2	300	8.4	320	8.8
Other land transport	4	0.1	0	0.0	2	0.1	2	0.1	2	0.1
Poisoning	93	2.7	100	2.8	116	3.3	116	3.2	115	3.2
Suffocation	103	3.0	86	2.4	98	2.8	101	2.8	86	2.4
Other specified	4	0.1	5	0.1	5	0.1	5	0.1	2	0.1
NEC	4	0.1	2	0.1	2	0.1	3	0.1	4	0.1
Not specified	0	0.0	2	0.1	0	0.0	1	0.0	0	0.0
<b>Homicide Total</b>	<b>107</b>	<b>3.1</b>	<b>106</b>	<b>3.0</b>	<b>91</b>	<b>2.6</b>	<b>112</b>	<b>3.1</b>	<b>103</b>	<b>2.8</b>
Cut/pierce	21	0.6	13	0.4	9	0.3	16	0.4	19	0.5
Drowning	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fall	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fire/flame	0	0.0	4	0.1	0	0.0	2	0.1	1	0.0
Firearm	49	1.4	64	1.8	51	1.4	64	1.8	55	1.5
Other land transport	2	0.1	1	0.0	0	0.0	0	0.0	0	0.0
Poisoning	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Struck by/against	2	0.1	2	0.1	4	0.1	3	0.1	12	0.3
Suffocation	11	0.3	7	0.2	8	0.2	3	0.1	4	0.1
Other specified	4	0.1	3	0.1	0	0.0	2	0.1	7	0.2
NEC	6	0.2	1	0.0	2	0.1	6	0.2	2	0.1
Not specified	11	0.3	11	0.3	17	0.5	16	0.4	3	0.1

\*Rates based on numerator counts < 20 are considered unstable. Rates based on counts < 20 are shown here, and must be interpreted with caution.



Table 1A. Number of deaths and crude death rate per 100,000 population by intent, mechanism and year, 2001-2005, Oregon residents--continued.

Intent and mechanism	2001		2002		2003		2004		2005	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
<b>Undetermined Total</b>	<b>77</b>	<b>2.2</b>	<b>105</b>	<b>3.0</b>	<b>95</b>	<b>2.7</b>	<b>91</b>	<b>2.5</b>	<b>84</b>	<b>2.3</b>
Cut/pierce	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drowning	13	0.4	11	0.3	0	0.0	2	0.1	8	0.2
Fall	4	0.1	2	0.1	5	0.1	4	0.1	1	0.0
Fire/flame	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0
Firearm	2	0.1	3	0.1	2	0.1	2	0.1	6	0.2
Other land transport	0	0.0	2	0.1	2	0.1	1	0.0	2	0.1
Poisoning	43	1.2	63	1.8	55	1.5	54	1.5	44	1.2
Struck by/against	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Suffocation	2	0.1	6	0.2	8	0.2	8	0.2	8	0.2
Other specified	2	0.1	1	0.0	2	0.1	0	0.0	0	0.0
NEC	3	0.1	0	0.0	7	0.2	7	0.2	3	0.1
Not specified	8	0.2	16	0.5	14	0.4	13	0.4	10	0.3
<b>Legal/War Total</b>	<b>11</b>	<b>0.3</b>	<b>9</b>	<b>0.3</b>	<b>7</b>	<b>0.2</b>	<b>10</b>	<b>0.3</b>	<b>17</b>	<b>0.5</b>
Cut/pierce	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Firearm	11	0.3	8	0.2	7	0.2	10	0.3	16	0.4
Poisoning	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Struck by/against	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other specified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
NEC	0	0.0	1	0.0	0	0.0	0	0.0	4	0.1
Not specified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Total Injury</b>	<b>1,975</b>	<b>56.9</b>	<b>2,119</b>	<b>60.2</b>	<b>2,170</b>	<b>60.9</b>	<b>2,191</b>	<b>61.0</b>	<b>2,193</b>	<b>60.2</b>
Cut/pierce	30	0.9	23	0.7	25	0.7	26	0.7	28	0.8
Drowning	63	1.8	55	1.6	56	1.6	66	1.8	70	1.9
Fall	307	8.8	359	10.2	347	9.7	396	11.0	394	10.8
Fire/flame	36	1.0	46	1.3	30	0.8	38	1.1	27	0.7
Hot object/scald	0	0.0	1	0.0	0	0.0	1	0.0	1	0.0
Firearm	360	10.4	375	10.6	393	11.0	383	10.7	400	11.0
Machinery	13	0.4	15	0.4	8	0.2	13	0.4	11	0.3
Motor Vehicle traffic	488	14.0	443	12.6	519	14.6	467	13.0	464	12.7
Other pedal cyclist	4	0.1	5	0.1	6	0.2	6	0.2	3	0.1
Other pedestrian	11	0.3	12	0.3	10	0.3	12	0.3	12	0.3
Other land transport	22	0.6	18	0.5	17	0.5	22	0.6	19	0.5
Other transport	28	0.8	37	1.1	34	1.0	24	0.7	30	0.8
Natural/environmental	15	0.4	19	0.5	13	0.4	17	0.5	20	0.5
Poisoning	281	8.1	362	10.3	403	11.3	394	11.0	421	11.6
Struck by/against	13	0.4	25	0.7	20	0.6	14	0.4	22	0.6
Suffocation	166	4.8	154	4.4	151	4.2	174	4.8	144	4.0
Other specified	28	0.8	41	1.2	29	0.8	21	0.6	23	0.6
NEC	43	1.2	22	0.6	23	0.6	28	0.8	33	0.9
Not specified	67	1.9	107	3.0	86	2.4	89	2.5	71	1.9

Table 2A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2001.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	8	14	37	146	120	175	165	101	101	185	204
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	3	3	13	5	5	3	6	2	2	-
Fall	-	-	1	3	5	7	12	16	23	92	134
Fire/flare	1	-	2	-	5	3	5	4	5	6	3
Firearm	-	-	-	3	1	3	1	2	-	1	-
Machinery	-	-	-	1	3	1	3	1	4	-	-
Motor Vehicle traffic	2	8	24	101	57	80	78	38	42	42	16
Natural/environmental	-	-	-	-	1	5	-	2	3	3	1
Not specified	-	-	-	1	-	1	3	4	4	11	24
Other specified, classifiable	-	-	-	-	5	3	2	1	4	2	1
Other specified, not elsewhere classifiable	-	1	-	-	2	1	-	3	2	10	11
Pedal cyclist, other	-	-	1	-	1	-	1	1	-	-	-
Pedestrian, other	-	1	1	-	1	1	-	4	2	-	1
Poisoning	-	-	1	14	22	51	45	8	1	2	-
Struck by/against	-	-	2	2	2	-	2	3	-	-	-
Suffocation	5	1	-	3	-	3	3	3	7	12	13
Transport (land), other	-	-	2	2	2	3	4	2	1	-	-
Transport, other	-	-	-	3	8	8	3	3	1	2	-
<b>Suicide</b>											
<b>Total</b>	-	-	5	46	92	121	110	49	42	42	17
Cut/pierce	-	-	-	-	2	4	-	1	2	-	-
Drowning	-	-	-	-	-	3	3	2	-	-	-
Fall	-	-	-	-	-	2	4	2	1	1	-
Fire/flare	-	-	-	-	-	-	2	-	-	-	-
Firearm	-	-	-	31	40	58	57	30	31	30	10
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	1	-	2	1	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	3	1	-	-	-	-
Poisoning	-	-	1	1	17	25	27	7	5	8	2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	4	13	31	23	15	6	3	3	5
Transport (land), other	-	-	-	-	2	1	-	1	-	-	-
<b>Homicide</b>											
<b>Total</b>	3	1	4	23	17	21	15	7	7	6	3
Cut/pierce	-	-	-	7	3	5	5	-	-	1	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flare	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	1	14	7	9	6	4	3	4	1
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	1	1	2	2	2	2	1	-	-
Other specified, classifiable	3	-	1	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	3	1	-	1	-	-	1
Poisoning	-	-	-	-	-	-	-	-	-	1	-
Struck by/against	-	-	-	-	-	-	1	-	-	-	1
Suffocation	-	1	1	1	1	4	1	-	2	-	-
Transport (land), other	-	-	-	-	1	-	-	-	1	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 2A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2001-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	2	1	-	6	14	22	26	4	1	-	1
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	1	-	2	3	5	2	-	-	-	-
Fall	-	-	-	1	1	1	1	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	-	-	1	-	1	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	1	2	4	-	-	-	1
Other specified, classifiable	-	-	-	-	1	-	1	-	-	-	-
Other specified, not elsewhere classifiable	1	-	-	-	-	1	1	-	-	-	-
Poisoning	-	-	-	3	8	12	16	3	1	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	1	-	-	-	-	-	1	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	3	4	2	1	1	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	3	4	2	1	1	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	13	16	46	224	247	341	317	162	151	233	225
Cut/pierce	-	-	-	7	5	9	5	1	2	1	-
Drowning	-	4	3	15	8	13	8	8	2	2	-
Fall	-	-	1	4	6	10	17	18	24	93	134
Fire/flame	1	-	2	-	5	3	7	4	5	6	3
Firearm	-	-	1	51	52	73	65	38	34	35	11
Machinery	-	-	-	1	3	1	3	1	4	-	-
Motor Vehicle traffic	2	8	24	101	57	80	78	38	42	42	16
Natural/environmental	-	-	-	-	1	5	-	2	3	3	1
Not specified	-	-	1	2	3	5	9	6	5	11	25
Other specified, classifiable	3	-	1	1	6	5	4	1	4	2	1
Other specified, not elsewhere classifiable	1	1	-	-	5	6	2	4	2	10	12
Pedal cyclist, other	-	-	1	-	1	-	1	1	-	-	-
Pedestrian, other	-	1	1	-	1	1	-	4	2	-	1
Poisoning	-	-	2	18	47	88	88	18	7	11	2
Struck by/against	-	-	2	2	2	-	3	3	-	-	1
Suffocation	6	2	5	17	32	30	20	9	12	15	18
Transport (land), other	-	-	2	2	5	4	4	3	2	-	-
Transport, other	-	-	-	3	8	8	3	3	1	2	-

Table 3A. Injury death rate per 100,000 population according to intent and manner, by age, Oregon residents, 2001.

Intent and cause	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	17.7	7.8	7.7	30.2	25.0	33.6	31.4	31.9	46.3	114	331
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	1.7	0.6	2.7	1.0	1.0	0.6	1.9	0.9	1.2	-
Fall	-	-	0.2	0.6	1.0	1.3	2.3	5.1	10.5	56.5	217
Fire/flame	2.2	-	0.4	-	1.0	0.6	1.0	1.3	2.3	3.7	4.9
Firearm	-	-	-	0.6	0.2	0.6	0.2	0.6	-	0.6	-
Machinery	-	-	-	0.2	0.6	0.2	0.6	0.3	1.8	-	-
Motor Vehicle traffic	4.4	4.4	5.0	20.9	11.9	15.4	14.9	12.0	19.3	25.8	26.0
Natural/environmental	-	-	-	-	0.2	1.0	-	0.6	1.4	1.8	1.6
Not specified	-	-	-	0.2	-	0.2	0.6	1.3	1.8	6.8	38.9
Other specified, classifiable	-	-	-	-	1.0	0.6	0.4	0.3	1.8	1.2	1.6
Other specified, not elsewhere classifiable	-	0.6	-	-	0.4	0.2	-	0.9	0.9	6.1	17.8
Pedal cyclist, other	-	-	0.2	-	0.2	-	0.2	0.3	-	-	-
Pedestrian, other	-	0.6	0.2	-	0.2	0.2	-	1.3	0.9	-	1.6
Poisoning	-	-	0.2	2.9	4.6	9.8	8.6	2.5	0.5	1.2	-
Struck by/against	-	-	0.4	0.4	0.4	-	0.4	0.9	-	-	-
Suffocation	11.1	0.6	-	0.6	-	0.6	0.6	0.9	3.2	7.4	21.1
Transport (land), other	-	-	0.4	0.4	0.4	0.6	0.8	0.6	0.5	-	-
Transport, other	-	-	-	0.6	1.7	1.5	0.6	0.9	0.5	1.2	-
<b>Suicide</b>											
<b>Total</b>	-	-	1.0	9.5	19.2	23.3	21.0	15.5	19.3	25.8	27.6
Cut/pierce	-	-	-	-	0.4	0.8	-	0.3	0.9	-	-
Drowning	-	-	-	-	-	0.6	0.6	0.6	-	-	-
Fall	-	-	-	-	-	0.4	0.8	0.6	0.5	0.6	-
Fire/flame	-	-	-	-	-	-	0.4	-	-	-	-
Firearm	-	-	-	6.4	8.3	11.1	10.9	9.5	14.2	18.4	16.2
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	0.2	-	0.4	0.2	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.6	0.2	-	-	-	-
Poisoning	-	-	0.2	0.2	3.5	4.8	5.1	2.2	2.3	4.9	3.2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	0.8	2.7	6.5	4.4	2.9	1.9	1.4	1.8	8.1
Transport (land), other	-	-	-	-	0.4	0.2	-	0.3	-	-	-
<b>Homicide</b>											
<b>Total</b>	6.6	0.6	0.8	4.8	3.5	4.0	2.9	2.2	3.2	3.7	4.9
Cut/pierce	-	-	-	1.4	0.6	1.0	1.0	-	-	0.6	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	0.2	2.9	1.5	1.7	1.1	1.3	1.4	2.5	1.6
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	0.2	0.2	0.4	0.4	0.4	0.6	0.5	-	-
Other specified, classifiable	6.6	-	0.2	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	0.6	0.2	-	0.3	-	-	1.6
Poisoning	-	-	-	-	-	-	-	-	-	0.6	-
Struck by/against	-	-	-	-	-	-	0.2	-	-	-	1.6
Suffocation	-	0.6	0.2	0.2	0.2	0.8	0.2	-	0.9	-	-
Transport (land), other	-	-	-	-	0.2	-	-	-	0.5	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 3A. Injury death rate per 100,000 population according to intent and mechanism, by age, Oregon residents, 2001-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	4.4	0.6	-	1.2	2.9	4.2	5.0	1.3	0.5	-	1.6
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	0.6	-	0.4	0.6	1.0	0.4	-	-	-	-
Fall	-	-	-	0.2	0.2	0.2	0.2	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	-	-	0.2	-	0.3	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	0.2	0.4	0.8	-	-	-	1.6
Other specified, classifiable	-	-	-	-	0.2	-	0.2	-	-	-	-
Other specified, not elsewhere classifiable	2.2	-	-	-	-	0.2	0.2	-	-	-	-
Poisoning	-	-	-	0.6	1.7	2.3	3.0	0.9	0.5	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	2.2	-	-	-	-	-	0.2	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	0.6	0.8	0.4	0.2	0.3	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.6	0.8	0.4	0.2	0.3	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	28.8	8.9	9.6	46.4	51.5	65.6	60.4	51.2	69.2	143	365
Cut/pierce	-	-	-	1.4	1.0	1.7	1.0	0.3	0.9	0.6	-
Drowning	-	2.2	0.6	3.1	1.7	2.5	1.5	2.5	0.9	1.2	-
Fall	-	-	0.2	0.8	1.3	1.9	3.2	5.7	11.0	57.1	217
Fire/flame	2.2	-	0.4	-	1.0	0.6	1.3	1.3	2.3	3.7	4.9
Firearm	-	-	0.2	10.6	10.8	14.0	12.4	12.0	15.6	21.5	17.8
Machinery	-	-	-	0.2	0.6	0.2	0.6	0.3	1.8	-	-
Motor Vehicle traffic	4.4	4.4	5.0	20.9	11.9	15.4	14.9	12.0	19.3	25.8	26.0
Natural/environmental	-	-	-	-	0.2	1.0	-	0.6	1.4	1.8	1.6
Not specified	-	-	0.2	0.4	0.6	1.0	1.7	1.9	2.3	6.8	40.6
Other specified, classifiable	6.6	-	0.2	0.2	1.3	1.0	0.8	0.3	1.8	1.2	1.6
Other specified, not elsewhere classifiable	2.2	0.6	-	-	1.0	1.2	0.4	1.3	0.9	6.1	19.5
Pedal cyclist, other	-	-	0.2	-	0.2	-	0.2	0.3	-	-	-
Pedestrian, other	-	0.6	0.2	-	0.2	0.2	-	1.3	0.9	-	1.6
Poisoning	-	-	0.4	3.7	9.8	16.9	16.8	5.7	3.2	6.8	3.2
Struck by/against	-	-	0.4	0.4	0.4	-	0.6	0.9	-	-	1.6
Suffocation	13.3	1.1	1.0	3.5	6.7	5.8	3.8	2.8	5.5	9.2	29.2
Transport (land), other	-	-	0.4	0.4	1.0	0.8	0.8	0.9	0.9	-	-
Transport, other	-	-	-	0.6	1.7	1.5	0.6	0.9	0.5	1.2	-

Table 4A. Injury deaths according to intent and mechanism, by age, Oregon residents, 2002.

Intent and manner	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	10	19	29	143	135	155	204	114	102	215	256
Cut/pierce	-	-	-	-	-	-	-	1	-	-	-
Drowning	-	4	2	10	5	3	4	5	2	3	-
Fall	-	-	-	6	10	7	8	11	30	115	156
Fire/flame	-	4	2	3	4	6	2	4	5	5	4
Firearm	-	-	1	1	1	2	1	1	1	1	-
Machinery	-	-	-	-	-	-	-	1	-	-	-
Hot object/scald	-	-	-	-	3	1	6	2	2	1	-
Motor Vehicle traffic	-	5	14	94	62	46	74	45	34	40	29
Natural/environmental	-	-	-	1	2	2	2	3	-	6	3
Not specified	-	-	-	-	-	2	-	3	9	19	45
Other specified, classifiable	-	-	3	4	4	5	6	5	3	2	-
Other specified, not elsewhere classifiable	-	-	-	1	-	-	2	1	2	6	6
Pedal cyclist, other	-	-	-	-	1	-	2	1	1	-	-
Pedestrian, other	-	2	-	1	3	3	1	2	-	-	-
Poisoning	-	-	1	11	29	66	68	16	5	1	2
Struck by/against	-	1	2	1	2	2	8	4	3	-	-
Suffocation	10	3	1	4	3	2	6	3	-	12	11
Transport (land), other	-	-	3	3	3	-	2	2	-	2	-
Transport, other	-	-	-	3	3	8	12	4	5	2	-
<b>Suicide</b>											
<b>Total</b>	-	-	3	57	73	106	123	49	38	45	23
Cut/pierce	-	-	-	-	-	2	4	-	1	1	1
Drowning	-	-	-	-	2	1	1	1	-	1	-
Fall	-	-	-	1	3	3	3	1	2	-	1
Fire/flame	-	-	-	-	-	-	2	-	-	-	-
Firearm	-	-	3	37	32	54	54	31	28	35	17
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	1	1	-	-	-
Other specified, classifiable	-	-	-	-	-	1	4	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	1	1	-	-	-	-
Poisoning	-	-	-	3	14	28	36	10	5	2	2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	16	22	16	17	5	2	6	2
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Homicide</b>											
<b>Total</b>	3	7	11	22	21	22	7	5	6	2	-
Cut/pierce	-	-	1	5	2	3	1	1	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	1	1	-	1	1	-	-	-	-	-
Firearm	-	3	5	15	16	12	4	3	4	2	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	2	2	2	-	1	1	1	1	1	-	-
Other specified, classifiable	1	1	-	-	-	1	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	1	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	2	-	-	-	-	-
Suffocation	-	-	1	1	1	2	1	-	1	-	-
Transport (land), other	-	-	-	1	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 4A. Injury deaths according to intent and mechanism, by age, Oregon residents, 2002--  
continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	5	1	-	11	11	29	34	10	3	-	1
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	1	1	-	2	2	-	1	3	1	-	-
Fall	-	-	-	-	1	1	-	-	-	-	-
Fire/flame	-	-	-	-	-	1	-	-	-	-	-
Firearm	-	-	-	3	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	1	-	3	7	3	1	-	1
Other specified, classifiable	-	-	-	-	-	1	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	3	8	21	26	4	1	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	4	-	-	2	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	2	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	1	1	3	3	-	1	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	1	1	3	3	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	1	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	18	27	43	234	241	315	371	178	150	262	280
Cut/pierce	-	-	1	5	2	5	5	2	1	1	1
Drowning	1	5	2	12	9	4	6	9	3	4	-
Fall	-	-	-	7	14	11	11	12	32	115	157
Fire/flame	-	5	3	3	5	8	4	4	5	5	4
Firearm	-	3	9	57	50	71	62	35	33	38	17
Hot object/scald	-	-	-	-	-	-	-	1	-	-	-
Machinery	-	-	-	-	3	1	6	2	2	1	-
Motor Vehicle traffic	-	5	14	94	62	46	74	45	34	40	29
Natural/environmental	-	-	-	1	2	2	2	3	-	6	3
Not specified	2	2	2	1	1	6	9	8	11	19	46
Other specified, classifiable	1	1	3	4	4	8	10	5	3	2	-
Other specified, not elsewhere classifiable	-	-	1	1	-	1	3	1	3	6	6
Pedal cyclist, other	-	-	-	-	1	-	2	1	1	-	-
Pedestrian, other	-	2	-	1	3	3	1	2	-	-	-
Poisoning	-	-	1	17	51	115	130	30	11	3	4
Struck by/against	-	1	2	1	2	4	8	4	3	-	-
Suffocation	14	3	2	23	26	20	24	8	3	18	13
Transport (land), other	-	-	3	4	3	2	2	2	-	2	-
Transport, other	-	-	-	3	3	8	12	4	5	2	-

Table 5A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2002.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	22.5	10.5	6.0	29.2	27.5	30.0	38.5	33.4	46.3	132	401
Cut/pierce	-	-	-	-	-	-	-	0.3	-	-	-
Drowning	-	2.2	0.4	2.0	1.0	0.6	0.8	1.5	0.9	1.8	-
Fall	-	-	-	1.2	2.0	1.4	1.5	3.2	13.6	70.4	244
Fire/flame	-	2.2	0.4	0.6	0.8	1.2	0.4	1.2	2.3	3.1	6.3
Firearm	-	-	0.2	0.2	0.2	0.4	0.2	0.3	0.5	0.6	-
Hot object/scald	-	-	-	-	-	-	-	0.3	-	-	-
Machinery	-	-	-	-	0.6	0.2	1.1	0.6	0.9	0.6	-
Motor Vehicle traffic	-	2.8	2.9	19.2	12.6	8.9	14.0	13.2	15.4	24.5	45.4
Natural/environmental	-	-	-	0.2	0.4	0.4	0.4	0.9	-	3.7	4.7
Not specified	-	-	-	-	-	0.4	-	0.9	4.1	11.6	70.5
Other specified, classifiable	-	-	0.6	0.8	0.8	1.0	1.1	1.5	1.4	1.2	-
Other specified, not elsewhere classifiable	-	-	-	0.2	-	-	0.4	0.3	0.9	3.7	9.4
Pedal cyclist, other	-	-	-	-	0.2	-	0.4	0.3	0.5	-	-
Pedestrian, other	-	1.1	-	0.2	0.6	0.6	0.2	0.6	-	-	-
Poisoning	-	-	0.2	2.2	5.9	12.8	12.8	4.7	2.3	0.6	3.1
Struck by/against	-	0.6	0.4	0.2	0.4	0.4	1.5	1.2	1.4	-	-
Suffocation	22.5	1.7	0.2	0.8	0.6	0.4	1.1	0.9	-	7.3	17.2
Transport (land), other	-	-	0.6	0.6	0.6	-	0.4	0.6	-	1.2	-
Transport, other	-	-	-	0.6	0.6	1.5	2.3	1.2	2.3	1.2	-
<b>Suicide</b>											
<b>Total</b>	-	-	0.6	11.6	14.9	20.5	23.2	14.4	17.3	27.5	36.0
Cut/pierce	-	-	-	-	-	0.4	0.8	-	0.5	0.6	1.6
Drowning	-	-	-	-	0.4	0.2	0.2	0.3	-	0.6	-
Fall	-	-	-	0.2	0.6	0.6	0.6	0.3	0.9	-	1.6
Fire/flame	-	-	-	-	-	-	0.4	-	-	-	-
Firearm	-	-	0.6	7.6	6.5	10.5	10.2	9.1	12.7	21.4	26.6
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	0.2	0.3	-	-	-
Other specified, classifiable	-	-	-	-	-	0.2	0.8	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.2	0.2	-	-	-	-
Poisoning	-	-	-	0.6	2.8	5.4	6.8	2.9	2.3	1.2	3.1
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	3.3	4.5	3.1	3.2	1.5	0.9	3.7	3.1
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Homicide</b>											
<b>Total</b>	6.7	3.9	2.3	4.5	4.3	4.3	1.3	1.5	2.7	1.2	-
Cut/pierce	-	-	0.2	1.0	0.4	0.6	0.2	0.3	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	0.6	0.2	-	0.2	0.2	-	-	-	-	-
Firearm	-	1.7	1.0	3.1	3.3	2.3	0.8	0.9	1.8	1.2	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	4.5	1.1	0.4	-	0.2	0.2	0.2	0.3	0.5	-	-
Other specified, classifiable	2.2	0.6	-	-	-	0.2	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	0.2	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	0.4	-	-	-	-	-
Suffocation	-	-	0.2	0.2	0.2	0.4	0.2	-	0.5	-	-
Transport (land), other	-	-	-	0.2	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-



Table 5A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2000--continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	11.2	0.6	-	2.2	2.2	5.6	6.4	2.9	1.4	-	1.6
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	2.2	0.6	-	0.4	0.4	-	0.2	0.9	0.5	-	-
Fall	-	-	-	-	0.2	0.2	-	-	-	-	-
Fire/flame	-	-	-	-	-	0.2	-	-	-	-	-
Firearm	-	-	-	0.6	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	0.2	-	0.6	1.3	0.9	0.5	-	1.6
Other specified, classifiable	-	-	-	-	-	0.2	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	0.6	1.6	4.1	4.9	1.2	0.5	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	9.0	-	-	0.4	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	0.4	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	0.2	0.2	0.6	0.6	-	0.5	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.2	0.2	0.6	0.6	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	0.5	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	40.5	15.0	8.9	47.8	49.1	61.0	70.0	52.2	68.1	160	438
Cut/pierce	-	-	0.2	1.0	0.4	1.0	0.9	0.6	0.5	0.6	1.6
Drowning	2.2	2.8	0.4	2.4	1.8	0.8	1.1	2.6	1.4	2.4	-
Fall	-	-	-	1.4	2.8	2.1	2.1	3.5	14.5	70.4	246
Fire/flame	-	2.8	0.6	0.6	1.0	1.5	0.8	1.2	2.3	3.1	6.3
Firearm	-	1.7	1.9	11.6	10.2	13.7	11.7	10.3	15.0	23.3	26.6
Machinery	-	-	-	-	-	-	-	0.3	-	-	-
Hot object/scald	-	-	-	-	0.6	0.2	1.1	0.6	0.9	0.6	-
Motor Vehicle traffic	-	2.8	2.9	19.2	12.6	8.9	14.0	13.2	15.4	24.5	45.4
Natural/environmental	-	-	-	0.2	0.4	0.4	0.4	0.9	-	3.7	4.7
Not specified	4.5	1.1	0.4	0.2	0.2	1.2	1.7	2.3	5.0	11.6	72.0
Other specified, classifiable	2.2	0.6	0.6	0.8	0.8	1.5	1.9	1.5	1.4	1.2	-
Other specified, not elsewhere classifiable	-	-	0.2	0.2	-	0.2	0.6	0.3	1.4	3.7	9.4
Pedal cyclist, other	-	-	-	-	0.2	-	0.4	0.3	0.5	-	-
Pedestrian, other	-	1.1	-	0.2	0.6	0.6	0.2	0.6	-	-	-
Poisoning	-	-	0.2	3.5	10.4	22.3	24.5	8.8	5.0	1.8	6.3
Struck by/against	-	0.6	0.4	0.2	0.4	0.8	1.5	1.2	1.4	-	-
Suffocation	31.5	1.7	0.4	4.7	5.3	3.9	4.5	2.3	1.4	11.0	20.4
Transport (land), other	-	-	0.6	0.8	0.6	0.4	0.4	0.6	-	1.2	-
Transport, other	-	-	-	0.6	0.6	1.5	2.3	1.2	2.3	1.2	-

Table 6A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2003.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	13	27	33	176	126	177	207	117	91	176	245
Cut/pierce	-	-	-	-	-	-	-	1	1	1	-
Drowning	2	7	2	13	5	7	4	3	2	-	1
Fall	-	1	2	5	3	9	7	21	25	95	163
Fire/flame	-	4	1	-	-	1	4	4	4	4	5
Firearm	-	-	-	1	2	1	-	-	-	-	-
Machinery	-	-	-	-	1	2	-	-	3	1	1
Motor Vehicle traffic	1	9	22	125	69	79	78	44	31	40	21
Natural/environmental	1	1	1	1	2	2	1	1	-	1	2
Not specified	-	-	-	1	-	-	-	1	8	12	33
Other specified, classifiable	2	2	-	3	2	1	5	4	1	2	-
Other specified, not elsewhere classifiable	-	-	1	-	1	1	1	-	3	1	4
Pedal cyclist, other	-	-	-	1	2	-	1	1	-	-	1
Pedestrian, other	-	1	-	1	1	3	-	1	2	1	-
Poisoning	1	-	1	20	35	58	87	25	2	1	2
Struck by/against	-	-	-	1	1	5	4	1	2	2	-
Suffocation	6	2	1	-	-	1	1	2	4	8	12
Transport (land), other	-	-	2	1	-	3	3	2	1	1	-
Transport, other	-	-	-	3	2	4	11	6	2	6	-
<b>Suicide</b>											
<b>Total</b>	-	-	-	62	69	114	134	86	43	58	23
Cut/pierce	-	-	-	1	3	3	2	2	-	2	-
Drowning	-	-	-	1	-	3	4	1	-	1	-
Fall	-	-	-	-	-	3	4	3	-	1	-
Fire/flame	-	-	-	-	-	-	1	-	2	-	-
Firearm	-	-	-	29	36	45	70	52	33	47	17
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	2	-	2	-	1	-	-	-
Other specified, not elsewhere classifiable	-	-	-	1	-	1	-	-	-	-	-
Poisoning	-	-	-	6	8	35	36	19	5	5	2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	22	22	21	17	7	3	2	4
Transport (land), other	-	-	-	-	-	1	-	1	-	-	-
<b>Homicide</b>											
<b>Total</b>	1	3	-	22	21	16	17	6	-	3	2
Cut/pierce	-	-	-	2	3	1	1	1	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	15	12	7	10	4	-	2	1
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	1	2	-	2	2	4	6	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	1	-	-	-	1	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	1	2	-	1	-	-	-
Suffocation	-	-	-	3	3	1	-	-	-	1	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 6A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2003--continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	9	-	1	9	12	25	33	5	1	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	1	1	2	1	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	2	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	3	-	-	1	3	1	6	-	-	-	-
Other specified, classifiable	-	-	-	-	-	2	-	-	-	-	-
Other specified, not elsewhere classifiable	1	-	-	-	1	1	3	1	-	-	-
Poisoning	-	-	-	3	7	18	23	4	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	5	-	1	1	-	1	-	-	-	-	-
Transport (land), other	-	-	-	1	-	-	-	-	1	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	1	2	3	1	-	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	1	2	3	1	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	23	30	34	270	230	335	392	214	135	237	270
Cut/pierce	-	-	-	3	6	4	3	4	1	3	1
Drowning	2	7	2	14	5	10	8	4	2	1	1
Fall	-	1	2	6	4	14	12	24	25	96	163
Fire/flame	-	4	1	-	-	1	5	4	6	4	5
Firearm	-	-	-	48	52	56	81	56	33	49	18
Machinery	-	-	-	-	1	2	-	-	3	1	1
Motor Vehicle traffic	1	9	22	125	69	79	78	44	31	40	21
Natural/environmental	1	1	1	1	2	2	1	1	-	1	2
Not specified	4	2	-	4	5	5	12	1	8	12	33
Other specified, classifiable	2	2	-	5	2	5	5	5	1	2	-
Other specified, not elsewhere classifiable	1	1	1	1	2	4	4	1	3	1	4
Pedal cyclist, other	-	-	-	1	2	-	1	1	-	-	1
Pedestrian, other	-	1	-	1	1	3	-	1	2	1	-
Poisoning	1	-	1	29	50	111	146	48	7	6	4
Struck by/against	-	-	-	1	2	7	4	2	2	2	-
Suffocation	11	2	2	26	25	24	18	9	7	11	16
Transport (land), other	-	-	2	2	-	4	3	3	2	1	-
Transport, other	-	-	-	3	2	4	11	6	2	6	-

Table 7A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2003.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	28.9	14.9	6.9	35.6	25.2	34.5	38.7	32.5	40.7	108	366
Cut/pierce	-	-	-	-	-	-	-	0.3	0.4	0.6	-
Drowning	4.5	3.9	0.4	2.6	1.0	1.4	0.7	0.8	0.9	-	1.5
Fall	-	0.6	0.4	1.0	0.6	1.8	1.3	5.8	11.2	58.2	244
Fire/flame	-	2.2	0.2	-	-	0.2	0.7	1.1	1.8	2.5	7.5
Firearm	-	-	-	0.2	0.4	0.2	-	-	-	-	-
Machinery	-	-	-	-	0.2	0.4	-	-	1.3	0.6	1.5
Motor Vehicle traffic	2.2	5.0	4.6	25.3	13.8	15.4	14.6	12.2	13.9	24.5	31.4
Natural/environmental	2.2	0.6	0.2	0.2	0.4	0.4	0.2	0.3	-	0.6	3.0
Not specified	-	-	-	0.2	-	-	-	0.3	3.6	7.4	49.3
Other specified, classifiable	4.5	1.1	-	0.6	0.4	0.2	0.9	1.1	0.4	1.2	-
Other specified, not elsewhere classifiable	-	-	0.2	-	0.2	0.2	0.2	-	1.3	0.6	6.0
Pedal cyclist, other	-	-	-	0.2	0.4	-	0.2	0.3	-	-	1.5
Pedestrian, other	-	0.6	-	0.2	0.2	0.6	-	0.3	0.9	0.6	-
Poisoning	2.2	-	0.2	4.0	7.0	11.3	16.3	6.9	0.9	0.6	3.0
Struck by/against	-	-	-	0.2	0.2	1.0	0.7	0.3	0.9	1.2	-
Suffocation	13.4	1.1	0.2	-	-	0.2	0.2	0.6	1.8	4.9	17.9
Transport (land), other	-	-	0.4	0.2	-	0.6	0.6	0.6	0.4	0.6	-
Transport, other	-	-	-	0.6	0.4	0.8	2.1	1.7	0.9	3.7	-
<b>Suicide</b>											
<b>Total</b>	-	-	-	12.5	13.8	22.2	25.0	23.9	19.2	35.6	34.4
Cut/pierce	-	-	-	0.2	0.6	0.6	0.4	0.6	-	1.2	-
Drowning	-	-	-	0.2	-	0.6	0.7	0.3	-	0.6	-
Fall	-	-	-	-	-	0.6	0.7	0.8	-	0.6	-
Fire/flame	-	-	-	-	-	-	0.2	-	0.9	-	-
Firearm	-	-	-	5.9	7.2	8.8	13.1	14.4	14.8	28.8	25.4
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	0.4	-	0.4	-	0.3	-	-	-
Other specified, not elsewhere classifiable	-	-	-	0.2	-	0.2	-	-	-	-	-
Poisoning	-	-	-	1.2	1.6	6.8	6.7	5.3	2.2	3.1	3.0
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	4.4	4.4	4.1	3.2	1.9	1.3	1.2	6.0
Transport (land), other	-	-	-	-	-	0.2	-	0.3	-	-	-
<b>Homicide</b>											
<b>Total</b>	2.2	1.7	-	4.4	4.2	3.1	3.2	1.7	-	1.8	3.0
Cut/pierce	-	-	-	0.4	0.6	0.2	0.2	0.3	-	-	1.5
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	3.0	2.4	1.4	1.9	1.1	-	1.2	1.5
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	2.2	1.1	-	0.4	0.4	0.8	1.1	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	0.6	-	-	-	0.2	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	0.2	0.4	-	0.3	-	-	-
Suffocation	-	-	-	0.6	0.6	0.2	-	-	-	0.6	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 7A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2003--continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	20.0	-	0.2	1.8	2.4	4.9	6.2	1.4	0.4	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	0.2	0.2	0.4	0.2	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.4	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	6.7	-	-	0.2	0.6	0.2	1.1	-	-	-	-
Other specified, classifiable	-	-	-	-	-	0.4	-	-	-	-	-
Other specified, not elsewhere classifiable	2.2	-	-	-	0.2	0.2	0.6	0.3	-	-	-
Poisoning	-	-	-	0.6	1.4	3.5	4.3	1.1	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	11.1	-	0.2	0.2	-	0.2	-	-	-	-	-
Transport (land), other	-	-	-	0.2	-	-	-	-	0.4	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	0.2	0.4	0.6	0.2	-	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.2	0.4	0.6	0.2	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	51.2	16.6	7.1	54.6	46.0	65.4	73.2	59.4	60.4	145	403
Cut/pierce	-	-	-	0.6	1.2	0.8	0.6	1.1	0.4	1.8	1.5
Drowning	4.5	3.9	0.4	2.8	1.0	2.0	1.5	1.1	0.9	0.6	1.5
Fall	-	0.6	0.4	1.2	0.8	2.7	2.2	6.7	11.2	58.9	244
Fire/flame	-	2.2	0.2	-	-	0.2	0.9	1.1	2.7	2.5	7.5
Firearm	-	-	-	9.7	10.4	10.9	15.1	15.5	14.8	30.0	26.9
Machinery	-	-	-	-	0.2	0.4	-	-	1.3	0.6	1.5
Motor Vehicle traffic	2.2	5.0	4.6	25.3	13.8	15.4	14.6	12.2	13.9	24.5	31.4
Natural/environmental	2.2	0.6	0.2	0.2	0.4	0.4	0.2	0.3	-	0.6	3.0
Not specified	8.9	1.1	-	0.8	1.0	1.0	2.2	0.3	3.6	7.4	49.3
Other specified, classifiable	4.5	1.1	-	1.0	0.4	1.0	0.9	1.4	0.4	1.2	-
Other specified, not elsewhere classifiable	2.2	0.6	0.2	0.2	0.4	0.8	0.7	0.3	1.3	0.6	6.0
Pedal cyclist, other	-	-	-	0.2	0.4	-	0.2	0.3	-	-	1.5
Pedestrian, other	-	0.6	-	0.2	0.2	0.6	-	0.3	0.9	0.6	-
Poisoning	2.2	-	0.2	5.9	10.0	21.7	27.3	13.3	3.1	3.7	6.0
Struck by/against	-	-	-	0.2	0.4	1.4	0.7	0.6	0.9	1.2	-
Suffocation	24.5	1.1	0.4	5.3	5.0	4.7	3.4	2.5	3.1	6.7	23.9
Transport (land), other	-	-	0.4	0.4	-	0.8	0.6	0.8	0.9	0.6	-
Transport, other	-	-	-	0.6	0.4	0.8	2.1	1.7	0.9	3.7	-

Table 8A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2004.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	20	24	35	167	139	174	197	133	91	187	256
Cut/pierce	-	-	-	-	-	-	-	-	-	-	1
Drowning	-	6	5	14	11	10	4	5	3	1	-
Fall	1	-	2	2	4	8	19	22	26	112	185
Fire/flame	-	2	1	2	1	4	7	5	7	3	2
Firearm	-	-	-	2	-	2	1	1	-	1	-
Hot object/scald	-	-	-	-	-	-	-	-	1	-	-
Machinery	-	1	1	2	2	1	4	-	-	1	1
Motor Vehicle traffic	2	9	22	112	67	59	71	49	32	32	12
Natural/environmental	1	1	-	1	2	3	3	-	1	1	4
Not specified	-	-	-	3	-	2	2	3	3	13	33
Other specified, classifiable	-	-	-	1	3	4	2	2	-	1	1
Other specified, not elsewhere classifiable	-	-	-	-	1	2	2	-	-	5	2
Pedal cyclist, other	-	1	-	2	-	1	-	1	1	-	-
Pedestrian, other	-	1	-	1	-	1	2	2	3	-	2
Poisoning	-	-	-	12	38	67	69	28	3	4	3
Struck by/against	-	-	-	1	1	3	1	4	1	-	-
Suffocation	16	2	3	3	3	3	3	4	5	11	9
Transport (land), other	-	1	1	2	3	3	1	3	2	2	1
Transport, other	-	-	-	7	3	1	6	4	3	-	-
<b>Suicide</b>											
<b>Total</b>	-	-	2	68	65	108	121	85	34	50	22
Cut/pierce	-	-	-	1	-	2	1	3	2	-	-
Drowning	-	-	-	-	-	1	1	-	1	1	1
Fall	-	-	-	3	1	-	4	3	-	-	-
Fire/flame	-	-	-	1	-	-	1	-	-	-	-
Firearm	-	-	1	36	31	40	54	57	28	38	15
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	1	-	-	-	-	-
Other specified, classifiable	-	-	-	3	-	2	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	2	1	-	-	-	-
Poisoning	-	-	-	8	10	31	40	16	2	6	3
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	1	16	23	29	18	6	1	4	3
Transport (land), other	-	-	-	-	-	-	1	-	-	1	-
<b>Homicide</b>											
<b>Total</b>	3	5	3	26	22	19	20	4	6	4	-
Cut/pierce	1	-	-	5	3	3	2	1	-	1	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	1	-	1	-	-	-	-	-
Firearm	-	-	2	17	18	11	9	2	3	2	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	1	4	-	2	-	2	3	-	3	1	-
Other specified, classifiable	1	1	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	1	4	1	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	1	1	-	-	1	-	-	-	-
Suffocation	-	-	-	-	1	1	1	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 8A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2004--continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	11	-	-	10	9	19	27	10	3	2	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	1	1	-	-	-	-	-
Fall	-	-	-	-	-	2	1	-	1	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	1	1	-	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	3	-	-	-	1	2	4	2	-	1	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	2	3	2	-	-	-
Poisoning	-	-	-	9	6	11	19	6	2	1	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	8	-	-	-	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	1	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	1	4	3	2	-	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	1	4	3	2	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	34	29	40	272	239	323	367	232	134	243	278
Cut/pierce	1	-	-	6	3	5	3	4	2	1	1
Drowning	-	6	5	14	12	12	5	5	4	2	1
Fall	1	-	2	5	5	10	24	25	27	112	185
Fire/flame	-	2	1	4	1	5	8	5	7	3	2
Firearm	-	-	3	57	54	56	66	60	31	41	15
Machinery	-	-	-	-	-	-	-	-	1	-	-
Hot object/scald	-	1	1	2	2	1	4	-	-	1	1
Motor Vehicle traffic	2	9	22	112	67	59	71	49	32	32	12
Natural/environmental	1	1	-	1	2	3	3	-	1	1	4
Not specified	4	4	-	5	1	7	9	5	6	15	33
Other specified, classifiable	1	1	-	4	3	6	2	2	-	1	1
Other specified, not elsewhere classifiable	-	-	-	-	1	7	10	3	-	5	2
Pedal cyclist, other	-	1	-	2	-	1	-	1	1	-	-
Pedestrian, other	-	1	-	1	-	1	2	2	3	-	2
Poisoning	-	-	-	29	54	109	128	50	7	11	6
Struck by/against	-	-	1	2	1	3	2	4	1	-	-
Suffocation	24	2	4	19	27	33	22	10	6	15	12
Transport (land), other	-	1	1	2	3	4	2	3	2	3	1
Transport, other	-	-	-	7	3	1	6	4	3	-	-

Table 9A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2004.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	44.6	13.3	7.3	33.5	27.5	34.1	36.8	35.2	39.8	115	365
Cut/pierce	-	-	-	-	-	-	-	-	-	-	1.4
Drowning	-	3.3	1.0	2.8	2.2	2.0	0.7	1.3	1.3	0.6	-
Fall	2.2	-	0.4	0.4	0.8	1.6	3.5	5.8	11.4	69.1	264
Fire/flame	-	1.1	0.2	0.4	0.2	0.8	1.3	1.3	3.1	1.9	2.8
Firearm	-	-	-	0.4	-	0.4	0.2	0.3	-	0.6	-
Hot object/scald	-	-	-	-	-	-	-	-	0.4	-	-
Machinery	-	0.6	0.2	0.4	0.4	0.2	0.7	-	-	0.6	1.4
Motor Vehicle traffic	4.5	5.0	4.6	22.5	13.3	11.6	13.3	13.0	14.0	19.7	17.1
Natural/environmental	2.2	0.6	-	0.2	0.4	0.6	0.6	-	0.4	0.6	5.7
Not specified	-	-	-	0.6	-	0.4	0.4	0.8	1.3	8.0	47.0
Other specified, classifiable	-	-	-	0.2	0.6	0.8	0.4	0.5	-	0.6	1.4
Other specified, not elsewhere classifiable	-	-	-	-	0.2	0.4	0.4	-	-	3.1	2.8
Pedal cyclist, other	-	0.6	-	0.4	-	0.2	-	0.3	0.4	-	-
Pedestrian, other	-	0.6	-	0.2	-	0.2	0.4	0.5	1.3	-	2.8
Poisoning	-	-	-	2.4	7.5	13.1	12.9	7.4	1.3	2.5	4.3
Struck by/against	-	-	-	0.2	0.2	0.6	0.2	1.1	0.4	-	-
Suffocation	35.7	1.1	0.6	0.6	0.6	0.6	0.6	1.1	2.2	6.8	12.8
Transport (land), other	-	0.6	0.2	0.4	0.6	0.6	0.2	0.8	0.9	1.2	1.4
Transport, other	-	-	-	1.4	0.6	0.2	1.1	1.1	1.3	-	-
<b>Suicide</b>											
<b>Total</b>	-	-	0.4	13.7	12.9	21.2	22.6	22.5	14.9	30.8	31.3
Cut/pierce	-	-	-	0.2	-	0.4	0.2	0.8	0.9	-	-
Drowning	-	-	-	-	-	0.2	0.2	-	0.4	0.6	1.4
Fall	-	-	-	0.6	0.2	-	0.7	0.8	-	-	-
Fire/flame	-	-	-	0.2	-	-	0.2	-	-	-	-
Firearm	-	-	0.2	7.2	6.1	7.8	10.1	15.1	12.2	23.4	21.4
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	0.2	-	-	-	-	-
Other specified, classifiable	-	-	-	0.6	-	0.4	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.4	0.2	-	-	-	-
Poisoning	-	-	-	1.6	2.0	6.1	7.5	4.2	0.9	3.7	4.3
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	0.2	3.2	4.6	5.7	3.4	1.6	0.4	2.5	4.3
Transport (land), other	-	-	-	-	-	-	0.2	-	-	0.6	-
<b>Homicide</b>											
<b>Total</b>	6.7	2.8	0.6	5.2	4.4	3.7	3.7	1.1	2.6	2.5	-
Cut/pierce	2.2	-	-	1.0	0.6	0.6	0.4	0.3	-	0.6	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	0.2	-	0.2	-	-	-	-	-
Firearm	-	-	0.4	3.4	3.6	2.2	1.7	0.5	1.3	1.2	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	2.2	2.2	-	0.4	-	0.4	0.6	-	1.3	0.6	-
Other specified, classifiable	2.2	0.6	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.2	0.7	0.3	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	0.2	0.2	-	-	0.2	-	-	-	-
Suffocation	-	-	-	-	0.2	0.2	0.2	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-



Table 9A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2004-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	24.5	-	-	2.0	1.8	3.7	5.0	2.6	1.3	1.2	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	0.2	0.2	-	-	-	-	-
Fall	-	-	-	-	-	0.4	0.2	-	0.4	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.2	0.2	-	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	6.7	-	-	-	0.2	0.4	0.7	0.5	-	0.6	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.4	0.6	0.5	-	-	-
Poisoning	-	-	-	1.8	1.2	2.2	3.5	1.6	0.9	0.6	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	17.8	-	-	-	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	0.2	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	0.2	0.8	0.6	0.4	-	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.2	0.8	0.6	0.4	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	75.8	16.0	8.4	54.6	47.3	63.4	68.5	61.4	58.5	150	396
Cut/pierce	2.2	-	-	1.2	0.6	1.0	0.6	1.1	0.9	0.6	1.4
Drowning	-	3.3	1.0	2.8	2.4	2.4	0.9	1.3	1.7	1.2	1.4
Fall	2.2	-	0.4	1.0	1.0	2.0	4.5	6.6	11.8	69.1	264
Fire/flame	-	1.1	0.2	0.8	0.2	1.0	1.5	1.3	3.1	1.9	2.8
Firearm	-	-	0.6	11.4	10.7	11.0	12.3	15.9	13.5	25.3	21.4
Hot object/scald	-	-	-	-	-	-	-	-	0.4	-	-
Machinery	-	0.6	0.2	0.4	0.4	0.2	0.7	-	-	0.6	1.4
Motor Vehicle traffic	4.5	5.0	4.6	22.5	13.3	11.6	13.3	13.0	14.0	19.7	17.1
Natural/environmental	2.2	0.6	-	0.2	0.4	0.6	0.6	-	0.4	0.6	5.7
Not specified	8.9	2.2	-	1.0	0.2	1.4	1.7	1.3	2.6	9.3	47.0
Other specified, classifiable	2.2	0.6	-	0.8	0.6	1.2	0.4	0.5	-	0.6	1.4
Other specified, not elsewhere classifiable	-	-	-	-	0.2	1.4	1.9	0.8	-	3.1	2.8
Pedal cyclist, other	-	0.6	-	0.4	-	0.2	-	0.3	0.4	-	-
Pedestrian, other	-	0.6	-	0.2	-	0.2	0.4	0.5	1.3	-	2.8
Poisoning	-	-	-	5.8	10.7	21.4	23.9	13.2	3.1	6.8	8.5
Struck by/against	-	-	0.2	0.4	0.2	0.6	0.4	1.1	0.4	-	-
Suffocation	53.5	1.1	0.8	3.8	5.3	6.5	4.1	2.6	2.6	9.3	17.1
Transport (land), other	-	0.6	0.2	0.4	0.6	0.8	0.4	0.8	0.9	1.9	1.4
Transport, other	-	-	-	1.4	0.6	0.2	1.1	1.1	1.3	-	-

Table 10A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	8	13	23	147	144	161	224	130	107	204	266
Cut/pierce	-	-	-	1	-	-	-	-	-	-	-
Drowning	-	3	4	10	9	9	11	3	1	4	1
Fall	-	-	1	4	4	6	17	19	25	119	186
Fire/flare	-	-	-	-	1	2	4	5	5	2	4
Firearm	-	-	1	1	-	1	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	1	-
Machinery	-	-	1	2	1	1	-	3	1	2	-
Motor Vehicle traffic	2	5	14	96	64	56	84	49	40	37	17
Natural/environmental	1	-	-	2	1	2	4	3	1	1	5
Not specified	-	-	-	-	-	1	4	3	5	14	31
Other specified, classifiable	-	-	-	1	-	1	4	4	2	2	-
Other specified, not elsewhere classifiable	-	-	-	-	4	2	2	-	4	4	4
Pedal cyclist, other	-	-	-	-	2	-	-	-	-	-	1
Pedestrian, other	-	3	-	1	1	1	1	3	1	1	-
Poisoning	-	-	-	23	49	71	79	25	9	4	2
Struck by/against	-	-	-	-	-	1	3	2	1	1	-
Suffocation	5	2	-	3	2	-	7	2	3	9	13
Transport (land), other	-	-	2	1	1	3	1	1	4	1	1
Transport, other	-	-	-	2	5	4	3	8	5	2	1
<b>Suicide</b>											
<b>Total</b>	-	-	3	58	72	89	141	75	49	51	21
Cut/pierce	-	-	-	-	-	3	2	-	3	-	-
Drowning	-	-	-	1	1	-	2	1	1	-	1
Fall	-	-	-	-	3	5	2	1	-	-	1
Fire/flare	-	-	-	2	1	-	-	-	-	-	-
Firearm	-	-	1	41	32	36	70	47	40	39	14
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	1	-	1	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	1	2	1	-	-	-	-
Poisoning	-	-	-	1	14	22	45	22	2	7	2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	2	13	18	21	18	4	3	4	3
Transport (land), other	-	-	-	-	1	-	-	-	-	1	-
<b>Homicide</b>											
<b>Total</b>	4	4	1	23	21	20	16	6	3	2	3
Cut/pierce	-	-	-	6	6	-	5	-	2	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flare	-	-	-	-	1	-	-	-	-	-	-
Firearm	-	-	-	14	14	10	9	4	1	1	2
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	1	-	-	-	2	-	-	-	-	-
Other specified, classifiable	4	2	-	-	-	-	1	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	2	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	1	-	2	-	6	-	2	-	-	1
Suffocation	-	-	1	1	-	-	1	-	-	1	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 10A. Number of injury deaths according to intent and mechanism, by age, Oregon residents, 2005-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	16	1	-	5	12	16	25	7	1	1	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	3	2	1	-	-	1	-
Fall	-	-	-	-	1	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	2	1	-	1	1	1	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	7	-	-	-	1	1	1	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	1	-	-	-	1	1	-	-	-	-	-
Poisoning	-	1	-	2	5	8	22	6	-	-	-
Struck by/against	-	-	-	-	-	2	-	-	-	-	-
Suffocation	7	-	-	-	-	1	-	-	-	-	-
Transport (land), other	-	-	-	1	-	1	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	4	5	8	2	1	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	3	3	8	2	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	1	2	-	-	1	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	28	18	27	237	254	294	408	219	160	258	290
Cut/pierce	-	-	-	7	6	3	7	-	5	-	-
Drowning	1	3	4	11	13	11	14	4	2	5	2
Fall	-	-	1	4	8	11	19	20	25	119	187
Fire/flame	-	-	-	2	3	2	4	5	5	2	4
Firearm	-	-	2	61	50	55	82	52	42	40	16
Hot object/scald	-	-	-	-	-	-	-	-	-	1	-
Machinery	-	-	1	2	1	1	-	3	1	2	-
Motor Vehicle traffic	2	5	14	96	64	56	84	49	40	37	17
Natural/environmental	1	-	-	2	1	2	4	3	1	1	5
Not specified	7	1	-	-	1	4	5	3	5	14	31
Other specified, classifiable	4	2	-	1	1	1	6	4	2	2	-
Other specified, not elsewhere classifiable	1	-	-	1	8	7	3	1	4	4	4
Pedal cyclist, other	-	-	-	-	2	-	-	-	-	-	1
Pedestrian, other	-	3	-	1	1	1	1	3	1	1	-
Poisoning	-	1	-	26	68	101	146	53	11	11	4
Struck by/against	-	1	-	2	-	9	3	4	1	1	1
Suffocation	12	2	3	17	20	22	26	6	6	14	16
Transport (land), other	-	-	2	2	2	4	1	1	4	2	1
Transport, other	-	-	-	2	5	4	3	8	5	2	1

Table 11A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	17.9	7.2	4.9	29.2	28.0	31.3	41.4	32.5	45.8	126	357
Cut/pierce	-	-	-	0.2	-	-	-	-	-	-	-
Drowning	-	1.7	0.8	2.0	1.8	1.8	2.0	0.7	0.4	2.5	1.3
Fall	-	-	0.2	0.8	0.8	1.2	3.1	4.7	10.7	73.5	250
Fire/flame	-	-	-	-	0.2	0.4	0.7	1.2	2.1	1.2	5.4
Firearm	-	-	0.2	0.2	-	0.2	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	0.6	-
Machinery	-	-	0.2	0.4	0.2	0.2	-	0.7	0.4	1.2	-
Motor Vehicle traffic	4.5	2.8	3.0	19.1	12.5	10.9	15.5	12.2	17.1	22.9	22.8
Natural/environmental	2.2	-	-	0.4	0.2	0.4	0.7	0.7	0.4	0.6	6.7
Not specified	-	-	-	-	-	0.2	0.7	0.7	2.1	8.7	41.6
Other specified, classifiable	-	-	-	0.2	-	0.2	0.7	1.0	0.9	1.2	-
Other specified, not elsewhere classifiable	-	-	-	-	0.8	0.4	0.4	-	1.7	2.5	5.4
Pedal cyclist, other	-	-	-	-	0.4	-	-	-	-	-	1.3
Pedestrian, other	-	1.7	-	0.2	0.2	0.2	0.2	0.7	0.4	0.6	-
Poisoning	-	-	-	4.6	9.5	13.8	14.6	6.2	3.9	2.5	2.7
Struck by/against	-	-	-	-	-	0.2	0.6	0.5	0.4	0.6	-
Suffocation	11.2	1.1	-	0.6	0.4	-	1.3	0.5	1.3	5.6	17.4
Transport (land), other	-	-	0.4	0.2	0.2	0.6	0.2	0.2	1.7	0.6	1.3
Transport, other	-	-	-	0.4	1.0	0.8	0.6	2.0	2.1	1.2	1.3
<b>Suicide</b>											
<b>Total</b>	-	-	0.6	11.5	14.0	17.3	26.1	18.7	21.0	31.5	28.2
Cut/pierce	-	-	-	-	-	0.6	0.4	-	1.3	-	-
Drowning	-	-	-	0.2	0.2	-	0.4	0.2	0.4	-	1.3
Fall	-	-	-	-	0.6	1.0	0.4	0.2	-	-	1.3
Fire/flame	-	-	-	0.4	0.2	-	-	-	-	-	-
Firearm	-	-	0.2	8.1	6.2	7.0	13.0	11.7	17.1	24.1	18.8
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	0.2	-	0.2	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	0.2	0.4	0.2	-	-	-	-
Poisoning	-	-	-	0.2	2.7	4.3	8.3	5.5	0.9	4.3	2.7
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	0.4	2.6	3.5	4.1	3.3	1.0	1.3	2.5	4.0
Transport (land), other	-	-	-	-	0.2	-	-	-	-	0.6	-
<b>Homicide</b>											
<b>Total</b>	9.0	2.2	0.2	4.6	4.1	3.9	3.0	1.5	1.3	1.2	4.0
Cut/pierce	-	-	-	1.2	1.2	-	0.9	-	0.9	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	0.2	-	-	-	-	-	-
Firearm	-	-	-	2.8	2.7	1.9	1.7	1.0	0.4	0.6	2.7
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	0.6	-	-	-	0.4	-	-	-	-	-
Other specified, classifiable	9.0	1.1	-	-	-	-	0.2	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.4	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	0.6	-	0.4	-	1.2	-	0.5	-	-	1.3
Suffocation	-	-	0.2	0.2	-	-	0.2	-	-	0.6	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 11A. Injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	35.8	0.6	-	1.0	2.3	3.1	4.6	1.7	0.4	0.6	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	2.2	-	-	-	0.6	0.4	0.2	-	-	0.6	-
Fall	-	-	-	-	0.2	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.4	0.2	-	0.2	0.2	0.4	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	15.7	-	-	-	0.2	0.2	0.2	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	2.2	-	-	-	0.2	0.2	-	-	-	-	-
Poisoning	-	0.6	-	0.4	1.0	1.6	4.1	1.5	-	-	-
Struck by/against	-	-	-	-	-	0.4	-	-	-	-	-
Suffocation	15.7	-	-	-	-	0.2	-	-	-	-	-
Transport (land), other	-	-	-	0.2	-	0.2	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	0.8	1.0	1.6	0.4	0.2	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.6	0.6	1.6	0.4	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	0.2	0.4	-	-	0.2	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Totals</b>											
<b>Total</b>	62.7	10.0	5.7	47.0	49.5	57.2	75.5	54.7	68.5	159	389
Cut/pierce	-	-	-	1.4	1.2	0.6	1.3	-	2.1	-	-
Drowning	2.2	1.7	0.8	2.2	2.5	2.1	2.6	1.0	0.9	3.1	2.7
Fall	-	-	0.2	0.8	1.6	2.1	3.5	5.0	10.7	73.5	251
Fire/flame	-	-	-	0.4	0.6	0.4	0.7	1.2	2.1	1.2	5.4
Firearm	-	-	0.4	12.1	9.7	10.7	15.2	13.0	18.0	24.7	21.5
Hot object/scald	-	-	-	-	-	-	-	-	-	0.6	-
Machinery	-	-	0.2	0.4	0.2	0.2	-	0.7	0.4	1.2	-
Motor Vehicle traffic	4.5	2.8	3.0	19.1	12.5	10.9	15.5	12.2	17.1	22.9	22.8
Natural/environmental	2.2	-	-	0.4	0.2	0.4	0.7	0.7	0.4	0.6	6.7
Not specified	15.7	0.6	-	-	0.2	0.8	0.9	0.7	2.1	8.7	41.6
Other specified, classifiable	9.0	1.1	-	0.2	0.2	0.2	1.1	1.0	0.9	1.2	-
Other specified, not elsewhere classifiable	2.2	-	-	0.2	1.6	1.4	0.6	0.2	1.7	2.5	5.4
Pedal cyclist, other	-	-	-	-	0.4	-	-	-	-	-	1.3
Pedestrian, other	-	1.7	-	0.2	0.2	0.2	0.2	0.7	0.4	0.6	-
Poisoning	-	0.6	-	5.2	13.2	19.6	27.0	13.2	4.7	6.8	5.4
Struck by/against	-	0.6	-	0.4	-	1.8	0.6	1.0	0.4	0.6	1.3
Suffocation	26.9	1.1	0.6	3.4	3.9	4.3	4.8	1.5	2.6	8.7	21.5
Transport (land), other	-	-	0.4	0.4	0.4	0.8	0.2	0.2	1.7	1.2	1.3
Transport, other	-	-	-	0.4	1.0	0.8	0.6	2.0	2.1	1.2	1.3

Table 12A. Male injury death according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	6	7	15	111	116	120	165	82	66	104	108
Cut/pierce	-	-	-	1	-	-	-	-	-	-	-
Drowning	-	1	4	10	8	8	10	2	1	1	-
Fall	-	-	1	2	3	6	10	11	16	55	77
Fire/flame	-	-	-	-	-	1	3	2	3	1	2
Firearm	-	-	1	1	-	1	-	-	-	-	-
Machinery	-	-	-	2	1	1	-	3	1	2	-
Motor Vehicle traffic	2	3	7	67	50	41	64	33	23	25	10
Natural/environmental	1	-	-	2	1	2	2	1	1	-	2
Not specified	-	-	-	-	-	1	4	2	1	4	12
Other specified, classifiable	-	-	-	1	-	1	2	4	2	1	-
Other specified, not elsewhere classifiable	-	-	-	-	4	2	2	-	2	2	-
Pedal cyclist, other	-	-	-	-	2	-	-	-	-	-	-
Pedestrian, other	-	2	-	1	1	-	1	1	-	1	-
Poisoning	-	-	-	18	39	48	56	17	6	2	1
Struck by/against	-	-	-	-	-	1	3	2	1	-	-
Suffocation	3	1	-	3	2	-	4	-	2	7	3
Transport (land), other	-	-	2	1	1	3	1	-	3	1	-
Transport, other	-	-	-	2	4	4	3	4	4	2	1
<b>Suicide</b>											
<b>Total</b>	-	-	3	54	58	67	97	58	46	43	17
Cut/pierce	-	-	-	-	-	2	2	-	3	-	-
Drowning	-	-	-	1	1	-	-	1	1	-	1
Fall	-	-	-	-	2	4	2	1	-	-	-
Fire/flame	-	-	-	2	1	-	-	-	-	-	-
Firearm	-	-	1	38	28	32	57	43	38	36	14
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	1	-	1	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	1	-	-	-	-	-
Poisoning	-	-	-	1	10	12	22	9	1	3	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	2	12	15	16	13	4	3	3	2
Transport (land), other	-	-	-	-	-	-	-	-	-	1	-
<b>Homicide</b>											
<b>Total</b>	-	2	-	18	17	14	11	4	-	1	1
Cut/pierce	-	-	-	5	5	-	3	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	1	-	-	-	-	-	-
Firearm	-	-	-	12	11	5	7	2	-	-	1
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	1	-	-	-	-	-
Other specified, classifiable	-	1	-	-	-	-	1	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	2	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	1	-	1	-	6	-	2	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	1	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 12A. Male injury death according to intent and mechanism, by age, Oregon residents, 2005--continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	8	1	-	4	9	7	10	4	-	1	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	3	2	-	-	-	1	-
Fall	-	-	-	-	1	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	2	1	-	1	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	5	-	-	-	1	-	1	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	1	1	-	-	-	-	-
Poisoning	-	1	-	2	2	2	8	4	-	-	-
Struck by/against	-	-	-	-	-	2	-	-	-	-	-
Suffocation	3	-	-	-	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	4	5	8	2	1	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	3	3	8	2	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	1	2	-	-	1	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>											
<b>Total</b>	14	10	18	191	205	216	285	149	112	149	126
Cut/pierce	-	-	-	6	5	2	5	-	3	-	-
Drowning	-	1	4	11	12	10	10	3	2	2	1
Fall	-	-	1	2	6	10	12	12	16	55	77
Fire/flame	-	-	-	2	2	1	3	2	3	1	2
Firearm	-	-	2	56	43	46	67	45	38	36	15
Machinery	-	-	-	2	1	1	-	3	1	2	-
Motor Vehicle traffic	2	3	7	67	50	41	64	33	23	25	10
Natural/environmental	1	-	-	2	1	2	2	1	1	-	2
Not specified	5	-	-	-	1	2	5	2	1	4	12
Other specified, classifiable	-	1	-	1	1	1	4	4	2	1	-
Other specified, not elsewhere classifiable	-	-	-	1	7	6	2	1	2	2	-
Pedal cyclist, other	-	-	-	-	2	-	-	-	-	-	-
Pedestrian, other	-	2	-	1	1	-	1	1	-	1	-
Poisoning	-	1	-	21	51	62	86	30	7	5	1
Struck by/against	-	1	-	1	-	9	3	4	1	-	-
Suffocation	6	1	2	15	17	16	17	4	5	11	5
Transport (land), other	-	-	2	1	1	3	1	-	3	2	-
Transport, other	-	-	-	2	4	4	3	4	4	2	1

Table 13A. Male injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	26.2	7.6	6.2	43.1	43.7	45.7	61.8	41.7	59.6	153	431
Cut/pierce	-	-	-	0.4	-	-	-	-	-	-	-
Drowning	-	1.1	1.7	3.9	3.0	3.0	3.7	1.0	0.9	1.5	-
Fall	-	-	0.4	0.8	1.1	2.3	3.7	5.6	14.5	81.1	307
Fire/flame	-	-	-	-	-	0.4	1.1	1.0	2.7	1.5	8.0
Firearm	-	-	0.4	0.4	-	0.4	-	-	-	-	-
Machinery	-	-	-	0.8	0.4	0.4	-	1.5	0.9	2.9	-
Motor Vehicle traffic	8.7	3.2	2.9	26.0	18.8	15.6	24.0	16.8	20.8	36.9	39.9
Natural/environmental	4.4	-	-	0.8	0.4	0.8	0.7	0.5	0.9	-	8.0
Not specified	-	-	-	-	-	0.4	1.5	1.0	0.9	5.9	47.9
Other specified, classifiable	-	-	-	0.4	-	0.4	0.7	2.0	1.8	1.5	-
Other specified, not elsewhere classifiable	-	-	-	-	1.5	0.8	0.7	-	1.8	2.9	-
Pedal cyclist, other	-	-	-	-	0.8	-	-	-	-	-	-
Pedestrian, other	-	2.2	-	0.4	0.4	-	0.4	0.5	-	1.5	-
Poisoning	-	-	-	7.0	14.7	18.3	21.0	8.6	5.4	2.9	4.0
Struck by/against	-	-	-	-	-	0.4	1.1	1.0	0.9	-	-
Suffocation	13.1	1.1	-	1.2	0.8	-	1.5	-	1.8	10.3	12.0
Transport (land), other	-	-	0.8	0.4	0.4	1.1	0.4	-	2.7	1.5	-
Transport, other	-	-	-	0.8	1.5	1.5	1.1	2.0	3.6	2.9	4.0
<b>Suicide</b>											
<b>Total</b>	-	-	1.2	20.9	21.8	25.5	36.3	29.5	41.6	63.4	67.9
Cut/pierce	-	-	-	-	-	0.8	0.7	-	2.7	-	-
Drowning	-	-	-	0.4	0.4	-	-	0.5	0.9	-	4.0
Fall	-	-	-	-	0.8	1.5	0.7	0.5	-	-	-
Fire/flame	-	-	-	0.8	0.4	-	-	-	-	-	-
Firearm	-	-	0.4	14.7	10.5	12.2	21.3	21.9	34.3	53.1	55.9
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	0.4	-	0.4	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.4	-	-	-	-	-
Poisoning	-	-	-	0.4	3.8	4.6	8.2	4.6	0.9	4.4	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	0.8	4.7	5.6	6.1	4.9	2.0	2.7	4.4	8.0
Transport (land), other	-	-	-	-	-	-	-	-	-	1.5	-
<b>Homicide</b>											
<b>Total</b>	-	2.2	-	7.0	6.4	5.3	4.1	2.0	-	1.5	4.0
Cut/pierce	-	-	-	1.9	1.9	-	1.1	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	0.4	-	-	-	-	-	-
Firearm	-	-	-	4.7	4.1	1.9	2.6	1.0	-	-	4.0
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	0.4	-	-	-	-	-
Other specified, classifiable	-	1.1	-	-	-	-	0.4	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	0.8	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	1.1	-	0.4	-	2.3	-	1.0	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	1.5	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-



Table 13A. Male injury death rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	34.9	1.1	-	1.6	3.4	2.7	3.7	2.0	-	1.5	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	1.1	0.8	-	-	-	1.5	-
Fall	-	-	-	-	0.4	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	0.8	0.4	-	0.4	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	21.8	-	-	-	0.4	-	0.4	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	0.4	0.4	-	-	-	-	-
Poisoning	-	1.1	-	0.8	0.8	0.8	3.0	2.0	-	-	-
Struck by/against	-	-	-	-	-	0.8	-	-	-	-	-
Suffocation	13.1	-	-	-	-	-	-	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
<b>Legal/War</b>											
<b>Total</b>	-	-	-	1.6	1.9	3.0	0.7	0.5	-	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	1.2	1.1	3.0	0.7	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	0.4	0.8	-	-	0.5	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>											
<b>Total</b>	61.1	10.8	7.4	74.1	77.2	82.3	107	75.8	101	220	503
Cut/pierce	-	-	-	2.3	1.9	0.8	1.9	-	2.7	-	-
Drowning	-	1.1	1.7	4.3	4.5	3.8	3.7	1.5	1.8	2.9	4.0
Fall	-	-	0.4	0.8	2.3	3.8	4.5	6.1	14.5	81.1	307
Fire/flame	-	-	-	0.8	0.8	0.4	1.1	1.0	2.7	1.5	8.0
Firearm	-	-	0.8	21.7	16.2	17.5	25.1	22.9	34.3	53.1	59.9
Machinery	-	-	-	0.8	0.4	0.4	-	1.5	0.9	2.9	-
Motor Vehicle traffic	8.7	3.2	2.9	26.0	18.8	15.6	24.0	16.8	20.8	36.9	39.9
Natural/environmental	4.4	-	-	0.8	0.4	0.8	0.7	0.5	0.9	-	8.0
Not specified	21.8	-	-	-	0.4	0.8	1.9	1.0	0.9	5.9	47.9
Other specified, classifiable	-	1.1	-	0.4	0.4	0.4	1.5	2.0	1.8	1.5	-
Other specified, not elsewhere classifiable	-	-	-	0.4	2.6	2.3	0.7	0.5	1.8	2.9	-
Pedal cyclist, other	-	-	-	-	0.8	-	-	-	-	-	-
Pedestrian, other	-	2.2	-	0.4	0.4	-	0.4	0.5	-	1.5	-
Poisoning	-	1.1	-	8.1	19.2	23.6	32.2	15.3	6.3	7.4	4.0
Struck by/against	-	1.1	-	0.4	-	3.4	1.1	2.0	0.9	-	-
Suffocation	26.2	1.1	0.8	5.8	6.4	6.1	6.4	2.0	4.5	16.2	20.0
Transport (land), other	-	-	0.8	0.4	0.4	1.1	0.4	-	2.7	2.9	-
Transport, other	-	-	-	0.8	1.5	1.5	1.1	2.0	3.6	2.9	4.0

Table 14A. Female injury deaths according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
<b>Total</b>	2	6	8	36	28	41	59	48	41	100	158
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	2	-	-	1	1	1	1	-	3	1
Fall	-	-	-	2	1	-	7	8	9	64	109
Fire/flame	-	-	-	-	1	1	1	3	2	1	2
Firearm	-	-	-	-	-	-	-	-	-	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	1	-
Machinery	-	-	1	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	2	7	29	14	15	20	16	17	12	7
Natural/environmental	-	-	-	-	-	-	2	2	-	1	3
Not specified	-	-	-	-	-	-	-	1	4	10	19
Other specified, classifiable	-	-	-	-	-	-	2	-	-	1	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	2	2	4
Pedal cyclist, other	-	-	-	-	-	-	-	-	-	-	1
Pedestrian, other	-	1	-	-	-	1	-	2	1	-	-
Poisoning	-	-	-	5	10	23	23	8	3	2	1
Struck by/against	-	-	-	-	-	-	-	-	-	1	-
Suffocation	2	1	-	-	-	-	3	2	1	2	10
Transport (land), other	-	-	-	-	-	-	-	1	1	-	1
Transport, other	-	-	-	-	1	-	-	4	1	-	-
<b>Suicide</b>											
<b>Total</b>	-	-	-	4	14	22	44	17	3	8	4
Cut/pierce	-	-	-	-	-	1	-	-	-	-	-
Drowning	-	-	-	-	-	-	2	-	-	-	-
Fall	-	-	-	-	1	1	-	-	-	-	1
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	3	4	4	13	4	2	3	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	-	-	-	-	-	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	1	1	1	-	-	-	-
Poisoning	-	-	-	-	4	10	23	13	1	4	2
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	1	3	5	5	-	-	1	1
Transport (land), other	-	-	-	-	1	-	-	-	-	-	-
<b>Homicide</b>											
<b>Total</b>	4	2	1	5	4	6	5	2	3	1	2
Cut/pierce	-	-	-	1	1	-	2	-	2	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	2	3	5	2	2	1	1	1
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	-	1	-	-	-	1	-	-	-	-	-
Other specified, classifiable	4	1	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	-	-	-	-	-	-	-
Struck by/against	-	-	-	1	-	-	-	-	-	-	1
Suffocation	-	-	1	1	-	-	1	-	-	-	-
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-
Transport, other	-	-	-	-	-	-	-	-	-	-	-

Table 14A. Female injury deaths according to intent and mechanism, by age, Oregon residents, 2005-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	8	-	-	1	3	9	15	3	1	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	1	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	-	-	-	-	1	1	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	2	-	-	-	-	1	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	1	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	3	6	14	2	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	4	-	-	-	-	1	-	-	-	-	-
Transport (land), other	-	-	-	1	-	1	-	-	-	-	-
<b>Total</b>											
<b>Total</b>	14	8	9	46	49	78	123	70	48	109	164
Cut/pierce	-	-	-	1	1	1	2	-	2	-	-
Drowning	1	2	-	-	1	1	4	1	-	3	1
Fall	-	-	-	2	2	1	7	8	9	64	110
Fire/flame	-	-	-	-	1	1	1	3	2	1	2
Firearm	-	-	-	5	7	9	15	7	4	4	1
Hot object/scald	-	-	-	-	-	-	-	-	-	1	-
Machinery	-	-	1	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	2	7	29	14	15	20	16	17	12	7
Natural/environmental	-	-	-	-	-	-	2	2	-	1	3
Not specified	2	1	-	-	-	2	-	1	4	10	19
Other specified, classifiable	4	1	-	-	-	-	2	-	-	1	-
Other specified, not elsewhere classifiable	1	-	-	-	1	1	1	-	2	2	4
Pedal cyclist, other	-	-	-	-	-	-	-	-	-	-	1
Pedestrian, other	-	1	-	-	-	1	-	2	1	-	-
Poisoning	-	-	-	5	17	39	60	23	4	6	3
Struck by/against	-	-	-	1	-	-	-	-	-	1	1
Suffocation	6	1	1	2	3	6	9	2	1	3	11
Transport (land), other	-	-	-	1	1	1	-	1	1	-	1
Transport, other	-	-	-	-	1	-	-	4	1	-	-

Table 15A. Females rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005.

Intent and mechanism	Age of decedent (yrs)											
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Unintentional</b>												
<b>Total</b>	9.2	6.8	3.5	14.6	11.3	16.3	21.6	23.6	33.4	106	319	
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-	
Drowning	-	2.3	-	-	0.4	0.4	0.4	0.5	-	3.2	2.0	
Fall	-	-	-	0.8	0.4	-	2.6	3.9	7.3	68.1	220	
Fire/flame	-	-	-	-	0.4	0.4	0.4	1.5	1.6	1.1	4.0	
Firearm	-	-	-	-	-	-	-	-	-	-	-	
Hot object/scald	-	-	-	-	-	-	-	-	-	1.1	-	
Machinery	-	-	0.4	-	-	-	-	-	-	-	-	
Motor Vehicle traffic	-	2.3	3.0	11.8	5.6	6.0	7.3	7.9	13.8	12.8	14.1	
Natural/environmental	-	-	-	-	-	-	0.7	1.0	-	1.1	6.1	
Not specified	-	-	-	-	-	-	-	0.5	3.3	10.6	38.4	
Other specified, classifiable	-	-	-	-	-	-	0.7	-	-	1.1	-	
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	1.6	2.1	8.1	
Pedal cyclist, other	-	-	-	-	-	-	-	-	-	-	2.0	
Pedestrian, other	-	1.1	-	-	-	0.4	-	1.0	0.8	-	-	
Poisoning	-	-	-	2.0	4.0	9.1	8.4	3.9	2.4	2.1	2.0	
Struck by/against	-	-	-	-	-	-	-	-	-	1.1	-	
Suffocation	9.2	1.1	-	-	-	-	1.1	1.0	0.8	2.1	20.2	
Transport (land), other	-	-	-	-	-	-	-	0.5	0.8	-	2.0	
Transport, other	-	-	-	-	0.4	-	-	2.0	0.8	-	-	
<b>Suicide</b>												
<b>Total</b>	-	-	-	1.6	5.6	8.7	16.1	8.3	2.4	8.5	8.1	
Cut/pierce	-	-	-	-	-	0.4	-	-	-	-	-	
Drowning	-	-	-	-	-	-	0.7	-	-	-	-	
Fall	-	-	-	-	0.4	0.4	-	-	-	-	2.0	
Fire/flame	-	-	-	-	-	-	-	-	-	-	-	
Firearm	-	-	-	1.2	1.6	1.6	4.8	2.0	1.6	3.2	-	
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-	
Not specified	-	-	-	-	-	-	-	-	-	-	-	
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-	
Other specified, not elsewhere classifiable	-	-	-	-	0.4	0.4	0.4	-	-	-	-	
Poisoning	-	-	-	-	1.6	4.0	8.4	6.4	0.8	4.3	4.0	
Struck by/against	-	-	-	-	-	-	-	-	-	-	-	
Suffocation	-	-	-	0.4	1.2	2.0	1.8	-	-	1.1	2.0	
Transport (land), other	-	-	-	-	0.4	-	-	-	-	-	-	
<b>Homicide</b>												
<b>Total</b>	18.4	2.3	0.4	2.0	1.6	2.4	1.8	1.0	2.4	1.1	4.0	
Cut/pierce	-	-	-	0.4	0.4	-	0.7	-	1.6	-	-	
Drowning	-	-	-	-	-	-	-	-	-	-	-	
Fall	-	-	-	-	-	-	-	-	-	-	-	
Fire/flame	-	-	-	-	-	-	-	-	-	-	-	
Firearm	-	-	-	0.8	1.2	2.0	0.7	1.0	0.8	1.1	2.0	
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-	
Not specified	-	1.1	-	-	-	0.4	-	-	-	-	-	
Other specified, classifiable	18.4	1.1	-	-	-	-	-	-	-	-	-	
Other specified, not elsewhere classifiable	-	-	-	-	-	-	-	-	-	-	-	
Poisoning	-	-	-	-	-	-	-	-	-	-	-	
Struck by/against	-	-	-	0.4	-	-	-	-	-	-	2.0	
Suffocation	-	-	0.4	0.4	-	-	0.4	-	-	-	-	
Transport (land), other	-	-	-	-	-	-	-	-	-	-	-	
Transport, other	-	-	-	-	-	-	-	-	-	-	-	

Table 15A. Females rates per 100,000 population according to intent and mechanism, by age, Oregon residents, 2005-- continued.

Intent and mechanism	Age of decedent (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
<b>Total</b>	36.8	-	-	0.4	1.2	3.6	5.5	1.5	0.8	-	-
Cut/pierce	-	-	-	-	-	-	-	-	-	-	-
Drowning	4.6	-	-	-	-	-	0.4	-	-	-	-
Fall	-	-	-	-	-	-	-	-	-	-	-
Fire/flame	-	-	-	-	-	-	-	-	-	-	-
Firearm	-	-	-	-	-	-	-	0.5	0.8	-	-
Hot object/scald	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	-	-	-	-	-	-	-	-	-	-
Not specified	9.2	-	-	-	-	0.4	-	-	-	-	-
Other specified, classifiable	-	-	-	-	-	-	-	-	-	-	-
Other specified, not elsewhere classifiable	4.6	-	-	-	-	-	-	-	-	-	-
Poisoning	-	-	-	-	1.2	2.4	5.1	1.0	-	-	-
Struck by/against	-	-	-	-	-	-	-	-	-	-	-
Suffocation	18.4	-	-	-	-	0.4	-	-	-	-	-
Transport (land), other	-	-	-	0.4	-	0.4	-	-	-	-	-
<b>Total</b>											
<b>Total</b>	64.3	9.1	3.9	18.7	19.8	31.0	45.0	34.4	39.1	116	331
Cut/pierce	-	-	-	0.4	0.4	0.4	0.7	-	1.6	-	-
Drowning	4.6	2.3	-	-	0.4	0.4	1.5	0.5	-	3.2	2.0
Fall	-	-	-	0.8	0.8	0.4	2.6	3.9	7.3	68.1	222
Fire/flame	-	-	-	-	0.4	0.4	0.4	1.5	1.6	1.1	4.0
Firearm	-	-	-	2.0	2.8	3.6	5.5	3.4	3.3	4.3	2.0
Hot object/scald	-	-	-	-	-	-	-	-	-	1.1	-
Machinery	-	-	0.4	-	-	-	-	-	-	-	-
Motor Vehicle traffic	-	2.3	3.0	11.8	5.6	6.0	7.3	7.9	13.8	12.8	14.1
Natural/environmental	-	-	-	-	-	-	0.7	1.0	-	1.1	6.1
Not specified	9.2	1.1	-	-	-	0.8	-	0.5	3.3	10.6	38.4
Other specified, classifiable	18.4	1.1	-	-	-	-	0.7	-	-	1.1	-
Other specified, not elsewhere classifiable	4.6	-	-	-	0.4	0.4	0.4	-	1.6	2.1	8.1
Pedal cyclist, other	-	-	-	-	-	-	-	-	-	-	2.0
Pedestrian, other	-	1.1	-	-	-	0.4	-	1.0	0.8	-	-
Poisoning	-	-	-	2.0	6.9	15.5	21.9	11.3	3.3	6.4	6.1
Struck by/against	-	-	-	0.4	-	-	-	-	-	1.1	2.0
Suffocation	27.6	1.1	0.4	0.8	1.2	2.4	3.3	1.0	0.8	3.2	22.2
Transport (land), other	-	-	-	0.4	0.4	0.4	-	0.5	0.8	-	2.0
Transport, other	-	-	-	-	0.4	-	-	2.0	0.8	-	-

Table 16A. Five leading causes/mechanisms of injury death by intent, mechanism, and age group, 2001-2005 aggregated data and average annual rate, Oregon residents.

Age Group	Rank	Intent	Mechanism	2001-2005 Count	Average Annual Rate (5-year)
< 1	1	Unintentional	Suffocation	42	18.7
	2	Undetermined	Suffocation	25	11.1
	3	Undetermined	Not specified	13	5.8
	4	Homicide	Other specified and classifiable	9	4.0
	5	Unintentional	MVT	7	3.1
1-4	1	Unintentional	MVT	36	4.0
	2	Unintentional	Drowning	23	2.5
	3	Unintentional	Fire/Flame	10	1.1
	3	Unintentional	Suffocation	10	1.1
	4	Homicide	Not specified	9	1.0
5-14	1	Unintentional	Pedestrian, other	8	0.9
	1	Unintentional	MVT	96	4.0
	2	Unintentional	Drowning	16	0.7
	3	Unintentional	Other land Transport	10	0.4
	4	Homicide	Firearm	8	0.3
15-24	5	Suicide	Suffocation	7	0.3
	1	Unintentional	MVT	528	21.3
	2	Suicide	Firearm	174	7.0
	3	Unintentional	Poisoning	80	3.2
	3	Suicide	Suffocation	80	3.2
25-34	4	Homicide	Firearm	75	3.0
	5	Unintentional	Drowning	60	2.4
	1	Unintentional	MVT	319	12.8
	2	Unintentional	Poisoning	173	6.9
	3	Suicide	Firearm	171	6.8
35-44	4	Suicide	Suffocation	116	4.6
	5	Homicide	Firearm	67	2.7
	1	Unintentional	MVT	320	12.5
	2	Unintentional	Poisoning	313	12.2
	3	Suicide	Firearm	233	9.1
45-54	4	Suicide	Poisoning	141	5.5
	5	Suicide	Suffocation	110	4.3
	1	Unintentional	MVT	385	14.4
	2	Unintentional	Poisoning	348	13.0
	3	Suicide	Firearm	305	11.4
55-64	4	Suicide	Poisoning	184	6.9
	5	Undetermined	Poisoning	106	4.0
	1	Unintentional	MVT	225	12.5
	2	Suicide	Firearm	217	12.0
	3	Unintentional	Poisoning	102	5.7
65-74	4	Unintentional	Fall	89	4.9
	5	Suicide	Poisoning	74	4.1
	1	Unintentional	MVT	179	16.0
	2	Suicide	Firearm	160	14.3
	3	Unintentional	Fall	129	11.5
75-84	4	Unintentional	Not specified	29	2.6
	5	Unintentional	Fire/Flam	26	2.3
	1	Unintentional	Fall	533	65.4
	2	Unintentional	MVT	191	23.4
	3	Suicide	Firearm	189	23.2
85 +	4	Unintentional	Not specified	69	8.5
	5	Unintentional	Suffocation	52	6.4
	1	Unintentional	Fall	824	246.3
	2	Unintentional	Not specified	166	49.6
	3	Unintentional	MVT	95	28.4
	4	Suicide	Firearm	73	21.8
	5	Unintentional	Suffocation	58	17.3

Table 17A. Select causes/mechanisms of injury death by county, Oregon residents, 2005.

County	All Injury					Unintentional MVT					Unintentional Falls					Unintentional Poisoning				
	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL
Baker	20	122.8	98.9	57.5	165.9	6	36.8	34.8	11.7	87.0	4	24.6	12.9	3.5	51.7	-	-	-	-	-
Benton	36	45.8	48.6	33.7	68.4	6	7.6	8.8	3.2	20.0	5	6.4	5.4	1.7	14.3	3	3.8	4.3	0.9	13.6
Clackamas	196	53.2	53.2	45.9	61.3	45	12.2	12.2	8.9	16.5	41	11.1	11.2	8.0	15.3	23	6.2	5.9	3.7	9.0
Clatsop	43	116.9	113.2	81.0	154.8	8	21.7	20.0	8.6	41.6	8	21.7	17.5	7.3	37.7	9	24.5	28.5	12.9	54.9
Columbia	35	72.8	73.2	50.9	102.7	10	20.8	20.5	9.8	38.7	8	16.6	17.5	7.6	35.3	3	6.2	5.6	1.1	18.1
Coos	44	68.0	64.1	45.6	88.4	10	15.5	15.2	7.0	29.9	6	9.3	5.8	2.1	15.9	5	7.7	10.2	3.3	24.5
Crook	19	86.1	74.5	44.5	120.0	5	22.7	17.9	5.7	46.9	4	18.1	14.0	3.8	41.2	1	4.5	5.8	0.1	32.5
Curry	17	75.8	51.0	28.1	90.8	2	8.9	6.7	0.8	34.0	1	4.5	2.0	0.1	27.0	-	-	-	-	-
Deschutes	94	66.5	63.3	51.1	77.7	15	10.6	10.3	5.7	17.2	28	19.8	18.5	12.3	27.0	7	5.0	4.8	1.9	10.2
Douglas	87	83.5	75.5	59.9	94.4	23	22.1	21.6	13.5	33.3	9	8.6	5.3	2.4	11.5	6	5.8	6.1	2.2	14.0
Gilliam	2	111.5	67.4	8.2	243.6	1	55.7	33.7	0.9	187.9	-	-	-	-	-	-	-	-	-	-
Grant	9	123.3	91.0	41.4	174.1	1	13.7	10.7	0.3	59.8	-	-	-	-	-	1	13.7	10.7	0.3	59.8
Harney	11	159.5	128.2	61.2	255.1	3	43.5	37.3	7.3	135.8	5	72.5	48.8	15.8	144.9	-	-	-	-	-
Hood River	5	23.5	20.7	6.6	50.5	-	-	-	-	-	1	4.7	3.3	0.1	23.7	-	-	-	-	-
Jackson	130	66.6	60.9	50.7	72.9	27	13.8	13.1	8.6	19.4	26	13.3	9.1	5.9	13.9	21	10.8	11.5	7.0	17.8
Jefferson	25	124.4	130.6	84.3	194.3	11	54.7	57.7	28.7	104.5	1	5.0	5.2	0.1	31.2	3	14.9	18.0	3.7	52.5
Josephine	57	70.6	62.4	46.4	82.9	15	18.6	16.7	9.1	29.2	8	9.9	5.7	2.5	13.7	5	6.2	6.5	2.0	16.6
Klamath	64	96.7	90.1	68.9	116.3	19	28.7	25.6	15.3	41.3	11	16.6	13.5	6.7	25.6	3	4.5	5.8	1.2	17.2
Lake	6	82.0	87.3	30.9	200.1	3	41.0	49.3	10.1	148.6	-	-	-	-	-	2	27.3	19.7	2.3	94.9
Lane	216	64.4	61.4	53.4	70.4	34	10.1	10.1	7.0	14.3	32	9.5	7.9	5.4	11.3	22	6.6	7.0	4.3	10.7
Lincoln	40	87.0	76.1	53.3	107.2	9	19.6	20.4	9.1	41.5	3	6.5	3.7	0.8	17.1	7	15.2	13.1	4.9	30.9
Linn	84	77.1	74.4	59.1	92.7	32	29.4	29.1	19.8	41.6	9	8.3	5.8	2.6	12.0	11	10.1	10.6	5.3	19.4
Malheur	19	60.6	57.0	34.0	90.8	4	12.8	11.5	3.1	31.5	5	16.0	13.6	4.3	34.4	-	-	-	-	-
Marion	145	47.5	47.3	39.9	55.8	42	13.8	13.9	10.0	18.9	21	6.9	6.3	3.8	9.7	13	4.3	4.3	2.3	7.5
Morrow	3	25.7	29.0	5.9	87.7	1	8.6	10.9	0.3	60.7	-	-	-	-	-	-	-	-	-	-
Multnomah	408	60.6	59.0	53.4	65.2	48	7.1	6.9	5.1	9.3	81	12.0	12.3	9.7	15.4	75	11.1	10.5	8.2	13.2
Polk	31	44.1	40.7	27.3	59.2	9	12.8	11.1	5.0	22.6	5	7.1	5.3	1.6	14.5	1	1.4	1.4	0.0	9.4
Sherman	1	57.2	53.7	1.4	299.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tillamook	16	63.3	58.6	32.7	99.2	5	19.8	18.7	5.9	47.6	1	4.0	2.5	0.1	23.0	3	11.9	12.3	2.4	39.3
Umatilla	45	60.9	60.4	44.0	81.2	12	16.2	16.2	8.3	28.6	4	5.4	5.2	1.4	13.9	8	10.8	11.3	4.9	22.5
Union	20	81.5	71.3	42.6	115.9	5	20.4	19.3	5.9	51.1	4	16.3	11.3	3.0	37.5	-	-	-	-	-
Wallowa	6	85.5	92.0	28.7	241.3	1	14.3	29.5	0.7	164.2	2	28.5	17.1	2.1	126.5	1	14.3	15.4	0.4	129.5
Wasco	18	76.3	68.0	39.5	111.5	-	-	-	-	-	8	33.9	24.5	10.5	53.5	2	8.5	11.1	1.3	40.1
Washington	179	35.8	37.5	32.1	43.6	28	5.6	5.8	3.8	8.6	31	6.2	7.8	5.3	11.2	22	4.4	4.3	2.7	6.7
Wheeler	3	206.2	219.6	39.7	701.0	2	137.5	182.7	22.1	660.0	1	68.7	36.9	0.9	380.8	-	-	-	-	-
Yamhill	59	64.0	60.8	46.2	78.9	22	23.9	23.3	14.5	35.6	8	8.7	7.6	3.3	15.5	5	5.4	5.2	1.7	12.7
<b>State</b>	<b>2,193</b>	<b>60.2</b>	<b>57.4</b>	<b>55.0</b>	<b>59.9</b>	<b>464</b>	<b>12.7</b>	<b>12.4</b>	<b>11.3</b>	<b>13.6</b>	<b>381</b>	<b>10.5</b>	<b>9.1</b>	<b>8.2</b>	<b>10.1</b>	<b>262</b>	<b>7.2</b>	<b>7.1</b>	<b>6.3</b>	<b>8.0</b>

\*LCL= lower confidence limit; UCL= upper confidence limit. 95% confidence interval based on gamma method for adjusted rates. "--"= no data.

Table 17A. Select causes/mechanisms of injury death by county, Oregon residents, 2005-- continued.

County	All Suicide					All Homicide					All Firearm				
	N	Crude	Adjust	LC	UC	N	Crud	Adjust	LC	UC	N	Crud	Adjust	LC	UCL
Baker	6	36.8	35.2	11.6	88.1	1	6.1	4.0	0.1	42.0	5	30.7	25.1	7.6	71.5
Benton	14	17.8	19.2	10.4	33.2	1	1.3	1.9	0.0	10.3	9	11.4	11.5	5.2	23.0
Clackamas	40	10.9	10.7	7.6	14.7	8	2.2	2.3	1.0	4.7	33	9.0	9.0	6.2	12.8
Clatsop	11	29.9	30.4	14.9	56.4	-	-	-	-	-	6	16.3	15.8	5.6	36.6
Columbia	9	18.7	18.7	8.5	36.5	-	-	-	-	-	6	12.5	12.3	4.5	28.0
Coos	11	17.0	15.3	7.3	29.6	1	1.5	1.3	0.0	10.5	6	9.3	8.6	2.9	21.1
Crook	6	27.2	24.6	8.9	57.2	-	-	-	-	-	6	27.2	25.1	9.1	58.1
Curry	9	40.1	31.9	13.6	68.8	-	-	-	-	-	8	35.7	27.9	11.0	63.6
Deschutes	23	16.3	15.7	9.9	23.7	4	2.8	2.8	0.7	7.5	16	11.3	10.9	6.2	18.0
Douglas	24	23.0	22.2	14.0	33.8	1	1.0	0.6	0.0	5.5	15	14.4	13.8	7.6	23.6
Gilliam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grant	4	54.8	42.0	11.4	108.	1	13.7	10.7	0.3	59.8	4	54.8	42.0	11.4	108.0
Harney	2	29.0	19.5	2.4	107.	-	-	-	-	-	2	29.0	19.5	2.4	107.7
Hood River	1	4.7	4.2	0.1	25.8	-	-	-	-	-	-	-	-	-	-
Jackson	36	18.4	17.3	12.0	24.3	5	2.6	2.8	0.9	6.7	22	11.3	11.1	6.9	17.1
Jefferson	4	19.9	21.0	5.6	55.6	2	10.0	9.7	1.2	38.0	2	10.0	11.0	1.3	40.8
Josephine	16	19.8	17.1	9.5	29.4	3	3.7	4.9	1.0	14.7	13	16.1	14.0	7.2	25.6
Klamath	19	28.7	26.8	16.0	43.0	1	1.5	1.4	0.0	9.7	15	22.7	22.2	12.3	37.9
Lake	1	13.7	18.4	0.5	102.	-	-	-	-	-	-	-	-	-	-
Lane	60	17.9	17.2	13.1	22.3	13	3.9	3.9	2.1	6.9	49	14.6	13.6	10.0	18.1
Lincoln	8	17.4	12.9	5.4	29.5	2	4.3	5.2	0.6	21.1	8	17.4	14.7	6.1	32.9
Linn	19	17.4	17.3	10.4	27.5	3	2.8	2.8	0.6	8.7	14	12.9	12.8	7.0	21.9
Malheur	2	6.4	5.8	0.7	23.4	1	3.2	3.6	0.1	20.8	4	12.8	12.8	3.5	34.4
Marion	39	12.8	12.9	9.2	17.8	7	2.3	2.2	0.9	4.7	28	9.2	9.0	6.0	13.1
Morrow	1	8.6	9.2	0.2	56.1	-	-	-	-	-	1	8.6	9.2	0.2	56.1
Multnomah	95	14.1	13.5	10.9	16.6	33	4.9	4.9	3.4	7.0	60	8.9	8.9	6.8	11.5
Polk	8	11.4	10.9	4.6	22.7	2	2.8	3.3	0.4	12.6	7	10.0	9.8	3.9	21.3
Sherman	-	-	-	-	-	-	-	-	-	-	1	57.2	53.7	1.4	299.4
Tillamook	5	19.8	14.6	4.7	39.8	-	-	-	-	-	4	15.8	11.1	3.0	34.8
Umatilla	9	12.2	12.4	5.6	23.9	1	1.4	1.3	0.0	8.0	6	8.1	8.0	2.9	17.9
Union	6	24.4	22.3	7.7	54.9	-	-	-	-	-	5	20.4	19.9	6.1	52.1
Wallowa	1	14.3	8.6	0.2	117.	1	14.3	21.5	0.5	143.	2	28.5	30.1	2.7	152.3
Wasco	5	21.2	20.2	6.3	50.8	2	8.5	9.1	1.1	35.4	2	8.5	10.0	1.2	37.5
Washington	52	10.4	10.3	7.7	13.8	8	1.6	1.6	0.7	3.4	33	6.6	6.6	4.5	9.5
Wheeler	-	-	-	-	-	-	-	-	-	-	-	-	8.5	3.6	17.2
Yamhill	13	14.1	13.5	7.1	23.2	2	2.2	2.3	0.3	8.6	8	8.7	13.6	10.0	18.1
<b>State</b>	<b>559</b>	<b>15.4</b>	<b>14.8</b>	<b>13.6</b>	<b>16.1</b>	<b>103</b>	<b>2.8</b>	<b>2.8</b>	<b>2.3</b>	<b>3.4</b>	<b>400</b>	<b>11.0</b>	<b>11.3</b>	<b>10.2</b>	<b>12.4</b>



# HOSPITALIZATION

Table 1B. Hospitalizations by mechanism/intent and year, Oregon residents, 2001-2005.

Intent and	2001		2002		2003		2004		2005	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
<b>Unintentional Total</b>	<b>14,486</b>	<b>417.0</b>	<b>14,755</b>	<b>418.9</b>	<b>14,960</b>	<b>419.9</b>	<b>14,798</b>	<b>412.0</b>	<b>14,675</b>	<b>403.0</b>
Cut/pierce	251	7.2	187	5.3	216	6.1	184	5.1	177	4.9
Drowning	29	0.8	29	0.8	37	1.0	18	0.5	21	0.6
Falls	7,955	229.0	8,214	233.2	8,274	232.2	8,370	233.1	8,288	227.6
Fire/burn	190	5.5	179	5.1	174	4.9	178	5.0	141	3.9
Firearm	53	1.5	57	1.6	51	1.4	50	1.4	44	1.2
Machinery	173	5.0	169	4.8	202	5.7	217	6.0	179	4.9
Motor vehicle traffic	2,379	68.5	2,364	67.1	2,313	64.9	2,213	61.6	2,280	62.6
Natural/environmental	231	6.7	235	6.7	252	7.1	247	6.9	184	5.1
Not elsewhere	43	1.2	52	1.5	40	1.1	22	0.6	35	1.0
Not specified	190	5.5	197	5.6	229	6.4	248	6.9	200	5.5
Other specified	271	7.8	277	7.9	295	8.3	278	7.7	253	6.9
Overexertion	407	11.7	418	11.9	379	10.6	357	9.9	321	8.8
Pedal cyclist, other	271	7.8	310	8.8	307	8.6	333	9.3	306	8.4
Pedestrian, other	37	1.1	36	1.0	42	1.2	47	1.3	33	0.9
Poisoning	788	22.7	849	24.1	984	27.6	891	24.8	944	25.9
Struck by/against	506	14.6	414	11.8	418	11.7	440	12.3	461	12.7
Suffocation	40	1.2	78	2.2	51	1.4	53	1.5	53	1.5
Transport, other	672	19.3	690	19.6	696	19.5	652	18.2	755	20.7
<b>Self-inflicted Total</b>	<b>1,852</b>	<b>53.3</b>	<b>1,826</b>	<b>51.8</b>	<b>1,828</b>	<b>51.3</b>	<b>1,986</b>	<b>55.3</b>	<b>1,897</b>	<b>52.1</b>
Cut/pierce	76	2.2	75	2.1	74	2.1	83	2.3	78	2.1
Drowning	1	0.0	1	0.0	0	0.0	2	0.1	0	0.0
Falls	16	0.5	13	0.4	6	0.2	12	0.3	8	0.2
Fire/burn	0	0.0	4	0.1	2	0.1	2	0.1	2	0.1
Firearm	29	0.8	30	0.9	31	0.9	33	0.9	28	0.8
Motor vehicle traffic	3	0.1	0	0.0	7	0.2	4	0.1	1	0.0
Natural/environmental	1	0.0	1	0.0	1	0.0	0	0.0	0	0.0
Not elsewhere	6	0.2	4	0.1	7	0.2	6	0.2	6	0.2
Not specified	2	0.1	0	0.0	2	0.1	2	0.1	0	0.0
Other specified	5	0.1	3	0.1	3	0.1	4	0.1	5	0.1
Poisoning	1,701	49.0	1,681	47.7	1,688	47.4	1,829	50.9	1,758	48.3
Struck by/against	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suffocation	12	0.3	14	0.4	7	0.2	9	0.3	11	0.3
<b>Assault Total</b>	<b>486</b>	<b>14.0</b>	<b>463</b>	<b>13.1</b>	<b>465</b>	<b>13.1</b>	<b>512</b>	<b>14.3</b>	<b>523</b>	<b>14.4</b>
Cut/pierce	114	3.3	100	2.8	97	2.7	117	3.3	134	3.7
Drowning	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Falls	3	0.1	1	0.0	2	0.1	4	0.1	2	0.1
Fire/burn	1	0.0	1	0.0	0	0.0	3	0.1	2	0.1
Firearm	46	1.3	51	1.4	74	2.1	73	2.0	50	1.4
Motor vehicle traffic	2	0.1	4	0.1	3	0.1	3	0.1	5	0.1
Not elsewhere	27	0.8	20	0.6	20	0.6	20	0.6	29	0.8
Not specified	56	1.6	42	1.2	44	1.2	50	1.4	50	1.4
Other specified	6	0.2	12	0.3	8	0.2	9	0.3	8	0.2
Poisoning	1	0.0	1	0.0	4	0.1	0	0.0	1	0.0
Struck by/against	228	6.6	231	6.6	212	6.0	230	6.4	239	6.6
Suffocation	2	0.1	0	0.0	1	0.0	3	0.1	3	0.1

Table 1B. Hospitalizations by mechanism/intent and year, Oregon residents, 2001-2005--  
continued.

Intent and	2001		2002		2003		2004		2005	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
<b>Undetermined Total</b>	<b>251</b>	<b>7.2</b>	<b>234</b>	<b>6.6</b>	<b>213</b>	<b>6.0</b>	<b>235</b>	<b>6.5</b>	<b>169</b>	<b>4.6</b>
Cut/pierce	5	0.1	5	0.1	3	0.1	3	0.1	3	0.1
Drowning	1	0.0	0	0.0	1	0.0	0	0.0	1	0.0
Falls	5	0.1	7	0.2	4	0.1	4	0.1	3	0.1
Fire/burn	1	0.0	0	0.0	3	0.1	1	0.0	1	0.0
Firearm	19	0.5	15	0.4	12	0.3	13	0.4	8	0.2
Machinery	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Motor vehicle traffic	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1
Natural/environmental	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not elsewhere	5	0.1	6	0.2	3	0.1	2	0.1	1	0.0
Not specified	8	0.2	9	0.3	7	0.2	11	0.3	6	0.2
Other specified	0	0.0	1	0.0	1	0.0	1	0.0	1	0.0
Overexertion	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pedal cyclist, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pedestrian, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poisoning	207	6.0	191	5.4	178	5.0	200	5.6	141	3.9
Struck by/against	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suffocation	0	0.0	0	0.0	1	0.0	0	0.0	1	0.0
Transport, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Other Total</b>	<b>15</b>	<b>0.4</b>	<b>16</b>	<b>0.5</b>	<b>13</b>	<b>0.4</b>	<b>13</b>	<b>0.4</b>	<b>22</b>	<b>0.6</b>
Cut/pierce	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0
Drowning	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Falls	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fire/burn	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Firearm	7	0.2	6	0.2	4	0.1	4	0.1	14	0.4
Machinery	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Motor vehicle traffic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Natural/environmental	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not elsewhere	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0
Not specified	0	0.0	0	0.0	0	0.0	1	0.0	1	0.0
Other specified	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Overexertion	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pedal cyclist, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pedestrian, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poisoning	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Struck by/against	8	0.2	9	0.3	8	0.2	8	0.2	7	0.2
Suffocation	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transport, other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Total Injury</b>	<b>17,090</b>	<b>492.0</b>	<b>17,294</b>	<b>491.0</b>	<b>17,479</b>	<b>490.6</b>	<b>17,544</b>	<b>488.5</b>	<b>17,286</b>	<b>474.8</b>
Cut/pierce	446	12.8	368	10.4	390	10.9	387	10.8	392	10.8
Drowning	31	0.9	30	0.9	38	1.1	20	0.6	22	0.6
Falls	7,979	229.7	8,235	233.8	8,286	232.6	8,390	233.6	8,301	228.0
Fire/burn	192	5.5	184	5.2	179	5.0	184	5.1	146	4.0
Firearm	154	4.4	159	4.5	172	4.8	173	4.8	144	4.0
Machinery	173	5.0	169	4.8	202	5.7	217	6.0	179	4.9
Motor vehicle traffic	2,384	68.6	2,368	67.2	2,323	65.2	2,220	61.8	2,289	62.9
Natural/environmental	232	6.7	236	6.7	253	7.1	247	6.9	184	5.1
Not elsewhere	81	2.3	82	2.3	71	2.0	50	1.4	71	1.9
Not specified	256	7.4	248	7.0	282	7.9	312	8.7	257	7.1
Other specified	282	8.1	293	8.3	307	8.6	292	8.1	267	7.3
Overexertion	407	11.7	418	11.9	379	10.6	357	9.9	321	8.8
Pedal cyclist, other	271	7.8	310	8.8	307	8.6	333	9.3	306	8.4
Pedestrian, other	37	1.1	36	1.0	42	1.2	47	1.3	33	0.9
Poisoning	2,697	77.6	2,722	77.3	2,854	80.1	2,920	81.3	2,844	78.1
Struck by/against	742	21.4	654	18.6	638	17.9	678	18.9	707	19.4
Suffocation	54	1.6	92	2.6	60	1.7	65	1.8	68	1.9
Transport, other	672	19.3	690	19.6	696	19.5	652	18.2	755	20.7

Table 2B. Number of hospitalizations by age group, Oregon residents, 2001.

Intent and	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	8	20	49	48	50	41	17	10	6	2
Drowning	0	10	4	3	2	4	2	2	1	1	0
Falls	33	145	322	287	264	429	592	640	906	2,109	2,228
Fire/burn	5	25	13	27	30	35	18	11	8	11	7
Firearm	0	0	5	15	12	9	7	1	2	2	0
Machinery	0	4	6	31	28	37	31	18	11	7	0
Motor vehicle traffic	3	41	132	592	376	382	340	185	129	141	58
Natural/environmental	1	22	30	17	27	27	32	21	25	22	7
Not elsewhere	0	0	1	8	3	4	5	6	10	2	4
Not specified	7	4	4	13	11	19	33	20	20	34	25
Other specified	3	22	32	26	32	41	39	20	21	21	14
Overexertion	1	5	13	45	41	70	72	51	38	47	24
Pedal cyclist, other	0	5	65	47	32	55	33	20	8	4	2
Pedestrian, other	0	3	5	5	3	6	6	2	4	2	1
Poisoning	7	77	25	88	94	132	127	93	58	61	26
Struck by/against	3	19	74	107	84	69	55	31	17	23	24
Suffocation	7	16	1	0	1	2	2	2	4	2	3
Transport, other	0	8	82	139	98	120	112	62	21	22	8
<b>Self-inflicted</b>											
Cut/pierce	0	0	0	17	17	20	11	6	2	2	1
Drowning	0	0	0	0	0	0	1	0	0	0	0
Falls	0	0	0	3	11	0	2	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	6	5	7	3	4	1	3	0
Motor vehicle traffic	0	0	0	1	0	1	1	0	0	0	0
Natural/environmental	0	0	0	0	0	1	0	0	0	0	0
Not elsewhere	0	0	0	1	2	1	2	0	0	0	0
Not specified	0	0	0	1	0	1	0	0	0	0	0
Other specified	0	0	0	1	2	2	0	0	0	0	0
Poisoning	0	0	44	408	336	481	310	74	23	20	5
Suffocation	0	0	0	2	7	2	1	0	0	0	0
<b>Assault</b>											
Cut/pierce	0	0	0	43	33	22	12	4	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	1	2	0	0	0	0	0
Fire/burn	0	1	0	0	0	0	0	0	0	0	0
Firearm	0	0	1	23	11	7	3	1	0	0	0
Motor vehicle traffic	0	0	0	1	0	0	1	0	0	0	0
Not elsewhere	2	1	0	4	6	5	4	1	1	2	1
Not specified	1	1	0	9	10	22	8	0	2	1	2
Other specified	2	0	0	0	1	2	0	0	0	0	1
Poisoning	0	0	0	0	0	0	0	0	1	0	0
Struck by/against	1	0	0	71	50	55	37	5	5	2	2
Suffocation	0	0	0	0	0	1	1	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 2B. Number of hospitalizations by age group, Oregon residents, 2001-- continued.

Intent and	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	1	1	1	0	2	0	0	0	0
Drowning	1	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	1	3	1	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	1	0	0	0	0
Firearm	0	0	0	4	3	3	4	2	1	2	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere	1	1	0	0	1	1	0	0	1	0	0
Not specified	1	2	0	0	0	1	1	1	0	1	1
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	1	8	37	37	57	46	13	3	4	1
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	2	3	2	0	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	1	5	1	1	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	8	21	110	99	92	66	27	12	8	3
Drowning	1	10	4	3	2	4	3	2	1	1	0
Falls	33	145	322	291	279	432	594	640	906	2109	2228
Fire/burn	5	26	13	27	30	35	19	11	8	11	7
Firearm	0	0	6	50	34	28	17	8	4	7	0
Machinery	0	4	6	31	28	37	31	18	11	7	0
Motor vehicle traffic	3	41	132	594	376	383	342	185	129	141	58
Natural/environmental	1	22	30	17	27	28	32	21	25	22	7
Not elsewhere	3	2	1	13	12	11	11	7	12	4	5
Not specified	9	7	4	23	21	43	42	21	22	36	28
Other specified	5	22	32	27	35	45	39	20	21	21	15
Overexertion	1	5	13	45	41	70	72	51	38	47	24
Pedal cyclist, other	0	5	65	47	32	55	33	20	8	4	2
Pedestrian, other	0	3	5	5	3	6	6	2	4	2	1
Poisoning	7	78	77	533	467	670	483	180	85	85	32
Struck by/against	4	19	74	179	139	125	93	36	22	25	26
Suffocation	7	16	1	2	8	5	4	2	4	2	3
Transport, other	0	8	82	139	98	120	112	62	21	22	8

Table 3B. Rate of hospitalization by age group, Oregon residents, 2001.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	4.4	4.2	10.1	10.0	9.6	7.8	5.4	4.6	3.7	3.2
Drowning	0.0	5.5	0.8	0.6	0.4	0.8	0.4	0.6	0.5	0.6	0.0
Falls	73.1	80.4	66.9	59.4	55.0	82.5	112.8	202.2	415.3	1,295.	3,613.
Fire/burn	11.1	13.9	2.7	5.6	6.3	6.7	3.4	3.5	3.7	6.8	11.4
Firearm	0.0	0.0	1.0	3.1	2.5	1.7	1.3	0.3	0.9	1.2	0.0
Machinery	0.0	2.2	1.2	6.4	5.8	7.1	5.9	5.7	5.0	4.3	0.0
Motor vehicle traffic	6.6	22.7	27.4	122.5	78.4	73.4	64.8	58.4	59.1	86.6	94.1
Natural/environmental	2.2	12.2	6.2	3.5	5.6	5.2	6.1	6.6	11.5	13.5	11.4
Not elsewhere classifiable	0.0	0.0	0.2	1.7	0.6	0.8	1.0	1.9	4.6	1.2	6.5
Not specified	15.5	2.2	0.8	2.7	2.3	3.7	6.3	6.3	9.2	20.9	40.6
Other specified	6.6	12.2	6.6	5.4	6.7	7.9	7.4	6.3	9.6	12.9	22.7
Overexertion	2.2	2.8	2.7	9.3	8.5	13.5	13.7	16.1	17.4	28.9	38.9
Pedal cyclist, other	0.0	2.8	13.5	9.7	6.7	10.6	6.3	6.3	3.7	2.5	3.2
Pedestrian, other	0.0	1.7	1.0	1.0	0.6	1.2	1.1	0.6	1.8	1.2	1.6
Poisoning	15.5	42.7	5.2	18.2	19.6	25.4	24.2	29.4	26.6	37.5	42.2
Struck by/against	6.6	10.5	15.4	22.1	17.5	13.3	10.5	9.8	7.8	14.1	38.9
Suffocation	15.5	8.9	0.2	0.0	0.2	0.4	0.4	0.6	1.8	1.2	4.9
Transport, other	0.0	4.4	17.0	28.8	20.4	23.1	21.3	19.6	9.6	13.5	13.0
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.0	3.5	3.5	3.8	2.1	1.9	0.9	1.2	1.6
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.6	2.3	0.0	0.4	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.2	1.0	1.3	0.6	1.3	0.5	1.8	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.2	0.4	0.2	0.4	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	9.1	84.5	70.0	92.5	59.1	23.4	10.5	12.3	8.1
Suffocation	0.0	0.0	0.0	0.4	1.5	0.4	0.2	0.0	0.0	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.0	0.0	8.9	6.9	4.2	2.3	1.3	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.2	4.8	2.3	1.3	0.6	0.3	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Not elsewhere classifiable	4.4	0.6	0.0	0.8	1.3	1.0	0.8	0.3	0.5	1.2	1.6
Not specified	2.2	0.6	0.0	1.9	2.1	4.2	1.5	0.0	0.9	0.6	3.2
Other specified	4.4	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	1.6
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0
Struck by/against	2.2	0.0	0.0	14.7	10.4	10.6	7.1	1.6	2.3	1.2	3.2
Suffocation	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3B. Rate of hospitalization by age group, Oregon residents, 2001-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.0	0.0	0.0	0.0
Drowning	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.8	0.6	0.6	0.8	0.6	0.5	1.2	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	2.2	0.6	0.0	0.0	0.2	0.2	0.0	0.0	0.5	0.0	0.0
Not specified	2.2	1.1	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.6	1.6
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.6	1.7	7.7	7.7	11.0	8.8	4.1	1.4	2.5	1.6
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.4	0.6	0.4	0.0	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.2	1.0	0.2	0.2	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	4.4	4.4	22.8	20.6	17.7	12.6	8.5	5.5	4.9	4.9
Drowning	2.2	5.5	0.8	0.6	0.4	0.8	0.6	0.6	0.5	0.6	0.0
Falls	73.1	80.4	66.9	60.2	58.2	83.0	113.2	202.2	415.3	1,295.	3,613.
Fire/burn	11.1	14.4	2.7	5.6	6.3	6.7	3.6	3.5	3.7	6.8	11.4
Firearm	0.0	0.0	1.2	10.3	7.1	5.4	3.2	2.5	1.8	4.3	0.0
Machinery	0.0	2.2	1.2	6.4	5.8	7.1	5.9	5.7	5.0	4.3	0.0
Motor vehicle traffic	6.6	22.7	27.4	123.0	78.4	73.6	65.2	58.4	59.1	86.6	94.1
Natural/environmental	2.2	12.2	6.2	3.5	5.6	5.4	6.1	6.6	11.5	13.5	11.4
Not elsewhere classifiable	6.6	1.1	0.2	2.7	2.5	2.1	2.1	2.2	5.5	2.5	8.1
Not specified	19.9	3.9	0.8	4.8	4.4	8.3	8.0	6.6	10.1	22.1	45.4
Other specified	11.1	12.2	6.6	5.6	7.3	8.7	7.4	6.3	9.6	12.9	24.3
Overexertion	2.2	2.8	2.7	9.3	8.5	13.5	13.7	16.1	17.4	28.9	38.9
Pedal cyclist, other	0.0	2.8	13.5	9.7	6.7	10.6	6.3	6.3	3.7	2.5	3.2
Pedestrian, other	0.0	1.7	1.0	1.0	0.6	1.2	1.1	0.6	1.8	1.2	1.6
Poisoning	15.5	43.2	16.0	110.3	97.3	128.8	92.1	56.9	39.0	52.2	51.9
Struck by/against	8.9	10.5	15.4	37.1	29.0	24.0	17.7	11.4	10.1	15.4	42.2
Suffocation	15.5	8.9	0.2	0.4	1.7	1.0	0.8	0.6	1.8	1.2	4.9
Transport, other	0.0	4.4	17.0	28.8	20.4	23.1	21.3	19.6	9.6	13.5	13.0

Table 4B. Number of hospitalizations by age group, Oregon residents, 2002.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	6	7	43	40	33	25	19	8	5	1
Drowning	2	12	2	1	1	5	2	2	0	2	0
Falls	33	156	349	311	273	411	623	656	917	2,188	2,297
Fire/burn	2	22	15	19	29	30	21	19	10	5	7
Firearm	0	0	4	15	16	10	7	4	0	1	0
Machinery	0	2	2	19	31	35	36	26	11	5	2
Motor vehicle traffic	6	35	138	555	396	374	343	201	131	126	59
Natural/environmental	1	12	20	12	19	40	41	33	22	19	16
Not elsewhere classifiable	0	0	1	9	7	7	9	3	5	7	4
Not specified	5	7	6	7	13	13	30	19	24	44	29
Other specified	7	23	31	34	27	40	37	34	17	21	6
Overexertion	0	2	13	42	61	62	73	53	46	44	22
Pedal cyclist, other	0	5	59	48	44	53	54	29	9	5	4
Pedestrian, other	0	3	4	7	8	3	5	3	2	1	0
Poisoning	5	66	19	101	93	143	160	102	65	68	27
Struck by/against	2	12	61	92	61	70	48	22	13	15	18
Suffocation	4	24	6	3	1	3	6	4	8	10	9
Transport, other	0	8	74	148	119	125	101	53	27	21	14
<b>Self-inflicted</b>											
Cut/pierce	0	0	2	17	15	17	13	5	2	4	0
Drowning	0	0	0	0	0	0	1	0	0	0	0
Falls	0	0	0	1	3	5	2	1	0	1	0
Fire/burn	0	0	1	1	2	0	0	0	0	0	0
Firearm	0	0	0	7	6	6	3	1	2	4	1
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Natural/environmental	0	0	0	0	0	0	1	0	0	0	0
Not elsewhere classifiable	0	0	0	1	1	2	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	2	0	1	0	0	0	0	0
Poisoning	0	0	48	371	381	479	282	75	20	18	7
Suffocation	0	0	1	5	2	4	0	1	1	0	0
<b>Assault</b>											
Cut/pierce	0	0	0	35	32	20	11	2	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	1	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	1	0	0	0	0
Firearm	0	0	0	25	13	8	2	1	1	1	0
Motor vehicle traffic	0	0	0	0	1	0	3	0	0	0	0
Not elsewhere classifiable	1	0	1	2	2	6	6	1	0	0	1
Not specified	2	0	0	11	5	14	6	1	1	1	1
Other specified	1	1	2	4	1	3	0	0	0	0	0
Poisoning	0	0	0	0	0	0	1	0	0	0	0
Struck by/against	0	0	8	63	62	57	31	6	4	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 4B. Number of hospitalizations by age group, Oregon residents, 2002—continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	2	2	0	1	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	3	2	1	1	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	7	5	1	0	1	1	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	3	1	0	1	0	1	0	0	0	0	0
Not specified	1	1	0	0	2	4	0	1	0	0	0
Other specified	0	0	0	0	0	0	1	0	0	0	0
Poisoning	0	0	4	34	49	41	41	13	4	5	0
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	1	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	2	0	3	1	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	2	1	5	1	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	6	9	98	89	70	50	26	10	9	1
Drowning	2	12	2	1	1	5	3	2	0	2	0
Falls	33	156	349	315	278	418	626	657	917	2,189	2,297
Fire/burn	2	22	16	20	31	30	22	19	10	5	7
Firearm	0	0	4	56	40	28	13	7	4	6	1
Machinery	0	2	2	19	31	35	36	26	11	5	2
Motor vehicle traffic	6	35	138	555	397	374	346	201	131	126	59
Natural/environmental	1	12	20	12	19	40	42	33	22	19	16
Not elsewhere classifiable	4	1	2	13	10	16	15	4	5	7	5
Not specified	8	8	6	18	20	31	36	21	25	45	30
Other specified	8	24	33	40	28	44	38	34	17	21	6
Overexertion	0	2	13	42	61	62	73	53	46	44	22
Pedal cyclist, other	0	5	59	48	44	53	54	29	9	5	4
Pedestrian, other	0	3	4	7	8	3	5	3	2	1	0
Poisoning	5	66	71	506	523	663	484	190	89	91	34
Struck by/against	2	12	69	157	124	132	80	28	17	15	18
Suffocation	4	24	7	8	3	7	6	5	9	10	9
Transport, other	0	8	74	148	119	125	101	53	27	21	14



Table 5B. Rate of hospitalization by age group, Oregon residents, 2002.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	3.3	1.5	8.8	8.1	6.4	4.7	5.6	3.6	3.1	1.6
Drowning	4.5	6.6	0.4	0.2	0.2	1.0	0.4	0.6	0.0	1.2	0.0
Falls	74.2	86.4	72.6	63.5	55.6	79.5	117.5	192.3	416.5	1,338.7	3,596.6
Fire/burn	4.5	12.2	3.1	3.9	5.9	5.8	4.0	5.6	4.5	3.1	11.0
Firearm	0.0	0.0	0.8	3.1	3.3	1.9	1.3	1.2	0.0	0.6	0.0
Machinery	0.0	1.1	0.4	3.9	6.3	6.8	6.8	7.6	5.0	3.1	3.1
Motor vehicle traffic	13.5	19.4	28.7	113.3	80.6	72.4	64.7	58.9	59.5	77.1	92.4
Natural/environmental	2.2	6.6	4.2	2.4	3.9	7.7	7.7	9.7	10.0	11.6	25.1
Not elsewhere classifiable	0.0	0.0	0.2	1.8	1.4	1.4	1.7	0.9	2.3	4.3	6.3
Not specified	11.2	3.9	1.2	1.4	2.6	2.5	5.7	5.6	10.9	26.9	45.4
Other specified	15.7	12.7	6.5	6.9	5.5	7.7	7.0	10.0	7.7	12.8	9.4
Overexertion	0.0	1.1	2.7	8.6	12.4	12.0	13.8	15.5	20.9	26.9	34.4
Pedal cyclist, other	0.0	2.8	12.3	9.8	9.0	10.3	10.2	8.5	4.1	3.1	6.3
Pedestrian, other	0.0	1.7	0.8	1.4	1.6	0.6	0.9	0.9	0.9	0.6	0.0
Poisoning	11.2	36.5	4.0	20.6	18.9	27.7	30.2	29.9	29.5	41.6	42.3
Struck by/against	4.5	6.6	12.7	18.8	12.4	13.5	9.1	6.4	5.9	9.2	28.2
Suffocation	9.0	13.3	1.2	0.6	0.2	0.6	1.1	1.2	3.6	6.1	14.1
Transport, other	0.0	4.4	15.4	30.2	24.2	24.2	19.0	15.5	12.3	12.8	21.9
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.4	3.5	3.1	3.3	2.5	1.5	0.9	2.4	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.2	0.6	1.0	0.4	0.3	0.0	0.6	0.0
Fire/burn	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.4	1.2	1.2	0.6	0.3	0.9	2.4	1.6
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	10.0	75.7	77.6	92.7	53.2	22.0	9.1	11.0	11.0
Suffocation	0.0	0.0	0.2	1.0	0.4	0.8	0.0	0.3	0.5	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.0	0.0	7.1	6.5	3.9	2.1	0.6	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	5.1	2.6	1.5	0.4	0.3	0.5	0.6	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.0	0.0	0.0	0.0
Not elsewhere classifiable	2.2	0.0	0.2	0.4	0.4	1.2	1.1	0.3	0.0	0.0	1.6
Not specified	4.5	0.0	0.0	2.2	1.0	2.7	1.1	0.3	0.5	0.6	1.6
Other specified	2.2	0.6	0.4	0.8	0.2	0.6	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	1.7	12.9	12.6	11.0	5.8	1.8	1.8	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5B. Rate of hospitalization by age group, Oregon residents, 2002-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.4	0.4	0.0	0.2	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.6	0.4	0.2	0.2	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.4	1.0	0.2	0.0	0.3	0.5	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	6.7	0.6	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Not specified	2.2	0.6	0.0	0.0	0.4	0.8	0.0	0.3	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.8	6.9	10.0	7.9	7.7	3.8	1.8	3.1	0.0
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.4	0.0	0.6	0.2	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.4	0.2	1.0	0.2	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0	6	9	98	89	70	50	26	10	9	1
Drowning	2	12	2	1	1	5	3	2	0	2	0
Falls	33	156	349	315	278	418	626	657	917	2189	2297
Fire/burn	2	22	16	20	31	30	22	19	10	5	7
Firearm	0	0	4	56	40	28	13	7	4	6	1
Machinery	0	2	2	19	31	35	36	26	11	5	2
Motor vehicle traffic	6	35	138	555	397	374	346	201	131	126	59
Natural/environmental	1	12	20	12	19	40	42	33	22	19	16
Not elsewhere classifiable	4	1	2	13	10	16	15	4	5	7	5
Not specified	8	8	6	18	20	31	36	21	25	45	30
Other specified	8	24	33	40	28	44	38	34	17	21	6
Overexertion	0	2	13	42	61	62	73	53	46	44	22
Pedal cyclist, other	0	5	59	48	44	53	54	29	9	5	4
Pedestrian, other	0	3	4	7	8	3	5	3	2	1	0
Poisoning	5	66	71	506	523	663	484	190	89	91	34
Struck by/against	2	12	69	157	124	132	80	28	17	15	18
Suffocation	4	24	7	8	3	7	6	5	9	10	9
Transport, other	0	8	74	148	119	125	101	53	27	21	14

Table 6B. Number of hospitalizations by age group, Oregon residents, 2003.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	7	14	28	47	47	32	18	15	8	0
Drowning	2	9	5	3	7	2	7	1	1	0	0
Falls	27	139	343	275	241	430	623	711	1,022	2,276	2,187
Fire/burn	3	24	19	15	19	24	21	15	20	7	7
Firearm	0	0	4	14	12	5	9	4	3	0	0
Machinery	0	1	7	24	39	39	47	30	8	4	3
Motor vehicle traffic	3	20	158	565	369	345	321	203	144	132	53
Natural/environmental	0	22	31	9	20	41	42	29	16	25	17
Not elsewhere classifiable	1	0	4	7	7	4	7	2	5	2	1
Not specified	8	5	7	9	8	17	19	34	45	49	28
Other specified	13	30	34	31	24	44	40	21	22	22	14
Overexertion	1	3	16	33	35	43	62	52	58	50	26
Pedal cyclist, other	0	2	74	48	38	45	54	27	14	4	1
Pedestrian, other	0	6	8	2	3	7	5	3	3	2	3
Poisoning	4	83	24	120	111	170	182	107	73	74	36
Struck by/against	2	18	68	97	55	63	43	21	20	14	17
Suffocation	3	11	4	3	1	4	1	2	3	11	8
Transport, other	0	7	75	126	108	127	130	59	34	18	12
<b>Self-inflicted</b>											
Cut/pierce	0	0	1	14	16	20	13	3	3	2	2
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	1	0	2	2	1	0	0	0	0
Fire/burn	0	0	0	0	1	0	1	0	0	0	0
Firearm	0	0	0	8	3	8	6	4	1	1	0
Motor vehicle traffic	0	0	0	0	0	2	1	2	2	0	0
Natural/environmental	0	0	0	0	0	0	0	0	0	1	0
Not elsewhere classifiable	0	0	1	2	0	2	2	0	0	0	0
Not specified	0	0	0	1	0	1	0	0	0	0	0
Other specified	0	0	0	2	0	0	0	1	0	0	0
Poisoning	0	0	71	445	335	370	325	97	28	12	5
Suffocation	0	0	0	1	3	3	0	0	0	0	0
<b>Assault</b>											
Cut/pierce	0	0	1	28	46	16	3	3	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	1	0	1	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	42	17	10	4	0	0	0	1
Motor vehicle traffic	0	0	0	0	1	2	0	0	0	0	0
Not elsewhere classifiable	1	1	0	1	3	4	4	2	2	1	1
Not specified	3	1	1	6	6	13	11	2	1	0	0
Other specified	0	0	1	4	2	0	1	0	0	0	0
Poisoning	0	0	0	1	0	2	0	0	1	0	0
Struck by/against	1	0	3	60	61	49	26	7	4	0	1
Suffocation	0	0	0	0	0	0	0	1	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 6B. Number of hospitalizations by age group, Oregon residents, 2003-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	0	1	1	0	1	0	0	0
Drowning	0	0	0	1	0	0	0	0	0	0	0
Falls	0	0	1	2	0	1	0	0	0	0	0
Fire/burn	0	0	0	0	1	1	1	0	0	0	0
Firearm	0	1	0	5	2	1	2	0	0	1	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	1	0	0	0	0	1	1	0	0	0
Not specified	2	2	0	0	0	0	1	1	0	0	1
Other specified	0	0	0	1	0	0	0	0	0	0	0
Poisoning	0	0	5	31	37	44	37	17	2	4	1
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	1	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	2	1	0	0	0	0	0	1
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	1	0	0	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	1	2	2	2	0	0	0	1
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	7	16	70	110	84	48	25	18	10	2
Drowning	2	9	5	4	7	2	7	1	1	0	0
Falls	27	139	345	278	243	434	624	711	1,022	2,276	2,187
Fire/burn	3	24	19	15	21	25	23	15	20	7	7
Firearm	0	1	4	71	35	24	21	8	4	2	2
Machinery	0	1	7	24	39	39	47	30	8	4	3
Motor vehicle traffic	3	20	158	565	370	349	322	205	146	132	53
Natural/environmental	0	22	31	9	20	41	42	29	16	26	17
Not elsewhere classifiable	2	2	5	11	10	10	14	5	7	3	2
Not specified	13	8	8	16	14	31	31	37	46	49	29
Other specified	13	30	35	38	26	44	41	22	22	22	14
Overexertion	1	3	16	33	35	43	62	52	58	50	26
Pedal cyclist, other	0	2	74	48	38	45	54	27	14	4	1
Pedestrian, other	0	6	8	2	3	7	5	3	3	2	3
Poisoning	4	83	100	597	483	586	544	221	104	90	42
Struck by/against	3	18	71	158	118	114	71	28	24	14	19
Suffocation	3	11	4	5	4	7	1	3	3	11	8
Transport, other	0	7	75	126	108	127	130	59	34	18	12

Table 7B. Rate of hospitalization by age group, Oregon residents, 2003.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	3.9	2.9	5.7	9.4	9.2	6.0	5.0	6.7	4.9	0.0
Drowning	4.5	5.0	1.0	0.6	1.4	0.4	1.3	0.3	0.4	0.0	0.0
Falls	60.1	76.9	71.4	55.6	48.2	83.9	116.4	197.3	457.0	1,395.	3,268.
Fire/burn	6.7	13.3	4.0	3.0	3.8	4.7	3.9	4.2	8.9	4.3	10.5
Firearm	0.0	0.0	0.8	2.8	2.4	1.0	1.7	1.1	1.3	0.0	0.0
Machinery	0.0	0.6	1.5	4.9	7.8	7.6	8.8	8.3	3.6	2.5	4.5
Motor vehicle traffic	6.7	11.1	32.9	114.2	73.8	67.3	60.0	56.3	64.4	80.9	79.2
Natural/environmental	0.0	12.2	6.5	1.8	4.0	8.0	7.8	8.0	7.2	15.3	25.4
Not elsewhere classifiable	2.2	0.0	0.8	1.4	1.4	0.8	1.3	0.6	2.2	1.2	1.5
Not specified	17.8	2.8	1.5	1.8	1.6	3.3	3.6	9.4	20.1	30.0	41.8
Other specified	28.9	16.6	7.1	6.3	4.8	8.6	7.5	5.8	9.8	13.5	20.9
Overexertion	2.2	1.7	3.3	6.7	7.0	8.4	11.6	14.4	25.9	30.7	38.9
Pedal cyclist, other	0.0	1.1	15.4	9.7	7.6	8.8	10.1	7.5	6.3	2.5	1.5
Pedestrian, other	0.0	3.3	1.7	0.4	0.6	1.4	0.9	0.8	1.3	1.2	4.5
Poisoning	8.9	45.9	5.0	24.3	22.2	33.2	34.0	29.7	32.6	45.4	53.8
Struck by/against	4.5	10.0	14.2	19.6	11.0	12.3	8.0	5.8	8.9	8.6	25.4
Suffocation	6.7	6.1	0.8	0.6	0.2	0.8	0.2	0.6	1.3	6.7	12.0
Transport, other	0.0	3.9	15.6	25.5	21.6	24.8	24.3	16.4	15.2	11.0	17.9
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.2	2.8	3.2	3.9	2.4	0.8	1.3	1.2	3.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.2	0.0	0.4	0.4	0.2	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.6	0.6	1.6	1.1	1.1	0.4	0.6	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.6	0.9	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0
Not elsewhere classifiable	0.0	0.0	0.2	0.4	0.0	0.4	0.4	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0
Poisoning	0.0	0.0	14.8	89.9	67.0	72.2	60.7	26.9	12.5	7.4	7.5
Suffocation	0.0	0.0	0.0	0.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.0	0.2	5.7	9.2	3.1	0.6	0.8	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	8.5	3.4	2.0	0.7	0.0	0.0	0.0	1.5
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	2.2	0.6	0.0	0.2	0.6	0.8	0.7	0.6	0.9	0.6	1.5
Not specified	6.7	0.6	0.2	1.2	1.2	2.5	2.1	0.6	0.4	0.0	0.0
Other specified	0.0	0.0	0.2	0.8	0.4	0.0	0.2	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.4	0.0	0.0
Struck by/against	2.2	0.0	0.6	12.1	12.2	9.6	4.9	1.9	1.8	0.0	1.5
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 7B. Rate of hospitalization by age group, Oregon residents, 2003-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0
Firearm	0.0	0.6	0.0	1.0	0.4	0.2	0.4	0.0	0.0	0.6	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.6	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0
Not specified	4.5	1.1	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	1.5
Other specified	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	1.0	6.3	7.4	8.6	6.9	4.7	0.9	2.5	1.5
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	1.5
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.2	0.4	0.4	0.4	0.0	0.0	0.0	1.5
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	3.9	3.3	14.1	22.0	16.4	9.0	6.9	8.0	6.1	3.0
Drowning	4.5	5.0	1.0	0.8	1.4	0.4	1.3	0.3	0.4	0.0	0.0
Falls	60.1	76.9	71.9	56.2	48.6	84.7	116.6	197.3	457.0	1,395.	3,268.
Fire/burn	6.7	13.3	4.0	3.0	4.2	4.9	4.3	4.2	8.9	4.3	10.5
Firearm	0.0	0.6	0.8	14.3	7.0	4.7	3.9	2.2	1.8	1.2	3.0
Machinery	0.0	0.6	1.5	4.9	7.8	7.6	8.8	8.3	3.6	2.5	4.5
Motor vehicle traffic	6.7	11.1	32.9	114.2	74.0	68.1	60.2	56.9	65.3	80.9	79.2
Natural/environmental	0.0	12.2	6.5	1.8	4.0	8.0	7.8	8.0	7.2	15.9	25.4
Not elsewhere classifiable	4.5	1.1	1.0	2.2	2.0	2.0	2.6	1.4	3.1	1.8	3.0
Not specified	28.9	4.4	1.7	3.2	2.8	6.0	5.8	10.3	20.6	30.0	43.3
Other specified	28.9	16.6	7.3	7.7	5.2	8.6	7.7	6.1	9.8	13.5	20.9
Overexertion	2.2	1.7	3.3	6.7	7.0	8.4	11.6	14.4	25.9	30.7	38.9
Pedal cyclist, other	0.0	1.1	15.4	9.7	7.6	8.8	10.1	7.5	6.3	2.5	1.5
Pedestrian, other	0.0	3.3	1.7	0.4	0.6	1.4	0.9	0.8	1.3	1.2	4.5
Poisoning	8.9	45.9	20.8	120.7	96.5	114.3	101.6	61.3	46.5	55.2	62.8
Struck by/against	6.7	10.0	14.8	31.9	23.6	22.2	13.3	7.8	10.7	8.6	28.4
Suffocation	6.7	6.1	0.8	1.0	0.8	1.4	0.2	0.8	1.3	6.7	12.0
Transport, other	0.0	3.9	15.6	25.5	21.6	24.8	24.3	16.4	15.2	11.0	17.9

Table 8B. Number of hospitalizations by age group, Oregon residents, 2004.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	4	12	31	35	39	31	16	11	4	1
Drowning	0	7	3	3	1	2	2	0	0	0	0
Falls	43	148	321	287	270	382	670	768	1,018	2,249	2,214
Fire/burn	4	21	19	22	23	16	32	18	12	7	4
Firearm	0	0	3	19	7	8	5	7	0	1	0
Machinery	0	2	3	43	35	35	52	24	11	10	2
Motor vehicle traffic	4	46	120	554	327	324	340	198	133	118	49
Natural/environmental	0	5	14	15	22	42	53	34	20	24	18
Not elsewhere classifiable	1	1	2	4	4	3	4	0	1	2	0
Not specified	5	5	8	12	15	13	37	47	34	36	36
Other specified	9	32	23	31	27	36	36	26	20	24	14
Overexertion	0	2	14	38	29	65	46	69	45	31	18
Pedal cyclist, other	0	5	72	39	42	44	71	40	13	7	0
Pedestrian, other	0	5	3	5	6	13	4	4	1	5	1
Poisoning	4	62	17	84	109	152	182	108	61	73	39
Struck by/against	5	13	58	75	56	57	52	41	25	35	23
Suffocation	6	8	10	2	1	1	7	3	3	8	4
Transport, other	1	3	58	127	102	108	119	66	41	16	11
<b>Self-inflicted</b>											
Cut/pierce	0	0	0	14	21	18	21	5	1	3	0
Drowning	0	0	0	0	2	0	0	0	0	0	0
Falls	0	0	0	2	1	5	3	0	0	1	0
Fire/burn	0	0	0	0	0	0	2	0	0	0	0
Firearm	0	0	0	8	6	7	3	3	2	4	0
Motor vehicle traffic	0	0	0	1	1	2	0	0	0	0	0
Natural/environmental	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	3	3	0	0	0	0	0
Not specified	0	0	0	0	0	2	0	0	0	0	0
Other specified	0	0	0	1	1	0	1	1	0	0	0
Poisoning	0	0	53	415	386	436	384	97	35	17	6
Suffocation	0	0	0	3	2	2	1	0	0	1	0
<b>Assault</b>											
Cut/pierce	0	0	2	48	27	29	9	1	0	1	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	1	0	2	0	1	0	0	0	0
Fire/burn	0	2	0	0	1	0	0	0	0	0	0
Firearm	0	0	2	26	25	9	8	2	0	0	1
Motor vehicle traffic	0	0	0	0	0	0	3	0	0	0	0
Not elsewhere classifiable	2	0	2	1	4	4	4	1	1	1	0
Not specified	2	2	0	13	6	12	12	2	0	0	1
Other specified	0	0	0	4	2	3	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	1	4	77	46	40	47	10	2	3	0
Suffocation	0	0	0	1	0	0	2	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 8B. Number of hospitalizations by age group, Oregon residents, 2004-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	0	0	2	1	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	1	0	0	1	2	0	0	0	0
Fire/burn	1	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	6	3	3	0	0	1	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	1	0	0	1	0	0
Not specified	3	4	0	1	0	1	2	0	0	0	0
Other specified	0	0	1	0	0	0	0	0	0	0	0
Poisoning	0	1	4	44	38	43	45	13	7	4	1
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	1	1	1	1	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	0	1	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	1	1	4	2	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	4	14	93	83	88	62	22	12	8	1
Drowning	0	7	3	3	3	2	2	0	0	0	0
Falls	43	148	323	289	273	388	676	768	1,018	2,250	2,214
Fire/burn	5	23	19	22	24	16	34	18	12	7	4
Firearm	0	0	5	60	42	28	17	12	3	5	1
Machinery	0	2	3	43	35	35	52	24	11	10	2
Motor vehicle traffic	4	46	120	555	328	326	343	198	133	118	49
Natural/environmental	0	5	14	15	22	42	53	34	20	24	18
Not elsewhere classifiable	3	1	4	5	11	11	8	1	3	3	0
Not specified	10	11	8	26	21	29	51	49	34	36	37
Other specified	9	32	24	36	30	39	37	27	20	24	14
Overexertion	0	2	14	38	29	65	46	69	45	31	18
Pedal cyclist, other	0	5	72	39	42	44	71	40	13	7	0
Pedestrian, other	0	5	3	5	6	13	4	4	1	5	1
Poisoning	4	63	74	543	533	631	611	218	103	94	46
Struck by/against	5	14	62	153	103	101	101	51	27	38	23
Suffocation	6	8	10	6	3	3	10	3	3	9	4
Transport, other	1	3	58	127	102	108	119	66	41	16	11



Table 9B. Rate of hospitalization by age group, Oregon residents, 2004.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	2.2	2.5	6.2	6.9	7.7	5.8	4.2	4.8	2.5	1.4
Drowning	0.0	3.9	0.6	0.6	0.2	0.4	0.4	0.0	0.0	0.0	0.0
Falls	95.8	81.7	67.2	57.6	53.5	74.9	125.1	203.2	444.8	1,387.	3,153.
Fire/burn	8.9	11.6	4.0	4.4	4.6	3.1	6.0	4.8	5.2	4.3	5.7
Firearm	0.0	0.0	0.6	3.8	1.4	1.6	0.9	1.9	0.0	0.6	0.0
Machinery	0.0	1.1	0.6	8.6	6.9	6.9	9.7	6.3	4.8	6.2	2.8
Motor vehicle traffic	8.9	25.4	25.1	111.3	64.7	63.6	63.5	52.4	58.1	72.8	69.8
Natural/environmental	0.0	2.8	2.9	3.0	4.4	8.2	9.9	9.0	8.7	14.8	25.6
Not elsewhere classifiable	2.2	0.6	0.4	0.8	0.8	0.6	0.7	0.0	0.4	1.2	0.0
Not specified	11.1	2.8	1.7	2.4	3.0	2.6	6.9	12.4	14.9	22.2	51.3
Other specified	20.1	17.7	4.8	6.2	5.3	7.1	6.7	6.9	8.7	14.8	19.9
Overexertion	0.0	1.1	2.9	7.6	5.7	12.8	8.6	18.3	19.7	19.1	25.6
Pedal cyclist, other	0.0	2.8	15.1	7.8	8.3	8.6	13.3	10.6	5.7	4.3	0.0
Pedestrian, other	0.0	2.8	0.6	1.0	1.2	2.6	0.7	1.1	0.4	3.1	1.4
Poisoning	8.9	34.2	3.6	16.9	21.6	29.8	34.0	28.6	26.7	45.0	55.6
Struck by/against	11.1	7.2	12.1	15.1	11.1	11.2	9.7	10.8	10.9	21.6	32.8
Suffocation	13.4	4.4	2.1	0.4	0.2	0.2	1.3	0.8	1.3	4.9	5.7
Transport, other	2.2	1.7	12.1	25.5	20.2	21.2	22.2	17.5	17.9	9.9	15.7
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.0	2.8	4.2	3.5	3.9	1.3	0.4	1.9	0.0
Drowning	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.4	0.2	1.0	0.6	0.0	0.0	0.6	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.6	1.2	1.4	0.6	0.8	0.9	2.5	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.3	0.0	0.0	0.0
Poisoning	0.0	0.0	11.1	83.4	76.4	85.5	71.7	25.7	15.3	10.5	8.5
Suffocation	0.0	0.0	0.0	0.6	0.4	0.4	0.2	0.0	0.0	0.6	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.0	0.4	9.6	5.3	5.7	1.7	0.3	0.0	0.6	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.2	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0
Fire/burn	0.0	1.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.4	5.2	4.9	1.8	1.5	0.5	0.0	0.0	1.4
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Not elsewhere classifiable	4.5	0.0	0.4	0.2	0.8	0.8	0.7	0.3	0.4	0.6	0.0
Not specified	4.5	1.1	0.0	2.6	1.2	2.4	2.2	0.5	0.0	0.0	1.4
Other specified	0.0	0.0	0.0	0.8	0.4	0.6	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.6	0.8	15.5	9.1	7.8	8.8	2.6	0.9	1.9	0.0
Suffocation	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 9B. Rate of hospitalization by age group, Oregon residents, 2004-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.2	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0
Fire/burn	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.2	0.6	0.6	0.0	0.0	0.4	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0
Not specified	6.7	2.2	0.0	0.2	0.0	0.2	0.4	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.6	0.8	8.8	7.5	8.4	8.4	3.4	3.1	2.5	1.4
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.2	0.2	0.8	0.4	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	2.2	2.9	18.7	16.4	17.3	11.6	5.8	5.2	4.9	1.4
Drowning	0.0	3.9	0.6	0.6	0.6	0.4	0.4	0.0	0.0	0.0	0.0
Falls	95.8	81.7	67.6	58.1	54.1	76.1	126.2	203.2	444.8	1387.7	3153.9
Fire/burn	11.1	12.7	4.0	4.4	4.8	3.1	6.3	4.8	5.2	4.3	5.7
Firearm	0.0	0.0	1.0	12.1	8.3	5.5	3.2	3.2	1.3	3.1	1.4
Machinery	0.0	1.1	0.6	8.6	6.9	6.9	9.7	6.3	4.8	6.2	2.8
Motor vehicle traffic	8.9	25.4	25.1	111.5	64.9	64.0	64.0	52.4	58.1	72.8	69.8
Natural/environmental	0.0	2.8	2.9	3.0	4.4	8.2	9.9	9.0	8.7	14.8	25.6
Not elsewhere classifiable	6.7	0.6	0.8	1.0	2.2	2.2	1.5	0.3	1.3	1.9	0.0
Not specified	22.3	6.1	1.7	5.2	4.2	5.7	9.5	13.0	14.9	22.2	52.7
Other specified	20.1	17.7	5.0	7.2	5.9	7.7	6.9	7.1	8.7	14.8	19.9
Overexertion	0.0	1.1	2.9	7.6	5.7	12.8	8.6	18.3	19.7	19.1	25.6
Pedal cyclist, other	0.0	2.8	15.1	7.8	8.3	8.6	13.3	10.6	5.7	4.3	0.0
Pedestrian, other	0.0	2.8	0.6	1.0	1.2	2.6	0.7	1.1	0.4	3.1	1.4
Poisoning	8.9	34.8	15.5	109.1	105.5	123.8	114.0	57.7	45.0	58.0	65.5
Struck by/against	11.1	7.7	13.0	30.7	20.4	19.8	18.9	13.5	11.8	23.4	32.8
Suffocation	13.4	4.4	2.1	1.2	0.6	0.6	1.9	0.8	1.3	5.6	5.7
Transport, other	2.2	1.7	12.1	25.5	20.2	21.2	22.2	17.5	17.9	9.9	15.7

Table 10B. Number of hospitalizations by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	4	8	38	37	30	30	15	8	6	1
Drowning	1	4	2	2	3	3	1	2	2	1	0
Falls	31	132	304	273	275	365	608	778	1,003	2,192	2,327
Fire/burn	3	24	7	23	20	10	20	13	12	6	3
Firearm	0	0	1	12	16	4	4	3	3	1	0
Machinery	0	2	3	28	38	34	32	27	10	3	2
Motor vehicle traffic	2	32	105	536	344	319	359	245	137	143	58
Natural/environmental	1	16	14	13	12	37	32	23	14	9	13
Not elsewhere classifiable	2	1	1	6	3	7	4	4	1	4	2
Not specified	5	4	9	6	15	17	29	27	24	32	32
Other specified	9	31	25	22	30	32	38	31	16	7	12
Overexertion	0	0	22	34	39	28	48	52	36	40	22
Pedal cyclist, other	0	9	56	43	24	42	59	41	21	10	1
Pedestrian, other	0	1	4	4	1	4	3	7	5	2	2
Poisoning	6	71	25	108	115	132	177	113	74	87	36
Struck by/against	2	14	59	84	65	79	57	38	21	23	19
Suffocation	2	21	3	1	0	1	5	9	3	2	6
Transport, other	0	7	68	147	111	132	138	92	36	13	11
<b>Self-inflicted</b>											
Cut/pierce	0	0	1	13	14	24	16	6	3	0	1
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	4	1	0	2	0	1	0	0
Fire/burn	0	0	0	0	0	0	1	1	0	0	0
Firearm	0	0	0	8	8	5	4	1	0	2	0
Motor vehicle traffic	0	0	0	0	1	0	0	0	0	0	0
Natural/environmental	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	1	2	3	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	2	0	1	1	1	0	0	0
Poisoning	0	1	45	374	395	435	345	102	34	20	7
Suffocation	0	0	3	2	2	2	1	1	0	0	0
<b>Assault</b>											
Cut/pierce	0	1	1	69	29	24	6	3	1	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	1	0	1	0	0	0	0	0
Fire/burn	0	0	0	1	0	0	0	0	1	0	0
Firearm	0	0	2	24	11	8	3	1	0	1	0
Motor vehicle traffic	0	0	0	3	2	0	0	0	0	0	0
Not elsewhere classifiable	1	3	2	4	6	2	5	4	1	1	0
Not specified	3	2	0	8	10	15	7	5	0	0	0
Other specified	0	0	0	3	3	2	0	0	0	0	0
Poisoning	0	0	0	0	1	0	0	0	0	0	0
Struck by/against	1	1	3	74	54	42	50	8	3	1	2
Suffocation	0	0	0	1	2	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 10B. Number of hospitalizations by age group, Oregon residents, 2005-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	1	1	0	0	1	0	0	0
Drowning	1	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	2	1	0	0	0	0	0
Fire/burn	0	1	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	4	2	1	0	0	0	1	0
Motor vehicle traffic	0	0	0	1	0	2	0	0	0	0	0
Not elsewhere classifiable	0	0	0	1	0	0	0	0	0	0	0
Not specified	3	0	0	1	1	0	1	0	0	0	0
Other specified	0	0	0	0	0	1	0	0	0	0	0
Poisoning	2	0	3	16	29	26	43	13	4	3	2
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	1	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	4	2	6	2	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	1	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	0	1	2	2	2	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	5	10	121	81	78	52	25	12	6	2
Drowning	2	4	2	2	3	3	1	2	2	1	0
Falls	31	132	304	278	278	367	610	778	1,004	2,192	2,327
Fire/burn	3	25	7	24	20	10	21	14	13	6	3
Firearm	0	0	3	52	39	24	13	5	3	5	0
Machinery	0	2	3	28	38	34	32	27	10	3	2
Motor vehicle traffic	2	32	105	540	347	321	359	245	137	143	58
Natural/environmental	1	16	14	13	12	37	32	23	14	9	13
Not elsewhere classifiable	3	4	3	12	11	12	9	8	2	5	2
Not specified	11	6	9	15	27	32	37	32	24	32	32
Other specified	9	31	25	27	33	36	39	32	16	7	12
Overexertion	0	0	22	34	39	28	48	52	36	40	22
Pedal cyclist, other	0	9	56	43	24	42	59	41	21	10	1
Pedestrian, other	0	1	4	4	1	4	3	7	5	2	2
Poisoning	8	72	73	498	540	593	565	228	112	110	45
Struck by/against	3	15	62	158	120	123	109	48	24	24	21
Suffocation	2	21	6	5	4	3	6	10	3	2	6
Transport, other	0	7	68	147	111	132	138	92	36	13	11

Table 11B. Rate of hospitalization by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	2.2	1.7	7.5	7.2	5.8	5.6	3.7	3.4	3.7	1.3
Drowning	2.2	2.2	0.4	0.4	0.6	0.6	0.2	0.5	0.9	0.6	0.0
Falls	69.4	73.0	64.2	54.2	53.5	71.0	112.5	194.4	429.4	1,354.7	3,122.3
Fire/burn	6.7	13.3	1.5	4.6	3.9	1.9	3.7	3.2	5.1	3.7	4.0
Firearm	0.0	0.0	0.2	2.4	3.1	0.8	0.7	0.7	1.3	0.6	0.0
Machinery	0.0	1.1	0.6	5.6	7.4	6.6	5.9	6.7	4.3	1.9	2.7
Motor vehicle traffic	4.5	17.7	22.2	106.4	67.0	62.0	66.4	61.2	58.7	88.4	77.8
Natural/environmental	2.2	8.8	3.0	2.6	2.3	7.2	5.9	5.7	6.0	5.6	17.4
Not elsewhere classifiable	4.5	0.6	0.2	1.2	0.6	1.4	0.7	1.0	0.4	2.5	2.7
Not specified	11.2	2.2	1.9	1.2	2.9	3.3	5.4	6.7	10.3	19.8	42.9
Other specified	20.1	17.1	5.3	4.4	5.8	6.2	7.0	7.7	6.9	4.3	16.1
Overexertion	0.0	0.0	4.6	6.7	7.6	5.4	8.9	13.0	15.4	24.7	29.5
Pedal cyclist, other	0.0	5.0	11.8	8.5	4.7	8.2	10.9	10.2	9.0	6.2	1.3
Pedestrian, other	0.0	0.6	0.8	0.8	0.2	0.8	0.6	1.7	2.1	1.2	2.7
Poisoning	13.4	39.3	5.3	21.4	22.4	25.7	32.7	28.2	31.7	53.8	48.3
Struck by/against	4.5	7.7	12.5	16.7	12.7	15.4	10.5	9.5	9.0	14.2	25.5
Suffocation	4.5	11.6	0.6	0.2	0.0	0.2	0.9	2.2	1.3	1.2	8.1
Transport, other	0.0	3.9	14.4	29.2	21.6	25.7	25.5	23.0	15.4	8.0	14.8
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.2	2.6	2.7	4.7	3.0	1.5	1.3	0.0	1.3
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.8	0.2	0.0	0.4	0.0	0.4	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.6	1.6	1.0	0.7	0.2	0.0	1.2	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.2	0.4	0.6	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.4	0.0	0.2	0.2	0.2	0.0	0.0	0.0
Poisoning	0.0	0.6	9.5	74.2	76.9	84.6	63.8	25.5	14.6	12.4	9.4
Suffocation	0.0	0.0	0.6	0.4	0.4	0.4	0.2	0.2	0.0	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.6	0.2	13.7	5.6	4.7	1.1	0.7	0.4	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0
Firearm	0.0	0.0	0.4	4.8	2.1	1.6	0.6	0.2	0.0	0.6	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	2.2	1.7	0.4	0.8	1.2	0.4	0.9	1.0	0.4	0.6	0.0
Not specified	6.7	1.1	0.0	1.6	1.9	2.9	1.3	1.2	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.6	0.6	0.4	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	2.2	0.6	0.6	14.7	10.5	8.2	9.3	2.0	1.3	0.6	2.7
Suffocation	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 11B. Rate of hospitalization by age group, Oregon residents, 2005-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.2	0.0	0.0	0.0
Drowning	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.8	0.4	0.2	0.0	0.0	0.0	0.6	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	6.7	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
Poisoning	4.5	0.0	0.6	3.2	5.6	5.1	8.0	3.2	1.7	1.9	2.7
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.8	0.4	1.2	0.4	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.5	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	2.8	2.1	24.0	15.8	15.2	9.6	6.2	5.1	3.7	2.7
Drowning	4.5	2.2	0.4	0.4	0.6	0.6	0.2	0.5	0.9	0.6	0.0
Falls	69.4	73.0	64.2	55.2	54.1	71.4	112.9	194.4	429.8	1,354.	3,122.
Fire/burn	6.7	13.8	1.5	4.8	3.9	1.9	3.9	3.5	5.6	3.7	4.0
Firearm	0.0	0.0	0.6	10.3	7.6	4.7	2.4	1.2	1.3	3.1	0.0
Machinery	0.0	1.1	0.6	5.6	7.4	6.6	5.9	6.7	4.3	1.9	2.7
Motor vehicle traffic	4.5	17.7	22.2	107.2	67.6	62.4	66.4	61.2	58.7	88.4	77.8
Natural/environmental	2.2	8.8	3.0	2.6	2.3	7.2	5.9	5.7	6.0	5.6	17.4
Not elsewhere classifiable	6.7	2.2	0.6	2.4	2.1	2.3	1.7	2.0	0.9	3.1	2.7
Not specified	24.6	3.3	1.9	3.0	5.3	6.2	6.8	8.0	10.3	19.8	42.9
Other specified	20.1	17.1	5.3	5.4	6.4	7.0	7.2	8.0	6.9	4.3	16.1
Overexertion	0.0	0.0	4.6	6.7	7.6	5.4	8.9	13.0	15.4	24.7	29.5
Pedal cyclist, other	0.0	5.0	11.8	8.5	4.7	8.2	10.9	10.2	9.0	6.2	1.3
Pedestrian, other	0.0	0.6	0.8	0.8	0.2	0.8	0.6	1.7	2.1	1.2	2.7
Poisoning	17.9	39.8	15.4	98.8	105.1	115.3	104.5	57.0	48.0	68.0	60.4
Struck by/against	6.7	8.3	13.1	31.4	23.4	23.9	20.2	12.0	10.3	14.8	28.2
Suffocation	4.5	11.6	1.3	1.0	0.8	0.6	1.1	2.5	1.3	1.2	8.1
Transport, other	0.0	3.9	14.4	29.2	21.6	25.7	25.5	23.0	15.4	8.0	14.8

Table 12B. Number of female hospitalizations by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	3	4	4	4	2	2	2	2	2	0
Drowning	0	1	1	0	0	0	0	0	0	1	0
Falls	14	60	112	59	76	138	320	470	639	1,561	1,775
Fire/burn	3	10	3	5	6	3	8	5	4	3	1
Firearm	0	0	0	0	2	1	0	1	1	0	0
Machinery	0	0	0	2	5	3	2	2	0	0	0
Motor vehicle traffic	1	15	42	181	93	111	124	84	62	88	24
Natural/environmental	0	8	9	6	5	12	14	12	6	4	9
Not elsewhere classifiable	1	1	1	0	0	1	2	1	1	3	1
Not specified	3	1	3	2	6	7	13	13	16	24	21
Other specified	5	11	6	5	6	4	7	12	7	2	6
Overexertion	0	0	11	7	12	9	20	31	25	26	15
Pedal cyclist, other	0	4	12	2	3	7	17	13	6	4	1
Pedestrian, other	0	1	0	1	0	1	1	4	4	1	2
Poisoning	4	32	13	48	53	73	86	64	48	57	22
Struck by/against	1	7	11	14	12	14	13	8	8	10	15
Suffocation	2	9	0	0	0	0	3	3	1	2	3
Transport, other	0	5	14	43	29	41	61	43	15	3	6
<b>Self-inflicted</b>											
Cut/pierce	0	0	0	7	4	14	9	3	1	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	2	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	1	0	0	0
Firearm	0	0	0	1	2	2	0	1	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Natural/environmental	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	1	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	1	0	0	0	1	0	0	0
Poisoning	0	0	39	242	253	267	222	59	20	15	6
Suffocation	0	0	0	1	0	0	1	0	0	0	0
<b>Assault</b>											
Cut/pierce	0	1	0	5	3	0	2	0	1	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	1	0	0	0	0	0
Fire/burn	0	0	0	1	0	0	0	0	0	0	0
Firearm	0	0	1	3	0	1	0	0	0	1	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	1	1	0	2	2	0	0	1	0	1	0
Not specified	1	1	0	1	1	3	4	2	0	0	0
Other specified	0	0	0	0	1	2	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	6	10	8	4	3	1	1	2
Suffocation	0	0	0	0	2	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 12B. Number of female hospitalizations by age group, Oregon residents, 2005--continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	1	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	1	1	0	0	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	1	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	2	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	1	0	0	0	0	0
Poisoning	1	0	2	6	10	11	24	6	4	2	2
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	1	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	0	0	0	0	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	0	1	0	2	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	4	4	16	11	16	13	5	4	2	0
Drowning	0	1	1	0	0	0	0	0	0	1	0
Falls	14	60	112	61	77	139	320	470	639	1561	1775
Fire/burn	3	10	3	6	6	3	8	6	4	3	1
Firearm	0	0	1	5	5	4	0	2	1	1	0
Machinery	0	0	0	2	5	3	2	2	0	0	0
Motor vehicle traffic	1	15	42	181	93	112	124	84	62	88	24
Natural/environmental	0	8	9	6	5	12	14	12	6	4	9
Not elsewhere classifiable	2	2	1	2	2	2	2	2	1	4	1
Not specified	6	2	3	3	7	10	17	15	16	24	21
Other specified	5	11	6	6	7	7	7	13	7	2	6
Overexertion	0	0	11	7	12	9	20	31	25	26	15
Pedal cyclist, other	0	4	12	2	3	7	17	13	6	4	1
Pedestrian, other	0	1	0	1	0	1	1	4	4	1	2
Poisoning	5	32	54	296	316	351	332	129	72	74	30
Struck by/against	1	7	11	20	23	22	19	11	9	11	17
Suffocation	2	9	0	2	2	0	4	3	1	2	3
Transport, other	0	5	14	43	29	41	61	43	15	3	6



Table 13B. Rate of female hospitalization, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	3.4	1.7	1.6	1.6	0.8	0.7	1.0	1.6	2.1	0.0
Drowning	0.0	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
Falls	64.3	68.1	48.5	24.0	30.6	54.9	117.0	230.8	519.9	1,661.	3,587.
Fire/burn	13.8	11.3	1.3	2.0	2.4	1.2	2.9	2.5	3.3	3.2	2.0
Firearm	0.0	0.0	0.0	0.0	0.8	0.4	0.0	0.5	0.8	0.0	0.0
Machinery	0.0	0.0	0.0	0.8	2.0	1.2	0.7	1.0	0.0	0.0	0.0
Motor vehicle traffic	4.6	17.0	18.2	73.6	37.5	44.1	45.3	41.3	50.4	93.7	48.5
Natural/environmental	0.0	9.1	3.9	2.4	2.0	4.8	5.1	5.9	4.9	4.3	18.2
Not elsewhere classifiable	4.6	1.1	0.4	0.0	0.0	0.4	0.7	0.5	0.8	3.2	2.0
Not specified	13.8	1.1	1.3	0.8	2.4	2.8	4.8	6.4	13.0	25.5	42.4
Other specified	23.0	12.5	2.6	2.0	2.4	1.6	2.6	5.9	5.7	2.1	12.1
Overexertion	0.0	0.0	4.8	2.8	4.8	3.6	7.3	15.2	20.3	27.7	30.3
Pedal cyclist, other	0.0	4.5	5.2	0.8	1.2	2.8	6.2	6.4	4.9	4.3	2.0
Pedestrian, other	0.0	1.1	0.0	0.4	0.0	0.4	0.4	2.0	3.3	1.1	4.0
Poisoning	18.4	36.3	5.6	19.5	21.4	29.0	31.4	31.4	39.1	60.7	44.5
Struck by/against	4.6	7.9	4.8	5.7	4.8	5.6	4.8	3.9	6.5	10.6	30.3
Suffocation	9.2	10.2	0.0	0.0	0.0	0.0	1.1	1.5	0.8	2.1	6.1
Transport, other	0.0	5.7	6.1	17.5	11.7	16.3	22.3	21.1	12.2	3.2	12.1
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.0	2.8	1.6	5.6	3.3	1.5	0.8	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.4	0.8	0.8	0.0	0.5	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0
Poisoning	0.0	0.0	16.9	98.4	102.0	106.1	81.2	29.0	16.3	16.0	12.1
Suffocation	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	1.1	0.0	2.0	1.2	0.0	0.7	0.0	0.8	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.4	1.2	0.0	0.4	0.0	0.0	0.0	1.1	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	4.6	1.1	0.0	0.8	0.8	0.0	0.0	0.5	0.0	1.1	0.0
Not specified	4.6	1.1	0.0	0.4	0.4	1.2	1.5	1.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	2.4	4.0	3.2	1.5	1.5	0.8	1.1	4.0
Suffocation	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 13B. Rate of female hospitalization, Oregon residents, 2005-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Poisoning	4.6	0.0	0.9	2.4	4.0	4.4	8.8	2.9	3.3	2.1	4.0
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	4.5	1.7	6.5	4.4	6.4	4.8	2.5	3.3	2.1	0.0
Drowning	0.0	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
Falls	64.3	68.1	48.5	24.8	31.0	55.3	117.0	230.8	519.9	1661.3	3587.0
Fire/burn	13.8	11.3	1.3	2.4	2.4	1.2	2.9	2.9	3.3	3.2	2.0
Firearm	0.0	0.0	0.4	2.0	2.0	1.6	0.0	1.0	0.8	1.1	0.0
Machinery	0.0	0.0	0.0	0.8	2.0	1.2	0.7	1.0	0.0	0.0	0.0
Motor vehicle traffic	4.6	17.0	18.2	73.6	37.5	44.5	45.3	41.3	50.4	93.7	48.5
Natural/environmental	0.0	9.1	3.9	2.4	2.0	4.8	5.1	5.9	4.9	4.3	18.2
Not elsewhere classifiable	9.2	2.3	0.4	0.8	0.8	0.8	0.7	1.0	0.8	4.3	2.0
Not specified	27.6	2.3	1.3	1.2	2.8	4.0	6.2	7.4	13.0	25.5	42.4
Other specified	23.0	12.5	2.6	2.4	2.8	2.8	2.6	6.4	5.7	2.1	12.1
Overexertion	0.0	0.0	4.8	2.8	4.8	3.6	7.3	15.2	20.3	27.7	30.3
Pedal cyclist, other	0.0	4.5	5.2	0.8	1.2	2.8	6.2	6.4	4.9	4.3	2.0
Pedestrian, other	0.0	1.1	0.0	0.4	0.0	0.4	0.4	2.0	3.3	1.1	4.0
Poisoning	23.0	36.3	23.4	120.3	127.4	139.5	121.4	63.3	58.6	78.8	60.6
Struck by/against	4.6	7.9	4.8	8.1	9.3	8.7	6.9	5.4	7.3	11.7	34.4
Suffocation	9.2	10.2	0.0	0.8	0.8	0.0	1.5	1.5	0.8	2.1	6.1
Transport, other	0.0	5.7	6.1	17.5	11.7	16.3	22.3	21.1	12.2	3.2	12.1

Table 14B. Number of male hospitalizations by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0	1	4	34	33	28	28	13	6	4	1
Drowning	1	3	1	2	3	3	1	2	2	0	0
Falls	17	72	192	214	199	227	288	308	364	631	552
Fire/burn	0	14	4	18	14	7	12	8	8	3	2
Firearm	0	0	1	12	14	3	4	2	2	1	0
Machinery	0	2	3	26	33	31	30	25	10	3	2
Motor vehicle traffic	1	17	63	355	251	208	235	161	75	55	34
Natural/environmental	1	8	5	7	7	25	18	11	8	5	4
Not elsewhere classifiable	1	0	0	6	3	6	2	3	0	1	1
Not specified	2	3	6	4	9	10	16	14	8	8	11
Other specified	4	20	19	17	24	28	31	19	9	5	6
Overexertion	0	0	11	27	27	19	28	21	11	14	7
Pedal cyclist, other	0	5	44	41	21	35	42	28	15	6	0
Pedestrian, other	0	0	4	3	1	3	2	3	1	1	0
Poisoning	2	39	12	60	62	59	91	49	26	30	14
Struck by/against	1	7	48	70	53	65	44	30	13	13	4
Suffocation	0	12	3	1	0	1	2	6	2	0	3
Transport, other	0	2	54	104	82	91	77	49	21	10	5
<b>Self-inflicted</b>											
Cut/pierce	0	0	1	6	10	10	7	3	2	0	1
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	2	1	0	2	0	1	0	0
Fire/burn	0	0	0	0	0	0	1	0	0	0	0
Firearm	0	0	0	7	6	3	4	0	0	2	0
Motor vehicle traffic	0	0	0	0	1	0	0	0	0	0	0
Natural/environmental	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	1	2	2	0	0	0	0	0
Not specified	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	1	0	1	1	0	0	0	0
Poisoning	0	1	6	132	142	168	123	43	14	5	1
Suffocation	0	0	3	1	2	2	0	1	0	0	0
<b>Assault</b>											
Cut/pierce	0	0	1	64	26	24	4	3	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	1	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	1	0	0
Firearm	0	0	1	21	11	7	3	1	0	0	0
Motor vehicle traffic	0	0	0	3	2	0	0	0	0	0	0
Not elsewhere classifiable	0	2	2	2	4	2	5	3	1	0	0
Not specified	2	1	0	7	9	12	3	3	0	0	0
Other specified	0	0	0	3	2	0	0	0	0	0	0
Poisoning	0	0	0	0	1	0	0	0	0	0	0
Struck by/against	1	1	3	68	44	34	46	5	2	0	0
Suffocation	0	0	0	1	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0

Table 14B. Number of male hospitalizations by age group, Oregon residents, 2005-- continued.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0	0	0	1	1	0	0	1	0	0	0
Drowning	1	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	1	1	0	0	0	0	0
Fire/burn	0	1	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	3	1	1	0	0	0	1	0
Motor vehicle traffic	0	0	0	1	0	1	0	0	0	0	0
Not elsewhere classifiable	0	0	0	1	0	0	0	0	0	0	0
Not specified	1	0	0	1	1	0	1	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	1	0	1	10	19	15	19	7	0	1	0
Struck by/against	0	0	0	0	0	0	0	0	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Other</b>											
Cut/pierce	0	0	0	0	0	0	0	0	0	0	0
Drowning	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	0	0	0	0	0	0	0	0	0
Fire/burn	0	0	0	0	0	0	0	0	0	0	0
Firearm	0	0	0	4	2	6	2	0	0	0	0
Motor vehicle traffic	0	0	0	0	0	0	0	0	0	0	0
Not elsewhere classifiable	0	0	0	0	0	0	0	0	0	0	0
Not specified	0	0	0	0	1	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0
Poisoning	0	0	0	0	0	0	0	0	0	0	0
Struck by/against	0	0	0	0	0	2	0	2	0	0	0
Suffocation	0	0	0	0	0	0	0	0	0	0	0
Transport, other	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>											
Cut/pierce	0	1	6	105	70	62	39	20	8	4	2
Drowning	2	3	1	2	3	3	1	2	2	0	0
Falls	17	72	192	217	201	228	290	308	365	631	552
Fire/burn	0	15	4	18	14	7	13	8	9	3	2
Firearm	0	0	2	47	34	20	13	3	2	4	0
Machinery	0	2	3	26	33	31	30	25	10	3	2
Motor vehicle traffic	1	17	63	359	254	209	235	161	75	55	34
Natural/environmental	1	8	5	7	7	25	18	11	8	5	4
Not elsewhere classifiable	1	2	2	10	9	10	7	6	1	1	1
Not specified	5	4	6	12	20	22	20	17	8	8	11
Other specified	4	20	19	21	26	29	32	19	9	5	6
Overexertion	0	0	11	27	27	19	28	21	11	14	7
Pedal cyclist, other	0	5	44	41	21	35	42	28	15	6	0
Pedestrian, other	0	0	4	3	1	3	2	3	1	1	0
Poisoning	3	40	19	202	224	242	233	99	40	36	15
Struck by/against	2	8	51	138	97	101	90	37	15	13	4
Suffocation	0	12	6	3	2	3	2	7	2	0	3
Transport, other	0	2	54	104	82	91	77	49	21	10	5

Table 15B. Male rate of hospitalization by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Unintentional</b>											
Cut/pierce	0.0	1.1	1.7	13.2	12.4	10.7	10.5	6.6	5.4	5.9	4.0
Drowning	4.4	3.2	0.4	0.8	1.1	1.1	0.4	1.0	1.8	0.0	0.0
Falls	74.2	77.7	79.3	83.0	74.9	86.5	107.8	156.7	328.9	930.1	2,204.
Fire/burn	0.0	15.1	1.7	7.0	5.3	2.7	4.5	4.1	7.2	4.4	8.0
Firearm	0.0	0.0	0.4	4.7	5.3	1.1	1.5	1.0	1.8	1.5	0.0
Machinery	0.0	2.2	1.2	10.1	12.4	11.8	11.2	12.7	9.0	4.4	8.0
Motor vehicle traffic	4.4	18.3	26.0	137.7	94.5	79.2	88.0	81.9	67.8	81.1	135.8
Natural/environmental	4.4	8.6	2.1	2.7	2.6	9.5	6.7	5.6	7.2	7.4	16.0
Not elsewhere classifiable	4.4	0.0	0.0	2.3	1.1	2.3	0.7	1.5	0.0	1.5	4.0
Not specified	8.7	3.2	2.5	1.6	3.4	3.8	6.0	7.1	7.2	11.8	43.9
Other specified	17.5	21.6	7.8	6.6	9.0	10.7	11.6	9.7	8.1	7.4	24.0
Overexertion	0.0	0.0	4.5	10.5	10.2	7.2	10.5	10.7	9.9	20.6	27.9
Pedal cyclist, other	0.0	5.4	18.2	15.9	7.9	13.3	15.7	14.2	13.6	8.8	0.0
Pedestrian, other	0.0	0.0	1.7	1.2	0.4	1.1	0.7	1.5	0.9	1.5	0.0
Poisoning	8.7	42.1	5.0	23.3	23.3	22.5	34.1	24.9	23.5	44.2	55.9
Struck by/against	4.4	7.6	19.8	27.2	20.0	24.8	16.5	15.3	11.7	19.2	16.0
Suffocation	0.0	12.9	1.2	0.4	0.0	0.4	0.7	3.1	1.8	0.0	12.0
Transport, other	0.0	2.2	22.3	40.3	30.9	34.7	28.8	24.9	19.0	14.7	20.0
<b>Self-inflicted</b>											
Cut/pierce	0.0	0.0	0.4	2.3	3.8	3.8	2.6	1.5	1.8	0.0	4.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.8	0.4	0.0	0.7	0.0	0.9	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	2.7	2.3	1.1	1.5	0.0	0.0	2.9	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Natural/environmental	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.4	0.0	0.4	0.4	0.0	0.0	0.0	0.0
Poisoning	0.0	1.1	2.5	51.2	53.5	64.0	46.1	21.9	12.7	7.4	4.0
Suffocation	0.0	0.0	1.2	0.4	0.8	0.8	0.0	0.5	0.0	0.0	0.0
<b>Assault</b>											
Cut/pierce	0.0	0.0	0.4	24.8	9.8	9.1	1.5	1.5	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0
Firearm	0.0	0.0	0.4	8.1	4.1	2.7	1.1	0.5	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	2.2	0.8	0.8	1.5	0.8	1.9	1.5	0.9	0.0	0.0
Not specified	8.7	1.1	0.0	2.7	3.4	4.6	1.1	1.5	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	4.4	1.1	1.2	26.4	16.6	13.0	17.2	2.5	1.8	0.0	0.0
Suffocation	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 15B. Male rate of hospitalization by age group, Oregon residents, 2005.

Intent and mechanism	Age (yrs)										
	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Undetermined</b>											
Cut/pierce	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.5	0.0	0.0	0.0
Drowning	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.2	0.4	0.4	0.0	0.0	0.0	1.5	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	4.4	0.0	0.0	0.4	0.4	0.0	0.4	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	4.4	0.0	0.4	3.9	7.2	5.7	7.1	3.6	0.0	1.5	0.0
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Other</b>											
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Drowning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Falls	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fire/burn	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Firearm	0.0	0.0	0.0	1.6	0.8	2.3	0.7	0.0	0.0	0.0	0.0
Motor vehicle traffic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not elsewhere classifiable	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Not specified	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Other specified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Poisoning	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Struck by/against	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.0	0.0	0.0	0.0
Suffocation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Totals</b>											
Cut/pierce	0.0	1.1	2.5	40.7	26.4	23.6	14.6	10.2	7.2	5.9	8.0
Drowning	8.7	3.2	0.4	0.8	1.1	1.1	0.4	1.0	1.8	0.0	0.0
Falls	74.2	77.7	79.3	84.2	75.7	86.8	108.6	156.7	329.8	930.1	2204.0
Fire/burn	0.0	16.2	1.7	7.0	5.3	2.7	4.9	4.1	8.1	4.4	8.0
Firearm	0.0	0.0	0.8	18.2	12.8	7.6	4.9	1.5	1.8	5.9	0.0
Machinery	0.0	2.2	1.2	10.1	12.4	11.8	11.2	12.7	9.0	4.4	8.0
Motor vehicle traffic	4.4	18.3	26.0	139.2	95.7	79.6	88.0	81.9	67.8	81.1	135.8
Natural/environmental	4.4	8.6	2.1	2.7	2.6	9.5	6.7	5.6	7.2	7.4	16.0
Not elsewhere classifiable	4.4	2.2	0.8	3.9	3.4	3.8	2.6	3.1	0.9	1.5	4.0
Not specified	21.8	4.3	2.5	4.7	7.5	8.4	7.5	8.6	7.2	11.8	43.9
Other specified	17.5	21.6	7.8	8.1	9.8	11.0	12.0	9.7	8.1	7.4	24.0
Overexertion	0.0	0.0	4.5	10.5	10.2	7.2	10.5	10.7	9.9	20.6	27.9
Pedal cyclist, other	0.0	5.4	18.2	15.9	7.9	13.3	15.7	14.2	13.6	8.8	0.0
Pedestrian, other	0.0	0.0	1.7	1.2	0.4	1.1	0.7	1.5	0.9	1.5	0.0
Poisoning	13.1	43.2	7.8	78.4	84.4	92.2	87.2	50.4	36.1	53.1	59.9
Struck by/against	8.7	8.6	21.1	53.5	36.5	38.5	33.7	18.8	13.6	19.2	16.0
Suffocation	0.0	12.9	2.5	1.2	0.8	1.1	0.7	3.6	1.8	0.0	12.0
Transport, other	0.0	2.2	22.3	40.3	30.9	34.7	28.8	24.9	19.0	14.7	20.0

Table 16B. Five leading causes/mechanisms of injury hospitalization by mechanism, intent, and age group, 2001-2005 aggregated data and average annual rate, Oregon residents.

Age Group	Rank	Intent	Mechanism	2001-2005 Count	Average Annual Rate (5-year)
< 1	1	Unintentional	Falls	167	74.3
	2	Unintentional	Other, specified	41	18.2
	3	Unintentional	Not specified	30	13.4
	4	Unintentional	Poisoning	26	11.6
	5	Unintentional	Suffocation	22	9.8
1-4	1	Unintentional	Falls	720	79.7
	2	Unintentional	Poisoning	359	39.7
	3	Unintentional	MVT	174	19.3
	4	Unintentional	Other, specified	138	15.3
	5	Unintentional	Fire/burn	116	12.8
5-14	1	Unintentional	Falls	1639	68.3
	2	Unintentional	MVT	653	27.2
	3	Unintentional	Transport, other	357	14.9
	4	Unintentional	Pedal cyclist, other	326	13.6
	5	Unintentional	Struck by/against	320	13.3
15-24	1	Unintentional	MVT	2802	113.3
	2	Self-inflicted	Poisoning	2013	81.4
	3	Unintentional	Falls	1433	57.9
	4	Unintentional	Transport, other	687	27.8
	5	Unintentional	Poisoning	501	20.3
25-34	1	Self-inflicted	Poisoning	1833	73.3
	2	Unintentional	MVT	1812	72.4
	3	Unintentional	Falls	1323	52.9
	4	Unintentional	Transport, other	538	21.5
	5	Unintentional	Poisoning	522	20.9
35-44	1	Self-inflicted	Poisoning	2201	85.9
	2	Unintentional	Falls	2017	78.7
	3	Unintentional	MVT	1744	68.1
	4	Unintentional	Poisoning	729	28.4
	5	Unintentional	Transport, other	612	23.9
45-54	1	Unintentional	Falls	3116	116.4
	2	Unintentional	MVT	1703	63.6
	3	Self-inflicted	Poisoning	1646	61.5
	4	Unintentional	Poisoning	828	30.9
	5	Unintentional	Transport, other	600	22.4
55-64	1	Unintentional	Falls	3553	197.2
	2	Unintentional	MVT	1032	57.3
	3	Unintentional	Poisoning	523	29.0
	4	Self-inflicted	Poisoning	445	24.7
	5	Unintentional	Transport, other	332	18.4
65-74	1	Unintentional	Falls	4866	435.2
	2	Unintentional	MVT	674	60.3
	3	Unintentional	Poisoning	331	29.6
	4	Unintentional	Overexertion	223	19.9
	5	Unintentional	Transport, other	159	14.2
75-84	1	Unintentional	Falls	11014	1350.6
	2	Unintentional	MVT	660	80.9
	3	Unintentional	Poisoning	363	44.5
	4	Unintentional	Overexertion	212	26.0
	5	Unintentional	Not Specified	195	23.9
85 +	1	Unintentional	Falls	11253	3363.3
	2	Unintentional	MVT	277	82.8
	3	Unintentional	Poisoning	164	49.0
	4	Unintentional	Not specified	150	44.8
	5	Unintentional	Overexertion	112	33.5

Table 17B. Select causes/mechanisms of injury hospitalization by county, Oregon residents, 2005.

County	All Injury					MVT					Falls					Poisoning				
	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL
Baker	76	466.6	359.7	278.0	464.1	12	73.7	65.3	32.0	125.5	43	264.0	160.7	114.9	228.3	1	6.1	3.9	0.1	41.8
Benton	223	283.6	286.2	248.6	328.3	32	40.7	37.0	24.7	54.2	110	139.9	145.3	118.9	176.3	10	12.7	14.0	6.5	26.8
Clackamas	1529	415.0	414.5	393.8	436.2	224	60.8	60.3	52.6	68.9	786	213.3	212.0	197.3	227.6	58	15.7	15.8	12.0	20.6
Clatsop	223	606.0	540.1	469.5	620.0	29	78.8	76.9	51.1	113.1	112	304.4	241.3	197.6	294.1	9	24.5	24.9	11.2	50.1
Columbia	262	545.1	555.3	489.3	628.1	38	79.1	78.1	55.1	108.1	121	251.7	264.3	218.8	316.9	13	27.0	27.7	14.6	48.3
Coos	540	834.5	713.7	651.6	781.0	75	115.9	108.9	84.8	138.7	255	394.1	288.1	252.0	329.2	35	54.1	53.1	36.4	75.6
Crook	103	466.8	417.2	339.1	510.0	17	77.0	73.0	42.0	120.1	55	249.2	203.7	153.1	268.6	-	-	-	-	-
Curry	127	566.3	458.8	373.8	562.2	15	66.9	72.5	38.8	128.3	72	321.0	200.3	152.5	265.6	4	17.8	16.7	4.0	54.1
Deschutes	648	458.3	447.9	413.9	484.2	97	68.6	66.3	53.6	81.2	316	223.5	216.4	193.1	241.9	30	21.2	21.1	14.1	30.4
Douglas	739	709.2	639.9	592.6	690.3	84	80.6	78.2	61.9	97.8	332	318.6	239.3	213.1	268.3	51	48.9	49.3	36.3	65.8
Gilliam	6	334.4	197.4	72.0	438.8	1	55.7	37.1	0.9	206.9	4	223.0	123.2	33.5	329.2	-	-	-	-	-
Grant	17	233.0	205.7	113.7	360.3	1	13.7	10.3	0.3	102.8	9	123.3	89.0	40.6	200.7	1	13.7	8.4	0.2	99.7
Harney	38	550.9	491.7	342.4	702.1	5	72.5	83.7	27.2	215.8	17	246.4	185.0	106.4	326.3	1	14.5	26.1	0.7	145.5
Hood River	82	385.3	359.4	284.8	448.6	11	51.7	51.7	25.7	93.8	49	230.2	202.9	149.2	271.1	2	9.4	9.2	1.1	35.2
Jackson	1168	598.0	526.4	495.7	558.8	133	68.1	67.4	56.2	80.3	580	296.9	223.4	205.1	243.2	90	46.1	44.1	35.3	54.6
Jefferson	110	547.3	575.0	472.0	694.6	13	64.7	64.0	33.8	111.5	36	179.1	187.3	131.0	260.5	6	29.9	30.8	11.1	69.1
Josephine	491	608.0	521.5	473.7	573.5	54	66.9	67.7	50.4	89.7	245	303.4	200.5	175.1	229.7	45	55.7	58.9	42.5	80.2
Klamath	440	664.7	631.4	572.5	695.3	49	74.0	73.1	53.8	97.8	204	308.2	267.9	231.8	308.8	25	37.8	37.7	24.2	56.7
Lake	48	656.4	588.2	424.9	802.2	5	68.4	77.6	24.2	193.0	18	246.1	164.1	97.2	279.0	4	54.7	72.0	19.6	188.8
Lane	1730	516.1	478.9	456.2	502.5	201	60.0	57.0	49.2	65.7	773	230.6	201.5	187.3	216.6	80	23.9	22.6	17.9	28.4
Lincoln	207	450.1	421.1	362.8	487.1	29	63.1	67.5	44.6	99.0	87	189.2	147.9	117.0	186.2	19	41.3	46.9	27.7	75.1
Linn	501	460.0	425.6	388.4	465.6	89	81.7	77.8	62.3	96.2	227	208.4	171.3	149.2	196.0	31	28.5	31.1	21.1	44.4
Malheur	86	274.5	251.8	200.7	312.9	4	12.8	12.8	3.5	34.4	52	166.0	142.9	106.4	189.3	6	19.2	17.6	6.3	40.4
Marion	1115	365.3	361.2	340.2	383.3	169	55.4	54.7	46.7	63.7	570	186.7	183.4	168.5	199.3	43	14.1	13.8	10.0	18.7
Morrow	26	222.9	252.1	163.7	374.0	-	-	-	-	-	10	85.7	107.3	51.1	199.7	1	8.6	8.4	0.2	56.9
Multnomah	3779	561.6	559.6	541.7	578.0	468	69.5	68.9	62.7	75.5	1761	261.7	265.2	252.8	278.2	237	35.2	34.3	30.0	39.0
Polk	236	335.7	289.3	252.3	330.9	37	52.6	49.6	34.7	69.6	137	194.9	154.4	128.6	184.7	6	8.5	8.7	3.1	20.0
Sherman	14	800.5	645.3	341.5	1149	2	114.4	97.2	11.6	418.8	6	343.1	241.0	80.0	614.3	-	-	-	-	-
Tillamook	116	458.9	403.2	329.4	490.7	18	71.2	71.0	41.4	115.9	55	217.6	160.5	118.8	215.2	4	15.8	11.3	3.0	35.7
Umatilla	200	270.7	271.1	234.7	311.8	20	27.1	27.1	16.5	42.2	102	138.1	137.4	111.8	167.2	8	10.8	10.8	4.7	21.7
Union	118	480.8	419.2	344.7	508.0	9	36.7	31.7	14.3	65.7	53	216.0	174.5	129.2	234.3	9	36.7	30.6	13.8	63.9
Wallowa	19	270.9	232.3	127.6	411.7	-	-	-	-	-	13	185.3	164.6	76.5	331.8	1	14.3	10.1	0.3	119.8
Wasco	113	479.0	434.4	355.2	527.8	17	72.1	75.9	43.7	124.0	45	190.7	137.7	99.8	188.8	10	42.4	39.4	18.3	76.3
Washington	1691	338.3	370.0	352.2	388.6	254	50.8	52.3	45.9	59.3	819	163.9	192.4	179.2	206.4	84	16.8	17.8	14.1	22.3
Wheeler	7	481.1	446.9	144.8	1179	1	68.7	34.2	0.9	586.9	2	137.5	73.4	8.9	626.9	-	-	-	-	-
Yamhill	458	496.8	494.1	449.5	542.0	67	72.7	72.4	56.0	92.3	212	229.9	229.1	199.1	262.6	20	21.7	22.0	13.4	34.2
<b>State</b>	<b>19,854</b>	<b>545.3</b>	<b>521.5</b>	<b>514.2</b>	<b>528.9</b>	<b>2,289</b>	<b>62.9</b>	<b>61.5</b>	<b>59.0</b>	<b>64.1</b>	<b>8,288</b>	<b>227.6</b>	<b>210.3</b>	<b>205.8</b>	<b>214.9</b>	<b>944</b>	<b>26.2</b>	<b>25.4</b>	<b>23.8</b>	<b>27.1</b>



Table17B. Select causes/mechanisms of injury hospitalization by county, Oregon residents, 2005-- continued.

County	Self-inflicted					Assault					Firearm				
	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL	N	Crude	Adjusted	LCL	UCL
Baker	4	24.6	23.6	6.1	71.0	-	-	-	-	-	-	-	-	-	-
Benton	28	35.6	35.3	22.9	52.8	5	6.4	5.6	1.7	14.9	-	-	-	-	-
Clackamas	149	40.4	41.2	34.8	48.5	26	7.1	7.3	4.8	10.9	8	2.2	2.4	1.0	4.8
Clatsop	26	70.7	72.0	46.6	108.1	1	2.7	2.2	0.1	18.1	3	8.2	8.9	1.8	28.9
Columbia	23	47.9	48.1	30.4	73.1	5	10.4	10.8	3.5	26.1	2	4.2	4.0	0.5	16.0
Coos	39	60.3	63.9	45.1	88.6	10	15.5	16.3	7.6	31.3	3	4.6	5.7	1.2	17.4
Crook	7	31.7	33.2	13.0	71.2	2	9.1	8.8	1.1	35.4	-	-	-	-	-
Curry	2	8.9	8.6	0.8	42.8	6	26.8	33.6	12.2	79.0	-	-	-	-	-
Deschutes	75	53.0	52.4	41.1	66.0	9	6.4	6.3	2.9	12.3	8	5.7	5.8	2.5	11.8
Douglas	87	83.5	92.5	73.8	114.8	13	12.5	13.9	7.3	24.4	9	8.6	10.0	4.5	19.5
Gilliam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harney	1	14.5	16.0	0.4	119.8	2	29.0	31.9	3.9	142.7	-	-	-	-	-
Hood River	1	4.7	5.1	0.1	28.9	1	4.7	5.3	0.1	29.7	1	4.7	5.1	0.1	28.9
Jackson	150	76.8	81.1	68.5	95.5	24	12.3	12.8	8.1	19.2	11	5.6	5.8	2.9	10.6
Jefferson	22	109.5	122.1	76.4	185.6	5	24.9	28.4	9.2	66.9	1	5.0	4.9	0.1	30.3
Josephine	67	83.0	92.4	71.2	118.3	3	3.7	4.2	0.8	13.3	2	2.5	2.5	0.3	10.5
Klamath	48	72.5	79.9	58.6	106.8	12	18.1	19.2	9.9	34.4	4	6.0	6.4	1.7	17.5
Lake	3	41.0	43.8	8.2	143.6	-	-	-	-	-	-	-	-	-	-
Lane	245	73.1	72.2	63.3	82.0	50	14.9	14.4	10.6	19.1	10	3.0	2.9	1.4	5.5
Lincoln	27	58.7	58.2	37.7	87.1	6	13.0	14.5	5.2	33.3	-	-	-	-	-
Linn	52	47.7	50.6	37.7	66.6	10	9.2	9.9	4.7	18.5	6	5.5	5.8	2.1	13.0
Malheur	9	28.7	29.7	13.5	57.5	-	-	-	-	-	-	-	-	-	-
Marion	90	29.5	29.8	23.9	36.7	37	12.1	11.5	8.1	16.0	10	3.3	3.2	1.5	6.0
Morrow	2	17.1	19.8	2.4	76.6	-	-	-	-	-	1	8.6	8.9	0.2	58.3
Multnomah	465	69.1	66.1	60.2	72.5	225	33.4	33.6	29.3	38.4	48	7.1	7.3	5.4	9.8
Polk	15	21.3	22.2	12.3	37.7	3	4.3	3.2	0.6	11.8	5	7.1	6.2	2.0	16.1
Sherman	1	57.2	53.7	1.4	358.9	1	57.2	44.4	1.1	337.1	-	-	-	-	-
Tillamook	4	15.8	17.7	4.6	48.3	-	-	-	-	-	1	4.0	2.5	0.1	23.8
Umatilla	16	21.7	22.7	12.9	37.1	5	6.8	6.8	2.2	16.2	1	1.4	1.4	0.0	8.2
Union	14	57.0	53.4	28.8	94.5	4	16.3	17.6	4.5	49.8	2	8.1	8.1	0.9	35.2
Wallowa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wasco	12	50.9	60.0	30.7	106.2	3	12.7	14.9	3.0	45.1	-	-	-	-	-
Washington	169	33.8	33.4	28.5	39.0	45	9.0	9.0	6.6	12.3	6	1.2	1.4	0.5	3.2
Wheeler	1	68.7	150.6	3.8	839.3	-	-	-	-	-	-	-	-	-	-
Yamhill	43	46.6	46.1	33.3	62.5	10	10.8	10.6	5.1	20.0	2	2.2	2.0	0.2	8.0
<b>State</b>	<b>1,896</b>	<b>52.6</b>	<b>52.2</b>	<b>49.9</b>	<b>54.6</b>	<b>523</b>	<b>14.5</b>	<b>14.4</b>	<b>13.4</b>	<b>15.4</b>	<b>144</b>	<b>4.0</b>	<b>4.1</b>	<b>3.5</b>	<b>4.8</b>

## Public Data Sources

**Behavioral Risk Factor Surveillance System (BRFSS):** The BRFSS, administered and supported by the Behavioral Surveillance Branch (BSB) of the CDC, is an on-going data collection program designed to measure behavioral risk factors in the adult population 18 years of age or over living in households.

[www.dhs.state.or.us/dhs/ph/chs/brfs/index.shtml](http://www.dhs.state.or.us/dhs/ph/chs/brfs/index.shtml)

**Oregon Healthy Teens Survey:** OHT monitors risk behaviors and other factors that influence the health and well-being of Oregon's children and adolescents

[www.dhs.state.or.us/dhs/ph/chs/youthsurvey/index.shtml](http://www.dhs.state.or.us/dhs/ph/chs/youthsurvey/index.shtml)

**Web-based Injury Statistics Query and Reporting System (WISQARS):** Available online from the centers for Disease Control and Prevention, WISQARS is an interactive database system that provides customized reports of injury data at the national and state level

[www.cdc.gov/ncipc/wisqars/](http://www.cdc.gov/ncipc/wisqars/)

