

**PERFORMANCE REPORTING INFORMATION SYSTEM
(PRISM)
STANDARD DATA DICTIONARY**

DATABASE TABLES

Section Overview

This section contains database table definitions for tables in the Performance Reporting Information System. They are the product of raw data collected from many sources and calculations made on that data.

For security reasons, some internal tables have not been included. However, these internal tables have no bearing on the base data content of the system.

Database Table Format

Record Description for: AGENCY CODE VALIDATION

Table Name: PRISM.AGENCY

Name	Data Type	Remarks
------	-----------	---------

AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Column name is AG.
AGENCY_NAME	VARCHAR2(50)	Column name is NAME.

Database Table Format

Record Description for: REPORT VERSION VALIDATION

Table Name: PRISM.APPLICATION_VERSION

Name	Data Type	Remarks
------	-----------	---------

APPLICATION_NAME	VARCHAR2(10)	Primary key field. Nulls not allowed.
CURRENT_VERSION	VARCHAR2(10)	
VERSION_EFFECTIVE_DT	DATE	
LEVEL_1_VERSION_CONTENTS	VARCHAR2(200)	
LEVEL_2_VERSION_CONTENTS	VARCHAR2(200)	
LEVEL_3_VERSION_CONTENTS	VARCHAR2(200)	
LEVEL_4_VERSION_CONTENTS	VARCHAR2(200)	

Database Table Format

Record Description for: CAF CASELOAD REDUCTION Table Name: PRISM.CAF_CASELOAD_REDUCTION_DATA

Name	Data Type	Remarks
------	-----------	---------

WORKFORCE_REGION_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed.
FIELD_OFFICE_CODE	VARCHAR2(4)	Primary key field. Nulls not allowed.
CASE_COUNT_YEAR_MONTH	VARCHAR2(6)	Primary key field. Nulls not allowed.
FIELD_OFFICE_DESCRIPTION	VARCHAR2(40)	
CASE_COUNT	NUMBER	

Database Table Format

Record Description for: **DEPENDENT CARE CODE VALIDATION**

Table Name: **PRISM.CARE**

Name	Data Type	Remarks
------	-----------	---------

DEPENDENT_CARE_NEED_CODE

VARCHAR2(2)

Primary key field. Nulls not allowed. Column name is CARE.

DEPENDENT_CARE_NEED_DESCR

VARCHAR2(14)

Column name is DESCRIPTION.

Database Table Format

Record Description for: CASELOAD REDUCTION REPORT Table Name: PRISM.CASELOAD_REDUCTION_REPORT

Name	Data Type	Remarks
------	-----------	---------

REPORT_RUN_MONTH	VARCHAR2(6)	
FIELD_OFFICE_NUMBER	VARCHAR2(8)	
FO_SDA_TOTAL_TITLES	VARCHAR2(30)	
TOTAL_CASES	VARCHAR2(8)	
ACTUAL_CHANGE	VARCHAR2(8)	
COMPARE_TO_PRIOR_MONTH	VARCHAR2(8)	
TANF1	VARCHAR2(8)	
TANF2	VARCHAR2(8)	
TANF3	VARCHAR2(8)	
TANF4	VARCHAR2(8)	
TANF5	VARCHAR2(8)	
FILLER	VARCHAR2(1)	
CASELOAD	VARCHAR2(8)	
PERCENT_OF_CHANGE	VARCHAR2(8)	
INCREASE_DECREASE	VARCHAR2(8)	

Database Table Format

Record Description for: CIP CODE VALIDATION

Table Name: PRISM.CIP90

Name	Data Type	Remarks
CIP_CODE	VARCHAR2(6)	Primary key field. Nulls not allowed. Column name is CIP.
CIP_CHAPTER	VARCHAR2(3)	Column name is CIPCHPTR.
CIP_CAM	VARCHAR2(2)	Column name is CIPCAMST.
CIP_DESCRIPTION	VARCHAR2(81)	Column name is CIPDSCR.
CIP_2_DIGIT	VARCHAR2(2)	Column name is CIP2DIGIT.
CIP_4_DIGIT	VARCHAR2(4)	Column name is CIP4DIGIT.

Database Table Format

Record Description for: CIP TITLE

Table Name: PRISM.CIPTITLE

Name	Data Type	Remarks
------	-----------	---------

CAM

VARCHAR2(1)

CIP

VARCHAR2(6)

Primary key field. Nulls not allowed.

CIPTITLE

VARCHAR2(32)

Database Table Format

Record Description for: COUNTY CODE VALIDATION

Table Name: PRISM.COUNTY

Name	Data Type	Remarks
------	-----------	---------

COUNTY_FIPS	VARCHAR2(2)	Primary key field. Nulls not allowed. Column name is CTY.
COUNTY_NAME	VARCHAR2(16)	Column name is DESCR.
WORKFORCE_REGION_CODE	VARCHAR(3)	Foreign key reference to table PRISM.WORKFORCE_REGIONS.
ALPHA_SORT_CODE	VARCHAR(4)	

Database Table Format

Record Description for: DATA SUBMISSION STATISTICS Table Name: PRISM.DATA_SUBMISSION_SUMMARY

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed.
INTAKE_FIELD_OFFICE_MV_COUNT	NUMBER	
GENDER_MV_COUNT	NUMBER	
ETHNICITY_MV_COUNT	NUMBER	
MARITAL_STATUS_MV_COUNT	NUMBER	
VETERAN_STATUS_MV_COUNT	NUMBER	
LAST_GRADE_MV_COUNT	NUMBER	
NUMBER_OF_DEPENDENTS_MV_COUNT	NUMBER	
NUMBER_OF_CHILDREN_MV_COUNT	NUMBER	
NUMBER_OF_ADULTS_MV_COUNT	NUMBER	
NUMBER_OF_SENIORS_MV_COUNT	NUMBER	
DEPEND_CARE_NEED_CODE_MV_COUNT	NUMBER	
DISABILITY_CODE_MV_COUNT	NUMBER	
DISABILITY_TYPE1_MV_COUNT	NUMBER	
DISABILITY_TYPE2_MV_COUNT	NUMBER	
HOMELESS_STATUS_MV_COUNT	NUMBER	
ZIP_CODE_MV_COUNT	NUMBER	
COUNTY_FIPS_MV_COUNT	NUMBER	
STATE_FIPS_MV_COUNT	NUMBER	
HOUSEHOLD_INCOME_MV_COUNT	NUMBER	
MONTHS_IN_JOB_MV_COUNT	NUMBER	
MONTHS_SINCE_LAST_JOB_MV_COUNT	NUMBER	
PRIMARY_OES_CODE_MV_COUNT	NUMBER	
LAST_OES_CODE_MV_COUNT	NUMBER	
LAST_WEEK_WRKED_HOURS_MV_COUNT	NUMBER	
T		
RELATED_EMPL_FLAG_MV_COUNT	NUMBER	
OUTCOME_EXIT_CODE_MV_COUNT	NUMBER	
OUTCOME_FIELD_OFFICE_MV_COUNT	NUMBER	
FIRST_WEEK_WRKD_HOURS_MV_COUNT	NUMBER	
PROGRAM_CODE_MV_COUNT	NUMBER	
SERVICE_CODE_MV_COUNT	NUMBER	
CIP_CODE_MV_COUNT	NUMBER	
TRAINING_MODE_MV_COUNT	NUMBER	
TRAINING_UNIT_MV_COUNT	NUMBER	
TRAINING_LENGTH_MV_COUNT	NUMBER	
SERVICE_EXIT_CODE_MV_COUNT	NUMBER	
TOTAL_INTAKES_APPLIED	NUMBER	
TOTAL_OUTCOMES_APPLIED	NUMBER	
TOTAL_SERVICES_APPLIED	NUMBER	
TOTAL_INTAKES_SUSPENDED	NUMBER	
TOTAL_OUTCOMES_SUSPENDED	NUMBER	
TOTAL_SERVICES_SUSPENDED	NUMBER	
TOTAL_SUBJECTS_APPLIED	NUMBER	
PROCESSING_DATE	DATE	
BIRTH_DT_MV_COUNT	NUMBER	

Database Table Format

Record Description for: **DISABILITY TYPES DESCRIPTIONS**

Table Name: **PRISM.DISABILITY_TYPES**

Name	Data Type	Remarks
------	-----------	---------

DISABILITY_TYPE

VARCHAR2(2)

DISABILITY_TYPE_DESCRIPTION

VARCHAR2(60)

Database Table Format

Record Description for: **DISABILITY CODE VALIDATION**

Table Name: **PRISM.DISABLE**

Name	Data Type	Remarks
------	-----------	---------

DISABILITY_TYPE_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Column name is DISAB.
DISABILITY_DESCRIPTION	VARCHAR2(40)	Column name is DESCR.

Database Table Format

Record Description for: DOT TO OES CODE VALIDATION

Table Name: PRISM.DOT_TO_OES

Name	Data Type	Remarks
------	-----------	---------

DOT_CODE	VARCHAR2(9)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.OESCIP.
DOT_DESC	VARCHAR2(40)	
OES_CODE	VARCHAR2(5)	

Database Table Format

Record Description for: CLIENT EPISODE DATA

Table Name: PRISM.EPISODE

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed
SUBJECT_ID	VARCHAR2(9)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.SUBJECT
INTAKE_DT	DATE	Primary key field. Nulls not allowed.
INTAKE_FIELD_OFFICE	VARCHAR2(4)	
MARITAL_STATUS	VARCHAR2(1)	
VETERAN_STATUS	VARCHAR2(1)	
LAST_GRADE	VARCHAR2(2)	
NUMBER_OF_DEPENDENTS	NUMBER	
NUMBER_OF_CHILDREN	NUMBER	
NUMBER_OF_ADULTS	NUMBER	
DEPENDENT_CARE_NEED_CODE	VARCHAR2(2)	
NUMBER_OF_SENIORS	NUMBER	
DISABILITY_CODE	VARCHAR2(2)	
DISABILITY_TYPE1	VARCHAR2(2)	
DISABILITY_TYPE2	VARCHAR2(2)	
HOMELESS_STATUS	VARCHAR2(1)	
ZIP_CODE	VARCHAR2(9)	
COUNTY_FIPS	VARCHAR2(2)	
STATE_FIPS	VARCHAR2(2)	
HOUSEHOLD_INCOME	NUMBER	
MONTHS_IN_JOB	NUMBER	
MONTHS_SINCE_LAST_JOB	NUMBER	
PRIMARY_OES_CODE	VARCHAR2(5)	
LAST_OES_CODE	VARCHAR2(5)	
LAST_WEEK_WORKED_HOURS	NUMBER	
OUTCOME_DT	DATE	
RELATED_EMPL_FLAG	VARCHAR2(1)	
EXIT_CODE	VARCHAR2(3)	
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	
FIRST_WEEK_WORKED_HOURS	NUMBER	
BIRTH_DT	DATE	
GENDER	VARCHAR2(1)	
ETHNICITY	VARCHAR2(3)	
INTAKE_YEAR_QTR	VARCHAR2(5)	'YYYYQ'
OUTCOME_YEAR_QTR	VARCHAR2(5)	'YYYYQ'
INSERT_DT	DATE	Nulls not allowed.
LAST_UPDATE_DT	DATE	

Database Table Format

Record Description for: ETHNICITY CODE VALIDATION

Table Name: PRISM.ETHNIC

Name	Data Type	Remarks
------	-----------	---------

ETHNICITY	VARCHAR2(3)	Primary key field. Nulls not allowed. Column name is CODE.
ETHNICITY_DESCRIPTION	VARCHAR2(70)	Column name is ETHNICS.

Database Table Format

Record Description for: EXIT CODE VALIDATION

Table Name: PRISM.EXIT

Name	Data Type	Remarks
------	-----------	---------

EXIT_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed. Column name is EXIT.
EXIT_LEVEL_1_DESCRIPTION	VARCHAR2(40)	Column name is LEVEL1.
EXIT_LEVEL_2_DESCRIPTION	VARCHAR2(40)	Column name is LEVEL2.
EXIT_LEVEL_3_DESCRIPTION	VARCHAR2(40)	Column name is LEVEL3.

Database Table Format

Record Description for: FIELD OFFICE VALIDATION

Table Name: PRISM.FLDOFF

Name	Data Type	Remarks
------	-----------	---------

AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.AGENCY. Column name is AGENCY.
FIELD_OFFICE	VARCHAR2(4)	Primary key field. Nulls not allowed. Column name is FLD_OFF.
FIELD_OFFICE_NAME	VARCHAR2(60)	Column name is FLD_OFF_DESC.

Database Table Format

Record Description for: GENDER TABLE

Table Name: PRISM.GENDER

Name	Data Type	Remarks
------	-----------	---------

GENDER	VARCHAR2(1)	Primary key field. Nulls not allowed.
GENDER_DESCRIPTION	VARCHAR2(40)	

Database Table Format

Record Description for: GOAL CODES TABLE

Table Name: PRISM.GOAL_CODES

Name	Data Type	Remarks
------	-----------	---------

GOAL_CODE
GOAL_DESCRIPTION

VARCHAR2(3)
VARCHAR2(60)

Primary key field. Nulls not allowed

Database Table Format

Record Description for: GOAL STATUS CODES TABLE

Table Name: PRISM.GOAL_STATUS_CODES

Name	Data Type	Remarks
------	-----------	---------

GOAL_STATUS_CODE	VARCHAR2(1)	Primary key field. Nulls not allowed.
GOAL_STATUS_DESCRIPTION	VARCHAR2(40)	Nulls not allowed

Database Table Format

Record Description for: GOALS TABLE

Table Name: PRISM.GOALS

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
SUBJECT_ID	VARCHAR2(9)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
INTAKE_DT	DATE	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
GOAL_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed.
GOAL_EST_DATE	DATE	Primary key field. Nulls not allowed.
GOAL_STATUS_CODE	VARCHAR2(3)	
GOAL_TARGET_COMP_DATE	DATE	OBSOLETE AS OF 09/30/2002
GOAL_STATUS_DATE	DATE	
INSERT_DT	DATE	Nulls not allowed.
LAST_UPDATE_DT	DATE	

Database Table Format

Record Description for: GOALS COLLECTION TABLE

Table Name: PRISM.GOALS_COLLECTION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL_CODE	VARCHAR2(1)	
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY	VARCHAR2(2)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_CODE	VARCHAR2(3)	
GOAL_STATUS_CODE	VARCHAR2(3)	
GOAL_EST_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_TARGET_COMP_DATE	VARCHAR2(8)	OBSOLETE AS OF 09/30/2002
GOAL_STATUS_DATE	VARCHAR2(8)	YYYYMMDD format
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: GOALS SUSPENSE TABLE

Table Name: PRISM.GOALS_SUSPENSE

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL_CODE	VARCHAR2(1)	
LEVEL_CODE_E1	VARCHAR2(20)	
LEVEL_CODE_E2	VARCHAR2(20)	
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY	VARCHAR2(2)	
AGENCY_E1	VARCHAR2(20)	
AGENCY_E2	VARCHAR2(20)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format.
INTAKE_DATE_E1	VARCHAR2(20)	
INTAKE_DATE_E2	VARCHAR2(20)	
GOAL_CODE	VARCHAR2(3)	
GOAL_CODE_E1	VARCHAR2(20)	
GOAL_CODE_E2	VARCHAR2(20)	
GOAL_STATUS_CODE	VARCHAR2(3)	
GOAL_STATUS_CODE_E1	VARCHAR2(20)	
GOAL_STATUS_CODE_E2	VARCHAR2(20)	
GOAL_EST_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_EST_DATE_E1	VARCHAR2(20)	
GOAL_EST_DATE_E2	VARCHAR2(20)	
GOAL_TARGET_COMP_DATE	VARCHAR2(8)	OBSOLETE AS OF 09/30/2002
GOAL_TARGET_COMP_DATE_E1	VARCHAR2(20)	OBSOLETE AS OF 09/30/2002
GOAL_TARGET_COMP_DATE_E1	VARCHAR2(20)	OBSOLETE AS OF 09/30/2002
GOAL_STATUS_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_STATUS_DATE_E1	VARCHAR2(20)	
GOAL_STATUS_DATE_E2	VARCHAR2(20)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
FILLER_AREA	VARCHAR2(8)	
GOAL_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: GOALS SUSPENSE DELETED TABLE Table Name: PRISM.GOALS_SUSPENSE_DELETED

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL_CODE	VARCHAR2(1)	
LEVEL_CODE_E1	VARCHAR2(20)	
LEVEL_CODE_E2	VARCHAR2(20)	
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY	VARCHAR2(2)	
AGENCY_E1	VARCHAR2(20)	
AGENCY_E2	VARCHAR2(20)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format
INTAKE_DATE_E1	VARCHAR2(20)	
INTAKE_DATE_E2	VARCHAR2(20)	
GOAL_CODE	VARCHAR2(3)	
GOAL_CODE_E1	VARCHAR2(20)	
GOAL_CODE_E2	VARCHAR2(20)	
GOAL_STATUS_CODE	VARCHAR2(3)	
GOAL_STATUS_CODE_E1	VARCHAR2(20)	
GOAL_STATUS_CODE_E2	VARCHAR2(20)	
GOAL_EST_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_EST_DATE_E1	VARCHAR2(20)	
GOAL_EST_DATE_E2	VARCHAR2(20)	
GOAL_TARGET_COMP_DATE	VARCHAR2(8)	OBSOLETE AS OF 09/30/2002
GOAL_TARGET_COMP_DATE_E1	VARCHAR2(20)	OBSOLETE AS OF 09/30/2002
GOAL_TARGET_COMP_DATE_E1	VARCHAR2(20)	OBSOLETE AS OF 09/30/2002
GOAL_STATUS_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_STATUS_DATE_E1	VARCHAR2(20)	
GOAL_STATUS_DATE_E2	VARCHAR2(20)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	
DELETED_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: GOALS VALIDATION TABLE

Table Name: PRISM.GOALS_VALIDATION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL_CODE	VARCHAR2(1)	
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY	VARCHAR2(2)	
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format
GOAL_CODE	VARCHAR2(3)	
GOAL_STATUS_CODE	VARCHAR2(3)	
GOAL_EST_DATE	VARCHAR2(8)	YYYYMMDD format
GOAL_TARGET_COMP_DATE	VARCHAR2(8)	OBSOLETE AS OF 09/30/2002
GOAL_STATUS_DATE	VARCHAR2(8)	YYYYMMDD format
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	YYYYMMDD format
SSN_ERROR_CODE	VARCHAR2(1)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: LAST GRADE CODE VALIDATION

Table Name: PRISM.GRADE

Name	Data Type	Remarks
------	-----------	---------

LAST_GRADE	VARCHAR2(2)	Primary key field. Nulls not allowed.
LG_XWALK	VARCHAR2(2)	
LG_DESC	VARCHAR2(55)	

Database Table Format

Record Description for: SSN Validation Update Table

Table Name: PRISM.HIGHGROUP_INTAKE

Name	Data Type	Remarks
------	-----------	---------

AREA	VARCHAR2(3)	Primary key field. Nulls not allowed.
MAX_GROUP	VARCHAR2(2)	
CHANGE	VARCHAR2(1)	
TYPE	VARCHAR2(1)	

Database Table Format

Record Description for: INTAKE TRANSACTION COLLECTION Table Name: PRISM.INTAKE_COLLECTION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD Format
BIRTH_DATE	VARCHAR2(8)	YYYYMMDD Format
GENDER	VARCHAR2(1)	Column name is SEX.
ETHNICITY	VARCHAR2(3)	
LAST_GRADE	VARCHAR2(2)	
VETERAN_STATUS	VARCHAR2(1)	Column name is VETERAN.
HOMELESS_STATUS	VARCHAR2(1)	Column name is HOMELESS.
ZIP_CODE	VARCHAR2(9)	Column name is ZIP.
COUNTY_FIPS	VARCHAR2(2)	Column name is COUNTY.
DISABILITY_CODE	VARCHAR2(2)	Column name is DISAB.
DISABILITY_TYPE1	VARCHAR2(2)	Column name is DIS_TYPE1.
DISABILITY_TYPE2	VARCHAR2(2)	Column name is DIS_TYPE2.
MARITAL_STATUS	VARCHAR2(1)	Column name is MARITAL.
NUMBER_OF_DEPENDENTS	VARCHAR2(2)	Column name is DEPENDENTS.
NUMBER_OF_CHILDREN	VARCHAR2(2)	Column name is CHILDREN.
NUMBER_OF_ADULTS	VARCHAR2(2)	Column name is ADULTS.
NUMBER_OF_SENIORS	VARCHAR2(2)	Column name is SENIORS.
DEPENDENT_CARE_NEED_CODE	VARCHAR2(2)	Column name is DEP_CARE.
HOUSEHOLD_INCOME	VARCHAR2(6)	Column name is ANNUAL_INC.
LAST_OES_CODE	VARCHAR2(5)	Column name is OES.
LAST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
MONTHS_IN_JOB	VARCHAR2(3)	Column name is MONTHS.
MONTHS_SINCE_LAST_JOB	VARCHAR2(3)	Column name is LAST_JOB.
PRIMARY_OES_CODE	VARCHAR2(5)	Column name is PRIMARY_OES.
INTAKE_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL_COLLECTION.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
DOT_CODE	VARCHAR2(9)	
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: INTAKE TRANSACTION SUSPENSE

Table Name: PRISM.INTAKE_SUSPENSE

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
LEVEL_E1	VARCHAR2(20)	Column name is LEVEL_CODE_E1.
LEVEL_E2	VARCHAR2(20)	Column name is LEVEL_CODE_E2.
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
AGENCY_CODE_E1	VARCHAR2(20)	Column name is AGENCY_E1.
AGENCY_CODE_E2	VARCHAR2(20)	Column name is AGENCY_E2.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
INTAKE_DT_E1	VARCHAR2(20)	Column name is INTAKE_DATE_E1.
INTAKE_DT_E2	VARCHAR2(20)	Column name is INTAKE_DATE_E2.
BIRTH_DT	VARCHAR2(8)	Column name is BIRTH_DATE.
BIRTH_DT_E1	VARCHAR2(20)	Column name is BIRTH_DATE_E1.
BIRTH_DT_E2	VARCHAR2(20)	Column name is BIRTH_DATE_E2.
GENDER	VARCHAR2(1)	Column name is SEX.
GENDER_E1	VARCHAR2(20)	Column name is SEX_E1.
GENDER_E2	VARCHAR2(20)	Column name is SEX_E2.
ETHNICITY	VARCHAR2(3)	
ETHNICITY_E1	VARCHAR2(20)	
ETHNICITY_E2	VARCHAR2(20)	
LAST_GRADE	VARCHAR2(2)	
LAST_GRADE_E1	VARCHAR2(20)	
LAST_GRADE_E2	VARCHAR2(20)	
VETERAN_STATUS	VARCHAR2(1)	Column name is VETERAN.
VETERAN_STATUS_E1	VARCHAR2(20)	Column name is VETERAN_E1.
VETERAN_STATUS_E2	VARCHAR2(20)	Column name is VETERAN_E2.
HOMELESS_STATUS	VARCHAR2(1)	Column name is HOMELESS.
HOMELESS_STATUS_E1	VARCHAR2(20)	Column name is HOMELESS_E1.
HOMELESS_STATUS_E2	VARCHAR2(20)	Column name is HOMELESS_E2.
ZIP_CODE	VARCHAR2(9)	Column name is ZIP.
ZIP_CODE_E1	VARCHAR2(20)	Column name is ZIP_E1.
ZIP_CODE_E2	VARCHAR2(20)	Column name is ZIP_E2.
COUNTY_FIPS	VARCHAR2(2)	Column name is COUNTY.
COUNTY_FIPS_E1	VARCHAR2(20)	Column name is COUNTY_E1.
COUNTY_FIPS_E2	VARCHAR2(20)	Column name is COUNTY_E2.
DISABILITY_CODE	VARCHAR2(2)	Column name is DISAB.
DISABILITY_CODE_E1	VARCHAR2(20)	Column name is DISAB_E1.
DISABILITY_CODE_E2	VARCHAR2(20)	Column name is DISAB_E2.
DISABILITY_TYPE1	VARCHAR2(2)	Column name is DIS_TYPE1.
DISABILITY_TYPE1_E1	VARCHAR2(20)	Column name is DIS_TYPE1_E1.

Database Table Format

Record Description for: INTAKE TRANSACTION SUSPENSE

Table Name: PRISM.INTAKE_SUSPENSE

Name	Data Type	Remarks
DISABILITY_TYPE1_E2	VARCHAR2(20)	Column name is DIS_TYPE1_E2.
DISABILITY_TYPE2	VARCHAR2(2)	Column name is DIS_TYPE2.
DISABILITY_TYPE2_E1	VARCHAR2(20)	Column name is DIS_TYPE2_E1.
DISABILITY_TYPE2_E2	VARCHAR2(20)	Column name is DIS_TYPE2_E2.
MARITAL_STATUS	VARCHAR2(1)	Column name is MARITAL.
MARITAL_STATUS_E1	VARCHAR2(20)	Column name is MARITAL_E1.
MARITAL_STATUS_E2	VARCHAR2(20)	Column name is MARITAL_E2.
NUMBER_OF_DEPENDENTS	VARCHAR2(2)	Column name is DEPENDENTS.
NUMBER_OF_DEPENDENTS_E1	VARCHAR2(20)	Column name is DEPENDENTS_E1.
NUMBER_OF_DEPENDENTS_E2	VARCHAR2(20)	Column name is DEPENDENTS_E2.
NUMBER_OF_CHILDREN	VARCHAR2(2)	Column name is CHILDREN.
NUMBER_OF_CHILDREN_E1	VARCHAR2(20)	Column name is CHILDREN_E1.
NUMBER_OF_CHILDREN_E2	VARCHAR2(20)	Column name is CHILDREN_E2.
NUMBER_OF_ADULTS	VARCHAR2(2)	Column name is ADULTS.
NUMBER_OF_ADULTS_E1	VARCHAR2(20)	Column name is ADULTS_E1.
NUMBER_OF_ADULTS_E2	VARCHAR2(20)	Column name is ADULTS_E2.
NUMBER_OF_SENIORS	VARCHAR2(2)	Column name is SENIORS.
NUMBER_OF_SENIORS_E1	VARCHAR2(20)	Column name is SENIORS_E1.
NUMBER_OF_SENIORS_E2	VARCHAR2(20)	Column name is SENIORS_E2.
DEPENDENT_CARE_NEED_CODE	VARCHAR2(2)	Column name is DEP_CARE.
DEPENDENT_CARE_NEED_CODE_E1	VARCHAR2(20)	Column name is DEP_CARE_E1.
DEPENDENT_CARE_NEED_CODE_E2	VARCHAR2(20)	Column name is DEP_CARE_E2.
HOUSEHOLD_INCOME	VARCHAR2(6)	Column name is ANNUAL_INC.
HOUSEHOLD_INCOME_E1	VARCHAR2(20)	Column name is ANNUAL_INC_E1.
HOUSEHOLD_INCOME_E2	VARCHAR2(20)	Column name is ANNUAL_INC_E2.
LAST_OES_CODE	VARCHAR2(5)	Column name is OES.
LAST_OES_CODE_E1	VARCHAR2(20)	Column name is OES_E1.
LAST_OES_CODE_E2	VARCHAR2(20)	Column name is OES_E2.
LAST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
LAST_WEEK_WORKED_HOURS_E1	VARCHAR2(20)	Column name is HOURS_WEEK_E1.
LAST_WEEK_WORKED_HOURS_E2	VARCHAR2(20)	Column name is HOURS_WEEK_E2.
MONTHS_IN_JOB	VARCHAR2(3)	Column name is MONTHS.
MONTHS_IN_JOB_E1	VARCHAR2(20)	Column name is MONTHS_E1.
MONTHS_IN_JOB_E2	VARCHAR2(20)	Column name is MONTHS_E2.
MONTHS_SINCE_LAST_JOB	VARCHAR2(3)	Column name is LAST_JOB.
MONTHS_SINCE_LAST_JOB_E1	VARCHAR2(20)	Column name is LAST_JOB_E1.
MONTHS_SINCE_LAST_JOB_E2	VARCHAR2(20)	Column name is LAST_JOB_E2.
PRIMARY_OES_CODE	VARCHAR2(5)	Column name is PRIMARY_OES.
PRIMARY_OES_CODE_E1	VARCHAR2(20)	Column name is PRIMARY_OES_E1.
PRIMARY_OES_CODE_E2	VARCHAR2(20)	Column name is PRIMARY_OES_E2.
INTAKE_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_FIELD_OFFICE_E1	VARCHAR2(20)	Column name is FLD_OFF_E1.
INTAKE_FIELD_OFFICE_E2	VARCHAR2(20)	Column name is FLD_OFF_E2.
ENTERING_AGENCY	VARCHAR2(2)	Column name is ENTERAG.
ENTERED_HOW	VARCHAR2(5)	Column name is ENTERHOW.
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key

Database Table Format

Record Description for: INTAKE TRANSACTION SUSPENSE

Table Name: PRISM.INTAKE_SUSPENSE

Name	Data Type	Remarks
------	-----------	---------

FILLER_AREA

VARCHAR2(8)

reference to table PRISM.TRANSMITTAL.

INTAKE_EPISODE_ERROR

VARCHAR2(50)

TRANSMITTAL_ITEM_NUMBER

NUMBER

Primary key field. Nulls not allowed.

SYSTEM_CODE

VARCHAR2(1)

SYSTEM_CODE_E1

VARCHAR2(20)

SYSTEM_CODE_E2

VARCHAR2(20)

Database Table Format

Record Description for: INTAKE TRANS SUSPENSE DELETED Table Name: **PRISM.INTAKE_SUSPENSE_DELETED**

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
LEVEL_E1	VARCHAR2(20)	Column name is LEVEL_CODE_E1.
LEVEL_E2	VARCHAR2(20)	Column name is LEVEL_CODE_E2.
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
AGENCY_CODE_E1	VARCHAR2(20)	Column name is AGENCY_E1.
AGENCY_CODE_E2	VARCHAR2(20)	Column name is AGENCY_E2.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
INTAKE_DT_E1	VARCHAR2(20)	Column name is INTAKE_DATE_E1.
INTAKE_DT_E2	VARCHAR2(20)	Column name is INTAKE_DATE_E2.
BIRTH_DT	VARCHAR2(8)	YYYYMMDD format. Column name is BIRTH_DATE.
BIRTH_DT_E1	VARCHAR2(20)	Column name is BIRTH_DATE_E1.
BIRTH_DT_E2	VARCHAR2(20)	Column name is BIRTH_DATE_E2.
GENDER	VARCHAR2(1)	Column name is SEX.
GENDER_E1	VARCHAR2(20)	Column name is SEX_E1.
GENDER_E2	VARCHAR2(20)	Column name is SEX_E2.
ETHNICITY	VARCHAR2(3)	
ETHNICITY_E1	VARCHAR2(20)	
ETHNICITY_E2	VARCHAR2(20)	
LAST_GRADE	VARCHAR2(2)	
LAST_GRADE_E1	VARCHAR2(20)	
LAST_GRADE_E2	VARCHAR2(20)	
VETERAN_STATUS	VARCHAR2(1)	Column name is VETERAN.
VETERAN_STATUS_E1	VARCHAR2(20)	Column name is VETERAN_E1.
VETERAN_STATUS_E2	VARCHAR2(20)	Column name is VETERAN_E2.
HOMELESS_STATUS	VARCHAR2(1)	Column name is HOMELESS.
HOMELESS_STATUS_E1	VARCHAR2(20)	Column name is HOMELESS_E1.
HOMELESS_STATUS_E2	VARCHAR2(20)	Column name is HOMELESS_E2.
ZIP_CODE	VARCHAR2(9)	Column name is ZIP.
ZIP_CODE_E1	VARCHAR2(20)	Column name is ZIP_E1.
ZIP_CODE_E2	VARCHAR2(20)	Column name is ZIP_E2.
COUNTY_FIPS	VARCHAR2(2)	Column name is COUNTY.
COUNTY_FIPS_E1	VARCHAR2(20)	Column name is COUNTY_E1.
COUNTY_FIPS_E2	VARCHAR2(20)	Column name is COUNTY_E2.
DISABILITY_CODE	VARCHAR2(2)	Column name is DISAB.
DISABILITY_CODE_E1	VARCHAR2(20)	Column name is DISAB_E1.
DISABILITY_CODE_E2	VARCHAR2(20)	Column name is DISAB_E2.
DISABILITY_TYPE1	VARCHAR2(2)	Column name is DIS_TYPE1.

Database Table Format

Record Description for: INTAKE TRANS SUSPENSE DELETED Table Name: **PRISM.INTAKE_SUSPENSE_DELETED**

Name	Data Type	Remarks
DISABILITY_TYPE1_E1	VARCHAR2(20)	Column name is DIS_TYPE1_E1.
DISABILITY_TYPE1_E2	VARCHAR2(20)	Column name is DIS_TYPE1_E2.
DISABILITY_TYPE2	VARCHAR2(2)	Column name is DIS_TYPE2.
DISABILITY_TYPE2_E1	VARCHAR2(20)	Column name is DIS_TYPE2_E1.
DISABILITY_TYPE2_E2	VARCHAR2(20)	Column name is DIS_TYPE2_E2.
MARITAL_STATUS	VARCHAR2(1)	Column name is MARITAL.
MARITAL_STATUS_E1	VARCHAR2(20)	Column name is MARITAL_E1.
MARITAL_STATUS_E2	VARCHAR2(20)	Column name is MARITAL_E2.
NUMBER_OF_DEPENDENTS	VARCHAR2(2)	Column name is DEPENDENTS.
NUMBER_OF_DEPENDENTS_E1	VARCHAR2(20)	Column name is DEPENDENTS_E1.
NUMBER_OF_DEPENDENTS_E2	VARCHAR2(20)	Column name is DEPENDENTS_E2.
NUMBER_OF_CHILDREN	VARCHAR2(2)	Column name is CHILDREN.
NUMBER_OF_CHILDREN_E1	VARCHAR2(20)	Column name is CHILDREN_E1.
NUMBER_OF_CHILDREN_E2	VARCHAR2(20)	Column name is CHILDREN_E2.
NUMBER_OF_ADULTS	VARCHAR2(2)	Column name is ADULTS.
NUMBER_OF_ADULTS_E1	VARCHAR2(20)	Column name is ADULTS_E1.
NUMBER_OF_ADULTS_E2	VARCHAR2(20)	Column name is ADULTS_E2.
NUMBER_OF_SENIORS	VARCHAR2(2)	Column name is SENIORS.
NUMBER_OF_SENIORS_E1	VARCHAR2(20)	Column name is SENIORS_E1.
NUMBER_OF_SENIORS_E2	VARCHAR2(20)	Column name is SENIORS_E2.
DEPENDENT_CARE_NEED_CODE	VARCHAR2(2)	Column name is DEP_CARE.
DEPENDENT_CARE_NEED_CODE_E1	VARCHAR2(20)	Column name is DEP_CARE_E1.
DEPENDENT_CARE_NEED_CODE_E2	VARCHAR2(20)	Column name is DEP_CARE_E2.
HOUSEHOLD_INCOME	VARCHAR2(6)	Column name is ANNUAL_INC.
HOUSEHOLD_INCOME_E1	VARCHAR2(20)	Column name is ANNUAL_INC_E1.
HOUSEHOLD_INCOME_E2	VARCHAR2(20)	Column name is ANNUAL_INC_E2.
LAST_OES_CODE	VARCHAR2(5)	Column name is OES.
LAST_OES_CODE_E1	VARCHAR2(20)	Column name is OES_E1.
LAST_OES_CODE_E2	VARCHAR2(20)	Column name is OES_E2.
LAST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
LAST_WEEK_WORKED_HOURS_E1	VARCHAR2(20)	Column name is HOURS_WEEK_E1.
LAST_WEEK_WORKED_HOURS_E2	VARCHAR2(20)	Column name is HOURS_WEEK_E2.
MONTHS_IN_JOB	VARCHAR2(3)	Column name is MONTHS.
MONTHS_IN_JOB_E1	VARCHAR2(20)	Column name is MONTHS_E1.
MONTHS_IN_JOB_E2	VARCHAR2(20)	Column name is MONTHS_E2.
MONTHS_SINCE_LAST_JOB	VARCHAR2(3)	Column name is LAST_JOB.
MONTHS_SINCE_LAST_JOB_E1	VARCHAR2(20)	Column name is LAST_JOB_E1.
MONTHS_SINCE_LAST_JOB_E2	VARCHAR2(20)	Column name is LAST_JOB_E2.
PRIMARY_OES_CODE	VARCHAR2(5)	Column name is PRIMARY_OES.
PRIMARY_OES_CODE_E1	VARCHAR2(20)	Column name is PRIMARY_OES_E1.
PRIMARY_OES_CODE_E2	VARCHAR2(20)	Column name is PRIMARY_OES_E2.
INTAKE_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_FIELD_OFFICE_E1	VARCHAR2(20)	Column name is FLD_OFF_E1.
INTAKE_FIELD_OFFICE_E2	VARCHAR2(20)	Column name is FLD_OFF_E2.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	

Database Table Format

Record Description for: INTAKE TRANS SUSPENSE DELETED Table Name: PRISM.INTAKE_SUSPENSE_DELETED

Name	Data Type	Remarks
TRANSMITTAL_NUMBER	VARCHAR2(10)	Foreign key reference to table PRISM.TRANSMITTAL.
DELETED_DATE	VARCHAR2(8)	YYYYMMDD format.
INTAKE_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: VALIDATED INTAKE TRANSACTIONS

Table Name: PRISM.INTAKE_VALIDATION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SUBJECT_ID	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
BIRTH_DT	VARCHAR2(8)	YYYYMMDD format. Column name is BIRTH_DATE.
GENDER	VARCHAR2(1)	Column name is SEX.
ETHNICITY	VARCHAR2(3)	
LAST_GRADE	VARCHAR2(2)	
VETERAN_STATUS	VARCHAR2(1)	Column name is VETERAN.
HOMELESS_STATUS	VARCHAR2(1)	Column name is HOMELESS.
ZIP_CODE	VARCHAR2(9)	Column name is ZIP.
COUNTY_FIPS	VARCHAR2(2)	Column name is COUNTY.
DISABILITY_CODE	VARCHAR2(2)	Column name is DISAB.
DISABILITY_TYPE1	VARCHAR2(2)	Column name is DIS_TYPE1.
DISABILITY_TYPE2	VARCHAR2(2)	Column name is DIS_TYPE2.
MARITAL_STATUS	VARCHAR2(1)	Column name is MARITAL.
NUMBER_OF_DEPENDENTS	NUMBER	PICT '99'. Column name is DEPENDENTS.
NUMBER_OF_CHILDREN	NUMBER	PICT '99'. Column name is CHILDREN.
NUMBER_OF_ADULTS	NUMBER	PICT '99'. Column name is ADULTS.
NUMBER_OF_SENIORS	NUMBER	PICT '99'. Column name is SENIORS.
DEPENDENT_CARE_NEED_CODE	VARCHAR2(2)	Column name is DEP_CARE.
HOUSEHOLD_INCOME	NUMBER	PICT '999,999'. Column name is ANNUAL_INC.
LAST_OES_CODE	VARCHAR2(5)	Column name is OES.
LAST_WEEK_WORKED_HOURS	NUMBER	PICT '999'. Column name is HOURS_WEEK.
MONTHS_IN_JOB	NUMBER	PICT '999'. Column name is MONTHS.
MONTHS_SINCE_LAST_JOB	VARCHAR2(3)	Column name is LAST_JOB.
PRIMARY_OES_CODE	VARCHAR2(5)	Column name is PRIMARY_OES.
INTAKE_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
SSN_EXCEPTION_FLAG	VARCHAR2(1)	Column name is SSN_ERROR_CODE.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: JOB STATISTICS

Table Name: PRISM.JOB_STATISTICS

Name	Data Type	Remarks
------	-----------	---------

JOB_NAME	VARCHAR2(32)	Primary key field. Nulls not allowed.
START_DATE	VARCHAR2(10)	Primary key field. Nulls not allowed.
START_TIME	VARCHAR2(10)	Primary key field. Nulls not allowed.
END_DATE	VARCHAR2(10)	
END_TIME	VARCHAR2(10)	
READS	NUMBER	
INSERTS	NUMBER	
UPDATES	NUMBER	
SKIPPED	NUMBER	
DELETED	NUMBER	

Database Table Format

Record Description for: LME LATEST YR/QTR PROCESSED Table Name: PRISM.LME_LATEST_YEAR_QTR

Name	Data Type	Remarks
------	-----------	---------

LATEST_YEAR_QTR_PROCESSED

VARCHAR2(5)

Database Table Format

Record Description for: SSN VALIDATION

Table Name: PRISM.MAX_SSN

Name	Data Type	Remarks
------	-----------	---------

AREA	VARCHAR2(3)	Primary key field. Nulls not allowed
MAX_GROUP	VARCHAR2(3)	
TYPE	VARCHAR2(1)	

Database Table Format

Record Description for: NAICS CODES

Table Name: PRISM.NAICS_CODES

Name	Data Type	Remarks
------	-----------	---------

NAICS_CODE
NAICS_DESCRIPTION

VARCHAR2(3)
VARCHAR2(3)

Primary key field. Nulls not allowed

Database Table Format

Record Description for: OES CODE VALIDATION

Table Name: PRISM.OESCIP

Name	Data Type	Remarks
------	-----------	---------

CAM	VARCHAR2(2)	
CIP_CODE	VARCHAR2(6)	Column name is CIP.
BLS	VARCHAR2(3)	
OES_CODE	VARCHAR2(5)	Primary key field. Nulls not allowed. Column name is OES.
TITLE	VARCHAR2(40)	
NT	VARCHAR2(1)	
EDIT_CL	VARCHAR2(2)	

Database Table Format

Record Description for: OUTCOME TRANSACTION COLLECTION Table Name: PRISM.OUTCOMES_COLLECTION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
OUTCOME_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
RELATED_EMPL_FLAG	VARCHAR2(1)	Column name is RELATED_EMP.
FIRST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL_COLLECTION.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: OUTCOME TRANS SUSP DELETE

Table Name: PRISM.OUTCOMES_SUSPENSE

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
LEVEL_E1	VARCHAR2(20)	Column name is LEVEL_CODE_E1.
LEVEL_E2	VARCHAR2(20)	Column name is LEVEL_CODE_E2.
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
AGENCY_CODE_E1	VARCHAR2(20)	Column name is AGENCY_E1.
AGENCY_CODE_E2	VARCHAR2(20)	Column name is AGENCY_E2.
OUTCOME_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
OUTCOME_DT_E1	VARCHAR2(20)	Column name is EVENT_DATE_E1.
OUTCOME_DT_E2	VARCHAR2(20)	Column name is EVENT_DATE_E2.
RELATED_EMPL_FLAG	VARCHAR2(1)	Column name is RELATED_EMP.
RELATED_EMPL_FLAG_E1	VARCHAR2(20)	Column name is RELATED_EMP_E1.
RELATED_EMPL_FLAG_E2	VARCHAR2(20)	Column name is RELATED_EMP_E2.
FIRST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
FIRST_WEEK_WORKED_HOURS_E1	VARCHAR2(20)	Column name is HOURS_WEEK_E1.
FIRST_WEEK_WORKED_HOURS_E2	VARCHAR2(20)	Column name is HOURS_WEEK_E2.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
EXIT_CODE_E1	VARCHAR2(20)	Column name is EXIT_E1.
EXIT_CODE_E2	VARCHAR2(20)	Column name is EXIT_E2.
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
OUTCOME_FIELD_OFFICE_E1	VARCHAR2(20)	Column name is FLD_OFF_E1.
OUTCOME_FIELD_OFFICE_E2	VARCHAR2(20)	Column name is FLD_OFF_E2.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
INTAKE_DT_E1	VARCHAR2(20)	Column name is INT_DATE_E1.
INTAKE_DT_E2	VARCHAR2(20)	Column name is INT_DATE_E2.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
FILLER_AREA	VARCHAR2(8)	
OUTCOME_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: OUTCOME TRANS SUSP DELETED Table Name: **PRISM.OUTCOMES_SUSPENSE_DELETED**

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
LEVEL_E1	VARCHAR2(20)	Column name is LEVEL_CODE_E1.
LEVEL_E2	VARCHAR2(20)	Column name is LEVEL_CODE_E2.
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
AGENCY_CODE_E1	VARCHAR2(20)	Column name is AGENCY_E1.
AGENCY_CODE_E2	VARCHAR2(20)	Column name is AGENCY_E2.
OUTCOME_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
OUTCOME_DT_E1	VARCHAR2(20)	Column name is EVENT_DATE_E1.
OUTCOME_DT_E2	VARCHAR2(20)	Column name is EVENT_DATE_E2.
RELATED_EMPL_FLAG	VARCHAR2(1)	Column name is RELATED_EMP.
RELATED_EMPL_FLAG_E1	VARCHAR2(20)	Column name is RELATED_EMP_E1.
RELATED_EMPL_FLAG_E2	VARCHAR2(20)	Column name is RELATED_EMP_E2.
FIRST_WEEK_WORKED_HOURS	VARCHAR2(3)	Column name is HOURS_WEEK.
FIRST_WEEK_WORKED_HOURS_E1	VARCHAR2(20)	Column name is HOURS_WEEK_E1.
FIRST_WEEK_WORKED_HOURS_E2	VARCHAR2(20)	Column name is HOURS_WEEK_E2.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
EXIT_CODE_E1	VARCHAR2(20)	Column name is EXIT_E1.
EXIT_CODE_E2	VARCHAR2(20)	Column name is EXIT_E2.
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
OUTCOME_FIELD_OFFICE_E1	VARCHAR2(20)	Column name is FLD_OFF_E1.
OUTCOME_FIELD_OFFICE_E2	VARCHAR2(20)	Column name is FLD_OFF_E2.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
INTAKE_DT_E1	VARCHAR2(20)	Column name is INT_DATE_E1.
INTAKE_DT_E2	VARCHAR2(20)	Column name is INT_DATE_E2.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	
DELETED_DATE	VARCHAR2(8)	
OUTCOME_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	Foreign key reference to table PRISM.TRANSMITTAL.
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: VALIDATED OUTCOME TRANSACTION Table Name: **PRISM.OUTCOMES_VALIDATION**

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SUBJECT_ID	VARCHAR2(9)	Column name is SSN.
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
OUTCOME_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
RELATED_EMPL_FLAG	VARCHAR2(1)	Column name is RELATED_EMP.
FIRST_WEEK_WORKED_HOURS	NUMBER	PICT '999'. Column name is HOURS_WEEK.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
SSN_EXCEPTION_FLAG	VARCHAR2(1)	Column name is SSN_ERROR_CODE.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: PERFORMANCE REPORT CONTROL

Table Name: PRISM.PERF_RPT_CONTROL

Name	Data Type	Remarks
------	-----------	---------

REPORT_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed.
REPORT_VERSION	VARCHAR2(3)	Primary key field. Nulls not allowed.
REPORT_NAME	VARCHAR2(30)	Nulls not allowed.
START_PERIOD	VARCHAR2(5)	Nulls not allowed.
END_PERIOD	VARCHAR2(5)	Nulls not allowed.

Database Table Format

Record Description for: POST OUTCOME PERFORMANCE Table Name: PRISM.POST_OUTCOME_PERF_RPTS

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	
INTAKE_DT	DATE	YYYYMMDD format.
INTAKE_YEAR_QTR	VARCHAR2(5)	YYYYYQ format
OUTCOME_DT	DATE	YYYYMMDD format.
OUTCOME_YEAR_QTR	VARCHAR2(5)	YYYYYQ format
AGE_AT_INTAKE	NUMBER	
AGE_AT_EXIT	NUMBER	
GENDER	VARCHAR2(1)	
ETHNICITY	VARCHAR2(3)	
DISABILITY_CODE	VARCHAR2(2)	
LAST_GRADE	VARCHAR2(2)	
COUNTY_FIPS	VARCHAR2(2)	
WQC_REGION_CODE	VARCHAR2(3)	
STATE_FIPS	VARCHAR2(2)	
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	
ZIP_CODE	VARCHAR2(9)	
EMPLOYMENT_GOAL_FLAG	VARCHAR2(1)	
BASIC_SKILL_GOAL_FLAG	VARCHAR2(1)	
WORKFORCE_SKILL_GOAL_FLAG	VARCHAR2(1)	
OCCUPATIONAL_SKILL_GOAL_FLAG	VARCHAR2(1)	
ENROLLMENT_EDU_GOAL_FLAG	VARCHAR2(1)	
COMPLETION_EDU_GOAL_FLAG	VARCHAR2(1)	
SIC_CODE	VARCHAR2(4)	
SIC_DIVISION	VARCHAR2(1)	
POST_EPISODE_AVG_WKLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRS_WORKED	NUMBER	
POST_EPISODE_WAGE_QTRS	NUMBER	
POST_EPISODE_EMPLOYMENT_CODE	VARCHAR2(3)	
POST_EPISODE_NEW_EMPLYR_FLAG	VARCHAR2(1)	
RETENTION_CALC_FLAG	VARCHAR2(1)	
RETAINED_AVG_WKLY_WAGE	NUMBER	
RETAINED_AVG_HRLY_WAGE	NUMBER	
RETAINED_AVG_HRS_WORKED	NUMBER	
WAGE_GAIN_CALC_FLAG	VARCHAR2(1)	
WAGE_GAIN_AVG_WKLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRS_WORKED	NUMBER	
RETENTION_QTRS	NUMBER	
CONTINUOUS_EMPLOYMENT_IND	VARCHAR2(1)	
UNSUB_PLACEMENT_DT	DATE	
UNSUB_PLACEMENT_YEAR_QTR	VARCHAR2(5)	
PRE_EPISODE_WAGE_RECORD_CNT	NUMBER	
PRE_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
POST_EPISODE_WAGE_RECORD_CNT	NUMBER	
POST_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
RETAINED_WAGE_RECORD_CNT	NUMBER	
RETAINED_WAGE_OUTLIER_CNT	NUMBER	

Database Table Format

Record Description for: POST OUTCOME PERFORMANCE Table Name: PRISM.POST_OUTCOME_PERF_RPTS

Name	Data Type	Remarks
------	-----------	---------

WAGE_GAIN_WAGE_RECORD_CNT
WAGE_GAIN_WAGE_OUTLIER_CNT

NUMBER
NUMBER

Database Table Format

Record Description for: POST OUTCOME PERF VARIABLE Table Name: PRISM.POST_OUTCOME_PERF_RPTS_VAR

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	
SUBJECT_ID	VARCHAR2(9)	
INTAKE_DT	DATE	
INTAKE_YEAR_QTR	VARCHAR2(5)	YYYYQ format
OUTCOME_DT	DATE	
OUTCOME_YEAR_QTR	VARCHAR2(5)	YYYYQ format
AGE_AT_INTAKE	NUMBER	
AGE_AT_EXIT	NUMBER	
GENDER	VARCHAR2(1)	
ETHNICITY	VARCHAR2(3)	
DISABILITY_CODE	VARCHAR2(2)	
LAST_GRADE	VARCHAR2(2)	
COUNTY_FIPS	VARCHAR2(2)	
WQC_REGION_CODE	VARCHAR2(3)	
STATE_FIPS	VARCHAR2(2)	
OUTCOME_FIELD_OFFICE	VARCHAR2(4)	
ZIP_CODE	VARCHAR2(9)	
EMPLOYMENT_GOAL_FLAG	VARCHAR2(1)	
BASIC_SKILL_GOAL_FLAG	VARCHAR2(1)	
WORKFORCE_SKILL_GOAL_FLAG	VARCHAR2(1)	
OCCUPATIONAL_SKILL_GOAL_FLAG	VARCHAR2(1)	
ENROLLMENT_EDU_GOAL_FLAG	VARCHAR2(1)	
COMPLETION_EDU_GOAL_FLAG	VARCHAR2(1)	
SIC_CODE	VARCHAR2(4)	
SIC_DIVISION	VARCHAR2(1)	
POST_EPISODE_AVG_WKLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRS_WORKED	NUMBER	
POST_EPISODE_WAGE_QTRS	NUMBER	
POST_EPISODE_EMPLOYMENT_CODE	VARCHAR2(3)	
POST_EPISODE_NEW_EMPLYR_FLAG	VARCHAR2(1)	
RETENTION_CALC_FLAG	VARCHAR2(1)	
RETAINED_AVG_WKLY_WAGE	NUMBER	
RETAINED_AVG_HRLY_WAGE	NUMBER	
RETAINED_AVG_HRS_WORKED	NUMBER	
WAGE_GAIN_CALC_FLAG	VARCHAR2(1)	
WAGE_GAIN_AVG_WKLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRS_WORKED	NUMBER	
RETENTION_QTRS	NUMBER	
CONTINUOUS_EMPLOYMENT_IND	VARCHAR2(1)	
UNSUB_PLACEMENT_DT	DATE	
UNSUB_PLACEMENT_YEAR_QTR	VARCHAR2(5)	
PRE_EPISODE_WAGE_RECORD_CNT	NUMBER	
PRE_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
POST_EPISODE_WAGE_RECORD_CNT	NUMBER	
POST_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
RETAINED_WAGE_RECORD_CNT	NUMBER	

Database Table Format

Record Description for: POST OUTCOME PERF VARIABLE Table Name: PRISM.POST_OUTCOME_PERF_RPTS_VAR

Name	Data Type	Remarks
------	-----------	---------

RETAINED_WAGE_OUTLIER_CNT	NUMBER	
WAGE_GAIN_WAGE_RECORD_CNT	NUMBER	
WAGE_GAIN_WAGE_OUTLIER_CNT	NUMBER	

Database Table Format

Record Description for: STANDARD PRE/POST CALCULATION Table Name: PRISM.PRE_POST_STANDARD_CALC

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
SUBJECT_ID	VARCHAR2(9)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
INTAKE_DT	DATE	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
PRE_EPISODE_NUMBER_OF_EMPLYRS	NUMBER	
PRE_EPISODE_PRIMARY_SIC_CODE	VARCHAR2(4)	
PRE_EPISODE_PRIMARY_SIC_DIV	VARCHAR2(1)	
PRE_EPISODE_AVG_WKLY_WAGE	NUMBER	
PRE_EPISODE_AVG_HRLY_WAGE	NUMBER	
PRE_EPISODE_AVG_HRS_WORKED	NUMBER	
PRE_EPISODE_TIME_BASIS	VARCHAR2(1)	
PRE_EPISODE_WAGE_QTRS	NUMBER	
PRE_EPISODE_EMPLOYMENT_FLAG	VARCHAR2(1)	
POST_EPISODE_NUMBER_OF_EMPLYRS	NUMBER	
POST_EPISODE_PRIMARY_SIC_CODE	VARCHAR2(4)	
POST_EPISODE_PRIMARY_SIC_DIV	VARCHAR2(1)	
POST_EPISODE_AVG_WKLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRS_WORKED	NUMBER	
POST_EPISODE_TIME_BASIS	VARCHAR2(1)	
POST_EPISODE_WAGE_QTRS	NUMBER	
POST_EPISODE_EMPLOYMENT_CODE	VARCHAR2(3)	
POST_EPISODE_NEW_EMPLYR_FLAG	VARCHAR2(1)	
RETENTION_CALC_FLAG	VARCHAR2(1)	
RETAINED_AVG_WKLY_WAGE	NUMBER	
RETAINED_AVG_HRLY_WAGE	NUMBER	
RETAINED_AVG_HRS_WORKED	NUMBER	
RETENTION_QTRS	NUMBER	
WAGE_GAIN_CALC_FLAG	VARCHAR2(1)	
WAGE_GAIN_AVG_WKLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRS_WORKED	NUMBER	
OUTCOME_DT	DATE	
INTAKE_YEAR_QTR	VARCHAR2(5)	'YYYYQ' Format
OUTCOME_YEAR_QTR	VARCHAR2(5)	'YYYYQ' Format
CONTINUOUS_EMPLOYMENT_IND	VARCHAR2(1)	
UNSUB_PLACEMENT_DT	DATE	
UNSUB_PLACEMENT_YEAR_QTR	VARCHAR2(5)	
INSERT_DT	DATE	
LAST_UPDATE_DT	DATE	
PRE_EPISODE_WAGE_RECORD_CNT	NUMBER	
PRE_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
POST_EPISODE_WAGE_RECORD_CNT	NUMBER	
POST_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
RETAINED_WAGE_RECORD_CNT	NUMBER	
RETAINED_WAGE_OUTLIER_CNT	NUMBER	

Database Table Format

Record Description for: STANDARD PRE/POST CALCULATION Table Name: PRISM.PRE_POST_STANDARD_CALC

Name	Data Type	Remarks
------	-----------	---------

WAGE_GAIN_WAGE_RECORD_CNT	NUMBER	
WAGE_GAIN_WAGE_OUTLIER_CNT	NUMBER	
PRE_EPISODE_CALC_COUNT	NUMBER	
POST_EPISODE_CALC_COUNT	NUMBER	

Database Table Format

Record Description for: VARIABLE PRE/POST CALCULATION Table Name: PRISM.PRE_POST_VARIABLE_CALC

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
SUBJECT_ID	VARCHAR2(9)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
INTAKE_DT	DATE	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.EPISODE.
PRE_EPISODE_NUMBER_OF_EMPLYRS	NUMBER	
PRE_EPISODE_PRIMARY_SIC_CODE	VARCHAR2(4)	
PRE_EPISODE_PRIMARY_SIC_DIV	VARCHAR2(1)	
PRE_EPISODE_AVG_WKLY_WAGE	NUMBER	
PRE_EPISODE_AVG_HRLY_WAGE	NUMBER	
PRE_EPISODE_AVG_HRS_WORKED	NUMBER	
PRE_EPISODE_TIME_BASIS	VARCHAR2(1)	
PRE_EPISODE_WAGE_QTRS	NUMBER	
PRE_EPISODE_EMPLOYMENT_FLAG	VARCHAR2(1)	
POST_EPISODE_NUMBER_OF_EMPLYRS	NUMBER	
POST_EPISODE_PRIMARY_SIC_CODE	VARCHAR2(4)	
POST_EPISODE_PRIMARY_SIC_DIV	VARCHAR2(1)	
POST_EPISODE_AVG_WKLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRLY_WAGE	NUMBER	
POST_EPISODE_AVG_HRS_WORKED	NUMBER	
POST_EPISODE_TIME_BASIS	VARCHAR2(1)	
POST_EPISODE_WAGE_QTRS	NUMBER	
POST_EPISODE_EMPLOYMENT_CODE	VARCHAR2(3)	
POST_EPISODE_NEW_EMPLYR_FLAG	VARCHAR2(1)	
RETENTION_CALC_FLAG	VARCHAR2(1)	
RETAINED_AVG_WKLY_WAGE	NUMBER	
RETAINED_AVG_HRLY_WAGE	NUMBER	
RETAINED_AVG_HRS_WORKED	NUMBER	
RETENTION_QTRS	NUMBER	
WAGE_GAIN_CALC_FLAG	VARCHAR2(1)	
WAGE_GAIN_AVG_WKLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRLY_WAGE	NUMBER	
WAGE_GAIN_AVG_HRS_WORKED	NUMBER	
OUTCOME_DT	DATE	
INTAKE_YEAR_QTR	VARCHAR2(5)	'YYYYYQ' Format
OUTCOME_YEAR_QTR	VARCHAR2(5)	'YYYYYQ' Format
CONTINUOUS_EMPLOYMENT_IND	VARCHAR2(1)	
UNSUB_PLACEMENT_DT	DATE	
UNSUB_PLACEMENT_YEAR_QTR	VARCHAR2(5)	
INSERT_DT	DATE	
LAST_UPDATE_DT	DATE	
PRE_EPISODE_WAGE_RECORD_CNT	NUMBER	
PRE_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
POST_EPISODE_WAGE_RECORD_CNT	NUMBER	
POST_EPISODE_WAGE_OUTLIER_CNT	NUMBER	
RETAINED_WAGE_RECORD_CNT	NUMBER	
RETAINED_WAGE_OUTLIER_CNT	NUMBER	

Database Table Format

Record Description for: VARIABLE PRE/POST CALCULATIONSTable Name: PRISM.PRE_POST_VARIABLE_CALC

Name	Data Type	Remarks
------	-----------	---------

WAGE_GAIN_WAGE_RECORD_CNT	NUMBER	
WAGE_GAIN_WAGE_OUTLIER_CNT	NUMBER	
PRE_EPISODE_CALC_COUNT	NUMBER	
POST_EPISODE_CALC_COUNT	NUMBER	

Database Table Format

Record Description for: VAR PRE/POST CALC PARAM Table Name: PRISM.PRE_POST_VAR_CALC_PARAMETERS

Name	Data Type	Remarks
------	-----------	---------

FROM_OUTCOME_YEAR_QTR	VARCHAR2(5)	
TO_OUTCOME_YEAR_QTR	VARCHAR2(5)	
PRE_EPISODE_WINDOW_SIZE	NUMBER	
POST_EPISODE_WINDOW_SIZE	NUMBER	
AGENCIES_PROCESSED	VARCHAR2(100)	

Database Table Format

Record Description for: Program Code Validation

Table Name: PRISM.PROGRAMS

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.AGENCY. Column name is AGENCY.
PROGRAM_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed. Column name is PROGRAM.
PROGRAM_LEVEL_1_DESCRIPTION	VARCHAR2(11)	Column name is LEVEL1.
PROGRAM_LEVEL_2_DESCRIPTION	VARCHAR2(30)	Column name is LEVEL2.

Database Table Format

Record Description for: CAF Recidivism Branch Report Table Name: PRISM.RECIDIVISM_BRANCH_REPORT

Name	Data Type	Remarks
REPORT_RUN_MONTH	VARCHAR2(6)	Primary key field. Nulls not allowed.
DISTRICT_NUMBER	VARCHAR2(2)	Primary key field. Nulls not allowed
BRANCH_NUMBER	VARCHAR2(4)	Primary key field. Nulls not allowed.
REOPEN_30_60	NUMBER	.
REOPEN_30_60_PERCENT	VARCHAR2(8)	.
REOPEN_61_90	NUMBER	.
REOPEN_61_90_PERCENT	VARCHAR2(8)	.
REOPEN_91_180	NUMBER	.
REOPEN_91_180_PERCENT	VARCHAR2(8)	.
REOPEN_181_365	NUMBER	.
REOPEN_181_365_PERCENT	VARCHAR2(8)	.
REOPEN_13_18_MO	NUMBER	.
REOPEN_13_18_MO_PERCENT	VARCHAR2(8)	.
NEVER_RETURNED	NUMBER	.
NEVER_RETURNED_PERCENT	VARCHAR2(8)	.
RETURNED_NOW_OFF	NUMBER	.
RETURNED_NOW_OFF_PERCENT	VARCHAR2(8)	.
RETURNED_NOW_ON	NUMBER	.
RETURNED_NOW_ON_PERCENT	VARCHAR2(8)	.

Database Table Format

Record Description for: CAF Recidivism District Report Table Name: PRISM.RECIDIVISM_DISTRICT_REPORT

Name	Data Type	Remarks
REPORT_RUN_MONTH	VARCHAR2(6)	Primary key field. Nulls not allowed.
DISTRICT_NUMBER	VARCHAR2(2)	Primary key field. Nulls not allowed
REOPEN_30_60		.
REOPEN_30_60_PERCENT		
REOPEN_61_90	NUMBER	.
REOPEN_61_90_PERCENT	VARCHAR2(8)	
REOPEN_91_180	NUMBER	.
REOPEN_91_180_PERCENT	VARCHAR2(8)	
REOPEN_181_365	NUMBER	.
REOPEN_181_365_PERCENT	VARCHAR2(8)	
REOPEN_13_18_MO	NUMBER	.
REOPEN_13_18_MO_PERCENT	VARCHAR2(8)	
NEVER_RETURNED	NUMBER	
NEVER_RETURNED_PERCENT	VARCHAR2(8)	
RETURNED_NOW_OFF	NUMBER	
RETURNED_NOW_OFF_PERCENT	VARCHAR2(8)	
RETURNED_NOW_ON	NUMBER	
RETURNED_NOW_ON_PERCENT	VARCHAR2(8)	

Database Table Format

Record Description for: SERVICE CODE VALIDATION

Table Name: PRISM.SERVICE_CODES

Name	Data Type	Remarks
------	-----------	---------

SERVICE_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed. Column name is SERVICE.
SERVICE_LEVEL_1_DESCRIPTION	VARCHAR2(25)	Column name is LEVEL1.
SERVICE_LEVEL_2_DESCRIPTION	VARCHAR2(26)	Column name is LEVEL2.
SERVICE_LEVEL_3_DESCRIPTION	VARCHAR2(25)	Column name is LEVEL3.

Database Table Format

Record Description for: SERVICE TRANSACTION COLLECTION Table Name: PRISM.SERVICE_COLLECTION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
SERVICE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
PROGRAM_CODE	VARCHAR2(3)	Column name is PROGRAM.
SERVICE_CODE	VARCHAR2(3)	Column name is SERVICE.
CIP_CODE	VARCHAR2(6)	Column name is CIP.
TRAINING_MODE	VARCHAR2(1)	Column name is TRAIN_MODE.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
TRAINING_UNIT	VARCHAR2(1)	Column name is TRAIN_UNIT.
TRAINING_LENGTH	VARCHAR2(5)	Column name is LENGTH.
FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
SERVICE_COMP_DT	VARCHAR2(8)	YYYYMMDD format. Column name is SER_END_DATE.
SERVICE_SEQ_ID	VARCHAR2(9)	Column name is SEQUENCE_ID.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL_COLLECTION.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
OCN_STATUS	VARCHAR2(3)	
DOT_CODE	VARCHAR2(9)	
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: CLIENT SERVICES DATA

Table Name: PRISM.SERVICES

Name	Data Type	Remarks
AGENCY_CODE	VARCHAR2(2)	Primary key field. Nulls not allowed.
SUBJECT_ID	VARCHAR2(9)	Foreign key reference to table PRISM.EPISODE Primary key field. Nulls not allowed.
INTAKE_DT	DATE	Foreign key reference to table PRISM.EPISODE Primary key field. Nulls not allowed.
SERVICE_DT	DATE	Foreign key reference to table PRISM.EPISODE. Primary key field. Nulls not allowed.
PROGRAM_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed.
SERVICE_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed.
CIP_CODE	VARCHAR2(6)	Primary key field. Nulls not allowed.
SERVICE_SEQ_ID	VARCHAR2(9)	Primary key field. Nulls not allowed.
TRAINING_MODE	VARCHAR2(1)	Nulls not allowed.
TRAINING_UNIT	VARCHAR2(1)	Nulls not allowed.
TRAINING_LENGTH	VARCHAR2(5)	Nulls not allowed.
FIELD_OFFICE	VARCHAR2(4)	Nulls not allowed.
EXIT_CODE	VARCHAR2(3)	Nulls not allowed.
SERVICE_COMP_DT	DATE	
OCN_STATUS	VARCHAR2(3)	Nulls not allowed.
SERVICE_START_YEAR_QTR	VARCHAR2(5)	
SERVICE_COMP_YEAR_QTR	VARCHAR2(5)	
INSERT_DT	DATE	Nulls not allowed.
LAST_UPDATE_DT	DATE	

Database Table Format

Record Description for: SERVICE TRANSACTION SUSPENSE

Table Name: PRISM.SERVICES_SUSPENSE

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL_CODE	VARCHAR2(1)	
LEVEL_CODE_E1	VARCHAR2(20)	
LEVEL_CODE_E2	VARCHAR2(20)	
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY	VARCHAR2(2)	
AGENCY_E1	VARCHAR2(20)	
AGENCY_E2	VARCHAR2(20)	
EVENT_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
EVENT_DT_E1	VARCHAR2(20)	Column name is EVENT_DATE_E1.
EVENT_DT_E2	VARCHAR2(20)	Column name is EVENT_DATE_E2.
PROGRAM	VARCHAR2(3)	
PROGRAM_E1	VARCHAR2(20)	
PROGRAM_E2	VARCHAR2(20)	
SERVICE	VARCHAR2(3)	
SERVICE_E1	VARCHAR2(20)	
SERVICE_E2	VARCHAR2(20)	
CIP	VARCHAR2(6)	
CIP_E1	VARCHAR2(20)	
CIP_E2	VARCHAR2(20)	
TRAIN_MODE	VARCHAR2(1)	
TRAIN_MODE_E1	VARCHAR2(20)	
TRAIN_MODE_E2	VARCHAR2(20)	
EXIT	VARCHAR2(3)	
EXIT_E1	VARCHAR2(20)	
EXIT_E2	VARCHAR2(20)	
TRAIN_UNIT	VARCHAR2(1)	
TRAIN_UNIT_E1	VARCHAR2(20)	
TRAIN_UNIT_E2	VARCHAR2(20)	
TRAIN_LENGTH	VARCHAR2(5)	Column name is LENGTH.
TRAIN_LENGTH_E1	VARCHAR2(20)	Column name is LENGTH_E1.
TRAIN_LENGTH_E2	VARCHAR2(20)	Column name is LENGTH_E2.
FLD_OFF	VARCHAR2(4)	
FLD_OFF_E1	VARCHAR2(20)	
FLD_OFF_E2	VARCHAR2(20)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format
INTAKE_DATE_E1	VARCHAR2(20)	Column name is INT_DATE_E1.
INTAKE_DATE_E2	VARCHAR2(20)	Column name is INT_DATE_E2.
SERVICE_COMP_DT	VARCHAR2(8)	YYYYMMDD format. Column name is SERVICE_END_DATE

Database Table Format

Record Description for: SERVICE TRANSACTION SUSPENSE

Table Name: PRISM.SERVICES_SUSPENSE

Name	Data Type	Remarks
COMP_DT_E1	VARCHAR2(20)	Column name is SER_END_DATE_E1
COMP_DT_E2	VARCHAR2(20)	Column name is SER_END_DATE_E2
SEQUENCE_ID	VARCHAR2(9)	
SEQUENCE_ID_E1	VARCHAR2(20)	
SEQUENCE_ID_E2	VARCHAR2(20)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
FILLER_AREA	VARCHAR2(8)	
SERVICE_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
OCN_STATUS	VARCHAR2(3)	
OCN_STATUS_E1	VARCHAR2(20)	
OCN_STATUS_E2	VARCHAR2(20)	
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: SERVICE TRANS SUSPENSE DELETED Table Name: **PRISM.SERVICES_SUSPENSE_DELETED**

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
LEVEL_E1	VARCHAR2(20)	Column name is LEVEL_CODE_E1.
LEVEL_E2	VARCHAR2(20)	Column name is LEVEL_CODE_E2.
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
AGENCY_CODE_E1	VARCHAR2(20)	Column name is AGENCY_E1.
AGENCY_CODE_E2	VARCHAR2(20)	Column name is AGENCY_E2.
SERVICE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
SERVICE_DT_E1	VARCHAR2(20)	Column name is EVENT_DATE_E1.
SERVICE_DT_E2	VARCHAR2(20)	Column name is EVENT_DATE_E2.
PROGRAM_CODE	VARCHAR2(3)	Column name is PROGRAM.
PROGRAM_CODE_E1	VARCHAR2(20)	Column name is PROGRAM_E1.
PROGRAM_CODE_E2	VARCHAR2(20)	Column name is PROGRAM_E2.
SERVICE_CODE	VARCHAR2(3)	Column name is SERVICE.
SERVICE_CODE_E1	VARCHAR2(20)	Column name is SERVICE_E1.
SERVICE_CODE_E2	VARCHAR2(20)	Column name is SERVICE_E2.
CIP_CODE	VARCHAR2(6)	Column name is CIP.
CIP_CODE_E1	VARCHAR2(20)	Column name is CIP_E1.
CIP_CODE_E2	VARCHAR2(20)	Column name is CIP_E2.
TRAINING_MODE	VARCHAR2(1)	Column name is TRAIN_MODE.
TRAINING_MODE_E1	VARCHAR2(20)	Column name is TRAIN_MODE_E1.
TRAINING_MODE_E2	VARCHAR2(20)	Column name is TRAIN_MODE_E2.
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
EXIT_CODE_E1	VARCHAR2(20)	Column name is EXIT_E1.
EXIT_CODE_E2	VARCHAR2(20)	Column name is EXIT_E2.
TRAINING_UNIT	VARCHAR2(1)	Column name is TRAIN_UNIT.
TRAINING_UNIT_E1	VARCHAR2(20)	Column name is TRAIN_UNIT_E1.
TRAINING_UNIT_E2	VARCHAR2(20)	Column name is TRAIN_UNIT_E2.
TRAINING_LENGTH	VARCHAR2(5)	Column name is LENGTH.
TRAINING_LENGTH_E1	VARCHAR2(20)	Column name is LENGTH_E1.
TRAINING_LENGTH_E2	VARCHAR2(20)	Column name is LENGTH_E2.
FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
FIELD_OFFICE_E1	VARCHAR2(20)	Column name is FLD_OFF_E1.
FIELD_OFFICE_E2	VARCHAR2(20)	Column name is FLE_OFF_E2.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
INTAKE_DT_E1	VARCHAR2(20)	Column name is INT_DATE_E1.
INTAKE_DT_E2	VARCHAR2(20)	Column name is INT_DATE_E2.
SERVICE_COMP_DT	VARCHAR2(8)	YYYYMMDD format. Column name is

Database Table Format

Record Description for: SERVICE TRANS SUSPENSE DELETED Table Name: **PRISM.SERVICES_SUSPENSE_DELETED**

Name	Data Type	Remarks
SERVICE_COMP_DT_E1	VARCHAR2(20)	SERVICE_END_DATE. Column name is SER_END_DATE_E1.
SERVICE_COMP_DT_E2	VARCHAR2(20)	Column name is SER_END_DATE_E2.
SERVICE_SEQ_ID	VARCHAR2(9)	Column name is SEQUENCE_ID.
SERVICE_SEQ_ID_E1	VARCHAR2(20)	Column name is SEQUENCE_ID_E1.
SERVICE_SEQ_ID_E2	VARCHAR2(20)	Column name is SEQUENCE_ID_E2.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Foreign key reference to table PRISM.TRANSMITTAL
DELETED_DATE	VARCHAR2(8)	
SERVICE_EPISODE_ERROR	VARCHAR2(50)	
TRANSMITTAL_ITEM_NUMBER	NUMBER	
OCN_STATUS	VARCHAR2(3)	
OCN_STATUS_E1	VARCHAR2(20)	
OCN_STATUS_E2	VARCHAR2(20)	
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	

Database Table Format

Record Description for: VALIDATED SERVICE TRANSACTIONS Table Name: PRISM.SERVICES_VALIDATION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL	VARCHAR2(1)	Column name is LEVEL_CODE.
SUBJECT_ID	VARCHAR2(9)	Column name is SSN.
RELEASE	VARCHAR2(1)	
AGENCY_CODE	VARCHAR2(2)	Column name is AGENCY.
SERVICE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is EVENT_DATE.
PROGRAM_CODE	VARCHAR2(3)	Column name is PROGRAM.
SERVICE_CODE	VARCHAR2(3)	Column name is SERVICE.
CIP_CODE	VARCHAR2(6)	Column name is CIP.
TRAINING_MODE	VARCHAR2(1)	Column name is TRAIN_MODE
EXIT_CODE	VARCHAR2(3)	Column name is EXIT.
TRAINING_UNIT	VARCHAR2(1)	Column name is TRAIN_UNIT.
TRAINING_LENGTH	VARCHAR2(5)	Column name is LENGTH.
FIELD_OFFICE	VARCHAR2(4)	Column name is FLD_OFF.
INTAKE_DT	VARCHAR2(8)	YYYYMMDD format. Column name is INTAKE_DATE.
SERVICE_COMP_DT	VARCHAR2(8)	YYYYMMDD format. Column name is SER_END_DATE.
SERVICE_SEQ_ID	VARCHAR2(9)	Column name is SEQUENCE_ID.
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL
SSN_EXCEPTION_FLAG	VARCHAR2(1)	Column name is SSN_ERROR_CODE.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
OCN_STATUS	VARCHAR2(3)	
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: CROSSWALK FROM SIC TO NAICS

Table Name: PRISM.SIC_TO_NAICS

Name	Data Type	Remarks
------	-----------	---------

EMPLOYER_ID

VARCHAR2(10)

Primary field key. Nulls not allowed.

SIC

VARCHAR2(4)

NAICS

VARCHAR2(6)

Database Table Format

Record Description for: SSN CHANGE TRANSACTION COLLECTION Table Name: PRISM.SSN_COLLECTION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL_CODE	VARCHAR2(1)	
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY	VARCHAR2(2)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format
SSN_CHANGE	VARCHAR2(9)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: SSN CHANGE TRANS SUSPENSE

Table Name: PRISM.SSN_SUSPENSE

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL_CODE	VARCHAR2(1)	
LEVEL_CODE_E1	VARCHAR2(20)	
LEVEL_CODE_E2	VARCHAR2(20)	
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY	VARCHAR2(2)	
AGENCY_E1	VARCHAR2(20)	
AGENCY_E2	VARCHAR2(20)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format.
INTAKE_DATE_E1	VARCHAR2(20)	
INTAKE_DATE_E2	VARCHAR2(20)	
SSN_CHANGE	VARCHAR2(9)	
SSN_CHANGE_E1	VARCHAR2(20)	
SSN_CHANGE_E2	VARCHAR2(20)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	
SSN_EPISODE_ERROR	VARCHAR2(50)	
DELETED_DATE	VARCHAR2(8)	

Database Table Format

Record Description for: SSN CHANGE TRANS SUSPENSE DELETED Table Name: PRISM.SSN_SUSPENSE_DELETED

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
REC_TYPE_E1	VARCHAR2(20)	
REC_TYPE_E2	VARCHAR2(20)	
LEVEL_CODE	VARCHAR2(1)	
LEVEL_CODE_E1	VARCHAR2(20)	
LEVEL_CODE_E2	VARCHAR2(20)	
SSN	VARCHAR2(9)	
SSN_E1	VARCHAR2(20)	
SSN_E2	VARCHAR2(20)	
RELEASE	VARCHAR2(1)	
RELEASE_E1	VARCHAR2(20)	
RELEASE_E2	VARCHAR2(20)	
AGENCY	VARCHAR2(2)	
AGENCY_E1	VARCHAR2(20)	
AGENCY_E2	VARCHAR2(20)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format.
INTAKE_DATE_E1	VARCHAR2(20)	
INTAKE_DATE_E2	VARCHAR2(20)	
SSN_CHANGE	VARCHAR2(9)	
SSN_CHANGE_E1	VARCHAR2(20)	
SSN_CHANGE_E2	VARCHAR2(20)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	
SYSTEM_CODE_E1	VARCHAR2(20)	
SYSTEM_CODE_E2	VARCHAR2(20)	
SSN_EPISODE_ERROR	VARCHAR2(50)	
DELETED_DATE	VARCHAR2(8)	

Database Table Format

Record Description for: VALIDATED SSN CHANGE TRANSACTIONS

Table Name: PRISM.SSN_VALIDATION

Name	Data Type	Remarks
REC_TYPE	VARCHAR2(1)	
LEVEL_CODE	VARCHAR2(1)	
SSN	VARCHAR2(9)	
RELEASE	VARCHAR2(1)	
AGENCY	VARCHAR2(2)	
INTAKE_DATE	VARCHAR2(8)	YYYYMMDD format
SSN_CHANGE	VARCHAR2(9)	
ENTERING_AGENCY	VARCHAR2(2)	
ENTERED_HOW	VARCHAR2(5)	
LAST_USER	VARCHAR2(7)	
SUSPENDED_DATE	VARCHAR2(8)	
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed. Foreign key reference to table PRISM.TRANSMITTAL.
TRANSMITTAL_ITEM_NUMBER	NUMBER	Primary key field. Nulls not allowed.
SYSTEM_CODE	VARCHAR2(1)	
SSN_ERROR_CODE	VARCHAR2(1)	

Database Table Format

Record Description for: **BREAK DOWN OF AGE GROUPS**

Table Name: **PRISM.STANDARD_AGE_GROUPS**

Name	Data Type	Remarks
------	-----------	---------

AGE_GROUP_CODE	VARCHAR2(1)	
FLOOR_AGE	NUMBER	
CEILING_AGE	NUMBER	
AGE_GROUP_DESCRIPTION	VARCHAR2(40)	

Database Table Format

Record Description for: GRADE LEVEL IN SCHOOL Table Name: PRISM.STANDARD_EDUCATION_GROUPS

Name	Data Type	Remarks
------	-----------	---------

LG_GROUP_CODE	VARCHAR2(1)	
LG_CODES	VARCHAR2(60)	
LG_GROUP_DESCRIPTION	VARCHAR2(40)	

Database Table Format

Record Description for: ETHNICITY/RACE GROUPS

Table Name: PRISM.STANDARD_ETHNIC_GROUPS

Name	Data Type	Remarks
------	-----------	---------

ETHNIC_GROUP_CODE

VARCHAR2(1)

ETHNIC_CODES

VARCHAR2(400)

ETHNIC_GROUP_DESCRIPTION

VARCHAR2(60)

Database Table Format

Record Description for: INDUSTRY CLASSIFICATIONS Table Name: PRISM.STANDARD_INDUSTRY_GROUPS

Name	Data Type	Remarks
------	-----------	---------

SIC_DIVISION
DIVISION_DESCRIPTION

VARCHAR2(1)
VARCHAR2(40)

Database Table Format

Record Description for: STATE CODE VALIDATION

Table Name: PRISM.STATE

Name	Data Type	Remarks
------	-----------	---------

STATE_FIPS

VARCHAR2(2)

Primary key field. Nulls not allowed. Column name is STATE.

STATE_NAME

VARCHAR2(16)

Column name is DESCR.

Database Table Format

Record Description for: SUBJECT INFORMATION

Table Name: PRISM.SUBJECT

Name	Data Type	Remarks
SUBJECT_ID	VARCHAR2(9)	Primary key field. Nulls not allowed
BIRTH_DT	DATE	
GENDER	VARCHAR2(1)	
ETHNICITY	VARCHAR2(3)	
LAST_GRADE	VARCHAR2(2)	
VETERAN_STATUS	VARCHAR2(1)	
HOMELESS_STATUS	VARCHAR2(1)	
DISABILITY_CODE	VARCHAR2(2)	
DISABILITY_TYPE1	VARCHAR2(2)	
DISABILITY_TYPE2	VARCHAR2(2)	
MARITAL_STATUS	VARCHAR2(1)	
PRIMARY_OES_CODE	VARCHAR2(5)	
INTAKE_DT	DATE	
SSN_EXCEPTION_FLAG	VARCHAR2(1)	
WORKER_PROFILE_FLAG	VARCHAR2(1)	
INSERT_DT	DATE	Nulls not allowed.
LAST_UPDATE_DT	DATE	

Database Table Format

Record Description for: CROSSWALK TABLE

Table Name: PRISM.TRANS_REC_TYPE_CROSS

Name	Data Type	Remarks
------	-----------	---------

REC_TYPE_CODE
PROC_SEQ_CODE

VARCHAR2(1)
VARCHAR2(1)

Nulls not allowed.
Nulls not allowed.

Database Table Format

Record Description for: TRANSMITTAL TABLE

Table Name: PRISM.TRANSMITTAL

Name	Data Type	Remarks
TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed
INTAKE_REC_COUNT	NUMBER	
SERVICES_REC_COUNT	NUMBER	
OUTCOMES_REC_COUNT	NUMBER	
AGENCY_CODE	VARCHAR2(2)	
PROCESSING_STATUS	VARCHAR2(3)	
ELIGIBLE_CLIENT_COUNT	NUMBER	
SUBMITTED_CLIENT_COUNT	NUMBER	
REPORTING_PERIOD_BEGIN_DATE	DATE	
REPORTING_PERIOD_END_DATE	DATE	
PROCESSED_DATE	DATE	
GOALS_REC_COUNT	NUMBER	
SYSTEM_CODE	VARCHAR2(1)	
SSN_CHANGE_REC_COUNT	NUMBER	

Database Table Format

Record Description for: TRANSMITTAL TABLE

Table Name: PRISM.TRANSMITTAL_COLLECTION

Name	Data Type	Remarks
------	-----------	---------

TRANSMITTAL_NUMBER	VARCHAR2(10)	Primary key field. Nulls not allowed
INTAKE_REC_COUNT	NUMBER	
SERVICES_REC_COUNT	NUMBER	
OUTCOMES_REC_COUNT	NUMBER	
AGENCY_CODE	VARCHAR2(2)	
PROCESSING_STATUS	VARCHAR2(3)	
ELIGIBLE_CLIENT_COUNT	NUMBER	
SUBMITTED_CLIENT_COUNT	NUMBER	
REPORTING_PERIOD_BEGIN_DATE	DATE	
REPORTING_PERIOD_END_DATE	DATE	
GOALS_REC_COUNT	NUMBER	
SYSTEM_CODE	VARCHAR2(1)	
SSN_CHANGE_REC_COUNT	NUMBER	

Database Table Format

Record Description for: WORKFORCE REGIONS

Table Name: PRISM.WORKFORCE_REGIONS

Name	Data Type	Remarks
------	-----------	---------

WORKFORCE_REGION_CODE	VARCHAR2(3)	Primary key field. Nulls not allowed
WORKFORCE_AREA_CODE	VARCHAR2(1)	
WORKFORCE_REGION_DESCRIPTION	VARCHAR2(60)	

Database Table Format

Record Description for: ZIP CODE VALIDATION

Table Name: PRISM.ZIP

Name	Data Type	Remarks
ZIP_CODE	VARCHAR2(9)	Primary key field. Nulls not allowed. Column name is ZIP.
CITY_NAME	VARCHAR2(15)	Column name is CITY.
COUNTY_CODE	VARCHAR2(3)	Column name is COUNTYCOD.