Table

Number Table Name

(Click on the table number to go to corresponding table)

Narrative

05.01	Great Circle Distances Between Specified Places
05.02	Latitudes and Longitudes of Selected Places
05.03	Time Differences Between Honolulu and Selected Cities
05.04	Widths and Depths of Channels
<u>05.05</u>	General Coastline and Tidal Shoreline of Counties and Islands
<u>05.06</u>	Land and Water Area within the Fishery Conservation Zone
<u>05.07</u>	Land Area of Counties: 2000
<u>05.08</u>	Land Area of Islands: 2000
<u>05.09</u>	Major and Minor Islands in the Hawaiian Archipelago
<u>05.10</u>	Area and Depth of Selected Craters
<u>05.11</u>	Elevations of Major Summits
<u>05.12</u>	Major Named Waterfalls, by Island
<u>05.13</u>	Major Streams, by Island
<u>05.14</u>	Lakes and Lake-Like Waters, by Island
<u>05.15</u>	Length and Width of Selected Beaches
<u>05.16</u>	Miscellaneous Geographic Statistics, by Island
<u>05.17</u>	Volcanic Eruptions: Mauna Loa 1950 to 1984, Kilauea 1969 to 2006
<u>05.18</u>	Major Earthquakes: 1838 to 2006
<u>05.19</u>	Earthquakes with Intensities on Oahu of V or Greater: 1859 to 2006
<u>05.20</u>	Tsunamis with Run-up of 2 Meters (6.6 feet) or More: 1819 to 2006
<u>05.21</u>	Major Dams
<u>05.22</u>	Fresh Water Use, by Type, by County: 2000
05.23	Water Services and Consumption, for County Waterworks: 2004 to 2006
<u>05.24</u>	Water Withdrawals by Source and Major Use, for the United States and
05.25	Hawaii: 2000 Ton 25 Weter Hears on Oahyu May 2005 to April 2006
	Top 25 Water Users on Oahu: May 2005 to April 2006 Hazardous Waste Sites, Threats and Contaminants on Oahu
05.26	Toxic Chemical Releases in 2004, Hazardous Waste Sites in 2004, and
05.27	Hazardous Waste Generated, Shipped, and Received in 2003
05.28	Water Quality at Public Beaches, by Island: 2005 and 2006
05.29	Water Quality at Selected Public Beaches: 2005 and 2006 Refuse and Sewage Statistics for Oahu: 1995 to 2006
05.30	Š
05.31	Air Quality at Specified Leastings 2006
05.32	Air Quality at Specified Locations: 2006
<u>05.33</u>	Release of Toxics: 1999 to 2005

Table

Number Table Name

(Click on the table number to go to corresponding table)

05.34	Release of Persistent, Bioaccumulative and Toxic (PBT) Chemicals: 2000 to 2005
05.35	Atmospheric Carbon Dioxide Measurements at Mauna Loa: Annual Mean
	Values, 1958 to 2006
05.36	Temperatures and Precipitation for Selected Places
05.37	Environmental Indicators: 2003 to 2005
05.38	Climatic Normals, Means, and Extremes for Hilo, Kahului, Honolulu, and
	Lihue Airports: 2006
05.39	Monthly and Annual Climatic Data for Honolulu International Airport: 2006
05.40	Average Temperature, Percent of Possible Sunshine, and Precipitation, for
	Honolulu International Airport: 1950 to 2006
<u>05.41</u>	Average Daily Temperature and Days with Maximum of 90° or Higher, for
	Honolulu International Airport: 1971 to 2006
05.42	Climatic Data for Honolulu International Airport: 1993 to 2006
05.43	Climatic Data for the Period of Record
<u>05.44</u>	Rainfall at Specified Locations: Annually, 1994 to 2006
<u>05.45</u>	Major Hurricanes: 1950 to 2006
<u>05.46</u>	Trade Winds, High Surf, and Temperatures in Hawaiian Waters, by Months
<u>05.47</u>	Sunrise, Sunset, and Hours of Daylight at Selected Locations, at Beginning of
	Each Season: 2007
<u>05.48</u>	Sunrise, Sunset, and Hours of Daylight at Selected Locations, at Beginning of
	Each Season: 2008
<u>05.49</u>	Hawaii Audubon Society Bird Counts of Major Species in the Honolulu Area:
	2001 to 2005
<u>05.50</u>	Hawaii Audubon Society Bird Counts in the Honolulu Area, by Type of
	Species: 1999 to 2002
<u>05.51</u>	Bird Species of Hawaii: 2002
<u>05.52</u>	Trees Along Streets or in Parks Under the Jurisdiction of the City and County
	of Honolulu: 2001 to 2006
05.53	Estimated Number of Species in Hawaii: 2000 to 2005
05.54	Threatened and Endangered Species, for the United States and Hawaii

Section 5

GEOGRAPHY AND ENVIRONMENT

This section relates to land and water areas, physical geography, climate, air and water quality, and other geographic and environmental measurements of Hawaii. Most statistics on land use and ownership, however, appear in Section 6.

Important sources of data include the U.S. Geological Survey, the National Ocean Survey, the National Climatic Data Center, the Division of Water Resource Management of the Hawaii State Department of Land and Natural Resources, the Hawaii State Department of Health, and the University of Hawaii Institute of Geophysics. Detailed information is given in *Atlas of Hawaii*, 3rd edition, published by the University of Hawaii Press in 1998. National data are reported in the *Statistical Abstract of the United States:* 2007, Section 6.

Table 5.01-- GREAT CIRCLE DISTANCES BETWEEN SPECIFIED PLACES

Places	Statute miles	Nautical miles	Kilometers
DISTANCES FROM HONOLULU INTERNATIONAL AIRPORT			
Hawaiian Islands locations:			
Hilo, Hawaii	214	186	344
Kailua, Kona, Hawaii	168	146	270
Kahului, Maui	98	85	158
Lanai Airport	72	63	116
Molokai Airport	54	47	87
Lihue, Kauai	103	90	166
Puuwai, Niihau	152	132	245
Nihoa	283	246	455
Necker Island	520	452	837
French Frigate Shoals	556	483	895
Gardner Pinnacles	688	598	1,107
Maro Reef	851	739	1,369
Laysan Island	936	813	1,506
Lisianski Island	1,065	925	1,714
Pearl and Hermes Atoll	1,208	1,050	1,944
Midway Islands	1,309	1,137	2,106
Kure Atoll	1,367	1,188	2,200
Other Pacific locations:			
Apra Harbor, Guam	3,806	3,307	6,124
Auckland, New Zealand	4,393	3,817	7,068
Baker Island	1,900	1,649	3,058
Hong Kong	5,541	4,815	8,915
Howland Island	1,900	1,649	3,058
Jarvis Island	1,560	1,354	2,511
Johnston Atoll	820	713	1,319
Kingman Reef	1,073	932	1,726
Kiritimati (Christmas Island), Kiribati	1,344	1,168	2,163
Majuro, Marshall Islands	2,271	1,973	3,654
Manila, Philippines	5,293	4,599	8,516
Nuku Hiva, Marquesas Islands	2,400	2,086	3,864
Pago Pago, American Samoa	2,606	2,265	4,193
Palmyra Atoll	1,101	957	1,772
Papeete, Tahiti	2,741	2,382	4,410
Suva, Fiji	3,159	2,745	5,083
Sydney (Port Jackson), Australia	5,070	4,406	8,158
Tokyo, Japan	3,847	3,343	6,190
Wake Island	2,294	1,993	3,691

Continued on next page.

Table 5.01-- GREAT CIRCLE DISTANCES BETWEEN SPECIFIED PLACES -- Con.

Places	Statute miles	Nautical miles	Kilometers
DISTANCES FROM HONOLULU INT. AIRPORTCon.			
North and South American locations: Anchorage, Alaska Cape Horn, Chile Chicago, Illinois Cristobal, Canal Zone Los Angeles, California Miami, Florida New York, New York Portland, Oregon San Diego, California San Francisco, California Seattle, Washington Vancouver, B.C. Tijuana, Mexico Washington, D.C. London, England Bombay, India Ghanzi, Botswana 1/ Equator, due south of Honolulu North Pole	2,781 7,457 4,179 5,214 2,557 4,856 4,959 2,595 2,610 2,397 2,679 2,709 2,616 4,829 7,226 8,010 12,417 1,470 4,740	2,417 6,480 3,631 4,531 2,222 4,220 4,309 2,255 2,268 2,083 2,328 2,354 2,273 4,196 6,279 6,960 10,790 1,277 4,119	4,475 11,998 6,724 8,389 4,114 7,813 7,979 4,175 4,199 3,857 4,311 4,359 4,209 7,770 11,627 12,888 19,979 2,367 7,631
OTHER DISTANCES			
Hilo to Los Angeles, California San Francisco, California	2,447 2,315	2,126 2,012	3,937 3,725
Kure Atoll to Cape Kumukahi, Puna, Hawaii 2/ Log Point, Elliot Key, Florida 3/ Tokyo, Japan West Quoddy Head, Maine	1,523 5,852 2,486 5,788	1,323 5,085 2,160 5,030	2,451 9,416 4,000 9,313

^{1/} Ghanzi, Botswana is Honolulu's antipode, that is, the point precisely opposite to it on the globe.

Source: U.S. Geological Survey, *Elevations and Distances in the United States* (1980), pp. 22-23, and records; E. H. Bryan, Jr., *American Polynesia and the Hawaiian Chain* (1942), pp. 38, 42, and 134.

^{2/} Cape Kumukahi and Kure Atoll are the points farthest apart in the Hawaiian Archipelago and State of Hawaii.

^{3/} Log Point and Kure Atoll are the points farthest apart in the 50 states.

Table 5.02-- LATITUDES AND LONGITUDES OF SELECTED PLACES

latan kan kalana	Latitude	Longitude
Island and place	(North)	(West)
Hawaii:		
Hilo (International Airport)	19°43'	155°04'
Cape Kumukahi	19°31'	154°49'
Ka Lae	18°56'	155°41'
Keahole Point	19°44'	156°04'
Upolu Point	20°16'	155°51'
Geographic center of State (off Maui)	20°15'	156°20'
Maui:		
Wailuku	20°53'	156°30'
Kahului (Airport)	20°54'	156°26'
Hana	20°45'	155°59'
Cape Hanamanioa	20°35'	156°25'
Lahaina	20°52'	156°41'
Kahoolawe:		
Puu Moaulanui	20°34'	156°34'
Lanai:		
Airport	20°48'	156°57'
Molokai:		
Kaunakakai	21°05'	157°02'
Laau Point	21°06'	157°19'
Cape Halawa	21°10'	156°43'
Oahu:		
Honolulu: International Airport	21°20'	157°55'
Aloha Tower	21°19'	157°52'
Kaena Point	21°35'	158°17'
Kahuku Point	21°43'	157°59'
Makapuu Point	21°19'	157°39'
Diamond Head	21°16'	157°49'
Kauai:	2	10.10
Lihue (Kauai Airport)	21°59'	159°21'
Mana	22°02'	159°46'
Kilauea Point	22°14'	159°24'
Niihau:		100 24
Puuwai	21°54'	160°12'
Kure Atoll	28°25'	178°22'
	20 20	170 22

Source: U.S. Board on Geographic Names, *Gazetteer No. 24, Hawaiian Islands* (1956); U.S. Geological Survey, *Elevations and Distances in the United States* (1980), pp. 17 and 22-23; U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary with Comparative Data, 1984* for Hilo, Kahului, Honolulu, and Lihue; Bernice P. Bishop Museum, records; Hawaii State Department of Accounting and General Services, Survey Division, records.

Table 5.03-- TIME DIFFERENCES BETWEEN HONOLULU AND SELECTED CITIES

[Standard time]

City	Country	Day	Hour	Time difference
Honolulu	United States	Same	9:00 a.m.	_
Anchorage	United States	Same	10:00 a.m.	+1
Vancouver	Canada	Same	11:00 a.m.	+2
Los Angeles	United States	Same	11:00 a.m.	+2
Las Vegas	United States	Same	11:00 a.m.	+2
Denver	United States	Same	12:00 p.m.	+3
Houston	United States	Same	1:00 p.m.	+4
Winnipeg	Canada	Same	1:00 p.m.	+4
Chicago	United States	Same	1:00 p.m.	+4
Atlanta	United States	Same	2:00 p.m.	+5
Miami	United States	Same	2:00 p.m.	+5
Toronto	Canada	Same	2:00 p.m.	+5
Lima	Peru	Same	2:00 p.m.	+5
New York City	United States	Same	2:00 p.m.	+5
Santiago	Chile	Same	3:00 p.m.	+6
Buenos Aires	Argentina	Same	4:00 p.m.	+7
Sao Paulo	Brazil	Same	4:00 p.m.	+7 +7
London	United Kingdom	Same	7:00 p.m.	+10
Madrid	Spain	Same	· ·	+10
Paris	France		8:00 p.m.	+11
Frankfurt		Same	8:00 p.m.	+11
	Germany	Same	8:00 p.m.	+11
Rome	Italy	Same	8:00 p.m.	
Johannesburg	South Africa	Same	9:00 p.m.	+12
Jerusalem	Israel	Same	9:00 p.m.	+12
Moscow	Russia	Same	10:00 p.m.	+13
Baghdad	Iraq	Same	10:00 p.m.	+13
Kabul	Afghanistan	Same	11:30 p.m.	+14.5
Calcutta	India	Next	12:30 a.m.	+15.5
Bangkok	Thailand	Next	2:00 a.m.	+17
Singapore	Singapore	Next	3:00 a.m.	+18
Hong Kong	China	Next	3:00 a.m.	+18
Beijing	China	Next	3:00 a.m.	+18
Manila	Philippines	Next	3:00 a.m.	+18
Taipei	Taiwan	Next	3:00 a.m.	+18
Seoul	Korea	Next	4:00 a.m.	+19
Tokyo	Japan	Next	4:00 a.m.	+19
Sydney	Australia	Next	5:00 a.m.	+20
Auckland	New Zealand	Next	7:00 a.m.	+22

Source: 2006 Hawaiian Telcom Services Company, Inc., *The Official Hawaiian Telcom White Pages O'ahu* 2006 - 2007, pp. 20-23, and "Time Zone Converter" at http://www.timezoneconverter.com/cgi-bin/tzc.tzc accessed January 26, 2007.

Table 5.04-- WIDTHS AND DEPTHS OF CHANNELS

	Width 2/		Dep	Depth 3/	
Channel 1/	Statute miles	Kilometers	Feet	Meters	
Alenuihaha (Hawaii-Maui)	29.6	47.6	6,810	2,076	
Alalakeiki (Kahoolawe-Maui)	6.7	10.8	822	251	
Kealaikahiki (Kahoolawe-Lanai)	17.8	28.6	1,086	331	
Auau (Lanai-Maui)	9.5	15.3	252	77	
Kalohi (Lanai-Molokai)	9.2	14.8	540	165	
Pailolo (Maui-Molokai)	8.8	14.2	846	258	
Kaiwi (Molokai-Oahu)	25.8	41.5	2,202	671	
Kauai (Oahu-Kauai)	72.1	116.0	10,890	3,319	
Kaulakahi (Kauai-Niihau)	17.2	27.7	3,570	1,088	
Niihau-Kaula	21.5	34.6	5,364	1,635	
Niihau-Nihoa	133.9	215.5	14,550	4,435	
Nihoa-Necker I.	179.6	289.0	12,600	3,840	
Necker IFrench Frigate Shoals	100.3	161.4	12,780	3,895	
French Frigate Shoals-Gardner Pinnacles	137.0	220.5	11,448	3,489	
Gardner Pinnacles-Maro Reef	155.5	250.3	12,300	3,749	
Maro Reef-Laysan I.	65.9	106.1	8,280	2,524	
Laysan ILisianski I.	137.4	221.1	16,830	5,130	
Lisianski IPearl and Hermes Atoll	162.6	261.7	17,400	5,304	
Pearl and Hermes Atoll-Midway Islands	86.9	139.9	15,840	4,828	
Midway Islands-Kure Atoll	57.1	91.9	12,960	3,950	

^{1/} Listed in geographic order, from east to west. The channels between major islands were measured between the following points:

Alenuihaha: Upolu Pt., Hawaii, to Puhilele Pt., Maui;

Alalakeiki: Lae o ka Ule, Kahoolawe, to Nukuele Pt., Maui;

Kealaikahiki: Makaalae, Kahoolawe, to Kamaiki Pt., Lanai;

Auau: Kikoa Pt., Lanai, to Lahaina, Maui;

Kalohi: Wahie Pt., Lanai, to Kamalo, Molokai;

Pailolo: Lipoa Pt., Maui, to Pohakuloa, Molokai;

Kaiwi: Ilio Pt., Molokai, to Makapuu Pt., Oahu;

Kauai: Kaena Pt., Oahu, to Kamilo Pt., Kauai;

Kaulakahi: Mana Pt., Kauai, to Kaunuopou, Niihau.

Source: Compiled by Lee S. Motteler, Geography and Map Division, Bernice P. Bishop Museum, in November 1980.

^{2/} Width measured in statute miles between designated points on National Ocean Survey and Coast and Geodetic Survey charts. Width in kilometers calculated from miles (1 mile = 1.60934 km.).

^{3/} Depths given are the deepest soundings noted at or near the line joining the two designated points, on National Ocean Survey and Coast and Geodetic Survey charts. Depths measured in fathoms and converted to feet and meters (1 fathom = 6 feet = 1.8288 meters).

Table 5.05-- GENERAL COASTLINE AND TIDAL SHORELINE OF COUNTIES AND ISLANDS

	General coastline 1/		Tidal sh	oreline 2/
County and island	Statute miles	Kilometers 3/	Statute miles	Kilometers 3/
State total	750	1,207	1,052	1,693
Counties: Hawaii Maui, including Kalawao Honolulu Kauai Islands: 4/	266 210 137 137	428 338 220 220	313 343 234 162	504 552 377 261
Hawaii Maui Kahoolawe Lanai Molokai Oahu Kauai Niihau Kaula Northwestern Hawaiian Islands 5/ Nihoa Necker Island French Frigate Shoals Laysan Island Lisianski Island Kure Atoll	266 120 29 47 88 112 90 45 2 25 3 2 6 6 6 3	428 193 47 76 142 180 145 72 3 40 5 3 10	313 149 36 52 106 209 110 50 2 25 3 2 6 6 3 5	504 240 58 84 171 336 177 80 3 40 5 3 10

^{1/} Figures are lengths of general outline of seacoast. Data for the four islands of Maui County are not consistent with the reported county total.

Source: U.S. Department of Commerce, National Ocean Survey, *The Coastline of the United States* (1975) and records.

^{2/} Shoreline of outer coast, offshore islands, bays, rivers, and creeks is included to the head of tidewater or to a point where tidal waters narrow to a width of 100 feet.

^{3/} Derived from data expressed in statute miles; independently rounded and accordingly may not add exactly to indicated totals and subtotals. 1 mi. = 1.609 km.

^{4/} Data are not available for five minor islands: Molokini, Lehua, Gardner Pinnacles, Maro Reef, and Pearl and Hermes Atoll.

^{5/} Excludes the Midway Islands, which are part of the Hawaiian Archipelago but not legally part of the State of Hawaii. Midway has a general coastline of 20 miles and a tidal shoreline of 33 miles.

Table 5.06-- LAND AND WATER AREA WITHIN THE FISHERY CONSERVATION ZONE

[Land and water area within the 200 nautical mile Fishery Conservation Zone surrounding the Hawaiian Archipelago]

Unit	Total area	Land area	Water area
Square nautical miles Square statute miles Square kilometers	634,023	4,852	629,171
	839,623	6,425	833,198
	2,174,626	16,641	1/ 2,157,985

^{1/} Revised from previous Data Book.

Source: Marine Surveys and Maps, National Ocean Survey, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, information supplied September 15, 1978.

Table 5.07-- LAND AREA OF COUNTIES: 2000

[See maps]

Measurement unit and type of area	State total	Hawaii	Maui	Kalawao	Honolulu	Kauai
Square miles	6,422.6	4,028.0	1,159.2	13.2	599.8	622.4
Square kilometers	16,634.5	10,432.5	3,002.3	34.2	1,553.4	1,612.1

Source: U.S. Census Bureau, Census 2000 Redistricting Data (P.L. 94-171) Summary File, and unpublished records.

Table 5.08-- LAND AREA OF ISLANDS: 2000

Island	Square miles	Square kilometers
STATE OF HAWAII	6,422.6	16,634.5
Hawaii Maui Molokini Kahoolawe Lanai Molokai Oahu Kauai Niihau Lehua	4,028.0 727.2 0.036 44.6 140.5 260.0 596.7 552.3 69.5 0.444	10,432.5 1,883.5 0.093 115.5 364.0 673.4 1,545.3 1,430.4 179.9 1.149
Northwestern Hawaiian Islands 1/ Nihoa Necker Island French Frigate Shoals Gardner Pinnacles Maro Reef Laysan Island Lisianski Island Pearl and Hermes Atoll Kure Atoll	0.247 3.108 0.271 0.071 0.096 0.009 Awash 1.588 0.601 0.139 0.333	0.640 8.049 0.701 0.183 0.249 0.024 Awash 4.114 1.556 0.359 0.862

^{1/} Exclusive of the Midway Islands, which are part of the Hawaiian Archipelago but not legally part of the State of Hawaii.

Source: U.S. Census Bureau, Census 2000 Redistricting Data (P.L. 94-171) Summary File, and unpublished records.

Table 5.09-- MAJOR AND MINOR ISLANDS IN THE HAWAIIAN ARCHIPELAGO

	Number		
Classification	Total	Inhabited, 1990 1/	Land area (square miles)
All named islands	137	12	6,427.0
Major islands Named minor islands 2/ Offshore of major islands Northwestern Hawaiian Islands 3/ Part of State Not part of State (Midway Islands)	8 129 96 33 28 5	7 5 3 2 1 1	6,419.4 7.6 2.6 4.9 2.9 2.0

^{1/} For populations, see present volume, table 1.05.

Source: Hawaii State Department of Planning and Economic Development, *Geographic Names Approved, Second Quarter 1969* (Report GN-6, July 8, 1969), p. 8; *Data Book 1986*, table 152.

^{2/} For individual data, see DPED Report GN-6, pp. 3-7.

^{3/} Includes individual islets in the 10 Northwestern Hawaiian Islands.

Table 5.10-- AREA AND DEPTH OF SELECTED CRATERS

Island and crater	Area (acres)	Maximum depth (feet)
Hawaii:		
Kilauea Caldera	2,319	476
Mokuaweoweo Crater 1/	2,221	572
Maui:		
Haleakala Crater 2/	12,575	3,028
Oahu:		
Diamond Head Crater	255	562
Koko Crater	133	968
Punchbowl Crater	62	140

^{1/} Data exclude North and South Pits.

Source: Measured from U.S. Geological Survey maps by the Hawaii State Department of Business, Economic Development & Tourism.

^{2/} Data exclude Koolau and Kaupo Gaps.

Table 5.11-- ELEVATIONS OF MAJOR SUMMITS

[Elevation of the highest point on each island and other important peaks]

Island and summit	Feet	Meters
Hawaii:		
Mauna Kea 1/	13,796	4,205
Mauna Loa	13,679	4,169
Hualalai	8,271	2,521
Kaumu o Kaleihoohie	5,480	1,670
Kilauea (Uwekahuna)	4,093	1,248
Kilauea (Halemaumau Rim)	3,660	1,116
Kahoolawe:		
Puu Moaulanui	1,483	452
Puu Moaulaiki	1,434	437
Molokini	160	49
Maui:		
Haleakala (Red Hill)	10,023	3,055
Haleakala (Kaupo Gap)	8,201	2,500
Puu Kukui	5,788	1,764
lao Needle	2,250	686
Lanai:		
Lanaihale	3,366	1,026
Molokai:		
Kamakou	4,961	1,512
Olokui	4,606	1,404
Kalaupapa Lookout	1,600	488
Mauna Loa (Kukui)	1,430	436
Oahu:		
Kaala	4,003	1,220
Puu Kalena	3,504	1,068
Konahuanui	3,150	960
Tantalus	2,013	614
Olomana	1,643	501
Koko Crater (Kohelepelepe)	1,208	368
Nuuanu Pali Lookout	1,186	361
Diamond Head	760	232
Koko Head	642	196
Punchbowl	500	152

Continued on next page.

Table 5.11-- ELEVATIONS OF MAJOR SUMMITS -- Con.

Island and summit	Feet	Meters
Kauai:		
Kawaikini	5,243	1,598
Waialeale	5,148	1,569
Kalalau Lookout	4,120	1,256
Haupu	2,297	700
Sleeping Giant (Nonou)	1,241	378
Niihau:		
Paniau	1,250	381
Lehua	699	213
Kaula	548	167
Nihoa:		
Millers Peak	903	275
Necker Island:		
Summit Hill	276	84
French Frigate Shoals:		
La Perouse Pinnacles	120	37
Gardner Pinnacles	190	58
Maro Reef	Awash	Awash
Laysan Island	40	12
Lisianski Island	40	12
Pearl and Hermes Atoll	10	3
Midway Islands	12	4
Kure Atoll	20	6

^{1/} According to the 1995 Guinness Book of Records (p. 147), "The world's tallest mountain measured from its submarine base (3,280 fathoms) in the Hawaiian Trough to its peak is Mauna Kea ... with a combined height of 33,480 ft., of which 13,796 ft. are above sea level."

Source: Hawaii State Department of Accounting and General Services, Survey Division, data provided April 21, 1992; U.S. National Cartographic Information Center, data provided October 11, 1978; U.S. Geological Survey topographic maps, 1981-1984; Hawaiian Government Survey (for Nihoa and Molokini); U.S.S. Tanager survey, 1923 (for Necker Island, French Frigate Shoals, Laysan, Lisianski, Pearl and Hermes Atoll and Kure Atoll.)

Table 5.12-- MAJOR NAMED WATERFALLS, BY ISLAND

		Height (feet)		
Island	Waterfall	Sheer drop	Cascade	Horizontal distance (feet)
Hawaii	Kaluahine		620	400
· · · · · · · · · · · · · · · · · · ·	Akaka	442		
	Waiilikahi	320		6
Maui	Honokohau		1,120	500
	Waihiumalu		400	150
Molokai	Kahiwa		1,750	1,000
	Papalaua		1,200	500
	Wailele		500	150
Oahu	Kaliuwaa (Sacred)	1/ 80	1,520	3,000
Kauai	Waipoo (2 falls)		800	600
	Awini		480	500
	Hinalele	280		
	Wailua	200		

^{1/} Refers to northernmost fall of a cascade of six falls.

Source: U.S. Geological Survey, records; Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; "Tall Falls", *The Honolulu Advertiser*, June 25, 1995, pp. A17 and A20.

Table 5.13-- MAJOR STREAMS, BY ISLAND

Island	Feature or stream	Length or average discharge
Longest water feature (miles):		
Hawaii	Wailuku River	32.0
Maui	Kalialinui-Waiale Gulch	18.0
Kahoolawe	Ahupu Gulch	4.0
Lanai	Maunalei-Waialala Gulch	12.9
Molokai	Wailau-Pulena Stream	6.5
Oahu	Kaukonahua Stream (So. Fork)	33.0
Kauai	Waimea River-Poomau Stream	19.5
Niihau	Keanaulii-Puniopo Valley	5.9
Largest perennial stream (miles): 1/		
Hawaii	Wailuku River	22.7
Maui	Palikea Stream	7.8
Molokai	Wailau-Pulena Stream	6.5
Oahu	Kaukonahua Stream	30.0
Kauai	Waimea River	19.7
Streams with greatest average discharge (million gal. / day):		
Hawaii	Wailuku River	180
Maui	Waihee River	50
Molokai	Wailau Stream	30
Oahu	Waikele Stream	2/ 26
Kauai	Hanalei River	129
		_

^{1/} Estimated on basis of drainage area rather than stream runoff. Other major streams include Wailoa River, Hawaii (1/2-mile long); Honokohau Stream (9.4 miles long) and Iao Stream (5), both on Maui; Halawa Stream (6.4), Waikolu Stream (4.7), and Pelekunu (2.3), all on Molokai; Waikele Stream (15.3), Kipapa Stream (12.8), Waiakakalaua Stream (11.8), Nuuanu Stream (4), and Ala Wai Canal (1.9), all on Oahu; and the Makaweli River (15.1), Wainiha River (13.8), Hanapepe River (13.3), and Wailua River (11.8), all on Kauai. 2/ Most of discharge is from nearby groundwater outflow.

Source: Longest water feature from U.S. Geological Survey, records; other data from Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records.

Table 5.14-- LAKES AND LAKE-LIKE WATERS, BY ISLAND

Island and lake	Туре	Elevation (feet)	Area 1/ (acres)	Maximum depth (feet)
Hawaii:				
Green Lake	Lake	3	2	20
Lake Waiau 2/	Lake	13,020	2	10
Waiakea Pond	Tidal pond	(SL)	27	7
Maui:				
Kanaha Pond	Marsh	(SL)	41	3
Kealia Pond	Marsh	(SL)	500	(NA)
Waieleele	Pond	6,690	0.5	21
Molokai:				
Kauhako	Pool	(SL)	0.9	814
Kualapuu Reservoir	Reservoir	821	100	50
Meyer Lake	Impoundment	2,021	6-10	5
Oahu:				
Ho'omaluhia	Reservoir	202	90	90
Kaelepulu Pond	Lake	(SL)	198	(NA)
Kawainui Marsh	Marsh	(SL)	1,000	(NA)
Wahiawa Reservoir	Reservoir	842	302	85
Kauai:				
Nomilu Fishpond	Pond	(SL)	20	66
Waita Reservoir	Reservoir	241	424	23
Niihau:				
Halalii Lake	Playa	(SL)	841-865	(NA)
Halulu Lake	Playa	(SL)	182-371	(NA)
Laysan:				
Laysan Lagoon	Closed lagoon	(SL)	161	16

NA Not available.

Source: J.A. Maciolek, *Lakes and Lake-like Waters of the Hawaiian Archipelago* (Bernice P. Bishop Museum, Occasional Papers, Vol. XXV, No. 1, April 30, 1982); Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, May 18,1994.

SL Sea level.

^{1/} Ranges shown for Meyer Lake, Halalii Lake, and Halulu Lake reflect differences in estimates between sources.

^{2/} Highest lake in the State and third highest in the United States.

Table 5.15-- LENGTH AND WIDTH OF SELECTED BEACHES

[Includes the longest white sand beach on each inhabited island, plus other important beaches]

Island and beach	Length (miles)	Width 1/ (feet)
Hawaii:		
	0.5+	200+
Hapuna Maui:	0.5+	200+
Spreckelsville	2+	(NA)
Kaanapali	1.5	60-80
Lanai:	1.5	00-00
Polihua	1.5+	(NA)
Molokai:	1.01	(1474)
Papohaku	2+	300
Oahu:		
Waikiki	2	(NA)
Waimanalo	3.5-4.5	(NA)
Sunset	2-3+	200
Kauai:		
Polihale to Kekaha	15	300
Polihale	3	300
Niihau:		
Keawanui	3.5	175

NA Not available.

1/ Summer averages. Many beaches in Hawaii are seasonally reduced in width by winter storms. Source: Hawaii State Department of Planning and Economic Development, *Hawaii's Shoreline* (1965), pp. 33, 47, 55, 62, 68, and 100; John R. K. Clark, *Beaches of the Big Island* (1985), p. 132, *The Beaches of Maui County* (1980), pp. 10, 62, 84-85, and 114, *The Beaches of O'ahu* (1977), pp. 45, 125, and 177, and *Beaches of Kaua'i and Ni'ihau* (1990), pp. 48-49 and 84.

Table 5.16-- MISCELLANEOUS GEOGRAPHIC STATISTICS, BY ISLAND

Island	Extreme length (miles)	Extreme width (miles)	Miles of sea cliffs with heights 1,000 ft. or more 1/	Miles from coast of most remote point	Percent of area within 5 miles of coast
State total			33	28.5	48.6
Hawaii Maui Kahoolawe Lanai Molokai Oahu Kauai Niihau	93 48 11 18 38 44 33 8	76 26 6 13 10 30 25 6	4 - - 1 14 - 11 3	28.5 10.6 2.4 5.2 3.9 10.6 10.8 2.4	30.0 76.1 100.0 100.0 100.0 79.0 65.0 100.0
	Percent of area with elevation		Percent of area wi		
Island	Less than 500 feet	2,000 feet or more	Approximate mean altitude (feet)	Less than 10 percent	20 percent or more
State total	20.8	50.9	3,030	63.5	17.0
Hawaii Maui Kahoolawe Lanai Molokai Oahu Kauai Niihau	12.0 24.9 38.9 24.8 37.3 45.3 35.6 78.2	68.4 41.4 0.0 6.3 17.8 4.6 24.0	3,950 2,390 600 1,140 1,150 860 1,380 530	76.0 38.5 60.0 61.0 53.0 42.5 33.5 68.0	4.0 36.0 9.0 16.0 26.0 45.5 50.5

^{1/} According to Lee S. Motteler, Geography and Map Division, Bernice P. Bishop Museum, the sea cliffs along the northeastern coast of Molokai between Umilehi Point and Puukaoku Point drop 3,250 feet at an average slope of 58 degrees. These cliffs have been described by *The Guinness Book of Records* (1995 edition, p. 154) as "the highest sea cliffs in the world."

Source: Hawaii State Department of Planning and Economic Development, *Hawai'i the Natural Environment* (1974), p. 19; U.S. Geological Survey, *Elevations and Distances in the United States* (1978), pp. 4-5.

Table 5.17-- VOLCANIC ERUPTIONS: MAUNA LOA 1950 TO 1984, KILAUEA 1969 TO 2006

[As of December 2006. Four volcanoes have erupted in historical times: Haleakala, last active in 1460; Hualalai, last active in 1801; Mauna Loa, last active in 1984; Kilauea, still active]

	Repose period since previous			Altitude of	Area	
Volcano and date	eruption	Duration		main vent	covered	
of outbreak	(months)	(days)	Location 1/	(meters)	(km2)	Volume (km3)
Mauna Loa:						
1950: June 1	17.0	23	S, SWR	3,840-2,380	112.0	0.3760
1975: July 5	301.0	<1	S	3,900	13.5	0.0300
1984: March 25	104.6	22	S, NER	4,030-2,870	48.0	0.2200
Kilauea:						
1969: Feb. 22	4.0	6	ER	930-870	6.0	0.0161
May 24	2.0	874	ER	940	50.0	0.1850
1971: Aug. 14	2.0	<1	C	1,100-1,080	3.1	0.0091
Sept. 24	_	5	C, SWR	1,120-820	3.9	0.0077
1972: Feb. 3	4.3	900	ER	940	46.0	0.1620
1973: May 5	4.5	<1	ER	1,000-980	0.3	0.0012
Nov. 10	_	30	ER	980-870	1.0	0.0012
1974: July 19	_	3	C, ER	1,080-980	3.1	0.0027
Sept. 19	2.0	<1	C	1,100	1.0	0.0102
Dec. 31	3.4	<1	SWR	1,080	7.5	0.0162
1975: Nov. 29	11.0	<1	C	1,080-1,060	0.3	0.0002
1977: Sept. 13	21.5	18	ER	620-480	7.8	0.0329
1979: Nov. 16	26.3	1	ER	980-960	0.3	0.0006
1982: April 30	29.5	<1	C	1,080	0.3	0.0005
Sept. 25	4.8	<1	C	1,080	0.8	0.0030
1983: Jan. 3 2/	3.3	8,764	ER	3/ 900	4/ 117.3	5/ 3.1000
7000. 0dil. 0 2/	0.0	5,754		3, 300	.,	5, 5.1000

^{1/} C, summit caldera; ER, east rift zone; NER northeast rift zone; S, summit area; SWR, southwest rift zone.

Source: Gordon A. Macdonald, Agatin T. Abbott, and Frank L. Peterson, *Volcanoes in the Sea*, 2nd ed. (1983), pp. 64-65 and 80-81; U.S. Geological Survey, Hawaiian Volcano Observatory http://hvo.wr.usgs.gov accessed March 21, 2007; records.

^{2/} In 1990, a series of 12 pauses lasting from 1-4 days interrupted the steady effusion of lava.

 $^{3/900 \}text{ meters} = 2,953 \text{ feet.}$

 $^{4/117.3 \}text{ km}2 = 45.28 \text{ square miles}.$

 $^{5/3.1 \}text{ km}3 = 0.74 \text{ cubic miles}.$

Table 5.18-- MAJOR EARTHQUAKES: 1838 TO 2006

[Includes all earthquakes with magnitudes of 6.0 or greater, 1838 to 1983, and 5.0 or greater, 1984 to 2006. Except for the earthquake of April 2, 1868, magnitudes of earthquakes prior to 1929 are conjectural]

		Magnitude (Richter
Date and time (HST)	Location	scale)
1838: December 12	Hawaii	6.0
1841: April 7	Hawaii	6.0
1852: March 31	Hawaii	6.0
1868: March 28	Mauna Loa, south flank, Hawaii	6.5-7.0
April 2	Mauna Loa, south flank, Hawaii	7.5-8.1
1871: February 19	Molokai or Maui	6.5
1875: November 23	Hawaii	6.0
1887: January 24	Hawaii	6.0
1913: October 25	Hawaii	6.5
1918: November 1	Hawaii	6.5
1919: September 14	Hawaii	6.5
1929: October 5	Hualalai, Hawaii	6.5
1938: January 23	North of Pauwela Point, Maui	6.8
1940: June 17	Hawaii	6.0
1941: September 25	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.0
1950: May 29	Mauna Loa, south west rift, Hawaii	6.2
1951: April 22	Kilauea, Hawaii	6.3
August 21	Kona, Hawaii	6.9
1952: May 23	Kona, Hawaii	6.0
1954: March 30	Kilauea, south flank, Hawaii	6.5
1961: September 25	Hawaii	5.75-6.0
1962: June 27	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.1
1973: April 26	North of Hilo, Honomu, Hawaii	6.2
1975: Nov. 29, 4:47 AM	Kilauea, south flank, Kalapana, Hawaii	7.2
1983: Nov. 16, 6:13 AM	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.7
1984: June 8, 5:34 PM	80 miles south of Honolulu, Oahu	5.3
1986: April 26, 7:19 AM	28 miles north east of Maui	5.1
1987: Feb. 3, 4:22 PM	26 miles south of Kahoolawe	5.0
1989: June 25, 5:27 PM	Kilauea, south flank, Kalapana, Hawaii	6.2
1994: Feb. 1, 12:01 AM	12 miles south of Kilauea, offshore, Hawaii	5.2
1997: June 30, 5:47 AM	5 miles west of Kalapana, Hawaii	5.2
1999: April 16, 2:56 PM	4 miles north of Pahala, Hawaii	5.6
2000: April 1, 8:18 PM	7 miles south east of Kilauea Summit, Hawaii	5.0
2003: August 26, 8:24 PM	6 miles north west of Kaena Point, Oahu	5.0
2005: May 13, 12:06 AM	27 miles south of Naalehu near Loihi, Hawaii	5.0
2005: July 15	49 miles north of Hilo, Hawaii	5.2
2005: July 17, 9:15 AM	near seamount Loihi, Hawaii	5.2

Continued on next page.

Table 5.18-- MAJOR EARTHQUAKES: 1838 TO 2006 -- Con.

Date and time (HST)	Location	Magnitude (Richter scale)
2006: October 15, 7:07:49 AM	just offshore of Kiholo Bay	6.7
2006: October 15, 7:14:12 AM	6 miles west of Mahukona	6.0
2006: November 23, 9:20:10 AM	just offshore of Kiholo Bay	5.1

Source: Augustine S. Furumoto, N. Norby Nielsen, and William R. Phillips, *A Study of Past Earthquakes, Isoseismic Zones of Intensity and Recommended Zones for Structural Design for Hawaii* (University of Hawaii, Center for Engineering Research, Engineering Bulletin, June 15, 1972); information supplied by Wm. Mansfield Adams and Augustine S. Furumoto, Institute of Geophysics, University of Hawaii; Hawaii Institute of Geophysics, records; U.S. Geological Survey, National Earthquake Information Service; U.S. Geological Survey, Hawaiian Volcano Observatory http://hvo.wr.usgs.gov/earthquakes accessed July 30, 2007, records.

Table 5.19-- EARTHQUAKES WITH INTENSITIES ON OAHU OF V OR GREATER: 1859 TO 2006

Date	Epicentral location	Magnitude	Oahu average intensity (Modified Mercalli Scale 1/)
1861: Dec. 5	Molokai-Lanai vicinity (?)	(NA)	Mid V
Dec. 15	Molokai-Lanai vicinity (?)	(NA)	Lower V - mid V
1868: Apr. 2	SE coast of Hawaii	7.5	Upper IV - Iower V
Apr. 4	Maui group vicinity (?)	(NA)	Lower V
1870: Aug. 7	Near Molokai	≥ 6	V
1871: Feb. 19	S coast of Lanai	7.0	Upper VI - Iower VII
1881: Sep. 30	Maui vicinity	≥ 6	IV - V
1887: Jan. 13	Oahu vicinity	(NA)	V
1890: Aug. 6	Hawaii	(NA)	IV - V
1895: Dec. 8	Oahu vicinity (?)	(NA)	Mid V
1926: Mar. 19	N of Kohala, Hawaii	(NA)	Upper IV - Iower V
1938: Jan. 22	N of Maui	6.8	Upper V - lower VI
1940: June 16	N of Hawaii	6.0	IV - V
1948: June 28	S coast of Oahu	4.8	Mid VI
1964: Oct. 11	Ka Lae, Hawaii	5.5	Upper IV - Iower V
1973: Apr. 26	Hamakua coast, Hawaii	6.2	Mid V
1975: Nov. 29	Kalapana, Hawaii	7.2	V
1981: Mar. 5	Kalohi Channel	5.0	Mid V
2006: Oct.15	Just offshore of Kiholo Bay, Hawaii	6.7	V

NA Not available.

- V. Felt outdoors; direction estimated. Sleepers wakened. Liquids distributed, some spilled. Small unstable objects displaced or upset. Doors, shutters, pictures swing. Pendulum clocks stop.
- VI. Felt by all. Many frightened, run outdoors. Persons walk unsteadily. Windows, dishes, glassware broken. Knickknacks, books thrown off shelves, pictures off walls. Furniture moved, overturned. Weak plaster and masonry cracked. Small bells ring. Trees, bushes noticeably shaken.
- VII. Difficulty in standing. Noticed by drivers of autos. Hanging objects quiver. Furniture broken. Damage to weak masonry. Weak chimneys broken at roof line. Fall of plaster, loose bricks, etc. Some cracks in ordinary masonry. Waves on ponds. Small slides on sand and gravel banks. Large bells ring. Irrigation ditches damaged.

Source: Doak C. Cox, "Earthquake Experience in Honolulu", *The Hawaiian Journal of History*, Vol. 21 (1987), pp. 98-109; U.S. Department of the Interior, U.S. Geological Survey, U.S. Geological Survey Bulletin 2006, *Isoseismal Maps, Macroseismic Epicenters, and Estimated Magnitudes of Historical Earthquakes in the Hawaiian Islands* (1992), table 4; U.S. Geological Survey, Hawaiian Volcano Observatory, records.

^{1/} Modified Mercalli Scale of 1931, 1956 abridged version further simplified. This scale, which extends from I to XII, reads in part:

IV. Hanging objects swing. Vibration like passing of heavy trucks or sensation of a jolt. Standing autos rock. Windows, dishes, doors rattle. Crockery clashes. In the upper part of range wooden construction creaks.

Table 5.20-- TSUNAMIS WITH RUN-UP OF 2 METERS (6.6 FEET)
OR MORE: 1819 TO 2006

		Maximum height in Hawaii			
Date	Place of observation	Meters	Feet	Deaths in Hawaii	Damage in Hawaii
1819: April 12 1/ 1837: Nov. 7 1841: May 17 1868: April 2	W. Hawaii Hilo Hilo Ka'u Hilo S.E. Puna Hilo N. Oahu Kona N. Molokai Maalaea Kona Hilo Hilo Kona Molokai 2/ Hawaii Haena	2.0 6.0 4.6 12.2 4.6 9.1 4.9 3.0 2/ 5.5 8.0 3.6 4.3 2/ 2.0 6.1 2/ 3.2 2/ 16.4 2/ 9.1 16.0	7 20 15 40 15 30 16 10 2/ 18 29 12 14 7 20 10 2/ 54 2/ 30 52	- 16 - 47 - - 5 - - - 1 1 - 159 - 1	Unknown 200 houses Unknown Great locally Severe Some Severe; \$14,000 Some houses Unknown Some houses Some None Minor Severe; \$1,500,000 Some \$26,000,000 \$800,000-1,000,000 \$5,000,000
1960: May 22 1964: March 27 1975: Nov. 29	Hilo N. Oahu Ka'u	10.5 2/ 4.9 14.6	34 16 48	61 - 2	\$23,000,000 \$67,590 \$1,500,000

^{1/} Earliest tsunami for which definite information exists. A tsunami observed at Ho'okena in 1813 or 1814 may have exceeded two meters.

Source: George Pararas-Carayannis, Catalog of Tsunamis in the Hawaiian Islands (U.S. Coast and Geodetic Survey, May 1969); Harold G. Loomis, The Tsunami of November 29, 1975 in Hawaii (Hawaii Institute of Geophysics, December 1975), pp. 1 and 10; D.C. Cox and J. Morgan, Local Tsunamis and Possible Local Tsunamis in Hawaii (Hawaii Institute of Geophysics, Report HIG 77-14, November 1977); Doak C. Cox, Tsunami Casualties and Mortality in Hawaii (University of Hawaii, Environment Center, June 1987), p. 39; U.S. Geological Survey, Hawaiian Volcano Observatory, records; Pacific Tsunami Warning Center, records.

^{2/} Revised from previous Data Book.

^{3/} New entry.

^{4/} Date and place of observation revised from previous Data Book.

Table 5.21-- MAJOR DAMS

Dam name	Nearest city	Purpose	Year completed	Height (ft.)	Length (ft.)	Maximum storage (acre-ft.)	Normal storage (acre-ft.)
Waita Reservoir	Koloa, Kauai	Irrigation Irrigation Irrigation, water supply Flood control, recreation Flood control, recreation Irrigation, hydroelectric, water supply Irrigation Irrigation	1906	23	3,250	9,900	3,400
Wahiawa Dam	Wahiawa, Oahu		1906	88	660	9,200	7,761
Kualapuu Reservoir	Kualapuu, Molokai		1969	54	7,100	5,082	3,685
Ho'omaluhia Dam	Kaneohe, Oahu		1980	76	2,200	4,500	260
Nuuanu Dam No. 4	Honolulu, Oahu		1910	66	1,730	3,600	242
Alexander	Kalaheo, Kauai		1931	113	600	2,540	1,070
Kitano Reservoir	Kekaha, Kauai		1928	26	720	1,120	110
Kapaia Reservoir	Hanamaulu, Kauai		1910	45	1,050	1,114	1,105

Source: Hawaii State Department of Land and Natural Resources, Engineering Division, Flood Control & Dam Safety Section, records.

Table 5.22-- FRESH WATER USE, BY TYPE, BY COUNTY: 2000

[Million gallons per day]

Use	State total	Hawaii	Honolulu	Kalawao	Kauai	Maui
Total	628.43	53.41	216.91	0.09	45.20	312.82
Ground water Public supply 1/ Industrial Thermoelectric	428.00 242.83 14.50	44.55 31.16 0.04 -	208.84 164.81 12.93	0.09 0.09 -	25.83 14.94 0.27 -	148.69 31.83 1.26
Irrigation Surface water Public supply 1/ Industrial Thermoelectric Irrigation	170.67 200.43 7.60 - - 192.83	13.35 8.86 2.50 - - 6.36	31.10 8.07 - - - 8.07		10.62 19.37 - - - 19.37	115.60 164.13 5.10 - - 159.03

^{1/} Includes water withdrawn by public and private water systems for use by cities and military bases. Water withdrawn by these facilities may be delivered to users for domestic, commercial, industrial, and thermoelectric purposes, or may be used for water and wastewater treatment, pools, parks and city buildings. Source: U.S. Geological Survey, Water Resources, records.

Table 5.23-- WATER SERVICES AND CONSUMPTION, FOR COUNTY WATERWORKS: 2004 TO 2006

[Services as of June 30; consumption during the year ending June 30]

	Number of services			Consumption (million gallons)		
Geographic area	2004	2005	2006	2004	2005	2006
State total	254,036	258,790	261,096	78,245	77,171	80,106
City and County						
of Honolulu	164,310	166,445	168,272	52,245	51.044	52,887
Honolulu District 1/	63,966	64,815	65,576	23,869	23,503	24,295
Rest of Oahu	100,344	101,630	102,696	28,376	27,541	28,592
Hawaii County	38,016	38,844	39,585	9,221	9,134	9,567
Kauai County	19,366	2/ 19,390	19,564	4,343	4,032	4,466
Maui County	32,344	33,123	33,675	12,436	12,961	13,186
Maui	30,751	31,510	32,045	12,105	12,644	12,883
Molokai	1,593	1,613	1,630	331	317	303

^{1/} Maunalua to Moanalua.

Source: Data compiled by Hawaii State Department of Business, Economic Development & Tourism from City and County of Honolulu Board of Water Supply, County of Hawaii Department of Water Supply, County of Kauai Department of Water, and County of Maui Department of Water Supply.

^{2/} Revised from previous Data Book.

Table 5.24-- WATER WITHDRAWALS BY SOURCE AND MAJOR USE, FOR THE UNITED STATES AND HAWAII: 2000

[Withdrawal signifies water physically withdrawn from a source. Includes fresh and saline water]

Subject	U.S. 1/	Hawaii
Water withdrawals, total, millions of gallons per day	408,000	641
Source, percent Ground water Surface water	20.7 79.2	67.7 32.4
Selected major uses, percent Public supply Irrigation	10.6 33.6	39.0 56.8

^{1/} Includes Puerto Rico and Virgin Islands.

Source: U.S. Geological Survey, as cited in U.S. Census Bureau, *Statistical Abstract of the United States*: 2007, table 355 http://www.census.gov/compendia/statab/2007edition.html accessed March 15, 2007.

Table 5.25-- TOP 25 WATER USERS ON OAHU: MAY 2005 TO APRIL 2006

[Estimated monthly average]

Rank	User	Gallons (1,000)
		22.25
1	Marine Base in Kaneohe	60,952
2	Chevron USA Inc.	35,176
3	Hawaii State Department of Transportation, airport, Aolele St.	22,831
4	Hilton Hawaiian Village, 2005 Kalia Road	17,309
5	Hawaii State Department of Transportation, airport, Paiea St.	13,746
6	University of Hawaii, 2566 Dole St.	13,266
7	Fort DeRussy Army Facility	12,677
8	Hilton Hawaiian Village, 2003 Kalia Road	12,573
9	Sand Island Treatment Pit	12,160
10	Sheraton Waikiki Hotel	11,992
11	Honolulu Zoo	11,876
12	Hawaiian Cement	11,481
13	Hawaii Kai Golf Course	11,325
14	Halawa Prison	9,307
15	United Laundry Service	8,891
16	University of Hawaii, 2444 Dole St.	8,458
17	Hyatt Regency Waikiki	8,184
18	Honouliuli Treatment Pit	8,090
19	Magic Island Park	7,807
20	Kapiolani Park	7,750
21	Ala Wai Golf Course	6,352
22	Mid-Pacific Country Club	6,349
23	Oahu Community Correctional Center	6,349
24	Tesoro Hawaii Corp.	6,162
25	Hawaiian Electric Company, Kahe power plant	6,152

Source: Honolulu Board of Water Supply, records.

Table 5.26-- HAZARDOUS WASTE SITES, THREATS AND CONTAMINANTS ON OAHU

[Sites on the National Priorities List for the Superfund Program]

Sites with threats and contaminants	Location	Final Listing 1/	Deletion
, , ,	Kunia	12/16/94	3/ 1/13/04
	Pearl Harbor	5/31/94	(X)
	Pearl Harbor	10/14/92	(X)
	Wahiawa	8/30/90	8/10/00

X Not applicable.

- 1/ After the proposed listing, site was added on this date to the National Priorities List.
- 2/ Soil and shallow groundwater at the site have been contaminated with the fumigants EDB, DBCP and DCP, the solvents TCP and benzene and the pesticide lindane. Deep groundwater is contaminated with EDB, DBCP and TCP. People who touch or ingest contaminated groundwater or soil could be at risk.
 - 3/ Partial deletion.
- 4/ The Navy's Installation Restoration Program (IRP) is addressing the sites at NCTAMS EASTPAC. The sites are primarily land disposal areas that are no longer in use and PCB transformer sites. Soil contamination depends on the site but generally the chemicals of concern are PCBs, volatile organics, semi-volatile organics and metals.
- 5/ Soil, groundwater and sediment are contaminated with metals, organic compounds and petroleum hydrocarbons. There is a potential human health and ecological risk with contact or accidental ingestion with the contaminated media.
- 6/ Groundwater and soil contain trichloroethylene (TCE). People who drink or come into direct contact with contaminated groundwater could be at risk.

Source: U.S. Environmental Protection Agency, *National Priorities List Sites in Hawaii* http://www.epa.gov/superfund/sites/npl/hi.htm accessed June 27, 2007.

Table 5.27-- TOXIC CHEMICAL RELEASES IN 2004, HAZARDOUS WASTE SITES IN 2004, AND HAZARDOUS WASTE GENERATED, SHIPPED, AND RECEIVED IN 2003

Category	Unit
Toxic chemical releases in 2004 1/	3.2
On-site releases	2.9
Point source air emissions	2.2
Surface water discharges	-
Off-site releases, transfers to disposal	0.3
Hazardous waste sites in 2004 2/	3
Federal	2
Non-federal	1
Hazardous waste generated, shipped, and received in 2003 3/	
Generated	1.1
Shipped	1.1
Received	0.5

^{1/} In millions of pounds. Excludes delisted chemicals, chemicals added in 1990, 1994, and 1995, and aluminum oxide, ammonia, hydrochloric acid, PBT chemicals, sulfuric acid, vanadium, and vanadium compounds.

Source: U.S. Environmental Protection Agency, as cited in U.S. Census Bureau, *Statistical Abstract of the Unites States*: 2007, tables 367, 368 and 370.

^{2/} As of December 31. Includes both proposed and final sites listed on the National Priorities List for the Superfund program as authorized by the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, and the Superfund Amendments and Reauthorization Act of 1986.

^{3/} In thousands of tons. Covers hazardous wastes regulated under the Resource Conservation and Recovery Act (RCRA) of 1976 as amended. Includes management and receipts data from both permitted treatment, storage and disposal facilities and generators that are not required to be permitted.

Table 5.28-- WATER QUALITY AT PUBLIC BEACHES, BY ISLAND: 2005 AND 2006

			Enterococci density 1/			
Island	Number of locations	Number of samples	Lowest 2/	Highest 3/	Number over 7	Mean 4/
2005						
State total	5/ 135	5/ 4,793	0.3	243.9	5/ 50	4.2
Hawaii Hilo Shoreline	5/ 25 12	891 598	0.3 0.9	5/ 15.7 15.7	5/ 7 5	3.9 5.2
Kona Shoreline Maui	5/ 13 19	293 666	0.3 0.5	5/ 8.1 27.0	5/ 2 1	2.2 2.1
Lanai Molokai Oahu	- - 72	- - 2,516	(X) (X) 0.4	(X) (X) 47.3	(X) (X) 34	(X) (X) 5.1
Kauai	19	5/ 720	0.4	243.9	8	5/ 4.6
2006						
State total	166	1,666	0.5	144.9	44	4.6
Hawaii Hilo Shoreline Kona Shoreline Maui Lanai	31 15 16 18	848 593 288 870	1.0 0.5 1.0 1.8 (X)	20.1 18.1 20.0 6.1 (X)	2 5 2 - (X)	2.8 6.0 2.0 3.5 (X)
Molokai Oahu Kauai	96 21	2,418 530	(X) 0.7 0.6	(X) 80.0 144.9	(X) 44 7	(X) 4.6 6.5

X Not applicable.

Source: Hawaii State Department of Health, Clean Water Branch, records.

^{1/} Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density is 7 per 100 ml.

^{2/} The lowest average value in 2005 was reported for Kailua Pier Station A on the island of Hawaii, and for Wailua Beach on the island of Kauai. The lowest average value in 2006 was reported for Pohoiki Bay on the island of Hawaii.

^{3/} The highest average value in 2005 was reported for Wailua River on the island of Kauai. The highest average value in 2006 was reported for End of Weke Road on the island of Kauai.

^{4/} Not weighted by number of samples.

^{5/} Revised from previous Data Book.

Table 5.29-- WATER QUALITY AT SELECTED PUBLIC BEACHES: 2005 AND 2006

	Number of	samples	Enterococci density 1/		
Island and beach	2005	2006	2005	2006	
Hawaii	2/ 891	848	(X)	(X)	
Hilo Shoreline	2/ 598	593	(X)	(X)	
Hilo Bay (Canoe Beach)	76	76	10.9	8.1	
Honolii Cove (Ocean)	76	76	15.7	18.1	
Kona Shoreline	2/ 293	255	(X)	(X)	
Anaehoomalu Bay	2/ 36	29	1.5	2.1	
Kahaluu Beach Park	2/ 41	31	2.7	3.7	
Spencer Beach Park	20	8	2/ 3.3	2.7	
Maui	2/ 666	530	(X)	(X)	
Hukilau Hotel shoreline	58	79	2.5	5.6	
Kamaole Beach #1	57	78	1.9	2.9	
Kihei (south)	58	78	1.5	3.6	
Spreckelsville Beach	58	78	1.8	2.8	
Wailea Beach	55	78	3.8	2.7	
Oahu	2/ 2,516	2,418	(X)	(X)	
Ala Moana Park (center)	35	65	5.5	7.7	
Hanauma Bay	94	81	4.8	3.3	
Kailua Beach Park	94	81	7.1	5.8	
Kuhio Beach	97	82	13.4	15.6	
Makaha Beach	96	75	3.5	2.5	
Sunset Beach	96	78	3.2	3.6	
Waimea Beach	95	172	5.0	4.8	
Kauai	2/ 720	530	(X)	(X)	
Hanapepe Salt Pond	95	86	2/ 1.5	2.8	
Kalapaki Beach (middle)	95	86	2/ 14.5	17.3	
Kekaha (Oomano Point)	29	(NA)	0.8	(NA)	
Lydgate Park (wading pool)	2/ 97	83	2/ 7.7	10.7	
Poipu Beach Pavilion	97	86	2/ 3.0	3.4	

X Not applicable.

Source: Hawaii State Department of Health, Clean Water Branch, records.

NA Not available.

^{1/} Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density is 7 per 100 ml.

^{2/} Revised from previous *Data Book*.

Table 5.30-- REFUSE AND SEWAGE STATISTICS FOR OAHU: 1995 TO 2006

[Fiscal year ending June 30]

	Tons of mu	nicipal solid waste d	elivered 1/	
Year	Total	City and County refuse vehicles	Other vehicles	Sewage treated 2/ (millions of gallons)
1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	1,017,709 959,793 945,081 861,831 830,035 868,588 955,019 897,068 890,275 933,028 952,703 937,726	325,381 288,057 302,078 295,117 284,007 298,207 326,696 300,833 344,786 350,298 368,288 363,233	692,328 671,736 643,003 566,714 546,028 570,381 628,323 596,235 545,489 582,730 584,415 574,493	43,175 41,403 42,616 41,289 40,750 41,444 40,369 40,025 40,524 44,472 40,975 42,275
Year	Sewage pumped 2/ (millions of gallons)	Miles of sewers 2/	City and County pump stations	City and County treatment plants
1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	53,088 52,114 54,197 50,605 49,379 49,623 48,626 49,851 50,497 50,969 44,476 44,168	1,893 1,910 1,940 1,940 1,970 2,230 2,230 2,399 3/ 2,205 2,212 2,268 2,268	64 65 63 64 65 65 65 65 65 65 65 66	8 8 8 8 8 8 8 8 8

^{1/} Excludes small landfill controlled by armed forces.

Source: City and County of Honolulu, Department of Environmental Services, records.

^{2/} Data limited to system maintained by the City and County of Honolulu, Department of Environmental Services.

^{3/} GIS editing for more accurate dimensions resulted in a reduction of lateral length.

Table 5.31-- AIR QUALITY IN DOWNTOWN HONOLULU: 1988 TO 2006

[Annual arithmetic means, in micrograms per cubic meter (μg/m³), for particulate matter 10 microns or less in diameter (PM₁₀) and in parts per million (ppm) for carbon monoxide (CO). Sampling is conducted about 46 feet above ground on the roof of the State Health Department building (Kinau Hale), 1250 Punchbowl Street, Honolulu, Hawaii]

Year	PM ₁₀ (μg/m³) 1/	CO (ppm) 2/	Year	PM ₁₀ (μg/m³) 1/	CO (ppm) 2/
1988	-	1.7	1998	9	0.8
1989	-	1.8	1999	14	0.6
1990	-	1.5	2000	14	0.7
1991	-	1.7	2001	16	0.6
1992	-	1.6	2002	15	0.6
1993	13	1.8	2003	15	0.6
1994	14	0.8	2004	13	0.6
1995	14	0.8	2005 3/	14	0.6
1996	14	0.8	2006 4/	13	0.4
1997	8	0.8			

^{1/} The State and Federal Ambient Air Standard for PM $_{10}$ annual average is 50 μ g/m³. The Federal standard was revoked by the U.S. Environmental Protection Agency effective December 17, 2006.

Source: Hawaii State Department of Health, Environmental Management Division, Clean Air Branch, records.

^{2/} There is no annual standard for CO. The State Ambient Air Standard for 1-hour CO is 9 ppm and the Federal standard is 35 ppm.

^{3/} Represents data until July 14, 2005, when the monitoring station was closed for roof repairs.

^{4/} Represents data from August 5, 2006, after completion of roof repairs.

Table 5.32-- AIR QUALITY AT SPECIFIED LOCATIONS: 2006

[24-hour average, in micrograms per cubic meter]

		PM ₁₀ 1/		Sı	ılfur dioxide	e 2/
	Annual range			Annual range		
Sampling station	Minimum	Maximum	Annual arithmetic average	Minimum	Maximum	Annual arithmetic average
Oahu:						
Downtown Honolulu	5	25	13	-	13	1
Liliha	7	31	16	(NA)	(NA)	(NA)
Pearl City	6	3/ 87	15	(NA)	(NA)	(NA)
Kapolei	7	59	16	1	8	5
Makaiwa	(NA)	(NA)	(NA)	-	17	5
West Beach 4/	5	33	12	-	7	2
Waimanalo 4/	6	36	16	(NA)	(NA)	(NA)
Kauai:						
Lihue	-	34	11	(NA)	(NA)	(NA)

NA Not available.

Source: Hawaii State Department of Health, Environmental Management Division, Clean Air Branch, records.

^{1/} The State and Federal Ambient Air Standard for 24-hr PM $_{10}$ is 150 μ g/m³.

^{2/} The State and Federal Ambient Air Standard for 24-hr SO $_2$ is 365 μ g/m³.

^{3/} Probably due to New Year's fireworks.

^{4/} Manual PM₁₀ samplers operated for 24 hours, once every 6 days in accordance with EPA guidelines.

Table 5.33-- RELEASE OF TOXICS: 1999 TO 2005

[In pounds]

		Release 1/										
Year	Total	Air	Water	On-site land	Under- ground injection	Off-site						
1999	1,681,101	1,584,809	2,721	38,163	5,070	50,338						
2000	1,311,611	1,057,090	1,224	31,833	7,284	214,180						
2001	3,108,521	2,379,969	29,770	224,400	2,071	472,311						
2002	3,688,240	2,495,256	454,684	228,634	2,241	507,425						
2003	2/ 3,163,057	2/ 2,131,959	364,067	249,267	2,670	2/ 415,094						
2004	2/ 3,163,485	2/ 2,358,736	2/ 296,415	227,719	6,601	2/ 274,014						
2005	3,102,724	2,311,630	522,217	89,734	2,736	176,407						
	, ,	, ,	,	,	•	,						

^{1/} Release is defined as the amount of a toxic chemical released on-site (to air, water, underground injection, landfills, and other land disposal), and the amount transferred off-site for disposal.

^{2/} Revised from previous Data Book.

Source: U.S. Environmental Protection Agency, *Hawaii Report: Toxics Release Inventory* (annual) http://www.epa.gov/region09/toxic/tri/report/05/hi-factsheet-2005.pdf accessed March 29, 2007.

Table 5.34 -- RELEASE OF PERSISTENT, BIOACCUMULATIVE AND TOXIC (PBT) CHEMICALS: 2000 TO 2005

[In pounds, for dioxin and dioxin-like compounds in grams]

			Total on- a	ınd off-site r	release 1/		
Year	Lead	Lead com- pounds	PAC's 2/	Mercury com- pounds	Mercury	Benzo (g,h,i) perylene	Dioxin 3/
2000	(NA)	(NA)	2,592	101	(NA)	0.92	5.893
2001	120,024	9,443	1,476	200	(NA)	0.89	6.110
2002	83,854	8,058	1,407	317	-	0.95	6.330
2003	106,	067	1,533	20	03	1.18	5.129
2004	131,	952	4/ 1,786	18	37	4/ 9.84	4/ 5.390
2005	-	437 	1,669	187 210 		212.95	5.180

NA Not available.

- 1/ Release is defined as the amount of a toxic chemical released on-site (to air, water, underground injection, landfills, and other land disposal), and the amount transferred off-site for disposal.
 - 2/ Polycyclic aromatic compounds.
 - 3/ Dioxin and dioxin-like compounds (in grams).
 - 4/ Revised from previous *Data Book*.

Source: U.S. Environmental Protection Agency, *Hawaii Report: Toxics Release Inventory* (annual) http://www.epa.gov/region09/toxic/tri/report/05/hi-factsheet-2005.pdf accessed March 29, 2007.

Table 5.35-- ATMOSPHERIC CARBON DIOXIDE MEASUREMENTS AT MAUNA LOA: ANNUAL MEAN VALUES, 1958 TO 2006

[Parts per million]

Year	Annual average	Year	Annual average	Year	Annual average
1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974	1/ 315.17 315.83 316.75 317.49 318.30 318.83 2/ 319.04 319.87 321.21 322.02 322.83 323.93 325.27 326.17 327.26 329.45 1/ 329.72 5/ 331.14	1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993	332.04 333.79 335.35 336.73 338.72 340.12 341.21 342.87 344.48 345.85 347.21 348.98 351.34 352.89 354.26 355.45 356.58 357.01	1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	358.51 360.62 362.40 363.54 366.61 368.33 369.62 371.20 372.99 375.82 3/ 377.54 3/ 379.97 4/ 381.88

^{1/} Based on data for 8 months.

Source: National Weather Service, Pacific Region, Honolulu (for 1958-1991); Mauna Loa Observatory (for 1992-1999); U.S. Department of Commerce, National Oceanic & Atmospheric Administration, Earth System Research Laboratory, records.

^{2/} Based on data for 9 months.

^{3/} Revised from previous Data Book.

^{4/} Preliminary.

^{5/} Based on data for 11 months.

Table 5.36-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES

[Updated through June 2006]

		_	mperature 1/ F)		emperature ord (°F)	_
Island and station	Ground elevation (feet)	Coolest month	Warmest month	Lowest	Highest	Average annual precipitation (inches)
Hawaii:						
	2/ 38	00.0	2/ 82.3	50	0.4	2/ 126.39
Hilo Airport	2/ 3,970	66.3 52.6	2/ 62.3 2/ 70.7	53 34	94 89	2/ 126.39 2/ 107.68
Hawaii Volcanoes Nat. Park Hdq. Naalehu	800	65.8	79.3	50	93	2/ 107.00
Kailua	2/ 700	64.1	79.3 77.0	50 50	93 88	2/ 45.10
Puako 3/	5	68.3	83.8	50 52	92	9.09
Waimea (Kamuela)	2,670	2/ 66.1	2/ 85.1	34	2/ 95	(4/)
Honokaa	1,080	67.6	75.5	(NA)	(NA)	105.94
Mauna Kea summit 5/	13,796	31.3	42.5	11	66	(NA)
Maui:						
Hana Airport	75	67.2	80.8	50	94	90.63
Haleakala summit 6/	10,025	38.9	54.6	14	73	36.52
Kihei 7/	85	70.9	78.4	49	98	2/ 15.20
Kahului Airport	2/ 51	67.4	83.7	48	97	22.49
Lahaina 8/	45	65.9	84.8	52	97	13.77
Molokai:						
Kaunakakai	12	(NA)	(NA)	(NA)	(NA)	2/ 24.23
Molokai Airport	450	67.4	80.9	46	96	(NA)
Lanai:						
Lanai City	1,620	61.5	75.1	47	89	2/ 48.15

Continued on next page.

Table 5.36-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES -- Con.

			mperature 1/ F)		emperature ord (°F)		
Island and station	Ground elevation (feet)	Coolest month	Warmest month	Lowest	Highest	Average annual precipitation (inches)	
Oahu:							
Honolulu International Airport	7	70.1	2/ 84.7	52	96	2/ 22.13	
Waikiki (Honolulu Zoo)	10	68.9	84.6	42	95	2/ 26.14	
Manoa (Lyon Arboretum)	500	66.4	79.2	49	96	2/ 168.63	
Kaneohe (State Hospital)	200	70.9	83.0	58	96	2/ 59.17	
Kahuku 9/	15	68.9	80.8	51	99	40.86	
Wheeler AFB 10/	820	68.2	75.5	52	89	38.46	
Kauai:							
Kilauea (town)	320	65.6	78.8	50	90	76.60	
Lihue Airport	103	69.7	2/ 82.2	50	90	2/ 36.18	
Poipu (Makahuena Pt.) 6/	50	69.3	82.6	50	95	34.35	
Kekaha 11/	9	64.5	84.8	44	95	20.66	
Kokee (Kanalohuluhulu)	3,600	51.1	67.4	29	90	72.30	
Northwestern Hawaiian Islands:							
Midway 12/	10	65.0	78.6	52	89	44.00	

Continued on next page.

Table 5.36-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES -- Con.

NA Not available.

- 1/ For some stations, data represent 30-year normals.
- 2/ Revised from previous *Data Book*.
- 3/ Data available through 1976. Temperature data are for Mahukona.
- 4/ Data for December are missing.
- 5/ Based on incomplete and non-continuous data for 1966-1972.
- 6/ Data available through 1976.
- 7/ Temperature data available through 1953, refer to Puunene Airport.
- 8/ Data available through 2001.
- 9/ Data available through 1975.
- 10/ Data available through 1949.
- 11/ Data available through 2000.
- 12/ Data available through 1991, not confirmed.

Source: Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meterology, records.

Table 5.37-- ENVIRONMENTAL INDICATORS: 2003 TO 2005

Indicator	Unit	2003	2004	2005	Score 1/
Electric utility sales	Mil. kwh	2/ 10,216	2/ 10,477	10,550	(NA)
Electric utility sales per capita	kwh	7,535	7,614	7,563	(NA)
Energy used	Tril. BtU	320.4	2/ 324.1	324.6	(NA)
Energy used per capita	Mil. BtU	235	2/ 324.1	(NA)	(NA)
Estimated greenhouse gas	IVIII. BIO	233	233	(INA)	(INA)
emissions	Mil Topo 2/	24.60	2/24.00	21.11	47
0.100.01.0	Mil. Tons 3/	21.68	2/ 21.88		
Fossil fuel used	Tril. BtU	302.7	2/ 305.6	307.1	(NA)
Municipal water consumption 4/	Mil. gal	80,735	78,345	77,171	46
Wastewater reuse 5/	Percent	15.7	2/ 15.7	15.7	63
Municipal solid waste diverted 6/	Percent	29.1	32.5	(NA)	43
Hazardous waste generated 5/	Tons	2/ 1,139	(NA)	(NA)	74
Beaches posted as unsafe					
due to pollution	Days	-	33	121	(NA)
Oil and chemical spills 5/	Number	386	2/ 357	(NA)	71
Safe drinking water 7/	% population			, ,	
3	served	100.0	99.5	99.1	91
State environmental expenditures 4/	\$ millions	66	150	85	45
Noise complaints	Number	363	432	453	61
Bikeways	Miles	208	214	214	17
Bus boardings (Oahu)	Millions	69.1	61.3	67.4	54
bus boardings (Gariu)	IVIIIIOIIS	09.1	01.5	07.4	34
			Í		Í

NA Not available.

Source: State of Hawai'i, Environmental Council, Environmental Report Card (annual).

^{1/} In percent. Latest data equal to or better than desired level = 100. Latest data equal to undesirable level = 0.

^{2/} Revised from previous Data Book.

^{3/} Carbon dioxide equivalent.

^{4/} Fiscal year ending June 30.

^{5/} Fiscal year ending September 30.

^{6/} Fiscal year ending September 30. Municipal solid waste recycled or composted. Does not include waste sent to H-Power for incineration and power generation.

^{7/} Fiscal year ending September 30. Below 1994 maximum microbiological and chemical contaminant levels.

Table 5.38-- CLIMATIC NORMALS, MEANS, AND EXTREMES FOR HILO, KAHULUI, HONOLULU, AND LIHUE AIRPORTS: 2006

[Normals are 30-year averages (1971 - 2000)]

Subject	Hilo	Kahului	Honolulu	Lihue
Temperatures (°F)				
Normal daily maximum, annual	81.0	84.3	84.7	81.1
Highest daily maximum	94	97	95	90
Month and year of occurrence	May 1966	Aug 1994	Sep 1994	Sep 1995
Normal daily minimum, annual	66.7	67.3	70.2	70.3
Lowest daily minimum	53	22	53	50
Month and year of occurrence	Feb 1962	Jan 2004	Jan 1998	Jan 1969
Normal dry bulb (temperature of ambient air)				
Coolest	71.4	71.8	73.0	71.7
Month	Jan	Jan	Jan, Feb	Jan, Feb
Warmest	76.3	79.5	81.8	79.7
Month	Aug	Aug	Aug	Aug
Annual	73.9	75.8	77.5	75.7
Normal no. days with maximum 90°F and above	1.2	25.9	35.5	0.3
Normal relative humidity (percent), annual				
8 a.m.	80	74	72	77
2 p.m.	68	58	56	66
Percent of possible sunshine, annual	41	67	71	58
Magazia dava (appual) with				
Mean no.days (annual) with Clear	35.5	130.5	90.0	55.3
	33.3 131.3	145.2	179.8	183.2
Partly cloudy Cloudy	195.3	89.5	92.0	103.2
Cloudy	195.5	69.5	92.0	123.2
Wind speed (m.p.h.), annual				
Mean	7.0	13.1	10.4	13.6
Maximum 2-minute	37	48	40	46
Month and year of occurrence	Feb 2006	Jan 2004	Jan 2004	Jan 2004
Precipitation (inches)				
Normal, annual	126.27	18.80	18.29	39.57
Maximum monthly	50.82	14.46	20.79	36.13
Month and year of occurrence	Dec 1954	Jan 1980	Mar 1951	Mar 2006
Minimum monthly	0.13	-	(1/)	(1/)
Month and year of occurrence	Jan 1998	Jun 1957	Aug 1974	Feb 1983
Maximum in 24 hours	27.36	7.01	17.07	11.54
Month and year of occurrence	Nov 2000	Jan 1980	Mar 1958	Dec 1968

^{1/} Trace precipitation.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary with Comparative Data, 2006,* "Normals, Means, and Extremes", for Hilo, Kahului, Honolulu, and Lihue (annual).

Table 5.39-- MONTHLY AND ANNUAL CLIMATIC DATA FOR HONOLULU INTERNATIONAL AIRPORT: 2006

	Normal temperature (°F)				emperature F)	Precipitation (inches)			
Month	Daily maximum	Daily minimum	Dry bulb 1/	Highest daily maximum	Lowest daily minimum	Normal	Maximum monthly	Minimum monthly	Maximum in 24 hours
January	80.4	65.7	73.0	88	53	2.73	14.74	0.18	6.72
February	80.7	65.4	73.0	88	53	2.35	13.68	0.06	6.88
March	81.7	66.9	74.3	88	55	1.89	20.79	0.01	17.07
April	83.1	68.2	75.6	91	57	1.11	8.92	0.01	4.21
May	84.9	69.6	77.2	93	60	0.78	7.23	0.03	3.44
June	86.9	72.1	79.5	92	65	0.43	2.46	(2/)	2.28
July	87.8	73.8	80.8	94	66	0.50	2.33	0.03	2.20
August	88.9	74.7	81.8	93	67	0.46	3.74	(2/)	3.03
September	88.9	74.2	81.5	95	66	0.74	2.74	0.05	1.40
October	87.2	73.2	80.2	94	61	2.18	11.15	0.07	7.57
November	84.3	71.1	77.7	93	57	2.27	18.79	0.03	9.15
December	81.7	67.8	74.8	89	54	2.85	17.29	0.04	8.25
Annual	84.7	70.2	77.5	95	53	18.29	20.79	(2/)	17.07

Continued on next page.

Table 5.39-- MONTHLY AND ANNUAL CLIMATIC DATA FOR HONOLULU INTERNATIONAL AIRPORT: 2006 -- Con.

		Relative humidity (percent)		Wind (miles/hour)		Number of days			
						Me	ean	Normal	
Month	8 A.M.	2 P.M.	Mean speed	Maximum 2-minute speed	Percent of possible sunshine	Clear	Cloudy	Precipitation .01 inch or more	
January	81	61	8.7	40	65	9.5	8.5	8.8	
February	79	59	9.2	37	68	8.1	7.6	7.9	
March	73	57	10.3	32	72	7.4	9.3	9.0	
April	70	55	11.2	35	70	5.9	9.6	8.6	
May	67	54	10.6	29	72	6.7	8.7	7.3	
June	66	52	12.0	30	74	6.5	6.2	5.8	
July	68	52	12.2	30	76	7.4	5.1	7.2	
August	68	52	11.8	31	77	8.0	5.7	5.4	
September	70	53	10.3	30	77	7.9	5.7	6.9	
October	71	56	9.7	29	71	7.5	8.1	7.3	
November	75	59	9.7	30	64	7.2	8.8	9.1	
December	79	60	9.5	35	63	7.9	8.7	9.7	
Annual	72	56	10.4	40	71	90.0	92.0	93.0	

^{1/} Temperature of the ambient air.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary With Comparative Data, 2006,* "Normals, Means, and Extremes, Honolulu, HI" (annual).

^{2/} Trace precipitation.

Table 5.40-- AVERAGE TEMPERATURE, PERCENT OF POSSIBLE SUNSHINE, AND PRECIPITATION, FOR HONOLULU INTERNATIONAL AIRPORT: 1950 TO 2006

Year	Average tempera- ture (°F)	Percent of possible sunshine	Precipi- tation (inches)	Year	Average tempera- ture (°F)	Percent of possible sunshine	Precipi- tation (inches)
		(1.1.)					
1950	75.7	(NA)	31.68	1980	77.4	68	26.90
1951	76.3	(NA)	39.73	1981	77.1	68	13.41
1952	75.4	(NA)	10.65	1982	76.9	67	34.92
1953	75.9	71	9.97	1983	77.2	67	5.03
1954	75.8	68	27.30	1984	78.1	67	17.08
1955	74.5	62	37.86	1985	76.9	67	17.38
1956	75.9	69	21.23	1986	78.3	68	13.93
1957	76.0	72	24.22	1987	77.9	68	23.53
1958	75.3	70	35.02	1988	78.5	68	16.47
1959	76.7	70	14.14	1989	77.5	68	27.52
1960	76.7	70	12.07	1990	77.6	69	19.84
1961	77.2	81	14.26	1991	77.7	69	17.94
1962	76.5	71	13.58	1992	77.8	69	19.00
1963	76.7	64	37.91	1993	77.1	69	5.84
1964	77.0	63	20.12	1994	78.8	70	15.59
1965 1/	76.1	74	42.78	1995	79.3	70	13.60
1966 1/	77.6	68	23.18	1996	78.6	70	33.12
1967 1/	77.6	58	34.34	1997	77.8	71	19.99
1968 1/	77.9	63	37.26	1998	77.1	71	4.52
1969 1/	77.4	68	22.50	1999	76.9	71	11.99
1970 1/	78.2	72	15.49	2000	77.6	71	7.10
1971 1/	76.1	70	26.64	2001	78.2	71	9.14
1972	76.2	65	26.94	2002	77.9	71	12.18
1973	77.2	63	14.24	2003	78.5	71	12.69
1974	77.5	61	24.02	2004	78.7	71	39.01
1975	76.2	62	24.39	2005	78.4	71	15.60
1976	76.8	60	12.90	2006	77.1	71	29.45
1977	78.2	68	12.36			-	
1978	76.8	69	25.05				
1979	77.0	68	16.93				

^{1/} Site conditions produced distorted temperature measurements from 1965 to 1971.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data*, *Annual Summary With Comparative Data*,

[&]quot;Average Temperature (°F), Honolulu, HI", "Normals, Means, and Extremes, Honolulu, HI",

[&]quot;Precipitation (inches), Honolulu, HI" (annual).

Table 5.41-- AVERAGE DAILY TEMPERATURE AND DAYS WITH MAXIMUM OF 90° OR HIGHER, FOR HONOLULU INTERNATIONAL AIRPORT: 1971 TO 2006

Year	Average daily maximum (°F)	Days 90° or higher	Year	Average daily maximum (°F)	Days 90° or higher
1971	82.7	-	1991	84.9	35
1972	83.2	3	1992	85.2	28
1973	84.4	10	1993	84.5	23
1974	85.0	25	1994	85.5	85
1975	83.6	1	1995	86.8	116
1976	84.1	9	1996	85.8	69
1977	85.2	16	1997	85.1	50
1978	84.2	13	1998	83.7	-
1979	84.7	51	1999	83.2	-
1980	84.6	22	2000	84.0	4
1001	0.4.0	•	0004	0.4.5	40
1981	84.6	9	2001	84.5	19
1982	83.5	27	2002	84.1	9
1983	85.1	44	2003	84.8	35
1984	85.5	63	2004	84.9	53
1985	84.6	53	2005	84.7	55
1986	86.2	64	2006	83.1	1
1987	85.7	93			
1988	86.1	70			
1989	85.2	34			
1990	84.0	47			

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data*, *Annual Summary With Comparative Data*, "Meteorological Data, Honolulu, HI " (annual).

Table 5.42-- CLIMATIC DATA FOR HONOLULU INTERNATIONAL AIRPORT: 1993 TO 2006

	Averag	e temperature	e (°F) 1/	Extreme	temp. (°F)	
Year	Annual	Coolest month	Warmest month	Lowest	Highest	Precipitation (inches)
1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	77.1 78.8 79.3 78.6 77.8 77.1 76.9 77.6 78.2 77.9 78.5 78.7 78.4 77.1	70.9 72.0 73.4 74.0 72.3 72.5 73.3 72.5 74.1 73.1 72.5 73.6 72.7 72.1	81.3 84.3 83.4 82.8 82.7 81.1 80.8 81.4 82.2 82.2 82.2 83.2 83.6 81.2	54 56 56 56 57 53 60 59 59 60 57 60 58 60	93 95 94 93 94 89 89 90 92 90 92 92 93 90	5.84 15.59 13.60 33.12 19.99 4.52 11.99 7.10 9.14 12.18 12.69 39.01 15.60 29.45
· · · · · · · · · · · · · · · · · · ·	(per	humidity cent)	(miles	speed s/hour)	Percent of possible	Days with precipitation .01 inch or
1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	8 a.m. 70 72 74 73 80 72 73 75 73 75 71 66	2 p.m. 53 55 57 56 57 56 57 60 58 58 56 61 55 58	10.9 11.9 10.7 9.6 10.0 11.0 11.0 10.9 11.3 10.2 10.5 9.7 10.6 9.9	Peak gust 46 51 41 40 41 (NA) (NA) (NA) (NA) (NA) (NA) (NA) (NA)	69 70 70 70 71 71 71 71 71 71 71 71 71 71	76 80 81 106 105 74 94 67 84 64 87 122 90

NA Not available.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data*, *Annual Summary With Comparative Data*, "Meteorological Data, Honolulu, HI", "Normals, Means, and Extremes, Honolulu, HI" (annual).

^{1/} Normal dry bulb (temperature of the ambient air).

Table 5.43-- CLIMATIC DATA FOR THE PERIOD OF RECORD

Subject	Date	Place	Magnitude
Long-term averages:			
Lowest monthly average minimum temp. (°F)	February	Mauna Kea summit	23.5
Lowest monthly average daily temp. (°F)	February	Mauna Kea summit	31.3
Highest monthly average maximum temp. (°F)	September	Kawaihae 1/	91.9
Highest monthly average daily temp. (°F)	September	Kawaihae 1/	80.8
Lowest average annual rainfall (inches)	· '	Kawaihae	8.7
Highest average annual rainfall (inches)		Waialeale	444
Single events:			
Lowest temperature of record (°F)	Jan. 20, 1970	Mauna Kea summit 2/	1.4
Highest temperature of record (°F)	April 27, 1931	Pahala	100
Lowest annual rainfall of record (inches)	1953	Kawaihae	0.2
Highest annual rainfall of record (inches)	1982	Waialeale	666
Highest wind speed of record (m.p.h.)	Sept. 11, 1992	Makahuena Pt. 3/	143

^{1/} Puukohola Heiau National Historical Site, Kawaihae, Hawaii.

Source: Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, data provided February 14, 1995.

^{2/} Recorded by Dr. Alfred Woodcock 60 meters inside the Mauna Kea summit cone, at 6:50 a.m. The rim at that time had a temperature of 39°F.

^{3/} Makahuena Point Coast Guard Station, Poipu, Kauai.

Table 5.44--RAINFALL AT SPECIFIED LOCATIONS: ANNUALLY, 1994 TO 2006

[In inches]

		Hav	vaii	Maui				
Year	Hilo Airport	Lalamilo	Kona Village	Naalehu	Kahului Airport	Kihei	Lahaina	
1994	182.81	11.87	4.62	63.34	13.93	5.61	8.02	
1995	85.92	6.04	5.72	26.55	13.45	8.21	6.30	
1996	120.21	25.35	24.70	59.07	31.00	22.32	22.81	
1997	131.61	17.48	15.57	49.43	23.08	19.96	16.68	
1998	76.12	8.86	1.37	17.62	6.36	4.47	1.86	
1999	117.10	8.10	3.93	36.55	7.04	7.13	6.11	
2000	119.45	6.85	6.31	36.03	9.66	3.26	6.01	
2001	111.55	6.91	8.05	38.09	9.31	4.84	1.65	
2002	132.36	18.01	9.70	59.15	15.01	13.33	(NA)	
2003	91.38	12.40	5.66	28.71	13.83	12.03	(NA)	
2004	137.49	23.40	19.97	46.95	26.17	26.38	(NA)	
2005	123.32	15.58	14.90	31.48	42.13	10.88	(NA)	
2006	122.02	10.61	9.68	76.33	18.65	16.49	(NA)	
		Oa	hu		Kauai			
		University	Nuuanu	Kane-		Lihue		
Year	Waikiki	of Hawaii	Res. 4	ohe	Koloa	Airport	Princeville	
1994	20.16	33.68	125.48	52.36	60.73	32.99	72.15	
1995	12.25	20.98	99.26	42.25	56.76	46.57	86.94	
1996	29.96	42.11	116.76	62.45	48.81	56.14	85.53	
1997 1998	25.30 10.97	40.62 24.50	116.22 74.62	62.28 28.52	42.02 33.72	48.02 26.47	81.57 56.52	
1996	19.09	24.50 26.55	74.62 88.06	26.52 30.76	33.72 40.25	33.18	72.98	
2000	6.86	18.87	88.20	31.10	30.55	17.96	72.96 52.92	
2000	15.73	22.69	82.73	32.22	27.00	27.75	72.05	
2001	17.26	23.66	106.70	32.22 44.16	41.81	31.92	66.81	
2002	27.23	24.96	111.33	50.75	36.36	35.78	74.82	
2003	43.81	61.89	146.17	81.26	64.89	49.91	93.17	
2004	19.26	36.45	83.73	58.24	40.51	27.41	79.95	
2006	31.84	38.90	(NA)	81.28	69.28	67.02	91.58	
	. .		()	_ -		- · · · · · ·		

NA Not available.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Climatological Data, Annual Summary, Hawaii and Pacific* (annual); Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meteorology, records.

Table 5.45-- MAJOR HURRICANES: 1950 TO 2005

				Maximum recorded winds ashore (m.p.h.)		
Hurricane name	Date 1/	Islands most affected	Sustained	Peak gusts	Deaths	Property damage (mil. dol.)
Hiki	Aug. 15-17, 1950	Kauai	68	(NA)	1	0.2
Della	Sept. 4, 1957	French Frigate Shoals	82	109	-	Minor
Nina	Dec. 1-2, 1957	Kauai	(NA)	92	1	0.1
Dot	Aug. 6, 1959	Kauai	` 81́	103	-	5.5+
Fico	July 18-20, 1978	Hawaii	(NA)	58+	-	0.2
Iwa	Nov. 23, 1982	Kauai, Oahu	65	117	1	234.0
Estelle	July 22, 1986	Maui, Hawaii	(NA)	55	-	2.0
Iniki	Sept. 11, 1992	Kauai, Oahu	92	143	8	1,900

NA Not available.

Source: Samuel L. Shaw, *A History of Tropical Cyclones in the Central North Pacific and the Hawaiian Islands, 1832-1979* (U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service, September 1981); Hawaii State Department of Defense, Civil Defense Division, *Catalogue of Natural and Man-Caused Incidents and Disasters in the Hawaiian Islands* (December 1978); The Governor's Ad Hoc Committee on the Economic Impact of Hurricane Iwa, *Hurricane Iwa's Economic Impact on Hawaii* (January 1983); "The History of Hurricanes in Hawaii", *Honolulu Star-Bulletin*, July 18, 1983, p. A-5; "20-Foot Waves Hit Big Isle As Storm Brushes Coastline", *The Honolulu Advertiser*, July 23, 1986, pp. A1, A2; "Hawaii Hurricanes", *Honolulu Star-Bulletin*, August 4, 1988, p. A-8; Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meteorology, records.

^{1/} Period affecting the Hawaiian Islands.

Table 5.46-- TRADE WINDS, HIGH SURF, AND TEMPERATURES IN HAWAIIAN WATERS, BY MONTHS

			Highest surf	f 3/ (average of days)		perature 4/ °F)
Month	Trade wind frequency 1/ (percent)	Expected days of strong trade winds 2/	Flat or 1 foot	6 feet or more	Mean maximum	Mean minimum
Jan.	42	9	1	19	74.7	71.1
Feb.	55	7	1	16	75.6	70.3
March	61	10	1	12	76.5	71.8
April	74	10	3	7	77.7	73.0
May	86	7	8	3	79.5	74.7
June	91	7	15	-	81.1	77.7
July	95	10	16	-	81.1	78.3
Aug.	94	7	15	-	81.9	79.2
Sept.	83	4	10	2	81.9	78.4
Oct.	71	4	1	12	81.1	77.2
Nov.	64	8	-	19	79.3	74.5
Dec.	57	9	-	20	75.9	71.4
Annual	73	92	71	110	78.6	74.8

^{1/} Mean monthly frequency of trade winds in Hawaiian waters.

Source: Paul Haraguchi, *Weather in Hawaiian Waters* (Honolulu: Pacific Weather, Inc., 1979), pp. 14, 22, 56, and 74; Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, data provided February 14, 1995.

^{2/} Expected number of hazardous days in Hawaiian waters due to strong trade winds.

^{3/} Observations at Sunset Beach, Oahu. Annual averages were: flat or 1 foot, 71 days; 2-5 feet, 184 days; 6-10 feet, 71 days; 11-15 feet, 26 days; 16 feet or higher, 13 days.

^{4/} Observations at Kaneohe, Oahu. The mean ranged from 73.0 in January and February to 80.2 in August. Absolute maximums and minimums were respectively 84 (in July, August, and October) and 68 (December and February).

Table 5.47-- SUNRISE, SUNSET, AND HOURS OF DAYLIGHT AT SELECTED LOCATIONS, AT BEGINNING OF EACH SEASON: 2007

[Based on Hawaii-Aleutian Standard Time which is 10 hours less than Universal Time Coordinated (UTC), the international standard for civil time]

Subject	Hilo	Kahului	Honolulu	Lihue
Sunrise (a.m.)				
March 20	6:25	6:30	6:36	6:42
June 21	5:42	5:46	5:50	5:55
Sept. 22	6:09	6:15	6:20	6:26
Dec. 21	6:50	6:58	7:04	7:12
Sunset (p.m.)				
March 20	6:31	6:37	6:42	6:49
June 21	7:02	7:10	7:16	7:24
Sept. 22	6:17	6:22	6:28	6:34
Dec. 21	5:47	5:50	5:55	5:59
Daylight (hours, minutes)				
March 20	12, 06	12, 07	12, 06	12, 07
June 21	13, 20	13, 24	13, 26	13, 29
Sept. 22	12, 08	12, 07	12, 08	12, 08
Dec. 21	10, 57	10, 52	10, 51	10, 47

Source: U.S. Naval Observatory, Astrronomical Applications Department

http://aa.usno.navy.mil/data/docs/EarthSeasons.html and

http://aa.usno.navy.mil/data/docs/RS_OneYear.html accessed January 29, 2007;

calculations by the Hawaii State Department of Business, Economic Development & Tourism.

Table 5.48-- SUNRISE, SUNSET, AND HOURS OF DAYLIGHT AT SELECTED LOCATIONS, AT BEGINNING OF EACH SEASON: 2008

[Based on Hawaii-Aleutian Standard Time which is 10 hours less than Universal Time Coordinated (UTC), the international standard for civil time]

Subject	Hilo	Kahului	Honolulu	Lihue
Sunrise (a.m.)				
March 19	6:25	6:30	6:36	6:42
June 20	5:42	5:46	5:50	5:55
Sept. 22	6:09	6:15	6:20	6:26
Dec. 21	6:51	6:58	7:05	7:12
Sunset (p.m.)				
March 19	6:31	6:37	6:42	6:49
June 20	7:02	7:10	7:16	7:24
Sept. 22	6:16	6:21	6:27	6:33
Dec. 21	5:47	5:50	5:55	6:00
Daylight (hours, minutes)				
March 19	12, 06	12, 07	12, 06	12, 07
June 20	13, 20	13, 24	13, 26	13, 29
Sept. 22	12, 07	12, 06	12, 07	12, 07
Dec. 21	10, 56	10, 52	10, 50	10, 48

Source: U.S. Naval Observatory, Astrronomical Applications Department

http://aa.usno.navy.mil/data/docs/EarthSeasons.html and

http://aa.usno.navy.mil/data/docs/RS_OneYear.html accessed January 29, 2007;

calculations by the Hawaii State Department of Business, Economic Development & Tourism.

Table 5.49-- HAWAII AUDUBON SOCIETY BIRD COUNTS OF MAJOR SPECIES IN THE HONOLULU AREA: 2001 TO 2005

[Counts are made in late December at various locations between Hawaii Kai and Aiea, and between Waimanalo and Kaneohe. Annual changes reflect differences in numbers of bird counters and counting time in the field, as well as changes in bird populations. Totals by species are also affected by the types of habitats studied]

Species	2001	2002	2003	2004	2005
Endemic species: 1/					
'Apapane	18	30	21	-	6
Hawaiian Moorhen 2/	19	6	29	24	22
Hawaiian Stilt 2/	139	146	159	175	134
Oahu 'Amakihi	55	71	96	3/ 21	40
Oahu 'Elepaio	14	15	15	3	6
Indigenous species: 4/					
Black-crowned Night Heron	70	61	35	66	39
Brown Booby	16	7	15	7	-
Great Frigatebird	34	212	17	17	115
Laysan Albatross	5	6	2	-	-
Red-footed Booby	1,085	1,138	517	996	829
White Tern	22	3	1	6	(5/)
Alien species: 6/					
Cattle Egret	158	253	149	189	102
Common Myna	2,124	2,600	1,015	1,435	703
Common Waxbill	524	862	297	553	428
House Finch	425	874	117	323	108
House Sparrow	475	463	170	296	140
Japanese White-eye	713	938	298	284	196
Java Sparrow	2,012	1,121	506	909	556
Northern Cardinal	111	105	56	92	26
Nutmeg Mannikin	48	103	11	97	9
Red-billed Leiothrix	151	192	123	85	97
Red-crested Cardinal	299	218	180	225	111
Red-vented Bulbul	1,146	2,270	551	524	338
Red-whiskered Bulbul	298	226	178	122	123
Rock Dove	219	327	304	268	198
Spotted Dove	1,307	1,930	636	717	313
White-rumped Shama	102	116	72	41	27
Yellow-fronted Canary	23	37	10	18	18
Zebra Dove	3,474	3,894	1,176	1,902	1,054
Visitor species: 7/					
Mallard	139	99	156	74	50
Pacific Golden-Plover	1,075	1,585	788	978	859
Ruddy Turnstone	409	330	232	336	199
Sanderling	13	4	10	10	4
Wandering Tattler	17	27	38	30	16

Continued on next page.

Table 5.49-- HAWAII AUDUBON SOCIETY BIRD COUNTS OF MAJOR SPECIES IN THE HONOLULU AREA: 2001 TO 2005 -- Con.

- 1/ Birds peculiar to Hawaii, and found nowhere else.
- 2/ Endangered species.
- 3/ Low count.
- 4/ Native to Hawaii, but also found elsewhere.
- 5/ Reported in the area during count week, but not reported during the count .
- 6/ Formerly termed "introduced". Includes accidental escapes from captivity.
- 7/ Formerly termed "migratory". Includes stragglers and seasonal migrants.

Source: Hawaii Audubon Society, *'Elepaio*, Volume 63, Number 5, "Christmas Bird Count No. 103: Hawai'i/Pacific Islands 2002 - 2003", June/July 2003; Volume 64, Number 9, "Results of 2003-2004 Christmas Bird Count - Main Hawaiian Islands", December 2004/January 2005; Volume 65, Number 5, "Results of 2004-2005 Christmas Bird Count - Main Hawaiian Islands", June/July 2005; Volume 66, Number 6, "Results of the 2005 - 2006 Christmas Bird Count", August/September 2006; records http://www.hawaiiaudubon.com/newsletter.html accessed February 2, 2007.

Table 5.50-- HAWAII AUDUBON SOCIETY BIRD COUNTS IN THE HONOLULU AREA, BY TYPE OF SPECIES: 1999 TO 2002

[Counts are made in late December of various locations between Hawaii Kai and Aiea, and between Waimanalo and Kaneohe. Annual changes reflect differences in numbers of bird counters and counting time in the field, as well as changes in bird populations. Totals by species are also affected by the types of habitats studied]

		Number o	of species		1	Number of	individuals	5
Type of species	1999	2000	2001	2002	1999	2000	2001	2002
All species	49	46	52	53	17,343	14,840	16,990	20,458
Endemic Indigenous Alien Visitor	6 8 30 5	7 7 27 5	8 6 27 11	7 8 30 8	259 1,108 14,754 1,222	217 943 12,351 1,329	367 1,232 13,733 1,658	279 1,453 16,678 2,048

Source: Hawaii Audubon Society, 'Elepaio (monthly), and records.

Table 5.51-- BIRD SPECIES OF HAWAII: 2002

Type of species					
All species	1/ 333				
Resident native; normally does not leave the islands	78				
Alien, introduced; resident, does not leave the islands	58				
Breeding in Hawaii; most individuals leave Hawaii when not breeding	13				
Visitor; breeds elsewhere, occurs in Hawaii when not breeding	184				
Endangered (or threatened); on the Federal List of Endangered Species	32				

^{1/} Includes double counts for mallard and eurasian skylark, that were classified as alien and visitor. Source: Hawaii Audubon Society, 'Elepaio, Volume 65, Number 5, "Checklist of the Birds of Hawaii - 2002", updated to March 31, 2005 http://www.hawaiiaudubon.com/newsletter.html accessed October 24, 2005.

Table 5.52-- TREES ALONG STREETS OR IN PARKS UNDER THE JURISDICTION OF THE CITY AND COUNTY OF HONOLULU: 2001 to 2006

[As of June 30]

Location	2001	2002	2003	2004	2005	2006
Along City and County streets and highways 1/ In City and County parks	141,237 106,179	135,712 102,380	142,915 95,276	142,837 95,224	141,999 94,666	141,480 94,230

^{1/} Excludes Federal, State, and private thoroughfares.

Source: City and County of Honolulu, Department of Parks and Recreation, Horticulture and Botanical Service, records.

Table 5.53-- ESTIMATED NUMBER OF SPECIES IN HAWAII: 2000 TO 2005

[Excludes viruses and bacteria]

	Species			
Category	2000	2001	2002	2005
Total in Hawaii and surrounding waters	23,680	(NA)	25,615	27,573
Endemic to Hawaii Nonindigenous protists, fungi, plants, and animals	9,456 5,073	(NA) (NA)	9,975 5,175	8,763 5,281

NA Not available.

Source: L. G. Eldredge, "Numbers of Hawaiian Species: Supplement 4", *Bishop Museum Occasional Papers* 58 (1999): 72-78; L. G. Eldredge and N. L. Evenhuis, "Numbers of Hawaiian Species For 2000", *Bishop Museum Occasional Papers* 68 (2002) 71-78; L. G. Eldredge and N. L. Evenhuis, "Hawaii's Biodiversity: A Detailed Assessment of the Numbers of Species in the Hawaiian Islands". *Bishop Museum Occasional Papers* 76 (2003): 1-28. Bishop Museum, records.

Table 5.54-- THREATENED AND ENDANGERED SPECIES, FOR THE UNITED STATES AND HAWAII

[As of December 2006]

Group	United States	Hawaii
Animal species	772	75
Mammals Birds Reptiles Amphibians Fishes Clams Snails Insects	109 119 45 34 166 104 62 92	3 35 4 - - 5 22
Arachnids Crustaceans	13 28	1 5
Plant species	896	359
Flowering plants Conifers and cycads Ferns and allies Lichens	860 3 31 2	343 - 16 -

Source: U.S. Fish & Wildlife Service, Threatened and Endangered Species System (TESS) http://ecos.fws.gov/tess_public/SpeciesCountForm.do accessed December 26, 2006