

**INSTITUTE FOR REPRODUCTIVE HEALTH AND INFERTILITY
ROCHESTER, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	47%
Single women?	Yes	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	38%	Other factors	6%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	23	13	1
Pregnancies per 100 cycles	32.1	30.4	2/13	0/1
Live births per 100 cycles ^d	28.6	21.7	2/13	0/1
(95% confidence interval)	(11.8 - 45.3)	(4.9 - 38.6)		
Live births per 100 retrievals ^d	28.6	22.7	2/13	0/1
Live births per 100 transfers ^d	34.8	5/16	2/8	0/1
Cancellations per 100 cycles	0.0	4.3	0/13	0/1
Average number embryos transferred	3.6	3.2	3.1	5.0
Twin gestations per 100 pregnancies	2/9	5/7	0/2	
Triplet or more gestations per 100 pregnancies	0/9	0/7	0/2	
Multiple births per 100 live births ^d	2/8	3/5	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	1	2
Live births per 100 transfers ^d	0/3	0/1	0/1	0/2
Average number embryos transferred	4.3	3.0	3.0	3.0
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				6.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**STRONG INFERTILITY AND IVF CENTER
ROCHESTER, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No			Male factor	14%
		With ICSI	36%	Other factors	10%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	96	53	28	21
Pregnancies per 100 cycles	45.8	30.2	10.7	0.0
Live births per 100 cycles ^d	43.8	26.4	10.7	0.0
(95% confidence interval)	(33.8 - 53.7)	(14.5 - 38.3)	(0.0 - 22.2)	
Live births per 100 retrievals ^d	53.8	37.8	3/13	0/10
Live births per 100 transfers ^d	53.8	40.0	3/13	0/9
Cancellations per 100 cycles	18.8	30.2	53.6	50.0
Average number embryos transferred	3.6	4.1	4.8	5.7
Twin gestations per 100 pregnancies	29.5	5/16	1/3	
Triplet or more gestations per 100 pregnancies	11.4	2/16	0/3	
Multiple births per 100 live births ^d	42.9	6/14	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	5	5	2
Live births per 100 transfers ^d	3/16	0/5	2/5	1/2
Average number embryos transferred	3.6	4.0	6.0	3.5
Donor Eggs				
Number of fresh transfers	1	4	1	4
Live births per 100 fresh transfers ^d	0/1	2/4	1/1	2/4
Number of frozen transfers	0	2	0	2
Live births per 100 frozen transfers ^d		1/2		1/2
Average number embryos transferred (fresh and frozen)	3.0	3.0	4.0	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**IVF PROGRAM CHILDREN'S HOSPITAL OF BUFFALO
SNYDER, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	37%
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No	With ICSI	32%	Male factor	6%
		Unstimulated	0%	Other factors	11%
				Unexplained	0

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	52	22	22	3
Pregnancies per 100 cycles	36.5	36.4	9.1	1/3
Live births per 100 cycles ^d	30.8	31.8	9.1	1/3
(95% confidence interval)	(18.2 - 43.3)	(12.4 - 51.3)	(0.0 - 21.1)	
Live births per 100 retrievals ^d	33.3	7/19	2/16	1/2
Live births per 100 transfers ^d	33.3	7/18	2/14	1/2
Cancellations per 100 cycles	7.7	13.6	27.3	1/3
Average number embryos transferred	3.7	3.2	3.4	5.0
Twin gestations per 100 pregnancies	5/19	2/8	2/2	1/1
Triplet or more gestations per 100 pregnancies	1/19	0/8	0/2	0/1
Multiple births per 100 live births ^d	5/16	1/7	1/2	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	8	4	1
Live births per 100 transfers ^d	3/11	3/8	0/4	0/1
Average number embryos transferred	2.7	2.5	3.3	3.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**DIVISION OF REPRODUCTIVE ENDOCRINOLOGY
STATE UNIVERSITY OF NEW YORK AT STONY BROOK
STONY BROOK, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	21%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	No	Combination ^b	2%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No	With ICSI	44%	Male factor	17%
		Unstimulated	2%	Other factors	4%
				Unexplained	21%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	68	27	14	21
Pregnancies per 100 cycles	47.1	25.9	3/14	19.0
Live births per 100 cycles ^d	39.7	22.2	1/14	14.3
(95% confidence interval)	(28.1 - 51.3)	(6.5 - 37.9)		(0.0 - 29.3)
Live births per 100 retrievals ^d	45.8	23.1	1/14	3/19
Live births per 100 transfers ^d	48.2	24.0	1/14	3/17
Cancellations per 100 cycles	13.2	3.7	0/14	9.5
Average number embryos transferred	3.8	3.7	4.2	5.2
Twin gestations per 100 pregnancies	31.3	2/7	0/3	0/4
Triplet or more gestations per 100 pregnancies	9.4	0/7	0/3	0/4
Multiple births per 100 live births ^d	33.3	1/6	0/1	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	16	5	2
Live births per 100 transfers ^d	2/13	4/16	1/5	0/2
Average number embryos transferred	3.5	3.3	4.0	5.5
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CNY FERTILITY CENTER
SYRACUSE, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	Tubal factor	31%
Single women?	Yes	GIFT	12%	Endometriosis	4%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No	With ICSI	36%	Male factor	8%
		Unstimulated	0%	Other factors	38%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	14	3	6	2
Pregnancies per 100 cycles	4/14	2/3	1/6	1/2
Live births per 100 cycles ^d (95% confidence interval)	3/14	2/3	1/6	0/2
Live births per 100 retrievals ^d	3/14	2/3	1/6	0/2
Live births per 100 transfers ^d	3/12	2/3	1/6	0/2
Cancellations per 100 cycles	0/14	0/3	0/6	0/2
Average number embryos transferred	4.8	5.7	5.8	4.0
Twin gestations per 100 pregnancies	0/4	0/2	0/1	0/1
Triplet or more gestations per 100 pregnancies	1/4	0/2	0/1	0/1
Multiple births per 100 live births ^d	1/3	0/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	1	0
Live births per 100 transfers ^d			0/1	
Average number embryos transferred			9.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**WESTCHESTER FERTILITY & REPRODUCTIVE ENDOCRINOLOGY
WHITE PLAINS, NEW YORK**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	39%
Single women?	No	GIFT	0%	Endometriosis	18%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	30%
Sharing of donor eggs?	No	With ICSI	51%	Male factor	0%
		Unstimulated	0%	Other factors	9%
				Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	13	12	2
Pregnancies per 100 cycles	4/12	3/13	1/12	1/2
Live births per 100 cycles ^d (95% confidence interval)	3/12	3/13	1/12	0/2
Live births per 100 retrievals ^d	3/12	3/13	1/12	0/2
Live births per 100 transfers ^d	3/11	3/13	1/12	0/2
Cancellations per 100 cycles	0/12	0/13	0/12	0/2
Average number embryos transferred	4.2	3.3	4.2	6.0
Twin gestations per 100 pregnancies	2/4	1/3	0/1	0/1
Triplet or more gestations per 100 pregnancies	1/4	1/3	0/1	0/1
Multiple births per 100 live births ^d	2/3	0/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	2	2
Live births per 100 transfers ^d	0/1		0/2	0/2
Average number embryos transferred	7.0		3.5	4.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

REPRODUCTIVE MEDICINE AND IVF WILLIAMSVILLE, NEW YORK

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No	With ICSI	42%	Male factor	4%
		Unstimulated	0%	Other factors	17%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	45	23	9	2
Pregnancies per 100 cycles	40.0	17.4	4/9	0/2
Live births per 100 cycles ^d	35.6	8.7	3/9	0/2
(95% confidence interval)	(21.6 - 49.5)	(0.0 - 20.2)		
Live births per 100 retrievals ^d	40.0	10.0	3/9	0/1
Live births per 100 transfers ^d	42.1	2/18	3/9	0/1
Cancellations per 100 cycles	11.1	13.0	0/9	1/2
Average number embryos transferred	4.1	4.3	3.0	1.0
Twin gestations per 100 pregnancies	6/18	1/4	1/4	
Triplet or more gestations per 100 pregnancies	6/18	0/4	0/4	
Multiple births per 100 live births ^d	9/16	1/2	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Live births per 100 transfers ^d	1/2			
Average number embryos transferred	3.5			
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
CARY, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	26%
Single women?	Yes	GIFT	0%	Endometriosis	17%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	28%	Other factors	11%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	74	32	38	8
Pregnancies per 100 cycles	28.4	31.3	23.7	3/8
Live births per 100 cycles ^d	21.6	21.9	13.2	3/8
(95% confidence interval)	(12.2 - 31.0)	(7.6 - 36.2)	(2.4 - 23.9)	
Live births per 100 retrievals ^d	23.2	25.0	17.9	3/8
Live births per 100 transfers ^d	24.2	28.0	18.5	3/8
Cancellations per 100 cycles	6.8	12.5	26.3	0/8
Average number embryos transferred	3.7	3.4	3.8	3.4
Twin gestations per 100 pregnancies	33.3	3/10	3/9	1/3
Triplet or more gestations per 100 pregnancies	14.3	0/10	0/9	1/3
Multiple births per 100 live births ^d	8/16	3/7	2/5	2/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	3	5
Live births per 100 transfers ^d	1/7	0/2	0/3	0/5
Average number embryos transferred	3.7	4.0	4.0	3.8
Donor Eggs				
Number of fresh transfers	0	5	4	15
Live births per 100 fresh transfers ^d		1/5	3/4	4/15
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				2/2
Average number embryos transferred (fresh and frozen)		4.2	3.5	3.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CHAPEL HILL FERTILITY CENTER
CHAPEL HILL, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	70%	Tubal factor	40%
Single women?	No	GIFT	4%	Endometriosis	28%
Gestational carriers?	No	ZIFT	0%	Uterine factor	8%
Donor egg program?	No	Combination ^b	26%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No	With ICSI	9%	Male factor	4%
		Unstimulated	0%	Other factors	0%
				Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	4	3	0
Pregnancies per 100 cycles	2/16	0/4	1/3	
Live births per 100 cycles ^d (95% confidence interval)	2/16	0/4	0/3	
Live births per 100 retrievals ^d	2/15	0/4	0/3	
Live births per 100 transfers ^d	2/12	0/3	0/3	
Cancellations per 100 cycles	1/16	0/4	0/3	
Average number embryos transferred	5.6	7.0	6.7	
Twin gestations per 100 pregnancies	1/2		0/1	
Triplet or more gestations per 100 pregnancies	0/2		0/1	
Multiple births per 100 live births ^d	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Live births per 100 transfers ^d	0/1		0/1	
Average number embryos transferred	2.0		2.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF NORTH CAROLINA ART CLINIC
CHAPEL HILL, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	21%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	Yes	ZIFT	2%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	25%
		With ICSI	51%	Other factors	14%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	45	26	22	4
Pregnancies per 100 cycles	33.3	23.1	13.6	0/4
Live births per 100 cycles ^d	28.9	19.2	13.6	0/4
(95% confidence interval)	(15.6 - 42.1)	(4.1 - 34.4)	(0.0 - 28.0)	
Live births per 100 retrievals ^d	37.1	25.0	3/15	0/3
Live births per 100 transfers ^d	38.2	5/19	3/14	0/3
Cancellations per 100 cycles	22.2	23.1	31.8	1/4
Average number embryos transferred	3.9	4.1	4.6	4.3
Twin gestations per 100 pregnancies	4/15	1/6	1/3	
Triplet or more gestations per 100 pregnancies	2/15	0/6	0/3	
Multiple births per 100 live births ^d	5/13	1/5	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	1	1	3
Live births per 100 transfers ^d	0/6	0/1	0/1	0/3
Average number embryos transferred	3.8	5.0	1.0	4.3
Donor Eggs				
Number of fresh transfers	2	0	3	4
Live births per 100 fresh transfers ^d	0/2		0/3	3/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.5		3.7	4.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	29%
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	50%	Other factors	9%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	120	55	53	16
Pregnancies per 100 cycles	50.0	41.8	28.3	3/16
Live births per 100 cycles ^d	45.0	36.4	20.8	2/16
(95% confidence interval)	(36.1 - 53.9)	(23.7 - 49.1)	(9.8 - 31.7)	
Live births per 100 retrievals ^d	54.0	50.0	27.5	2/10
Live births per 100 transfers ^d	54.5	50.0	28.9	2/9
Cancellations per 100 cycles	16.7	27.3	24.5	6/16
Average number embryos transferred	4.1	4.9	4.9	5.0
Twin gestations per 100 pregnancies	30.0	34.8	4/15	1/3
Triplet or more gestations per 100 pregnancies	18.3	13.0	5/15	0/3
Multiple births per 100 live births ^d	51.9	45.0	8/11	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	5	1	1
Live births per 100 transfers ^d	9/18	3/5	0/1	0/1
Average number embryos transferred	3.2	2.4	3.0	1.0
Donor Eggs				
Number of fresh transfers	1	0	0	6
Live births per 100 fresh transfers ^d	1/1			5/6
Number of frozen transfers	1	0	1	2
Live births per 100 frozen transfers ^d	0/1		0/1	1/2
Average number embryos transferred (fresh and frozen)	3.0		6.0	3.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**PROGRAM FOR ASSISTED REPRODUCTION
CAROLINAS MEDICAL CENTER
CHARLOTTE, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	31%
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	34%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	12	7	1
Pregnancies per 100 cycles	52.8	3/12	2/7	0/1
Live births per 100 cycles ^d	38.9	3/12	2/7	0/1
(95% confidence interval)	(23.0 - 54.8)			
Live births per 100 retrievals ^d	40.0	3/6	2/5	
Live births per 100 transfers ^d	40.0	3/6	2/5	
Cancellations per 100 cycles	2.8	6/12	2/7	1/1
Average number embryos transferred	3.9	4.0	4.2	
Twin gestations per 100 pregnancies	3/19	0/3	2/2	
Triplet or more gestations per 100 pregnancies	3/19	0/3	0/2	
Multiple births per 100 live births ^d	6/14	0/3	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	2	1	1
Live births per 100 transfers ^d		0/2	0/1	0/1
Average number embryos transferred		3.0	4.0	2.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	1	0	0
Live births per 100 frozen transfers ^d		1/1		
Average number embryos transferred (fresh and frozen)		4.0		

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	21%
Single women?	No	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	21%
		With ICSI	37%	Other factors	8%
		Unstimulated	0%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	51	48	29	9
Pregnancies per 100 cycles	39.2	22.9	20.7	0/9
Live births per 100 cycles ^d	35.3	16.7	13.8	0/9
(95% confidence interval)	(22.2 - 48.4)	(6.1 - 27.2)	(1.2 - 26.3)	
Live births per 100 retrievals ^d	36.7	19.5	15.4	0/9
Live births per 100 transfers ^d	38.3	20.5	16.7	0/8
Cancellations per 100 cycles	3.9	14.6	10.3	0/9
Average number embryos transferred	3.3	3.8	3.3	2.5
Twin gestations per 100 pregnancies	35.0	2/11	1/6	
Triplet or more gestations per 100 pregnancies	0.0	0/11	2/6	
Multiple births per 100 live births ^d	5/18	2/8	3/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	5	3	1
Live births per 100 transfers ^d	3/6	1/5	0/3	0/1
Average number embryos transferred	4.0	3.4	4.7	4.0
Donor Eggs				
Number of fresh transfers	0	5	6	26
Live births per 100 fresh transfers ^d		3/5	3/6	34.6
Number of frozen transfers	1	3	2	7
Live births per 100 frozen transfers ^d	0/1	0/3	0/2	0/7
Average number embryos transferred (fresh and frozen)	1.0	3.0	2.9	2.9

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**EAST CAROLINA UNIVERSITY
GREENVILLE, NORTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	46%
Single women?	No	GIFT	0%	Endometriosis	4%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No			Male factor	32%
		With ICSI	44%	Other factors	6%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	8	10	0
Pregnancies per 100 cycles	43.5	3/8	1/10	
Live births per 100 cycles ^d	30.4	3/8	1/10	
(95% confidence interval)	(11.6 - 49.2)			
Live births per 100 retrievals ^d	30.4	3/7	1/10	
Live births per 100 transfers ^d	33.3	3/7	1/9	
Cancellations per 100 cycles	0.0	1/8	0/10	
Average number embryos transferred	3.8	3.4	3.1	
Twin gestations per 100 pregnancies	4/10	1/3	0/1	
Triplet or more gestations per 100 pregnancies	1/10	2/3	0/1	
Multiple births per 100 live births ^d	4/7	3/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	0	3	0
Live births per 100 transfers ^d	1/4		0/3	
Average number embryos transferred	3.3		2.3	
Donor Eggs				
Number of fresh transfers	1	0	1	0
Live births per 100 fresh transfers ^d	1/1		0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0		3.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

WAKE FOREST UNIVERSITY PROGRAM FOR ASSISTED REPRODUCTION WINSTON-SALEM, NORTH CAROLINA

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	37%
Single women?	No	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	1%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	38%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	57%	Other factors	4%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	49	8	13	0
Pregnancies per 100 cycles	18.4	0/8	3/13	
Live births per 100 cycles ^d	16.3	0/8	3/13	
(95% confidence interval)	(6.0 - 26.7)			
Live births per 100 retrievals ^d	17.8	0/8	3/11	
Live births per 100 transfers ^d	18.2	0/8	3/10	
Cancellations per 100 cycles	8.2	0/8	2/13	
Average number embryos transferred	3.3	3.4	3.4	
Twin gestations per 100 pregnancies	2/9		0/3	
Triplet or more gestations per 100 pregnancies	3/9		1/3	
Multiple births per 100 live births ^d	5/8		1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	3	5	0
Live births per 100 transfers ^d	1/11	1/3	1/5	
Average number embryos transferred	3.2	3.7	2.4	
Donor Eggs				
Number of fresh transfers	1	0	0	0
Live births per 100 fresh transfers ^d	0/1			
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.0			

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**MERICARE MEDICAL GROUP FERTILITY CENTER
FARGO, NORTH DAKOTA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	36%
Single women?	No	GIFT	0%	Endometriosis	24%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	2%
Sharing of donor eggs?	No			Male factor	39%
		With ICSI	49%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	7	3	4
Pregnancies per 100 cycles	28.2	3/7	1/3	1/4
Live births per 100 cycles ^d	23.1	3/7	0/3	1/4
(95% confidence interval)	(9.9 - 36.3)			
Live births per 100 retrievals ^d	25.7	3/6	0/2	1/3
Live births per 100 transfers ^d	28.1	3/5	0/2	1/3
Cancellations per 100 cycles	10.3	1/7	1/3	1/4
Average number embryos transferred	3.9	3.6	3.0	3.0
Twin gestations per 100 pregnancies	3/11	0/3	0/1	0/1
Triplet or more gestations per 100 pregnancies	3/11	1/3	0/1	0/1
Multiple births per 100 live births ^d	5/9	1/3		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	0	1
Live births per 100 transfers ^d	1/3	0/1		0/1
Average number embryos transferred	3.7	6.0		3.0
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				5.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**AKRON CITY HOSPITAL IVF CENTER
AKRON, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	27%
Single women?	No	GIFT	6%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	32%
Sharing of donor eggs?	No	With ICSI	35%	Male factor	9%
		Unstimulated	0%	Other factors	14%
				Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	55	15	17	6
Pregnancies per 100 cycles	32.7	4/15	5/17	1/6
Live births per 100 cycles ^d	25.5	3/15	5/17	1/6
(95% confidence interval)	(13.9 - 37.0)			
Live births per 100 retrievals ^d	26.9	3/8	5/12	1/4
Live births per 100 transfers ^d	27.5	3/8	5/12	1/4
Cancellations per 100 cycles	5.5	7/15	5/17	2/6
Average number embryos transferred	3.2	3.3	3.6	3.8
Twin gestations per 100 pregnancies	4/18	0/4	2/5	0/1
Triplet or more gestations per 100 pregnancies	2/18	2/4	0/5	0/1
Multiple births per 100 live births ^d	4/14	2/3	2/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	2	7	0
Live births per 100 transfers ^d	20.0	1/2	0/7	
Average number embryos transferred	3.8	4.0	3.3	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

FERTILITY UNLIMITED, INC.
AKRON, OHIO

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	29%
Single women?	Yes	GIFT	0%	Endometriosis	25%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	6%
Sharing of donor eggs?	No			Male factor	10%
		With ICSI	32%	Other factors	3%
		Unstimulated	0%	Unexplained	21%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	27	10	3
Pregnancies per 100 cycles	19.5	7.4	3/10	1/3
Live births per 100 cycles ^d	9.8	7.4	2/10	0/3
(95% confidence interval)	(0.7 - 18.8)	(0.0 - 17.3)		
Live births per 100 retrievals ^d	11.1	2/17	2/7	0/1
Live births per 100 transfers ^d	11.1	2/17	2/7	0/1
Cancellations per 100 cycles	12.2	37.0	3/10	2/3
Average number embryos transferred	3.7	3.1	3.0	6.0
Twin gestations per 100 pregnancies	1/8	1/2	1/3	0/1
Triplet or more gestations per 100 pregnancies	0/8	0/2	1/3	0/1
Multiple births per 100 live births ^d	1/4	1/2	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	8	0	0
Live births per 100 transfers ^d	2/12	1/8		
Average number embryos transferred	2.3	2.0		
Donor Eggs				
Number of fresh transfers	3	1	1	8
Live births per 100 fresh transfers ^d	2/3	0/1	1/1	2/8
Number of frozen transfers	0	0	1	3
Live births per 100 frozen transfers ^d			0/1	0/3
Average number embryos transferred (fresh and frozen)	3.0	6.0	3.5	3.9

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**BETHESDA CENTER FOR REPRODUCTIVE HEALTH AND FERTILITY
CINCINNATI, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	29%
Single women?	Yes	GIFT	0%	Endometriosis	6%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	28%
Sharing of donor eggs?	Yes			Male factor	26%
		With ICSI	36%	Other factors	9%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	90	35	25	9
Pregnancies per 100 cycles	33.3	34.3	12.0	1/9
Live births per 100 cycles ^d	30.0	25.7	12.0	0/9
(95% confidence interval)	(20.5 - 39.5)	(11.2 - 40.2)	(0.0 - 24.7)	
Live births per 100 retrievals ^d	34.2	31.0	3/17	0/4
Live births per 100 transfers ^d	35.1	31.0	3/16	0/4
Cancellations per 100 cycles	12.2	17.1	32.0	5/9
Average number embryos transferred	3.5	3.9	3.6	4.3
Twin gestations per 100 pregnancies	30.0	5/12	1/3	0/1
Triplet or more gestations per 100 pregnancies	13.3	2/12	1/3	0/1
Multiple births per 100 live births ^d	40.7	6/9	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	4	1	0
Live births per 100 transfers ^d	2/6	1/4	1/1	
Average number embryos transferred	2.8	3.0	5.0	
Donor Eggs				
Number of fresh transfers	7	3	6	5
Live births per 100 fresh transfers ^d	2/7	2/3	2/6	3/5
Number of frozen transfers	0	1	1	2
Live births per 100 frozen transfers ^d		0/1	1/1	0/2
Average number embryos transferred (fresh and frozen)	3.4	3.0	3.6	3.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No			Male factor	45%
		With ICSI	23%	Other factors	4%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	11	12	3
Pregnancies per 100 cycles	22.7	4/11	2/12	0/3
Live births per 100 cycles ^d	22.7	2/11	1/12	0/3
(95% confidence interval)	(5.2 - 40.2)			
Live births per 100 retrievals ^d	5/18	2/9	1/10	0/2
Live births per 100 transfers ^d	5/16	2/8	1/9	0/2
Cancellations per 100 cycles	18.2	2/11	2/12	1/3
Average number embryos transferred	3.6	3.1	3.0	1.5
Twin gestations per 100 pregnancies	2/5	0/4	0/2	
Triplet or more gestations per 100 pregnancies	1/5	0/4	0/2	
Multiple births per 100 live births ^d	3/5	0/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	2	1
Live births per 100 transfers ^d	0/4	1/1	1/2	0/1
Average number embryos transferred	1.5	4.0	3.0	2.0
Donor Eggs				
Number of fresh transfers	4	5	5	11
Live births per 100 fresh transfers ^d	1/4	1/5	1/5	6/11
Number of frozen transfers	1	5	9	14
Live births per 100 frozen transfers ^d	0/1	0/5	2/9	0/14
Average number embryos transferred (fresh and frozen)	3.0	2.8	2.9	2.8

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**GREATER CINCINNATI INSTITUTE FOR REPRODUCTIVE HEALTH
AT THE CHRIST HOSPITAL
CINCINNATI, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	28%
Single women?	Yes	GIFT	0%	Endometriosis	29%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	20%
Sharing of donor eggs?	Yes			Male factor	12%
		With ICSI	35%	Other factors	2%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	268	165	96	35
Pregnancies per 100 cycles	38.1	32.1	18.8	11.4
Live births per 100 cycles ^d	32.8	24.8	13.5	8.6
(95% confidence interval)	(27.2 - 38.5)	(18.3 - 31.4)	(6.7 - 20.4)	(0.0 - 17.8)
Live births per 100 retrievals ^d	35.5	28.9	16.7	11.1
Live births per 100 transfers ^d	37.1	29.7	18.1	11.5
Cancellations per 100 cycles	7.5	13.9	18.8	22.9
Average number embryos transferred	3.8	4.1	4.5	5.3
Twin gestations per 100 pregnancies	22.5	11.3	2/18	1/4
Triplet or more gestations per 100 pregnancies	17.6	11.3	2/18	0/4
Multiple births per 100 live births ^d	38.6	26.8	4/13	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	74	29	27	2
Live births per 100 transfers ^d	25.7	13.8	11.1	0/2
Average number embryos transferred	3.9	4.0	4.3	6.5
Donor Eggs				
Number of fresh transfers	8	5	14	18
Live births per 100 fresh transfers ^d	5/8	3/5	7/14	10/18
Number of frozen transfers	3	3	4	10
Live births per 100 frozen transfers ^d	2/3	1/3	0/4	4/10
Average number embryos transferred (fresh and frozen)	3.7	3.1	3.9	3.8

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CLEVELAND CLINIC FOUNDATION
CLEVELAND, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	18%
Single women?	Yes	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	36%
Sharing of donor eggs?	No	With ICSI	38%	Male factor	7%
		Unstimulated	8%	Other factors	18%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	104	60	53	30
Pregnancies per 100 cycles	27.9	20.0	15.1	10.0
Live births per 100 cycles ^d	20.2	16.7	15.1	6.7
(95% confidence interval)	(12.5 - 27.9)	(7.2 - 26.1)	(5.5 - 24.7)	(0.0 - 15.6)
Live births per 100 retrievals ^d	23.1	19.2	20.0	10.0
Live births per 100 transfers ^d	26.3	22.7	25.0	2/17
Cancellations per 100 cycles	12.5	13.3	24.5	33.3
Average number embryos transferred	2.7	2.7	2.8	2.7
Twin gestations per 100 pregnancies	27.6	3/12	2/8	1/3
Triplet or more gestations per 100 pregnancies	3.4	0/12	0/8	0/3
Multiple births per 100 live births ^d	33.3	2/10	2/8	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	67	21	17	3
Live births per 100 transfers ^d	9.0	14.3	1/17	1/3
Average number embryos transferred	2.4	2.4	2.4	1.7
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**METROHEALTH MEDICAL CENTER
CLEVELAND, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	16%
Single women?	Yes	GIFT	0%	Endometriosis	24%
Gestational carriers?	No	ZIFT	0%	Uterine factor	24%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No	With ICSI	41%	Male factor	0%
		Unstimulated	0%	Other factors	0%
				Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	14	7	0	1
Pregnancies per 100 cycles	3/14	2/7		0/1
Live births per 100 cycles ^d (95% confidence interval)	3/14	2/7		0/1
Live births per 100 retrievals ^d	3/10	2/6		
Live births per 100 transfers ^d	3/10	2/6		
Cancellations per 100 cycles	4/14	1/7		1/1
Average number embryos transferred	2.4	2.5		
Twin gestations per 100 pregnancies	2/3	0/2		
Triplet or more gestations per 100 pregnancies	0/3	0/2		
Multiple births per 100 live births ^d	1/3	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Live births per 100 transfers ^d	0/2			
Average number embryos transferred	2.5			
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY HOSPITALS OF CLEVELAND
MACDONALD WOMEN'S HOSPITAL IVF PROGRAM
CLEVELAND, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	34%
Single women?	Yes	GIFT	0%	Endometriosis	7%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	10%
		With ICSI	27%	Other factors	18%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	150	51	51	24
Pregnancies per 100 cycles	34.0	29.4	15.7	12.5
Live births per 100 cycles ^d	30.0	17.6	13.7	8.3
(95% confidence interval)	(22.7 - 37.3)	(7.2 - 28.1)	(4.3 - 23.2)	(0.0 - 19.4)
Live births per 100 retrievals ^d	33.8	22.5	17.5	2/16
Live births per 100 transfers ^d	34.6	23.1	18.4	2/15
Cancellations per 100 cycles	11.3	21.6	21.6	33.3
Average number embryos transferred	3.6	3.7	3.9	4.5
Twin gestations per 100 pregnancies	21.6	4/15	1/8	0/3
Triplet or more gestations per 100 pregnancies	19.6	1/15	2/8	0/3
Multiple births per 100 live births ^d	46.7	5/9	2/7	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	46	20	16	3
Live births per 100 transfers ^d	19.6	5.0	2/16	0/3
Average number embryos transferred	2.9	2.6	3.2	3.3
Donor Eggs				
Number of fresh transfers	2	0	1	12
Live births per 100 fresh transfers ^d	0/2		0/1	4/12
Number of frozen transfers	2	0	0	2
Live births per 100 frozen transfers ^d	0/2			0/2
Average number embryos transferred (fresh and frozen)	2.5		4.0	3.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	Tubal factor	27%
Single women?	Yes	GIFT	15%	Endometriosis	20%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	29%
		With ICSI	25%	Other factors	0%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	145	70	51	23
Pregnancies per 100 cycles	26.9	44.3	15.7	8.7
Live births per 100 cycles ^d	22.8	34.3	13.7	4.3
(95% confidence interval)	(15.9 - 29.6)	(23.2 - 45.4)	(4.3 - 23.2)	(0.0 - 12.7)
Live births per 100 retrievals ^d	24.4	36.9	19.4	1/15
Live births per 100 transfers ^d	25.0	38.1	20.6	1/13
Cancellations per 100 cycles	6.9	7.1	29.4	34.8
Average number embryos transferred	3.5	4.0	3.3	2.8
Twin gestations per 100 pregnancies	43.6	29.0	1/8	0/2
Triplet or more gestations per 100 pregnancies	12.8	16.1	0/8	0/2
Multiple births per 100 live births ^d	48.5	33.3	0/7	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	35	11	9	8
Live births per 100 transfers ^d	28.6	1/11	0/9	0/8
Average number embryos transferred	3.0	3.6	2.8	2.8
Donor Eggs				
Number of fresh transfers	2	2	3	4
Live births per 100 fresh transfers ^d	1/2	0/2	0/3	1/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.0	4.5	2.7	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY FERTILITY INSTITUTE
COLUMBUS, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	72%	Tubal factor	30%
Single women?	Yes	GIFT	23%	Endometriosis	13%
Gestational carriers?	No	ZIFT	3%	Uterine factor	2%
Donor egg program?	No	Combination ^b	2%	Ovulatory dysfunction	11%
Sharing of donor eggs?	No	With ICSI	31%	Male factor	1%
		Unstimulated	2%	Other factors	27%
				Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	56	21	20	14
Pregnancies per 100 cycles	23.2	23.8	10.0	1/14
Live births per 100 cycles ^d	19.6	19.0	5.0	1/14
(95% confidence interval)	(9.2 - 30.0)	(2.3 - 35.8)	(0.0 - 14.6)	
Live births per 100 retrievals ^d	24.4	4/16	1/14	1/7
Live births per 100 transfers ^d	26.8	4/16	1/11	1/6
Cancellations per 100 cycles	19.6	23.8	30.0	7/14
Average number embryos transferred	3.5	3.1	3.6	3.7
Twin gestations per 100 pregnancies	6/13	1/5	0/2	0/1
Triplet or more gestations per 100 pregnancies	1/13	0/5	0/2	0/1
Multiple births per 100 live births ^d	6/11	1/4	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	1	2	1
Live births per 100 transfers ^d	0/7	0/1	1/2	0/1
Average number embryos transferred	2.1	2.0	3.0	3.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**MIAMI VALLEY HOSPITAL FERTILITY CENTER
DAYTON, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	91%	Tubal factor	35%
Single women?	Yes	GIFT	3%	Endometriosis	12%
Gestational carriers?	No	ZIFT	1%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	5%	Ovulatory dysfunction	22%
Sharing of donor eggs?	Yes			Male factor	25%
		With ICSI	38%	Other factors	1%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	16	14	3
Pregnancies per 100 cycles	9.1	5/16	1/14	0/3
Live births per 100 cycles ^d	9.1	4/16	1/14	0/3
(95% confidence interval)	(0.0 - 18.9)			
Live births per 100 retrievals ^d	10.0	4/15	1/10	0/1
Live births per 100 transfers ^d	11.5	4/14	1/8	0/1
Cancellations per 100 cycles	9.1	1/16	4/14	2/3
Average number embryos transferred	2.9	2.5	2.8	2.0
Twin gestations per 100 pregnancies	1/3	1/5	0/1	
Triplet or more gestations per 100 pregnancies	0/3	0/5	0/1	
Multiple births per 100 live births ^d	1/3	1/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	5	1	1
Live births per 100 transfers ^d	2/10	0/5	0/1	0/1
Average number embryos transferred	2.8	2.0	9.0	3.0
Donor Eggs				
Number of fresh transfers	1	0	3	3
Live births per 100 fresh transfers ^d	0/1		1/3	2/3
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				0/2
Average number embryos transferred (fresh and frozen)	4.0		3.7	2.8

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**FERTILITY CENTER OF NORTHWEST OHIO
TOLEDO, OHIO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	40%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	47%	Other factors	7%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	73	22	10	4
Pregnancies per 100 cycles	27.4	54.5	3/10	0/4
Live births per 100 cycles ^d	24.7	54.5	3/10	0/4
(95% confidence interval)	(14.8 - 34.5)	(33.7 - 75.4)		
Live births per 100 retrievals ^d	28.6	60.0	3/10	0/4
Live births per 100 transfers ^d	29.0	12/18	3/9	0/3
Cancellations per 100 cycles	13.7	9.1	0/10	0/4
Average number embryos transferred	2.6	3.2	3.2	3.0
Twin gestations per 100 pregnancies	35.0	7/12	0/3	
Triplet or more gestations per 100 pregnancies	5.0	0/12	0/3	
Multiple births per 100 live births ^d	6/18	6/12	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	4	2	4
Live births per 100 transfers ^d	4.3	1/4	1/2	0/4
Average number embryos transferred	3.3	2.5	2.5	2.5
Donor Eggs				
Number of fresh transfers	1	0	1	3
Live births per 100 fresh transfers ^d	1/1		0/1	1/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0		3.0	2.7

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE HEALTH
OKLAHOMA CITY, OKLAHOMA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	No	GIFT	0%	Endometriosis	2%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	13%
		With ICSI	44%	Other factors	10%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	5	0	1
Pregnancies per 100 cycles	8/19	0/5		0/1
Live births per 100 cycles ^d (95% confidence interval)	8/19	0/5		0/1
Live births per 100 retrievals ^d	8/18	0/4		
Live births per 100 transfers ^d	8/18	0/4		
Cancellations per 100 cycles	1/19	1/5		1/1
Average number embryos transferred	3.3	3.5		
Twin gestations per 100 pregnancies	2/8			
Triplet or more gestations per 100 pregnancies	1/8			
Multiple births per 100 live births ^d	3/8			
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	6	0	0
Live births per 100 transfers ^d	1/5	1/6		
Average number embryos transferred	2.2	2.7		
Donor Eggs				
Number of fresh transfers	1	0	1	0
Live births per 100 fresh transfers ^d	1/1		0/1	
Number of frozen transfers	0	0	1	0
Live births per 100 frozen transfers ^d			1/1	
Average number embryos transferred (fresh and frozen)	3.0		3.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**HENRY G. BENNETT, JR., FERTILITY INSTITUTE
OKLAHOMA CITY, OKLAHOMA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	87%	Tubal factor	43%
Single women?	No	GIFT	4%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	9%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	33%
		With ICSI	21%	Other factors	4%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	64	29	20	2
Pregnancies per 100 cycles	45.3	31.0	20.0	0/2
Live births per 100 cycles ^d	35.9	20.7	15.0	0/2
(95% confidence interval)	(24.2 - 47.7)	(5.9 - 35.4)	(0.0 - 30.6)	
Live births per 100 retrievals ^d	37.7	27.3	3/18	0/1
Live births per 100 transfers ^d	37.7	30.0	3/17	0/1
Cancellations per 100 cycles	4.7	24.1	10.0	1/2
Average number embryos transferred	3.8	3.7	2.9	3.0
Twin gestations per 100 pregnancies	31.0	1/9	1/4	
Triplet or more gestations per 100 pregnancies	13.8	1/9	0/4	
Multiple births per 100 live births ^d	47.8	2/6	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	5	3	1
Live births per 100 transfers ^d	1/11	1/5	1/3	1/1
Average number embryos transferred	3.5	3.4	3.3	6.0
Donor Eggs				
Number of fresh transfers	2	1	3	4
Live births per 100 fresh transfers ^d	0/2	0/1	2/3	3/4
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers ^d				0/1
Average number embryos transferred (fresh and frozen)	2.5	3.0	4.0	4.2

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**TULSA CENTER FOR FERTILITY & WOMEN'S HEALTH
TULSA, OKLAHOMA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	32%
Single women?	No	GIFT	0%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	25%	Other factors	0%
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	60	30	22	4
Pregnancies per 100 cycles	55.0	26.7	50.0	1/4
Live births per 100 cycles ^d	50.0	20.0	45.5	1/4
(95% confidence interval)	(37.3 - 62.7)	(5.7 - 34.3)	(24.6 - 66.3)	
Live births per 100 retrievals ^d	55.6	26.1	47.6	1/3
Live births per 100 transfers ^d	56.6	30.0	47.6	1/3
Cancellations per 100 cycles	10.0	23.3	4.5	1/4
Average number embryos transferred	3.1	3.5	3.6	3.3
Twin gestations per 100 pregnancies	27.3	4/8	1/11	0/1
Triplet or more gestations per 100 pregnancies	12.1	0/8	2/11	0/1
Multiple births per 100 live births ^d	36.7	2/6	2/10	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	0	0
Live births per 100 transfers ^d	0/5	1/2		
Average number embryos transferred	2.4	3.0		
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers ^d				1/1
Average number embryos transferred (fresh and frozen)				3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**NORTHWEST FERTILITY CENTER
PORTLAND, OREGON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	21%
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	38%	Other factors	0%
		Unstimulated	0%	Unexplained	34%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	14	17	7
Pregnancies per 100 cycles	53.3	6/14	6/17	1/7
Live births per 100 cycles ^d	46.7	6/14	4/17	1/7
(95% confidence interval)	(28.8 - 64.5)			
Live births per 100 retrievals ^d	48.3	6/11	4/15	1/7
Live births per 100 transfers ^d	48.3	6/11	4/15	1/7
Cancellations per 100 cycles	3.3	3/14	2/17	0/7
Average number embryos transferred	4.3	4.4	4.2	5.7
Twin gestations per 100 pregnancies	5/16	2/6	1/6	0/1
Triplet or more gestations per 100 pregnancies	2/16	1/6	0/6	0/1
Multiple births per 100 live births ^d	5/14	2/6	1/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	3	7	0
Live births per 100 transfers ^d	0/12	1/3	1/7	
Average number embryos transferred	4.2	3.3	4.3	
Donor Eggs				
Number of fresh transfers	1	2	3	14
Live births per 100 fresh transfers ^d	0/1	1/2	2/3	5/14
Number of frozen transfers	9	12	4	24
Live births per 100 frozen transfers ^d	0/9	1/12	0/4	25.0
Average number embryos transferred (fresh and frozen)	3.9	3.2	3.3	3.7

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH SCIENCES UNIVERSITY
PORTLAND, OREGON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	34%
Single women?	Yes	GIFT	0%	Endometriosis	7%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	28%	Other factors	5%
		Unstimulated	0%	Unexplained	27%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	70	32	31	8
Pregnancies per 100 cycles	24.3	21.9	16.1	0/8
Live births per 100 cycles ^d	21.4	15.6	9.7	0/8
(95% confidence interval)	(11.8 - 31.0)	(3.0 - 28.2)	(0.0 - 20.1)	
Live births per 100 retrievals ^d	27.8	22.7	14.3	0/5
Live births per 100 transfers ^d	29.4	23.8	15.0	0/4
Cancellations per 100 cycles	22.9	31.3	32.3	3/8
Average number embryos transferred	3.5	4.1	3.9	5.3
Twin gestations per 100 pregnancies	11/17	2/7	1/5	
Triplet or more gestations per 100 pregnancies	1/17	0/7	1/5	
Multiple births per 100 live births ^d	11/15	2/5	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	27	21	8	3
Live births per 100 transfers ^d	29.6	23.8	2/8	1/3
Average number embryos transferred	3.8	3.7	3.6	3.3
Donor Eggs				
Number of fresh transfers	5	4	9	16
Live births per 100 fresh transfers ^d	2/5	1/4	3/9	7/16
Number of frozen transfers	2	3	4	20
Live births per 100 frozen transfers ^d	2/2	0/3	1/4	30.0
Average number embryos transferred (fresh and frozen)	3.4	3.6	3.4	3.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**TOLL CENTER FOR REPRODUCTIVE SCIENCES
ABINGTON MEMORIAL HOSPITAL
ABINGTON, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	16%
Single women?	Yes	GIFT	7%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	30%
		With ICSI	23%	Other factors	24%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	182	90	66	36
Pregnancies per 100 cycles	40.7	40.0	28.8	16.7
Live births per 100 cycles ^d	31.9	34.4	24.2	2.8
(95% confidence interval)	(25.1 - 38.6)	(24.6 - 44.3)	(13.9 - 34.6)	(0.0 - 8.1)
Live births per 100 retrievals ^d	33.1	36.5	26.2	2.9
Live births per 100 transfers ^d	35.2	37.3	27.6	3.1
Cancellations per 100 cycles	3.8	5.6	7.6	5.6
Average number embryos transferred	4.2	4.3	3.9	4.2
Twin gestations per 100 pregnancies	24.3	22.2	6/19	2/6
Triplet or more gestations per 100 pregnancies	14.9	2.8	0/19	0/6
Multiple births per 100 live births ^d	36.2	25.8	3/16	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	84	30	17	5
Live births per 100 transfers ^d	29.8	20.0	3/17	1/5
Average number embryos transferred	3.9	3.6	3.5	3.4
Donor Eggs				
Number of fresh transfers	0	0	4	6
Live births per 100 fresh transfers ^d			2/4	1/6
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				0/2
Average number embryos transferred (fresh and frozen)			4.0	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**INFERTILITY SOLUTIONS, P.C.
ALLENTOWN, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	19%
Single women?	Yes	GIFT	0%	Endometriosis	3%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	39%
		With ICSI	35%	Other factors	4%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	35	14	12	5
Pregnancies per 100 cycles	31.4	2/14	1/12	0/5
Live births per 100 cycles ^d	20.0	2/14	1/12	0/5
(95% confidence interval)	(6.7 - 33.3)			
Live births per 100 retrievals ^d	21.9	2/11	1/11	0/3
Live births per 100 transfers ^d	25.9	2/9	1/11	0/2
Cancellations per 100 cycles	8.6	3/14	1/12	2/5
Average number embryos transferred	3.9	3.9	3.7	3.0
Twin gestations per 100 pregnancies	2/11	0/2	0/1	
Triplet or more gestations per 100 pregnancies	3/11	0/2	1/1	
Multiple births per 100 live births ^d	4/7	0/2	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	11	4	0
Live births per 100 transfers ^d	3/15	0/11	0/4	
Average number embryos transferred	3.5	3.0	3.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

REPROTECH, INC.
ALLENTOWN, PENNSYLVANIA

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	22%
Single women?	Yes	GIFT	0%	Endometriosis	6%
Gestational carriers?	Yes	ZIFT	8%	Uterine factor	5%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	33%
		With ICSI	0%	Other factors	33%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	6	4	0
Pregnancies per 100 cycles	1/2	1/6	1/4	
Live births per 100 cycles ^d (95% confidence interval)	1/2	0/6	1/4	
Live births per 100 retrievals ^d	1/2	0/4	1/4	
Live births per 100 transfers ^d	1/2	0/4	1/4	
Cancellations per 100 cycles	0/2	2/6	0/4	
Average number embryos transferred	4.0	3.8	2.3	
Twin gestations per 100 pregnancies	1/1	0/1	0/1	
Triplet or more gestations per 100 pregnancies	0/1	0/1	0/1	
Multiple births per 100 live births ^d	1/1		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Live births per 100 transfers ^d	0/1		0/1	
Average number embryos transferred	2.0		3.0	
Donor Eggs				
Number of fresh transfers	0	2	0	0
Live births per 100 fresh transfers ^d		1/2		
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		1.0		

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**FAMILY FERTILITY CENTER
BETHLEHEM, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	53%
Single women?	Yes	GIFT	0%	Endometriosis	0%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	26%	Other factors	0%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	5	6	6
Pregnancies per 100 cycles	2/18	2/5	2/6	2/6
Live births per 100 cycles ^d (95% confidence interval)	2/18	1/5	2/6	0/6
Live births per 100 retrievals ^d	2/16	1/4	2/6	0/6
Live births per 100 transfers ^d	2/14	1/4	2/6	0/6
Cancellations per 100 cycles	2/18	1/5	0/6	0/6
Average number embryos transferred	3.7	3.3	3.7	3.7
Twin gestations per 100 pregnancies	0/2	0/2	0/2	0/2
Triplet or more gestations per 100 pregnancies	0/2	0/2	0/2	0/2
Multiple births per 100 live births ^d	0/2	0/1	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Live births per 100 transfers ^d	0/1			
Average number embryos transferred	3.0			
Donor Eggs				
Number of fresh transfers	0	1	0	1
Live births per 100 fresh transfers ^d		1/1		0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		5.0		4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**GEISINGER MEDICAL CENTER FERTILITY PROGRAM
DANVILLE, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	34%
Single women?	Yes	GIFT	5%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No			Male factor	3%
		With ICSI	27%	Other factors	27%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	26	12	3	0
Pregnancies per 100 cycles	46.2	1/12	0/3	
Live births per 100 cycles ^d	38.5	1/12	0/3	
(95% confidence interval)	(19.8 - 57.2)			
Live births per 100 retrievals ^d	43.5	1/8	0/2	
Live births per 100 transfers ^d	45.5	1/8	0/1	
Cancellations per 100 cycles	11.5	4/12	1/3	
Average number embryos transferred	3.8	3.4	4.0	
Twin gestations per 100 pregnancies	1/12	1/1		
Triplet or more gestations per 100 pregnancies	1/12	0/1		
Multiple births per 100 live births ^d	2/10	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	2	1	0
Live births per 100 transfers ^d	3/9	1/2	0/1	
Average number embryos transferred	3.1	3.5	4.0	
Donor Eggs				
Number of fresh transfers	0	0	2	5
Live births per 100 fresh transfers ^d			1/2	1/5
Number of frozen transfers	1	0	1	4
Live births per 100 frozen transfers ^d	0/1		0/1	0/4
Average number embryos transferred (fresh and frozen)	4.0		2.7	3.6

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**PENN STATE GEISINGER HEALTH SYSTEM
THE HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	28%
Single women?	No	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	6%
Sharing of donor eggs?	No			Male factor	19%
		With ICSI	18%	Other factors	14%
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	44	30	8	1
Pregnancies per 100 cycles	20.5	13.3	3/8	0/1
Live births per 100 cycles ^d	18.2	10.0	3/8	0/1
(95% confidence interval)	(6.8 - 29.6)	(0.0 - 20.7)		
Live births per 100 retrievals ^d	21.6	14.3	3/7	0/1
Live births per 100 transfers ^d	26.7	3/17	3/6	0/1
Cancellations per 100 cycles	15.9	30.0	1/8	0/1
Average number embryos transferred	2.8	2.8	3.0	1.0
Twin gestations per 100 pregnancies	4/9	0/4	1/3	
Triplet or more gestations per 100 pregnancies	0/9	0/4	1/3	
Multiple births per 100 live births ^d	3/8	0/3	2/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	30	9	3	0
Live births per 100 transfers ^d	16.7	1/9	0/3	
Average number embryos transferred	2.9	2.7	2.7	
Donor Eggs				
Number of fresh transfers	0	1	0	2
Live births per 100 fresh transfers ^d		1/1		0/2
Number of frozen transfers	0	0	1	4
Live births per 100 frozen transfers ^d			0/1	1/4
Average number embryos transferred (fresh and frozen)		3.0	4.0	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**JENKINTOWN REPRODUCTIVE ENDOCRINE & GYNECOLOGY ASSOCIATES, P.C.
JENKINTOWN, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis		
SART member?	Yes	IVF	94%	Tubal factor	28%	
Single women?	Yes	GIFT	0%	Endometriosis	4%	
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%	
Donor egg program?	Yes	Combination ^b	6%	Ovulatory dysfunction	4%	
Sharing of donor eggs?	Yes		With ICSI	6%	Male factor	60%
			Unstimulated	0%	Other factors	4%
				Unexplained	0%	

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	4	7	4	1
Pregnancies per 100 cycles	0/4	3/7	1/4	0/1
Live births per 100 cycles ^d (95% confidence interval)	0/4	2/7	0/4	0/1
Live births per 100 retrievals ^d	0/4	2/7	0/4	0/1
Live births per 100 transfers ^d	0/3	2/7	0/4	0/1
Cancellations per 100 cycles	0/4	0/7	0/4	0/1
Average number embryos transferred	3.3	5.1	3.0	5.0
Twin gestations per 100 pregnancies		0/3	0/1	
Triplet or more gestations per 100 pregnancies		1/3	0/1	
Multiple births per 100 live births ^d		0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	0	0
Live births per 100 transfers ^d	1/1	0/3		
Average number embryos transferred	5.0	4.7		
Donor Eggs				
Number of fresh transfers	2	2	2	1
Live births per 100 fresh transfers ^d	0/2	0/2	0/2	1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.5	2.0	3.5	5.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**PENNSYLVANIA REPRODUCTIVE ASSOCIATES
PHILADELPHIA, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	81%	Tubal factor	26%
Single women?	Yes	GIFT	19%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No			Male factor	12%
		With ICSI	26%	Other factors	0%
		Unstimulated	0%	Unexplained	25%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	264	134	120	21
Pregnancies per 100 cycles	24.2	23.9	10.0	23.8
Live births per 100 cycles ^d	23.5	20.1	10.0	9.5
(95% confidence interval)	(18.4 - 28.6)	(13.4 - 26.9)	(4.6 - 15.4)	(0.0 - 22.1)
Live births per 100 retrievals ^d	28.3	24.3	14.8	2/17
Live births per 100 transfers ^d	33.2	28.1	17.6	2/16
Cancellations per 100 cycles	17.0	17.2	32.5	19.0
Average number embryos transferred	2.9	3.2	3.6	4.8
Twin gestations per 100 pregnancies	32.8	28.1	7/12	0/5
Triplet or more gestations per 100 pregnancies	14.1	9.4	0/12	0/5
Multiple births per 100 live births ^d	37.1	25.9	5/12	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	2	1	2
Live births per 100 transfers ^d	1/8	0/2	0/1	1/2
Average number embryos transferred	2.8	2.0	1.0	3.5
Donor Eggs				
Number of fresh transfers	6	4	10	20
Live births per 100 fresh transfers ^d	2/6	1/4	1/10	35.0
Number of frozen transfers	4	2	3	3
Live births per 100 frozen transfers ^d	2/4	0/2	0/3	1/3
Average number embryos transferred (fresh and frozen)	3.0	2.2	2.7	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THOMAS JEFFERSON IVF PROGRAM
PHILADELPHIA, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	58%
Single women?	Yes	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	1%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No			Male factor	4%
		With ICSI	0%	Other factors	0%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	20	20	7
Pregnancies per 100 cycles	14.7	5.0	0.0	1/7
Live births per 100 cycles ^d	14.7	5.0	0.0	1/7
(95% confidence interval)	(2.8 - 26.6)	(0.0 - 14.6)		
Live births per 100 retrievals ^d	16.7	1/14	0/17	1/6
Live births per 100 transfers ^d	16.7	1/13	0/15	1/5
Cancellations per 100 cycles	11.8	30.0		1/7
Average number embryos transferred	4.2	4.5	3.8	4.8
Twin gestations per 100 pregnancies	2/5	0/1		0/1
Triplet or more gestations per 100 pregnancies	0/5	0/1		0/1
Multiple births per 100 live births ^d	2/5	0/1		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Live births per 100 transfers ^d				
Average number embryos transferred				
Donor Eggs				
Number of fresh transfers	0	0	1	2
Live births per 100 fresh transfers ^d			0/1	0/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			2.0	6.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF PENNSYLVANIA MEDICAL CENTER
PHILADELPHIA, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	28%
Single women?	Yes	GIFT	0%	Endometriosis	20%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	33%	Other factors	15%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	111	64	48	18
Pregnancies per 100 cycles	32.4	29.7	14.6	2/18
Live births per 100 cycles ^d	25.2	25.0	12.5	1/18
(95% confidence interval)	(17.1 - 33.3)	(14.4 - 35.6)	(3.1 - 21.9)	
Live births per 100 retrievals ^d	29.8	33.3	16.2	1/14
Live births per 100 transfers ^d	31.5	34.0	17.6	1/14
Cancellations per 100 cycles	15.3	25.0	22.9	4/18
Average number embryos transferred	3.1	3.6	3.3	3.1
Twin gestations per 100 pregnancies	19.4	7/19	2/7	0/2
Triplet or more gestations per 100 pregnancies	8.3	0/19	0/7	0/2
Multiple births per 100 live births ^d	28.6	6/16	2/6	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	30	15	18	2
Live births per 100 transfers ^d	10.0	3/15	0/18	0/2
Average number embryos transferred	2.8	3.0	2.4	3.5
Donor Eggs				
Number of fresh transfers	0	1	2	0
Live births per 100 fresh transfers ^d		1/1	1/2	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		3.0	2.5	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**ALLEGHENY GENERAL HOSPITAL IVF PROGRAM
PITTSBURGH, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	18%
Single women?	Yes	GIFT	1%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	12%
Sharing of donor eggs?	Yes			Male factor	29%
		With ICSI	27%	Other factors	<1%
		Unstimulated	0%	Unexplained	28%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	99	31	35	14
Pregnancies per 100 cycles	24.2	22.6	22.9	0/14
Live births per 100 cycles ^d	21.2	19.4	22.9	0/14
(95% confidence interval)	(13.2 - 29.3)	(5.4 - 33.3)	(8.9 - 36.8)	
Live births per 100 retrievals ^d	22.6	20.0	24.2	0/14
Live births per 100 transfers ^d	25.0	24.0	29.6	0/13
Cancellations per 100 cycles	6.1	3.2	5.7	0/14
Average number embryos transferred	4.1	3.9	3.6	3.7
Twin gestations per 100 pregnancies	29.2	2/7	0/8	
Triplet or more gestations per 100 pregnancies	20.8	0/7	0/8	
Multiple births per 100 live births ^d	47.6	1/6	0/8	
Frozen Embryos From Nondonor Eggs				
Number of transfers	31	13	9	5
Live births per 100 transfers ^d	9.7	1/13	1/9	0/5
Average number embryos transferred	3.6	4.0	3.8	3.8
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers ^d			0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			4.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE FERTILITY CENTER AT SAINT CLAIR HOSPITAL
PITTSBURGH, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	18%
Single women?	Yes	GIFT	0%	Endometriosis	25%
Gestational carriers?	No	ZIFT	2%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	27%
		With ICSI	12%	Other factors	0%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	5	12	4
Pregnancies per 100 cycles	40.0	1/5	3/12	0/4
Live births per 100 cycles ^d	20.0	1/5	2/12	0/4
(95% confidence interval)	(2.5 - 37.5)			
Live births per 100 retrievals ^d	4/19	1/4	2/12	0/3
Live births per 100 transfers ^d	4/17	1/4	2/11	0/2
Cancellations per 100 cycles	5.0	1/5	0/12	1/4
Average number embryos transferred	4.3	4.0	4.1	6.5
Twin gestations per 100 pregnancies	1/8	0/1	2/3	
Triplet or more gestations per 100 pregnancies	1/8	1/1	0/3	
Multiple births per 100 live births ^d	1/4	1/1	2/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Live births per 100 transfers ^d	0/1	0/1		
Average number embryos transferred	2.0	3.0		
Donor Eggs				
Number of fresh transfers	0	1	0	0
Live births per 100 fresh transfers ^d		0/1		
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		4.0		

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY WOMEN'S HEALTH CARE ASSOCIATES
MAGEE WOMEN'S HOSPITAL
PITTSBURGH, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	25%
Single women?	Yes	GIFT	1%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	4%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	13%
		With ICSI	26%	Other factors	0%
		Unstimulated	0%	Unexplained	31%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	103	73	37	18
Pregnancies per 100 cycles	25.2	24.7	18.9	2/18
Live births per 100 cycles ^d	18.4	17.8	16.2	2/18
(95% confidence interval)	(11.0 - 25.9)	(9.0 - 26.6)	(4.3 - 28.1)	
Live births per 100 retrievals ^d	19.0	20.6	18.8	2/17
Live births per 100 transfers ^d	20.0	21.7	19.4	2/14
Cancellations per 100 cycles	2.9	13.7	13.5	1/18
Average number embryos transferred	3.9	3.5	4.1	3.4
Twin gestations per 100 pregnancies	7.7	3/18	0/7	1/2
Triplet or more gestations per 100 pregnancies	23.1	1/18	0/7	0/2
Multiple births per 100 live births ^d	8/19	4/13	0/6	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	4	0	0
Live births per 100 transfers ^d	0/1	0/4		
Average number embryos transferred	1.0	1.5		
Donor Eggs				
Number of fresh transfers	1	2	0	7
Live births per 100 fresh transfers ^d	0/1	0/2		0/7
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0	5.5		4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER
UPLAND, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	84%	Tubal factor	23%
Single women?	Yes	GIFT	0%	Endometriosis	20%
Gestational carriers?	No	ZIFT	0%	Uterine factor	10%
Donor egg program?	Yes	Combination ^b	16%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	6%
		With ICSI	30%	Other factors	19%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	49	27	22	6
Pregnancies per 100 cycles	26.5	33.3	9.1	0/6
Live births per 100 cycles ^d	22.4	22.2	9.1	0/6
(95% confidence interval)	(10.8 - 34.1)	(6.5 - 37.9)	(0.0 - 21.1)	
Live births per 100 retrievals ^d	23.4	24.0	2/17	0/5
Live births per 100 transfers ^d	33.3	26.1	2/14	0/2
Cancellations per 100 cycles	4.1	7.4	22.7	1/6
Average number embryos transferred	4.2	3.6	4.5	4.5
Twin gestations per 100 pregnancies	3/13	1/9	1/2	
Triplet or more gestations per 100 pregnancies	3/13	0/9	0/2	
Multiple births per 100 live births ^d	4/11	1/6	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	7	3	2
Live births per 100 transfers ^d	1/15	1/7	0/3	0/2
Average number embryos transferred	4.5	4.6	4.0	3.0
Donor Eggs				
Number of fresh transfers	0	0	3	2
Live births per 100 fresh transfers ^d			3/3	2/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			4.3	4.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**REPRODUCTIVE SCIENCE INSTITUTE-PHILADELPHIA
WAYNE, PENNSYLVANIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	13%
Single women?	Yes	GIFT	0%	Endometriosis	23%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	31%
Sharing of donor eggs?	Yes			Male factor	23%
		With ICSI	37%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	27	20	16	12
Pregnancies per 100 cycles	37.0	30.0	2/16	2/12
Live births per 100 cycles ^d	37.0	25.0	2/16	0/12
(95% confidence interval)	(18.8 - 55.3)	(6.0 - 44.0)		
Live births per 100 retrievals ^d	40.0	5/19	2/14	0/12
Live births per 100 transfers ^d	43.5	5/17	2/12	0/12
Cancellations per 100 cycles	7.4	5.0	2/16	0/12
Average number embryos transferred	4.4	4.5	4.6	5.0
Twin gestations per 100 pregnancies	3/10	2/6	1/2	0/2
Triplet or more gestations per 100 pregnancies	4/10	0/6	1/2	0/2
Multiple births per 100 live births ^d	7/10	2/5	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	2	2	0
Live births per 100 transfers ^d	2/9	1/2	0/2	
Average number embryos transferred	4.3	5.0	2.0	
Donor Eggs				
Number of fresh transfers	1	0	1	5
Live births per 100 fresh transfers ^d	0/1		0/1	2/5
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0		3.0	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

WOMEN'S CLINIC, LTD.
FERTILITY MEDICAL LABS
WEST READING, PENNSYLVANIA

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	40%
Single women?	No	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No	With ICSI	22%	Male factor	3%
		Unstimulated	0%	Other factors	1%
				Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	16	8	8
Pregnancies per 100 cycles	24.4	5/16	2/8	1/8
Live births per 100 cycles ^d	22.0	4/16	2/8	0/8
(95% confidence interval)	(9.3 - 34.6)			
Live births per 100 retrievals ^d	28.1	4/15	2/6	0/4
Live births per 100 transfers ^d	31.0	4/14	2/5	0/4
Cancellations per 100 cycles	22.0	1/16	2/8	4/8
Average number embryos transferred	4.0	4.4	4.2	5.3
Twin gestations per 100 pregnancies	4/10	0/5	0/2	0/1
Triplet or more gestations per 100 pregnancies	0/10	1/5	0/2	0/1
Multiple births per 100 live births ^d	4/9	1/4	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Live births per 100 transfers ^d				
Average number embryos transferred				
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**DR. PEDRO J. BEAUCHAMP
BAYAMON, PUERTO RICO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	38%
Single women?	No	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	13%
		With ICSI	40%	Other factors	0%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	59	38	26	20
Pregnancies per 100 cycles	44.1	34.2	34.6	25.0
Live births per 100 cycles ^d	32.2	28.9	23.1	15.0
(95% confidence interval)	(20.3 - 44.1)	(14.5 - 43.4)	(6.9 - 39.3)	(0.0 - 30.6)
Live births per 100 retrievals ^d	33.9	32.4	26.1	3/15
Live births per 100 transfers ^d	34.5	33.3	28.6	3/14
Cancellations per 100 cycles	5.1	10.5	11.5	25.0
Average number embryos transferred	6.1	5.8	3.5	3.4
Twin gestations per 100 pregnancies	26.9	2/13	2/9	0/5
Triplet or more gestations per 100 pregnancies	15.4	3/13	0/9	0/5
Multiple births per 100 live births ^d	7/19	4/11	1/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	1	3	1
Live births per 100 transfers ^d	0/6	0/1	0/3	0/1
Average number embryos transferred	2.7	6.0	3.3	4.0
Donor Eggs				
Number of fresh transfers	0	1	0	2
Live births per 100 fresh transfers ^d		0/1		0/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		1.0		4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**RENE FERNANDEZ-PELEGRINA
CARIBBEAN FERTILITY CENTER
RIO PIEDRAS, PUERTO RICO**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	34%
Single women?	No	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	10%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	37%
Sharing of donor eggs?	No	With ICSI	35%	Male factor	6%
		Unstimulated	0%	Other factors	0%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	15	15	10
Pregnancies per 100 cycles	48.5	7/15	3/15	3/10
Live births per 100 cycles ^d	47.0	6/15	2/15	1/10
(95% confidence interval)	(34.9 - 59.0)			
Live births per 100 retrievals ^d	50.8	6/13	2/13	1/9
Live births per 100 transfers ^d	52.5	6/13	2/12	1/8
Cancellations per 100 cycles	7.6	2/15	2/15	1/10
Average number embryos transferred	1.9	1.9	2.0	1.8
Twin gestations per 100 pregnancies	56.3	3/7	0/3	0/3
Triplet or more gestations per 100 pregnancies	15.6	0/7	0/3	0/3
Multiple births per 100 live births ^d	58.1	3/6	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Live births per 100 transfers ^d	1/2	0/1		
Average number embryos transferred	2.0	3.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

WOMEN & INFANTS HOSPITAL IVF PROGRAM PROVIDENCE, RHODE ISLAND

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	30%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	7%
		With ICSI	32%	Other factors	18%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	343	153	111	49
Pregnancies per 100 cycles	25.9	34.6	19.8	6.1
Live births per 100 cycles ^d	23.6	26.8	13.5	2.0
(95% confidence interval)	(19.1 - 28.1)	(19.8 - 33.8)	(7.2 - 19.9)	(0.0 - 6.0)
Live births per 100 retrievals ^d	24.5	28.3	14.6	2.5
Live births per 100 transfers ^d	25.3	29.5	15.3	2.9
Cancellations per 100 cycles	3.5	5.2	7.2	18.4
Average number embryos transferred	3.4	3.6	3.7	4.2
Twin gestations per 100 pregnancies	38.2	24.5	9.1	1/3
Triplet or more gestations per 100 pregnancies	10.1	11.3	13.6	0/3
Multiple births per 100 live births ^d	42.0	36.6	4/15	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	49	26	15	15
Live births per 100 transfers ^d	10.2	15.4	0/15	0/15
Average number embryos transferred	4.1	3.5	3.1	3.8
Donor Eggs				
Number of fresh transfers	4	1	1	5
Live births per 100 fresh transfers ^d	1/4	0/1	0/1	1/5
Number of frozen transfers	1	0	0	0
Live births per 100 frozen transfers ^d	1/1			
Average number embryos transferred (fresh and frozen)	3.8	3.0	4.0	3.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**MEDICAL UNIVERSITY OF SOUTH CAROLINA
CHARLESTON, SOUTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	25%
Single women?	Yes	GIFT	6%	Endometriosis	27%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	Yes			Male factor	20%
		With ICSI	28%	Other factors	9%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	12	8	3
Pregnancies per 100 cycles	12.5	2/12	0/8	0/3
Live births per 100 cycles ^d	8.3	1/12	0/8	0/3
(95% confidence interval)	(0.0 - 19.4)			
Live births per 100 retrievals ^d	2/18	1/9	0/6	0/3
Live births per 100 transfers ^d	2/17	1/8	0/5	0/2
Cancellations per 100 cycles	25.0	3/12	2/8	0/3
Average number embryos transferred	3.6	4.8	6.0	3.0
Twin gestations per 100 pregnancies	2/3	2/2		
Triplet or more gestations per 100 pregnancies	0/3	0/2		
Multiple births per 100 live births ^d	0/2	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	0	0
Live births per 100 transfers ^d	0/3	0/1		
Average number embryos transferred	2.3	3.0		
Donor Eggs				
Number of fresh transfers	0	0	2	4
Live births per 100 fresh transfers ^d			1/2	2/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			4.0	4.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF SOUTH CAROLINA-COLUMBIA
COLUMBIA, SOUTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	24%
Single women?	Yes	GIFT	0%	Endometriosis	0%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	31%
		With ICSI	37%	Other factors	10%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	7	2	0
Pregnancies per 100 cycles	6/18	1/7	1/2	
Live births per 100 cycles ^d (95% confidence interval)	6/18	1/7	1/2	
Live births per 100 retrievals ^d	6/15	1/6	1/1	
Live births per 100 transfers ^d	6/15	1/6	1/1	
Cancellations per 100 cycles	3/18	1/7	1/2	
Average number embryos transferred	3.7	3.3	1.0	
Twin gestations per 100 pregnancies	2/6	1/1	0/1	
Triplet or more gestations per 100 pregnancies	1/6	0/1	0/1	
Multiple births per 100 live births ^d	2/6	1/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Live births per 100 transfers ^d	0/1			
Average number embryos transferred	1.0			
Donor Eggs				
Number of fresh transfers	1	0	0	0
Live births per 100 fresh transfers ^d	0/1			
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	5.0			

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR WOMEN'S MEDICINE
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
GREENVILLE, SOUTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	31%
Single women?	Yes	GIFT	0%	Endometriosis	28%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	Yes			Male factor	16%
		With ICSI	41%	Other factors	0%
		Unstimulated	0%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	12	7	2
Pregnancies per 100 cycles	57.6	6/12	2/7	1/2
Live births per 100 cycles ^d	48.5	5/12	0/7	0/2
(95% confidence interval)	(31.4 - 65.5)			
Live births per 100 retrievals ^d	50.0	5/10	0/7	0/2
Live births per 100 transfers ^d	50.0	5/9	0/7	0/2
Cancellations per 100 cycles	3.0	2/12	0/7	0/2
Average number embryos transferred	3.7	4.2	3.9	3.0
Twin gestations per 100 pregnancies	9/19	2/6	0/2	0/1
Triplet or more gestations per 100 pregnancies	0/19	1/6	0/2	0/1
Multiple births per 100 live births ^d	8/16	3/5		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	0	0
Live births per 100 transfers ^d	1/4	1/1		
Average number embryos transferred	3.5	3.0		
Donor Eggs				
Number of fresh transfers	0	1	0	2
Live births per 100 fresh transfers ^d		1/1		0/2
Number of frozen transfers	0	0	0	4
Live births per 100 frozen transfers ^d				1/4
Average number embryos transferred (fresh and frozen)		4.0		3.7

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**SOUTHEASTERN FERTILITY CENTER, P.A.
MOUNT PLEASANT, SOUTH CAROLINA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	41%
Single women?	Yes	GIFT	<1%	Endometriosis	3%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	Yes			Male factor	24%
		With ICSI	29%	Other factors	11%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	125	51	46	10
Pregnancies per 100 cycles	33.6	25.5	15.2	0/10
Live births per 100 cycles ^d	30.4	15.7	15.2	0/10
(95% confidence interval)	(22.3 - 38.5)	(5.7 - 25.7)	(4.8 - 25.6)	
Live births per 100 retrievals ^d	36.5	22.9	24.1	0/7
Live births per 100 transfers ^d	38.0	26.7	25.9	0/6
Cancellations per 100 cycles	16.8	31.4	37.0	3/10
Average number embryos transferred	3.7	4.4	4.9	3.8
Twin gestations per 100 pregnancies	28.6	4/13	1/7	
Triplet or more gestations per 100 pregnancies	14.3	0/13	0/7	
Multiple births per 100 live births ^d	44.7	3/8	0/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	2	0	0
Live births per 100 transfers ^d	3/14	0/2		
Average number embryos transferred	3.5	3.5		
Donor Eggs				
Number of fresh transfers	3	2	9	23
Live births per 100 fresh transfers ^d	0/3	0/2	2/9	47.8
Number of frozen transfers	0	0	1	3
Live births per 100 frozen transfers ^d			0/1	1/3
Average number embryos transferred (fresh and frozen)	3.0	3.5	4.1	3.9

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY PHYSICIANS FERTILITY SPECIALISTS
SIOUX FALLS, SOUTH DAKOTA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	59%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	31%
		With ICSI	4%	Other factors	0%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	12	9	5
Pregnancies per 100 cycles	29.2	4/12	1/9	0/5
Live births per 100 cycles ^d	25.0	4/12	1/9	0/5
(95% confidence interval)	(7.7 - 42.3)			
Live births per 100 retrievals ^d	6/18	4/9	1/7	0/3
Live births per 100 transfers ^d	6/15	4/9	1/7	0/3
Cancellations per 100 cycles	25.0	3/12	2/9	2/5
Average number embryos transferred	3.4	4.0	3.0	2.7
Twin gestations per 100 pregnancies	3/7	2/4	0/1	
Triplet or more gestations per 100 pregnancies	1/7	0/4	0/1	
Multiple births per 100 live births ^d	4/6	2/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	1	0	0
Live births per 100 transfers ^d	3/12	0/1		
Average number embryos transferred	3.4	4.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OB/GYN ASSOCIATES, INC.
CHATTANOOGA, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	No	GIFT	0%	Endometriosis	36%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	7%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	5%	Other factors	14%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	17	0	2
Pregnancies per 100 cycles	22.0	4/17		0/2
Live births per 100 cycles ^d	12.2	3/17		0/2
(95% confidence interval)	(2.2 - 22.2)			
Live births per 100 retrievals ^d	13.5	3/16		0/2
Live births per 100 transfers ^d	17.9	3/15		0/1
Cancellations per 100 cycles	9.8	1/17		0/2
Average number embryos transferred	3.6	3.9		2.0
Twin gestations per 100 pregnancies	1/9	1/4		
Triplet or more gestations per 100 pregnancies	2/9	0/4		
Multiple births per 100 live births ^d	3/5	1/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	3	0	0
Live births per 100 transfers ^d	2/12	0/3		
Average number embryos transferred	2.9	2.3		
Donor Eggs				
Number of fresh transfers	1	0	1	1
Live births per 100 fresh transfers ^d	0/1		1/1	0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0		4.0	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**APPALACHIAN FERTILITY AND ENDOCRINOLOGY CENTER
KINGSPORT, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	65%	Tubal factor	41%
Single women?	Yes	GIFT	23%	Endometriosis	7%
Gestational carriers?	Yes	ZIFT	8%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	4%	Ovulatory dysfunction	3%
Sharing of donor eggs?	Yes	With ICSI	15%	Male factor	42%
		Unstimulated	0%	Other factors	2%
				Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	4	6	5
Pregnancies per 100 cycles	18.2	1/4	3/6	0/5
Live births per 100 cycles ^d	18.2	1/4	3/6	0/5
(95% confidence interval)	(5.0 - 31.3)			
Live births per 100 retrievals ^d	22.2	1/3	3/6	0/5
Live births per 100 transfers ^d	24.0	1/3	3/6	0/3
Cancellations per 100 cycles	18.2	1/4	0/6	0/5
Average number embryos transferred	5.1	3.0	3.5	4.0
Twin gestations per 100 pregnancies	3/6	0/1	0/3	
Triplet or more gestations per 100 pregnancies	1/6	0/1	0/3	
Multiple births per 100 live births ^d	4/6	0/1	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	2	0
Live births per 100 transfers ^d	0/2		0/2	
Average number embryos transferred	2.0		2.5	
Donor Eggs				
Number of fresh transfers	3	0	1	1
Live births per 100 fresh transfers ^d	1/3		0/1	1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.3		4.0	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF TENNESSEE FERTILITY CENTER
KNOXVILLE, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	31%	Tubal factor	19%
Single women?	Yes	GIFT	28%	Endometriosis	19%
Gestational carriers?	No	ZIFT	41%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	36%
Sharing of donor eggs?	No			Male factor	19%
		With ICSI	38%	Other factors	0%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	17	9	6	0
Pregnancies per 100 cycles	11/17	2/9	1/6	
Live births per 100 cycles ^d (95% confidence interval)	9/17	2/9	1/6	
Live births per 100 retrievals ^d	9/16	2/7	1/5	
Live births per 100 transfers ^d	9/16	2/6	1/5	
Cancellations per 100 cycles	1/17	2/9	1/6	
Average number embryos transferred	3.6	3.8	3.4	
Twin gestations per 100 pregnancies	4/11	1/2	0/1	
Triplet or more gestations per 100 pregnancies	0/11	0/2	0/1	
Multiple births per 100 live births ^d	3/9	1/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	1	0
Live births per 100 transfers ^d	0/2		0/1	
Average number embryos transferred	3.0		1.0	
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers ^d			0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			2.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY FERTILITY ASSOCIATES
MEMPHIS, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	32%
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	3%	Ovulatory dysfunction	15%
Sharing of donor eggs?	Yes			Male factor	23%
		With ICSI	27%	Other factors	16%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	57	19	20	4
Pregnancies per 100 cycles	35.1	11/19	25.0	1/4
Live births per 100 cycles ^d	35.1	9/19	20.0	1/4
(95% confidence interval)	(22.7 - 47.5)		(2.5 - 37.5)	
Live births per 100 retrievals ^d	40.8	9/16	4/19	1/4
Live births per 100 transfers ^d	42.6	9/16	4/19	1/4
Cancellations per 100 cycles	14.0	3/19	5.0	0/4
Average number embryos transferred	3.9	4.1	4.3	5.0
Twin gestations per 100 pregnancies	30.0	3/11	2/5	0/1
Triplet or more gestations per 100 pregnancies	20.0	0/11	1/5	0/1
Multiple births per 100 live births ^d	45.0	2/9	3/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	3	0
Live births per 100 transfers ^d	4/7	1/4	0/3	
Average number embryos transferred	3.4	3.8	3.3	
Donor Eggs				
Number of fresh transfers	1	1	2	0
Live births per 100 fresh transfers ^d	0/1	1/1	0/2	
Number of frozen transfers	0	0	2	0
Live births per 100 frozen transfers ^d			1/2	
Average number embryos transferred (fresh and frozen)	5.0	5.0	4.5	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	36%
Single women?	Yes	GIFT	0%	Endometriosis	23%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	18%
		With ICSI	51%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	5	2	0
Pregnancies per 100 cycles	21.9	2/5	0/2	
Live births per 100 cycles ^d	21.9	2/5	0/2	
(95% confidence interval)	(7.6 - 36.2)			
Live births per 100 retrievals ^d	23.3	2/5	0/1	
Live births per 100 transfers ^d	24.1	2/5	0/1	
Cancellations per 100 cycles	6.3	0/5	1/2	0/0
Average number embryos transferred	4.5	5.0	4.0	
Twin gestations per 100 pregnancies	1/7	0/2		
Triplet or more gestations per 100 pregnancies	1/7	0/2		
Multiple births per 100 live births ^d	2/7	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	0
Live births per 100 transfers ^d	0/3			
Average number embryos transferred	4.3			
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				10.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**NASHVILLE FERTILITY CENTER
NASHVILLE, TENNESSEE**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	31%
Single women?	No	GIFT	<1%	Endometriosis	17%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	25%
Sharing of donor eggs?	Yes			Male factor	5%
		With ICSI	43%	Other factors	5%
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	125	54	42	12
Pregnancies per 100 cycles	52.8	46.3	16.7	2/12
Live births per 100 cycles ^d	45.6	33.3	14.3	2/12
(95% confidence interval)	(36.9 - 54.3)	(20.8 - 45.9)	(3.7 - 24.9)	
Live births per 100 retrievals ^d	48.7	39.1	16.7	2/12
Live births per 100 transfers ^d	49.6	40.9	17.6	2/11
Cancellations per 100 cycles	6.4	14.8	14.3	0/12
Average number embryos transferred	3.6	3.7	3.5	5.6
Twin gestations per 100 pregnancies	40.9	28.0	0/7	0/2
Triplet or more gestations per 100 pregnancies	12.1	12.0	1/7	0/2
Multiple births per 100 live births ^d	56.1	8/18	1/6	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	12	6	0
Live births per 100 transfers ^d	14.3	3/12	0/6	
Average number embryos transferred	3.6	3.4	2.5	
Donor Eggs				
Number of fresh transfers	0	4	9	24
Live births per 100 fresh transfers ^d		2/4	3/9	62.5
Number of frozen transfers	0	2	2	1
Live births per 100 frozen transfers ^d		0/2	1/2	1/1
Average number embryos transferred (fresh and frozen)		2.8	3.1	3.2

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

HAROLD BRUMLEY, M.D.
AUSTIN, TEXAS

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	46%
Single women?	No	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	8%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No	With ICSI	25%	Male factor	0%
		Unstimulated	0%	Other factors	15%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	5	4	1
Pregnancies per 100 cycles	1/2	0/5	0/4	0/1
Live births per 100 cycles ^d (95% confidence interval)	1/2	0/5	0/4	0/1
Live births per 100 retrievals ^d	1/1	0/3	0/3	0/1
Live births per 100 transfers ^d	1/1	0/3	0/3	0/1
Cancellations per 100 cycles	1/2	2/5	1/4	0/1
Average number embryos transferred	2.0	4.0	3.0	9.0
Twin gestations per 100 pregnancies	0/1			
Triplet or more gestations per 100 pregnancies	0/1			
Multiple births per 100 live births ^d	0/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Live births per 100 transfers ^d		1/1		
Average number embryos transferred		5.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

JEFFREY YOUNGKIN, M.D.
AUSTIN, TEXAS

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	No	GIFT	0%	Endometriosis	27%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	No	With ICSI	18%	Male factor	9%
		Unstimulated	0%	Other factors	15%
				Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	9	4	2
Pregnancies per 100 cycles	9/13	2/9	1/4	0/2
Live births per 100 cycles ^d (95% confidence interval)	8/13	2/9	1/4	0/2
Live births per 100 retrievals ^d	8/12	2/6	1/4	0/2
Live births per 100 transfers ^d	8/12	2/6	1/4	0/2
Cancellations per 100 cycles	1/13	3/9	0/4	0/2
Average number embryos transferred	3.3	4.2	4.5	5.0
Twin gestations per 100 pregnancies	2/9	0/2	0/1	
Triplet or more gestations per 100 pregnancies	0/9	1/2	0/1	
Multiple births per 100 live births ^d	2/8	1/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	0
Live births per 100 transfers ^d	0/2	1/3		
Average number embryos transferred	3.5	3.3		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**TEXAS FERTILITY CENTER
AUSTIN, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	34%
Single women?	No	GIFT	<1%	Endometriosis	22%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	1%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No	With ICSI	14%	Male factor	10%
		Unstimulated	0%	Other factors	17%
				Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	84	54	40	47
Pregnancies per 100 cycles	45.2	46.3	37.5	19.1
Live births per 100 cycles ^d	36.9	35.2	32.5	6.4
(95% confidence interval)	(26.6 - 47.2)	(22.4 - 47.9)	(18.0 - 47.0)	(0.0 - 13.4)
Live births per 100 retrievals ^d	40.8	39.6	37.1	8.1
Live births per 100 transfers ^d	43.1	39.6	40.6	8.3
Cancellations per 100 cycles	9.5	11.1	12.5	21.3
Average number embryos transferred	3.7	4.0	3.4	4.5
Twin gestations per 100 pregnancies	28.9	36.0	2/15	1/9
Triplet or more gestations per 100 pregnancies	13.2	16.0	3/15	1/9
Multiple births per 100 live births ^d	35.5	10/19	5/13	2/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	10	3	10
Live births per 100 transfers ^d	27.6	3/10	1/3	1/10
Average number embryos transferred	3.4	3.3	2.0	2.6
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	6%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	<1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	25%
Sharing of donor eggs?	Yes			Male factor	13%
		With ICSI	43%	Other factors	9%
		Unstimulated	0%	Unexplained	27%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	224	116	65	50
Pregnancies per 100 cycles	45.5	34.5	26.2	8.0
Live births per 100 cycles ^d	41.1	28.4	21.5	8.0
(95% confidence interval)	(34.6 - 47.5)	(20.2 - 36.7)	(11.5 - 31.5)	(0.5 - 15.5)
Live births per 100 retrievals ^d	43.4	31.7	25.5	10.8
Live births per 100 transfers ^d	44.7	32.7	26.4	10.8
Cancellations per 100 cycles	5.4	10.3	15.4	26.0
Average number embryos transferred	2.9	3.3	3.3	3.1
Twin gestations per 100 pregnancies	42.2	25.0	7/17	1/4
Triplet or more gestations per 100 pregnancies	6.9	20.0	2/17	1/4
Multiple births per 100 live births ^d	44.6	42.4	5/14	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	44	15	13	5
Live births per 100 transfers ^d	20.5	0/15	3/13	1/5
Average number embryos transferred	3.2	3.0	3.5	3.4
Donor Eggs				
Number of fresh transfers	6	4	9	28
Live births per 100 fresh transfers ^d	4/6	2/4	5/9	53.6
Number of frozen transfers	3	4	4	10
Live births per 100 frozen transfers ^d	0/3	1/4	0/4	2/10
Average number embryos transferred (fresh and frozen)	2.8	2.9	3.3	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**TRINITY IVF
CARROLLTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	34%
Single women?	No	GIFT	0%	Endometriosis	27%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No			Male factor	27%
		With ICSI	33%	Other factors	0%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	37	15	22	5
Pregnancies per 100 cycles	16.2	3/15	13.6	1/5
Live births per 100 cycles ^d	10.8	3/15	13.6	1/5
(95% confidence interval)	(0.8 - 20.8)		(0.0 - 28.0)	
Live births per 100 retrievals ^d	13.8	3/14	3/15	1/4
Live births per 100 transfers ^d	14.8	3/13	3/12	1/3
Cancellations per 100 cycles	21.6	1/15	31.8	1/5
Average number embryos transferred	3.0	3.6	3.5	5.0
Twin gestations per 100 pregnancies	1/6	1/3	0/3	0/1
Triplet or more gestations per 100 pregnancies	2/6	1/3	0/3	0/1
Multiple births per 100 live births ^d	3/4	2/3	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	2	2
Live births per 100 transfers ^d	1/3	0/1	0/2	0/2
Average number embryos transferred	2.7	6.0	3.0	4.5
Donor Eggs				
Number of fresh transfers	3	2	1	3
Live births per 100 fresh transfers ^d	2/3	0/2	1/1	0/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.7	3.0	3.0	3.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**BAYLOR CENTER FOR REPRODUCTIVE HEALTH
DALLAS, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	19%
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No	With ICSI	74%	Male factor	5%
		Unstimulated	0%	Other factors	0%
				Unexplained	32%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	51	28	36	12
Pregnancies per 100 cycles	33.3	50.0	36.1	2/12
Live births per 100 cycles ^d	29.4	42.9	30.6	1/12
(95% confidence interval)	(16.9 - 41.9)	(24.5 - 61.2)	(15.5 - 45.6)	
Live births per 100 retrievals ^d	34.1	42.9	31.4	1/7
Live births per 100 transfers ^d	34.9	46.2	37.9	1/7
Cancellations per 100 cycles	13.7	0.0	2.8	5/12
Average number embryos transferred	3.6	4.0	4.0	2.4
Twin gestations per 100 pregnancies	4/17	4/14	3/13	0/2
Triplet or more gestations per 100 pregnancies	2/17	0/14	0/13	0/2
Multiple births per 100 live births ^d	5/15	2/12	3/11	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	8	6	0
Live births per 100 transfers ^d	4/13	0/8	1/6	
Average number embryos transferred	4.1	4.3	4.7	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**NATIONAL FERTILITY CENTER OF TEXAS, P.A.
DALLAS, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	22%
Single women?	Yes	GIFT	1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	8%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	37%
		With ICSI	18%	Other factors	1%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	18	19	6
Pregnancies per 100 cycles	13.9	4/18	1/19	0/6
Live births per 100 cycles ^d	13.9	4/18	1/19	0/6
(95% confidence interval)	(2.6 - 25.2)			
Live births per 100 retrievals ^d	20.8	4/15	1/12	0/2
Live births per 100 transfers ^d	25.0	4/13	1/10	
Cancellations per 100 cycles	33.3	3/18	7/19	4/6
Average number embryos transferred	4.0	4.6	5.0	
Twin gestations per 100 pregnancies	1/5	1/4	0/1	
Triplet or more gestations per 100 pregnancies	1/5	2/4	0/1	
Multiple births per 100 live births ^d	2/5	3/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	3	2	0
Live births per 100 transfers ^d	0/5	0/3	0/2	
Average number embryos transferred	4.6	3.7	2.5	
Donor Eggs				
Number of fresh transfers	1	0	1	0
Live births per 100 fresh transfers ^d	1/1		1/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0		4.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**PRESBYTERIAN HOSPITAL OF DALLAS ARTS CENTER
DALLAS, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	28%
Single women?	No	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	1%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	17%
		With ICSI	45%	Other factors	9%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	126	65	59	13
Pregnancies per 100 cycles	36.5	30.8	20.3	2/13
Live births per 100 cycles ^d	32.5	26.2	15.3	1/13
(95% confidence interval)	(24.4 - 40.7)	(15.5 - 36.8)	(6.1 - 24.4)	
Live births per 100 retrievals ^d	35.0	33.3	22.0	1/10
Live births per 100 transfers ^d	38.7	38.6	25.7	1/9
Cancellations per 100 cycles	7.1	21.5	30.5	3/13
Average number embryos transferred	3.3	3.3	3.4	3.0
Twin gestations per 100 pregnancies	28.3	35.0	3/12	0/2
Triplet or more gestations per 100 pregnancies	15.2	10.0	2/12	0/2
Multiple births per 100 live births ^d	43.9	6/17	4/9	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	19	5	1
Live births per 100 transfers ^d	10.3	2/19	3/5	0/1
Average number embryos transferred	2.8	3.0	3.0	2.0
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers ^d			1/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			3.0	

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF TEXAS SOUTHWESTERN FERTILITY ASSOCIATES
DALLAS, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	91%	Tubal factor	27%
Single women?	Yes	GIFT	9%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	<1%	Ovulatory dysfunction	12%
Sharing of donor eggs?	Yes			Male factor	17%
		With ICSI	21%	Other factors	<1%
		Unstimulated	0%	Unexplained	30%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	85	48	36	19
Pregnancies per 100 cycles	45.9	31.3	25.0	0/19
Live births per 100 cycles ^d	41.2	25.0	13.9	0/19
(95% confidence interval)	(30.7 - 51.6)	(12.8 - 37.3)	(2.6 - 25.2)	
Live births per 100 retrievals ^d	47.9	30.0	20.8	0/14
Live births per 100 transfers ^d	47.9	30.8	21.7	0/12
Cancellations per 100 cycles	14.1	16.7	33.3	5/19
Average number embryos transferred	4.0	4.0	3.1	3.1
Twin gestations per 100 pregnancies	51.3	4/15	2/9	
Triplet or more gestations per 100 pregnancies	23.1	3/15	0/9	
Multiple births per 100 live births ^d	65.7	6/12	2/5	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	3	2	4
Live births per 100 transfers ^d	1/5	0/3	0/2	0/4
Average number embryos transferred	2.6	1.7	3.0	2.8
Donor Eggs				
Number of fresh transfers	7	4	3	27
Live births per 100 fresh transfers ^d	4/7	3/4	1/3	33.3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.7	3.3	2.3	3.6

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**BAYLOR ASSISTED REPRODUCTIVE TECHNOLOGY
HOUSTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	27%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	46%
Sharing of donor eggs?	No			Male factor	2%
		With ICSI	47%	Other factors	1%
		Unstimulated	0%	Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	103	63	42	21
Pregnancies per 100 cycles	42.7	33.3	28.6	4.8
Live births per 100 cycles ^d	35.9	28.6	26.2	4.8
(95% confidence interval)	(26.7 - 45.2)	(17.4 - 39.7)	(12.9 - 39.5)	(0.0 - 13.9)
Live births per 100 retrievals ^d	36.6	30.5	29.7	1/18
Live births per 100 transfers ^d	37.4	31.6	30.6	1/16
Cancellations per 100 cycles	1.9	6.3	11.9	14.3
Average number embryos transferred	4.6	4.3	4.7	4.2
Twin gestations per 100 pregnancies	25.0	23.8	3/12	1/1
Triplet or more gestations per 100 pregnancies	13.6	9.5	0/12	0/1
Multiple births per 100 live births ^d	37.8	6/18	2/11	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	10	6	1
Live births per 100 transfers ^d	0/10	1/10	0/6	0/1
Average number embryos transferred	3.9	2.5	2.8	5.0
Donor Eggs				
Number of fresh transfers	4	2	7	9
Live births per 100 fresh transfers ^d	2/4	1/2	1/7	4/9
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.3	6.0	5.1	4.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTION AT GRAMERCY
HOUSTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	41%
Single women?	No	GIFT	0%	Endometriosis	11%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	26%
		With ICSI	54%	Other factors	0%
		Unstimulated	1%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	23	13	8
Pregnancies per 100 cycles	33.3	8.7	2/13	0/8
Live births per 100 cycles ^d	33.3	8.7	2/13	0/8
(95% confidence interval)	(18.5 - 48.1)	(0.0 - 20.2)		
Live births per 100 retrievals ^d	36.1	9.5	2/10	0/4
Live births per 100 transfers ^d	37.1	2/18	2/9	0/4
Cancellations per 100 cycles	7.7	8.7	3/13	4/8
Average number embryos transferred	3.1	3.7	4.3	2.5
Twin gestations per 100 pregnancies	2/13	1/2	0/2	
Triplet or more gestations per 100 pregnancies	2/13	0/2	1/2	
Multiple births per 100 live births ^d	3/13	0/2	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	10	0	0
Live births per 100 transfers ^d	5/14	3/10		
Average number embryos transferred	3.2	3.4		
Donor Eggs				
Number of fresh transfers	0	0	0	3
Live births per 100 fresh transfers ^d				2/3
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				1/2
Average number embryos transferred (fresh and frozen)				4.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE
HOUSTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	No	IVF	100%	Tubal factor	39%
Single women?	No	GIFT	0%	Endometriosis	2%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No	With ICSI	34%	Male factor	12%
		Unstimulated	0%	Other factors	20%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	9	13	4
Pregnancies per 100 cycles	7/12	3/9	2/13	0/4
Live births per 100 cycles ^d (95% confidence interval)	7/12	3/9	2/13	0/4
Live births per 100 retrievals ^d	7/12	3/7	2/10	0/3
Live births per 100 transfers ^d	7/11	3/7	2/9	0/3
Cancellations per 100 cycles	0/12	2/9	3/13	1/4
Average number embryos transferred	3.1	3.4	4.6	6.0
Twin gestations per 100 pregnancies	2/7	0/3	1/2	
Triplet or more gestations per 100 pregnancies	0/7	0/3	0/2	
Multiple births per 100 live births ^d	2/7	0/3	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	0	2
Live births per 100 transfers ^d	0/4	0/1		0/2
Average number embryos transferred	3.5	5.0		4.5
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**OBSTETRICAL & GYNECOLOGICAL ASSOCIATES
HOUSTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	37%
Single women?	No	GIFT	0%	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	42%	Other factors	2%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	142	75	73	39
Pregnancies per 100 cycles	33.1	29.3	30.1	12.8
Live births per 100 cycles ^d	26.8	25.3	24.7	5.1
(95% confidence interval)	(19.5 - 34.0)	(15.5 - 35.2)	(14.8 - 34.5)	(0.0 - 12.1)
Live births per 100 retrievals ^d	29.9	28.8	31.0	8.7
Live births per 100 transfers ^d	30.6	30.2	34.0	9.1
Cancellations per 100 cycles	10.6	12.0	20.5	41.0
Average number embryos transferred	3.5	3.8	3.6	3.2
Twin gestations per 100 pregnancies	36.2	13.6	22.7	0/5
Triplet or more gestations per 100 pregnancies	12.8	18.2	4.5	0/5
Multiple births per 100 live births ^d	52.6	7/19	5/18	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	46	20	20	13
Live births per 100 transfers ^d	26.1	25.0	20.0	1/13
Average number embryos transferred	3.1	2.7	2.2	2.8
Donor Eggs				
Number of fresh transfers	4	5	11	18
Live births per 100 fresh transfers ^d	1/4	2/5	3/11	7/18
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	3.3	3.4	3.2	3.2

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF TEXAS WOMEN'S HEALTH CENTER
HOUSTON, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	No	IVF	100%	Tubal factor	23%
Single women?	No	GIFT	0%	Endometriosis	0%
Gestational carriers?	No	ZIFT	0%	Uterine factor	15%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	31%
		Unstimulated	0%	Other factors	0%
				Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	2	2	0
Pregnancies per 100 cycles	0/7	2/2	0/2	
Live births per 100 cycles ^d (95% confidence interval)	0/7	1/2	0/2	
Live births per 100 retrievals ^d	0/7	1/2	0/2	
Live births per 100 transfers ^d	0/7	1/2	0/2	
Cancellations per 100 cycles	0/7	0/2	0/2	
Average number embryos transferred	4.0	4.0	4.0	
Twin gestations per 100 pregnancies		0/2		
Triplet or more gestations per 100 pregnancies		0/2		
Multiple births per 100 live births ^d		0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Live births per 100 transfers ^d		0/1		
Average number embryos transferred		4.0		
Donor Eggs				
Number of fresh transfers	0	1	0	0
Live births per 100 fresh transfers ^d		0/1		
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)		5.0		

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**WILFORD HALL MEDICAL CENTER
LACKLAND AIR FORCE BASE, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	63%
Single women?	No	GIFT	0%	Endometriosis	4%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No	With ICSI	20%	Male factor	0%
		Unstimulated	0%	Other factors	9%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	40	24	11	0
Pregnancies per 100 cycles	52.5	37.5	4/11	
Live births per 100 cycles ^d	47.5	29.2	3/11	
(95% confidence interval)	(32.0 - 63.0)	(11.0 - 47.4)		
Live births per 100 retrievals ^d	54.3	7/18	3/9	
Live births per 100 transfers ^d	54.3	7/18	3/9	
Cancellations per 100 cycles	12.5	25.0	2/11	
Average number embryos transferred	3.0	3.2	3.8	
Twin gestations per 100 pregnancies	28.6	2/9	2/4	
Triplet or more gestations per 100 pregnancies	9.5	0/9	0/4	
Multiple births per 100 live births ^d	8/19	2/7	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Live births per 100 transfers ^d				
Average number embryos transferred				
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE CENTER FOR REPRODUCTIVE MEDICINE
LUBBOCK, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	27%
Single women?	Yes	GIFT	0%	Endometriosis	35%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	13%
		With ICSI	24%	Other factors	1%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	45	13	9	1
Pregnancies per 100 cycles	37.8	5/13	2/9	1/1
Live births per 100 cycles ^d	33.3	5/13	2/9	1/1
(95% confidence interval)	(19.6 - 47.1)			
Live births per 100 retrievals ^d	33.3	5/11	2/9	1/1
Live births per 100 transfers ^d	34.1	5/11	2/8	1/1
Cancellations per 100 cycles	0.0	2/13	0/9	0/1
Average number embryos transferred	3.0	3.0	2.6	1.0
Twin gestations per 100 pregnancies	3/17	2/5	0/2	0/1
Triplet or more gestations per 100 pregnancies	4/17	0/5	0/2	0/1
Multiple births per 100 live births ^d	6/15	1/5	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	0	0	0
Live births per 100 transfers ^d	0/7			
Average number embryos transferred	2.3			
Donor Eggs				
Number of fresh transfers	1	0	1	1
Live births per 100 fresh transfers ^d	0/1		1/1	1/1
Number of frozen transfers	2	2	0	1
Live births per 100 frozen transfers ^d	0/2	0/2		0/1
Average number embryos transferred (fresh and frozen)	3.0	2.0	3.0	3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER-IVF PROGRAM
LUBBOCK, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	18%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No	With ICSI	36%	Male factor	21%
		Unstimulated	0%	Other factors	0%
				Unexplained	18%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	6	8	2
Pregnancies per 100 cycles	28.6	1/6	0/8	0/2
Live births per 100 cycles ^d	28.6	1/6	0/8	0/2
(95% confidence interval)	(11.8 - 45.3)			
Live births per 100 retrievals ^d	28.6	1/6	0/8	0/2
Live births per 100 transfers ^d	28.6	1/6	0/8	0/2
Cancellations per 100 cycles	0.0	0/6	0/8	0/2
Average number embryos transferred	3.7	3.8	4.1	3.5
Twin gestations per 100 pregnancies	2/8	1/1		
Triplet or more gestations per 100 pregnancies	1/8	0/1		
Multiple births per 100 live births ^d	3/8	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	3	3	0
Live births per 100 transfers ^d	0/4	0/3	0/3	
Average number embryos transferred	3.0	4.7	3.7	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**FERTILITY CENTER OF SAN ANTONIO
SAN ANTONIO, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	29%
Single women?	Yes	GIFT	0%	Endometriosis	4%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	18%
		With ICSI	28%	Other factors	10%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	69	43	28	12
Pregnancies per 100 cycles	47.8	44.2	35.7	3/12
Live births per 100 cycles ^d	40.6	32.6	25.0	2/12
(95% confidence interval)	(29.0 - 52.2)	(18.6 - 46.6)	(9.0 - 41.0)	
Live births per 100 retrievals ^d	44.4	37.8	7/19	2/4
Live births per 100 transfers ^d	44.4	37.8	7/19	2/4
Cancellations per 100 cycles	8.7	14.0	32.1	8/12
Average number embryos transferred	3.0	3.3	3.7	2.8
Twin gestations per 100 pregnancies	30.3	5/19	3/10	0/3
Triplet or more gestations per 100 pregnancies	9.1	1/19	1/10	0/3
Multiple births per 100 live births ^d	32.1	5/14	4/7	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	10	3	2
Live births per 100 transfers ^d	28.6	1/10	1/3	0/2
Average number embryos transferred	3.5	3.1	2.7	3.5
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				1/1
Number of frozen transfers	0	0	1	2
Live births per 100 frozen transfers ^d			1/1	0/2
Average number embryos transferred (fresh and frozen)			3.0	3.7

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**SOUTH TEXAS FERTILITY CENTER
SAN ANTONIO, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	17%
Single women?	Yes	GIFT	0%	Endometriosis	24%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	Yes	With ICSI	10%	Male factor	33%
		Unstimulated	0%	Other factors	7%
				Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	28	15	15
Pregnancies per 100 cycles	32.3	25.0	2/15	0/15
Live births per 100 cycles ^d	32.3	21.4	2/15	0/15
(95% confidence interval)	(15.8 - 48.7)	(6.2 - 36.6)		
Live births per 100 retrievals ^d	38.5	28.6	2/13	0/9
Live births per 100 transfers ^d	38.5	30.0	2/12	0/9
Cancellations per 100 cycles	16.1	25.0	2/15	6/15
Average number embryos transferred	3.1	3.4	3.7	2.7
Twin gestations per 100 pregnancies	5/10	3/7	0/2	
Triplet or more gestations per 100 pregnancies	2/10	2/7	0/2	
Multiple births per 100 live births ^d	7/10	4/6	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	7	8	4
Live births per 100 transfers ^d	3/18	0/7	3/8	0/4
Average number embryos transferred	3.2	2.9	3.8	2.5
Donor Eggs				
Number of fresh transfers	3	1	4	12
Live births per 100 fresh transfers ^d	2/3	1/1	1/4	5/12
Number of frozen transfers	0	0	0	7
Live births per 100 frozen transfers ^d				1/7
Average number embryos transferred (fresh and frozen)	4.0	3.0	3.8	3.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE CENTER OF REPRODUCTIVE MEDICINE
WEBSTER, TEXAS**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	24%
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No	With ICSI	47%	Male factor	20%
		Unstimulated	0%	Other factors	0%
				Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	49	26	18	3
Pregnancies per 100 cycles	24.5	38.5	3/18	0/3
Live births per 100 cycles ^d	18.4	34.6	2/18	0/3
(95% confidence interval)	(7.5 - 29.2)	(16.3 - 52.9)		
Live births per 100 retrievals ^d	25.0	39.1	2/12	0/2
Live births per 100 transfers ^d	25.0	39.1	2/12	0/2
Cancellations per 100 cycles	26.5	11.5	6/18	1/3
Average number embryos transferred	4.3	4.0	3.1	4.0
Twin gestations per 100 pregnancies	2/12	7/10	2/3	
Triplet or more gestations per 100 pregnancies	1/12	0/10	0/3	
Multiple births per 100 live births ^d	3/9	5/9	2/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	2	0
Live births per 100 transfers ^d	0/1	0/3	0/2	
Average number embryos transferred	5.0	2.7	5.5	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UTAH CENTER FOR REPRODUCTIVE MEDICINE
SALT LAKE CITY, UTAH**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	Tubal factor	30%
Single women?	No	GIFT	3%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	33%	Other factors	8%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	109	33	43	17
Pregnancies per 100 cycles	43.1	33.3	25.6	2/17
Live births per 100 cycles ^d	39.4	33.3	18.6	1/17
(95% confidence interval)	(30.3 - 48.6)	(17.2 - 49.4)	(7.0 - 30.2)	
Live births per 100 retrievals ^d	47.3	39.3	23.5	1/14
Live births per 100 transfers ^d	47.3	40.7	25.0	1/14
Cancellations per 100 cycles	16.5	15.2	20.9	3/17
Average number embryos transferred	3.1	3.1	3.1	3.6
Twin gestations per 100 pregnancies	36.2	2/11	3/11	2/2
Triplet or more gestations per 100 pregnancies	14.9	1/11	1/11	0/2
Multiple births per 100 live births ^d	46.5	2/11	4/8	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	2	1	0
Live births per 100 transfers ^d		0/2	0/1	
Average number embryos transferred		3.5	4.0	
Donor Eggs				
Number of fresh transfers	0	2	1	17
Live births per 100 fresh transfers ^d		0/2	0/1	10/17
Number of frozen transfers	0	1	0	1
Live births per 100 frozen transfers ^d		0/1		1/1
Average number embryos transferred (fresh and frozen)		4.0	12.0	3.2

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF VERMONT
BURLINGTON, VERMONT

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	54%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	7%
		With ICSI	0%	Other factors	6%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	16	11	7
Pregnancies per 100 cycles	45.8	5/16	1/11	0/7
Live births per 100 cycles ^d	45.8	4/16	1/11	0/7
(95% confidence interval)	(25.9 - 65.8)			
Live births per 100 retrievals ^d	55.0	4/14	1/10	0/6
Live births per 100 transfers ^d	11/19	4/13	1/9	0/5
Cancellations per 100 cycles	16.7	2/16	1/11	1/7
Average number embryos transferred	3.5	3.9	4.3	1.8
Twin gestations per 100 pregnancies	3/11	0/5	0/1	
Triplet or more gestations per 100 pregnancies	0/11	1/5	0/1	
Multiple births per 100 live births ^d	2/11	1/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Live births per 100 transfers ^d	0/1		0/1	
Average number embryos transferred	2.0		4.0	
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE FERTILITY AND REPRODUCTIVE HEALTH CENTER
ANNANDALE, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	23%
Single women?	No	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	32%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	43%	Other factors	23%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	29	31	16	10
Pregnancies per 100 cycles	41.4	9.7	5/16	1/10
Live births per 100 cycles ^d	37.9	9.7	3/16	1/10
(95% confidence interval)	(20.3 - 55.6)	(0.0 - 20.1)		
Live births per 100 retrievals ^d	37.9	9.7	3/16	1/10
Live births per 100 transfers ^d	40.7	10.7	3/15	1/10
Cancellations per 100 cycles	0.0	0.0	0/16	0/10
Average number embryos transferred	5.0	4.9	4.5	4.7
Twin gestations per 100 pregnancies	3/12	0/3	3/5	0/1
Triplet or more gestations per 100 pregnancies	3/12	0/3	0/5	0/1
Multiple births per 100 live births ^d	5/11	0/3	2/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	3	1	0
Live births per 100 transfers ^d	1/6	0/3	0/1	
Average number embryos transferred	5.0	5.7	2.0	
Donor Eggs				
Number of fresh transfers	2	1	1	2
Live births per 100 fresh transfers ^d	1/2	0/1	1/1	1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)	4.0	5.0	5.0	4.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**DOMINION FERTILITY AND ENDOCRINOLOGY
ARLINGTON, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	27%
Single women?	Yes	GIFT	2%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	14%	Other factors	8%
		Unstimulated	0%	Unexplained	23%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	61	29	19	6
Pregnancies per 100 cycles	23.0	20.7	2/19	0/6
Live births per 100 cycles ^d	23.0	17.2	0/19	0/6
(95% confidence interval)	(12.4 - 33.5)	(3.5 - 31.0)		
Live births per 100 retrievals ^d	24.6	19.2	0/16	0/4
Live births per 100 transfers ^d	25.5	19.2	0/16	0/4
Cancellations per 100 cycles	6.6	10.3	3/19	2/6
Average number embryos transferred	3.9	3.8	3.8	2.8
Twin gestations per 100 pregnancies	7/14	4/6	0/2	
Triplet or more gestations per 100 pregnancies	3/14	1/6	0/2	
Multiple births per 100 live births ^d	9/14	3/5		
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	3	2	2
Live births per 100 transfers ^d	0/9	1/3	0/2	0/2
Average number embryos transferred	4.3	4.7	4.0	5.5
Donor Eggs				
Number of fresh transfers	1	2	3	5
Live births per 100 fresh transfers ^d	0/1	1/2	0/3	1/5
Number of frozen transfers	0	0	1	2
Live births per 100 frozen transfers ^d			0/1	1/2
Average number embryos transferred (fresh and frozen)	3.0	4.5	4.0	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF VIRGINIA ART PROGRAM
HEALTH SCIENCES CENTER
CHARLOTTESVILLE, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	73%	Tubal factor	37%
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	No	ZIFT	27%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	18%
		With ICSI	28%	Other factors	6%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	37	20	12	2
Pregnancies per 100 cycles	40.5	25.0	4/12	0/2
Live births per 100 cycles ^d	40.5	15.0	4/12	0/2
(95% confidence interval)	(24.7 - 56.4)	(0.0 - 30.6)		
Live births per 100 retrievals ^d	46.9	3/13	4/10	
Live births per 100 transfers ^d	46.9	3/12	4/10	
Cancellations per 100 cycles	13.5	35.0	2/12	2/2
Average number embryos transferred	3.7	3.2	4.1	
Twin gestations per 100 pregnancies	3/15	1/5	3/4	
Triplet or more gestations per 100 pregnancies	4/15	0/5	0/4	
Multiple births per 100 live births ^d	6/15	1/3	2/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	3	1	2
Live births per 100 transfers ^d		1/3	1/1	1/2
Average number embryos transferred		1.7	1.0	2.5
Donor Eggs				
Number of fresh transfers	1	0	2	5
Live births per 100 fresh transfers ^d	1/1		1/2	2/5
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				1/2
Average number embryos transferred (fresh and frozen)	4.0		3.5	3.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**JONES INSTITUTE FOR REPRODUCTIVE MEDICINE
NORFOLK, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	10%
		With ICSI	44%	Other factors	6%
		Unstimulated	0%	Unexplained	26%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	114	78	55	29
Pregnancies per 100 cycles	36.0	32.1	27.3	24.1
Live births per 100 cycles ^d	24.6	24.4	16.4	6.9
(95% confidence interval)	(16.7 - 32.5)	(14.8 - 33.9)	(6.6 - 26.1)	(0.0 - 16.1)
Live births per 100 retrievals ^d	25.7	26.0	17.0	8.0
Live births per 100 transfers ^d	27.7	27.5	18.4	8.3
Cancellations per 100 cycles	4.4	6.4	3.6	13.8
Average number embryos transferred	3.7	4.0	4.2	5.2
Twin gestations per 100 pregnancies	39.0	28.0	2/15	2/7
Triplet or more gestations per 100 pregnancies	4.9	8.0	0/15	0/7
Multiple births per 100 live births ^d	53.6	5/19	2/9	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	55	20	10	3
Live births per 100 transfers ^d	18.2	5.0	1/10	0/3
Average number embryos transferred	3.6	3.3	3.7	4.0
Donor Eggs				
Number of fresh transfers	9	15	20	53
Live births per 100 fresh transfers ^d	5/9	2/15	30.0	34.0
Number of frozen transfers	4	6	10	31
Live births per 100 frozen transfers ^d	2/4	0/6	1/10	12.9
Average number embryos transferred (fresh and frozen)	3.6	3.2	3.4	3.6

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**FERTILITY INSTITUTE OF VIRGINIA
RICHMOND, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	22%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	30%
Sharing of donor eggs?	No			Male factor	6%
		With ICSI	41%	Other factors	9%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	102	41	20	8
Pregnancies per 100 cycles	40.2	43.9	35.0	1/8
Live births per 100 cycles ^d	37.3	31.7	30.0	1/8
(95% confidence interval)	(27.9 - 46.6)	(17.5 - 46.0)	(9.9 - 50.1)	
Live births per 100 retrievals ^d	40.4	33.3	6/17	1/7
Live births per 100 transfers ^d	41.3	34.2	6/17	1/7
Cancellations per 100 cycles	7.8	4.9	15.0	1/8
Average number embryos transferred	4.5	4.3	4.1	4.0
Twin gestations per 100 pregnancies	36.6	5/18	2/7	0/1
Triplet or more gestations per 100 pregnancies	12.2	2/18	1/7	0/1
Multiple births per 100 live births ^d	47.4	7/13	1/6	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	7	2	0
Live births per 100 transfers ^d	3/16	2/7	0/2	
Average number embryos transferred	3.8	4.6	4.0	
Donor Eggs				
Number of fresh transfers	3	1	0	0
Live births per 100 fresh transfers ^d	2/3	1/1		
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				0/2
Average number embryos transferred (fresh and frozen)	4.3	7.0		3.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**LIFESOURCE FERTILITY CENTER
RICHMOND, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	38%
Single women?	Yes	GIFT	2%	Endometriosis	11%
Gestational carriers?	No	ZIFT	0%	Uterine factor	5%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No	With ICSI	31%	Male factor	14%
		Unstimulated	2%	Other factors	12%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	9	14	0
Pregnancies per 100 cycles	38.7	4/9	6/14	
Live births per 100 cycles ^d	38.7	3/9	4/14	
(95% confidence interval)	(21.6 - 55.9)			
Live births per 100 retrievals ^d	44.4	3/6	4/12	
Live births per 100 transfers ^d	44.4	3/6	4/12	
Cancellations per 100 cycles	12.9	3/9	2/14	
Average number embryos transferred	4.5	4.7	4.3	
Twin gestations per 100 pregnancies	4/12	1/4	3/6	
Triplet or more gestations per 100 pregnancies	6/12	0/4	0/6	
Multiple births per 100 live births ^d	8/12	1/3	2/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	3	0	0
Live births per 100 transfers ^d	0/7	2/3		
Average number embryos transferred	3.0	2.7		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**MEDICAL COLLEGE OF VIRGINIA
RICHMOND, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	17%
Gestational carriers?	No	ZIFT	4%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	43%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	52%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	6	5	8	4
Pregnancies per 100 cycles	3/6	3/5	1/8	0/4
Live births per 100 cycles ^d (95% confidence interval)	2/6	2/5	1/8	0/4
Live births per 100 retrievals ^d	2/6	2/5	1/8	0/2
Live births per 100 transfers ^d	2/6	2/5	1/8	0/2
Cancellations per 100 cycles	0/6	0/5	0/8	2/4
Average number embryos transferred	4.5	3.6	5.3	6.0
Twin gestations per 100 pregnancies	1/3	2/3	0/1	
Triplet or more gestations per 100 pregnancies	0/3	0/3	0/1	
Multiple births per 100 live births ^d	1/2	1/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	7	3	4
Live births per 100 transfers ^d	0/2	1/7	0/3	0/4
Average number embryos transferred	4.0	3.9	3.7	4.8
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				5.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	Tubal factor	46%
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	4%	Uterine factor	6%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	22%	Other factors	0%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	17	12	7
Pregnancies per 100 cycles	24.2	4/17	2/12	1/7
Live births per 100 cycles ^d	9.1	2/17	2/12	1/7
(95% confidence interval)	(0.0 - 18.9)			
Live births per 100 retrievals ^d	10.7	2/15	2/10	1/4
Live births per 100 transfers ^d	10.7	2/15	2/10	1/4
Cancellations per 100 cycles	15.2	2/17	2/12	3/7
Average number embryos transferred	4.3	3.7	3.7	2.3
Twin gestations per 100 pregnancies	4/8	1/4	0/2	0/1
Triplet or more gestations per 100 pregnancies	0/8	1/4	0/2	0/1
Multiple births per 100 live births ^d	1/3	1/2	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	4	2	0
Live births per 100 transfers ^d	1/8	0/4	1/2	
Average number embryos transferred	4.1	2.8	3.5	
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				5.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE
VIRGINIA BEACH, VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	25%
Single women?	Yes	GIFT	0%	Endometriosis	32%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	19%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	Yes			Male factor	4%
		With ICSI	31%	Other factors	9%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	7	9	3
Pregnancies per 100 cycles	1/10	2/7	0/9	0/3
Live births per 100 cycles ^d (95% confidence interval)	1/10	1/7	0/9	0/3
Live births per 100 retrievals ^d	1/10	1/6	0/3	0/2
Live births per 100 transfers ^d	1/7	1/5	0/1	0/2
Cancellations per 100 cycles	0/10	1/7	6/9	1/3
Average number embryos transferred	2.4	4.0	6.0	6.0
Twin gestations per 100 pregnancies	0/1	0/2		
Triplet or more gestations per 100 pregnancies	0/1	0/2		
Multiple births per 100 live births ^d	0/1	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	2	0
Live births per 100 transfers ^d	1/2	0/2	0/2	
Average number embryos transferred	3.0	4.0	3.5	
Donor Eggs				
Number of fresh transfers	1	2	1	6
Live births per 100 fresh transfers ^d	0/1	0/2	1/1	0/6
Number of frozen transfers	1	1	0	4
Live births per 100 frozen transfers ^d	0/1	1/1		1/4
Average number embryos transferred (fresh and frozen)	4.0	3.7	5.0	2.9

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE
BELLEVUE, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	55%
Single women?	Yes	GIFT	0%	Endometriosis	4%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	21%	Other factors	4%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	8	10	1
Pregnancies per 100 cycles	4/19	6/8	0/10	0/1
Live births per 100 cycles ^d (95% confidence interval)	2/19	5/8	0/10	0/1
Live births per 100 retrievals ^d	2/18	5/8	0/8	0/1
Live births per 100 transfers ^d	2/17	5/8	0/6	0/1
Cancellations per 100 cycles	1/19	0/8	2/10	0/1
Average number embryos transferred	4.1	3.8	4.2	5.0
Twin gestations per 100 pregnancies	0/4	0/6		
Triplet or more gestations per 100 pregnancies	0/4	1/6		
Multiple births per 100 live births ^d	0/2	1/5		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	0	0
Live births per 100 transfers ^d	0/4	1/2		
Average number embryos transferred	3.8	3.5		
Donor Eggs				
Number of fresh transfers	0	0	1	2
Live births per 100 fresh transfers ^d			0/1	0/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			3.0	4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**BELLINGHAM IVF
BELLINGHAM, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	No	IVF	100%	Tubal factor	27%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	48%
Sharing of donor eggs?	No			Male factor	14%
		With ICSI	0%	Other factors	0%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	14	11	9
Pregnancies per 100 cycles	36.4	5/14	5/11	1/9
Live births per 100 cycles ^d	36.4	5/14	3/11	1/9
(95% confidence interval)	(16.3 - 56.5)			
Live births per 100 retrievals ^d	36.4	5/14	3/11	1/9
Live births per 100 transfers ^d	8/19	5/12	3/10	1/7
Cancellations per 100 cycles	0.0	0/14	0/11	0/9
Average number embryos transferred	3.8	3.4	3.4	3.4
Twin gestations per 100 pregnancies	3/8	2/5	1/5	0/1
Triplet or more gestations per 100 pregnancies	0/8	0/5	1/5	0/1
Multiple births per 100 live births ^d	3/8	2/5	2/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Live births per 100 transfers ^d	0/1	0/1		
Average number embryos transferred	4.0	4.0		
Donor Eggs				
Number of fresh transfers	0	0	0	2
Live births per 100 fresh transfers ^d				0/2
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers ^d				0/2
Average number embryos transferred (fresh and frozen)				3.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**OLYMPIA WOMEN'S HEALTH
CAPITAL MEDICAL CENTER
OLYMPIA, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	63%
Single women?	Yes	GIFT	0%	Endometriosis	3%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	Yes	With ICSI	0%	Male factor	0%
		Unstimulated	0%	Other factors	0%
				Unexplained	17%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	9	14	1	2
Pregnancies per 100 cycles	2/9	4/14	0/1	1/2
Live births per 100 cycles ^d (95% confidence interval)	1/9	2/14	0/1	1/2
Live births per 100 retrievals ^d	1/9	2/14	0/1	1/2
Live births per 100 transfers ^d	1/9	2/14	0/1	1/2
Cancellations per 100 cycles	0/9	0/14	0/1	0/2
Average number embryos transferred	4.4	4.6	5.0	6.0
Twin gestations per 100 pregnancies	1/2	1/4		1/1
Triplet or more gestations per 100 pregnancies	0/2	0/4		0/1
Multiple births per 100 live births ^d	1/1	1/2		1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	1
Live births per 100 transfers ^d	0/1	0/1		0/1
Average number embryos transferred	4.0	4.0		3.0
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				5.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**PACIFIC GYNECOLOGY SPECIALISTS
SEATTLE, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	24%
Single women?	Yes	GIFT	1%	Endometriosis	4%
Gestational carriers?	Yes	ZIFT	2%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	24%
		With ICSI	24%	Other factors	12%
		Unstimulated	<1%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	97	56	51	28
Pregnancies per 100 cycles	11.3	14.3	5.9	3.6
Live births per 100 cycles ^d	6.2	10.7	5.9	3.6
(95% confidence interval)	(1.4 - 11.0)	(2.6 - 18.8)	(0.0 - 12.3)	(0.0 - 10.4)
Live births per 100 retrievals ^d	8.3	15.8	11.1	1/14
Live births per 100 transfers ^d	9.0	17.1	12.0	1/11
Cancellations per 100 cycles	25.8	32.1	47.1	50.0
Average number embryos transferred	3.6	4.1	3.8	4.0
Twin gestations per 100 pregnancies	2/11	2/8	1/3	0/1
Triplet or more gestations per 100 pregnancies	1/11	0/8	1/3	0/1
Multiple births per 100 live births ^d	2/6	0/6	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	61	19	12	11
Live births per 100 transfers ^d	21.3	6/19	4/12	0/11
Average number embryos transferred	3.2	3.4	2.8	3.1
Donor Eggs				
Number of fresh transfers	0	1	1	7
Live births per 100 fresh transfers ^d		0/1	0/1	4/7
Number of frozen transfers	0	1	2	23
Live births per 100 frozen transfers ^d		1/1	0/2	13.0
Average number embryos transferred (fresh and frozen)		3.5	4.0	3.4

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF WASHINGTON
FERTILITY AND ENDOCRINE CENTER
SEATTLE, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	27%
Single women?	Yes	GIFT	1%	Endometriosis	14%
Gestational carriers?	No	ZIFT	1%	Uterine factor	4%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	12%
		With ICSI	47%	Other factors	9%
		Unstimulated	1%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	133	84	89	53
Pregnancies per 100 cycles	34.6	31.0	18.0	3.8
Live births per 100 cycles ^d	29.3	31.0	9.0	3.8
(95% confidence interval)	(21.6 - 37.1)	(21.1 - 40.8)	(3.0 - 14.9)	(0.0 - 8.9)
Live births per 100 retrievals ^d	32.8	40.0	12.1	5.4
Live births per 100 transfers ^d	34.8	40.6	12.3	5.7
Cancellations per 100 cycles	10.5	22.6	25.8	30.2
Average number embryos transferred	3.0	3.2	3.7	4.7
Twin gestations per 100 pregnancies	37.0	15.4	3/16	0/2
Triplet or more gestations per 100 pregnancies	10.9	19.2	0/16	0/2
Multiple births per 100 live births ^d	53.8	30.8	1/8	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	26	13	6	2
Live births per 100 transfers ^d	19.2	3/13	2/6	0/2
Average number embryos transferred	3.2	3.1	2.8	6.5
Donor Eggs				
Number of fresh transfers	7	5	9	31
Live births per 100 fresh transfers ^d	2/7	0/5	1/9	29.0
Number of frozen transfers	5	1	6	11
Live births per 100 frozen transfers ^d	1/5	0/1	1/6	2/11
Average number embryos transferred (fresh and frozen)	3.3	3.2	3.2	3.1

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**VIRGINIA MASON CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
SEATTLE, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	27%
Single women?	Yes	GIFT	2%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	33%
Sharing of donor eggs?	No			Male factor	10%
		With ICSI	46%	Other factors	17%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	74	47	43	24
Pregnancies per 100 cycles	31.1	25.5	23.3	16.7
Live births per 100 cycles ^d	27.0	17.0	11.6	8.3
(95% confidence interval)	(16.9 - 37.1)	(6.3 - 27.8)	(2.0 - 21.2)	(0.0 - 19.4)
Live births per 100 retrievals ^d	33.3	21.1	16.1	2/14
Live births per 100 transfers ^d	34.5	21.1	16.1	2/13
Cancellations per 100 cycles	18.9	19.1	27.9	41.7
Average number embryos transferred	3.9	3.9	4.6	4.8
Twin gestations per 100 pregnancies	26.1	2/12	1/10	0/4
Triplet or more gestations per 100 pregnancies	8.7	0/12	1/10	1/4
Multiple births per 100 live births ^d	35.0	0/8	1/5	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	10	2	2
Live births per 100 transfers ^d	0/3	3/10	0/2	1/2
Average number embryos transferred	4.3	4.4	3.5	6.0
Donor Eggs				
Number of fresh transfers	0	7	8	25
Live births per 100 fresh transfers ^d		2/7	2/8	36.0
Number of frozen transfers	0	1	0	5
Live births per 100 frozen transfers ^d		0/1		2/5
Average number embryos transferred (fresh and frozen)		4.3	3.8	4.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**GYFT CLINIC, P.L.L.C.
TACOMA, WASHINGTON**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	40%
Single women?	Yes	GIFT	4%	Endometriosis	12%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination ^b	2%	Ovulatory dysfunction	18%
Sharing of donor eggs?	Yes	With ICSI	23%	Male factor	18%
		Unstimulated	0%	Other factors	7%
				Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	29	11	7	5
Pregnancies per 100 cycles	31.0	3/11	2/7	2/5
Live births per 100 cycles ^d	24.1	2/11	2/7	2/5
(95% confidence interval)	(8.6 - 39.7)			
Live births per 100 retrievals ^d	25.0	2/11	2/7	2/5
Live births per 100 transfers ^d	25.9	2/11	2/7	2/4
Cancellations per 100 cycles	3.4	0/11	0/7	0/5
Average number embryos transferred	4.6	5.5	5.3	5.3
Twin gestations per 100 pregnancies	3/9	1/3	0/2	0/2
Triplet or more gestations per 100 pregnancies	0/9	1/3	1/2	0/2
Multiple births per 100 live births ^d	3/7	2/2	1/2	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Live births per 100 transfers ^d				
Average number embryos transferred				
Donor Eggs				
Number of fresh transfers	0	0	1	4
Live births per 100 fresh transfers ^d			0/1	1/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)			4.0	5.3

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE MEDICINE
WEST VIRGINIA UNIVERSITY HEALTH SCIENCES CENTER
CHARLESTON, WEST VIRGINIA**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	33%
Single women?	Yes	GIFT	8%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	24%	Other factors	29%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	29	11	18	4
Pregnancies per 100 cycles	34.5	2/11	5/18	0/4
Live births per 100 cycles ^d	13.8	2/11	3/18	0/4
(95% confidence interval)	(1.2 - 26.3)			
Live births per 100 retrievals ^d	16.7	2/9	3/17	0/1
Live births per 100 transfers ^d	17.4	2/9	3/17	0/1
Cancellations per 100 cycles	17.2	2/11	1/18	3/4
Average number embryos transferred	4.4	4.6	4.1	5.0
Twin gestations per 100 pregnancies	2/10	1/2	1/5	
Triplet or more gestations per 100 pregnancies	1/10	0/2	0/5	
Multiple births per 100 live births ^d	2/4	0/2	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	4	0
Live births per 100 transfers ^d	0/7	0/2	0/4	
Average number embryos transferred	2.6	4.0	2.8	
Donor Eggs				
Number of fresh transfers	2	0	1	2
Live births per 100 fresh transfers ^d	0/2		0/1	0/2
Number of frozen transfers	1	0	0	3
Live births per 100 frozen transfers ^d	0/1			1/3
Average number embryos transferred (fresh and frozen)	5.0		4.0	4.8

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**FAMILY FERTILITY PROGRAM
APPLETON MEDICAL CENTER
APPLETON, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	63%
Single women?	Yes	GIFT	8%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	21%
		With ICSI	0%	Other factors	5%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	4	2	0
Pregnancies per 100 cycles	2/7	0/4	0/2	
Live births per 100 cycles ^d (95% confidence interval)	1/7	0/4	0/2	
Live births per 100 retrievals ^d	1/7	0/3	0/2	
Live births per 100 transfers ^d	1/7	0/3		
Cancellations per 100 cycles	0/7	1/4	0/2	
Average number embryos transferred	4.4	4.0		
Twin gestations per 100 pregnancies	1/2			
Triplet or more gestations per 100 pregnancies	0/2			
Multiple births per 100 live births ^d	1/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Live births per 100 transfers ^d		0/1		
Average number embryos transferred		3.0		
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers ^d				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				4.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**GUNDERSEN/LUTHERAN MEDICAL CENTER
LACROSSE, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	76%	Tubal factor	48%
Single women?	Yes	GIFT	24%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	3%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	20%
		Unstimulated	0%	Other factors	0%
				Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	56	20	5	5
Pregnancies per 100 cycles	21.4	35.0	2/5	1/5
Live births per 100 cycles ^d	16.1	35.0	2/5	1/5
(95% confidence interval)	(6.5 - 25.7)	(14.1 - 55.9)		
Live births per 100 retrievals ^d	19.6	7/19	2/4	1/3
Live births per 100 transfers ^d	20.9	7/18	2/4	1/3
Cancellations per 100 cycles	17.9	5.0	1/5	2/5
Average number embryos transferred	3.3	3.4	4.3	4.0
Twin gestations per 100 pregnancies	4/12	1/7	1/2	0/1
Triplet or more gestations per 100 pregnancies	2/12	1/7	0/2	0/1
Multiple births per 100 live births ^d	5/9	1/7	1/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Live births per 100 transfers ^d				
Average number embryos transferred				
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**UNIVERSITY OF WISCONSIN-MADISON
WOMEN'S ENDOCRINE CLINIC
MADISON, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	Tubal factor	29%
Single women?	Yes	GIFT	10%	Endometriosis	3%
Gestational carriers?	No	ZIFT	1%	Uterine factor	0%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	28%	Other factors	25%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	47	16	7	2
Pregnancies per 100 cycles	31.9	7/16	2/7	0/2
Live births per 100 cycles ^d	27.7	7/16	2/7	0/2
(95% confidence interval)	(14.9 - 40.4)			
Live births per 100 retrievals ^d	31.7	7/14	2/7	0/2
Live births per 100 transfers ^d	32.5	7/12	2/6	0/2
Cancellations per 100 cycles	12.8	2/16	0/7	0/2
Average number embryos transferred	5.1	4.3	4.0	3.5
Twin gestations per 100 pregnancies	4/15	4/7	0/2	
Triplet or more gestations per 100 pregnancies	1/15	1/7	0/2	
Multiple births per 100 live births ^d	4/13	5/7	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	3	0	0
Live births per 100 transfers ^d	1/6	1/3		
Average number embryos transferred	3.5	4.0		
Donor Eggs				
Number of fresh transfers	0	0	0	3
Live births per 100 fresh transfers ^d				1/3
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers ^d				1/1
Average number embryos transferred (fresh and frozen)				5.8

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**ADVANCED INSTITUTE OF FERTILITY
SAINT LUKE'S MEDICAL CENTER
MILWAUKEE, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	83%	Tubal factor	26%
Single women?	Yes	GIFT	16%	Endometriosis	18%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	1%	Ovulatory dysfunction	26%
Sharing of donor eggs?	Yes			Male factor	19%
		With ICSI	43%	Other factors	1%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	99	44	30	13
Pregnancies per 100 cycles	37.4	29.5	20.0	3/13
Live births per 100 cycles ^d	29.3	25.0	20.0	3/13
(95% confidence interval)	(20.3 - 38.3)	(12.2 - 37.8)	(5.7 - 34.3)	
Live births per 100 retrievals ^d	30.5	26.2	22.2	3/11
Live births per 100 transfers ^d	31.5	28.2	26.1	3/11
Cancellations per 100 cycles	4.0	4.5	10.0	2/13
Average number embryos transferred	3.9	3.7	4.4	7.6
Twin gestations per 100 pregnancies	27.0	5/13	2/6	0/3
Triplet or more gestations per 100 pregnancies	5.4	1/13	0/6	1/3
Multiple births per 100 live births ^d	31.0	4/11	2/6	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	53	30	16	9
Live births per 100 transfers ^d	15.1	23.3	4/16	1/9
Average number embryos transferred	3.4	3.0	2.6	3.0
Donor Eggs				
Number of fresh transfers	3	2	5	6
Live births per 100 fresh transfers ^d	1/3	0/2	3/5	2/6
Number of frozen transfers	4	4	3	14
Live births per 100 frozen transfers ^d	0/4	1/4	1/3	4/14
Average number embryos transferred (fresh and frozen)	2.7	3.5	3.5	3.5

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**MEDICAL COLLEGE OF WISCONSIN, DEPARTMENT OF OB/GYN
FROEDTERT E. LUTHERAN MEMORIAL HOSPITAL
MILWAUKEE, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	19%
Single women?	Yes	GIFT	0%	Endometriosis	20%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	21%
		With ICSI	37%	Other factors	11%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	14	8	3
Pregnancies per 100 cycles	25.0	4/14	3/8	0/3
Live births per 100 cycles ^d	20.8	3/14	3/8	0/3
(95% confidence interval)	(4.6 - 37.1)			
Live births per 100 retrievals ^d	20.8	3/13	3/8	0/3
Live births per 100 transfers ^d	22.7	3/12	3/7	0/3
Cancellations per 100 cycles	0.0	1/14	0/8	0/3
Average number embryos transferred	2.9	3.6	3.6	4.7
Twin gestations per 100 pregnancies	1/6	1/4	1/3	
Triplet or more gestations per 100 pregnancies	0/6	0/4	0/3	
Multiple births per 100 live births ^d	1/5	1/3	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	3	4	1
Live births per 100 transfers ^d	2/18	0/3	1/4	0/1
Average number embryos transferred	3.2	3.3	2.8	5.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**REPRODUCTIVE SPECIALTY CENTER
MILWAUKEE, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	77%	Tubal factor	42%
Single women?	Yes	GIFT	23%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination ^b	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	24%
		With ICSI	0%	Other factors	5%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	15	13	6
Pregnancies per 100 cycles	34.4	8/15	0/13	1/6
Live births per 100 cycles ^d	25.0	3/15	0/13	1/6
(95% confidence interval)	(10.0 - 40.0)			
Live births per 100 retrievals ^d	26.7	3/15	0/8	1/5
Live births per 100 transfers ^d	26.7	3/15	0/8	1/5
Cancellations per 100 cycles	6.3	0/15	5/13	1/6
Average number embryos transferred	4.0	4.0	5.5	5.6
Twin gestations per 100 pregnancies	2/11	1/8		0/1
Triplet or more gestations per 100 pregnancies	4/11	0/8		0/1
Multiple births per 100 live births ^d	5/8	1/3		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	4	1	0
Live births per 100 transfers ^d	8.7	1/4	0/1	
Average number embryos transferred	3.9	3.8	2.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers ^d				0/1
Average number embryos transferred (fresh and frozen)				3.0

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

WOMENCARE WAUKESHA, WISCONSIN

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	26%
Single women?	No	GIFT	3%	Endometriosis	38%
Gestational carriers?	No	ZIFT	5%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No	With ICSI	37%	Male factor	3%
		Unstimulated	0%	Other factors	3%
				Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	5	6	5
Pregnancies per 100 cycles	27.3	0/5	1/6	1/5
Live births per 100 cycles ^d	27.3	0/5	0/6	1/5
(95% confidence interval)	(8.7 - 45.9)			
Live births per 100 retrievals ^d	28.6	0/4	0/5	1/5
Live births per 100 transfers ^d	6/17	0/4	0/4	1/5
Cancellations per 100 cycles	4.5	1/5	1/6	0/5
Average number embryos transferred	2.9	2.8	1.8	3.0
Twin gestations per 100 pregnancies	3/6		0/1	0/1
Triplet or more gestations per 100 pregnancies	1/6		0/1	0/1
Multiple births per 100 live births ^d	3/6			0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	4	6	1
Live births per 100 transfers ^d	7/18	2/4	2/6	0/1
Average number embryos transferred	2.9	3.3	3.2	4.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	2	0	0	0
Live births per 100 frozen transfers ^d	0/2			
Average number embryos transferred (fresh and frozen)	2.0			

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**WOMEN'S HEALTH CARE, S.C.
WAUKESHA, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	Tubal factor	43%
Single women?	Yes	GIFT	4%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No	With ICSI	17%	Male factor	20%
		Unstimulated	0%	Other factors	0%
				Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	3	2	6
Pregnancies per 100 cycles	3/12	0/3	0/2	0/6
Live births per 100 cycles ^d (95% confidence interval)	2/12	0/3	0/2	0/6
Live births per 100 retrievals ^d	2/10	0/3	0/1	0/4
Live births per 100 transfers ^d	2/9	0/2	0/1	0/3
Cancellations per 100 cycles	2/12	0/3	1/2	2/6
Average number embryos transferred	3.6	3.5	2.0	1.7
Twin gestations per 100 pregnancies	1/3			
Triplet or more gestations per 100 pregnancies	0/3			
Multiple births per 100 live births ^d	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	6	8	2
Live births per 100 transfers ^d	2/7	2/6	1/8	1/2
Average number embryos transferred	2.4	2.8	2.8	3.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.

**CLINIC OF OBSTETRICS & GYNECOLOGY, LTD.
WEST ALLIS, WISCONSIN**

1997 PROGRAM PROFILE

Program Characteristics		Type of ART ^a		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	29%
Single women?	No	GIFT	0%	Endometriosis	23%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination ^b	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No	With ICSI	18%	Male factor	16%
		Unstimulated	0%	Other factors	13%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

1997 ART PREGNANCY SUCCESS RATES^c

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	3	3	0
Pregnancies per 100 cycles	2/11	0/3	1/3	
Live births per 100 cycles ^d (95% confidence interval)	1/11	0/3	1/3	
Live births per 100 retrievals ^d	1/11	0/3	1/2	
Live births per 100 transfers ^d	1/8	0/3	1/2	
Cancellations per 100 cycles	0/11	0/3	1/3	
Average number embryos transferred	3.0	2.7	4.0	
Twin gestations per 100 pregnancies	2/2		1/1	
Triplet or more gestations per 100 pregnancies	0/2		0/1	
Multiple births per 100 live births ^d	1/1		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	2	0
Live births per 100 transfers ^d	4/7	3/4	0/2	
Average number embryos transferred	3.6	3.3	3.5	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers ^d				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers ^d				
Average number embryos transferred (fresh and frozen)				

^a Includes only fresh, nondonor egg cycles.

^b Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

^c When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

^d A multiple birth is counted as one live birth.