

ART PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	25%	Uterine factor	1%		
GIFT	0%		Male factor	25%	Other factors	13%		
ZIFT	0%		With ICSI	66%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kathryn L. Honea, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	161	45	27	5
Percentage of cycles resulting in pregnancies ^b	29.2	26.7	29.6	2/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.4 (15.9 - 28.8)	20.0 (8.3 - 31.7)	14.8 (1.4 - 28.2)	1/5
Percentage of retrievals resulting in live births ^{b,c}	25.2	23.1	20.0	1/4
Percentage of transfers resulting in live births ^{b,c}	25.2	25.0	4/18	1/4
Percentage of cancellations ^b	11.2	13.3	25.9	1/5
Average number of embryos transferred	3.1	3.5	3.7	4.3
Percentage of pregnancies with twins ^b	48.9	3/12	1/8	0/2
Percentage of pregnancies with triplets or more ^b	8.5	2/12	1/8	0/2
Percentage of live births having multiple infants ^{b,c}	58.3	4/9	2/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	3	3	1
Percentage of transfers resulting in live births ^{b,c}	2/17	1/3	1/3	0/1
Average number of embryos transferred	2.4	2.7	2.0	1.0
Donor Eggs				
Number of fresh embryo transfers	5	1	5	2
Percentage of fresh transfers resulting in live births ^{b,c}	1/5	1/1	2/5	1/2
Average number of fresh embryos transferred	3.0	4.0	3.4	3.0
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/2			1/1
Average number of frozen embryos transferred	3.0			5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: ART Program of Alabama

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
BIRMINGHAM, ALABAMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	74%	Procedural factors:	Tubal factor	33%	Uterine factor	2%		
GIFT	26%		Male factor	16%	Other factors	2%		
ZIFT	0%		With ICSI	13%	Ovulatory dysfunction	20%	Unexplained	9%
Combination	0%		Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael P. Steinkampf, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	98	42	23	13
Percentage of cycles resulting in pregnancies ^b	26.5	28.6	13.0	3/13
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.5 (16.0 - 33.0)	23.8 (10.9 - 36.7)	13.0 (0.0 - 26.8)	0/13
Percentage of retrievals resulting in live births ^{b,c}	25.5	27.0	3/18	0/12
Percentage of transfers resulting in live births ^{b,c}	25.5	28.6	3/17	0/12
Percentage of cancellations ^b	4.1	11.9	21.7	1/13
Average number of embryos transferred	4.9	5.3	5.2	7.9
Percentage of pregnancies with twins ^b	23.1	2/12	1/3	2/3
Percentage of pregnancies with triplets or more ^b	19.2	1/12	0/3	0/3
Percentage of live births having multiple infants ^{b,c}	45.8	3/10	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	2
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		0/2
Average number of embryos transferred	1.0	1.0		1.5
Donor Eggs				
Number of fresh embryo transfers	1	1	3	4
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/1	0/3	0/4
Average number of fresh embryos transferred	5.0	4.0	5.3	5.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Alabama at Birmingham

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
MOBILE, ALABAMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	29%	Uterine factor	2%		
GIFT	0%		Male factor	30%	Other factors	4%		
ZIFT	0%		With ICSI	45%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	26%		

1998 PREGNANCY SUCCESS RATES

Data verified by George T. Koulianos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	52	15	8	3
Percentage of cycles resulting in pregnancies ^b	48.1	5/15	1/8	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	40.4 (27.0 - 53.7)	3/15	1/8	0/3
Percentage of retrievals resulting in live births ^{b,c}	46.7	3/14	1/5	0/2
Percentage of transfers resulting in live births ^{b,c}	46.7	3/14	1/5	0/2
Percentage of cancellations ^b	13.5	1/15	3/8	1/3
Average number of embryos transferred	3.3	3.1	3.6	5.5
Percentage of pregnancies with twins ^b	4.0	2/5	0/1	
Percentage of pregnancies with triplets or more ^b	28.0	0/5	1/1	
Percentage of live births having multiple infants ^{b,c}	33.3	1/3	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1/4	0/1		
Average number of embryos transferred	4.5	2.0		
Donor Eggs				
Number of fresh embryo transfers	1	0	0	4
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			1/4
Average number of fresh embryos transferred	4.0			2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF SOUTH ALABAMA
MOBILE, ALABAMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	38%	Uterine factor	3%		
GIFT	0%		Male factor	14%	Other factors	3%		
ZIFT	0%		With ICSI	89%	Ovulatory dysfunction	17%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Botros R.M. Rizk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	26	6	11	3
Percentage of cycles resulting in pregnancies ^b	30.8	3/6	1/11	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	19.2 (4.1 - 34.4)	3/6	1/11	1/3
Percentage of retrievals resulting in live births ^{b,c}	20.0	3/6	1/11	1/3
Percentage of transfers resulting in live births ^{b,c}	20.0	3/6	1/10	1/3
Percentage of cancellations ^b	3.8	0/6	0/11	0/3
Average number of embryos transferred	4.5	4.3	3.1	3.7
Percentage of pregnancies with twins ^b	0/8	1/3	0/1	0/1
Percentage of pregnancies with triplets or more ^b	1/8	1/3	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	1/5	2/3	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	1	0
Percentage of transfers resulting in live births ^{b,c}	1/5	0/2	0/1	
Average number of embryos transferred	3.6	5.5	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		0/2
Average number of fresh embryos transferred		3.0		4.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of South Alabama

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY TREATMENT CENTER CHANDLER, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	30%	Uterine factor	<1%		
GIFT	0%		Male factor	22%	Other factors	2%		
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	29%	Unexplained	<1%
Combination	0%		Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by H. Randall Craig, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	21	26	15
Percentage of cycles resulting in pregnancies ^b	18.8	9.5	26.9	4/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	18.8 (7.7 - 29.8)	4.8 (0.0 - 13.9)	23.1 (6.9 - 39.3)	3/15
Percentage of retrievals resulting in live births ^{b,c}	21.4	1/13	26.1	3/14
Percentage of transfers resulting in live births ^{b,c}	22.0	1/13	26.1	3/13
Percentage of cancellations ^b	12.5	38.1	11.5	1/15
Average number of embryos transferred	3.5	3.8	3.6	4.3
Percentage of pregnancies with twins ^b	2/9	0/2	1/7	0/4
Percentage of pregnancies with triplets or more ^b	1/9	0/2	2/7	0/4
Percentage of live births having multiple infants ^{b,c}	3/9	0/1	2/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	14	15	6
Percentage of transfers resulting in live births ^{b,c}	8.7	3/14	2/15	0/6
Average number of embryos transferred	4.0	4.8	3.9	3.8
Donor Eggs				
Number of fresh embryo transfers	2	2	4	9
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	1/2	3/4	2/9
Average number of fresh embryos transferred	3.5	3.0	2.8	3.3
Number of frozen embryo transfers	2	0	0	7
Percentage of frozen transfers resulting in live births ^{b,c}	1/2			1/7
Average number of frozen embryos transferred	5.0			3.9

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Treatment Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WEST VALLEY FERTILITY CENTER
GLENDALE, ARIZONA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	63%	Uterine factor	2%
GIFT	0%		Male factor	23%	Other factors	2%
ZIFT	0%		With ICSI	44%	Ovulatory dysfunction	2%
Combination	0%		Unstimulated	0%	Endometriosis	2%
					Unexplained	6%

1998 PREGNANCY SUCCESS RATES

Data verified by Vladimir Troche, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	21	11	9	4
Percentage of cycles resulting in pregnancies ^b	33.3	3/11	3/9	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (13.2 - 53.5)	3/11	2/9	0/4
Percentage of retrievals resulting in live births ^{b,c}	33.3	3/9	2/9	0/4
Percentage of transfers resulting in live births ^{b,c}	33.3	3/9	2/9	0/4
Percentage of cancellations ^b	0.0	2/11	0/9	0/4
Average number of embryos transferred	5.2	4.7	5.1	3.3
Percentage of pregnancies with twins ^b	3/7	2/3	1/3	
Percentage of pregnancies with triplets or more ^b	1/7	0/3	0/3	
Percentage of live births having multiple infants ^{b,c}	4/7	2/3	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1/3	1/2		
Average number of embryos transferred	4.3	6.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: West Valley Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

IVF PHOENIX PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	83%	Procedural factors:	Tubal factor	22%	Uterine factor	3%
GIFT	10%		Male factor	18%	Other factors	0%
ZIFT	7%		With ICSI	29%	Ovulatory dysfunction	24%
Combination	0%		Unstimulated	0%	Endometriosis	0%
					Unexplained	33%

1998 PREGNANCY SUCCESS RATES

Data verified by John L. Couvaras, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	11	6	6
Percentage of cycles resulting in pregnancies ^b	6/19	7/11	1/6	1/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/19	7/11	0/6	1/6
Percentage of retrievals resulting in live births ^{b,c}	6/19	7/11	0/6	1/6
Percentage of transfers resulting in live births ^{b,c}	6/17	7/9	0/6	1/6
Percentage of cancellations ^b	0/19	0/11	0/6	0/6
Average number of embryos transferred	2.8	3.3	3.2	5.2
Percentage of pregnancies with twins ^b	3/6	2/7	0/1	0/1
Percentage of pregnancies with triplets or more ^b	1/6	0/7	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	4/6	2/7		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	1	1	0
Percentage of transfers resulting in live births ^{b,c}	2/7	0/1	0/1	
Average number of embryos transferred	3.6	3.0	2.0	
Donor Eggs				
Number of fresh embryo transfers	0	1	0	5
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		2/5
Average number of fresh embryos transferred		5.0		3.8
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				1/2
Average number of frozen embryos transferred				4.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF Phoenix

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SAMARITAN INSTITUTE OF REPRODUCTIVE MEDICINE PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	96%	Procedural factors:	Tubal factor	29%	Uterine factor	0%
GIFT	2%		Male factor	32%	Other factors	21%
ZIFT	0%	With ICSI	Ovulatory dysfunction	4%	Unexplained	8%
Combination	2%	Unstimulated	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Drew Moffitt, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	62	24	20	7
Percentage of cycles resulting in pregnancies ^b	38.7	25.0	15.0	1/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.1 (25.1 - 49.1)	25.0 (7.7 - 42.3)	15.0 (0.0 - 30.6)	1/7
Percentage of retrievals resulting in live births ^{b,c}	42.6	6/18	3/14	1/2
Percentage of transfers resulting in live births ^{b,c}	44.2	6/17	3/14	1/2
Percentage of cancellations ^b	12.9	25.0	30.0	5/7
Average number of embryos transferred	3.1	3.4	3.7	2.5
Percentage of pregnancies with twins ^b	54.2	1/6	0/3	0/1
Percentage of pregnancies with triplets or more ^b	4.2	1/6	0/3	0/1
Percentage of live births having multiple infants ^{b,c}	52.2	2/6	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	8	1	1
Percentage of transfers resulting in live births ^{b,c}	23.8	0/8	0/1	0/1
Average number of embryos transferred	3.0	3.1	3.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	1	4	5
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	2/4	0/5
Average number of fresh embryos transferred		3.0	3.0	3.0
Number of frozen embryo transfers	0	0	1	2
Percentage of frozen transfers resulting in live births ^{b,c}			1/1	0/2
Average number of frozen embryos transferred			3.0	2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Arizona Reproductive Medicine Specialists

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	5%
GIFT	0%		Male factor	13%	Other factors	2%
ZIFT	0%		With ICSI	16%	Ovulatory dysfunction	16%
Combination	0%		Unstimulated	0%	Endometriosis	39%
					Unexplained	5%

1998 PREGNANCY SUCCESS RATES

Data verified by Sujatha Gunnala, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	4	4	5
Percentage of cycles resulting in pregnancies ^b	8/19	0/4	1/4	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	7/19	0/4	1/4	0/5
Percentage of retrievals resulting in live births ^{b,c}	7/19	0/4	1/4	0/5
Percentage of transfers resulting in live births ^{b,c}	7/19	0/4	1/4	0/5
Percentage of cancellations ^b	0/19	0/4	0/4	0/5
Average number of embryos transferred	4.4	4.0	4.3	4.4
Percentage of pregnancies with twins ^b	1/8		0/1	
Percentage of pregnancies with triplets or more ^b	1/8		0/1	
Percentage of live births having multiple infants ^{b,c}	2/7		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	2	2	1
Percentage of transfers resulting in live births ^{b,c}		1/2	0/2	0/1
Average number of embryos transferred		4.0	4.0	4.0
Donor Eggs				
Number of fresh embryo transfers	1	1	1	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	0/1	1/1	0/3
Average number of fresh embryos transferred	5.0	5.0	5.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Southwest Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ARIZONA CENTER FOR FERTILITY STUDIES
SCOTTSDALE, ARIZONA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	11%	Procedural factors:	Tubal factor	52%	Uterine factor	0%	
GIFT	62%		Male factor	16%	Other factors	12%	
ZIFT	26%	With ICSI	20%	Ovulatory dysfunction	3%	Unexplained	8%
Combination	1%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jay S. Nemiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	94	40	38	20
Percentage of cycles resulting in pregnancies ^b	40.4	37.5	15.8	25.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.0 (23.5 - 42.5)	25.0 (11.6 - 38.4)	15.8 (4.2 - 27.4)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births ^{b,c}	33.7	25.6	16.7	2/16
Percentage of transfers resulting in live births ^{b,c}	38.3	29.4	20.7	2/11
Percentage of cancellations ^b	2.1	2.5	5.3	20.0
Average number of embryos transferred	5.0	4.5	4.6	4.0
Percentage of pregnancies with twins ^b	26.3	2/15	2/6	0/5
Percentage of pregnancies with triplets or more ^b	10.5	1/15	1/6	0/5
Percentage of live births having multiple infants ^{b,c}	38.7	3/10	2/6	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1	1/3		
Average number of embryos transferred	6.0	4.3		
Donor Eggs				
Number of fresh embryo transfers	3	4	4	11
Percentage of fresh transfers resulting in live births ^{b,c}	2/3	1/4	2/4	3/11
Average number of fresh embryos transferred	4.3	3.3	5.8	4.9
Number of frozen embryo transfers	0	0	2	2
Percentage of frozen transfers resulting in live births ^{b,c}			0/2	0/2
Average number of frozen embryos transferred			5.0	4.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Arizona Center for Fertility Studies

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MAYO CLINIC SCOTTSDALE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	11%	Uterine factor	3%		
GIFT	0%		Male factor	50%	Other factors	3%		
ZIFT	0%		With ICSI	63%	Ovulatory dysfunction	12%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Anita P. Singh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	14	7	5
Percentage of cycles resulting in pregnancies ^b	50.0	2/14	2/7	3/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	50.0 (29.1 - 70.9)	2/14	1/7	2/5
Percentage of retrievals resulting in live births ^{b,c}	55.0	2/12	1/7	2/5
Percentage of transfers resulting in live births ^{b,c}	55.0	2/11	1/7	2/5
Percentage of cancellations ^b	9.1	2/14	0/7	0/5
Average number of embryos transferred	3.3	3.6	4.1	3.4
Percentage of pregnancies with twins ^b	4/11	1/2	1/2	1/3
Percentage of pregnancies with triplets or more ^b	1/11	1/2	0/2	0/3
Percentage of live births having multiple infants ^{b,c}	5/11	1/2	1/1	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	1	2	3
Percentage of transfers resulting in live births ^{b,c}	5/9	0/1	0/2	1/3
Average number of embryos transferred	3.9	4.0	4.0	4.3
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				3/3
Average number of fresh embryos transferred				2.7
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births ^{b,c}				0/5
Average number of frozen embryos transferred				4.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Mayo Clinic Scottsdale

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF ARIZONA PROGRAM OF ART TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	97%	Procedural factors:	Tubal factor	21%	Uterine factor	5%		
GIFT	<1%		Male factor	23%	Other factors	1%		
ZIFT	0%		With ICSI	23%	Ovulatory dysfunction	31%	Unexplained	8%
Combination	2%		Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Timothy Gelety, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	64	44	29	34
Percentage of cycles resulting in pregnancies ^b	20.3	18.2	3.4	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	18.8 (9.2 - 28.3)	13.6 (3.5 - 23.8)	3.4 (0.0 - 10.1)	0.0
Percentage of retrievals resulting in live births ^{b,c}	21.4	16.2	4.5	0.0
Percentage of transfers resulting in live births ^{b,c}	23.5	17.1	4.5	0.0
Percentage of cancellations ^b	12.5	15.9	24.1	29.4
Average number of embryos transferred	4.9	4.1	4.0	4.6
Percentage of pregnancies with twins ^b	5/13	2/8	0/1	
Percentage of pregnancies with triplets or more ^b	0/13	2/8	0/1	
Percentage of live births having multiple infants ^{b,c}	5/12	4/6	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	35	20	8	9
Percentage of transfers resulting in live births ^{b,c}	8.6	10.0	1/8	0/9
Average number of embryos transferred	4.2	4.5	4.4	4.0
Donor Eggs				
Number of fresh embryo transfers	2	5	3	8
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/5	1/3	2/8
Average number of fresh embryos transferred	5.0	5.0	5.0	5.4
Number of frozen embryo transfers	2	1	2	14
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	0/1	0/2	3/14
Average number of frozen embryos transferred	3.0	5.0	6.0	5.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INTRAVAGINAL CULTURE FERTILIZATION PROGRAM LITTLE ROCK, ARKANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	52%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	11%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by Francisco Batres, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	15	12	0	0
Percentage of cycles resulting in pregnancies ^b	3/15	4/12		
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/15	1/12		
Percentage of retrievals resulting in live births ^{b,c}	3/13	1/10		
Percentage of transfers resulting in live births ^{b,c}	3/13	1/10		
Percentage of cancellations ^b	2/15	2/12		
Average number of embryos transferred	2.6	2.7		
Percentage of pregnancies with twins ^b	0/3	0/4		
Percentage of pregnancies with triplets or more ^b	0/3	0/4		
Percentage of live births having multiple infants ^{b,c}	0/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Intravaginal Culture Fertilization Program

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF ARKANSAS FOR MEDICAL SCIENCES IVF
LITTLE ROCK, ARKANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	32%	Uterine factor	1%
GIFT	0%			Male factor	11%	Other factors	14%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	15%	Unexplained	8%
Combination	0%	Unstimulated	<1%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Dean M. Moutos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	122	33	19	18
Percentage of cycles resulting in pregnancies ^b	35.2	36.4	3/19	2/18
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.0 (23.7 - 40.2)	30.3 (14.6 - 46.0)	3/19	1/18
Percentage of retrievals resulting in live births ^{b,c}	35.1	35.7	3/14	1/9
Percentage of transfers resulting in live births ^{b,c}	36.4	38.5	3/12	1/9
Percentage of cancellations ^b	9.0	15.2	5/19	9/18
Average number of embryos transferred	3.1	3.4	3.1	3.4
Percentage of pregnancies with twins ^b	25.6	4/12	1/3	0/2
Percentage of pregnancies with triplets or more ^b	7.0	0/12	0/3	0/2
Percentage of live births having multiple infants ^{b,c}	28.2	3/10	1/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	44	10	3	5
Percentage of transfers resulting in live births ^{b,c}	13.6	1/10	0/3	0/5
Average number of embryos transferred	3.2	3.3	4.3	2.6
Donor Eggs				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	0/6
Average number of fresh embryos transferred	3.0		3.0	3.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Arkansas for Medical Sciences IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GIL N. MILEIKOWSKY, M.D.
BEL AIR, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	16%	Uterine factor	5%
GIFT	0%		Male factor	21%	Other factors	37%
ZIFT	0%	With ICSI	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gil N. Mileikowsky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	1	3	9
Percentage of cycles resulting in pregnancies ^b	2/5	0/1	2/3	0/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/5	0/1	1/3	0/9
Percentage of retrievals resulting in live births ^{b,c}	2/5	0/1	1/3	0/6
Percentage of transfers resulting in live births ^{b,c}	2/5	0/1	1/3	0/4
Percentage of cancellations ^b	0/5	0/1	0/3	3/9
Average number of embryos transferred	4.6	5.0	3.7	3.8
Percentage of pregnancies with twins ^b	0/2		0/2	
Percentage of pregnancies with triplets or more ^b	0/2		0/2	
Percentage of live births having multiple infants ^{b,c}	0/2		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				6.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Gil N. Mileikowsky, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	98%	Procedural factors:	Tubal factor	13%	Uterine factor	8%	
GIFT	1%		Male factor	28%	Other factors	3%	
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	28%	Unexplained	10%
Combination	1%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ryszard J. Chetkowski, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	14	29	29
Percentage of cycles resulting in pregnancies ^b	10/16	5/14	31.0	13.8
Percentage of cycles resulting in live births ^{b,c}	8/16	4/14	20.7	10.3
(Reliability Range)			(5.9 - 35.4)	(0.0 - 21.4)
Percentage of retrievals resulting in live births ^{b,c}	8/15	4/12	21.4	12.0
Percentage of transfers resulting in live births ^{b,c}	8/15	4/12	21.4	12.0
Percentage of cancellations ^b	1/16	2/14	3.4	13.8
Average number of embryos transferred	2.7	3.0	3.7	4.2
Percentage of pregnancies with twins ^b	3/10	2/5	1/9	0/4
Percentage of pregnancies with triplets or more ^b	0/10	0/5	0/9	0/4
Percentage of live births having multiple infants ^{b,c}	3/8	2/4	1/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	3	2
Percentage of transfers resulting in live births ^{b,c}	1/4	0/2	0/3	0/2
Average number of embryos transferred	2.5	2.0	3.3	1.0
Donor Eggs				
Number of fresh embryo transfers	1	0	3	22
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		1/3	54.5
Average number of fresh embryos transferred	2.0		3.0	2.8
Number of frozen embryo transfers	1	0	2	6
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		0/2	1/6
Average number of frozen embryos transferred	2.0		2.0	2.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Alta Bates In Vitro Fertilization Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE MEDICINE AND SURGERY ASSOCIATES BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	23%	Uterine factor	7%		
GIFT	<1%		Male factor	25%	Other factors	3%		
ZIFT	<1%		With ICSI	40%	Ovulatory dysfunction	9%	Unexplained	20%
Combination	<1%		Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mark W. Surrey, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	87	58	89	116
Percentage of cycles resulting in pregnancies ^b	46.0	43.1	31.5	13.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	41.4 (31.0 - 51.7)	41.4 (28.7 - 54.1)	24.7 (15.8 - 33.7)	7.8 (2.9 - 12.6)
Percentage of retrievals resulting in live births ^{b,c}	42.4	43.6	25.9	9.0
Percentage of transfers resulting in live births ^{b,c}	45.0	47.1	27.8	9.6
Percentage of cancellations ^b	2.3	5.2	4.5	13.8
Average number of embryos transferred	3.4	3.8	3.6	3.7
Percentage of pregnancies with twins ^b	20.0	28.0	21.4	3/16
Percentage of pregnancies with triplets or more ^b	25.0	12.0	7.1	0/16
Percentage of live births having multiple infants ^{b,c}	41.7	41.7	22.7	2/9
Frozen Embryos From Nondonor Eggs				
Number of transfers	27	16	18	8
Percentage of transfers resulting in live births ^{b,c}	22.2	0/16	4/18	3/8
Average number of embryos transferred	3.7	3.8	3.9	4.3
Donor Eggs				
Number of fresh embryo transfers	2	1	1	14
Percentage of fresh transfers resulting in live births ^{b,c}	2/2	0/1	1/1	8/14
Average number of fresh embryos transferred	3.0	5.0	3.0	3.6
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	2/3
Average number of frozen embryos transferred			3.0	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Southern California Reproductive Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WEST COAST INFERTILITY MEDICAL CLINIC, INC.
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	21%	Uterine factor	0%
GIFT	0%		Male factor	22%	Other factors	20%
ZIFT	0%		With ICSI	24%	Ovulatory dysfunction	9%
Combination	0%		Unstimulated	0%	Endometriosis	20%
					Unexplained	8%

1998 PREGNANCY SUCCESS RATES

Data verified by Michael Kamrava, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	18	12	18
Percentage of cycles resulting in pregnancies ^b	7.1	3/18	1/12	3/18
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	7.1 (0.0 - 16.7)	3/18	1/12	3/18
Percentage of retrievals resulting in live births ^{b,c}	7.7	3/17	1/10	3/18
Percentage of transfers resulting in live births ^{b,c}	7.7	3/17	1/9	3/17
Percentage of cancellations ^b	7.1	1/18	2/12	0/18
Average number of embryos transferred	4.7	3.9	4.7	5.2
Percentage of pregnancies with twins ^b	0/2	1/3	0/1	0/3
Percentage of pregnancies with triplets or more ^b	0/2	0/3	0/1	0/3
Percentage of live births having multiple infants ^{b,c}	0/2	0/3	0/1	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: West Coast Infertility Medical Clinic, Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	50%	Uterine factor	0%		
GIFT	0%		Male factor	30%	Other factors	0%		
ZIFT	0%		With ICSI	44%	Ovulatory dysfunction	15%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by C. Terence Lee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	4	5	0
Percentage of cycles resulting in pregnancies ^b	3/7	1/4	0/5	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/7	1/4	0/5	
Percentage of retrievals resulting in live births ^{b,c}	3/6	1/4	0/3	
Percentage of transfers resulting in live births ^{b,c}	3/6	1/4	0/2	
Percentage of cancellations ^b	1/7	0/4	2/5	
Average number of embryos transferred	4.2	4.8	1.0	
Percentage of pregnancies with twins ^b	0/3	0/1		
Percentage of pregnancies with triplets or more ^b	1/3	0/1		
Percentage of live births having multiple infants ^{b,c}	1/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0/1		0/1	
Average number of embryos transferred	3.0		4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				1/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Care of Orange County

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GREATER VALLEY CENTER FOR REPRODUCTIVE MEDICINE ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	6%
GIFT	0%			Male factor	10%	Other factors	30%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gary D. Hubert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	14	10	13
Percentage of cycles resulting in pregnancies ^b	3/11	4/14	1/10	3/13
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/11	2/14	1/10	2/13
Percentage of retrievals resulting in live births ^{b,c}	2/11	2/14	1/10	2/13
Percentage of transfers resulting in live births ^{b,c}	2/11	2/14	1/10	2/11
Percentage of cancellations ^b	0/11	0/14	0/10	0/13
Average number of embryos transferred	4.5	4.8	5.0	5.2
Percentage of pregnancies with twins ^b	0/3	0/4	0/1	1/3
Percentage of pregnancies with triplets or more ^b	0/3	1/4	0/1	1/3
Percentage of live births having multiple infants ^{b,c}	0/2	0/2	0/1	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	1	1
Percentage of transfers resulting in live births ^{b,c}	0/1	0/3	0/1	0/1
Average number of embryos transferred	4.0	3.0	6.0	4.0
Donor Eggs				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		1/1	2/6
Average number of fresh embryos transferred	3.0		6.0	6.0
Number of frozen embryo transfers	0	0	0	4
Percentage of frozen transfers resulting in live births ^{b,c}				3/4
Average number of frozen embryos transferred				4.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Greater Valley Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	82%	Procedural factors:	Tubal factor	31%	Uterine factor	<1%		
GIFT	15%		Male factor	16%	Other factors	8%		
ZIFT	0%		With ICSI	31%	Ovulatory dysfunction	34%	Unexplained	2%
Combination	3%		Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by David G. Diaz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	23	28	14
Percentage of cycles resulting in pregnancies ^b	36.4	30.4	28.6	3/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.8 (17.9 - 39.7)	26.1 (8.1 - 44.0)	17.9 (3.7 - 32.0)	2/14
Percentage of retrievals resulting in live births ^{b,c}	29.7	27.3	19.2	2/12
Percentage of transfers resulting in live births ^{b,c}	32.8	28.6	20.0	2/11
Percentage of cancellations ^b	3.0	4.3	7.1	2/14
Average number of embryos transferred	5.5	5.6	5.9	4.4
Percentage of pregnancies with twins ^b	29.2	0/7	2/8	0/3
Percentage of pregnancies with triplets or more ^b	8.3	0/7	1/8	0/3
Percentage of live births having multiple infants ^{b,c}	8/19	0/6	3/5	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	2	3	1
Percentage of transfers resulting in live births ^{b,c}	1/8	0/2	0/3	0/1
Average number of embryos transferred	4.1	3.0	4.7	7.0
Donor Eggs				
Number of fresh embryo transfers	9	2	5	13
Percentage of fresh transfers resulting in live births ^{b,c}	4/9	1/2	2/5	6/13
Average number of fresh embryos transferred	5.1	4.0	6.0	5.5
Number of frozen embryo transfers	2	0	0	4
Percentage of frozen transfers resulting in live births ^{b,c}	0/2			0/4
Average number of frozen embryos transferred	3.0			3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: West Coast Fertility Centers

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WERLIN-ZARUTSKIE FERTILITY CENTERS IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	98%	Procedural factors:	Tubal factor	20%	Uterine factor	3%	
GIFT	<1%		Male factor	33%	Other factors	18%	
ZIFT	0%	With ICSI	51%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	1%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Lawrence B. Werlin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	109	71	74	51
Percentage of cycles resulting in pregnancies ^b	33.0	29.6	16.2	3.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.5 (19.1 - 35.9)	21.1 (11.6 - 30.6)	13.5 (5.7 - 21.3)	0.0
Percentage of retrievals resulting in live births ^{b,c}	29.4	22.7	16.4	0.0
Percentage of transfers resulting in live births ^{b,c}	31.6	23.4	17.9	0.0
Percentage of cancellations ^b	6.4	7.0	17.6	39.2
Average number of embryos transferred	4.3	4.4	4.0	3.2
Percentage of pregnancies with twins ^b	38.9	23.8	1/12	0/2
Percentage of pregnancies with triplets or more ^b	19.4	19.0	0/12	0/2
Percentage of live births having multiple infants ^{b,c}	56.7	6/15	0/10	
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	12	8	4
Percentage of transfers resulting in live births ^{b,c}	5/16	4/12	0/8	0/4
Average number of embryos transferred	4.2	3.3	3.1	2.3
Donor Eggs				
Number of fresh embryo transfers	1	4	6	16
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/4	2/6	10/16
Average number of fresh embryos transferred	5.0	5.8	5.0	5.3
Number of frozen embryo transfers	0	0	0	7
Percentage of frozen transfers resulting in live births ^{b,c}				2/7
Average number of frozen embryos transferred				4.9

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Werlin-Zarutskie Fertility Centers

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE PARTNERS-SAN DIEGO LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	18%	Uterine factor	9%		
GIFT	<1%		Male factor	27%	Other factors	15%		
ZIFT	0%		With ICSI	52%	Ovulatory dysfunction	9%	Unexplained	10%
Combination	0%		Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gabriel V. Garzo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	34	22	16
Percentage of cycles resulting in pregnancies ^b	62.5	29.4	36.4	2/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	59.4 (42.4 - 76.4)	23.5 (9.3 - 37.8)	22.7 (5.2 - 40.2)	0/16
Percentage of retrievals resulting in live births ^{b,c}	70.4	25.8	5/19	0/11
Percentage of transfers resulting in live births ^{b,c}	70.4	25.8	5/19	0/11
Percentage of cancellations ^b	15.6	8.8	13.6	5/16
Average number of embryos transferred	3.0	3.4	3.6	3.6
Percentage of pregnancies with twins ^b	20.0	2/10	1/8	0/2
Percentage of pregnancies with triplets or more ^b	30.0	1/10	0/8	0/2
Percentage of live births having multiple infants ^{b,c}	10/19	3/8	1/5	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	5	1	0
Percentage of transfers resulting in live births ^{b,c}	2/10	2/5	0/1	
Average number of embryos transferred	3.1	3.8	4.0	
Donor Eggs				
Number of fresh embryo transfers	2	2	7	6
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	2/2	3/7	4/6
Average number of fresh embryos transferred	2.5	3.0	3.0	3.0
Number of frozen embryo transfers	0	2	1	2
Percentage of frozen transfers resulting in live births ^{b,c}		0/2	0/1	0/2
Average number of frozen embryos transferred		2.5	3.0	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Partners-San Diego

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	98%	Procedural factors:	Tubal factor	12%	Uterine factor	14%	
GIFT	0%		Male factor	36%	Other factors	25%	
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	4%	Unexplained	5%
Combination	2%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Samuel H. Wood, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	28	25	19
Percentage of cycles resulting in pregnancies ^b	63.3	32.1	28.0	4/19
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	50.0 (32.1 - 67.9)	28.6 (11.8 - 45.3)	24.0 (7.3 - 40.7)	3/19
Percentage of retrievals resulting in live births ^{b,c}	55.6	30.8	25.0	3/16
Percentage of transfers resulting in live births ^{b,c}	57.7	33.3	6/19	3/14
Percentage of cancellations ^b	10.0	7.1	4.0	3/19
Average number of embryos transferred	3.9	4.5	4.1	3.9
Percentage of pregnancies with twins ^b	5/19	2/9	2/7	0/4
Percentage of pregnancies with triplets or more ^b	5/19	0/9	0/7	0/4
Percentage of live births having multiple infants ^{b,c}	9/15	2/8	1/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	1	6	0
Percentage of transfers resulting in live births ^{b,c}	2/7	0/1	1/6	
Average number of embryos transferred	4.1	3.0	3.5	
Donor Eggs				
Number of fresh embryo transfers	2	0	5	10
Percentage of fresh transfers resulting in live births ^{b,c}	2/2		4/5	5/10
Average number of fresh embryos transferred	4.5		4.8	4.0
Number of frozen embryo transfers	0	0	2	9
Percentage of frozen transfers resulting in live births ^{b,c}			0/2	2/9
Average number of frozen embryos transferred			5.5	3.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Sciences Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SCRIPPS CLINIC LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	3%
GIFT	0%			Male factor	28%	Other factors	2%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	13%	Unexplained	3%
Combination	0%	Unstimulated	2%	Endometriosis	34%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey S. Rakoff, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	11	13	11
Percentage of cycles resulting in pregnancies ^b	3/18	2/11	0/13	0/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/18	2/11	0/13	0/11
Percentage of retrievals resulting in live births ^{b,c}	3/15	2/11	0/10	0/7
Percentage of transfers resulting in live births ^{b,c}	3/15	2/10	0/10	0/7
Percentage of cancellations ^b	3/18	0/11	3/13	4/11
Average number of embryos transferred	3.0	3.6	3.3	3.4
Percentage of pregnancies with twins ^b	0/3	1/2		
Percentage of pregnancies with triplets or more ^b	0/3	0/2		
Percentage of live births having multiple infants ^{b,c}	0/3	1/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	8	6	4
Percentage of transfers resulting in live births ^{b,c}	1/15	0/8	0/6	0/4
Average number of embryos transferred	3.0	2.9	2.2	2.8
Donor Eggs				
Number of fresh embryo transfers	1	0	0	5
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			2/5
Average number of fresh embryos transferred	2.0			4.4
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births ^{b,c}				0/3
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Scripps Clinic

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

JANE L. FREDERICK, M.D., INC.
LAGUNA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	14%
GIFT	0%			Male factor	30%	Other factors	2%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	9%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jane L. Frederick, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	5	6	10
Percentage of cycles resulting in pregnancies ^b	1/5	1/5	1/6	2/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/5	1/5	1/6	2/10
Percentage of retrievals resulting in live births ^{b,c}	0/5	1/3	1/6	2/7
Percentage of transfers resulting in live births ^{b,c}	0/5	1/3	1/6	2/5
Percentage of cancellations ^b	0/5	2/5	0/6	3/10
Average number of embryos transferred	3.0	3.3	3.5	4.0
Percentage of pregnancies with twins ^b	0/1	0/1	0/1	0/2
Percentage of pregnancies with triplets or more ^b	0/1	0/1	1/1	0/2
Percentage of live births having multiple infants ^{b,c}		0/1	1/1	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	4	3	2
Percentage of transfers resulting in live births ^{b,c}	2/6	0/4	0/3	0/2
Average number of embryos transferred	3.5	3.8	3.0	3.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				3/3
Average number of fresh embryos transferred				2.3
Number of frozen embryo transfers	0	0	3	1
Percentage of frozen transfers resulting in live births ^{b,c}			1/3	0/1
Average number of frozen embryos transferred			3.3	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Jane L. Frederick, M.D., Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LOMA LINDA UNIVERSITY
CENTER FOR FERTILITY AND IVF
LOMA LINDA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37-39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	4%
GIFT	0%			Male factor	19%	Other factors	19%
ZIFT	0%	With ICSI	62%	Ovulatory dysfunction	1%	Unexplained	11%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by John D. Jacobson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	22	20	8
Percentage of cycles resulting in pregnancies ^b	35.3	40.9	30.0	1/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.4 (14.1 - 44.7)	36.4 (16.3 - 56.5)	20.0 (2.5 - 37.5)	1/8
Percentage of retrievals resulting in live births ^{b,c}	33.3	8/18	4/12	1/4
Percentage of transfers resulting in live births ^{b,c}	35.7	8/17	4/12	1/4
Percentage of cancellations ^b	11.8	18.2	40.0	4/8
Average number of embryos transferred	3.4	3.7	3.4	4.3
Percentage of pregnancies with twins ^b	2/12	2/9	1/6	0/1
Percentage of pregnancies with triplets or more ^b	2/12	1/9	0/6	0/1
Percentage of live births having multiple infants ^{b,c}	4/10	3/8	0/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	1	1
Percentage of transfers resulting in live births ^{b,c}	1/7	0/2	0/1	0/1
Average number of embryos transferred	3.1	3.5	2.0	1.0
Donor Eggs				
Number of fresh embryo transfers	0	3	2	5
Percentage of fresh transfers resulting in live births ^{b,c}		0/3	2/2	2/5
Average number of fresh embryos transferred		2.7	3.5	2.8
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		0/1
Average number of frozen embryos transferred		2.0		2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Loma Linda University Center for Fertility and IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE PARTNERS-LONG BEACH LONG BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	61%	Procedural factors:	Tubal factor	33%	Uterine factor	3%		
GIFT	37%		Male factor	21%	Other factors	21%		
ZIFT	0%		With ICSI	23%	Ovulatory dysfunction	12%	Unexplained	1%
Combination	2%		Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	69	54	49	28
Percentage of cycles resulting in pregnancies ^b	46.4	29.6	51.0	7.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	42.0 (30.4 - 53.7)	27.8 (15.8 - 39.7)	30.6 (17.7 - 43.5)	0.0
Percentage of retrievals resulting in live births ^{b,c}	49.2	34.9	31.9	0.0
Percentage of transfers resulting in live births ^{b,c}	50.0	34.9	33.3	0.0
Percentage of cancellations ^b	14.5	20.4	4.1	28.6
Average number of embryos transferred	3.4	3.9	4.1	5.5
Percentage of pregnancies with twins ^b	43.8	5/16	12.0	0/2
Percentage of pregnancies with triplets or more ^b	12.5	2/16	4.0	0/2
Percentage of live births having multiple infants ^{b,c}	48.3	6/15	2/15	
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	14	10	8
Percentage of transfers resulting in live births ^{b,c}	2/9	2/14	1/10	1/8
Average number of embryos transferred	3.2	3.4	3.1	2.9
Donor Eggs				
Number of fresh embryo transfers	1	0	0	10
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			5/10
Average number of fresh embryos transferred	4.0			2.9
Number of frozen embryo transfers	0	0	3	6
Percentage of frozen transfers resulting in live births ^{b,c}			0/3	1/6
Average number of frozen embryos transferred			3.0	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Partners-Long Beach

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

TYLER MEDICAL CLINIC LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	33%	Procedural factors:	Tubal factor	6%	Uterine factor	0%		
GIFT	54%		Male factor	6%	Other factors	6%		
ZIFT	0%		With ICSI	20%	Ovulatory dysfunction	32%	Unexplained	0%
Combination	13%		Unstimulated	0%	Endometriosis	50%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jaroslav J. Marik, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	4	2	1
Percentage of cycles resulting in pregnancies ^b	2/8	3/4	0/2	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/8	2/4	0/2	0/1
Percentage of retrievals resulting in live births ^{b,c}	2/8	2/4	0/2	0/1
Percentage of transfers resulting in live births ^{b,c}	2/7	2/4	0/2	0/1
Percentage of cancellations ^b	0/8	0/4	0/2	0/1
Average number of embryos transferred	3.9	5.3	5.0	2.0
Percentage of pregnancies with twins ^b	1/2	1/3		
Percentage of pregnancies with triplets or more ^b	0/2	0/3		
Percentage of live births having multiple infants ^{b,c}	1/2	1/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			
Average number of fresh embryos transferred	5.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Tyler Medical Clinic

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF CALIFORNIA, LOS ANGELES
FERTILITY CENTER
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	14%	Uterine factor	2%
GIFT	0%			Male factor	16%	Other factors	8%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	6%	Unexplained	44%
Combination	0%	Unstimulated	1%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph C. Gambone, D.O., M.P.H.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	31	25	15
Percentage of cycles resulting in pregnancies ^b	29.2	16.1	0.0	1/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.2 (11.0 - 47.4)	16.1 (3.2 - 29.1)	0.0	1/15
Percentage of retrievals resulting in live births ^{b,c}	29.2	17.9	0.0	1/12
Percentage of transfers resulting in live births ^{b,c}	29.2	20.0	0.0	1/12
Percentage of cancellations ^b	0.0	9.7	4.0	3/15
Average number of embryos transferred	4.0	2.9	4.2	3.3
Percentage of pregnancies with twins ^b	2/7	2/5		0/1
Percentage of pregnancies with triplets or more ^b	2/7	0/5		0/1
Percentage of live births having multiple infants ^{b,c}	3/7	1/5		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	2	3	1
Percentage of transfers resulting in live births ^{b,c}	1/3	1/2	1/3	1/1
Average number of embryos transferred	3.7	3.0	2.0	10.0
Donor Eggs				
Number of fresh embryo transfers	0	0	1	2
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	1/2
Average number of fresh embryos transferred			4.0	5.5
Number of frozen embryo transfers	0	0	2	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/2	0/1
Average number of frozen embryos transferred			3.0	1.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of California, Los Angeles Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF SOUTHERN CALIFORNIA
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	13%	Uterine factor	5%		
GIFT	0%		Male factor	5%	Other factors	14%		
ZIFT	0%		With ICSI	19%	Ovulatory dysfunction	43%	Unexplained	18%
Combination	0%		Unstimulated	3%	Endometriosis	2%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard J. Paulson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	18	18	21
Percentage of cycles resulting in pregnancies ^b	8/16	6/18	6/18	14.3
Percentage of cycles resulting in live births ^{b,c}	8/16	5/18	6/18	4.8
(Reliability Range)				(0.0 - 13.9)
Percentage of retrievals resulting in live births ^{b,c}	8/15	5/16	6/18	4.8
Percentage of transfers resulting in live births ^{b,c}	8/15	5/16	6/18	4.8
Percentage of cancellations ^b	1/16	2/18	0/18	0.0
Average number of embryos transferred	3.2	3.9	4.7	5.6
Percentage of pregnancies with twins ^b	1/8	4/6	2/6	0/3
Percentage of pregnancies with triplets or more ^b	3/8	0/6	2/6	0/3
Percentage of live births having multiple infants ^{b,c}	4/8	4/5	1/6	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	3	7
Percentage of transfers resulting in live births ^{b,c}	2/2	1/3	1/3	0/7
Average number of embryos transferred	3.5	2.7	3.7	3.4
Donor Eggs				
Number of fresh embryo transfers	1	2	2	42
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	2/2	2/2	47.6
Average number of fresh embryos transferred	2.0	3.5	3.0	3.1
Number of frozen embryo transfers	1	1	3	30
Percentage of frozen transfers resulting in live births ^{b,c}	0/1	0/1	0/3	33.3
Average number of frozen embryos transferred	2.0	1.0	2.3	4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Southern California Reproductive Endocrinology and Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BRIAN SU, M.D.
MONTEREY PARK, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	33%	Uterine factor	3%		
GIFT	0%		Male factor	25%	Other factors	8%		
ZIFT	0%		With ICSI	34%	Ovulatory dysfunction	20%	Unexplained	3%
Combination	0%		Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Brian C. Su, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	9	4	14	2
Percentage of cycles resulting in pregnancies ^b	4/9	3/4	4/14	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	4/9	3/4	2/14	0/2
Percentage of retrievals resulting in live births ^{b,c}	4/7	3/4	2/12	0/1
Percentage of transfers resulting in live births ^{b,c}	4/7	3/4	2/12	
Percentage of cancellations ^b	2/9	0/4	2/14	1/2
Average number of embryos transferred	3.4	3.5	4.3	
Percentage of pregnancies with twins ^b	3/4	1/3	1/4	
Percentage of pregnancies with triplets or more ^b	0/4	1/3	0/4	
Percentage of live births having multiple infants ^{b,c}	3/4	1/3	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0/2		0/1	
Average number of embryos transferred	3.0		4.0	
Donor Eggs				
Number of fresh embryo transfers	1	1	1	1
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/1	1/1	0/1
Average number of fresh embryos transferred	4.0	3.0	4.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Brian Su, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	79%	Procedural factors:	Tubal factor	6%	Uterine factor	6%
GIFT	18%		Male factor	18%	Other factors	36%
ZIFT	0%		With ICSI	36%	Ovulatory dysfunction	14%
Combination	3%		Unstimulated	0%	Endometriosis	20%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Beth A. Ary, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	7	11	2
Percentage of cycles resulting in pregnancies ^b	7/13	3/7	4/11	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	7/13	2/7	3/11	0/2
Percentage of retrievals resulting in live births ^{b,c}	7/13	2/7	3/11	0/1
Percentage of transfers resulting in live births ^{b,c}	7/12	2/7	3/11	0/1
Percentage of cancellations ^b	0/13	0/7	0/11	1/2
Average number of embryos transferred	5.8	5.6	5.2	3.0
Percentage of pregnancies with twins ^b	2/7	1/3	1/4	
Percentage of pregnancies with triplets or more ^b	4/7	0/3	0/4	
Percentage of live births having multiple infants ^{b,c}	6/7	1/2	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	6.0			
Donor Eggs				
Number of fresh embryo transfers	0	2	3	9
Percentage of fresh transfers resulting in live births ^{b,c}		0/2	2/3	6/9
Average number of fresh embryos transferred		4.5	5.7	4.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Specialty Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	16%	Uterine factor	3%		
GIFT	<1%		Male factor	26%	Other factors	23%		
ZIFT	0%		With ICSI	62%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	<1%		Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert E. Anderson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	55	36	32	27
Percentage of cycles resulting in pregnancies ^b	34.5	41.7	21.9	18.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.5 (22.0 - 47.1)	27.8 (13.1 - 42.4)	18.8 (5.2 - 32.3)	7.4 (0.0 - 17.3)
Percentage of retrievals resulting in live births ^{b,c}	37.3	30.3	22.2	9.5
Percentage of transfers resulting in live births ^{b,c}	38.8	32.3	25.0	2/18
Percentage of cancellations ^b	7.3	8.3	15.6	22.2
Average number of embryos transferred	3.5	3.8	4.0	3.8
Percentage of pregnancies with twins ^b	6/19	1/15	2/7	1/5
Percentage of pregnancies with triplets or more ^b	6/19	2/15	0/7	0/5
Percentage of live births having multiple infants ^{b,c}	10/19	2/10	1/6	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	11	15	8
Percentage of transfers resulting in live births ^{b,c}	4.8	1/11	1/15	0/8
Average number of embryos transferred	3.8	3.6	3.6	4.8
Donor Eggs				
Number of fresh embryo transfers	5	1	3	15
Percentage of fresh transfers resulting in live births ^{b,c}	2/5	0/1	0/3	6/15
Average number of fresh embryos transferred	3.6	4.0	2.7	3.7
Number of frozen embryo transfers	0	1	0	9
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		3/9
Average number of frozen embryos transferred		1.0		3.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Southern California Center For Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE NORTHRIDGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	17%	Uterine factor	0%		
GIFT	0%		Male factor	30%	Other factors	0%		
ZIFT	0%		With ICSI	63%	Ovulatory dysfunction	24%	Unexplained	14%
Combination	0%		Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jirair B. Konialian, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	15	8	11
Percentage of cycles resulting in pregnancies ^b	14.6	1/15	1/8	2/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	12.5 (3.1 - 21.9)	1/15	0/8	1/11
Percentage of retrievals resulting in live births ^{b,c}	17.1	1/11	0/8	1/8
Percentage of transfers resulting in live births ^{b,c}	17.6	1/10	0/7	1/8
Percentage of cancellations ^b	27.1	4/15	0/8	3/11
Average number of embryos transferred	3.7	3.5	3.6	2.5
Percentage of pregnancies with twins ^b	1/7	0/1	0/1	0/2
Percentage of pregnancies with triplets or more ^b	0/7	0/1	0/1	0/2
Percentage of live births having multiple infants ^{b,c}	1/6	0/1		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	1
Percentage of transfers resulting in live births ^{b,c}		0/1		0/1
Average number of embryos transferred		3.0		5.0
Donor Eggs				
Number of fresh embryo transfers	2	1	2	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/1	1/2	4/6
Average number of fresh embryos transferred	4.5	3.0	5.0	4.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				8.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Northridge Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SUSAN P. WILLIAM, M.D.
ORINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	99%	Procedural factors:		Tubal factor	12%	Uterine factor	1%
GIFT	1%			Male factor	15%	Other factors	35%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	3%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Susan P. William, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	19	15	22
Percentage of cycles resulting in pregnancies ^b	5/16	3/19	6/15	9.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	5/16	3/19	5/15	9.1 (0.0 - 21.1)
Percentage of retrievals resulting in live births ^{b,c}	5/13	3/17	5/13	2/17
Percentage of transfers resulting in live births ^{b,c}	5/13	3/17	5/12	2/16
Percentage of cancellations ^b	3/16	2/19	2/15	22.7
Average number of embryos transferred	4.5	5.1	5.1	5.5
Percentage of pregnancies with twins ^b	1/5	2/3	1/6	1/2
Percentage of pregnancies with triplets or more ^b	2/5	0/3	1/6	0/2
Percentage of live births having multiple infants ^{b,c}	2/5	1/3	0/5	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	3	2	2
Percentage of transfers resulting in live births ^{b,c}	2/4	0/3	0/2	0/2
Average number of embryos transferred	4.8	3.7	4.5	4.0
Donor Eggs				
Number of fresh embryo transfers	2	4	1	11
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	2/4	0/1	5/11
Average number of fresh embryos transferred	4.5	4.0	4.0	4.3
Number of frozen embryo transfers	0	3	0	7
Percentage of frozen transfers resulting in live births ^{b,c}		1/3		1/7
Average number of frozen embryos transferred		4.0		3.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Susan P. William, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NOVA IN VITRO FERTILIZATION PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	31%	Uterine factor	2%
GIFT	0%		Male factor	35%	Other factors	4%
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	2%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	19%

1998 PREGNANCY SUCCESS RATES

Data verified by Francis F. Polansky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	38	30	23	15
Percentage of cycles resulting in pregnancies ^b	31.6	43.3	47.8	4/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.7 (10.2 - 37.2)	26.7 (10.8 - 42.5)	34.8 (15.3 - 54.2)	1/15
Percentage of retrievals resulting in live births ^{b,c}	25.0	32.0	36.4	1/10
Percentage of transfers resulting in live births ^{b,c}	25.7	32.0	40.0	1/9
Percentage of cancellations ^b	5.3	16.7	4.3	5/15
Average number of embryos transferred	4.4	4.6	4.1	4.2
Percentage of pregnancies with twins ^b	3/12	5/13	3/11	1/4
Percentage of pregnancies with triplets or more ^b	3/12	0/13	0/11	0/4
Percentage of live births having multiple infants ^{b,c}	4/9	4/8	2/8	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	0	0	1
Percentage of transfers resulting in live births ^{b,c}	0/4			1/1
Average number of embryos transferred	3.0			4.0
Donor Eggs				
Number of fresh embryo transfers	1	3	4	11
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	1/3	1/4	3/11
Average number of fresh embryos transferred	2.0	4.0	2.8	3.0
Number of frozen embryo transfers	0	0	2	6
Percentage of frozen transfers resulting in live births ^{b,c}			0/2	1/6
Average number of frozen embryos transferred			2.5	3.2

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Nova In Vitro Fertilization

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HUNTINGTON REPRODUCTIVE CENTER PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	95%	Procedural factors:	Tubal factor	14%	Uterine factor	10%
GIFT	<1%		Male factor	26%	Other factors	13%
ZIFT	4%		With ICSI	63%	Ovulatory dysfunction	26%
Combination	<1%		Unstimulated	<1%	Endometriosis	9%
				Unexplained	2%	

1998 PREGNANCY SUCCESS RATES

Data verified by Joel H. Batzofin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	178	90	115	84
Percentage of cycles resulting in pregnancies ^b	35.4	41.1	30.4	19.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.5 (24.6 - 38.3)	33.3 (23.6 - 43.1)	23.5 (15.7 - 31.2)	15.5 (7.7 - 23.2)
Percentage of retrievals resulting in live births ^{b,c}	31.6	33.7	24.5	16.3
Percentage of transfers resulting in live births ^{b,c}	33.3	34.9	26.0	16.7
Percentage of cancellations ^b	0.6	1.1	4.3	4.8
Average number of embryos transferred	3.6	4.0	3.6	3.6
Percentage of pregnancies with twins ^b	33.3	37.8	11.4	2/16
Percentage of pregnancies with triplets or more ^b	12.7	8.1	8.6	1/16
Percentage of live births having multiple infants ^{b,c}	46.4	40.0	14.8	1/13
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	11	5	19
Percentage of transfers resulting in live births ^{b,c}	30.0	5/11	0/5	5/19
Average number of embryos transferred	3.2	4.0	3.2	2.6
Donor Eggs				
Number of fresh embryo transfers	5	7	14	82
Percentage of fresh transfers resulting in live births ^{b,c}	1/5	3/7	4/14	47.6
Average number of fresh embryos transferred	2.8	4.0	3.6	3.4
Number of frozen embryo transfers	2	3	3	20
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	1/3	1/3	15.0
Average number of frozen embryos transferred	1.5	4.3	2.7	3.2

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Huntington Reproductive Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTH STATE WOMEN'S CENTER REDDING, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	95%	Procedural factors:		Tubal factor	18%	Uterine factor	0%
GIFT	5%			Male factor	32%	Other factors	27%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	9%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert A. Greene, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	6	2	1
Percentage of cycles resulting in pregnancies ^b	2/10	0/6	1/2	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/10	0/6	1/2	0/1
Percentage of retrievals resulting in live births ^{b,c}	2/10	0/5	1/2	
Percentage of transfers resulting in live births ^{b,c}	2/9	0/3	1/2	
Percentage of cancellations ^b	0/10	1/6	0/2	1/1
Average number of embryos transferred	2.8	4.3	4.0	
Percentage of pregnancies with twins ^b	0/2		1/1	
Percentage of pregnancies with triplets or more ^b	0/2		0/1	
Percentage of live births having multiple infants ^{b,c}	0/2		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	1/1		
Average number of embryos transferred	3.0	6.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Specialty Care for Women

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	94%	Procedural factors:	Tubal factor	19%	Uterine factor	6%		
GIFT	6%		Male factor	31%	Other factors	13%		
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	6%	Unexplained	11%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	62	35	50	49
Percentage of cycles resulting in pregnancies ^b	43.5	54.3	40.0	28.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	38.7 (26.6 - 50.8)	48.6 (32.0 - 65.1)	30.0 (17.3 - 42.7)	18.4 (7.5 - 29.2)
Percentage of retrievals resulting in live births ^{b,c}	42.9	53.1	34.9	23.1
Percentage of transfers resulting in live births ^{b,c}	43.6	53.1	34.9	24.3
Percentage of cancellations ^b	9.7	8.6	14.0	20.4
Average number of embryos transferred	3.3	3.9	4.4	5.3
Percentage of pregnancies with twins ^b	18.5	3/19	30.0	2/14
Percentage of pregnancies with triplets or more ^b	14.8	2/19	10.0	1/14
Percentage of live births having multiple infants ^{b,c}	29.2	5/17	5/15	1/9
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	5	14	4
Percentage of transfers resulting in live births ^{b,c}	2/9	2/5	4/14	0/4
Average number of embryos transferred	3.7	3.6	4.1	6.0
Donor Eggs				
Number of fresh embryo transfers	3	0	3	16
Percentage of fresh transfers resulting in live births ^{b,c}	1/3		2/3	9/16
Average number of fresh embryos transferred	2.3		2.3	3.5
Number of frozen embryo transfers	1	0	3	10
Percentage of frozen transfers resulting in live births ^{b,c}	1/1		1/3	5/10
Average number of frozen embryos transferred	4.0		4.3	3.2

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Partners-Redondo Beach

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	31%	Uterine factor	1%		
GIFT	0%		Male factor	18%	Other factors	28%		
ZIFT	0%		With ICSI	42%	Ovulatory dysfunction	10%	Unexplained	3%
Combination	<1%		Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Carlos E. Soto-Albors, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	117	68	65	31
Percentage of cycles resulting in pregnancies ^b	35.0	44.1	15.4	9.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.1 (20.8 - 37.3)	33.8 (22.6 - 45.1)	9.2 (2.2 - 16.3)	9.7 (0.0 - 20.1)
Percentage of retrievals resulting in live births ^{b,c}	30.1	37.1	10.2	10.7
Percentage of transfers resulting in live births ^{b,c}	30.6	37.7	11.1	11.1
Percentage of cancellations ^b	3.4	8.8	9.2	9.7
Average number of embryos transferred	3.9	4.0	4.5	3.9
Percentage of pregnancies with twins ^b	36.6	30.0	2/10	2/3
Percentage of pregnancies with triplets or more ^b	7.3	10.0	0/10	0/3
Percentage of live births having multiple infants ^{b,c}	41.2	39.1	1/6	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	10	10	3
Percentage of transfers resulting in live births ^{b,c}	39.1	2/10	2/10	1/3
Average number of embryos transferred	4.5	4.9	2.9	3.7
Donor Eggs				
Number of fresh embryo transfers	9	2	14	38
Percentage of fresh transfers resulting in live births ^{b,c}	4/9	1/2	10/14	39.5
Average number of fresh embryos transferred	3.9	4.0	3.6	3.4
Number of frozen embryo transfers	1	1	1	16
Percentage of frozen transfers resulting in live births ^{b,c}	0/1	0/1	0/1	5/16
Average number of frozen embryos transferred	6.0	5.0	4.0	5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Northern California Fertility Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF CALIFORNIA, DAVIS
ASSISTED REPRODUCTIVE TECHNOLOGY PROGRAM
SACRAMENTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	97%	Procedural factors:		Tubal factor	52%	Uterine factor	5%
GIFT	3%			Male factor	7%	Other factors	4%
ZIFT	0%	With ICSI	10%	Ovulatory dysfunction	7%	Unexplained	22%
Combination	0%	Unstimulated	0%	Endometriosis	3%		

1998 PREGNANCY SUCCESS RATES

Data verified by Stephen P. Boyers, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	24	25	4
Percentage of cycles resulting in pregnancies ^b	35.0	20.8	40.0	1/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	15.0 (0.0 - 30.6)	8.3 (0.0 - 19.4)	32.0 (13.7 - 50.3)	1/4
Percentage of retrievals resulting in live births ^{b,c}	3/17	9.5	38.1	1/1
Percentage of transfers resulting in live births ^{b,c}	3/17	10.0	38.1	1/1
Percentage of cancellations ^b	15.0	12.5	16.0	3/4
Average number of embryos transferred	3.7	4.4	4.1	5.0
Percentage of pregnancies with twins ^b	0/7	1/5	2/10	1/1
Percentage of pregnancies with triplets or more ^b	1/7	0/5	1/10	0/1
Percentage of live births having multiple infants ^{b,c}	0/3	1/2	3/8	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	4	4	3
Percentage of transfers resulting in live births ^{b,c}	0/6	0/4	2/4	0/3
Average number of embryos transferred	4.8	3.5	4.8	4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	1	4
Percentage of fresh transfers resulting in live births ^{b,c}			1/1	2/4
Average number of fresh embryos transferred			4.0	3.3
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of California, Davis Assisted Reproductive Technology Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**IGO MEDICAL GROUP OF SAN DIEGO
SAN DIEGO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	38%	Uterine factor	3%		
GIFT	0%		Male factor	18%	Other factors	7%		
ZIFT	0%		With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	3%
Combination	2%		Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by Benito Villanueva, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	25	9	12	8
Percentage of cycles resulting in pregnancies ^b	20.0	1/9	0/12	1/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	12.0 (0.0 - 24.7)	1/9	0/12	0/8
Percentage of retrievals resulting in live births ^{b,c}	13.6	1/5	0/8	0/7
Percentage of transfers resulting in live births ^{b,c}	14.3	1/5	0/6	0/5
Percentage of cancellations ^b	12.0	4/9	4/12	1/8
Average number of embryos transferred	4.5	4.4	2.7	3.2
Percentage of pregnancies with twins ^b	3/5	0/1		0/1
Percentage of pregnancies with triplets or more ^b	0/5	0/1		0/1
Percentage of live births having multiple infants ^{b,c}	0/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/4			
Average number of embryos transferred	4.8			
Donor Eggs				
Number of fresh embryo transfers	1	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	0/1
Average number of fresh embryos transferred	4.0		5.0	5.0
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		1/1
Average number of frozen embryos transferred		6.0		5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IGO Medical Group of San Diego

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INFERTILITY CLINIC
NAVAL MEDICAL CENTER, SAN DIEGO
SAN DIEGO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	100%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Thomas J. Kim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	0	0	0
Percentage of cycles resulting in pregnancies ^b	1/2			
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/2			
Percentage of retrievals resulting in live births ^{b,c}	1/2			
Percentage of transfers resulting in live births ^{b,c}	1/2			
Percentage of cancellations ^b	0/2			
Average number of embryos transferred	2.5			
Percentage of pregnancies with twins ^b	1/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}	1/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility Clinic, Naval Medical Center, San Diego

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MINH N. HO, M.D., FACOG
SAN DIEGO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	29%	Other factors	0%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	6%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Minh N. Ho, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	6	4	0	3
Percentage of cycles resulting in pregnancies ^b	2/6	2/4		0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/6	2/4		0/3
Percentage of retrievals resulting in live births ^{b,c}	2/6	2/4		0/3
Percentage of transfers resulting in live births ^{b,c}	2/6	2/4		0/3
Percentage of cancellations ^b	0/6	0/4		0/3
Average number of embryos transferred	3.7	4.5		3.7
Percentage of pregnancies with twins ^b	0/2	0/2		
Percentage of pregnancies with triplets or more ^b	1/2	0/2		
Percentage of live births having multiple infants ^{b,c}	1/2	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1	0/1		
Average number of embryos transferred	3.0	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Minh N. Ho, M.D., FACOG

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ENDOCRINE ASSOCIATES SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	37%	Uterine factor	14%
GIFT	0%		Male factor	4%	Other factors	12%
ZIFT	0%		With ICSI	66%	Ovulatory dysfunction	14%
Combination	0%		Unstimulated	0%	Endometriosis	19%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Steven A. Brody, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	17	10	8	3
Percentage of cycles resulting in pregnancies ^b	10/17	2/10	2/8	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	8/17	1/10	2/8	0/3
Percentage of retrievals resulting in live births ^{b,c}	8/17	1/10	2/8	0/3
Percentage of transfers resulting in live births ^{b,c}	8/17	1/10	2/8	0/3
Percentage of cancellations ^b	0/17	0/10	0/8	0/3
Average number of embryos transferred	4.6	4.2	5.3	4.3
Percentage of pregnancies with twins ^b	1/10	0/2	0/2	0/1
Percentage of pregnancies with triplets or more ^b	3/10	0/2	1/2	0/1
Percentage of live births having multiple infants ^{b,c}	3/8	0/1	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	2
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1	0/1	0/2
Average number of embryos transferred	3.0	5.0	4.0	4.0
Donor Eggs				
Number of fresh embryo transfers	1	0	0	6
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			2/6
Average number of fresh embryos transferred	4.0			5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrine Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SHARP FERTILITY CENTER
DR. WILLIAM HUMMEL & DR. MICHAEL KETTEL PHYSICIANS GROUP
SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	96%	Procedural factors:	Tubal factor	20%	Uterine factor	2%		
GIFT	<1%		Male factor	15%	Other factors	35%		
ZIFT	0%		With ICSI	77%	Ovulatory dysfunction	9%	Unexplained	10%
Combination	3%		Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Arlene Morales, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	103	50	54	35
Percentage of cycles resulting in pregnancies ^b	32.0	36.0	22.2	2.9
Percentage of cycles resulting in live births ^{b,c}	27.2	28.0	13.0	0.0
(Reliability Range)	(18.6 - 35.8)	(15.6 - 40.4)	(4.0 - 21.9)	
Percentage of retrievals resulting in live births ^{b,c}	30.1	31.1	14.9	0.0
Percentage of transfers resulting in live births ^{b,c}	31.1	31.1	15.6	0.0
Percentage of cancellations ^b	9.7	10.0	13.0	14.3
Average number of embryos transferred	3.2	3.3	3.5	3.5
Percentage of pregnancies with twins ^b	21.2	5/18	7/12	0/1
Percentage of pregnancies with triplets or more ^b	15.2	0/18	0/12	0/1
Percentage of live births having multiple infants ^{b,c}	32.1	3/14	2/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	17	9	6
Percentage of transfers resulting in live births ^{b,c}	4/15	6/17	1/9	0/6
Average number of embryos transferred	2.7	3.1	3.6	3.0
Donor Eggs				
Number of fresh embryo transfers	0	4	8	21
Percentage of fresh transfers resulting in live births ^{b,c}		1/4	5/8	57.1
Average number of fresh embryos transferred		3.0	3.3	3.0
Number of frozen embryo transfers	0	0	1	4
Percentage of frozen transfers resulting in live births ^{b,c}			1/1	0/4
Average number of frozen embryos transferred			4.0	2.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Sharp Fertility Center, Dr. William Hummel & Dr. Michael Kettel Physicians Group

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SMOTRICH CENTER FOR REPRODUCTIVE ENHANCEMENT SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	17%	Uterine factor	11%
GIFT	0%		Male factor	14%	Other factors	42%
ZIFT	0%		With ICSI	40%	Ovulatory dysfunction	10%
Combination	0%		Unstimulated	0%	Endometriosis	6%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by David B. Smotrich, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	7	3	8
Percentage of cycles resulting in pregnancies ^b	3/12	3/7	0/3	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/12	0/7	0/3	0/8
Percentage of retrievals resulting in live births ^{b,c}	1/12	0/7	0/3	0/8
Percentage of transfers resulting in live births ^{b,c}	1/12	0/7	0/3	0/7
Percentage of cancellations ^b	0/12	0/7	0/3	0/8
Average number of embryos transferred	4.0	4.3	6.0	3.4
Percentage of pregnancies with twins ^b	0/3	0/3		
Percentage of pregnancies with triplets or more ^b	1/3	0/3		
Percentage of live births having multiple infants ^{b,c}	1/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	1	2
Percentage of transfers resulting in live births ^{b,c}	0/3		0/1	0/2
Average number of embryos transferred	4.3		4.0	4.5
Donor Eggs				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	0/3
Average number of fresh embryos transferred	2.0		5.0	4.3
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/3
Average number of frozen embryos transferred			4.0	2.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Smotrich Center for Reproductive Enhancement

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ASTARTE FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	90%	Procedural factors:	Tubal factor	17%	Uterine factor	3%		
GIFT	3%		Male factor	25%	Other factors	23%		
ZIFT	<1%		With ICSI	62%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	7%		Unstimulated	0%	Endometriosis	25%		

1998 PREGNANCY SUCCESS RATES

Data verified by Alex J. Steinleitner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	17	41	28
Percentage of cycles resulting in pregnancies ^b	16.7	9/17	22.0	17.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	16.7 (3.3 - 30.0)	6/17	14.6 (3.8 - 25.5)	10.7 (0.0 - 22.2)
Percentage of retrievals resulting in live births ^{b,c}	16.7	6/17	15.0	11.1
Percentage of transfers resulting in live births ^{b,c}	19.2	6/15	15.4	12.0
Percentage of cancellations ^b	0.0	0/17	2.4	3.6
Average number of embryos transferred	3.5	3.2	3.9	5.2
Percentage of pregnancies with twins ^b	2/5	2/9	0/9	1/5
Percentage of pregnancies with triplets or more ^b	0/5	0/9	0/9	0/5
Percentage of live births having multiple infants ^{b,c}	2/5	2/6	0/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	1	4
Percentage of transfers resulting in live births ^{b,c}	1/2	0/2	1/1	0/4
Average number of embryos transferred	3.0	2.5	8.0	1.5
Donor Eggs				
Number of fresh embryo transfers	2	3	6	25
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	3/3	3/6	20.0
Average number of fresh embryos transferred	3.5	3.3	3.5	3.5
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	1/1			
Average number of frozen embryos transferred	4.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Astarte Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PACIFIC FERTILITY CENTER-SAN FRANCISCO SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	99%	Procedural factors:	Tubal factor	23%	Uterine factor	2%
GIFT	<1%		Male factor	23%	Other factors	31%
ZIFT	0%		With ICSI	64%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	<1%	Endometriosis	7%
					Unexplained	7%

1998 PREGNANCY SUCCESS RATES

Data verified by Eldon D. Schriock, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	285	152	172	86
Percentage of cycles resulting in pregnancies ^b	36.1	32.2	29.1	18.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.6 (19.6 - 29.6)	23.7 (16.9 - 30.4)	16.9 (11.3 - 22.5)	11.6 (4.9 - 18.4)
Percentage of retrievals resulting in live births ^{b,c}	25.2	24.3	17.1	12.3
Percentage of transfers resulting in live births ^{b,c}	26.5	25.5	18.1	13.7
Percentage of cancellations ^b	2.5	2.6	1.2	5.8
Average number of embryos transferred	3.9	4.4	4.3	4.9
Percentage of pregnancies with twins ^b	32.0	30.6	32.0	5/16
Percentage of pregnancies with triplets or more ^b	14.6	12.2	10.0	0/16
Percentage of live births having multiple infants ^{b,c}	45.7	25.0	48.3	3/10
Frozen Embryos From Nondonor Eggs				
Number of transfers	59	20	23	7
Percentage of transfers resulting in live births ^{b,c}	16.9	5.0	8.7	0/7
Average number of embryos transferred	4.4	4.1	4.6	4.7
Donor Eggs				
Number of fresh embryo transfers	13	6	22	74
Percentage of fresh transfers resulting in live births ^{b,c}	2/13	3/6	31.8	35.1
Average number of fresh embryos transferred	3.9	3.2	3.7	3.8
Number of frozen embryo transfers	4	1	3	9
Percentage of frozen transfers resulting in live births ^{b,c}	1/4	0/1	1/3	1/9
Average number of frozen embryos transferred	4.5	6.0	4.0	4.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Pacific Fertility Center-San Francisco

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SAN FRANCISCO CENTER FOR REPRODUCTIVE MEDICINE
SAN FRANCISCO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	13%	Uterine factor	3%		
GIFT	1%		Male factor	35%	Other factors	6%		
ZIFT	0%		With ICSI	39%	Ovulatory dysfunction	16%	Unexplained	22%
Combination	<1%		Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Philip E. Chenette, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	52	74	77
Percentage of cycles resulting in pregnancies ^b	27.7	44.2	35.1	14.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.6 (14.1 - 35.1)	40.4 (27.0 - 53.7)	28.4 (18.1 - 38.7)	9.1 (2.7 - 15.5)
Percentage of retrievals resulting in live births ^{b,c}	28.1	45.7	35.0	12.5
Percentage of transfers resulting in live births ^{b,c}	28.1	45.7	35.0	12.5
Percentage of cancellations ^b	12.3	11.5	18.9	27.3
Average number of embryos transferred	3.8	4.2	4.6	5.3
Percentage of pregnancies with twins ^b	4/18	30.4	7.7	1/11
Percentage of pregnancies with triplets or more ^b	4/18	13.0	11.5	0/11
Percentage of live births having multiple infants ^{b,c}	5/16	38.1	23.8	1/7
Frozen Embryos From Nondonor Eggs				
Number of transfers	22	12	9	12
Percentage of transfers resulting in live births ^{b,c}	22.7	5/12	4/9	2/12
Average number of embryos transferred	3.3	2.9	3.1	3.6
Donor Eggs				
Number of fresh embryo transfers	1	1	18	40
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/1	5/18	30.0
Average number of fresh embryos transferred	2.0	3.0	3.3	3.3
Number of frozen embryo transfers	0	0	9	25
Percentage of frozen transfers resulting in live births ^{b,c}			4/9	16.0
Average number of frozen embryos transferred			3.3	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: San Francisco Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SIMON HENDERSON, M.D.
SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	11%	Uterine factor	11%		
GIFT	0%		Male factor	7%	Other factors	22%		
ZIFT	0%		With ICSI	37%	Ovulatory dysfunction	39%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Simon R. Henderson, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	13	10	19
Percentage of cycles resulting in pregnancies ^b	5/12	4/13	0/10	3/19
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	4/12	4/13	0/10	2/19
Percentage of retrievals resulting in live births ^{b,c}	4/11	4/9	0/7	2/13
Percentage of transfers resulting in live births ^{b,c}	4/11	4/9	0/7	2/13
Percentage of cancellations ^b	1/12	4/13	3/10	6/19
Average number of embryos transferred	4.4	6.0	6.4	6.8
Percentage of pregnancies with twins ^b	3/5	0/4		1/3
Percentage of pregnancies with triplets or more ^b	0/5	1/4		0/3
Percentage of live births having multiple infants ^{b,c}	2/4	1/4		0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	1
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1	0/1	0/1
Average number of embryos transferred	5.0	3.0	3.0	3.0
Donor Eggs				
Number of fresh embryo transfers	5	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}	2/5			1/3
Average number of fresh embryos transferred	6.2			3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Simon Henderson, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF CALIFORNIA, SAN FRANCISCO
IN VITRO FERTILIZATION PROGRAM
SAN FRANCISCO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	19%	Uterine factor	<1%		
GIFT	0%		Male factor	34%	Other factors	27%		
ZIFT	0%		With ICSI	57%	Ovulatory dysfunction	6%	Unexplained	7%
Combination	0%		Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert N. Taylor, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	94	83	80	45
Percentage of cycles resulting in pregnancies ^b	30.9	30.1	30.0	15.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.8 (20.5 - 39.0)	24.1 (14.9 - 33.3)	22.5 (13.3 - 31.7)	13.3 (3.4 - 23.3)
Percentage of retrievals resulting in live births ^{b,c}	35.0	28.2	24.0	18.2
Percentage of transfers resulting in live births ^{b,c}	40.6	30.8	24.7	21.4
Percentage of cancellations ^b	14.9	14.5	6.3	26.7
Average number of embryos transferred	2.4	3.0	3.9	4.6
Percentage of pregnancies with twins ^b	34.5	20.0	29.2	3/7
Percentage of pregnancies with triplets or more ^b		8.0	8.3	0/7
Percentage of live births having multiple infants ^{b,c}	21.4	20.0	7/18	1/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	65	46	43	9
Percentage of transfers resulting in live births ^{b,c}	33.8	19.6	16.3	2/9
Average number of embryos transferred	2.9	3.1	3.5	3.7
Donor Eggs				
Number of fresh embryo transfers	0	6	10	25
Percentage of fresh transfers resulting in live births ^{b,c}		2/6	8/10	64.0
Average number of fresh embryos transferred		2.0	2.3	2.2
Number of frozen embryo transfers	5	7	4	30
Percentage of frozen transfers resulting in live births ^{b,c}	1/5	3/7	0/4	23.3
Average number of frozen embryos transferred	2.6	2.6	3.5	2.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of California, San Francisco In Vitro Fertilization Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CARMELO S. SGARLATA, M.D.
SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	80%	Procedural factors:	Tubal factor	34%	Uterine factor	6%		
GIFT	17%		Male factor	15%	Other factors	0%		
ZIFT	0%		With ICSI	20%	Ovulatory dysfunction	28%	Unexplained	6%
Combination	3%		Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Carmelo S. Sgarlata, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	15	9	11	5
Percentage of cycles resulting in pregnancies ^b	4/15	2/9	1/11	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	4/15	1/9	0/11	0/5
Percentage of retrievals resulting in live births ^{b,c}	4/14	1/9	0/7	0/5
Percentage of transfers resulting in live births ^{b,c}	4/14	1/9	0/7	0/5
Percentage of cancellations ^b	1/15	0/9	4/11	0/5
Average number of embryos transferred	4.1	3.9	4.1	5.0
Percentage of pregnancies with twins ^b	1/4	0/2	0/1	
Percentage of pregnancies with triplets or more ^b	1/4	0/2	0/1	
Percentage of live births having multiple infants ^{b,c}	2/4	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/3		
Average number of embryos transferred	2.8	1.7		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Carmelo S. Sgarlata, M.D.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	92%	Procedural factors:	Tubal factor	19%	Uterine factor	3%	
GIFT	7%		Male factor	38%	Other factors	11%	
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	9%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by G. David Adamson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	98	72	70	36
Percentage of cycles resulting in pregnancies ^b	35.7	34.7	27.1	8.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	35.7 (26.2 - 45.2)	29.2 (18.7 - 39.7)	21.4 (11.8 - 31.0)	8.3 (0.0 - 17.4)
Percentage of retrievals resulting in live births ^{b,c}	38.9	33.3	24.2	9.7
Percentage of transfers resulting in live births ^{b,c}	39.3	36.2	24.6	10.3
Percentage of cancellations ^b	8.2	12.5	11.4	13.9
Average number of embryos transferred	3.9	4.3	4.6	3.7
Percentage of pregnancies with twins ^b	37.1	28.0	5/19	0/3
Percentage of pregnancies with triplets or more ^b	14.3	12.0	1/19	1/3
Percentage of live births having multiple infants ^{b,c}	48.6	42.9	4/15	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	4	1	2
Percentage of transfers resulting in live births ^{b,c}	0/5	1/4	0/1	0/2
Average number of embryos transferred	2.2	3.3	1.0	2.5
Donor Eggs				
Number of fresh embryo transfers	0	1	4	7
Percentage of fresh transfers resulting in live births ^{b,c}		1/1	1/4	1/7
Average number of fresh embryos transferred		5.0	5.0	3.6
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/1
Average number of frozen embryos transferred			2.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Physicians of Northern California

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SCIENCE CENTER OF THE BAY AREA SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	91%	Procedural factors:	Tubal factor	17%	Uterine factor	<1%	
GIFT	7%		Male factor	24%	Other factors	33%	
ZIFT	0%	With ICSI	34%	Ovulatory dysfunction	9%	Unexplained	3%
Combination	2%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Louis N. Weckstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	102	70	68	30
Percentage of cycles resulting in pregnancies ^b	33.3	37.1	30.9	13.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.4 (21.5 - 39.3)	31.4 (20.6 - 42.3)	19.1 (9.8 - 28.5)	13.3 (1.2 - 25.5)
Percentage of retrievals resulting in live births ^{b,c}	34.1	40.7	25.5	20.0
Percentage of transfers resulting in live births ^{b,c}	36.0	40.7	26.5	4/19
Percentage of cancellations ^b	10.8	22.9	25.0	33.3
Average number of embryos transferred	2.9	3.4	4.6	6.0
Percentage of pregnancies with twins ^b	52.9	26.9	4.8	0/4
Percentage of pregnancies with triplets or more ^b	8.8	15.4	4.8	0/4
Percentage of live births having multiple infants ^{b,c}	58.1	40.9	2/13	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	20	7	5
Percentage of transfers resulting in live births ^{b,c}	5/19	5.0	1/7	1/5
Average number of embryos transferred	3.2	3.2	4.0	3.8
Donor Eggs				
Number of fresh embryo transfers	5	15	10	54
Percentage of fresh transfers resulting in live births ^{b,c}	1/5	6/15	5/10	38.9
Average number of fresh embryos transferred	3.0	3.8	3.9	3.2
Number of frozen embryo transfers	4	5	7	22
Percentage of frozen transfers resulting in live births ^{b,c}	0/4	0/5	0/7	13.6
Average number of frozen embryos transferred	2.5	1.8	3.9	3.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Science Center of the Bay Area

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR ASSISTED REPRODUCTIVE MEDICINE SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	83%	Procedural factors:	Tubal factor	15%	Uterine factor	4%		
GIFT	13%		Male factor	32%	Other factors	5%		
ZIFT	<1%		With ICSI	51%	Ovulatory dysfunction	12%	Unexplained	25%
Combination	4%		Unstimulated	<1%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Marrs, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	90	96	90	129
Percentage of cycles resulting in pregnancies ^b	35.6	35.4	28.9	15.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.9 (19.5 - 38.3)	28.1 (19.1 - 37.1)	24.4 (15.6 - 33.3)	8.5 (3.7 - 13.3)
Percentage of retrievals resulting in live births ^{b,c}	30.6	30.7	26.5	10.4
Percentage of transfers resulting in live births ^{b,c}	30.6	31.4	27.5	11.0
Percentage of cancellations ^b	5.6	8.3	7.8	17.8
Average number of embryos transferred	3.7	3.9	4.1	4.7
Percentage of pregnancies with twins ^b	25.0	20.6	11.5	15.0
Percentage of pregnancies with triplets or more ^b	21.9	2.9	7.7	5.0
Percentage of live births having multiple infants ^{b,c}	42.3	29.6	18.2	1/11
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	21	14	14
Percentage of transfers resulting in live births ^{b,c}	37.9	14.3	2/14	3/14
Average number of embryos transferred	3.4	3.4	3.6	3.1
Donor Eggs				
Number of fresh embryo transfers	0	3	4	52
Percentage of fresh transfers resulting in live births ^{b,c}		1/3	2/4	28.8
Average number of fresh embryos transferred		4.0	4.0	3.9
Number of frozen embryo transfers	2	0	6	38
Percentage of frozen transfers resulting in live births ^{b,c}	1/2		3/6	15.8
Average number of frozen embryos transferred	3.0		3.7	3.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Assisted Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PARKER-ROSENMAN-RODI GYNECOLOGY & INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	24%	Uterine factor	0%
GIFT	0%			Male factor	12%	Other factors	0%
ZIFT	0%	With ICSI	19%	Ovulatory dysfunction	62%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	2%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ingrid A. Rodi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	3	12	9
Percentage of cycles resulting in pregnancies ^b	4/8	1/3	2/12	6/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/8	1/3	1/12	2/9
Percentage of retrievals resulting in live births ^{b,c}	3/8	1/3	1/12	2/9
Percentage of transfers resulting in live births ^{b,c}	3/6	1/3	1/10	2/8
Percentage of cancellations ^b	0/8	0/3	0/12	0/9
Average number of embryos transferred	3.5	4.7	5.2	6.3
Percentage of pregnancies with twins ^b	2/4	1/1	1/2	1/6
Percentage of pregnancies with triplets or more ^b	1/4	0/1	0/2	0/6
Percentage of live births having multiple infants ^{b,c}	3/3	1/1	1/1	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	0	4	2
Percentage of transfers resulting in live births ^{b,c}	1/9		1/4	0/2
Average number of embryos transferred	3.6		2.5	3.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				1/2
Average number of frozen embryos transferred				3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Parker-Rosenman-Rodi Gynecology & Infertility Medical Group

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH BAY FERTILITY CENTER, INC.
SANTA ROSA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37-39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	24%	Uterine factor	2%		
GIFT	0%		Male factor	21%	Other factors	5%		
ZIFT	0%		With ICSI	35%	Ovulatory dysfunction	37%	Unexplained	7%
Combination	0%		Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Steven T. Dodge, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	18	18	12
Percentage of cycles resulting in pregnancies ^b	33.3	7/18	4/18	2/12
Percentage of cycles resulting in live births ^{b,c}	26.7	7/18	3/18	1/12
(Reliability Range)	(10.8 - 42.5)			
Percentage of retrievals resulting in live births ^{b,c}	26.7	7/16	3/16	1/10
Percentage of transfers resulting in live births ^{b,c}	27.6	7/15	3/15	1/10
Percentage of cancellations ^b	0.0	2/18	2/18	2/12
Average number of embryos transferred	2.7	4.3	5.4	5.5
Percentage of pregnancies with twins ^b	3/10	4/7	2/4	1/2
Percentage of pregnancies with triplets or more ^b	0/10	0/7	0/4	0/2
Percentage of live births having multiple infants ^{b,c}	2/8	4/7	1/3	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	5	4	3
Percentage of transfers resulting in live births ^{b,c}	4/14	1/5	1/4	2/3
Average number of embryos transferred	3.9	4.0	5.5	4.3
Donor Eggs				
Number of fresh embryo transfers	2	5	3	17
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	1/5	2/3	6/17
Average number of fresh embryos transferred	4.0	2.6	3.3	2.8
Number of frozen embryo transfers	0	0	0	4
Percentage of frozen transfers resulting in live births ^{b,c}				3/4
Average number of frozen embryos transferred				3.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: North Bay Fertility Center, Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

VALLEY CENTER FOR REPRODUCTIVE HEALTH SHERMAN OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	94%	Procedural factors:	Tubal factor	15%	Uterine factor	0%
GIFT	0%		Male factor	45%	Other factors	0%
ZIFT	0%		With ICSI	41%	Ovulatory dysfunction	15%
Combination	6%		Unstimulated	0%	Endometriosis	15%
					Unexplained	10%

1998 PREGNANCY SUCCESS RATES

Data verified by Tina B. Koopersmith, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	5	3	2
Percentage of cycles resulting in pregnancies ^b	3/7	1/5	1/3	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/7	0/5	1/3	0/2
Percentage of retrievals resulting in live births ^{b,c}	2/6	0/5	1/3	0/2
Percentage of transfers resulting in live births ^{b,c}	2/5	0/5	1/3	0/2
Percentage of cancellations ^b	1/7	0/5	0/3	0/2
Average number of embryos transferred	3.0	4.0	4.3	5.5
Percentage of pregnancies with twins ^b	2/3	0/1	1/1	
Percentage of pregnancies with triplets or more ^b	0/3	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	2/2		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}			1/1	1/1
Average number of fresh embryos transferred			2.0	2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Valley Center for Reproductive Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

STANFORD UNIVERSITY IVF/ART PROGRAM STANFORD, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	22%	Uterine factor	3%		
GIFT	<1%		Male factor	23%	Other factors	14%		
ZIFT	0%		With ICSI	40%	Ovulatory dysfunction	2%	Unexplained	24%
Combination	2%		Unstimulated	<1%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Amin Milki, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	123	96	146	98
Percentage of cycles resulting in pregnancies ^b	30.1	31.3	24.7	15.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.2 (17.5 - 32.9)	27.1 (18.2 - 36.0)	19.9 (13.4 - 26.3)	8.2 (2.7 - 13.6)
Percentage of retrievals resulting in live births ^{b,c}	27.0	30.2	21.8	8.8
Percentage of transfers resulting in live births ^{b,c}	27.7	31.0	22.5	9.4
Percentage of cancellations ^b	6.5	10.4	8.9	7.1
Average number of embryos transferred	3.3	3.5	3.3	4.0
Percentage of pregnancies with twins ^b	32.4	23.3	25.0	1/15
Percentage of pregnancies with triplets or more ^b	8.1	6.7	5.6	0/15
Percentage of live births having multiple infants ^{b,c}	38.7	26.9	31.0	1/8
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	6	3	5
Percentage of transfers resulting in live births ^{b,c}	1/7	0/6	0/3	0/5
Average number of embryos transferred	3.1	2.8	3.7	2.8
Donor Eggs				
Number of fresh embryo transfers	2	0	3	7
Percentage of fresh transfers resulting in live births ^{b,c}	0/2		2/3	1/7
Average number of fresh embryos transferred	5.0		4.7	3.1
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Stanford University IVF/ART Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH/BEN-OZER CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	93%	Procedural factors:	Tubal factor	13%	Uterine factor	6%		
GIFT	1%		Male factor	26%	Other factors	2%		
ZIFT	<1%		With ICSI	49%	Ovulatory dysfunction	18%	Unexplained	25%
Combination	5%		Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael Vermesh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	95	58	64	52
Percentage of cycles resulting in pregnancies ^b	52.6	53.4	34.4	28.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	50.5 (40.5 - 60.6)	46.6 (33.7 - 59.4)	25.0 (14.4 - 35.6)	17.3 (7.0 - 27.6)
Percentage of retrievals resulting in live births ^{b,c}	51.1	48.2	25.4	17.6
Percentage of transfers resulting in live births ^{b,c}	54.5	50.0	27.1	18.8
Percentage of cancellations ^b	1.1	3.4	1.6	1.9
Average number of embryos transferred	3.9	4.1	3.9	4.0
Percentage of pregnancies with twins ^b	16.0	38.7	27.3	1/15
Percentage of pregnancies with triplets or more ^b	36.0	22.6	9.1	2/15
Percentage of live births having multiple infants ^{b,c}	50.0	55.6	4/16	2/9
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	1	2
Percentage of transfers resulting in live births ^{b,c}	1/4	0/1	0/1	0/2
Average number of embryos transferred	3.8	4.0	3.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	2	10	29
Percentage of fresh transfers resulting in live births ^{b,c}		0/2	6/10	65.5
Average number of fresh embryos transferred		4.5	3.5	4.1
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		
Average number of frozen embryos transferred		4.0		

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Fertility and Gynecology Vermesh/Ben-Ozer Center for Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE FERTILITY INSTITUTES
JEFFREY STEINBERG, M.D. INCORPORATED
TARZANA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	27%	Uterine factor	7%		
GIFT	2%		Male factor	23%	Other factors	9%		
ZIFT	0%		With ICSI	24%	Ovulatory dysfunction	22%	Unexplained	1%
Combination	0%		Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey M. Steinberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	14	11	8
Percentage of cycles resulting in pregnancies ^b	46.7	8/14	5/11	2/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	46.7 (28.8 - 64.5)	8/14	4/11	1/8
Percentage of retrievals resulting in live births ^{b,c}	46.7	8/14	4/11	1/8
Percentage of transfers resulting in live births ^{b,c}	46.7	8/14	4/11	1/8
Percentage of cancellations ^b	0.0	0/14	0/11	0/8
Average number of embryos transferred	5.0	4.9	3.8	3.6
Percentage of pregnancies with twins ^b	6/14	3/8	2/5	1/2
Percentage of pregnancies with triplets or more ^b	2/14	3/8	0/5	0/2
Percentage of live births having multiple infants ^{b,c}	8/14	6/8	2/4	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1			
Average number of embryos transferred	3.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	5
Percentage of fresh transfers resulting in live births ^{b,c}				3/5
Average number of fresh embryos transferred				4.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Fertility Institutes

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INFERTILITY AND GYNECOLOGY INSTITUTE TARZANA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	90%	Procedural factors:		Tubal factor	26%	Uterine factor	1%
GIFT	2%			Male factor	12%	Other factors	15%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	6%	Unexplained	18%
Combination	8%	Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul Greenberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	14	11	5
Percentage of cycles resulting in pregnancies ^b	40.0	9/14	3/11	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	35.0 (14.1 - 55.9)	8/14	3/11	0/5
Percentage of retrievals resulting in live births ^{b,c}	7/19	8/14	3/11	0/5
Percentage of transfers resulting in live births ^{b,c}	7/19	8/14	3/11	0/4
Percentage of cancellations ^b	5.0	0/14	0/11	0/5
Average number of embryos transferred	3.4	4.2	3.8	4.3
Percentage of pregnancies with twins ^b	1/8	3/9	2/3	
Percentage of pregnancies with triplets or more ^b	3/8	2/9	0/3	
Percentage of live births having multiple infants ^{b,c}	1/7	4/8	2/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2			
Average number of embryos transferred	2.0			
Donor Eggs				
Number of fresh embryo transfers	2	0	0	8
Percentage of fresh transfers resulting in live births ^{b,c}	2/2			4/8
Average number of fresh embryos transferred	4.5			3.4
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility and Gynecology Institute

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	34%	Uterine factor	1%		
GIFT	0%		Male factor	25%	Other factors	21%		
ZIFT	<1%		With ICSI	68%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	<1%		Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Rifaat Salem, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	73	51	49	37
Percentage of cycles resulting in pregnancies ^b	42.5	39.2	34.7	16.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.2 (23.4 - 45.1)	37.3 (24.0 - 50.5)	16.3 (6.0 - 26.7)	5.4 (0.0 - 12.7)
Percentage of retrievals resulting in live births ^{b,c}	34.2	37.3	17.4	5.9
Percentage of transfers resulting in live births ^{b,c}	34.7	38.0	17.8	6.3
Percentage of cancellations ^b	0.0	0.0	6.1	8.1
Average number of embryos transferred	5.2	5.1	5.5	5.6
Percentage of pregnancies with twins ^b	29.0	30.0	3/17	1/6
Percentage of pregnancies with triplets or more ^b	19.4	15.0	1/17	0/6
Percentage of live births having multiple infants ^{b,c}	44.0	7/19	2/8	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	5	7	2
Percentage of transfers resulting in live births ^{b,c}	7/16	2/5	3/7	0/2
Average number of embryos transferred	5.5	5.2	4.9	4.5
Donor Eggs				
Number of fresh embryo transfers	4	0	4	10
Percentage of fresh transfers resulting in live births ^{b,c}	3/4		3/4	5/10
Average number of fresh embryos transferred	5.8		5.5	5.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Pacific Reproductive Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

COLORADO SPRINGS CENTER FOR REPRODUCTIVE HEALTH COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	95%	Procedural factors:	Tubal factor	38%	Uterine factor	0%	
GIFT	0%		Male factor	0%	Other factors	8%	
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	8%	Unexplained	0%
Combination	5%	Unstimulated	0%	Endometriosis	46%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert W. Hahn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	4	3	3
Percentage of cycles resulting in pregnancies ^b	3/12	0/4	0/3	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/12	0/4	0/3	0/3
Percentage of retrievals resulting in live births ^{b,c}	2/11	0/4	0/3	0/3
Percentage of transfers resulting in live births ^{b,c}	2/5	0/3	0/2	0/3
Percentage of cancellations ^b	1/12	0/4	0/3	0/3
Average number of embryos transferred	2.8	3.0	5.0	3.0
Percentage of pregnancies with twins ^b	1/3			
Percentage of pregnancies with triplets or more ^b	1/3			
Percentage of live births having multiple infants ^{b,c}	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	1
Percentage of transfers resulting in live births ^{b,c}	0/1			0/1
Average number of embryos transferred	1.0			2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Colorado Springs Center for Reproductive Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	95%	Procedural factors:	Tubal factor	31%	Uterine factor	0%
GIFT	5%		Male factor	33%	Other factors	4%
ZIFT	0%		With ICSI	38%	Ovulatory dysfunction	14%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	11%

1998 PREGNANCY SUCCESS RATES

Data verified by Marcelle I. Cedars, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	14	8	0
Percentage of cycles resulting in pregnancies ^b	36.6	4/14	1/8	
Percentage of cycles resulting in live births ^{b,c}	29.3	2/14	0/8	
(Reliability Range)	(15.3 - 43.2)			
Percentage of retrievals resulting in live births ^{b,c}	31.6	2/13	0/5	
Percentage of transfers resulting in live births ^{b,c}	31.6	2/12	0/5	
Percentage of cancellations ^b	7.3	1/14	3/8	
Average number of embryos transferred	3.5	3.9	3.0	
Percentage of pregnancies with twins ^b	5/15	0/4	0/1	
Percentage of pregnancies with triplets or more ^b	2/15	0/4	0/1	
Percentage of live births having multiple infants ^{b,c}	5/12	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	2	1	2	4
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	0/1	1/2	1/4
Average number of fresh embryos transferred	3.5	3.0	3.0	2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine, University of Colorado

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

COLORADO IVF AT ROSE DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	97%	Procedural factors:	Tubal factor	19%	Uterine factor	1%		
GIFT	3%		Male factor	18%	Other factors	4%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	42%	Unexplained	8%
Combination	0%		Unstimulated	1%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Samuel E. Alexander, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	29	11	5
Percentage of cycles resulting in pregnancies ^b	39.6	27.6	2/11	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.5 (23.8 - 51.2)	20.7 (5.9 - 35.4)	2/11	1/5
Percentage of retrievals resulting in live births ^{b,c}	39.1	21.4	2/9	1/5
Percentage of transfers resulting in live births ^{b,c}	46.2	22.2	2/9	1/4
Percentage of cancellations ^b	4.2	3.4	2/11	0/5
Average number of embryos transferred	2.4	3.2	3.3	3.0
Percentage of pregnancies with twins ^b	2/19	2/8	0/2	0/1
Percentage of pregnancies with triplets or more ^b	1/19	2/8	1/2	0/1
Percentage of live births having multiple infants ^{b,c}	3/18	3/6	1/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	5	1	1
Percentage of transfers resulting in live births ^{b,c}	2/15	0/5	0/1	1/1
Average number of embryos transferred	2.1	3.4	2.0	3.0
Donor Eggs				
Number of fresh embryo transfers	0	5	6	21
Percentage of fresh transfers resulting in live births ^{b,c}		1/5	4/6	42.9
Average number of fresh embryos transferred		2.2	2.2	2.4
Number of frozen embryo transfers	0	1	0	7
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		1/7
Average number of frozen embryos transferred		2.0		3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Colorado IVF at Rose

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE GENETICS IN VITRO DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	55%	Uterine factor	0%
GIFT	0%		Male factor	13%	Other factors	0%
ZIFT	0%		With ICSI	19%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	0%	Endometriosis	18%
					Unexplained	7%

1998 PREGNANCY SUCCESS RATES

Data verified by George P. Henry, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	7	7	9
Percentage of cycles resulting in pregnancies ^b	33.3	2/7	0/7	1/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.2 (11.0 - 47.4)	2/7	0/7	1/9
Percentage of retrievals resulting in live births ^{b,c}	29.2	2/7	0/7	1/8
Percentage of transfers resulting in live births ^{b,c}	30.4	2/7	0/7	1/7
Percentage of cancellations ^b	0.0	0/7	0/7	1/9
Average number of embryos transferred	3.1	4.0	3.1	3.3
Percentage of pregnancies with twins ^b	3/8	1/2		0/1
Percentage of pregnancies with triplets or more ^b	1/8	0/2		0/1
Percentage of live births having multiple infants ^{b,c}	3/7	1/2		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	1	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/3	0/1	
Average number of embryos transferred	3.0	2.7	3.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Genetics In Vitro

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE ENGLEWOOD, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	13%	Uterine factor	2%		
GIFT	0%		Male factor	14%	Other factors	40%		
ZIFT	0%		With ICSI	30%	Ovulatory dysfunction	11%	Unexplained	<1%
Combination	0%		Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by William B. Schoolcraft, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	234	126	139	98
Percentage of cycles resulting in pregnancies ^b	59.0	48.4	36.7	23.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	54.7 (48.3 - 61.1)	42.9 (34.2 - 51.5)	30.9 (23.3 - 38.6)	17.3 (9.9 - 24.8)
Percentage of retrievals resulting in live births ^{b,c}	62.1	51.9	41.7	26.6
Percentage of transfers resulting in live births ^{b,c}	62.4	52.4	42.6	27.0
Percentage of cancellations ^b	12.0	17.5	25.9	34.7
Average number of embryos transferred	2.8	3.2	3.5	4.1
Percentage of pregnancies with twins ^b	36.2	39.3	19.6	0.0
Percentage of pregnancies with triplets or more ^b	12.3	8.2	11.8	8.7
Percentage of live births having multiple infants ^{b,c}	42.2	40.7	20.9	1/17
Frozen Embryos From Nondonor Eggs				
Number of transfers	28	20	21	13
Percentage of transfers resulting in live births ^{b,c}	42.9	25.0	28.6	1/13
Average number of embryos transferred	2.9	2.7	2.8	3.5
Donor Eggs				
Number of fresh embryo transfers	12	12	17	67
Percentage of fresh transfers resulting in live births ^{b,c}	7/12	9/12	14/17	68.7
Average number of fresh embryos transferred	3.1	3.2	2.9	2.8
Number of frozen embryo transfers	2	5	13	16
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	4/5	5/13	7/16
Average number of frozen embryos transferred	5.0	3.4	3.9	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Colorado Center For Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	34%	Uterine factor	4%
GIFT	0%			Male factor	28%	Other factors	2%
ZIFT	0%	With ICSI	49%	Ovulatory dysfunction	6%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kevin E. Bachus, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	13	4	1
Percentage of cycles resulting in pregnancies ^b	7/19	7/13	0/4	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/19	6/13	0/4	0/1
Percentage of retrievals resulting in live births ^{b,c}	6/19	6/13	0/4	0/1
Percentage of transfers resulting in live births ^{b,c}	6/15	6/12	0/4	
Percentage of cancellations ^b	0/19	0/13	0/4	0/1
Average number of embryos transferred	3.7	3.5	3.8	
Percentage of pregnancies with twins ^b	2/7	3/7		
Percentage of pregnancies with triplets or more ^b	0/7	2/7		
Percentage of live births having multiple infants ^{b,c}	1/6	5/6		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	0	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/2		
Average number of embryos transferred	4.0	3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Rocky Mountain Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	24%	Uterine factor	3%		
GIFT	0%		Male factor	13%	Other factors	4%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	17%	Unexplained	35%
Combination	0%		Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bruce H. Albrecht, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	61	41	42	22
Percentage of cycles resulting in pregnancies ^b	50.8	36.6	19.0	27.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	44.3 (31.8 - 56.7)	31.7 (17.5 - 46.0)	11.9 (2.1 - 21.7)	13.6 (0.0 - 28.0)
Percentage of retrievals resulting in live births ^{b,c}	50.9	40.6	16.1	3/16
Percentage of transfers resulting in live births ^{b,c}	52.9	41.9	16.7	3/16
Percentage of cancellations ^b	13.1	22.0	26.2	27.3
Average number of embryos transferred	3.2	3.7	3.5	3.6
Percentage of pregnancies with twins ^b	35.5	6/15	1/8	0/6
Percentage of pregnancies with triplets or more ^b	3.2	1/15	1/8	1/6
Percentage of live births having multiple infants ^{b,c}	33.3	5/13	2/5	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	6	5	4
Percentage of transfers resulting in live births ^{b,c}	1/7	2/6	0/5	0/4
Average number of embryos transferred	3.4	3.2	3.8	2.3
Donor Eggs				
Number of fresh embryo transfers	3	3	3	25
Percentage of fresh transfers resulting in live births ^{b,c}	2/3	0/3	0/3	48.0
Average number of fresh embryos transferred	3.0	2.7	2.7	3.0
Number of frozen embryo transfers	1	0	2	6
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		1/2	1/6
Average number of frozen embryos transferred	2.0		5.5	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Conceptions Reproductive Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES AT
THE UNIVERSITY OF CONNECTICUT HEALTH CENTER
FARMINGTON, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	29%	Uterine factor	<1%		
GIFT	0%		Male factor	33%	Other factors	<1%		
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	11%	Unexplained	11%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by John C. Nulsen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	178	120	70	46
Percentage of cycles resulting in pregnancies ^b	39.3	36.7	18.6	8.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.0 (25.2 - 38.9)	29.2 (21.0 - 37.3)	17.1 (8.3 - 26.0)	6.5 (0.0 - 13.7)
Percentage of retrievals resulting in live births ^{b,c}	38.8	35.0	26.7	12.5
Percentage of transfers resulting in live births ^{b,c}	39.9	37.2	27.9	15.0
Percentage of cancellations ^b	17.4	16.7	35.7	47.8
Average number of embryos transferred	3.1	3.5	3.8	3.9
Percentage of pregnancies with twins ^b	34.3	31.8	3/13	0/4
Percentage of pregnancies with triplets or more ^b	14.3	11.4	1/13	0/4
Percentage of live births having multiple infants ^{b,c}	45.6	45.7	4/12	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	8	5	1
Percentage of transfers resulting in live births ^{b,c}	34.5	1/8	1/5	0/1
Average number of embryos transferred	3.4	3.3	3.0	5.0
Donor Eggs				
Number of fresh embryo transfers	1	2	2	11
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	1/2	1/2	3/11
Average number of fresh embryos transferred	3.0	4.0	3.5	3.3
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	1/2			0/1
Average number of frozen embryos transferred	4.0			1.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**YALE UNIVERSITY SCHOOL OF MEDICINE
IN VITRO FERTILIZATION PROGRAM
NEW HAVEN, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	34%	Uterine factor	2%
GIFT	0%			Male factor	19%	Other factors	9%
ZIFT	<1%	With ICSI	17%	Ovulatory dysfunction	6%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ervin E. Jones, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	134	101	78	67
Percentage of cycles resulting in pregnancies ^b	17.9	13.9	11.5	7.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	16.4 (10.1 - 22.7)	11.9 (5.6 - 18.2)	10.3 (3.5 - 17.0)	4.5 (0.0 - 9.4)
Percentage of retrievals resulting in live births ^{b,c}	17.3	13.2	12.1	5.4
Percentage of transfers resulting in live births ^{b,c}	18.5	14.1	15.1	6.5
Percentage of cancellations ^b	5.2	9.9	15.4	16.4
Average number of embryos transferred	3.6	3.4	3.2	3.5
Percentage of pregnancies with twins ^b	25.0	3/14	1/9	0/5
Percentage of pregnancies with triplets or more ^b	25.0	1/14	0/9	0/5
Percentage of live births having multiple infants ^{b,c}	54.5	4/12	0/8	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	3	3	1
Percentage of transfers resulting in live births ^{b,c}	0/12	0/3	0/3	0/1
Average number of embryos transferred	4.0	5.0	5.3	5.0
Donor Eggs				
Number of fresh embryo transfers	0	1	5	12
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	1/5	0/12
Average number of fresh embryos transferred		3.0	3.4	3.0
Number of frozen embryo transfers	0	1	5	4
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	0/5	0/4
Average number of frozen embryos transferred		3.0	3.6	4.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Yale University School of Medicine In-Vitro Fertilization Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MICHAEL B. DOYLE, M.D.
NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	5%
GIFT	0%		Male factor	31%	Other factors	<1%
ZIFT	0%		With ICSI	52%	Ovulatory dysfunction	29%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	7%

1998 PREGNANCY SUCCESS RATES

Data verified by Michael B. Doyle, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	29	34	31
Percentage of cycles resulting in pregnancies ^b	46.2	34.5	35.3	12.9
Percentage of cycles resulting in live births ^{b,c}	33.8	31.0	32.4	9.7
(Reliability Range)	(22.3 - 45.3)	(14.2 - 47.9)	(16.6 - 48.1)	(0.0 - 20.1)
Percentage of retrievals resulting in live births ^{b,c}	33.8	32.1	33.3	9.7
Percentage of transfers resulting in live births ^{b,c}	34.9	32.1	33.3	9.7
Percentage of cancellations ^b	0.0	3.4	2.9	0.0
Average number of embryos transferred	4.8	4.8	4.3	4.4
Percentage of pregnancies with twins ^b	23.3	2/10	4/12	0/4
Percentage of pregnancies with triplets or more ^b	20.0	1/10	1/12	0/4
Percentage of live births having multiple infants ^{b,c}	50.0	2/9	5/11	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	3	1	0
Percentage of transfers resulting in live births ^{b,c}	2/6	1/3	0/1	
Average number of embryos transferred	2.8	4.0	4.0	
Donor Eggs				
Number of fresh embryo transfers	2	2	1	9
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	0/2	1/1	2/9
Average number of fresh embryos transferred	4.0	3.0	6.0	4.3
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		1/1		0/1
Average number of frozen embryos transferred		5.0		2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Michael B. Doyle, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	22%	Uterine factor	<1%		
GIFT	<1%		Male factor	27%	Other factors	14%		
ZIFT	0%		With ICSI	48%	Ovulatory dysfunction	6%	Unexplained	25%
Combination	0%		Unstimulated	<1%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gad Lavy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	83	64	47	37
Percentage of cycles resulting in pregnancies ^b	63.9	54.7	53.2	32.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	57.8 (47.2 - 68.5)	48.4 (36.2 - 60.7)	44.7 (30.5 - 58.9)	21.6 (8.4 - 34.9)
Percentage of retrievals resulting in live births ^{b,c}	58.5	50.8	46.7	25.0
Percentage of transfers resulting in live births ^{b,c}	59.3	50.8	46.7	26.7
Percentage of cancellations ^b	1.2	4.7	4.3	13.5
Average number of embryos transferred	3.9	3.7	3.5	3.7
Percentage of pregnancies with twins ^b	41.5	17.1	16.0	1/12
Percentage of pregnancies with triplets or more ^b	15.1	14.3	4.0	1/12
Percentage of live births having multiple infants ^{b,c}	58.3	29.0	19.0	2/8
Frozen Embryos From Nondonor Eggs				
Number of transfers	22	16	10	5
Percentage of transfers resulting in live births ^{b,c}	22.7	6/16	3/10	0/5
Average number of embryos transferred	3.1	3.1	3.2	3.4
Donor Eggs				
Number of fresh embryo transfers	4	2	2	14
Percentage of fresh transfers resulting in live births ^{b,c}	3/4	0/2	0/2	5/14
Average number of fresh embryos transferred	3.3	5.5	4.0	3.7
Number of frozen embryo transfers	1	2	1	6
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	0/2	0/1	0/6
Average number of frozen embryos transferred	3.0	3.5	4.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: New England Fertility Institute

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	96%	Procedural factors:	Tubal factor	25%	Uterine factor	14%
GIFT	0%		Male factor	14%	Other factors	8%
ZIFT	4%		With ICSI	54%	Ovulatory dysfunction	8%
Combination	0%		Unstimulated	0%	Endometriosis	17%
					Unexplained	14%

1998 PREGNANCY SUCCESS RATES

Data verified by Frances W. Ginsburg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	6	6	10	4
Percentage of cycles resulting in pregnancies ^b	3/6	1/6	3/10	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/6	1/6	1/10	0/4
Percentage of retrievals resulting in live births ^{b,c}	3/5	1/5	1/10	0/4
Percentage of transfers resulting in live births ^{b,c}	3/5	1/5	1/9	0/3
Percentage of cancellations ^b	1/6	1/6	0/10	0/4
Average number of embryos transferred	3.0	3.4	3.0	3.3
Percentage of pregnancies with twins ^b	1/3	0/1	1/3	
Percentage of pregnancies with triplets or more ^b	0/3	0/1	0/3	
Percentage of live births having multiple infants ^{b,c}	1/3	0/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	2	4
Percentage of transfers resulting in live births ^{b,c}	0/3		0/2	0/4
Average number of embryos transferred	2.3		2.5	2.8
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Stamford Hospital

Services Offered:

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR HUMAN REPRODUCTION-DELAWARE, P.A.
NEWARK, DELAWARE**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	99%	Procedural factors:		Tubal factor	29%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	8%
ZIFT	<1%	With ICSI	34%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	<1%	Unstimulated	<1%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey B. Russell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	128	68	37	27
Percentage of cycles resulting in pregnancies ^b	18.0	14.7	10.8	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	17.2 (10.7 - 23.7)	13.2 (5.2 - 21.3)	10.8 (0.8 - 20.8)	0.0
Percentage of retrievals resulting in live births ^{b,c}	21.4	19.6	20.0	0/12
Percentage of transfers resulting in live births ^{b,c}	23.2	22.0	4/19	0/9
Percentage of cancellations ^b	19.5	32.4	45.9	55.6
Average number of embryos transferred	4.2	4.2	3.1	3.1
Percentage of pregnancies with twins ^b	21.7	2/10	1/4	
Percentage of pregnancies with triplets or more ^b	13.0	1/10	0/4	
Percentage of live births having multiple infants ^{b,c}	27.3	2/9	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	8	3	1
Percentage of transfers resulting in live births ^{b,c}	2/19	1/8	1/3	0/1
Average number of embryos transferred	3.0	3.4	1.3	3.0
Donor Eggs				
Number of fresh embryo transfers	1	3	1	7
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	1/3	1/1	3/7
Average number of fresh embryos transferred	6.0	4.7	6.0	4.3
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			0/1
Average number of frozen embryos transferred	2.0			4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Delaware Institute for Reproductive Medicine, PA

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ASSOCIATES OF DELAWARE WILMINGTON, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	36%	Uterine factor	0%
GIFT	0%		Male factor	32%	Other factors	0%
ZIFT	0%		With ICSI	59%	Ovulatory dysfunction	0%
Combination	0%		Unstimulated	0%	Endometriosis	32%
				Unexplained	0%	

1998 PREGNANCY SUCCESS RATES

Data verified by Ronald F. Feinberg, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	8	5	2
Percentage of cycles resulting in pregnancies ^b	38.7	3/8	1/5	0/2
Percentage of cycles resulting in live births ^{b,c}	35.5	3/8	0/5	0/2
(Reliability Range)	(18.6 - 52.3)			
Percentage of retrievals resulting in live births ^{b,c}	39.3	3/7	0/3	0/1
Percentage of transfers resulting in live births ^{b,c}	42.3	3/6	0/3	0/1
Percentage of cancellations ^b	9.7	1/8	2/5	1/2
Average number of embryos transferred	3.7	4.3	3.3	4.0
Percentage of pregnancies with twins ^b	3/12	1/3	0/1	
Percentage of pregnancies with triplets or more ^b	2/12	0/3	0/1	
Percentage of live births having multiple infants ^{b,c}	4/11	1/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	3	2	0
Percentage of transfers resulting in live births ^{b,c}	2/9	0/3	0/2	
Average number of embryos transferred	3.6	2.7	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Associates of Delaware

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? No
 Verified lab accreditation? No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

COLUMBIA HOSPITAL FOR WOMEN ART PROGRAM WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	32%	Uterine factor	3%		
GIFT	<1%		Male factor	19%	Other factors	<1%		
ZIFT	<1%		With ICSI	40%	Ovulatory dysfunction	30%	Unexplained	5%
Combination	<1%		Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard J. Falk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	60	60	79	45
Percentage of cycles resulting in pregnancies ^b	25.0	21.7	11.4	4.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (14.0 - 36.0)	16.7 (7.2 - 26.1)	6.3 (1.0 - 11.7)	4.4 (0.0 - 10.5)
Percentage of retrievals resulting in live births ^{b,c}	26.8	22.7	8.5	6.7
Percentage of transfers resulting in live births ^{b,c}	28.8	23.8	9.4	7.4
Percentage of cancellations ^b	6.7	26.7	25.3	33.3
Average number of embryos transferred	4.2	4.1	4.6	3.6
Percentage of pregnancies with twins ^b	2/15	2/13	4/9	0/2
Percentage of pregnancies with triplets or more ^b	3/15	2/13	0/9	0/2
Percentage of live births having multiple infants ^{b,c}	4/15	2/10	1/5	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	12	2	3
Percentage of transfers resulting in live births ^{b,c}	2/14	0/12	0/2	0/3
Average number of embryos transferred	4.4	4.1	3.0	4.3
Donor Eggs				
Number of fresh embryo transfers	0	4	12	21
Percentage of fresh transfers resulting in live births ^{b,c}		1/4	4/12	33.3
Average number of fresh embryos transferred		4.5	4.3	3.8
Number of frozen embryo transfers	1	2	3	19
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	0/2	0/3	4/19
Average number of frozen embryos transferred	4.0	4.0	3.7	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE GEORGE WASHINGTON UNIVERSITY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	1%
GIFT	0%			Male factor	36%	Other factors	4%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	6%	Unexplained	27%
Combination	0%	Unstimulated	<1%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul R. Gindoff, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	76	53	44	44
Percentage of cycles resulting in pregnancies ^b	32.9	20.8	18.2	9.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (15.3 - 34.7)	13.2 (4.1 - 22.3)	6.8 (0.0 - 14.3)	2.3 (0.0 - 6.7)
Percentage of retrievals resulting in live births ^{b,c}	26.8	14.6	7.7	2.6
Percentage of transfers resulting in live births ^{b,c}	27.5	14.9	8.1	2.7
Percentage of cancellations ^b	6.6	9.4	11.4	11.4
Average number of embryos transferred	3.8	3.7	3.9	3.8
Percentage of pregnancies with twins ^b	12.0	1/11	0/8	0/4
Percentage of pregnancies with triplets or more ^b	20.0	0/11	0/8	0/4
Percentage of live births having multiple infants ^{b,c}	5/19	1/7	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	5	1	2
Percentage of transfers resulting in live births ^{b,c}	2/5	0/5	0/1	1/2
Average number of embryos transferred	3.8	3.8	2.0	4.5
Donor Eggs				
Number of fresh embryo transfers	2	1	5	10
Percentage of fresh transfers resulting in live births ^{b,c}	2/2	1/1	1/5	3/10
Average number of fresh embryos transferred	4.0	4.0	4.0	4.2
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		
Average number of frozen embryos transferred		3.0		

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The George Washington University Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE SCIENCE CENTER
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	38%	Uterine factor	0%
GIFT	<1%		Male factor	23%	Other factors	5%
ZIFT	0%		With ICSI	26%	Ovulatory dysfunction	6%
Combination	0%		Unstimulated	0%	Endometriosis	6%
					Unexplained	22%

1998 PREGNANCY SUCCESS RATES

Data verified by James Segars, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	199	103	87	45
Percentage of cycles resulting in pregnancies ^b	50.8	35.9	34.5	11.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	46.2 (39.3 - 53.2)	29.1 (20.4 - 37.9)	25.3 (16.2 - 34.4)	6.7 (0.0 - 14.0)
Percentage of retrievals resulting in live births ^{b,c}	51.1	36.6	31.4	11.1
Percentage of transfers resulting in live births ^{b,c}	52.3	37.5	33.3	11.1
Percentage of cancellations ^b	9.5	20.4	19.5	40.0
Average number of embryos transferred	2.8	3.3	3.5	4.2
Percentage of pregnancies with twins ^b	33.7	29.7	16.7	1/5
Percentage of pregnancies with triplets or more ^b	12.9	8.1	10.0	0/5
Percentage of live births having multiple infants ^{b,c}	47.8	43.3	27.3	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	2	3
Percentage of transfers resulting in live births ^{b,c}	1/5	1/2	0/2	1/3
Average number of embryos transferred	2.4	2.0	2.5	2.7
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Science Center, Walter Reed Army Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BOCA FERTILITY BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	27%	Uterine factor	5%		
GIFT	0%		Male factor	31%	Other factors	0%		
ZIFT	0%		With ICSI	11%	Ovulatory dysfunction	29%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Maurice (Moshe) R. Peress, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	21	19	17	6
Percentage of cycles resulting in pregnancies ^b	38.1	9/19	7/17	1/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (13.2 - 53.5)	8/19	4/17	1/6
Percentage of retrievals resulting in live births ^{b,c}	7/17	8/16	4/10	1/4
Percentage of transfers resulting in live births ^{b,c}	7/17	8/15	4/9	1/4
Percentage of cancellations ^b	19.0	3/19	7/17	2/6
Average number of embryos transferred	3.6	4.1	4.7	1.3
Percentage of pregnancies with twins ^b	3/8	0/9	1/7	0/1
Percentage of pregnancies with triplets or more ^b	1/8	2/9	0/7	0/1
Percentage of live births having multiple infants ^{b,c}	3/7	2/8	1/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	4	1	1
Percentage of transfers resulting in live births ^{b,c}	2/11	3/4	0/1	0/1
Average number of embryos transferred	3.5	2.8	4.0	2.0
Donor Eggs				
Number of fresh embryo transfers	1	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			1/2
Average number of fresh embryos transferred	3.0			4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Boca Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PALM BEACH FERTILITY CENTER
BOCA RATON, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	99%	Procedural factors:	Tubal factor	27%	Uterine factor	3%
GIFT	1%		Male factor	23%	Other factors	13%
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	16%
Combination	0%		Unstimulated	0%	Endometriosis	16%
					Unexplained	2%

1998 PREGNANCY SUCCESS RATES

Data verified by Mark S. Denker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	17	12	20
Percentage of cycles resulting in pregnancies ^b	54.2	4/17	2/12	20.0
Percentage of cycles resulting in live births ^{b,c}	45.8	3/17	1/12	15.0
(Reliability Range)	(25.9 - 65.8)			(0.0 - 30.6)
Percentage of retrievals resulting in live births ^{b,c}	50.0	3/15	1/10	3/12
Percentage of transfers resulting in live births ^{b,c}	52.4	3/13	1/10	3/11
Percentage of cancellations ^b	8.3	2/17	2/12	40.0
Average number of embryos transferred	4.1	4.2	3.9	4.4
Percentage of pregnancies with twins ^b	5/13	2/4	0/2	0/4
Percentage of pregnancies with triplets or more ^b	3/13	0/4	1/2	0/4
Percentage of live births having multiple infants ^{b,c}	7/11	1/3	1/1	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	4	1	0
Percentage of transfers resulting in live births ^{b,c}		1/4	0/1	
Average number of embryos transferred		3.3	4.0	
Donor Eggs				
Number of fresh embryo transfers	2	0	1	7
Percentage of fresh transfers resulting in live births ^{b,c}	0/2		0/1	5/7
Average number of fresh embryos transferred	3.0		4.0	4.1
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Palm Beach Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED REPRODUCTIVE CARE CENTER, P.A.
BOYNTON BEACH, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	40%	Procedural factors:	Tubal factor	80%	Uterine factor	0%
GIFT	60%		Male factor	0%	Other factors	0%
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	20%
Combination	0%		Unstimulated	0%	Endometriosis	0%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Tibor E. Polcz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	4	0	1	0
Percentage of cycles resulting in pregnancies ^b	2/4		0/1	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/4		0/1	
Percentage of retrievals resulting in live births ^{b,c}	2/4		0/1	
Percentage of transfers resulting in live births ^{b,c}	2/4		0/1	
Percentage of cancellations ^b	0/4		0/1	
Average number of embryos transferred	4.3		2.0	
Percentage of pregnancies with twins ^b	1/2			
Percentage of pregnancies with triplets or more ^b	0/2			
Percentage of live births having multiple infants ^{b,c}	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Reproductive Care Center, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR HUMAN REPRODUCTION-FLORIDA
CLEARWATER, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	31%	Uterine factor	1%
GIFT	0%		Male factor	28%	Other factors	4%
ZIFT	0%		With ICSI	34%	Ovulatory dysfunction	13%
Combination	0%		Unstimulated	0%	Endometriosis	14%
					Unexplained	9%

1998 PREGNANCY SUCCESS RATES

Data verified by Timothy R. Yeko, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	98	28	18	10
Percentage of cycles resulting in pregnancies ^b	36.7	42.9	5/18	0/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.6 (22.4 - 40.8)	28.6 (11.8 - 45.3)	3/18	0/10
Percentage of retrievals resulting in live births ^{b,c}	35.6	29.6	3/15	0/5
Percentage of transfers resulting in live births ^{b,c}	40.3	29.6	3/15	0/5
Percentage of cancellations ^b	11.2	3.6	3/18	5/10
Average number of embryos transferred	3.4	3.3	3.3	3.6
Percentage of pregnancies with twins ^b	36.1	2/12	1/5	
Percentage of pregnancies with triplets or more ^b	16.7	1/12	0/5	
Percentage of live births having multiple infants ^{b,c}	51.6	3/8	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	5	2	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/5	0/2	
Average number of embryos transferred	2.3	2.0	6.0	
Donor Eggs				
Number of fresh embryo transfers	3	2	2	8
Percentage of fresh transfers resulting in live births ^{b,c}	2/3	1/2	1/2	2/8
Average number of fresh embryos transferred	3.0	3.5	3.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCE & TECHNOLOGY (F.I.R.S.T.) COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	53%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	23%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Minna R. Selub, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	17	4	5	3
Percentage of cycles resulting in pregnancies ^b	1/17	1/4	2/5	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/17	1/4	1/5	1/3
Percentage of retrievals resulting in live births ^{b,c}	1/16	1/4	1/5	1/3
Percentage of transfers resulting in live births ^{b,c}	1/15	1/4	1/5	1/3
Percentage of cancellations ^b	1/17	0/4	0/5	0/3
Average number of embryos transferred	4.3	6.8	5.2	4.3
Percentage of pregnancies with twins ^b	0/1	0/1	1/2	0/1
Percentage of pregnancies with triplets or more ^b	1/1	0/1	0/2	1/1
Percentage of live births having multiple infants ^{b,c}	1/1	0/1	0/1	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1	0/1	
Average number of embryos transferred	4.5	6.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	3	1	5	5
Percentage of fresh transfers resulting in live births ^{b,c}	0/3	0/1	0/5	0/5
Average number of fresh embryos transferred	3.7	6.0	4.4	5.8
Number of frozen embryo transfers	1	0	2	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		0/2	1/1
Average number of frozen embryos transferred	5.0		6.5	9.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Florida Institute for Reproductive Science & Technology (F.I.R.S.T.)

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SPECIALISTS IN REPRODUCTIVE MEDICINE & SURGERY, P.A. FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	94%	Procedural factors:	Tubal factor	31%	Uterine factor	0%		
GIFT	0%		Male factor	21%	Other factors	25%		
ZIFT	0%		With ICSI	47%	Ovulatory dysfunction	12%	Unexplained	0%
Combination	6%		Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Craig R. Sweet, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	29	7	12	5
Percentage of cycles resulting in pregnancies ^b	48.3	1/7	3/12	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	48.3 (30.1 - 66.5)	1/7	3/12	0/5
Percentage of retrievals resulting in live births ^{b,c}	50.0	1/6	3/10	0/4
Percentage of transfers resulting in live births ^{b,c}	50.0	1/6	3/10	0/4
Percentage of cancellations ^b	3.4	1/7	2/12	1/5
Average number of embryos transferred	3.0	2.8	3.4	5.0
Percentage of pregnancies with twins ^b	5/14	0/1	0/3	
Percentage of pregnancies with triplets or more ^b	2/14	0/1	0/3	
Percentage of live births having multiple infants ^{b,c}	7/14	0/1	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	2	4
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1	0/2	1/4
Average number of embryos transferred	2.5	2.0	5.0	3.3
Donor Eggs				
Number of fresh embryo transfers	2	1	5	5
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	1/1	2/5	3/5
Average number of fresh embryos transferred	3.0	3.0	3.2	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Specialists in Reproductive Medicine & Surgery, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF FLORIDA/PARK AVENUE WOMEN'S CENTER
GAINESVILLE, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	0%		
GIFT	0%		Male factor	15%	Other factors	35%		
ZIFT	0%		With ICSI	31%	Ovulatory dysfunction	9%	Unexplained	1%
Combination	0%		Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by R. Stan Williams, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	23	11	4
Percentage of cycles resulting in pregnancies ^b	46.2	21.7	3/11	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	38.5 (23.2 - 53.7)	21.7 (4.9 - 38.6)	2/11	0/4
Percentage of retrievals resulting in live births ^{b,c}	40.5	23.8	2/10	0/3
Percentage of transfers resulting in live births ^{b,c}	41.7	23.8	2/10	0/2
Percentage of cancellations ^b	5.1	8.7	1/11	1/4
Average number of embryos transferred	3.0	3.1	3.2	1.5
Percentage of pregnancies with twins ^b	5/18	1/5	1/3	
Percentage of pregnancies with triplets or more ^b	1/18	1/5	0/3	
Percentage of live births having multiple infants ^{b,c}	6/15	1/5	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	1	1
Percentage of transfers resulting in live births ^{b,c}	1/2	0/1	0/1	0/1
Average number of embryos transferred	3.0	1.0	2.0	2.0
Donor Eggs				
Number of fresh embryo transfers	4	2	4	21
Percentage of fresh transfers resulting in live births ^{b,c}	0/4	2/2	1/4	33.3
Average number of fresh embryos transferred	3.0	3.0	3.3	3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Florida/Park Avenue Women's Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY INSTITUTE OF NORTHWEST FLORIDA GULF BREEZE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	17%	Uterine factor	0%
GIFT	0%		Male factor	66%	Other factors	5%
ZIFT	0%		With ICSI	76%	Ovulatory dysfunction	5%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Robert C. Pyle, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	8	6	5
Percentage of cycles resulting in pregnancies ^b	31.8	1/8	2/6	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.8 (12.4 - 51.3)	1/8	2/6	0/5
Percentage of retrievals resulting in live births ^{b,c}	7/19	1/7	2/6	0/4
Percentage of transfers resulting in live births ^{b,c}	7/17	1/6	2/5	0/3
Percentage of cancellations ^b	13.6	1/8	0/6	1/5
Average number of embryos transferred	4.7	4.0	4.8	3.3
Percentage of pregnancies with twins ^b	2/7	1/1	0/2	
Percentage of pregnancies with triplets or more ^b	0/7	0/1	1/2	
Percentage of live births having multiple infants ^{b,c}	2/7	0/1	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	8	1	0
Percentage of transfers resulting in live births ^{b,c}	1/18	3/8	0/1	
Average number of embryos transferred	2.8	3.8	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	1	2	2
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/2	1/2
Average number of frozen embryos transferred			4.5	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Institute of Northwest Florida

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	24%	Uterine factor	0%		
GIFT	0%		Male factor	34%	Other factors	13%		
ZIFT	<1%		With ICSI	47%	Ovulatory dysfunction	8%	Unexplained	3%
Combination	<1%		Unstimulated	<1%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kevin L. Winslow, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	157	63	42	8
Percentage of cycles resulting in pregnancies ^b	50.3	41.3	23.8	3/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	43.9 (36.2 - 51.7)	34.9 (23.1 - 46.7)	21.4 (9.0 - 33.8)	2/8
Percentage of retrievals resulting in live births ^{b,c}	49.6	38.6	25.0	2/7
Percentage of transfers resulting in live births ^{b,c}	52.7	39.3	27.3	2/7
Percentage of cancellations ^b	11.5	9.5	14.3	1/8
Average number of embryos transferred	3.7	4.3	4.3	4.3
Percentage of pregnancies with twins ^b	27.8	42.3	2/10	1/3
Percentage of pregnancies with triplets or more ^b	17.7	7.7	2/10	0/3
Percentage of live births having multiple infants ^{b,c}	43.5	45.5	4/9	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	64	20	8	1
Percentage of transfers resulting in live births ^{b,c}	25.0	20.0	2/8	0/1
Average number of embryos transferred	3.7	3.3	4.6	3.0
Donor Eggs				
Number of fresh embryo transfers	3	1	9	14
Percentage of fresh transfers resulting in live births ^{b,c}	1/3	0/1	2/9	10/14
Average number of fresh embryos transferred	3.7	3.0	3.4	3.3
Number of frozen embryo transfers	3	0	3	14
Percentage of frozen transfers resulting in live births ^{b,c}	2/3		0/3	2/14
Average number of frozen embryos transferred	3.7		4.7	3.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Florida Institute for Reproductive Medicine

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

IVF FLORIDA/NORTHWEST CENTER FOR INFERTILITY & REPRODUCTIVE ENDOCRINOLOGY MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	27%	Uterine factor	3%
GIFT	0%			Male factor	23%	Other factors	25%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	0%	Unstimulated	<1%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Wayne S. Maxson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	169	91	99	35
Percentage of cycles resulting in pregnancies ^b	47.9	38.5	29.3	17.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	38.5 (31.1 - 45.8)	25.3 (16.3 - 34.2)	23.2 (14.9 - 31.6)	8.6 (0.0 - 17.8)
Percentage of retrievals resulting in live births ^{b,c}	41.7	29.1	28.8	12.0
Percentage of transfers resulting in live births ^{b,c}	42.2	30.3	29.5	12.0
Percentage of cancellations ^b	7.7	13.2	19.2	28.6
Average number of embryos transferred	2.9	3.4	3.2	3.8
Percentage of pregnancies with twins ^b	25.9	22.9	20.7	3/6
Percentage of pregnancies with triplets or more ^b	12.3	5.7	3.4	0/6
Percentage of live births having multiple infants ^{b,c}	41.5	30.4	30.4	2/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	8	4	6
Percentage of transfers resulting in live births ^{b,c}	34.8	4/8	1/4	2/6
Average number of embryos transferred	3.6	4.0	3.0	3.2
Donor Eggs				
Number of fresh embryo transfers	5	4	9	29
Percentage of fresh transfers resulting in live births ^{b,c}	1/5	2/4	3/9	34.5
Average number of fresh embryos transferred	2.4	3.3	2.9	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF Florida/Northwest Center for Infertility & Reproductive Endocrinology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY & IVF CENTER OF MIAMI MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	91%	Procedural factors:	Tubal factor	16%	Uterine factor	8%		
GIFT	5%		Male factor	24%	Other factors	19%		
ZIFT	0%		With ICSI	55%	Ovulatory dysfunction	20%	Unexplained	5%
Combination	4%		Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael H. Jacobs, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	96	36	33	16
Percentage of cycles resulting in pregnancies ^b	29.2	36.1	15.2	1/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.0 (17.3 - 34.8)	19.4 (6.5 - 32.4)	12.1 (1.0 - 23.3)	0/16
Percentage of retrievals resulting in live births ^{b,c}	27.2	22.6	12.5	0/16
Percentage of transfers resulting in live births ^{b,c}	28.1	23.3	13.3	0/15
Percentage of cancellations ^b	4.2	13.9	3.0	0/16
Average number of embryos transferred	4.2	3.9	5.2	4.6
Percentage of pregnancies with twins ^b	25.0	4/13	0/5	0/1
Percentage of pregnancies with triplets or more ^b	17.9	1/13	1/5	0/1
Percentage of live births having multiple infants ^{b,c}	32.0	4/7	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	0	5
Percentage of transfers resulting in live births ^{b,c}	2/5	1/2		1/5
Average number of embryos transferred	3.8	4.5		3.6
Donor Eggs				
Number of fresh embryo transfers	1	3	6	3
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/3	1/6	0/3
Average number of fresh embryos transferred	4.0	6.3	4.8	3.3
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		
Average number of frozen embryos transferred		4.0		

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility & IVF Center of Miami

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMEN'S HEALTHCARE SPECIALISTS
IVF MIAMI
MIAMI BEACH, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	36%	Uterine factor	6%		
GIFT	0%		Male factor	8%	Other factors	3%		
ZIFT	0%		With ICSI	47%	Ovulatory dysfunction	8%	Unexplained	19%
Combination	0%		Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bernard Cantor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	5	5	4
Percentage of cycles resulting in pregnancies ^b	7/16	0/5	1/5	2/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/16	0/5	0/5	1/4
Percentage of retrievals resulting in live births ^{b,c}	6/16	0/4	0/3	1/4
Percentage of transfers resulting in live births ^{b,c}	6/16	0/4	0/2	1/4
Percentage of cancellations ^b	0/16	1/5	2/5	0/4
Average number of embryos transferred	3.5	2.8	3.5	3.5
Percentage of pregnancies with twins ^b	1/7		0/1	0/2
Percentage of pregnancies with triplets or more ^b	1/7		0/1	0/2
Percentage of live births having multiple infants ^{b,c}	2/6			0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}		0/1		
Average number of embryos transferred		3.0		
Donor Eggs				
Number of fresh embryo transfers	1	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}	1/1		1/1	0/1
Average number of fresh embryos transferred	3.0		5.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Women's HealthCare Specialists-IVF Miami

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	96%	Procedural factors:	Tubal factor	26%	Uterine factor	1%		
GIFT	4%		Male factor	30%	Other factors	19%		
ZIFT	0%		With ICSI	45%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	<1%		Unstimulated	<1%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Maria Bustillo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	139	67	62	40
Percentage of cycles resulting in pregnancies ^b	36.0	26.9	21.0	15.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.9 (23.3 - 38.6)	16.4 (7.5 - 25.3)	12.9 (4.6 - 21.2)	7.5 (0.0 - 15.7)
Percentage of retrievals resulting in live births ^{b,c}	35.8	19.6	15.4	10.0
Percentage of transfers resulting in live births ^{b,c}	38.1	20.0	17.0	10.7
Percentage of cancellations ^b	13.7	16.4	16.1	25.0
Average number of embryos transferred	3.4	3.8	3.8	3.8
Percentage of pregnancies with twins ^b	48.0	3/18	2/13	0/6
Percentage of pregnancies with triplets or more ^b	8.0	3/18	0/13	0/6
Percentage of live births having multiple infants ^{b,c}	46.5	4/11	0/8	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	2	4	1
Percentage of transfers resulting in live births ^{b,c}	3/17	0/2	1/4	0/1
Average number of embryos transferred	3.5	1.5	4.8	5.0
Donor Eggs				
Number of fresh embryo transfers	4	2	4	15
Percentage of fresh transfers resulting in live births ^{b,c}	2/4	1/2	1/4	6/15
Average number of fresh embryos transferred	2.8	3.0	3.3	3.2
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			1/1	0/1
Average number of frozen embryos transferred			4.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: South Florida Institute for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ARNOLD PALMER HOSPITAL FERTILITY CENTER ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	99%	Procedural factors:	Tubal factor	36%	Uterine factor	2%	
GIFT	0%		Male factor	16%	Other factors	13%	
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	8%	Unexplained	5%
Combination	<1%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Frank C. Riggall, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	17	11	9
Percentage of cycles resulting in pregnancies ^b	53.0	7/17	1/11	0/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	42.4 (30.5 - 54.3)	5/17	1/11	0/9
Percentage of retrievals resulting in live births ^{b,c}	50.9	5/14	1/6	0/7
Percentage of transfers resulting in live births ^{b,c}	54.9	5/14	1/6	0/7
Percentage of cancellations ^b	16.7	3/17	5/11	2/9
Average number of embryos transferred	3.2	3.4	3.8	3.3
Percentage of pregnancies with twins ^b	20.0	0/7	1/1	
Percentage of pregnancies with triplets or more ^b	22.9	1/7	0/1	
Percentage of live births having multiple infants ^{b,c}	50.0	1/5	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	1	1
Percentage of transfers resulting in live births ^{b,c}	2/7	0/4	0/1	0/1
Average number of embryos transferred	3.3	3.8	3.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	3	8
Percentage of fresh transfers resulting in live births ^{b,c}			1/3	0/8
Average number of fresh embryos transferred			2.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE, P.A.
ORLANDO, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	99%	Procedural factors:	Tubal factor	30%	Uterine factor	<1%		
GIFT	0%		Male factor	18%	Other factors	<1%		
ZIFT	0%		With ICSI	30%	Ovulatory dysfunction	24%	Unexplained	4%
Combination	<1%		Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Randall A. Loy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	151	72	58	11
Percentage of cycles resulting in pregnancies ^b	36.4	34.7	22.4	1/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.8 (26.2 - 41.3)	29.2 (18.7 - 39.7)	15.5 (6.2 - 24.8)	1/11
Percentage of retrievals resulting in live births ^{b,c}	43.2	37.5	20.0	1/8
Percentage of transfers resulting in live births ^{b,c}	45.9	37.5	20.9	1/7
Percentage of cancellations ^b	21.9	22.2	22.4	3/11
Average number of embryos transferred	2.8	2.9	3.5	3.3
Percentage of pregnancies with twins ^b	34.5	32.0	3/13	0/1
Percentage of pregnancies with triplets or more ^b	9.1	4.0	1/13	0/1
Percentage of live births having multiple infants ^{b,c}	41.2	33.3	4/9	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	10	12	4
Percentage of transfers resulting in live births ^{b,c}	3/11	0/10	3/12	1/4
Average number of embryos transferred	2.9	2.6	3.0	1.8
Donor Eggs				
Number of fresh embryo transfers	0	1	0	4
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		1/4
Average number of fresh embryos transferred		3.0		2.8
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	
Average number of frozen embryos transferred			3.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Infertility & Reproductive Medicine, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE MEDICINE AND FERTILITY CENTER ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	98%	Procedural factors:	Tubal factor	31%	Uterine factor	0%	
GIFT	0%		Male factor	30%	Other factors	0%	
ZIFT	0%	With ICSI	49%	Ovulatory dysfunction	26%	Unexplained	2%
Combination	2%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mark L. Jutras, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	8	5	2
Percentage of cycles resulting in pregnancies ^b	53.1	4/8	2/5	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	50.0 (32.7 - 67.3)	4/8	2/5	0/2
Percentage of retrievals resulting in live births ^{b,c}	51.6	4/7	2/2	0/1
Percentage of transfers resulting in live births ^{b,c}	55.2	4/7	2/2	0/1
Percentage of cancellations ^b	3.1	1/8	3/5	1/2
Average number of embryos transferred	2.5	3.1	4.5	3.0
Percentage of pregnancies with twins ^b	2/17	0/4	1/2	
Percentage of pregnancies with triplets or more ^b	1/17	0/4	0/2	
Percentage of live births having multiple infants ^{b,c}	3/16	0/4	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		
Average number of embryos transferred	4.5	3.0		
Donor Eggs				
Number of fresh embryo transfers	2	0	1	2
Percentage of fresh transfers resulting in live births ^{b,c}	2/2		1/1	0/2
Average number of fresh embryos transferred	3.0		2.0	2.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Medicine and Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF FLORIDA-PENSACOLA
PENSACOLA, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	11%
GIFT	0%			Male factor	55%	Other factors	0%
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	0%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Barry A. Ripps, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	1	2	0
Percentage of cycles resulting in pregnancies ^b	1/7	0/1	0/2	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/7	0/1	0/2	
Percentage of retrievals resulting in live births ^{b,c}	1/7	0/1	0/1	
Percentage of transfers resulting in live births ^{b,c}	1/6	0/1	0/1	
Percentage of cancellations ^b	0/7	0/1	1/2	
Average number of embryos transferred	3.3	4.0	2.0	
Percentage of pregnancies with twins ^b	0/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}	0/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	0	1	0
Percentage of transfers resulting in live births ^{b,c}	2/7		0/1	
Average number of embryos transferred	3.1		1.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Florida-Pensacola

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ADVANCED REPRODUCTIVE ENDOCRINOLOGY
PLANTATION, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	82%	Procedural factors:	Tubal factor	29%	Uterine factor	2%
GIFT	3%		Male factor	33%	Other factors	1%
ZIFT	0%		With ICSI	62%	Ovulatory dysfunction	10%
Combination	15%		Unstimulated	0%	Endometriosis	14%
					Unexplained	11%

1998 PREGNANCY SUCCESS RATES

Data verified by Mick Abae, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	16	7	5
Percentage of cycles resulting in pregnancies ^b	33.3	4/16	2/7	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.3 (14.6 - 46.0)	1/16	1/7	0/5
Percentage of retrievals resulting in live births ^{b,c}	30.3	1/15	1/6	0/4
Percentage of transfers resulting in live births ^{b,c}	32.3	1/15	1/6	0/4
Percentage of cancellations ^b	0.0	1/16	1/7	1/5
Average number of embryos transferred	3.1	3.5	4.2	6.0
Percentage of pregnancies with twins ^b	3/11	1/4	0/2	
Percentage of pregnancies with triplets or more ^b	0/11	0/4	0/2	
Percentage of live births having multiple infants ^{b,c}	2/10	1/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	1
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		0/1
Average number of embryos transferred	3.5	2.0		5.0
Donor Eggs				
Number of fresh embryo transfers	0	1	0	3
Percentage of fresh transfers resulting in live births ^{b,c}		1/1		0/3
Average number of fresh embryos transferred		3.0		3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Advanced Reproductive Endocrinology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY INSTITUTE OF FORT LAUDERDALE PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	4%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	26%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eliezer J. Livnat, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	5	7	1
Percentage of cycles resulting in pregnancies ^b	3/7	0/5	1/7	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/7	0/5	1/7	0/1
Percentage of retrievals resulting in live births ^{b,c}	3/7	0/5	1/6	0/1
Percentage of transfers resulting in live births ^{b,c}	3/7	0/3	1/6	
Percentage of cancellations ^b	0/7	0/5	1/7	0/1
Average number of embryos transferred	4.3	2.3	3.5	
Percentage of pregnancies with twins ^b	2/3		0/1	
Percentage of pregnancies with triplets or more ^b	0/3		1/1	
Percentage of live births having multiple infants ^{b,c}	2/3		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	1	0
Percentage of transfers resulting in live births ^{b,c}		0/1	0/1	
Average number of embryos transferred		3.0	2.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Institute of Fort Lauderdale

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF SARASOTA
JULIO E. PABON, M.D., P.A.
SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	24%	Uterine factor	6%		
GIFT	0%		Male factor	18%	Other factors	0%		
ZIFT	0%		With ICSI	33%	Ovulatory dysfunction	29%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Julio E. Pabon, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	4	4	2
Percentage of cycles resulting in pregnancies ^b	2/5	1/4	2/4	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/5	1/4	2/4	0/2
Percentage of retrievals resulting in live births ^{b,c}	2/5	1/4	2/4	0/2
Percentage of transfers resulting in live births ^{b,c}	2/5	1/3	2/3	0/1
Percentage of cancellations ^b	0/5	0/4	0/4	0/2
Average number of embryos transferred	3.4	3.0	4.0	1.0
Percentage of pregnancies with twins ^b	1/2	0/1	0/2	
Percentage of pregnancies with triplets or more ^b	0/2	0/1	1/2	
Percentage of live births having multiple infants ^{b,c}	1/2	0/1	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				0/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of Sarasota, Julio E. Pabon, M.D., P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED REPRODUCTIVE TECHNOLOGIES PROGRAM AT UNIVERSITY COMMUNITY HOSPITAL, DRS. VERKAUF, BERNHISEL AND TARANTINO TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	81%	Procedural factors:	Tubal factor	34%	Uterine factor	0%		
GIFT	9%		Male factor	22%	Other factors	16%		
ZIFT	4%		With ICSI	26%	Ovulatory dysfunction	1%	Unexplained	16%
Combination	6%		Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Samuel Tarantino, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	121	72	65	30
Percentage of cycles resulting in pregnancies ^b	38.8	30.6	23.1	10.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.2 (23.9 - 40.6)	26.4 (16.2 - 36.6)	16.9 (7.8 - 26.0)	6.7 (0.0 - 15.6)
Percentage of retrievals resulting in live births ^{b,c}	34.2	30.2	23.4	9.5
Percentage of transfers resulting in live births ^{b,c}	34.8	30.2	24.4	2/19
Percentage of cancellations ^b	5.8	12.5	27.7	30.0
Average number of embryos transferred	3.2	3.4	3.6	3.5
Percentage of pregnancies with twins ^b	31.9	27.3	2/15	2/3
Percentage of pregnancies with triplets or more ^b	14.9	9.1	0/15	1/3
Percentage of live births having multiple infants ^{b,c}	53.8	4/19	1/11	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	1	6
Percentage of transfers resulting in live births ^{b,c}	0/5	0/1	0/1	0/6
Average number of embryos transferred	2.8	3.0	3.0	1.8
Donor Eggs				
Number of fresh embryo transfers	1	1	4	21
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/1	2/4	47.6
Average number of fresh embryos transferred	3.0	3.0	2.5	2.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Reproductive Technologies Program at University Community Hospital
Drs. Verkauf, Bernhisel and Tarantino

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GENETICS & IVF OF FLORIDA WEST PALM BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	55%	Uterine factor	0%
GIFT	0%		Male factor	5%	Other factors	17%
ZIFT	0%		With ICSI	8%	Ovulatory dysfunction	6%
Combination	0%		Unstimulated	0%	Endometriosis	0%
					Unexplained	17%

1998 PREGNANCY SUCCESS RATES

Data verified by Gene F. Manko, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	3	5	3
Percentage of cycles resulting in pregnancies ^b	0/2	0/3	1/5	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/2	0/3	1/5	0/3
Percentage of retrievals resulting in live births ^{b,c}	0/2	0/3	1/2	0/3
Percentage of transfers resulting in live births ^{b,c}	0/2	0/3	1/2	0/2
Percentage of cancellations ^b	0/2	0/3	3/5	0/3
Average number of embryos transferred	2.5	2.3	2.0	3.0
Percentage of pregnancies with twins ^b			0/1	0/1
Percentage of pregnancies with triplets or more ^b			0/1	0/1
Percentage of live births having multiple infants ^{b,c}			0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2/2	0/2		
Average number of embryos transferred	2.0	1.5		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			6.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Medicine & Genetics

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

EMORY CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	1%
GIFT	0%			Male factor	17%	Other factors	4%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	18%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	24%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ana Murphy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	114	42	36	14
Percentage of cycles resulting in pregnancies ^b	32.5	31.0	22.2	3/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.3 (18.2 - 34.4)	26.2 (12.9 - 39.5)	19.4 (6.5 - 32.4)	3/14
Percentage of retrievals resulting in live births ^{b,c}	34.9	35.5	7/18	3/10
Percentage of transfers resulting in live births ^{b,c}	40.5	42.3	7/14	3/8
Percentage of cancellations ^b	24.6	26.2	50.0	4/14
Average number of embryos transferred	2.5	3.0	3.6	3.8
Percentage of pregnancies with twins ^b	24.3	6/13	2/8	0/3
Percentage of pregnancies with triplets or more ^b	13.5	3/13	1/8	0/3
Percentage of live births having multiple infants ^{b,c}	40.0	7/11	3/7	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	7	4	0
Percentage of transfers resulting in live births ^{b,c}	29.2	2/7	1/4	
Average number of embryos transferred	2.5	3.0	2.3	
Donor Eggs				
Number of fresh embryo transfers	3	0	1	6
Percentage of fresh transfers resulting in live births ^{b,c}	3/3		0/1	2/6
Average number of fresh embryos transferred	3.0		3.0	2.7
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/3
Average number of frozen embryos transferred			2.0	2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Emory Center for Reproductive Medicine and Fertility

Services Offered:

Donor egg? No Gestational carriers? Yes
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE BIOLOGY ASSOCIATES
ATLANTA, GEORGIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	16%	Uterine factor	7%
GIFT	0%		Male factor	15%	Other factors	6%
ZIFT	0%		With ICSI	46%	Ovulatory dysfunction	34%
Combination	0%		Unstimulated	0%	Endometriosis	22%
					Unexplained	<1%

1998 PREGNANCY SUCCESS RATES

Data verified by Joe B. Massey, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	427	206	166	94
Percentage of cycles resulting in pregnancies ^b	39.8	32.5	20.5	11.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.0 (28.6 - 37.5)	30.1 (23.8 - 36.4)	14.5 (9.1 - 19.8)	6.4 (1.4 - 11.3)
Percentage of retrievals resulting in live births ^{b,c}	38.2	36.7	19.2	9.4
Percentage of transfers resulting in live births ^{b,c}	39.6	39.5	20.2	10.3
Percentage of cancellations ^b	13.6	18.0	24.7	31.9
Average number of embryos transferred	3.2	3.4	3.5	3.3
Percentage of pregnancies with twins ^b	29.4	28.4	32.4	2/11
Percentage of pregnancies with triplets or more ^b	9.4	9.0	0.0	0/11
Percentage of live births having multiple infants ^{b,c}	40.4	38.7	45.8	1/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	110	55	34	21
Percentage of transfers resulting in live births ^{b,c}	14.5	16.4	14.7	19.0
Average number of embryos transferred	3.3	3.5	3.6	3.3
Donor Eggs				
Number of fresh embryo transfers	16	16	19	79
Percentage of fresh transfers resulting in live births ^{b,c}	4/16	6/16	5/19	50.6
Average number of fresh embryos transferred	3.1	2.8	2.7	2.8
Number of frozen embryo transfers	10	5	12	33
Percentage of frozen transfers resulting in live births ^{b,c}	1/10	1/5	2/12	15.2
Average number of frozen embryos transferred	4.2	2.8	3.7	3.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Biology Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

AUGUSTA REPRODUCTIVE BIOLOGY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	17%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Edouard J. Servy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	19	7	6
Percentage of cycles resulting in pregnancies ^b	27.8	5/19	0/7	1/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.8 (13.1 - 42.4)	3/19	0/7	0/6
Percentage of retrievals resulting in live births ^{b,c}	29.4	3/17	0/5	0/5
Percentage of transfers resulting in live births ^{b,c}	38.5	3/16	0/5	0/5
Percentage of cancellations ^b	5.6	2/19	2/7	1/6
Average number of embryos transferred	2.5	2.7	2.8	3.4
Percentage of pregnancies with twins ^b	4/10	0/5		0/1
Percentage of pregnancies with triplets or more ^b	0/10	1/5		0/1
Percentage of live births having multiple infants ^{b,c}	4/10	0/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1/8	0/1		
Average number of embryos transferred	1.9	1.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Augusta Reproductive Biology Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PACIFIC IVF INSTITUTE HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	34%	Uterine factor	<1%
GIFT	0%			Male factor	22%	Other factors	2%
ZIFT	0%	With ICSI	24%	Ovulatory dysfunction	3%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	34%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kenneth K.C. Vu, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	67	65	65	52
Percentage of cycles resulting in pregnancies ^b	52.2	32.3	21.5	15.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	43.3 (31.4 - 55.1)	24.6 (14.1 - 35.1)	15.4 (6.6 - 24.2)	11.5 (2.9 - 20.2)
Percentage of retrievals resulting in live births ^{b,c}	51.8	31.4	18.5	16.7
Percentage of transfers resulting in live births ^{b,c}	54.7	34.8	19.6	17.6
Percentage of cancellations ^b	16.4	21.5	16.9	30.8
Average number of embryos transferred	3.6	4.2	4.2	4.2
Percentage of pregnancies with twins ^b	31.4	28.6	4/14	0/8
Percentage of pregnancies with triplets or more ^b	25.7	4.8	2/14	1/8
Percentage of live births having multiple infants ^{b,c}	51.7	6/16	5/10	1/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	12	10	7
Percentage of transfers resulting in live births ^{b,c}	4/8	1/12	2/10	2/7
Average number of embryos transferred	3.9	4.3	4.4	4.6
Donor Eggs				
Number of fresh embryo transfers	0	0	2	8
Percentage of fresh transfers resulting in live births ^{b,c}			2/2	5/8
Average number of fresh embryos transferred			4.5	4.3
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Pacific IVF Institute

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TRIPLER ARMY MEDICAL CENTER
TRIPLER AMC, HAWAII**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	48%	Uterine factor	0%
GIFT	0%			Male factor	16%	Other factors	3%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	8%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kenneth K.C. Vu, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	11	6	0
Percentage of cycles resulting in pregnancies ^b	63.9	6/11	4/6	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	47.2 (30.9 - 63.5)	3/11	3/6	
Percentage of retrievals resulting in live births ^{b,c}	53.1	3/11	3/6	
Percentage of transfers resulting in live births ^{b,c}	56.7	3/11	3/6	
Percentage of cancellations ^b	11.1	0/11	0/6	
Average number of embryos transferred	3.2	4.2	3.3	
Percentage of pregnancies with twins ^b	34.8	1/6	1/4	
Percentage of pregnancies with triplets or more ^b	13.0	1/6	0/4	
Percentage of live births having multiple infants ^{b,c}	9/17	2/3	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	1	0	0
Percentage of transfers resulting in live births ^{b,c}	5/10	1/1		
Average number of embryos transferred	3.8	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Tripler Army Medical Center

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.